Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Diamond Drilling

TOTAL COST: $2,529,339.80

AUTHOR(S): Susan T. Flasha, M. Sc.

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-1-842 Expiry March 31, 2020

YEAR OF WORK: 2015

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5605577

PROPERTY NAME: Brucejack / Snowfield

CLAIM NAME(S) (on which the work was done): 509397 & 1027399

COMMODITIES SOUGHT: Gold, Silver / Copper, Molybdenum

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 104B 193 / 104B 185

MINING DIVISION: Skeena

NTS/BCGS: 104B/9E

LATITUDE: 56 ° 27 '26 " **LONGITUDE:** 130 ° 10 '23 " **(at centre of work)**

OWNER(S):

1) Pretium Exploration Inc.

2)

MAILING ADDRESS:

PO Box 49334 - 1055 Dunsmuir Street

Vancouver, BC V7X 1L4

OPERATOR(S) [who paid for the work]:

1)

2)

MAILING ADDRESS:

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Flow Dome Zone - surface geology comprised of flow-foliated fine hornblende and feldspar phyric latite and fragmental rocks and well-bedded green, maroon, and grey andesitic to dacitic pyroclastic and epiclastic rocks - Jurassic Betty Creek Formation. Flow Dome Zone deep drilling intersected Lower Hazelton Group volcanics with high grade gold mineralization hosted by strongly silica-sericite-pyrite altered porphyritic volcanics.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 32718, 32074, 28925, 24610, 23613, 23609,

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	8380.73m 12 holes (includes 2 wedges) HQ/NQ	509397 & 1027399	$2,529,339.80
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	$2,529,339.80



Frontispiece. Pretium Exploration Inc. and Tsetsaut Ventures Ltd. exploration crew, 2015. Photo credit: Lani Howarth.

BC Geological Survey
Assessment Report
36214

DIAMOND DRILLING REPORT
of the
2015 BRUCEJACK OFF MINING LEASES EXPLORATION PROGRAM
BRUCEJACK PROPERTY
MINERAL TENURES 509397 & 1027399

SKEENA MINING DIVISION BRITISH COLUMBIA, CANADA NTS 104B/9E

Geographic Coordinates: 56˚ 27’ 26” /130˚ 10’ 23”

427,700E 6,257,600N NAD 83 Zone 9

Event Number: 5605577

for

Pretium Exploration Inc.
Suite 2300 – 1055 Dunsmuir St
Vancouver, B.C. V7X 1L4

By Susan T. Flasha, M.Sc.

June 2, 2016

TABLE OF CONTENTS

1.0 Introduction & Summary..... 1
2.0 Location..... 2
3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources..... 2
3.1 Accessibility..... 2
3.2 Climate & Physiography..... 2
3.3 Infrastructure and Local Resources..... 4
4.0 Mineral Tenures..... 4
5.0 History..... 6
5.1 Work Completed Pre-2009..... 6
5.2 Work Completed by Silver Standard Resources Inc 2009-2010..... 8
5.3 Work Completed by Pretium Exploration Inc 2011-2014..... 8
6.0 Geological Setting and Mineralization..... 10
6.1 Regional Geological Setting..... 10
6.2 Local Geology..... 14
6.3 Stratigraphy..... 14
6.4 Alteration and Mineralization..... 17
6.5 Structural Setting and Metamorphism..... 18
7.0 Diamond Drill Program..... 19
7.1 Flow Dome Zone..... 20
7.2 HGP Zone..... 24
7.3 South Zone..... 27
7.4 Sampling Methodology and QA/QC..... 29
8.0 Recommendations..... 30
9.0 References..... 31

Figures

Frontispiece. Pretium Exploration Inc. and Tsetsaut Ventures Ltd. exploration crew, 2015. Photo credit: Lani Howarth.
Figure 1. Provincial and regional location map of the Brucejack Property …… 3
Figure 2. Brucejack Property claim location…… 5
Figure 3. Brucejack Property Zone locations with present and historic diamond-drill hole collar locations. 9
Figure 4. Tectonic setting of the Brucejack and Snowfield properties in the Northwest Cordillera (Source: Ghaffari et al. 2012)…… 11
Figure 5. Regional structural and stratigraphic setting of the Brucejack Property and Sulphurets Mining Camp in Northwest BC, including locations of significant past-producing mines and mineral resources (Source: Ghaffari et al. 2012)…… 13
Figure 6. Local structural and stratigraphic setting of the Brucejack Property and Sulphurets Mining Camp. Note that the rectangle represents the location of Figure 7…… 15
Figure 7. Sulphurets Mining Camp geology and mineralization…… 16
Figure 8. Flow Dome Zone diamond-drill collar locations and geology…… 21
Figure 9. Photograph of the Flow Dome Zone, looking west towards diamond-drill setup SU-666…… 22
Figure 10. Electrum-bearing quartz-calcite vein in SU-666, with 8,600 g/t Au and 4,330 g/t Ag over 0.5m at 1,267.45 metres depth…… 22
Figure 11. Very-fine, silver-rich electrum in a quartz-calcite vein, grading 6.77 g/t Au and 1,600 g/t Ag, SU-671 at 740.73m…… 23
Figure 12. HGP Zone diamond-drill collar locations and geology…… 25
Figure 13. HGP Zone copper and molybdenum mineralization on surface…… 26
Figure 14. Example of Au-Ag mineralized intercept from HGP Zone, collar SU-669 between 262.6m and 268.6m depth…… 27
Figure 15. South Zone and High Zone “King Tut” diamond drill collar locations and geology…… 28

Tables

Table 1. Brucejack / Snowfield Properties mineral claims…… 6
Table 2. Brucejack Property mining leases…… 6
Table 3. List of diamond-drill hole collars from the 2015 exploration program…… 19
Table 4. Significant gold and silver intercepts at the Flow Dome Zone…… 24
Table 5. Significant gold, silver and copper intercepts at the HGP Zone…… 27
Table 6. Significant gold and silver intercepts at the South Zone…… 29

Appendices

Appendix I. Maps and Plans
Appendix II. Geological Sections with Assays.
Appendix III. Geological Drill Logs
Appendix IV. Assay Certificates from ALS Laboratories
Appendix V. Cost Statement
Appendix VI. Statement of Qualifications

1.0 Introduction & Summary

In 2015, six deep diamond-drill holes and two wedge holes were drilled at the Flow Dome Zone, three diamond-drill holes were drilled at the HGP zone, and one deep diamond-drill hole was drilled to test the South Zone, for a program total of 8,380.7 meters. The Flow Dome Zone drilling objective was to explore for gold mineralization based on geophysical anomalies delineated from a 2014 airborne survey. The HGP holes were targeting epithermal-style Au-Ag and porphyry-style Cu-Mo mineralization at depth based on surface field observations. At South Zone, the goal was to test the low-grade gold continuity potential with the High Zone, which graded 0.88 g/t Au over 222 meters in the "King Tut" drillhole H12-01, completed by Teuton Resources Corp. in 2012, 1.3 kilometers to the south. Pretium Exploration's 2015 drill program was completed with two fly capable TECH 5000 diamond-drill rigs, owned and operated by Hy-Tech Drilling Ltd. of Smithers, B.C. The drilling started on July 7th and was completed October 13th, 2015.

The 2015 Exploration Program under work permit number MX-1-842, was based out of Bowser Camp, situated at 440 meters elevation and at the 51 kilometer marker on the Brucejack Mine access road. The drill sites were accessible by helicopter only, collared between 810 and 1675 meters elevation, on mineral claims 1027399 and 509397. A Bell 407 helicopter was used to move the rig and transport crews, fuel, supplies, and core.

The program was successful in finding significant gold and silver mineralization, both high-grade and low-grade, as well as highly anomalous Cu and Mo mineralization. The Flow Dome Zone had a high assay of 8,600 g/t Au and 4,330 g/t Ag over 0.5 m (SU-666 at 1,267.45 meters). There was a significant broad low-grade gold-silver zone intersected in SU-671, grading 0.88 g/t Au and 15.64 g/t Ag over 277 meters, including over 20 sightings of very fine flecks of silver-rich electrum. The HGP Zone had an intercept high gold assay of 32.90 g/t Au over 1.20 meters in SU-669 at 88.8 meters. The South Zone intersected a significant zone with a broad low-grade interval of 0.53 g/t Au, 13.64 g/t Ag and 54 ppm Mo over 561.55 meters (SU-671, 632.85m to 1194.40m). Based on these program results, continued exploration by means of drilling are strongly recommended.

2.0 Location

The Brucejack Property area is located 65 kilometers north-northwest of Stewart, British Columbia, and approximately 950 km northwest of Vancouver (fig. 1). The property is located in the Boundary Range of the Coast Mountain Physiographic Belt, along the western margin of the Intermontane Tectonic Belt. The terrain is generally steep with local reliefs of 400 m from valleys occupied by receding glaciers, to peaks at elevations over 2,200 m.

The 2015 diamond drilling was focused on the Flow Dome Zone and HGP Zone, located on the Brucejack Property claims. Flow Dome Zone is centered approximately 1.2 kilometers south of Brucejack Lake, at Universal Transverse Mercator (UTM) 427,700E 6,257,600N North American Datum (NAD) 83 Zone 9, with South Zone 1.7 km southwest of this centre (fig. 1). The HGP Zone sits west of the toe of the Hanging Glacier, approximately 3 kilometers south-southwest of the Snowfield gold deposit (UTM 427,700E 6,257,600N NAD 83 Zone 9; fig 1). The peak diamond drilling elevation was 1675 meters, and the lower limit was 810 meters. The diamond drill locations were accessible by helicopter only. The exploration base, Bowser Camp, is located in the Bowser valley bottom at 440 meters elevation and 15 and 21 kilometers east-southeast of the Flow Dome Zone and HGP Zone, respectively (fig. 1). Bowser Camp is located at 51 kilometer along Pretium's 74 kilometer access road to Brucejack Mine, on the north side of the Bowser River and 14 kilometers west of Bowser Lake (fig. 1).

3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources


3.1 Accessibility

The Bowser Camp is accessed by the all-season, well-maintained dirt road, starting at Kilometer 215 on Highway 37 (fig. 1). All-wheel drive vehicles can utilize this road year-round as it is well maintained with a good snow-removal program in the winter. The 74 kilometer access road was completed in 2012 and links all of Pretium's camps including Brucejack Camp, Bowser Camp, and Wildfire Camp.

The Brucejack Property area is also easily accessible by chartered helicopter from the town of Stewart, or seasonally from the settlement of Bell II. The flight time from Stewart is approximately 30 minutes and slightly less from Bell II; however, Stewart has the advantage of having an established year-round helicopter base.

3.2 Climate & Physiography

The climate is typical of Northwestern B.C. with cool, wet summers, and relatively moderate but wet winters. Annual temperatures range from +20°C to -20°C. Precipitation is high with heavy snowfall accumulations ranging from 10 to 15 m at higher elevations and 2 to 3 m along the lower river valleys.



Legend

- Proposed Transmission Line (March 2016)
- Northwest Transmission Line
- 138 KV Powerline
- Access Road
- Expressway / Highway
- Pretium Mineral Claim Boundary
- Project Zones
- Canada and USA Border

0 5 10 20
Kilometers

PRETIVM

PRETIUM EXPLORATION INC.
Brucejack Gold Mine Project

2300–1055 Dunsmuir Street
Vancouver, BC V7X 1L4
Canada
(604) 558–1784

PROJECTION: UTM Zone 9 (NAD83)

Location Map

PROJECT NO:	FILE:	REV:	SCALE:	DATE:	DOCUMENT:	FIGURE #:
	Pretivm_Project_Location_Map_85x11_20160531		1:500,000	31 May 16		

Figure 1. Provincial and regional location map of the Brucejack Property.

Snow packs cover the higher elevations from October to May. The optimum field season is from late June to mid-October.

The tree line is at an elevation of approximately 1,200 m. Sparse fir, spruce, and alder grow along the valley bottoms with only scrub alpine spruce, juniper, alpine grass, moss, and heather covering the steep valley walls. The upper HGP Zone is located below tree-line, at 1,000 meters elevation, however drillhole SU-667 situated at 810 m is located on recently exposed polished outcrop below Hanging Glacier. Rocky glacial moraine and polished glacial-striated outcrops dominate the terrain above tree line. The Flow Dome Zone and South Zone, at elevations over 1,400 meters, have only sparse mosses along drainages.

3.3 Infrastructure and Local Resources

The only local infrastructure is Pretium's Brucejack Mine access road from Highway 37 and the camps along the road. Mine development will include an airstrip north of Bowser Camp for small aircraft and a 55 km transmission line connecting to the Long Lake Generating Station north of Stewart (fig. 1).

The nearest infrastructure is the town of Stewart, approximately 65 km to the south, which has a minimum of supplies and personnel. The city of Terrace and town of Smithers are located further south in the same general region. Both communities are directly accessible by daily air service from Vancouver, with flights from Prince George and Calgary also available to Terrace.


The nearest railway is the Canadian National Railway Yellowhead route, which is located approximately 220 km to the southeast. This line runs east from the terminal at the deep water port of Prince Rupert on the west coast of B.C.

Stewart is the most northerly ice-free shipping port in North America and is accessible to store and ship concentrates.

4.0 Mineral Tenures

The Brucejack Property is comprised of six mineral claims and four mining leases and the Snowfield Property is one mineral claim within the Skeena Mining Division. These tenures total 45.5 km^2 (fig. 2; Tables 1 and 2). This core group of tenures is contiguous with an additional +1,100 km^2 of mineral claims, also owned by Pretium. Within the Brucejack Property there is one small (0.087 km^2) mining lease held by Goldwedge Mines Inc., centered on the Golden Rocket Au-Ag occurrence.

The 2015 diamond drilling was located on mineral claims 1027399 and 509397 (fig. 2). Both claims are in good standing until January 31st, 2026. Pretium Exploration Inc. is 100% owner of the



Legend

- Surface Drill Hole 2015 (Outside Mining Lease)
- Mining Leases
- Brucejack Mineral Claims
- Pretium Mineral Claims

0 500 1,000 1,500
Meters

PRETIVM

2300–1055 Dunsmuir Street
Vancouver, BC V7X 1L4
Canada
(604) 558–1784

PROJECTION: UTM Zone 9 (NAD 83)

PRETIUM EXPLORATION INC.
Brucejack Gold Mine Project

Brucejack Property
Claim Boundary &
Tenure Numbers

PROJECT NO:	FILE:	REV:	SCALE:	DATE:	DOCUMENT:	FIGURE #:
	BJ_DrillHole_2015_85x11_20160531		1:50,000	31 May 2016		

Figure 2. Brucejack Property claim location.

Brucejack / Snowfield Properties tenures, which were acquired from Silver Standard Resources Inc. in 2010.

Table 1. Brucejack / Snowfield Properties mineral claims.

Tenure Number	Type	Owner	Expiry Date	Property
509216	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Snowfield
509223	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack
509397	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack
509400	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack
1027399	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack
1027400	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack
1034915	Mineral Claim	100% Pretium Exploration Inc.	2026/Jan/31	Brucejack

Table 2. Brucejack Property mining leases.

Tenure Number	Type	Owner	Expiry Date
1038597	Mining Lease	100% Pretium Exploration Inc.	2016/Sep/17
1038598	Mining Lease	100% Pretium Exploration Inc.	2016/Sep/17
1038599	Mining Lease	100% Pretium Exploration Inc.	2016/Sep/17
1038600	Mining Lease	100% Pretium Exploration Inc.	2016/Sep/17

5.0 History

5.1 Work Completed Pre-2009

The Brucejack Property and the surrounding region have a history rich in exploration for precious and base metals, dating back to the late 1800's. The historical data have been summarized mostly from various assessment reports available through the BC Ministry of Energy and Mines.

In 1935, prospectors discovered copper-molybdenum mineralization on the Sulphurets Property in the vicinity of the Main Copper Zone, approximately 6 km northwest of Brucejack Lake.

From 1935 to 1959, the area was relatively inactive with respect to prospecting; however, it was intermittently evaluated by a number of different parties, and several small copper and gold-silver occurrences were discovered in the Sulphurets-Mitchell Creek area.

In 1960, Granduc Mines Ltd. (Granduc) and Alaskan prospectors staked the main claim group, covering the known copper and gold-silver occurrences, which collectively became known as the Sulphurets Property, starting the era of modern exploration, outlined as follows:

1960 to 1979	Granduc continued exploration, conducting further geological mapping, lithogeochemical sampling, trenching, and diamond drilling on known base and precious metal targets north and northwest of Brucejack Lake. This resulted in the discovery of gold-silver mineralization in the Hanging Glacier area.
1980	Esso Minerals Canada Ltd. (Esso) optioned the Property from Granduc and subsequently completed an extensive program consisting of mapping, trenching, and geochemical sampling that resulted in the discovery of several showings including the Snowfield, Shore, West, and Galena zones. Gold was discovered on the peninsula at Brucejack Lake near the Shore Zone.
1982 and 1983	Exploration was confined to gold- and silver-bearing vein systems in the Brucejack Lake area at the southern end of the property from 1982 to 1983.
1983 and 1984	Esso continued work on the property and in 1984 outlined a deposit on Brucejack West Zone.
1985	The property was optioned by Newhawk Gold Mines Ltd. (Newhawk) and Lacana Mining Corp. (Lacana) from Granduc under a three-way joint venture (JV) (the Newcana JV). The Newcana JV completed work on the Snowfield, Mitchell, Golden Marmot, Sulphurets Gold, and Main Copper zones, along with lesser known targets.
1986 to 1991	The Newcana JV developed the West Zone and other smaller precious metal veins, on what would later become the Bruceside Property.
1991 and 1992	Newhawk officially subdivided the Suphurets claim group into the Sulphside and Bruceside properties and sold the Sulphside property (including the Sulphurets and Mitchell Zones) to Placer Dome Inc. (Placer Dome). From 1991 to 1994, joint venture exploration continued on the Sulphurets-Bruceside property, including property-wide trenching; mapping; airborne surveys; and surface drilling, evaluating various surface targets including the Shore; Gossan Hill; Galena Hill; and SG zones (fig. 3).
1994	Exploration in the Brucejack area consisted of detailed mapping and sampling in the vicinity of the Gossan Hill Zone, and 7,352 m of

	diamond drilling (over 20 holes) primarily on the West, Shore, and Gossan Hill zones.
1997 and 1998	No exploration or development work was carried out on the Property (Budinski et al. 2001).
1999	Silver Standard acquired Newhawk and with it, Newhawk's 60% interest and control of the Property (www.infomine.com). Reclamation of the Newhawk infrastructure was completed.
2001	Silver Standard acquired the remaining 40% interest in the Property from Black Hawk Mining Inc.

5.2 Work Completed by Silver Standard Resources Inc 2009-2010

In 2009, Silver Standard's exploration program included drilling, rock-chip and channel sampling, and re-sampling of historical drill core resulting in discovery of the Valley of Kings Zone

A total of 17,846 m of diamond drilling was completed in 37 holes during the 2009 field season focusing on bulk tonnage low-grade gold targets. In 2010, a total of 33,400 m of diamond drilling was completed in 73 holes, expanding the bulk tonnage exploration area in Bridge Zone, as well as continued testwork in the Valley of the Kings, Galena Hill, Gossan Hill, Shore Zone and Bonanza (fig. 3). In late 2010 Silver Standard sold the Brucejack and Snowfield properties to Pretium Resources Inc.

5.3 Work Completed by Pretium Exploration Inc 2011-2014

In 2011, Pretium Exploration started work on the Brucejack Property. In this first year, 178 drillholes were collared for a total of 72,796 meters, delineating a high-grade gold system in Valley of the Kings, with testwork also conducted in Bridge Zone, West Zone, Galena Hill, Gossan Hill, Bonanza Zone, and Golden Marmot. Based on the success of the 2011 program, Pretium returned in 2012 to drill over 105 kilometers of core at 25 meter and 12.5 meter centres in the Valley of the Kings, expanding the mineralized Au-Ag zones to the east, west, and at depth. With the 2012 results, Pretium was able to complete a NI 43-101 compliant Mineral Resource estimate (Olssen and Jones 2012) as well as a Feasibility Study and Technical Update (Ireland et al. 2013) for the Brucejack Project. The Valley of the Kings resource was reported at 8.5 million ounces of gold grading 16.4 g/t Au and 7.3 million ounces of silver grading 14.1 g/t Ag, in the Indicated category, with a 5 g/t Au equivalent cut-off grade (Olssen and Jones 2012).

The original West Zone underground workings were de-watered down to the 1310 Level in 2012 to prepare for the expansion of the underground development, and to add a 500 meter southern




Figure 3. Brucejack Property Zone locations with present and historic diamond-drill hole collar locations.

extension to access the 1345 Level in the Valley of the Kings. The underground development was completed in 2013 to facilitate a 10,000 tonne bulk sample test of the Valley of the Kings high-grade resource, and to allow for a 38.8 kilometer underground drill program at 7.5 meter centres. In total, 408 HQ diamond drillholes were collared from the underground and 5,923 ounces of gold were extracted from the 10,000 tonne bulk sample (Jones 2013). The 2013 program also included 37 holes collared on surface, totaling 5,770 meters of core (fig. 3).

Exploration continued in 2014 to test the continuity of the gold mineralization in the Valley of the Kings at depth. Forty-one holes were collared, including 14 wedges, for a total of 11,918 meters. In addition to diamond drilling, airborne geophysical surveys were completed across most of Pretium's regional claim group by Precision GeoSurveys Inc. of Vancouver, B.C. A total of 350 line kilometers of time domain electromagnetics (1TEM) were flown, as well as a 1,185 line kilometer magnetic and radiometric survey.

6.0 Geological Setting and Mineralization

6.1 Regional Geological Setting

The Brucejack Property is located in the western Stikine terrane (Stikinia), the largest of several allochthonous terranes in the Intermontane Belt of the Canadian Cordillera (fig. 4). Stikinia, which is considered to be a multistage mid-Palaeozoic to Middle Jurassic island arc terrane that developed in an intra-oceanic setting isolated from the North American continental margin (Gagnon et al. 2012), underlies much of western BC (fig. 4). Stikinia appears to have been accreted to the North American continental margin as early as the late Middle Jurassic (c. 173 Ma).

The Stikine terrane in northwestern BC (MacDonald et al. 1996) consists of a series of unconformity-bound tectonostratigraphic elements, including:

- Palaeozoic island-arc rocks of the Stikine assemblage
- Mesozoic island-arc rocks of the Upper Triassic Stuhini Group and Lower to Middle Jurassic lower Hazelton Group
- Middle to Upper Jurassic overlap assemblage sedimentary rocks of the Bowser Lake Group.

Tertiary igneous and metamorphic rocks of the Coast Plutonic Complex occur to the west of the Stikine terrane in this area.




Figure 4. Tectonic setting of the Brucejack and Snowfield properties in the Northwest Cordillera (Source: Ghaffari et al. 2012).

At least four magmatic episodes and three mineralizing events have been recognized in northwestern Stikinia (Anderson et al. 2003):

- Late Triassic to Early Jurassic (205 to 196 Ma) alkaline porphyry-related magmatism and associated deformed mesothermal silver-gold veins (e.g. Red Mountain)
- Early Jurassic (196 to 187 Ma) alkaline porphyry-related epithermal and mesothermal gold-silver veins and base and precious metal deposits (e.g. Premier, Sulphurets, and Bronson Creek)
- Early to Middle Jurassic (184 to 183 Ma) small and poorly mineralized porphyry intrusions
- Middle Jurassic (175 to 172 Ma) calc-alkaline and tholeiitic back-arc magmatism and syn- to epigenetic back-arc basin-related stratabound base and precious metal deposits (e.g. Eskay Creek, RDN).

The northwest part of Stikinia (in particular the volcanic and sedimentary rocks of the Hazelton Group) and related Early Jurassic plutons, represent perhaps the most well-endowed metallogenic assemblage in BC. In addition to the Brucejack Property, this area also includes nearby former producers such as Eskay Creek, Silbak-Premier, Big Missouri, Dolly Varden, Torbrit Silver, Granduc, and Anyox (fig. 5). Furthermore, adjacent properties host significant precious and base metal resources (e.g. Kerr-Sulphurets-Mitchell (KSM) and Red Mountain deposits) as well as a number of high-potential mineral occurrences (e.g. Homestake Ridge, Silver Coin, Big Missouri, Clone, and Tennyson Properties). The KSM deposits, along with the Snowfield and Brucejack Deposits, comprise what is commonly referred to as the Sulphurets Mining Camp (fig. 5).

Several major compressional tectonic events affected rocks of the Stikine terrane in northwestern BC throughout the Mesozoic. The earliest event in the Late Triassic to Early Jurassic affected Palaeozoic and Triassic rocks of the Stikine assemblage and Stuhini Group. A second, younger event in the Late Jurassic through Late Cretaceous, which has been associated with accretion of the outboard Insular terranes west of the Coastal Plutonic Complex and the formation of the Skeena Fold Belt, resulted in widespread predominantly east-verging fold and thrust deformation of rocks in western Stikinia (figs. 4-5). Deformation associated with the Middle Jurassic accretion of Stikinia to the North American continent appears to have mainly affected rocks of eastern Stikinia (e.g. Evenchick et al. 2007).




Figure 5. Regional structural and stratigraphic setting of the Brucejack Property and Sulphurets Mining Camp in Northwest BC, including locations of significant past-producing mines and mineral resources (Source: Ghaffari et al. 2012).

6.2 Local Geology

The Sulphurets Mining Camp, which includes the Snowfield, Brucejack, and KSM resources, is located on the eastern limb of the broad McTagg anticlinorium, a major north-trending mid-Cretaceous structural culmination in the western Skeena Fold Belt (fig. 6). Sedimentary and volcanic rocks of the Upper Triassic Stuhini Group form the core of the anticlinorium, and are successively replaced outwards towards the west, north, and east of the core by progressively younger rocks of the Lower to Middle Jurassic volcanic and lesser sedimentary rocks of the Hazelton Group followed by sedimentary rocks of the Bowser Lake Group.

Details of the local geology of the Sulphurets Mining Camp in northwestern BC presented in this section are partly drawn from existing literature, including Kirkham (1963), Britton and Alldrick (1988), Alldrick and Britton (1988, 1991), Anderson (1989), Anderson and Thorkelson (1990), Kirkham (1991, 1992), Henderson et al. (1992), Roach and MacDonald (1992), Margolis (1993), Davies et al. (1994), Kirkham and Margolis (1995), Childe (1996), Macdonald et al. (1996), Lewis et al. (2001), Evenchick et al. (2007), Armstrong et al. (2011), Gagnon et al. (2012), and the Seabridge Gold Inc. (Seabridge Gold) website (accessed September 2012), and from work conducted by Pretium's geologists, including detailed surface mapping by Charles Greig.

6.3 Stratigraphy

The Triassic-aged Stuhini Group generally underlies the western and northern parts of the Brucejack claim group (fig. 7), and is characterized by fine-grained and well-stratified sedimentary rocks and subordinate mafic volcanic arc-related rocks. The sedimentary package includes dark grey turbiditic siltstone, minor interbedded micritic limestone, and thick sequences of immature conglomerate and sedimentary breccia. Mafic volcanic rocks in this unit include alkalic pyroxene- and hornblende-phyric massive and pillowed basaltic flows, flow breccia, and tuff.

The central and eastern parts of the Brucejack Property are largely underlain by subaqueous to locally sub-aerial, arc-related volcanic and subordinate sedimentary rocks of the lower Hazelton Group, which unconformably overlie the Stuhini Group (fig. 7). The lowermost unit of the lower Hazelton Group, the Lower Jurassic Jack Formation, is characterized by polylithic (granitoid and volcanic) pebble to boulder conglomerate and limy fossiliferous sandstone and siltstone. The Jack Formation appears to be conformably overlain by the volcanic rocks of the lower Hazelton Group, which generally consist of thick massive plagioclase (± hornblende, K-feldspar, and pyroxene)-phyric andesitic and dacitic flows, breccias, and related predominantly pyroclastic fragmental rocks, with subordinate mafic and felsic rocks and minor siltstone and mudstone layers of the Unuk River Formation. These rocks are overlain by




Figure 6. Local structural and stratigraphic setting of the Brucejack Property and Sulphurets Mining Camp. Note that the rectangle represents the location of Figure 7.




Figure 7. Sulphurets Mining Camp geology and mineralization.

well-bedded green, maroon, and grey andesitic to dacitic pyroclastic and epiclastic rocks, mafic flows, and minor carbonaceous mudstone, chert and limestone of the Betty Creek Formation, which are in turn disconformably overlain by dacitic and rhyolitic tuff, welded ash-flow tuff, volcanic breccia, flow-layered lava domes, and subordinate interbedded limy fossiliferous sandstone.

The upper Hazelton Group, which is limited to the northern and extreme eastern parts of the Brucejack Property, is characterized by distinctive black carbonaceous pyritic mudstone, light and dark banded tuffaceous siltstone, and local amygdaloidal basalt of the Salmon River Formation. These rocks display unconformable relationships to the rocks of the lower Hazelton Group. Recent re-examination of stratigraphic sections through the Hazelton Group (Gagnon et al. 2012) has suggested that the term "Salmon River Formation" be replaced by "Iskut River Formation". These rocks clearly delineate the outline of the anticlinorium in the broader Sulphurets area (fig. 6).

Rocks of the Middle to Upper Jurassic Bowser Lake Group, which are generally characterized by clastic basin-fill sediments including submarine fan, prodelta slope, shelf, and fan delta sedimentary assemblages, are limited to the extreme north and northeast Sulphurets Mining Camp (fig. 7). These rocks display conformable to disconformable relationships to the underlying Hazelton Group rocks.

Plutonic rocks are located in the western and northern parts of the claim group, and occur as dykes, sills, and plugs, which generally intrude Stuhini Group rocks. These rocks, the so-called "Mitchell intrusions" of Kirkham and Margolis (1995), include diorite, monzodiorite, monzonite porphyry, syenite porphyry, quartz syenite porphyry, porphyritic aplitic low-silica granite, sodic albite-hornblende porphyry, and K-feldspar megacrystic porphyry. Monzonitic, syenitic, and granitic intrusions display a close spatial and temporal relationship to the porphyry-style copper ± gold ± molybdenum mineralization in the KSM deposits.

6.4 Alteration and Mineralization

Large, coalescing hydrothermal alteration haloes are developed around the intrusive complexes. Potassic K-feldspar alteration associated with copper and gold mineralization is widespread in the Mitchell Intrusions and adjacent Stuhini Group rocks. Propylitic and chlorite-sericite alteration is also developed around the KSM intrusions and the Snowfield Deposit, often overprinting earlier potassic alteration at KSM. Quartz-sericite-pyrite alteration is widely developed in the Stuhini Group and lower Hazelton Group rocks further to the east of the intrusions in the Sulphurets Mining Camp (fig. 7), and also occurs as a pervasive overprint to earlier alteration in the intrusive rocks.

Altered Stuhini Group rocks and Mitchell intrusions are the main host rocks to porphyry-style mineralization at the Kerr (copper-gold), Sulphurets (gold-copper), and Mitchell (gold-copper-

molybdenum) deposits. Mineralization at the KSM deposits occurs within a gold-enriched copper porphyry system controlled by a series of dikes, sills and plugs, and is associated with quartz veinlet stockworks and sheeted quartz veinlet arrays mainly in the altered host rocks adjacent to the intrusions. Pyrite and chalcopyrite are the dominant sulphide minerals, with minor molybdenite, and trace amounts of tennantite, bornite, sphalerite, and galena.

6.5 Structural Setting and Metamorphism

Rocks in the Sulphurets Mining Camp have been affected by folding, faulting, penetrative cleavage formation, late stage quartz vein formation, and low-grade lower greenschist facies (or lower) regional metamorphism. Rocks of the Stuhini Group were subjected to intense ductile deformation during the Late Triassic to Early Jurassic prior to the deposition of the Hazelton Group rocks. Ductile deformation during the Late Jurassic to Late Cretaceous development of the Skeena Fold Belt resulted in the formation of the major structural culmination of the McTagg anticlinorium and associated fold and thrust structures that affected the Stuhini Group through Bowser Lake Group rocks in the Sulphurets Mining Camp.

Penetrative cleavage (foliation) development was associated with the Late Jurassic to Late Cretaceous event and affected most of the altered and unaltered rocks in the area, where host rock mineral assemblage (i.e. the presence and concentration of phyllosilicates in the rock) permitted its development. Age dating (argon-argon) of sericite within pressure shadows about pyrite provide a minimum age for this deformation at 110 ±2 Ma.

Development of the McTagg anticlinorium effectively exposed older pre-Salmon River Formation rocks in the Sulphurets Mining Camp. Rocks of the Hazelton Group and Bowser Lake Group, which are located on the eastern limb of the north-plunging anticlinorium, display moderate to steep dips towards the southeast, east, and northeast, indicative of an overall eastward tilting of the original strata and porphyry associated mineralization in this area as a result of the Late Jurassic to Late Cretaceous deformation event.

The Brucejack Fault is a late, steeply dipping, northerly striking brittle structure which forms a distinct topographical feature in the centre of the Sulphurets Mining Camp (fig. 7). Pre-existing folds, thrust faults, alteration, and mineralization zones are cut by the Brucejack Fault as well as by many other similar late northerly-striking faults. Movement on the fault is probably complex and has been difficult to determine. A much thicker section of Hazelton Group rocks on the east side of the fault suggests considerable east-side-down displacement, which may be interpreted as reflecting post-depositional displacement.

Rocks of the Sulphurets Mining Camp were subjected to, at most, lower greenschist facies metamorphism characterized by epidote, calcite, quartz, and chlorite, and the absence of biotite, hornblende, and actinolite in andesitic volcanic rocks and sedimentary rocks outside of the areas of hydrothermal alteration. The peak metamorphic temperature probably did not exceed 275°C (assuming a 3 km depth of burial).

7.0 2015 Diamond Drill Program

Ten holes and two wedges were collared on the Brucejack Property claims in 2015, for a total of 8,380 meters (fig. 3; Table 3). The exploration program focused on the Flow Dome Zone throughout the season, with drilling at the HGP Zone in September, followed by a long hole at the South Zone. The drilling started on July 7th and was completed by October 13th, 2015.

Table 3. List of drillhole collars from the 2015 Bowser Regional Exploration Program.

Hole Number	Zone	Easting NAD 83	Northing Zone 9	Elev	Az	Dip	Depth (m)	Core Sz	Reduction Depth	Collared	Completed
SU-654	FDZ	427701	6257603	1651	0.0	-55.0	948.0	HQ/NQ	500.2	7-Jul-15	20-Jul-15
SU-657	FDZ	427679	6257624	1666	315.0	-60.0	665.0	HQ/NQ	500	31-Jul-15	9-Aug-15
SU-661	FDZ	428060	6257729	1597	350.0	-60.0	815.5	HQ/NQ	495.2	21-Aug-15	1-Sep-15
SU-666	FDZ	427681	6257623	1666	315.0	-70.0	1280.09	HQ/NQ	489.4	4-Sep-15	23-Sep-15
SU-667	HGP Zone	423491	6261138	810	240.0	-50.0	354	HQ		4-Sep-15	8-Sep-15
SU-668	FDZ	427701	6257603	1651	350.0	-70.0	1192.4	HQ/NQ	496.2	5-Sep-15	22-Sep-15
SU-669	HGP Zone	423646	6261437	1006	305.0	-50.0	336.33	HQ		8-Sep-15	11-Sep-15
SU-670	HGP Zone	423653	6261441	1014	185.0	-50.0	297	HQ		12-Sep-15	16-Sep-15
SU-671	FDZ	427155	6257575	1675	180.0	-65.0	1133.5	HQ/NQ	500.7	16-Sep-15	4-Oct-15
SU-671-W1	FDZ	427162	6257325	1185	170.0	-65.0	151.5	NQ		5-Oct-15	10-Oct-15
SU-671-W2	FDZ	427162	6257305	1185	170.0	-65.0	13.01	NQ		12-Oct-15	13-Oct-15
SU-673	South Zone	426400	6256444	1610	170.0	-55.0	1194.4	HQ/NQ	492.18	24-Sep-15	11-Oct-15

Two fly capable TECH 5000 diamond drill rigs, owned and operated by Hy-Tech Drilling Ltd. of Smithers, B.C., were used for this exploration program. Aside from the wedges, all drillholes were collared with HQ and a reduction to NQ was made at approximately 500 meters for deeper holes. The two wedges were NQ size. The drills operated 24 hours per day with 2-man crews on 12 hour shifts. The drills were accessible by helicopter only. A Bell 407 helicopter, owned and operated by Yellowhead Helicopters Ltd. of Prince George, B.C., was based at Bowser Camp and used to move the rig and transport crews, fuel, supplies, and core. Rugged Edge Holdings Ltd. of Smithers, B.C. was responsible for the construction of all drill pads and helicopter pads.

Bowser Camp was the base providing accommodations for the drill crew, pad builders, helicopter crew, geologists, geotechnicians, cooks and camp support staff, as well as an office and core facility. The geologists were hired and employed by Pretium Exploration Inc. and the geotechnicians and camp support staff were hired through Tsetsaut Ventures Ltd., a Skii km Lax Ha First Nations contractor based in the community of Hazelton, B.C (Frontispiece).

The results of the exploration program are detailed below, organized by zone. Geological sections with gold and silver assays are in Appendix II. Geological logs and assay certificates are listed in Appendix III and IV respectively.

7.1 Flow Dome Zone

Six HQ holes were collared on surface in the Flow Dome Zone, with two NQ wedges collared from parent hole SU-671, for a total of 6,199 meters of drilling (fig. 8; Table 3). The surface holes were all reduced to HQ core at approximately 500 meters depth and each took between two and three weeks to drill, starting on July 7th and completed by October 13th, 2015 (Table 3). Targets were derived from deep airborne magnetometer anomalies (2014 survey and magnetic susceptibility inversion modelling by Precision GeoSurveys of Vancouver, B.C.) in conjunction with the surface geology.

The surface geology of the Flow Dome Zone is comprised of flow-foliated fine hornblende and feldspar phyric latite and fragmental rocks (logged as P2) and well-bedded green, maroon, and grey andesitic to dacitic pyroclastic and epiclastic rocks (logged as V12, V4, S3, S4 and S5). The rocks are considered to be of the Jurassic-aged Betty Creek Formation (fig. 8). Betty Creek Formation rocks are cut by east-westerly and northwesterly trending dykes of intermediate to mafic composition. Betty Creek outcrops are weakly- to moderately gossanous. The Flow Dome Zone extends 2 km northeast and is approximately 400 meters wide (fig. 9).

Drilling in the Flow Dome Zone intersected Lower Hazelton Group volcanics with high grade gold mineralization. The first hole, SU-654, intersected 16.90 g/t Au and 44.2 g/t Ag over 1.5 m at 877.50 m, hosted by strongly silica-sericite-pyrite altered porphyritic volcanics (Table 4). SU-657 had only very trace amounts of gold, although the hole did intersect the altered porphyritic volcanic unit at 654.55 meters. SU-661 was setup almost 400 meters east of the first collars. Where SU-661 intersected the lower porphyritic unit, it was quartz-sericite-pyrite altered although only weakly mineralized, with an average gold grade of 0.04 g/t Au and a peak value of 0.658 g/t Au over 1.5m at 781 meters. Based on the elevated values in SU-654, two more holes were setup as down-dip tests (SU-666 and SU-668), which resulted in excellent gold grades, including a spectacular quartz-calcite vein hosted electrum




Figure 8. Flow Dome Zone diamond-drill collar locations and geology.



Figure 9. Photograph of the Flow Dome Zone, looking west towards diamond-drill setup SU-666.



Figure 10. Electrum-bearing quartz-calcite vein in SU-666, with 8,600 g/t Au and 4,330 g/t Ag over 0.5m at 1,267.45 metres depth.

sample with 8,600 g/t Au and 4,330 g/t Ag over 0.5 meters at 1,267.45 meters depth in SU-666 (fig. 10; Table 4). Fine dendritic electrum was also visible in SU-668, hosted by a <1cm pyrite-bearing quartz-calcite vein along a fault slicken at 851 meters depth, with a gold and silver value of 137 g/t and 35.7 g/t, respectively (Table 4).

In an attempt to understand the geology and mineralization under the Knipple Glacier, SU-671 was drilled south, setup over 500 meters west of SU-654. There were over twenty visible intercepts of very fine, dendritic, silver-rich electrum observed between 740 and 1066 meters, with a peak silver value of 1,600 g/t at 740.73 meters, with 6.77 g/t Au (fig. 11). The best gold intercept was at 1065.76 meters with 29.1 g/t Au and 300 g/t Ag over 0.5 meters (Table 4). The Au-Ag mineralization was hosted by quartz-calcite veins, typically 0.5 to 3 cm in size, with associated pyrite, Ag-sulphosalts, and base metals (galena, sphalerite +/- chalcopyrite), constrained to an altered plagioclase-hornblende porphyritic volcanic. The hole ended in 277 meters of 0.88 g/t Au and 15.64 g/t Ag, demonstrating the bulk tonnage potential of this zone. The first wedge, SU-671-W1, was planned to test the continuity and grade of Au-Ag mineralization to the immediate east of SU-671, starting at 532.5 meters in the parent hole. Due to poor ground conditions, the first wedge was abandoned at 151.5 meters. A second attempt was made (SU-671-W2), collaring at 30 meters in SU-671-W1. The second wedge hole was stopped at 13.01 meters due to bad weather, marking the end of the exploration season.




Figure 11. Very-fine, silver-rich electrum in a quartz-calcite vein, grading 6.77 g/t Au and 1,600 g/t Ag, SU-671 at 740.73m.

Table 4. Significant gold and silver intercepts at the Flow Dome Zone

Hole Number	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Comments
SU-654	877.50	879.00	1.50	**16.90**	44.2	
	879.00	912.00	33.00	0.55	1.55	
SU-666	1,267.45	1,269.50	2.05	**133.76**	**1,058**	1 sample cut to 540 ppm Au
or	1,267.45	1,269.50	2.05	**2,100**	**1,058**	uncut
incl	*1,267.45*	*1,267.95*	*0.50*	***8,600***	***4,330***	
SU-668	851.50	852.00	0.50	137.00	35.70	
	1,143.00	1,171.50	28.50	0.59	13.62	
SU-671	740.73	741.23	0.50	6.77	**1,600**	
	802.91	804.66	1.75	1.17	**246.23**	
	856.50	1,133.50	**277.00**	0.88	15.64	EOH
	871.50	876.00	4.50	2.75	**192.13**	
incl	*875.00*	*876.00*	*1.00*	*6.62*	***463.00***	
	1,057.58	1,066.26	8.68	9.94	90.26	
incl	*1,057.58*	*1,058.08*	*0.50*	***15.70***	***224.00***	
incl	*1,059.14*	*1,061.00*	*1.86*	***15.80***	*40.6*	
incl	*1,065.76*	*1,066.26*	*0.50*	***29.10***	***300.00***	
	1,118.50	1,120.00	1.50	6.24	**498.00**	

Geologically, these holes demonstrated that the Betty Creek Formation within the Flow Dome Zone is over 500 meters thick, with a gently dipping easterly lower contact found between 1,100 and 1,000 meters in these six holes. The Betty Creek Formation rocks lack any significant mineralization, with Au and Ag values almost entirely below the detection limits of analysis. Plagioclase-hornblende porphyritic volcanics, assumed to be part of the Lower Hazelton Group, underlie the Betty Creek Formation in this location, and are host to all of the significant Au-Ag mineralization. The older rock unit is pervasively, moderately- to strongly quartz-sericite-pyrite altered.

7.2 HGP Zone

Three holes were collared in the HGP zone, targeting surface observations of Cu-Mo porphyry-style mineralization (SU-667), and Au-Ag epithermal-style mineralization (SU-669 and 670; fig. 12). A total of 987.33 m of HQ core was drilled between September 4th and 16th, 2015 (Table 3).

The western half of the HGP zone is dominated by several early Jurassic intrusions, hosted by Stuhini Group fine-grained clastic rocks. The eastern side is dominated by Lower Hazelton Group dark-grey fine-grained clastic rocks, typically siltstone and mudstone, with lesser sandstone and rare conglomerates (fig. 12). The intrusive and sedimentary units are cut by east trending and north trending mafic dykes.




Figure 12. HGP Zone diamond-drill collar locations and geology.

The first hole drilled at HGP Zone targeted Cu-Mo porphyry-style mineralization, which is observed as malachite staining and chalcopyrite +/- molybdenite blebs in sub-cm quartz veins and veinlets in the intrusive rocks on surface (fig. 13). SU-677 did intersect anomalous intervals of copper and molybdenum, including a 15m interval of 0.11% Cu from 75 meters depth and a 20.77 meter interval of 0.08% Cu at 333.23 meters depth (Table 5). Molybdenum values were generally low, although there were short intervals of significance: 165 ppm Mo over 1.5m at 27 meters depth.



Figure 13. HGP Zone copper and molybdenum mineralization on surface.

The second hole, SU-669, intersected a number of significant Au-Ag intervals, with the highlight a 32.9 g/t Au sample over 1.2 meters at 88.8m depth (Table 5). Further down the hole there was an intersect of 2.74 g/t Au and 98.08 g/t Ag over 20 meters at 254.5m depth. The only mineralization observed over these intervals was blebs of pyrite (1-5%), moderate- to strong silica alteration, and less than 5% mm-scale quartz-calcite veining (fig. 14). SU-670 had lower-grade Au-Ag mineralization, although still significant with 4.14 g/t Au and 46.10 g/t Ag over 3 meters at 52.50 m (Table 5). Within the fine-grained sediments (120.22 to 259m), the gold average was highly anomalous at 0.166 g/t Au over the 138.78 m length, associated with strong and pervasive silica alteration.

Table 5. Significant gold, silver and copper intercepts at the HGP Zone

Hole Number	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Comments
SU-667	75.00	90.00	15.00	0.07	1.01	0.11% Cu
	217.65	220.50	2.85	0.19	2.19	0.11% Cu
	333.23	354.00	20.77	0.09	1.73	0.08% Cu
SU-669	88.80	91.50	2.70	**16.97**	1.40	
incl	88.80	90.00	1.20	**32.90**	2.40	
	191.50	199.00	7.50	1.79	0.50	
	254.50	274.50	20.00	2.74	98.08	
incl	256.00	261.00	5.00	6.18	**379.39**	
SU-670	52.50	55.50	3.00	4.14	46.10	




Figure 14. Example of Au-Ag mineralized intercept from HGP Zone, collar SU-669 between 262.6m and 268.6m depth.

7.3 South Zone

Only one hole was drilled from South Zone, SU-673, totaling 1,194.4 meters in length, and drilled in only 18 days at the end of the exploration program (fig. 15; Table 3). The drillhole was collared with HQ rods, and reduced to NQ at 492 meters.

The South Zone outcrop is mapped entirely as Bridge Zone Porphyry, a hornblende feldspar phyric latite to trachyandesite flow (fig. 15), with weak to moderate silica-sericite-pyrite alteration. SU-673 was collared at the southern extent of this exposure, at 1610 meters elevation, to examine the geology below the glacier, and to test the possibility of low-grade gold continuity with the High Zone




Figure 15. South Zone and High Zone "King Tut" diamond drill collar locations and geology.

"King Tut" hole, H12-01, drilled by Teuton Resources Corp. in 2012. The "King Tut" hole was collared at 1,950 meters elevation, 1.3 kilometers south of SU-673; the intervening distance is entirely covered by ice (fig. 15). Low-grade mineralization in H12-01 was intersected at 300 meters, grading 0.88 g/t Au over 222 meters (see Teuton Resources website for Press Release dated October 15, 2012). Pretium acquired the High Zone claims in an option agreement, August 2015 (see Teuton Resources website for Press Release dated August 10, 2015).

The South Zone hole proved that there is great mineral potential below the glacier, with an average grade of 0.53 g/t Au, 13.64 g/t Ag, and 54 ppm Mo, from 632.85m to the end of hole, a total of 561.55 meters length (Table 6). This included a 3.5 m interval at 1,022.5 meters with 1.31 g/t Au, 340.14 g/t Ag, 0.11% Pb and 0.24% Zn, as well as a 3 meter interval at 1,117.5 meters with 6.34 g/t Au, 24.40 g/t Ag, and 0.64% Cu. The mineralization was hosted by sub-cm, pyrite and molybdenum-bearing, quartz-calcite veins, 1-5% in abundance, in a moderate- to strongly silica-sericite-pyrite altered porphyritic volcanic. The upper part of the hole was less altered and veined, cut by several mafic dykes.

Table 6. Significant gold and silver intercepts at the South Zone

Hole Number	From (m)	To (m)	Interval (m)	Au (g/t)	Ag (g/t)	Comments
SU-673	632.85	1194.40	561.55	0.53	13.64	54 ppm Mo; EOH
incl	1022.50	1026.00	3.50	1.31	**340.14**	0.11%Pb, 0.24%Zn
incl	1108.50	1122.00	13.50	2.39	11.50	
incl	1117.50	1120.50	3.00	6.34	24.40	0.64%Cu

7.4 Sampling Methodology and QA/QC

All core was examined by a geologist for lithological boundaries, significant mineralization, structures, veining, and alteration. These observations were entered into a company database, along with geotechnical measurements. Prior to sampling, each box of core was photographed to keep a visual record. The entirety of each hole was sampled at 1.5m intervals, although sample length adjustments were made such that intervals did not cross lithological boundaries or significant mineralization. Exceptions were also made for intercepts of high-grade Au or Ag, in which case sample the length was set at 50 centimeters. Core was oriented and cut in half with electric core saws, with the adjoining halves placed in the sample bag each time to avoid any visual biases. Plastic poly-ore bags were used for the core samples, with each bag numbered with a unique lab sample tag, and sealed with a zip-tie.

Sterile/blank material (crushed limestone landscaping material) alternating with laboratory standards of four different metal concentrations, were added to the sample run every 10th interval. In addition to this, duplicates were completed internally at the laboratory every 20th core sample by taking

a second 1 kilogram split after crushing. In order to ensure there were no contamination issues at the lab, blank samples were also added immediately after every high-grade Au interval, specifically where visible electrum was observed. A third party consultant, Caroline Vallat of Geospark Consulting Inc., was hired to do a QA/QC review of all assay data and request re-runs if standards, blanks, or duplicates failed. All assay data was found to be of good quality.

In total, 5,723 core samples were submitted to the lab, with an additional 996 blanks, standards and duplicates submitted, for a total of 6,719 analyses completed (Appendix III and IV for sample intervals and assays). All samples were bagged in rice sacks labelled with unique sample tracking numbers at Bowser Camp. The rice sacks were placed into apple crates and loaded onto a haul truck for regular transport to Terrace, B.C., where they were received by the ALS Laboratories facility. Each sample was analysed using a four acid digestion 33 element ICP package (ME-ICP61) and as well as gold by fire assay and atomic absorption spectroscopy with a 30 gram pulp (Au-AA23). All samples are weighed and crushed to 2mm. From this crush a 1 kg split was collected and pulverized to 75 microns for analysis. ALS Laboratory certificates are included in Appendix IV.

8.0 Recommendations

The 2015 Brucejack Exploration Program highlighted significant gold and silver mineralization in the Flow Dome Zone, HGP Zone, and South Zone, and it is recommended that exploration continue in all of these zones to define the extents of mineralization and test the grade continuity.

The most prospective area is within the Hazelton Group quartz-sericite-pyrite altered porphyritic volcanics underlying the Betty Creek Formation in the Flow Dome Zone. This unit is host to the bonanza-grade interval in SU-666, which is supported by the gold grades in the immediately surrounding holes, SU-654 and SU-666. The altered porphyritic volcanics are also host to the broad low grade gold zone in SU-671, which consistently included intervals with high-grade Au and Ag. Due to the location of these Flow Dome Zone targets, deep hole drilling (>800m) is required to continue testing these zones.

In the HGP zone, follow-up should be focused around the 32.90 g/t Au 1.20 meter interval in hole SU-669. This is a prospective target, especially with its near surface location and large surrounding area of untested ground. Continued testwork at the South Zone is recommended as a bulk-tonnage, low-grade Au-Ag-Mo target.

9.0 References

Alldrick, D. J., and Britton, J. M., 1991. Sulphurets Area Geology; British Columbia Ministry of Energy, Mines and Petroleum Resources, Open Map File 1991-21.

Alldrick, D. J., and Britton, J. M., 1988. Geology and Mineral Deposits of the Sulphurets Area; British Columbia Ministry of Energy, Mines and Petroleum Resources Open Map File 1988-4.

Anderson, R. G., and Thorkelson, D. J., 1990. Mesozoic stratigraphy and setting for some mineral deposits in Iskut River map area, northwestern British Columbia; Geological Survey of Canada, Paper 90-1F.

Anderson, R. G., 1989. A Stratigraphic, Plutonic, and Structural Framework for the Iskut River Map Area, Northwestern British Columbia; in Current Research, Part E, Geological Survey of Canada, Paper 89-1E, p. 145-154.

Anderson, R.G., Simpson, K., Alldrick, D., Nelson, J., and Stewart, M., 2003. Evolving ideas on the Jurassic tectonic history of northwestern Stikinia, Canadian Cordillera. In: Geological Society of America Abstracts with Programs, Volume 35 No. 6, September 2003, p.89.

Armstrong, T., Brown, F., and Puritch, E., 2011. Technical Report and Updated Resource Estimate on the Snowfield Property, Skeena Mining Division, British Columbia, Canada. NI 43-101 Technical Report prepared for Pretivm Resources Inc. by P&E Mining Consultants Inc., Report No. 206, Effective Date 18 February 2011, 80p.

Britton, J. M. and Alldrick, D. J., 1988. Sulphurets Map Area; in Geological Fieldwork 1987, British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1988-1, pp. 199-209.

Budinski D., McKnight R and Wallis C., 2001. Sulphurets-Bruceside Property British Columbia technical report. Pincock Allen & Holt Ltd. report for Silver Standard Resources.

Childe, F., 1996. U-Pb Geochronology and Nd and Pb Isotope characteristics of the Au-Ag-rich Eskay Creek Volcanogenic Massive Sulphide Deposit, British Columbia. Economic Geology, Volume 91: 1209-1224.

Davies, A.G.S., Lewis, P.D., and Macdonald, A.J., 1994. Stratigraphic and structural setting of mineral deposits in the Brucejack Lake area, northwestern British Columbia; in Current Research 1994-A; Geological Survey of Canada, p.37-43.

Evenchick, C.A., McMechan, M.E., McNicoll, V.J., and Carr, S.D., 2007. A synthesis of the Jurassic-Cretaceous tectonic evolution of the central and southeastern Canadian Cordillera: Exploring links across the orogen, In: J.A. Sears, T.A. Harms, and C.A. Evenchick (Eds.), Whence the Mountains?: Inquiries Into the Evolution of Orogenic Systems: A Volume in Honor of Raymond A. Price, Special paper 433, The Geological Society of America, Boulder, Colorado, 419pp.

Ghaffari, H., Huang, J., Hafez, S. A., Pelletier, P., Armstrong, T., Brown, F.H., Vallat, C.J., Newcomen, H.W., Weatherly, H., Wilchek, L., Mokos, P., 2012. Technical Report and Updated Preliminary Economic Assessment of the Brucejack Project. NI43-101 Technical Report prepared for Pretium Resources Inc., by Tetra Tech, Wardrop, Rescan Environmental Services Ltd., P&E Mining Consultants Inc., Geospark Consulting Inc., BGC Engineering Inc., AMC Mining Consultants (Canada) Ltd. Effective Date February 20, 2012. 328 pp.

Gagnon, J.-F., Barresi, T., Waldron, J.W.F., Nelson, J.L., Poulton, T.P., and Cordey, F., 2012. Stratigraphy of the upper Hazelton Group and the Jurassic evolution of the Stikine terrane, British Columbia. Canadian Journal of Earth Sciences, 49(9): 1027-1052.

Henderson, J.R., Kirkham, R.V., Henderson, M.N., Payne J.G., Wright, T.O., and Wright, R.L., 1992. Stratigraphy and structure of the Sulphurets area, British Columbia; in Current Research, part A; Geological Survey of Canada, Paper 92-1AAlldrick, D. J., and Britton, J. M. 1991: Sulphurets Area Geology; British Columbia Ministry of Energy, Mines and Petroleum Resources, Open Map File 1991-21.

Ireland, D., Jones, I.W.O., Huang, J., Pelletier, P., Weatherly, H., Stoyko, H.W., Hafez, S.A., Keogh, C., Schmid, C., Cullen, V., McGuiness, M., McAfee, B., Chin, M., Gould, B., Wise, M., Greisman, P., Richards, C., Scott, W.E., Farah, A., Halisheff, K., Sriskandafumar, S., and Molavi, M., 2013. Feasibility Study and Technical Report on the Brucejack Project, Stewart, BC. Tetra Tech NI 43-101 Technical Report for Pretium Resources. Effective Date June 21, 2013. 492 pp.

Ireland, D., Olssen, L., Huang, J., Pelletier, P., Weatherly, H., Stoyko, H.W., Hafez, S.A., Keogh, C., Schmid, C., McAfee, B., Chin, M., Gould, B., Wise, M., Greisman, P., Scott, W.E., Farah, A., Zazzi, G., Crozier, T., Blackmore, S., 2014. Feasibility Study and Technical Report Update on the Brucejack Project, Stewart, BC. Tetra Tech NI 43-101 Technical Report for Pretium Resources. Effective Date June 19, 2014. 460 pp.

Jones, I. 2013. Pretium Resources Inc: Brucejack Project, Mineral Resources Update Technical Report. NI43-101 technical report prepared by Snowden Mining Industry Consultants on behalf of Pretium Resources Inc. 19 December 2013.

Kirkham, R.V., 1963. The geology and mineral deposits in the vicinity of the Mitchell and Sulphurets Glaciers, northwestern British Columbia; M.Sc. thesis, University of British Columbia, Vancouver, British Columbia, 122 p.

Kirkham, R.V., 1991. Provisional Geology of the Mitchell-Sulphurets Region, North-western British Columbia (104B/8, 9); Geological Survey of Canada, Open File 2416.

Kirkham, R.V., 1992. Preliminary geological map of the Brucejack Creek area, British Columbia (part of 1048/8); Geological Survey of Canada, Open File 2550.

Kirkham, R.V. and Margolis, J., 1995. Overview of the Sulphurets area, northwestern British Columbia, in: .Porphyry Deposits of the Northwestern Cordillera of North America. CIMM Special Volume 46, T.G. Schroeter, ed., p. 473-482.

Lewis, P.D., Toma, A., and Tosdal R.M., compilers., 2001. Metallogenesis of the Iskut River Area, Northwestern British Columbia; Mineral Deposit Research Unit, The University of British Columbia, Special Publication Number 1. 337p.

Macdonald, A.J., Lewis, P.D., Thompson, J.F.H., Nadaraju, G., Bartsch, R.D., Bridge, D.J, Rhys, D.A, Roth, T. Kaip, A. Godwin, C.I., and Sinclair, A.J., 1996. Metallogeny of an Early to Middle Jurassic arc, Iskut River area, northwestern British Columbia: Economic Geology, 91: 1098-1114.

Margolis, J., 1993. Geology and Intrusion Related Copper-Gold Mineralization, Sulphurets, British Columbia; Ph. D. thesis prepared for University of Oregon.

Olssen. L., Jones, I.. 2012. Pretium Resources Inc: Brucejack Project. Project No. 3166.Resource Estimate. Report prepared by Snowden Mining Industry Consultants on behalf of Pretium Resources Inc. 120pp. November 2012.

Roach, S. and MacDonald, A. J.. 1992. Silver-Gold Mineralization, West Zone, Brucejack Lake, North-western British Columbia (104B/8E); in Geological Fieldwork 1991, British Columbia Ministry of Energy, Mines and Petroleum Resources, Paper 1992-1, p. 503-511.

Appendix I. Maps and Plans

424000 426000 428000 430000

6266000 6264000 6262000 6260000 6258000 6256000

N

509216 509223 509397 509400 1027400 1034915 1038599 1038600 1038598 1038597 569185 1034945 570464 1027399 637303 637289 1026972 885762 509565 508913 604738 604740

Brucejack Lake

Legend

- Surface Drill Hole 2015 (Outside M-243)
- Surface Drill Hole 2009-2014 (Outside M-243)
- Snowfield Mineral Claim
- Mining Leases
- Brucejack Mineral Claims
- Pretium Mineral Claims
- Mines Act Permit Boundary (M-243)-Terrestrial
- Lake

0 250 500 1,000

Meters

PRETIVM

2300–1055 Dunsmuir Street
Vancouver, BC V7X 1L4
Canada
(604) 558–1784

PRETIUM EXPLORATION INC.
Brucejack Gold Mine Project

Brucejack/Snowfield
MX-1-842
Surface Drilling

PROJECT NO:	FILE:	REV:	SCALE:	DATE:	DOCUMENT:	FIGURE #:
	BJ_DrillHole_All_24x36_20160428		1:15,000	28 April 2016		

PROJECTION: UTM Zone 9 (NAD 83)

424000 426000 428000

6262000 6260000 6258000 6256000

N

509223

509400

509397

1027400

1034915

1038599

1038597

1038598

1027399

Brucejack Lake

SU-669
SU-670
SU-667
SU-663
SU-662
SU-660
SU-664
SU-661
SU-657
SU-666
SU-668
SU-654
SU-671
SU-671-W1
SU-673

WW15-05
WW15-07
WW15-04
WW15-06
WW15-10
WW15-11
WW15-08
WW15-03
WW15-01
WW15-02

Legend

- Surface Drill Hole 2015 (Outside M-243)
- Mining Leases
- Brucejack Mineral Claims
- Pretium Mineral Claims
- Mines Act Permit Boundary (M-243)

0 250 500

Meters

PRETIVM

2300–1055 Dunsmuir Street
Vancouver, BC V7X 1L4
Canada
(604) 558–1784

PROJECTION: UTM Zone 9 (NAD 83)

PROJECT NO:

FILE: BJ_DrillHole_2015_26x38_20160509

REV:

SCALE: 1:10,000

DATE: 4 May 2016


PRETIUM EXPLORATION INC.
Brucejack Gold Mine Project


Brucejack/Snowfield
MX-1-842
Brucejack Drilling 2015

DOCUMENT:

FIGURE #:

Appendix II. Geological Sections with Assays





PRETIVM

Date: 3/11/2016	Flow Dome Zone View West E427700
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres

Legends

HoleID

Ag_ppm
Linegraph
0.5 mm/ppm


Au_ppm
Histogram
1.0 mm/ppm


EOH

mm given at scale of 1:1000

Au_ppm
- 0 - 0.5
- 0.5 - 1
- 1 - 5
- 5 - 20
- > 20

Lithology
- overburden "OVB"
- stockwork "H1"
- silica cap "H8"
- dyke "V6"
- hydrothermal breccia "H15"
- fault zone "FZ"
- plagioclase-hornblende porphyry "P1"
- plagioclase-phyric flow "P2"
- fragmental flows, tuffs and epiclastic rocks "V12"
- fragmental flows, tuffs and epiclastic rocks "V4"
- polylithic conglomerate "S3-Poly"
- conglomerate "S3"
- sandstone (greywacke) "S4-Gr"
- sandstone "S4-Vol"
- mudstone, siltstone "S5"
- mudstone, siltstone "S5-Vol"





PRETIVM

Date: 3/11/2016	Flow Dome Zone View Southwest E427680 (Oblique)
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres

Legends

Ag_ppm
Linegraph
0.5 mm/ppm

Au_ppm
Histogram
1.0 mm/ppm

EOH


mm given at scale of 1:1000

Au_ppm

- 0 - 0.5
- 0.5 - 1
- 1 - 5
- 5 - 20
- > 20

Lithology

- overburden "OVB"
- stockwork "H7"
- silica cap "H8"
- dyke "V6"
- hydrothermal breccia "H15"
- fault zone "FZ"
- plagioclase-hornblende porphyry "P1"
- plagioclase-phyric flow "P2"
- fragmental flows, tuffs and epiclastic rocks "V12"
- fragmental flows, tuffs and epiclastic rocks "V4"
- polylithic conglomerate "S3-Poly"
- conglomerate "S3"
- sandstone (greywacke) "S4-Gr"
- sandstone "S4-Vol"
- mudstone, siltstone "S5"
- mudstone, siltstone "S5-Vol"


6,257,600 mE
6,257,700 mE
6,257,800 mE
6,257,900 mE
6,258,000 mE
6,258,100 mE
6,258,200 mE
428,000 mN
428,100 mN
SU-661
EOH SU-661
815.5
100
200
300
400
500
600
700
800
1,700mRL
1,600mRL
1,500mRL
1,400mRL
1,300mRL
1,200mRL
1,100mRL
1,000mRL
900mRL
PRETIVM
Flow Dome Zone
View West
E428060
Date: 3/11/2016
Author: JA
Office:
Drawing:
Scale: 1:1000
Projection: UTM NAD83 Zone 9
0
25
50
metres
Legends
HoleID
Ag_ppm
Linegraph
0.5 mm/ppm
Au_ppm
Histogram
1.0 mm/ppm
EOH
mm given at scale of 1:1000
Au_ppm
0 - 0.5
0.5 - 1
1 - 5
5 - 20
> 20
Lithology
overburden "OVB"
stockwork "H7"
silica cap "H8"
dyke "V6"
hydrothermal breccia "H15"
fault zone "FZ"
plagioclase-hornblende porphyry "P1"
plagioclase-phyric flow "P2"
fragmental flows, tuffs and epiclastic rocks "V12"
fragmental flows, tuffs and epiclastic rocks "V4"
polylithic conglomerate "S3-Poly"
conglomerate "S3"
sandstone (greywacke) "S4-Gr"
sandstone "S4-Vsf"
mudstone, siltstone "S5"
mudstone, siltstone "S5-Vsf"
6,257,600mN
6,257,700mN
6,257,800mN
6,257,900mN
6,258,000mN
6,258,100mN
6,258,200mN

PRETIVM

	HGP Zone View Northwest E423490
Date: 4/15/2016	
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres

423,300mN 423,400mN 423,500mN 423,600mN

SU-667


6,261,100m E

100 200 300

EOH SU-667
354.0

423,200mN 423,300mN 423,400mN 423,590mN

900mRL 800mRL 700mRL 600mRL 500mRL



423,300mE 423,400mE 6,261,100mN

Legend

HoleID

EOH

Cu_ppm
Histogram
0.02 mm/unit

Mo_ppm
Linegraph
0.5 mm/unit

Cu_ppm

- 0 - 50
- 50 - 100
- 100 - 500
- 500 - 1000
- >1000

Lithology


- overburden "OVB"
- porphyritic monzodiorite "I1"
- megacrystic monzonite "I2"
- calc-silicate altered, bedded mudstones "S5"
- dyke "V6"
- hydrothemal breccia "H15"


mm given at scale of 1:1000

PRETIVM

	HGP Zone View West E423650
Date: 4/15/2016	
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres





Legend

HoleID

EOH

Au_ppm
Histogram
1.0 mm/unit

Ag_ppm
Linegraph
0.5 mm/unit

Au_ppm

- 0 - 0.5
- 0.5 - 1
- 1 - 5
- 5 - 20
- >20

Lithology

- overburden "OVB"
- porphyritic monzodiorite "I1"
- megacrystic monzonite "I2"
- calc-silicate altered, bedded mudstones "S5"
- dyke "V6"
- hydrothemal breccia "H15"

mm given at scale of 1:1000

PRETIVM

Date: 3/11/2018	Flow Dome Zone View West E427155
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres

Legends

Au_ppm
Histogram
0.5 mm/ppm

Ag_ppm
Linegraph
1.0 mm/ppm

HoleID

EOH

mm given at scale of 1:1000

Au_ppm

- 0 - 0.5
- 0.5 - 1
- 1 - 5
- 5 - 20
- > 20

Lithology

- overburden "QVB"
- stockwork "H1"
- silica cap "H5"
- plagioclase-hornblende porphyry "P1"
- plagioclase-phyric flow "P2"
- fragmental flows, tuffs and epiclastic rocks "V12"
- fragmental flows, tuffs and epiclastic rocks "V4"
- polymictic conglomerate "S3-Poly"
- conglomerate "S3"
- sandstone (greywacke) "S4-Gr"
- sandstone "S4-Vsf"
- mudstone, siltstone "S5"
- mudstone, siltstone "S5-Vsf"

6,255,600 mE
6,255,700 mE
6,255,800 mE
6,255,900 mE
6,256,000 mE
6,256,100 mE
6,256,200 mE
6,256,300 mE
6,256,400 mE

426,400 mN

426,500 mN

SU-673

EOH SU-673
1194.4

100
200
300
400
500
600
700
800
900
1000
1100

1,600mRL
1,500mRL
1,400mRL
1,300mRL
1,200mRL
1,100mRL
1,000mRL
900mRL
800mRL
700mRL
600mRL

SU-673

100
200
300
400
500
600
700
800
900
1000
1100

276 ppm Ag
114 ppm Ag
635 ppm Ag
119 ppm Ag
109 ppm Ag

EOH SU-673
1194.4

6,255,800mN
6,255,900mN
6,256,000mN
6,256,100mN
6,256,200mN
6,256,300mN
6,256,400mN

PRETIVM

	South Zone View West E426400
Date: 3/11/2016	
Author: JA	
Office:	
Drawing:	
Scale: 1:1000	Projection: UTM NAD83 Zone 9

0 25 50
metres

Legends

HoleID

Ag_ppm
Linegraph
0.5 mm/ppm

Au_ppm
Histogram
1.0 mm/ppm

EOH

mm given at scale of 1:1000

Au_ppm

- 0 - 0.5
- 0.5 - 1
- 1 - 5
- 5 - 20
- > 20

Lithology

- overburden "OVB"
- stockwork "H7"
- silica cap "H8"
- dyke "V6"
- hydrothermal breccia "H15"
- fault zone "FZ"
- plagioclase-hornblende porphyry "P1"
- plagioclase-phyric flow "P2"
- fragmental flows, tuffs and epiclastic rocks "V12"
- fragmental flows, tuffs and epiclastic rocks "V4"
- polylithic conglomerate "S3-Poly"
- conglomerate "S3"
- sandstone (greywacke) "S4-Gr"
- sandstone "S4-Vsf"
- mudstone, siltstone "S5"
- mudstone, siltstone "S5-Vsf"

Appendix III. Geological Drill Logs

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-654

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	cmooney	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	7/9/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	7/30/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	948	**Drill Rig:**	H3	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	7/8/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	7/20/15	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):		Geological logging by C. Mooney (SOH to 872.00m) and D. McLeish (872.00m to EOH).				**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	7/9/2015	-55.5	340.1	20.4	0.5	57193	☑	
9	REFLEX	7/9/2015	-55.5	340.1	20.4	0.5	57193	☑	
59	REFLEX	7/9/2015	-55.1	342.2	20.4	2.6	56159	☑	
110	REFLEX	7/9/2015	-54.9	343.6	20.4	4	56355	☑	
161	REFLEX	7/9/2015	-54.8	343.8	20.4	4.2	56236	☑	
212	REFLEX	7/9/2015	-54.8	343.9	20.4	4.3	56273	☑	
263	REFLEX	7/9/2015	-54.3	343.7	20.4	4.1	56374	☑	
314	REFLEX	7/9/2015	-54.3	344.1	20.4	4.5	56121	☑	
364	REFLEX	7/9/2015	-54.1	344	20.4	4.4	56570	☑	
416	REFLEX	7/9/2015	-54.3	344.4	20.4	4.8	56533	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-654

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
467	REFLEX	7/9/2015	-54.1	344.6	20.4	5	56188	☑	
518	REFLEX	7/9/2015	-54.1	344.9	20.4	5.3	56003	☑	
569	REFLEX	7/9/2015	-54.8	345.3	20.4	5.7	55873	☑	
620	REFLEX	7/9/2015	-54.7	347.5	20.4	7.9	56133	☑	
671	REFLEX	7/9/2015	-54.7	348.5	20.4	8.9	56084	☑	
722	REFLEX	7/9/2015	-54.1	350.9	20.4	11.3	56031	☑	
773	REFLEX	7/9/2015	-53.6	353.2	20.4	13.6	56050	☑	
824	REFLEX	7/9/2015	-53.6	354.3	20.4	14.7	56080	☑	
875	REFLEX	7/9/2015	-53.2	356.2	20.4	16.6	56029	☑	
926	REFLEX	7/9/2015	-52.9	358.4	20.4	18.8	56015	☑	
977	REFLEX	7/9/2015	-52.3	0.3	20.4	20.7	56090	☑	
1028	REFLEX	7/9/2015	-51.7	1.6	20.4	22	56144	☑	
1079	REFLEX	7/9/2015	-50.6	4.7	20.4	25.1	55832	☑	
1130	REFLEX	7/9/2015	-49.4	7.2	20.4	27.6	55995	☑	
1181	REFLEX	7/9/2015	-47.5	9.6	20.4	30	55989	☑	
1232	REFLEX	7/9/2015	-45.7	13	20.4	33.4	55977	☑	
1283	REFLEX	7/9/2015	-44.7	14.2	20.4	34.6	57501	☑	

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**46.87**	**V12 intermediate fragmental volcanics fg** 0 - 46.87: Unit appears to be a continuous unit of volcanic crystal tuffs. Fine-grained matrix which is pervasively sericite altered. Crystal fragments are medium grained (<1 mm) and preferrentially enlongated. There appears to be two dominate phenocryst types, likely feldspar and hornblende. Feldspar phenocrysts are sericite-calcite altered, hornblende phenocrysts are chlorite altered. Contains calcareous concretions, ranging from 1 - 3cm, which are preferrentially elongated. <<Min: 0 - 265.4: Nothing Recorded>> no mineralization <<Alt: 0 - 26.87: weak to moderate / weak to moderate sericite / weak to moderate calcite / weak to moderate chlorite>> pervasive sericite matrix replacement, plagioclase phenocrysts are ser-cal altered, hornblende phenocrysts are chlorite replaced. No pyrite alteration noted. <<Alt: 26.87 - 39.86: moderate hematite / weak to moderate sericite / weak to moderate sericite / weak to moderate calcite / weak to moderate chlorite>> similar alteration style as previous interval except the rock matrix has pervasive hematitic alteration <<Alt: 39.86 - 46.87: weak to moderate sericite / moderate sericite / moderate calcite / moderate chlorite>> increased phenocryst alteration intensity <<Vein: 0 - 46.87: 1.0-5.0 calcite>> very minor calcite veining, vein margins have a distinct 1mm margin of chlorite alteration with an associate yellow mineral, veins range in size from 0.5 cm to 2 cm in width	0.00	1.50	1.50	S010001	0.002	0.25	111	19	72
			1.50	3.00	1.50	S010002	0.002	0.25	46	4	85
			3.00	4.50	1.50	S010003	0.005	0.25	103	12	82
			4.50	6.00	1.50	S010004	0.002	0.25	47	8	80
			6.00	7.50	1.50	S010005	0.002	0.25	92	9	83
			7.50	9.00	1.50	S010007	0.002	0.25	34	1	97
			9.00	10.50	1.50	S010008	0.002	0.25	77	1	100
			10.50	12.00	1.50	S010009	0.002	0.25	98	1	100
			12.00	13.50	1.50	S010011	0.002	0.25	14	1	97
			13.50	15.00	1.50	S010012	0.002	0.25	29	1	99
			15.00	16.50	1.50	S010013	0.002	0.25	41	2	98
			16.50	18.00	1.50	S010014	0.002	0.25	8	1	94
			18.00	19.50	1.50	S010015	0.002	0.25	15	3	100
			19.50	21.00	1.50	S010016	0.002	0.25	23	1	96
			21.00	22.50	1.50	S010017	0.002	0.25	70	2	91
			22.50	24.00	1.50	S010018	0.002	0.25	7	1	93
			24.00	25.50	1.50	S010019	0.002	0.25	20	3	80
			25.50	27.00	1.50	S010021	0.002	0.25	2	2	79
			27.00	28.50	1.50	S010022	0.002	0.25	4	1	91
			28.50	30.00	1.50	S010023	0.002	0.25	57	2	102

Hole: SU-654

From (m)	To (m)	Rock Type & Description
46.87	**67.29**	**V12 intermediate fragmental volcanics fg**

46.87 - 67.29: interval of fine-grained crystal tuff with significant hematitic alteration. Crystals are much finer-grained than previous interval. Decrease in calcite alteration intensity.

<<Alt: 46.87 - 73.66: moderate hematite / weak to moderate sericite / weak to moderate sericite / weak to moderate chlorite / weak calcite>>

<<Vein: 46.87 - 68: 1.0-5.0 quartz>> change in vein type, interval contains small qz-only veinlets which range in size from 0.5 mm to 3 mm in width. Vein margins are very planar and undeformed.

<<Struc: 52.3 - 53.4: moderately developed fault zone 15 deg. >> low angle fault zone, slickensided surfaces with minor gouge development

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
30.00	31.50	1.50	S010024	0.002	0.25	68	5	93
31.50	33.00	1.50	S010025	0.002	0.25	65	4	102
33.00	34.50	1.50	S010027	0.002	0.25	21	7	97
34.50	36.00	1.50	S010028	0.002	0.25	36	7	102
36.00	37.50	1.50	S010029	0.002	0.25	15	5	91
37.50	39.00	1.50	S010031	0.002	0.25	4	10	83
39.00	40.50	1.50	S010032	0.002	0.25	0.5	22	77
40.50	42.00	1.50	S010033	0.002	0.25	4	16	81
42.00	43.50	1.50	S010034	0.002	0.25	1	12	88
43.50	45.00	1.50	S010035	0.002	0.25	1	17	97
45.00	46.50	1.50	S010036	0.002	0.25	23	12	108
46.50	48.00	1.50	S010037	0.002	0.25	4	9	103
48.00	49.50	1.50	S010038	0.002	0.25	12	8	137
49.50	51.00	1.50	S010039	0.002	0.25	1	8	109
51.00	52.50	1.50	S010041	0.002	0.25	31	8	104
52.50	54.00	1.50	S010042	0.002	0.25	62	8	118
54.00	55.50	1.50	S010043	0.002	0.25	12	7	78
55.50	57.00	1.50	S010044	0.002	0.25	44	8	107
57.00	58.50	1.50	S010045	0.002	0.25	15	8	83
58.50	60.00	1.50	S010047	0.002	0.25	24	5	86

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
67.29	**74.39**	**V12**	**intermediate fragmental volcanics**	**fg**

67.29 - 74.39: another sequence of crystal tuff, fine grained matrix with plagioclase and hornblende phenocrysts; approximately 60-70% phenos, plag > hbd

<<Alt: 73.66 - 77.91: weak to moderate sericite / weak to moderate sericite / weak to moderate chlorite / weak calcite>> ser-chl alteration, phenocryst replacement, minor calcite alteration

<<Vein: 68 - 128: <1.0 quartz-calcite>> three generations of veins, narrow qz stringers, qz-cal veins with vugs and mildly deformed qz-chl veins

74.39	**113.48**	**V12**	**intermediate fragmental volcanics**	**fg**

74.39 - 113.48: interval of fine-grained tuff, variable hematitic alteration, 10% phenocrysts, plag > hbd

<<Alt: 77.91 - 215.9: weak to moderate hematite / weak to moderate sericite / trace sericite / trace chlorite / trace calcite>> significant interval of hematitic alteration, very minor clast replacement

<<Struc: 83 - 104: moderately developed fault zone 20 deg. >> low angle fault zone, minor slickenside development, minor gouge

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
60.00	61.50	1.50	S010048	0.002	0.25	9	7	105
61.50	63.00	1.50	S010049	0.002	0.25	4	6	102
63.00	64.50	1.50	S010051	0.002	0.25	3	10	91
64.50	66.00	1.50	S010052	0.002	0.25	1	5	103
66.00	67.50	1.50	S010053	0.002	0.25	4	7	91
67.50	69.00	1.50	S010054	0.002	0.25	2	13	86
69.00	70.50	1.50	S010055	0.002	0.25	5	8	69
70.50	72.00	1.50	S010056	0.002	0.25	4	11	79
72.00	73.50	1.50	S010057	0.002	0.25	2	13	62
73.50	75.00	1.50	S010058	0.002	0.25	24	9	81
75.00	76.50	1.50	S010059	0.002	0.25	90	4	94
76.50	78.00	1.50	S010061	0.002	0.25	46	5	87
78.00	79.50	1.50	S010062	0.002	0.25	6	6	94
79.50	81.00	1.50	S010063	0.002	0.25	13	6	102
81.00	82.50	1.50	S010064	0.002	0.25	20	6	103
82.50	84.00	1.50	S010065	0.002	0.25	9	8	92
84.00	85.50	1.50	S010067	0.002	0.25	15	8	92

Hole: SU-654

From (m)	To (m)	Rock Type & Description
113.48	**171.35**	**V12 intermediate fragmental volcanics** **fg**

113.48 - 171.35: sequence of crystal tuff, increased phenocryst size compared to previous intervals, range from 1mm to 1cm. Approx 70% phenocryst abundance, plag > hbd.

<<Vein: 128 - 225: 1.0-5.0 quartz-calcite>> slight increase in veining intensity, same vein composition as previous interval

<<Struc: 126 - 134.5: moderately developed fault zone 15 deg. >> low angle fault zone, minor slickenside and fault zone gouge development

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
85.50	87.00	1.50	S010068	0.002	0.25	9	4	92
87.00	88.50	1.50	S010069	0.002	0.25	7	7	76
88.50	90.00	1.50	S010071	0.002	0.25	3	10	90
90.00	91.50	1.50	S010072	0.002	0.25	3	11	89
91.50	93.00	1.50	S010073	0.002	0.25	91	11	101
93.00	94.50	1.50	S010074	0.002	0.25	102	7	92
94.50	96.00	1.50	S010075	0.002	0.25	7	8	115
96.00	97.50	1.50	S010076	0.002	0.25	1	10	111
97.50	99.00	1.50	S010077	0.002	0.25	14	9	89
99.00	100.50	1.50	S010078	0.087	0.25	25	8	100
100.50	102.00	1.50	S010079	0.002	0.25	8	8	102
102.00	103.50	1.50	S010081	0.005	0.25	55	6	97
103.50	105.00	1.50	S010082	0.002	0.25	93	16	87
105.00	106.50	1.50	S010083	0.002	0.25	75	17	94
106.50	108.00	1.50	S010084	0.002	0.25	31	17	89
108.00	109.50	1.50	S010085	0.002	0.25	76	17	89
109.50	111.00	1.50	S010087	0.002	0.25	55	14	95
111.00	112.50	1.50	S010088	0.041	0.25	21	7	105
112.50	114.00	1.50	S010089	0.019	0.25	7	11	84
114.00	115.50	1.50	S010091	0.002	0.25	6	16	79
115.50	117.00	1.50	S010092	0.002	0.25	7	14	81
117.00	118.50	1.50	S010093	0.002	0.25	3	10	80
118.50	120.00	1.50	S010094	0.002	0.25	25	13	58
120.00	121.50	1.50	S010095	0.002	0.25	35	16	67
121.50	123.00	1.50	S010096	0.002	0.25	29	12	73

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			123.00	124.50	1.50	S010097	0.002	0.25	4	12	83
			124.50	126.00	1.50	S010098	0.002	0.25	4	12	86
			126.00	127.50	1.50	S010099	0.002	0.25	2	8	68
			127.50	129.00	1.50	S010101	0.016	0.25	1	6	62
			129.00	130.50	1.50	S010102	0.002	0.25	3	2	62
			130.50	132.00	1.50	S010103	0.002	0.25	39	3	66
			132.00	133.50	1.50	S010104	0.005	0.25	83	8	58
			133.50	135.00	1.50	S010105	0.002	0.25	3	5	62
			135.00	136.50	1.50	S010107	0.002	0.25	2	8	79
			136.50	138.00	1.50	S010108	0.002	0.25	107	9	82
			138.00	139.50	1.50	S010109	0.002	0.25	27	9	77
			139.50	141.00	1.50	S010111	0.002	0.25	6	8	74
			141.00	142.50	1.50	S010112	0.002	0.25	5	8	72
			142.50	144.00	1.50	S010113	0.002	0.25	8	9	66
			144.00	145.50	1.50	S010114	0.002	0.25	11	10	69
			145.50	147.00	1.50	S010115	0.002	0.25	4	9	79
			147.00	148.50	1.50	S010116	0.006	0.25	4	6	85
			148.50	150.00	1.50	S010117	0.002	0.25	9	11	81
			150.00	151.50	1.50	S010118	0.002	0.25	25	8	84
			151.50	153.00	1.50	S010119	0.002	0.5	139	11	61
			153.00	154.50	1.50	S010121	0.002	0.25	7	9	79
			154.50	156.00	1.50	S010122	0.002	0.25	9	7	78
			156.00	157.50	1.50	S010123	0.002	0.25	23	9	78
			157.50	159.00	1.50	S010124	0.002	0.25	11	9	75
			159.00	160.50	1.50	S010125	0.002	0.25	9	10	72
			160.50	162.00	1.50	S010127	0.002	0.25	12	6	69
			162.00	163.50	1.50	S010128	0.002	0.25	5	10	77
			163.50	165.00	1.50	S010129	0.002	0.25	5	9	78
			165.00	166.50	1.50	S010131	0.002	0.25	5	17	73

Hole: SU-654

From (m)	To (m)	Rock Type & Description	
171.35	**215.90**	**V12 intermediate fragmental volcanics**	**fg**

171.35 - 215.9: another interval of fine-grained tuff with significant hematitic alteration.

<<Struc: 180.9 - 186.5: moderately developed fault zone 30 deg. >>

<<Struc: 204 - 207.5: weakly developed fault zone 25 deg. >> low angle fault zone, minor slickensides, some gouge development

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
166.50	168.00	1.50	S010132	0.002	0.25	6	9	83
168.00	169.50	1.50	S010133	0.002	0.25	4	7	72
169.50	171.00	1.50	S010134	0.002	0.25	5	9	72
171.00	172.50	1.50	S010135	0.002	0.25	22	24	80
172.50	174.00	1.50	S010136	0.002	0.25	52	9	67
174.00	175.50	1.50	S010137	0.002	0.25	25	14	70
175.50	177.00	1.50	S010138	0.002	0.25	3	10	58
177.00	178.50	1.50	S010139	0.002	0.25	3	9	66
178.50	180.00	1.50	S010141	0.002	0.25	3	12	58
180.00	181.50	1.50	S010142	0.002	0.25	6	15	55
181.50	183.00	1.50	S010143	0.002	0.25	2	9	79
183.00	184.50	1.50	S010144	0.002	0.25	31	7	112
184.50	186.00	1.50	S010145	0.002	1.2	123	3	129
186.00	187.50	1.50	S010147	0.002	0.25	4	5	57
187.50	189.00	1.50	S010148	0.002	0.25	1	10	61
189.00	190.50	1.50	S010149	0.002	0.25	1	8	60
190.50	192.00	1.50	S010151	0.006	0.25	1	8	79
192.00	193.50	1.50	S010152	0.002	0.25	18	26	121
193.50	195.00	1.50	S010153	0.002	0.25	41	25	147
195.00	196.50	1.50	S010154	0.002	0.25	41	13	148
196.50	198.00	1.50	S010155	0.002	0.25	3	10	104
198.00	199.50	1.50	S010156	0.002	0.25	3	8	91
199.50	201.00	1.50	S010157	0.002	0.25	1	10	58
201.00	202.50	1.50	S010158	0.002	0.25	2	8	40
202.50	204.00	1.50	S010159	0.002	0.25	4	11	48
204.00	205.50	1.50	S010161	0.002	0.25	4	13	89

Hole: SU-654

From (m)	To (m)	Rock Type & Description
215.90	**380.00**	**V12 intermediate fragmental volcanics** **fg**

215.9 - 380: lithology grades from V12 tuff into V12 lapilli tuff. Matrix is fine-grained with hematitic alteration. Fragments are lapilli sized, angular to sub-angular, plagioclase-hornblende phyric with weak sericite-chlorite alteration

<<Min: 265.4 - 306.03: traces pyrite>> fine, disseminated, euhedral pyrite, associated with non-hematitic alteration

<<Min: 306.03 - 401: Nothing Recorded>>

<<Alt: 215.9 - 265.4: weak to moderate hematite / weak to moderate sericite / weak sericite>> mottled hematite matrix replacement with pervasive sericite replacement and sericite phenocryst alteration, no calcite alteration was noted.

<<Alt: 265.4 - 306.03: weak to moderate sericite / weak to moderate sericite / weak to moderate chlorite>>

<<Alt: 306.03 - 401: weak to moderate hematite / weak to moderate sericite / weak to moderate sericite>>

<<Vein: 225 - 265.4: <1.0 quartz>> Decrease in vein intensity. Two generations of veins. 1. Small, qz only veinlets, undeformed with planar margins, 1-3mm width. 2. Drusy-vuggy qz-veins with thin bands of chloritized material, no calcite was noted, no shear texture.

<<Vein: 265.4 - 364: <1.0 quartz-calcite>> change from dominantly qz veins to qz-cal veins. Three vein generations. 1. narrow qz veinlets. 2. qz-cal-chl banded veins. 3. vuggy qz-cal veins

<<Vein: 364 - 443.88: <1.0 quartz-chlorite>> large interval with very minimal veining. Veins form in two types: 1. banded qz-chl veins which range from 0.5 - 2cm in size; some displayed shearing with slickensided surfaces, and 2. narrow, disarticulated and mildly deformed quartz only veinlets

<<Struc: 362.45 - 363: weakly developed fault zone 30 deg. >> weakly developed fault zone

<<Struc: 370.5 - 370.5: weakly developed fault zone 20 deg. >> shear plane with well developed slickensides

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
205.50	207.00	1.50	S010162	0.002	0.25	31	14	91
207.00	208.50	1.50	S010163	0.002	0.25	1	11	120
208.50	210.00	1.50	S010164	0.002	0.25	2	17	86
210.00	211.50	1.50	S010165	0.002	0.25	2	16	125
211.50	213.00	1.50	S010167	0.002	0.25	3	12	62
213.00	214.50	1.50	S010168	0.002	0.25	65	8	104
214.50	216.00	1.50	S010169	0.002	0.25	109	8	133
216.00	217.50	1.50	S010171	0.002	0.25	5	13	83
217.50	219.00	1.50	S010172	0.002	0.25	18	13	85
219.00	220.50	1.50	S010173	0.002	0.25	5	15	79
220.50	222.00	1.50	S010174	0.002	0.25	4	10	82

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			222.00	223.50	1.50	S010175	0.002	0.25	2	11	78
			223.50	225.00	1.50	S010176	0.002	0.25	39	13	82
			225.00	226.50	1.50	S010177	0.002	0.25	54	12	97
			226.50	228.00	1.50	S010178	0.002	0.25	4	11	74
			228.00	229.50	1.50	S010179	0.002	0.25	5	12	84
			229.50	231.00	1.50	S010181	0.002	0.25	4	14	79
			231.00	232.50	1.50	S010182	0.002	0.25	4	10	84
			232.50	234.00	1.50	S010183	0.002	0.25	13	14	82
			234.00	235.50	1.50	S010184	0.002	0.25	24	17	75
			235.50	237.00	1.50	S010185	0.002	0.25	80	19	80
			237.00	238.50	1.50	S010187	0.002	0.6	147	11	84
			238.50	240.00	1.50	S010188	0.002	0.25	9	15	58
			240.00	241.50	1.50	S010189	0.002	0.25	16	12	66
			241.50	243.00	1.50	S010191	0.002	0.25	11	10	86
			243.00	244.50	1.50	S010192	0.002	0.25	8	11	76
			244.50	246.00	1.50	S010193	0.002	0.25	18	6	76
			246.00	247.50	1.50	S010194	0.002	0.25	10	8	84
			247.50	249.00	1.50	S010195	0.002	0.25	6	8	71
			249.00	250.50	1.50	S010196	0.002	0.25	4	10	82
			250.50	252.00	1.50	S010197	0.002	0.25	12	8	87
			252.00	253.50	1.50	S010198	0.002	0.25	8	8	82
			253.50	255.00	1.50	S010199	0.002	0.25	7	9	77
			255.00	256.50	1.50	S010201	0.002	0.25	5	9	81
			256.50	258.00	1.50	S010202	0.002	0.25	5	7	70
			258.00	259.50	1.50	S010203	0.002	0.25	4	9	74
			259.50	261.00	1.50	S010204	0.002	0.25	4	8	79
			261.00	262.50	1.50	S010205	0.002	0.25	18	8	75
			262.50	264.00	1.50	S010207	0.002	0.25	51	6	76
			264.00	265.50	1.50	S010208	0.022	0.6	127	7	124

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			265.50	267.00	1.50	S010209	0.002	1.6	367	2	161
			267.00	268.50	1.50	S010211	0.005	1.2	300	12	119
			268.50	270.00	1.50	S010212	0.002	0.6	141	9	87
			270.00	271.50	1.50	S010213	0.002	0.25	15	4	82
			271.50	273.00	1.50	S010214	0.002	1.6	137	5	90
			273.00	274.50	1.50	S010215	0.002	0.8	61	10	79
			274.50	276.00	1.50	S010216	0.002	0.5	32	88	93
			276.00	277.50	1.50	S010217	0.002	0.7	19	113	95
			277.50	279.00	1.50	S010218	0.002	0.5	22	59	93
			279.00	280.50	1.50	S010219	0.002	0.25	24	3	85
			280.50	282.00	1.50	S010221	0.002	0.25	5	1	76
			282.00	283.50	1.50	S010222	0.002	0.25	17	2	91
			283.50	285.00	1.50	S010223	0.002	0.25	25	4	104
			285.00	286.50	1.50	S010224	0.002	0.5	30	6	82
			286.50	288.00	1.50	S010225	0.002	0.25	20	4	77
			288.00	289.50	1.50	S010227	0.002	0.8	83	3	101
			289.50	291.00	1.50	S010228	0.002	0.25	6	5	72
			291.00	292.50	1.50	S010229	0.002	0.25	6	6	71
			292.50	294.00	1.50	S010231	0.002	0.25	20	7	76
			294.00	295.50	1.50	S010232	0.002	0.25	47	10	111
			295.50	297.00	1.50	S010233	0.002	0.25	46	5	124
			297.00	298.50	1.50	S010234	0.002	0.5	49	25	130
			298.50	300.00	1.50	S010235	0.002	0.25	25	33	62
			300.00	301.50	1.50	S010236	0.002	0.9	22	45	122
			301.50	303.00	1.50	S010237	0.002	0.5	18	29	104
			303.00	304.50	1.50	S010238	0.002	0.25	21	1	108
			304.50	306.00	1.50	S010239	0.002	0.25	32	1	95
			306.00	307.50	1.50	S010241	0.002	0.25	48	3	92
			307.50	309.00	1.50	S010242	0.005	0.25	4	6	83

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			309.00	310.50	1.50	S010243	0.002	0.25	8	10	79
			310.50	312.00	1.50	S010244	0.002	0.25	2	9	70
			312.00	313.50	1.50	S010245	0.002	0.25	2	8	74
			313.50	315.00	1.50	S010247	0.002	0.25	2	8	92
			315.00	316.50	1.50	S010248	0.002	0.25	2	5	97
			316.50	318.00	1.50	S010249	0.002	0.25	1	6	89
			318.00	319.50	1.50	S010251	0.002	0.25	3	6	94
			319.50	321.00	1.50	S010252	0.002	0.25	1	7	97
			321.00	322.50	1.50	S010253	0.002	0.25	2	7	92
			322.50	324.00	1.50	S010254	0.002	0.25	2	9	98
			324.00	325.50	1.50	S010255	0.002	0.25	1	7	85
			325.50	327.00	1.50	S010256	0.002	0.25	1	10	86
			327.00	328.50	1.50	S010257	0.002	0.25	4	9	81
			328.50	330.00	1.50	S010258	0.002	0.25	3	9	84
			330.00	331.50	1.50	S010259	0.002	0.25	4	6	88
			331.50	333.00	1.50	S010261	0.002	0.25	3	9	89
			333.00	334.50	1.50	S010262	0.002	0.25	3	9	96
			334.50	336.00	1.50	S010263	0.002	0.25	10	10	90
			336.00	337.50	1.50	S010264	0.002	0.25	26	9	92
			337.50	339.00	1.50	S010265	0.002	0.25	6	12	88
			339.00	340.50	1.50	S010267	0.002	0.25	4	10	76
			340.50	342.00	1.50	S010268	0.006	0.25	7	12	83
			342.00	343.50	1.50	S010269	0.002	0.25	5	13	87
			343.50	345.00	1.50	S010271	0.005	0.25	15	8	102
			345.00	346.50	1.50	S010272	0.002	0.25	16	10	85
			346.50	348.00	1.50	S010273	0.002	0.25	31	7	95
			348.00	349.50	1.50	S010274	0.002	0.25	9	7	88
			349.50	351.00	1.50	S010275	0.002	0.25	4	8	98
			351.00	352.50	1.50	S010276	0.002	0.25	42	7	100

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
380.00	**401.00**	**V12**	**intermediate fragmental volcanics**	**fg**

380 - 401: fine-grained matrix containing lapilli-size angular to sub-angular fragments and rounded to sub-rounded sedimentary clasts. Fragments are dark grey, fsp-phyric. Clasts are light grey, siliceous with very minor calcite replacement

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
352.50	354.00	1.50	S010277	0.002	0.25	11	6	84
354.00	355.50	1.50	S010278	0.002	0.25	2	4	87
355.50	357.00	1.50	S010279	0.002	0.25	3	10	86
357.00	358.50	1.50	S010281	0.002	0.25	3	9	89
358.50	360.00	1.50	S010282	0.002	0.25	3	9	88
360.00	361.50	1.50	S010283	0.002	0.25	2	10	86
361.50	363.00	1.50	S010284	0.009	0.5	133	5	129
363.00	364.50	1.50	S010285	0.002	0.25	0.5	12	71
364.50	366.00	1.50	S010287	0.002	0.25	1	10	84
366.00	367.50	1.50	S010288	0.002	0.25	1	10	101
367.50	369.00	1.50	S010289	0.002	0.25	1	9	101
369.00	370.50	1.50	S010291	0.002	0.25	0.5	18	98
370.50	372.00	1.50	S010292	0.002	0.25	0.5	11	101
372.00	373.50	1.50	S010293	0.002	0.25	0.5	11	93
373.50	375.00	1.50	S010294	0.002	0.25	1	15	88
375.00	376.50	1.50	S010295	0.005	0.25	0.5	11	68
376.50	378.00	1.50	S010296	0.002	0.25	1	8	69
378.00	379.50	1.50	S010297	0.002	0.25	0.5	9	62
379.50	381.00	1.50	S010298	0.002	0.25	0.5	16	69
381.00	382.50	1.50	S010299	0.002	0.25	3	13	90
382.50	384.00	1.50	S010301	0.002	0.25	4	2	101
384.00	385.50	1.50	S010302	0.002	0.25	4	1	109
385.50	387.00	1.50	S010303	0.002	0.25	3	1	110
387.00	388.50	1.50	S010304	0.005	0.25	3	1	83
388.50	390.00	1.50	S010305	0.021	0.25	13	12	97

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
401.00	**426.93**	**V12**	**intermediate fragmental volcanics**	**fg**

401 - 426.93: Fine-grained, greyish-green matrix with lapilli to bomb-sized, angular to sub-angular fragments which are strongly chlorite replaced and weakly pyrite replaced. No hematitic alteration. Moderate sericite alteration and strong chlorite clast alteration.

<<Min: 401 - 443.88: traces pyrite / <0.5% pyrite>> traces of disseminated, euhedral pyrite with minor pyrite clast replacement

<<Alt: 401 - 426.93: weak to moderate sericite / weak to moderate sericite / moderate chlorite / weak pyrite>> sericite matrix replacement with moderate to strong chlorite fragment alteration. Fragments also show minor pyrite replacement.

<<Struc: 415.6 - 415.8: weakly developed fault zone 20 deg. >> shear plane with well developed slickensides

<<Struc: 424.8 - 425: weakly developed fault zone 20 deg. >> shear plane with well developed slickensides

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
390.00	391.50	1.50	S010307	0.005	0.25	8	8	93
391.50	393.00	1.50	S010308	0.005	0.25	3	7	100
393.00	394.50	1.50	S010309	0.006	0.25	5	8	90
394.50	396.00	1.50	S010311	0.008	0.25	6	4	83
396.00	397.50	1.50	S010312	0.008	0.25	4	1	78
397.50	399.00	1.50	S010313	0.006	0.25	9	7	90
399.00	400.50	1.50	S010314	0.005	0.25	3	3	71
400.50	402.00	1.50	S010315	0.005	0.25	15	1	79
402.00	403.50	1.50	S010316	0.005	0.25	20	3	99
403.50	405.00	1.50	S010317	0.002	0.25	14	3	91
405.00	406.50	1.50	S010318	0.002	0.25	21	2	102
406.50	408.00	1.50	S010319	0.005	0.25	13	40	117
408.00	409.50	1.50	S010321	0.006	0.25	16	55	105
409.50	411.00	1.50	S010322	0.006	0.25	36	13	84
411.00	412.50	1.50	S010323	0.002	0.25	29	1	87
412.50	414.00	1.50	S010324	0.002	0.25	24	8	80
414.00	415.50	1.50	S010325	0.002	0.25	11	15	103
415.50	417.00	1.50	S010327	0.002	0.25	11	17	102
417.00	418.50	1.50	S010328	0.002	0.25	10	13	94
418.50	420.00	1.50	S010329	0.002	0.25	14	4	92
420.00	421.50	1.50	S010331	0.002	0.25	10	3	86
421.50	423.00	1.50	S010332	0.002	0.25	18	2	96
423.00	424.50	1.50	S010333	0.002	0.25	17	1	89
424.50	426.00	1.50	S010334	0.002	0.25	36	1	110

Hole: SU-654

From (m)	To (m)	Rock Type & Description
426.93	**443.88**	**V12 intermediate fragmental volcanics fg**
426.93 - 443.88: Same as previous volcano-clastic interval. Angular to sub-angular fragments and rounded to sub-rounded clasts. Looks like a very immature sedimentary unit. Variable amounts of hematitic alteration.		
<<Alt: 426.93 - 431.83: weak to moderate hematite / weak to moderate sericite / weak to moderate sericite / moderate chlorite>> weak to moderate hematitic alteration. Sericite matrix replacement and chlorite clast alteration.		
<<Alt: 431.83 - 443.88: weak to moderate sericite / weak to moderate sericite / moderate chlorite>>		
<<Struc: 441.85 - 442.35: weakly developed fault zone 60 deg. >> weakly developed fault zone, no slickensides, minor gouge		
443.88	**521.91**	**V12 intermediate fragmental volcanics fg**
443.88 - 521.91: alternating sequence of lapilli tuff and crystal tuff. Lapilli fragments consisted of sericite-chlorite altered porphyritic clasts. Complete lack of hematitic alteration. Noticeable increase in pyrite alteration; both as clast replacement and as blebs in veins plus pyrite stringers.		
<<Min: 443.88 - 521.91: <0.5% pyrite / <0.5% pyrite / traces pyrite>> significant increase in pyrite abundance and mineralization style. Weak pyrite replacement of chlorite-altered fragments. Blebby pyrite mineralization in qz-py veins and mm-scale pyrite stringer veinlets.		

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
426.00	427.50	1.50	S010335	0.002	0.25	7	4	98
427.50	429.00	1.50	S010336	0.002	0.25	0.5	3	83
429.00	430.50	1.50	S010337	0.002	0.25	0.5	6	84
430.50	432.00	1.50	S010338	0.002	0.25	0.5	4	78
432.00	433.50	1.50	S010339	0.002	0.25	0.5	1	96
433.50	435.00	1.50	S010341	0.002	0.25	2	11	88
435.00	436.50	1.50	S010342	0.002	0.25	2	7	84
436.50	438.00	1.50	S010343	0.002	0.25	7	8	72
438.00	439.50	1.50	S010344	0.002	0.25	17	2	97
439.50	441.00	1.50	S010345	0.002	0.25	11	8	112
441.00	442.50	1.50	S010347	0.002	0.25	16	20	92
442.50	444.00	1.50	S010348	0.002	0.25	12	23	116
444.00	445.50	1.50	S010349	0.002	0.25	19	36	31
445.50	447.00	1.50	S010351	0.002	0.25	11	31	71

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 443.88 - 576.12: weak to moderate sericite / weak silica (pervasive silicification) / weak to moderate chlorite / weak to moderate pyrite>> switch to phyllic/qsp alteration style. Weak silification, pervasive sericite alteration, chlorite alteration of lapilli fragments with minor pyrite replacement. Pyrite stringers and small veinlets present in addition.	447.00	448.50	1.50	S010352	0.002	0.25	9	20	75
		<<Vein: 443.88 - 512: 1.0-5.0 quartz-chlorite>> Increase in overall veining and a change in vein type. Banded qz-chl veins are still present. Additionally, qz-py veinlets and py-only stringers are present.	448.50	450.00	1.50	S010353	0.002	0.25	12	18	86
		<<Vein: 512 - 524: 5.0-10.0 quartz-calcite>> Increase in overall vein abundance in faulted zone	450.00	451.50	1.50	S010354	0.002	0.25	11	18	60
		<<Struc: 512 - 516.29: moderately developed fault zone 30 deg. >> moderately developed fault zone, lots of gouge material	451.50	453.00	1.50	S010355	0.002	0.25	10	14	55
		<<Struc: 518 - 523.54: moderately developed fault zone 35 deg. >> moderately developed fault zone, lots of gouge material	453.00	454.50	1.50	S010356	0.002	0.25	9	15	88
			454.50	456.00	1.50	S010357	0.002	0.25	10	20	71
			456.00	457.50	1.50	S010358	0.002	0.25	10	13	43
			457.50	459.00	1.50	S010359	0.002	0.25	12	18	62
			459.00	460.50	1.50	S010361	0.002	0.25	9	12	80
			460.50	462.00	1.50	S010362	0.002	0.25	13	17	67
			462.00	463.50	1.50	S010363	0.002	0.25	9	10	87
			463.50	465.00	1.50	S010364	0.002	0.25	6	8	159
			465.00	466.50	1.50	S010365	0.002	0.25	10	12	49
			466.50	468.00	1.50	S010367	0.002	0.25	9	11	61
			468.00	469.50	1.50	S010368	0.002	0.25	9	12	90
			469.50	471.00	1.50	S010369	0.002	0.25	8	12	163
			471.00	472.50	1.50	S010371	0.002	0.25	10	24	76
			472.50	474.00	1.50	S010372	0.002	0.25	11	13	75
			474.00	475.50	1.50	S010373	0.002	0.25	9	12	50
			475.50	477.00	1.50	S010374	0.002	0.25	7	11	85
			477.00	478.50	1.50	S010375	0.002	0.25	9	4	96
			478.50	480.00	1.50	S010376	0.002	0.25	6	8	102
			480.00	481.50	1.50	S010377	0.002	0.25	14	7	80
			481.50	483.00	1.50	S010378	0.002	0.25	7	7	106
			483.00	484.50	1.50	S010379	0.002	0.25	8	7	112
			484.50	486.00	1.50	S010381	0.002	0.25	10	14	77

Hole: SU-654

From (m)	To (m)	Rock Type & Description
521.91	**576.12**	**V12 intermediate fragmental volcanics fg**

521.91 - 576.12: lithology changes into a distinctively more fragmental unit; coarse lapilli sized, angular to sub-angular fragments which are chlorite replaced and show minor pyrite replacement

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
486.00	487.50	1.50	S010382	0.002	0.25	8	13	72
487.50	489.00	1.50	S010383	0.002	0.25	13	20	41
489.00	490.50	1.50	S010384	0.002	0.25	8	12	109
490.50	492.00	1.50	S010385	0.002	0.25	8	12	104
492.00	493.50	1.50	S010387	0.002	0.25	10	15	69
493.50	495.00	1.50	S010388	0.002	0.25	9	16	88
495.00	496.50	1.50	S010389	0.002	0.25	8	14	41
496.50	498.00	1.50	S010391	0.002	0.25	12	18	74
498.00	499.50	1.50	S010392	0.002	0.25	8	11	110
499.50	501.00	1.50	S010393	0.002	0.25	8	11	88
501.00	502.50	1.50	S010394	0.002	0.25	10	6	82
502.50	504.00	1.50	S010395	0.002	0.25	9	6	79
504.00	505.50	1.50	S010396	0.002	0.25	6	8	104
505.50	507.00	1.50	S010397	0.002	0.25	16	18	54
507.00	508.50	1.50	S010398	0.002	0.25	14	19	62
508.50	510.00	1.50	S010399	0.002	0.5	20	28	79
510.00	511.50	1.50	S010401	0.037	0.25	14	11	37
511.50	513.00	1.50	S010402	0.002	0.25	18	8	128
513.00	514.50	1.50	S010403	0.002	0.25	27	11	68
514.50	516.00	1.50	S010404	0.002	0.25	28	6	17
516.00	517.50	1.50	S010405	0.002	0.25	6	1	158
517.50	519.00	1.50	S010407	0.002	0.25	12	7	129
519.00	520.50	1.50	S010408	0.002	0.25	14	8	30
520.50	522.00	1.50	S010409	0.002	0.25	19	8	36

Hole: SU-654

From (m)	To (m)	Rock Type & Description
		<<Min: 521.91 - 576.12: <0.5% pyrite / traces pyrite>> disappearance of pyrite stringer veins. Increase in pyrite clast replacement and occurance of fine, disseminated, euhedral pyrite
		<<Vein: 524 - 576.12: 1.0-5.0 quartz-calcite>> Decrease in vein intensity following fault zone. Sheared qz-chl veins, small qz-only veinlets

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
522.00	523.50	1.50	S010411	0.002	0.25	27	9	32
523.50	525.00	1.50	S010412	0.002	0.25	17	6	30
525.00	526.50	1.50	S010413	0.002	0.25	17	12	49
526.50	528.00	1.50	S010414	0.002	0.25	16	9	79
528.00	529.50	1.50	S010415	0.002	0.25	16	12	87
529.50	531.00	1.50	S010416	0.002	0.25	22	14	78
531.00	532.50	1.50	S010417	0.002	0.25	19	11	72
532.50	534.00	1.50	S010418	0.002	0.25	24	16	53
534.00	535.50	1.50	S010419	0.002	0.25	18	15	57
535.50	537.00	1.50	S010421	0.002	0.25	18	12	34
537.00	538.50	1.50	S010422	0.002	0.25	21	13	29
538.50	540.00	1.50	S010423	0.002	0.25	23	13	42
540.00	541.50	1.50	S010424	0.002	0.25	23	11	76
541.50	543.00	1.50	S010425	0.002	0.25	26	12	66
543.00	544.50	1.50	S010427	0.002	0.25	22	18	56
544.50	546.00	1.50	S010428	0.002	0.25	22	20	57
546.00	547.50	1.50	S010429	0.002	0.25	29	19	127
547.50	549.00	1.50	S010431	0.002	0.25	16	17	54
549.00	550.50	1.50	S010432	0.002	0.25	16	17	46
550.50	552.00	1.50	S010433	0.002	0.25	24	15	65
552.00	553.50	1.50	S010434	0.002	0.25	21	11	111
553.50	555.00	1.50	S010435	0.002	0.25	24	5	111
555.00	556.50	1.50	S010436	0.002	0.25	32	3	96
556.50	558.00	1.50	S010437	0.002	0.25	24	3	89
558.00	559.50	1.50	S010438	0.002	0.25	26	3	89
559.50	561.00	1.50	S010439	0.002	0.25	20	6	109

Hole: SU-654

From (m)	To (m)	Rock Type & Description
576.12	**584.18**	**H8 Intensely silicified zone fg**

576.12 - 584.18: unit appears very similar to VOK SILCAP, banded pyrite mineralization, silicification is not as intense as VOK, unit is also faulted so gouge material is soft

<<Min: 576.12 - 584.18: 2.0-5.0% pyrite>> banded semi-massive pyrite in silcap unit

<<Alt: 576.12 - 584.18: moderate to strong silica (pervasive silicification)>>

<<Vein: 576.12 - 584.18: 10.0-25.0 quartz-calcite>> minor vein stockwork in silcap unit, qz-cal veins, some brecciation and altered wall rock clasts, banded, semi-massive pyrite mineralization

<<Struc: 577.05 - 578.58: moderately developed fault zone 45 deg. >> moderately developed fault zone in silcap unit

<<Struc: 579.9 - 579.97: moderately developed fault zone 75 deg. >> small but strongly developed fault zone, lots of gouge material

<<Struc: 582.02 - 582.1: moderately developed fault zone 75 deg. >> small but strongly developed fault zone, significant gouge

<<Struc: 583.2 - 584.12: moderately developed fault zone 65 deg. >> moderate fault zone, significant gouge development, banded appearance

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
561.00	562.50	1.50	S010441	0.002	0.25	18	2	123
562.50	564.00	1.50	S010442	0.002	0.25	19	5	75
564.00	565.50	1.50	S010443	0.002	0.25	18	7	88
565.50	567.00	1.50	S010444	0.002	0.25	18	5	90
567.00	568.50	1.50	S010445	0.002	0.25	19	3	82
568.50	570.00	1.50	S010447	0.002	0.25	32	7	92
570.00	571.50	1.50	S010448	0.002	0.25	12	6	74
571.50	573.00	1.50	S010449	0.002	0.25	23	5	78
573.00	574.50	1.50	S010451	0.002	0.25	20	12	78
574.50	576.12	1.62	S010452	0.002	0.25	18	8	111
576.12	577.50	1.38	S010453	0.002	0.25	13	13	84
577.50	579.00	1.50	S010454	0.002	0.25	19	13	67
579.00	580.50	1.50	S010455	0.002	0.25	20	9	62
580.50	582.00	1.50	S010456	0.002	0.25	19	13	54
582.00	583.97	1.97	S010457	0.002	0.6	13	11	88
583.97	585.00	1.03	S010458	0.028	0.25	10	16	83

Hole: SU-654

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
584.18	**677.35**	**P2**	**Potassium feldsapr-hornblende-plagioclase porphyritic rocks (Megacrystic "two-feldspar porphyry", phencrysts commonly ~0.5-1 cm, often >1cm); interpreted as volcanic (hypabyssal?)**	**cg**									
584.18 - 677.35: Porphyritic flow with a bimodal distribution of feldspar sizes (with some appearing megacrystic) and hornblende phenocrysts. Rock matrix is moderately altered to sericite and phenocrysts are sericite-chlorite altered. The rock matrix shows fine, disseminated, euhedral pyrite. Additionally, there are fine stringers of pyrite mineralization.													
<<Min: 584.18 - 622.25: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>													
<<Min: 622.25 - 677.35: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>													
<<Alt: 584.18 - 677.35: moderate sericite / weak pyrite / weak to moderate sericite / weak to moderate chlorite / weak pyrite>> moderate phyllic alteration. Sericite and pyrite matrix replacement with sericite-chlorite phenocryst replacement													
<<Vein: 584.18 - 622.25: 5.0-10.0 quartz-calcite>> Increase in veining abundance and minor change in vein style. Brecciated qz-cal veins with chloritized wall rock clasts. Mildly deformed qz-cal veins with slight marginal alteration. Qz-cal veins with pink/orange calcite. Narrow pyrite stringers.													
<<Vein: 622.25 - 677.35: 5.0-10.0 quartz-calcite>> Change in veining style. Decrease in abundance of brecciated qz-cal veins. Appearance of pale grey, highly siliceous veins (some with pyrite mineralization), pyrite stringers still present. Narrow qz-only veinlets present.													
<<Struc: 591 - 593.35: weakly developed fault zone 40 deg. >> moderate fault zone, no gouge material, mostly broken up rock													
					585.00	586.50	1.50	S010459	0.007	0.25	8	16	86
					586.50	588.00	1.50	S010461	0.002	0.25	6	14	94
					588.00	589.50	1.50	S010462	0.002	0.25	9	12	89
					589.50	591.00	1.50	S010463	0.002	0.25	5	8	71
					591.00	592.50	1.50	S010464	0.002	0.25	8	12	99
					592.50	594.00	1.50	S010465	0.002	0.25	8	14	86
					594.00	595.50	1.50	S010467	0.002	0.25	6	11	54
					595.50	597.00	1.50	S010468	0.002	0.25	5	8	79

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			597.00	598.50	1.50	S010469	0.002	0.25	4	3	98
			598.50	600.00	1.50	S010471	0.002	0.25	5	4	129
			600.00	601.50	1.50	S010472	0.002	0.25	4	5	96
			601.50	603.00	1.50	S010473	0.002	0.25	5	4	89
			603.00	604.50	1.50	S010474	0.002	0.25	7	7	100
			604.50	606.00	1.50	S010475	0.002	0.25	5	7	82
			606.00	607.50	1.50	S010476	0.002	0.25	5	8	86
			607.50	609.00	1.50	S010477	0.002	0.25	5	9	98
			609.00	610.50	1.50	S010478	0.002	0.25	5	7	99
			610.50	612.00	1.50	S010479	0.002	0.25	4	5	78
			612.00	613.50	1.50	S010481	0.002	0.25	5	8	93
			613.50	615.00	1.50	S010482	0.002	0.25	7	10	66
			615.00	616.50	1.50	S010483	0.002	0.25	5	7	85
			616.50	618.00	1.50	S010484	0.002	0.25	4	1	106
			618.00	619.50	1.50	S010485	0.002	0.25	5	6	72
			619.50	621.00	1.50	S010487	0.002	0.25	7	9	56
			621.00	622.50	1.50	S010488	0.002	0.25	6	3	73
			622.50	624.00	1.50	S010489	0.002	0.25	4	3	113
			624.00	625.50	1.50	S010491	0.002	0.25	7	10	86
			625.50	627.00	1.50	S010492	0.002	0.25	8	10	65
			627.00	628.50	1.50	S010493	0.002	0.25	5	5	86
			628.50	630.00	1.50	S010494	0.002	0.25	5	2	83
			630.00	631.50	1.50	S010495	0.002	0.25	5	4	81
			631.50	633.00	1.50	S010496	0.002	0.25	8	6	60
			633.00	634.50	1.50	S010497	0.002	0.25	8	7	70
			634.50	636.00	1.50	S010498	0.002	0.25	6	5	116
			636.00	637.50	1.50	S010499	0.002	0.25	7	4	85
			637.50	639.00	1.50	S010501	0.052	0.25	8	3	92
			639.00	640.50	1.50	S010502	0.002	0.25	3	1	100

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			640.50	642.00	1.50	S010503	0.002	0.25	6	4	92
			642.00	643.50	1.50	S010504	0.002	0.25	6	6	79
			643.50	645.00	1.50	S010505	0.002	0.25	7	6	92
			645.00	646.50	1.50	S010507	0.002	0.25	10	10	86
			646.50	648.00	1.50	S010508	0.002	0.25	4	2	89
			648.00	649.50	1.50	S010509	0.002	0.25	5	1	83
			649.50	651.00	1.50	S010511	0.002	0.25	8	17	79
			651.00	652.50	1.50	S010512	0.002	0.25	6	10	82
			652.50	654.00	1.50	S010513	0.002	0.25	6	5	93
			654.00	655.50	1.50	S010514	0.002	0.25	8	6	66
			655.50	657.00	1.50	S010515	0.002	0.25	6	5	94
			657.00	658.50	1.50	S010516	0.002	0.25	8	5	81
			658.50	660.00	1.50	S010517	0.002	0.25	5	5	88
			660.00	661.50	1.50	S010518	0.002	0.25	5	2	90
			661.50	663.00	1.50	S010519	0.002	0.25	7	9	85
			663.00	664.50	1.50	S010521	0.002	0.25	6	5	74
			664.50	666.00	1.50	S010522	0.002	0.25	3	4	92
			666.00	667.50	1.50	S010523	0.002	0.25	7	2	99
			667.50	669.00	1.50	S010524	0.002	0.25	5	7	94
			669.00	670.50	1.50	S010525	0.002	0.25	7	16	59
			670.50	672.00	1.50	S010526	0.002	0.25	5	10	54
			672.00	673.50	1.50	S010527	0.002	0.25	6	16	95
			673.50	675.00	1.50	S010528	0.002	0.25	9	27	95
			675.00	676.25	1.25	S010529	0.008	0.25	8	22	95
			676.25	677.35	1.10	S010531	0.015	0.25	12	30	88

Hole: SU-654

From (m)	To (m)	Rock Type & Description	
677.35	**711.50**	**P1 Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**fg**

677.35 - 711.5: Hornblende-pyhric flow. Pale green, fine-grained matrix with chlorite-pyrite altered hornblende phenocrysts. Rock is pervasively QSP altered with a significant amount of pyrite stringers and matrix replacement. Matrix is moderately to strongly silicified.

<<Min: 677.35 - 711.5: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite>>

<<Alt: 677.35 - 711.5: moderate to strong silica (pervasive silicification) / moderate sericite / moderate pyrite / moderate pyrite>> Moderate to strong QSP alteration. Lithology is pervasively replaced with silica. Matrix is altered to sericite. Hornblende phenocrysts are chlorite-pyrite altered.

<<Vein: 677.35 - 711.5: 5.0-10.0 quartz-calcite>> Disappearance of other vein types and increase in pyrite stringer veins. Minor vn1bs present as well.

<<Struc: 679 - 680: weakly developed fault zone 65 deg. >> interval of broken up rock

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
677.35	678.50	1.15	S010532	0.002	0.25	10	5	79
678.50	680.00	1.50	S010533	0.002	0.25	9	4	49
680.00	681.50	1.50	S010534	0.002	0.25	19	4	60
681.50	683.00	1.50	S010535	0.054	0.25	18	6	68
683.00	684.50	1.50	S010536	0.002	0.25	16	9	106
684.50	686.00	1.50	S010537	0.005	0.25	16	8	149
686.00	687.50	1.50	S010538	0.007	0.25	19	11	98
687.50	689.00	1.50	S010539	0.009	0.25	21	12	79
689.00	690.50	1.50	S010541	0.014	0.25	7	14	84
690.50	692.00	1.50	S010542	0.021	0.25	8	14	74
692.00	693.50	1.50	S010543	0.01	0.25	17	9	140
693.50	695.00	1.50	S010544	0.034	0.25	25	17	76
695.00	696.50	1.50	S010545	0.013	0.25	18	16	72
696.50	698.00	1.50	S010546	0.047	0.25	38	33	68

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
711.50	**724.60**	**P2**	**Potassium feldsapr-hornblende-plagioclase porphyritic rocks (Megacrystic “two-feldspar porphyry”, phencrysts commonly ~0.5-1 cm, often >1cm); interpreted as volcanic (hypabyssal?)**	**fg**

711.5 - 724.6: Small unit of hornblende-feldspar phyric flow. This interval is unique compared to previous intervals in that it contains significant pyrite matrix replacement. In addition, there is strong foliation development. Pyrite occurs along laminations and there is a noticeable alignment of hornblendes and feldspars.

<<Min: 711.5 - 724.6: 0.5-2.0% pyrite / <0.5% pyrite / 5.0-10.0% pyrite>>

<<Alt: 711.5 - 724.6: moderate sericite / moderate pyrite / weak to moderate pyrite>> Moderate QSP alteration with strong pyrite matrix replacement.

<<Vein: 711.5 - 724.6: 5.0-10.0 quartz-calcite>> Decrease in pyrite stringers. Appearance of qz-cal-pcc vn3s as well as vn1a with minor vn1b.

<<Struc: 711.5 - 724.6: moderately developed foliation 35 deg. >> large interval of well developed foliation, banded pyrite and alignment of hornblendes

<<Struc: 717.5 - 720: weakly developed fault zone 20 deg. >> low angle fault, minor slickensides

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
698.00	699.50	1.50	S010547	0.043	0.25	28	18	78
699.50	701.00	1.50	S010548	0.009	0.25	17	22	76
701.00	702.50	1.50	S010549	0.005	0.25	13	15	72
702.50	704.00	1.50	S010601	0.006	0.25	20	16	64
704.00	705.50	1.50	S010602	0.002	0.25	18	30	66
705.50	707.00	1.50	S010603	0.002	0.25	16	14	74
707.00	708.50	1.50	S010604	0.008	0.25	21	15	88
708.50	710.00	1.50	S010605	0.002	0.25	13	23	75
710.00	711.50	1.50	S010606	0.005	0.25	31	19	117
711.50	713.00	1.50	S010607	0.022	0.5	12	24	83
713.00	714.50	1.50	S010608	0.006	0.25	9	21	83
714.50	716.00	1.50	S010609	0.008	0.25	9	23	74
716.00	717.50	1.50	S010611	0.011	0.25	11	33	137
717.50	719.00	1.50	S010612	0.011	0.25	10	23	84
719.00	720.50	1.50	S010613	0.007	0.25	11	25	73
720.50	722.00	1.50	S010614	0.014	0.25	13	32	85
722.00	723.50	1.50	S010615	0.013	0.25	12	14	120

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
724.60	**872.00**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**fg**

724.6 - 872: Continuation of previous P1 interval. Pale green matrix, highly silicified with significant pyrite replacement and stringer veins.

<<Min: 724.6 - 776.8: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite>>

<<Min: 776.8 - 821.3: <0.5% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>

<<Min: 821.3 - 829.1: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 829.1 - 872: <0.5% pyrite / <0.5% pyrite / <0.5% pyrite>>

<<Alt: 724.6 - 776.8: moderate to strong silica (pervasive silicification) / moderate sericite / weak to moderate pyrite / moderate chlorite / moderate pyrite>> Return to same QSP alteration style as previous P1 lithology.

<<Alt: 776.8 - 872: weak to moderate silica (pervasive silicification) / moderate sericite / moderate chlorite / weak to moderate pyrite / weak to moderate pyrite>> Decrease in phyllic alteration intensity. Minor pervasive silica replacement. Sericite matrix replacement. Chlorite alteration of hornblende phenocrysts; some with further pyrite replacement. Pyrite stinger veins still present but in decreased abundance.

<<Vein: 724.6 - 776.8: 10.0-25.0 quartz-calcite>> Increase in all vein types. Significant vn1as and vn1bs. Increase of pyrite stringers. Minor vn3 and vn4.

<<Vein: 776.8 - 821.3: 1.0-5.0 quartz-calcite>> Noteable drop in veining intensity. Four vein generations present.

<<Vein: 821.3 - 829.1: 10.0-25.0 quartz-calcite>> Small interval of increased veining intensity.

<<Vein: 829.1 - 872: 1.0-5.0 quartz-calcite>> Decreased veining intensity. Increased abundance of vn1a and vn3.

<<Struc: 731.1 - 731.3: moderately developed fault zone 40 deg. >> small but moderately well developed fault zone, significant gouge material

<<Struc: 856.5 - 857.5: moderately developed fault zone 55 deg. >> 1 meter interval of angular broken rock with no gouge

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
723.50	724.60	1.10	S010616	0.025	0.25	20	50	89
724.60	726.00	1.40	S010617	0.012	0.25	14	18	162
726.00	727.50	1.50	S010618	0.005	0.25	15	20	196
727.50	729.00	1.50	S010619	0.002	0.25	10	14	179

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			729.00	730.50	1.50	S010621	0.164	0.25	12	26	237
			730.50	732.00	1.50	S010622	0.144	0.9	17	35	427
			732.00	733.50	1.50	S010623	0.011	0.25	9	14	71
			733.50	735.00	1.50	S010624	0.013	0.25	13	12	75
			735.00	736.50	1.50	S010625	0.09	0.8	19	7	68
			736.50	738.00	1.50	S010626	0.055	0.25	15	7	60
			738.00	739.50	1.50	S010627	0.023	0.25	15	4	27
			739.50	741.00	1.50	S010628	0.098	1.5	29	6	37
			741.00	742.50	1.50	S010629	0.076	2.4	46	5	54
			742.50	744.00	1.50	S010631	0.052	0.8	29	6	62
			744.00	745.50	1.50	S010632	0.06	0.25	19	7	75
			745.50	747.00	1.50	S010633	0.038	0.25	15	5	70
			747.00	748.50	1.50	S010634	0.054	0.25	14	4	46
			748.50	750.00	1.50	S010635	0.031	0.5	23	2	54
			750.00	751.50	1.50	S010636	0.038	0.25	21	6	49
			751.50	753.00	1.50	S010637	0.039	0.6	20	6	27
			753.00	754.50	1.50	S010638	0.033	0.25	7	8	18
			754.50	756.00	1.50	S010639	0.037	0.25	12	3	38
			756.00	757.50	1.50	S010641	0.069	0.8	21	6	29
			757.50	759.00	1.50	S010642	1.25	0.8	17	6	38
			759.00	760.50	1.50	S010643	0.186	1.4	25	7	102
			760.50	762.00	1.50	S010644	0.087	0.9	19	8	92
			762.00	763.50	1.50	S010645	0.07	1	11	17	34
			763.50	765.00	1.50	S010646	0.051	1	14	22	27
			765.00	766.50	1.50	S010647	0.03	0.7	10	12	31
			766.50	768.00	1.50	S010648	0.029	0.5	19	9	62
			768.00	769.50	1.50	S010649	0.013	0.25	16	6	49
			769.50	771.00	1.50	S010651	0.015	0.25	13	10	36
			771.00	772.50	1.50	S010652	0.025	0.25	17	8	46

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			772.50	774.00	1.50	S010653	0.026	0.25	15	7	55
			774.00	775.50	1.50	S010654	0.031	0.25	16	13	60
			775.50	777.00	1.50	S010655	0.033	0.25	18	14	62
			777.00	778.50	1.50	S010656	0.037	0.6	18	12	70
			778.50	780.00	1.50	S010657	0.037	0.25	12	13	67
			780.00	781.50	1.50	S010658	0.025	0.6	17	7	67
			781.50	783.00	1.50	S010659	0.056	0.5	16	12	68
			783.00	784.50	1.50	S010661	0.083	0.25	16	3	77
			784.50	786.00	1.50	S010662	0.058	0.5	17	5	75
			786.00	787.50	1.50	S010663	0.1	0.7	17	10	71
			787.50	789.00	1.50	S010664	0.03	0.25	18	5	67
			789.00	790.50	1.50	S010665	0.015	0.25	16	1	56
			790.50	792.00	1.50	S010666	0.057	0.25	19	7	62
			792.00	793.50	1.50	S010667	0.011	0.25	18	4	77
			793.50	795.00	1.50	S010668	0.025	0.25	14	3	76
			795.00	796.50	1.50	S010669	0.041	0.5	19	8	70
			796.50	798.00	1.50	S010671	0.09	0.5	15	5	75
			798.00	799.50	1.50	S010672	0.286	0.25	20	3	92
			799.50	801.00	1.50	S010673	0.371	0.25	17	1	90
			801.00	802.50	1.50	S010674	0.002	0.25	15	1	90
			802.50	804.00	1.50	S010675	0.028	0.25	16	2	79
			804.00	805.50	1.50	S010676	0.006	0.25	10	21	56
			805.50	807.00	1.50	S010677	0.008	0.25	16	6	52
			807.00	808.50	1.50	S010678	0.01	0.25	16	2	73
			808.50	810.00	1.50	S010679	0.015	0.25	14	9	43
			810.00	811.50	1.50	S010681	0.009	0.25	18	1	71
			811.50	813.00	1.50	S010682	0.042	0.25	16	5	59
			813.00	814.50	1.50	S010683	0.014	0.25	17	2	66
			814.50	816.00	1.50	S010684	0.121	0.25	18	3	57

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			816.00	817.50	1.50	S010685	0.095	0.25	14	7	41
			817.50	819.00	1.50	S010686	0.197	0.25	23	3	56
			819.00	820.50	1.50	S010687	0.464	0.25	24	1	99
			820.50	822.00	1.50	S010688	0.054	0.7	12	8	73
			822.00	823.50	1.50	S010689	0.054	0.25	10	6	42
			823.50	825.00	1.50	S010691	0.074	0.7	17	17	66
			825.00	826.50	1.50	S010692	0.093	0.25	24	2	102
			826.50	828.00	1.50	S010693	0.074	0.9	20	9	74
			828.00	829.50	1.50	S010694	0.045	0.9	9	10	33
			829.50	831.00	1.50	S010695	0.052	0.6	13	5	34
			831.00	832.50	1.50	S010696	0.107	0.25	10	2	44
			832.50	834.00	1.50	S010697	0.106	0.8	10	5	35
			834.00	835.50	1.50	S010698	0.02	0.25	19	3	44
			835.50	837.00	1.50	S010699	0.036	0.25	13	8	40
			837.00	838.50	1.50	S010701	0.025	0.25	14	5	29
			838.50	840.00	1.50	S010702	0.084	0.25	17	8	41
			840.00	841.50	1.50	S010703	0.021	0.25	17	4	95
			841.50	843.00	1.50	S010704	0.002	0.25	19	1	111
			843.00	844.50	1.50	S010705	0.01	0.25	21	5	133
			844.50	846.00	1.50	S010706	0.047	0.25	23	4	122
			846.00	847.50	1.50	S010707	0.222	0.25	20	8	69
			847.50	849.00	1.50	S010708	0.032	0.25	18	5	50
			849.00	850.50	1.50	S010709	0.048	0.6	16	7	54
			850.50	852.00	1.50	S010711	0.101	0.25	19	5	82
			852.00	853.50	1.50	S010712	0.232	0.25	19	6	139
			853.50	855.00	1.50	S010713	0.076	0.5	14	4	39
			855.00	856.50	1.50	S010714	0.071	0.5	23	5	102
			856.50	858.00	1.50	S010715	0.217	0.8	21	13	47
			858.00	859.50	1.50	S010716	0.078	0.25	18	5	46

Hole: SU-654

From (m)	To (m)		Rock Type & Description	
872.00	EOH	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**fg**

872 - 957.63: Continuation of P1 from previous interval: horblende- and subordinate plag-phyric flow. 2-5 mm phenocrysts hosted in fine grained green-grey flow martix.

<<Min: 877.7 - 878.57: 2.0-5.0% chalcopyrite / 0.5-2.0% galena / 2.0-5.0% sphalerite / 0.5-2.0% acanthite-argentite / 2.0-5.0% pyrite>> BMS rich Vn2 interval. Possible AgS minerals but too fine-grained to ID with confidence.

<<Min: 878.57 - EOH : 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>

<<Alt: 872 - EOH : weak to moderate silica (pervasive silicification) / moderate to strong sericite / moderate chlorite / moderate pyrite / weak to moderate pyrite>> Phyllic (QSP) alteration has increased slightly from previous interval especially in areas of higher frequency veining (5-10 Vn1s +/- 1-2 Vn3s per metre - 25% of total interval vs. <2 Vn1s per metre - 75% of total interval). Alteration is characterised by moderate to locally strong sericite alteration of plag phenos and moderate chlorite-pyrite alteration of mafic phenos.

<<Vein: 872 - 902.81: 5.0-10.0 quartz-calcite-pyrite>> Increase in veining intensity from previous interval. Five generations of veining present.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
859.50	861.00	1.50	S010717	0.092	0.6	15	5	39
861.00	862.50	1.50	S010718	0.024	0.25	17	6	53
862.50	864.00	1.50	S010719	0.067	0.6	22	5	59
864.00	865.50	1.50	S010721	0.05	0.5	19	6	57
865.50	867.00	1.50	S010722	0.04	0.5	31	12	49
867.00	868.50	1.50	S010723	0.01	0.25	20	11	51
868.50	870.00	1.50	S010724	0.016	0.25	21	5	61
870.00	871.50	1.50	S010725	0.017	0.25	15	7	62
871.50	873.00	1.50	S010726	0.065	0.6	23	14	73
873.00	874.50	1.50	S010727	0.245	1.1	11	18	27
874.50	876.00	1.50	S010728	0.172	1.3	16	20	48
876.00	877.50	1.50	S010729	0.302	2.8	16	28	30
877.50	879.00	1.50	S010731	16.9	44.2	1625	1100	5110
879.00	880.50	1.50	S010732	0.838	4.7	49	11	32
880.50	882.00	1.50	S010733	1.43	3.6	20	12	36
882.00	883.50	1.50	S010734	0.46	1.7	11	3	39
883.50	885.00	1.50	S010735	0.568	1.6	17	6	49

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			885.00	886.50	1.50	S010736	0.171	1	9	12	42
			886.50	888.00	1.50	S010737	0.113	1	13	11	41
			888.00	889.50	1.50	S010738	0.173	0.9	19	6	50
			889.50	891.00	1.50	S010739	0.219	1.5	13	5	51
			891.00	892.50	1.50	S010741	1.295	2.4	19	12	67
			892.50	894.00	1.50	S010742	0.456	1.3	46	7	48
			894.00	895.50	1.50	S010743	0.134	0.9	10	6	57
			895.50	897.00	1.50	S010744	0.157	1	11	10	46
			897.00	898.50	1.50	S010745	0.141	0.7	16	3	52
			898.50	900.00	1.50	S010746	0.129	0.6	21	6	56
			900.00	901.50	1.50	S010747	0.494	1.8	25	11	54
			901.50	903.00	1.50	S010748	2.95	2.7	29	9	53
			903.00	904.50	1.50	S010749	0.692	1.2	17	9	48
			904.50	906.00	1.50	S010751	0.049	0.25	25	2	61
			906.00	907.50	1.50	S010752	0.342	2.1	37	6	171
			907.50	909.00	1.50	S010753	0.401	1.1	26	6	61
			909.00	910.50	1.50	S010754	0.35	0.9	24	7	55
			910.50	912.00	1.50	S010755	0.64	1.3	11	16	47
			912.00	913.50	1.50	S010756	0.214	2.9	9	11	43
			913.50	915.00	1.50	S010757	0.297	1.4	14	6	40
			915.00	916.50	1.50	S010758	0.255	0.9	20	5	49
			916.50	918.00	1.50	S010759	0.034	0.8	28	3	47
			918.00	919.50	1.50	S010761	0.246	0.9	20	5	55
			919.50	921.00	1.50	S010762	0.053	0.25	12	10	31
			921.00	922.50	1.50	S010763	0.053	0.25	14	3	41
			922.50	924.00	1.50	S010764	0.008	0.25	16	4	53
			924.00	925.50	1.50	S010765	0.04	0.25	17	4	37
			925.50	927.00	1.50	S010766	0.377	0.5	21	5	36
			927.00	928.50	1.50	S010767	0.002	0.25	17	1	43

Hole: SU-654

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			928.50	930.00	1.50	S010768	0.002	0.25	21	1	43
			930.00	931.50	1.50	S010769	0.062	0.25	24	2	43
			931.50	933.00	1.50	S010771	0.021	0.25	18	8	45
			933.00	934.50	1.50	S010772	0.018	0.25	27	4	48
			934.50	936.00	1.50	S010773	0.171	0.7	10	12	35
			936.00	937.50	1.50	S010774	0.022	0.25	16	3	45
			937.50	939.00	1.50	S010775	0.298	0.6	22	8	49
			939.00	940.50	1.50	S010776	0.05	0.25	15	3	52
			940.50	942.00	1.50	S010777	0.031	0.25	13	4	49
			942.00	943.50	1.50	S010778	0.055	0.8	18	7	45
			943.50	945.00	1.50	S010779	0.183	0.6	20	11	47
			945.00	946.50	1.50	S010781	0.11	0.5	17	4	48
			946.50	948.00	1.50	S010782	0.041	0.25	22	4	46

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-657

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	lhowarth	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	8/1/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	8/20/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	665	**Drill Rig:**	H3	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	7/31/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	8/9/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	7/31/2015	-60.9	293.1	20.4	313.5	57078	☑	
10.6	REFLEX	7/31/2015	-60.6	293.1	20.4	313.5	57078	☑	
61.6	REFLEX	8/1/2015	-60.8	295.4	20.4	315.8	56351	☑	
112.6	REFLEX	8/2/2015	-61.1	296	20.4	316.4	56428	☑	
164	REFLEX	8/3/2015	-61.2	297	20.4	317.4	56345	☑	
214.6	REFLEX	8/3/2015	-60.7	297.1	20.4	317.5	56211	☑	
265	REFLEX	8/4/2015	-60.6	297.5	20.4	317.9	56260	☑	
316.6	REFLEX	8/4/2015	-60.6	298.2	20.4	318.6	56305	☑	
367.6	REFLEX	8/5/2015	-60.5	299.1	20.4	319.5	56436	☑	
418.6	REFLEX	8/6/2015	-60.3	299.3	20.4	319.7	56351	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-657

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
469.6	REFLEX	8/6/2015	-60.4	299.3	20.4	319.7	56283	☑	
521	REFLEX	8/7/2015	-60.3	300.1	20.4	320.5	56283	☑	
572	REFLEX	8/8/2015	-60	301.9	20.4	322.3	56386	☑	
623	REFLEX	8/8/2015	-59.2	303.6	20.4	324	56022	☑	

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**10.22**	**V12 intermediate fragmental volcanics fg** 0 - 10.22: graded tuff unit that starts off with some flow textures, with xtals and banding around amygdule's. Amygdule's present but are odd shaped, some appear kind of like disarticulated veins and others are more rounded (all filled with banded calcite). Matrix supported with mafic xtals (hornblende?) and either larger xtals (4-5mm) or lapilli sized clasts that were likely deposited hot and possibly flowed down a slope? When still hot. Around 6.25m plag xtals appear gradually and become more abundant as it nears the end of the interval. The appearance of plag gives the rock a porphyritic texture. Everything in this unit happened gradually, even contact with next unit. No clear clast composition.	0.00	1.50	1.50	S007501	0.002	0.25	73	24	82
		<<Min: 0 - 2.5: 0.5-2.0% pyrite>> pyrite associated with weird blobby calcite alteration (see photos)	1.50	3.00	1.50	S007502	0.002	0.25	81	13	89
		<<Min: 2.5 - 78.11: Nothing Recorded>>	3.00	4.50	1.50	S007503	0.002	0.25	82	6	99
		<<Alt: 0 - 9.33: weak to moderate calcite-chlorite / weak chlorite / weak iron oxide / weak hematite / weak pyrite>> open space filling with qz-cal-chl in amygdules and fractures (veining), that are banded in same the veins and have the same composition as the epithermal colloform banded vein 3's in Su-656. hematite in feldspar phenos.	4.50	6.00	1.50	S007504	0.002	0.25	53	5	98
		<<Alt: 9.33 - 21.47: moderate to strong hematite / weak chlorite / weak iron oxide>>	6.00	7.50	1.50	S007505	0.002	0.25	12	3	101
		<<Vein: 0 - 21.47: 1.0-5.0 quartz-calcite-chlorite>> vein 3's in interval have the same composition as the epithermal colloform banded veins in hole Su-656. These appear toalso be filling amygdules	7.50	9.00	1.50	S007506	0.002	0.25	17	3	106
			9.00	10.22	1.22	S007507	0.002	0.25	4	4	93
			10.22	11.50	1.28	S007508	0.002	0.25	16	4	100
10.22	**21.47**	**V12 intermediate fragmental volcanics cg** 10.22 - 21.47: graded ash to crystal tuff, similar to the last unit. Unit starts out a very purple red fine grained rock with intermediate sub rounded clasts (2%, likely same composition of the different phases in the sequence). One could argue that that the iron content is primary and it may have been oxidized afterwards?? But the hematite looks to be bleeding into the groundmass/matrix of the coarser grained portions down section. In this unit there are 4 sequences that fine upwards that end at 19.23m, 20.43m, 20.63m, and 21.34m. At the end of every unit it is clearly a crystal tuff with densely packed plag and hornblende xtals. At the units that end at 20.43m and 20.63m have load casts going into the finer material that the new event was deposited on. Also have beds in the coarse ash.	11.50	13.00	1.50	S007509	0.002	0.25	32	5	114
		<<Struc: 19.23 - 19.24: strongly developed bedding 30 deg. >> contact between sequences (straight)	13.00	14.50	1.50	S007511	0.002	0.25	41	8	117
		<<Struc: 20.25 - 20.26: strongly developed bedding 50 deg. >> coarse ash bedding	14.50	16.00	1.50	S007512	0.002	0.25	8	6	98
		<<Struc: 20.35 - 20.36: strongly developed lithology contact 50 deg. >> contact between sequences, coarse tuff deposited onto fine causing load casts.	16.00	17.50	1.50	S007513	0.002	0.25	39	7	94
			17.50	19.00	1.50	S007514	0.002	0.25	2	12	78

Hole: SU-657

From (m)	To (m)	Rock Type & Description
21.47	**29.90**	**V12 intermediate fragmental volcanics vfg**

21.47 - 29.9: Very fine grained ash tuff? (possibly the siltstone unit that is part of the Betty Creek formation) Dark red/maroon from the hematite alteration? Primary?. Possible amygdule's filled with hematite. Very hard, boarding concoindal, fracture. In the last two meters of interval it grades out of hematite alteration? Into a green rock unit with the same texture.

<<Alt: 21.47 - 28.6: moderate to strong hematite / weak to moderate iron oxide>> pervasive hematite masking most textures, can see that hematite is filling amygdules.

<<Alt: 28.6 - 34.4: weak to moderate locally weakly silicified / weak to moderate chlorite / weak iron oxide / weak sericite>> Small blob of sericite on fracture plane, thought to be malachite at first.

<<Vein: 21.47 - 29.9: 1.0-5.0 quartz-calcite>>

<<Struc: 22.5 - 59.4: sporadic fault zone>>

From (m)	To (m)	Rock Type & Description
29.90	**89.36**	**V12 intermediate fragmental volcanics mg**

29.9 - 89.36: Stratigraphic sequence? Graded bedding? Fining upwards. Three sequences. First sequence starts with a matrix supported lapilli tuff, likely deposited while still hot as P1 clasts are angular to sub-angular and very irregular. Matrix is coarse grained and as you go down hole the abundance of feldspar and hornblende crystals increases. Sequence then grades into a clast supported conglomerate with rounded to sub-rounded feldspar phenocryst crowded P1 clasts. Re-worked clasts? Second sequence starts with a crystal lithic tuff that grades into the same matrix supported lapilli tuff and conglomerate noted in the first sequence. Third sequence starts out in a more lithic rich crystal tuff than the last sequence and then grades into the matrix supported lapilli tuff.
Matrix is very crystal rich. Occasional (0.5%) rounded to sub-rounded VSF? Pebble sized clasts.

<<Min: 78.11 - 85.3: 0.5-2.0% pyrite>> 0.5% coarse grained euhedral pyrite in lapilli tuff

<<Min: 85.3 - 115: Nothing Recorded>> No visible mineralization present.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
19.00	21.47	2.47	S007515	0.002	0.25	2	9	101
21.47	23.00	1.53	S007516	0.002	0.25	6	9	75
23.00	24.50	1.50	S007517	0.002	0.25	3	8	140
24.50	26.00	1.50	S007518	0.002	0.25	2	9	103
26.00	27.50	1.50	S007519	0.002	0.25	0.5	13	71
27.50	29.00	1.50	S007521	0.002	0.25	12	5	96
29.00	29.90	0.90	S007522	0.002	0.6	161	1	141

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 34.4 - 48.18: moderate hematite / moderate clay / weak to moderate chlorite / weak to moderate chlorite / weak to moderate sericite>> Chl-ser overprinted by mottled hematite and clay replacement of feldspar phenocrysts. Clay still present on facture planes. At ~44.5m mechanical fracture revealing neon orange clay within a P1 clast replacing feldspar phenos. Iron oxide still present on fracture planes.									
		<<Alt: 48.18 - 53.86: weak to moderate chlorite / weak to moderate chlorite / weak iron oxide / weak iron oxide / weak to moderate silica (pervasive silicification)>> Silica alteration associated only with veins on dyke margins. Iron oxide and manganese oxide present in veins and on fracture planes.									
		<<Alt: 53.86 - 60.8: moderate hematite / moderate clay / weak to moderate chlorite / weak to moderate chlorite / trace iron oxide>>									
		<<Alt: 60.8 - 66.75: weak to moderate clay / weak to moderate chlorite / weak to moderate chlorite / weak to moderate sericite / weak iron oxide>> Weak fault zone within interval.									
		<<Alt: 66.75 - 70.6: moderate to strong hematite / moderate clay / weak silica (pervasive silicification) / weak to moderate chlorite / weak to moderate chlorite>>									
		<<Alt: 70.6 - 74.3: weak chlorite / weak to moderate chlorite / weak iron oxide / weak iron oxide>>									
		<<Alt: 74.3 - 77.4: moderate hematite / weak to moderate chlorite / weak to moderate sericite / weak clay>> Hematite over printing sericite clay.									
		<<Alt: 77.4 - 78.11: weak to moderate chlorite / weak to moderate sericite / weak clay / weak clay>> Vein associated clay associated with vein/dyke at the end of interval.									
		<<Alt: 78.11 - 85.3: weak to moderate chlorite / weak to moderate sericite / moderate iron oxide / weak to moderate clay / weak clay>> Weak fault? At end of the interval with increased iron oxide alteration bleeding into rock from fracture planes. Iron oxide still preent in veins.									
		<<Alt: 85.3 - 89.36: moderate hematite / weak to moderate clay / weak chlorite / weak silica (pervasive silicification) / weak chlorite>> Patches of pervasive hematite alteration throughout.									
		<<Vein: 29.9 - 57.04: 1.0-5.0 quartz-calcite-chlorite>> Dominantly Vn4 although veins do display some deformed margins and interval has a lot of sheeted veins which are likely tension gashes. Late stage Ank veins present which are dominantly using existing veins. Roughly 30% of sheeted veins around larger Vn4's are dominatly quartz. Oxides also present in veins giving a pinkish hue in some of them and they are not to be mistaken for Vn3's. Later veins display vuggy textures.									
		<<Vein: 57.04 - 89.5: 1.0-5.0 quartz-calcite-chlorite>> Sheeted veins are likely still part of the sheared veins from the last interval. Majority of veins have a weak vuggy texture with some left over space to fill, likely allowing oxidation giving a brownish color to most veins in interval.									
		<<Struc: 46.6 - 46.75: weakly developed fault zone 25 deg. >> Slicks parallel to core axis.									
		<<Struc: 59.4 - 66.75: weakly developed fault zone 7 deg. >> gouge present along contact with overlying formation.									
		<<Struc: 84 - 85.4: sporadic fault zone>>									
			29.90	31.50	1.60	S007523	0.002	0.7	192	13	108

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			31.50	33.00	1.50	S007524	0.002	0.25	69	11	59
			33.00	34.50	1.50	S007525	0.002	0.25	40	10	68
			34.50	36.50	2.00	S007526	0.002	0.25	24	5	68
			36.50	38.00	1.50	S007527	0.002	0.25	9	8	70
			38.00	39.50	1.50	S007528	0.002	0.25	1	8	71
			39.50	41.00	1.50	S007529	0.002	0.25	0.5	9	71
			41.00	42.50	1.50	S007531	0.002	0.25	1	7	77
			42.50	44.00	1.50	S007532	0.002	0.25	1	6	65
			44.00	45.50	1.50	S007533	0.002	0.25	0.5	8	68
			45.50	47.00	1.50	S007534	0.002	0.25	0.5	6	65
			47.00	48.18	1.18	S007535	0.002	0.25	20	3	79
			48.18	49.50	1.32	S007536	0.002	0.25	18	4	125
			49.50	51.00	1.50	S007537	0.002	0.25	19	7	142
			51.00	52.50	1.50	S007538	0.002	0.25	30	18	128
			52.50	53.86	1.36	S007539	0.002	2.6	439	27	134
			53.86	55.00	1.14	S007541	0.002	0.25	11	12	65
			55.00	56.50	1.50	S007542	0.002	0.25	1	8	69
			56.50	58.00	1.50	S007543	0.002	0.25	2	10	57
			58.00	59.50	1.50	S007544	0.002	0.25	41	8	72
			59.50	61.00	1.50	S007545	0.002	0.25	43	5	82
			61.00	62.50	1.50	S007546	0.002	0.25	59	4	69
			62.50	64.00	1.50	S007547	0.002	0.25	42	4	83
			64.00	65.07	1.07	S007548	0.002	0.5	94	5	107
			65.07	66.75	1.68	S007549	0.002	0.25	26	7	142
			66.75	68.00	1.25	S007551	0.002	0.25	1	15	59
			68.00	69.50	1.50	S007552	0.002	0.25	0.5	8	55
			69.50	70.60	1.10	S007553	0.002	0.25	96	9	75
			70.60	72.00	1.40	S007554	0.002	0.25	23	6	147
			72.00	73.00	1.00	S007555	0.002	0.25	23	8	125

Hole: SU-657

From (m)	To (m)		Rock Type & Description
89.36	**100.60**	**V12**	**intermediate fragmental volcanics** **mg**

89.36 - 100.6: Re-sediment pyroclastic rich lapilli stone. Matrix is variably crystal rich throughout. Flow texture/fabric visible in what appears to be a more brecciated tuff from 94.0-94.6m. Matrix to clast ratio is variable throughout. Intense hematite alteration throughout is a very deep red-purple.

<<Alt: 89.36 - 100.6: strong hematite / weak chlorite / weak chlorite / weak clay / trace silica (pervasive silicification)>> Apparent clay replacement of feldspar phenos followed by minor silica flooded

<<Vein: 89.5 - 108.2: <1.0 quartz-calcite-chlorite>> One vuggy 5cm vein with several sheeted veinlets with the same composition and texture on either side. Opaque pale yellow mineral also included (dominantly in vts). Veins were logged as Vn5 generation even though they don't display the same characteristics as you would see in the VOK (undeformed margins, very clean bull qtz, proximal to vein 4 (although likely in the area)), but are sheeted and have vuggy textures and are more qtz rich than vn1 generation. Veins have iron oxide due to open space giving a brown color. Chlorite on margins

<<Struc: 93.9 - 95: weakly developed foliation 45 deg. >> Weak fabric alignment

<<Struc: 98.45 - 99.46: weakly developed joint 0 deg. >> Slicks on fracture surface present 90 degrees TCA

<<Struc: 100 - 100.3: weakly developed fault zone>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
73.00	74.30	1.30	S007556	0.002	0.25	26	6	143
74.30	75.50	1.20	S007557	0.002	0.25	19	6	69
75.50	77.00	1.50	S007558	0.002	0.25	1	8	59
77.00	78.50	1.50	S007559	0.002	0.25	12	3	87
78.50	80.00	1.50	S007561	0.002	0.25	13	4	73
80.00	81.50	1.50	S007562	0.002	0.25	7	13	83
81.50	83.00	1.50	S007563	0.005	0.25	13	23	80
83.00	84.50	1.50	S007564	0.002	0.25	54	29	58
84.50	86.00	1.50	S007565	0.002	0.25	97	18	65
86.00	87.00	1.00	S007566	0.002	0.25	3	9	69
87.00	88.00	1.00	S007567	0.002	0.25	2	7	82
88.00	89.36	1.36	S007568	0.002	0.25	9	8	161
89.36	90.50	1.14	S007569	0.002	0.25	1	6	104
90.50	92.00	1.50	S007571	0.002	0.25	108	8	101
92.00	93.50	1.50	S007572	0.002	0.25	100	5	99
93.50	95.00	1.50	S007573	0.002	0.25	11	10	100
95.00	96.50	1.50	S007574	0.002	0.25	3	7	127
96.50	98.00	1.50	S007575	0.002	0.25	6	11	88
98.00	99.50	1.50	S007576	0.002	0.25	8	11	85
99.50	100.60	1.10	S007577	0.002	0.25	3	12	87

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
100.60	**141.00**	**V12 intermediate fragmental volcanics mg**									

100.6 - 141: Matrix supported lapilli tuff. Matrix is mostly very crystal rich throughout, displaying an apparent porphyritic texture, with the exception of occasional minor (0.5-1.0m) units. P1 clasts are more reworked than typical V12 units (more sub-rounded than angular). From the top of this unit to 132.50m has intense hematite alteration in about 90% of the core causing/giving a distinct deep purple-red color. From 132.50-141.0m intense clay alteration present bleaching the core with pervasive silica is present along more minor hematite alteration giving a mottled texture.

<<Min: 115 - 121: traces pyrite / traces pyrite>> Pyrite is confined to one 6 cm P1 clast which also contains several minor qtz-carb veins. Possible oxidized pyrite in vein at around 120 (oxidized to hematite, cubic)

<<Min: 121 - 201.5: Nothing Recorded>>

<<Alt: 100.6 - 104.65: strong hematite / weak clay / weak chlorite / weak sericite / trace silica (pervasive silicification)>>

<<Alt: 104.65 - 110.9: moderate to strong hematite / weak chlorite / weak chlorite / weak clay / trace silica (pervasive silicification)>>

<<Alt: 110.9 - 113.65: moderate to strong hematite / weak to moderate chlorite / weak clay / weak to moderate clay / weak to moderate silica (pervasive silicification)>> Clay associated with qtz-carb veins and feldspar pheno alt. Silica flooding present.

<<Alt: 113.65 - 116.5: moderate to strong hematite / weak chlorite / weak chlorite / trace clay / weak silica (pervasive silicification)>>

<<Alt: 116.5 - 120.1: moderate to strong hematite / weak chlorite / weak to moderate clay / weak silica (pervasive silicification)>> abundant clay replacement of feldspar phenos with associated silica flooding

<<Alt: 120.1 - 127.6: moderate to strong hematite / moderate chlorite / weak clay / weak clay / weak to moderate silica (pervasive silicification)>> 30cm vein present of qtz-chl-clay alt.

<<Alt: 127.6 - 132.4: moderate hematite / weak to moderate clay / weak clay / weak chlorite / weak to moderate silica (pervasive silicification)>> Pervasive hem alt zone patchy with perv clay-sil-chl alt zone.

<<Alt: 132.4 - 141: weak to moderate hematite / moderate clay / weak chlorite / weak chlorite / moderate silica (pervasive silicification)>> strong pervasive clay alteration which has been silica flooded. This alteration is patchy with hematite and chlorite alteration units as well.

<<Vein: 108.2 - 127.6: 1.0-5.0 quartz-calcite>> qz-cal-chlorite-iron oxide veins and veinlets overprinted with a later stage bringing ankerite? Into veinlets and veins. Ankerite? In thin wispy/cuspate lobate stringers concentrated around larger veins. Ankerite logged as vein 5 just to indicate a late stage vein generation even though they crosscut everything. Dominant reason for calling veins vein 5's (even though they may be part of the vein1 generation) is vuggy textures with suhedral qtz crystals). Could the vuggy textures be part of the vein 1/3 generations as they can be considered epithermal textures? Other indications of epithermal textures are banding on the side of the larger vein 1b (logged as) at 121m.

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Vein: 127.6 - 140.61: 5.0-10.0 quartz-calcite>> quartz rich network of dominantly sheeted veins and veinlets that are likely causing the silification of the surrounding rocks. This interval has same issue as last interval with veins that could be part of the vein 1 generation but have vuggy textures and seem to part of the dominant vein at 130.5m that has vein 4 shear with tension gashes and has same composition as the other larger veins in the previous inetervals
		<<Vein: 140.61 - 157.3: 5.0-10.0 quartz-calcite>> quartz rich network of dominantly sheeted veins and veinlets with associated silicification of surrounded rocks. Veins don't appear to be part of the usual Vn generation classification, they have similar features to Vn 1 generation however they display shear and tension gashes in locations, vuggy textures, and with what appears to be multi-phases of chl alteration throughout.
		<<Struc: 106.5 - 107.7: weakly developed fault zone>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
100.60	102.00	1.40	S007578	0.002	0.25	4	15	100
102.00	103.50	1.50	S007579	0.002	0.25	2	13	89
103.50	105.00	1.50	S007581	0.002	0.25	3	12	160
105.00	106.50	1.50	S007582	0.002	0.25	5	9	81
106.50	108.00	1.50	S007583	0.002	0.25	66	14	96
108.00	109.50	1.50	S007584	0.002	0.25	4	13	81
109.50	111.00	1.50	S007585	0.002	0.25	5	8	96
111.00	112.50	1.50	S007586	0.002	0.25	8	11	81
112.50	114.00	1.50	S007587	0.002	0.25	32	15	113
114.00	115.50	1.50	S007588	0.002	0.25	6	5	79
115.50	117.00	1.50	S007589	0.002	0.25	35	10	85
117.00	118.50	1.50	S007591	0.002	0.25	23	15	108
118.50	120.00	1.50	S007592	0.002	0.25	11	13	80
120.00	121.50	1.50	S007593	0.002	0.25	4	11	94
121.50	123.00	1.50	S007594	0.002	0.25	0.5	7	88
123.00	124.50	1.50	S007595	0.002	0.25	2	8	74
124.50	126.00	1.50	S007596	0.002	0.25	2	8	71
126.00	127.50	1.50	S007597	0.002	0.25	4	7	91
127.50	129.00	1.50	S007598	0.002	0.25	29	13	52
129.00	130.50	1.50	S007599	0.002	0.25	8	22	72
130.50	132.00	1.50	S007601	0.002	0.25	3	11	87
132.00	133.50	1.50	S007602	0.002	0.25	19	14	71

Hole: SU-657

From (m)	To (m)		Rock Type & Description	
141.00	**145.00**	**H8**	**Intensely silicified zone**	**mg**

141 - 145: Intense silica flooding over printing a matrix supported lapilli tuff similar to previous unit. Intense clay alteration present, bleaching the core a distinct cream color, along with more minor phases of chl and hem giving the unit a patchy green-red/purple appearance.

<<Alt: 141 - 145: weak to moderate hematite / moderate to strong clay / strong silica (pervasive silicification) / weak to moderate chlorite / weak chlorite>> Strong pervasive clay alteration with strong intensive patchy silica flooding. Chl present as matrix replacement and within stringer veinlets.

From (m)	To (m)		Rock Type & Description	
145.00	**148.15**	**V12**	**intermediate fragmental volcanics**	**fg**

145 - 148.15: Matrix supported lapilli tuff. Matrix is mostly very crystal rich throughout, displaying an apparent porphyritic texture similar to previous units with lesser silicification. P1 clasts are more reworked than typical V12 units (more sub-rounded than angular). This unit has a uniform intense hematite alteration throughout the matrix and in clasts causing a distinct deep purple-red color.

<<Alt: 145 - 148.15: moderate to strong hematite / weak clay / weak silica (pervasive silicification) / weak chlorite>> Strong hematite staining. Phenos appear to have clay alteration

From (m)	To (m)		Rock Type & Description	
148.15	**157.30**	**H8**	**Intensely silicified zone**	**mg**

148.15 - 157.3: Matrix supported crystal rich lapilli tuff with variable intensities in alteration. Weaving in and out of silica flooding and hematite rich alteration. Chl and clay alteration present throughout, although the silica flooding seems to be concentrated in areas with higher degrees of cream colored clay alteration. Abundant qtz-cal veining present along with veinlets of ank(?).

<<Alt: 148.15 - 157.3: moderate hematite / moderate clay / strong silica (pervasive silicification) / weak chlorite / weak chlorite>> Patchy units of intense clay-silica alteration, hematite alteration with mottled chl and several stages of veining.

<<Struc: 150 - 150.05: weakly developed fault zone 45 deg. >> Slicks at 75 degrees TCA

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
133.50	135.00	1.50	S007603	0.002	0.25	11	16	53
135.00	136.50	1.50	S007604	0.002	0.25	2	20	69
136.50	138.00	1.50	S007605	0.002	0.25	16	18	17
138.00	139.50	1.50	S007606	0.002	0.25	34	18	23
139.50	141.00	1.50	S007607	0.002	0.25	43	20	77
141.00	142.50	1.50	S007608	0.002	1.2	52	28	28
142.50	144.00	1.50	S007609	0.002	0.25	23	18	69
144.00	145.00	1.00	S007611	0.007	0.25	10	21	55
145.00	146.50	1.50	S007612	0.002	0.25	3	6	74
146.50	148.15	1.65	S007613	0.002	0.25	2	7	99
148.15	149.50	1.35	S007614	0.013	0.25	3	17	65

Hole: SU-657

From (m)	To (m)	Rock Type & Description
157.30	**174.57**	**V12 intermediate fragmental volcanics mg**

157.3 - 174.57: Matrix supported crystal rich lapilli tuff with variable intensities in alteration. 60% of the unit contains intense hematite alteration. Qtz-ank? Veins present throughout. P1 clasts look re-worked with several sub-rounded clasts present, towards the bottom 4 meters of the unit the clasts are more sub-angular.

<<Alt: 157.3 - 163.5: weak hematite / weak clay / weak iron oxide / weak chlorite / weak chlorite>> Ankerite alt present in qtz-cal veins and oxidized in stringers. Mild pervasive hem giving the core deep purple hue and also as clast replacement.

<<Alt: 163.5 - 174.57: moderate to strong hematite / weak chlorite / weak clay / weak silica (pervasive silicification) / weak iron oxide>>

<<Vein: 157.3 - 159: <1.0 quartz-calcite-chlorite>> Brecciated qtz-cal-chl-ank? Veins.

<<Vein: 161.2 - 175.6: <1.0 quartz-calcite>> Mostly calcite, thin, soft, oxidized, cuspate-lobate, tension gashes.

<<Struc: 157.5 - 157.6: weakly developed fault gouge 60 deg. >> minor fault zone with gouge.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
149.50	151.00	1.50	S007615	0.002	0.25	4	9	67
151.00	152.50	1.50	S007616	0.002	0.25	2	16	53
152.50	154.00	1.50	S007617	0.002	0.25	1	12	77
154.00	155.50	1.50	S007618	0.002	0.25	3	10	62
155.50	157.30	1.80	S007619	0.002	0.25	1	16	60
157.30	159.00	1.70	S007621	0.002	0.25	3	12	69
159.00	160.50	1.50	S007622	0.002	0.25	3	11	79
160.50	162.00	1.50	S007623	0.002	0.25	7	17	77
162.00	163.50	1.50	S007624	0.002	0.25	7	14	73
163.50	165.00	1.50	S007625	0.002	0.25	6	13	71
165.00	166.50	1.50	S007626	0.002	0.25	8	12	82
166.50	168.00	1.50	S007627	0.002	0.25	5	13	89
168.00	169.50	1.50	S007628	0.002	0.25	6	10	81
169.50	171.00	1.50	S007629	0.002	0.25	5	14	63
171.00	172.60	1.60	S007631	0.005	0.25	5	17	89
172.60	173.50	0.90	S007632	0.002	0.25	7	17	104
173.50	174.57	1.07	S007633	0.002	0.25	11	25	116
174.57	176.00	1.43	S007634	0.002	0.25	2	10	76

Hole: SU-657

From (m)	To (m)	Rock Type & Description
174.57	**186.20**	**V12 intermediate fragmental volcanics mg**
174.57 - 186.2: Matrix supported crystal rich lapilli tuff. This unit contains the same composition and alteration as previous lithology however it exhibits more flow texture throughout and clasts size is notably different. Contains a mixture of angular cobble and pebble sized clasts which are elongated as part of the flow. Strong hematite alteration present throughout but variable between matrix and clast replacement.		
<<Alt: 174.57 - 179: strong hematite / weak chlorite / weak clay / weak to moderate iron oxide / weak silica (pervasive silicification)>> Intense pervasive hematite alteration in a fine grained flow zone. Ank alt present in veins.		
<<Alt: 179 - 186.2: moderate hematite / weak chlorite / weak clay / weak silica (pervasive silicification) / weak chlorite>> Mottled hem pervasive replacement.		
<<Vein: 177.5 - 178.3: 1.0-5.0 quartz-calcite>> Sheated, vuggy Vn1a's.		
<<Vein: 178.3 - 220: <1.0 quartz-calcite>> thin veins.Soft, mostly cal, often chl art is stronger on vein edges.		
186.20	**196.47**	**V12 intermediate fragmental volcanics fg**
186.2 - 196.47: Crystal rich tuff with an apparent porphyritic texture. Crystals have strong clay-silica? Alteration. No apparent clasts present, however they may just not be visible due to intensity of overprinting of the alteration minerals giving the entire unit a more uniform appearance.		
<<Alt: 186.2 - 196.47: weak chlorite / weak chlorite / weak to moderate clay / weak silica (pervasive silicification) / weak hematite>>		

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
176.00	177.50	1.50	S007635	0.002	0.25	2	10	88
177.50	179.00	1.50	S007636	0.002	0.25	11	14	69
179.00	180.50	1.50	S007637	0.002	0.25	1	9	57
180.50	182.00	1.50	S007638	0.002	0.25	1	12	58
182.00	183.50	1.50	S007639	0.002	0.25	1	21	56
183.50	185.00	1.50	S007641	0.002	0.25	1	17	62
185.00	186.20	1.20	S007642	0.002	0.25	1	17	62
186.20	187.50	1.30	S007643	0.002	0.25	3	19	64
187.50	189.00	1.50	S007644	0.002	0.25	5	23	103
189.00	190.50	1.50	S007645	0.002	0.25	5	17	89
190.50	192.00	1.50	S007646	0.002	0.25	4	16	85
192.00	193.50	1.50	S007647	0.002	0.25	2	19	86
193.50	195.00	1.50	S007648	0.002	0.25	3	21	82
195.00	196.47	1.47	S007649	0.002	0.25	2	20	57
196.47	198.00	1.53	S007651	0.047	0.25	5	13	61

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
196.47	**273.75**	**V12 intermediate fragmental volcanics fg** 196.47 - 273.75: Matrix supported lapilli tuff. Crystal rich in areas. P1 clasts are more sub-rounded than typical angular clasts seen in V12. Variable alteration and clast size throughout in a sequence of graded units. The beginning of this unit contains flow texture for 1.5m with more sub-angular clasts followed by a more pebble rich (occasional cobble sized) unit to 239.6m. From 239.6-242.75 is more crystal rich but far fewer clasts present (3%), those present are pebble sized. Very few clasts present (1%) from 242.75-243.75m followed by an increase in clast size and abundance (5-10%) until 268.0m at which time the unit becomes much more clast rich and they range in size from pebble-cobble sized. Foliation present (pressure? Fabric?) from 246.25-248.0m. Variable amounts of hem and chl alterations throughout.	198.00	199.50	1.50	S007652	0.002	0.25	6	7	84
		<<Min: 201.5 - 203: traces pyrite>> Very minor amounts of fine grained pyrite within 1 - 2 cm P1 clasts	199.50	201.00	1.50	S007653	0.002	0.25	7	9	73
		<<Min: 203 - 275: Nothing Recorded>>	201.00	202.50	1.50	S007654	0.002	0.25	25	8	80
		<<Alt: 196.47 - 210: moderate hematite / weak chlorite / weak chlorite / weak clay / weak silica (pervasive silicification)>>	202.50	204.00	1.50	S007655	0.002	0.25	13	11	73
		<<Alt: 210 - 217.37: weak hematite / weak hematite / weak chlorite / trace clay / trace iron oxide>>	204.00	205.50	1.50	S007656	0.002	0.25	14	7	70
		<<Alt: 217.37 - 220.25: moderate to strong hematite / weak to moderate chlorite / trace clay / trace silica (pervasive silicification)>>	205.50	207.00	1.50	S007657	0.002	0.25	12	11	77
		<<Alt: 220.25 - 222.75: weak to moderate chlorite / trace chlorite / weak chlorite / trace iron oxide>>	207.00	208.50	1.50	S007658	0.002	0.25	11	16	72
		<<Alt: 222.75 - 239.35: weak to moderate hematite / weak hematite / weak chlorite>> Patchy pervasive hematite alt throughout.	208.50	210.00	1.50	S007659	0.002	0.25	14	18	69
		<<Alt: 239.35 - 242.75: moderate to strong hematite / weak chlorite / weak chlorite / trace clay>>	210.00	211.50	1.50	S007661	0.002	0.25	15	13	72
		<<Alt: 242.75 - 244.4: strong hematite / weak chlorite / weak sericite>>	211.50	213.00	1.50	S007662	0.002	0.25	9	15	71
		<<Alt: 244.4 - 249: moderate to strong hematite / weak to moderate chlorite / trace sericite / weak chlorite>>	213.00	214.50	1.50	S007663	0.002	0.25	11	9	62
		<<Alt: 249 - 255.2: strong hematite / weak chlorite / trace chlorite>>	214.50	216.00	1.50	S007664	0.002	0.25	6	17	68
		<<Alt: 255.2 - 263.1: moderate to strong hematite / weak to moderate chlorite / trace chlorite / trace sericite>>	216.00	217.50	1.50	S007665	0.002	0.25	28	12	67
		<<Alt: 263.1 - 268: strong hematite / weak chlorite / trace sericite>>	217.50	219.00	1.50	S007666	0.002	0.25	6	11	75
		<<Alt: 268 - 273.5: weak to moderate hematite / weak to moderate hematite / trace chlorite / trace chlorite>> patchy pervasive hem throughout.	219.00	220.50	1.50	S007667	0.002	0.25	9	11	69
		<<Alt: 273.5 - 279.27: weak chlorite / weak chlorite / weak to moderate sericite>>	220.50	222.00	1.50	S007668	0.002	0.25	61	10	64
		<<Vein: 221 - 226: <1.0 quartz-calcite-chlorite>> cuspate-lobate brecciated veins of qtz-cal-chl with minor ank?	222.00	223.50	1.50	S007669	0.002	0.25	28	10	68
		<<Vein: 232 - 235: 1.0-5.0 quartz-calcite-pink calcite>>	223.50	225.00	1.50	S007671	0.002	0.25	5	13	64
		<<Vein: 239.35 - 242.6: <1.0 quartz-calcite>> Mostly Vn1a's with pos. ank? In some places. One 2cm wide Vn4 present cutting across an earlier Vn1.	225.00	226.60	1.60	S007672	0.002	0.25	6	12	63

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Vein: 244.4 - 247.7: 5.0-10.0 quartz-calcite-chlorite>> Dominantly Vn1b's. Heavily brecciated and disarticulated in areas, somewhat amorphous in others.
		<<Vein: 247.7 - 250.5: 1.0-5.0 quartz-calcite-chlorite>> Multiple phases of Vn1a, Vn3, and Vn1b's.
		<<Vein: 250.5 - 265.6: 1.0-5.0 quartz-calcite>> mutiple phases of Vn1a's, Vn1b's and sheared Vn4's
		<<Vein: 265.6 - 273.75: <1.0 quartz-calcite>> Vn1a's and thin sheared Vn4's whispy present
		<<Struc: 196.5 - 198: weakly developed foliation 65 deg. >> flow fabric alignment.
		<<Struc: 213 - 213.9: weakly developed fault gouge 85 deg. >> fault gouge present.
		<<Struc: 243.4 - 243.6: weakly developed fault zone 70 deg. >> slicks at 60 degrees TCA
		<<Struc: 245.85 - 248.45: sporadic foliation 50 deg. >> weak fabric.
		<<Struc: 264.23 - 264.57: sporadic fault zone 50 deg. >> minor gouge present.
		<<Struc: 270.65 - 271: weakly developed fault zone 40 deg. >> minor gouge present.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
226.60	228.00	1.40	S007673	0.002	0.25	5	10	62
228.00	229.50	1.50	S007674	0.002	0.25	5	13	63
229.50	231.00	1.50	S007675	0.002	0.25	4	11	63
231.00	232.50	1.50	S007676	0.002	0.25	3	9	66
232.50	234.00	1.50	S007677	0.002	0.25	4	8	85
234.00	235.50	1.50	S007678	0.002	0.25	4	6	71
235.50	237.00	1.50	S007679	0.002	0.25	2	8	67
237.00	238.50	1.50	S007681	0.002	0.25	1	6	64
238.50	240.00	1.50	S007682	0.002	0.25	1	9	79
240.00	241.50	1.50	S007683	0.002	0.25	0.5	9	75
241.50	243.00	1.50	S007684	0.007	0.25	1	14	106
243.00	244.50	1.50	S007685	0.002	0.25	7	25	48
244.50	246.00	1.50	S007686	0.002	0.25	9	10	66
246.00	247.50	1.50	S007687	0.002	0.25	2	11	83
247.50	249.00	1.50	S007688	0.002	0.25	26	18	79
249.00	250.50	1.50	S007689	0.002	0.25	5	24	26
250.50	252.00	1.50	S007691	0.002	0.25	14	17	83
252.00	253.50	1.50	S007692	0.002	0.25	25	19	46
253.50	255.00	1.50	S007693	0.002	0.25	8	18	39
255.00	256.50	1.50	S007694	0.002	0.25	2	12	104
256.50	258.00	1.50	S007695	0.002	0.25	5	11	121
258.00	259.50	1.50	S007696	0.002	0.25	6	11	65
259.50	261.00	1.50	S007697	0.002	0.25	8	9	73
261.00	262.50	1.50	S007698	0.002	0.25	5	10	117
262.50	264.00	1.50	S007699	0.002	0.25	30	17	98
264.00	265.50	1.50	S007701	0.002	0.25	37	14	67
265.50	267.00	1.50	S007702	0.002	0.25	4	14	54
267.00	268.50	1.50	S007703	0.002	0.25	16	13	77

Hole: SU-657

From (m)	To (m)		Rock Type & Description
273.75	**297.27**	**V12**	**intermediate fragmental volcanics** **mg**

273.75 - 297.27: Betty creek formation volcaniclastics. Thurst zone. Clear fabric (linear, sheeted, qtz-chl veining broken and brecciated with fault gouge) at the beginning of the formation from 273.75-274.0m. Minor foliation at the bottom of this unit, drag folds? Present. Alignment of phenos towards top and bottom of the unit due to pressure/thrusting? Green-grey in color, overprinting alt of chl-ser throughout, no hematite alt present. At 275.40m there is a dark green/black clast? Dyke? With one visible cubic pyrite crystal present.

<<Min: 275 - 276: traces pyrite>> One cubic pyrite crystal present in a 10cm clast? Dyke? Within the thrust zone.

<<Min: 276 - 346.37: Nothing Recorded>>

<<Alt: 279.27 - 300: weak hematite / weak hematite / trace chlorite / sericite>>

<<Vein: 273.75 - 279.5: 1.0-5.0 quartz-calcite-chlorite>> Vein has been sheared due to thurst zone.

<<Vein: 279.5 - 288.5: 1.0-5.0 quartz-calcite>>

<<Vein: 288.5 - 304.5: <1.0 quartz-calcite>>

<<Struc: 273.75 - 274: moderately developed fault zone 50 deg. >> Thrust zone. Minor gouge present.

<<Struc: 277.6 - 279: weakly developed foliation 20 deg. >>

<<Struc: 279 - 279.2: sporadic foliation>> Drag fold? Not fully formed.

<<Struc: 283.2 - 283.3: moderately developed fault zone>> Slicks at 30 degrees TCA

<<Struc: 292.95 - 293.1: weakly developed fault zone 40 deg. >> Slicks at 25 degrees TCA

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
268.50	270.00	1.50	S007704	0.002	0.25	13	8	85
270.00	272.00	2.00	S007705	0.002	0.25	18	10	82
272.00	273.75	1.75	S007706	0.002	0.25	1	16	71
273.75	275.00	1.25	S007707	0.002	0.25	31	7	100
275.00	276.50	1.50	S007708	0.002	0.5	21	6	155
276.50	278.00	1.50	S007709	0.002	0.25	22	4	85
278.00	279.27	1.27	S007711	0.002	0.25	16	8	97
279.27	280.50	1.23	S007712	0.002	0.25	1	9	82
280.50	282.00	1.50	S007713	0.002	0.25	4	8	80
282.00	283.50	1.50	S007714	0.002	0.25	11	6	64
283.50	285.00	1.50	S007715	0.002	0.25	3	6	77
285.00	286.50	1.50	S007716	0.002	0.25	1	7	78
286.50	288.00	1.50	S007717	0.002	0.25	1	6	74
288.00	289.50	1.50	S007718	0.002	0.25	0.5	7	78
289.50	291.00	1.50	S007719	0.002	0.25	1	8	77
291.00	292.50	1.50	S007721	0.002	0.25	1	8	83
292.50	294.00	1.50	S007722	0.002	0.25	0.5	10	87
294.00	295.50	1.50	S007723	0.002	0.25	0.5	16	81
295.50	297.00	1.50	S007724	0.002	0.25	0.5	9	87
297.00	298.50	1.50	S007725	0.002	0.25	1	9	82

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
297.27	**342.21**	**V12 intermediate fragmental volcanics cbl** 297.27 - 342.21: Matrix supported lapilli tuff, locally crystal rich. Clasts are dominantly sub-angular P1 and variable in size from pebble to cobble sized. Similar to previously seen units. Patchy weak hematite alteration present throughout. <<Alt: 300 - 307.42: weak to moderate hematite / weak hematite>> <<Alt: 307.42 - 310.6: moderate hematite / weak sericite / trace clay / weak chlorite>> <<Alt: 310.6 - 319.5: weak to moderate hematite / weak chlorite / trace sericite / weak chlorite / trace clay>> Patchy pervaive hematied throughout in both matrix and clasts. <<Alt: 319.5 - 327: moderate silica (pervasive silicification) / weak chlorite / trace sericite / weak hematite>> Blotchy Jasper alteration, in areas it looks vein controlled, with minor pervaive hematite. <<Alt: 327 - 333.3: weak to moderate hematite / weak hematite / weak chlorite / trace sericite>> <<Alt: 333.3 - 337.25: weak sericite / trace chlorite / weak chlorite / trace hematite / weak clay>> <<Alt: 337.25 - 338.85: moderate to strong hematite / weak to moderate chlorite / trace sericite / trace clay>> <<Alt: 338.85 - 342.21: weak to moderate hematite / weak to moderate chlorite / trace clay / weak sericite>> <<Vein: 304.5 - 310.6: <1.0 quartz-calcite>> <<Vein: 310.6 - 318: <1.0 quartz-calcite>> <<Vein: 318 - 325.6: <1.0 quartz-calcite>> multiple phases of vn4's, vn1's and vn3's. <<Vein: 330 - 332.6: <1.0 quartz-calcite>> Veining in this area seems to be rimmed or being replaced by hem alt. <<Struc: 332.1 - 332.3: weakly developed fault zone 35 deg. >> slicks present at 45 degrees TCA									
			298.50	300.00	1.50	S007726	0.002	0.25	0.5	7	87
			300.00	301.50	1.50	S007727	0.002	0.25	0.5	7	73
			301.50	303.00	1.50	S007728	0.002	0.25	0.5	7	75
			303.00	304.50	1.50	S007729	0.002	0.25	0.5	9	62
			304.50	306.00	1.50	S007731	0.002	0.25	0.5	11	87
			306.00	307.50	1.50	S007732	0.002	0.25	0.5	8	52
			307.50	309.00	1.50	S007733	0.002	0.25	1	9	65
			309.00	310.50	1.50	S007734	0.002	0.25	2	10	53
			310.50	312.00	1.50	S007735	0.002	0.25	4	9	83
			312.00	313.50	1.50	S007736	0.002	0.25	3	9	64

Hole: SU-657

From (m)	To (m)	Rock Type & Description		
342.21	**346.37**	**V12**	**intermediate fragmental volcanics**	**fg**

342.21 - 346.37: Flow texture from 342.21-343.6m, very fine grained, with few cobble sized elongate clasts and strong hematite alteration. The following .4m of a meter contains fabric, qtz-ser-chl altered, altered crystal rich lapilli tuff followed by what appears to be more fine grained ash tuff with very few clasts up to 347.65. The following 22.0cm is a mottled qtz-chl vein followed by a very fine ash tuff till the end of this unit

<<Alt: 342.21 - 343.6: strong hematite / weak to moderate chlorite / weak locally weakly silicified / weak chlorite>>

<<Alt: 343.6 - 345.9: weak to moderate chlorite / weak to moderate sericite / weak to moderate silica (pervasive silicification) / moderate chlorite / weak clay>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
313.50	315.00	1.50	S007737	0.002	0.25	4	8	67
315.00	316.50	1.50	S007738	0.002	0.25	3	10	76
316.50	318.00	1.50	S007739	0.002	0.25	2	10	73
318.00	319.50	1.50	S007741	0.002	0.25	4	9	91
319.50	321.00	1.50	S007742	0.002	0.25	4	10	94
321.00	322.50	1.50	S007743	0.002	0.25	3	10	86
322.50	324.00	1.50	S007744	0.002	0.25	3	8	67
324.00	325.50	1.50	S007745	0.002	0.25	1	10	71
325.50	326.50	1.00	S007746	0.002	0.25	1	12	87
326.50	327.50	1.00	S007747	0.002	0.25	2	7	88
327.50	328.50	1.00	S007748	0.002	0.25	1	11	98
328.50	330.00	1.50	S007749	0.002	0.25	0.5	8	87
330.00	331.50	1.50	S007751	0.002	0.25	0.5	10	114
331.50	333.00	1.50	S007752	0.002	0.25	2	14	98
333.00	334.50	1.50	S007753	0.002	0.25	4	11	56
334.50	336.00	1.50	S007754	0.008	0.25	4	12	57
336.00	337.50	1.50	S007755	0.002	0.25	3	12	123
337.50	339.00	1.50	S007756	0.002	0.25	4	5	71
339.00	340.50	1.50	S007757	0.002	0.25	6	14	79
340.50	341.50	1.00	S007758	0.002	0.25	15	4	92
341.50	342.21	0.71	S007759	0.037	0.25	21	10	163

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Alt: 345.9 - 346.77: >>
		<<Vein: 345.63 - 345.9: >50.0 quartz-calcite-chlorite>> Mulitple banded shear vein of qtz-cal-chl with pos patchy ank? And gyp? in a 0.25m wide.
346.37	**468.70**	**V12 intermediate fragmental volcanics fg**
		346.37 - 468.7: Matrix supported crystal rich lapilli tuff. Clasts size is mostly pebble sized with occasional rare cobble sized clasts. Hematite alteration variable throughout. At 423.78 there is a contact two areas of alteration which appear to have the same lithology, chill margin?. From 423.78-426.10m there appears to be a graded sequence of fine ash tuff at the top, which grades into a crystal rich tuff then to a similar pebble rich lapilli to the overlying unit. The overlying unit is a pebble rich lapilli tuff, the underlying unit appears to be a graded sequence of fine ash tuff at the top, which grades into a crystal rich tuff then to a similar pebble rich lapilli to the overlying layer. From 427.7-428.2m there is moderate silicification with patchy blebs of fine grained pyrite rimmed by chl. From 428.2m to 468.70 the end of the bench is lappilli tuff.
		<<Min: 346.37 - 347.5: 0.5-2.0% pyrite / 0.5-2.0% pyrite>> very fine grained patchy blebs of pyrite presentalong with some fine grained dissiminated py throughout.
		<<Min: 347.5 - 349.5: Nothing Recorded>>
		<<Min: 349.5 - 349.8: traces pyrite>> One subhedral py crystal surrounded by hem alt in a chl altered P1 clast
		<<Min: 349.8 - 423.5: Nothing Recorded / magnetite>>
		<<Min: 423.5 - 424.5: <0.5% pyrite>> fine grained blebs of py.
		<<Min: 424.5 - 427.5: Nothing Recorded>>
		<<Min: 427.5 - 430: 0.5-2.0% pyrite / <0.5% pyrite>> Py is being rimmed by chl.
		<<Min: 430 - 468.7: Nothing Recorded>>
		<<Alt: 346.77 - 352: moderate chlorite / weak to moderate sericite / weak chlorite / weak silica (pervasive silicification)>>
		<<Alt: 352 - 372.8: weak hematite / weak chlorite / weak sericite / weak silica (pervasive silicification) / weak hematite>>
		<<Alt: 372.8 - 422.5: weak hematite / weak to moderate hematite / weak chlorite / trace sericite / trace silica (pervasive silicification)>>
		<<Alt: 422.5 - 423.78: weak to moderate chlorite / weak sericite / weak chlorite / trace hematite / weak silica (pervasive silicification)>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
342.21	344.00	1.79	S007761	0.002	0.25	8	10	84
344.00	345.00	1.00	S007762	0.002	0.6	89	5	85
345.00	346.37	1.37	S007763	0.012	0.7	47	55	84

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Alt: 423.78 - 425.25: moderate chlorite / weak chlorite / weak sericite / weak chlorite / trace silica (pervasive silicification)>> moderate to strong chl alteration present along contact between lappilli tuff and ash tuff.
		<<Alt: 425.25 - 426: weak chlorite / weak chlorite / moderate to strong sericite>>
		<<Alt: 426 - 427.3: weak to moderate chlorite / weak chlorite / weak to moderate sericite>>
		<<Alt: 427.3 - 428.5: moderate silica (pervasive silicification) / weak chlorite / weak chlorite / trace sericite>>
		<<Alt: 428.5 - 431.6: weak to moderate chlorite / weak chlorite / weak sericite / weak silica (pervasive silicification)>>
		<<Alt: 431.6 - 434.9: weak hematite / weak hematite / weak chlorite>>
		<<Alt: 434.9 - 436.15: weak to moderate chlorite / weak sericite / weak hematite / weak to moderate hematite / weak chlorite>>
		<<Alt: 436.15 - 441.65: moderate to strong hematite / weak to moderate hematite / weak chlorite / weak chlorite / weak chlorite>>
		<<Alt: 441.65 - 442.75: strong hematite / weak to moderate hematite / weak to moderate chlorite / weak chlorite / trace silica (pervasive silicification)>>
		<<Alt: 442.75 - 445: weak chlorite / weak chlorite / weak sericite / trace hematite / trace clay>>
		<<Alt: 445 - 446.7: strong hematite / weak to moderate chlorite / weak silica (pervasive silicification)>>
		<<Alt: 446.7 - 451: weak to moderate hematite / weak to moderate chlorite / weak chlorite / weak sericite / trace clay>>
		<<Alt: 451 - 454.9: moderate hematite / moderate hematite / weak to moderate chlorite / weak silica (pervasive silicification)>>
		<<Alt: 454.9 - 462.4: weak hematite / weak to moderate chlorite / weak sericite / weak hematite>>
		<<Alt: 462.4 - 468.7: weak to moderate chlorite / trace chlorite / weak to moderate sericite / weak silica (pervasive silicification)>>
		<<Vein: 365.25 - 366.2: 1.0-5.0 quartz-calcite-chlorite>> One 1-2cm wide vein of qtz-pink calcite-chl. Very irregular, disarticulated, brecciated?
		<<Vein: 373 - 373.5: 1.0-5.0 quartz-calcite>> Vn1a vein strongly associated with the hem alteration, vein selvages and overprinting in areas. Pos pink cal, however the pink hue may just be due to hem alt.
		<<Vein: 382 - 391.6: <1.0 quartz-calcite>>
		<<Vein: 395 - 417.7: <1.0 quartz-calcite>> 1-3mm wide vn1a? Veins. Appear to be being replaced by hem, disarticulated. Have slightly brecciated appearance in areas possibly due to hem alt?
		<<Vein: 417.7 - 468.7: 1.0-5.0 quartz-calcite>> Multiple phases of veining. Abundant whispy sheared vn4's, minor
		<<Struc: 404.1 - 404.3: weakly developed fault zone 30 deg. >> Slicks at 10 degrees TCA
		<<Struc: 419.5 - 419.6: weakly developed fault zone 45 deg. >> Slicks at 30 degrees TCA.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
346.37	347.50	1.13	S007764	0.002	0.25	16	63	62

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			347.50	349.00	1.50	S007765	0.007	0.25	16	11	110
			349.00	350.50	1.50	S007766	0.002	0.25	21	4	111
			350.50	352.00	1.50	S007767	0.002	0.9	169	7	92
			352.00	353.50	1.50	S007768	0.005	0.25	13	6	69
			353.50	355.00	1.50	S007769	0.002	0.25	9	7	76
			355.00	356.50	1.50	S007771	0.006	0.25	5	6	80
			356.50	358.00	1.50	S007772	0.002	0.25	2	5	80
			358.00	359.50	1.50	S007773	0.002	0.25	1	10	79
			359.50	361.00	1.50	S007774	0.002	0.25	0.5	7	81
			361.00	362.50	1.50	S007775	0.002	0.25	1	7	77
			362.50	364.00	1.50	S007776	0.002	0.25	1	11	74
			364.00	365.50	1.50	S007777	0.002	0.25	1	8	83
			365.50	367.00	1.50	S007778	0.002	0.25	3	7	101
			367.00	368.50	1.50	S007779	0.002	0.25	1	10	94
			368.50	370.00	1.50	S007781	0.002	0.25	1	12	98
			370.00	371.50	1.50	S007782	0.002	0.25	0.5	10	94
			371.50	373.00	1.50	S007783	0.002	0.25	0.5	13	97
			373.00	374.50	1.50	S007784	0.002	0.25	1	10	82
			374.50	376.00	1.50	S007785	0.002	0.25	1	12	88
			376.00	377.50	1.50	S007786	0.002	0.25	4	8	92
			377.50	379.00	1.50	S007787	0.002	0.25	5	6	88
			379.00	380.50	1.50	S007788	0.002	0.25	5	9	90
			380.50	382.00	1.50	S007789	0.002	0.25	8	10	88
			382.00	383.50	1.50	S007791	0.002	0.25	8	18	83
			383.50	385.00	1.50	S007792	0.002	0.25	6	8	87
			385.00	386.50	1.50	S007793	0.002	0.25	7	9	90
			386.50	388.00	1.50	S007794	0.002	0.25	8	10	85
			388.00	389.50	1.50	S007795	0.002	0.25	11	10	77
			389.50	391.00	1.50	S007796	0.002	0.25	5	9	88

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			391.00	392.50	1.50	S007797	0.002	0.25	4	9	96
			392.50	394.00	1.50	S007798	0.002	0.25	2	7	106
			394.00	395.50	1.50	S007799	0.002	0.25	2	9	106
			395.50	397.00	1.50	S007801	0.002	0.25	1	8	85
			397.00	398.50	1.50	S007802	0.002	0.25	6	10	90
			398.50	400.00	1.50	S007803	0.002	0.25	8	8	82
			400.00	401.50	1.50	S007804	0.002	0.25	6	7	102
			401.50	403.00	1.50	S007805	0.002	0.25	4	11	104
			403.00	404.50	1.50	S007806	0.002	0.25	5	10	101
			404.50	406.00	1.50	S007807	0.002	0.25	5	9	70
			406.00	407.50	1.50	S007808	0.002	0.25	6	12	58
			407.50	409.00	1.50	S007809	0.002	0.25	3	12	74
			409.00	410.50	1.50	S007811	0.005	0.25	4	9	85
			410.50	412.00	1.50	S007812	0.002	0.25	4	13	77
			412.00	413.50	1.50	S007813	0.002	0.25	3	9	85
			413.50	415.00	1.50	S007814	0.002	0.25	2	7	73
			415.00	416.50	1.50	S007815	0.002	0.25	4	8	81
			416.50	418.00	1.50	S007816	0.002	0.25	3	7	74
			418.00	419.50	1.50	S007817	0.002	0.25	1	10	77
			419.50	421.00	1.50	S007818	0.002	0.25	5	10	93
			421.00	422.50	1.50	S007819	0.002	0.25	1	10	76
			422.50	424.00	1.50	S007821	0.002	0.25	58	4	106
			424.00	425.50	1.50	S007822	0.002	0.25	38	29	102
			425.50	427.00	1.50	S007823	0.002	0.25	23	17	101
			427.00	428.50	1.50	S007824	0.002	0.25	15	21	83
			428.50	430.00	1.50	S007825	0.002	0.25	21	5	98
			430.00	431.50	1.50	S007826	0.002	0.25	12	3	71
			431.50	433.00	1.50	S007827	0.002	0.25	0.5	7	83
			433.00	434.50	1.50	S007828	0.002	0.25	1	8	74

Hole: SU-657

From (m)	To (m)		Rock Type & Description	
468.70	**474.37**	**V12**	**intermediate fragmental volcanics**	**fg**

468.7 - 474.37: Multiple sequences of fine grained ash tuff and crystal rich tuff fine grained lapilli tuff. Euhedral pyrite present throughout in patchy blebs and dissiminated.

<<Min: 468.7 - 471.4: <0.5% pyrite / 0.5-2.0% pyrite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
434.50	436.00	1.50	S007829	0.002	0.25	13	5	101
436.00	437.50	1.50	S007831	0.002	0.25	3	5	66
437.50	439.00	1.50	S007832	0.002	0.25	4	8	66
439.00	440.50	1.50	S007833	0.002	0.25	3	10	61
440.50	442.00	1.50	S007834	0.002	0.25	2	9	63
442.00	443.50	1.50	S007835	0.002	0.25	1	10	77
443.50	445.00	1.50	S007836	0.002	0.25	2	8	75
445.00	446.50	1.50	S007837	0.002	0.25	4	23	213
446.50	448.00	1.50	S007838	0.002	0.25	2	10	88
448.00	449.50	1.50	S007839	0.002	0.25	4	7	81
449.50	451.00	1.50	S007841	0.002	0.25	1	8	87
451.00	452.50	1.50	S007842	0.002	0.25	1	5	84
452.50	454.00	1.50	S007843	0.002	0.25	10	7	54
454.00	455.50	1.50	S007844	0.002	0.25	2	9	83
455.50	457.00	1.50	S007845	0.002	0.25	3	10	88
457.00	458.50	1.50	S007846	0.002	0.25	1	5	79
458.50	460.00	1.50	S007847	0.002	0.25	1	4	85
460.00	461.00	1.00	S007848	0.002	0.25	0.5	7	62
461.00	462.50	1.50	S007849	0.002	0.25	0.5	5	64
462.50	464.00	1.50	S007851	0.002	0.25	0.5	5	61
464.00	465.50	1.50	S007852	0.002	0.25	0.5	6	88
465.50	467.00	1.50	S007853	0.002	0.25	10	6	83
467.00	468.70	1.70	S007854	0.002	0.25	28	6	101
468.70	470.00	1.30	S007855	0.002	0.25	28	47	69
470.00	471.50	1.50	S007856	0.002	0.25	13	17	73
471.50	473.00	1.50	S007857	0.002	0.25	8	7	84

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 471.4 - 471.96: Nothing Recorded>>	473.00	474.37	1.37	S007858	0.002	0.25	15	20	68
		<<Min: 471.96 - 482.18: <0.5% pyrite / <0.5% pyrite>>									
		<<Alt: 468.7 - 485.8: moderate sericite / weak chlorite / weak chlorite / weak to moderate silica (pervasive silicification)>>									
		<<Vein: 468.7 - 474.3: <1.0 quartz-calcite>> Three shear banded 2-3cm Vn4's with minor amounts of thin disarticulated vn1a's some containing ank? Alt. One bleb of Vn3 present.									
		<<Vein: 474.3 - 488.9: 1.0-5.0 quartz-calcite-pink calcite>> Multiple Vn3's and Vn1a's.									
474.37	**592.91**	**V12 intermediate fragmental volcanics fg** 474.37 - 592.91: Fragmental volcaniclastics. Minor amounts of diss py in sections, trace amount of cpy present in a Vn1a at 491m. Coarse grained up to 1cm wide euhedral py crystals present from 551.4-592.91m. Areas of strong hem alt present from 549.0-577.0 with trace to <5% diss possible manganite? Or magnetite? dissiminated throughout. Areas of lesser hem alt show stronger chl alteration.									
		<<Min: 482.18 - 490.6: Nothing Recorded>>									
		<<Min: 490.6 - 491.71: <0.5% pyrite / <0.5% pyrite / traces chalcopyrite>>									
		<<Min: 491.71 - 493.5: <0.5% pyrite>>									
		<<Min: 493.5 - 541: Nothing Recorded>>									
		<<Min: 541 - 543.16: <0.5% pyrite / traces galena>>									
		<<Min: 541 - 549: <0.5% pyrite / traces galena>>									
		<<Min: 549 - 577: traces magnetite>> Possible manganite? Or magnetite dissiminated throughout. Very fine grained grey-metallic luster. Traces to <5%									
		<<Min: 577 - 581.4: Nothing Recorded>>									
		<<Min: 581.4 - 587: <0.5% pyrite>> Coarse grained py up to 1cm wide crystals. Often euhedral, occasionally subhedral being rimmed by chl.									
		<<Min: 587 - 589.4: traces pyrite>> fine grained diss py.									
		<<Min: 589.4 - 590.12: Nothing Recorded>>									
		<<Min: 590.12 - 593: <0.5% pyrite>> Coarse grained py up to 1cm wide crystals. Often euhedral, occasionally subhedral being rimmed by chl.									
		<<Alt: 485.8 - 487.7: moderate hematite / weak chlorite / trace sericite / trace silica (pervasive silicification)>>									
		<<Alt: 487.7 - 491: moderate chlorite / weak chlorite / weak hematite / weak to moderate sericite / weak silica (pervasive silicification)>>									
		<<Alt: 491 - 496.05: moderate chlorite / weak chlorite / weak to moderate sericite / weak silica (pervasive silicification)>>									

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Alt: 496.05 - 526.74: moderate to strong hematite / weak chlorite / trace sericite / weak silica (pervasive silicification) / weak chlorite>>
		<<Alt: 526.74 - 549: weak to moderate chlorite / weak chlorite / moderate sericite / weak silica (pervasive silicification) / trace hematite>>
		<<Alt: 549 - 577.1: moderate to strong hematite / weak hematite / trace chlorite / weak sericite / weak silica (pervasive silicification)>> Possible manganite? Or magnetite dissiminated throughout. Very fine grained grey-metallic luster. <5%
		<<Alt: 577.1 - 582.5: weak to moderate chlorite / weak chlorite / weak sericite / weak silica (pervasive silicification) / trace hematite>>
		<<Alt: 582.5 - 587.15: weak to moderate chlorite / weak chlorite / moderate sericite>>
		<<Alt: 587.15 - 589.7: weak to moderate clay / weak to moderate sericite>>
		<<Alt: 589.7 - 592.91: moderate chlorite / weak chlorite / weak to moderate sericite / weak silica (pervasive silicification) / trace clay>> chl rimming corase euhedral py crystals.
		<<Vein: 488.9 - 501.5: 1.0-5.0 quartz-calcite>> Multiple Vn1's, Vn3's and Vn4's. Veining in this areas is very deformed, multiple phases. Most are so deformed they have no measurable angle. Some appear as patches and blobs.
		<<Vein: 512 - 522.15: <1.0 quartz-calcite>> Multiple phases of Vn1's and one 12cm wide Vn4
		<<Vein: 529.3 - 543.61: <1.0 quartz-calcite>> One Vn3 with multiple disarticulated, sheeted Vn1a's.
		<<Vein: 529.3 - 550: <1.0 quartz-calcite>> Patchy qtz-pink cal Vn3's with multiple disarticulated, sheeted Vn1a's.
		<<Vein: 549.6 - 587: <1.0 quartz-calcite>> Very minor amounts of patchy Vn3's and very thin sparse Vn1a's, sometimes chl altered sometimes hem altered.
		<<Vein: 587 - 589.5: 1.0-5.0 quartz-calcite-chlorite>> Multiple shear banded Vn4a's.
		<<Struc: 497.58 - 497.6: weakly developed fault gouge 30 deg. >> minor fault gouge
		<<Struc: 587.55 - 588.7: weakly developed fault gouge 40 deg. >> Fault zone with minor gouge
		<<Struc: 591.5 - 596.31: weakly developed fault zone 40 deg. >> Fault zone with minor gouge overlying a unit of H8.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
474.37	476.00	1.63	S007859	0.002	0.25	12	11	75
476.00	477.50	1.50	S007861	0.002	0.25	12	9	71
477.50	479.00	1.50	S007862	0.002	0.25	20	5	86
479.00	480.50	1.50	S007863	0.002	0.25	19	8	72
480.50	482.00	1.50	S007864	0.002	0.25	26	5	69
482.00	483.50	1.50	S007865	0.002	0.25	16	5	107
483.50	485.00	1.50	S007866	0.002	0.25	0.5	1	104
485.00	486.50	1.50	S007867	0.002	0.25	0.5	4	87

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			486.50	488.00	1.50	S007868	0.002	0.25	0.5	1	64
			488.00	489.50	1.50	S007869	0.002	0.25	0.5	3	95
			489.50	491.00	1.50	S007871	0.002	0.25	63	6	92
			491.00	492.50	1.50	S007872	0.002	0.25	133	28	58
			492.50	494.00	1.50	S007873	0.002	0.25	194	24	78
			494.00	495.50	1.50	S007874	0.002	0.25	2	3	84
			495.50	497.00	1.50	S007875	0.002	0.25	0.5	5	77
			497.00	498.50	1.50	S007876	0.002	0.25	0.5	7	50
			498.50	500.00	1.50	S007877	0.002	0.25	0.5	8	65
			500.00	501.50	1.50	S007878	0.002	0.25	0.5	1	63
			501.50	503.00	1.50	S007879	0.002	0.25	1	6	92
			503.00	504.50	1.50	S007881	0.002	0.25	0.5	4	83
			504.50	506.00	1.50	S007882	0.002	0.25	0.5	7	72
			506.00	507.50	1.50	S007883	0.002	0.25	2	5	79
			507.50	509.00	1.50	S007884	0.002	0.25	1	2	73
			509.00	510.50	1.50	S007885	0.002	0.25	1	5	76
			510.50	512.00	1.50	S007886	0.002	0.25	0.5	6	77
			512.00	513.50	1.50	S007887	0.002	0.25	0.5	5	76
			513.50	515.00	1.50	S007888	0.002	0.25	0.5	6	60
			515.00	516.50	1.50	S007889	0.002	0.25	1	5	54
			516.50	518.00	1.50	S007891	0.002	0.25	0.5	5	69
			518.00	519.50	1.50	S007892	0.002	0.25	0.5	6	69
			519.50	521.00	1.50	S007893	0.002	0.25	1	8	61
			521.00	522.50	1.50	S007894	0.002	0.25	0.5	8	61
			522.50	524.00	1.50	S007895	0.002	0.25	0.5	4	55
			524.00	525.50	1.50	S007896	0.002	0.25	5	9	64
			525.50	527.00	1.50	S007897	0.002	0.25	2	9	73
			527.00	528.50	1.50	S007898	0.002	0.25	1	7	81
			528.50	530.00	1.50	S007899	0.002	0.25	0.5	7	88

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			530.00	531.50	1.50	S007901	0.002	0.25	1	4	80
			531.50	533.00	1.50	S007902	0.002	0.25	0.5	10	77
			533.00	534.50	1.50	S007903	0.002	0.25	1	6	62
			534.50	536.00	1.50	S007904	0.002	0.25	1	9	75
			536.00	537.50	1.50	S007905	0.002	0.25	41	5	76
			537.50	539.00	1.50	S007906	0.002	0.25	68	5	79
			539.00	540.50	1.50	S007907	0.002	0.25	36	7	84
			540.50	542.00	1.50	S007908	0.002	0.25	62	31	59
			542.00	543.50	1.50	S007909	0.002	0.25	40	15	75
			543.50	545.00	1.50	S007911	0.002	0.25	78	11	64
			545.00	546.50	1.50	S007912	0.002	0.25	55	10	83
			546.50	548.00	1.50	S007913	0.002	0.25	76	5	72
			548.00	549.50	1.50	S007914	0.002	0.25	17	5	75
			549.50	551.00	1.50	S007915	0.002	0.25	1	9	48
			551.00	552.50	1.50	S007916	0.002	0.25	1	8	59
			552.50	554.00	1.50	S007917	0.002	0.25	1	8	62
			554.00	555.50	1.50	S007918	0.002	0.25	2	4	66
			555.50	557.00	1.50	S007919	0.002	0.25	1	10	83
			557.00	558.50	1.50	S007921	0.002	0.25	1	9	93
			558.50	560.00	1.50	S007922	0.002	0.25	1	8	83
			560.00	561.50	1.50	S007923	0.002	0.25	5	9	69
			561.50	563.00	1.50	S007924	0.002	0.25	1	12	81
			563.00	564.50	1.50	S007925	0.002	0.25	1	7	85
			564.50	566.00	1.50	S007926	0.002	0.25	1	5	84
			566.00	567.50	1.50	S007927	0.002	0.25	1	5	76
			567.50	569.00	1.50	S007928	0.002	0.25	2	7	60
			569.00	570.50	1.50	S007929	0.002	0.25	1	8	56
			570.50	572.00	1.50	S007931	0.002	0.25	2	8	61
			572.00	573.50	1.50	S007932	0.002	0.25	1	7	53

Hole: SU-657

From (m)	To (m)	Rock Type & Description
592.91	**596.31**	**V12 intermediate fragmental volcanics fg**

592.91 - 596.31: Fine grained ash tuff with 0.5-1% dissiminated fine grained euhedral pyrite present throughout. Strong clay-ser alteration overprinted by silica.

<<Min: 593 - 603.15: 0.5-2.0% pyrite / traces pyrite>> fine grained euhedral to subhedral py dissiminated throughout. Occassional fg blebs up to 1cm present as well.

<<Alt: 592.91 - 596.31: moderate to strong clay / moderate sericite / weak to moderate silica (pervasive silicification) / trace chlorite>>

<<Vein: 596 - 603.15: 1.0-5.0 quartz-calcite>> Multiple brecciated qtz-cal veins mostly associated with the fault zone, some appear to be amorphous.

From (m)	To (m)	Rock Type & Description
596.31	**598.89**	**H8 Intensely silicified zone fg**

596.31 - 598.89: Ash tuff similar to previous unit with intense silicification. Py in this unit appears to be more concentrated in blebs instead of evenly dissiminated.

<<Alt: 596.31 - 598.89: moderate to strong silica (pervasive silicification) / moderate sericite / moderate clay>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
573.50	575.00	1.50	S007933	0.002	0.25	1	6	50
575.00	576.50	1.50	S007934	0.002	0.25	1	5	61
576.50	578.00	1.50	S007935	0.002	0.25	0.5	4	75
578.00	579.50	1.50	S007936	0.002	0.25	2	6	75
579.50	581.00	1.50	S007937	0.002	0.25	14	4	82
581.00	582.50	1.50	S007938	0.002	0.25	17	4	96
582.50	584.00	1.50	S007939	0.002	0.25	163	5	112
584.00	585.50	1.50	S007941	0.002	0.25	6	1	137
585.50	587.00	1.50	S007942	0.002	0.25	49	5	144
587.00	588.50	1.50	S007943	0.032	0.8	61	17	41
588.50	590.00	1.50	S007944	0.002	0.25	12	6	143
590.00	591.50	1.50	S007945	0.002	0.25	19	1	191
591.50	593.00	1.50	S007946	0.002	0.25	29	1	118
593.00	594.50	1.50	S007947	0.002	0.25	20	11	6
594.50	596.31	1.81	S007948	0.002	0.25	25	15	3

Hole: SU-657

From (m)	To (m)	Rock Type & Description
		<<Struc: 598 - 603.15: strongly developed fault gouge 40 deg. >> Mostly gouge with minor rock clasts.
598.89	**603.15**	**V12 intermediate fragmental volcanics fg**
		598.89 - 603.15: Mostly fault gouge which appears to have the same lithology as the previous ash tuffs. Disseminated py throughout.
		<<Alt: 598.89 - 603.15: moderate to strong sericite / moderate clay / trace chlorite>>
603.15	**626.64**	**V12 intermediate fragmental volcanics fg**
		603.15 - 626.64: Fragmental volcaniclastics. Strong chl alteration present throughout. Coarse grained dissiminate euhedral pyrite up to 1.0 cm wide present throughout.
		<<Min: 603.15 - 606.1: traces pyrite>> trace fg py throughout
		<<Min: 606.1 - 609.77: <0.5% pyrite / traces pyrite>> Coarse grained py up to 1cm wide crystals. Often euhedral, occasionally subhedral being rimmed by chl along with areas of fg dissiminated py throughout.
		<<Min: 609.77 - 633: traces pyrite>>
		<<Alt: 603.15 - 613.3: moderate chlorite / weak chlorite / weak to moderate sericite>>
		<<Alt: 613.3 - 618: moderate chlorite / weak chlorite / weak to moderate sericite / weak silica (pervasive silicification) / trace iron oxide>> What appaears to be iron staining? Overprinting clay alteration in clasts.
		<<Alt: 618 - 626.64: moderate chlorite / weak chlorite / weak to moderate sericite / weak to moderate silica (pervasive silicification) / weak clay>>
		<<Vein: 617 - 626: <1.0 quartz-calcite>> thin, disarticulated veins. Very few present.
		<<Vein: 626 - 646.3: <1.0 quartz-calcite>> Multiple Vn4a's along with one Vn3.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
596.31	597.50	1.19	S007949	0.009	0.25	48	23	3
597.50	598.89	1.39	S007951	0.008	0.25	30	24	3
598.89	600.50	1.61	S007952	0.01	0.25	29	17	4
600.50	602.00	1.50	S007953	0.016	1.1	32	31	11
602.00	603.15	1.15	S007954	0.013	0.7	37	15	39
603.15	604.50	1.35	S007955	0.002	0.25	33	3	128
604.50	606.00	1.50	S007956	0.002	0.25	24	3	115
606.00	607.50	1.50	S007957	0.01	0.25	14	9	76
607.50	609.00	1.50	S007958	0.002	0.25	0.5	1	91
609.00	610.50	1.50	S007959	0.002	0.25	0.5	3	76
610.50	612.00	1.50	S007961	0.007	0.25	1	1	99
612.00	613.50	1.50	S007962	0.002	0.25	1	9	102
613.50	615.00	1.50	S007963	0.002	0.25	2	7	99
615.00	616.50	1.50	S007964	0.002	0.25	1	1	88
616.50	618.00	1.50	S007965	0.002	0.25	2	1	108
618.00	619.50	1.50	S007966	0.002	0.25	11	1	126
619.50	621.00	1.50	S007967	0.002	0.25	77	5	78
621.00	622.50	1.50	S007968	0.002	0.25	41	4	81
622.50	624.00	1.50	S007969	0.002	0.25	21	18	80

Hole: SU-657

From (m)	To (m)	Rock Type & Description
626.64	**654.55**	**V12 intermediate fragmental volcanics mg**
626.64 - 654.55: Interbedded units (0.5 - 4.0m long) of fine-grained ash tuff (30%), crystal lithic tuff (40%), lapilli tuff (20%) and minor P1 porphyritic rocks (10%). Abundant coarse-grained dissiminated pyrite throughout along with fine grained pyrite stringers. Mottled chl and ser alteration present.		
<<Min: 633 - 635: 5.0-10.0% pyrite / <0.5% pyrite>>		
<<Min: 635 - 644: <0.5% pyrite / 0.5-2.0% pyrite>>		
<<Min: 644 - 668: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>		
<<Alt: 626.64 - 634: weak to moderate chlorite / weak chlorite / moderate sericite / weak silica (pervasive silicification) / weak pyrite>> Patchy unit, varying styles of alteration based on litho comp.		
<<Alt: 634 - 638: weak chlorite / weak to moderate pyrite / weak sericite / trace silica (pervasive silicification) / weak clay>>		
<<Alt: 638 - 647: weak chlorite-pyrite / weak chlorite / moderate sericite / trace silica (pervasive silicification) / weak to moderate sericite>> trace fuchite as Rx		
<<Alt: 647 - 650.5: weak chlorite-pyrite / weak to moderate chlorite / moderate sericite / weak silica (pervasive silicification) / weak to moderate sericite>>		
<<Alt: 650.5 - 654.55: weak chlorite-pyrite / weak chlorite / weak to moderate sericite / trace silica (pervasive silicification) / weak sericite>>		
<<Vein: 647 - 666: <1.0 pyrite>> Several fine py stringers		
<<Struc: 641.92 - 641.95: weakly developed fault zone 30 deg. >> Slicks at 30 TCA		
<<Struc: 652.5 - 652.6: fault gouge>> 10cm wide area of fault gouge. No measurable angle.		

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
624.00	625.50	1.50	S007971	0.009	0.25	25	35	84
625.50	626.64	1.14	S007972	0.005	0.25	20	34	113
626.64	628.00	1.36	S007973	0.007	0.25	16	9	117
628.00	629.00	1.00	S007974	0.002	0.25	16	10	83
629.00	630.00	1.00	S007975	0.002	0.25	22	26	83
630.00	631.00	1.00	S007976	0.002	0.25	14	6	56
631.00	632.50	1.50	S007977	0.002	0.25	17	7	85
632.50	634.00	1.50	S007978	0.01	0.25	28	16	111
634.00	635.50	1.50	S007979	0.017	0.25	26	29	90
635.50	637.00	1.50	S007981	0.016	0.25	29	26	129
637.00	638.50	1.50	S007982	0.002	0.25	29	14	172
638.50	640.00	1.50	S007983	0.002	0.25	43	15	183
640.00	641.50	1.50	S007984	0.002	0.25	31	3	102
641.50	643.00	1.50	S007985	0.002	0.25	17	5	93
643.00	644.50	1.50	S007986	0.002	0.25	15	8	92
644.50	646.00	1.50	S007987	0.002	0.25	31	13	115
646.00	647.50	1.50	S007988	0.005	0.25	26	14	64
647.50	649.00	1.50	S007989	0.007	0.25	7	5	47
649.00	650.50	1.50	S007991	0.008	0.25	16	12	84
650.50	652.00	1.50	S007992	0.005	0.25	17	12	51
652.00	653.00	1.00	S007993	0.005	0.25	20	8	17
653.00	654.55	1.55	S007994	0.005	0.25	27	8	50

Hole: SU-657

From (m)	To (m)		Rock Type & Description	
654.55	665	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**fg**

654.55 - 665 Plag-hornblende porphyritic unit with phyllic alteration. From the top of the unit to 668.0m contained what appeared to be more abundant plag than hornblende crystals although most were strongly ser altered and difficult to distinguish with the exception of one patch from 663.5-665.0m which was rich in un-altered honrblende? (greenish-black, and apparent monoclinic crystals). The remainder of the hole was more abundant in hbl than plag, and there were sections that had an S4 appearance, no visible phenos, although that may be due to alteration overprinting. Coarse grained euhedral pyrite present throughout along with py stringer veinlets.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
654.55	656.00	1.45	S007995	0.013	0.25	24	1	49
656.00	657.50	1.50	S007996	0.002	0.25	11	1	54
657.50	659.00	1.50	S007997	0.012	0.25	23	7	53

Hole: SU-657

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			659.00	660.50	1.50	S007998	0.008	0.25	31	12	45
			660.50	662.00	1.50	S007999	0.002	0.25	31	7	89
			662.00	663.50	1.50	S008001	0.026	0.25	50	10	37
			663.50	665.00	1.50	S008002	0.019	0.25	36	13	82

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-661

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	lhowarth	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	8/21/2015	**Core Size:**	HQ
UTM East:	428059.7	**Azimuth:**		**Date Completed:**	9/5/2015	**Casing Pulled?**	☐
UTM North:	6257728.7	**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):	1604.9	**Length (m):**	815.5	**Drill Rig:**	H3	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	8/20/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/4/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	8/21/2015	-60.7	322.8	20.4	343.2	56913	☑	
12	REFLEX	8/21/2015	-60.9	327.2	20.4	347.6	56913	☑	
63	REFLEX	8/22/2015	-60.7	327.2	20.4	347.6	56576	☑	
114	REFLEX	8/22/2015	-60.5	327.2	20.4	347.6	54576	☑	
165	REFLEX	8/23/2015	-59.5	328.4	20.4	348.8	56385	☑	
216	REFLEX	8/24/2015	-59	329.7	20.4	350.1	56544	☑	
267	REFLEX	8/24/2015	-58.7	329.5	20.4	349.9	56418	☑	
318	REFLEX	8/25/2015	-58.2	329.8	20.4	350.2	56617	☑	
369	REFLEX	8/26/2015	-58.1	330.2	20.4	350.6	56215	☑	
420	REFLEX	8/26/2015	-57.8	330.3	20.4	350.7	56139	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-661

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
471	REFLEX	8/27/2015	-57.5	331.4	20.4	351.8	56491	☑	
522	REFLEX	8/28/2015	-57.3	331.8	20.4	352.2	56298	☑	
573	REFLEX	8/29/2015	-56.6	333.2	20.4	353.6	56219	☑	
624.4	REFLEX	8/29/2015	-56.4	333.6	20.4	354	56302	☑	
675	REFLEX	8/29/2015	-56	334.9	20.4	355.3	56238	☑	
726	REFLEX	8/29/2015	-56.1	337	20.4	357.4	56166	☑	
777	REFLEX	9/1/2015	-55.8	338.3	20.4	358.7	56271	☑	

Hole: SU-661

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**3.00**	**OVB** **overburden**	**lg-vfg**									
0 - 3: likely a couple of different clasts that were drilled through before they hit true bedrock. Mostly air though since 0 is at the drill and the drill is set above the ground. Grain size is arbitrary, just filled it out since it was required.												
<<Min: 0 - 506: Nothing Recorded>>												
<<Vein: 0 - 24.5: <1.0 quartz-calcite>>												
3.00	**13.60**	**V12** **intermediate fragmental volcanics**	**V-csh**	3.00	4.50	1.50	S008351	0.002	0.25	17	7	64
3 - 13.6: From 3m to 102m appears to be part of a large? Pyroclastic event, with a crystal rich (saying crystals because they are broken and they are volcaniclastically derived) flow at the base with elongate wispy vesicles filled with silica and hematite afterwards. On top of the flow is a mixture of crystal lithic tuffs and reworked, brecciated crystals tuffs (all the same composition) with a very fine grained iron rich vesicular matrix. And at the top of the hole is a crystal lithic tuff. It's dominantly hematite altered (deposited sub-areally), with mottled chlorite and clay alteration, and all with a silica over print.											
crystal rich fine ash to lapilli sized clasts in matrix anltered to dark red by hematite, with lapilli to bomb sized sub rounded to subangular (reworked?) clasts. Clasts all appear to be the same crystal rich tuff that follows current interval. Possibly an autobreccia or a pseudo breccia (alteration)? Feldspar crystals are broken, 2-4mm in size, and crowded. There is a possibility that the clasts (if they are clasts) may be P1, but the state of the crystals and the similarity to a crystal tuff is too apparent.												
<<Alt: 3 - 13.6: moderate hematite / moderate to strong silica (pervasive silicification) / moderate clay / weak to moderate sericite / weak chlorite>> possibly clay alteration? Replacing groundmass in clasts with sericite replacing feldspar crystals. Silica overprint of everything. Chlorite replacing remnant mafics that were likely in tuff as well? Hematite matrix				4.50	6.00	1.50	S008352	0.002	0.25	5	11	56
				6.00	7.50	1.50	S008353	0.002	0.25	4	10	79
				7.50	9.00	1.50	S008354	0.002	0.25	1	11	80
				9.00	10.50	1.50	S008355	0.002	0.25	0.5	11	58
				10.50	12.00	1.50	S008356	0.002	0.25	1	14	47
				12.00	13.50	1.50	S008357	0.002	0.25	8	14	56
				13.50	15.00	1.50	S008358	0.002	0.25	18	8	79

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
13.60	**27.20**	**V12 intermediate fragmental volcanics V-lp** 13.6 - 27.2: Crystal rich (dominantly plag 2-4mm) with fine and coarse ash with sparse lapilli sized calsts. Clasts are sub rounded to subangular and are very fine grained deep red to dark grey and roughly 2-3% abundance. Hematite mottled and running through matrix sometimes in vein like structures, sometimes in pseudo stringers and also overprinted by clay? Causing another small interval of a pseudo breccia	15.00	16.50	1.50	S008359	0.002	0.25	18	14	75
		<<Alt: 13.6 - 27.2: moderate hematite / moderate clay / moderate to strong silica (pervasive silicification) / weak to moderate sericite / weak to moderate chlorite>> hematite mottled in matrix: varying intensities. Clay along broken fracture planes and before silica alteration causing a pseudo breccia from 17.1m to 18m. Chlorite sericite hematite alteration in matrix and clay sericite in feldspar xtals. Hematite it clasts as well. All with a silica overprint and clay with oxides along fracture planes. Silica flooding around chert/jasper vein networks.	16.50	18.00	1.50	S008361	0.002	0.25	17	12	71
		<<Alt: 21 - 58.54: moderate chlorite / weak to moderate hematite / weak to moderate hematite / moderate silica (pervasive silicification) / moderate >> chlorite is pervasive in some areas and affecting matrix in others, but is primary alteration in interval	18.00	19.50	1.50	S008362	0.002	0.25	17	13	73
		<<Vein: 24.5 - 96: 1.0-5.0 quartz>> dominated by sporatic microcrystaline silica vein networks (jasper and pearly white microcrystaline silica - chert), and also in larger veins with silica. Staright edged quartz rich veins (minor calcite) vein 1a's also present	19.50	21.00	1.50	S008363	0.002	0.25	17	12	69
		<<Struc: 18 - 23: weakly developed fault zone 55 deg. >> broken rock with clay and iron oxides along fracture planes	21.00	22.50	1.50	S008364	0.002	0.25	17	13	72
			22.50	24.00	1.50	S008365	0.002	0.25	12	11	70
			24.00	25.50	1.50	S008366	0.002	0.25	13	13	60
			25.50	27.00	1.50	S008367	0.002	0.25	18	14	72
			27.00	28.50	1.50	S008368	0.002	0.25	9	11	69

Hole: SU-661

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
27.20	**48.94**	**V12 intermediate fragmental volcanics**	**V-fsh**	28.50	30.00	1.50	S008369	0.002	0.25	12	13	84
27.2 - 48.94: Interval starts out in a fine ash and crystal rich flow, with flow banding. Not logged as a P1 since it's very evident that feldspars are broken indicating that this was a high energy deposition event. As flow banding (shown by hematite alteration flowing thorugh core) becomes weaker dark and light colored fine grained subrounded lapilli sized lithics are present. After flow banding stops, the hole moves into a more brecciated texture, but the brecciation in sporadic, clasts are sunrounded, bomb sized, and appear to have a crystal tuff composition (feldspars are too broken to be a plain intermediate flow). Hematite dominateds the matrix between clasts. Autobreccia? At around 40.5m to the end of the interval, there are varying amounts of subrounded to subangular lapilli sized clasts amongst the crystal tuff. Clasts are fine grained dark green, and dark red,and crystal rich tuffs, all assumed to be intermediate. Were these cooled quickly and then replaced by chlorite and hematite alteration? Ultimately a reworked crystal rich lapilli tuff											
<<Alt: 27.2 - 32: moderate clay / moderate hematite / weak to moderate chlorite / >> fault zone with clay gouge.				30.00	31.50	1.50	S008371	0.002	0.25	17	12	77
<<Alt: 32 - 48.94: moderate hematite / moderate chlorite / moderate to strong silica (pervasive silicification) / moderate / weak to moderate hematite>> chlorite and hematite mottled in the matrix, where hematite isn't, chlorite is present, which one is first? Not sure. Also a cream collored alteration mineral associated with silica that is bleaching the rock, altering the matrix and the phenocrysts. Thought it was clay at first with a slica over print, but the silica is either associated with the mineral of the mineral itself is quite hard (not effervescent)				31.50	33.00	1.50	S008372	0.002	0.25	20	12	77
<<Struc: 28.3 - 31.2: moderately developed fault zone 5 deg. >>				33.00	34.50	1.50	S008373	0.002	0.25	27	18	80
<<Struc: 48.7 - 55.45: weakly developed fault zone 10 deg. >>				34.50	36.00	1.50	S008374	0.002	0.25	32	11	78
				36.00	37.50	1.50	S008375	0.002	0.25	20	11	82
				37.50	39.00	1.50	S008376	0.002	0.25	24	16	125
				39.00	40.50	1.50	S008377	0.002	0.25	2	16	71
				40.50	42.00	1.50	S008378	0.002	0.25	1	10	77
				42.00	43.50	1.50	S008379	0.002	0.25	3	17	78
				43.50	45.00	1.50	S008381	0.002	0.25	6	6	110
				45.00	46.50	1.50	S008382	0.002	0.25	2	14	89
				46.50	48.94	2.44	S008383	0.002	0.25	5	16	85

Hole: SU-661

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
48.94	**58.54**	**V12 intermediate fragmental volcanics**	**lg-cg**									
48.94 - 58.54: crystal lithic tuff, which is part of the same event as the previous interval, but is more lithic rich. Lithics in interval are fine grained red and dark green, and the crystal tuff clasts as in previous interval, with the addition of cream colore porphyritic? Crystal tuff? Clasts as well. Interval is dominantly green with an increase of hematite in matrix, and with the presence of chlorite in matrix as well, it gives the rock a very Christmas appearance (red white and green). Light colored clasts likely altered possibly before deposition and appear either porphyritic or crystal rich (quartz eyes?), possibly v12 altered? Hard to break out clasts in clast type and abundance because it's assumed that they are all v12.											
				48.94	50.50	1.56	S008384	0.002	0.5	61	13	193
				50.50	52.00	1.50	S008385	0.002	0.25	10	9	208
				52.00	53.50	1.50	S008386	0.002	0.25	17	9	192
				53.50	55.00	1.50	S008387	0.002	0.25	25	10	84
				55.00	56.50	1.50	S008388	0.002	0.25	3	17	53
				56.50	58.54	2.04	S008389	0.002	0.25	1	14	78
				58.54	60.00	1.46	S008391	0.002	0.25	0.5	14	71
58.54	**65.45**	**V12 intermediate fragmental volcanics**	**lg-fg**	60.00	61.50	1.50	S008392	0.002	0.25	0.5	17	64
58.54 - 65.45: brecciated crystal tuff. It appears that iron rich fluids may have come in after deposition? But rock may have already been brecciated (as unit is considered part of a pyroclastic flow) before iron rich fluids came in. breccia matrix is deep red, fine grained and vesicular, with larger vesicles filled with silica. Clasts are sub angular, lapilli to bomb sized.												
<<Alt: 58.54 - 86.26: moderate to strong hematite / weak to moderate sericite / moderate to strong silica (pervasive silicification) / weak to moderate / weak to moderate hematite>> hem altering matrix and is pervasive in some smaller intervals. Sericite vein related? and overprinting. Pale yellow alteraiton mineral (albite?) is mottled in the matrix, is this mineral possibly microcrystaline qtz? Opal? Albite?				61.50	63.00	1.50	S008393	0.002	0.25	0.5	21	66
				63.00	64.50	1.50	S008394	0.002	0.25	0.5	8	64
				64.50	66.00	1.50	S008395	0.002	0.25	0.5	9	73

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
65.45	**86.26**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

65.45 - 86.26: Crystal rich tuff, with dominantly broken plag crystals that range from 1-4mm (hence the lapilli sized clast size), but lithics are rare and interval is fairly massive until about 80m. After that, alteration masks some clasts present and are same lithology as the rest of the rock

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
66.00	67.50	1.50	S008396	0.002	0.25	0.5	9	76
67.50	69.00	1.50	S008397	0.002	0.25	0.5	13	75
69.00	70.50	1.50	S008398	0.002	0.25	2	11	66
70.50	72.00	1.50	S008399	0.002	0.25	0.5	10	60
72.00	73.50	1.50	S008401	0.002	0.25	0.5	10	59
73.50	75.00	1.50	S008402	0.002	0.25	0.5	7	70
75.00	76.50	1.50	S008403	0.002	0.25	0.5	9	61
76.50	78.00	1.50	S008404	0.002	0.25	0.5	7	68
78.00	79.50	1.50	S008405	0.002	0.25	0.5	15	59
79.50	81.00	1.50	S008406	0.002	0.25	0.5	10	84
81.00	82.50	1.50	S008407	0.002	0.25	36	11	59
82.50	84.00	1.50	S008408	0.002	0.25	1	14	43
84.00	85.50	1.50	S008409	0.002	0.25	0.5	11	38
85.50	86.26	0.76	S008411	0.002	0.25	0.5	14	39
86.26	87.50	1.24	S008412	0.002	0.25	5	23	64

Hole: SU-661

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
86.26	**216.07**	**V4**	**Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic**	**lg-fg**	87.50	89.00	1.50	S008413	0.002	0.25	7	24	48
86.26 - 216.07: Interval starts out brecciated (autobreccia) and with flow banding, with the same very fine grained iron rich matrix (almost chert like (jasper)), although this time not vesicluar and contains abundant lapilli sized angular clasts of the crystal rich flow, and quickly grades into flow banded latite. Porphyritic flow banded latite flow This interval was not called a P1 because it doesn't fit the typical characteristic of the rock even though it has felsdpar (kspar and plag?) and hornblende phenos? crystals in the flow appear to be broken but the big wig geos (sillitoe) seem to think that they aren't are very broken and are seem to follow flow banding. Also, the thin wispy structures in the rock (now hematite and silica) are likely remnant gas bubbles, stretched from the force of the flow.												
<<Alt: 86.26 - 117.5: moderate hematite / moderate to strong silica (pervasive silicification) / moderate / weak to moderate / moderate silica (pervasive silicification)>> hematite following flow banding and possibly filling the elongate wispy thin amygdules with silica (some also rimmed with the harder (5.5) pale yellow alteration mineral (albite?). Pervasive silica with open space filing. Albite? mottled in groundmass and also following flow banding and replacing feldspar crystals and rimming amygdules					89.00	90.50	1.50	S008414	0.002	0.25	6	11	54
<<Alt: 117.5 - 136.25: moderate hematite / weak to moderate clay / moderate silica (pervasive silicification) / weak to moderate / moderate >> clay coming in along fracture planes from fault zone. Albite?l replacing feldspars, rimming veins and bleaching core around veins and along flow banding. Hematite also replacing mafic crystals (remnant hornblende?). Sericite also in ocassional amydgules. Hematite and microcrystaline quartz (jasper) in vein and veinlet like structures going with flow banding and also crosscutting flow banding. In areas not affecting by fault zone sericite and silica? Lightening matrix causing more contrast with the hematite. Silica increases at end of interval as you're moving out of fault zone and qtz veining picks up					90.50	92.00	1.50	S008415	0.002	0.25	7	13	55
<<Alt: 136.25 - 138.25: strong silica (pervasive silicification) / moderate hematite / moderate / moderate sericite>> network of qtz veining likely causing silica flooding in core overprinting hematite and [dominantly] albite?. Sericite on marigins of silica alteration					92.00	93.50	1.50	S008416	0.002	0.25	5	9	57
<<Alt: 138.25 - 153.2: moderate hematite / moderate / weak to moderate hematite / moderate locally weakly silicified / moderate silica (pervasive silicification)>> possibly sil ser lightening core following flow banding either before hematite alteration or after, but may be another form of the pale yellow alteration mineral (which is replacing feldspars). Calcite in amygdules with hematite/jasper (which is still coming in through veinlet like structures crosscutting flow banding. Minor (2) epidote seen in feldspars where core is lighter (ser-sil).					93.50	95.00	1.50	S008417	0.002	0.25	6	23	45
<<Alt: 153.2 - 162.25: moderate to strong locally weakly silicified / moderate hematite / moderate / weak calcite / weak epidote>> same light greenish alteration which seems to be overprinting the hematite alteration, which is a little softer than the pale yellow alteration mineral (albite?) in feldspars. Hematite still following flow banding and in little vein like structures					95.00	96.50	1.50	S008418	0.002	0.25	2	15	54

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 162.25 - 214.4: moderate to strong hematite / moderate silica (pervasive silicification) / moderate / weak locally weakly silicified / strong silica (pervasive silicification)>> ailbite? still present along some vein margins and where core has been bleached out. Sericite present in matrix where core is bleached. Around vein networks there is intense silica flooding and it appears that there could be some kspar alteration close to veining but it may just be hematite stained albite? Bleached after hematite flooding. Strong hematite still in veinlet like bands following flow banding. Weak hematite staining feldspars (giving them the appearance of k-spar)	96.50	98.00	1.50	S008419	0.002	0.25	3	12	49
		<<Alt: 214.4 - 217.06: moderate to strong silica (pervasive silicification) / weak to moderate hematite / weak to moderate chlorite / weak to moderate hematite / moderate to strong >> chlorite and hematite banded following flow banding with an albite? Silica overprint. Also either manganese oxide? radiating dendritically off of an oxidized fracture plane just before the end of the interval.	98.00	99.50	1.50	S008421	0.002	0.25	7	14	52
		<<Vein: 96 - 180: 1.0-5.0 quartz>> a few qtz and sericite veins that may be the same generation as the qtz rich vein 1a's. Approx 2-3 1m long intervals with qtz vein networks and intense silica flooding that is similar to veining found in H8. Sericite qtz looks to also be filling possible fractures and/or amygdules, lined with albite? At 138.5 amygdules and possible fracture filling (which can absolutely be classified as veining) are being filled with qtz-cal instead of sericite.	99.50	101.00	1.50	S008422	0.002	0.25	4	8	57
		<<Vein: 180 - 216.07: 1.0-5.0 quartz>> veins aren't very consistent in this interval with several different types of veins, but only one or two of each type.	101.00	102.50	1.50	S008423	0.002	0.25	11	15	38
		<<Struc: 114.45 - 128: weakly developed fault zone 30 deg. >> angle tca is a fracture within fault zone along flow baning	102.50	104.00	1.50	S008424	0.002	0.25	4	7	59
		<<Struc: 132.4 - 136.97: sporadic fault zone 10 deg. >> angle tca taken of a small clay seam	104.00	105.50	1.50	S008425	0.002	0.25	2	6	51
			105.50	107.00	1.50	S008426	0.002	0.25	2	3	55
			107.00	108.50	1.50	S008427	0.002	0.25	1	1	58
			108.50	110.00	1.50	S008428	0.002	0.25	5	9	53
			110.00	111.50	1.50	S008429	0.002	0.25	8	14	52
			111.50	113.00	1.50	S008431	0.002	0.25	9	4	63
			113.00	114.50	1.50	S008432	0.002	0.25	9	7	56
			114.50	116.00	1.50	S008433	0.002	0.25	9	8	62
			116.00	117.50	1.50	S008434	0.002	0.25	2	7	53
			117.50	119.00	1.50	S008435	0.002	0.25	3	11	44
			119.00	120.50	1.50	S008436	0.002	0.25	4	6	52
			120.50	122.00	1.50	S008437	0.002	0.25	3	7	49
			122.00	123.50	1.50	S008438	0.002	0.25	2	9	52
			123.50	125.00	1.50	S008439	0.002	0.25	1	6	50
			125.00	126.50	1.50	S008441	0.002	0.25	4	9	54

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			126.50	128.00	1.50	S008442	0.002	0.25	5	10	55
			128.00	129.50	1.50	S008443	0.002	0.25	2	7	59
			129.50	131.00	1.50	S008444	0.002	0.25	7	8	53
			131.00	132.50	1.50	S008445	0.002	0.25	6	3	67
			132.50	134.00	1.50	S008446	0.002	0.25	2	6	55
			134.00	135.50	1.50	S008447	0.002	0.25	5	9	45
			135.50	137.00	1.50	S008448	0.002	0.25	18	14	42
			137.00	138.50	1.50	S008449	0.002	0.25	13	16	41
			138.50	140.00	1.50	S008451	0.002	0.25	3	10	59
			140.00	141.50	1.50	S008452	0.002	0.25	13	15	69
			141.50	143.00	1.50	S008453	0.002	0.25	2	11	61
			143.00	144.50	1.50	S008454	0.002	0.25	2	13	63
			144.50	146.00	1.50	S008455	0.002	0.25	2	10	60
			146.00	147.50	1.50	S008456	0.002	0.25	1	8	61
			147.50	149.00	1.50	S008457	0.002	0.25	1	10	57
			149.00	150.50	1.50	S008458	0.002	0.25	2	10	53
			150.50	152.00	1.50	S008459	0.002	0.25	4	14	58
			152.00	153.50	1.50	S008461	0.002	0.25	4	12	71
			153.50	155.00	1.50	S008462	0.002	0.25	43	10	79
			155.00	156.50	1.50	S008463	0.002	0.6	43	9	79
			156.50	158.00	1.50	S008464	0.002	0.25	35	13	83
			158.00	159.50	1.50	S008465	0.002	0.25	30	11	70
			159.50	161.00	1.50	S008466	0.002	0.25	11	12	74
			161.00	162.50	1.50	S008467	0.002	0.6	33	11	70
			162.50	164.00	1.50	S008468	0.002	0.9	92	13	64
			164.00	165.50	1.50	S008469	0.002	0.25	0.5	17	59
			165.50	167.00	1.50	S008471	0.002	0.25	0.5	12	66
			167.00	168.50	1.50	S008472	0.002	0.25	0.5	14	64
			168.50	170.00	1.50	S008473	0.002	0.25	1	10	56

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			170.00	171.50	1.50	S008474	0.002	0.25	0.5	9	68
			171.50	173.00	1.50	S008475	0.002	0.25	1	7	62
			173.00	174.50	1.50	S008476	0.002	0.25	2	11	65
			174.50	176.00	1.50	S008477	0.002	0.25	3	11	64
			176.00	177.50	1.50	S008478	0.002	0.25	3	12	57
			177.50	179.00	1.50	S008479	0.002	0.25	7	8	49
			179.00	180.50	1.50	S008481	0.002	0.25	2	12	48
			180.50	182.00	1.50	S008482	0.002	0.25	1	8	61
			182.00	183.50	1.50	S008483	0.002	0.25	1	11	58
			183.50	185.00	1.50	S008484	0.002	0.25	5	11	61
			185.00	186.50	1.50	S008485	0.002	0.25	6	10	61
			186.50	188.00	1.50	S008486	0.002	0.25	6	15	56
			188.00	189.50	1.50	S008487	0.002	0.25	2	9	70
			189.50	191.00	1.50	S008488	0.002	0.25	1	12	61
			191.00	192.50	1.50	S008489	0.002	0.25	2	9	62
			192.50	194.00	1.50	S008491	0.002	0.25	2	16	66
			194.00	195.50	1.50	S008492	0.002	0.25	2	16	73
			195.50	197.00	1.50	S008493	0.002	0.25	5	11	63
			197.00	198.50	1.50	S008494	0.002	0.25	2	13	61
			198.50	200.00	1.50	S008495	0.002	0.25	3	10	62
			200.00	201.50	1.50	S008496	0.002	0.25	7	18	67
			201.50	203.00	1.50	S008497	0.002	0.25	4	8	52
			203.00	204.50	1.50	S008498	0.002	0.25	6	6	70
			204.50	206.00	1.50	S008499	0.002	0.25	27	8	67
			206.00	207.50	1.50	S008501	0.002	0.25	13	14	71
			207.50	209.00	1.50	S008502	0.002	0.25	4	11	70
			209.00	210.50	1.50	S008503	0.002	0.25	8	11	68
			210.50	212.00	1.50	S008504	0.002	0.25	3	9	63
			212.00	213.50	1.50	S008505	0.002	0.25	3	5	60

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
216.07	**253.50**	**V4**	**Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic**	**lg-vfg**

216.07 - 253.5: Breccia at base of flow deposit, almost autoclast with pieces almost fitting together. Angular to subangular clasts of porphyritic clasts (monomictic). Pebble to cobble sized. Clast supported with a very fine grained deep red iron rich matrix. Is matrix ash? Or igneous in origin? Unit that follow is an interval of the fine grained matrix.

<<Alt: 217.06 - 233.2: moderate sericite / moderate to strong silica (pervasive silicification) / moderate to strong / moderate hematite / weak to moderate sericite>> mottled silica albite? Alteration overprinting chlorite-sericite alteration and hematite alteration. Sericite replacing feldspars when hematite alteration is dominant.

<<Alt: 233.2 - 253.5: moderate to strong hematite / moderate sericite / weak to moderate chlorite>> intervals where hematite flooding in very intense and otheres where it's primarily in the matrix (how much is primary?)

<<Vein: 216.07 - 256.6: 1.0-5.0 quartz-calcite>> fairly straight edges qz-rich vein 3's with dark brown calcite, followed by qz rich straight edges veins with chlorite banding with several sheeted veinlets nearby indicating vein4's.

<<Struc: 224.43 - 225: weakly developed fault gouge 25 deg. >> intact gouge and broken rock.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
213.50	215.00	1.50	S008506	0.002	0.25	16	15	81
215.00	216.07	1.07	S008507	0.002	0.25	39	22	49
216.07	217.50	1.43	S008508	0.002	0.25	5	15	61
217.50	219.00	1.50	S008509	0.002	0.25	0.5	10	60
219.00	220.50	1.50	S008511	0.002	0.25	0.5	10	63
220.50	222.00	1.50	S008512	0.002	0.25	2	14	66
222.00	223.50	1.50	S008513	0.002	0.5	67	14	91
223.50	225.00	1.50	S008514	0.002	0.25	47	15	59
225.00	226.50	1.50	S008515R	0.002	0.25	2	21	71
226.50	228.00	1.50	S008516R	0.002	0.25	1	12	97
228.00	229.50	1.50	S008517R	0.002	0.25	15	15	86
229.50	231.00	1.50	S008518R	0.002	0.25	0.5	14	57
231.00	232.50	1.50	S008519R	0.002	0.25	22	16	65
232.50	234.00	1.50	S008521R	0.002	0.25	1	15	88
234.00	235.50	1.50	S008522R	0.002	0.25	4	10	119
235.50	237.00	1.50	S008523R	0.002	0.25	1	15	93
237.00	238.50	1.50	S008524R	0.002	0.25	2	15	89
238.50	240.00	1.50	S008525R	0.002	0.25	3	17	92
240.00	241.50	1.50	S008526	0.002	0.25	49	9	80
241.50	243.00	1.50	S008527	0.002	0.25	13	15	166
243.00	244.50	1.50	S008528	0.002	0.25	11	13	109

Hole: SU-661

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
					244.50	246.00	1.50	S008529	0.002	0.25	10	12	82
					246.00	247.50	1.50	S008531	0.002	0.25	6	13	84
					247.50	249.00	1.50	S008532	0.002	0.25	6	13	90
					249.00	250.50	1.50	S008533	0.002	0.25	6	11	70
					250.50	252.00	1.50	S008534	0.002	0.25	39	9	91
					252.00	253.50	1.50	S008535	0.002	0.25	23	8	100
253.50	**256.50**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**lg-fg**	253.50	255.00	1.50	S008536	0.002	0.25	45	10	92
253.5 - 256.5: massiv fine grained deep red unit. Fine grained with 1mm crystal, possibly feldspars and hornblende? Cooled very quickly, possibly shallow sub-aqeous environment.													
<<Alt: 253.5 - 256.5: moderate to strong hematite / weak to moderate sericite / weak to moderate sericite / trace chlorite>>					255.00	256.50	1.50	S008537	0.002	0.25	28	10	90
256.50	**310.10**	**V12**	**intermediate fragmental volcanics**	**V-csh**	256.50	258.00	1.50	S008538	0.002	0.25	25	11	137
256.5 - 310.1: porphyritic intermediate clasts, about half are altered (albite?) and are a lighter yellow/green color (7-8%, as well as deep red fine grained clasts (1-2%). Deep red fine grained clasts likely same composition as the fine grained v4 in the previous interval.													
<<Alt: 256.5 - 264.5: weak to moderate sericite / weak hematite / weak / weak clay>> some minor hematite staining still present but dominant alteraiton is weak sericite after chlorite. Small clay seam on margin of vein in interval. Albite? In clasts at 261m.					258.00	259.50	1.50	S008539	0.005	0.25	4	14	96
<<Alt: 264.5 - 310.1: weak to moderate sericite / trace hematite / weak / weak / weak sericite>> albite? In porphyritic v4 clasts and bleaching a small interval from around 269.25 to 269.5 with a vein on the margin of the alteration and alteration is causing a weak vuggy texture in the rock. Hematite in some clasts but likely primary instead of alteration of clasts after deposition. Sericite and albite? replacing crystals (albite in kspar crystals? Sericite in plag crystals?)					259.50	261.00	1.50	S008541	0.002	0.25	1	20	80
<<Vein: 256.6 - 289.5: 1.0-5.0 quartz-calcite-pink calcite>> veins in interval appear to be fracture controlled and multiphase open sapce filling with qtz first and calicte later through the center. Veinlets pinch off and restart (deformation)					261.00	262.50	1.50	S008542	0.002	0.25	2	13	88

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 289.5 - 307.5: 1.0-5.0 quartz-calcite>> several pink calcite after quartz veins that are running close to core axis, have wall rock clasts within vein and are vuggy. There are several spots were quartz prisms have grown in from the vein margin and then bladed pink calcite has grown on top. On the outside of the core, the bladed calcite gives that very typical texture that you see in vein3's. At end of interval there is a larger straight edged vein 3 going a differnet direction and contains more brown calcite than pink, is also weakly vuggy. At beginning of interval there is a small interval of deformed calcite rich vuggy disarticulated veinlets, which are assumed to be the same generation as the vein 3's in interval because of their composition and texture.	262.50	264.00	1.50	S008543	0.002	0.25	3	8	84
		<<Vein: 307.5 - 330: 1.0-5.0 quartz-calcite-chlorite>> larger veins have a similar vuggy texture to the vein 3's that have been logged, but have shear textures (banded chlorite and movement along margins with minor gouge). Undeformed sheeted disarticulated veinlets near by are also evidence of vein 4 generation	264.00	265.50	1.50	S008544	0.002	0.25	6	9	87
			265.50	267.00	1.50	S008545	0.002	0.25	22	8	85
			267.00	268.50	1.50	S008546	0.002	0.25	7	5	89
			268.50	270.00	1.50	S008547	0.002	0.25	7	15	84
			270.00	271.50	1.50	S008548	0.002	0.25	2	9	75
			271.50	273.00	1.50	S008549	0.002	0.25	5	9	66
			273.00	274.50	1.50	S008551	0.002	0.25	12	9	80
			274.50	276.00	1.50	S008552	0.002	0.25	22	8	78
			276.00	277.50	1.50	S008553	0.002	0.25	10	7	69
			277.50	279.00	1.50	S008554	0.002	0.25	18	9	62
			279.00	280.50	1.50	S008555	0.002	0.25	8	9	77
			280.50	282.00	1.50	S008556	0.002	0.25	10	8	84
			282.00	283.50	1.50	S008557	0.002	0.25	6	6	78
			283.50	285.00	1.50	S008558	0.002	0.25	7	5	120
			285.00	286.50	1.50	S008559	0.002	0.25	6	6	98
			286.50	288.00	1.50	S008561	0.002	0.25	1	7	57
			288.00	289.50	1.50	S008562	0.002	0.25	0.5	9	48
			289.50	291.00	1.50	S008563	0.002	0.25	1	16	63
			291.00	292.50	1.50	S008564	0.002	0.25	10	12	124
			292.50	294.00	1.50	S008565	0.002	0.25	10	10	86
			294.00	295.50	1.50	S008566	0.002	0.25	6	10	79
			295.50	297.00	1.50	S008567	0.002	0.25	4	8	56
			297.00	298.50	1.50	S008568	0.002	0.25	32	5	78

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
310.10	**331.56**	**V4**	**Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic**	**lg-fg**

310.1 - 331.56: Fine grained matrix with dominantly porphyritic (3-4mm plag phenos) lapilli to bomb sized clasts, sub angular. Occasional fine grained light clasts (possible vein fragments). From 315.8m to 319.2m is an interval that's dominated by fine grained red (iron rich) lapilli sized clasts. Varying ratios of clast/matrix and matrix also varies from fine grained red to crystal rich with coarse ash? (looks like a crystal lithic tuff. Is entire interval a pyroclastic flow into a shallow subaqueous environment, where fine grained iron rich sediment? was present prior to deposition.

<<Alt: 310.1 - 331.56: moderate hematite / weak sericite / weak / weak chlorite>> albite? Replacing small 1mm crystals? Appears to be disseminated it's so fine grained. Very weak sericite in feldspar crystals. Hematite flooding and intensely altering the fine grained matrix (sediment)

<<Vein: 330 - 355.2: 1.0-5.0 quartz-calcite-chlorite>> quartz calcite veins with chlorite along the margins, are cuspate lobate at the beginning of the interval, a network in the middle and then back to cuspate lobate. High amount of calcite and have the same composition as larger veins in following interval, which are clear vein 3's with pink calcite.

<<Struc: 329.67 - 329.76: strongly developed fault gouge 65 deg. >> small interval of very clean, very fine grained gouge in an area with abundant shear veining

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
298.50	300.00	1.50	S008569	0.002	0.25	39	10	91
300.00	301.50	1.50	S008571	0.002	0.25	1	15	72
301.50	303.00	1.50	S008572	0.006	0.25	1	9	79
303.00	304.50	1.50	S008573	0.002	0.25	4	7	93
304.50	306.00	1.50	S008574	0.002	0.25	3	10	96
306.00	307.50	1.50	S008575	0.002	0.25	4	10	99
307.50	309.00	1.50	S008576	0.002	0.25	15	12	86
309.00	310.10	1.10	S008577	0.002	0.25	19	9	102
310.10	311.50	1.40	S008578	0.002	0.25	2	11	69
311.50	313.00	1.50	S008579	0.002	0.25	2	7	89
313.00	314.50	1.50	S008581	0.002	0.25	1	9	82
314.50	316.00	1.50	S008582	0.002	0.25	1	8	114
316.00	317.50	1.50	S008583	0.002	0.25	2	15	89
317.50	319.00	1.50	S008584	0.002	0.25	3	14	88
319.00	320.50	1.50	S008585	0.002	0.25	2	11	91
320.50	322.00	1.50	S008586	0.002	0.25	2	12	77
322.00	323.50	1.50	S008587	0.002	0.25	2	11	90
323.50	325.00	1.50	S008588	0.002	0.25	2	10	110
325.00	326.50	1.50	S008589	0.002	0.25	2	9	85

Hole: SU-661

From (m)	To (m)	Rock Type & Description
331.56	**359.70**	**S3-Poly** **Polylithic conglomerate - contains 2 or more types of clasts: V12, S4-V, S4-G, S5-V, S5-A, P1, P2, H8 etc.** **V-lp**

331.56 - 359.7: fine grained light and dark red lapilli sized clasts as well as weakly altered and strongly altered (green and light) porphyritic clasts in a crystal rich coarse as matrix

<<Alt: 331.56 - 359.7: weak to moderate chlorite / weak hematite / weak silica (pervasive silicification) / weak clay / weak to moderate chlorite>> weak hematite overprint giving a purple color. Chlorite in porphyritic (crystal rich) clasts, silica and/or sericite in other finer grained uniform clasts. Alteration is generally weak in interval overall. Clay in a small fault zone from 334-334.6m

<<Vein: 355.2 - 402.5: 1.0-5.0 quartz-calcite-pink calcite>> qtz-cal-pcc-chl-hem in multiphase banded eopithermal veins, possibly related to the colloform banded veins in SU-655. There are 2 sheared, banded veins, with clay on the margins that have the same composition as the other vein 3's in the interval, but are shear or sheared veins, and are on either end of the fine grained deep red unit logged ase a silt/mudstone. Because they have the same composition as the rest of the veins in the interval, they are logged as vein 3's

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
326.50	328.00	1.50	S008591	0.002	0.25	4	6	75
328.00	329.50	1.50	S008592	0.002	0.25	2	13	71
329.50	331.56	2.06	S008593	0.002	0.25	1	8	87
331.56	333.00	1.44	S008594	0.002	0.25	1	11	61
333.00	334.50	1.50	S008595	0.002	0.25	4	8	95
334.50	336.00	1.50	S008596	0.002	0.25	32	6	97
336.00	337.50	1.50	S008597	0.002	0.25	6	7	90
337.50	339.00	1.50	S008598	0.002	0.25	16	9	100
339.00	340.50	1.50	S008599	0.002	0.25	4	7	92
340.50	342.00	1.50	S008601	0.002	0.25	1	6	88
342.00	343.50	1.50	S008602	0.002	0.25	0.5	11	89
343.50	345.00	1.50	S008603	0.002	0.25	2	3	81
345.00	346.50	1.50	S008604	0.002	0.25	4	7	79
346.50	348.00	1.50	S008605	0.002	0.25	7	7	81
348.00	349.50	1.50	S008606	0.002	0.25	8	7	80
349.50	351.00	1.50	S008607	0.002	0.25	10	8	79

Hole: SU-661

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
				351.00	352.50	1.50	S008608	0.002	0.25	14	8	86
				352.50	354.00	1.50	S008609	0.002	0.25	18	5	84
				354.00	355.50	1.50	S008611	0.002	0.25	9	11	85
				355.50	357.00	1.50	S008612	0.002	0.25	7	7	88
				357.00	358.50	1.50	S008613	0.002	0.25	3	8	78
				358.50	359.70	1.20	S008614	0.002	0.25	3	6	76
				359.70	361.00	1.30	S008615	0.002	0.25	15	17	64
359.70	**362.25**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions** **lg-fg**	361.00	362.25	1.25	S008616	0.002	0.5	30	14	84
359.7 - 362.25: deep red siltone? Banded shear veins along margins. It has been discussed that this is a mud/siltstone, but appears to be the same deep red fine grained composition as some of the vein structures in the following interval.												
<<Alt: 359.7 - 362.2: moderate to strong hematite / weak to moderate chlorite / weak to moderate clay>> pervasive hematite in silt/mudstone. Banded chlorite in sheared veins and clay on margins of veins from shearing.												
<<Alt: 362.2 - 414: weak hematite / moderate chlorite / weak to moderate / trace hematite / trace chlorite>> slight marking of textures with sericite after chlorite and weak hematite giving the rock a dark blue/purple color. Minor silica in lighter clasts (remnant veins?). A couple of fractures bringing in hematite giving the appearance of hematite veining, which are crosscutt by veining												
362.25	**421.44**	**V12**	**intermediate fragmental volcanics** **V-lp**	362.25	363.50	1.25	S008617	0.002	0.25	18	9	100
362.25 - 421.44: Crystal lithic tuff with a 2-4mm crystal and coarse ash. Clasts are fine grained dark red, porphyritic (crystal rich?) intermediate volcanic, and what appear to be vein fragments (NR). Less clast rich than previous interval.												
<<Alt: 414 - 421.44: weak to moderate hematite / moderate chlorite / weak calcite / weak chlorite / weak sericite>> bladed ankerite? Or dolomite? Light green in color, possibly with clay or sericite in a qz-chl-cal vein 4 (Cal). Hematite after chlorite, but chlorite still evident in clasts. Sericite with chlorite in vein (light green streak instead of green streak)				363.50	365.00	1.50	S008618	0.002	0.25	7	12	116

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 402.5 - 423.18: 5.0-10.0 quartz-calcite-chlorite>> interval start out with several sets of sheeted veinlets, some surrounding vuggy quartz rich veins. Some of these are croscutting a lower angle, fracture filling qtz-cal-pcc-hem vein 3 and a fracture fill hematite vein like structure. Around 414m, some larger vein 4's appear that have large amounts of chlorite on margins, clumped within, and banded. One of the larger veins around 417.5m has come bladed light green calcite? with sericite banded with chlorite. Pink calcite in a clean vein 4c vein that me due to bleeding from the rion in the host rock? Pink calcite present in a (bull) quartz vein with straight, undeformed margins. At 422m it appears that a vein 3 with grey calcite used the lith break as a plane of weakness, and then a later shear vein used the same plane of weakness	365.00	366.50	1.50	S008619	0.002	0.25	4	6	102
		<<Struc: 421.35 - 421.6: moderately developed sheared 60 deg. >> shear vein	366.50	368.00	1.50	S008621	0.002	0.25	14	9	89
			368.00	369.50	1.50	S008622	0.002	0.25	4	10	72
			369.50	371.00	1.50	S008623	0.002	0.25	3	9	87
			371.00	372.50	1.50	S008624	0.002	0.25	3	10	88
			372.50	374.00	1.50	S008625	0.002	0.25	1	11	63
			374.00	375.50	1.50	S008626	0.002	0.25	2	10	68
			375.50	377.00	1.50	S008627	0.002	0.25	6	9	83
			377.00	378.50	1.50	S008628	0.002	0.25	5	9	85
			378.50	380.00	1.50	S008629	0.002	0.25	23	11	83
			380.00	381.50	1.50	S008631	0.002	0.25	39	10	83
			381.50	383.00	1.50	S008632	0.002	0.25	36	7	70
			383.00	384.50	1.50	S008633	0.002	0.25	17	10	87
			384.50	386.00	1.50	S008634	0.002	0.25	4	7	93
			386.00	387.50	1.50	S008635	0.002	0.25	9	9	92
			387.50	389.00	1.50	S008636	0.002	0.25	8	9	86
			389.00	390.50	1.50	S008637	0.002	0.25	12	9	69
			390.50	392.00	1.50	S008638	0.002	0.25	16	10	78
			392.00	393.50	1.50	S008639	0.002	0.25	28	6	83
			393.50	395.00	1.50	S008641	0.002	0.25	33	10	53
			395.00	396.50	1.50	S008642	0.002	0.25	19	4	80
			396.50	398.00	1.50	S008643	0.002	0.25	19	7	112
			398.00	399.50	1.50	S008644	0.002	0.25	16	7	121
			399.50	400.50	1.00	S008645	0.002	0.25	5	6	133

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
421.44	**423.18**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**S-slt**

421.44 - 423.18: deep red, volcanically derived siltsone. Fine ash? Deposited in a shallow sub-aqueous environment that still allows for oxidation

<<Alt: 421.44 - 423.18: moderate to strong hematite / weak to moderate chlorite>> deep red iron rich oxidized sediment with qz-cal-chlorite veins running thoruh, with little off shoot veinlets of chlorite

From (m)	To (m)		Rock Type & Description	
423.18	**445.40**	**V12**	**intermediate fragmental volcanics**	**V-lp**

423.18 - 445.4: Crystal lithic tuff with an intermediate matrix with 2-4mm feldspar crystals and sub rounded to sub angular intermediate (porphyritic or crystal rich) lapilli sized clasts. Some smaller, light, fine grained clasts present (1%) interpreted to be vein fragments (NR). End of interval is brecciated with a fine grained deep red matrix. Fine grained red to mauve vein like structures that may be lenses of volcanically derived, iron rich sediment

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
400.50	402.00	1.50	S008646	0.008	0.25	7	7	96
402.00	403.50	1.50	S008647	0.002	0.25	3	5	56
403.50	405.00	1.50	S008648	0.002	0.25	6	9	78
405.00	406.50	1.50	S008649	0.002	0.25	7	9	97
406.50	408.00	1.50	S008651	0.002	0.25	9	5	102
408.00	409.50	1.50	S008652	0.002	0.25	30	4	91
409.50	411.00	1.50	S008653	0.002	0.25	15	12	83
411.00	412.50	1.50	S008654	0.002	0.25	7	11	71
412.50	414.00	1.50	S008655	0.002	0.25	6	9	98
414.00	415.50	1.50	S008656	0.002	1	91	7	85
415.50	417.00	1.50	S008657	0.002	0.25	38	7	80
417.00	418.50	1.50	S008658	0.002	0.25	0.5	7	87
418.50	420.00	1.50	S008659	0.002	0.25	1	4	103
420.00	421.44	1.44	S008661	0.002	0.25	11	6	105
421.44	422.50	1.06	S008662	0.002	0.5	14	15	76
422.50	423.18	0.68	S008663	0.002	0.25	6	15	106

Hole: SU-661

From (m)	To (m)	Rock Type & Description
		<<Alt: 423.18 - 445.4: weak hematite / weak to moderate hematite / weak to moderate sericite>> weak hematite after sericite? Possibly fter chlorite as well. Hematite mottled as fracture fill? As deep red and mauve fine grained pooling around some clasts. Rock doesn't seem to altered as feldspars are still unaltered. Clasts in interval are blue/purple but scratch red from hematite.
		<<Vein: 423.18 - 454: 1.0-5.0 quartz-calcite-chlorite>>
445.40	**446.75**	**V12 intermediate fragmental volcanics S-slt**
		445.4 - 446.75: deep red matrix with sub rounded to subangular polylithic clasts on the smaller end of the lapilli spectrum (5-10mm). May possibly be the same rock as the above interval but with an increase of the smaller fine grained lighter lithic fragments that may be vein fragments, and strong hematite alteration in the matrix and bleeding into some of the lighter clasts. Beginning of interval is marked with a deep red fine grained matrix with subangular brecciated clasts of the crystal lithic tuff of the previous interval.
		<<Alt: 445.4 - 446.75: moderate to strong hematite / weak to moderate hematite / weak to moderate sericite / weak to moderate clay / weak to moderate chlorite>> hematite mostly altering matirx and bleeding into some clasts. Clay close to both margins from shear veins
		<<Struc: 445.6 - 445.85: moderately developed sheared 70 deg. >> chear vein

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
423.18	424.50	1.32	S008664	0.002	0.25	3	9	115
424.50	426.00	1.50	S008665	0.002	0.25	1	5	80
426.00	427.50	1.50	S008666	0.002	0.25	1	9	76
427.50	429.00	1.50	S008667	0.002	0.25	1	8	80
429.00	430.50	1.50	S008668	0.002	0.25	3	5	73
430.50	432.00	1.50	S008669	0.002	0.25	3	9	51
432.00	433.50	1.50	S008671	0.002	0.25	7	9	68
433.50	435.00	1.50	S008672	0.002	0.25	25	5	63
435.00	436.50	1.50	S008673	0.002	0.25	10	4	71
436.50	438.00	1.50	S008674	0.002	0.25	9	6	79
438.00	439.50	1.50	S008675	0.002	0.25	10	8	78
439.50	441.00	1.50	S008676	0.002	0.25	5	7	52
441.00	442.50	1.50	S008677	0.002	0.25	7	5	71
442.50	444.00	1.50	S008678	0.002	0.25	6	4	80
444.00	445.40	1.40	S008679	0.002	0.25	12	6	82

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			445.40	446.75	1.35	S008681	0.002	0.25	7	9	62
446.75	**451.63**	**V12 intermediate fragmental volcanics V-csh**	446.75	447.50	0.75	S008682	0.002	0.7	106	4	69
446.75 - 451.63: elongate wispy intermediate volcanic clasts (curviplanar of weak fiamme), likely deposited still hot with some flow movement after deposition, some with some remnant porphyritic textures but dominantly are fine grained and altered to chlorite. Unit is not altered by hematite, possibly indicating sub-aqueous depostion. Contains minor amounts of fine grained lighter clasts likely vein fragments (NR) or altered volcanics (some have possible remnant porphyritic textures, which is not seen in the surrounding red volcaniclastics, included in the V4 clasts).											
<<Alt: 446.75 - 451.63: weak to moderate sericite / moderate sericite / weak to moderate chlorite / weak to moderate chlorite / moderate sericite>> sericite after chlorite in clasts and around a silica vein in intercal.			447.50	449.00	1.50	S008683	0.002	1.1	120	3	64
			449.00	450.00	1.00	S008684	0.002	4.6	458	9	112
			450.00	451.63	1.63	S008685	0.002	0.9	121	7	133
			451.63	453.00	1.37	S008686	0.002	0.25	0.5	8	67
451.63	**513.40**	**V12 intermediate fragmental volcanics V-csh**	453.00	454.50	1.50	S008687	0.002	0.25	5	17	55
451.63 - 513.4: crystal rich coarse ash red to purple matrix, with dominantly sub angular intermediate volcanic clasts (porphyritic or crystal rich?), and lesser sub rounded vein fragments, sub angular fine grained volcanically derived sediment.											
<<Min: 506 - 507: <0.5% sphalerite / <0.5% galena>> one chlorite/sericite banded vein 1c with minor sp and ga hugging one of the chlorite/sericite bands			454.50	456.00	1.50	S008688	0.002	0.25	3	9	45
<<Min: 507 - 615.6: Nothing Recorded>>			456.00	457.50	1.50	S008689	0.002	0.25	5	4	88
<<Alt: 451.63 - 513.4: weak to moderate hematite / weak chlorite / weak to moderate sericite / weak hematite / weak to moderate sericite>> sericite after chlorite with sericite altered phenocrysts in clasts, with a moderate hematite overprint altering the matrix more than the clasts. Clay in gouge			457.50	459.00	1.50	S008691	0.002	0.25	7	4	63
<<Vein: 454 - 473.8: Nothing Recorded>> no veins in interval			459.00	460.50	1.50	S008692	0.002	0.25	1	2	92
<<Vein: 473.8 - 509.25: 1.0-5.0 quartz-calcite>> all veins in interval appear to have very similar composition but varying ratios of quartz/calcite and banding. It is possible that the pink calcite seen is being stained by the iron in the host rock. Banded veins may possibly stockworks of smaller veins as the bands appear to be wall rock and also have vuggy portions where the veins are more calcite rich. There is some shearing by the banded veins, but it's likely that the shearing used the veins pathways as planes of weakness.			460.50	462.00	1.50	S008693	0.002	0.25	2	6	88

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 509.25 - 540.4: 1.0-5.0 quartz-calcite>> hard to tell what generation the veins in this interval are a part of as they either came before hematite or after and caused brecciation and integration of the iron rich alteration? Jasper? The hematite in this hole, that is using fracture planes is not as hard as the jasper seen in other holes in the Flow Dome Zone, but is silica altered after it is flodded with the silica rich vein fluids?. vuggy qtz veins running through the brecciated veins, but appears to be the same generation as they aren't crosscuttingthe edges of the brecciated veins.	462.00	463.50	1.50	S008694	0.002	0.25	2	3	96
		<<Struc: 502.2 - 503.14: weakly developed fault gouge 40 deg. >>	463.50	465.00	1.50	S008695	0.002	0.25	5	4	83
			465.00	466.50	1.50	S008696	0.002	0.25	7	3	85
			466.50	468.00	1.50	S008697	0.002	0.25	6	6	86
			468.00	469.50	1.50	S008698	0.002	0.25	11	8	81
			469.50	471.00	1.50	S008699	0.002	0.25	23	4	94
			471.00	472.50	1.50	S008701	0.002	0.25	25	4	89
			472.50	474.00	1.50	S008702	0.002	0.25	34	5	88
			474.00	475.50	1.50	S008703	0.006	0.25	15	6	89
			475.50	477.00	1.50	S008704	0.002	0.25	36	6	90
			477.00	478.50	1.50	S008705	0.002	0.25	5	4	97
			478.50	480.00	1.50	S008706	0.002	0.25	4	5	83
			480.00	481.50	1.50	S008707	0.002	0.25	4	5	85
			481.50	483.00	1.50	S008708	0.002	0.25	3	4	90
			483.00	484.50	1.50	S008709	0.002	0.25	3	7	88
			484.50	486.00	1.50	S008711	0.002	0.25	5	6	83
			486.00	487.50	1.50	S008712	0.002	0.25	2	6	88
			487.50	489.00	1.50	S008713	0.002	0.25	2	2	91
			489.00	490.50	1.50	S008714	0.002	0.25	3	6	106
			490.50	492.00	1.50	S008715	0.002	0.25	0.5	6	116
			492.00	493.50	1.50	S008716	0.002	0.25	1	4	105
			493.50	495.00	1.50	S008717	0.002	0.25	0.5	8	100
			495.00	496.50	1.50	S008718	0.002	0.25	0.5	9	77
			496.50	498.00	1.50	S008719	0.002	0.25	0.5	5	76
			498.00	499.50	1.50	S008721	0.002	0.25	0.5	5	68
			499.50	501.00	1.50	S008722	0.002	0.25	6	13	68
			501.00	502.50	1.50	S008723	0.002	0.25	0.5	8	50

Hole: SU-661

From (m)	To (m)	Rock Type & Description
513.40	**615.68**	**V12 intermediate fragmental volcanics V-csh**

513.4 - 615.68: clasts are 99% intermediate clasts with plag phenos and appear to be deposited hot with pseudo fiamme textures. 2-3mm plag rich and coarse ash matrix. Much less hematite staining and iron rich fine grained fluids are using fractures and vein pathways.

<<Min: 615.6 - 635.4: traces pyrite>> trace pyrite

<<Alt: 513.4 - 581.5: weak sericite / trace hematite / moderate to strong hematite / weak clay / weak sericite>> localised hematite/iron rich fluids using fractures and vein pathways and appear as vein like structures. Weak sericite and hematite, core is relatively unaltered and has a fair amount of primary iron/mg. minor amounts of clay gouge in a couple of broken zones in the interval. Minor chlorite along vein margins.

<<Alt: 581.5 - 615.6: weak to moderate hematite / moderate sericite / weak to moderate sericite / weak chlorite / weak to moderate hematite>> mottled sericite alteration where clasts are replaced by sericite (after chlorite?). Mottled hematite in matrix. Sericite replacing felspars in matrix. Hematite still in veinlike structures, likely using fractures as pathways

<<Alt: 615.6 - 625.82: weak to moderate hematite / weak to moderate sericite / moderate sericite / weak clay>> hematite and sericite alteration aren't a typical mottled style, but it fades in and out between the two types of alteration, like a transition unit, before the hole gives over to dominantly sericite alteration (+/- chlorite).

<<Vein: 540.4 - 552.2: 1.0-5.0 quartz-calcite>> quartz rich banded veins, some with wall rock bands within vein? And small fragments, so texturally are similar to a vein 1b, but have a high amount of calcite in them but not enough to call them vein 3's, and in some of the smaller veins, the calcite have a slight pink tinge to them (possibly from hematite staining). Interval contains qtz rich, undeformed vuggy med grained vein interpreted to be a vein 4c.

<<Vein: 552.2 - 615.5: <1.0 quartz-calcite-pink calcite>> only a few veins in interval, one larger vein 3 with pink calcite and the characteristic vein 3 texture, with a few smaller fracture fill vein 3's, and one vein 4a with chlorite and a frew tension gashes extending from the vein.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
502.50	504.00	1.50	S008724	0.002	0.25	0.5	3	61
504.00	505.50	1.50	S008725	0.002	0.25	0.5	8	39
505.50	507.00	1.50	S008726	0.002	0.25	0.5	5	73
507.00	508.50	1.50	S008727	0.002	0.25	0.5	4	52
508.50	510.00	1.50	S008728	0.002	0.25	0.5	5	68
510.00	511.50	1.50	S008729	0.002	0.25	0.5	8	74
511.50	513.00	1.50	S008731	0.002	0.25	0.5	7	64
513.00	514.50	1.50	S008732	0.002	0.25	0.5	8	62
514.50	516.00	1.50	S008733	0.002	0.25	0.5	6	71
516.00	517.50	1.50	S008734	0.002	0.25	0.5	5	73
517.50	519.00	1.50	S008735	0.002	0.25	0.5	3	67
519.00	520.50	1.50	S008736	0.002	0.25	1	2	68
520.50	522.00	1.50	S008737	0.002	0.25	19	4	59
522.00	523.50	1.50	S008738	0.002	0.25	0.5	3	65
523.50	525.00	1.50	S008739	0.002	0.25	1	8	90

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 615.5 - 635.35: 1.0-5.0 quartz-calcite>> mostly vein 3's that appear to be open space filling and rimmed with chlorite. Vein 3's are dominantly white calcite and minor amounts of quartz. Interval starts with a qz-chl rich shear vein and vein 4 b's are present nearby	525.00	526.50	1.50	S008741	0.002	0.25	2	5	98
		<<Struc: 547.2 - 549.4: weakly developed fault zone 70 deg. >> very minor amounts of gouge with mostly broken rock	526.50	528.00	1.50	S008742	0.002	0.25	0.5	3	67
			528.00	529.50	1.50	S008743	0.002	0.25	0.5	5	83
			529.50	531.00	1.50	S008744	0.002	0.25	1	5	82
			531.00	532.50	1.50	S008745	0.002	0.25	0.5	4	86
			532.50	534.00	1.50	S008746	0.002	0.25	0.5	2	79
			534.00	535.50	1.50	S008747	0.002	0.25	2	3	93
			535.50	537.00	1.50	S008748	0.002	0.25	1	4	84
			537.00	538.50	1.50	S008749	0.002	0.25	1	4	86
			538.50	540.00	1.50	S008751	0.002	0.25	1	6	86
			540.00	541.50	1.50	S008752	0.002	0.25	2	5	84
			541.50	543.00	1.50	S008753	0.002	0.25	5	9	71
			543.00	544.50	1.50	S008754	0.002	0.25	2	7	92
			544.50	546.00	1.50	S008755	0.002	0.25	0.5	4	49
			546.00	547.50	1.50	S008756	0.002	0.25	1	7	72
			547.50	549.00	1.50	S008757	0.002	0.25	2	8	58
			549.00	550.50	1.50	S008758	0.002	0.25	1	9	71
			550.50	552.00	1.50	S008759	0.002	0.25	2	5	74
			552.00	553.50	1.50	S008761	0.002	0.25	2	7	77
			553.50	555.00	1.50	S008762	0.002	0.25	2	13	83
			555.00	556.50	1.50	S008763	0.002	0.25	2	6	80
			556.50	558.00	1.50	S008764	0.002	0.25	2	6	80
			558.00	559.50	1.50	S008765	0.002	0.25	5	3	90
			559.50	561.00	1.50	S008766	0.002	0.25	1	7	80
			561.00	562.50	1.50	S008767	0.002	0.25	1	9	78
			562.50	564.00	1.50	S008768	0.002	0.25	3	8	59
			564.00	565.50	1.50	S008769	0.002	0.25	6	5	97
			565.50	567.00	1.50	S008771	0.002	0.25	6	6	117

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			567.00	568.50	1.50	S008772	0.002	0.25	8	3	110
			568.50	570.00	1.50	S008773	0.002	0.25	44	8	97
			570.00	571.50	1.50	S008774	0.002	0.25	0.5	8	84
			571.50	573.00	1.50	S008775	0.002	0.25	0.5	4	88
			573.00	574.50	1.50	S008776	0.002	0.25	0.5	11	78
			574.50	576.00	1.50	S008777	0.002	0.25	0.5	8	71
			576.00	577.50	1.50	S008778	0.002	0.25	1	10	65
			577.50	579.00	1.50	S008779	0.002	0.25	3	6	86
			579.00	580.50	1.50	S008781	0.002	0.25	2	6	97
			580.50	582.00	1.50	S008782	0.002	0.25	0.5	4	88
			582.00	583.50	1.50	S008783	0.002	0.25	1	7	73
			583.50	585.00	1.50	S008784	0.002	0.25	0.5	5	79
			585.00	586.50	1.50	S008785	0.002	0.25	1	5	89
			586.50	588.00	1.50	S008786	0.002	0.25	3	7	83
			588.00	589.50	1.50	S008787	0.002	0.25	9	17	91
			589.50	591.00	1.50	S008788	0.002	0.25	3	10	96
			591.00	592.50	1.50	S008789	0.002	0.25	3	9	85
			592.50	594.00	1.50	S008791	0.002	0.25	2	10	72
			594.00	595.50	1.50	S008792	0.002	0.25	2	11	65
			595.50	597.00	1.50	S008793	0.002	0.25	2	15	66
			597.00	598.50	1.50	S008794	0.002	0.25	3	12	75
			598.50	600.00	1.50	S008795	0.002	0.25	3	10	66
			600.00	601.50	1.50	S008796	0.002	0.25	2	13	56
			601.50	603.00	1.50	S008797	0.002	0.25	2	11	69
			603.00	604.50	1.50	S008798	0.002	0.25	3	10	63
			604.50	606.00	1.50	S008799	0.002	0.25	2	7	69
			606.00	607.50	1.50	S008901	0.002	0.25	2	14	50
			607.50	609.00	1.50	S008902	0.002	0.25	2	12	65
			609.00	610.50	1.50	S008903	0.002	0.25	2	8	62

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			610.50	612.00	1.50	S008904	0.002	0.25	1	10	62
			612.00	613.50	1.50	S008905	0.002	0.25	1	7	64
			613.50	614.50	1.00	S008906	0.002	0.25	0.5	8	68
			614.50	615.60	1.10	S008907	0.002	0.25	0.5	9	65
			615.60	617.00	1.40	S008908	0.002	0.25	0.5	6	94
615.68	**625.82**	**V12 intermediate fragmental volcanics V-csh**									
615.68 - 625.82: coarse ash an crystal in matrix with broken vein fragments an altered volcanic clasts. Lower abundance of clasts in interval than last and mottled hematite and sericite alteration											
<<Struc: 615.75 - 615.79: sporadic sheared 70 deg. >>											
			617.00	618.50	1.50	S008909	0.002	0.25	0.5	8	76
			618.50	620.00	1.50	S008911	0.002	0.25	0.5	15	89
			620.00	621.50	1.50	S008912	0.002	0.25	1	13	74
			621.50	623.00	1.50	S008913	0.002	0.25	0.5	8	63
			623.00	624.50	1.50	S008914	0.002	0.25	0.5	8	77
			624.50	625.82	1.32	S008915	0.002	0.25	0.5	5	77
			625.82	627.00	1.18	S008916	0.002	0.25	0.5	7	70
625.82	**635.40**	**V12 intermediate fragmental volcanics V-csh**	627.00	628.50	1.50	S008917	0.002	0.25	2	5	81
625.82 - 635.4: coarse matrix with broken crystals, coarse ash, and small fragments as the matrix with 15% larger lapilli sized intermediate clasts. Clasts more abundant (50-60%) at end of interval. Still some fine grained lapilli sized vein fragments.											
<<Alt: 625.82 - 635.4: moderate sericite / weak chlorite / weak chlorite>> sericite after chlorite			628.50	630.00	1.50	S008918	0.002	0.25	8	8	74
<<Vein: 635.35 - 729.82: 1.0-5.0 pyrite>>			630.00	631.50	1.50	S008919	0.002	0.25	22	9	90
<<Struc: 633.3 - 633.9: sporadic fault zone 30 deg. >>			631.50	633.00	1.50	S008921	0.002	0.25	20	5	83
			633.00	634.20	1.20	S008922	0.002	0.25	13	10	74
			634.20	635.40	1.20	S008923	0.002	0.25	12	3	93
			635.40	637.00	1.60	S008924	0.002	0.25	18	45	113

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
635.40	**729.82**	**V12**	**intermediate fragmental volcanics**	**V-csh**

635.4 - 729.82: qsp altered lapilli tuff that is texture destructive with only a few remnant clasts and it is assumed that pyirte clots are replacing lapilli sized clasts. The last interval has an increase of clasts at the end marking the end of a graded sequence, which is very common in the volcaniclastic rocks. Which is wuite intersting that the qsp alteration start right at where a new sequence was starting because you can see the texture of the coarse ash at the beginning of the current interval

<<Min: 635.4 - 702: 5.0-10.0% pyrite / <0.5% pyrite / traces sphalerite>>

<<Min: 702 - 729.82: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>

<<Alt: 635.4 - 729.82: moderate to strong silica-sericite-pyrite / trace clay>> pervasive phyllic alteration with pyrite replacing clasts and as stringers. Clay on broken surfaces of rock in weak fault zone and along some shearing at the alteration/lith contact.

<<Struc: 635.4 - 635.48: weakly developed sheared 40 deg. >>

<<Struc: 643 - 645.36: sporadic fault zone 15 deg. >>

<<Struc: 650.7 - 654.1: sporadic fault zone>> a couple small little shears with gouge, but is mostly broken rock

<<Struc: 720 - 722: sporadic fault gouge 50 deg. >> few small shears with gouge material; associated with vn4

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
637.00	638.50	1.50	S008925	0.002	0.5	22	97	115
638.50	640.00	1.50	S008926	0.007	0.6	12	277	423
640.00	641.50	1.50	S008927	0.002	0.25	8	62	58
641.50	643.00	1.50	S008928	0.002	0.25	11	56	34
643.00	644.50	1.50	S008929	0.002	0.25	11	42	38
644.50	646.00	1.50	S008931	0.002	0.25	23	22	55
646.00	647.50	1.50	S008932	0.002	0.25	14	15	56
647.50	649.00	1.50	S008933	0.002	0.25	21	27	60
649.00	650.50	1.50	S008934	0.002	0.25	20	24	58
650.50	652.00	1.50	S008935	0.002	0.25	13	45	63
652.00	653.50	1.50	S008936	0.002	0.25	11	69	69
653.50	655.00	1.50	S008937	0.002	0.25	16	48	68
655.00	656.50	1.50	S008938	0.002	0.25	12	22	48
656.50	658.00	1.50	S008939	0.002	0.25	18	15	69
658.00	659.50	1.50	S008941	0.002	0.25	14	13	77
659.50	661.00	1.50	S008942	0.002	0.25	17	19	57
661.00	662.50	1.50	S008943	0.002	0.25	16	15	45
662.50	664.00	1.50	S008944	0.002	0.25	16	8	45
664.00	665.50	1.50	S008945	0.007	0.25	15	21	38
665.50	667.00	1.50	S008946	0.002	0.25	12	22	35
667.00	668.50	1.50	S008947	0.002	0.25	22	20	58
668.50	670.00	1.50	S008948	0.002	0.25	19	19	51

Hole: SU-661

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			670.00	671.50	1.50	S008949	0.002	0.25	20	9	46
			671.50	673.00	1.50	S008951	0.002	0.25	12	9	42
			673.00	674.50	1.50	S008952	0.012	0.25	16	12	74
			674.50	676.00	1.50	S008953	0.002	0.25	26	9	52
			676.00	677.50	1.50	S008954	0.002	0.25	22	10	37
			677.50	679.00	1.50	S008955	0.002	0.25	57	12	42
			679.00	680.50	1.50	S008956	0.002	0.25	9	16	30
			680.50	682.00	1.50	S008957	0.005	0.25	12	19	30
			682.00	683.50	1.50	S008958	0.002	0.25	15	17	38
			683.50	685.00	1.50	S008959	0.015	0.25	14	26	212
			685.00	686.50	1.50	S008961	0.034	0.9	16	31	207
			686.50	688.00	1.50	S008962	0.002	0.25	13	18	37
			688.00	689.50	1.50	S008963	0.002	0.25	14	20	38
			689.50	691.00	1.50	S008964	0.005	0.25	5	17	34
			691.00	692.50	1.50	S008965	0.005	0.25	8	16	32
			692.50	694.00	1.50	S008966	0.01	0.25	13	25	45
			694.00	695.50	1.50	S008967	0.019	0.25	9	25	75
			695.50	697.00	1.50	S008968	0.015	0.25	15	15	179
			697.00	698.50	1.50	S008969	0.019	0.25	12	13	55
			698.50	700.00	1.50	S008971	0.038	0.25	17	17	39
			700.00	701.50	1.50	S008972	0.013	0.25	15	8	45
			701.50	703.00	1.50	S008973	0.019	0.25	16	6	58
			703.00	704.50	1.50	S008974	0.037	0.25	19	14	123
			704.50	706.00	1.50	S008975	0.022	0.25	18	14	183
			706.00	707.50	1.50	S008976	0.007	0.25	11	12	81
			707.50	709.00	1.50	S008977	0.007	0.25	15	6	57
			709.00	710.50	1.50	S008978	0.002	0.25	12	7	52
			710.50	712.00	1.50	S008979	0.002	0.25	14	8	84
			712.00	713.50	1.50	S008981	0.018	0.25	23	33	104

Hole: SU-661

From (m)	To (m)		Rock Type & Description	
729.82	**740.83**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**

729.82 - 740.83: Fine-grained, plagioclase-hornblende phyric, VOK-style "Office Porphyry" flow. 2-8mm plag-hornblende phenocrysts hosted in a fine-grained light grey to locally green-grey ser-py-sil altered matrix. Moderate phyllic alteration locally obliterates most primary volcanic textures.

<<Min: 729.82 - 740.83: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>

<<Alt: 729.82 - 740.83: moderate silica-sericite-pyrite / weak to moderate chlorite / weak pyrite / weak pyrite>> pervasive phyllic alteration, chlorite replaced hbd, minor pyrite re-replacement and pyrite stringers

<<Vein: 729.82 - 754.2: 5.0-10.0 quartz-calcite>> veining interval consists of pyrite stringers, qz-ank veins, drusy calcite veins and chloritized qz-cal veins

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
713.50	715.00	1.50	S008982	0.031	0.25	21	15	105
715.00	716.50	1.50	S008983	0.034	0.25	17	19	97
716.50	718.00	1.50	S008984	0.1	0.25	14	17	110
718.00	719.50	1.50	S008985	0.042	0.25	20	15	344
719.50	721.00	1.50	S008986	0.021	0.25	9	13	103
721.00	722.50	1.50	S008987	0.015	0.25	13	16	91
722.50	724.00	1.50	S008988	0.009	0.25	15	13	119
724.00	725.50	1.50	S008989	0.024	0.9	15	11	301
725.50	727.00	1.50	S008991	0.007	0.9	17	5	58
727.00	728.50	1.50	S008992	0.002	0.25	12	7	59
728.50	730.00	1.50	S008993	0.007	0.25	12	1	48
730.00	731.50	1.50	S008994	0.002	0.25	16	7	168
731.50	733.00	1.50	S008995	0.012	0.25	19	13	109
733.00	734.50	1.50	S008996	0.045	0.25	14	14	78
734.50	736.00	1.50	S008997	0.025	0.25	15	10	81
736.00	737.50	1.50	S008998	0.005	0.25	14	6	80
737.50	739.00	1.50	S008999	0.002	0.25	13	2	76
739.00	740.83	1.83	S216001	0.006	0.25	10	5	120
740.83	742.00	1.17	S216002	0.002	0.25	18	16	102

Hole: SU-661

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
740.83	815.5	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**	742.00	743.50	1.50	S216003	0.007	0.25	19	22	95
740.83 - 955.73: strong QSP alteration overprinting most primary textures. Appears that most of the hornblendes are altered to pyrite, up to 1cm long phenocrysts. Within unit there are some trace local suspect lapilli clasts. from 873.4-884.47m there is patchy darker grey alteration of the P1. flow banding observed from 893.10-893.40m, 35 TCA.													
<<Min: 740.83 - 749.8: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>					743.50	745.00	1.50	S216004	0.005	0.25	15	12	97
<<Min: 749.8 - 750: 2.0-5.0% pyrite / <0.5% pyrite / traces sphalerite>> trace yellow sphalerite bleb near margin of vein					745.00	746.50	1.50	S216005	0.012	0.25	12	20	78
					746.50	748.00	1.50	S216006	0.061	1.8	14	19	46
					748.00	749.50	1.50	S216007	0.044	1	21	22	29
					749.50	751.00	1.50	S216008	0.068	1.5	21	32	49
					751.00	752.50	1.50	S216009	0.02	0.5	14	79	118
					752.50	754.00	1.50	S216011	0.024	0.25	21	95	98
					754.00	755.50	1.50	S216012	0.018	0.25	18	87	98
					755.50	757.00	1.50	S216013	0.028	0.25	16	54	121
					757.00	758.50	1.50	S216014	0.022	0.25	19	115	107
					758.50	760.00	1.50	S216015	0.028	0.25	17	80	71
					760.00	761.50	1.50	S216016	0.048	0.25	20	85	100
					761.50	763.00	1.50	S216017	0.022	0.25	14	48	74
<<Alt: 740.83 - 778.47: moderate to strong silica-sericite-pyrite>> pervasive phyllic alteration, pyrite replacing remanant lapilli fragments					763.00	764.50	1.50	S216018	0.053	0.25	15	50	71
<<Alt: 778.47 - 791.85: moderate to strong / moderate sericite>>					764.50	766.00	1.50	S216019	0.03	0.25	18	65	117
<<Alt: 791.85 - 801.7: moderate to strong / weak to moderate calcite>>					766.00	767.50	1.50	S216021	0.11	0.6	18	86	52
<<Alt: 801.7 - 815.5 : moderate to strong / weak calcite>>					767.50	769.00	1.50	S216022	0.046	0.5	18	85	62
					769.00	770.50	1.50	S216023	0.019	0.25	17	70	73
					770.50	772.00	1.50	S216024	0.027	0.25	14	62	36

Hole: SU-661

From (m)	To (m)	Rock Type & Description
		<<Vein: 754.2 - 778.47: 1.0-5.0 quartz-calcite>> single 0.25cm wide hydrothermal vein at 760.16m, 30 TCA, medium grey color, siliceous
		<<Vein: 778.47 - 789: 5.0-10.0 quartz-calcite>> qz-cal veining within sporadically occuring shear zone
		<<Vein: 789 - 793.5: <1.0 quartz-calcite>> little to no veining, one single Vn1a
		<<Vein: 793.5 - 815.5 : 1.0-5.0 quartz-calcite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
772.00	773.50	1.50	S216025	0.017	0.25	14	69	73
773.50	775.00	1.50	S216026	0.032	1	17	65	62
775.00	776.50	1.50	S216027	0.132	2.9	16	116	105
776.50	778.00	1.50	S216028	0.048	0.9	14	60	78
778.00	779.50	1.50	S216029	0.087	1.4	16	54	81
779.50	781.00	1.50	S216031	0.074	0.8	10	30	19
781.00	782.50	1.50	S216032	0.658	0.8	16	23	23
782.50	784.00	1.50	S216033	0.287	1.6	12	65	43
784.00	785.50	1.50	S216034	0.058	0.25	11	63	36
785.50	787.00	1.50	S216035	0.028	0.25	13	63	52
787.00	788.50	1.50	S216036	0.015	0.25	10	104	33
788.50	790.00	1.50	S216037	0.015	0.25	16	111	38
790.00	791.50	1.50	S216038	0.02	0.25	12	74	43
791.50	793.00	1.50	S216039	0.015	0.25	13	47	34
793.00	794.50	1.50	S216041	0.008	0.25	11	46	22
794.50	796.00	1.50	S216042	0.006	0.25	11	51	22
796.00	797.50	1.50	S216043	0.008	0.25	10	65	33
797.50	799.00	1.50	S216044	0.005	0.25	6	42	40
799.00	800.50	1.50	S216045	0.01	0.25	15	83	63
800.50	802.00	1.50	S216046	0.002	0.25	9	80	112
802.00	803.50	1.50	S216047	0.002	0.25	10	87	74
803.50	805.00	1.50	S216048	0.006	0.25	24	70	83
805.00	806.50	1.50	S216049	0.007	0.25	9	65	102
806.50	808.00	1.50	S216051	0.017	0.25	15	51	62
808.00	809.50	1.50	S216052	0.014	0.25	14	82	160
809.50	811.00	1.50	S216053	0.009	0.25	10	109	170

Hole: SU-661

From (m)	To (m)	Rock Type & Description

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
811.00	812.50	1.50	S216054	0.002	0.25	19	148	154
812.50	814.00	1.50	S216055	0.002	0.25	23	190	220
814.00	815.50	1.50	S216056	0.002	0.25	12	138	290

<<Struc: 740.83 - 740.83: weakly developed lithology contact>> gradational contact between P1 and V12

<<Struc: 747 - 747.5: sporadic fault gouge 40 deg. >> narrow seams of fault zone gouge

<<Struc: 750.4 - 750.8: weakly developed fault gouge 40 deg. >> re-annealed fault zone gouge on upper contact of ank-rich, banded vein

<<Struc: 778.47 - 778.68: strongly developed sheared 60 deg. >> shear banded zone with vn3's. minor associated fzg

<<Struc: 780.76 - 781.16: moderately developed sheared 40 deg. >> shear and weakly developed broken gouge zone.

<<Struc: 782.86 - 783.4: moderately developed sheared 40 deg. >> shear zone with calcite and pyrite gouge.

<<Struc: 784.45 - 784.7: moderately developed sheared 30 deg. >> shear with calcite fracture fill

<<Struc: 785.5 - 791.85: weakly developed sheared 25 deg. >> broad shear zone, oriented at low angle TCA.

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-666

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	kwynne	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/5/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	9/24/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	1280.09	**Drill Rig:**	H4	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/4/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/23/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):		rphillips took over logging at ~500m				**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	9/7/2015	-71.5	298	20.4	318.4	56150	☑	
36	REFLEX	9/7/2015	-71.5	298	20.4	318.4	56150	☑	
87	REFLEX	9/7/2015	-71.8	303.4	20.4	323.8	56154	☑	
138	REFLEX	9/7/2015	-71.5	305.3	20.4	325.7	55939	☑	
189	REFLEX	9/7/2015	-71.2	305.8	20.4	326.2	56145	☑	
240	REFLEX	9/7/2015	-71.4	307.2	20.4	327.6	55731	☑	
291	REFLEX	9/7/2015	-71.1	309.3	20.4	329.7	56196	☑	
342	REFLEX	9/7/2015	-71.3	309.9	20.4	330.3	56057	☑	
393	REFLEX	9/8/2015	-71.4	311.3	20.4	331.7	55990	☑	
444	REFLEX	9/8/2015	-71.5	311	20.4	331.4	55994	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-666

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
495	REFLEX	9/13/2015	-71.1	313.8	20.4	334.2	56369	☑	
546	REFLEX	9/8/2015	-71.3	314.8	20.4	335.2	56028	☑	
597	REFLEX	9/8/2015	-71.7	317	20.4	337.4	55995	☑	
648	REFLEX	9/8/2015	-72.1	318.5	20.4	338.9	56114	☑	
694	REFLEX	9/13/2015	-72.1	314	20.4	334.4	55871	☑	
750	REFLEX	9/12/2015	-72.4	319.7	20.4	340.1	55880	☑	
801	REFLEX	9/13/2015	-72.1	323.5	20.4	343.9	55932	☑	
852	REFLEX	9/13/2015	-71.9	325.9	20.4	346.3	56107	☑	
903	REFLEX	9/14/2015	-71.6	328.2	20.4	348.6	56197	☑	
957	REFLEX	9/15/2015	-71.3	330.2	20.4	350.6	55921	☑	
1011	REFLEX	9/16/2015	-71	332.3	20.4	352.7	55904	☑	
1062	REFLEX	9/17/2015	-70.9	334.4	20.4	354.8	56140	☑	
1116.4	REFLEX	9/18/2015	-70.7	336.7	20.4	357.1	56058	☑	
1167	REFLEX	9/19/2015	-70.7	340.2	20.4	0.6	56143	☑	
1215	REFLEX	9/21/2015	-70.8	342.1	20.4	2.5	56147	☑	

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**23.84**	**V12 intermediate fragmental volcanics V-csh** 0 - 23.84: fine to medium grained locally laminated ash tuff. Intervals with intense hematite alteration may be finer grained, or may be overprinted. Irregular altered blebs likely amygdules. <3m intervals with abundant plag crystals commonly interbedded. <<Min: 0 - 119: Not recorded Nothing Recorded>> no visible mineraliation. <<Alt: 0 - 12.8: weak to moderate chlorite / moderate to strong chlorite / weak iron oxide / weak to moderate hematite>> chlorite altered blebs are likely amygdules. Hematite weak in fine grained clasts, grading into intense pervasive over 2m. <<Alt: 12.8 - 17.35: strong hematite / weak to moderate chlorite>> strong pervasive alteration of fine grained tuff. Rare amygdyles are chlorite altered. <<Alt: 17.35 - 23.84: moderate hematite / weak to moderate chlorite>> <1m interzones of chlorite and hematite pervasive matrix alteration. <<Vein: 0 - 15.97: 1.0-5.0 quartz-calcite-pink calcite>> Some V3 display strong colloform banding with pink calcite on outer rims and white/grey calcite in center. Calcite is fine grained and calcite gerenations each have cuspate lobate texture with thin (chlorite?) bands seperating them. Other V3's are less distinct but show general partitioning of pink calcite to rims. <<Vein: 15.97 - 23.84: 1.0-5.0 quartz-calcite>>	0.00	3.00	3.00	S211401	0.002	0.25	61	22	72
			3.00	4.50	1.50	S211402	0.002	0.25	81	28	92
			4.50	6.00	1.50	S211403	0.002	0.25	31	4	99
			6.00	7.50	1.50	S211404	0.002	0.25	40	1	99
			7.50	9.00	1.50	S211405	0.002	0.25	47	3	107
			9.00	10.50	1.50	S211406	0.002	0.25	15	6	96
			10.50	12.00	1.50	S211407	0.002	0.25	61	3	87
			12.00	13.50	1.50	S211408	0.002	0.25	32	6	103
			13.50	15.00	1.50	S211409	0.002	0.25	8	11	106
			15.00	16.50	1.50	S211411	0.002	0.25	17	4	95
			16.50	18.00	1.50	S211412	0.002	0.25	28	3	93
			18.00	19.50	1.50	S211413	0.002	0.25	8	5	85
			19.50	21.00	1.50	S211414	0.002	0.25	1	5	74
			21.00	22.50	1.50	S211415	0.002	0.25	0.5	1	87
			22.50	23.84	1.34	S211416	0.002	0.8	327	1	102
			23.84	25.50	1.66	S211417	0.002	0.25	4	2	93
23.84	**37.00**	**V12 intermediate fragmental volcanics V-fsh** 23.84 - 37: very fine grained flow banded interval grading into crystal-lithic tuff. Intensely hematite altered. Fine grained mica disseminated.	25.50	27.00	1.50	S211418	0.002	0.25	1	4	109

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Alt: 23.84 - 37: strong hematite>> Intense pervasive alteration of fine grained matrix. Local unaltered elongate blebs likely originally clasts caught up in flow. Fine grained muscovite disseminated through interval.
		<<Vein: 23.84 - 46.4: <1.0 quartz-calcite>>
37.00	**51.60**	**V12 intermediate fragmental volcanics V-csh**
		37 - 51.6: Matrix supported crystal-lapilli tuff with abundant plag crystals in both matrix and clasts. Clasts identifiable by variable hematite and chlorite alteration.
		<<Alt: 37 - 46.64: moderate hematite / moderate chlorite>> variably intense hematite alteration generally decreasing in intensity down interval, with chlorite alteration becoming more common.
		<<Alt: 46.64 - 51.6: weak to moderate chlorite / weak to moderate hematite / moderate to strong hematite>> pervasive chlorite as matrix and clast replacement, with variably intense patchy hematite alteration of matrix. Strongly hematite altered clasts throughout.
		<<Vein: 46.4 - 51.6: 1.0-5.0 quartz-calcite>> coarse grained quart and calcite with chlorite blebs within veins. No evidence of shearing. Sharp contacts with wall rock. Vein at 46.74m offset by shear.
		<<Struc: 46.7 - 46.78: weakly developed sheared 16 deg. >>
51.60	**68.60**	**V12 intermediate fragmental volcanics V-csh**
		51.6 - 68.6: Clast supported tuff breccia with poorly sorted but generally <6cm clasts. Plag crystals within both matrix and clasts (ankerite/dolomite altered? Clay? Albite?). Blotchy hematite and chlorite alteration is pervasive. Light beige alteration of matrix (likely silicified clay or albite), merges with tuff crystals and forms elongate flow structures on block rims.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
27.00	28.50	1.50	S211419	0.002	0.25	3	8	105
28.50	30.00	1.50	S211421	0.002	0.25	12	16	82
30.00	31.50	1.50	S211422	0.002	0.25	48	1	85
31.50	33.00	1.50	S211423	0.002	0.25	22	5	98
33.00	34.50	1.50	S211424	0.002	0.25	29	1	97
34.50	36.00	1.50	S211425	0.002	0.25	3	1	103
36.00	37.50	1.50	S211426	0.002	0.25	4	2	103
37.50	39.00	1.50	S211427	0.002	0.25	3	6	97
39.00	40.50	1.50	S211428	0.002	0.25	3	3	82
40.50	42.00	1.50	S211429	0.002	0.25	1	6	83
42.00	43.50	1.50	S211431	0.005	0.25	1	12	80
43.50	45.00	1.50	S211432	0.002	0.25	1	5	80
45.00	46.50	1.50	S211433	0.002	0.25	1	8	79
46.50	48.00	1.50	S211434	0.002	0.25	1	9	90
48.00	49.50	1.50	S211435	0.002	0.25	4	8	76
49.50	51.00	1.50	S211436	0.002	0.25	6	8	80
51.00	52.50	1.50	S211437	0.002	0.25	4	7	81

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Alt: 51.6 - 68.6: moderate hematite / moderate to strong hematite / weak to moderate chlorite / moderate clay>> light beige patches have same alteration as plag crystals; alteration is hard, rarely fizzes, and associated with chlorite. Possibly silicified clay? Albite? Ankerite?
		<<Vein: 51.6 - 68.6: 5.0-10.0 quartz-calcite>> predominantly 0.2-3cm quartz-calcite vein with chlorite on rims and in patches within veins. Veinlets often focused in clasts, then weakly continuous within matrix. Form subparrallel swarms. Unclear if these veinlets are Vn1a, Vn4c, or a mixture. Several quartz-calcite veins with chlorite in patches are up to 10cm thick and irregular in shape; appear to be coallesence of several veins, more similar in style to Vn1b's to Vn4c's, despite chlorite content.
		<<Struc: 57.32 - 57.7: weakly developed fault zone 50 deg. >>
68.60	**118.37**	**V12 intermediate fragmental volcanics V-csh**
		68.6 - 118.37: matrix supported crystal-lapilli tuff with with abundant crystals. Predominantly hematite altered with patchy chlorite and light beige (albite?) alteration throughout.
		<<Alt: 68.6 - 96.8: weak to moderate hematite / weak to moderate chlorite / moderate clay / weak silica (pervasive silicification)>> Increase in patchy beige alteration of both matrix and clasts, associated with chlorite and silica.
		<<Alt: 96.8 - 105.68: weak to moderate hematite / weak to moderate chlorite / weak clay / weak silica (pervasive silicification)>> Hematite and chlorite altering both matrix and clasts, though hematite is the more common alteration of clasts. Clay/silica/albite alteration of plag crystals and in patches.
		<<Alt: 105.68 - 106.7: moderate to strong silica (pervasive silicification) / moderate to strong clay / moderate chlorite / weak to moderate hematite>> strong clay and silicification, weak hematite, associated with vein selvages and forming stringers. Chlorite alteration on less altered rims, distal to veining.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
52.50	54.00	1.50	S211438	0.002	0.25	8	12	76
54.00	55.50	1.50	S211439	0.002	0.25	14	12	83
55.50	57.00	1.50	S211441	0.002	0.25	4	9	74
57.00	58.50	1.50	S211442	0.002	0.25	5	7	96
58.50	60.00	1.50	S211443	0.002	0.25	7	7	76
60.00	61.50	1.50	S211444	0.002	0.25	17	10	77
61.50	63.00	1.50	S211445	0.007	0.25	10	9	90
63.00	64.50	1.50	S211446	0.002	0.25	8	2	88
64.50	66.00	1.50	S211447	0.002	0.25	3	7	78
66.00	67.50	1.50	S211448	0.002	0.25	27	8	72
67.50	69.00	1.50	S211449	0.002	0.25	14	9	71

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Alt: 106.7 - 118.37: moderate hematite / weak to moderate chlorite / weak to moderate clay / weak to moderate silica (pervasive silicification)>> increasingly hematite altered down interval. Clay/silica/albite alter crystals, clasts, patches, and stringers.
		<<Vein: 68.6 - 73.3: 1.0-5.0 quartz-calcite>> thin subparallel quart calcite veinlets.
		<<Vein: 73.3 - 105.7: 1.0-5.0 quartz-calcite>> both Vn1a and Vn4a designated veinlets appear to be of same origin; some have defined shear planes while others are planar quartz calcite veinlets.
		<<Vein: 105.7 - 106.65: 25.0-50.0 quartz>> quartz vein swarm which has silicified wall rock. Clay alteration present in wall rock alteration and as subparallel stringers on periphery of quartz veining.
		<<Vein: 106.65 - 121.85: 1.0-5.0 quartz-calcite>>
		<<Struc: 72.27 - 72.41: moderately developed sheared 52 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
69.00	70.50	1.50	S211451	0.002	0.25	5	12	100
70.50	72.00	1.50	S211452	0.002	0.25	7	9	83
72.00	73.50	1.50	S211453	0.002	0.25	6	5	95
73.50	75.00	1.50	S211454	0.002	0.25	6	11	91
75.00	76.50	1.50	S211455	0.002	0.25	36	8	80
76.50	78.00	1.50	S211456	0.002	0.25	7	8	77
78.00	79.50	1.50	S211457	0.002	0.25	8	8	81
79.50	81.00	1.50	S211458	0.002	0.25	4	4	84
81.00	82.50	1.50	S211459	0.002	0.25	7	3	77
82.50	84.00	1.50	S211461	0.002	0.25	6	6	85
84.00	85.50	1.50	S211462	0.002	0.25	11	10	78
85.50	87.00	1.50	S211463	0.002	0.25	5	5	90
87.00	88.50	1.50	S211464	0.002	0.25	5	8	67
88.50	90.00	1.50	S211465	0.002	0.25	3	8	79
90.00	91.50	1.50	S211466	0.002	0.25	3	2	65
91.50	93.00	1.50	S211467	0.002	0.25	4	8	78
93.00	94.50	1.50	S211468	0.002	0.25	4	4	77
94.50	96.00	1.50	S211469	0.002	0.25	9	13	79
96.00	97.50	1.50	S211471	0.005	0.25	3	7	71
97.50	99.00	1.50	S211472	0.002	0.25	2	4	72

Hole: SU-666

From (m)	To (m)	Rock Type & Description
118.37	121.85	V12 intermediate fragmental volcanics V-fsh

118.37 - 121.85: intensely hematite altered, laminated ash tuff with elongate chlorite blebs. Coarsening down interval; likely grading into crystal rich lapilli tuff, but relationship obscured by veining.

<<Min: 119 - 121.85: <0.5% pyrite>> several blebs disseminated in intensely hematite altered rock.

<<Alt: 118.37 - 121.65: strong hematite / moderate to strong chlorite / weak to moderate clay>> intense hematite alteration with chlorite in elongate blebs. Clay/silica/albite stringers concentrated at lower contact

<<Alt: 121.65 - 124.02: moderate to strong silica (pervasive silicification) / moderate to strong clay / moderate chlorite / weak hematite>> strong silicification and clay/albite alteration associated with veining. Chlorite strong on periphery of veined zone, and weak/patchy with hematite within veined zone.

From (m)	To (m)	Rock Type & Description
121.85	136.15	V12 intermediate fragmental volcanics V-csh

121.85 - 136.15: matrix supported crystal-lapilli tuff. Crystals at top of interval lighter white with blurred contacts; likely less altered plag crystals then previously seen in hole. As interval progresses have increasing beige alteration of crystals and clasts.

<<Min: 121.85 - 159.82: Nothing Recorded>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
99.00	100.50	1.50	S211473	0.002	0.25	3	2	73
100.50	102.00	1.50	S211474	0.002	0.25	1	4	80
102.00	103.50	1.50	S211475	0.002	0.25	0.5	5	78
103.50	105.00	1.50	S211476	0.002	0.25	0.5	5	79
105.00	106.50	1.50	S211477	0.002	0.25	1	13	63
106.50	108.00	1.50	S211478	0.002	0.25	5	9	89
108.00	109.50	1.50	S211479	0.002	0.25	0.5	9	81
109.50	111.00	1.50	S211481	0.002	0.25	0.5	7	69
111.00	112.50	1.50	S211482	0.002	0.25	0.5	8	74
112.50	114.00	1.50	S211483	0.002	0.25	1	10	64
114.00	115.50	1.50	S211484	0.002	0.25	0.5	14	64
115.50	117.00	1.50	S211485	0.002	0.25	0.5	7	65
117.00	118.37	1.37	S211486	0.002	0.25	0.5	4	79
118.37	120.00	1.63	S211487	0.002	0.5	0.5	6	88
120.00	121.85	1.85	S211488	0.002	0.25	0.5	6	78

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Alt: 124.02 - 138: moderate hematite / weak to moderate clay / moderate chlorite / weak silica (pervasive silicification)>> predominantly hematite altered with moderate chlorite in clasts and patches. Clay/silica/albite in blotches. Clay/silica/albite replacing crystals of tuff.
		<<Vein: 121.85 - 123.88: 25.0-50.0 quartz-calcite>> swarm of quartz veins brecciating and silicifying wall rock. Associated with clay alteration both pervasive and in stringers on periphery of veining.
		<<Vein: 123.88 - 154.15: <1.0 quartz-calcite>> thin quartz/cal/clay (or albite?) veinlets at low angle to core axis. Largest at 140.5m is vuggy with calcite crystals and trace pyrite in vugs.
		<<Struc: 130.54 - 131.22: weakly developed fault zone 25 deg. >>
136.15	**141.79**	**V12 intermediate fragmental volcanics V-csh**
		136.15 - 141.79: first meter of interval is fine grained ash tuff grading into lapilli tuff which is increasingly crystal rich and beige alterationdown interval. Lower contact arbitrary and placed at end of strong (albite?) beige alteration.
		<<Alt: 138 - 141.79: moderate clay / moderate hematite / weak to moderate chlorite / weak silica (pervasive silicification)>> decreasing hematite intensity down interval. Beige alteration (clay/sil? Albite?) replacing crystals and in patches.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
121.85	123.88	2.03	S211489	0.002	0.25	0.5	17	47
123.88	124.50	0.62	S211491	0.002	0.25	0.5	11	111
124.50	126.00	1.50	S211492	0.002	0.25	0.5	4	71
126.00	127.50	1.50	S211493	0.002	0.25	0.5	5	79
127.50	129.00	1.50	S211494	0.002	0.25	2	1	86
129.00	130.50	1.50	S211495	0.002	0.25	1	10	86
130.50	132.00	1.50	S211496	0.002	0.25	3	12	82
132.00	133.50	1.50	S211497	0.002	0.25	0.5	11	67
133.50	135.00	1.50	S211498	0.002	0.25	37	18	67
135.00	136.15	1.15	S211499	0.002	0.25	24	19	94
136.15	138.00	1.85	S211501	0.002	0.25	8	13	78
138.00	139.50	1.50	S211502	0.002	0.25	10	17	74
139.50	141.00	1.50	S211503	0.002	0.25	9	21	67
141.00	141.79	0.79	S211504	0.002	0.25	5	35	77

Hole: SU-666

From (m)	To (m)		Rock Type & Description	
141.79	**153.21**	**V12**	**intermediate fragmental volcanics**	**V-csh**

141.79 - 153.21: matrix supported lapilli tuff with blurry grey crystals as opposed to beige altered crystals. Clasts appear polylithic, although may reflect different alterations instead of lithologies.

<<Alt: 141.79 - 153.21: moderate chlorite / weak to moderate hematite / weak clay>> moderated chlorite alteration of clasts and likely matrix, hematite weaker than typically observed thusfar in hole; weak in matrix and moderate in clasts. Hard beige alteration limited to clast replacement; not altering crystals. Crystals are soft, light grey and overprinted/blurry looking. Possibly clay/chlorite altered.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
141.79	142.50	0.71	S211505	0.002	0.25	3	12	94
142.50	144.00	1.50	S211506	0.002	0.25	2	9	80
144.00	145.50	1.50	S211507	0.002	0.25	2	11	74
145.50	147.00	1.50	S211508	0.002	0.25	2	9	75
147.00	148.50	1.50	S211509	0.002	0.25	2	10	79
148.50	150.00	1.50	S211511	0.002	0.25	2	9	83
150.00	151.50	1.50	S211512	0.002	0.25	1	11	68
151.50	153.21	1.71	S211513	0.002	0.25	5	14	79
153.21	154.00	0.79	S211514	0.002	0.25	2	8	64

From (m)	To (m)		Rock Type & Description	
153.21	**158.68**	**V12**	**intermediate fragmental volcanics**	**V-csh**

153.21 - 158.68: matrix to clast supported lapilli tuff with strong hematite and beige (albite) alteration.

<<Alt: 153.21 - 158.68: moderate to strong hematite / moderate clay / weak to moderate silica (pervasive silicification)>> strong hematite alteration of matrix and some clasts. Hard beige mineral associated with quartz replacing clasts and crystals.

<<Vein: 154.15 - 158.68: 5.0-10.0 quartz-calcite>> strong shared orientation of 60 degrees TCA for set of medium grained quartz calcite veinlets 0.1-3cm thick, sometimes discontinuous. Vein margins not as sharp as typical Vn4's.

<<Struc: 153.21 - 154: moderately developed fault zone 58 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
154.00	155.50	1.50	S211515	0.002	0.25	0.5	10	77
155.50	157.00	1.50	S211516	0.002	0.25	0.5	8	76
157.00	158.68	1.68	S211517	0.002	0.25	0.5	14	59

From (m)	To (m)		Rock Type & Description	
158.68	**159.82**	**H8**	**Intensely silicified zone**	**fg**

158.68 - 159.82: light beige silicified zone with elongate wispy bands of clay/albite, weak chlorite and hematite alteration. Cross-cut by quart calcite veining.

Hole: SU-666

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
<<Alt: 158.68 - 159.82: moderate to strong silica (pervasive silicification) / moderate to strong clay / weak hematite / weak chlorite>> strong silicification as associated light beige clay and/or albite alteration of wall rock and in stringers. Weak chlorite and hematite alteration in patches.												
<<Vein: 158.68 - 159.82: 5.0-10.0 quartz-calcite>> perdominantly quartz veinlets forming a swarm within silicified rock.				158.68	159.82	1.14	S211518	0.002	0.25	0.5	27	51
				159.82	161.50	1.68	S211519	0.002	0.25	0.5	7	69
159.82	**168.50**	**V12**	**intermediate fragmental volcanics** **V-csh**	161.50	163.00	1.50	S211521	0.002	0.25	0.5	3	64
159.82 - 168.5: laminated zone of lapilli tuff; unsure if primary flow texture or due to structural deformation.												
<<Min: 159.82 - 164.5: <0.5% hematite>> very fine grained disseminated dark mineral. Likely specular hematite. Possibly molybdenum?				163.00	164.50	1.50	S211522	0.002	0.25	0.5	6	63
<<Min: 164.5 - 203.58: traces pyrite>>				164.50	166.00	1.50	S211523	0.002	0.25	0.5	8	72
<<Alt: 159.82 - 172.5: moderate hematite / weak to moderate chlorite / weak clay>> predominantly hematite altered with chlorite as matrix replacement of varying intensity, generally decreasing down hole. Top of interval is sheared/laminated and has fine grained dark specks disseminated; possibly hematite, though blueish tint indicating possible molybdenum observed locally.				166.00	167.50	1.50	S211524	0.002	0.25	0.5	6	60
<<Vein: 159.82 - 181: 1.0-5.0 quartz-calcite>> irregular predominantly calcite veinlets to veins. Often brecciating wall rock, and/or at low angle TCA. Pink calcite rarely observed.				167.50	169.00	1.50	S211525	0.002	0.25	0.5	5	65
168.50	**185.80**	**V12**	**intermediate fragmental volcanics** **V-csh**	169.00	170.50	1.50	S211526	0.002	0.25	0.5	6	69
168.5 - 185.8: matrix supported crystal tuff with monomictic P1 clasts barely distinguishable from matrix due to hematite alteration. With beige altered plag and patches.												
<<Alt: 172.5 - 180.05: moderate to strong hematite / moderate clay / weak to moderate silica (pervasive silicification)>> hard beige alteration (clay/sil? Albite?) replacing clasts and matrix in patches.				170.50	172.00	1.50	S211527	0.002	0.25	0.5	4	71
<<Alt: 180.05 - 203.58: moderate hematite / weak to moderate chlorite / weak to moderate clay / weak silica (pervasive silicification)>> predominantly hematite altered with variably intense chlorite in matrix and clasts. Beige hard alteration of clasts and crystals.				172.00	173.50	1.50	S211528	0.002	0.25	0.5	7	70
<<Vein: 181 - 209.09: 1.0-5.0 quartz-calcite>> rare quartz calcite veinlets which appear to be tension gashes, and predominantly carbonate discontinuous veinlets with wall rock clasts.				173.50	175.00	1.50	S211529	0.002	0.25	4	12	54
				175.00	176.50	1.50	S211531	0.002	0.25	3	37	72
				176.50	178.00	1.50	S211532	0.002	0.25	31	18	53
				178.00	179.50	1.50	S211533	0.002	0.25	25	10	66

Hole: SU-666

From (m)	To (m)		Rock Type & Description	
185.80	**203.58**	**V12**	**intermediate fragmental volcanics**	**V-csh**

185.8 - 203.58: gradational interval with clast supported tuff breccia at top of interval grading into clast and then matrix supported crystal lapilli tuff. Clasts generally rounded.

From (m)	To (m)		Rock Type & Description	
203.58	**217.05**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

203.58 - 217.05: fine grained laminated ash tuff. Predominantly hematite altered, with chlorite/clay/silicification patches likely associated with dike on lower contact.

<<Min: 203.58 - 215: Nothing Recorded>>

<<Min: 215 - 216: traces galena>> trace galena within vein.

<<Min: 216 - 235.37: Nothing Recorded>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
179.50	181.00	1.50	S211534	0.002	0.25	5	10	63
181.00	182.50	1.50	S211535	0.002	0.25	1	7	73
182.50	184.00	1.50	S211536	0.002	0.25	0.5	4	82
184.00	185.80	1.80	S211537	0.002	0.25	0.5	9	70
185.80	186.50	0.70	S211538	0.002	0.25	0.5	8	72
186.50	188.00	1.50	S211539	0.002	0.25	0.5	13	68
188.00	189.50	1.50	S211541	0.002	0.25	1	7	72
189.50	191.00	1.50	S211542	0.002	0.25	0.5	9	75
191.00	192.50	1.50	S211543	0.002	0.25	0.5	9	74
192.50	194.00	1.50	S211544	0.002	0.25	0.5	6	72
194.00	195.50	1.50	S211545	0.002	0.25	0.5	10	72
195.50	197.00	1.50	S211546	0.002	0.25	0.5	6	80
197.00	198.50	1.50	S211547	0.002	0.25	1	10	78
198.50	200.00	1.50	S211548	0.002	0.25	1	16	87
200.00	201.50	1.50	S211549	0.002	0.25	1	13	87
201.50	203.58	2.08	S211551	0.002	0.25	8	14	80
203.58	204.50	0.92	S211552	0.002	0.25	67	14	92
204.50	206.00	1.50	S211553	0.002	0.25	74	5	135
206.00	207.50	1.50	S211554	0.002	0.7	147	6	113
207.50	209.00	1.50	S211555	0.002	0.6	123	10	69
209.00	209.71	0.71	S211556	0.006	0.25	7	5	113

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 203.58 - 209.71: strong hematite / moderate to strong chlorite / weak to moderate clay / weak to moderate iron oxide / weak to moderate silica (pervasive silicification)>> strong hematite alteration with patches of soft chlorite and clay alteration which appear to be associated with dyke. Iron oxide and silicification are increasing in strength to intense on contact with dyke.	209.71	210.51	0.80	S211557	0.002	0.25	0.5	5	405
		<<Alt: 209.71 - 217.05: moderate to strong iron oxide / weak to moderate clay>> iron oxide on contact with volcaniclastics, and associated with quartz carbonate veins.	210.51	212.00	1.49	S211558	0.002	0.25	27	6	256
		<<Vein: 209.09 - 217.05: 5.0-10.0 quartz-calcite>> up to 15cm thick quart calcite veins with strong iron oxide alteration. Smaller network of veinlets associated. Calcite variably oxidized out of veins creating vugs. Blue clay within several veinlets towards end of interval.	212.00	213.50	1.50	S211559	0.002	0.25	24	7	162
			213.50	215.00	1.50	S211561	0.002	0.5	102	9	165
			215.00	216.50	1.50	S211562	0.002	0.25	40	10	140
			216.50	217.05	0.55	S211563	0.002	0.25	21	12	165
			217.05	218.00	0.95	S211564	0.002	0.25	45	4	53
217.05	**224.62**	**V12 intermediate fragmental volcanics V-fsh**	218.00	219.50	1.50	S211565	0.002	0.25	43	7	35
		217.05 - 224.62: Unsure of lithology; light blue to light purple, very fine grained, with angular clasts in distinct layers and rounded concretions. Possibly a reworked volcaniclastic sediment.									
		<<Alt: 217.05 - 224.62: weak to moderate clay / weak to moderate chlorite / weak sericite / weak to moderate silica (pervasive silicification)>> fine grained blue green rock; alteration assemblage a guess.	219.50	221.00	1.50	S211566	0.002	0.25	29	5	34
		<<Vein: 217.05 - 235.3: 1.0-5.0 quartz-calcite>> rare quartz carbonate veinlets, discontinuous. Multiphase quartz calcite vein at 233.65m.	221.00	222.50	1.50	S211567	0.002	0.25	37	5	45
			222.50	224.00	1.50	S211568	0.002	0.25	6	3	37
			224.00	224.62	0.62	S211569	0.002	0.25	60	6	54
224.62	**235.37**	**V12 intermediate fragmental volcanics V-fsh**									
		224.62 - 235.37: very fine grained laminated ash tuff grading into matrix supported lapilli tuff with small clasts. Dark red due to hematite alteration. Lower contact with dyke bleached.									
		<<Alt: 224.62 - 235.37: moderate to strong hematite / weak chlorite>> hematite alteration. Two bleached bands towards lower contact with dyke.									
		<<Vein: 235.3 - 249.6: 10.0-25.0 quartz-calcite>> small stockwork with irregular Vn1b veinlets coallescing into Vn1c's. chlorite and hematite as stringers within veins. Trace galena in veins.									
			224.62	225.50	0.88	S211571	0.002	0.25	13	5	53

Hole: SU-666

From (m)	To (m)	Rock Type & Description
238.77	**283.07**	**V12 intermediate fragmental volcanics V-csh**

238.77 - 283.07: matrix supported crystal-lapilli tuff with local laminated ash tuff zones. Crystals are fuzzy white; unaltered to beige hard mineral which was common up-hole.

<<Min: 238.77 - 283.07: Nothing Recorded>>

<<Alt: 238.77 - 249.82: moderate chlorite / weak to moderate hematite>> predominantly chlorite altered with hematite in clasts and patches, locally strong.

<<Alt: 249.82 - 283.07: moderate hematite / weak chlorite / weak to moderate sericite>> predominantly hematite altered with weak chlorite and rare patches and bands of sericite alteration. Lack of hard beige alteration which was common up-hole.

<<Vein: 249.6 - 259.85: 10.0-25.0 quartz-calcite>> coarse grained quartz calcite veins with patchy sericite. Weak shear structures containing hematite and chlorite within some veins, particularly those associated with faulting.

<<Vein: 259.85 - 283.07: 1.0-5.0 quartz-calcite>> generally sparse veining with local concentrations of sheared quartz calcite veinlets. Some predominantly calcite veins have pink calcite.

<<Struc: 250.78 - 251.22: moderately developed fault zone 32 deg. >>

<<Struc: 268.3 - 268.66: weakly developed fault zone>>

<<Struc: 281.17 - 281.51: moderately developed sheared 48 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
225.50	227.00	1.50	S211572	0.002	0.25	3	20	92
227.00	228.50	1.50	S211573	0.002	0.25	3	25	82
228.50	230.00	1.50	S211574	0.002	0.25	2	11	128
230.00	231.50	1.50	S211575	0.002	0.25	4	12	68
231.50	233.00	1.50	S211576	0.002	0.25	3	7	72
233.00	234.50	1.50	S211577	0.002	0.8	9	15	62
234.50	235.37	0.87	S211578	0.002	0.25	5	10	60
238.77	239.77	1.00	S211583	0.005	0.25	3	8	79
239.77	241.00	1.23	S211584	0.002	0.25	1	8	74
241.00	242.50	1.50	S211585	0.002	0.25	70	5	76
242.50	244.00	1.50	S211586	0.002	0.25	1	7	41
244.00	245.50	1.50	S211587	0.002	0.25	1	7	59
245.50	247.00	1.50	S211588	0.006	0.25	4	4	85
247.00	248.50	1.50	S211589	0.002	0.25	5	3	96
248.50	249.81	1.31	S211591	0.005	0.25	46	3	87
249.81	251.50	1.69	S211592	0.011	0.25	7	10	65
251.50	253.00	1.50	S211593	0.002	0.25	1	9	105
253.00	254.50	1.50	S211594	0.002	0.25	2	10	80
254.50	256.00	1.50	S211595	0.002	0.25	4	9	94
256.00	257.50	1.50	S211596	0.002	0.25	2	12	80
257.50	259.00	1.50	S211597	0.002	0.25	1	11	70
259.00	260.50	1.50	S211598	0.002	0.25	3	8	77

Hole: SU-666

From (m)	To (m)	Rock Type & Description
283.07	**510.14**	**V12 intermediate fragmental volcanics V-csh**

283.07 - 510.14: matrix supported volcaniclastic unit, predominantly clast poor. Clast rich section from 286.8-289.3m is unusually rounded and polymictic; possibly as small sedimentary inter-bed. Large angular fragmentals from 310-314.9m. Changes from chlorite to hematite alteration periodically, which doesn't seem to reflect lithological changes. Fine grained ash tuff intervals with gradational lower contacts at 385.97m and 414.35m; reflect fining upward sequenced of volcaniclastics.

<<Min: 283.07 - 325.82: 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces chalcopyrite>> trace cpy at 291.6m

<<Min: 325.82 - 385.97: traces pyrite>> trace disseminated pyrite.

<<Min: 385.97 - 400: 0.5-2.0% pyrite / <0.5% pyrite>>

<<Min: 400 - 532.76: traces pyrite>>

<<Alt: 283.07 - 286.8: moderate clay / moderate chlorite>> bleached zone with gradational contacts. Chlorite alteration of clasts.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
260.50	262.00	1.50	S211599	0.002	0.25	3	7	83
262.00	263.50	1.50	S211601	0.002	0.25	3	4	81
263.50	265.00	1.50	S211602	0.002	0.25	3	3	73
265.00	266.50	1.50	S211603	0.002	0.25	4	6	82
266.50	268.00	1.50	S211604	0.002	0.25	3	5	81
268.00	269.50	1.50	S211605	0.002	0.25	2	6	67
269.50	271.00	1.50	S211606	0.002	0.25	5	6	84
271.00	272.50	1.50	S211607	0.002	0.25	8	7	82
272.50	274.00	1.50	S211608	0.002	0.25	9	4	77
274.00	275.50	1.50	S211609	0.002	0.25	8	4	83
275.50	277.00	1.50	S211611	0.002	0.25	7	9	78
277.00	278.50	1.50	S211612	0.002	0.25	8	7	79
278.50	280.00	1.50	S211613	0.002	0.25	8	6	70
280.00	281.50	1.50	S211614	0.002	0.25	54	4	77
281.50	283.07	1.57	S211615	0.002	0.25	39	2	117
283.07	284.50	1.43	S211616	0.002	0.25	50	1	122
284.50	286.00	1.50	S211617	0.002	0.25	32	1	129
286.00	287.50	1.50	S211618	0.002	0.6	27	66	77
287.50	289.00	1.50	S211619	0.002	0.25	20	77	90
289.00	290.50	1.50	S211621	0.002	0.25	17	32	67
290.50	292.00	1.50	S211622	0.005	0.25	16	7	97
292.00	293.50	1.50	S211623	0.002	0.25	15	1	99

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 286.8 - 325.82: weak to moderate chlorite / weak clay / weak to moderate silica (pervasive silicification) / weak sericite / weak to moderate pyrite>> predominantly chlorite alteration, weak in matrix and moderate in clasts. Patches of bleached and silicified matrix, sometimes associated with pyrite. Pyrite also found within stronger chlorite alteration.	293.50	295.00	1.50	S211624	0.01	0.25	19	8	83
		<<Alt: 325.82 - 331.5: moderate hematite / weak to moderate chlorite>> sharp contacts with predominantly chlorite altered volcaniclastics. Doesn't seem to correlate with any changes in lithology.	295.00	296.50	1.50	S211625	0.006	0.25	13	11	64
		<<Alt: 331.5 - 380.74: weak to moderate chlorite / weak hematite / strong hematite>> weak chlorite and hematite alteration thourghout. Strong hematite in rare stringers/bands.	296.50	298.00	1.50	S211626	0.002	0.25	14	9	97
		<<Alt: 380.74 - 402.37: moderate chlorite / weak to moderate sericite>> predominantly chlorite altered with patchy sericite or clay alteration of matrix. Sericite stronger in fine grained ash zone.	298.00	299.50	1.50	S211627	0.002	0.25	16	9	80
		<<Alt: 402.37 - 416.45: moderate hematite / weak to moderate chlorite / weak sericite>> hematite generally weak to moderate, becomes strong in ash layer.	299.50	301.00	1.50	S211628	0.002	0.25	17	3	93
		<<Alt: 416.45 - 424.24: moderate chlorite / moderate hematite>> 1-3m intervals of predominantly chlorite altered rock,	301.00	302.50	1.50	S211629	0.002	0.25	11	1	119
		<<Alt: 424.24 - 453: weak to moderate hematite / weak chlorite / weak to moderate chlorite / strong hematite>> moderate hematite in matrix, strong within and rimming stringers. Gradual lower contact.	302.50	304.00	1.50	S211631	0.007	0.25	14	3	105
		<<Alt: 453 - 479.6: weak chlorite / weak hematite>> general decrease in hematite alteration.	304.00	305.50	1.50	S211632	0.002	0.25	24	1	98
		<<Alt: 479.6 - 510.14: weak to moderate hematite / weak to moderate chlorite / weak to moderate clay>> relatively sharp upper contact, with moderate hematite at top of interval weakening down hole. Clay alteration concentrated in last 4m.	305.50	307.00	1.50	S211633	0.002	0.25	20	3	99
		<<Vein: 283.07 - 307.05: 1.0-5.0 quartz-calcite>> predominantly calcite rich veinlets to veins. Discontinuous tension gashes or associated with chlorite and shearing. Vein at 291.65m is coarse grained with chlorite patches, has disseminated chalcopyrite within.	307.00	308.50	1.50	S211634	0.002	0.25	33	3	64
		<<Vein: 307.05 - 312.6: 1.0-5.0 quartz-calcite>> calcite rich shears and vein breccias within sheared rock. Calcite-quartz-clay	308.50	310.00	1.50	S211635	0.002	0.25	23	5	82
		<<Vein: 312.6 - 324.35: 1.0-5.0 quartz-calcite>> one large shear vein at 318m. Predominantly quartz, with sheared chlorite bands.	310.00	311.50	1.50	S211636	0.002	0.25	35	2	90
		<<Vein: 324.35 - 329: 1.0-5.0 quartz-calcite>> quartz calcite veinlets, discontinuous, appear to be tension gashes. Vein at 325.4m appears to be associated with a shear, also brecciates wall rock. Has very soft pink to translucent mineral within; possibly gypsum.	311.50	313.00	1.50	S211637	0.002	0.25	20	1	127
		<<Vein: 329 - 340.5: 1.0-5.0 quartz-calcite>> calcite rich veinlets, some sheared.	313.00	314.50	1.50	S211638	0.002	0.25	20	3	129
		<<Vein: 340.5 - 387: <1.0 quartz-calcite>> almost barren of veins. Very thin calcareous veinlets, some with hematite.	314.50	316.00	1.50	S211639	0.002	0.25	16	1	181
		<<Vein: 387 - 404.1: 1.0-5.0 quartz-calcite>> quartz calcite veins with chlorite and hematite inclusions and sheared planes.	316.00	317.50	1.50	S211641	0.002	0.25	26	30	68
		<<Vein: 404.1 - 456: <1.0 quartz-calcite>> thin veinlets, often with strong hematite alteration on rims. Generally low angle TCA but not sharing alpha orientation. Single vein at 439.8m is thicker (2cm) and contains wall rock clasts. Two shear veins at 441.15m	317.50	319.00	1.50	S211642	0.002	0.25	23	41	32

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Vein: 456 - 490.5: <1.0 quartz-calcite>> predominantly calcite veinlets, locally undulatory or discontinuous. Lack of hematite alteration on rims which was associated with veining previously.
		<<Vein: 490.5 - 491.5: 1.0-5.0 quartz-calcite>> medium grained discontinuous veins and veinlets with sharp contacts, could be charecterized as Vn3's or Vn4's
		<<Vein: 491.5 - 510.14: <1.0 quartz-calcite>> quartz calcite shears.
		<<Struc: 306 - 312.7: sporadic sheared 8 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
319.00	320.50	1.50	S211643	0.002	0.25	14	25	91
320.50	322.00	1.50	S211644	0.002	0.25	15	30	122
322.00	323.50	1.50	S211645	0.002	0.25	19	27	88
323.50	325.00	1.50	S211646	0.002	0.9	28	10	106
325.00	325.82	0.82	S211647	0.002	0.25	87	4	130
325.82	326.50	0.68	S211648	0.002	0.25	4	3	92
326.50	328.00	1.50	S211649	0.002	0.25	3	5	76
328.00	329.50	1.50	S211651	0.002	0.25	1	9	80
329.50	331.00	1.50	S211652	0.002	0.25	8	11	84
331.00	331.50	0.50	S211653	0.002	0.25	7	7	85
331.50	332.50	1.00	S211654	0.002	0.25	5	5	90
332.50	334.00	1.50	S211655	0.002	0.25	2	6	87
334.00	335.50	1.50	S211656	0.002	0.25	2	12	90
335.50	337.00	1.50	S211657	0.002	0.25	3	9	84
337.00	338.50	1.50	S211658	0.002	0.25	2	8	89
338.50	340.00	1.50	S211659	0.002	0.25	2	6	89
340.00	341.50	1.50	S211661	0.002	0.25	3	8	90
341.50	343.00	1.50	S211662	0.002	0.25	5	8	94
343.00	344.50	1.50	S211663	0.002	0.25	5	8	83
344.50	346.00	1.50	S211664	0.002	0.25	3	11	79
346.00	347.50	1.50	S211665	0.002	0.25	5	13	91
347.50	349.00	1.50	S211666	0.002	0.25	4	7	96
349.00	350.50	1.50	S211667	0.002	0.25	2	5	107
350.50	352.00	1.50	S211668	0.002	0.25	2	6	86
352.00	353.50	1.50	S211669	0.002	0.25	2	9	75
353.50	355.00	1.50	S211671	0.002	0.25	2	10	77
355.00	356.50	1.50	S211672	0.002	0.25	1	7	82
356.50	358.00	1.50	S211673	0.002	0.25	4	8	97

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			358.00	359.50	1.50	S211674	0.002	0.25	14	5	68
			359.50	361.00	1.50	S211675	0.002	0.25	5	4	84
			361.00	362.50	1.50	S211676	0.002	0.25	4	3	88
			362.50	364.00	1.50	S211677	0.002	0.25	4	8	85
			364.00	365.50	1.50	S211678	0.002	0.25	7	1	81
			365.50	367.00	1.50	S211679	0.002	0.25	10	5	85
			367.00	368.50	1.50	S211681	0.002	0.25	3	3	75
			368.50	370.00	1.50	S211682	0.002	0.25	9	4	73
			370.00	371.50	1.50	S211683	0.002	0.25	11	5	68
			371.50	373.00	1.50	S211684	0.002	0.25	3	4	90
			373.00	374.50	1.50	S211685	0.002	0.25	5	4	91
			374.50	376.00	1.50	S211686	0.002	0.25	3	3	95
			376.00	377.50	1.50	S211687	0.002	0.25	2	3	87
			377.50	379.00	1.50	S211688	0.002	0.25	1	4	95
			379.00	380.50	1.50	S211689	0.018	0.25	3	1	81
			380.50	382.00	1.50	S211691	0.006	0.25	35	7	85
			382.00	383.50	1.50	S211692	0.002	0.25	27	4	94
			383.50	385.00	1.50	S211693	0.002	0.25	14	29	106
			385.00	385.97	0.97	S211694	0.002	0.25	20	45	85
			385.97	386.50	0.53	S211695	0.002	0.25	52	13	91
			386.50	388.00	1.50	S211696	0.002	0.25	36	7	81
			388.00	389.50	1.50	S211697	0.002	0.25	18	41	82
			389.50	391.00	1.50	S211698	0.002	0.25	9	26	85
			391.00	392.50	1.50	S211699	0.002	0.25	9	20	75
			392.50	394.00	1.50	S211701	0.002	0.5	8	26	76
			394.00	395.50	1.50	S211702	0.002	0.25	5	26	77
			395.50	397.00	1.50	S211703	0.002	0.25	10	8	85
			397.00	398.50	1.50	S211704	0.002	0.25	13	3	89
			398.50	400.00	1.50	S211705	0.002	0.25	12	1	80

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			400.00	401.50	1.50	S211706	0.002	0.25	22	1	96
			401.50	403.00	1.50	S211707	0.002	0.25	11	1	89
			403.00	404.50	1.50	S211708	0.002	0.25	4	6	78
			404.50	406.00	1.50	S211709	0.002	0.25	4	5	70
			406.00	407.50	1.50	S211711	0.002	0.25	4	5	71
			407.50	409.00	1.50	S211712	0.002	0.25	9	1	90
			409.00	410.50	1.50	S211713	0.002	0.25	2	2	66
			410.50	412.00	1.50	S211714	0.002	0.25	4	1	81
			412.00	413.50	1.50	S211715	0.002	0.25	3	3	95
			413.50	415.00	1.50	S211716	0.002	0.25	1	6	74
			415.00	416.50	1.50	S211717	0.002	0.25	3	8	71
			416.50	418.00	1.50	S211718	0.002	0.25	4	5	104
			418.00	419.50	1.50	S211719	0.002	0.25	32	3	100
			419.50	421.00	1.50	S211721	0.002	0.25	90	3	105
			421.00	422.50	1.50	S211722	0.002	0.25	23	4	84
			422.50	424.00	1.50	S211723	0.002	0.25	3	4	116
			424.00	425.50	1.50	S211724	0.002	0.25	12	8	91
			425.50	427.00	1.50	S211725	0.002	0.25	7	2	90
			427.00	428.50	1.50	S211726	0.002	0.25	5	5	85
			428.50	430.00	1.50	S211727	0.002	0.25	3	6	58
			430.00	431.50	1.50	S211728	0.002	0.25	5	5	66
			431.50	433.00	1.50	S211729	0.002	0.25	3	7	85
			433.00	434.50	1.50	S211731	0.002	0.25	4	4	61
			434.50	436.00	1.50	S211732	0.002	0.25	4	6	79
			436.00	437.50	1.50	S211733	0.002	0.25	6	5	77
			437.50	438.00	0.50	S211734	0.002	0.25	13	7	72
			438.00	439.50	1.50	S211735	0.002	0.25	11	11	76
			439.50	441.00	1.50	S211736	0.002	0.25	11	9	67
			441.00	442.50	1.50	S211737	0.002	0.25	16	7	73

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			442.50	444.00	1.50	S211738	0.002	0.25	6	9	78
			444.00	445.50	1.50	S211739	0.002	0.25	4	2	64
			445.50	447.00	1.50	S211741	0.002	0.25	9	11	67
			447.00	448.50	1.50	S211742	0.002	0.25	5	4	70
			448.50	450.00	1.50	S211743	0.002	0.25	9	4	61
			450.00	451.50	1.50	S211744	0.002	0.25	4	5	60
			451.50	453.00	1.50	S211745	0.002	0.25	4	5	59
			453.00	454.50	1.50	S211746	0.002	0.25	4	7	69
			454.50	456.00	1.50	S211747	0.002	0.25	11	6	69
			456.00	457.50	1.50	S211748	0.002	0.25	42	8	81
			457.50	459.00	1.50	S211749	0.002	0.25	28	5	84
			459.00	460.50	1.50	S211751	0.002	0.25	23	5	76
			460.50	462.00	1.50	S211752	0.002	0.25	36	7	74
			462.00	463.50	1.50	S211753	0.002	0.25	10	4	71
			463.50	465.00	1.50	S211754	0.002	0.25	3	6	80
			465.00	466.50	1.50	S211755	0.002	0.25	2	3	82
			466.50	468.00	1.50	S211756	0.002	0.25	3	4	90
			468.00	469.50	1.50	S211757	0.002	0.25	3	5	75
			469.50	471.00	1.50	S211758	0.002	0.25	2	3	81
			471.00	472.50	1.50	S211759	0.002	0.25	3	4	88
			472.50	474.00	1.50	S211761	0.002	0.25	3	4	78
			474.00	475.50	1.50	S211762	0.002	0.25	3	3	79
			475.50	477.00	1.50	S211763	0.002	0.25	3	2	72
			477.00	478.50	1.50	S211764	0.011	0.25	2	1	77
			478.50	480.00	1.50	S211765	0.002	0.25	4	6	72
			480.00	481.50	1.50	S211766	0.002	0.25	8	7	60
			481.50	483.00	1.50	S211767	0.002	0.25	4	1	57
			483.00	484.50	1.50	S211768	0.002	0.25	4	6	73
			484.50	486.00	1.50	S211769	0.002	0.25	7	7	82

Hole: SU-666

From (m)	To (m)	Rock Type & Description
510.14	**532.76**	**V12 intermediate fragmental volcanics V-fsh**

510.14 - 532.76: predominantly fine grained ash tuff with variable lamination. Locally has <1cm diameter moderately rounded clasts concentrated in beds <2m long. Likley finining upwards sequences.

<<Alt: 510.14 - 511.04: moderate to strong clay / moderate chlorite>> contact zone with shear and quartz vein within. White to light pink clay altertaion of ash tuff with chlorite stringers, disseminations, and shear planes. Light pink likely due to weak hematite alteration.

<<Alt: 511.04 - 515.33: moderate hematite / weak chlorite / weak clay / weak sericite>> strong hematite alteration decreasing down interval, into gradational contact with clay/chlorite alteration.

<<Alt: 515.33 - 515.54: moderate to strong clay / weak chlorite>> distinct pink alteration. Soft and non-calcareous. Type of clay alteration or fine grained kspar alteration?

<<Alt: 515.54 - 532.76: weak to moderate clay / weak to moderate chlorite / moderate to strong clay>> pervasive clay alteration of ash, locally strong on fractures or in sheared zones.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
486.00	487.50	1.50	S211771	0.002	0.25	3	15	89
487.50	489.00	1.50	S211772	0.002	0.25	3	8	74
489.00	490.50	1.50	S211773	0.002	0.25	3	9	93
490.50	492.00	1.50	S211774	0.002	0.25	2	6	72
492.00	493.50	1.50	S211775	0.002	0.25	3	7	75
493.50	495.00	1.50	S211776	0.002	0.25	3	6	91
495.00	496.50	1.50	S211777	0.002	0.25	5	8	82
496.50	498.00	1.50	S211778	0.002	0.25	5	6	82
498.00	499.50	1.50	S211779	0.002	0.25	3	7	82
499.50	501.00	1.50	S211781	0.002	0.25	4	4	81
501.00	502.50	1.50	S211782	0.002	0.25	3	5	77
502.50	504.00	1.50	S211783	0.002	0.25	3	3	86
504.00	505.50	1.50	S211784	0.002	0.25	2	6	84
505.50	507.00	1.50	S211785	0.002	0.25	2	7	86
507.00	508.50	1.50	S211786	0.002	0.25	1	10	65
508.50	510.14	1.64	S211787	0.002	0.25	0.5	9	102
510.14	511.50	1.36	S211788	0.002	0.25	0.5	6	102
511.50	513.00	1.50	S211789	0.002	0.25	0.5	11	86
513.00	514.50	1.50	S211791	0.002	0.25	0.5	24	103
514.50	516.00	1.50	S211792	0.002	0.25	0.5	7	118
516.00	517.50	1.50	S211793	0.002	0.25	0.5	3	137
517.50	519.00	1.50	S211794	0.002	0.25	0.5	3	126

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
<<Vein: 510.14 - 521.5: 5.0-10.0 quartz-calcite>> vein rich section with predomantly coarse grained quart calcite veins. Sharp to difuse margines, locally brecciating wall rock. Vein charecterized as Vn3 has soft non-calcareous mineral (gypsum) within.			519.00	520.50	1.50	S211795	0.002	0.25	2	7	136
<<Vein: 521.5 - 528: 1.0-5.0 quartz-calcite>> undulatory coarse grained quartz-calcite-gypsum veins			520.50	522.00	1.50	S211796	0.002	0.25	0.5	8	194
<<Vein: 528 - 571.15: 1.0-5.0 quartz-calcite>> quartz calcite veins with chlorite on shear planes. Veins often mark lithological/alteration changes.			522.00	523.50	1.50	S211797	0.002	0.25	0.5	7	145
<<Struc: 529.8 - 530.15: weakly developed fault gouge 48 deg. >>			523.50	525.00	1.50	S211798	0.002	0.25	0.5	6	209
			525.00	526.50	1.50	S211799	0.002	0.25	1	5	138
			526.50	528.00	1.50	S211801	0.002	0.25	4	7	122
			528.00	529.50	1.50	S211802	0.002	0.25	21	13	88
			529.50	531.00	1.50	S211803	0.002	0.25	20	17	126
			531.00	532.76	1.76	S211804	0.002	0.25	6	11	147
			532.76	534.00	1.24	S211805	0.002	0.6	24	59	60
532.76	**554.35**	**V12 intermediate fragmental volcanics** **V-csh**	534.00	535.50	1.50	S211806	0.002	0.25	19	37	45
532.76 - 554.35: matrix supported lapilli tuff with angular P1 clasts.											
<<Min: 532.76 - 541.41: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>			535.50	537.00	1.50	S211807	0.002	0.25	13	19	36
<<Min: 541.41 - 554.35: <0.5% pyrite>>			537.00	538.50	1.50	S211808	0.002	0.25	18	22	42
<<Alt: 532.76 - 549: moderate chlorite / weak to moderate silica-pyrite / weak to moderate calcite / weak sericite / weak chlorite>> Moderate chloirte alteration of clasts and weak alteration of matrix accompanied by local silicification and pyrite or carbonate alteration of clasts. Carbonate locally oxidized (ankerite) Unsure of extent of clay/sericite alteration of matrix. Strong clay alteration in first 2m associated with shearing.			538.50	540.00	1.50	S211809	0.002	0.25	15	16	79
<<Alt: 549 - 554.35: weak to moderate hematite / weak to moderate chlorite / weak to moderate calcite / weak to moderate sericite>> hematite alteration of matrix and clasts. Chlorite predominantly in clasts, with carbonate altered phenocrysts. 10cm patch of sericite alteration of matrix. Carbonate locally oxidized.			540.00	541.50	1.50	S211811	0.002	0.25	16	14	68
<<Struc: 532.76 - 534: weakly developed sheared 32 deg. >>			541.50	543.00	1.50	S211812	0.002	0.25	19	3	101
			543.00	544.50	1.50	S211813	0.002	0.25	25	2	95
			544.50	546.00	1.50	S211814	0.002	0.25	3	6	78
			546.00	547.50	1.50	S211815	0.002	0.25	0.5	5	73
			547.50	549.00	1.50	S211816	0.002	0.25	3	5	60
			549.00	550.50	1.50	S211817	0.002	0.25	2	9	54

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			550.50	552.00	1.50	S211818	0.002	0.25	4	8	65
			552.00	553.50	1.50	S211819	0.002	0.25	1	9	66
			553.50	554.35	0.85	S211821	0.002	0.25	0.5	4	78
554.35	**558.45**	**V12 intermediate fragmental volcanics V-csh**									
554.35 - 558.45: polymictic clast supported volcaniclastic or reworked volcaniclastic sediment. P1 clasts generally subangular, while other (silicified ash?) clasts are rounded. Sharp contacts.											
<<Min: 554.35 - 572.6: <0.5% pyrite>>											
<<Alt: 554.35 - 561.65: weak to moderate chlorite / weak sericite / weak calcite>> chlorite weak in matrix and moderate in clasts.											
			554.35	555.00	0.65	S211822	0.002	0.25	26	9	117
			555.00	556.50	1.50	S211823	0.002	0.25	19	14	90
			556.50	558.45	1.95	S211824	0.002	0.25	33	5	91
			558.45	559.50	1.05	S211825	0.002	0.25	44	5	91
558.45	**571.10**	**V12 intermediate fragmental volcanics V-csh**	559.50	561.00	1.50	S211826	0.002	0.25	24	6	87
558.45 - 571.1: matrix supported lapilli tuff with angular P1 clasts.											
<<Alt: 561.65 - 565.73: weak to moderate hematite / weak to moderate Chlorite-calcite>> chlorite/calcite in clasts and patches. Calcite oxidized.			561.00	562.50	1.50	S211827	0.002	0.25	0.5	5	70
<<Alt: 565.73 - 579.52: weak to moderate chlorite / weak to moderate sericite / weak to moderate calcite>> chlorite alteration weak in ash, moderate in clasts.			562.50	564.00	1.50	S211828	0.002	0.25	0.5	6	53
			564.00	565.50	1.50	S211829	0.002	0.25	0.5	9	65
			565.50	567.00	1.50	S211831	0.002	0.25	0.5	7	94
			567.00	568.50	1.50	S211832	0.002	0.25	8	5	89
			568.50	570.00	1.50	S211833	0.002	0.25	1	6	78
			570.00	571.10	1.10	S211834	0.002	0.25	50	3	86

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
571.10	**584.75**	**V12 intermediate fragmental volcanics V-fsh** 571.1 - 584.75: ash to fine grained lapilli tuff. Irregular laminations/flow banding, but commonly at 35 degrees TCA. <<Min: 572.6 - 584.75: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> <<Alt: 579.52 - 584.75: moderate sericite / weak chlorite / weak to moderate pyrite / moderate to strong clay>> light mauve grey sericite/illite/clay alteration, with strong clay in sheared section. Pyrite and fine grained disseminations. <<Vein: 571.15 - 584.75: <1.0 quartz-calcite>> discontinuous quartz calcite blebs. <<Struc: 582.12 - 582.76: moderately developed sheared 45 deg. >>	571.10	573.00	1.90	S211835	0.002	0.25	29	5	50
			573.00	574.50	1.50	S211836	0.002	0.25	23	15	100
			574.50	576.00	1.50	S211837	0.002	0.25	11	9	100
			576.00	577.50	1.50	S211838	0.002	0.25	10	13	103
			577.50	579.00	1.50	S211839	0.002	0.25	11	13	89
			579.00	580.50	1.50	S211841	0.002	0.25	22	15	68
			580.50	582.00	1.50	S211842	0.002	0.25	14	16	31
			582.00	583.50	1.50	S211843	0.007	0.5	21	27	68
			583.50	584.75	1.25	S211844	0.002	0.25	16	16	70
584.75	**588.54**	**V12 intermediate fragmental volcanics V-fsh** 584.75 - 588.54: fine grained matrix with rounded polymictic clasts within. Interbedded with bands of ash. Possible interlayering of sediments and ash deposits? Matrix grey and pyrite altered. <<Min: 584.75 - 588.54: 2.0-5.0% pyrite / 0.5-2.0% pyrite>> <<Alt: 584.75 - 588.54: weak to moderate clay / weak to moderate pyrite / moderate sericite>> grey clastic rock; grey matrix due to fine grained pyrite replacement? Intervals of fine grained laminated sericite/illite altered ash. <<Vein: 584.75 - 598.77: <1.0 quartz-calcite>> predominantly quartz veinlets, sheared or on fractures. <<Struc: 585.65 - 585.8: moderately developed fault gouge 65 deg. >>	584.75	586.50	1.75	S211845	0.021	0.6	26	19	162
			586.50	588.54	2.04	S211846	0.047	0.8	40	21	127

Hole: SU-666

From (m)	To (m)		Rock Type & Description	
588.54	**598.77**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

588.54 - 598.77: fine grained, laminated, with elongate clastic intervals. Lamination is irregular. Ash/lapilli deposit or flow banded top of underlying volcanic andesite unit. Sheared by faulting.

<<Min: 588.54 - 598.77: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>

<<Alt: 588.54 - 598.77: moderate sericite / moderate pyrite / moderate clay>> light mauve to light grey sericite/illite altered fined grained volcaniclastics. With patches of fine grained pyrite replacement. Clay alteration in sheared and gouged sections.

<<Struc: 589 - 596.1: weakly developed fault zone 45 deg. >> several clay altered gougy sections up to 20cm long.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
588.54	589.50	0.96	S211847	0.008	0.25	21	17	150
589.50	591.00	1.50	S211848	0.002	0.25	15	11	63
591.00	592.50	1.50	S211849	0.01	0.25	28	22	67
592.50	594.00	1.50	S211851	0.011	0.25	26	29	93
594.00	595.50	1.50	S211852	0.01	0.25	21	22	84
595.50	597.00	1.50	S211853	0.015	0.25	13	25	47
597.00	598.77	1.77	S211854	0.02	0.25	17	34	59
598.77	600.00	1.23	S211855	0.021	0.25	9	34	20
600.00	601.50	1.50	S211856	0.053	0.25	12	36	24
601.50	603.00	1.50	S211857	0.1	0.25	7	35	36
603.00	604.50	1.50	S211858	0.184	0.25	10	25	8

From (m)	To (m)		Rock Type & Description	
598.77	**609.40**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**

598.77 - 609.4: fine grained volacanic, brecciated by pyrite/chlorite stringers; appears to be autobrecciation on the top of a flow. Phenocrysts are entirely altered to sericite; likely to have been plageoclase?

<<Min: 598.77 - 609.4: 5.0-10.0% pyrite / 2.0-5.0% pyrite>> two phases of pyrite; fine grained dark, and coarse grained euhedral pyrite.

<<Alt: 598.77 - 609.4: moderate to strong locally weakly silicified / moderate to strong pyrite>> Sericite/illite alteration overprinting volcanic texture with pyrite stringers forming breccia matrix. Pyrite in two phases; vgf and cg.

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
<<Vein: 598.77 - 648.4: 1.0-5.0 quartz-calcite-pyrite>> thin discontinuous quartz calcite veins with pyrite within and on rims.			604.50	606.00	1.50	S211859	0.057	0.25	11	20	11
			606.00	607.50	1.50	S211861	0.068	0.25	15	25	5
			607.50	609.00	1.50	S211862	0.067	0.25	28	28	11
			609.00	610.50	1.50	S211863	0.046	0.5	44	48	10
609.40	**834.88 P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)** **lg-fg**	610.50	612.00	1.50	S211864	0.073	0.6	34	66	13
609.4 - 834.88: light green grey QSP altered volcanic with phenocrysts completely altered to sericite and clay, with minor chlorite. Sometimes replaced with pyrite. Less altered intervals appear to have hornblend crystal shape. Hornblend appears more prevalent, altering to chlorite, then sericite, and locally with pyrite. Plageoclase seems less common, altering to clay and sericite, with difuse contacts.											
<<Min: 609.4 - 627.4: 2.0-5.0% pyrite / 2.0-5.0% pyrite>>			612.00	613.50	1.50	S211865	0.06	0.9	30	74	20
<<Min: 627.4 - 764.01: 5.0-10.0% pyrite / 0.5-2.0% pyrite>>			613.50	615.00	1.50	S211866	0.032	0.5	16	13	5
<<Min: 764.01 - 773.97: 5.0-10.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite>>			615.00	616.50	1.50	S211867	0.039	1	37	46	9
<<Min: 773.97 - 786.4: 5.0-10.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>>			616.50	618.00	1.50	S211868	0.01	1.6	102	41	23
<<Min: 786.4 - 834.88: 2.0-5.0% pyrite / 2.0-5.0% pyrite>>			618.00	619.50	1.50	S211869	0.006	1.2	48	25	60
<<Alt: 609.4 - 709.4: moderate to strong locally weakly silicified / weak to moderate pyrite / weak clay / weak chlorite / weak calcite>> predominantly sericite/illite altered with weak to strong silicification in patches. Pyrite as blotchy disseminations, stringers, and associated with calcite blebs. Chlorite with sericite in alteration of mafic phenocrysts. Clay and local carbonate with sericite in alteration of plageoclase. Carbonates appear in 2m long patches periodically through interval, and are associated with weak oxidation. Trace disseminated patches of epidote and fuchsite through interval.			619.50	621.00	1.50	S211871	0.008	0.5	16	40	422
<<Alt: 709.4 - 764.01: moderate locally weakly silicified / weak to moderate chlorite-pyrite / weak clay / weak calcite>> decrease in overall ser-sil alteration strength, with more chlorite alteration. Chlorite and associated pyrite as blebs and patches stringers have rim of stronger sericite/lack of chlorite. Trace epidote and fuchsite as disseminated blebs.			621.00	622.50	1.50	S211872	0.033	1.6	16	48	1130
<<Alt: 764.01 - 773.97: moderate to strong chlorite / moderate pyrite / weak sericite>> pervasive chlorite alteration of groundmass, resulting in dark green, fine grained ground mass. Minor ser alteration is present and visible in small intetrvals or reduced chlorite alteration. Pyrite is disseminated throughout the interval within the ground madd and in Vo stringers.			622.50	624.00	1.50	S211873	0.038	2.2	22	113	725

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 773.97 - 786.4: moderate sericite / moderate pyrite / weak chlorite>> pervasive matrix replacement of sericite with chlorite replacing augite? Phenos. Chlorite Replacement of Augite? is surrounded by minor alteration halo or light grey, <1mm. Minor pyriyte replacement of clasts exists, pyrite alteration is predominantly limited to veins (Vo)	624.00	625.50	1.50	S211874	0.101	4.5	22	100	752
		<<Alt: 786.4 - 834.88: moderate to strong chlorite / moderate pyrite / weak sericite>> pervasive chlorite alteration of groundmass, resulting in dark green, fine grained ground mass. Minor ser alteration is present and visible in small intetrvals or reduced chlorite alteration. Pyrite is disseminated throughout the interval within the ground madd and in Vo stringers.	625.50	627.00	1.50	S211875	0.063	6.2	19	37	228
		<<Vein: 648.4 - 679.4: 1.0-5.0 quartz-calcite>>	627.00	628.50	1.50	S211876	0.177	10	11	88	24
		<<Vein: 679.4 - 686.1: 1.0-5.0 quartz-calcite>> Coarse grained quartz calcite veins with sharp to fuzzy contacts with wall rock. Associated with silicification and shear at 683.3m.	628.50	630.00	1.50	S211877	0.129	11.3	6	76	14
		<<Vein: 686.1 - 706.5: 1.0-5.0 quartz-calcite>> predominantly calcite veinlets, discontinuous, often at low angle TCA.	630.00	631.50	1.50	S211878	0.06	6.2	9	26	11
		<<Vein: 706.5 - 722: 1.0-5.0 quartz-calcite>> medium grained quartz calcite veinlets, blebby and at variable angles, forming weak networks with silicified/sericitized rims.	631.50	633.00	1.50	S211879	0.117	7.5	16	25	13
		<<Vein: 722 - 733.32: 1.0-5.0 quartz-calcite>> thin quartz calcite veins or fracture fills. Predominantly at low angle TCA. With ser-sil rims.	633.00	634.50	1.50	S211881	0.058	2.9	8	11	12
		<<Vein: 733.32 - 764.01: 1.0-5.0 quartz-calcite>>	634.50	636.00	1.50	S211882	0.055	4.3	15	12	14
		<<Vein: 764.01 - 773.97: 1.0-5.0 quartz-calcite>>	636.00	637.50	1.50	S211883	0.025	2.5	7	17	16
		<<Vein: 773.97 - 798.8: 1.0-5.0 quartz-calcite>>	637.50	639.00	1.50	S211884	0.011	2.8	14	8	14
		<<Vein: 798.8 - 807.47: 5.0-10.0 quartz-calcite>> Vn4a's all share common orientation	639.00	640.50	1.50	S211885	0.01	2.5	17	15	25
		<<Vein: 807.47 - 834.88: quartz-calcite>>	640.50	642.00	1.50	S211886	0.009	6.2	18	26	43
		<<Struc: 784.88 - 785.03: strongly developed sheared 55 deg. >> Vn4b with fault gouge and 15 cm of blocky rock following. Vn4b = 3cm.	642.00	643.50	1.50	S211887	0.017	6.2	18	30	37
		<<Struc: 808.38 - 809.26: moderately developed fault zone 30 deg. >> shearing and fault gouge. AngleTCA measures from shear fabric.	643.50	645.00	1.50	S211888	0.009	2.1	10	12	26
			645.00	646.50	1.50	S211889	0.013	2.8	13	12	39
			646.50	648.00	1.50	S211891	0.011	3.4	20	15	31
			648.00	649.50	1.50	S211892	0.009	2.5	15	16	39
			649.50	651.00	1.50	S211893	0.013	3.4	20	13	24
			651.00	652.50	1.50	S211894	0.011	5.6	25	17	32
			652.50	654.00	1.50	S211895	0.011	4.8	18	21	78
			654.00	655.50	1.50	S211896	0.046	5	11	22	41
			655.50	657.00	1.50	S211897	0.034	18.3	42	17	41

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			657.00	658.50	1.50	S211898	0.034	15	22	22	464
			658.50	660.00	1.50	S211899	0.028	11.2	17	23	43
			660.00	661.50	1.50	S211901	0.005	3.6	13	17	22
			661.50	663.00	1.50	S211902	0.002	3.5	14	22	20
			663.00	664.50	1.50	S211903	0.005	4.4	18	22	18
			664.50	666.00	1.50	S211904	0.009	3.9	14	16	15
			666.00	667.50	1.50	S211905	0.014	4	15	18	26
			667.50	669.00	1.50	S211906	0.006	3.1	17	15	35
			669.00	670.50	1.50	S211907	0.002	2.7	24	14	25
			670.50	672.00	1.50	S211908	0.002	1.8	13	12	24
			672.00	673.50	1.50	S211909	0.002	1.2	10	7	35
			673.50	675.00	1.50	S211911	0.002	2.5	23	9	23
			675.00	676.50	1.50	S211912	0.002	2.4	27	6	32
			676.50	678.00	1.50	S211913	0.007	3.1	26	19	30
			678.00	679.50	1.50	S211914	0.002	1.9	19	5	28
			679.50	681.00	1.50	S211915	0.002	2.1	16	8	37
			681.00	682.50	1.50	S211916	0.005	3.1	23	11	39
			682.50	684.00	1.50	S211917	0.009	3	16	12	18
			684.00	685.50	1.50	S211918	0.005	4.2	12	16	73
			685.50	687.00	1.50	S211919	0.016	7.3	16	26	16
			687.00	688.50	1.50	S211921	0.025	7	26	20	21
			688.50	690.00	1.50	S211922	0.028	5.2	21	22	18
			690.00	691.50	1.50	S211923	0.007	3.5	16	25	22
			691.50	693.00	1.50	S211924	0.012	4	13	44	44
			693.00	694.50	1.50	S211925	0.029	5.6	19	40	31
			694.50	696.00	1.50	S211926	0.095	8.8	14	26	55
			696.00	697.50	1.50	S211927	0.01	1.3	11	13	53
			697.50	699.00	1.50	S211928	0.007	1.9	14	20	88
			699.00	700.50	1.50	S211929	0.015	2.8	20	7	46

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			700.50	702.00	1.50	S211931	0.005	1.2	10	6	28
			702.00	703.50	1.50	S211932	0.019	3.5	11	18	28
			703.50	705.00	1.50	S211933	0.013	5.4	11	34	27
			705.00	706.50	1.50	S211934	0.027	4.7	9	32	18
			706.50	708.00	1.50	S211935	0.063	7.9	10	47	20
			708.00	709.50	1.50	S211936	0.022	6.6	8	35	23
			709.50	711.00	1.50	S211937	0.013	4.4	3	20	9
			711.00	712.50	1.50	S211938	0.045	2.2	2	8	8
			712.50	714.00	1.50	S211939	0.013	5.7	8	35	10
			714.00	715.50	1.50	S211941	0.056	7.3	8	29	12
			715.50	717.00	1.50	S211942	0.028	8.2	4	36	7
			717.00	718.50	1.50	S211943	0.026	7	4	33	13
			718.50	720.00	1.50	S211944	0.033	5.1	3	27	21
			720.00	721.50	1.50	S211945	0.041	8.7	6	29	10
			721.50	723.00	1.50	S211946	0.019	6.6	3	40	17
			723.00	724.50	1.50	S211947	0.014	9	5	95	11
			724.50	726.00	1.50	S211948	0.025	9.6	5	105	53
			726.00	727.50	1.50	S211949	0.095	16.5	8	117	33
			727.50	729.00	1.50	S211951	0.026	7.4	7	101	54
			729.00	730.50	1.50	S211952	0.011	5.1	8	74	165
			730.50	732.00	1.50	S211953	0.005	2.6	4	35	33
			732.00	733.50	1.50	S211954	0.002	3.1	7	25	22
			733.50	735.00	1.50	S211955	0.002	1.9	12	16	34
			735.00	736.50	1.50	S211956	0.002	1.9	17	21	37
			736.50	738.00	1.50	S211957	0.002	2.4	14	19	32
			738.00	739.50	1.50	S211958	0.002	2.3	19	16	39
			739.50	741.00	1.50	S211959	0.002	2.3	20	20	36
			741.00	742.50	1.50	S211961	0.002	1.2	19	11	38
			742.50	744.00	1.50	S211962	0.002	0.6	36	20	52

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			744.00	745.50	1.50	S211963	0.002	0.5	26	14	45
			745.50	747.00	1.50	S211964	0.002	0.25	22	11	59
			747.00	748.50	1.50	S211965	0.002	0.5	30	12	111
			748.50	750.00	1.50	S211966	0.002	0.5	16	8	88
			750.00	751.50	1.50	S211967	0.002	0.5	26	17	76
			751.50	753.00	1.50	S211968	0.005	0.5	27	17	90
			753.00	754.50	1.50	S211969	0.002	0.25	14	10	102
			754.50	756.00	1.50	S211971	0.006	0.6	11	9	219
			756.00	757.50	1.50	S211972	0.075	2.3	20	25	134
			757.50	759.00	1.50	S211973	0.018	0.25	22	23	103
			759.00	760.50	1.50	S211974	0.006	0.25	22	19	105
			760.50	762.00	1.50	S211975	0.005	0.8	15	10	98
			762.00	763.50	1.50	S211976	0.007	0.25	17	6	128
			763.50	765.00	1.50	S211977	0.002	0.25	22	9	223
			765.00	766.50	1.50	S211978	0.002	0.25	21	8	194
			766.50	768.00	1.50	S211979	0.002	0.25	14	9	202
			768.00	769.50	1.50	S211981	0.002	0.25	14	5	105
			769.50	771.00	1.50	S211982	0.007	0.25	16	7	75
			771.00	772.50	1.50	S211983	0.017	0.5	23	18	105
			772.50	774.00	1.50	S211984	0.002	0.25	16	13	135
			774.00	775.50	1.50	S211985	0.016	1.2	12	17	83
			775.50	777.00	1.50	S211986	0.011	1.1	9	22	57
			777.00	778.50	1.50	S211987	0.007	0.9	13	27	70
			778.50	780.00	1.50	S211988	0.013	1.2	15	27	562
			780.00	781.50	1.50	S211989	0.017	1.4	13	19	117
			781.50	783.00	1.50	S211991	0.016	1	14	17	132
			783.00	784.50	1.50	S211992	0.002	0.25	19	11	180
			784.50	786.00	1.50	S211993	0.002	0.25	20	28	138
			786.00	787.50	1.50	S211994	0.002	0.25	15	17	192

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			787.50	789.00	1.50	S211995	0.009	0.25	15	12	200
			789.00	790.50	1.50	S211996	0.019	0.25	14	19	267
			790.50	792.00	1.50	S211997	0.024	0.25	16	7	301
			792.00	793.50	1.50	S211998	0.024	0.25	18	10	318
			793.50	795.00	1.50	S211999	0.043	0.25	14	28	229
			795.00	796.50	1.50	S212001	0.009	0.25	12	16	224
			796.50	798.00	1.50	S212002	0.014	0.25	22	13	216
			798.00	799.50	1.50	S212003	0.03	0.25	13	14	272
			799.50	801.00	1.50	S212004	0.016	0.25	13	11	217
			801.00	802.50	1.50	S212005	0.015	0.25	19	13	226
			802.50	804.00	1.50	S212006	0.024	0.25	14	19	206
			804.00	805.50	1.50	S212007	0.039	0.25	17	42	184
			805.50	807.00	1.50	S212008	0.009	0.25	12	27	193
			807.00	808.50	1.50	S212009	0.135	0.7	20	42	171
			808.50	810.00	1.50	S212011	0.022	0.5	19	9	79
			810.00	811.50	1.50	S212012	0.002	0.25	15	8	48
			811.50	813.00	1.50	S212013	0.005	0.25	18	12	46
			813.00	814.50	1.50	S212014	0.013	0.25	15	43	81
			814.50	816.00	1.50	S212015	0.005	0.5	16	129	135
			816.00	817.50	1.50	S212016	0.014	0.5	16	183	243
			817.50	819.00	1.50	S212017	0.009	0.25	19	102	222
			819.00	820.50	1.50	S212018	0.055	0.25	15	60	190
			820.50	822.00	1.50	S212019	0.061	0.25	20	71	165
			822.00	823.50	1.50	S212021	0.047	0.25	15	74	151
			823.50	825.00	1.50	S212022	0.024	0.8	15	124	169
			825.00	826.50	1.50	S212023	0.066	0.5	13	58	110
			826.50	828.00	1.50	S212024	0.188	0.8	27	107	99
			828.00	829.50	1.50	S212025	0.201	0.9	32	167	94
			829.50	831.00	1.50	S212026	0.018	0.6	17	96	95

Hole: SU-666

From (m)	To (m)		Rock Type & Description	
834.88	**845.73**	**H7**	**Dense vein stockwork (quartz veining is greater than 25%)**	**fg**

834.88 - 845.73: Plagioclase phyric, with plagioclase at about 30% and foliated. Phenocrysts are euhedral to anhedral and more than plagioclase may be present, although alteration overprinting leads to identification challenges. Alteration haloes around phenocrysts are dark, fine grained and pyritic. Ground mass is light green to grey and sericitized. This units introduction is gradational over 1 m from a fine grained propolitically altered p1 into the foliated plag phyric unit. It grades out in the same fashion. Centered within the intercal is quartz calcite vein, 10cm, with pink coarse grained calcite. The host rock surrounding the vein has been strongly deformed.

<<Min: 834.88 - 845.73: 5.0-10.0% pyrite / 2.0-5.0% pyrite>>

<<Alt: 834.88 - 845.73: strong sericite / moderate pyrite>> Pryite alteration as haloes around phenocrysts.

<<Vein: 834.88 - 845.73: quartz-calcite>>

845.73	**1280.09**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**fg**

845.73 - 1280.09: P1. Plagioclase and hornblend phyric. Phenocrysts are millimetric in size and some primary shapes are preserved, although most has been lost through alteration. Alteration is destructive leaving sub-anhedral white laths ranging from psuedo hexagonal to rectangular making up 10% of the groundmass.Alteration has changed primary composition of most minerals. Plagioclase and augite have been altered with chlorite and sericite. Ground mass if fine grained.

EOH 1275.81m.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
831.00	832.50	1.50	S212027	0.015	0.6	17	135	112
832.50	834.00	1.50	S212028	0.011	0.25	20	51	140
834.00	834.88	0.88	S212029	0.006	0.25	28	57	174
834.88	835.50	0.62	S212031	0.011	0.8	28	84	168
835.50	837.00	1.50	S212032	0.01	0.9	13	55	114
837.00	838.50	1.50	S212033	0.008	0.8	12	54	83
838.50	840.00	1.50	S212034	0.01	1	8	80	105
840.00	841.50	1.50	S212035	0.03	1.3	6	69	171
841.50	843.00	1.50	S212036	0.006	1.2	25	66	155
843.00	844.50	1.50	S212037	0.009	0.5	17	30	166
844.50	845.73	1.23	S212038	0.017	0.25	20	21	102

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 845.73 - 860.21: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 860.21 - 942.97: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 942.97 - 945.59: 0.5-2.0% chalcopyrite / 0.5-2.0% pyrite>>									
		<<Min: 945.59 - 977.55: <0.5% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 977.55 - 984.4: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 984.4 - 990: traces pyrite / <0.5% pyrite>>									
		<<Min: 990 - 991.89: 10.0-20.0% pyrite / <0.5% pyrite>>									
		<<Min: 991.89 - 1005.1: 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 1005.1 - 1014.93: 2.0-5.0% pyrite>>									
		<<Min: 1014.93 - 1017.46: >20.0% pyrite>>									
		<<Min: 1017.46 - 1019.23: 0.5-2.0% pyrite>>									
		<<Min: 1019.23 - 1054.34: >20.0% pyrite / <0.5% sphalerite>>									
		<<Min: 1054.34 - 1073.55: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% sphalerite>>									
		<<Min: 1073.55 - 1082.39: 2.0-5.0% pyrite / <0.5% pyrite / traces sphalerite>>									
		<<Min: 1082.39 - 1091.96: 2.0-5.0% pyrite / 2.0-5.0% pyrite / traces sphalerite>>									
		<<Min: 1091.96 - 1111.35: traces sphalerite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 1111.35 - 1176.4: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces sphalerite / traces galena>> Sph and gn disseminated in vn1c @ 1128.4									
		<<Min: 1176.4 - 1193.11: 2.0-5.0% pyrite / <0.5% galena / <0.5% sphalerite / 2.0-5.0% pyrite>>									
		<<Min: 1193.11 - 1201.64: 2.0-5.0% pyrite / 2.0-5.0% pyrite>>									
		<<Min: 1201.64 - 1222.17: 2.0-5.0% pyrite / 2.0-5.0% pyrite>>									
		<<Min: 1222.17 - 1261.53: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces sphalerite / Not recorded Nothing Recorded>>									
		<<Min: 1261.53 - 1280.09: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces sphalerite / traces galena>> 1267.75 electrum.									
		<<Alt: 845.73 - 902.11: moderate pyrite / strong chlorite>>									
		<<Alt: 902.11 - 903.83: moderate to strong sericite / moderate pyrite / moderate sericite / weak chlorite>>									
		<<Alt: 903.83 - 942.97: weak to moderate pyrite / weak pyrite / weak to moderate sericite>>									
		<<Alt: 942.97 - 945.6: strong sericite / weak pyrite>>									
		<<Alt: 945.6 - 984.4: strong chlorite / weak to moderate pyrite / weak sericite>>									
		<<Alt: 984.4 - 987.36: moderate to strong sericite / weak to moderate pyrite / weak pyrite>>									

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 987.36 - 991.89: moderate sericite / moderate to strong pyrite / weak silica (pervasive silicification)>>									
		<<Alt: 991.89 - 1005.1: strong chlorite / moderate chlorite / weak to moderate sericite / weak pyrite>>									
		<<Alt: 1005.1 - 1017.46: strong sericite / weak to moderate silica (pervasive silicification) / moderate pyrite>> Strong foliation of phenos associated with veining. There is a fabric created within this section that appears to be related to veining. It is not consistant throughout the interval and foliation 'ebs and flown' with veining.									
		<<Alt: 1017.46 - 1019.23: moderate to strong chlorite / moderate chlorite / moderate sericite / moderate pyrite / moderate pyrite>>									
		<<Alt: 1019.23 - 1050.55: strong pyrite / moderate silica (pervasive silicification) / moderate to strong sericite>> Pheno replacement by pyrite. Light green grey groundmass with intense quartz and sericite alteration.									
		<<Alt: 1050.55 - 1073.51: moderate sericite / moderate to strong silica (pervasive silicification) / moderate pyrite / weak to moderate pyrite>>									
		<<Alt: 1073.51 - 1082.39: strong silica (pervasive silicification) / moderate sericite / moderate pyrite / moderate pyrite>>									
		<<Alt: 1082.39 - 1091.46: moderate sericite / moderate silica (pervasive silicification) / moderate pyrite / weak pyrite>>									
		<<Alt: 1091.46 - 1105.45: moderate sericite / moderate to strong silica (pervasive silicification) / moderate pyrite>>									
		<<Alt: 1105.45 - 1111.35: strong silica (pervasive silicification) / moderate to strong sericite / moderate pyrite / weak to moderate pyrite>>									
		<<Alt: 1111.35 - 1222.17: moderate sericite / moderate pyrite / moderate silica (pervasive silicification)>>									
		<<Alt: 1222.17 - 1258.53: moderate sericite / moderate pyrite / weak to moderate silica (pervasive silicification)>>									
		<<Alt: 1258.53 - 1264.18: moderate chlorite / moderate pyrite / weak sericite>>									
		<<Alt: 1264.18 - 1280.09: moderate sericite / moderate to strong sericite / strong silica (pervasive silicification) / moderate pyrite / weak to moderate pyrite>>									
		<<Vein: 845.73 - 868.52: 1.0-5.0 quartz-calcite>>									
		<<Vein: 868.52 - 873.4: 1.0-5.0 quartz-calcite>>									
		<<Vein: 873.4 - 880.72: quartz-calcite>>									
		<<Vein: 880.72 - 892.05: quartz-calcite>>									
		<<Vein: 892.05 - 900.97: quartz-calcite>>									
		<<Vein: 900.97 - 933.9: quartz-calcite>>									
		<<Vein: 933.9 - 940.74: quartz-calcite>>									
		<<Vein: 940.74 - 977.47: quartz-calcite>>									
		<<Vein: 977.47 - 991.89: quartz-calcite>>									
		<<Vein: 991.89 - 1005.1: quartz-calcite>>									

Hole: SU-666

From (m)	To (m)	Rock Type & Description
		<<Vein: 1005.1 - 1019.23: quartz-calcite>> Lithology remains P1; Intense veining has created foliatoin a fabric and commonly oriented phenos with a relatio to veining intensity and direction. The Phenos appear to be plag? Replaced by chlorite.
		<<Vein: 1019.23 - 1054.34: quartz-calcite>>
		<<Vein: 1054.34 - 1073.55: 5.0-10.0 quartz-calcite>>
		<<Vein: 1073.55 - 1082.39: 10.0-25.0 quartz-calcite>> Prevelant V4's surrounded by tension gashes <2mm in size. Tension gashes filled with quartz.
		<<Vein: 1082.39 - 1091.46: 5.0-10.0 quartz-calcite>>
		<<Vein: 1091.46 - 1105.45: 1.0-5.0 quartz-calcite>>
		<<Vein: 1105.45 - 1111.35: 25.0-50.0 quartz-calcite>> Stockwork contains veinlets of chlorite/pyrite/sulphosalts? Within the stockwork there is brecciated wallwock. Throughout the stockwork area host rock is heavily silicified and cut by VN1A's in a VN1B network.
		<<Vein: 1111.35 - 1128: quartz-calcite>>
		<<Vein: 1128 - 1139.97: quartz-calcite>>
		<<Vein: 1139.97 - 1146.66: quartz-calcite>>
		<<Vein: 1146.66 - 1154.7: quartz-calcite>>
		<<Vein: 1154.7 - 1176.4: quartz-calcite>>
		<<Vein: 1176.4 - 1183.11: quartz-calcite>>
		<<Vein: 1183.11 - 1201.64: quartz-calcite>>
		<<Vein: 1201.64 - 1222.17: 1.0-5.0 quartz-calcite>>
		<<Vein: 1222.17 - 1264.52: 5.0-10.0 quartz-calcite>>
		<<Vein: 1264.52 - 1280.09: quartz-calcite>> 1267.75 electrum
		<<Struc: 985.42 - 986.54: moderately developed fault zone>> Rubble through interval with some fault gouge worked in with rubble. No clear fault or orientation.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
845.73	847.50	1.77	S212039	0.019	0.25	15	11	53
847.50	849.00	1.50	S212041	0.002	0.25	18	18	42
849.00	850.50	1.50	S212042	0.002	0.25	20	12	45
850.50	852.00	1.50	S212043	0.049	0.6	21	14	30
852.00	853.50	1.50	S212044	0.008	0.5	18	14	58
853.50	855.00	1.50	S212045	0.002	0.5	17	10	46
855.00	856.50	1.50	S212046	0.002	0.25	15	16	52

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			856.50	858.00	1.50	S212047	0.008	0.25	19	7	95
			858.00	859.50	1.50	S212048	0.015	0.25	19	10	88
			859.50	861.00	1.50	S212049	0.002	0.25	19	8	44
			861.00	862.50	1.50	S212051	0.006	0.5	17	14	42
			862.50	864.00	1.50	S212052	0.005	0.25	22	9	49
			864.00	865.50	1.50	S212053	0.002	0.5	15	12	38
			865.50	867.00	1.50	S212054	0.005	0.25	19	12	41
			867.00	868.50	1.50	S212055	0.002	0.25	23	4	38
			868.50	870.00	1.50	S212056	0.005	0.25	25	5	39
			870.00	871.50	1.50	S212057	0.011	0.25	20	6	39
			871.50	873.00	1.50	S212058	0.006	0.25	25	8	40
			873.00	874.50	1.50	S212059	0.006	0.25	18	5	53
			874.50	876.00	1.50	S212061	0.002	0.25	28	10	50
			876.00	877.50	1.50	S212062	0.002	0.25	19	5	36
			877.50	879.00	1.50	S212063	0.002	0.25	27	12	40
			879.00	880.50	1.50	S212064	0.002	0.25	22	12	38
			880.50	882.00	1.50	S212065	0.02	0.25	14	8	38
			882.00	883.50	1.50	S212066	0.177	1.1	47	10	29
			883.50	885.00	1.50	S212067	0.123	0.7	19	7	32
			885.00	886.50	1.50	S212068	0.007	0.25	13	11	31
			886.50	888.00	1.50	S212069	0.002	0.25	20	7	41
			888.00	889.50	1.50	S212071	0.007	0.25	18	7	42
			889.50	891.00	1.50	S212072	0.005	0.25	17	9	46
			891.00	892.50	1.50	S212073	0.006	0.25	20	7	44
			892.50	894.00	1.50	S212074	0.005	0.6	10	18	38
			894.00	895.50	1.50	S212075	0.006	0.25	19	7	49
			895.50	897.00	1.50	S212076	0.033	0.5	28	8	46
			897.00	898.50	1.50	S212077	0.022	0.25	13	10	45
			898.50	900.00	1.50	S212078	0.023	0.25	22	12	78

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			900.00	901.50	1.50	S212079	0.014	0.5	30	17	47
			901.50	903.00	1.50	S212081	0.279	0.5	20	13	30
			903.00	904.50	1.50	S212082	0.012	0.25	17	12	26
			904.50	906.00	1.50	S212083	0.007	0.6	15	12	32
			906.00	907.50	1.50	S212084	0.02	0.5	15	12	41
			907.50	909.00	1.50	S212085	0.022	0.25	21	8	48
			909.00	910.50	1.50	S212086	0.1	2.9	16	16	55
			910.50	912.00	1.50	S212087	0.006	0.7	18	9	44
			912.00	913.50	1.50	S212088	0.002	0.25	9	13	42
			913.50	915.00	1.50	S212089	0.002	0.25	12	4	39
			915.00	916.50	1.50	S212091	0.002	0.25	14	4	30
			916.50	918.00	1.50	S212092	0.006	0.25	15	7	27
			918.00	919.50	1.50	S212093	0.027	1.4	15	13	23
			919.50	921.00	1.50	S212094	0.002	0.25	10	10	30
			921.00	922.50	1.50	S212095	0.002	0.25	6	12	29
			922.50	924.00	1.50	S212096	0.037	0.6	20	4	31
			924.00	925.50	1.50	S212097	0.016	0.5	16	5	34
			925.50	927.00	1.50	S212098	0.005	0.7	6	12	27
			927.00	928.50	1.50	S212099	0.002	0.25	20	4	33
			928.50	930.00	1.50	S212101	0.077	0.6	19	12	32
			930.00	931.50	1.50	S212102	0.078	1.1	27	13	25
			931.50	933.00	1.50	S212103	0.232	1.8	27	11	28
			933.00	934.50	1.50	S212104	0.063	1.4	20	11	30
			934.50	936.00	1.50	S212105	0.019	0.25	21	9	33
			936.00	937.50	1.50	S212106	0.008	0.25	18	13	34
			937.50	939.00	1.50	S212107	0.007	0.25	20	13	195
			939.00	940.50	1.50	S212108	0.085	0.25	15	13	71
			940.50	942.00	1.50	S212109	0.019	0.25	17	8	287
			942.00	942.97	0.97	S212111	0.008	0.25	13	13	60

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			942.97	943.50	0.53	S212112	0.035	1.6	124	8	41
			943.50	945.00	1.50	S212113	0.349	6.3	2050	7	42
			945.00	945.59	0.59	S212114	0.007	0.25	17	7	51
			945.59	946.50	0.91	S212115	0.002	0.25	27	8	44
			946.50	948.00	1.50	S212116	0.01	0.25	24	7	29
			948.00	949.50	1.50	S212117	0.179	0.25	19	9	44
			949.50	951.00	1.50	S212118	0.006	0.25	18	8	37
			951.00	952.50	1.50	S212119	0.006	0.25	15	6	28
			952.50	954.00	1.50	S212121	0.005	0.25	14	6	34
			954.00	955.50	1.50	S212122	0.005	0.25	15	13	25
			955.50	957.00	1.50	S212123	0.038	0.5	21	8	27
			957.00	958.50	1.50	S212124	0.04	0.25	16	11	39
			958.50	960.00	1.50	S212125	0.002	0.5	15	23	37
			960.00	961.50	1.50	S212126	0.091	1	12	28	42
			961.50	963.00	1.50	S212127	0.02	0.5	34	9	105
			963.00	964.50	1.50	S212128	0.002	0.25	20	8	133
			964.50	966.00	1.50	S212129	0.002	0.25	15	9	154
			966.00	967.50	1.50	S212131	0.005	0.25	17	13	144
			967.50	969.00	1.50	S212132	0.002	0.25	17	6	99
			969.00	970.50	1.50	S212133	0.002	0.25	16	9	88
			970.50	972.00	1.50	S212134	0.002	0.25	16	10	115
			972.00	973.50	1.50	S212135	0.008	0.25	11	4	99
			973.50	975.00	1.50	S212136	0.002	0.25	13	9	92
			975.00	976.50	1.50	S212137	0.006	0.25	21	5	92
			976.50	978.00	1.50	S212138	0.051	0.6	8	29	285
			978.00	979.50	1.50	S212139	0.062	0.25	19	8	42
			979.50	981.00	1.50	S212141	0.009	0.25	16	9	40
			981.00	982.50	1.50	S212142	0.072	0.8	28	28	53
			982.50	983.50	1.00	S212143	0.065	0.7	23	19	64

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			983.50	984.40	0.90	S212144	0.03	0.7	19	12	63
			984.40	985.50	1.10	S212145	0.002	0.25	16	6	88
			985.50	986.50	1.00	S212146	0.011	0.7	14	19	215
			986.50	987.36	0.86	S212147	0.002	0.25	18	5	83
			987.36	988.50	1.14	S212148	0.009	0.25	19	10	81
			988.50	990.00	1.50	S212149	0.03	0.25	18	4	140
			990.00	991.00	1.00	S212151	0.083	1.1	12	16	31
			991.00	991.89	0.89	S212152	0.021	2.3	8	28	38
			991.89	993.00	1.11	S212153	0.005	0.25	20	11	94
			993.00	994.50	1.50	S212154	0.014	0.25	16	8	162
			994.50	996.00	1.50	S212155	0.015	1	13	19	244
			996.00	997.50	1.50	S212156	0.002	0.25	20	6	154
			997.50	999.00	1.50	S212157	0.012	0.25	34	5	149
			999.00	1000.50	1.50	S212158	0.092	1.3	22	17	194
			1000.50	1002.00	1.50	S212159	0.029	0.5	16	11	236
			1002.00	1003.00	1.00	S212161	0.009	0.6	10	46	180
			1003.00	1004.00	1.00	S212162	0.113	1.2	69	21	242
			1004.00	1005.10	1.10	S212163	0.029	0.6	21	11	220
			1005.10	1006.50	1.40	S212164	0.046	1.4	23	12	1620
			1006.50	1008.00	1.50	S212165	0.063	2.8	14	37	553
			1008.00	1009.50	1.50	S212166	0.053	3.4	12	46	349
			1009.50	1011.00	1.50	S212167	0.05	3.2	9	340	1085
			1011.00	1012.50	1.50	S212168	0.065	2.6	11	26	119
			1012.50	1014.00	1.50	S212169	0.105	2.2	9	20	121
			1014.00	1015.50	1.50	S212171	0.037	1.3	27	24	97
			1015.50	1016.50	1.00	S212172	0.088	3.4	16	44	175
			1016.50	1017.46	0.96	S212173	0.073	1.5	15	9	151
			1017.46	1018.50	1.04	S212174	0.076	1.4	19	14	164
			1018.50	1019.23	0.73	S212175	0.022	0.9	47	16	169

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1019.23	1020.50	1.27	S212176	0.058	2.8	10	39	101
			1020.50	1022.00	1.50	S212177	0.01	0.25	10	7	205
			1022.00	1023.50	1.50	S212178	0.017	0.25	11	9	87
			1023.50	1025.00	1.50	S212179	0.011	0.7	10	12	37
			1025.00	1026.50	1.50	S212181	0.02	1.1	13	15	34
			1026.50	1028.00	1.50	S212182	0.021	1.3	11	20	39
			1028.00	1029.50	1.50	S212183	0.017	1.7	11	22	48
			1029.50	1031.00	1.50	S212184	0.021	2.7	15	23	29
			1031.00	1032.50	1.50	S212185	0.043	3	9	29	22
			1032.50	1034.00	1.50	S212186	0.019	1.7	8	27	23
			1034.00	1035.50	1.50	S212187	0.02	1.6	10	23	32
			1035.50	1037.00	1.50	S212188	0.018	1.5	8	24	48
			1037.00	1038.50	1.50	S212189	0.013	1.6	8	17	28
			1038.50	1040.00	1.50	S212191	0.022	2.6	6	30	28
			1040.00	1041.50	1.50	S212192	0.021	1.9	6	22	33
			1041.50	1043.00	1.50	S212193	0.036	3.8	12	25	39
			1043.00	1044.50	1.50	S212194	0.542	54.6	151	372	774
			1044.50	1046.00	1.50	S212195	0.046	3.1	16	26	42
			1046.00	1047.50	1.50	S212196	0.04	1.7	12	21	42
			1047.50	1049.00	1.50	S212197	0.012	1.9	56	7	85
			1049.00	1050.50	1.50	S212198	0.024	1	9	13	28
			1050.50	1052.00	1.50	S212199	0.058	0.9	13	11	22
			1052.00	1053.50	1.50	S212201	0.102	2.9	15	16	86
			1053.50	1055.00	1.50	S212202	0.115	1.4	24	14	74
			1055.00	1056.50	1.50	S212203	0.105	1.1	42	4	117
			1056.50	1058.00	1.50	S212204	0.078	0.8	19	5	99
			1058.00	1059.50	1.50	S212205	0.061	1.5	15	10	101
			1059.50	1061.00	1.50	S212206	0.092	0.9	18	4	176
			1061.00	1062.50	1.50	S212207	0.15	1.3	28	7	102

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1062.50	1064.00	1.50	S212208	0.587	1.4	30	7	102
			1064.00	1065.50	1.50	S212209	0.079	1.3	8	16	41
			1065.50	1067.00	1.50	S212211	0.104	1.1	26	8	30
			1067.00	1068.50	1.50	S212212	0.286	2	33	10	35
			1068.50	1070.00	1.50	S212213	0.105	3.2	26	13	37
			1070.00	1071.50	1.50	S212214	0.172	3.5	37	61	29
			1071.50	1073.00	1.50	S212215	0.314	3.5	13	16	20
			1073.00	1074.50	1.50	S212216	0.238	2.3	18	13	19
			1074.50	1076.00	1.50	S212217	0.087	2.9	15	35	100
			1076.00	1077.50	1.50	S212218	0.051	1.8	6	20	38
			1077.50	1079.00	1.50	S212219	0.069	1.8	39	32	49
			1079.00	1080.50	1.50	S212221	0.048	4	24	47	539
			1080.50	1082.39	1.89	S212222	0.087	5	20	79	266
			1082.39	1083.00	0.61	S212223	0.07	2	24	48	147
			1083.00	1084.00	1.00	S212224	0.048	1.5	14	26	74
			1084.00	1085.00	1.00	S212225	0.051	1.6	11	27	141
			1085.00	1086.00	1.00	S212226	0.153	3.7	22	45	489
			1086.00	1087.00	1.00	S212227	0.098	4.2	36	36	127
			1087.00	1088.00	1.00	S212228	0.159	3.5	15	30	85
			1088.00	1089.00	1.00	S212229	0.324	2	42	24	94
			1089.00	1090.00	1.00	S212231	0.329	1.9	18	28	85
			1090.00	1091.00	1.00	S212232	0.191	2	20	23	56
			1091.00	1092.00	1.00	S212233	0.165	3.5	24	27	89
			1092.00	1093.00	1.00	S212234	0.272	9.1	11	50	57
			1093.00	1094.00	1.00	S212235	0.797	10.2	18	85	85
			1094.00	1095.00	1.00	S212236	0.973	6	38	95	166
			1095.00	1096.00	1.00	S212237	0.785	10.3	102	88	175
			1096.00	1097.00	1.00	S212238	0.612	3.8	40	359	409
			1097.00	1098.00	1.00	S212239	0.389	3.8	48	26	46

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1098.00	1099.00	1.00	S212241	0.501	3.7	46	48	53
			1099.00	1100.00	1.00	S212242	0.435	4	19	67	63
			1100.00	1101.00	1.00	S212243	0.396	5.3	25	31	48
			1101.00	1102.00	1.00	S212244	0.355	6	31	25	72
			1102.00	1103.00	1.00	S212245	0.498	4.4	36	22	32
			1103.00	1104.00	1.00	S212246	0.257	4.2	52	28	35
			1104.00	1105.00	1.00	S212247	0.455	5.6	13	46	49
			1105.00	1106.00	1.00	S212248	0.415	5.9	23	61	129
			1106.00	1107.00	1.00	S212249	0.554	9.7	12	15	60
			1107.00	1108.00	1.00	S212251	0.354	4.6	10	25	76
			1108.00	1109.00	1.00	S212252	0.103	2.7	5	50	155
			1109.00	1110.00	1.00	S212253	0.167	4	8	39	134
			1110.00	1111.00	1.00	S212254	0.109	2.7	5	38	86
			1111.00	1112.00	1.00	S212255	0.106	2.3	14	29	83
			1112.00	1113.00	1.00	S212256	0.293	3.1	13	28	52
			1113.00	1114.00	1.00	S212257	0.131	3	15	28	97
			1114.00	1115.00	1.00	S212258	0.164	2.2	12	25	45
			1115.00	1116.00	1.00	S212259	0.177	2.3	26	28	49
			1116.00	1117.00	1.00	S212261	0.114	1.5	10	23	46
			1117.00	1118.00	1.00	S212262	0.183	1.3	8	34	59
			1118.00	1119.00	1.00	S212263	0.792	2.1	9	38	52
			1119.00	1120.00	1.00	S212264	0.209	13.9	17	38	49
			1120.00	1121.00	1.00	S212265	0.083	2.7	10	28	39
			1121.00	1122.00	1.00	S212266	0.483	13.1	10	45	75
			1122.00	1123.00	1.00	S212267	0.049	5	17	46	40
			1123.00	1124.00	1.00	S212268	0.04	2.8	34	33	60
			1124.00	1125.00	1.00	S212269	0.042	2.5	21	31	37
			1125.00	1126.00	1.00	S212271	0.108	4	5	51	37
			1126.00	1127.00	1.00	S212272	0.051	2.6	4	52	49

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1127.00	1128.00	1.00	S212273	0.099	8.4	6	57	37
			1128.00	1128.97	0.97	S212274	0.2	33.3	9	63	38
			1128.97	1130.50	1.53	S212275	0.032	5	4	43	19
			1130.50	1132.00	1.50	S212276	0.019	2.3	7	30	28
			1132.00	1133.50	1.50	S212277	0.024	2.2	11	35	29
			1133.50	1135.00	1.50	S212278	0.023	1.1	17	17	34
			1135.00	1136.50	1.50	S212279	0.029	1.3	22	32	49
			1136.50	1138.00	1.50	S212281	0.032	2.6	20	29	35
			1138.00	1139.50	1.50	S212282	0.051	2.7	5	23	50
			1139.50	1141.00	1.50	S212283	0.048	2.5	34	34	54
			1141.00	1142.50	1.50	S212284	0.04	2.1	17	35	69
			1142.50	1144.00	1.50	S212285	0.109	5.2	28	65	107
			1144.00	1145.50	1.50	S212286	0.028	1	7	33	45
			1145.50	1147.00	1.50	S212287	0.037	1	13	35	54
			1147.00	1148.50	1.50	S212288	0.064	1.4	15	33	66
			1148.50	1150.00	1.50	S212289	0.111	2.1	8	20	44
			1150.00	1151.50	1.50	S212291	0.11	1.8	26	21	45
			1151.50	1153.00	1.50	S212292	0.125	1.5	20	18	66
			1153.00	1154.50	1.50	S212293	0.177	7.2	31	63	156
			1154.50	1156.00	1.50	S212294	0.063	2.1	43	32	111
			1156.00	1157.50	1.50	S212295	0.089	3.6	25	31	140
			1157.50	1159.00	1.50	S212296	0.057	1.7	15	27	82
			1159.00	1160.50	1.50	S212297	0.051	0.8	23	23	143
			1160.50	1162.00	1.50	S212298	0.1	0.9	28	27	209
			1162.00	1163.50	1.50	S212299	0.161	2.9	23	39	135
			1163.50	1165.00	1.50	S212301	0.156	3.4	20	49	217
			1165.00	1166.50	1.50	S212302	0.093	3.6	20	38	298
			1166.50	1168.00	1.50	S212303	0.14	1.4	37	52	686
			1168.00	1169.50	1.50	S212304	0.078	1.8	15	28	197

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1169.50	1171.00	1.50	S212305	0.065	1.2	12	22	87
			1171.00	1172.50	1.50	S212306	0.026	1.5	19	17	253
			1172.50	1174.00	1.50	S212307	0.07	4.4	12	41	44
			1174.00	1175.50	1.50	S212308	0.034	1.6	7	22	27
			1175.50	1176.40	0.90	S212309	0.053	2.9	2	32	37
			1176.40	1178.00	1.60	S212311	0.114	5.8	8	69	95
			1178.00	1179.50	1.50	S212312	0.055	2.6	31	18	89
			1179.50	1181.00	1.50	S212313	0.096	5.5	26	25	69
			1181.00	1182.50	1.50	S212314	1.11	46.4	36	146	46
			1182.50	1183.11	0.61	S212315	3.08	213	445	624	3640
			1183.11	1184.50	1.39	S212316	0.14	2.3	14	27	125
			1184.50	1186.00	1.50	S212317	0.068	1.3	16	31	235
			1186.00	1187.50	1.50	S212318	0.048	4.2	17	20	51
			1187.50	1189.00	1.50	S212319	0.054	2.2	31	119	369
			1189.00	1190.50	1.50	S212321	0.663	51.7	26	95	454
			1190.50	1192.00	1.50	S212322	0.131	8.6	31	160	749
			1192.00	1193.50	1.50	S212323	0.057	2.1	17	101	361
			1193.50	1195.00	1.50	S212324	0.08	1.5	17	77	442
			1195.00	1196.50	1.50	S212325	0.054	1.4	16	129	507
			1196.50	1198.00	1.50	S212326	0.118	1.5	20	78	276
			1198.00	1199.50	1.50	S212327	0.148	1.2	20	35	243
			1199.50	1201.00	1.50	S212328	0.187	0.7	14	34	206
			1201.00	1201.64	0.64	S212329	0.137	1.4	10	47	35
			1201.64	1203.00	1.36	S212331	0.055	1.3	16	31	94
			1203.00	1204.50	1.50	S212332	0.014	1.4	22	83	115
			1204.50	1206.00	1.50	S212333	0.018	1.1	18	33	118
			1206.00	1207.50	1.50	S212334	0.037	0.9	19	35	86
			1207.50	1209.00	1.50	S212335	0.012	0.25	10	28	106
			1209.00	1210.50	1.50	S212336	0.064	0.5	16	43	177

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1210.50	1212.00	1.50	S212337	0.037	0.5	14	35	139
			1212.00	1213.50	1.50	S212338	0.093	0.5	10	49	173
			1213.50	1215.00	1.50	S212339	0.087	0.5	16	32	195
			1215.00	1216.50	1.50	S212341	0.124	0.5	13	37	101
			1216.50	1218.00	1.50	S212342	0.096	0.25	7	52	124
			1218.00	1219.50	1.50	S212343	0.141	1	18	70	149
			1219.50	1221.00	1.50	S212344	0.064	0.5	7	73	85
			1221.00	1222.50	1.50	S212345	0.081	1.2	15	191	160
			1222.50	1224.00	1.50	S212346	0.969	1.7	19	81	417
			1224.00	1225.50	1.50	S212347	0.185	4.1	24	87	193
			1225.50	1227.00	1.50	S212348	0.119	1.2	25	42	265
			1227.00	1228.50	1.50	S212349	0.058	1.1	24	39	129
			1228.50	1230.00	1.50	S212351	0.051	0.8	24	50	121
			1230.00	1231.50	1.50	S212352	0.066	1.3	17	67	184
			1231.50	1233.00	1.50	S212353	0.14	1.2	20	73	224
			1233.00	1234.50	1.50	S212354	0.123	2	30	110	301
			1234.50	1236.00	1.50	S212355	0.112	1.1	16	77	254
			1236.00	1237.50	1.50	S212356	0.052	1.5	18	72	204
			1237.50	1239.00	1.50	S212357	0.146	2.3	23	133	379
			1239.00	1240.50	1.50	S212358	0.103	1.1	15	84	330
			1240.50	1242.00	1.50	S212359	0.076	1.2	14	156	680
			1242.00	1243.50	1.50	S212361	0.053	1.2	14	123	489
			1243.50	1245.00	1.50	S212362	0.037	0.7	14	50	292
			1245.00	1246.50	1.50	S212363	0.022	0.6	16	22	269
			1246.50	1248.00	1.50	S212364	0.103	0.8	20	23	217
			1248.00	1249.50	1.50	S212365	0.04	0.25	18	13	263
			1249.50	1251.00	1.50	S212366	0.03	0.5	17	9	104
			1251.00	1252.50	1.50	S212367	0.018	0.6	26	12	152
			1252.50	1254.00	1.50	S212368	0.016	0.25	20	7	207

Hole: SU-666

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1254.00	1255.50	1.50	S212369	0.028	0.8	21	13	127
			1255.50	1257.00	1.50	S212371	0.032	0.6	24	20	135
			1257.00	1258.50	1.50	S212372	0.044	0.6	13	260	71
			1258.50	1260.00	1.50	S212373	0.11	1.1	20	267	101
			1260.00	1261.53	1.53	S212374	0.091	1.5	34	799	540
			1261.53	1263.00	1.47	S212375	0.062	0.6	21	96	163
			1263.00	1264.50	1.50	S212376	0.055	0.25	15	11	136
			1264.50	1266.00	1.50	S212377	0.03	0.25	9	10	81
			1266.00	1267.45	1.45	S212378	0.06	2.3	12	9	88
			1267.45	1267.95	0.50	S212379	8030	4330	25	40	131
			1267.95	1269.50	1.55	S212381	2.71	2.2	14	16	150
			1269.50	1271.00	1.50	S212382	0.058	1.4	13	25	95
			1271.00	1272.50	1.50	S212383	0.282	2.1	20	21	69
			1272.50	1274.00	1.50	S212384	0.281	2.2	15	16	39
			1274.00	1275.50	1.50	S212385	0.239	1.7	9	13	27
			1275.50	1277.10	1.60	S212386	0.203	2.5	49	18	38
			1277.10	1277.50	0.40	S212387	0.047	0.9	22	8	59
			1277.50	1279.00	1.50	S212388	0.194	2.5	23	74	212
			1279.00	1280.09	1.09	S212389	0.188	2.1	15	44	130

End of Hole @ 1280.09

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-667

Prospect:	HGP	**Survey Type:**		**Logged By:**	canstey	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/5/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	9/7/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	354	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/4/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/7/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	9/5/2015	-51.3	222	20.4	242.4	55824	☑	
18	REFLEX	9/5/2015	-51.3	222	20.4	242.4	55824	☑	
69	REFLEX	9/5/2015	-51	223.6	20.4	244	56028	☑	
120	REFLEX	9/5/2015	-50.5	222.4	20.4	242.8	55894	☑	
171	REFLEX	9/6/2015	-50.7	223.1	20.4	243.5	55911	☑	
222	REFLEX	9/6/2015	-51.1	224.1	20.4	244.5	56145	☑	
273	REFLEX	9/6/2015	-51.2	225.7	20.4	246.1	56052	☑	
324	REFLEX	9/7/2015	-51	227.7	20.4	248.1	55831	☑	
354	REFLEX	9/7/2015	-50.6	228.3	20.4	248.7	55836	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-667

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**4.50**	**OVB**	**overburden**	**fg**									
0 - 4.5: No core up to 4.5m.													
4.50	**58.29**	**I2**	**porphyritic intermediate to alkaline intrusive rocks (fspr>>hbl; distinctly porphyritic texture with fspr phenos to 5 cm ('megacrystic'); typically quartz-poor, interpreted as monozonite or syenite)**	**mg**	4.50	6.00	1.50	S313001	0.002	0.25	2	5	65
4.5 - 58.29: Megacryst of k-spar up tp 2.0cm wide square in shape often with chl alteration. Feldspars >> than hornblende in matrix. Very little qtz in ground mass. Iron oxide alteration on fracture surfaces. Minor areas of clay alteration of veins, in some areas over printed by epidote alteration. Moderate to strong silicification present throughout. Trace to minor dissiminated pyrite throughout is the only observed mineralization. Chl alteration throughout replacing veins and phenos.													
<<Min: 4.5 - 31.66: <0.5% pyrite>>					6.00	7.50	1.50	S313002	0.002	0.25	6	14	71
<<Min: 31.66 - 33.75: Not recorded Nothing Recorded>> No mineraliation within the dykes.					7.50	9.00	1.50	S313003	0.008	1.2	433	21	109
<<Min: 33.75 - 58.29: <0.5% pyrite>>					9.00	10.50	1.50	S313004	0.002	0.25	19	5	83
<<Alt: 4.5 - 26.5: moderate chlorite / weak to moderate iron oxide / weak silica (pervasive silicification) / trace epidote / trace hematite>> Kspar present. Alteration or primary?					10.50	12.00	1.50	S313005	0.002	0.25	15	7	85
<<Alt: 26.5 - 33: moderate iron oxide / moderate silica (pervasive silicification) / weak chlorite / weak clay / trace hematite>>					12.00	13.50	1.50	S313006	0.002	0.25	22	9	84
<<Alt: 33 - 58.2: weak silica (pervasive silicification) / weak chlorite / trace clay / trace epidote / trace iron oxide>> Chl alteration of veining present as well. K-spar? Alteration? Primary?					13.50	15.00	1.50	S313007	0.01	0.25	15	9	74
<<Alt: 58.2 - 91.5: moderate to strong silica (pervasive silicification) / weak to moderate calcite / weak to moderate epidote / trace iron oxide / weak chlorite>> Patchy k-spar alteration throughout. Trace garnets present.					15.00	16.50	1.50	S313008	0.005	0.25	9	3	76
<<Vein: 4.5 - 58.29: 1.0-5.0 quartz-calcite>> qtz-cal mm-1cm sized Vn1a style veins along with mm sized fracture fill style veins. Pink calcite bearing brecciated Vn3 style veins.					16.50	18.00	1.50	S313009	0.002	0.25	10	3	71
<<Struc: 26.45 - 31.66: weakly developed fault zone>> Fault one with minor gouge and moderate oxidation.					18.00	19.50	1.50	S313011	0.01	0.25	9	6	76
					19.50	21.00	1.50	S313012	0.005	0.25	11	6	78
					21.00	22.50	1.50	S313013	0.002	0.25	8	4	77

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			22.50	24.00	1.50	S313014	0.002	0.25	9	4	78
			24.00	25.50	1.50	S313015	0.002	0.25	8	5	72
			25.50	27.00	1.50	S313016	0.002	0.25	16	1	78
			27.00	28.50	1.50	S313017	0.02	0.9	483	10	100
			28.50	30.00	1.50	S313018	0.002	0.25	19	5	77
			30.00	31.50	1.50	S313019	0.002	0.25	8	4	72
			31.50	32.60	1.10	S313021	0.002	0.25	14	3	67
			32.60	34.00	1.40	S313022	0.002	0.25	13	8	104
			34.00	36.00	2.00	S313023	0.002	0.25	9	2	76
			36.00	38.00	2.00	S313024	0.002	0.25	12	2	78
			38.00	39.50	1.50	S313025	0.002	0.25	7	1	69
			39.50	41.00	1.50	S313026	0.058	0.25	9	2	66
			41.00	42.50	1.50	S313027	0.002	0.25	12	1	72
			42.50	44.00	1.50	S313028	0.002	0.25	16	3	76
			44.00	45.50	1.50	S313029	0.002	0.25	17	7	72
			45.50	47.00	1.50	S313031	0.002	0.25	7	6	74
			47.00	48.50	1.50	S313032	0.002	0.25	8	8	73
			48.50	50.00	1.50	S313033	0.002	0.25	8	2	74
			50.00	51.50	1.50	S313034	0.002	0.25	10	1	70
			51.50	53.00	1.50	S313035	0.002	0.25	21	5	76
			53.00	54.50	1.50	S313036	0.002	0.25	13	4	79
			54.50	56.00	1.50	S313037	0.002	0.25	6	5	77
			56.00	57.50	1.50	S313038	0.033	0.25	9	8	77
			57.50	58.29	0.79	S313039	0.005	0.25	20	1	77
			58.29	60.00	1.71	S313041	0.025	0.6	554	2	72

Hole: SU-667

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
58.29	**91.50**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**lg-fg**	60.00	61.50	1.50	S313042	0.03	0.8	721	4	43
58.29 - 91.5: Fine grained volcaniclastic mudstones with laminated bedding. Newtwork vn1a style stringers (fracture fill), of a qt cal (dominantly calcite) throughout. Moderate-strong silicification throughout. Trace epidote alteration in veining and on fracture fills.													
<<Min: 58.29 - 67.91: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% sphalerite>> Minor amounts of mo and cpy present on fracture surfaces. Blebs of pyrite+sph present within a brecciated pink calcite bearing Vn3 style vein.					61.50	63.00	1.50	S313043	0.016	0.6	585	2	52
<<Min: 67.91 - 84.25: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% chalcopyrite / traces molybdenite>>					63.00	64.50	1.50	S313044	0.015	0.5	609	1	49
<<Min: 84.25 - 85.5: 5.0-10.0% pyrite / 0.5-2.0% pyrite / <0.5% sphalerite>> sph present within a pink calcited bearing brecciated vn3 style vein.					64.50	66.00	1.50	S313045	0.056	0.9	646	21	1295
<<Min: 85.5 - 91.5: 0.5-2.0% pyrite / 0.5-2.0% pyrite>> fault zone from 90.70 to 91.50 with gouge.					66.00	67.50	1.50	S313046	0.038	1	908	6	49
<<Vein: 58.29 - 131.5: 1.0-5.0 quartz-calcite>> More abundant fracture fill Vn1a style veins than previous unit, that are dominantly calcite. Minor 0.5cm calcite rich vn1a style veins. Pink calcite bearing Vn3 vein occasionally containing base metals (sph). Very minor amounts of brecciated vn1b style qtz-cal veins throughout.					67.50	69.25	1.75	S313047	0.027	0.8	832	3	46
<<Struc: 58.29 - 67.91: weakly developed lamination 65 deg. >> laminated bedding within the mudstone unit.					69.25	70.50	1.25	S313048	0.052	0.7	198	16	159
<<Struc: 90.7 - 91.5: moderately developed fault zone 45 deg. >> Fault zone with gouge.					70.50	72.00	1.50	S313049	0.098	0.6	363	10	112
					72.00	73.50	1.50	S313051	0.052	0.6	502	10	37
					73.50	75.00	1.50	S313052	0.047	0.8	992	6	37
					75.00	76.50	1.50	S313053	0.022	0.8	1190	6	41
					76.50	78.00	1.50	S313054	0.047	0.9	1260	4	52
					78.00	79.50	1.50	S313055	0.045	1	1250	6	47
					79.50	81.00	1.50	S313056	0.034	0.6	736	2	47
					81.00	82.50	1.50	S313057	0.088	0.5	750	4	63
					82.50	84.00	1.50	S313058	0.068	1	984	11	61
					84.00	85.50	1.50	S313059	0.186	2.2	962	144	1630
					85.50	87.00	1.50	S313061	0.037	0.9	1010	3	73
					87.00	88.50	1.50	S313062	0.076	0.8	900	36	64
					88.50	90.00	1.50	S313063	0.11	1.4	1480	11	59

Hole: SU-667

From (m)	To (m)		Rock Type & Description	
91.50	**354.00**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-mg**

91.5 - 354: Plag-hornblende porphyritic rocks, plag > hbl. Patchy k-spar, chl and epi alterartion up to 316.0m at which point it turns to moderate tostrong silica+chl alteration. Various styles of minor dykes present throughout. Porphyritic texture present up to 128.0m where it becomes more equigranular feldspar phyric. From 300m to EOH the strong alteration overprints host rock textures.

<<Min: 91.5 - 93: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces chalcopyrite / traces molybdenite>>

<<Min: 93 - 110: <0.5% pyrite>>

<<Min: 110 - 138: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% chalcopyrite / <0.5% molybdenite>> Cpy and Mo found as blebs within qtz-cal veins and as well as blebs within host rock.

<<Min: 138 - 193.5: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% chalcopyrite / 0.5-2.0% chalcopyrite>> Cpy is found as blebs within the host rock and dominantly in in as blebs Vn4 style chl altered cal rich veins.

<<Min: 193.5 - 212.4: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% chalcopyrite / traces chalcopyrite / <0.5% molybdenite>> Mo found on fracture surfaces and rarely as a bleb along vein selvages. Cpy is found as blebs within host rock and within veins.

<<Min: 212.4 - 214.84: traces pyrite>>

<<Min: 214.84 - 216.1: <0.5% pyrite / <0.5% pyrite / traces chalcopyrite>>

<<Min: 216.1 - 217.5: traces pyrite>>

<<Min: 217.5 - 270: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% chalcopyrite / traces molybdenite>> Cpy is mostly found as blebs within Vn1a style qtz-cal veins along with minor mo along vein selvages. Pyrite is mostly liminted to vein replacement and Patchy areas of dissemination throughout.

<<Min: 270 - 285.5: 0.5-2.0% pyrite / <0.5% pyrite>>

<<Min: 285.5 - 289.5: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% chalcopyrite / <0.5% molybdenite>> bleb p, cpy and mo present within chl altered brecciated veins.

<<Min: 289.5 - 301.5: 0.5-2.0% pyrite / traces pyrite / traces chalcopyrite>>

<<Min: 301.5 - 321: 2.0-5.0% pyrite / <0.5% pyrite / traces chalcopyrite>>

<<Min: 321 - 321.67: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% chalcopyrite / traces molybdenite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
90.00	91.50	1.50	S313064	0.053	1.1	650	13	81
91.50	93.00	1.50	S313065	0.07	1.2	286	5	50
93.00	94.50	1.50	S313066	0.019	0.25	17	9	60
94.50	96.00	1.50	S313067	0.025	0.7	269	7	61
96.00	97.50	1.50	S313068	0.017	0.7	282	8	65
97.50	99.00	1.50	S313069	0.002	0.25	16	7	66
99.00	100.50	1.50	S313071	0.005	0.25	10	4	67
100.50	102.00	1.50	S313072	0.002	0.25	14	3	67
102.00	103.50	1.50	S313073	0.002	0.25	4	9	67
103.50	105.00	1.50	S313074	0.006	0.25	5	4	62
105.00	106.50	1.50	S313075	0.032	0.25	60	9	69
106.50	108.00	1.50	S313076	0.023	0.25	181	3	57
108.00	109.50	1.50	S313077	0.022	0.25	81	4	59
109.50	111.00	1.50	S313078	0.032	1	284	8	52
111.00	112.50	1.50	S313079	0.062	3.9	1170	8	59
112.50	114.00	1.50	S313081	0.069	0.5	225	9	66

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 321.67 - 322.76: Nothing Recorded>> No visible mineralization in the dyke.	114.00	115.50	1.50	S313082	0.037	0.25	152	9	66
		<<Min: 322.76 - 332.43: 5.0-10.0% pyrite / 0.5-2.0% pyrite / <0.5% chalcopyrite / traces molybdenite>>	115.50	117.00	1.50	S313083	0.177	0.8	150	15	84
		<<Min: 332.43 - 333.23: traces arsenopyrite>> Aspy? Present as blebs within a qtz-cal vein within a dyke.	117.00	118.50	1.50	S313084	0.14	1.3	230	37	73
		<<Min: 333.23 - 336: 2.0-5.0% pyrite / 0.5-2.0% chalcopyrite / <0.5% pyrite>> Py+cpy found within a qtz-cal vein. With epidote alteration along vein selvages.	118.50	120.00	1.50	S313085	0.062	0.8	549	6	58
		<<Min: 336 - 347: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% chalcopyrite>>	120.00	121.50	1.50	S313086	0.058	1.8	785	8	44
		<<Min: 347 - 349.74: <0.5% pyrite>> Minor pyrite in host rock around uneven dyke contact.	121.50	123.00	1.50	S313087	0.045	1	717	6	56
		<<Min: 349.74 - 354: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% chalcopyrite / <0.5% molybdenite>>	123.00	124.50	1.50	S313088	0.124	0.8	242	19	84
		<<Alt: 91.5 - 130.5: moderate chlorite / weak to moderate chlorite / trace calcite / weak silica (pervasive silicification) / weak epidote>> patchy k-spar alteration present throughout as pheno replacement. Minor oxidation present on fracture surfaces.	124.50	126.00	1.50	S313089	0.14	2.9	1130	17	58
		<<Alt: 130.5 - 212.4: moderate chlorite / weak to moderate calcite / moderate epidote / weak to moderate chlorite / moderate silica (pervasive silicification)>> Chl is present as pheno replacement and and vein replacement thorughout.Epidote is patchy throughout this unit as pehon replacement and as vein associated replacement. Patchy k-spar alteration also present. Minor oxidation on fracture surfaces.	126.00	127.50	1.50	S313091	0.11	1.3	533	18	139
		<<Alt: 212.4 - 214.84: weak chlorite / trace calcite / trace calcite / trace epidote / weak to moderate iron oxide>>	127.50	129.00	1.50	S313092	0.038	0.7	362	11	67
		<<Alt: 214.84 - 216.1: weak to moderate chlorite / weak calcite / weak to moderate epidote / weak silica (pervasive silicification) / weak chlorite>>	129.00	130.50	1.50	S313093	0.059	1.2	199	7	48
		<<Alt: 216.1 - 217.5: weak chlorite / trace calcite / trace calcite / trace epidote / weak iron oxide>>	130.50	132.00	1.50	S313094	0.022	0.25	52	7	56
		<<Alt: 217.5 - 316: moderate chlorite / weak to moderate calcite / moderate epidote / weak to moderate chlorite / moderate silica (pervasive silicification)>> Epidote alteration varied throughout. Areas with lesser epidote alteration appear to have more chl alteration and contains mineralization of cpy+mo. Areas of higher epidote alteration have higher silica alteration.	132.00	133.50	1.50	S313095	0.019	0.25	39	9	54
		<<Alt: 316 - 354: moderate to strong silica (pervasive silicification) / moderate chlorite / weak to moderate sericite / weak to moderate calcite / trace epidote>>	133.50	135.00	1.50	S313096	0.025	0.25	36	9	67
		<<Vein: 131.5 - 217.5: 1.0-5.0 quartz-calcite>> Planar chl altered vn4c style veins which commonly contain blebs of cpy within. Fracture fill qtz-cal veins along with deformed, cuspate lobate disarticulated mm-1cm vn1a style veins. Pink calcite beaing Vn3's also present. Epidote and chl alteration present throught various vein styles.	135.00	136.50	1.50	S313097	0.034	0.25	89	2	53
		<<Vein: 217.5 - 301.8: 5.0-10.0 quartz-calcite>> Fracture filled qtz-cal veins and vn1a style veins with occasionaly minor py+cpy+/-mo mineralization. Brecciated vn1b style veins. Pink calcite bearing vn3 veins and planar chl altered late stage vn4 style veins.	136.50	138.00	1.50	S313098	0.039	2.8	1480	7	56
		<<Vein: 301.8 - 354: 5.0-10.0 quartz-calcite>> Multiple qtz-cal vn1aand vn1b style veins along with pink calcite beaing vn3. There was one py+cpy+mo bearing vn2 present.	138.00	139.50	1.50	S313099	0.03	0.25	39	5	57
		<<Struc: 212.4 - 213.45: weakly developed fault zone>> minor fault zone with gouge within a dyke.	139.50	141.00	1.50	S313101	0.03	0.5	121	4	47

Hole: SU-667

From (m)	To (m)	Rock Type & Description
<<Struc: 333 - 334: weakly developed foliation 30 deg. >>		Foliation of host rock adjacent to dyke contact.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
141.00	142.50	1.50	S313102	0.024	0.25	45	6	51
142.50	144.00	1.50	S313103	0.019	0.6	63	4	53
144.00	145.50	1.50	S313104	0.008	0.25	55	3	57
145.50	147.00	1.50	S313105	0.002	0.25	67	6	51
147.00	148.50	1.50	S313106	0.039	1.1	549	7	40
148.50	150.00	1.50	S313107	0.007	0.25	58	1	43
150.00	151.50	1.50	S313108	0.016	0.25	185	5	46
151.50	153.00	1.50	S313109	0.139	0.7	260	1	45
153.00	154.50	1.50	S313111	0.036	0.25	82	4	48
154.50	156.00	1.50	S313112	0.056	0.25	87	2	48
156.00	157.50	1.50	S313113	0.02	0.25	219	1	45
157.50	159.00	1.50	S313114	0.067	0.8	640	1	38
159.00	160.50	1.50	S313115	0.063	0.25	83	2	40
160.50	162.00	1.50	S313116	0.023	0.25	25	2	43
162.00	163.50	1.50	S313117	0.043	0.6	41	7	37
163.50	165.00	1.50	S313118	0.189	2.4	254	11	39
165.00	166.50	1.50	S313119	0.079	0.6	109	4	41
166.50	168.00	1.50	S313121	0.027	0.5	168	3	48
168.00	169.50	1.50	S313122	0.037	0.25	51	6	49
169.50	171.00	1.50	S313123	0.029	0.5	55	7	41
171.00	172.50	1.50	S313124	0.021	0.6	86	1	43
172.50	173.83	1.33	S313125	0.068	0.5	181	4	29
173.83	175.50	1.67	S313126	0.046	0.6	73	4	61
175.50	177.00	1.50	S313127	0.12	0.5	181	5	40
177.00	178.50	1.50	S313128	0.116	0.9	197	12	54
178.50	180.00	1.50	S313129	0.035	0.25	201	8	49
180.00	181.50	1.50	S313131	0.029	0.25	67	28	108
181.50	183.00	1.50	S313132	0.084	0.7	110	23	46
183.00	184.50	1.50	S313133	0.139	1.9	477	9	44

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			184.50	186.00	1.50	S313134	0.043	1	330	10	39
			186.00	187.50	1.50	S313135	0.084	1.7	553	9	50
			187.50	189.00	1.50	S313136	0.053	1.2	287	12	63
			189.00	190.50	1.50	S313137	0.074	0.9	266	14	58
			190.50	192.00	1.50	S313138	0.122	1.9	587	11	53
			192.00	193.50	1.50	S313139	0.035	0.6	80	9	57
			193.50	195.00	1.50	S313141	0.147	0.9	174	22	94
			195.00	196.50	1.50	S313142	0.272	1.9	449	11	68
			196.50	198.00	1.50	S313143	0.939	2.7	203	88	111
			198.00	199.50	1.50	S313144	0.187	1.9	276	23	60
			199.50	201.00	1.50	S313145	0.073	0.9	92	4	32
			201.00	202.50	1.50	S313146	0.055	0.8	274	12	47
			202.50	204.00	1.50	S313147	0.011	0.25	196	12	54
			204.00	205.50	1.50	S313148	0.017	0.25	124	5	60
			205.50	207.00	1.50	S313149	0.026	0.5	105	10	49
			207.00	208.50	1.50	S313151	0.096	2.5	699	10	51
			208.50	210.00	1.50	S313152	0.054	1.7	535	7	46
			210.00	211.00	1.00	S313153	0.031	0.25	162	5	41
			211.00	212.40	1.40	S313154	0.1	1.8	396	15	55
			212.40	213.75	1.35	S313155	0.006	0.25	25	80	209
			213.75	214.84	1.09	S313156	0.002	0.25	17	22	143
			214.84	216.10	1.26	S313157	0.147	1.7	674	25	73
			216.10	217.65	1.55	S313158	0.002	0.25	44	8	122
			217.65	219.00	1.35	S313159	0.269	2.4	1105	17	62
			219.00	220.50	1.50	S313161	0.11	2	1055	11	70
			220.50	222.00	1.50	S313162	0.052	0.25	126	15	70
			222.00	223.50	1.50	S313163	0.188	2.4	406	14	58
			223.50	225.00	1.50	S313164	1.035	1.2	372	13	61
			225.00	226.50	1.50	S313165	0.197	1.6	396	12	52

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			226.50	228.00	1.50	S313166	0.043	0.5	148	3	39
			228.00	229.50	1.50	S313167	0.093	0.8	263	4	40
			229.50	231.00	1.50	S313168	0.029	0.25	134	2	37
			231.00	232.50	1.50	S313169	0.057	0.25	234	3	38
			232.50	234.00	1.50	S313171	0.026	0.25	191	3	39
			234.00	235.50	1.50	S313172	0.085	1.1	662	1	40
			235.50	237.00	1.50	S313173	0.048	0.25	151	5	42
			237.00	238.50	1.50	S313174	0.215	0.9	552	7	46
			238.50	240.00	1.50	S313175	0.169	1.1	131	12	59
			240.00	241.50	1.50	S313176	0.034	0.25	120	6	45
			241.50	243.00	1.50	S313177	0.042	0.25	49	6	45
			243.00	244.50	1.50	S313178	0.051	0.5	234	5	39
			244.50	246.00	1.50	S313179	0.071	0.25	226	2	38
			246.00	247.50	1.50	S313181	0.083	0.6	221	5	37
			247.50	249.00	1.50	S313182	0.082	1	394	5	38
			249.00	250.50	1.50	S313183	0.022	0.25	146	6	37
			250.50	252.00	1.50	S313184	0.059	0.25	113	6	35
			252.00	253.50	1.50	S313185	0.018	0.5	143	3	40
			253.50	255.00	1.50	S313186	0.031	1.1	323	4	41
			255.00	256.50	1.50	S313187	0.022	0.25	172	5	39
			256.50	258.00	1.50	S313188	0.05	0.6	230	8	44
			258.00	259.50	1.50	S313189	0.046	0.5	607	5	49
			259.50	261.00	1.50	S313191	0.118	1.1	601	6	42
			261.00	262.50	1.50	S313192	0.079	0.6	285	8	42
			262.50	264.00	1.50	S313193	0.203	1.3	714	7	52
			264.00	265.50	1.50	S313194	0.06	0.8	545	6	47
			265.50	267.00	1.50	S313195	0.048	0.6	449	6	42
			267.00	268.50	1.50	S313196	0.04	0.6	604	7	43
			268.50	270.00	1.50	S313197	0.096	1.4	1040	11	42

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			270.00	271.50	1.50	S313198	0.029	0.25	319	8	37
			271.50	273.00	1.50	S313199	0.041	0.25	231	4	39
			273.00	274.50	1.50	S313201	0.085	0.9	302	2	32
			274.50	276.00	1.50	S313202	0.01	0.7	170	3	35
			276.00	277.50	1.50	S313203	0.057	0.6	150	3	35
			277.50	279.00	1.50	S313204	0.015	0.25	145	1	36
			279.00	280.50	1.50	S313205	0.014	0.25	157	8	40
			280.50	282.00	1.50	S313206	0.002	0.25	65	5	41
			282.00	283.50	1.50	S313207	0.027	0.25	113	6	39
			283.50	285.00	1.50	S313208	0.013	0.6	277	7	37
			285.00	286.50	1.50	S313209	0.035	1.6	787	8	49
			286.50	288.00	1.50	S313211	0.02	1.4	628	10	34
			288.00	289.50	1.50	S313212	0.035	1.6	665	8	37
			289.50	291.00	1.50	S313213	0.026	1.8	575	4	35
			291.00	292.50	1.50	S313214	0.087	0.6	147	11	46
			292.50	294.00	1.50	S313215	0.01	0.25	98	6	42
			294.00	295.50	1.50	S313216	0.019	0.25	125	11	37
			295.50	297.00	1.50	S313217	0.036	0.5	229	6	38
			297.00	298.50	1.50	S313218	0.009	0.25	166	8	41
			298.50	300.00	1.50	S313219	0.014	0.25	299	7	47
			300.00	301.50	1.50	S313221	0.061	0.6	416	7	33
			301.50	303.00	1.50	S313222	0.032	0.7	501	5	37
			303.00	304.50	1.50	S313223	0.031	1.1	459	5	34
			304.50	306.00	1.50	S313224	0.069	1.2	436	9	31
			306.00	307.50	1.50	S313225	0.018	0.25	295	3	37
			307.50	309.00	1.50	S313226	0.033	0.25	475	3	38
			309.00	310.50	1.50	S313227	0.02	0.25	335	8	39
			310.50	312.00	1.50	S313228	0.039	0.25	346	10	39
			312.00	313.50	1.50	S313229	0.051	0.7	837	8	41

Hole: SU-667

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			313.50	315.00	1.50	S313231	0.025	0.25	245	7	34
			315.00	316.50	1.50	S313232	0.026	0.8	306	6	32
			316.50	318.00	1.50	S313233	0.049	0.9	236	1	32
			318.00	319.50	1.50	S313234	0.064	0.9	389	2	31
			319.50	320.50	1.00	S313235	0.013	0.9	295	2	29
			320.50	321.67	1.17	S313236	0.07	2.3	705	4	30
			321.67	322.76	1.09	S313237	0.002	0.25	90	1	67
			322.76	324.00	1.24	S313238	0.027	0.7	109	7	42
			324.00	325.50	1.50	S313239	0.146	0.9	185	4	28
			325.50	327.00	1.50	S313241	0.027	1.3	362	5	31
			327.00	328.50	1.50	S313242	0.089	1.4	442	7	32
			328.50	330.00	1.50	S313243	0.022	1.1	570	1	30
			330.00	331.50	1.50	S313244	0.015	0.7	346	5	59
			331.50	332.43	0.93	S313245	0.016	0.9	246	7	34
			332.43	333.23	0.80	S313246	0.02	0.25	67	7	88
			333.23	335.00	1.77	S313247	0.156	1.6	1820	11	46
			335.00	336.50	1.50	S313248	0.066	0.6	772	10	45
			336.50	338.00	1.50	S313249	0.065	0.6	484	7	45
			338.00	339.50	1.50	S313251	0.094	1	1100	9	45
			339.50	341.00	1.50	S313252	0.061	0.9	600	7	47
			341.00	342.50	1.50	S313253	0.034	0.5	277	6	46
			342.50	344.00	1.50	S313254	0.199	3.5	1240	11	56
			344.00	345.50	1.50	S313255	0.176	2.3	773	8	47
			345.50	347.30	1.80	S313256	0.097	2.3	537	72	167
			347.30	348.28	0.98	S313257	0.025	0.5	194	6	78
			348.28	349.74	1.46	S313258	0.024	0.25	115	5	70
			349.74	351.50	1.76	S313259	0.125	6.2	1990	7	42
			351.50	353.00	1.50	S313261	0.047	1.1	461	6	48
			353.00	354.00	1.00	S313262	0.06	1.8	904	20	62

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-668

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	lfodor	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/6/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	9/22/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	1192.4	**Drill Rig:**	H3	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/5/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/22/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	COLLAR	9/5/2015	-70.7	332.6	20.4	353	56827	☑	
10	REFLEX	9/5/2015	-70.7	332.6	20.4	353	56827	☑	
61	REFLEX	9/5/2015	-71.3	336.2	20.4	356.6	56143	☑	
112	REFLEX	9/5/2015	-71.1	337.5	20.4	357.9	56292	☑	retest: azimuth 337.6, dip -71.2, mag 55802, pulled back 7.5m
163	REFLEX	9/5/2015	-71.2	338.6	20.4	359	56155	☑	
214	REFLEX	9/5/2015	-71.2	340.3	20.4	0.7	56382	☑	
265.1	REFLEX	9/5/2015	-70.4	340.1	20.4	0.5	56170	☑	
316	REFLEX	9/5/2015	-70.2	340.1	20.4	0.5	56289	☑	
367.1	REFLEX	9/5/2015	-69.8	338.5	20.4	358.9	56323	☑	
418	REFLEX	9/5/2015	-69.8	338.3	20.4	358.7	56220	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-668

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
469	REFLEX	9/5/2015	-70	337.5	20.4	357.9	56402	☑	
520.4	REFLEX	9/11/2015	-69.7	338.3	20.4	358.7	56261	☑	
571	REFLEX	9/11/2015	-70.6	339.8	20.4	0.2	56178	☑	
622.4	REFLEX	9/11/2015	-70.8	341.9	20.4	2.3	56238	☑	
673	REFLEX	9/12/2015	-71.2	343.1	20.4	3.5	56113	☑	
724.4	REFLEX	9/12/2015	-71	344.7	20.4	5.1	56213	☑	
775	REFLEX	9/12/2015	-71.5	345.7	20.4	6.1	56232	☑	
826	REFLEX	9/14/2015	-71.5	346.1	20.4	6.5	56163	☑	
877.4	REFLEX	9/15/2015	-71.6	347.4	20.4	7.8	56261	☑	
928.4	REFLEX	9/16/2015	-71.6	348.2	20.4	8.6	56259	☑	
979	REFLEX	9/17/2015	-71.6	349.2	20.4	9.6	56362	☑	
1030	REFLEX	9/17/2015	-71.6	349.3	20.4	9.7	56194	☑	
1081	REFLEX	9/18/2015	-71.7	350.6	20.4	11	56113	☑	
1132.4	REFLEX	9/19/2015	-71.6	351.3	20.4	11.7	56418	☑	
1183	REFLEX	9/20/2015	-71.4	353.2	20.4	13.6	56426	☑	

Hole: SU-668

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**52.68**	**V12**	**intermediate fragmental volcanics**	**V-fsh**	0.00	1.50	1.50	S216201	0.002	0.25	90	18	78
0 - 52.68: fining upward graded tuffaceous sequence with <10% subangular lapilli sized clasts generally 1-3cm wide, minor bombs up to 20cm long locally. Upper part of sequence is ash tuff with 5% large bombs that are light grey with calcite and hematite alteration. Assumed that these were P1 lithology originally but since are so close to surface that they have mostly been altered. Bombs fade out downhole and ash tuff continues with mm-cm scale green lapilli and then grades into a coarse ash tuff before returning to an ash tuff. This repeats once more before a strong hematite altered fine ash unit comes in with flow banding oriented 35 TCA. Lower contact is gradational over a few cm. Next unit is probably part of graded sequence but is so large, broke it out seperately.												
<<Min: 0 - 96.85: Not recorded Nothing Recorded>> no mineralization noted					1.50	3.00	1.50	S216202	0.002	0.5	108	24	77
<<Alt: 0 - 7.5: moderate hematite / weak to moderate chlorite / weak to moderate calcite / weak calcite>>					3.00	4.50	1.50	S216203	0.002	0.25	69	22	81
<<Alt: 7.5 - 17.2: moderate chlorite / weak hematite / weak calcite>>					4.50	6.00	1.50	S216204	0.002	0.25	33	10	77
<<Alt: 17.2 - 34.48: moderate hematite / weak to moderate chlorite / weak calcite / weak silica (pervasive silicification)>> mostly hematite alteration but local ~1m sections are more chlorite altered					6.00	7.50	1.50	S216205	0.002	0.25	138	20	86
<<Alt: 34.48 - 52.68: strong hematite / weak to moderate chlorite>> strong hematite alteration with minor chlorite alteration near select fractures,					7.50	9.00	1.50	S216206	0.002	0.25	72	4	100
<<Vein: 0 - 26.8: <1.0 calcite-chlorite>>					9.00	10.50	1.50	S216207	0.002	0.25	51	6	101
<<Vein: 26.8 - 39.75: Nothing Recorded>>					10.50	12.00	1.50	S216208	0.002	0.25	111	6	101
<<Vein: 39.75 - 40: >50.0 quartz-chlorite>> banded, brecciated and vuggy qtz-chlorite vein, with some angular wall rock clasts along selvages. Gouge along lower contact					12.00	13.50	1.50	S216209	0.002	0.25	20	4	102
<<Vein: 40 - 44.45: Nothing Recorded>>					13.50	15.00	1.50	S216211	0.002	0.25	60	9	101
<<Vein: 44.45 - 45.14: <1.0 calcite-chlorite>> chlorite and calcite in what looks like could be a vein, but also could just be fracture fill. Calcite occurs in middle of "vein", mostly chlorite.					15.00	16.50	1.50	S216212	0.002	0.25	44	7	96
<<Vein: 45.14 - 51.18: Nothing Recorded>>					16.50	18.00	1.50	S216213	0.002	0.25	1	10	86
<<Vein: 51.18 - 52: 1.0-5.0 quartz-chlorite>> quartz-chlorite veins, some have banding, one is brecciated and the others are stringers that pinch out and are primarily quartz. Banded veins 65 TCA, brecciated vein 55 TCA. Stringers variable 25-50 TCA					18.00	19.50	1.50	S216214	0.002	0.25	14	12	89
<<Vein: 52 - 53.6: Nothing Recorded>>					19.50	21.00	1.50	S216215	0.002	0.25	121	2	107
<<Struc: 20.5 - 20.65: weakly developed fault gouge 50 deg. >> brown gouge					21.00	22.50	1.50	S216216	0.002	0.25	30	9	117
<<Struc: 39.58 - 40: moderately developed fault gouge 40 deg. >> gouge on either side of a brecciated vein					22.50	24.00	1.50	S216217	0.002	0.25	15	8	108
<<Struc: 44.05 - 44.47: strongly developed fault gouge 60 deg. >> strong red gouge					24.00	25.50	1.50	S216218	0.002	0.25	22	11	104
					25.50	27.00	1.50	S216219	0.002	0.25	32	10	94

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
52.68	**99.57**	**V12**	**intermediate fragmental volcanics**	**V-csh**

52.68 - 99.57: lapilli tuff with coarse ash matrix. Majority of clasts are P1 sub-angular to sub-rounded clasts, full range of 2-64mm wide, minor felsic sub-rounded clasts (1-2cm wide) sporadically throughout. Coarse ash crystals are 1-3mm long, sub-anhedral and are cream colored and silicified. From 66.50-77.90m are large lapilli clasts, some bomb sized clasts, that make up most of the interval (70% clasts). The matrix is altered to a cream colored silica. Minor fault gouge in this zone. 77.90-86.1m is lapilli coarse ash tuff again with mm-4cm wide lapilli clasts of P1 and minor felsic clasts.

<<Min: 96.85 - 97.07: <0.5% pyrite / <0.5% malachite-azurite>> mg euhedral and subhedral pyrite in vein. Trace bright blue copper oxide looks to be related to fine grained dendritic sooty black mineral inferred to be chalcocite. Also occurs in a vein

<<Min: 97.07 - 107.96: Not recorded Nothing Recorded>>

<<Alt: 52.68 - 57.7: moderate hematite / moderate chlorite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
27.00	28.50	1.50	S216221	0.002	0.25	11	8	89
28.50	30.00	1.50	S216222	0.002	0.25	1	8	79
30.00	31.50	1.50	S216223	0.002	0.25	5	20	83
31.50	33.00	1.50	S216224	0.002	0.25	111	12	75
33.00	34.50	1.50	S216225	0.002	0.25	5	22	144
34.50	36.00	1.50	S216226	0.005	0.25	3	9	125
36.00	37.50	1.50	S216227	0.002	0.25	6	10	178
37.50	39.00	1.50	S216228	0.002	0.25	4	8	120
39.00	40.50	1.50	S216229	0.002	0.25	3	9	122
40.50	42.00	1.50	S216231	0.002	0.25	14	5	165
42.00	43.50	1.50	S216232	0.006	0.25	5	12	103
43.50	45.00	1.50	S216233	0.002	0.25	18	8	143
45.00	46.50	1.50	S216234	0.002	0.25	15	9	75
46.50	48.00	1.50	S216235	0.002	0.25	45	8	78
48.00	49.50	1.50	S216236	0.002	0.25	13	6	77
49.50	51.00	1.50	S216237	0.002	0.25	5	9	148
51.00	52.68	1.68	S216238	0.002	0.25	7	7	107
52.68	54.00	1.32	S216239	0.002	0.25	2	7	83
54.00	55.50	1.50	S216241	0.002	0.25	2	5	107
55.50	57.00	1.50	S216242	0.002	0.25	0.5	17	92
57.00	58.50	1.50	S216243	0.002	0.25	1	14	79
58.50	60.00	1.50	S216244	0.002	0.25	2	11	82

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 57.7 - 66.5: moderate hematite / moderate chlorite / moderate chlorite / weak silica (pervasive silicification)>> alternation of hematite matrix alt and chlorite matrix alt. weak silicification	60.00	61.50	1.50	S216245	0.002	0.25	2	11	77
		<<Alt: 66.5 - 73.38: moderate hematite / moderate chlorite / moderate to strong silica (pervasive silicification) / moderate silica (pervasive silicification)>> hematite alteration of matrix, chlorite alteration of clasts and silica alteration of crystals. Generally silicified zone.	61.50	63.00	1.50	S216246	0.002	0.25	3	12	86
		<<Alt: 73.38 - 76.7: moderate hematite / weak to moderate clay / moderate chlorite / moderate to strong silica (pervasive silicification) / moderate silica (pervasive silicification)>> fault gouge zone but still silicified	63.00	64.50	1.50	S216247	0.002	0.25	2	9	81
		<<Alt: 76.7 - 95.1: moderate hematite / moderate chlorite / moderate silica (pervasive silicification) / weak silica (pervasive silicification)>> silicification occurs in patchy zones with ankerite, also ankerite alteration of crystals in matrix	64.50	66.00	1.50	S216248	0.002	0.25	7	10	92
		<<Alt: 95.1 - 97.25: moderate chlorite / moderate chlorite / moderate silica (pervasive silicification) / weak silica (pervasive silicification) / weak silica (pervasive silicification)>> chlorite and ankerite alteration, minor hematite.	66.00	67.50	1.50	S216249	0.002	0.25	10	11	81
		<<Alt: 97.25 - 99.57: weak to moderate chlorite>> weakly altered v6b, darker green alteration halo around veinlets and fractures that cut through dike.	67.50	69.00	1.50	S216251	0.002	0.25	12	8	80
		<<Vein: 53.6 - 54.35: >50.0 quartz-chlorite>> brecciated quartz-chlorite vein with angular wall rock clasts. Banded quartz-chlorite veinset comes off the breccia at the end of the interval. Banded veins 25-35 TCA.	69.00	70.50	1.50	S216252	0.002	0.25	9	8	86
		<<Vein: 54.35 - 62.6: 1.0-5.0 quartz-calcite>> quartz-calcite-chlorite veins and quartz-calcite veins. Quartz-calcite veins tend to be more linear than the quartz-calcite-chlorite veins.	70.50	72.00	1.50	S216253	0.002	0.25	10	6	84
		<<Vein: 62.6 - 66.5: <1.0 quartz-chlorite>> quartz-calcite-chlorite veins, pinch and swell.	72.00	73.50	1.50	S216254	0.002	0.25	18	7	72
		<<Vein: 66.5 - 78.16: 1.0-5.0 quartz-calcite>> quartz-calcite tension gashes and quartz-calcite-chlorite veins cutting through silicified zone	73.50	75.00	1.50	S216255	0.002	0.25	27	7	71
		<<Vein: 78.16 - 80.96: Nothing Recorded>>	75.00	76.50	1.50	S216256	0.002	0.25	36	10	87
		<<Vein: 80.96 - 82.52: 1.0-5.0 quartz-chlorite>> quartz-calcite-chlorite veins, some are cuspate-lobate wavy, others are tension gashes, variable TCA 30-80 TCA.	76.50	78.00	1.50	S216257	0.002	0.25	34	10	74
		<<Vein: 82.52 - 88.55: Nothing Recorded>>	78.00	79.50	1.50	S216258	0.002	0.25	22	11	90
		<<Vein: 88.55 - 93.5: <1.0 quartz-calcite>> quartz-calcite veins and quartz-calcite-chlorite veins, seems like a weak vein breccia zone with gouge on either end of veining interval. Disarticulated veins, brecciated veins, calcite fracture fill.	79.50	81.00	1.50	S216259	0.002	0.25	6	8	85
		<<Vein: 93.5 - 96.65: Nothing Recorded>>	81.00	82.50	1.50	S216261	0.002	0.25	6	10	79
		<<Vein: 96.65 - 97.36: >50.0 quartz-calcite>>	82.50	84.00	1.50	S216262	0.002	0.25	10	11	73
		<<Vein: 97.36 - 100: 1.0-5.0 quartz-calcite>> quartz-calcite veins that are probably later stage than the VOK vn1 suite because they cut the mesozoic dike. Most occur as linear stringers, one looks similar to a vn1b. Trace calcite tension gash fill	84.00	85.50	1.50	S216263	0.002	0.25	7	8	79
		<<Struc: 53.6 - 54.17: weakly developed fault gouge 40 deg. >> gouge on either side of a brecciated vein	85.50	87.00	1.50	S216264	0.002	0.25	5	7	77
		<<Struc: 61.76 - 62.15: moderately developed fault gouge 30 deg. >> pink-brown gouge along fractures of broken rock, small fault zone	87.00	88.50	1.50	S216265	0.002	0.25	4	7	73

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Struc: 73.38 - 76.7: moderately developed fault gouge 70 deg. >> intermittent within zone, 4 notable gouge zones
		<<Struc: 93.3 - 93.54: moderately developed fault gouge 20 deg. >> gouge surrounding qz-chl vein
		<<Struc: 97.24 - 97.26: strongly developed lithology contact 60 deg. >> dike contact, broken by vein
		<<Struc: 99.55 - 99.59: strongly developed lithology contact 50 deg. >> dike lower contact, broken by vein
99.57	**106.09**	**V12 intermediate fragmental volcanics V-csh**
		99.57 - 106.09: dark grey lapilli tuff…compositionally looks similar to unit above… strong silicification
		<<Alt: 99.57 - 106.09: moderate to strong silica (pervasive silicification)>> silicified zone
		<<Vein: 100 - 113.3: 1.0-5.0 quartz-calcite>> quartz calcite veins, most look like vn1b's, some calcite filled tension gashes noted. Some quartz-calcite-chlorite veins.
106.09	**108.63**	**S3 conglomerate S-pbl**
		106.09 - 108.63: conglomerate with black-dark green cement (chlorite?), smaller pebble size fraction makes up the matrix and larger pebble size makes up clasts that are often 5-6cm, some cobble sized clasts up to 15cm long. Minor sub-euhedral pyrite and trace sub-euhedral arsenopyrite (one crystal noted). Gradational lower contact. Inverse graded bedding ?
		<<Min: 107.96 - 108.87: traces pyrite / traces arsenopyrite>> mg euhedral pyrite and sub-euhedral arsenopyrite right next to pyrite.
		<<Alt: 106.09 - 108.63: moderate to strong silica (pervasive silicification) / moderate chlorite>> silicified zone with black chlorite matrix (primary or secondary?)

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
88.50	90.00	1.50	S216266	0.002	0.25	12	14	73
90.00	91.50	1.50	S216267	0.002	0.25	7	13	77
91.50	93.00	1.50	S216268	0.002	0.25	6	15	66
93.00	94.50	1.50	S216269	0.002	0.25	4	4	78
94.50	96.00	1.50	S216271	0.002	0.25	13	6	86
96.00	97.25	1.25	S216272	0.002	0.25	39	7	84
97.25	98.50	1.25	S216273	0.002	0.25	20	1	138
98.50	99.57	1.07	S216274	0.002	0.25	17	1	121
99.57	100.50	0.93	S216275	0.002	0.25	22	8	92
100.50	102.00	1.50	S216276	0.002	0.25	13	10	80
102.00	103.50	1.50	S216277	0.002	0.25	15	9	91
103.50	105.00	1.50	S216278	0.002	0.25	17	12	81
105.00	106.09	1.09	S216279	0.002	0.25	19	8	83
106.09	107.50	1.41	S216281	0.002	0.25	29	13	80
107.50	108.63	1.13	S216282	0.002	0.25	17	10	82

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
108.63	**115.72**	**V12 intermediate fragmental volcanics V-csh** 108.63 - 115.72: similar to other lapilli tuffs above but more of the P1 clasts are sub-rounded, some are sub-angular. Still dark grey color and relatively silicified and upper part of unit grades out of conglomerate above. Lower contact gradational <<Min: 108.87 - 128.41: Not recorded Nothing Recorded>> <<Alt: 108.63 - 115.72: moderate silica (pervasive silicification) / moderate chlorite>> moderate silicified zone, decreases in intensity downhole. <<Vein: 113.3 - 120.62: Nothing Recorded>>	108.63	110.00	1.37	S216283	0.002	0.25	17	9	78
			110.00	111.50	1.50	S216284	0.002	0.25	16	5	79
			111.50	113.00	1.50	S216285	0.002	0.25	18	8	83
			113.00	114.00	1.00	S216286	0.002	0.25	13	23	80
			114.00	115.72	1.72	S216287	0.002	0.25	18	14	77
115.72	**133.87**	**V12 intermediate fragmental volcanics V-csh** 115.72 - 133.87: lapilli tuff similare to hematite altered tuffs above, some felsic clasts that are subrounded, most are sub-angular to angular P1 clasts. From 125.29-128.70m is an interpreted shear zone with a notable vn4a. Within this shear unit and in a faulty area there is bright blue alteration that looks like copper carbonate possibly chrysocolla.. Dark black sooty dendritic blebs on fracture surface, could be chalcocite? Occurs at 128.45m. Lower contact is sharp and jagged. <<Min: 128.41 - 128.45: traces malachite-azurite>> copper oxide/carbonate..? Bright blue-green, looks to be related to thin flecks of dark sooty mineral.. Chalcocite? Occurs along selvage of vein that also occurs in a fault/shear zone. <<Min: 128.45 - 181.74: Not recorded Nothing Recorded>> <<Alt: 115.72 - 122.6: moderate chlorite / weak to moderate silica (pervasive silicification) / moderate silica (pervasive silicification)>> chlorite altered matrix and clasts, coarse ash crystals gradually start to get altered to ankerite towards lower portion of interval. Trace hematite <<Alt: 122.6 - 125.29: moderate hematite / moderate chlorite / moderate silica (pervasive silicification)>> hematite altered matrix, chlorite altered clasts and ankerite altered crystals. <<Alt: 125.29 - 128.7: moderate to strong chlorite / moderate to strong chlorite / weak to moderate silica (pervasive silicification)>> shear zone with strong chlorite alteration throughout. Ankerite veinlets/stringers throughout. Minor hematite in gouge near LC.	115.72	117.00	1.28	S216288	0.002	0.25	15	10	80
			117.00	118.50	1.50	S216289	0.002	0.25	15	10	82
			118.50	120.00	1.50	S216291	0.002	0.25	15	9	74
			120.00	121.50	1.50	S216292	0.002	0.25	35	7	80
			121.50	123.00	1.50	S216293	0.002	0.25	8	7	74
			123.00	124.50	1.50	S216294	0.002	0.25	1	8	72
			124.50	126.00	1.50	S216295	0.002	0.25	4	10	84

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Alt: 128.7 - 133.87: moderate to strong hematite / moderate chlorite / weak to moderate silica (pervasive silicification)>> hematite altered zone, increases in intensity downhole. Ankerite alteration of crystals fades out downhole.
		<<Vein: 120.62 - 125.29: <1.0 quartz-calcite>> kind of look like vn1a's but are not deformed and some have vugs with quartz prism crystals
		<<Vein: 125.29 - 128.7: 5.0-10.0 quartz-calcite>> quartz-calcite and quartz-calcite-chlorite veins, one vein has notable bright blue copper oxide.
		<<Vein: 128.7 - 130.18: 1.0-5.0 quartz-calcite>>
		<<Vein: 130.18 - 132.2: 1.0-5.0 calcite-Fe carbonate>> ankerite veinlets
		<<Vein: 132.2 - 134.7: Nothing Recorded>>
		<<Struc: 125.29 - 127.94: weakly developed sheared 50 deg. >> deformation zone, assumed shear zone with presence of Vn4a type vein and abundant chlorite alteration in an otherwise hematite altered rock package.
		<<Struc: 127.94 - 128.8: moderately developed fault zone 40 deg. >> fault gouge present
133.87	**135.67**	**V12 intermediate fragmental volcanics V-fsh**
		133.87 - 135.67: crystal ash tuff, strong hematite alteration, lapilli sized clasts start coming in towards the lower contact.
		<<Alt: 133.87 - 135.67: strong hematite / weak sericite>> strong hematite alteration, patch of sericite alteration (looks like a larger lapilli type clast)
		<<Vein: 134.7 - 135.7: <1.0 quartz-calcite>> quartz-calcite veins with light brown oxide inside.
		<<Struc: 135.54 - 136.45: moderately developed fault gouge 40 deg. >> minor iron oxidation in this zone
135.67	**163.17**	**V12 intermediate fragmental volcanics V-csh**
		135.67 - 163.17: hematite and ankerite altered lapilli tuff, similar to units seen above with minor felsic clasts, mostly P1 angular clasts. Clast size is generally a few cm wide. Coarse ash matrix.
		<<Alt: 135.67 - 163.17: moderate to strong hematite / moderate chlorite / moderate silica (pervasive silicification)>> hematite alteration that gets stronger gradually downhole. Chlorite alteration of clasts and ankerite alteration of crystals.
		<<Vein: 135.7 - 143.86: Nothing Recorded>>
		<<Vein: 143.86 - 144.14: 1.0-5.0 quartz-calcite>> a single quartz-chlorite tension fill "vein" and a single qtz calcite vein with wall rock clasts

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
126.00	127.94	1.94	S216296	0.002	1.7	376	9	84
127.94	128.70	0.76	S216297	0.002	0.25	54	9	87
128.70	130.00	1.30	S216298	0.002	0.25	11	11	71
130.00	131.50	1.50	S216299	0.002	0.25	2	13	72
131.50	132.50	1.00	S216301	0.002	0.25	2	12	77
132.50	133.87	1.37	S216302	0.002	0.25	2	6	77
133.87	134.50	0.63	S216303	0.002	0.25	12	15	73
134.50	135.67	1.17	S216304	0.002	0.25	3	10	76

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Vein: 144.14 - 150: Nothing Recorded>>
		<<Vein: 150 - 150.58: <1.0 quartz-calcite>> occur on margin and inside fault zone
		<<Vein: 150.58 - 152.47: Nothing Recorded>>
		<<Vein: 152.47 - 155: <1.0 quartz>> fracture controlled quartz stringers. Sub-parallel TCA to 40 TCA.
		<<Vein: 155 - 164.7: <1.0 calcite>> fracture controlled mm scale calcite stringers/fracture fill. Generally 20 TCA.
		<<Struc: 150.03 - 151.3: moderately developed fault zone 5 deg. >> low angle TCA fault zone with hematite clay and gouge
		<<Struc: 152.47 - 152.83: moderately developed fault zone 5 deg. >> low angle TCA fault, hematite clay and gouge
		<<Struc: 154.2 - 155.52: weakly developed fault gouge 5 deg. >> low angle TCA fzg zone
		<<Struc: 162.5 - 169.4: sporadic fault gouge 5 deg. >> low angle TCA, sporadic fzg

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
135.67	137.00	1.33	S216305	0.002	0.25	5	6	83
137.00	138.50	1.50	S216306	0.002	0.25	7	1	84
138.50	140.00	1.50	S216307	0.002	0.25	7	10	83
140.00	141.50	1.50	S216308	0.002	0.25	10	9	72
141.50	143.00	1.50	S216309	0.002	0.25	40	14	73
143.00	144.50	1.50	S216311	0.002	0.25	15	10	80
144.50	146.00	1.50	S216312	0.002	0.25	11	13	87
146.00	147.50	1.50	S216313	0.002	0.25	6	11	90
147.50	149.00	1.50	S216314	0.002	0.25	7	13	77
149.00	150.50	1.50	S216315	0.002	0.25	12	11	77
150.50	152.00	1.50	S216316	0.002	0.25	6	14	73
152.00	153.50	1.50	S216317	0.002	0.25	5	11	86
153.50	155.00	1.50	S216318	0.002	0.25	27	15	64
155.00	156.50	1.50	S216319	0.002	0.25	17	12	83
156.50	158.00	1.50	S216321	0.002	0.25	4	9	79
158.00	159.50	1.50	S216322	0.002	0.25	9	13	79
159.50	161.00	1.50	S216323	0.002	0.25	4	12	84
161.00	162.00	1.00	S216324	0.002	0.25	8	15	109
162.00	163.17	1.17	S216325	0.002	0.25	6	9	86

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
163.17	**168.06**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

163.17 - 168.06: strong hematite altered crystal ash tuff with minor lapilli clasts near lower contact that are elongated sub-parallel TCA. Fines upwards.

<<Alt: 163.17 - 168.06: strong hematite / moderate silica (pervasive silicification)>> strong hematite alteration of ash-crystal tuff unit. Ankerite stringers/veins cut through zone

<<Vein: 164.7 - 165.35: <1.0 quartz-chlorite>> occur within fault gouge zone.

<<Vein: 165.35 - 169.5: 1.0-5.0 calcite-Fe carbonate>> mostly ankerite stringers, also minor quartz-calcite-chlorite brecciated veins and trace calcite tension gash fill.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
163.17	164.50	1.33	S216326	0.002	0.6	5	14	56
164.50	166.00	1.50	S216327	0.002	0.6	7	22	72
166.00	167.00	1.00	S216328	0.002	0.25	2	18	78
167.00	168.06	1.06	S216329	0.002	0.25	2	5	69

From (m)	To (m)		Rock Type & Description	
168.06	**185.21**	**V12**	**intermediate fragmental volcanics**	**V-csh**

168.06 - 185.21: hematite altered lapilli tuff with coarse ash matrix, similar to lapilli tuff above.

<<Min: 181.74 - 183.2: 2.0-5.0% hematite / <0.5% hematite>> specular hematite, dark red-purple-grey color, when scratched it streaks red-brown. Fills fractures and is also finely disseminated in veins and wall rock.

<<Min: 183.2 - 381.43: Not recorded Nothing Recorded>>

<<Alt: 168.06 - 175.6: moderate to strong hematite / moderate chlorite / weak to moderate hematite / weak to moderate silica (pervasive silicification)>> hematite altered matrix and select lapilli clasts, other lapilli clasts are chlorite altered. Ankerite stringers/veins/fracture fill present in upper portion of zone.

<<Alt: 175.6 - 180.16: moderate chlorite / moderate chlorite / weak to moderate hematite / weak to moderate calcite>> chlorite alteration likely due to fault zone, some hematite alteration of select clasts, calcite fracture fill.

<<Alt: 180.16 - 181.74: moderate to strong hematite / moderate chlorite / moderate calcite / weak to moderate silica (pervasive silicification)>> hematite altered matrix, chlorite alteration of clasts with ankerite overprint increasing downhole. Calcite pockets and fracture fill

<<Alt: 181.74 - 183.2: moderate to strong silica (pervasive silicification) / moderate sericite / moderate hematite>> silica-sericite alteration likely due to strong quartz-carb veining. Sericite occurs along selvages of veins. Matrix of unit looks like it has been bleached by silica alteration, weak remnant pink color from previous hematite alteration. Specular hematite occurs along fractures. Trace euhedral deep red, fine to medium grained garnets are noted in vugs within quartz-carb veins.

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Alt: 183.2 - 189.33: moderate to strong hematite / moderate to strong clay / weak to moderate chlorite>> hematite altered zone with abundant fault gouge. Minor chlorite alteration present locally.
		<<Vein: 169.5 - 175.6: <1.0 quartz-calcite>> tension fracture fill, 20-75 TCA
		<<Vein: 175.6 - 176.2: 1.0-5.0 quartz-calcite>> vn4a type vein along shear zone with gouge.
		<<Vein: 176.2 - 180.16: <1.0 quartz-calcite>> mostly fracture fill stringers, minor quartz vein along shear with gouge (Vn4a?)
		<<Vein: 180.16 - 181.74: 5.0-10.0 quartz-calcite>> group of vn1b and vn3 looking veins
		<<Vein: 181.74 - 183.2: 25.0-50.0 quartz-calcite>> small stockwork zone. Sericite alteration along selvages of veins. Late fractures also offset veins.
		<<Vein: 183.2 - 189.33: 5.0-10.0 quartz-calcite>> tension related veins, some notable vn4a's, most are discontinuous tension fractures with quartz and calcite fill (related to fault zone).
		<<Struc: 172.28 - 172.7: weakly developed fault gouge 30 deg. >> fault gouge
		<<Struc: 175.6 - 177.56: moderately developed fault gouge 15 deg. >> gouge on either ends of interval and strongly fractured in middle.
		<<Struc: 180.64 - 181.42: sporadic fault gouge 40 deg. >> sporadic hematite clay in pockets, small gouge zones.
		<<Struc: 183.2 - 189.33: strongly developed fault zone 70 deg. >> in and out of fault gouge in this interval, pretty broken up unit. Lower contact 60 TCA.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
168.06	169.50	1.44	S216331	0.002	0.25	4	24	80
169.50	171.00	1.50	S216332	0.002	0.25	1	8	82
171.00	172.50	1.50	S216333	0.002	0.25	0.5	9	75
172.50	174.00	1.50	S216334	0.002	0.25	1	6	66
174.00	175.50	1.50	S216335	0.002	0.25	3	10	70
175.50	177.00	1.50	S216336	0.002	0.25	5	4	66
177.00	178.50	1.50	S216337	0.002	0.25	5	9	89
178.50	180.00	1.50	S216338	0.002	0.25	7	11	91
180.00	181.50	1.50	S216339	0.002	0.25	3	7	78
181.50	183.00	1.50	S216341	0.002	0.25	6	22	40
183.00	184.00	1.00	S216342	0.002	0.25	3	7	61
184.00	185.21	1.21	S216343	0.002	0.25	15	8	79
185.21	186.50	1.29	S216344	0.002	0.25	56	12	60

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
185.21	**193.60**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

185.21 - 193.6: fining upwards sequence, hematite altered. Starts as fine ash tuff then lapilli clasts start coming into sequence generally getting larger in size and more abundant towards the lower contact. Lower contact sharp at 50 TCA, but also undulates a bit. Lower contact also cut by vn4's.

<<Alt: 189.33 - 193.6: moderate to strong hematite / moderate chlorite>>

<<Vein: 189.33 - 192.67: <1.0 quartz-calcite>> tension gash fill, generally low angle TCA. Trace gypsum in veins

<<Vein: 192.67 - 193.6: 1.0-5.0 quartz-calcite>> quartz-calcite-pink gypsum veins

<<Struc: 193.58 - 193.62: strongly developed lithology contact 55 deg. >>

From (m)	To (m)		Rock Type & Description	
193.60	**202.24**	**S4-Gr**	**Sandstone/arenite/greywacke (fine- to coarse-grained)**	**S-mud**

193.6 - 202.24: light green sandy mudstone and muddy sandstone, fining upwards graded bedding cycles. "Sand" grains are very immature and angular, green chlorite altered. Looks like it could have been coarse ash?? From 199.63-199.85m is a finely laminated fine sand bed with little cement, also cut by veins and surrounding rock isnt… is it a rip-up clast? Also the bedding angle doesn't jive.. Most bedding contacts are 80 TCA while the laminated "clast" is 30 TCA.

<<Alt: 193.6 - 194.17: moderate chlorite / weak to moderate sericite / weak to moderate chlorite>> chlorite altered "sandy" clasts and green cement/matrix, likely chlorite altered as well.

<<Alt: 194.17 - 194.35: moderate hematite>> hematite altered fine ash zone, small zone

<<Alt: 194.35 - 202.24: moderate chlorite>> chlorite altered "sandy" clasts and green mud matrix/cement.

<<Vein: 193.6 - 202.24: <1.0 quartz-calcite>> quartz-light pink gypsum veins, sometimes containing light purple fluorite.

From (m)	To (m)		Rock Type & Description	
202.24	**269.57**	**V12**	**intermediate fragmental volcanics**	**V-csh**

202.24 - 269.57: hematite altered lapilli tuff with a coarse ash matrix. From 202.24-204.70m is a crystal ash with trace lapilli clasts, after 204.70m the lapilli clasts content increases. Most of the clasts in this unit are elongated along 10-30 TCA (from folding? Or flow?)

<<Alt: 202.24 - 322.1: moderate to strong hematite / moderate chlorite>> hematite alteration of matrix and chlorite alteration of lapilli clasts.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
186.50	188.00	1.50	S216345	0.002	0.25	1	8	67
188.00	189.50	1.50	S216346	0.002	0.25	2	10	123
189.50	191.00	1.50	S216347	0.002	0.5	66	13	52
191.00	192.50	1.50	S216348	0.002	0.25	46	8	110
192.50	193.60	1.10	S216349	0.002	0.25	6	13	169
193.60	195.00	1.40	S216351	0.002	0.5	76	26	158
195.00	196.50	1.50	S216352	0.002	0.5	82	7	124
196.50	198.00	1.50	S216353	0.002	0.25	69	7	154
198.00	199.50	1.50	S216354	0.002	0.25	43	9	108
199.50	201.00	1.50	S216355	0.002	0.8	82	8	120
201.00	202.24	1.24	S216356	0.006	0.25	9	2	146
202.24	203.50	1.26	S216357	0.002	0.25	2	18	48
203.50	205.00	1.50	S216358	0.002	0.25	3	12	136
205.00	206.50	1.50	S216359	0.002	0.25	4	16	136

Hole: SU-668

From (m)	To (m)	Rock Type & Description
<<Vein: 202.24 - 204.45: 1.0-5.0 quartz-calcite>>		tension veins (vn4 suite)
<<Vein: 204.45 - 225.5: <1.0 quartz-calcite>>		quartz-calcite discontinuous fracture fill sporadically in this interval
<<Vein: 225.5 - 227.85: 1.0-5.0 quartz-calcite>>		tension veins (vn4 suite)
<<Vein: 227.85 - 231.7: <1.0 calcite>>		trace calcite filled tension gashes, discontinuous and generally low angle TCA
<<Vein: 231.7 - 242.7: Nothing Recorded>>		
<<Vein: 242.7 - 243.12: 1.0-5.0 quartz-calcite>>		quartz-calcite vn4a and associated veins
<<Vein: 243.12 - 257.4: <1.0 calcite-chlorite>>		low angle (<20 TCA) calcite-chlorite fracture fill, probably not actually veins.
<<Vein: 257.4 - 270.18: Nothing Recorded>>		
<<Struc: 213.2 - 213.6: weakly developed fault gouge 20 deg. >>		
<<Struc: 225.88 - 225.91: moderately developed sheared 75 deg. >>		in contact with vn4a
<<Struc: 242.7 - 242.88: moderately developed fault gouge 25 deg. >>		gouge along vn4a

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
206.50	208.00	1.50	S216361	0.002	0.25	1	10	134
208.00	209.50	1.50	S216362	0.002	0.25	2	8	96
209.50	210.40	0.90	S216363	0.002	0.25	2	16	70
210.40	211.00	0.60	S216364	0.002	0.25	3	12	87
211.00	212.50	1.50	S216365	0.002	0.25	3	10	93
212.50	214.00	1.50	S216366	0.002	0.25	4	9	85
214.00	215.50	1.50	S216367	0.002	0.25	5	10	71
215.50	217.00	1.50	S216368	0.002	0.25	17	11	71
217.00	218.50	1.50	S216369	0.002	0.25	6	10	92
218.50	220.00	1.50	S216371	0.002	0.25	5	15	87
220.00	221.50	1.50	S216372	0.002	0.25	18	10	84
221.50	223.00	1.50	S216373	0.002	0.25	16	7	84
223.00	224.50	1.50	S216374	0.002	0.25	10	8	78
224.50	226.00	1.50	S216375	0.002	0.25	10	4	86
226.00	227.50	1.50	S216376	0.002	0.25	13	10	80
227.50	229.00	1.50	S216377	0.002	0.25	14	9	79
229.00	230.50	1.50	S216378	0.002	0.25	21	11	86
230.50	232.00	1.50	S216379	0.002	0.25	10	8	77
232.00	233.50	1.50	S216381	0.002	0.25	8	7	85
233.50	235.00	1.50	S216382	0.002	0.25	6	6	87
235.00	236.50	1.50	S216383	0.002	0.25	6	9	70
236.50	238.00	1.50	S216384	0.005	0.25	3	8	77
238.00	239.50	1.50	S216385	0.002	0.25	4	10	75
239.50	241.00	1.50	S216386	0.002	0.25	4	9	73
241.00	242.50	1.50	S216387	0.002	0.25	4	12	58
242.50	244.00	1.50	S216388	0.002	0.25	5	10	71
244.00	245.50	1.50	S216389	0.002	0.25	4	9	86
245.50	247.00	1.50	S216391	0.005	0.25	4	10	82

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
269.57	**294.11**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

269.57 - 294.11: fining upwards sequence. Starts out in a interbedded unit of fine and coarse ash tuffs then grades into a lapilli tuff, then grades into larger blocks and bombs near lower contact. Minor felsic clasts in ash and lapilli tuffs. P1 blocks and bombs.

<<Vein: 270.18 - 271.45: <1.0 quartz-calcite>> weakly brecciated (shear?) quartz-calcite-chlorite fill. Seperately, there are vn4c type veins towards lower portion of interval.

<<Vein: 271.45 - 282.59: Nothing Recorded>>

<<Vein: 282.59 - 285.7: 1.0-5.0 calcite-chlorite>> calcite and chlorite fracture fill. Most are odd shaped void fill.

<<Vein: 285.7 - 298.25: 1.0-5.0 quartz-calcite>> majority are vn4c type veins.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
247.00	248.50	1.50	S216392	0.002	0.25	3	6	82
248.50	250.00	1.50	S216393	0.002	0.25	4	7	71
250.00	251.50	1.50	S216394	0.002	0.25	10	10	83
251.50	253.00	1.50	S216395	0.002	0.25	5	6	88
253.00	254.50	1.50	S216396	0.002	0.25	6	7	79
254.50	256.00	1.50	S216397	0.002	0.25	6	6	81
256.00	257.50	1.50	S216398	0.002	0.25	12	6	84
257.50	259.00	1.50	S216399	0.002	0.25	22	7	82
259.00	260.50	1.50	S216401	0.002	0.25	16	8	77
260.50	262.00	1.50	S216402	0.002	0.25	18	9	70
262.00	263.50	1.50	S216403	0.002	0.25	15	9	82
263.50	265.00	1.50	S216404	0.002	0.25	23	6	87
265.00	266.50	1.50	S216405	0.002	0.25	40	6	79
266.50	268.00	1.50	S216406	0.002	0.25	11	7	91
268.00	269.57	1.57	S216407	0.002	0.25	23	9	119
269.57	271.00	1.43	S216408	0.002	0.25	32	8	91
271.00	272.50	1.50	S216409	0.002	0.25	14	13	105
272.50	274.00	1.50	S216411	0.005	0.25	4	21	122
274.00	275.50	1.50	S216412	0.002	0.25	9	10	134
275.50	277.50	2.00	S216413	0.002	0.25	6	12	102
277.50	279.50	2.00	S216414	0.002	0.25	7	5	88
279.50	281.50	2.00	S216415	0.002	0.25	8	9	58
281.50	283.50	2.00	S216416	0.002	0.25	9	8	89
283.50	285.00	1.50	S216417	0.002	0.25	6	8	156
285.00	286.50	1.50	S216418	0.002	0.25	7	11	99

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
294.11	**297.26**	**V12**	**intermediate fragmental volcanics**	**V-fsh**

294.11 - 297.26: hematite altered crystal-ash tuff, contains very minor lapilli sized clasts in localized areas. Fining upwards sequence.

<<Struc: 296.78 - 298.27: sporadic fault gouge 75 deg. >> sporadic gouge

From (m)	To (m)		Rock Type & Description	
297.26	**353.50**	**V12**	**intermediate fragmental volcanics**	**V-csh**

297.26 - 353.5: crystal tuff with minor sporadic lapilli P1 clasts. From 297.26-314.53m there are some minor block/bomb sized clasts noted.

<<Alt: 322.1 - 377.36: weak to moderate hematite / moderate chlorite / moderate chlorite>> moderate-weak hematite alteration of matrix and chlorite alteration of crystals and clasts

<<Vein: 298.25 - 306.45: Nothing Recorded>>

<<Vein: 306.45 - 306.9: 1.0-5.0 calcite-chlorite>> fracture controlled calcite-chlorite fill.

<<Vein: 306.9 - 314.53: Nothing Recorded>>

<<Vein: 314.53 - 316.44: 1.0-5.0 calcite-chlorite>> similar to cal-chl fracture controlled zone above.

<<Vein: 316.44 - 318.04: Nothing Recorded>>

<<Vein: 318.04 - 321.15: <1.0 calcite>> calcite veins, up to 1cm wide, with small angular fragments of wall rock.

<<Vein: 321.15 - 324.27: Nothing Recorded>>

<<Vein: 324.27 - 328.7: <1.0 quartz-calcite-pink calcite>>

<<Vein: 328.7 - 337.1: <1.0 calcite-chlorite>> calcite and chlorite fracture fill

<<Vein: 337.1 - 347.52: Nothing Recorded>> trace mm scale calcite fracture fill stringers (?).

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
286.50	288.00	1.50	S216419	0.002	0.25	7	5	69
288.00	289.50	1.50	S216421	0.002	0.25	5	7	88
289.50	291.00	1.50	S216422	0.002	0.25	6	6	82
291.00	292.50	1.50	S216423	0.002	0.25	8	9	110
292.50	294.11	1.61	S216424	0.002	0.25	8	8	127
294.11	295.50	1.39	S216425	0.002	0.25	12	15	70
295.50	297.26	1.76	S216426	0.002	0.25	19	18	74
297.26	298.50	1.24	S216427	0.002	0.25	104	11	114
298.50	300.00	1.50	S216428	0.002	0.25	14	12	137
300.00	301.50	1.50	S216429	0.002	0.25	13	13	97
301.50	303.00	1.50	S216431	0.006	0.25	7	12	93
303.00	304.50	1.50	S216432	0.002	0.25	2	13	84
304.50	306.50	2.00	S216433	0.002	0.25	2	12	84
306.50	308.50	2.00	S216434	0.002	0.25	18	15	95
308.50	310.00	1.50	S216435	0.002	0.25	1	9	89
310.00	311.50	1.50	S216436	0.002	0.25	1	12	81
311.50	313.00	1.50	S216437	0.002	0.25	2	10	90
313.00	314.50	1.50	S216438	0.002	0.25	1	10	93
314.50	316.00	1.50	S216439	0.002	0.25	3	9	90
316.00	317.50	1.50	S216441	0.002	0.25	2	10	93

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Vein: 347.52 - 350.2: 1.0-5.0 quartz>> red japser "veins" that have later stage calcite-chlorite linear discontinuous tension gashes internally (looks like could be similar to Vn4c's). Jasper "veins" oriented 5 TCA and calcite-chlorite veins are 65 TCA.
		<<Vein: 350.2 - 350.7: 1.0-5.0 quartz-calcite>> quartz-calcite-chlorite vn4a type vein, likely 12cm across (if measured in 3D space)
		<<Vein: 350.7 - 353.18: Nothing Recorded>>
		<<Vein: 353.18 - 359.1: 1.0-5.0 quartz>> red japser "veins" that have later stage calcite-chlorite linear discontinuous tension gashes internally (looks like could be similar to Vn4c's). Jasper "veins" oriented 5 TCA and calcite-chlorite veins are 70 TCA.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
317.50	319.00	1.50	S216442	0.002	0.25	2	11	91
319.00	320.50	1.50	S216443	0.002	0.25	1	12	88
320.50	322.00	1.50	S216444	0.002	0.25	2	6	94
322.00	323.50	1.50	S216445	0.002	0.25	2	11	82
323.50	325.00	1.50	S216446	0.002	0.25	4	14	84
325.00	326.50	1.50	S216447	0.005	0.25	5	6	86
326.50	328.00	1.50	S216448	0.005	0.25	17	9	95
328.00	329.50	1.50	S216449	0.006	0.25	22	10	83
329.50	331.00	1.50	S216451	0.002	0.25	6	7	94
331.00	332.50	1.50	S216452	0.002	0.25	15	7	84
332.50	334.00	1.50	S216453	0.002	0.25	41	16	93
334.00	335.50	1.50	S216454	0.002	0.25	69	7	73
335.50	337.00	1.50	S216455	0.002	0.25	54	7	79
337.00	338.50	1.50	S216456	0.002	0.25	39	7	75
338.50	340.00	1.50	S216457	0.002	0.25	21	7	84
340.00	341.50	1.50	S216458	0.002	0.25	4	8	81
341.50	343.00	1.50	S216459	0.005	0.25	6	5	89
343.00	344.50	1.50	S216461	0.002	0.25	48	7	85
344.50	346.00	1.50	S216462	0.002	0.25	11	9	75
346.00	347.50	1.50	S216463	0.002	0.25	14	10	88
347.50	349.00	1.50	S216464	0.002	0.25	3	6	82
349.00	350.50	1.50	S216465	0.002	0.25	1	11	100
350.50	352.00	1.50	S216466	0.002	0.25	3	7	79
352.00	353.50	1.50	S216467	0.002	0.25	6	4	78

Hole: SU-668

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
353.50	**377.36**	**V12 intermediate fragmental volcanics**	**V-csh**	353.50	355.00	1.50	S216468	0.002	0.25	12	9	66
353.5 - 377.36: hematite altered lapilli tuff, lapilli clasts increase in abundance and size downhole.												
<<Vein: 359.1 - 364: Nothing Recorded>>				355.00	356.50	1.50	S216469	0.002	0.25	12	7	78
<<Vein: 364 - 364.26: 5.0-10.0 quartz-calcite>> vn4 type vein with shear along selvage				356.50	358.00	1.50	S216471	0.002	0.25	9	15	63
<<Vein: 364.26 - 371.19: Nothing Recorded>>				358.00	359.50	1.50	S216472	0.002	0.25	31	7	79
<<Vein: 371.19 - 372.74: <1.0 calcite-chlorite>> calcite-chlorite veins				359.50	361.00	1.50	S216473	0.002	0.25	49	10	60
<<Vein: 372.74 - 375.5: <1.0 quartz-calcite>> calcite veins and one jasper vein with tension veins cutting through it exclusively				361.00	362.50	1.50	S216474	0.009	0.25	22	9	65
<<Vein: 375.5 - 385.67: 1.0-5.0 quartz-calcite>> calcite-chlorite and quartz-calcite-chlorite-gypsum veins				362.50	364.00	1.50	S216475	0.002	0.25	3	10	82
<<Struc: 364 - 364.2: weakly developed sheared 25 deg. >> shear along a vn4a type vein				364.00	365.50	1.50	S216476	0.002	0.25	6	9	90
<<Struc: 374.25 - 374.54: weakly developed sheared 20 deg. >> shear along vein with hematite clay				365.50	367.00	1.50	S216477	0.002	0.25	4	7	88
				367.00	368.50	1.50	S216478	0.002	0.25	5	5	85
				368.50	370.00	1.50	S216479	0.005	0.25	4	5	86
				370.00	371.50	1.50	S216481	0.002	0.25	4	1	91
				371.50	373.00	1.50	S216482	0.002	0.25	4	8	87
				373.00	374.50	1.50	S216483	0.002	0.25	2	1	79
				374.50	376.00	1.50	S216484	0.002	0.25	7	2	74
				376.00	377.36	1.36	S216485	0.002	0.25	4	8	80
377.36	**385.67**	**V12 intermediate fragmental volcanics**	**V-csh**									
377.36 - 385.67: sub-aqueously deposited lapilli tuff, looks similar to above but chlorite altered and P1 clasts range from angular to sub-rounded. Lower contact gradational												
<<Min: 381.43 - 381.8: <0.5% pyrite>>												
<<Min: 381.8 - 387.68: Not recorded Nothing Recorded>>												
<<Alt: 377.36 - 409.9: moderate chlorite / weak to moderate chlorite>> chlorite altered sand-sized clasts and green chlorite altered silty matrix												
<<Struc: 383.73 - 383.85: weakly developed sheared 25 deg. >> shear along vein with minor gouge and chlorite												
				377.36	378.50	1.14	S216486	0.002	0.25	52	3	83

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			378.50	380.00	1.50	S216487	0.002	0.25	38	1	78
			380.00	381.50	1.50	S216488	0.002	0.25	28	1	111
			381.50	383.00	1.50	S216489	0.002	0.25	8	1	81
			383.00	384.00	1.00	S216491	0.002	0.25	15	22	98
			384.00	385.67	1.67	S216492	0.002	0.25	18	29	131
			385.67	387.00	1.33	S216493	0.009	0.7	21	88	124
385.67	**390.32**	**S5 Mudstone/siltstones/pelites (including calcareous) S-mud**	387.00	388.50	1.50	S216494	0.002	0.25	26	106	116
385.67 - 390.32: muddy siltstone. Looks like it was fairly massive but then it was moderately deformed and dark green chlorite filled the fractures. Vn4 series veins are noted in this interval. Shear foliation at 20-25 TCA. Lower contact marked by a Vn4a.											
<<Min: 387.68 - 388.4: traces hematite>> one fine spec of specular hematite, rest is regular hematite along fractures in vein			388.50	390.32	1.82	S216495	0.002	0.25	13	36	143
<<Min: 388.4 - 389.85: Not recorded Nothing Recorded>>											
<<Min: 389.85 - 389.92: traces galena>> purpleish grey mineral that scratches dark grey-black and is fairly soft. Inferred to be galena											
<<Min: 389.92 - 392.15: Not recorded Nothing Recorded>>											
<<Vein: 385.67 - 401.34: 1.0-5.0 quartz-calcite-chlorite>> Vn4 generation. Trace galena in qz-cal-chl vein at 389.90m											
<<Struc: 385.67 - 386.4: moderately developed fault zone 60 deg. >> gougey fault zone.											
<<Struc: 387.9 - 388.19: weakly developed fault gouge 50 deg. >> within and along a vn4a											
<<Struc: 388.19 - 389.92: weakly developed Fabbric 20 deg. >> alignment in sedimentary unit, looks like it is related to shear veins (Vn4's).											
<<Struc: 389.92 - 390.13: moderately developed fault gouge 40 deg. >> fault gouge along next to Vn4a. Core lost in this run likely due to some of the gouge getting washed away..?											
			390.32	391.50	1.18	S216496	0.002	0.25	72	20	115
390.32	**397.33**	**V12 intermediate fragmental volcanics V-csh**	391.50	393.00	1.50	S216497	0.002	0.25	306	24	95
390.32 - 397.33: chlorite altered lapilli tuff with coarse ash (?) matrix. Intermittent patches of fine to coarse grained subhedral pyrite. Lower contact marked by a Vn4a.											
<<Min: 392.15 - 400.9: traces pyrite>> patchy disseminated fine to medium grained subhedral pyrite			393.00	394.50	1.50	S216498	0.002	0.25	262	13	90

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Struc: 397.19 - 399.67: sporadic fault gouge 70 deg. >> gouge along margins of vn4a's and sporadically throughout in wall rock
397.33	**409.90**	**S4-Gr** **Sandstone/arenite/greywacke (fine- to coarse-grained)** **S-slt**
		397.33 - 409.9: Immature medium to coarse grained silty-sandstone with minor dispersions of subangular to subrounded pebble sized clasts. Can see interbedding of sandy-siltstone and sandstone beds that are generally <1cm wide. Bedding at 400.36m is 60 TCA, 400.63m is 70 TCA, 407.07m is 55 TCA. Cut by Vn4a's near top of unit. Lower contact is gradational.
		<<Min: 400.9 - 409.9: <0.5% hematite>> hematite along vein selvages
		<<Vein: 401.34 - 411.23: 1.0-5.0 quartz-calcite>> fracture fill quartz-calcite-hematite veins, possibly vn4b's???? Low angle tca. Hematite near vein selvages. Veins <1cm wide
409.90	**441.50**	**V12** **intermediate fragmental volcanics** **V-csh**
		409.9 - 441.5: fragmental lapilli sized angular P1 clasts and minor subangular to subrounded felsic clasts. Could be classified as a fragmental because clasts are very angular and "fragmental" looking. Hematite alteration.
		<<Min: 409.9 - 510.08: Not recorded Nothing Recorded>>
		<<Alt: 409.9 - 441.5: moderate hematite / weak chlorite / weak to moderate calcite>> hematite altered matrix and chlorite altered clasts. Calcite alteration is disseminated throughout
		<<Vein: 411.23 - 414.85: Nothing Recorded>>
		<<Vein: 414.85 - 425.04: <1.0 calcite-chlorite>> hematite-calcite-chlorite veins (fracture fill?)

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
394.50	396.00	1.50	S216499	0.026	0.25	50	5	102
396.00	397.33	1.33	S216501	0.002	0.25	11	3	83
397.33	398.50	1.17	S216502	0.002	0.25	27	3	100
398.50	400.00	1.50	S216503	0.002	0.25	9	4	107
400.00	401.50	1.50	S216504	0.002	0.25	12	3	85
401.50	403.00	1.50	S216505	0.002	0.25	13	35	122
403.00	404.50	1.50	S216506	0.002	0.25	17	2	83
404.50	406.00	1.50	S216507	0.002	0.25	16	3	90
406.00	407.50	1.50	S216508	0.002	0.25	34	4	102
407.50	408.50	1.00	S216509	0.006	0.25	54	6	109
408.50	409.90	1.40	S216511	0.007	0.25	18	5	85

Hole: SU-668

From (m)	To (m)	Rock Type & Description	
<<Vein: 425.04 - 425.8: <1.0 quartz-calcite>>		calcite-quartz fracture fill	
<<Vein: 425.8 - 439.27: <1.0 calcite-chlorite>>			
<<Vein: 439.27 - 442.96: Nothing Recorded>>			
441.50	**503.00**	**V12 intermediate fragmental volcanics**	**V-csh**

441.5 - 503: hematite altered lapilli tuff with ~10 % lapilli sized clasts, mixture of P1 and felsic clasts.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
409.90	411.50	1.60	S216512	0.002	0.25	0.5	8	63
411.50	413.00	1.50	S216513	0.002	0.25	1	6	53
413.00	414.50	1.50	S216514	0.002	0.25	1	6	61
414.50	416.00	1.50	S216515	0.002	0.25	2	9	55
416.00	417.50	1.50	S216516	0.002	0.25	1	5	87
417.50	419.00	1.50	S216517	0.002	0.25	2	4	53
419.00	420.50	1.50	S216518	0.002	0.25	2	5	66
420.50	422.00	1.50	S216519	0.002	0.25	2	8	83
422.00	423.50	1.50	S216521	0.002	0.25	8	5	73
423.50	425.00	1.50	S216522	0.005	0.25	5	11	79
425.00	426.50	1.50	S216523	0.002	0.25	2	8	84
426.50	428.00	1.50	S216524	0.002	0.25	2	7	88
428.00	429.50	1.50	S216525	0.002	0.25	2	5	73
429.50	431.00	1.50	S216526	0.002	0.25	3	4	66
431.00	432.50	1.50	S216527	0.002	0.25	5	4	69
432.50	434.00	1.50	S216528	0.002	0.25	3	6	67
434.00	435.50	1.50	S216529	0.002	0.25	4	4	57
435.50	437.00	1.50	S216531	0.002	0.25	5	4	76
437.00	438.50	1.50	S216532	0.002	0.25	6	4	67
438.50	440.00	1.50	S216533	0.002	0.25	1	4	81
440.00	441.50	1.50	S216534	0.002	0.25	3	5	121
441.50	443.00	1.50	S216535	0.002	0.25	2	5	95

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Alt: 441.5 - 503: weak to moderate hematite / weak to moderate chlorite / weak chlorite / weak hematite>> weak to moderate hematite alteration of matrix, minor hematite alteration of felsic clasts, chlorite alteration of P1 clasts and ash crystals
		<<Vein: 442.96 - 470.2: <1.0 quartz-calcite>> jasper-hematite-pink calcite veins and calcite-chlorite veins
		<<Vein: 470.2 - 500: <1.0 quartz-calcite>> jasper-hematite-pink calcite veins and calcite-chlorite veins
		<<Vein: 500 - 503.98: 1.0-5.0 quartz-calcite>> red jasper and quartz-calcite tension related veins
		<<Struc: 448.83 - 449.03: weakly developed sheared 25 deg. >> weak shear along a calcite filled shear vein
		<<Struc: 451.05 - 451.17: weakly developed sheared 40 deg. >> weak gouge along shear

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
443.00	444.50	1.50	S216536	0.002	0.25	3	4	90
444.50	446.00	1.50	S216537	0.002	0.25	7	5	67
446.00	447.50	1.50	S216538	0.002	0.25	4	3	66
447.50	449.00	1.50	S216539	0.002	0.25	4	5	73
449.00	450.50	1.50	S216541	0.002	0.25	3	4	88
450.50	452.00	1.50	S216542	0.002	0.25	3	8	72
452.00	453.50	1.50	S216543	0.002	0.25	3	5	77
453.50	455.00	1.50	S216544	0.002	0.25	1	6	73
455.00	456.50	1.50	S216545	0.002	0.25	1	4	71
456.50	458.00	1.50	S216546	0.002	0.25	3	6	72
458.00	459.50	1.50	S216547	0.002	0.25	3	5	70
459.50	461.00	1.50	S216548	0.002	0.25	2	3	82
461.00	462.50	1.50	S216549	0.002	0.25	2	5	74
462.50	464.00	1.50	S216551	0.002	0.25	57	11	53
464.00	465.50	1.50	S216552	0.002	0.25	3	4	90
465.50	467.00	1.50	S216553	0.002	0.25	3	9	92
467.00	468.50	1.50	S216554	0.002	0.25	2	6	81
468.50	470.00	1.50	S216555	0.002	0.25	5	10	73
470.00	471.50	1.50	S216556	0.002	0.25	5	7	74
471.50	473.00	1.50	S216557	0.002	0.25	4	6	74
473.00	474.50	1.50	S216558	0.002	0.25	16	7	72
474.50	476.00	1.50	S216559	0.002	0.25	17	6	92
476.00	477.50	1.50	S216561	0.002	0.25	5	8	72
477.50	479.00	1.50	S216562	0.002	0.25	5	6	75
479.00	480.50	1.50	S216563	0.002	0.25	3	9	89
480.50	482.00	1.50	S216564	0.002	0.25	4	8	79
482.00	483.50	1.50	S216565	0.002	0.25	4	8	70
483.50	485.00	1.50	S216566	0.002	0.25	6	4	71

Hole: SU-668

From (m)	To (m)	Rock Type & Description
503.00	**521.62**	**V12 intermediate fragmental volcanics V-csh**

503 - 521.62: chlorite altered lapilli tuff, sub-aqueous deposition?. Mainly P1 clasts, trace amounts of felsic clasts. Lower contact marks start of alteration due to large fault zone further downhole.

<<Min: 510.08 - 511.02: <0.5% pyrite / <0.5% pyrite / <0.5% pyrite>> pyrite in shear zone

<<Min: 511.02 - 521.53: Not recorded Nothing Recorded>>

<<Min: 521.53 - 557.26: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> mainly pyrite concentrated in P1 lapilli clasts, also some disseminated throughout

<<Alt: 503 - 510.08: moderate chlorite>>

<<Alt: 510.08 - 511.02: moderate to strong >> related to shear zone (vn4a's on either end of zone)

<<Alt: 511.02 - 521.53: moderate chlorite / trace hematite>> trace hematite fill along fractures in upper part of unit.

<<Alt: 521.53 - 557.26: moderate / trace chlorite>> moderate QSP alteration overprinting earllier chlorite alteration, some relict chlorite alteration is left in zones.

<<Vein: 503.98 - 510.08: 1.0-5.0 quartz-calcite>> tension related veins

<<Vein: 510.08 - 511.02: <1.0 quartz-calcite-chlorite>>

<<Vein: 511.02 - 521.62: 1.0-5.0 quartz-calcite>> tension related veins/fill

<<Struc: 510.67 - 510.83: moderately developed fault gouge 65 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
485.00	486.50	1.50	S216567	0.002	0.25	10	6	82
486.50	488.00	1.50	S216568	0.002	0.25	3	7	91
488.00	489.50	1.50	S216569	0.002	0.25	3	8	87
489.50	491.00	1.50	S216571	0.002	0.25	4	10	82
491.00	492.50	1.50	S216572	0.006	0.25	3	9	85
492.50	494.00	1.50	S216573	0.002	0.25	2	6	87
494.00	495.50	1.50	S216574	0.002	0.25	3	7	84
495.50	497.00	1.50	S216575	0.002	0.25	3	7	81
497.00	498.50	1.50	S216576	0.002	0.25	1	5	91
498.50	500.00	1.50	S216577	0.002	0.25	2	8	90
500.00	501.50	1.50	S216578	0.002	0.25	2	8	72
501.50	503.00	1.50	S216579	0.002	0.25	2	7	67
503.00	504.50	1.50	S216581	0.002	0.25	18	4	114
504.50	506.00	1.50	S216582	0.002	0.25	24	5	98
506.00	507.50	1.50	S216583	0.002	0.25	16	2	90
507.50	509.00	1.50	S216584	0.002	0.25	28	3	158
509.00	510.50	1.50	S216585	0.002	0.25	28	5	189
510.50	512.00	1.50	S216586	0.002	0.25	43	10	74
512.00	513.50	1.50	S216587	0.002	0.25	14	4	100
513.50	515.00	1.50	S216588	0.002	0.25	6	4	118
515.00	516.50	1.50	S216589	0.002	0.25	16	4	110
516.50	518.00	1.50	S216591	0.002	0.25	34	3	111
518.00	519.50	1.50	S216592	0.002	0.25	16	3	116
519.50	520.50	1.00	S216593	0.002	0.25	22	3	129

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Struc: 516.74 - 518.32: sporadic fault gouge 50 deg. >> minor gypsum along fracture, white clay gouge
521.62	**557.26**	**V12 intermediate fragmental volcanics V-csh**
		521.62 - 557.26: chlorite, pyrite, sericite (?) altered lapilli tuff with local block/bomb sized P1 clasts. Lower contact marked by start of major fault zone.
		<<Vein: 521.62 - 522.85: 1.0-5.0 quartz-calcite-chlorite>>
		<<Vein: 522.85 - 541.13: <1.0 quartz-calcite>> very minor tension related quartz-calcite veins
		<<Vein: 541.13 - 544.4: <1.0 quartz-calcite>> vn4a, b and c type veins
		<<Vein: 544.4 - 553.4: <1.0 quartz-calcite>> tension veins
		<<Vein: 553.4 - 557.26: Nothing Recorded>>
		<<Struc: 521.62 - 522.85: strongly developed sheared 45 deg. >> shear zone with vn4a's and fault gouge
		<<Struc: 522.85 - 530.8: sporadic fault gouge 30 deg. >> sporadic gouge zones, <5cm wide, also broken zones (possibly broken by drill).
		<<Struc: 538.82 - 552.2: sporadic fault gouge 10 deg. >> sporadic gouge zones likely associated with shearing

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
520.50	521.62	1.12	S216594	0.002	0.25	5	5	177
521.62	523.00	1.38	S216595	0.002	0.25	25	21	59
523.00	524.50	1.50	S216596	0.002	0.25	11	23	29
524.50	526.00	1.50	S216597	0.002	0.25	20	36	34
526.00	527.50	1.50	S216598	0.002	0.25	23	28	42
527.50	529.00	1.50	S216599	0.002	0.25	19	23	100
529.00	530.50	1.50	S216601	0.002	0.25	17	12	60
530.50	532.00	1.50	S216602	0.002	0.25	18	9	83
532.00	533.50	1.50	S216603	0.002	0.25	24	13	118
533.50	535.00	1.50	S216604	0.002	0.25	28	10	106
535.00	536.50	1.50	S216605	0.002	0.25	21	9	101
536.50	538.00	1.50	S216606	0.002	0.25	22	10	90
538.00	539.50	1.50	S216607	0.002	0.25	18	13	90
539.50	541.00	1.50	S216608	0.002	0.25	18	12	75
541.00	542.50	1.50	S216609	0.002	0.25	13	8	91
542.50	544.00	1.50	S216611	0.002	0.25	24	11	102

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
557.26	**581.30**	**V12**	**intermediate fragmental volcanics**	**S-slt**

557.26 - 581.3: major fault zone, most core is clay gouge with disseminated fine grained euhedral pyrite. Minor cm scale quartz veins cutting through.

<<Min: 557.26 - 569: 5.0-10.0% pyrite / 0.5-2.0% pyrite>> strong very fine grained pyrite disseminated throughout and in concentrated wisps

<<Min: 569 - 569.05: traces sphalerite>> trace yellow sphalerite in qz vein

<<Min: 569.05 - 581.3: 2.0-5.0% pyrite / traces sphalerite>> very fine grained euhedral pyrite in fault gouge. Trace sphalerite noted in banded quartz veins

<<Alt: 557.26 - 581.3: moderate to strong / moderate clay>> fault zone with strong qsp alteration and clay rich gouge.

<<Vein: 557.26 - 581.3: <1.0 quartz-calcite-pyrite>> not sure how many veins are actually in the fault zone. Only an estimate from what I can see. One quartz vein has trace yellow sphalerite and very fine grained pyrite, at 569.0m.

<<Struc: 557.26 - 564.3: strongly developed fault gouge 20 deg. >> intermittent strong gouge zones proximal to main fault zone.

<<Struc: 564.3 - 576.8: strongly developed fault zone 40 deg. >> VERY strongly developed fault zone, strong white clay gouge with fine grained euhedral pyrite disseminated. Can see some light green talc formed in bands. Highly broken zone.

<<Struc: 576.8 - 581.3: strongly developed fault zone 40 deg. >> continuation of fault zone but some competent rock noted, still strong gouge

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
544.00	545.50	1.50	S216612	0.002	0.25	22	8	112
545.50	547.00	1.50	S216613	0.002	0.25	19	9	108
547.00	548.50	1.50	S216614	0.002	0.25	31	17	102
548.50	550.00	1.50	S216615	0.002	0.25	27	15	72
550.00	551.50	1.50	S216616	0.002	0.25	19	9	57
551.50	553.00	1.50	S216617	0.002	0.25	13	9	108
553.00	554.50	1.50	S216618	0.002	0.25	5	2	216
554.50	556.00	1.50	S216619	0.002	0.25	13	10	140
556.00	557.26	1.26	S216621	0.002	0.25	23	4	104
557.26	558.50	1.24	S216622	0.002	0.25	18	9	44
558.50	560.00	1.50	S216623	0.002	0.25	19	12	87
560.00	561.50	1.50	S216624	0.002	0.25	11	5	58
561.50	563.00	1.50	S216625	0.002	0.25	13	13	91
563.00	564.50	1.50	S216626	0.002	0.25	15	13	43
564.50	566.00	1.50	S216627	0.002	0.25	15	9	21
566.00	567.50	1.50	S216628	0.002	0.25	16	8	19
567.50	569.00	1.50	S216629	0.005	0.25	19	11	41
569.00	570.50	1.50	S216631	0.005	0.25	14	15	22
570.50	572.00	1.50	S216632	0.006	0.25	18	17	20
572.00	573.50	1.50	S216633	0.005	0.25	24	20	11
573.50	575.00	1.50	S216634	0.002	0.25	20	17	7

Hole: SU-668

From (m)	To (m)		Rock Type & Description	
581.30	**587.86**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**S-snd**

581.3 - 587.86: this zone is hard to categorize. Looks like it could be either lapilli tuff or a breccia related to the above fault and underlying P1 unit. Lots of P1 clasts, mostly angular, some sub-angular, hard to tell what the matrix is. This interval is very overprinted with QSP alteration.

<<Min: 581.3 - 581.6: 2.0-5.0% pyrite / <0.5% sphalerite>> yellow sphalerite occurs in quartz vein at 581.53m as a 1cm wide cluster, looks subhedral

<<Min: 581.6 - 587.86: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>>

<<Alt: 581.3 - 587.86: moderate to strong >>

<<Vein: 581.3 - 585.35: <1.0 quartz-calcite>> one quartz vein contains subhedral sphalerite.

<<Vein: 585.35 - 587.86: 1.0-5.0 quartz-calcite>>

<<Struc: 581.3 - 587.86: sporadic fault gouge 45 deg. >> sporadic fault gouge likely related to weak shears (vn4 generation noted in this area)

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
575.00	576.50	1.50	S216635	0.002	0.25	22	12	6
576.50	578.00	1.50	S216636	0.006	0.25	19	10	90
578.00	579.50	1.50	S216637	0.002	0.25	13	10	210
579.50	581.30	1.80	S216638	0.002	0.25	10	13	130
581.30	582.50	1.20	S216639	0.002	0.25	9	10	210
582.50	584.00	1.50	S216641	0.002	0.25	6	7	108
584.00	585.50	1.50	S216642	0.011	0.25	7	11	101
585.50	586.50	1.00	S216643	0.002	0.25	8	6	64
586.50	587.86	1.36	S216644	0.002	0.25	7	4	73

Hole: SU-668

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
587.86	**1192.40**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**								

587.86 - 1192.4: Plag and hornblende porphyry. Intermittent fragmental zones near start of unit… possibly flow tops? Or small zones of lapilli tuff deposition. QSP alteration occurs in localized zones, overprinting earlier chlorite alteration. Does not display obvious flow textures and is interpreted to be more of a possible shallow intrusion than a flow. Very rare larger feldspar phenocrysts (1.5cm).

<<Min: 587.86 - 604.2: 0.5-2.0% pyrite / 0.5-2.0% pyrite>> very fine grained, finely disseminated pyrite

<<Min: 598.17 - 598.4: traces magnetite>> strongly magnetic black magnetite, fine grained and disseminated in a qz-calcite vein

<<Min: 604.2 - 628.89: 10.0-20.0% pyrite>>

<<Min: 628.89 - 646.55: 5.0-10.0% pyrite>> pyrite creates speckled appearance, not replacing phenocrysts but doesn't look to be fully replacing the groundmass either.

<<Min: 646.55 - 649.07: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>> pyrite occurs with a network dendritic texture throughout most of this interval

<<Min: 649.07 - 708.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> pyrite looks like it is replacing hornblende phenos, also minor aggregates of py

<<Min: 708.5 - 709.4: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces sphalerite / traces galena>>

<<Min: 709.4 - 722.5: 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>

<<Min: 722.5 - 731.73: 0.5-2.0% pyrite / <0.5% pyrite>>

<<Min: 731.73 - 739.64: 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>

<<Min: 739.64 - 749.45: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> pyrite replacing hornblende phenocrysts

<<Min: 749.45 - 757.68: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 757.68 - 790.4: 0.5-2.0% pyrite / <0.5% pyrite>>

<<Min: 790.4 - 793.4: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 793.4 - 827.37: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 827.37 - 834.55: 2.0-5.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 834.55 - 851.5: 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 851.5 - 852: <0.5% electrum / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> possible electrum? Has the very soft shiny yellow color of gold and isductile and appears to be dendritic within qtz in a vein (came later). Is in proximity to larger vein 3. but it may possibly be chacolpyrite but treated like gold just in case.									
		<<Min: 852 - 898.4: <0.5% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / traces Ag,Pb,Sb,As sulfosalts>> possible bleb of tetrahedrite in a vein 893.5?									
		<<Min: 898.4 - 904.6: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 2.0-5.0% pyrite>>									
		<<Min: 904.6 - 920.05: 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 920.05 - 932.85: 0.5-2.0% galena / 0.5-2.0% sphalerite / <0.5% chalcopyrite / traces Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite>> pyrite present in qsp alteration and is disseminated where chlorite alteration os present. Weak pyrite also found as blebs in veins with other mineralization.									
		<<Min: 932.85 - 951.6: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% pyrite>>									
		<<Min: 951.6 - 955.4: 0.5-2.0% galena / 0.5-2.0% sphalerite / <0.5% chalcopyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 955.4 - 965.75: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% pyrite>>									
		<<Min: 965.75 - 982.3: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / traces galena>> possible trace galena in veining									
		<<Min: 982.3 - 983.3: <0.5% galena / <0.5% sphalerite / 2.0-5.0% pyrite / <0.5% pyrite>>									
		<<Min: 983.3 - 1012: 0.5-2.0% pyrite / traces pyrite>>									
		<<Min: 1012 - 1028.55: <0.5% pyrite / 0.5-2.0% pyrite / traces pyrite>>									
		<<Min: 1028.55 - 1056.5: <0.5% pyrite / 2.0-5.0% pyrite / <0.5% pyrite>> increase in fine disseminated pyrite around some veinlets as vein halos. Disseminated pyrite is patchy and ranges from 1-3%									
		<<Min: 1056.5 - 1057.5: traces galena / traces sphalerite / 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 1057.5 - 1078.5: 0.5-2.0% pyrite / 2.0-5.0% pyrite / <0.5% pyrite>>									
		<<Min: 1078.5 - 1105.75: traces sphalerite>> minor									
		<<Min: 1105.75 - 1109.4: <0.5% sphalerite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>> light yellow euhedral sphalerite disseminated within silica alteration (vein 1b?)									
		<<Min: 1109.4 - 1132: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% pyrite / traces pyrite>> pyrite clots likely replacement of phenocrysts.									
		<<Min: 1132 - 1144: 0.5-2.0% sphalerite / 0.5-2.0% galena / 0.5-2.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite>>									
		<<Min: 1144 - 1145: 0.5-2.0% sphalerite / 2.0-5.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% galena>> sphalerite associated in pyrite in a low angle vein with fuzzy margins									
		<<Min: 1145 - 1164: <0.5% sphalerite / <0.5% galena / 5.0-10.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 1164 - 1171.4: 0.5-2.0% sphalerite / traces sphalerite / 0.5-2.0% galena / 0.5-2.0% pyrite / 2.0-5.0% pyrite>>									

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 1171.4 - 1192.4: <0.5% sphalerite / <0.5% galena / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>									
		<<Alt: 587.86 - 604.2: moderate chlorite / weak to moderate >> chlorite alteration of hornblende phenocrysts and general weak QSP overprint									
		<<Alt: 604.2 - 611.48: moderate to strong / moderate locally weakly silicified>> strong QSP alteration with patches of lighter colored alteration (white mica and quartz) that seems to percolate in a later episode through select pathways and through fault zones.									
		<<Alt: 611.48 - 628.29: moderate to strong / moderate to strong pyrite>> strong QSP alteration with stronger zones of pyrite alteration of groundmass									
		<<Alt: 628.29 - 721.4: moderate to strong >>									
		<<Alt: 721.4 - 731.73: moderate chlorite / weak to moderate >> chlorite altered with weak QSP overprint									
		<<Alt: 731.73 - 739.64: weak to moderate / weak to moderate chlorite>>									
		<<Alt: 739.64 - 749.45: moderate to strong >> moderate alignment fabric of phenocrysts… flow textures or secondary, oriented approx 30 TCA									
		<<Alt: 749.45 - 757.68: weak to moderate / weak to moderate chlorite>>									
		<<Alt: 757.68 - 790.43: moderate chlorite / weak >>									
		<<Alt: 790.43 - 793.25: moderate to strong >> likely related to fractures and small faults in this zone. Hard white opaque mineral filling fractures and veins, no rxn to HCl even with powdering mineral. Looks like it could be silicified sericite or silicified ankerite.									
		<<Alt: 793.25 - 827.37: weak to moderate / moderate chlorite>> moderate QSP alteration, usually patchy around stringers and veins									
		<<Alt: 827.37 - 834.55: moderate / weak to moderate chlorite>> QSP likely related to veins									
		<<Alt: 834.55 - 851.97: weak to moderate / moderate chlorite>>									
		<<Alt: 851.97 - 898.4: moderate chlorite / weak >>									
		<<Alt: 898.4 - 904.6: weak to moderate / weak chlorite / weak clay>> increase in veining (minor stckwrk), possibly related to local increase of phyllic alteration. Phyllic alteration overprinting chlrite. Felsic phenos have altered to a light cream sericite or clay, while mafic phenocrysts have altered from chlorite to a green sericite (possibly some remnant chlorite). Clay along a few fracture planes (possible shears but is within what is believed to be vein 1b's with some crosscutting vein 4's)									
		<<Alt: 908.6 - 920.05: weak / weak to moderate chlorite>> patchy alteration between pervasive chlorite alteration and an over printing phyllic alteration (both seen in previous intervals.									
		<<Alt: 920.05 - 925.85: moderate >> pervasive texture destructive (patchy) phyllic alteration. Disseminated, clots, and stringers of pyrite. Likely due to veining.									
		<<Alt: 925.85 - 951.6: weak to moderate chlorite / weak >> dominantly pervasive chlorite alteration (with minor sericite, shown by white streaks in remnant plagioclase). Patchy due to weak vein related qsp									

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 951.6 - 955.4: weak to moderate / weak to moderate clay>> much more intense clots and stringers of pyrite, weaker silica, and clay patchy replacing plagioclase.									
		<<Alt: 955.4 - 965.75: weak / weak to moderate chlorite / weak to moderate clay / weak to moderate silica (pervasive silicification)>> patchy qsp overprinting chlorite alteration. Pyrite still present where chlorite is dominant. Vein 1b's with silica bleeding out from veins									
		<<Alt: 965.75 - 983.3: moderate / weak to moderate silica (pervasive silicification) / weak to moderate clay / trace chlorite>> increase in phyllic alteration, likely due to an increase in vein 1' in interval.clay replacing feldpars in areas less phyllically altered									
		<<Alt: 983.3 - 1012: moderate chlorite / trace / weak to moderate sericite>> dominantly chlorite alteration, patchy with either clay or sericite replacing fedspars depending on veining in area.									
		<<Alt: 1012 - 1028.55: weak to moderate sericite / weak to moderate silica (pervasive silicification) / weak to moderate chlorite / weak to moderate clay>> sericite alteration as vein halos around veins and veinlets bleaching core but not softening it… possibly also altering with silica? But hardness around veins it the same as chlorite altered core indicating silica alteration is pervasive. Clay or light cream sericite (patchy) replacing phenocrysts. Area around 1014 where veining is vuggy, has brecciated core, has a high chlorite content, and contains the pale yellow mineral that has been in the core (and other holes) previously. But clay? Has replaced phenocrysts and area around it creating spherulite like texture within massiv chlorite.									
		<<Alt: 1028.55 - 1078.5: moderate chlorite / weak sericite / weak sericite / weak to moderate silica (pervasive silicification)>>									
		<<Alt: 1078.5 - 1129.4: weak to moderate / weak to moderate chlorite>> patchy phyllic alteration overprinting chlorite. Increased silica in areas with increased veining.									
		<<Alt: 1129.4 - 1158.4: moderate / moderate to strong silica (pervasive silicification)>> increase in ser/sil/pyrite with silica flooding around veins. Euhedral pyrite mottled throughout									
		<<Alt: 1158.4 - 1171.4: moderate to strong / moderate silica (pervasive silicification) / trace clay>> phyllic alteration but the rock is showing more sericite alteration than silica									
		<<Alt: 1171.4 - 1178.4: moderate / trace clay>>									
		<<Alt: 1178.4 - 1192.4: moderate / trace clay>> PHYLLIC ALTERATIONB PATCHY BETWEEN INTENSITY 3 AND 4									
		<<Vein: 587.86 - 604.2: 1.0-5.0 quartz-calcite>>									
		<<Vein: 604.2 - 610: <1.0 quartz-calcite>> mm scale quartz-calcite veinets with small shears in middle with pyrite smear along slickensides									
		<<Vein: 610 - 614.32: <1.0 quartz-calcite>>									
		<<Vein: 614.32 - 628.89: 1.0-5.0 quartz-calcite>> discontinuous and very wavy deformed qz-calcite veins									
		<<Vein: 628.89 - 633.53: <1.0 quartz-calcite>>									
		<<Vein: 633.53 - 665.43: 1.0-5.0 quartz-calcite>>									

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 665.43 - 670.4: 5.0-10.0 quartz-calcite>>									
		<<Vein: 670.4 - 697.05: 1.0-5.0 quartz-calcite>> discontinuous veins, linear veins and brecciated veins, all quartz calcite.									
		<<Vein: 697.05 - 703.14: <1.0 quartz-calcite>> linear quartz-calcite veins									
		<<Vein: 703.14 - 712.03: 1.0-5.0 quartz-calcite>> calcite-quartz veins with some pyrite disseminated within some veins (overprint?). At 708.53m there's trace amounts of sphalerite and a grey-purple sulphide mineral (very very fine grained), possibly galena in one of the cal-qz veins. Minor gypsum in veins as well.									
		<<Vein: 712.03 - 723.45: <1.0 quartz-calcite>>									
		<<Vein: 723.45 - 731.73: <1.0 quartz-calcite>>									
		<<Vein: 731.73 - 734.85: 1.0-5.0 quartz-calcite>>									
		<<Vein: 734.85 - 745.49: <1.0 quartz-calcite>>									
		<<Vein: 745.49 - 754.83: 1.0-5.0 quartz-calcite>>									
		<<Vein: 754.83 - 776.33: <1.0 quartz-calcite>>									
		<<Vein: 776.33 - 834.55: 1.0-5.0 quartz-calcite-chlorite>> interval dominated by vein 4's (a,b, and c), with several small vein 4a's (one large) with banded chlorite within veins and minor wispy tension gashes, vein 4b's sheeted all throughout, and vein 4c's with and without chlorite. Interval is qsp altered therefore has smaller intervals with pyrite veinlets/stringers.									
		<<Vein: 834.55 - 868.59: 1.0-5.0 quartz-calcite-chlorite>> same as above interval but less veining									
		<<Vein: 868.59 - 899.9: 1.0-5.0 quartz-calcite-chlorite>> again, interval is dominated by vein 4's with minor vein 3's (which have more white calcite than grey or pink calcite), but vein 4's have much higher chlorite content than previous intervals. But interval still contains chlorite free vein 4's. are they two different generations of vein 4's?									
		<<Vein: 899.9 - 904.6: 10.0-25.0 quartz-calcite>> appears to be a mild stockwork (looks to be dominantly silica flooded vein 1b's) with some overprinting vein 4a's? (due to some shearing within the stockwork).									
		<<Vein: 904.6 - 921.06: 1.0-5.0 quartz-calcite>> a few vein 1a's and b's that are overprinted by shetted vein 4a's.									
		<<Vein: 921.06 - 931.5: 1.0-5.0 quartz-calcite>> dominated by vein 1b's and contains 2 vein 2's.									
		<<Vein: 931.5 - 955.5: 1.0-5.0 quartz-calcite>>									
		<<Vein: 955.5 - 965.75: 5.0-10.0 quartz-calcite>> contains dominantly vein 1b's and vein 3's. some vein 3's have vein 1b texture (brecciated with wall rock clasts, but may be a later phase of calcite coming through veins (through center)									
		<<Vein: 965.75 - 983.3: 10.0-25.0 quartz-calcite>> dominanted by silica floded vein 1b's and sheeted qz rich vein 1a's. very hard to tell is qz-rich sheeted veins are part of the vein 1 or vein vein 4 generation, but there are qz rich sheeted veins crosscutting similar qz-rich veins, therefore the ones being crosscut are logged as vein 1a's and the others are logged as vein4b's.									

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 983.3 - 1012: 5.0-10.0 quartz-calcite>> all vein 4's with some later calcite event that crosscuts vein 4's and is using them as pathways, except for one small interval of qz-rich vuggy vein 1b's? with later ankerite stringers (pale yellow hard mineral with minor effervescence, within vein 4's).									
		<<Vein: 1012 - 1028.5: 1.0-5.0 quartz-calcite-chlorite>> dominated by barren calcite rich veins with wall rock clasts and a high amount of chlorite, where at the beginning of the interval they they also have vuggy textures. Hard to say what generation these veins belong to. Also a high amount of sheeted veinlets that are likely part of the vein 4 generation as they are disarticulated and quartz rich.									
		<<Vein: 1028.5 - 1096.4: 1.0-5.0 quartz-calcite>> mostly vein 4's with sheeted tension gashes a a few sinusoidal vein (deformed?)									
		<<Vein: 1096.4 - 1105.75: 1.0-5.0 quartz-calcite>>									
		<<Vein: 1105.75 - 1120.4: 5.0-10.0 quartz-calcite-pink calcite>>									
		<<Vein: 1120.4 - 1159.4: 1.0-5.0 quartz-calcite>> increase in vein 1's and vein 3's									
		<<Vein: 1159.4 - 1171.4: 10.0-25.0 quartz-calcite>> not typical v1c stockwork but is dominated by a stockwork of vein 1b's with some overprinting vein 3's and a couple of vein 1c's									
		<<Vein: 1171.4 - 1192.4: 1.0-5.0 quartz-calcite>>									
		<<Struc: 604.4 - 605.98: sporadic sheared 40 deg. >> small shears with pyrite along slickensides									
		<<Struc: 605.98 - 616.33: moderately developed fault gouge 35 deg. >> intermittent gouge in shear zone									
		<<Struc: 640.31 - 640.35: moderately developed sheared 35 deg. >> shear in vn4a, slickensides observed.									
		<<Struc: 688.87 - 688.94: strongly developed fault gouge 75 deg. >> looks like gouge created from drill..? Lower end rounded by drill.									
		<<Struc: 705.27 - 708.75: sporadic sheared 25 deg. >> weak sporadic shears along veins									
		<<Struc: 727.5 - 731.14: sporadic sheared 15 deg. >> slickensides along fractures with pyrite and calcite.									
		<<Struc: 744.42 - 749.18: moderately developed Fabbric 30 deg. >> alignment of phenocrysts									
		<<Struc: 749.18 - 749.28: moderately developed fault gouge 40 deg. >> gouge next to a vn4a									
		<<Struc: 749.28 - 753.4: sporadic fault gouge 35 deg. >> sporadic gouge in zone with vn4 generation									
		<<Struc: 768.5 - 769: moderately developed blocky jointing 40 deg. >> zone looks like it was moderately-highly fractured and then drill broke it apart and ground some core.									
		<<Struc: 790.15 - 793: sporadic fault zone 40 deg. >> broken zone with a few pyrite rich shears									
		<<Struc: 797 - 797.01: weakly developed sheared 50 deg. >> edge of vein4a									
		<<Struc: 827.55 - 827.65: weakly developed sheared 50 deg. >> vn4a									
		<<Struc: 900.2 - 904.6: weakly developed sheared 60 deg. >> a few shears within a stock work associated with vein 4's									

Hole: SU-668

From (m)	To (m)	Rock Type & Description
		<<Struc: 1158.4 - 1161.45: sporadic fault zone 10 deg. >> broken rock with minor clay on fracture planes
		<<Struc: 1176.6 - 1192.2: sporadic fault zone 10 deg. >> dominantly broken rock, with no gouge within broken rock (minor gouge around 1176.6m). Range of random fracture planes but the is an undulatory fracture around 10tca in some of the broken areas
		<<Struc: 1176.68 - 1176.71: sporadic fault gouge 50 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
587.86	589.50	1.64	S216645	0.002	0.25	2	1	223
589.50	591.00	1.50	S216646	0.002	0.25	4	1	142
591.00	592.50	1.50	S216647	0.002	0.25	4	3	109
592.50	594.00	1.50	S216648	0.002	0.25	7	1	102
594.00	595.50	1.50	S216649	0.002	0.25	7	1	107
595.50	597.00	1.50	S216651	0.002	0.25	3	2	97
597.00	598.50	1.50	S216652	0.002	0.25	4	7	87
598.50	600.00	1.50	S216653	0.002	0.25	21	8	101
600.00	601.50	1.50	S216654	0.002	0.25	4	8	130
601.50	603.00	1.50	S216655	0.002	0.25	2	6	204
603.00	604.20	1.20	S216656	0.002	0.25	0.5	6	205
604.20	605.50	1.30	S216657	0.002	0.25	9	26	79
605.50	607.00	1.50	S216658	0.002	0.25	9	20	36
607.00	608.50	1.50	S216659	0.002	0.25	4	10	18
608.50	610.00	1.50	S216661	0.002	0.25	3	11	11
610.00	611.50	1.50	S216662	0.002	0.25	4	12	13
611.50	613.00	1.50	S216663	0.002	0.25	13	14	6
613.00	614.50	1.50	S216664	0.005	0.25	24	17	16
614.50	616.00	1.50	S216665	0.005	0.25	7	14	344
616.00	617.50	1.50	S216666	0.007	0.25	6	15	90
617.50	619.00	1.50	S216667	0.013	0.25	4	12	89
619.00	620.50	1.50	S216668	0.022	0.25	11	16	101
620.50	622.00	1.50	S216669	0.038	0.25	14	19	99
622.00	623.50	1.50	S216671	0.019	0.25	9	17	122
623.50	625.00	1.50	S216672	0.018	0.25	8	19	142

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			625.00	626.50	1.50	S216673	0.024	0.25	7	15	80
			626.50	628.00	1.50	S216674	0.023	0.25	5	16	146
			628.00	629.50	1.50	S216675	0.035	0.25	5	16	201
			629.50	631.00	1.50	S216676	0.02	0.25	16	14	84
			631.00	632.50	1.50	S216677	0.026	0.25	13	11	68
			632.50	634.00	1.50	S216678	0.008	0.25	15	10	98
			634.00	635.50	1.50	S216679	0.009	0.25	14	11	66
			635.50	637.00	1.50	S216681	0.006	0.25	17	12	69
			637.00	638.50	1.50	S216682	0.005	0.25	15	8	63
			638.50	640.00	1.50	S216683	0.008	0.25	16	16	68
			640.00	641.50	1.50	S216684	0.007	0.25	22	17	78
			641.50	643.00	1.50	S216685	0.009	0.25	13	9	87
			643.00	644.50	1.50	S216686	0.01	0.25	13	13	83
			644.50	646.00	1.50	S216687	0.016	0.25	13	14	94
			646.00	647.50	1.50	S216688	0.022	0.25	14	12	78
			647.50	649.00	1.50	S216689	0.027	0.25	16	21	67
			649.00	650.50	1.50	S216691	0.013	0.25	13	13	53
			650.50	652.00	1.50	S216692	0.002	0.25	12	16	68
			652.00	653.50	1.50	S216693	0.006	0.25	10	31	65
			653.50	655.00	1.50	S216694	0.002	0.25	15	37	55
			655.00	656.50	1.50	S216695	0.009	0.25	17	40	84
			656.50	658.00	1.50	S216696	0.01	0.25	15	40	108
			658.00	659.50	1.50	S216697	0.008	0.25	13	25	46
			659.50	661.00	1.50	S216698	0.011	0.25	18	58	67
			661.00	662.50	1.50	S216699	0.017	0.25	16	42	109
			662.50	664.00	1.50	S216701	0.017	0.25	15	44	75
			664.00	665.50	1.50	S216702	0.014	0.25	15	30	49
			665.50	667.00	1.50	S216703	0.018	0.25	10	8	35
			667.00	668.50	1.50	S216704	0.012	0.25	12	4	59

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			668.50	670.00	1.50	S216705	0.04	0.25	13	10	41
			670.00	671.50	1.50	S216706	0.037	0.25	14	4	55
			671.50	673.00	1.50	S216707	0.068	0.25	7	21	97
			673.00	674.50	1.50	S216708	0.053	0.25	12	11	53
			674.50	676.00	1.50	S216709	0.023	0.25	15	6	48
			676.00	677.50	1.50	S216711	0.081	0.25	10	18	34
			677.50	679.00	1.50	S216712	0.087	0.25	14	17	32
			679.00	680.50	1.50	S216713	0.121	0.25	12	17	61
			680.50	682.00	1.50	S216714	0.261	0.25	19	62	69
			682.00	683.50	1.50	S216715	0.284	0.25	20	77	59
			683.50	685.00	1.50	S216716	0.168	0.25	17	52	123
			685.00	686.50	1.50	S216717	0.176	0.25	19	56	76
			686.50	688.00	1.50	S216718	0.032	0.25	16	37	66
			688.00	689.50	1.50	S216719	0.028	0.25	17	21	55
			689.50	691.00	1.50	S216721	0.021	0.25	14	15	48
			691.00	692.50	1.50	S216722	0.016	0.25	15	24	43
			692.50	694.00	1.50	S216723	0.013	0.25	18	28	51
			694.00	695.50	1.50	S216724	0.009	0.25	16	53	92
			695.50	697.00	1.50	S216725	0.024	0.25	20	59	104
			697.00	698.50	1.50	S216726	0.045	0.25	23	24	81
			698.50	700.00	1.50	S216727	0.013	0.25	13	15	67
			700.00	701.50	1.50	S216728	0.008	0.25	14	25	65
			701.50	703.00	1.50	S216729	0.006	0.25	14	48	56
			703.00	704.50	1.50	S216731	0.008	0.25	12	35	89
			704.50	706.00	1.50	S216732	0.006	0.25	16	37	193
			706.00	707.50	1.50	S216733	0.008	0.25	17	45	146
			707.50	709.00	1.50	S216734	0.011	0.25	18	52	197
			709.00	710.50	1.50	S216735	0.022	0.25	19	106	209
			710.50	712.00	1.50	S216736	0.022	0.25	15	15	65

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			712.00	713.50	1.50	S216737	0.015	0.25	22	17	80
			713.50	715.00	1.50	S216738	0.01	0.25	14	9	82
			715.00	716.50	1.50	S216739	0.016	0.25	16	7	78
			716.50	718.00	1.50	S216741	0.023	0.25	22	15	93
			718.00	719.50	1.50	S216742	0.039	0.25	14	13	68
			719.50	721.00	1.50	S216743	0.078	0.25	23	17	113
			721.00	722.50	1.50	S216744	0.008	0.25	20	9	86
			722.50	724.00	1.50	S216745	0.005	0.25	18	10	119
			724.00	725.50	1.50	S216746	0.002	0.25	20	6	98
			725.50	727.00	1.50	S216747	0.002	0.25	14	1	100
			727.00	728.50	1.50	S216748	0.006	0.25	19	9	93
			728.50	730.00	1.50	S216749	0.002	0.25	14	9	126
			730.00	731.50	1.50	S216751	0.002	0.25	20	8	131
			731.50	733.00	1.50	S216752	0.034	0.25	20	16	94
			733.00	734.50	1.50	S216753	0.02	0.25	18	15	78
			734.50	736.00	1.50	S216754	0.002	0.25	18	6	109
			736.00	737.50	1.50	S216755	0.002	0.25	14	6	63
			737.50	739.00	1.50	S216756	0.013	0.25	14	7	83
			739.00	740.50	1.50	S216757	0.002	0.25	18	7	73
			740.50	742.00	1.50	S216758	0.002	0.25	17	30	74
			742.00	743.50	1.50	S216759	0.008	0.25	17	18	74
			743.50	745.00	1.50	S216761	0.005	0.25	15	25	68
			745.00	746.50	1.50	S216762	0.008	0.5	18	40	38
			746.50	748.00	1.50	S216763	0.015	0.25	18	30	46
			748.00	749.50	1.50	S216764	0.019	0.8	18	29	73
			749.50	751.00	1.50	S216765	0.015	0.5	19	13	91
			751.00	752.50	1.50	S216766	0.03	1	15	13	46
			752.50	754.00	1.50	S216767	2.19	2.3	13	13	42
			754.00	755.50	1.50	S216768	0.028	0.8	31	6	57

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			755.50	757.00	1.50	S216769	0.007	0.25	14	5	54
			757.00	758.50	1.50	S216771	0.006	0.25	16	4	50
			758.50	760.00	1.50	S216772	0.002	0.25	18	3	42
			760.00	761.50	1.50	S216773	0.002	0.25	19	1	45
			761.50	763.00	1.50	S216774	0.002	0.25	18	2	46
			763.00	764.50	1.50	S216775	0.002	0.25	20	6	39
			764.50	766.00	1.50	S216776	0.002	0.25	17	7	53
			766.00	767.50	1.50	S216777	0.002	0.25	16	3	48
			767.50	769.00	1.50	S216778	0.002	0.25	17	1	50
			769.00	770.50	1.50	S216779	0.002	0.25	17	4	49
			770.50	772.00	1.50	S216781	0.008	0.25	16	1	58
			772.00	773.50	1.50	S216782	0.008	0.25	15	1	55
			773.50	775.00	1.50	S216783	0.006	0.25	18	2	51
			775.00	776.50	1.50	S216784	0.002	0.25	16	1	52
			776.50	778.00	1.50	S216785	0.002	0.25	12	1	56
			778.00	779.50	1.50	S216786	0.002	0.25	18	5	55
			779.50	781.00	1.50	S216787	0.002	0.25	16	4	59
			781.00	782.50	1.50	S216788	0.002	0.25	17	7	64
			782.50	784.00	1.50	S216789	0.002	0.25	19	8	65
			784.00	785.50	1.50	S216791	0.002	0.25	17	5	70
			785.50	787.00	1.50	S216792	0.002	0.25	15	9	60
			787.00	788.50	1.50	S216793	0.002	0.25	16	7	66
			788.50	790.00	1.50	S216794	0.002	0.25	17	4	64
			790.00	791.50	1.50	S216795	0.01	0.25	18	7	55
			791.50	793.00	1.50	S216796	0.021	0.25	11	5	40
			793.00	794.50	1.50	S216797	0.023	0.25	34	25	64
			794.50	796.00	1.50	S216798	0.055	0.25	11	13	94
			796.00	797.50	1.50	S216799	0.143	0.6	17	22	19
			797.50	799.00	1.50	S216801	0.025	0.7	14	18	67

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			799.00	800.50	1.50	S216802	0.002	0.25	10	10	54
			800.50	802.00	1.50	S216803	0.002	0.25	14	6	69
			802.00	803.50	1.50	S216804	0.002	0.25	19	9	71
			803.50	805.00	1.50	S216805	0.002	0.25	15	8	61
			805.00	806.50	1.50	S216806	0.002	0.25	16	8	68
			806.50	808.00	1.50	S216807	0.008	0.25	18	6	71
			808.00	809.50	1.50	S216808	0.002	0.25	12	16	59
			809.50	811.00	1.50	S216809	0.002	0.25	17	10	62
			811.00	812.50	1.50	S216811	0.008	0.25	18	29	62
			812.50	814.00	1.50	S216812	0.005	0.25	19	22	58
			814.00	815.50	1.50	S216813	0.002	0.25	22	39	85
			815.50	817.00	1.50	S216814	0.008	0.25	13	16	49
			817.00	818.50	1.50	S216815	0.002	0.25	18	9	49
			818.50	820.00	1.50	S216816	0.006	0.25	20	9	44
			820.00	821.50	1.50	S216817	0.006	0.25	15	8	44
			821.50	823.00	1.50	S216818	0.002	0.25	12	9	37
			823.00	824.50	1.50	S216819	0.02	0.25	20	7	44
			824.50	826.00	1.50	S216821	0.006	0.25	18	7	59
			826.00	827.50	1.50	S216822	0.017	0.25	20	8	66
			827.50	829.00	1.50	S216823	0.142	1.4	22	23	28
			829.00	830.50	1.50	S216824	0.133	1.9	22	16	69
			830.50	832.00	1.50	S216825	1.255	9.7	30	37	133
			832.00	833.50	1.50	S216826	0.058	1.5	25	20	97
			833.50	835.00	1.50	S216827	0.037	1.1	22	66	86
			835.00	836.50	1.50	S216828	0.014	0.25	10	9	141
			836.50	838.00	1.50	S216829	0.005	0.25	10	13	105
			838.00	839.50	1.50	S216831	0.073	0.5	19	41	157
			839.50	841.00	1.50	S216832	0.012	0.5	20	44	116
			841.00	842.50	1.50	S216833	0.011	0.25	18	30	72

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			842.50	844.00	1.50	S216834	0.005	0.25	17	30	55
			844.00	845.50	1.50	S216835	0.053	0.25	15	141	104
			845.50	847.00	1.50	S216836	0.002	0.25	20	48	75
			847.00	848.50	1.50	S216837	0.008	0.25	14	21	47
			848.50	850.00	1.50	S216838	0.037	0.25	12	42	64
			850.00	851.50	1.50	S216839	0.059	0.25	14	32	68
			851.50	852.00	0.50	S216841	112.5	35.7	17	145	67
			852.00	853.50	1.50	S216843	0.434	0.5	14	13	53
			853.50	855.00	1.50	S216844	0.014	0.25	20	9	39
			855.00	856.50	1.50	S216845	0.029	0.25	13	10	48
			856.50	858.00	1.50	S216846	0.016	0.25	15	18	35
			858.00	859.50	1.50	S216847	0.025	0.25	18	67	91
			859.50	861.00	1.50	S216848	0.022	0.25	15	60	147
			861.00	862.50	1.50	S216849	0.013	0.25	21	16	69
			862.50	864.00	1.50	S216851	0.005	0.25	19	5	36
			864.00	865.50	1.50	S216852	0.008	0.25	13	5	45
			865.50	867.00	1.50	S216853	0.002	0.25	18	24	50
			867.00	868.50	1.50	S216854	0.002	0.25	22	7	61
			868.50	870.00	1.50	S216855	0.002	0.25	15	9	51
			870.00	871.50	1.50	S216856	0.002	0.25	17	6	45
			871.50	873.00	1.50	S216857	0.008	0.25	16	16	60
			873.00	874.50	1.50	S216858	0.008	0.25	11	6	49
			874.50	876.00	1.50	S216859	0.002	0.25	16	3	49
			876.00	877.50	1.50	S216861	0.005	0.25	15	16	46
			877.50	879.00	1.50	S216862	0.005	0.25	10	2	41
			879.00	880.50	1.50	S216863	0.002	0.25	17	6	41
			880.50	882.00	1.50	S216864	0.002	0.25	11	13	31
			882.00	883.50	1.50	S216865	0.002	0.25	15	6	29
			883.50	885.00	1.50	S216866	0.011	0.25	16	2	37

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			885.00	886.50	1.50	S216867	0.002	0.25	15	3	26
			886.50	888.00	1.50	S216868	0.018	0.25	15	3	23
			888.00	889.50	1.50	S216869	0.01	0.25	14	3	33
			889.50	891.00	1.50	S216871	0.047	0.25	16	2	55
			891.00	892.50	1.50	S216872	0.025	0.25	17	2	40
			892.50	894.00	1.50	S216873	0.04	0.8	17	5	34
			894.00	895.50	1.50	S216874	0.086	1.5	16	15	28
			895.50	897.00	1.50	S216875	0.105	1	16	7	29
			897.00	898.50	1.50	S216876	0.056	1.1	19	6	39
			898.50	900.00	1.50	S216877	0.149	4.7	21	26	33
			900.00	901.50	1.50	S216878	0.24	5.5	19	28	82
			901.50	903.00	1.50	S216879	0.19	3.2	14	8	47
			903.00	904.50	1.50	S216881	0.311	6.7	32	27	139
			904.50	906.00	1.50	S216882	0.215	4.7	14	33	110
			906.00	907.50	1.50	S216883	0.046	1.1	18	5	27
			907.50	909.00	1.50	S216884	0.109	1.5	17	9	46
			909.00	910.50	1.50	S216885	0.157	2.8	55	18	38
			910.50	912.00	1.50	S216886	0.07	0.25	13	4	28
			912.00	913.50	1.50	S216887	0.485	2.1	14	3	20
			913.50	915.00	1.50	S216888	0.481	2.6	17	8	30
			915.00	916.50	1.50	S216889	0.172	0.6	22	3	30
			916.50	918.00	1.50	S216891	0.649	1.3	19	11	23
			918.00	919.50	1.50	S216892	0.177	0.7	17	6	26
			919.50	921.00	1.50	S216893	0.11	1.6	29	15	25
			921.00	922.50	1.50	S216894	0.212	2.5	8	17	41
			922.50	924.00	1.50	S216895	0.231	2.1	20	8	20
			924.00	925.50	1.50	S216896	0.16	1.1	31	16	166
			925.50	927.00	1.50	S216897	0.204	1.4	18	7	19
			927.00	928.50	1.50	S216898	0.35	2.5	20	9	17

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			928.50	930.00	1.50	S216899	0.447	3.3	46	76	204
			930.00	931.50	1.50	S216901	0.323	3.2	28	9	21
			931.50	933.00	1.50	S216902	0.384	1.9	18	8	19
			933.00	934.50	1.50	S216903	0.154	1.1	34	11	26
			934.50	936.00	1.50	S216904	0.095	0.5	20	6	26
			936.00	937.50	1.50	S216905	0.587	1.5	58	14	25
			937.50	939.00	1.50	S216906	0.049	0.5	23	11	34
			939.00	940.50	1.50	S216907	0.171	0.6	22	9	24
			940.50	942.00	1.50	S216908	0.092	0.5	17	9	29
			942.00	943.50	1.50	S216909	0.158	0.25	19	9	36
			943.50	945.00	1.50	S216911	0.375	1.9	23	18	42
			945.00	946.50	1.50	S216912	0.363	1	19	8	28
			946.50	948.00	1.50	S216913	0.338	1.5	24	9	29
			948.00	949.50	1.50	S216914	0.216	0.9	20	13	33
			949.50	951.00	1.50	S216915	0.829	3.5	45	25	29
			951.00	952.50	1.50	S216916	0.405	3.5	48	34	66
			952.50	954.00	1.50	S216917	0.343	3.8	24	16	29
			954.00	955.50	1.50	S216918	0.248	1.6	14	17	29
			955.50	957.00	1.50	S216919	0.212	0.6	21	6	26
			957.00	958.50	1.50	S216921	0.281	0.8	25	8	20
			958.50	960.00	1.50	S216922	0.525	0.6	18	7	26
			960.00	961.50	1.50	S216923	0.417	0.7	15	10	32
			961.50	963.00	1.50	S216924	0.259	0.9	19	11	36
			963.00	964.50	1.50	S216925	0.314	0.7	15	7	39
			964.50	966.00	1.50	S216926	0.243	1.3	20	11	31
			966.00	967.50	1.50	S216927	0.512	3.7	21	14	24
			967.50	969.00	1.50	S216928	0.283	3.1	10	22	15
			969.00	970.50	1.50	S216929	0.345	2.1	12	9	22
			970.50	972.00	1.50	S216931	0.454	1.9	16	11	18

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			972.00	973.50	1.50	S216932	0.173	1.8	13	9	31
			973.50	975.00	1.50	S216933	0.224	1.9	13	21	20
			975.00	976.50	1.50	S216934	0.212	2.5	17	15	17
			976.50	978.00	1.50	S216935	0.193	1.5	10	25	13
			978.00	979.50	1.50	S216936	0.325	1.3	15	18	13
			979.50	981.00	1.50	S216937	0.347	2	20	13	22
			981.00	982.50	1.50	S216938	0.306	2.3	17	10	16
			982.50	984.00	1.50	S216939	0.581	2.3	49	61	360
			984.00	985.50	1.50	S216941	0.025	0.5	20	7	38
			985.50	987.00	1.50	S216942	0.581	3.2	60	17	40
			987.00	988.50	1.50	S216943	0.168	1.7	18	11	36
			988.50	990.00	1.50	S216944	0.07	0.25	22	7	40
			990.00	991.50	1.50	S216945	0.037	0.25	16	5	38
			991.50	993.00	1.50	S216946	0.01	0.5	13	15	35
			993.00	994.50	1.50	S216947	0.053	0.25	17	8	38
			994.50	996.00	1.50	S216948	0.139	0.25	29	4	35
			996.00	997.50	1.50	S216949	0.03	0.25	12	9	30
			997.50	999.00	1.50	S216951	0.028	0.25	16	3	37
			999.00	1000.50	1.50	S216952	0.058	0.25	17	7	41
			1000.50	1002.00	1.50	S216953	0.08	0.25	19	8	48
			1002.00	1003.50	1.50	S216954	0.138	0.25	11	3	55
			1003.50	1005.00	1.50	S216955	0.167	0.7	15	3	54
			1005.00	1006.50	1.50	S216956	0.031	0.25	17	4	38
			1006.50	1008.00	1.50	S216957	0.078	0.25	18	5	37
			1008.00	1009.50	1.50	S216958	0.152	0.5	19	2	50
			1009.50	1011.00	1.50	S216959	0.011	0.25	16	3	50
			1011.00	1012.50	1.50	S216961	0.007	0.25	14	1	63
			1012.50	1014.00	1.50	S216962	0.002	0.25	16	1	69
			1014.00	1015.50	1.50	S216963	0.01	0.25	27	1	76

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1015.50	1017.00	1.50	S216964	0.016	0.25	7	10	37
			1017.00	1018.50	1.50	S216965	0.024	0.5	9	14	43
			1018.50	1020.00	1.50	S216966	0.014	0.25	7	7	79
			1020.00	1021.50	1.50	S216967	0.071	0.7	28	4	69
			1021.50	1023.00	1.50	S216968	0.086	1.5	9	7	62
			1023.00	1024.50	1.50	S216969	0.011	1.2	20	6	38
			1024.50	1026.00	1.50	S216971	0.047	0.7	18	13	36
			1026.00	1027.50	1.50	S216972	0.087	1.5	12	11	30
			1027.50	1029.00	1.50	S216973	0.163	1.6	16	8	29
			1029.00	1030.50	1.50	S216974	0.012	0.25	16	8	35
			1030.50	1032.00	1.50	S216975	0.125	0.8	19	18	35
			1032.00	1033.50	1.50	S216976	0.022	0.5	17	5	43
			1033.50	1035.00	1.50	S216977	0.029	0.25	17	5	41
			1035.00	1036.50	1.50	S216978	0.038	0.25	16	4	42
			1036.50	1038.00	1.50	S216979	0.008	0.25	16	4	43
			1038.00	1039.50	1.50	S216981	0.117	1.4	15	8	38
			1039.50	1041.00	1.50	S216982	0.025	0.25	12	3	43
			1041.00	1042.50	1.50	S216983	0.112	1.5	18	12	36
			1042.50	1044.00	1.50	S216984	0.157	2.3	13	7	35
			1044.00	1045.50	1.50	S216985	0.014	0.5	17	2	41
			1045.50	1047.00	1.50	S216986	0.315	0.9	18	4	37
			1047.00	1048.50	1.50	S216987	0.038	1.3	18	3	50
			1048.50	1050.00	1.50	S216988	0.078	0.8	21	3	37
			1050.00	1051.50	1.50	S216989	0.032	0.25	17	5	35
			1051.50	1053.50	2.00	S216991	0.087	0.25	18	4	39
			1053.50	1055.50	2.00	S216992	0.037	0.25	17	3	43
			1055.50	1057.50	2.00	S216993	0.055	1	12	6	50
			1057.50	1059.00	1.50	S216994	0.343	0.7	14	5	45
			1059.00	1060.50	1.50	S216995	0.06	0.25	13	3	44

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1060.50	1062.00	1.50	S216996	0.238	2.1	11	8	37
			1062.00	1063.50	1.50	S216997	0.052	1.2	13	3	41
			1063.50	1065.00	1.50	S216998	0.231	4.4	20	16	37
			1065.00	1066.50	1.50	S216999	0.1	0.6	13	6	39
			1066.50	1068.00	1.50	S217001	0.071	1	18	6	46
			1068.00	1069.50	1.50	S217002	0.224	5.9	16	4	40
			1069.50	1071.00	1.50	S217003	0.103	0.9	15	9	51
			1071.00	1072.50	1.50	S217004	0.07	0.5	12	3	44
			1072.50	1074.00	1.50	S217005	0.079	0.8	16	4	43
			1074.00	1075.50	1.50	S217006	0.075	0.25	12	5	40
			1075.50	1077.00	1.50	S217007	0.086	0.6	15	6	40
			1077.00	1078.50	1.50	S217008	0.039	0.7	19	5	46
			1078.50	1080.00	1.50	S217009	0.12	1.1	16	13	49
			1080.00	1081.50	1.50	S217011	0.153	2.3	15	12	26
			1081.50	1083.00	1.50	S217012	0.056	1.4	22	16	50
			1083.00	1084.50	1.50	S217013	0.124	1.8	19	18	41
			1084.50	1086.00	1.50	S217014	0.084	2.2	16	14	34
			1086.00	1087.50	1.50	S217015	0.032	1.1	21	6	45
			1087.50	1089.00	1.50	S217016	0.039	1.2	18	4	43
			1089.00	1090.50	1.50	S217017	0.021	0.25	16	1	49
			1090.50	1092.00	1.50	S217018	0.01	0.5	15	5	57
			1092.00	1093.50	1.50	S217019	0.019	1.3	16	8	52
			1093.50	1095.00	1.50	S217021	0.141	1.9	13	16	68
			1095.00	1096.50	1.50	S217022	1.54	4.1	83	11	40
			1096.50	1098.00	1.50	S217023	0.04	2.5	14	11	30
			1098.00	1099.50	1.50	S217024	0.063	1.5	25	6	39
			1099.50	1101.00	1.50	S217025	0.072	1.8	18	10	61
			1101.00	1102.50	1.50	S217026	0.266	4.8	60	5	49
			1102.50	1104.00	1.50	S217027	0.078	1.8	18	5	66

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1104.00	1105.50	1.50	S217028	0.106	2.9	16	6	53
			1105.50	1107.00	1.50	S217029	0.19	6.3	10	30	57
			1107.00	1108.50	1.50	S217031	0.23	5.9	16	45	53
			1108.50	1110.00	1.50	S217032	0.299	6.4	19	17	36
			1110.00	1111.50	1.50	S217033	0.308	4.8	20	16	41
			1111.50	1113.00	1.50	S217034	0.295	9.2	18	30	40
			1113.00	1114.50	1.50	S217035	0.166	7.4	16	36	28
			1114.50	1116.00	1.50	S217036	0.096	1.6	26	11	43
			1116.00	1117.50	1.50	S217037	0.187	6.1	17	19	48
			1117.50	1119.00	1.50	S217038	0.125	3.1	23	16	127
			1119.00	1120.50	1.50	S217039	0.082	1.7	15	16	62
			1120.50	1122.00	1.50	S217041	0.293	7.2	16	26	99
			1122.00	1123.50	1.50	S217042	0.119	2	15	19	47
			1123.50	1125.00	1.50	S217043	0.294	8.6	11	29	48
			1125.00	1126.50	1.50	S217044	0.139	1.8	10	20	46
			1126.50	1128.00	1.50	S217045	0.051	1	19	8	41
			1128.00	1129.50	1.50	S217046	0.227	1.6	22	15	69
			1129.50	1131.00	1.50	S217047	0.145	1.5	21	17	69
			1131.00	1132.50	1.50	S217048	0.211	1.1	16	17	82
			1132.50	1134.00	1.50	S217049	0.154	2.2	18	43	173
			1134.00	1135.50	1.50	S217051	0.189	1.4	23	18	57
			1135.50	1137.00	1.50	S217052	0.151	1.6	14	35	78
			1137.00	1138.50	1.50	S217053	0.098	2.6	20	26	43
			1138.50	1140.00	1.50	S217054	0.105	1.1	16	10	33
			1140.00	1141.50	1.50	S217055	0.126	1.9	11	14	32
			1141.50	1143.00	1.50	S217056	0.123	1.7	13	18	33
			1143.00	1144.50	1.50	S217057	0.553	5.6	25	54	1075
			1144.50	1146.00	1.50	S217058	0.639	8.2	22	39	102
			1146.00	1147.50	1.50	S217059	0.689	15.5	48	44	65

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1147.50	1149.00	1.50	S217061	0.673	21	21	33	70
			1149.00	1150.50	1.50	S217062	0.507	8.2	17	38	66
			1150.50	1152.00	1.50	S217063	0.48	7.9	20	33	46
			1152.00	1153.50	1.50	S217064	0.6	7.1	22	25	53
			1153.50	1155.00	1.50	S217065	0.973	42.5	32	212	364
			1155.00	1156.50	1.50	S217066	0.489	5.6	17	34	61
			1156.50	1158.00	1.50	S217067	0.567	6	23	31	59
			1158.00	1159.50	1.50	S217068	0.673	7.9	31	21	38
			1159.50	1161.00	1.50	S217069	0.471	8.4	27	61	99
			1161.00	1162.50	1.50	S217071	0.641	9.2	23	52	77
			1162.50	1164.00	1.50	S217072	0.39	7.1	21	136	207
			1164.00	1165.50	1.50	S217073	0.649	14.2	42	127	364
			1165.50	1167.00	1.50	S217074	0.32	6.1	15	78	61
			1167.00	1168.50	1.50	S217075	0.297	10.4	19	114	322
			1168.50	1170.00	1.50	S217076	0.953	28.5	19	143	402
			1170.00	1171.50	1.50	S217077	0.671	39.3	32	657	1705
			1171.50	1173.00	1.50	S217078	0.208	4	13	92	78
			1173.00	1174.50	1.50	S217079	0.131	2.9	13	34	30
			1174.50	1176.00	1.50	S217081	0.587	4.9	12	37	34
			1176.00	1177.50	1.50	S217082	0.215	4.5	15	34	43
			1177.50	1179.00	1.50	S217083	0.397	4.8	26	72	73
			1179.00	1180.50	1.50	S217084	0.132	2.9	24	49	46
			1180.50	1182.00	1.50	S217085	0.302	6	30	38	77
			1182.00	1183.50	1.50	S217086	0.479	6.7	17	38	83
			1183.50	1185.00	1.50	S217087	0.355	3.3	40	31	68
			1185.00	1186.50	1.50	S217088	0.451	3.6	25	33	63
			1186.50	1188.00	1.50	S217089	0.429	3.9	22	39	73
			1188.00	1189.50	1.50	S217091	0.274	2.3	34	59	84
			1189.50	1191.00	1.50	S217092	0.299	3.1	35	46	65

Hole: SU-668

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1191.00	1192.40	1.40	S217093	0.338	3.2	22	33	27

End of Hole @ 1192.4

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-669

Prospect:	HGP	**Survey Type:**		**Logged By:**	O Bath	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/8/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	9/11/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	336.33	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/8/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/11/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	9/8/2015	-50.9	280	20.4	300.4	56465	☑	
15	REFLEX	9/8/2015	-50.9	280	20.4	300.4	56465	☑	
66	REFLEX	9/8/2015	-50.5	280.3	20.4	300.7	56039	☑	
117	REFLEX	9/8/2015	-51.5	281.7	20.4	302.1	56047	☑	
168	REFLEX	9/9/2015	-51.8	283	20.4	303.4	55882	☑	
219	REFLEX	9/9/2015	-51.9	283.6	20.4	304		☑	
270	REFLEX	9/9/2015	-52.1	284.7	20.4	305.1		☑	
321	REFLEX	9/9/2015	-51.8	285	20.4	305.4		☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-669

From (m)	To (m)		Rock Type & Description	
0.00	**2.19**	**OVB**	**overburden**	**fg**
0 - 2.19: No core present.				
<<Struc: 0 - 4: strongly developed blocky jointing>> Pebbly and heavily fractured, oxidaiton on fracture surfaces.				
2.19	**88.80**	**P2**	**Potassium feldsapr-hornblende-plagioclase porphyritic rocks (Megacrystic "two-feldspar porphyry", phencrysts commonly ~0.5-1 cm, often >1cm); interpreted as volcanic (hypabyssal?)**	**I_cg**
2.19 - 88.8: Plag and hornblende 'mega crystic' porphyry. Phenos are mm-2.0cm wide, plag is usually larger than hornblende. Patchy areas of being more plag rich followed by more honblende rich matrix. Plag phenos have altered to sericite, hornblende has altered to chlorite. Pervasive silicification throughout along with minor pachy epidote alteration. From 0-74.0m is heavily fractured with minor fault zones, oxidaiton+minor hematite and manganese oxide present on fracture surfaces.				
<<Min: 2.19 - 88.8: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite>> Disseminated py throughout. Pyrite is occasionally replacing calcite veins or along vein selveges. Minor blebs of py present throughout host rock as well.				
<<Alt: 2.19 - 88.8: moderate to strong silica (pervasive silicification) / moderate to strong sericite / moderate to strong chlorite / moderate iron oxide / weak calcite>> Plag phenos have altered to ser, hornblendes have altered to chl. Moderate to strong pervasive silica throughout. Minor patchy epidote alteration throughout mostly as pheno replacement. Calcite alteration present as fracture fill and as dominant vein composition. Minor clay alteration present in some veins which has been over printed by silica. Trace hematite and manganese oxide on fracture surfaces. Minor disseminated py throughout.				
<<Vein: 2.19 - 88.8: 1.0-5.0 calcite>> mm sized calcite fracture fills throughout. 1.0-4.0cm wide veins with even amounts of qtz and calcite with belby chl alteration present within present throughout. Grey calcite beaing Vn3 style veins and minor amounts of brecciated Vn1b style veins, however more abundant in cal than a typical vn1b.				
<<Struc: 10.5 - 40.5: moderately developed blocky jointing>> Heavily fractured throughout. Pebble to .05m meters between fractures. Oxidation+hem+manganese oxide on fracture surfaces.				
<<Struc: 56 - 74: moderately developed blocky jointing>> Heavily fractured throughout. Pebble to .05m meters between fractures. Oxidation+hem+manganese oxide on fracture surfaces.				

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
2.19	3.50	1.31	S313301	0.037	0.25	22	7	82
3.50	5.00	1.50	S313302	0.071	0.25	37	8	64
5.00	6.50	1.50	S313303	0.106	0.25	50	9	61
6.50	8.00	1.50	S313304	0.112	0.5	14	11	57
8.00	9.50	1.50	S313305	0.134	0.9	48	21	62
9.50	11.00	1.50	S313306	0.024	0.25	81	9	58
11.00	12.50	1.50	S313307	0.033	0.25	75	6	64

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			12.50	14.00	1.50	S313308	0.131	0.25	31	6	49
			14.00	15.50	1.50	S313309	0.021	0.25	33	4	56
			15.50	17.00	1.50	S313311	0.041	0.25	113	6	62
			17.00	18.50	1.50	S313312	0.044	0.25	46	2	72
			18.50	20.00	1.50	S313313	0.075	0.25	85	3	58
			20.00	21.50	1.50	S313314	0.052	0.25	42	5	81
			21.50	23.00	1.50	S313315	0.084	0.25	80	3	66
			23.00	24.50	1.50	S313316	0.092	0.25	58	3	70
			24.50	26.00	1.50	S313317	0.169	0.8	122	10	96
			26.00	27.50	1.50	S313318	0.067	0.25	70	5	60
			27.50	29.00	1.50	S313319	0.079	0.25	37	5	69
			29.00	30.50	1.50	S313321	0.122	0.25	35	2	75
			30.50	32.00	1.50	S313322	0.047	0.25	19	2	92
			32.00	33.50	1.50	S313323	0.049	0.25	11	3	95
			33.50	35.00	1.50	S313324	0.081	0.25	13	2	71
			35.00	36.50	1.50	S313325	0.156	0.25	8	3	66
			36.50	38.00	1.50	S313326	0.16	0.25	25	5	78
			38.00	39.50	1.50	S313327	0.13	0.25	29	1	75
			39.50	41.00	1.50	S313328	0.066	0.25	50	3	58
			41.00	42.50	1.50	S313329	0.063	0.25	52	4	67
			42.50	44.00	1.50	S313331	0.079	0.25	54	5	65
			44.00	45.50	1.50	S313332	0.069	0.5	166	5	55
			45.50	47.00	1.50	S313333	0.058	0.25	119	2	58
			47.00	48.50	1.50	S313334	0.112	0.25	104	1	54
			48.50	50.00	1.50	S313335	0.083	0.25	83	5	62
			50.00	51.50	1.50	S313336	0.053	0.25	90	3	57
			51.50	53.00	1.50	S313337	0.075	0.25	103	6	56
			53.00	54.50	1.50	S313338	0.115	0.7	154	19	80
			54.50	56.00	1.50	S313339	0.299	0.8	181	21	92

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			56.00	57.50	1.50	S313341	0.073	0.25	89	6	76
			57.50	59.00	1.50	S313342	0.168	0.25	89	4	94
			59.00	60.50	1.50	S313343	0.04	0.25	161	4	77
			60.50	62.00	1.50	S313344	0.183	0.25	42	10	83
			62.00	63.50	1.50	S313345	0.115	0.25	100	9	76
			63.50	65.00	1.50	S313346	0.237	0.25	51	8	73
			65.00	66.50	1.50	S313347	0.063	0.25	41	5	86
			66.50	68.00	1.50	S313348	0.106	0.25	118	9	82
			68.00	69.50	1.50	S313349	0.087	0.25	153	10	76
			69.50	71.00	1.50	S313351	0.048	0.6	154	22	98
			71.00	72.50	1.50	S313352	0.052	0.25	152	28	74
			72.50	74.00	1.50	S313353	0.072	0.25	129	22	73
			74.00	75.50	1.50	S313354	0.115	0.5	56	80	145
			75.50	77.00	1.50	S313355	0.206	0.6	54	33	108
			77.00	78.50	1.50	S313356	0.207	1.3	108	122	217
			78.50	80.00	1.50	S313357	0.183	0.7	48	111	222
			80.00	81.50	1.50	S313358	0.097	0.25	52	15	61
			81.50	83.00	1.50	S313359	0.092	0.5	77	46	108
			83.00	84.50	1.50	S313361	0.134	0.25	17	15	61
			84.50	86.00	1.50	S313362	0.082	0.25	35	8	56
			86.00	87.50	1.50	S313363	0.155	1.4	28	23	72
			87.50	88.80	1.30	S313364	0.085	0.25	81	10	57
			88.80	90.00	1.20	S313365	32.9	2.4	404	16	71

Hole: SU-669

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
88.80	**336.33**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**S-slt**	90.00	91.50	1.50	S313366	4.22	0.6	114	10	49
88.8 - 336.33: Interbedded units of S5-VSF mud/siltstone and S4-VSF sandstone units. The S5 contains laminated bedding, very fine grained. Both units have pervasive silicification throughout along with calcite pheno replacement. Patchy k-spar and minor epidote alteration throughout as well. Minor 1-2 m zones of QSP alteration. Occasional 2.0m wide unit of brecciated host rocks + argilite clasts, angular fragments 1-10cm wide.													
<<Min: 88.8 - 98.5: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% pyrite>> Pyrite blebs found throughout host rock and vn3 style veining.					91.50	93.00	1.50	S313367	0.246	0.9	347	8	40
<<Min: 98.5 - 110.5: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite>>					93.00	94.50	1.50	S313368	0.158	1.3	125	56	143
<<Min: 110.5 - 111.5: 5.0-10.0% pyrite / 5.0-10.0% pyrite / traces arsenopyrite>> Aspy is found as sub to euhedral crystals within a 3.0cm wide fine grained py bleb. Pyrite found throughout as belbs? Vein replacement?					94.50	96.00	1.50	S313369	0.176	1.7	143	47	106
<<Min: 111.5 - 131.5: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite / traces arsenopyrite>> Possible trace arseno within a py replaced calcite vein					96.00	97.50	1.50	S313371	0.3	1.7	274	53	140
<<Min: 131.5 - 136.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% chalcopyrite / <0.5% galena>> Mineraliation is in veins/fracture fills as well as blebs within host rock.					97.50	99.00	1.50	S313372	0.204	1.1	303	35	122
<<Min: 136.5 - 172: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / traces chalcopyrite>> Pyrite is patchy throughout, concentrated in small <0.5m intervals where it will be more dominant belbs and disseminated, then areas of barely any mineralization where it is more present in veins only. Cpy is present as very minor blebs within cal veins.					99.00	100.50	1.50	S313373	0.352	0.7	173	27	117
<<Min: 172 - 173: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% galena / <0.5% sphalerite>> Gn+sph is present within a pink and grey calcite vn3 style vein.					100.50	102.00	1.50	S313374	0.382	0.25	35	22	83
<<Min: 173 - 187: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>					102.00	103.50	1.50	S313375	0.362	1	638	18	80
<<Min: 187 - 194.5: <0.5% pyrite / <0.5% pyrite / <0.5% chalcopyrite / <0.5% molybdenite>> minor amounts of cpy+mo present in calcite veining.					103.50	105.00	1.50	S313376	0.213	0.25	96	14	56
<<Min: 194.5 - 212.5: 0.5-2.0% pyrite / <0.5% pyrite>>					105.00	106.50	1.50	S313377	0.462	0.25	47	14	64
<<Min: 212.5 - 215.38: 2.0-5.0% pyrite / <0.5% pyrite / traces molybdenite / traces chalcopyrite>> Mo+cpy is found within cal veins.					106.50	108.00	1.50	S313378	1.095	0.25	93	15	71
<<Min: 215.38 - 235: traces chalcopyrite / 0.5-2.0% pyrite / traces pyrite>>					108.00	109.50	1.50	S313379	0.237	0.7	240	30	73
<<Min: 235 - 260: 0.5-2.0% chalcopyrite / 0.5-2.0% pyrite / 2.0-5.0% pyrite>> pyrite stringers associated with chlorite					109.50	111.00	1.50	S313381	0.948	1.2	335	47	104
<<Min: 260 - 261: 0.5-2.0% molybdenite / 5.0-10.0% sphalerite / 5.0-10.0% pyrite / 0.5-2.0% pyrite>>					111.00	112.50	1.50	S313382	2.88	1.1	235	9	69
<<Min: 261 - 281.68: 0.5-2.0% chalcopyrite / <0.5% chalcopyrite / 0.5-2.0% pyrite / <0.5% pyrite>>					112.50	114.00	1.50	S313383	0.567	1.4	423	14	74

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 281.68 - 301.3: traces pyrite / <0.5% pyrite>>	114.00	115.50	1.50	S313384	0.286	0.5	122	4	70
		<<Min: 301.3 - 307.25: 0.5-2.0% pyrite / <0.5% chalcopyrite>> Disseminated pyrite, pyrrhotite (0.5%), chalcopyrite associated with patchy sericite and minor epidote	115.50	117.00	1.50	S313385	0.236	0.25	67	12	75
		<<Min: 307.25 - 336.33: <0.5% chalcopyrite / traces sphalerite / traces pyrite / <0.5% pyrite>> 1-2% pyrrhotite disseminated thourhgout and as blebs in quartz-calcite veins which usually also contain trace chalcopyrite.	117.00	118.50	1.50	S313386	0.134	1	159	31	63
		<<Min: 324.5 - 325.5: 10.0-20.0% pyrite / 0.5-2.0% sphalerite>> Py + sph banding with chlorite and intense silicification	118.50	120.50	2.00	S313387	0.113	0.25	79	25	57
		<<Alt: 88.8 - 130: moderate to strong silica (pervasive silicification) / weak to moderate calcite / trace epidote / weak chlorite / trace iron oxide>> Patchy k-spar alteration present throughout, dominantly in laminated bedding of S5-VSF. Phenos in matrix along with most veining contains calcite alteration. Epidote is patchy throughout occasionally as pheno replacement and other times a svein replacement. Oxidation present on fracture surfaces along with occasional hem alt and dendritic manganese oxide.	120.50	122.50	2.00	S313388	0.047	0.25	55	3	42
		<<Alt: 130 - 137: moderate to strong silica (pervasive silicification) / weak to moderate clay / weak sericite / weak pyrite-chlorite / weak iron oxide>> Appears to be clay altered with silica overprinting. This unit contains base metal mineralizaiton.	122.50	124.00	1.50	S313389	0.297	0.7	342	6	85
		<<Alt: 137 - 266.06: moderate to strong silica (pervasive silicification) / weak to moderate sericite / weak to moderate calcite / weak epidote / trace iron oxide>> Moderate to strong pervasive silicification throughout. Almost all of the veins are grey calcite alteration. Pachy areas of pheno replacement epi alteration. Epi alteration is primairly fracture associated. Oxidation with occasional minor hem and managanes oxide on fracture surfaces. Hematite can also occur with chlorite along fractures. K-spar alteration present in some bedding layers. Minor chl present as vein alteration and on fracture surfaces.	124.00	125.50	1.50	S313391	0.115	0.25	137	2	75
		<<Alt: 266.06 - 281.68: moderate / weak to moderate chlorite / weak hematite / weak to moderate pyrite / weak epidote>> Partial loss of visible bedding due to alteration.	125.50	127.00	1.50	S313392	0.303	0.6	413	3	83
		<<Alt: 281.68 - 301.3: moderate silica (pervasive silicification) / weak epidote / moderate locally weakly silicified / weak to moderate chlorite>> Pervasive silicification. Epidote is weakly pervasive throughout but forms strong alteration halos around fractures and some veins, can be associated with pyrite. Hematite occurs as trace alteration with chlorite and calcite along some fractures. Sericite is confined to some quartz veins.	127.00	128.50	1.50	S313393	0.167	0.25	166	2	49
		<<Alt: 301.3 - 307.25: moderate / weak epidote / weak to moderate epidote / weak to moderate chlorite>> Loss of visible bedding due to alteration	128.50	130.00	1.50	S313394	0.273	0.5	204	3	58
		<<Alt: 307.25 - 336.33: moderate silica (pervasive silicification) / weak to moderate epidote / weak to moderate epidote / weak hematite / weak chlorite>> Pervasive silicification. Epidote is weakly pervasive throughout but forms strong alteration halos around fractures and some veins, can be associated with pyrite. Hematite occurs as trace alteration with chlorite and calcite along some fractures. Loss of sericite-quart veins. No apparent sericite alteration.	130.00	131.50	1.50	S313395	0.166	0.25	128	29	95
		<<Vein: 88.8 - 138: 1.0-5.0 calcite>> mm sized fractrure fill calcite veining throughout. Brecciated grey-calcite, with occasional pink calcite bearing Vn3 style veins. Occasional planar qtz-cal veins with extensional growth features Vn4 style veins. Minor qtz-cal cuspate lobate vn1a style veining.	131.50	133.00	1.50	S313396	0.539	0.9	416	24	86

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 138 - 184: 5.0-10.0 calcite>> Same as previous veining interval just more abundant veining. mm sized fractrure fill calcite veining throughout. Brecciated grey-calcite, with occasional pink calcite bearing Vn3 style veins, these veins also occasionally contain base metal mineralization. Occasional planar qtz-cal veins with extensional growth features Vn4 style veins. Minor qtz-cal cuspate lobate vn1a style veining.	133.00	134.50	1.50	S313397	0.186	1.3	285	132	413
		<<Vein: 184 - 228: 1.0-5.0 quartz-calcite>> mm sized fractrure fill calcite veining throughout. Grey-calcite, with occasional pink calcite bearing Vn3 style veins. Occasional planar qtz-cal veins with Vn4 style veins occasionally containing cpy+mo. Minor qtz-cal cuspate lobate vn1a style veining.	134.50	136.00	1.50	S313398	0.083	1.4	116	101	58
		<<Vein: 228 - 260: 5.0-10.0 quartz-calcite>>	136.00	137.50	1.50	S313399	0.24	2	335	72	123
		<<Vein: 260 - 261: 10.0-25.0 quartz-calcite-pyrite>>	137.50	139.00	1.50	S313401	0.1	0.8	182	14	104
		<<Vein: 261 - 275.22: 5.0-10.0 quartz-calcite>> Most vein types have primarily white or gray calcite and appear fracture controlled.	139.00	140.50	1.50	S313402	0.147	0.7	197	6	51
		<<Vein: 275.22 - 281.68: 1.0-5.0 quartz-calcite>>	140.50	142.00	1.50	S313403	0.216	0.6	128	10	56
		<<Vein: 281.68 - 301.3: 5.0-10.0 quartz-calcite-sericite>> Primarily quartz + beige/yellow sericite filled Vn4 veins occuring parrallel at 80-90 degrees TCA. Some show minor deformation and are cut and somewhat displaced by later calcite filled fractures.	142.00	143.50	1.50	S313404	0.085	0.6	167	4	57
		<<Vein: 301.3 - 307.25: 1.0-5.0 quartz-calcite>> Loss of major veining. Very minor calcite filled fractures in alteration zone.	143.50	145.00	1.50	S313405	0.107	0.25	172	10	69
		<<Vein: 307.25 - 336.33: 5.0-10.0 quartz-calcite>> Loss of intense beige sericite filled quartz veining.	145.00	146.50	1.50	S313406	0.1	0.7	125	28	92
		<<Struc: 88.8 - 96.55: moderately developed lamination 45 deg. >> Laminated bedding of S5-VSF unit.	146.50	148.00	1.50	S313407	0.095	0.5	63	30	90
		<<Struc: 98.5 - 109.5: sporadic blocky jointing>> Areas of abundant fracturing.	148.00	149.50	1.50	S313408	0.086	1.6	190	23	68
		<<Struc: 103 - 105.5: moderately developed lamination 45 deg. >> Laminated bedding of S5-VSF unit.	149.50	151.00	1.50	S313409	0.104	1.1	345	18	68
		<<Struc: 107.6 - 111.9: moderately developed lamination 45 deg. >> Laminated bedding of S5-VSF unit.	151.00	152.50	1.50	S313411	0.253	3.3	205	36	106
		<<Struc: 116.16 - 122.75: moderately developed lamination 45 deg. >> Laminated bedding of S5-VSF unit.	152.50	154.00	1.50	S313412	0.129	1.6	144	20	163
		<<Struc: 152.3 - 157.5: weakly developed blocky jointing>> Abundant fractures. Occasional minor bit of gouge. Oxidation on fracture surfaces.	154.00	155.50	1.50	S313413	0.049	0.25	125	11	78
		<<Struc: 158.15 - 161.7: weakly developed lamination 45 deg. >> Laminated bedding of S5-VSF unit.	155.50	157.00	1.50	S313414	0.12	2	308	31	83
		<<Struc: 167.7 - 170.8: moderately developed lamination 50 deg. >> Laminated bedding of S5-VSF unit.	157.00	158.50	1.50	S313415	0.072	1.3	76	24	64
		<<Struc: 173.75 - 192.7: moderately developed lamination 55 deg. >> Laminated bedding of S5-VSF unit.	158.50	160.00	1.50	S313416	0.049	0.25	98	8	36
		<<Struc: 195.2 - 266.06: moderately developed lamination 55 deg. >> Laminated bedding of S5-VSF unit.	160.00	161.50	1.50	S313417	0.093	0.25	87	4	32
		<<Struc: 201 - 208: moderately developed blocky jointing>> Abundant fracturing with oxidaiton on fracture surfaces and minor gouge	161.50	163.00	1.50	S313418	0.092	0.25	40	15	37
		<<Struc: 249.65 - 249.8: strongly developed fault gouge 60 deg. >> Gouge with chlorite alteration	163.00	164.50	1.50	S313419	0.102	0.5	243	13	38

Hole: SU-669

From (m)	To (m)	Rock Type & Description
<<Struc: 281.68 - 301.3: strongly developed bedding 50 deg. >>		Laminated bedding
<<Struc: 307.25 - 336.33: strongly developed bedding 60 deg. >>		Laminated bedding

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
164.50	166.00	1.50	S313421	0.069	1.8	863	15	63
166.00	167.50	1.50	S313422	0.141	3.7	1435	21	117
167.50	169.00	1.50	S313423	0.152	2.5	805	25	66
169.00	170.50	1.50	S313424	0.23	1.3	229	55	61
170.50	172.00	1.50	S313425	0.178	1.7	63	127	117
172.00	173.50	1.50	S313426	0.14	1.1	39	165	298
173.50	175.00	1.50	S313427	0.115	0.8	86	78	122
175.00	176.50	1.50	S313428	0.046	0.5	164	5	31
176.50	178.00	1.50	S313429	0.069	0.6	218	5	30
178.00	179.50	1.50	S313431	0.04	0.25	75	5	34
179.50	181.00	1.50	S313432	0.059	0.25	62	3	32
181.00	182.50	1.50	S313433	0.038	0.25	72	1	27
182.50	184.00	1.50	S313434	0.054	0.6	199	5	37
184.00	185.50	1.50	S313435	0.051	0.25	108	3	36
185.50	187.00	1.50	S313436	0.058	0.6	268	2	41
187.00	188.50	1.50	S313437	0.045	0.25	234	1	51
188.50	190.00	1.50	S313438	0.089	0.25	262	12	56
190.00	191.50	1.50	S313439	0.037	0.25	48	1	38
191.50	193.00	1.50	S313441	0.531	0.5	182	4	46
193.00	194.50	1.50	S313442	4.28	1.1	180	5	45
194.50	196.00	1.50	S313443	1.22	0.25	194	5	41
196.00	197.50	1.50	S313444	0.299	0.25	139	8	30
197.50	199.00	1.50	S313445	2.64	0.9	202	6	43
199.00	200.50	1.50	S313446	0.324	1.3	713	10	89
200.50	202.00	1.50	S313447	0.221	0.5	246	8	47
202.00	203.50	1.50	S313448	0.138	1.2	313	10	79
203.50	205.00	1.50	S313449	0.526	0.9	213	8	42
205.00	206.50	1.50	S313451	0.808	1.1	246	12	60
206.50	208.00	1.50	S313452	0.451	0.9	275	20	90

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			208.00	209.50	1.50	S313453	0.131	0.5	181	9	40
			209.50	211.00	1.50	S313454	0.277	0.6	171	8	34
			211.00	212.50	1.50	S313455	0.066	0.25	149	6	39
			212.50	214.00	1.50	S313456	0.048	0.25	71	4	41
			214.00	215.50	1.50	S313457	0.078	0.25	102	9	52
			215.50	217.00	1.50	S313458	0.104	0.25	77	23	79
			217.00	218.50	1.50	S313459	0.104	0.25	102	13	66
			218.50	220.00	1.50	S313461	0.13	0.5	111	15	75
			220.00	221.50	1.50	S313462	0.141	0.9	222	1	43
			221.50	223.00	1.50	S313463	0.36	0.6	169	7	52
			223.00	224.50	1.50	S313464	0.427	0.25	148	10	47
			224.50	226.00	1.50	S313465	0.71	0.5	131	6	46
			226.00	227.50	1.50	S313466	0.417	0.25	109	4	38
			227.50	229.00	1.50	S313467	0.357	0.25	86	5	32
			229.00	230.50	1.50	S313468	0.141	0.25	68	2	31
			230.50	232.00	1.50	S313469	0.073	0.25	66	10	43
			232.00	233.50	1.50	S313471	0.079	0.25	111	1	38
			233.50	235.00	1.50	S313472	0.114	0.25	55	5	44
			235.00	236.50	1.50	S313473	0.03	0.25	49	1	40
			236.50	238.00	1.50	S313474	0.019	0.25	38	3	43
			238.00	239.50	1.50	S313475	0.029	0.25	54	4	48
			239.50	241.00	1.50	S313476	0.078	0.25	183	4	42
			241.00	242.50	1.50	S313477	0.128	0.7	242	4	48
			242.50	244.00	1.50	S313478	0.056	0.5	96	2	43
			244.00	245.50	1.50	S313479	0.187	0.5	89	4	68
			245.50	247.00	1.50	S313481	0.113	0.8	195	2	76
			247.00	248.50	1.50	S313482	0.071	0.7	251	1	52
			248.50	250.00	1.50	S313483	0.073	0.7	238	2	33
			250.00	251.50	1.50	S313484	0.137	0.7	70	7	41

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			251.50	253.00	1.50	S313485	0.509	2.8	32	19	49
			253.00	254.50	1.50	S313486	0.406	1.2	169	11	39
			254.50	256.00	1.50	S313487	2.73	2.6	82	19	47
			256.00	257.50	1.50	S313488	7.23	40.7	165	188	47
			257.50	259.00	1.50	S313489	4.77	1150	183	934	52
			259.00	260.00	1.00	S313491	5.54	12	66	19	141
			260.00	261.00	1.00	S313492	7.38	98.9	582	8540	46500
			261.00	262.50	1.50	S313493	0.803	16.6	137	436	3400
			262.50	264.00	1.50	S313494	0.34	1.5	32	47	159
			264.00	265.50	1.50	S313495	1.365	2.2	172	52	156
			265.50	267.00	1.50	S313496	1.895	2.9	283	13	71
			267.00	268.50	1.50	S313497	0.861	1.9	132	12	51
			268.50	270.00	1.50	S313498	0.186	2	99	21	39
			270.00	271.50	1.50	S313499	0.137	1.2	168	16	125
			271.50	273.00	1.50	S313501	3.07	6.8	196	44	73
			273.00	274.50	1.50	S313502	4.48	5.4	1330	9	58
			274.50	276.00	1.50	S313503	0.133	1.4	370	4	42
			276.00	277.50	1.50	S313504	0.289	1.2	407	7	44
			277.50	279.00	1.50	S313505	0.254	1.7	534	3	60
			279.00	280.50	1.50	S313506	0.424	0.9	367	4	74
			280.50	282.00	1.50	S313507	0.149	1.3	310	17	73
			282.00	283.50	1.50	S313508	0.058	1	303	4	49
			283.50	285.00	1.50	S313509	0.035	0.6	183	6	50
			285.00	286.50	1.50	S313511	0.027	0.5	107	10	56
			286.50	288.00	1.50	S313512	0.045	0.5	208	16	50
			288.00	289.50	1.50	S313513	0.029	0.25	49	4	48
			289.50	291.00	1.50	S313514	0.033	0.25	121	17	78
			291.00	292.50	1.50	S313515	0.056	0.5	26	3	45
			292.50	294.00	1.50	S313516	0.019	0.25	20	6	48

Hole: SU-669

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			294.00	295.50	1.50	S313517	0.017	0.25	10	1	37
			295.50	297.00	1.50	S313518	0.018	0.25	30	4	44
			297.00	298.50	1.50	S313519	0.02	0.25	81	9	58
			298.50	300.00	1.50	S313521	0.023	0.25	63	6	54
			300.00	301.30	1.30	S313522	0.033	0.7	279	9	60
			301.30	302.50	1.20	S313523	0.366	2.4	180	19	59
			302.50	304.00	1.50	S313524	0.783	1.9	591	18	81
			304.00	305.50	1.50	S313525	0.038	0.25	83	8	65
			305.50	307.00	1.50	S313526	0.065	0.6	55	10	81
			307.00	308.50	1.50	S313527	0.015	0.25	45	2	54
			308.50	310.00	1.50	S313528	0.024	0.25	31	8	52
			310.00	311.50	1.50	S313529	0.028	0.25	42	1	50
			311.50	313.00	1.50	S313531	0.036	0.25	35	3	44
			313.00	314.50	1.50	S313532	0.041	0.25	18	3	51
			314.50	316.00	1.50	S313533	0.039	0.5	31	31	61
			316.00	317.50	1.50	S313534	0.024	0.7	205	2	61
			317.50	319.00	1.50	S313535	0.024	0.25	36	5	55
			319.00	320.50	1.50	S313536	0.041	0.25	34	7	48
			320.50	322.00	1.50	S313537	0.09	0.7	65	5	57
			322.00	323.50	1.50	S313538	0.063	0.7	85	3	47
			323.50	324.50	1.00	S313539	0.055	0.8	51	11	75
			324.50	325.50	1.00	S313541	0.198	6.3	37	179	477
			325.50	327.00	1.50	S313542	0.07	0.7	26	23	53
			327.00	328.50	1.50	S313543	0.05	0.9	54	263	276
			328.50	330.00	1.50	S313544	0.1	0.25	41	14	53
			330.00	331.50	1.50	S313545	0.039	0.25	22	12	51
			331.50	333.00	1.50	S313546	0.04	0.25	34	10	52
			333.00	334.50	1.50	S313547	0.017	0.25	26	7	47
			334.50	336.33	1.83	S313548	0.02	0.25	58	11	72

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-670

Prospect:	HGP	**Survey Type:**		**Logged By:**	obath	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/13/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	9/17/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	297	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/12/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	9/16/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	9/14/2015	-48.8	163.7	20.4	184.1	55784	☑	
21	REFLEX	9/12/2015	-48.8	163.7	20.4	184.1	55784	☑	
72	REFLEX	9/13/2015	-49.1	166.2	20.4	186.6	56133	☑	
123	REFLEX	9/14/2015	-48.7	166.3	20.4	186.7	55723	☑	
174	REFLEX	9/15/2015	-48.9	168	20.4	188.4	55950	☑	
225	REFLEX	9/15/2015	-48.6	168	20.4	188.4	55652	☑	
276	REFLEX	9/15/2015	-48.3	171.1	20.4	191.5	56011	☑	
297	REFLEX	9/15/2015	-48.2	170.1	20.4	190.5	55777	☑	EOH

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-670

From (m)	To (m)	Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**5.70**	**OVB**	**overburden** **l_fg**									

0 - 5.7: Overburden consisting mostly of till and porphyry fragments. Recovery is low.

<<Min: 0 - 51.46: traces pyrite / <0.5% pyrite / <0.5% pyrite>> Pyrite occurs as stringers and oxidized along fractures. Very minor diss pyrite throughout.

<<Alt: 0 - 5.7: >> over burden

<<Vein: 0 - 51.46: 1.0-5.0 quartz-calcite>> Primarily Vn3 with gray calcite and minor chlorite. Calcite also fills later micro fractures across unit. Oxidized pyrite stringers occur crosscutting. Calcite is the predominant vein filling mineral throughout the entire unit. Most veins appear be due to later brittle fracture-filling.

5.70	**114.00**	**I2**	**porphyritic intermediate to alkaline intrusive rocks (fspr>>hbl; distinctly porphyritic texture with fspr phenos to 5 cm ('megacrystic'); typically quartz-poor, interpreted as monozonite or syenite)** **lg-fg**									

5.7 - 114: Mega-crystic feldspar-hornblende porphyry with f.g igneous magnetite throughout. Phenos range in size from 0.1 mm to 2 cm. Relict hornblende tends to be coaser and more abundant than relict feldspar phenos. Feldspar and hornblende phenos have been replaced by sericite or epidote. Some show relict zoning indicative of plagioclase. Matrix is fine grained and appears chlorite replaced. Magnetism is lost in area of high epidote or sericite alteration.

<<Min: 51.46 - 60.9: 0.5-2.0% pyrite / <0.5% pyrite>> Diss pyrite becomes more abudant in intensely calcite alterted zone. Minor occurance of oxidized pyrite coated fractures.

<<Min: 60.9 - 97.6: traces pyrite / 5.0-10.0% magnetite / 2.0-5.0% magnetite>> Very little mineralization of pyrite throughout and minor oxidized pyrite coated fractures.
Magnetite occurs throughout lithology (1-2mm tabular phenos), appears igneous. Loss of magentism in intensely epidote or sericite altered zones.

<<Min: 97.6 - 114: <0.5% pyrite / traces pyrite / Not recorded Nothing Recorded>> Loss of magnetism due to silicification

<<Alt: 10.3 - 51.46: weak to moderate locally weakly silicified / weak to moderate chlorite / weak to moderate sericite / weak to moderate pyrite / weak chlorite>> Minor to moderatley QSP alterted porphyry. Pervasive replacment of phenos by sericite and chlorite. Little to no pyrite diss throughout. Phenos show intense alteration around some micro fractures of sericite, chlorite or rarely epidote. Oxidized pyrite coated microfractures occur throughout, Calcite occurs only in veins and fracture filling.

Hole: SU-670

From (m)	To (m)	Rock Type & Description
		<<Alt: 51.46 - 60.9: moderate calcite / weak to moderate sericite / moderate chlorite / moderate pyrite>> 6 cm Vn3 at 51.46 m with pink calcite marks the beginning of intense carbonate alteration. Pink and gray calcite forms patchy but pervasive replacement to 60.90 m. Minor zones of intense green sericite alteration also occur. Diss pyrite increases in intensity.
		<<Alt: 60.9 - 97.3: moderate epidote / weak to moderate epidote / moderate to strong sericite / weak pyrite / moderate to strong chlorite>> Increasingly propylitic alteration. Hornblende and feldspa pheno replacement by sericite and chlorite, overprinted by epidote. Loss of magnestism in intensely epidote alterted zones. Pink calcite occurs only in veins. Pyrite is weakly diss throughout but occurs primarily with qtz-calcite veins. Pyrite is oxidized along fractures.
		<<Alt: 97.3 - 114: moderate to strong locally weakly silicified / weak to moderate epidote / weak epidote / trace pyrite / weak greater than 10% carbonate minerals>> Porpylitic alteration grades to intense silicification with moderate sericite. Epidote alteration occurs predominantly along microfractures. Minor epidote diss throughout. Carbonate alteration increases towards lower contact with dyke.
		<<Vein: 51.46 - 60.9: 10.0-25.0 calcite>> Intense calcite over print on porphyry.
		<<Vein: 60.9 - 97.3: 1.0-5.0 calcite>>
		<<Vein: 97.3 - 114: 1.0-5.0 quartz-calcite>>
		<<Struc: 39.3 - 40: moderately developed fault gouge 55 deg. >> Oxidized fault gouge
		<<Struc: 75.9 - 79.5: moderately developed fault zone>> Oxidized fault zone. Minor gouge.
		<<Struc: 109.68 - 110: moderately developed fault zone>> Oxidized with minor gouge

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
5.70	7.50	1.80	S313551	0.122	0.25	83	8	65
7.50	9.00	1.50	S313552	0.113	0.5	46	15	68
9.00	10.50	1.50	S313553	0.057	0.5	61	6	58
10.50	12.00	1.50	S313554	0.097	0.8	35	3	44
12.00	13.50	1.50	S313555	0.061	0.5	39	5	64
13.50	15.00	1.50	S313556	0.113	0.7	28	10	70
15.00	16.50	1.50	S313557	0.106	0.25	22	9	56
16.50	18.00	1.50	S313558	0.048	0.25	33	10	64
18.00	19.50	1.50	S313559	0.074	0.25	32	10	63
19.50	21.00	1.50	S313561	0.09	0.25	54	6	68
21.00	22.50	1.50	S313562	0.041	0.25	24	5	65
22.50	24.00	1.50	S313563	0.052	0.25	20	6	75
24.00	25.50	1.50	S313564	0.088	0.25	24	9	62
25.50	27.00	1.50	S313565	0.083	0.25	20	9	73

Hole: SU-670

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			27.00	28.50	1.50	S313566	0.079	0.25	29	3	63
			28.50	30.00	1.50	S313567	0.064	0.25	48	3	50
			30.00	31.50	1.50	S313568	0.069	0.25	84	7	51
			31.50	33.00	1.50	S313569	0.072	0.5	81	7	60
			33.00	34.50	1.50	S313571	0.062	0.25	46	5	66
			34.50	36.00	1.50	S313572	0.052	0.25	42	12	99
			36.00	37.50	1.50	S313573	0.047	0.25	54	8	70
			37.50	39.00	1.50	S313574	0.027	0.25	25	5	62
			39.00	41.00	2.00	S313575	0.066	0.7	46	18	75
			41.00	42.50	1.50	S313576	0.076	1	37	12	69
			42.50	44.00	1.50	S313577	0.064	0.8	42	10	55
			44.00	45.50	1.50	S313578	0.054	0.25	26	10	61
			45.50	47.00	1.50	S313579	0.031	0.25	84	7	52
			47.00	48.50	1.50	S313581	0.09	0.9	102	69	49
			48.50	49.50	1.00	S313582	0.141	1.2	83	85	54
			49.50	51.00	1.50	S313583	0.459	3	128	32	55
			51.00	52.50	1.50	S313584	0.308	4.7	46	109	124
			52.50	54.00	1.50	S313585	4.57	50.1	17	78	42
			54.00	55.50	1.50	S313586	3.7	42.1	24	137	60
			55.50	57.00	1.50	S313587	0.683	9.2	29	126	83
			57.00	58.50	1.50	S313588	0.785	8.8	26	94	55
			58.50	60.00	1.50	S313589	0.936	12.9	20	45	46
			60.00	61.50	1.50	S313591	0.304	4.1	34	19	37
			61.50	63.00	1.50	S313592	0.047	0.5	25	4	51
			63.00	64.50	1.50	S313593	0.024	0.25	13	5	50
			64.50	66.00	1.50	S313594	0.02	0.25	9	6	47
			66.00	67.50	1.50	S313595	0.022	0.25	10	9	57
			67.50	69.00	1.50	S313596	0.025	0.25	7	6	50
			69.00	70.50	1.50	S313597	0.023	0.25	11	7	55

Hole: SU-670

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			70.50	72.00	1.50	S313598	0.102	0.8	7	8	56
			72.00	73.50	1.50	S313599	0.02	0.25	11	12	42
			73.50	75.00	1.50	S313601	0.009	0.25	36	6	91
			75.00	76.50	1.50	S313602	0.025	0.25	110	22	140
			76.50	78.00	1.50	S313603	0.131	3	217	54	107
			78.00	79.50	1.50	S313604	0.279	3.1	56	67	144
			79.50	80.37	0.87	S313605	0.298	2.4	71	44	82
			80.37	81.72	1.35	S313606	0.037	0.6	177	14	78
			81.72	83.00	1.28	S313607	0.229	2.6	57	38	55
			83.00	84.50	1.50	S313608	0.011	0.25	46	5	76
			84.50	86.00	1.50	S313609	0.005	0.25	38	4	72
			86.00	87.00	1.00	S313611	0.017	0.25	96	23	78
			87.00	88.50	1.50	S313612	0.018	0.25	83	10	77
			88.50	90.00	1.50	S313613	0.014	0.25	25	13	61
			90.00	91.50	1.50	S313614	0.049	0.25	33	8	78
			91.50	93.00	1.50	S313615	0.009	0.25	22	12	71
			93.00	94.50	1.50	S313616	0.009	0.25	24	6	61
			94.50	96.00	1.50	S313617	0.01	0.25	12	8	64
			96.00	97.50	1.50	S313618	0.022	0.5	48	9	67
			97.50	99.00	1.50	S313619	0.023	0.25	48	9	80
			99.00	100.50	1.50	S313621	0.006	0.25	70	5	70
			100.50	102.00	1.50	S313622	0.024	0.25	64	8	77
			102.00	103.50	1.50	S313623	0.024	0.25	40	9	72
			103.50	105.00	1.50	S313624	0.059	0.6	133	29	139
			105.00	106.50	1.50	S313625	0.031	0.6	118	16	152
			106.50	108.00	1.50	S313626	0.033	0.5	67	8	182
			108.00	109.50	1.50	S313627	0.081	1.1	92	44	113
			109.50	111.00	1.50	S313628	0.06	0.8	146	6	97
			111.00	112.50	1.50	S313629	0.113	1.2	157	7	49

Hole: SU-670

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
					112.50	114.00	1.50	S313631	0.058	1.1	123	8	57
114.00	**120.22**	**V6b**	**Mesozoic mafic dykes; medium to light green, mild to moderate deformation**	**I_fg**	114.00	115.50	1.50	S313632	0.018	0.25	8	4	113
114 - 120.22: F.g mafic dyke. Contact at 70 degrees TCA.													
<<Min: 114 - 120.22: traces pyrite>>					115.50	117.00	1.50	S313633	0.025	0.25	8	4	105
<<Alt: 114 - 120.22: moderate chlorite / weak to moderate chlorite / weak to moderate sericite>>					117.00	118.50	1.50	S313634	0.241	0.25	3	5	119
<<Vein: 114 - 120.22: 1.0-5.0 calcite-chlorite>>					118.50	120.00	1.50	S313635	0.077	0.25	6	4	114
					120.00	121.22	1.22	S313636	0.138	1.5	188	19	62
120.22	**259.00**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**S-slt**	121.22	123.00	1.78	S313637	0.383	2	186	18	48
120.22 - 259: Interbedded VSF S4-S5 with minor chert and argillite layers. Laminated bedding. Very fine to fine grain matrix. Silicified. No bedding in sandstone layers. Bedding features can be distorted by alteration. Minor clast occurance. Alteration increases towards lower contact with I2.													
<<Min: 120.22 - 175.31: <0.5% chalcopyrite / 2.0-5.0% pyrite / traces galena / 2.0-5.0% pyrite>> Chalcopyrite and galena mineralized as <1cm blebs in Vn1. Chalcopyrite>>galena. Abundant pyrite stringers and zones of trace to moderate diss pyrite.					123.00	124.50	1.50	S313638	0.148	0.6	130	8	52
<<Min: 175.31 - 200: <0.5% chalcopyrite / 0.5-2.0% sphalerite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Chalcopyrite (1-4mm blebs) in Vn1. Sphalerite-pyrite banded vein occuring at 197.58-198 m.					124.50	126.00	1.50	S313639	0.2	0.5	63	7	39
<<Min: 200 - 207.24: 0.5-2.0% pyrite / 0.5-2.0% pyrite>>					126.00	127.50	1.50	S313641	0.285	0.25	173	5	38
<<Min: 207.24 - 243: <0.5% chalcopyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> 0.2-0.5 cm blebs of chalcopyrite in qtz-calcite-chlorite veins					127.50	129.00	1.50	S313642	0.566	1	159	11	30
<<Min: 243 - 259: 2.0-5.0% pyrite / 2.0-5.0% pyrite>> 0.1-1.5 cm pyrite stringers 90 degrees TCA.					129.00	130.50	1.50	S313643	0.541	0.25	207	10	34
<<Alt: 120.22 - 200: moderate to strong silica (pervasive silicification) / weak to moderate sericite / trace chlorite / weak to moderate pyrite / weak epidote>> Pervasive silicification. Sericite occurs along fractures. Minor zones of green/yellow patchy sericite. Trace epidote along fractures. Chlorite appears in qtz-carb veins, along fractures and shear planes.					130.50	132.00	1.50	S313644	0.396	0.25	126	4	30
<<Alt: 200 - 207.24: strong silica (pervasive silicification) / moderate calcite / trace epidote / weak to moderate chlorite>> Intense calcite veining and moderate pervasive alteration					132.00	133.50	1.50	S313645	0.217	0.25	169	3	41

Hole: SU-670

From (m)	To (m)	Rock Type & Description
		<<Alt: 207.24 - 213.85: strong silica (pervasive silicification) / moderate to strong sericite / moderate chlorite>> Intense stockwork of beige sericite-calcite-quartz-chlorite veins
		<<Alt: 213.85 - 216: strong silica (pervasive silicification) / weak to moderate chlorite>> Loss of bedding due to intense alteration. Rock is broken with oxidized Fe staining on fracture surfaces.
		<<Alt: 216 - 243: strong silica (pervasive silicification) / weak to moderate sericite / weak to moderate calcite-chlorite / weak to moderate pyrite>> Green patchy sericite. Zones of pervasive carbonate + chlorite alteration. Intensely silicified.
		<<Alt: 243 - 259: weak calcite / strong silica (pervasive silicification) / weak to moderate chlorite / weak to moderate chlorite / weak to moderate pyrite>> Intense alteration towards contact with I2. Loss of bedding features.
		<<Vein: 120.22 - 175.31: 1.0-5.0 quartz-calcite>>
		<<Vein: 175.31 - 200: 1.0-5.0 quartz-calcite>> Loss of Vn4 with chlorite. Abundant beige sericite rich veins.
		<<Vein: 200 - 207.24: 1.0-5.0 quartz-calcite>>
		<<Vein: 207.24 - 213.85: 5.0-10.0 quartz-calcite>> Stockwork crosscutting actinolite/calcite/chlorite/quartz filled fractures. Forming a dendritic network. No other veining type present. Veins range from <1mm-2cm width. Actinolite (?) appears as gray/green hydrothermal bladed mineral in late qtz-carbonate vein. Possibly related to a late post-mineralization greenschist facies metamorphic fluid.
		<<Vein: 213.85 - 243: 1.0-5.0 quartz-calcite>> Loss of intense carbonate-quartz-actinolite vein stockwork.
		<<Vein: 243 - 259: 1.0-5.0 calcite-chlorite>> Complete loss of actinolite-calcite-quartz veins

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
133.50	135.00	1.50	S313646	0.336	0.6	316	15	40
135.00	136.50	1.50	S313647	0.067	0.25	101	11	41
136.50	138.00	1.50	S313648	0.196	0.25	144	41	65
138.00	139.50	1.50	S313649	0.311	1.8	278	108	164
139.50	141.00	1.50	S313651	0.115	0.25	81	10	36
141.00	142.50	1.50	S313652	0.302	0.25	138	45	159
142.50	144.00	1.50	S313653	0.246	0.25	146	18	86
144.00	145.50	1.50	S313654	0.187	0.25	95	60	53
145.50	147.00	1.50	S313655	0.282	0.25	181	1	33
147.00	148.50	1.50	S313656	0.232	0.25	177	15	62
148.50	150.00	1.50	S313657	0.456	0.25	212	4	37
150.00	151.50	1.50	S313658	0.185	0.25	136	1	28
151.50	153.00	1.50	S313659	0.117	0.25	148	3	34
153.00	154.50	1.50	S313661	0.122	0.25	221	1	29
154.50	156.00	1.50	S313662	0.125	0.25	202	1	32
156.00	157.50	1.50	S313663	0.182	0.25	173	1	34
157.50	159.00	1.50	S313664	0.135	0.25	141	14	37
159.00	160.50	1.50	S313665	0.06	0.25	85	3	51
160.50	162.00	1.50	S313666	0.123	0.25	126	1	37
162.00	163.50	1.50	S313667	0.093	0.25	164	4	36
163.50	165.00	1.50	S313668	0.254	0.25	204	1	34
165.00	166.50	1.50	S313669	0.186	0.25	295	3	36
166.50	168.00	1.50	S313671	0.122	0.25	146	4	32
168.00	169.50	1.50	S313672	0.147	0.25	154	9	43

Hole: SU-670

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			169.50	171.00	1.50	S313673	0.117	0.25	131	3	35
			171.00	172.50	1.50	S313674	0.101	0.25	155	1	26
			172.50	174.00	1.50	S313675	0.142	0.5	228	1	33
			174.00	175.50	1.50	S313676	0.119	0.25	182	4	30
			175.50	177.00	1.50	S313677	0.07	1.1	163	13	41
			177.00	178.50	1.50	S313678	0.083	0.25	127	5	33
			178.50	180.00	1.50	S313679	0.117	0.25	178	3	37
			180.00	181.50	1.50	S313681	0.092	0.25	132	6	36
			181.50	183.00	1.50	S313682	0.07	0.25	155	24	71
			183.00	184.50	1.50	S313683	0.061	0.25	123	5	35
			184.50	186.00	1.50	S313684	0.058	0.25	100	2	32
			186.00	187.50	1.50	S313685	0.066	0.25	165	1	34
			187.50	189.00	1.50	S313686	0.09	0.25	136	3	45
			189.00	190.50	1.50	S313687	0.08	0.25	190	6	47
			190.50	192.00	1.50	S313688	0.058	0.25	137	4	55
			192.00	193.50	1.50	S313689	0.106	0.25	159	2	42
			193.50	195.00	1.50	S313691	0.083	0.25	113	7	45
			195.00	196.50	1.50	S313692	0.059	0.25	175	8	54
			196.50	198.00	1.50	S313693	0.165	0.25	164	40	1085
			198.00	199.50	1.50	S313694	0.057	0.25	218	25	80
			199.50	201.00	1.50	S313695	0.079	0.25	205	27	111
			201.00	202.50	1.50	S313696	0.112	0.25	246	11	52
			202.50	204.00	1.50	S313697	0.194	0.25	316	4	47
			204.00	205.50	1.50	S313698	0.112	0.25	236	6	42
			205.50	207.00	1.50	S313699	0.208	0.25	345	6	41
			207.00	208.50	1.50	S313701	0.233	0.5	319	3	31
			208.50	210.00	1.50	S313702	0.054	0.25	166	2	30
			210.00	211.50	1.50	S313703	0.045	0.25	102	1	25
			211.50	213.00	1.50	S313704	0.033	0.25	60	4	31

Hole: SU-670

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			213.00	214.50	1.50	S313705	0.083	0.25	33	1	26
			214.50	216.00	1.50	S313706	0.118	1.9	104	28	47
			216.00	217.50	1.50	S313707	0.079	0.25	171	3	28
			217.50	219.00	1.50	S313708	0.085	0.25	190	2	28
			219.00	220.50	1.50	S313709	0.143	0.25	118	1	24
			220.50	222.00	1.50	S313711	1.05	1.8	424	30	59
			222.00	223.50	1.50	S313712	0.129	0.6	110	20	38
			223.50	225.00	1.50	S313713	0.34	0.25	180	8	28
			225.00	226.50	1.50	S313714	0.097	0.25	218	5	23
			226.50	228.00	1.50	S313715	0.085	0.25	256	5	29
			228.00	229.50	1.50	S313716	0.169	0.25	283	1	22
			229.50	231.00	1.50	S313717	0.084	0.25	209	3	24
			231.00	232.50	1.50	S313718	0.131	0.25	346	2	24
			232.50	234.00	1.50	S313719	0.09	0.25	226	1	21
			234.00	235.50	1.50	S313721	0.117	0.25	197	1	24
			235.50	237.00	1.50	S313722	0.09	0.25	82	2	26
			237.00	238.50	1.50	S313723	0.237	0.25	192	3	43
			238.50	240.00	1.50	S313724	0.126	0.25	113	3	34
			240.00	241.50	1.50	S313725	0.216	0.25	99	3	35
			241.50	243.00	1.50	S313726	0.158	0.25	81	4	31
			243.00	244.50	1.50	S313727	0.597	0.9	146	4	41
			244.50	246.00	1.50	S313728	0.337	0.5	246	4	43
			246.00	247.50	1.50	S313729	0.049	0.25	205	5	41
			247.50	249.00	1.50	S313731	0.037	0.25	216	7	42
			249.00	250.50	1.50	S313732	0.037	0.5	259	9	38
			250.50	252.00	1.50	S313733	0.048	0.25	216	5	33
			252.00	253.50	1.50	S313734	0.042	0.25	255	7	35
			253.50	255.00	1.50	S313735	0.189	0.25	190	11	41
			255.00	256.50	1.50	S313736	0.052	0.25	229	8	38

Hole: SU-670

From (m)	To (m)		Rock Type & Description	
259.00	**297.00**	**I2**	**porphyritic intermediate to alkaline intrusive rocks (fspr>>hbl; distinctly porphyritic texture with fspr phenos to 5 cm ('megacrystic'); typically quartz-poor, interpreted as monozonite or syenite)**	**Ig-mg**

259 - 297: EOH.
0.1-3cm Kspar + plagioclase megacrystic phenos. Little to no alteration of phenos. Chloritization of inclusions in phenos. Plagioclase shows zoning. Matrix consists of 1-5mm quartz+feldspar+chloritized hornblended(?)+magnetite. Entire unit is magnetic. Pervasive chloritization. Trace diss epidote, more intense at fractures.
Very weak fabric.

<<Min: 259 - 297: 5.0-10.0% magnetite / traces pyrite>> Igneous magnetite. Trace pyrite.

<<Alt: 259 - 297: moderate to strong chlorite / weak epidote / weak calcite / trace pyrite>>

<<Vein: 259 - 297: 1.0-5.0 calcite-chlorite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
256.50	258.00	1.50	S313737	0.053	0.6	138	5	33
258.00	259.00	1.00	S313738	0.112	0.5	157	15	62
259.00	260.50	1.50	S313739	0.022	0.25	17	11	51
260.50	262.00	1.50	S313741	0.006	0.25	8	1	69
262.00	263.50	1.50	S313742	0.006	0.25	8	3	69
263.50	265.00	1.50	S313743	0.006	0.25	8	3	66
265.00	266.50	1.50	S313744	0.002	0.25	9	5	72
266.50	268.00	1.50	S313745	0.002	0.25	5	5	78
268.00	269.50	1.50	S313746	0.002	0.25	9	11	79
269.50	271.00	1.50	S313747	0.006	0.25	14	5	77
271.00	272.50	1.50	S313748	0.006	0.25	9	10	74
272.50	274.00	1.50	S313749	0.007	0.25	10	9	95
274.00	275.50	1.50	S313751	0.008	0.25	7	9	73
275.50	277.00	1.50	S313752	0.005	0.25	7	9	81
277.00	278.50	1.50	S313753	0.007	0.25	6	17	85
278.50	280.00	1.50	S313754	0.006	0.25	7	7	81
280.00	281.50	1.50	S313755	0.01	0.25	10	12	82
281.50	283.00	1.50	S313756	0.038	0.25	11	11	85

Hole: SU-670

From (m)	To (m)	Rock Type & Description

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
283.00	284.50	1.50	S313757	0.005	0.25	8	7	89
284.50	286.00	1.50	S313758	0.016	0.25	9	4	85
286.00	287.50	1.50	S313759	0.075	0.25	11	15	83
287.50	289.00	1.50	S313761	0.005	0.25	6	8	77
289.00	290.50	1.50	S313762	0.005	0.25	13	6	86
290.50	292.00	1.50	S313763	0.005	0.25	13	5	89
292.00	293.50	1.50	S313764	0.002	0.25	13	4	103
293.50	295.00	1.50	S313765	0.006	0.25	15	5	111
295.00	296.50	1.50	S313766	0.059	0.5	235	23	75
296.50	297.00	0.50	S313767	0.078	0.6	288	14	49

End of Hole @ 297

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-671

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	obath	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/17/2015	**Core Size:**	HQ
UTM East:	427155	**Azimuth:**		**Date Completed:**	10/4/2015	**Casing Pulled?**	☐
UTM North:	6257575	**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):	1647	**Length (m):**	1133.5	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/16/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	10/4/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	9/17/2015	-65.1	164.4	20.4	184.8	55923	☑	
12	REFLEX	9/17/2015	-65.1	164.4	20.4	184.8	55923	☑	
65	REFLEX	9/17/2015	-63.4	158.7	20.4	179.1	55749	☑	
116	REFLEX	9/17/2015	-63.1	160.3	20.4	180.7	55763	☑	
167.5	REFLEX	9/17/2015	-62.8	156.3	20.4	176.7	55752	☑	
218.5	REFLEX	9/19/2015	-62.8	156.6	20.4	177	55796	☑	
269.5	REFLEX	9/20/2015	-62.4	156.3	20.4	176.7	55322	☑	
320.5	REFLEX	9/21/2015	-62.6	157.1	20.4	177.5	55827	☑	
371.5	REFLEX	9/21/2015	-62.6	159.9	20.4	180.3	55890	☑	
422.5	REFLEX	9/21/2015	-62.9	157.1	20.4	177.5	55726	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-671

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
473.5	REFLEX	9/23/2015	-62.8	157.1	20.4	177.5	55866	☑	
524.5	REFLEX	9/24/2015	-62.7	157.3	20.4	177.7	55909	☑	
575.5	REFLEX	9/24/2015	-63.1	158.6	20.4	179	55826	☑	
626.5	REFLEX	9/26/2015	-62.7	162.2	20.4	182.6	55581	☑	
677.5	REFLEX	9/26/2015	-62.8	163.4	20.4	183.8	55881	☑	
728.5	REFLEX	9/27/2015	-62.6	161.4	20.4	181.8	55897	☑	
779.5	REFLEX	9/28/2015	-62.5	162.5	20.4	182.9	55842	☑	
830	REFLEX	9/29/2015	-62.5	165.5	20.4	185.9	55981	☑	
881.5	REFLEX	9/29/2015	-62.3	164.7	20.4	185.1	55956	☑	
932.5	REFLEX	9/29/2015	-62.1	168.2	20.4	188.6	55921	☑	
983.5	REFLEX	9/29/2015	-62.1	169.5	20.4	189.9	55912	☑	
1034.5	REFLEX	9/29/2015	-61.7	167.7	20.4	188.1	55863	☑	
1085.5	REFLEX	9/29/2015	-61.4	169.3	20.4	189.7	56039	☑	
1133.5	REFLEX	9/29/2015	-61.2	173.4	20.4	193.8	55954	☑	

Hole: SU-671

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**569.20**	**V12**	**intermediate fragmental volcanics**	**V-csh**	0.00	2.00	2.00	S313801	0.002	0.25	5	7	99

0 - 569.2: Maroon/blue (andesitic Betty Creek Formation) lapilli grading to crystal tuff. Weak variable to no fabric. Some elongated fragments. Possible flow textures. Fragment abundance begins to increase gradually at 68 m. Crystalline/ash matrix with 0.1-6cm fragments. Fragments in maroon tuff appear to be medium grained blue andestic, crystalline quartz, feldspar and accretionary lappilli. Most fragments are not hematized in maroon unit. ~1-2mm gypsum or anhydrite grains occur throughout matrix. Fine grained (<0.1mm) yellow clay (?) replacement of feldspars occurs weakly disseminated in minor intervals. Usually associated with microfractures and at fault locations indicating a late alteration event. Moderate to strong pervasive hematite staining occurs until 115.4m and intensely along shear surfaces. Late calcite/hematite filled fractures and vein breccias occur across lithology and crosscutting Vn4. Maroon tuff appears to have primary hematite which may have been remobilized in fractures and veins.

Blue chloritized tuff patches and intervals begin to appear in unit at 96 m. Unit becomes primarily blue chloritized tuff at 115.4 m. After 115.4 m minor occurance of hematized tuff appear associated with intense calcite-filled fracturing and minor shearing up to 206.5m where strong pervasive hem staining and veining re-appears. Maroon hematite alterted zones appear intermittenly thereafter.

Maroon and blue tuff have occurances of diffuse, sharp and irregular mixing contacts. At sharp contacts maroon tuff shows elongated fragments while chloritized tuff does not. Hematized fragments appear in chloritized tuff and vice versa (both may be indicative of coeval lateral volcanic events and tuff mixing?).

As QSP alteration intesifies at 339.71 to 432.05 m there is a loss of abudant fragments. Matrix appears more crystalline (1-2mm) and fragments are rounded.

At 432.05 m to 531.05 m hematite alteration zone begins, unit matrix becomes coarser and more crystalline (0.2cm matrix with 1-3cm crystalline euhedral feldspar and alterted feldspar phenocrysts, porphyritic-like texture). Fragments consists of primarily of 1-2cm rounded lapilli with coarser deformed bombs and blocks (up to 1m) (possible lithology change?). Chlortitized tuff begins at 531.05 until shear zone at 569.20 m.

<<Min: 0 - 26: traces malachite-azurite / traces pyrite / 2.0-5.0% hematite / 0.5-2.0% hematite>> <0.1 mm grain of malachite @ 18 m in qtz-carb vein. Moderate yellow clay replacement of matrix plagioclase associated with vein hosting malachite.	2.00	3.50	1.50	S313802	0.002	0.25	5	6	85
<<Min: 26 - 98.97: 2.0-5.0% hematite / 2.0-5.0% hematite / traces pyrite>>	3.50	5.00	1.50	S313803	0.002	0.25	7	8	92
<<Min: 98.97 - 115.4: 0.5-2.0% hematite>>	5.00	6.50	1.50	S313804	1.48	0.25	6	5	85
<<Min: 115.4 - 141.87: traces pyrite / traces hematite>>	6.50	8.00	1.50	S313805	0.002	0.25	6	7	80
<<Min: 141.87 - 157.1: 2.0-5.0% hematite / 0.5-2.0% pyrite>> Patchy maroon hematized tuff	8.00	9.50	1.50	S313806	0.002	0.25	5	12	98
<<Min: 157.1 - 189.7: <0.5% hematite>>	9.50	11.00	1.50	S313807	0.002	0.25	5	11	94

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 189.7 - 197.7: 5.0-10.0% pyrite / 2.0-5.0% pyrite / <0.5% hematite>> Fine grained disseminated pyrite present throughout higher concentrations in blebs/patches in areas.	11.00	12.50	1.50	S313808	0.002	0.25	5	10	98
		<<Min: 197.7 - 206.5: <0.5% hematite>>	12.50	14.00	1.50	S313809	0.002	0.25	4	9	101
		<<Min: 206.5 - 290.7: 5.0-10.0% hematite / <0.5% hematite>>	14.00	15.50	1.50	S313811	0.002	0.25	5	10	103
		<<Min: 290.7 - 332.24: 0.5-2.0% pyrite / traces pyrite>> Patchy zones of diss pyrite. Weak to moderate. Pyrite intensity increases downhole.	15.50	17.00	1.50	S313812	0.002	0.25	4	11	114
		<<Min: 332.24 - 348.74: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>	17.00	18.50	1.50	S313813	0.002	0.25	8	6	96
		<<Min: 348.74 - 385.4: 0.5-2.0% pyrite / <0.5% pyrite>> Loss of intense diss pyrite in matrix. Pyrite occurs primarily in quartz veins as stringers or coarse blebs.	18.50	20.00	1.50	S313814	0.002	0.25	5	11	111
		<<Min: 385.4 - 429.3: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>	20.00	21.50	1.50	S313815	0.002	0.25	3	10	97
		<<Min: 429.3 - 432.05: traces hematite>> No pyrite mineralization. Trace hematite as unit transitions into intense hematite alteration.	21.50	23.00	1.50	S313816	0.002	0.25	5	6	114
		<<Min: 432.05 - 533.35: 5.0-10.0% hematite>>	23.00	24.50	1.50	S313817	0.002	0.25	7	10	104
		<<Min: 533.35 - 555.58: Nothing Recorded>>	24.50	26.00	1.50	S313818	0.002	0.25	7	7	98
		<<Min: 555.58 - 569.2: <0.5% pyrite / traces pyrite>> 1-2 cm pyrite clast replacement. Trace diss pyrite	26.00	27.50	1.50	S313819	0.002	0.25	7	9	93
		<<Alt: 0 - 70.5: moderate hematite / moderate hematite / weak clay / trace chlorite / moderate to strong hematite>> Hematite occurs as primairly as vein replacment but also occur smoderatley pervasively across unit. Hematite alteration does not appear to affect fragments to same extent as matrix. Trace chlorite can occur on fracture planes and in calcite-hematite veins. Bright yellow clay(?) replacement of matrix feldspar grains occurs throughout unit and strongly associated with micro fractures. Yellow clay also alters some fragments.	27.50	29.00	1.50	S313821	0.002	0.25	6	7	87
		<<Alt: 70.5 - 98.97: weak to moderate hematite / trace hematite / weak to moderate chlorite / moderate hematite / weak clay>> Blue (chloritized) tuff patches (<5%)\ with hematized fragments.	29.00	30.50	1.50	S313822	0.002	0.25	8	9	95
		<<Alt: 98.97 - 115.4: weak to moderate hematite / weak to moderate chlorite / trace clay>>	30.50	32.00	1.50	S313823	0.002	0.25	8	8	102
		<<Alt: 115.4 - 141.87: weak to moderate chlorite / weak chlorite / weak calcite / weak sericite / weak clay>> Pervasive chlorite-sericite-yellow clay replacement of matrix phenocrysts and fragments. Pervasive weak calcite matrix alteration. Very weak trace hematite alteration. Loss of gypsum/anhydrite(?) phenos in matrix.	32.00	33.50	1.50	S313824	0.002	0.25	5	8	84
		<<Alt: 141.87 - 157.1: moderate to strong hematite / weak to moderate Chlorite-calcite / moderate calcite>> Maroon hematized interval occurs after VnC-shear zone. Associated with intense calcite-hemtite filled fracturing and chloritized shear veins.	33.50	35.00	1.50	S313825	0.002	0.25	7	7	109
		<<Alt: 157.1 - 189.5: moderate chlorite / moderate chlorite / weak sericite>> Loss of yellow clay alteration and sericite clast replacement	35.00	36.50	1.50	S313826	0.002	0.25	5	8	105

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 189.5 - 206.5: moderate chlorite / moderate chlorite / weak to moderate sericite / weak calcite>> Fracture fill/veining areas present of gypsum? Anhydrite? White-grey in color with soft soapy feel mixed with calcite and occassionally chl. From 200.5-201.0m host rock appears to have been fractured followed by gypsum? Anhydrite? Present as matrix around sub-rounded host rock fragments up to 10.0cm wide.	36.50	38.00	1.50	S313827	0.002	0.25	6	8	110
		<<Alt: 206.5 - 290.7: moderate hematite / weak to moderate Chlorite-calcite / weak to moderate calcite / moderate hematite>> Hematite occurs as pervasive alteration throughout host rock matrix as well as vein replacement. Clasts are dominantly cal-chl altered. Trace chlorite can occur on fracture planes and in calcite-hematite veins.	38.00	39.50	1.50	S313828	0.002	0.25	6	9	100
		<<Alt: 290.7 - 332.24: moderate to strong clay / moderate to strong clay / weak chlorite / weak calcite / weak pyrite>> Argillic to advanced argillic alteration. Intensity steadily increasing downhole. Intense clay (kaolinite? + alunite?) alteration of feldpsars.Veins and fractures surface are very soft and soapy (gypsum? Anhydrite?). Weak HCL reaction across unit-calcite. Patches of weak f.g diss pyrite increasing downhole. Grades into phyllic alteration at end of interval.	39.50	41.00	1.50	S313829	0.002	0.25	5	9	102
		<<Alt: 332.24 - 348.74: moderate / weak to moderate clay>> Argillic alteration grades into QSP alteration. Loss of intense clay replacement. Clay occurs along fractures and shear planes. Minor shear zone between 339.71-346m. Rock becomes much more silicified and competent. Moderate to strong diss pyrite.	41.00	42.50	1.50	S313831	0.002	0.25	7	14	93
		<<Alt: 348.74 - 385.4: weak to moderate locally weakly silicified / weak pyrite / weak to moderate pyrite / trace clay>> Competent, unsheared rock. Trace clay alteration of phenos. Weakly QSP alterted.	42.50	44.00	1.50	S313832	0.005	0.25	8	10	87
		<<Alt: 385.4 - 429.3: moderate to strong clay / weak to moderate clay / moderate silica (pervasive silicification) / weak to moderate sericite / moderate pyrite>> Intense clay alteration appears to be due to shearing (not argillic?). Very minor calcite in veins. Chlorite occurs weakly along fracture surfaces.	44.00	45.50	1.50	S313833	0.002	0.25	6	9	113
		<<Alt: 429.3 - 432.05: moderate chlorite / trace chlorite / moderate clay / weak to moderate sericite>> Chloritzation of tuff before hematite alteration zone. Loss of pyrite.	45.50	47.00	1.50	S313834	0.002	0.25	7	9	106
		<<Alt: 432.05 - 457.65: moderate to strong hematite / moderate to strong hematite / weak chlorite / trace sericite / weak to moderate calcite>> Gypsum/anhydrite and calcite replacement of matrix phenos/fragments.	47.00	48.50	1.50	S313835	0.002	0.25	7	8	102
		<<Alt: 457.65 - 473.5: moderate to strong hematite / weak sericite / weak chlorite / weak calcite>> Loss of calcite/gypsum replaced 1-3cm feldspar phenos. Minor gypsum replacement of <2mm phenos in matrix.	48.50	50.00	1.50	S313836	0.002	0.25	7	8	86
		<<Alt: 473.5 - 476.55: moderate to strong hematite / weak clay / trace sericite>> Dark-yellow clay(?) alterting feldspars or overprinting. Similar as seen earlier in hole. No associated structures (fluid conduits) seen in core.	50.00	51.50	1.50	S313837	0.002	0.25	7	8	99
		<<Alt: 476.55 - 531.35: moderate to strong hematite / weak chlorite / weak sericite / weak calcite>> Loss of clay and intense alteration of feldspar phenos. Pink kspar in phenos visible with minor sericitized rims.	51.50	53.00	1.50	S313838	0.002	0.25	5	11	97
		<<Alt: 531.35 - 569.2: weak to moderate chlorite / trace chlorite / moderate sericite / weak to moderate sericite / weak illite>> sericite likely over chlorite, pervasive with a lighter blue green matriz and draker blue green clasts that have almost entirely been replaced by sericite after chlorite. Small interval of illite in matrix	53.00	54.50	1.50	S313839	0.002	0.25	4	9	96
		<<Vein: 0 - 73.5: 1.0-5.0 quartz-calcite>>	54.50	56.00	1.50	S313841	0.002	0.25	4	9	105
		<<Vein: 73.5 - 115.4: 1.0-5.0 quartz-calcite-chlorite>> Loss of abundant crosscutting stockwork-like calcite-carb filled fractures	56.00	57.50	1.50	S313842	0.002	0.25	6	9	119
		<<Vein: 115.4 - 141.87: <1.0 quartz-calcite-chlorite>>	57.50	59.00	1.50	S313843	0.002	0.25	3	11	76

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 141.87 - 157.1: 10.0-25.0 quartz-calcite-chlorite>> Zone of intense calcite fracture filling associated with pervasive patchy hematite alteration	59.00	60.50	1.50	S313844	0.005	0.25	5	12	70
		<<Vein: 157.1 - 189.7: 1.0-5.0 quartz-calcite>>	60.50	62.00	1.50	S313845	0.002	0.25	6	10	74
		<<Vein: 189.7 - 206.5: 1.0-5.0 quartz-calcite>> Qtz-cal-chl-gypsum?anhydrite? Veins and fracture fill along with minor mm sized calcite veins.	62.00	63.50	1.50	S313846	0.002	0.25	6	12	98
		<<Vein: 206.5 - 290.7: 1.0-5.0 quartz-calcite>> hem+chl+cal+/-qtz veins throughout along with variable styles of qtz-cal veins that range from mm to 6.0cm wide.	63.50	65.00	1.50	S313847	0.002	0.25	4	12	104
		<<Vein: 290.7 - 342.91: 1.0-5.0 quartz-calcite>>	65.00	66.50	1.50	S313848	0.002	0.25	3	9	88
		<<Vein: 342.91 - 385.4: 1.0-5.0 quartz-pyrite>>	66.50	68.00	1.50	S313849	0.002	0.25	3	10	74
		<<Vein: 385.4 - 432.05: 1.0-5.0 quartz>>	68.00	69.50	1.50	S313851	0.002	0.25	5	12	102
		<<Vein: 432.05 - 457.6: 1.0-5.0 quartz-calcite>>	69.50	71.00	1.50	S313852	0.002	0.25	5	9	101
		<<Vein: 457.6 - 533.35: 1.0-5.0 quartz-calcite>>	71.00	72.50	1.50	S313853	0.002	0.25	7	9	106
		<<Vein: 533.35 - 569.2: <1.0 calcite>>	72.50	74.00	1.50	S313854	0.002	0.25	6	7	100
		<<Struc: 10.5 - 11: strongly developed fault gouge 45 deg. >> Moderatley developed gouge. Abundant clay.	74.00	75.50	1.50	S313855	0.002	0.25	6	7	105
		<<Struc: 31.46 - 31.75: weakly developed fault zone 90 deg. >> Minor gouge. Yellow clay alteration halo.	75.50	77.00	1.50	S313856	0.002	0.25	4	10	107
		<<Struc: 56.8 - 57.82: weakly developed fault gouge>> Broken rock with minor gouge. Moderate yellow clay replacment surrounding zone. Qtz-carb-chlorite-trace pyrite veining in rock surrounding zone.	77.00	78.50	1.50	S313857	0.002	0.25	5	6	97
		<<Struc: 145.85 - 146.3: moderately developed vein 88 deg. >> VnC with fault gouge and intense banded alteration	78.50	80.00	1.50	S313858	0.002	0.25	6	9	92
		<<Struc: 191.75 - 192: weakly developed lamination 45 deg. >> Laminations? Banding? of host rock.	80.00	81.50	1.50	S313859	0.002	0.25	6	7	97
		<<Struc: 192.5 - 192.7: moderately developed vein 30 deg. >> VnC with fault gouge and intense banded alteration	81.50	83.00	1.50	S313861	0.002	0.25	5	6	94
		<<Struc: 269.5 - 270.5: weakly developed Fabbric 20 deg. >> weak alignment of phenos/clasts.	83.00	84.50	1.50	S313862	0.002	0.25	4	7	94
		<<Struc: 339.71 - 348.74: weakly developed sheared>> Clay alteration associated with shearing	84.50	86.00	1.50	S313863	0.002	0.25	4	8	106
		<<Struc: 385.4 - 432.05: weakly developed fault zone>>	86.00	87.50	1.50	S313864	0.002	0.25	5	5	96
			87.50	89.00	1.50	S313865	0.002	0.25	6	9	101
			89.00	90.50	1.50	S313866	0.002	0.25	6	9	94
			90.50	92.00	1.50	S313867	0.002	0.25	5	10	81
			92.00	93.50	1.50	S313868	0.002	0.25	9	5	89
			93.50	95.00	1.50	S313869	0.002	0.25	14	5	100
			95.00	96.50	1.50	S313871	0.002	0.25	25	2	96
			96.50	98.00	1.50	S313872	0.002	0.25	23	8	95

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			98.00	99.50	1.50	S313873	0.005	0.25	7	5	66
			99.50	101.00	1.50	S313874	0.005	0.25	16	11	103
			101.00	102.50	1.50	S313875	0.002	0.25	6	13	98
			102.50	104.00	1.50	S313876	0.002	0.25	3	12	95
			104.00	105.50	1.50	S313877	0.002	0.25	5	15	98
			105.50	107.00	1.50	S313878	0.005	0.25	4	11	70
			107.00	108.50	1.50	S313879	0.006	0.25	6	15	89
			108.50	110.00	1.50	S313881	0.002	0.25	7	16	88
			110.00	111.50	1.50	S313882	0.008	0.25	3	15	77
			111.50	113.00	1.50	S313883	0.002	0.25	4	18	83
			113.00	114.50	1.50	S313884	0.002	0.25	3	13	77
			114.50	116.00	1.50	S313885	0.002	0.25	42	14	63
			116.00	117.50	1.50	S313886	0.002	0.25	22	12	96
			117.50	119.00	1.50	S313887	0.002	0.25	16	23	87
			119.00	120.50	1.50	S313888	0.002	0.25	6	11	73
			120.50	122.00	1.50	S313889	0.002	0.25	2	9	74
			122.00	123.50	1.50	S313891	0.002	0.25	3	7	75
			123.50	125.00	1.50	S313892	0.002	0.25	3	8	85
			125.00	126.50	1.50	S313893	0.006	0.25	3	6	77
			126.50	128.00	1.50	S313894	0.002	0.25	3	10	77
			128.00	129.50	1.50	S313895	0.002	0.25	1	11	78
			129.50	131.00	1.50	S313896	0.002	0.25	3	3	84
			131.00	132.50	1.50	S313897	0.002	0.25	2	11	92
			132.50	134.00	1.50	S313898	0.002	0.25	3	10	97
			134.00	135.50	1.50	S313899	0.002	0.25	2	5	86
			135.50	137.00	1.50	S313901	0.005	0.25	15	8	88
			137.00	138.50	1.50	S313902	0.002	0.25	16	10	86
			138.50	140.00	1.50	S313903	0.002	0.25	2	7	115
			140.00	141.50	1.50	S313904	0.002	0.25	2	8	101

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			141.50	143.00	1.50	S313905	0.002	0.25	2	6	93
			143.00	144.50	1.50	S313906	0.002	0.25	5	8	104
			144.50	146.00	1.50	S313907	0.002	0.25	37	61	86
			146.00	147.50	1.50	S313908	0.002	0.25	15	11	85
			147.50	149.00	1.50	S313909	0.002	0.25	3	10	59
			149.00	150.50	1.50	S313911	0.002	0.25	2	11	78
			150.50	152.00	1.50	S313912	0.002	0.25	2	9	93
			152.00	153.50	1.50	S313913	0.002	0.25	6	9	82
			153.50	155.00	1.50	S313914	0.002	0.25	2	17	86
			155.00	156.50	1.50	S313915	0.002	0.25	2	11	72
			156.50	158.00	1.50	S313916	0.002	0.25	1	10	67
			158.00	159.50	1.50	S313917	0.002	0.25	1	7	74
			159.50	161.00	1.50	S313918	0.002	0.25	4	11	68
			161.00	162.50	1.50	S313919	0.002	0.25	53	9	103
			162.50	164.00	1.50	S313921	0.002	0.25	20	13	96
			164.00	165.50	1.50	S313922	0.002	0.25	19	10	86
			165.50	167.00	1.50	S313923	0.002	0.25	18	8	89
			167.00	168.50	1.50	S313924	0.002	0.25	14	11	86
			168.50	170.00	1.50	S313925	0.002	0.25	5	7	74
			170.00	171.50	1.50	S313926	0.002	0.25	21	11	80
			171.50	173.00	1.50	S313927	0.002	0.25	42	9	86
			173.00	174.50	1.50	S313928	0.002	0.25	10	12	81
			174.50	176.00	1.50	S313929	0.002	0.25	7	9	93
			176.00	177.50	1.50	S313931	0.014	0.25	32	17	85
			177.50	179.00	1.50	S313932	0.002	0.25	2	9	71
			179.00	180.50	1.50	S313933	0.002	0.25	0.5	10	82
			180.50	182.00	1.50	S313934	0.002	0.25	1	13	77
			182.00	183.50	1.50	S313935	0.002	0.25	15	9	79
			183.50	185.00	1.50	S313936	0.002	0.25	24	8	84

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			185.00	186.50	1.50	S313937	0.002	0.25	5	10	109
			186.50	188.00	1.50	S313938	0.002	0.25	10	8	107
			188.00	189.50	1.50	S313939	0.006	0.5	13	14	148
			189.50	191.00	1.50	S313941	0.002	0.25	18	28	68
			191.00	192.50	1.50	S313942	0.002	0.25	20	31	67
			192.50	194.00	1.50	S313943	0.002	0.25	19	22	62
			194.00	195.50	1.50	S313944	0.002	0.25	23	30	72
			195.50	197.00	1.50	S313945	0.002	0.6	28	30	77
			197.00	198.50	1.50	S313946	0.002	0.8	38	37	115
			198.50	200.00	1.50	S313947	0.002	0.25	24	4	217
			200.00	201.50	1.50	S313948	0.002	0.25	17	5	134
			201.50	203.00	1.50	S313949	0.002	0.25	23	5	105
			203.00	204.50	1.50	S313951	0.006	0.25	48	8	129
			204.50	206.00	1.50	S313952	0.002	0.25	51	5	111
			206.00	207.50	1.50	S313953	0.002	0.25	3	7	94
			207.50	209.00	1.50	S313954	0.002	0.25	2	11	65
			209.00	210.50	1.50	S313955	0.002	0.25	3	11	53
			210.50	212.00	1.50	S313956	0.002	0.25	6	11	73
			212.00	213.50	1.50	S313957	0.002	0.25	6	10	68
			213.50	215.00	1.50	S313958	0.002	0.25	7	9	64
			215.00	216.50	1.50	S313959	0.002	0.25	4	9	75
			216.50	218.00	1.50	S313961	0.002	0.25	3	10	65
			218.00	219.50	1.50	S313962	0.002	0.25	2	10	78
			219.50	221.00	1.50	S313963	0.002	0.25	0.5	10	74
			221.00	222.50	1.50	S313964	0.002	0.25	1	10	78
			222.50	224.00	1.50	S313965	0.002	0.25	2	10	82
			224.00	225.50	1.50	S313966	0.002	0.25	4	11	84
			225.50	227.00	1.50	S313967	0.002	0.25	4	9	71
			227.00	228.50	1.50	S313968	0.002	0.25	5	11	80

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			228.50	230.00	1.50	S313969	0.002	0.25	3	12	83
			230.00	231.50	1.50	S313971	0.002	0.25	2	8	72
			231.50	233.00	1.50	S313972	0.002	0.25	2	6	89
			233.00	234.50	1.50	S313973	0.002	0.25	0.5	8	100
			234.50	236.00	1.50	S313974	0.002	0.25	3	10	81
			236.00	237.50	1.50	S313975	0.002	0.25	1	10	85
			237.50	239.00	1.50	S313976	0.002	0.25	4	8	103
			239.00	240.50	1.50	S313977	0.002	0.25	4	10	72
			240.50	242.00	1.50	S313978	0.002	0.25	5	9	76
			242.00	243.50	1.50	S313979	0.002	0.25	4	11	87
			243.50	245.00	1.50	S313981	0.002	0.25	3	6	109
			245.00	246.50	1.50	S313982	0.002	0.25	2	7	104
			246.50	248.00	1.50	S313983	0.002	0.25	13	9	91
			248.00	249.50	1.50	S313984	0.002	0.25	5	5	101
			249.50	251.00	1.50	S313985	0.002	0.25	2	4	90
			251.00	252.50	1.50	S313986	0.002	0.25	7	6	86
			252.50	254.00	1.50	S313987	0.002	0.25	6	13	77
			254.00	255.50	1.50	S313988	0.002	0.25	3	9	67
			255.50	257.00	1.50	S313989	0.002	0.25	7	8	77
			257.00	258.50	1.50	S313991	0.005	0.25	5	8	84
			258.50	260.00	1.50	S313992	0.002	0.25	4	6	78
			260.00	261.50	1.50	S313993	0.002	0.25	4	8	92
			261.50	263.00	1.50	S313994	0.002	0.25	5	8	78
			263.00	264.50	1.50	S313995	0.002	0.25	3	6	73
			264.50	266.00	1.50	S313996	0.002	0.25	4	6	101
			266.00	267.50	1.50	S313997	0.002	0.25	7	6	109
			267.50	269.00	1.50	S313998	0.002	0.25	14	5	91
			269.00	270.50	1.50	S313999	0.002	0.25	4	8	80
			270.50	272.00	1.50	S314001	0.002	0.25	5	8	81

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			272.00	273.50	1.50	S314002	0.002	0.25	8	7	85
			273.50	275.00	1.50	S314003	0.002	0.25	6	9	79
			275.00	276.50	1.50	S314004	0.002	0.25	9	9	75
			276.50	278.00	1.50	S314005	0.002	0.25	2	8	75
			278.00	279.50	1.50	S314006	0.002	0.25	4	10	90
			279.50	281.00	1.50	S314007	0.002	0.25	5	10	94
			281.00	282.50	1.50	S314008	0.002	0.25	2	11	71
			282.50	284.00	1.50	S314009	0.002	0.25	2	9	103
			284.00	285.50	1.50	S314011	0.002	0.25	4	20	101
			285.50	287.00	1.50	S314012	0.002	0.25	2	9	90
			287.00	288.50	1.50	S314013	0.002	0.25	2	8	74
			288.50	290.00	1.50	S314014	0.002	0.25	2	7	58
			290.00	291.50	1.50	S314015	0.002	0.25	1	7	99
			291.50	293.00	1.50	S314016	0.002	0.25	13	6	123
			293.00	294.50	1.50	S314017	0.002	0.25	71	5	82
			294.50	296.00	1.50	S314018	0.002	0.25	21	5	97
			296.00	297.50	1.50	S314019	0.008	0.25	18	6	94
			297.50	299.00	1.50	S314021	0.01	0.25	15	7	114
			299.00	300.50	1.50	S314022	0.002	0.25	19	16	82
			300.50	302.00	1.50	S314023	0.002	0.25	9	21	100
			302.00	303.50	1.50	S314024	0.002	0.25	13	37	83
			303.50	305.00	1.50	S314025	0.002	0.25	12	35	91
			305.00	306.50	1.50	S314026	0.002	0.25	14	27	98
			306.50	308.00	1.50	S314027	0.002	0.25	20	12	65
			308.00	309.50	1.50	S314028	0.002	0.25	15	7	94
			309.50	311.00	1.50	S314029	0.002	0.25	15	3	105
			311.00	312.50	1.50	S314031	0.006	0.25	31	20	60
			312.50	314.00	1.50	S314032	0.002	0.25	8	9	105
			314.00	315.50	1.50	S314033	0.002	0.25	9	6	83

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			315.50	317.00	1.50	S314034	0.002	0.25	4	7	108
			317.00	318.50	1.50	S314035	0.002	0.25	2	4	130
			318.50	320.00	1.50	S314036	0.002	0.25	3	4	131
			320.00	321.50	1.50	S314037	0.002	0.25	6	4	142
			321.50	323.00	1.50	S314038	0.002	0.25	8	8	106
			323.00	324.50	1.50	S314039	0.002	0.25	11	7	93
			324.50	326.00	1.50	S314041	0.002	0.25	16	9	88
			326.00	327.50	1.50	S314042	0.002	0.25	14	11	108
			327.50	329.00	1.50	S314043	0.002	0.25	15	15	164
			329.00	330.50	1.50	S314044	0.002	0.25	17	6	100
			330.50	332.00	1.50	S314045	0.002	0.25	18	9	193
			332.00	333.50	1.50	S314046	0.002	0.25	10	12	133
			333.50	335.00	1.50	S314047	0.002	0.25	10	8	102
			335.00	336.50	1.50	S314048	0.002	0.25	15	17	85
			336.50	338.00	1.50	S314049	0.002	0.25	14	15	110
			338.00	339.50	1.50	S314051	0.002	0.25	14	11	88
			339.50	341.00	1.50	S314052	0.002	0.25	13	16	90
			341.00	342.50	1.50	S314053	0.002	0.25	20	33	125
			342.50	344.00	1.50	S314054	0.002	0.25	11	24	120
			344.00	345.50	1.50	S314055	0.002	0.25	9	12	51
			345.50	347.00	1.50	S314056	0.002	0.25	12	14	25
			347.00	348.50	1.50	S314057	0.002	0.25	15	18	25
			348.50	350.00	1.50	S314058	0.005	0.25	13	14	66
			350.00	351.50	1.50	S314059	0.002	0.25	11	11	70
			351.50	353.00	1.50	S314061	0.002	0.25	13	8	47
			353.00	354.50	1.50	S314062	0.002	0.25	10	9	47
			354.50	356.00	1.50	S314063	0.002	0.25	10	7	41
			356.00	357.50	1.50	S314064	0.002	0.25	8	15	49
			357.50	359.00	1.50	S314065	0.002	0.25	6	3	85

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			359.00	360.50	1.50	S314066	0.002	0.25	14	19	58
			360.50	362.00	1.50	S314067	0.002	0.25	6	10	57
			362.00	363.50	1.50	S314068	0.002	0.25	7	13	54
			363.50	365.00	1.50	S314069	0.002	0.25	10	16	59
			365.00	366.50	1.50	S314071	0.002	0.25	4	4	134
			366.50	368.00	1.50	S314072	0.002	0.25	12	21	61
			368.00	369.50	1.50	S314073	0.002	0.25	12	24	62
			369.50	371.00	1.50	S314074	0.002	0.25	9	10	65
			371.00	372.50	1.50	S314075	0.002	0.25	15	19	68
			372.50	374.00	1.50	S314076	0.002	0.25	9	10	58
			374.00	375.50	1.50	S314077	0.002	0.25	18	21	57
			375.50	377.00	1.50	S314078	0.002	0.25	13	21	64
			377.00	378.50	1.50	S314079	0.002	0.25	9	12	57
			378.50	380.00	1.50	S314081	0.002	0.25	12	24	56
			380.00	381.50	1.50	S314082	0.002	0.25	10	17	66
			381.50	383.00	1.50	S314083	0.002	0.25	12	14	60
			383.00	384.50	1.50	S314084	0.002	0.25	6	7	72
			384.50	386.00	1.50	S314085	0.002	0.25	7	6	76
			386.00	387.50	1.50	S314086	0.002	0.25	10	13	47
			387.50	389.00	1.50	S314087	0.002	0.25	8	4	43
			389.00	390.50	1.50	S314088	0.002	0.25	10	13	46
			390.50	392.00	1.50	S314089	0.002	0.25	11	13	48
			392.00	393.50	1.50	S314091	0.002	0.25	12	19	52
			393.50	395.00	1.50	S314092	0.002	0.25	13	15	113
			395.00	396.50	1.50	S314093	0.002	0.25	18	26	34
			396.50	398.00	1.50	S314094	0.002	0.25	17	24	13
			398.00	399.50	1.50	S314095	0.002	0.25	13	16	13
			399.50	401.00	1.50	S314096	0.002	0.25	10	14	28
			401.00	402.50	1.50	S314097	0.002	0.25	5	8	58

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			402.50	404.00	1.50	S314098	0.002	0.25	10	9	49
			404.00	405.50	1.50	S314099	0.002	0.25	11	10	34
			405.50	407.00	1.50	S314101	0.002	0.25	11	13	30
			407.00	408.50	1.50	S314102	0.002	0.25	10	14	61
			408.50	410.00	1.50	S314103	0.002	0.25	11	8	84
			410.00	411.50	1.50	S314104	0.002	0.25	10	10	75
			411.50	413.00	1.50	S314105	0.002	0.25	12	8	55
			413.00	414.50	1.50	S314106	0.002	0.25	8	7	21
			414.50	416.00	1.50	S314107	0.002	0.25	12	10	11
			416.00	417.50	1.50	S314108	0.002	0.25	15	17	34
			417.50	419.00	1.50	S314109	0.002	0.25	12	12	26
			419.00	420.50	1.50	S314111	0.002	0.25	9	14	11
			420.50	422.00	1.50	S314112	0.002	0.25	21	21	23
			422.00	423.50	1.50	S314113	0.002	0.25	16	23	11
			423.50	425.00	1.50	S314114	0.002	0.9	28	49	14
			425.00	426.50	1.50	S314115	0.002	0.5	12	22	8
			426.50	428.00	1.50	S314116	0.002	0.25	11	14	4
			428.00	429.50	1.50	S314117	0.002	0.6	41	15	6
			429.50	431.00	1.50	S314118	0.002	0.25	67	2	106
			431.00	432.50	1.50	S314119	0.002	0.25	0.5	4	83
			432.50	434.00	1.50	S314121	0.002	0.25	4	6	80
			434.00	435.50	1.50	S314122	0.002	0.25	3	6	85
			435.50	437.00	1.50	S314123	0.002	0.25	1	5	135
			437.00	438.50	1.50	S314124	0.002	0.25	2	6	141
			438.50	440.00	1.50	S314125	0.002	0.25	2	11	134
			440.00	441.50	1.50	S314126	0.002	0.25	4	5	142
			441.50	443.00	1.50	S314127	0.002	0.25	1	10	134
			443.00	444.50	1.50	S314128	0.002	0.25	1	9	92
			444.50	446.00	1.50	S314129	0.002	0.25	0.5	10	94

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			446.00	447.50	1.50	S314131	0.002	0.25	1	11	96
			447.50	449.00	1.50	S314132	0.002	0.25	1	13	101
			449.00	450.50	1.50	S314133	0.002	0.25	1	7	106
			450.50	452.00	1.50	S314134	0.002	0.25	1	7	103
			452.00	453.50	1.50	S314135	0.002	0.25	1	9	117
			453.50	455.00	1.50	S314136	0.002	0.25	1	8	104
			455.00	456.50	1.50	S314137	0.002	0.25	2	13	236
			456.50	458.00	1.50	S314138	0.002	0.25	3	12	170
			458.00	459.50	1.50	S314139	0.002	0.25	2	10	242
			459.50	461.00	1.50	S314141	0.002	0.25	6	12	187
			461.00	462.50	1.50	S314142	0.002	0.25	2	9	140
			462.50	464.00	1.50	S314143	0.002	0.25	2	12	208
			464.00	465.50	1.50	S314144	0.002	0.25	1	15	188
			465.50	467.00	1.50	S314145	0.002	0.25	1	11	248
			467.00	468.50	1.50	S314146	0.002	0.25	2	6	244
			468.50	470.00	1.50	S314147	0.002	0.25	1	9	201
			470.00	471.50	1.50	S314148	0.002	0.25	1	8	206
			471.50	473.00	1.50	S314149	0.002	0.25	2	10	145
			473.00	474.50	1.50	S314151	0.002	0.25	2	10	143
			474.50	476.00	1.50	S314152	0.002	0.25	2	11	126
			476.00	477.50	1.50	S314153	0.002	0.25	2	8	53
			477.50	479.00	1.50	S314154	0.002	0.25	2	9	61
			479.00	480.50	1.50	S314155	0.002	0.25	2	6	111
			480.50	482.00	1.50	S314156	0.002	0.25	1	9	104
			482.00	483.50	1.50	S314157	0.002	0.25	2	11	77
			483.50	485.00	1.50	S314158	0.002	0.25	1	9	86
			485.00	486.50	1.50	S314159	0.002	0.25	1	8	83
			486.50	488.00	1.50	S314161	0.002	0.25	2	12	75
			488.00	489.50	1.50	S314162	0.002	0.25	2	5	61

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			489.50	491.00	1.50	S314163	0.002	0.25	2	5	70
			491.00	492.50	1.50	S314164	0.002	0.25	1	7	76
			492.50	494.00	1.50	S314165	0.002	0.25	1	6	82
			494.00	495.50	1.50	S314166	0.002	0.25	1	8	78
			495.50	497.00	1.50	S314167	0.002	0.25	2	2	73
			497.00	498.50	1.50	S314168	0.002	0.25	1	6	71
			498.50	500.00	1.50	S314169	0.002	0.25	1	7	74
			500.00	501.50	1.50	S314171	0.002	0.25	1	17	73
			501.50	503.00	1.50	S314172	0.002	0.25	1	6	69
			503.00	504.50	1.50	S314173	0.007	0.25	1	3	65
			504.50	506.00	1.50	S314174	0.002	0.25	2	1	66
			506.00	507.50	1.50	S314175	0.002	0.25	1	1	67
			507.50	509.00	1.50	S314176	0.002	0.25	9	7	96
			509.00	510.50	1.50	S314177	0.038	0.25	1	4	72
			510.50	512.00	1.50	S314178	0.006	0.25	17	1	83
			512.00	513.50	1.50	S314179	0.002	0.25	8	2	65
			513.50	515.00	1.50	S314181	0.002	0.25	8	1	59
			515.00	516.50	1.50	S314182	0.002	0.25	4	5	51
			516.50	518.00	1.50	S314183	0.039	0.25	0.5	1	59
			518.00	519.50	1.50	S314184	0.002	0.25	0.5	1	68
			519.50	521.00	1.50	S314185	0.002	0.25	2	1	66
			521.00	522.50	1.50	S314186	0.002	0.25	2	1	60
			522.50	524.00	1.50	S314187	0.005	0.25	3	1	60
			524.00	525.50	1.50	S314188	0.002	0.25	6	1	59
			525.50	527.00	1.50	S314189	0.002	0.25	2	1	61
			527.00	528.50	1.50	S314191	0.002	0.25	6	1	69
			528.50	530.00	1.50	S314192	0.002	0.25	4	1	58
			530.00	531.35	1.35	S314193	0.002	0.25	89	1	72
			531.35	533.00	1.65	S314194	0.046	1	153	1	88

Hole: SU-671

From (m)	To (m)	Rock Type & Description
569.20	**588.55**	**H8 Intensely silicified zone V-fsh**
569.2 - 588.55: Fault zone and H8 sill cap with argillite marks contact with V12 fragmental volcaniclastic. No clasts or framents. Purple silicifed V12 with sheared/fault gouge wall rock. Very similar to VOK sil cap. VOK extension?		
<<Min: 569.2 - 588.55: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces pyrite>>		

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
533.00	534.50	1.50	S314195	0.002	0.8	120	1	89
534.50	536.00	1.50	S314196	0.005	0.8	86	1	83
536.00	537.50	1.50	S314197	0.002	0.7	59	1	61
537.50	539.00	1.50	S314198	0.002	0.25	17	7	83
539.00	540.50	1.50	S314199	0.002	0.25	10	6	74
540.50	542.00	1.50	S314201	0.002	0.25	1	4	71
542.00	543.50	1.50	S314202	0.002	0.25	0.5	8	70
543.50	545.00	1.50	S314203	0.002	0.25	5	4	62
545.00	546.50	1.50	S314204	0.002	0.25	56	6	79
546.50	548.00	1.50	S314205	0.002	0.25	38	5	88
548.00	549.50	1.50	S314206	0.002	0.25	44	7	80
549.50	551.00	1.50	S314207	0.002	0.25	123	3	96
551.00	552.50	1.50	S314208	0.002	0.25	130	4	97
552.50	554.00	1.50	S314209	0.002	0.25	77	4	73
554.00	555.50	1.50	S314211	0.002	0.25	17	3	100
555.50	557.00	1.50	S314212	0.035	0.6	27	13	90
557.00	558.50	1.50	S314213	0.013	0.25	23	10	123
558.50	560.00	1.50	S314214	0.006	0.25	12	15	109
560.00	561.50	1.50	S314215	0.05	0.25	5	25	91
561.50	563.00	1.50	S314216	0.002	0.25	2	31	121
563.00	564.50	1.50	S314217	0.002	0.25	3	14	114
564.50	566.00	1.50	S314218	0.017	0.25	25	9	115
566.00	567.50	1.50	S314219	0.002	0.25	14	37	148
567.50	569.20	1.70	S314221	0.002	0.25	18	8	127
569.20	570.50	1.30	S314222	0.094	0.25	36	14	41
570.50	572.00	1.50	S314223	0.018	0.25	19	10	8
572.00	573.50	1.50	S314224	0.078	1.3	42	38	19

Hole: SU-671

From (m)	To (m)	Rock Type & Description
		<<Alt: 569.2 - 588.55: moderate to strong silica (pervasive silicification) / weak to moderate clay / weak to moderate pyrite / weak to moderate sericite>> Silicified V12 and argillite with intense fault gouge/clay zones. Clotted pyrite silicified intervals. Patchy intense sericite alteration visible in more competent portions of sheared rock.
		<<Vein: 569.2 - 588.55: 1.0-5.0 quartz-calcite>>
		<<Struc: 569.2 - 588.55: strongly developed fault zone>>
588.55	**642.68**	**V12 intermediate fragmental volcanics V-csh**
		588.55 - 642.68: Fragmental intermediate volcaniclastic unit with weak phyllic alteration. Fragments range from 1-20cm and are sub-rounded to sub-angular. The majority of clasts are altered to chl+/-py. Mm-2cm wide black phenos are present thoguhout, possibly tourmaline? Very dark chl?.
		<<Min: 588.55 - 628.34: 0.5-2.0% pyrite / <0.5% pyrite / traces sphalerite>> Coarse grained pyrite present wihtin chl altered clasts along with more fine grained disseminated pyrite throughout. Sph was noted as blebs within a 1cm wide chl clast.
		<<Min: 628.34 - 631.88: 2.0-5.0% magnetite / <0.5% pyrite>> Basaltic dyke is moderately magnetic and contains patchy blebs of fine grained pyrite.
		<<Min: 631.88 - 641: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>>
		<<Min: 641 - 707.5: 5.0-10.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% galena / traces sphalerite>> Pyrite is present in phenos, veinlets and disseminated throughout. Basemetals are dominantly present as blebs within qtz-cal veins. Gn is occasionally present as stringer veinlets.
		<<Alt: 588.55 - 628.34: moderate chlorite / weak to moderate silica (pervasive silicification) / weak to moderate sericite / weak pyrite>> Weak QSP alteration throughout. Volcaniclastic clasts are chl altered throughout, chl is also present on vein selveges. Some chl altered clasts also have pyrite replacement. Possible trace ank present in veins and veinlets.
		<<Alt: 628.34 - 631.88: trace calcite>> Trace calcite present within dyke.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
573.50	575.00	1.50	S314225	0.022	0.25	14	14	4
575.00	576.50	1.50	S314226	0.017	0.25	17	16	6
576.50	578.00	1.50	S314227	0.028	0.5	36	36	7
578.00	579.50	1.50	S314228	0.006	0.25	19	7	8
579.50	581.00	1.50	S314229	0.007	0.25	30	9	8
581.00	582.50	1.50	S314231	0.011	0.25	42	35	38
582.50	584.00	1.50	S314232	0.006	0.25	15	17	23
584.00	585.55	1.55	S314233	0.012	1.6	44	64	25
585.55	587.00	1.45	S314234	0.012	1.1	60	50	26
587.00	588.55	1.55	S314235	0.002	0.25	16	14	52

Hole: SU-671

From (m)	To (m)	Rock Type & Description
		<<Alt: 631.88 - 815.5: moderate silica (pervasive silicification) / moderate to strong sericite / moderate to strong pyrite / weak chlorite-pyrite / trace calcite>> Pervasive QSP alteration. Pyrite and sericite pheno recplacement throughout with pervasive silica overprinting. Veinlets of py+chl present along with qtz-cal+py veins. Occasionally trace fuchsite present as well.
		<<Vein: 588.55 - 628.34: 1.0-5.0 quartz>> mm to 1cm wide qtz-chl vn1a style veins along with 4-15cm wide brecciated qtz-chl vn1b style veins.
		<<Vein: 631.88 - 685: 1.0-5.0 quartz-calcite>> Very few veins. The veins that are present are dominantly pyrite+/-chl stringers. Minor amounts of qtz-cal vn1a style veins with blebs of pyrite within. One 12cm wide qz vein present with minor brecciated host rock within (vn1b) present.
		<<Struc: 601.6 - 601.9: weakly developed sheared>>
		<<Struc: 606.8 - 608: weakly developed Fabbric 25 deg. >> Slight fabric development of clasts and phenos. Shear? Flow?
		<<Struc: 623.25 - 623.5: moderately developed fault gouge>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
588.55	590.00	1.45	S314236	0.002	0.25	25	7	77
590.00	591.50	1.50	S314237	0.002	0.25	22	2	125
591.50	593.00	1.50	S314238	0.002	0.25	27	5	128
593.00	594.50	1.50	S314239	0.002	0.25	21	1	118
594.50	596.00	1.50	S314241	0.007	0.25	91	9	98
596.00	597.50	1.50	S314242	0.006	0.25	22	4	74
597.50	599.00	1.50	S314243	0.032	0.25	31	6	91
599.00	600.50	1.50	S314244	0.059	0.25	24	8	116
600.50	602.00	1.50	S314245	0.024	0.25	17	9	140
602.00	603.50	1.50	S314246	0.034	0.25	30	1	106
603.50	605.00	1.50	S314247	0.033	0.25	21	4	125
605.00	606.50	1.50	S314248	0.043	0.25	19	6	102
606.50	608.00	1.50	S314249	0.043	0.25	20	8	104
608.00	609.50	1.50	S314251	0.019	0.25	18	12	98
609.50	611.00	1.50	S314252	0.023	0.25	20	18	122
611.00	612.50	1.50	S314253	0.063	0.25	23	30	86
612.50	614.00	1.50	S314254	0.046	0.25	47	125	57
614.00	615.50	1.50	S314255	0.012	0.25	16	83	106

Hole: SU-671

From (m)	To (m)		Rock Type & Description	
642.68	1133.50	P1	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	lg-fg

642.68 - 1133.5: Plagioclase-hornblende porphyritic unit. Moderate to strong phyllic alteration throughout. Hbld have altered to pyrite, plag phenos have altered to sericite throughout. Contains varying amounts of base metal mineralization dominantly in vn1 style qtz-carb veins along with occasional mm sized veinlets of molybdenum. Visible silver srich electrum was noted within multiple basemetal+qtz vn2 style vein as very small (<mm) disseminated specks within usually associated with dendritic silver sulfosalt mineralization.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
615.50	617.00	1.50	S314256	0.092	0.9	13	45	75
617.00	618.50	1.50	S314257	0.121	0.9	27	28	90
618.50	620.00	1.50	S314258	0.282	0.5	25	13	113
620.00	621.50	1.50	S314259	0.227	1.2	19	11	106
621.50	623.00	1.50	S314261	5.52	6.8	19	48	73
623.00	624.50	1.50	S314262	0.124	1.3	23	42	56
624.50	626.00	1.50	S314263	0.109	1.3	21	29	71
626.00	627.50	1.50	S314264	0.566	1.8	25	65	58
627.50	628.34	0.84	S314265	0.341	1.7	28	77	135
628.34	630.00	1.66	S314266	0.002	0.25	33	23	167
630.00	631.88	1.88	S314267	0.002	0.25	27	21	159
631.88	633.50	1.62	S314268	0.112	2.2	27	212	159
633.50	635.00	1.50	S314269	0.075	0.9	28	103	145
635.00	636.50	1.50	S314271	0.083	0.7	27	69	109
636.50	638.00	1.50	S314272	0.131	0.5	35	39	106
638.00	639.50	1.50	S314273	0.231	0.5	41	51	98
639.50	641.00	1.50	S314274	0.423	0.8	98	73	61
641.00	642.68	1.68	S314275	0.573	0.8	179	70	67

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 707.5 - 740.73: 5.0-10.0% pyrite / 2.0-5.0% pyrite / <0.5% acanthite-argentite / 0.5-2.0% galena / <0.5% sphalerite>> Pyrite is present disseminated throughout, as pheno replacement of the hbl and as blebs around veins and stringer veinlets with associated chl. Basemetal mineralization is found within qtz +/- cal veins as blebs and along vein selvages. Occasional mm sized gn +/- sulf stringer veinlets throughout.									
		<<Min: 740.73 - 741.23: traces electrum / 5.0-10.0% pyrite / 0.5-2.0% acanthite-argentite / 2.0-5.0% galena / 2.0-5.0% sphalerite>> Basemetal mineralization is in the form of a Vn2 style vein of qtz with very minor cal. Silver rich electrum was observed as very small specks (<mm) within this vein which appear to be surrounded by silver sulfosalts. Trace pyragyrite was also noted within in this vein as a subheadral crystal within the vein.									
		<<Min: 741.23 - 773.59: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% acanthite-argentite / 0.5-2.0% galena / <0.5% sphalerite>> Pyrite is present disseminated throughout, as pheno replacement of the hbl and as blebs around veins and stringer veinlets with associated chl. Basemetal mineralization is found within qtz +/- cal veins as blebs and along vein selvages. Occasional mm sized mo (possibly gn) veinlets present throughout.									
		<<Min: 773.59 - 777.4: traces electrum / 0.5-2.0% pyrite / 0.5-2.0% galena / <0.5% sphalerite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> Basemetal mineralization is in the form of a Vn2 style vein of qtz with very minor cal. Silver rich electrum was observed as very small specks (<mm) within this vein which appear to be surrounded by silver sulfosalts. Minor cpy found along a fracture surfaces and as minor blebs within the vein.									
		<<Min: 777.4 - 778.89: 5.0-10.0% pyrite / 2.0-5.0% pyrite / <0.5% galena / 0.5-2.0% sphalerite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> Pyrite is present disseminated and as pheno replacement throughout, and banded within veins. Basemetal mineralization is found within qtz +/- cal veins as blebs and along vein selvages. Occasional mm sized mo (possibly gn) veinlets present throughout.									
		<<Min: 778.89 - 779.39: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% galena / <0.5% sphalerite>> Basemetal mineralization is in the form of a Vn2 style vein of qtz with very minor cal. Silver rich electrum was observed as very small specks (<mm) within this vein which appear to be surrounded by silver sulfosalts.									
		<<Min: 779.39 - 782.4: 5.0-10.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% galena / <0.5% sphalerite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> Pyrite is present disseminated and as pheno replacement throughout, as well as blebs and banding within veins. Basemetal mineralization is found within qtz +/- cal veins as blebs and along vein selvages.									
		<<Min: 782.4 - 802.91: 5.0-10.0% pyrite / 2.0-5.0% pyrite / <0.5% galena / traces sphalerite / <0.5% Ag,Pb,Sb,As sulfosalts>> Pyrite is present disseminated and as pheno replacement throughout, as well as blebs and banding within veins. Basemetal mineralization is found within qtz +/- cal veins as blebs and along vein selvages. Mo is present as stringer veinlets throughout.									
		<<Min: 802.91 - 812.05: traces electrum / 5.0-10.0% pyrite / 2.0-5.0% galena / 0.5-2.0% sphalerite / 2.0-5.0% Ag,Pb,Sb,As sulfosalts>> Basemetal mineralization is in the form of blebs within a Vn2 style vein of qtz with very minor cal. Silver rich electrum was observed as very small specks (<mm) within these veins and appears to be surrounded by silver sulfosalts. Pyrite is present disseminated and pheno replacement throughout, as well as blebs and banding within veins. Mo is present as stringer veinlets.									
		<<Min: 812.05 - 827.5: 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% galena>> Pyrite is present disseminated and pheno replacement throughout, as well as blebs and banding within veins. Basemetal mineralization is found within qtz +/- cal veins minor blebs. Mo (gn?) is present as stringer veinlets.									

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 827.5 - 832.5: electrum / 0.5-2.0% pyrite / 2.0-5.0% galena / 0.5-2.0% sphalerite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> Basemetal mineralization is in the form of blebs within a Vn2 style vein of qtz with very minor cal. Silver rich electrum was observed as very small specks (<mm) within these veins and appears to be surrounded by silver sulfosalts. Pyrite is present disseminated throughout, as well as blebs and banding within veins.									
		<<Min: 832.5 - 857.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% galena / traces sphalerite>> Pyrite is present disseminated throughout and as pheno replacement. Basemetal mineralization is found within qtz +/- cal veins as very minor blebs. Mo (gn?) is present as stringer veinlets.									
		<<Min: 857.5 - 858: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% galena / traces molybdenite>> What appears to be pyrite is forming blades within quartz calcite vein; possibly replacement/accompanying a bladed mineral (acanthite?). Fine grained silver rich electrum disseminated with pyrite in veins.									
		<<Min: 858 - 870.9: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% galena / <0.5% molybdenite>> Pyrite is present disseminated throughout and as pheno replacement as well as blebs within veins. Basemetal mineralization is found within vn1 style qtz +/- cal veins as very minor blebs and occasionally on the peripheral host rock of these veins. Mo (gn?) is present as stringer veinlets.									
		<<Min: 870.9 - 877.5: <0.5% electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 2.0-5.0% Ag,Pb,Sb,As sulfosalts / <0.5% galena>> Silver rich electrum is found disseminated as small specks throughout qtz dominant Vn2 style veining usually associated with sulf. These veins are also more silver sulfosalt rich and gn poor than previous Vn2's found up hole. Basemetal mineralization is found as blebs within veins.									
		<<Min: 877.5 - 882: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% galena / <0.5% sphalerite>> Pyrite is present disseminated throughout and as pheno replacement. Basemetal mineralization is found within qtz +/- cal veins as very minor blebs. Mo (gn?) is present as stringer veinlets.									
		<<Min: 882 - 882.5: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% Ag,Pb,Sb,As sulfosalts / traces sphalerite>> Silver rich electrum is found disseminated as small specks within qtz dominant vein associated with dendritic silver sufosalt mineralization. Basemetal mineralization is found as blebs within veins.									
		<<Min: 882.5 - 892.5: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 2.0-5.0% Ag,Pb,Sb,As sulfosalts / <0.5% galena>> Silver rich electrum is found within a silver sufosalt rich Vn2 style vein with minor gn and more minor sph. Pyrite is found within host rock as pheno replacement and disseminated throughout.									
		<<Min: 892.5 - 904.15: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% molybdenite / traces Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 904.15 - 906.2: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% molybdenite / traces Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 906.2 - 920.55: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / <0.5% molybdenite>>									
		<<Min: 920.55 - 930.8: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 930.8 - 947.2: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% molybdenite>>									
		<<Min: 947.2 - 961.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> pyrite within V3 veinlets often elongate.									

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 961.5 - 1002.72: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% Ag,Pb,Sb,As sulfosalts>> dark blue black mineral disseminated on vein rims and with pyrite replacing phenocrysts; may be sulphosalts.									
		<<Min: 1002.72 - 1014.76: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% Ag,Pb,Sb,As sulfosalts>> dark black disseminated mineral (tourmaline?) sometimes scratches metalic (silver sulphides replacing?)									
		<<Min: 1014.76 - 1015.26: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / traces sphalerite / traces galena>> silver rich electrum associated with silver sulphides in Vn2.									
		<<Min: 1015.26 - 1017.89: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% molybdenite / traces Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 1017.89 - 1018.89: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / 0.5-2.0% molybdenite>> silver rich electrum associated with sulphosalts in Vn2.									
		<<Min: 1018.89 - 1022.45: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / traces sphalerite>>									
		<<Min: 1022.45 - 1022.95: traces electrum / 2.0-5.0% pyrite / <0.5% Ag,Pb,Sb,As sulfosalts / traces sphalerite>> fine grained silver rich electrum in Vn3 associated with sulphosalts.									
		<<Min: 1022.95 - 1057.55: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / <0.5% Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 1057.55 - 1066.26: traces electrum / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> fine grained silver rich electrum associated with sulphosalts trace through interval in quartz calcite veins which also host galena and sphalerite. Mmolybdenite in stringers.									
		<<Min: 1066.26 - 1108.05: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% Ag,Pb,Sb,As sulfosalts / <0.5% molybdenite>> decreasing basemetal mineralization.									
		<<Min: 1108.05 - 1120.3: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / <0.5% molybdenite / traces galena>> base metals in irregular quartz calcite veins and vein breccia.									
		<<Min: 1120.3 - 1133.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite>> decrease in base metals.									
		<<Alt: 815.5 - 946.91: moderate silica (pervasive silicification) / moderate to strong sericite / weak to moderate pyrite / weak to moderate chlorite / weak clay>> The QSP alteration is decreasing down hole. The phenocrysts that were previous altered completely to py now have a rimming appearance of chl+cl+py in this area. Stringer veinlets of py+chl are still present. Trace spots of fuchisite alteration.									
		<<Alt: 946.91 - 1009.24: moderate sericite / weak to moderate silica (pervasive silicification) / weak to moderate pyrite / weak chlorite>> slight decrease in QSP alteration. Fine grained blue-black mineral with difuse boundaries common on vein selvages and associated with pyrite; possibly chlorite alteration of primary mineral? Tourmaline? Appears to contain some sulphosalts.									
		<<Alt: 1009.24 - 1086.51: moderate sericite / moderate silica (pervasive silicification) / moderate pyrite / weak chlorite>> increase in silicification and pyrite replacement of clasts.									
		<<Alt: 1086.51 - 1133.5: moderate sericite / weak to moderate silica (pervasive silicification) / weak to moderate pyrite / weak to moderate chlorite / weak clay>> QSP alteration decreasing, with increase in chlorite alteration.									

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 685 - 707.5: <1.0 quartz-calcite>> Similar to previous unit with the addition of grey calcite bearing Vn3 style veins.									
		<<Vein: 707.5 - 720.81: 1.0-5.0 quartz-calcite>> Various styles of Vn1 style veins often containing basemetal mineralization along with veinlets of py+chl and others of gn.									
		<<Vein: 720.81 - 724.2: 25.0-50.0 quartz-calcite>> Stockwork style qtz veins with minor cal. Contains basemetal mineralizaiton within. Variable orientations. Minor Vn1a style veins present as well.									
		<<Vein: 724.2 - 833.5: 5.0-10.0 quartz-calcite>> Various forms of Vn1 style veins. Often contain minor basemetal mineralization within and along vein selveges. Various forms of Vn2 basemetal +/- silver rich electrum bearing veins which have the general appearance and compsition of Vn1 style of veins. Various styles of stringer veinlets present, mo stringers (Vn2), sph stringers (Vn2) and py +/- chl stringers (Vn0). See structures table for angle to core axis measurements of Vn2 silver electrum veins.									
		<<Vein: 833.5 - 851.41: 1.0-5.0 quartz-calcite>> Qtz dominant Vn1a style veins, sometimes contain very minor basemetal mineralization. Grey calcite bearing Vn3 veins. Mo stringer veinlets. Occasionally there are shearing? Extensional growth features? Off what appears to be Vn3 style grey calcite veins (Vn4 style texture).									
		<<Vein: 851.41 - 870.85: 5.0-10.0 quartz-calcite>> quartz dominated veinlets to veins, often at low angle TCA. Base metals present in low concentrations within most veins. Stringers of molybdenum. Low angle veinlets form networks with high angle veinlets. Visible gold at 857.6 in multiphase low angle vein; half quartz dominated, half fine grained bladed calcite dominated, with silver sulphides on contact.									
		<<Vein: 870.85 - 876.2: 25.0-50.0 quartz-calcite>> two stockwork veins with subbordinate veins between. High basemetal content, and several locations of fine grained silver rich disseminated electrum, predominantly within the large stockwork veins.									
		<<Vein: 876.2 - 895.3: 10.0-25.0 quartz-calcite>> predominantly quartz undulatory and overprinted veinlets, locally rich in base metals, with visible silver rich electrum associated with silver sulphides.									
		<<Vein: 895.3 - 912.73: 5.0-10.0 quartz-calcite>> predominantly quartz veinlets, with fewer base metals than above. V3's often have associated elongate pyrite.									
		<<Vein: 912.73 - 917.2: 5.0-10.0 quartz-calcite>> thick coarse grained predominantly quartz veins associated with fault; would call V4's, but have some silver sulphides within.									
		<<Vein: 917.2 - 947.2: 1.0-5.0 quartz-calcite>> mixture of calcite dominant and quartz dominant veinlets and tension cracks. Discontinuous stringers with molybdenum throughout interval.									
		<<Vein: 947.2 - 959: 1.0-5.0 quartz-calcite>> predominantly calcitic veinlets, vein breccias, and stringers. Elongate pyrite in veinlets common.									
		<<Vein: 959 - 999.4: 5.0-10.0 quartz-calcite>> fine to medium grained undulatory and sheated veins often at low angle TCA, variably quartz and calcite rich. Often cross cut but coarse grained barren late stage veins.									
		<<Vein: 999.4 - 1014.76: 1.0-5.0 quartz-calcite>> variably oriented quartz calcite veinlets. Thin molybdenite stringers.									
		<<Vein: 1014.76 - 1023: 5.0-10.0 quartz-calcite>> Low angle medium to coarse grained quartz calcite veins in Vn2 to Vn3 style hosting silver rich electrum. Molybdenite stringers.									

Hole: SU-671

From (m)	To (m)	Rock Type & Description
		<<Vein: 1023 - 1030.06: 5.0-10.0 quartz-calcite>> predominantly quartz veins and swarms, with pink and grey calcite veins and vein breccias incorperrated.
		<<Vein: 1030.06 - 1057.55: 1.0-5.0 quartz-calcite>> quartz calcite veinlets, some with weak base metal mineralization, crosscut by late stage coarse grained veins. Molybdenite stringers rare.
		<<Vein: 1057.55 - 1066.3: 10.0-25.0 quartz-calcite>> strongly veined zone with predominantly quartz veins hosting variable amounts of base metals. Visible silver rich electrum associated with sulphosalts disseminated predominantly within Vn2 style veins.
		<<Vein: 1066.3 - 1108.05: 5.0-10.0 quartz-calcite>>
		<<Vein: 1108.05 - 1120.3: 5.0-10.0 quartz-calcite>> irregular Vn1b forming sheated swarms and vein breccias. Locally contain coarse grained calcite, and patchy sericite and chlorite. Have basemetal content.
		<<Vein: 1120.3 - 1133.5: 5.0-10.0 quartz-calcite>>
		<<Struc: 769.5 - 771.2: weakly developed Fabbric 40 deg. >> Alignment of phenos in host rock.
		<<Struc: 773.38 - 773.88: moderately developed vein 20 deg. >> Vein angle to core axis. Silver electrum + basemetal bearing Vn2.
		<<Struc: 778.89 - 779.39: moderately developed vein 25 deg. >> Vein angle to core axis. Silver electrum + basemetal bearing Vn2.
		<<Struc: 782.7 - 784: weakly developed Fabbric 45 deg. >> Alignment of phenos within host rock.
		<<Struc: 796.1 - 797: weakly developed sheared 15 deg. >> Sheared host rock fabric and veins.
		<<Struc: 802.91 - 803.41: moderately developed vein 25 deg. >> Vein angle to core axis. Silver electrum + basemetal bearing Vn2. This vein is very undulatory and there is no true measurement.
		<<Struc: 828.63 - 829.13: moderately developed vein 15 deg. >> Vein angle to core axis. Silver electrum + basemetal bearing Vn2.
		<<Struc: 831.5 - 832.5: moderately developed vein 30 deg. >> Vein angle to core axis. Basemetal bearing Vn2. Vein is very undulatory, no true angle.
		<<Struc: 912.82 - 917.1: moderately developed fault zone 42 deg. >> sheared to rubbly fault zone with weak gouge.
		<<Struc: 1059.78 - 1062.26: weakly developed fault zone 45 deg. >> rubble and gouge planes within mineralized section.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
642.68	644.00	1.32	S314276	0.218	1	90	51	145
644.00	645.50	1.50	S314277	0.164	0.9	99	62	162
645.50	647.00	1.50	S314278	0.294	0.9	97	58	134
647.00	648.50	1.50	S314279	0.185	0.7	44	59	478
648.50	650.00	1.50	S314281	0.222	0.6	30	68	553
650.00	651.50	1.50	S314282	0.208	0.7	39	68	408

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			651.50	653.00	1.50	S314283	0.118	0.6	29	47	893
			653.00	654.50	1.50	S314284	0.112	0.5	21	77	333
			654.50	656.00	1.50	S314285	0.155	0.6	17	82	431
			656.00	657.50	1.50	S314286	0.26	1.1	54	55	263
			657.50	659.00	1.50	S314287	0.328	1	63	47	271
			659.00	660.50	1.50	S314288	0.376	0.8	50	40	303
			660.50	662.00	1.50	S314289	0.328	0.7	60	39	249
			662.00	663.50	1.50	S314291	0.404	0.6	35	42	332
			663.50	665.00	1.50	S314292	0.315	0.5	32	41	250
			665.00	666.50	1.50	S314293	0.167	0.5	28	39	333
			666.50	668.00	1.50	S314294	0.176	0.7	31	45	408
			668.00	669.50	1.50	S314295	0.162	1.1	66	28	310
			669.50	671.00	1.50	S314296	0.218	1	39	52	608
			671.00	672.50	1.50	S314297	0.392	1.7	53	79	718
			672.50	674.00	1.50	S314298	0.15	1.2	62	41	421
			674.00	675.50	1.50	S314299	0.197	1.4	66	41	622
			675.50	677.00	1.50	S314301	0.131	0.5	20	24	208
			677.00	678.50	1.50	S314302	0.205	0.7	24	23	386
			678.50	680.00	1.50	S314303	0.178	1.3	42	35	358
			680.00	681.50	1.50	S314304	0.158	1.5	49	21	197
			681.50	683.00	1.50	S314305	0.212	1.9	19	55	375
			683.00	684.50	1.50	S314306	0.234	2.3	25	56	164
			684.50	686.00	1.50	S314307	0.175	2	24	45	126
			686.00	687.50	1.50	S314308	0.167	4.8	23	45	111
			687.50	689.00	1.50	S314309	0.193	6.5	23	32	97
			689.00	690.50	1.50	S314311	0.111	3.4	29	29	233
			690.50	692.00	1.50	S314312	0.119	2.4	33	25	104
			692.00	693.50	1.50	S314313	0.113	1.5	48	20	131
			693.50	695.00	1.50	S314314	0.141	0.9	28	17	476

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			695.00	696.50	1.50	S314315	0.098	0.7	28	18	392
			696.50	698.00	1.50	S314316	0.141	1	31	35	106
			698.00	699.50	1.50	S314317	0.255	1.3	22	45	151
			699.50	701.00	1.50	S314318	0.133	1.4	23	45	102
			701.00	702.50	1.50	S314319	0.163	1.2	18	26	82
			702.50	704.00	1.50	S314321	0.117	1.4	33	24	123
			704.00	705.50	1.50	S314322	0.142	1.5	29	31	164
			705.50	707.00	1.50	S314323	0.296	1.2	22	39	87
			707.00	708.50	1.50	S314324	0.418	3.8	42	44	215
			708.50	710.00	1.50	S314325R	0.276	9.6	34	82	675
			710.00	711.50	1.50	S314326R	0.253	6.6	27	95	380
			711.50	713.00	1.50	S314327R	0.357	8.7	25	110	258
			713.00	714.50	1.50	S314328R	0.212	4.2	21	56	174
			714.50	716.00	1.50	S314329R	0.294	9.2	17	93	205
			716.00	717.50	1.50	S314331R	0.293	17.3	37	103	267
			717.50	719.00	1.50	S314332R	0.254	11	36	78	210
			719.00	720.81	1.81	S314333R	0.281	13.1	41	81	510
			720.81	722.55	1.74	S314334R	0.548	7.2	64	29	166
			722.55	724.20	1.65	S314335R	0.225	5	38	24	197
			724.20	725.50	1.30	S314336	0.187	2.9	32	38	242
			725.50	727.00	1.50	S314337	0.277	4.6	37	116	825
			727.00	728.50	1.50	S314338	0.365	4.2	36	285	2200
			728.50	730.00	1.50	S314339	0.572	4.4	39	157	420
			730.00	731.50	1.50	S314341	0.365	11.8	46	253	718
			731.50	733.00	1.50	S314342	0.778	6.8	32	71	316
			733.00	734.50	1.50	S314343	1.24	12.6	47	74	582
			734.50	736.00	1.50	S314344	0.561	25.6	59	57	208
			736.00	737.50	1.50	S314345R	0.491	28.7	51	41	167
			737.50	739.00	1.50	S314346R	0.329	38.5	86	54	272

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			739.00	740.73	1.73	S314347R	0.703	63.2	66	103	277
			740.73	741.23	0.50	S314348R	7.64	1595	206	1160	1625
			741.23	743.00	1.77	S314351R	0.499	98.8	30	86	173
			743.00	744.50	1.50	S314352R	0.33	36.1	27	56	242
			744.50	746.00	1.50	S314353R	0.509	19.2	61	47	251
			746.00	747.50	1.50	S314354R	0.399	19.8	63	44	400
			747.50	749.00	1.50	S314355R	0.422	8.8	34	37	280
			749.00	750.50	1.50	S314356	0.226	17	50	23	240
			750.50	752.00	1.50	S314357	0.297	9.9	28	30	200
			752.00	753.50	1.50	S314358	0.428	7.7	31	35	297
			753.50	755.00	1.50	S314359	0.289	14.1	57	32	294
			755.00	756.50	1.50	S314361	0.349	16.4	71	96	2140
			756.50	758.00	1.50	S314362	0.293	4.8	28	40	137
			758.00	759.50	1.50	S314363	0.242	8.1	32	45	369
			759.50	761.00	1.50	S314364	0.209	13.9	44	37	216
			761.00	762.50	1.50	S314365	0.321	7.3	35	16	177
			762.50	763.65	1.15	S314366	0.243	8.1	28	30	171
			763.65	764.50	0.85	S314367	0.218	4.3	18	41	74
			764.50	765.31	0.81	S314368	0.159	15.7	54	28	140
			765.31	766.41	1.10	S314369	0.238	40.5	91	27	122
			766.41	768.00	1.59	S314371	0.235	23.4	35	94	292
			768.00	769.50	1.50	S314372	0.178	7	18	59	135
			769.50	771.00	1.50	S314373	0.233	3.1	10	32	124
			771.00	772.50	1.50	S314374	0.273	6.1	24	37	158
			772.50	773.38	0.88	S314375	0.264	4.5	19	69	129
			773.38	773.88	0.50	S314376	0.937	134	637	109	377
			773.88	774.40	0.52	S314378	1.39	222	968	110	654
			774.40	776.00	1.60	S314379	0.272	21.9	45	42	103
			776.00	777.50	1.50	S314381	0.278	11.1	22	62	534

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			777.50	778.89	1.39	S314382	0.947	88.5	22	334	653
			778.89	779.39	0.50	S314383	1.425	140	53	230	302
			779.39	779.90	0.51	S314385	1.26	90.7	41	149	87
			779.90	780.40	0.50	S314386	0.466	51.5	46	116	91
			780.40	780.90	0.50	S314387	0.782	95.5	27	169	193
			780.90	781.40	0.50	S314388	0.495	31.7	10	43	32
			781.40	781.90	0.50	S314389	0.853	110	21	96	57
			781.90	782.40	0.50	S314391	0.334	11.8	15	48	124
			782.40	784.00	1.60	S314392	0.245	34.5	62	36	174
			784.00	785.50	1.50	S314393	0.306	17.7	17	58	202
			785.50	786.55	1.05	S314394	0.279	13.8	20	63	192
			786.55	787.76	1.21	S314395	0.275	14.7	27	68	256
			787.76	788.50	0.74	S314396	0.156	13.3	33	46	64
			788.50	790.00	1.50	S314397	0.192	9.5	15	61	139
			790.00	791.00	1.00	S314398	0.326	76.1	156	47	198
			791.00	792.50	1.50	S314399	0.214	15.9	84	58	316
			792.50	794.00	1.50	S314401	0.114	6.4	53	39	118
			794.00	795.20	1.20	S314402	0.105	6.2	31	53	230
			795.20	796.10	0.90	S314403	0.171	8.1	43	90	181
			796.10	797.35	1.25	S314404	0.17	6.3	20	72	228
			797.35	798.50	1.15	S314405	0.144	4.3	18	22	80
			798.50	800.00	1.50	S314406	0.435	5.4	28	61	379
			800.00	801.50	1.50	S314407	0.359	9.3	45	19	66
			801.50	802.41	0.91	S314408	0.662	20.2	50	23	82
			802.41	802.91	0.50	S314409	0.587	38	68	18	228
			802.91	803.41	0.50	S314411	2.29	621	142	35	154
			803.41	804.16	0.75	S314413	0.423	49.2	64	16	86
			804.16	804.66	0.50	S314414	1.17	167	62	24	91
			804.66	805.10	0.44	S314416	0.591	34.5	65	38	160

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			805.10	805.60	0.50	S314417	0.591	76	133	27	227
			805.60	806.10	0.50	S314418	0.319	31.8	57	32	119
			806.10	806.55	0.45	S314419	0.43	28.3	66	21	330
			806.55	807.03	0.48	S314421	0.745	37	89	24	183
			807.03	807.44	0.41	S314422	0.821	55	97	21	114
			807.44	807.94	0.50	S314423	0.755	43.6	82	19	105
			807.94	808.73	0.79	S314425	0.582	13.5	23	31	133
			808.73	809.23	0.50	S314426	0.938	163	149	276	390
			809.23	809.73	0.50	S314427	1.245	240	62	483	564
			809.73	810.50	0.77	S314429	0.257	7.4	9	48	52
			810.50	811.00	0.50	S314431	0.388	4.8	14	30	54
			811.00	811.50	0.50	S314432	0.34	13.9	38	39	115
			811.50	812.05	0.55	S314433	0.225	10.3	37	49	254
			812.05	813.50	1.45	S314434	0.483	2.6	13	35	77
			813.50	814.50	1.00	S314435	0.253	17.5	57	22	155
			814.50	816.00	1.50	S314436	0.245	2.1	55	13	91
			816.00	817.50	1.50	S314437	0.474	1.6	52	11	76
			817.50	818.50	1.00	S314438	0.34	1.5	61	17	142
			818.50	820.00	1.50	S314439	0.244	1.4	35	19	106
			820.00	821.50	1.50	S314441	0.318	2.1	60	32	185
			821.50	823.00	1.50	S314442	0.301	4.3	104	17	122
			823.00	824.50	1.50	S314443	0.376	6.8	68	16	124
			824.50	826.00	1.50	S314444	0.158	2.6	38	27	131
			826.00	827.50	1.50	S314445	0.177	1.6	82	21	79
			827.50	828.63	1.13	S314446	0.25	8.1	39	31	71
			828.63	829.13	0.50	S314447	1.3	123	114	406	1370
			829.13	830.00	0.87	S314449	0.254	9.5	51	41	158
			830.00	831.50	1.50	S314451	0.258	4.3	101	110	851
			831.50	832.00	0.50	S314452	0.895	94.9	91	281	1580

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			832.00	832.50	0.50	S314453	1.855	187	110	742	1880
			832.50	834.00	1.50	S314454	0.196	9.9	94	24	125
			834.00	835.50	1.50	S314455	0.115	6.4	68	26	344
			835.50	837.00	1.50	S314456	0.156	2	36	30	145
			837.00	838.50	1.50	S314457	0.179	1.8	24	32	108
			838.50	840.00	1.50	S314458	0.174	2.1	83	33	129
			840.00	841.50	1.50	S314459	0.227	5.2	31	37	109
			841.50	843.00	1.50	S314461	0.209	2	40	101	177
			843.00	844.50	1.50	S314462	0.184	2	14	74	129
			844.50	846.00	1.50	S314463	0.137	1.4	16	43	225
			846.00	847.50	1.50	S314464	0.163	1.6	39	43	125
			847.50	849.00	1.50	S314465R	0.129	1.5	47	48	178
			849.00	850.50	1.50	S314466R	0.111	1.6	80	21	103
			850.50	852.00	1.50	S314467R	0.316	2.1	79	14	96
			852.00	853.50	1.50	S314468R	0.179	1.1	68	19	123
			853.50	855.00	1.50	S314469R	0.372	1.2	18	17	106
			855.00	856.50	1.50	S314471R	0.381	2.5	34	18	98
			856.50	857.50	1.00	S314472R	1.695	2.9	38	15	117
			857.50	858.00	0.50	S314473R	0.525	51.8	30	72	137
			858.00	859.50	1.50	S314475R	0.457	4.7	66	33	115
			859.50	861.00	1.50	S314476	0.335	4.7	18	28	139
			861.00	862.50	1.50	S314477	0.338	4.3	23	69	266
			862.50	864.00	1.50	S314478	0.356	10.8	56	42	232
			864.00	865.50	1.50	S314479	0.485	3.5	41	18	77
			865.50	867.00	1.50	S314481	0.605	1.4	46	13	223
			867.00	868.50	1.50	S314482	0.438	1.7	23	17	192
			868.50	870.00	1.50	S314483	0.497	5.4	15	30	124
			870.00	870.90	0.90	S314484	0.606	27.9	40	103	147
			870.90	871.50	0.60	S314485	0.687	20.9	37	37	155

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			871.50	872.00	0.50	S314486	1.205	247	554	208	406
			872.00	872.50	0.50	S314487	3.28	218	461	305	942
			872.50	873.00	0.50	S314489	1.78	71.7	152	108	407
			873.00	873.50	0.50	S314491	0.856	83	124	164	527
			873.50	874.00	0.50	S314492	1.525	68.4	76	176	416
			874.00	874.50	0.50	S314493	1.125	50.6	44	136	348
			874.50	875.00	0.50	S314494	1.71	64.5	47	196	547
			875.00	875.50	0.50	S314495	6.95	598	97	512	1610
			875.50	876.00	0.50	S314496	6.29	328	115	487	1760
			876.00	877.00	1.00	S314498	0.356	14.9	51	26	73
			877.00	877.50	0.50	S314499	0.803	58.5	63	28	108
			877.50	878.50	1.00	S314501	0.614	6.3	19	16	92
			878.50	879.50	1.00	S314502	1.275	7	32	28	110
			879.50	880.50	1.00	S314503	1.53	9.3	110	35	127
			880.50	882.00	1.50	S314504	0.971	18.1	106	18	91
			882.00	882.50	0.50	S314505	0.602	40.2	129	22	86
			882.50	884.00	1.50	S314507	0.474	7.4	33	13	80
			884.00	885.50	1.50	S314508	0.67	4.3	21	23	158
			885.50	887.00	1.50	S314509	0.417	8	32	19	140
			887.00	888.50	1.50	S314511	0.709	7.6	79	13	128
			888.50	890.00	1.50	S314512	0.452	8.5	20	19	59
			890.00	891.50	1.50	S314513	0.524	14.1	59	15	87
			891.50	892.50	1.00	S314514	0.544	10.7	83	10	104
			892.50	893.00	0.50	S314515	0.502	122	253	28	179
			893.00	894.50	1.50	S314517	0.478	14.4	64	36	86
			894.50	896.00	1.50	S314518	0.615	9.5	53	20	121
			896.00	897.50	1.50	S314519	0.536	16.4	97	17	105
			897.50	899.00	1.50	S314521	0.59	8.4	45	27	163
			899.00	900.50	1.50	S314522	0.497	9.4	46	19	117

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			900.50	902.00	1.50	S314523	0.536	7.7	38	14	114
			902.00	903.50	1.50	S314524	0.392	10	57	9	129
			903.50	905.00	1.50	S314525	0.351	6.4	25	17	145
			905.00	906.50	1.50	S314526	0.275	6.5	18	28	69
			906.50	908.00	1.50	S314527	0.235	3	9	20	92
			908.00	909.50	1.50	S314528	0.196	2.2	12	15	194
			909.50	911.00	1.50	S314529	0.374	2.7	17	28	112
			911.00	912.82	1.82	S314531	0.559	3.6	27	50	175
			912.82	914.00	1.18	S314532	0.342	7.5	34	17	121
			914.00	915.50	1.50	S314533	0.439	6.5	49	24	233
			915.50	917.10	1.60	S314534	0.435	5.3	45	29	351
			917.10	918.50	1.40	S314535	1.655	14.2	87	57	239
			918.50	920.00	1.50	S314536	1.66	2.2	86	12	120
			920.00	921.50	1.50	S314537	2.32	4.2	101	19	136
			921.50	923.00	1.50	S314538	0.885	14	72	10	185
			923.00	924.50	1.50	S314539	0.695	3.8	25	24	186
			924.50	926.00	1.50	S314541	1.02	7.8	68	21	609
			926.00	927.50	1.50	S314542	0.771	12.1	92	19	319
			927.50	929.00	1.50	S314543	0.987	7.6	80	19	173
			929.00	930.50	1.50	S314544	1.66	9.9	85	33	536
			930.50	932.00	1.50	S314545	1.13	10.4	55	23	148
			932.00	933.50	1.50	S314546	0.563	17.6	60	36	218
			933.50	935.00	1.50	S314547	0.581	23.8	42	70	119
			935.00	936.50	1.50	S314548	0.343	11.1	38	23	89
			936.50	938.00	1.50	S314549	0.428	8.2	37	21	154
			938.00	939.50	1.50	S314551	0.289	10.7	37	23	107
			939.50	941.00	1.50	S314552	0.303	5.1	40	16	104
			941.00	942.50	1.50	S314553	0.342	3	21	19	171
			942.50	944.00	1.50	S314554	0.349	2.7	29	32	114

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			944.00	945.50	1.50	S314555	0.357	4.1	49	54	284
			945.50	947.00	1.50	S314556	0.424	7.1	37	36	143
			947.00	948.50	1.50	S314557	0.497	5.8	40	42	338
			948.50	950.00	1.50	S314558	0.267	3.2	36	28	198
			950.00	951.50	1.50	S314559	0.355	3.4	34	27	154
			951.50	953.00	1.50	S314561	0.296	4	42	26	141
			953.00	954.50	1.50	S314562	0.306	6.6	40	24	231
			954.50	956.00	1.50	S314563	0.167	8.1	40	18	218
			956.00	957.50	1.50	S314564	0.232	4.8	24	22	189
			957.50	959.00	1.50	S314565	0.219	4.8	23	19	205
			959.00	960.50	1.50	S314566	0.276	7.5	40	22	420
			960.50	962.00	1.50	S314567	0.298	3.7	22	25	190
			962.00	963.50	1.50	S314568	0.241	11.7	28	23	218
			963.50	965.00	1.50	S314569	0.521	3.9	25	23	174
			965.00	966.50	1.50	S314571	1.71	3.3	20	31	202
			966.50	968.00	1.50	S314572	0.363	2.8	26	27	368
			968.00	969.50	1.50	S314573	0.31	2.9	26	22	223
			969.50	971.00	1.50	S314574	0.286	3	18	23	115
			971.00	972.50	1.50	S314575	0.255	3.5	13	27	107
			972.50	974.00	1.50	S314576	0.312	3.5	19	25	258
			974.00	975.50	1.50	S314577	0.319	2.5	11	24	162
			975.50	977.00	1.50	S314578	0.615	8.7	32	21	102
			977.00	978.50	1.50	S314579	0.425	2.3	17	23	98
			978.50	980.00	1.50	S314581	0.39	2.2	13	17	86
			980.00	981.50	1.50	S314582	0.331	1.9	9	20	87
			981.50	983.00	1.50	S314583	0.297	1.9	9	23	81
			983.00	984.50	1.50	S314584	0.228	1.9	8	19	87
			984.50	986.00	1.50	S314585	0.167	1.5	7	11	88
			986.00	987.50	1.50	S314586	0.202	1.7	7	14	93

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			987.50	989.00	1.50	S314587	0.31	1.5	5	20	95
			989.00	990.50	1.50	S314588	0.311	1.5	5	20	96
			990.50	992.00	1.50	S314589	0.28	1.7	11	20	91
			992.00	993.50	1.50	S314591	0.298	1.7	8	23	101
			993.50	995.00	1.50	S314592	0.246	2	5	14	87
			995.00	996.50	1.50	S314593	0.44	17.3	13	47	182
			996.50	998.00	1.50	S314594	0.208	3	9	13	123
			998.00	999.50	1.50	S314595	0.29	2.9	11	15	238
			999.50	1001.00	1.50	S314596	0.505	2.2	60	11	198
			1001.00	1002.50	1.50	S314597	0.135	1.9	18	14	248
			1002.50	1004.00	1.50	S314598	0.247	2	16	18	293
			1004.00	1005.50	1.50	S314599	0.367	2.2	31	20	201
			1005.50	1007.00	1.50	S314601	0.289	2.3	33	25	175
			1007.00	1008.50	1.50	S314602	0.34	4.8	110	24	133
			1008.50	1010.00	1.50	S314603	0.551	10.9	101	118	346
			1010.00	1011.50	1.50	S314604	0.517	4.5	64	23	183
			1011.50	1013.00	1.50	S314605	0.567	1.5	23	19	161
			1013.00	1014.76	1.76	S314606	0.398	3.7	19	27	143
			1014.76	1015.26	0.50	S314607	1.485	310	435	65	288
			1015.26	1016.50	1.24	S314609	0.404	5.4	54	14	216
			1016.50	1017.89	1.39	S314611	0.959	3.6	37	18	111
			1017.89	1018.39	0.50	S314612	1.665	56.6	63	19	80
			1018.39	1018.89	0.50	S314614	0.81	32.9	67	15	607
			1018.89	1020.00	1.11	S314616	0.255	6.8	27	21	250
			1020.00	1021.50	1.50	S314617	0.203	4.4	15	18	346
			1021.50	1022.45	0.95	S314618	0.286	3.5	12	22	371
			1022.45	1022.95	0.50	S314619	0.363	10.5	12	24	59
			1022.95	1024.50	1.55	S314621	0.475	4.3	16	21	90
			1024.50	1026.00	1.50	S314622	0.717	6	27	25	111

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1026.00	1027.50	1.50	S314623	0.441	7.7	47	20	107
			1027.50	1029.00	1.50	S314624	1.025	41.6	44	40	101
			1029.00	1030.50	1.50	S314625	0.377	8.4	50	21	95
			1030.50	1032.00	1.50	S314626	0.373	3.8	60	28	182
			1032.00	1033.50	1.50	S314627	0.494	2.7	44	36	324
			1033.50	1035.00	1.50	S314628	0.621	3.5	30	34	114
			1035.00	1036.50	1.50	S314629	0.545	1.5	22	28	117
			1036.50	1038.00	1.50	S314631	0.354	1.5	16	20	156
			1038.00	1039.50	1.50	S314632	0.469	1.4	12	24	121
			1039.50	1041.00	1.50	S314633	0.42	1.2	20	26	211
			1041.00	1042.50	1.50	S314634	0.356	1.6	19	22	183
			1042.50	1044.00	1.50	S314635	0.545	1.1	32	41	257
			1044.00	1045.50	1.50	S314636	0.351	1.4	39	14	164
			1045.50	1047.00	1.50	S314637	0.358	2.6	29	25	165
			1047.00	1048.50	1.50	S314638	0.477	3.4	42	25	151
			1048.50	1050.00	1.50	S314639	0.339	3.5	17	25	125
			1050.00	1051.50	1.50	S314641	0.843	3.5	25	35	115
			1051.50	1053.00	1.50	S314642	0.52	2.3	15	30	124
			1053.00	1054.50	1.50	S314643	1.12	5.6	19	28	207
			1054.50	1056.00	1.50	S314644	0.724	2.5	8	36	156
			1056.00	1057.58	1.58	S314645	1.87	7.5	37	21	144
			1057.58	1058.08	0.50	S314646	15.7	224	268	23	116
			1058.08	1058.64	0.56	S314648	8.26	27.9	70	21	106
			1058.64	1059.14	0.50	S314651	9.17	47.2	117	43	106
			1059.14	1061.00	1.86	S314653	15.8	40.6	41	58	100
			1061.00	1062.50	1.50	S314654	5.42	77.5	91	40	102
			1062.50	1064.34	1.84	S314655	1.795	81.2	116	40	105
			1064.34	1064.84	0.50	S314656	5.65	83.4	126	15	100
			1064.84	1065.76	0.92	S314658	11.95	108	131	47	105

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1065.76	1066.26	0.50	S314659	29.1	300	329	46	133
			1066.26	1067.50	1.24	S314661	0.796	14.9	61	24	110
			1067.50	1069.00	1.50	S314662	0.525	9.9	56	13	101
			1069.00	1070.50	1.50	S314663	0.617	35.1	53	21	105
			1070.50	1072.00	1.50	S314664	0.661	40.4	82	35	145
			1072.00	1073.50	1.50	S314665	0.282	7.9	47	23	107
			1073.50	1075.00	1.50	S314666	0.714	4.3	27	27	66
			1075.00	1076.50	1.50	S314667	0.442	5.9	95	19	89
			1076.50	1078.00	1.50	S314668	0.583	9.8	38	23	83
			1078.00	1079.50	1.50	S314669	0.5	3.5	17	25	81
			1079.50	1081.00	1.50	S314671	0.568	2.1	25	17	78
			1081.00	1082.50	1.50	S314672	0.413	2	7	27	72
			1082.50	1084.00	1.50	S314673	0.285	0.9	24	20	95
			1084.00	1085.50	1.50	S314674	0.262	2	29	20	86
			1085.50	1087.00	1.50	S314675	0.28	2.5	9	25	78
			1087.00	1088.50	1.50	S314676	0.662	1.1	12	21	79
			1088.50	1090.00	1.50	S314677	0.841	2.7	11	24	85
			1090.00	1091.50	1.50	S314678	0.431	2.1	38	25	117
			1091.50	1093.00	1.50	S314679	0.36	2.3	57	33	182
			1093.00	1094.50	1.50	S314681	0.311	2.9	67	15	93
			1094.50	1096.00	1.50	S314682	0.296	1.1	14	14	75
			1096.00	1097.50	1.50	S314683	0.551	1.6	39	13	87
			1097.50	1099.00	1.50	S314684	0.505	1.4	29	17	90
			1099.00	1100.50	1.50	S314685	0.859	2.3	14	19	91
			1100.50	1102.00	1.50	S314686	0.744	1.7	14	22	114
			1102.00	1103.50	1.50	S314687	0.685	1.5	27	33	123
			1103.50	1105.00	1.50	S314688	0.55	1.3	21	18	110
			1105.00	1106.50	1.50	S314689	0.34	2.5	15	67	194
			1106.50	1108.00	1.50	S314691	0.139	1.8	14	48	104

Hole: SU-671

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			1108.00	1109.50	1.50	S314692	0.181	1.9	19	33	131
			1109.50	1111.00	1.50	S314693	0.266	5.5	17	32	103
			1111.00	1112.50	1.50	S314694	0.643	20.6	47	33	90
			1112.50	1114.00	1.50	S314695	0.141	3.4	49	25	146
			1114.00	1115.50	1.50	S314696	0.365	2	95	20	103
			1115.50	1117.00	1.50	S314697	0.337	1.3	34	28	167
			1117.00	1118.50	1.50	S314698	0.419	2.2	36	17	85
			1118.50	1120.00	1.50	S314699	6.24	498	72	129	293
			1120.00	1121.50	1.50	S314701	1.385	69	101	33	177
			1121.50	1123.00	1.50	S314702	0.276	4.8	36	21	76
			1123.00	1124.50	1.50	S314703	0.281	2	50	39	118
			1124.50	1126.00	1.50	S314704	0.206	2.3	30	21	84
			1126.00	1127.50	1.50	S314705	0.196	1.7	34	21	71
			1127.50	1129.00	1.50	S314706	0.584	2.4	45	41	100
			1129.00	1130.50	1.50	S314707	0.417	1.1	23	27	113
			1130.50	1132.00	1.50	S314708	0.267	1.2	47	38	171
			1132.00	1133.50	1.50	S314709	0.523	1.3	51	35	144

End of Hole @ 1133.5

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-671-W1

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	kwynne	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	10/8/2015	**Core Size:**	HQ
UTM East:	427161.2	**Azimuth:**		**Date Completed:**	10/13/2015	**Casing Pulled?**	☐
UTM North:	6257333.35	**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):	1172.65	**Length (m):**	151.5	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	10/6/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**		**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):		wedge from 532.5m off of SU-671				**Water Depth (m):**	
						Structure Type:	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	10/6/2015	-61.7	151.8	20.4	172.2	55835	☑	
2	REFLEX	10/6/2015	-61.7	151.8	20.4	172.2	55835	☑	
12	REFLEX	10/6/2015	-62.6	154	20.4	174.4	55889	☑	
21	REFLEX	10/6/2015	-62.6	156.7	20.4	177.1	55889	☑	
33	REFLEX	10/6/2015	-61.8	150	20.4	170.4	55749	☑	
63.5	REFLEX	10/6/2015	-61.4	152.2	20.4	172.6	55717	☑	
102.5	REFLEX	10/6/2015	-61.7	151.8	20.4	172.2	55835	☑	
151.5	REFLEX	10/6/2015	-61.3	155.4	20.4	175.8	55720	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-671-W1

From (m)	To (m)	Rock Type & Description
0.00	**35.94**	**V12 intermediate fragmental volcanics V-csh** 0 - 35.94: plageoclase and hornblende crystal tuff, locally with coarse phenocrysts up to 0.5cm long. Hornblende has been chlorite altered, while plageoclase is clay altered. Increasingly clastic down interval. Clasts predominantly angular P1. <<Min: 0 - 24.5: traces pyrite / traces Ag,Pb,Sb,As sulfosalts>> trace disseminated pyrite, and sulphosalts in dendrils associated with fracture fill veinlets. <<Min: 24.5 - 35.94: 0.5-2.0% pyrite>> blebs of disseminated pyrite preferentially occuring in clasts. <<Alt: 0 - 35.94: moderate sericite / moderate chlorite / weak to moderate clay / weak to moderate illite / weak silica (pervasive silicification)>> blue green sericite, clay, and illite with minor chlorite in matrix. Moderate chorite and minor sericite altering P1 clasts. Illite alters matrix in patches. Silicification increasingly common down interval. <<Vein: 0 - 35.7: 1.0-5.0 quartz-calcite-pink calcite>> predominantly calcite with pink calcite and gypsum locally. Quartz locally has opaque blue/green colour from sericite inclusions. Veins are discontinuous and forming vein breccias, as well as thin fracture fills. <<Vein: 35.7 - 53.37: 10.0-25.0 quartz-calcite>> predominantly quartz veins and veinlets associated with intensely silicified sections. Some quartz found within fault gouge, which does not appear calcareous.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	1.50	1.50	S314751	0.002	0.6	106	5	86
1.50	3.00	1.50	S314752	0.002	0.25	45	3	76
3.00	4.50	1.50	S314753	0.002	0.25	62	4	69
4.50	6.00	1.50	S314754	0.002	0.25	25	5	73
6.00	7.50	1.50	S314755	0.002	0.25	16	3	80
7.50	9.00	1.50	S314756	0.002	0.25	2	2	79
9.00	10.50	1.50	S314757	0.002	0.25	2	1	67
10.50	12.00	1.50	S314758	0.002	0.25	6	1	66
12.00	13.50	1.50	S314759	0.002	0.25	35	2	91
13.50	15.00	1.50	S314761	0.002	0.25	75	4	87
15.00	15.60	0.60	S314762	0.002	0.25	86	1	95
15.60	17.00	1.40	S314763	0.002	0.25	218	2	76
17.00	18.50	1.50	S314764	0.002	0.25	138	1	113
18.50	20.00	1.50	S314765	0.002	0.25	153	1	107
20.00	21.50	1.50	S314766	0.025	0.5	63	26	100
21.50	23.00	1.50	S314767	0.034	0.7	39	18	81
23.00	24.50	1.50	S314768	0.002	0.25	30	18	120
24.50	26.00	1.50	S314769	0.01	0.25	15	10	142
26.00	27.50	1.50	S314771	0.002	0.25	8	20	118
27.50	29.00	1.50	S314772	0.031	0.25	3	26	103
29.00	30.50	1.50	S314773	0.002	0.25	4	6	107
30.50	32.00	1.50	S314774	0.002	0.25	10	5	150

Hole: SU-671-W1

From (m)	To (m)	Rock Type & Description
35.94	**53.03**	**H8 Intensely silicified zone V-fsh**

35.94 - 53.03: intensely clay and sericite altered and faulted zone with strong silicification of unfaulted sections. Angular clasts of argillite within silicified sections and graphitic planes within the fault. Arsenopyrite as coarse grained euhedral crystals and needles near 45m depth.

<<Min: 35.94 - 42: 0.5-2.0% pyrite>> very fine grained pyrite replaciting argillite clasts in intensely silicified sections, and as disseminations in intense fault.

<<Min: 42 - 45.14: <0.5% arsenopyrite / 0.5-2.0% pyrite>> coarse euhedral and needles of arsenopyrite disseminated on rims of quartz vein and in very fine grained pyrite and remobalized carbon stringers.

<<Min: 45.14 - 53.03: 0.5-2.0% pyrite / <0.5% pyrite>> very fine grained pyrite with remobalized carbon sections, and medium grained disseminated subhedral pyrite in both fault gouge and competent rock.

<<Alt: 35.94 - 39.18: strong clay / moderate to strong illite>> intense clay in fault zone. Illite in more competent sections.

<<Alt: 39.18 - 45.14: strong silica (pervasive silicification) / weak to moderate sericite>> intense silicification overprinting everything, with local blotches of flakey sericite.

<<Alt: 45.14 - 52.51: strong clay / strong sericite / moderate illite>> intense clay alteration in fault zone with tortise sell texture of sericite controlled by shear planes. Illite in compentent rock. Local black sheared sections appear to be remobalized carbon rich zones.

<<Alt: 52.51 - 53.03: moderate to strong silica (pervasive silicification) / moderate illite>> silicified zone with mauve grey colour. Less silicified sections soft and illite altered.

<<Struc: 35.94 - 39.18: strongly developed fault zone 45 deg. >> intense clay alteration and gouge.

<<Struc: 45.14 - 52.51: strongly developed fault zone 34 deg. >> intense clay and sericite alteration, forming tortise shell texture locally. Unfaulted sections still very clay/illite altered.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
32.00	33.50	1.50	S314775	0.02	0.25	14	2	147
33.50	35.00	1.50	S314776	0.002	0.25	11	6	117
35.00	35.94	0.94	S314777	0.002	0.25	15	5	115
35.94	36.50	0.56	S314778	0.022	0.25	34	52	103
36.50	38.00	1.50	S314779	0.021	0.25	27	11	21
38.00	39.18	1.18	S314781	0.029	0.25	31	10	11
39.18	40.50	1.32	S314782	0.036	0.25	9	5	4
40.50	42.00	1.50	S314783	0.005	0.25	7	3	2
42.00	43.50	1.50	S314784	0.005	0.25	6	4	12
43.50	45.14	1.64	S314785	0.01	0.25	32	24	16

Hole: SU-671-W1

From (m)	To (m)	Rock Type & Description
53.03	**82.36**	**V12 intermediate fragmental volcanics V-fsh**

53.03 - 82.36: variable unit with ash rich sections interbedded with lapilli rich zones. Clasts are predominantly P1, locally strongly sheared and elongated. First 2 meters are medium grey fine grained mixture of ash and sediments. Clastic subsections with intense clay/sericite alteration of matrix appear to be healed fault zones.

<<Min: 53.03 - 68: <0.5% pyrite / <0.5% pyrite>>

<<Min: 68 - 85.56: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts>> very fine grained pyrite in patches/bands replacing matrix.trace denritic stringers of sulphosalts.

<<Alt: 53.03 - 55.55: moderate to strong illite / weak to moderate silica (pervasive silicification) / weak to moderate sericite>> gradational grey to green fine grained section. Appears to be sediment rich at top, and relatively unaltered. Grading to illite/sericite altered volcanic ash at bottom.

<<Alt: 55.55 - 63: moderate to strong sericite / weak to moderate clay / weak silica (pervasive silicification) / weak chlorite>> intervals with strong sericite and clay alteration of matrix appear to be healed faults, proximal to current fault at 60m.

<<Alt: 63 - 85.56: moderate to strong sericite / moderate chlorite / weak to moderate silica (pervasive silicification) / moderate pyrite>> sercite altered with chlorite in clasts.

<<Vein: 53.37 - 66.5: <1.0 quartz-calcite>> predominantly quartz with minor calcite and clay as thin veinlets and fracture fills at variable angles.

<<Vein: 66.5 - 82.7: 5.0-10.0 quartz-calcite>> predominantly quartz, as flooded vein breccias and large veins (Vn1b to Vn1c). Coarse grained and barren.

<<Struc: 59.9 - 60.25: strongly developed fault zone>> fault gouge zone near clastic rocks which appear to be healed faults.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
45.14	46.50	1.36	S314786	0.008	0.25	25	20	11
46.50	48.00	1.50	S314787	0.01	1.6	26	25	25
48.00	49.50	1.50	S314788	0.002	0.25	18	18	25
49.50	51.00	1.50	S314789	0.002	0.25	25	24	7
51.00	52.51	1.51	S314791	0.005	0.7	32	31	5
52.51	53.03	0.52	S314792	0.002	0.25	5	5	42
53.03	54.50	1.47	S314793	0.002	0.25	15	8	147
54.50	56.00	1.50	S314794	0.002	0.25	19	1	103
56.00	57.50	1.50	S314795	0.002	0.25	20	1	111
57.50	59.00	1.50	S314796	0.002	0.25	17	2	107

Hole: SU-671-W1

From (m)	To (m)		Rock Type & Description	
82.36	**151.50**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**

82.36 - 151.5: up to 2cm long Plagioclase-hornblende porphyritic unit. Moderate to strong phyllic alteration throughout. Plageoclase appears to be dominant. Black specks/ blebs within rock appear to be of several different origins; some appear to be argillite fragments, while others are more crystaline (possibly tourmoline?)

Last 2m recovered as reamed rubble/fault.

<<Min: 85.56 - 88.03: <0.5% pyrite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
59.00	60.50	1.50	S314797	0.002	0.25	29	3	113
60.50	62.00	1.50	S314798	0.009	0.25	21	11	99
62.00	63.50	1.50	S314799	0.031	0.25	22	13	130
63.50	65.00	1.50	S314801	0.028	0.25	23	14	122
65.00	66.50	1.50	S314802	0.088	0.25	23	8	126
66.50	68.00	1.50	S314803	0.025	0.25	17	12	131
68.00	69.50	1.50	S314804	0.031	0.25	23	32	58
69.50	71.00	1.50	S314805	1.36	1.1	21	55	36
71.00	72.50	1.50	S314806	0.589	2.6	12	129	42
72.50	74.00	1.50	S314807	0.429	2.1	9	217	55
74.00	75.50	1.50	S314808	0.169	1.9	131	183	74
75.50	77.00	1.50	S314809	0.215	1.1	21	93	64
77.00	78.50	1.50	S314811	0.009	0.25	9	16	117
78.50	80.00	1.50	S314812	0.005	0.25	11	5	131
80.00	81.50	1.50	S314813	0.015	0.25	15	29	114
81.50	82.36	0.86	S314814	0.093	1.2	17	251	115
82.36	83.56	1.20	S314815	0.202	0.8	25	47	117
83.56	85.06	1.50	S314816	0.167	0.6	22	27	98
85.06	85.56	0.50	S314817	0.718	0.7	7	36	76

Hole: SU-671-W1

From (m)	To (m)	Rock Type & Description
		<<Min: 88.03 - 99: 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts / traces sphalerite>> very fine grained and medium grained disseminated pyrite. Trace sphalerite and silver sulphides associated with pyrite blebs.
		<<Min: 99 - 117.95: 5.0-10.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts>> strong QSP pyrite. Trace sulphosalts associated with quartz veinlets.
		<<Min: 117.95 - 151.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts / traces molybdenite>> QSP alteration associated pyrite. Trace base metals in stringers and blebs.
		<<Alt: 85.56 - 88.03: weak calcite>> weakly calcareous dyke.
		<<Alt: 88.03 - 90.2: weak to moderate chlorite / moderate >> unusually chlorite rich section of QSP altered P1
		<<Alt: 90.2 - 117: moderate to strong locally weakly silicified / moderate pyrite / weak clay / weak chlorite>> moderate to strong pervasive QSP alteration. Disseminated black blotches, possibly argillite fragments, are biotite altered.
		<<Alt: 117 - 151.5: moderate to strong sericite / weak to moderate silica (pervasive silicification) / moderate pyrite / weak chlorite / weak calcite>> moderate to strong pervasive QSP alteration, with variable silicification. Chlorite and pyrite replacing phenocrysts. Calcite blebs with pyrite locally.
		<<Vein: 82.7 - 144.6: 1.0-5.0 quartz-calcite-pyrite>> quartz-calcite-pyrite stringers and bands, irregular and discontinuous, associated with trace sulphosalts.quartz calcite veins fracture or shear controlled. Local gypsum
		<<Vein: 144.6 - 151.5: 1.0-5.0 quartz-calcite>> undulatory veinlets with coarse grained quartz and finer grained calcite.
		<<Struc: 132.2 - 133.8: moderately developed sheared 15 deg. >> predominant shear in sericitized rock.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
85.56	87.00	1.44	S314818	0.002	0.25	24	16	142
87.00	88.03	1.03	S314819	0.013	0.25	28	40	149
88.03	89.50	1.47	S314821	0.18	1.9	17	87	68
89.50	91.00	1.50	S314822	0.18	2.1	25	116	142
91.00	92.50	1.50	S314823	0.231	1.5	24	81	66
92.50	94.00	1.50	S314824	0.267	0.7	34	42	29
94.00	95.50	1.50	S314825	0.164	0.5	29	27	9
95.50	97.00	1.50	S314826	0.077	0.7	27	37	50
97.00	98.50	1.50	S314827	0.075	0.25	24	29	65
98.50	100.00	1.50	S314828	0.048	0.8	31	98	157
100.00	101.50	1.50	S314829	0.049	0.5	25	44	124
101.50	103.00	1.50	S314831	0.067	0.5	35	46	270
103.00	104.50	1.50	S314832	0.064	0.6	33	66	227
104.50	105.50	1.00	S314833	0.091	0.25	21	64	89
105.50	107.00	1.50	S314834	0.163	0.8	33	54	101
107.00	108.50	1.50	S314835	0.102	0.25	35	46	113
108.50	110.00	1.50	S314836	0.137	0.25	32	102	111
110.00	111.50	1.50	S314837	0.132	0.25	25	65	118
111.50	113.00	1.50	S314838	0.251	0.25	33	71	123
113.00	114.50	1.50	S314839	0.177	0.25	28	47	100
114.50	116.00	1.50	S314841	0.25	0.6	33	42	104
116.00	117.50	1.50	S314842	0.227	1.7	93	70	166
117.50	119.00	1.50	S314843	0.178	0.7	36	54	227
119.00	120.50	1.50	S314844	0.204	0.9	39	62	240

Hole: SU-671-W1

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			120.50	122.00	1.50	S314845	0.158	1.8	49	62	345
			122.00	123.50	1.50	S314846	0.206	1.7	38	86	514
			123.50	125.00	1.50	S314847	0.251	1.7	30	53	492
			125.00	126.50	1.50	S314848	0.151	2.6	58	104	760
			126.50	128.00	1.50	S314849	0.321	4.5	118	129	1010
			128.00	129.50	1.50	S314851	0.279	2	71	51	233
			129.50	131.00	1.50	S314852	0.182	1.3	37	72	607
			131.00	132.50	1.50	S314853	0.274	3.1	29	330	1370
			132.50	134.00	1.50	S314854	0.287	3.5	35	412	1470
			134.00	135.50	1.50	S314855	0.217	2.3	46	96	246
			135.50	137.00	1.50	S314856	0.214	2.4	42	75	171
			137.00	138.50	1.50	S314857	0.21	3.9	65	93	564
			138.50	140.00	1.50	S314858	0.183	2.1	62	68	395
			140.00	141.50	1.50	S314859	0.25	2	58	35	251
			141.50	143.00	1.50	S314861	0.321	2.9	112	25	465
			143.00	144.50	1.50	S314862	0.169	1.2	45	45	207
			144.50	146.00	1.50	S314863	0.183	1.2	40	45	307
			146.00	147.50	1.50	S314864	0.246	1.5	48	39	167
			147.50	149.00	1.50	S314865	0.351	2	44	46	335
			149.00	150.50	1.50	S314866	0.244	2.8	42	49	151
			150.50	151.50	1.00	S314867	0.221	2.7	34	33	171

End of Hole @ 151.5

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-671-W2

Prospect:	Flow Dome Zone	**Survey Type:**		**Logged By:**	elaycock	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	10/15/2015	**Core Size:**	NQ
UTM East:	427161.62	**Azimuth:**		**Date Completed:**	10/15/2015	**Casing Pulled?**	☐
UTM North:	6257319.68	**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):	1145.95	**Length (m):**	13.01	**Drill Rig:**	H5	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	10/12/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	10/12/2015	**Water Production:**	NO
Local North:						**Water Type:**	
Local Elevation (m):						**Water Depth (m):**	
						Structure Type:	

Comments:

Wedged from 30m off of W1. (Depth of 562.5m from parent). The first wedge hole (SU-671-W1) was having problems and intersected the fault zone and cement from the original hole and was abandon at 153.5m. They pulled back into competent rock and set this second wedge. Rods were left in the hole.

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	REFLEX	10/12/2015	-61.7	151.8	20.4	172.2		☑	Survey from SU-671-W1
12	REFLEX	10/12/2015	-61.5	148.8	20.4	169.2	55907	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-671-W2

From (m)	To (m)		Rock Type & Description	
0.00	**1.03**	**V12**	**intermediate fragmental volcanics**	**V-csh**

0 - 1.03: See SU-671-W1 for detail. W2 set at 31.03m

From (m)	To (m)		Rock Type & Description	
1.03	**9.12**	**V12**	**intermediate fragmental volcanics**	**V-csh**

1.03 - 9.12: Continuation of Lapilli tuff from W1; bottom contact is faulted and clay altered. Crystal rich fragments ranging from 0.5-5cm; in a matrix of coarse ash and broken crystals. Crystals altered to clay in fragments and matrix.

<<Min: 1.03 - 9.12: traces pyrite>>

<<Alt: 1.03 - 6.11: moderate to strong / weak locally weakly silicified / trace pyrite / moderate clay>> Moderate-strong sercite alteration of volcanic fragments likely after chlorite; fragments are dark green. Matrix is light grey and weakly silisified and sercite altered. Crystals in matrix and fragments are altered to clay. Dissimentated pyrite throughout.

<<Alt: 6.11 - 9.42: strong clay / weak pyrite>> Strong clay alteration of V12 in fault zone. Completely bleached; and unconsolidated.

<<Vein: 1.03 - 6.13: Nothing Recorded>> No veining.

<<Vein: 6.13 - 13.01: 1.0-5.0 quartz>> Minor qtz veinlets in fault zone and H8; increasing towards the end of the interval; where Vn1b's are observed containing galena.

<<Struc: 6.11 - 9.12: strongly developed fault zone>> Unconsolidated fault zone; at contact between V12 and H8.

<<Struc: 6.11 - 9.12: strongly developed fault zone>> Unconsolidated fault zone; at contact between V12 and H8.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1.03	2.50	1.47	S314901	0.005	0.25	11	5	114
2.50	4.00	1.50	S314902	0.01	0.25	16	12	118
4.00	5.50	1.50	S314903	0.002	0.25	18	13	127
5.50	7.00	1.50	S314904	0.013	0.25	26	19	87
7.00	8.00	1.00	S314905	0.032	0.5	46	9	9
8.00	9.12	1.12	S314906	0.026	0.25	19	10	47

From (m)	To (m)		Rock Type & Description	
9.12	**13.01**	**H8**	**Intensely silicified zone**	**S-pbl**

9.12 - 13.01: Intensely silicified zone following faulted V12. Texture destroyed by silisification; locally rounded pebble congolmerate texture observed with clasts of argillite; veining increases towards the the end. Hole to be continued next spring…

<<Min: 9.12 - 13.01: 0.5-2.0% pyrite / traces galena>> Locallized massive pyrite aggregates and fine grained sooty sulphides. Trace cubic galena in a vuggy quartz vein at 42.68m.

Hole: SU-671-W2

From (m)	To (m)	Rock Type & Description
		<<Alt: 9.42 - 13.01: strong silica (pervasive silicification) / weak to moderate clay / moderate pyrite>> Intensely silisified. Localized intervals with fault gouge and clay alteration. Massive pyrite aggregates and fine grained sulphides occuring locally.
		<<Struc: 9.12 - 13.01: sporadic fault zone>> Locallized intervals of fault gouge within the competent H8 unit.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
9.12	10.50	1.38	S314907	0.015	0.25	13	12	5
10.50	12.00	1.50	S314908	0.01	0.25	9	4	8
12.00	13.01	1.01	S314909	0.021	0.6	24	20	15

End of Hole @ 13.01

PRETIVM

GeoSpark: Drill Hole Report

Project: Bowser Regional

Hole: SU-673

Prospect:	South Zone	**Survey Type:**		**Logged By:**	lhowarth	**Hole Type:**	DDS
UTM Grid:	UTM83-9	**Survey By:**		**Date Started:**	9/26/2015	**Core Size:**	HQ
UTM East:		**Azimuth:**		**Date Completed:**	10/12/2015	**Casing Pulled?**	☐
UTM North:		**Dip:**		**Drill Company:**	HyTech	**Casing Depth (m):**	
UTM Elevation (m):		**Length (m):**	1194.4	**Drill Rig:**	H4	**Marked?**	☐
Local Grid:		**Hole Purpose:**	Expl	**Drill Started:**	9/25/2015	**Surveyed?**	☐
Local East:				**Drill Completed:**	10/11/2015	**Water Production:**	NO
Local North:		**Comments:**				**Water Type:**	
Local Elevation (m):		Logged by Bmay starting on October 5th, 2015.				**Water Depth (m):**	
		Hole was ended due to deterioriating weather (blizzard) conditions.				**Structure Type:**	

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
0	COLLAR	9/25/2015	-55.9	152.1	20.4	172.5		☑	
12	REFLEX	9/25/2015	-55.9	152.1	20.4	172.5	56979	☑	
63	REFLEX	9/25/2015	-55.7	149.6	20.4	170	55915	☑	
114	REFLEX	9/26/2015	-55.9	149.3	20.4	169.7	56280	☑	
165	REFLEX	9/27/2015	-55.9	149.4	20.4	169.8	55992	☑	
216	REFLEX	9/27/2015	-56.1	149.8	20.4	170.2	56203	☑	
267	REFLEX	9/27/2015	-55.9	149	20.4	169.4	56216	☑	
318	REFLEX	9/28/2015	-55.7	149	20.4	169.4	56031	☑	
369	REFLEX	9/28/2015	-55.4	149.1	20.4	169.5	56181	☑	
420	REFLEX	9/29/2015	-55.1	149.2	20.4	169.6	56099	☑	

GeoSpark Consulting Inc.
geosparkconsulting.com

Hole: SU-673

Depth (m)	Survey Method	Date Surveyed	Dip	Measured Azimuth	Correction Factor	Corrected Azimuth	Mag. Field	Accept Values?	Comments
471	REFLEX	9/30/2015	-54.4	149.8	20.4	170.2	56234	☑	
522.4	REFLEX	10/1/2015	-54.6	152.5	20.4	172.9	56574	☑	
573	REFLEX	10/1/2015	-54.2	150.7	20.4	171.1	55873	☑	
624	REFLEX	10/2/2015	-54.4	152.7	20.4	173.1	56162	☑	
675	REFLEX	10/2/2015	-53.9	152.9	20.4	173.3	55985	☑	
726	REFLEX	10/4/2015	-53.2	153.1	20.4	173.5	56003	☑	
777	REFLEX	10/4/2015	-52.3	154.5	20.4	174.9	55908	☑	
828.4	REFLEX	10/4/2015	-50.5	155.2	20.4	175.6	55962	☑	
879	REFLEX	10/5/2015	-48.6	156.8	20.4	177.2	55965	☑	
930	REFLEX	10/6/2015	-46.5	159.3	20.4	179.7	56009	☑	
981.4	REFLEX	10/6/2015	-44.7	159.3	20.4	179.7	55844	☑	
1032.4	REFLEX	10/7/2015	-41.8	160.7	20.4	181.1	55718	☑	
1083.4	REFLEX	10/8/2015	-40.5	161.4	20.4	181.8	55681	☑	
1134.4	REFLEX	10/9/2015	-38.1	162.7	20.4	183.1	55936	☑	
1185	REFLEX	10/11/2015	-35.2	163.9	20.4	184.3	55784	☑	

Hole: SU-673

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
0.00	**407.00**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**	0.00	3.00	3.00	S212401	0.014	0.25	26	6	19
0 - 407: Hbl-fld phyric intrusive, where in areas of weak alteration gives indication of a possible mozonite, with no to little quartz, hornblende, and what appears to be possibly 2 different feldspars as they alter differently (one more affected by sericite) indicating possible potassic feldspars as well as plagioclase. Alteration gives appearance that there are Hbl>>Fld phenocrysts. Hbl phenos 1-5mm and rarely 7-8mm; dark green/dark blue (depending on level of alteration); sericite after chlorite altered; feldspars hard to see likely due to pervasive sericite/quartz alteration masking texture of phenos; in fine grained crystalline pale green-grey groundmass. Groundmass is sericite altered. Localised increase of qsp alteration and hbl phenos replaced by pyrite. In areas that are only weakly altered the rockRounded silicified xenolith at 44.60m. Localized destruction of texture from alteratiion. Minor intervals with medium grained granular texture in the first 200 meters of P1, and then increases around 300 to 369m, as the qsp is not as texture destructive.										
<<Min: 0 - 174.99: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>					3.00	4.50	1.50	S212402	0.056	0.25	11	1	14
<<Min: 174.99 - 175.58: <0.5% arsenopyrite / 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite>> Arsenpyrite locally upto 1% in a coarse grained qtz-cal vein; part of 20% stockwork zone.					4.50	6.00	1.50	S212403	0.008	0.25	27	2	29
<<Min: 175.58 - 204.05: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite / traces arsenopyrite>> Slighly less pyrite then upper part of hole; trace arsenopyrite at 191.31m					6.00	7.50	1.50	S212404	0.052	2	28	17	28
<<Min: 204.05 - 209.5: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite / traces galena>>					7.50	9.00	1.50	S212405	0.019	0.25	12	8	33
<<Min: 209.5 - 249.28: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% pyrite / <0.5% pyrite>>					9.00	10.50	1.50	S212406	0.057	0.5	17	15	83
<<Min: 249.28 - 258.24: 0.5-2.0% pyrite>>					10.50	12.00	1.50	S212407	0.175	0.7	16	40	96
<<Min: 258.24 - 300: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% pyrite>>					12.00	13.50	1.50	S212408	0.012	0.5	15	72	155
<<Min: 300 - 334: 0.5-2.0% pyrite / <0.5% pyrite / traces pyrite>>					13.50	15.00	1.50	S212409	0.006	0.25	19	29	78
<<Min: 334 - 335: <0.5% Ag,Pb,Sb,As sulfosalts / 0.5-2.0% pyrite / traces pyrite>> possible sulfosalts. Very fine grained dendritic black sulphides in vein					15.00	16.50	1.50	S212411	0.007	0.25	21	24	62
<<Min: 335 - 357: 0.5-2.0% pyrite / traces pyrite / traces pyrite>>					16.50	18.00	1.50	S212412	0.009	0.25	22	15	88
<<Min: 357 - 408: 2.0-5.0% pyrite / <0.5% pyrite / traces pyrite / <0.5% pyrite>>					18.00	19.50	1.50	S212413	0.03	0.5	24	42	65
<<Alt: 0 - 30: moderate to strong limonite / moderate pyrite / moderate pyrite-chlorite / weak to moderate >> Oxidation near surface. Hbl phenocrysts altered to chlorite and pyrite. Groundmass altered to sercite with disseminated pyrite thoughout.					19.50	21.00	1.50	S212414	0.081	0.5	19	28	43

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 30 - 193.56: weak to moderate sericite / moderate pyrite-chlorite / moderate pyrite / moderate pyrite / weak locally weakly silicified>> Hbl phenocrysts altered to sericite after chlorite and where qsp pyrite. Groundmass altered to sercite with disseminated pyrite thoughout. Weakly silicified.	21.00	22.50	1.50	S212415	0.043	0.25	18	19	35
		<<Alt: 204.05 - 209.15: moderate to strong silica-sericite-pyrite>> pyrite desseminated, in veinlets, and in clots, pyrite likely replacing anything previously with mafic minerals and qz-ser replacing everything else.	22.50	24.00	1.50	S212416	0.012	0.25	15	12	35
		<<Alt: 209.15 - 249.28: moderate / moderate sericite / trace chlorite / weak calcite>> phyllic alteration is patchy but texture is preserved. Sericite after chlorite in hornblend phenocrysts. Calcite filling amygdules in dykes	24.00	25.50	1.50	S212417	0.009	0.25	13	7	30
		<<Alt: 249.28 - 258.24: weak chlorite / weak calcite>> chlorite weak in mafic minerals, calcite filling amygdules. Sericite pyrite has a 45 degree fabric in some areas where alteraiton appear banded flowing through rock, primary texture is seen behind banding (are they areas of shearing?)	25.50	27.00	1.50	S212418	0.012	0.25	15	8	25
		<<Alt: 258.24 - 292.3: weak to moderate / moderate sericite / weak to moderate calcite / weak clay>> primary texture seems a little stonger in some patches where remnant feldspars are more evident and possibly partially altering to clay and or carbonate? Some lightening of feldspars that when you scratch it will fizz when put acid on it, also seems to be surrounding euhedral pyrite (which is coarser… is white mineral possibly muscovite). Lots of calcite filling fractures.	27.00	28.50	1.50	S212419	0.013	0.25	17	10	26
		<<Alt: 292.3 - 302: moderate to strong sericite / moderate clay / moderate pyrite / trace silica (pervasive silicification)>> some small bits surrounding or replacing phenocryst of a soft pistachio green color mineral thought to be epidote but is too soft. Likely still qsp alteration but rock is very soft and silica is very weak if present	28.50	30.00	1.50	S212421	0.018	0.25	19	9	38
		<<Alt: 302 - 326: moderate sericite / weak to moderate pyrite / trace chlorite / weak to moderate sericite / weak silica (pervasive silicification)>> not texture destructive as granular texture has been preserved	30.00	31.50	1.50	S212422	0.055	1.1	19	30	29
		<<Alt: 326 - 357: moderate sericite / weak to moderate sericite / weak to moderate clay / trace epidote / weak to moderate pyrite>> some more porphyritic textures where feldspars are altering to a cream colored clay or possibly illite? A couple of areas with sme small clots around 330-333 that possibly have epidote. The color is right but it's quite soft	31.50	33.00	1.50	S212423	0.025	0.25	10	8	14
		<<Alt: 357 - 407: weak to moderate / moderate sericite / weak to moderate clay / weak to moderate sericite>>	33.00	34.50	1.50	S212424	0.039	0.5	13	9	27
		<<Vein: 0 - 58.98: 1.0-5.0 quartz-calcite-pyrite>> Dominantly ~1% Vo and Vn1a-b veinlets throughout; with minor intervals containing a larger Vn1c and Vn3.	34.50	36.00	1.50	S212425	0.098	0.9	12	13	28
		<<Vein: 58.98 - 171.59: 1.0-5.0 quartz-calcite>> Minor veining; pyrite strings cut by cal-pyrite veinlets; locallized cm-scale sheared veins cutting pyrite-qtz veins and some Vn3's (dominantly coarse grained calcite). Several undeformed coarse grained qtz-cal Vn4's beginning at 99.91m.	36.00	37.50	1.50	S212426	0.047	0.25	17	11	25
		<<Vein: 171.59 - 175.58: 10.0-25.0 quartz-calcite>> Low density stockwork zone; multiple cross-cutting relationships. Upto 1% Arsenopyrite in stockwork vein at 175.36m.	37.50	39.00	1.50	S212427	0.017	0.25	16	6	44
		<<Vein: 175.58 - 201: 1.0-5.0 calcite-pyrite>> Dominantly cal-py veinlets (previously lumped in with Vo's); commonly sheared and deformed. Also minor sheared qtz veins with trace arsenopyrite.	39.00	40.50	1.50	S212428	0.002	0.25	17	6	27
		<<Vein: 201 - 249.28: 1.0-5.0 quartz-calcite-pink calcite>> dominated by vein 3's with high amounts of grey, white, and lesser pink calcite. Some are banded with pyrite, giving shear like texture, although veins are not of the 4th generation. A few vein 1's with less calcite and more milky opaque wuartz with a and b textures.	40.50	42.00	1.50	S212429	0.006	0.25	23	6	26

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 249.28 - 255.86: <1.0 quartz-calcite-pink calcite>> 1 vein 3	42.00	43.50	1.50	S212431	0.006	0.25	16	3	30
		<<Vein: 255.86 - 292.25: 1.0-5.0 quartz-calcite>> lots of network fractures filled with mostly fractures, with some vein 3's scattered throughout. One vein 3 at 291.25 is banded (fine grained sooty sulphides (pyrite)).	43.50	45.00	1.50	S212432	0.008	0.25	21	44	43
		<<Vein: 292.25 - 341: 1.0-5.0 quartz-calcite>> low density veins with a few vein 1a's, b's and 3's	45.00	46.50	1.50	S212433	0.007	0.25	18	7	50
		<<Vein: 341 - 358: 1.0-5.0 quartz-calcite>> dominated by vein 4 generation, a few thinner shear veins with thin whispy tension gashes extending from vein 4a's	46.50	48.00	1.50	S212434	0.008	0.25	18	5	33
		<<Vein: 358 - 369: <1.0 quartz-calcite>> a couple of vein 1 b's and a's. vein 1b's are banded and brecciated	48.00	49.50	1.50	S212435	0.05	0.25	12	13	23
		<<Vein: 369 - 399: 1.0-5.0 quartz-calcite>>	49.50	51.00	1.50	S212436	0.053	0.25	11	4	19
		<<Vein: 399 - 408: 1.0-5.0 quartz-calcite>> very similar to previous interval but with several areas of vein 4b's (one possible vein 4a)	51.00	52.50	1.50	S212437	0.005	0.25	14	1	29
		<<Struc: 10.53 - 10.58: strongly developed fault gouge 85 deg. >> Minor interval of fault gouge and sheared Vn1b.	52.50	54.00	1.50	S212438	0.012	0.25	13	8	15
		<<Struc: 94.89 - 95.03: weakly developed sheared 30 deg. >> Sheared deformed interval broken along margins possible a small fault zone.	54.00	55.50	1.50	S212439	0.013	0.25	17	3	17
		<<Struc: 97.63 - 100.89: weakly developed sheared 45 deg. >> Sheared and deformed; minor fault gouge.	55.50	57.00	1.50	S212441	0.012	0.25	21	5	13
		<<Struc: 132.88 - 133.5: weakly developed sheared 25 deg. >> Locallized shar zone and broken core. Fine grained sooty sulphides along shear.	57.00	58.50	1.50	S212442	0.015	0.25	16	9	16
		<<Struc: 255 - 257: weakly developed joint 50 deg. >> joint set	58.50	60.00	1.50	S212443	0.061	0.25	28	5	15
		<<Struc: 260 - 262.25: weakly developed fault zone 30 deg. >>	60.00	61.50	1.50	S212444	0.04	0.25	18	3	11
		<<Struc: 264 - 265.2: weakly developed Fabbric 45 deg. >> fabric to the alteration	61.50	63.00	1.50	S212445	0.006	0.25	16	3	18
		<<Struc: 291.48 - 291.56: weakly developed sheared 25 deg. >> SHEARED VEIN 3	63.00	64.50	1.50	S212446	0.037	0.25	22	6	11
			64.50	66.00	1.50	S212447	0.023	0.5	23	6	22
			66.00	67.50	1.50	S212448	0.01	0.25	21	1	33
			67.50	69.00	1.50	S212449	0.002	0.25	29	17	39
			69.00	70.50	1.50	S212451	0.006	0.25	15	13	27
			70.50	72.00	1.50	S212452	0.005	0.25	17	4	29
			72.00	73.50	1.50	S212453	0.006	0.25	12	5	25
			73.50	75.00	1.50	S212454	0.02	0.25	15	4	16
			75.00	76.50	1.50	S212455	0.005	0.25	7	3	30
			76.50	78.00	1.50	S212456	0.012	0.25	22	10	31
			78.00	79.50	1.50	S212457	0.009	0.25	14	9	29
			79.50	81.00	1.50	S212458	0.012	0.25	19	6	29

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			81.00	82.50	1.50	S212459	0.032	0.25	10	7	13
			82.50	84.00	1.50	S212461	0.026	0.25	10	5	12
			84.00	85.50	1.50	S212462	0.048	0.5	14	15	34
			85.50	87.00	1.50	S212463	0.143	0.25	15	9	21
			87.00	88.50	1.50	S212464	0.035	0.25	20	10	29
			88.50	90.00	1.50	S212465	0.007	0.25	16	5	35
			90.00	91.50	1.50	S212466	0.028	0.7	19	9	28
			91.50	93.00	1.50	S212467	0.018	0.25	18	8	39
			93.00	94.50	1.50	S212468	0.129	1.5	24	18	22
			94.50	96.00	1.50	S212469	0.099	1	23	35	35
			96.00	97.50	1.50	S212471	0.011	0.25	22	9	35
			97.50	99.00	1.50	S212472	0.032	0.6	18	7	39
			99.00	100.50	1.50	S212473	0.717	1.7	20	16	58
			100.50	102.00	1.50	S212474	0.211	1.4	19	12	91
			102.00	103.50	1.50	S212475	0.005	0.25	15	4	69
			103.50	105.00	1.50	S212476	0.005	0.25	19	15	169
			105.00	106.50	1.50	S212477	0.006	0.25	16	6	36
			106.50	108.00	1.50	S212478	0.002	0.25	19	14	72
			108.00	109.50	1.50	S212479	0.016	0.6	20	19	69
			109.50	111.00	1.50	S212481	0.03	0.7	25	15	46
			111.00	112.50	1.50	S212482	0.01	0.25	19	11	43
			112.50	114.00	1.50	S212483	0.002	0.25	22	9	42
			114.00	115.50	1.50	S212484	0.002	0.25	23	12	51
			115.50	117.00	1.50	S212485	0.002	0.25	17	8	50
			117.00	118.50	1.50	S212486	0.002	0.25	24	8	95
			118.50	120.00	1.50	S212487	0.002	0.25	24	8	75
			120.00	121.50	1.50	S212488	0.002	0.25	17	12	27
			121.50	123.00	1.50	S212489	0.002	0.25	28	10	28
			123.00	124.50	1.50	S212491	0.002	0.25	24	2	29

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			124.50	126.00	1.50	S212492	0.002	0.25	13	2	24
			126.00	127.50	1.50	S212493	0.002	0.7	15	23	27
			127.50	129.00	1.50	S212494	0.002	0.25	20	7	58
			129.00	130.50	1.50	S212495	0.002	0.25	21	12	56
			130.50	132.00	1.50	S212496	0.128	0.25	22	22	67
			132.00	133.50	1.50	S212497	0.002	0.25	9	8	37
			133.50	135.00	1.50	S212498	0.002	0.25	19	7	80
			135.00	136.50	1.50	S212499	0.002	0.25	18	7	70
			136.50	138.00	1.50	S212501	0.01	0.25	20	18	46
			138.00	139.50	1.50	S212502	0.006	0.5	25	22	68
			139.50	141.00	1.50	S212503	0.023	0.25	25	21	56
			141.00	142.50	1.50	S212504	0.016	0.25	27	39	72
			142.50	144.00	1.50	S212505	0.098	0.7	15	10	29
			144.00	145.50	1.50	S212506	1.13	3.4	23	16	21
			145.50	147.00	1.50	S212507	0.147	0.8	20	18	39
			147.00	148.50	1.50	S212508	0.061	0.25	19	18	59
			148.50	149.64	1.14	S212509	0.028	1.3	23	13	56
			149.64	150.29	0.65	S212511	0.019	2.1	53	9	119
			150.29	151.50	1.21	S212512	0.023	0.25	15	14	41
			151.50	153.00	1.50	S212513	0.086	0.8	20	36	60
			153.00	154.50	1.50	S212514	0.002	0.25	11	6	49
			154.50	156.00	1.50	S212515	0.014	0.25	20	25	60
			156.00	157.50	1.50	S212516	0.017	0.25	16	77	106
			157.50	159.00	1.50	S212517	0.008	0.25	19	46	112
			159.00	160.50	1.50	S212518	0.105	0.25	13	55	88
			160.50	162.00	1.50	S212519	0.005	0.25	21	113	133
			162.00	163.50	1.50	S212521	0.002	0.25	10	10	41
			163.50	165.00	1.50	S212522	0.014	0.25	20	27	74
			165.00	166.50	1.50	S212523	0.006	0.25	18	13	34

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			166.50	168.00	1.50	S212524	0.038	0.7	14	15	43
			168.00	169.50	1.50	S212525	1.15	16.5	42	29	41
			169.50	170.00	0.50	S212526	0.022	0.9	10	15	34
			170.00	171.50	1.50	S212527	0.014	0.5	11	12	36
			171.50	172.50	1.00	S212528	0.045	0.6	18	14	39
			172.50	173.50	1.00	S212529	0.015	0.25	24	17	42
			173.50	174.50	1.00	S212531	0.013	0.25	14	18	40
			174.50	175.50	1.00	S212532	0.079	0.5	11	23	27
			175.50	176.50	1.00	S212533	0.049	0.25	19	15	25
			176.50	178.00	1.50	S212534	0.009	0.25	18	8	27
			178.00	179.50	1.50	S212535	0.002	0.25	24	8	29
			179.50	181.00	1.50	S212536	0.002	0.25	17	3	29
			181.00	182.50	1.50	S212537	0.002	0.25	20	6	43
			182.50	184.00	1.50	S212538	0.014	0.25	18	7	26
			184.00	185.50	1.50	S212539	0.014	0.5	15	94	58
			185.50	187.00	1.50	S212541	0.007	0.25	17	7	28
			187.00	188.50	1.50	S212542	0.005	0.25	15	10	39
			188.50	190.00	1.50	S212543	0.009	0.25	18	14	48
			190.00	191.50	1.50	S212544	0.009	0.25	18	19	51
			191.50	193.00	1.50	S212545	0.002	0.25	19	27	80
			193.00	194.50	1.50	S212546	0.028	0.25	23	33	72
			194.50	196.00	1.50	S212547	0.063	0.25	34	46	49
			196.00	197.50	1.50	S212548	0.019	0.25	29	46	98
			197.50	199.00	1.50	S212549	0.028	0.5	26	83	77
			199.00	200.50	1.50	S212551	0.023	0.25	23	61	77
			200.50	202.00	1.50	S212552	0.015	0.25	24	70	67
			202.00	203.50	1.50	S212553	0.035	0.25	27	48	68
			203.50	205.00	1.50	S212554	0.095	1.8	49	71	835
			205.00	206.50	1.50	S212555	0.034	0.25	21	81	76

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			206.50	208.00	1.50	S212556	0.058	1.4	41	110	133
			208.00	209.50	1.50	S212557	0.06	2.7	44	176	1170
			209.50	211.00	1.50	S212558	0.024	0.9	18	162	673
			211.00	212.50	1.50	S212559	0.077	1.2	25	161	309
			212.50	214.00	1.50	S212561	0.002	0.6	35	74	78
			214.00	215.50	1.50	S212562	0.002	0.25	16	172	222
			215.50	217.00	1.50	S212563	0.002	0.25	19	94	95
			217.00	218.50	1.50	S212564	0.007	0.25	18	81	43
			218.50	220.00	1.50	S212565	0.028	0.25	16	47	55
			220.00	221.50	1.50	S212566	0.299	0.5	17	75	74
			221.50	223.00	1.50	S212567	0.079	0.25	16	39	81
			223.00	224.50	1.50	S212568	0.01	0.25	17	41	47
			224.50	226.00	1.50	S212569	0.018	0.25	18	83	64
			226.00	227.50	1.50	S212571	0.005	0.25	14	39	74
			227.50	229.00	1.50	S212572	0.002	0.25	19	100	101
			229.00	230.50	1.50	S212573	0.002	0.25	19	69	90
			230.50	232.37	1.87	S212574	0.023	0.25	28	55	58
			232.37	234.00	1.63	S212575	0.064	0.25	32	31	73
			234.00	235.25	1.25	S212576	0.016	0.5	48	13	126
			235.25	236.50	1.25	S212577	0.018	0.25	19	36	42
			236.50	237.97	1.47	S212578	0.075	0.5	19	27	38
			237.97	239.18	1.21	S212579	0.035	0.6	44	17	99
			239.18	240.50	1.32	S212581	0.005	0.25	20	14	45
			240.50	242.00	1.50	S212582	0.006	0.25	20	15	35
			242.00	243.50	1.50	S212583	0.009	0.25	18	23	53
			243.50	245.00	1.50	S212584	0.014	0.25	21	47	119
			245.00	246.50	1.50	S212585	0.045	0.25	29	30	105
			246.50	248.00	1.50	S212586	0.002	0.25	25	18	65
			248.00	249.28	1.28	S212587	0.013	0.25	19	40	53

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			249.28	250.50	1.22	S212588	0.002	0.25	28	22	156
			250.50	252.00	1.50	S212589	0.002	0.25	27	23	153
			252.00	253.50	1.50	S212591	0.002	0.25	28	20	161
			253.50	254.50	1.00	S212592	0.002	0.25	27	23	158
			254.50	255.86	1.36	S212593	0.002	0.25	28	23	148
			255.86	257.00	1.14	S212594	0.053	0.5	25	21	45
			257.00	258.50	1.50	S212595	0.037	0.25	21	25	74
			258.50	260.00	1.50	S212596	0.018	0.5	33	38	366
			260.00	261.50	1.50	S212597	0.044	0.8	29	99	197
			261.50	263.00	1.50	S212598	0.044	1	24	176	441
			263.00	264.50	1.50	S212599	0.018	0.7	23	113	407
			264.50	266.00	1.50	S212601	0.024	0.5	23	68	149
			266.00	267.50	1.50	S212602	0.009	0.25	15	21	77
			267.50	269.00	1.50	S212603	0.009	0.25	13	28	63
			269.00	270.50	1.50	S212604	0.01	0.25	11	42	95
			270.50	272.00	1.50	S212605	0.023	2.1	42	327	910
			272.00	273.50	1.50	S212606	0.028	1	24	180	508
			273.50	275.00	1.50	S212607	0.05	1.7	22	60	102
			275.00	276.50	1.50	S212608	0.03	0.8	14	114	148
			276.50	278.00	1.50	S212609	0.031	0.6	16	107	114
			278.00	279.50	1.50	S212611	0.037	0.8	15	110	101
			279.50	281.00	1.50	S212612	0.048	0.6	11	94	91
			281.00	282.50	1.50	S212613	0.04	0.6	12	105	89
			282.50	283.80	1.30	S212614	0.069	0.7	23	124	90
			283.80	284.60	0.80	S212615	0.027	1	61	22	149
			284.60	286.00	1.40	S212616	0.026	1	13	90	89
			286.00	287.50	1.50	S212617	0.028	1.2	16	88	106
			287.50	289.00	1.50	S212618	0.055	1.1	19	86	80
			289.00	290.50	1.50	S212619	0.046	1.2	18	123	89

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			290.50	292.00	1.50	S212621	0.287	2.1	24	131	108
			292.00	293.50	1.50	S212622	0.149	1.4	18	38	63
			293.50	295.00	1.50	S212623	0.021	1.6	29	27	72
			295.00	296.50	1.50	S212624	0.037	1.4	19	25	58
			296.50	298.00	1.50	S212625	0.016	1.8	16	23	72
			298.00	299.50	1.50	S212626	0.929	79.4	136	132	365
			299.50	301.00	1.50	S212627	0.028	2.3	22	29	118
			301.00	302.50	1.50	S212628	0.015	2.2	19	31	53
			302.50	304.00	1.50	S212629	0.022	1.5	14	35	62
			304.00	305.50	1.50	S212631	0.04	1.3	19	57	76
			305.50	307.00	1.50	S212632	0.03	0.25	7	53	68
			307.00	308.50	1.50	S212633	0.089	0.8	8	57	63
			308.50	310.00	1.50	S212634	0.037	1.5	11	48	76
			310.00	311.00	1.00	S212635	0.098	1.8	11	37	53
			311.00	312.00	1.00	S212636	0.058	1.2	6	50	64
			312.00	313.33	1.33	S212637	0.035	1.2	56	17	111
			313.33	314.50	1.17	S212638	0.04	0.5	7	69	92
			314.50	316.00	1.50	S212639	0.038	0.8	7	84	125
			316.00	317.50	1.50	S212641	0.048	1.4	7	132	411
			317.50	319.00	1.50	S212642	0.202	2.9	9	44	70
			319.00	320.50	1.50	S212643	0.188	1.7	8	39	74
			320.50	322.00	1.50	S212644	0.067	3.1	16	127	138
			322.00	323.50	1.50	S212645	0.03	3.9	25	218	373
			323.50	325.00	1.50	S212646	0.02	1	7	138	180
			325.00	326.50	1.50	S212647	0.043	1.1	5	140	162
			326.50	328.00	1.50	S212648	0.089	1.3	7	150	178
			328.00	329.50	1.50	S212649	0.029	0.9	13	78	66
			329.50	331.00	1.50	S212651	0.046	0.8	10	69	122
			331.00	332.50	1.50	S212652	0.017	0.25	19	41	70

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			332.50	334.00	1.50	S212653	0.022	1	11	141	217
			334.00	335.50	1.50	S212654	0.1	3.2	28	146	240
			335.50	336.50	1.00	S212655	0.021	0.9	30	102	292
			336.50	338.00	1.50	S212656	0.009	0.25	13	89	170
			338.00	339.50	1.50	S212657	0.002	0.25	14	37	92
			339.50	341.00	1.50	S212658	0.005	0.25	13	25	52
			341.00	342.50	1.50	S212659	0.015	0.5	21	70	65
			342.50	344.00	1.50	S212661	0.029	0.5	18	157	139
			344.00	345.50	1.50	S212662	0.012	1.6	22	774	234
			345.50	347.00	1.50	S212663	0.013	0.9	27	250	151
			347.00	348.50	1.50	S212664	0.015	0.25	24	66	98
			348.50	350.00	1.50	S212665	0.007	0.25	15	26	68
			350.00	351.50	1.50	S212666	0.002	0.25	17	21	74
			351.50	353.00	1.50	S212667	0.005	0.25	17	24	37
			353.00	354.50	1.50	S212668	0.007	0.25	17	22	42
			354.50	356.00	1.50	S212669	0.011	0.25	23	44	54
			356.00	357.50	1.50	S212671	0.032	1.1	19	49	154
			357.50	359.00	1.50	S212672	0.12	0.9	25	33	121
			359.00	360.50	1.50	S212673	0.015	0.25	18	26	74
			360.50	362.00	1.50	S212674	0.036	1.3	28	64	204
			362.00	363.50	1.50	S212675	0.015	0.25	23	43	92
			363.50	365.00	1.50	S212676	0.015	0.25	23	54	54
			365.00	366.50	1.50	S212677	0.049	1	13	116	63
			366.50	368.00	1.50	S212678	0.053	7.6	41	191	398
			368.00	369.50	1.50	S212679	0.038	3.1	25	161	133
			369.50	371.00	1.50	S212681	0.074	1.9	18	93	70
			371.00	372.50	1.50	S212682	0.025	0.9	17	48	62
			372.50	374.00	1.50	S212683	0.053	0.9	24	55	77
			374.00	375.50	1.50	S212684	0.029	1.2	22	74	91

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			375.50	377.00	1.50	S212685	0.02	1.6	21	82	117
			377.00	378.50	1.50	S212686	0.017	0.8	21	53	52
			378.50	380.00	1.50	S212687	0.023	0.8	21	37	41
			380.00	381.50	1.50	S212688	0.028	0.9	22	46	41
			381.50	383.00	1.50	S212689	0.029	0.9	24	80	165
			383.00	384.50	1.50	S212691	0.025	0.9	27	78	116
			384.50	386.00	1.50	S212692	0.007	0.7	23	97	178
			386.00	387.50	1.50	S212693	0.002	0.25	17	88	118
			387.50	389.00	1.50	S212694	0.002	0.25	20	62	90
			389.00	390.50	1.50	S212695	0.005	0.25	21	66	110
			390.50	392.00	1.50	S212696	0.02	0.6	25	129	290
			392.00	393.50	1.50	S212697	0.008	0.25	14	97	136
			393.50	395.00	1.50	S212698	0.008	0.5	10	52	63
			395.00	396.50	1.50	S212699	0.005	0.25	8	24	48
			396.50	398.00	1.50	S212701	0.013	0.6	17	45	67
			398.00	399.50	1.50	S212702	0.013	0.7	17	75	140
			399.50	401.00	1.50	S212703	0.01	0.7	10	46	85
			401.00	402.50	1.50	S212704	0.012	0.9	20	39	74
			402.50	404.00	1.50	S212705	0.008	0.6	14	31	50
			404.00	405.50	1.50	S212706	0.014	0.8	13	29	49
			405.50	407.00	1.50	S212707	0.016	0.8	22	33	52

Hole: SU-673

From (m)	To (m)		Rock Type & Description	
407.00	**441.17**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-fg**

407 - 441.17: hard to tell if the unit is still in P1 with the increase in phyllic alteration but there are still what seem to be remnant phenocrysts some possibly now clay, others pyrite, and others sericite. But appears to be more of a fabric to the the crystals and pyrite clots. Closer the the end of the interval is banding that looks as thought the rock may have moved into an S4-VSF but remant phenos are still present.

<<Min: 408 - 409.5: 0.5-2.0% sphalerite / 0.5-2.0% galena / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> coarse grained spahlerite (close to 1%) in veining with coarse galena in the same veins (close to 0.5%)

<<Min: 409.5 - 441.17: traces galena / traces sphalerite / traces Ag,Pb,Sb,As sulfosalts / 0.5-2.0% pyrite / <0.5% pyrite>>

<<Alt: 407 - 441.17: moderate / weak to moderate silica (pervasive silicification)>> increased silica alteration around veining from 413.10m to 415.05m

<<Vein: 408 - 418.5: 10.0-25.0 quartz-calcite>> small interval of quartz rich stock work within overall interval

<<Vein: 418.5 - 432: <1.0 quartz-calcite>>

<<Vein: 432 - 450.92: 1.0-5.0 quartz-calcite>> low density of veins consisting of vein 1a's and b's. vein 1 b's look more like banded being 1's and little coalesence of ;larger vein 1a's.

<<Struc: 435.85 - 436.15: sporadic fault zone 50 deg. >> a small rehealed? Fault zone with no gouge. May just have been fluids moving through a zone of weakness and fracturing the rock? No gouge and may not have been much movement.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
407.00	408.00	1.00	S212708	0.027	1.2	21	56	79
408.00	409.50	1.50	S212709	0.027	1.9	31	416	1440
409.50	411.00	1.50	S212711	0.036	2.2	20	86	58
411.00	412.50	1.50	S212712	0.062	5.8	29	46	61
412.50	414.00	1.50	S212713	0.132	15	56	29	51
414.00	415.50	1.50	S212714	0.165	5.6	15	15	21
415.50	417.00	1.50	S212715	0.069	2.5	13	25	47
417.00	418.50	1.50	S212716	0.043	2.2	21	25	44
418.50	420.00	1.50	S212717	0.084	1.4	24	26	51
420.00	421.50	1.50	S212718	0.148	1.1	13	55	92
421.50	423.00	1.50	S212719	0.084	1.2	14	51	71
423.00	424.50	1.50	S212721	0.046	0.8	11	45	63
424.50	426.00	1.50	S212722	0.034	0.8	11	43	43
426.00	427.50	1.50	S212723	0.123	1.1	10	48	36
427.50	429.00	1.50	S212724	0.044	1.4	22	51	33
429.00	430.50	1.50	S212725	0.036	1.1	10	30	29

Hole: SU-673

From (m)	To (m)		Rock Type & Description	
441.17	**444.54**	**S4-Vsf**	**VSF series sandstones - fine to course grained, light green, may or may not contain concretions**	**S-snd**

441.17 - 444.54: much finer grained than the bordering rocks, and appears like a combination/interbeds between an s5-vsf an s4-vsf. It's finer grained at the beginning, close to mus/silt size with graines going to sand size in the second part of interval. The nature of pyrite and alteration is very typical of the vsf units that are seen in underground drilling.

<<Min: 441.17 - 444.54: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite / traces galena>> increase in pyrite that is quite in typical style found in the VSF

<<Alt: 441.17 - 444.54: moderate / weak to moderate illite>> muscovite surrounding coarse dissemimated pyrite

From (m)	To (m)		Rock Type & Description	
444.54	**450.91**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-mg**

444.54 - 450.91: This rock should not be described as porphyritic, as it has a high degree of alteration and the texture is masked. The texture is also varied with it starting out in something that looks like it may have been granular, and then at 447 it still appears granular but there is a fabric to the grains, and then at about 447.2 the rock appears less granular and the pyrite is in larger clots that appear to have been clasts? Which would not fit with the P1 lithology.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
430.50	432.00	1.50	S212726	0.02	6	33	31	38
432.00	433.50	1.50	S212727	0.048	2.4	15	118	41
433.50	435.00	1.50	S212728	0.028	1.6	10	42	45
435.00	436.50	1.50	S212729	0.227	17.3	59	166	722
436.50	438.00	1.50	S212731	0.106	7.5	46	198	2150
438.00	439.50	1.50	S212732	0.066	4.3	22	113	73
439.50	441.17	1.67	S212733	0.043	2.5	18	111	84
441.17	442.50	1.33	S212734	0.036	3.3	99	89	87
442.50	443.50	1.00	S212735	0.022	3.8	90	101	103
443.50	444.54	1.04	S212736	0.06	6.3	68	98	171
444.54	446.00	1.46	S212737	0.022	2.2	18	59	62
446.00	447.50	1.50	S212738	0.054	12.7	114	132	133

Hole: SU-673

From (m)	To (m)		Rock Type & Description		From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			<<Min: 444.54 - 450.91: <0.5% pyrite / 2.0-5.0% pyrite / <0.5% pyrite / <0.5% galena>> galena seem to be concentrated by fractures that have a light pink clay along them. Or it may be some other type of lith pink soft very fine grained mineral		447.50	449.00	1.50	S212739	0.032	1.9	17	81	117
			<<Alt: 444.54 - 450.91: moderate / trace clay / trace clay>> light pink clay? Along fracture planes around 450m, also associated with desseminated galena.		449.00	450.00	1.00	S212741	0.052	1.7	12	116	103
					450.00	450.91	0.91	S212742	0.045	1.2	14	65	61
					450.91	452.50	1.59	S212743	0.016	0.25	16	4	150
450.91	**478.45**	**S5-Vsf**	**VSF series silt and mudstones - very fine, light green, may or may not contain concretions**	**S-slt**	452.50	454.00	1.50	S212744	0.045	0.5	26	3	145
			450.91 - 478.45: Most of interval is actually magnetic equigranular basalt dykes, that on the edeges lightens and appears more like the lighter green mesozoic dykes. But lighter edges are likely cause by alteration from veining. VSF appears to have remnant concretions, and too altered to tell if it's interbedded. Alteration gives a very mottled appearance (along with remnant concretions).										
			<<Min: 450.91 - 468.18: <0.5% pyrite>> rock is magnetic may possibly be from minor amounts of pyrrhotite? Or possible primary magnetite		454.00	455.50	1.50	S212745	0.051	0.8	33	1	139
			<<Min: 468.18 - 469.7: 0.5-2.0% pyrite / <0.5% pyrite / 0.5-2.0% pyrite>>		455.50	457.00	1.50	S212746	0.05	0.6	23	5	138
			<<Min: 469.7 - 477.95: <0.5% pyrite>>		457.00	458.50	1.50	S212747	0.033	0.25	22	1	148
			<<Min: 477.95 - 481.65: 2.0-5.0% pyrite / <0.5% pyrite / <0.5% pyrite>>		458.50	460.00	1.50	S212748	0.01	0.25	25	1	145
			<<Alt: 450.91 - 468.18: weak to moderate epidote / trace calcite / weak to moderate sericite / weak to moderate chlorite>> Epidote seems to creeping in mostly to the plag with certain areas where it has replaced both plag and hornblendes. Sericite at bottom margin from veining.		460.00	461.50	1.50	S212749	0.035	0.25	20	1	147
			<<Alt: 468.18 - 469.7: moderate silica-sericite-pyrite / weak to moderate illite>>		461.50	463.00	1.50	S212751	0.036	0.7	29	1	126
			<<Alt: 469.7 - 477.95: weak to moderate chlorite / weak to moderate epidote / weak sericite / trace calcite>>		463.00	464.50	1.50	S212752	0.008	0.25	25	1	129
			<<Alt: 477.95 - 478.45: moderate / moderate to strong silica (pervasive silicification) / weak to moderate illite>>		464.50	466.00	1.50	S212753	0.01	0.25	24	1	131
			<<Vein: 450.92 - 466.3: <1.0 calcite>> very barren dyke with a couple of hairling undulatory fractures with calcite		466.00	467.00	1.00	S212754	0.019	0.25	25	2	172
			<<Vein: 466.3 - 477.95: 1.0-5.0 quartz-calcite>> quartz rich, vuggy in some areas, vein 1 a's and b's and fracture filling late veinlets with pale yellow hard mineral (oxidized outside or possibly from reaction to drillers material? (while on fractures)).		467.00	468.18	1.18	S212755	0.037	0.5	26	10	128
			<<Vein: 477.95 - 481.65: 1.0-5.0 quartz-calcite>> H8 surrounding the cluster of veins (vein 1b)		468.18	469.70	1.52	S212756	0.07	32.8	228	51	119
			<<Struc: 466.25 - 468.18: sporadic fault zone>> fractured rock no dominant agle		469.70	471.00	1.30	S212757	0.029	1.1	28	7	137

Hole: SU-673

From (m)	To (m)	Rock Type & Description
478.45	**478.65**	**H8** **Intensely silicified zone** **S-slt**

478.45 - 478.65: small zone of H8 picked out by intense silicification and it's purple hue. Little cluster of vein 1a's running through at the same point.

<<Alt: 478.45 - 478.65: moderate / strong silica (pervasive silicification) / weak to moderate illite>>

From (m)	To (m)	Rock Type & Description
478.65	**483.12**	**S5-Vsf** **VSF series silt and mudstones - very fine, light green, may or may not contain concretions** **S-slt**

478.65 - 483.12: Most of interval is actually magnetic equigranular basalt dykes, that on the edeges lightens and appears more like the lighter green mesozoic dykes. But lighter edges are likely cause by alteration from veining. VSF appears to have remnant concretions, and too altered to tell if it's interbedded. Alteration gives a very mottled appearance (along with remnant concretions).

<<Min: 481.65 - 482.58: <0.5% pyrite>>

<<Min: 482.58 - 483.12: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> coarser pyrite associated with chlorite

<<Alt: 478.65 - 481.65: moderate / moderate to strong silica (pervasive silicification) / weak to moderate illite>>

<<Alt: 481.65 - 482.58: weak to moderate chlorite / weak to moderate epidote / weak sericite>>

<<Alt: 482.58 - 483.12: weak / weak to moderate illite / moderate chlorite>> interval has chlorite around pyrite clots and arouns margin-less pyrite vein0's

<<Vein: 481.65 - 495.86: <1.0 quartz-calcite>> straight jagged edged fracture fill

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
471.00	472.50	1.50	S212758	0.005	0.5	23	8	145
472.50	474.00	1.50	S212759	0.002	0.25	15	4	144
474.00	475.50	1.50	S212761	0.002	0.25	17	9	148
475.50	476.00	0.50	S212762	0.006	0.25	19	4	153
476.00	477.95	1.95	S212763	0.008	0.6	20	3	145
477.95	479.00	1.05	S212764	0.237	31.4	65	20	51
479.00	480.00	1.00	S212765	0.015	2.3	1	9	12
480.00	481.65	1.65	S212766	0.023	3.5	25	21	12
481.65	482.58	0.93	S212767	0.025	0.6	22	4	119
482.58	483.12	0.54	S212768	0.021	3.1	81	30	62

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
483.12	**1013.00**	**P1 Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**									
		lg-mg									

483.12 - 1013: sil-py-ser altered pyrite but can still see remnant feldspar phenocrysts altered to clay or sericite? Mafic phenos possibly altered to chlorite and pyrite? Contains small black glassy disseminated crystals that appear to have discrete margins from afar but up close the boundaries are fuzzy. These crystals sometimes appear to be associated with veins and pyrite and at first were thought to possibly chlorite? They scratch easily and the streak is white, but it is likely that they have been altered. These could possibly be tourmaline?? Possible tourmalines increase around 550m and occupy roughly 2% of core. Several basalt dykes running through the P1.

<<Min: 483.12 - 495.86: <0.5% pyrite>>

<<Min: 495.86 - 497.1: 0.5-2.0% pyrite / <0.5% pyrite / <0.5% pyrite>>

<<Min: 497.1 - 497.65: <0.5% pyrite>>

<<Min: 497.65 - 501.77: 0.5-2.0% pyrite / traces pyrite / traces Ag,Pb,Sb,As sulfosalts>> possible sulfosalts within a vein at 501.35

<<Min: 501.77 - 511.25: <0.5% pyrite>>

<<Min: 511.25 - 517.24: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite>> first appearance of a couple of molybdenite stringers

<<Min: 517.24 - 531.35: <0.5% pyrite>>

<<Min: 531.35 - 542.82: 0.5-2.0% molybdenite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>

<<Min: 542.82 - 547.1: <0.5% pyrite>>

<<Min: 547.1 - 574.5: 0.5-2.0% molybdenite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / traces chalcopyrite>> chalcopyrite only found on 1 fracture surface. Mo found disseminated in the occasional vein and in many qz stringers (no dominant direction to stringer veins). Also very hard to tell whether it's mo of gn, but mineralization is very purple and soft

<<Min: 574.5 - 632.85: <0.5% pyrite>> minor euhedral pyrite disseminated through dyke.

<<Min: 632.85 - 670.38: 0.5-2.0% molybdenite / <0.5% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> small amount of sulfosalts? Lining qtz veins and in stringers. May be tourmaline? (alteration mineral). Galena may be present as there are some more grey/purple sulphides within veins that could be either (very fine grained and hard to tell)

<<Min: 670.38 - 671.5: traces electrum / 0.5-2.0% sphalerite / <0.5% galena / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / <0.5% pyrargyrite-proustite>> silver rich electrum. Sulfosalts dendritic in vein

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 670.88 - 692.86: 0.5-2.0% molybdenite / <0.5% sphalerite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 692.86 - 697.33: <0.5% pyrite>>									
		<<Min: 697.33 - 704: 0.5-2.0% magnetite / <0.5% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 704 - 706.2: <0.5% pyrite>>									
		<<Min: 706.2 - 748.16: 0.5-2.0% molybdenite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>>									
		<<Min: 748.16 - 749.4: 10.0-20.0% pyrite>>									
		<<Min: 749.4 - 753.4: 0.5-2.0% molybdenite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite / traces Ag,Pb,Sb,As sulfosalts>>									
		<<Min: 753.4 - 755.4: <0.5% sphalerite / <0.5% galena / <0.5% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 755.4 - 769.73: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% molybdenite / <0.5% pyrite>>									
		<<Min: 769.73 - 773.4: 2.0-5.0% magnetite / traces pyrite>> Magnetic mafic dyke with trace pyrite									
		<<Min: 773.4 - 784.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces molybdenite / <0.5% pyrite>>									
		<<Min: 784.5 - 785.3: <0.5% magnetite / traces pyrite>> Weakly mineralized, weakly magnetic mafic dyke									
		<<Min: 785.3 - 785.7: 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Fracture controlled pyrite gouge + stringers									
		<<Min: 785.7 - 790.4: 2.0-5.0% magnetite / traces pyrite>> Magnetic mafic dyke; trace diss py									
		<<Min: 790.4 - 790.75: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 790.75 - 791.15: 2.0-5.0% magnetite / <0.5% pyrite>> Fine pyrite in greatest abundance near lower margin of dyke									
		<<Min: 791.15 - 811: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Py dominantly replacing phenos from 809-811m.									
		<<Min: 811 - 821: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% hematite / <0.5% molybdenite>> Specular hematite causing pinkish stain in qtz-calcite veins									
		<<Min: 821 - 842.25: 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite / 0.5-2.0% pyrite / <0.5% hematite>> Spec hem causes pinkish stain in quartz veins. Fracture controlled pyrite in gouge towards end of interval.									
		<<Min: 842.25 - 842.85: <0.5% magnetite / traces pyrite>>									
		<<Min: 842.85 - 854.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces molybdenite>>									
		<<Min: 854.5 - 855.55: <0.5% magnetite / traces pyrite>>									
		<<Min: 855.55 - 865.5: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% Nothing Recorded / <0.5% molybdenite / <0.5% pyrite>> Moly stringers; tourmaline with blebby pyrite in veins. Pyrite gouge within faulted intervals.									

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Min: 865.5 - 886: 2.0-5.0% pyrite / 0.5-2.0% Nothing Recorded / 0.5-2.0% pyrite / 0.5-2.0% molybdenite / 0.5-2.0% pyrite>> Tourmaline + pyrite veining cuts quartz+calcite; slight increase in molybdenite stringers									
		<<Min: 886 - 912.45: 2.0-5.0% pyrite / 2.0-5.0% pyrite / traces molybdenite / 0.5-2.0% pyrite / 0.5-2.0% molybdenite>> Py > Mo stringers throughout interval; moly bleb in vein at 896.2m. Py stringer/veins commonly overprinting quartz veins.									
		<<Min: 912.45 - 917.6: 2.0-5.0% pyrite / 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% molybdenite>> Massive blebby pyrite in veins at 913.4m.									
		<<Min: 917.6 - 938.95: 2.0-5.0% pyrite / 2.0-5.0% molybdenite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Increased moly stringers after fault zone.									
		<<Min: 938.95 - 939.5: 2.0-5.0% magnetite / traces pyrite>> Magnetic mafic dyke.									
		<<Min: 939.5 - 981.5: 2.0-5.0% pyrite / 0.5-2.0% molybdenite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>>									
		<<Min: 981.5 - 986: <0.5% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite>> Occasional moly specks. Increased sulphosalt blebs within interval.									
		<<Min: 986 - 1005.4: <0.5% molybdenite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> Occasional moly stringers									
		<<Min: 1005.4 - 1019.5: 2.0-5.0% molybdenite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts / <0.5% molybdenite>>									
		<<Alt: 483.12 - 495.86: weak to moderate chlorite / weak to moderate epidote>>									
		<<Alt: 495.86 - 497.1: moderate / weak illite / weak chlorite>>									
		<<Alt: 497.1 - 497.65: weak to moderate chlorite / weak to moderate epidote / trace calcite>>									
		<<Alt: 497.65 - 501.77: moderate silica-sericite-pyrite / moderate to strong silica (pervasive silicification) / weak clay>> some clay in remnant feldspars. Increased silica around veining									
		<<Alt: 501.77 - 511.25: weak to moderate epidote / weak to moderate chlorite / trace hematite>> smeared hematite along 3 fracture planes									
		<<Alt: 511.25 - 517.25: moderate silica-sericite-pyrite / trace chlorite / trace chlorite / moderate to strong silica (pervasive silicification)>> chlorite associated with pyrite stringers and pyirte clots. Minor patch of sil 5 (almost looks like h8 but appears to be more veining) at end of interval									
		<<Alt: 517.25 - 531.25: weak to moderate chlorite / weak to moderate epidote / trace epidote>> trace epidote in calcite fracture fill									
		<<Alt: 531.25 - 542.82: moderate to strong silica-sericite-pyrite / weak chlorite / weak to moderate sericite / trace chlorite>> little disseminated black patches believed to be chlorite that are associated with pyrite. Some have metallic grey therefore some may also contain sulfosalts. Sericite/clay replacing feldsars and is also surrounding coarse disseminated pyrite									
		<<Alt: 542.82 - 547.1: weak to moderate chlorite / weak to moderate epidote>>									

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 547.1 - 574.5: moderate silica-sericite-pyrite / moderate to strong silica (pervasive silicification) / weak to moderate / trace epidote>> quartz vein at beginning of interval with epidote. NR is possible tourmaline. Contains small black glassy disseminated crystals that appear to have discrete margins from afar but up close the boundaries are fuzzy. These crystals sometimes appear to be associated with veins and pyrite and at first were thought to possibly chlorite? They scratch easily and the streak is white, but it is likely that they have been altered (but also thought to be an alteration mineral?)									
		<<Alt: 574.5 - 632.85: weak to moderate chlorite / weak to moderate epidote / weak calcite>>									
		<<Alt: 632.85 - 692.86: moderate silica-sericite-pyrite / moderate to strong silica (pervasive silicification) / weak to moderate / trace clay>> continuation of same alteration in the P1 before the basalt dyke									
		<<Alt: 692.86 - 697.33: moderate chlorite / weak to moderate epidote>>									
		<<Alt: 697.33 - 704: moderate silica-sericite-pyrite / moderate silica (pervasive silicification) / weak / trace clay>> decrease in disseminated tourmaline?									
		<<Alt: 704 - 706.2: weak to moderate chlorite / weak to moderate epidote>>									
		<<Alt: 706.2 - 769.73: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / weak / trace chlorite / trace epidote>> chl + ep from the small amount of dyke in interval									
		<<Alt: 769.73 - 773.4: weak to moderate chlorite / weak to moderate epidote>>									
		<<Alt: 773.4 - 784.5: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / weak >>									
		<<Alt: 784.5 - 785.3: weak to moderate chlorite / weak epidote / trace calcite / trace epidote>> Chlorite altered groundmass; epidote altered phenocrysts and stringers									
		<<Alt: 785.3 - 785.7: moderate silica-sericite-pyrite / trace clay>> Minor kaolinite? Clay along fractures									
		<<Alt: 785.7 - 790.4: weak to moderate chlorite / weak to moderate epidote / weak epidote / trace calcite / trace >> K-spar halo surrounds epidote vein at 788.3m. Increased epidote replacing plagioclase phenos and in veins									
		<<Alt: 790.4 - 790.75: moderate silica-sericite-pyrite / weak to moderate sericite / trace calcite>> Green sericite replacing mafic phenos; minor late calcite veinlets									
		<<Alt: 790.75 - 791.15: moderate chlorite / weak silica (pervasive silicification) / weak sericite / weak pyrite>> Pervasive chlorite + silica alteration with lesser sericite + pyrite (weak late wash).									
		<<Alt: 791.15 - 842.25: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / weak / trace clay>> Disseminated > veined tourmaline. Minor clay (kaolinite?) along fractures. Trace greenish fuchsite at 832m.									
		<<Alt: 842.25 - 842.85: moderate chlorite / weak silica (pervasive silicification) / weak to moderate calcite>> Pervasive chlorite > silica alteartion; calcite within fractures									
		<<Alt: 842.85 - 854.5: moderate silica-sericite-pyrite / weak silica (pervasive silicification) / weak clay>>									
		<<Alt: 854.5 - 854.65: moderate chlorite / weak to moderate calcite>>									
		<<Alt: 854.65 - 855.1: moderate silica-sericite-pyrite / weak silica (pervasive silicification) / trace / trace clay>>									

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Alt: 855.1 - 855.55: moderate chlorite / weak calcite>>									
		<<Alt: 855.55 - 860.65: moderate silica-sericite-pyrite / weak silica (pervasive silicification) / weak to moderate >> Tourmaline + pyrite veins throughout interval									
		<<Alt: 860.65 - 865.55: moderate silica-sericite-pyrite / weak to moderate clay / weak / trace silica (pervasive silicification)>> Increased alteration clay along fractures within gouge									
		<<Alt: 865.55 - 873.3: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / weak to moderate >> Tourmaline veins within interval commonly stylolitic									
		<<Alt: 873.3 - 875.9: moderate silica (pervasive silicification) / weak to moderate silica-sericite-pyrite / weak / trace >> Quartz stockwork zone with phylic altered clasts; tourmaline vein near top of interval and as disseminations throughout									
		<<Alt: 875.9 - 898.6: moderate silica-sericite-pyrite / weak silica (pervasive silicification) / weak to moderate / trace clay>> Tourmaline along fractures through interval									
		<<Alt: 898.6 - 912.45: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / trace clay / weak >> Tourmaline veinlets. Hydrothermal clay in gougy areas near quartz veins.									
		<<Alt: 912.45 - 916.7: moderate silica-sericite-pyrite / moderate silica (pervasive silicification) / weak to moderate clay / weak >> Increased fracture-controlled clay through interval. Lesser visible tourmaline then previous intervals.									
		<<Alt: 916.7 - 917.6: moderate to strong clay / weak to moderate silica (pervasive silicification) / weak to moderate silica-sericite-pyrite>> Strong fault zone with quartz vein fragments and wallrock.									
		<<Alt: 917.6 - 938.95: moderate silica-sericite-pyrite / weak to moderate silica (pervasive silicification) / trace sericite / weak >> Fuchsite altered mafic frag at 925.4m. Weak tourmaline specks									
		<<Alt: 938.95 - 939.5: moderate to strong chlorite>> Pervasive chlorite alteration of mafic dyke									
		<<Alt: 939.5 - 961.7: moderate silica-sericite-pyrite / moderate silica (pervasive silicification) / trace >> Increased qtz veining through interval									
		<<Alt: 961.7 - 971.95: moderate / moderate silica (pervasive silicification) / weak clay / trace >> Increased clay along fracture planes and as gouge; rare black tourmaline specks									
		<<Alt: 971.95 - 981.85: moderate / weak silica (pervasive silicification) / trace clay>>									
		<<Alt: 981.85 - 985: moderate silica (pervasive silicification) / weak to moderate / weak to moderate clay>> Quartz + calcite vein fragments (stockworking) with phyllic altered wallrock. Increased fracture controlled clay through interval.									
		<<Alt: 985 - 1021.5: moderate / weak to moderate silica (pervasive silicification) / trace clay / trace calcite / trace >> Calcite veins at approximately 987-988m mark. Dominantly quartz + carb veins within phyllic altered P1. Weak disseminated tourmaline.									
		<<Vein: 495.86 - 501.77: 1.0-5.0 quartz-calcite>> silica rich vein1's									
		<<Vein: 501.77 - 511.25: <1.0 calcite>>									
		<<Vein: 511.25 - 517.24: 1.0-5.0 quartz>> fairly barren of veins save for vn0's and a swarm of silica rich vein 1a's (vein 1b)									

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 517.24 - 531.25: <1.0 calcite>> calcite and epidote filled fractures									
		<<Vein: 531.25 - 542.82: 1.0-5.0 quartz-cu>> mostly mo-qz stringers and py-qz stringers, with some silica rich vein 1's									
		<<Vein: 542.82 - 547.1: <1.0 calcite-chlorite>>									
		<<Vein: 547.1 - 574.5: 1.0-5.0 quartz-calcite>>									
		<<Vein: 574.5 - 632.5: 1.0-5.0 calcite>> no dominant angle to core axis, late stage fracture filling calcite vein, some with hematite									
		<<Vein: 632.5 - 665.35: 1.0-5.0 quartz-calcite>> dominated by silica rich vein 1's. a small little shear/fault zone with pyrite banded sheared veins that appear to part of the vein 1 generation than the vein 4.									
		<<Vein: 665.35 - 692.88: 1.0-5.0 quartz-calcite>> interval that ontains very typical cuspate lobate vein 1a's with swarms as vein 1b's and a vein 2 with trace silver rich electrum.									
		<<Vein: 692.88 - 697.33: 1.0-5.0 calcite-chlorite>>									
		<<Vein: 697.33 - 704: 1.0-5.0 quartz-calcite>>									
		<<Vein: 704 - 706.2: <1.0 calcite>>									
		<<Vein: 706.2 - 718: 5.0-10.0 quartz-calcite>>									
		<<Vein: 718 - 769.73: 1.0-5.0 quartz-calcite>> oddly white heavy vein (not qz or cal) after the hydrothermal breccia. Unsure as to what is.									
		<<Vein: 769.73 - 773.4: <1.0 calcite>>									
		<<Vein: 773.4 - 782.92: 1.0-5.0 quartz-cu>>									
		<<Vein: 782.92 - 784.95: <1.0 calcite>>									
		<<Vein: 784.95 - 791.15: 1.0-5.0 calcite>>									
		<<Vein: 791.15 - 811: 1.0-5.0 quartz-calcite>>									
		<<Vein: 811 - 830: 5.0-10.0 quartz-calcite>> Dominantly pinkish stained Vn1c's. Staining due to specular hematite.									
		<<Vein: 830 - 842.25: 1.0-5.0 quartz-calcite>>									
		<<Vein: 842.25 - 842.85: 1.0-5.0 calcite>>									
		<<Vein: 842.85 - 873.3: 1.0-5.0 quartz-calcite>>									
		<<Vein: 873.3 - 875.9: 25.0-50.0 quartz-calcite>>									
		<<Vein: 875.9 - 898.65: 1.0-5.0 quartz-calcite>>									
		<<Vein: 898.65 - 914: 5.0-10.0 quartz-calcite>>									
		<<Vein: 914 - 917.6: 5.0-10.0 quartz-calcite>>									
		<<Vein: 917.6 - 938.95: 1.0-5.0 quartz-calcite>>									

Hole: SU-673

From (m)	To (m)	Rock Type & Description
		<<Vein: 938.95 - 939.5: <1.0 calcite>>
		<<Vein: 939.5 - 950.82: 5.0-10.0 quartz-calcite>> Moly + py stringers throughout interval
		<<Vein: 950.82 - 981.85: 1.0-5.0 quartz-calcite>>
		<<Vein: 981.85 - 985.2: 25.0-50.0 quartz-calcite>>
		<<Vein: 985.2 - 1005.4: 5.0-10.0 quartz-calcite>>
		<<Vein: 1005.4 - 1021.5: 5.0-10.0 quartz-calcite>>
		<<Struc: 632.5 - 640.75: weakly developed fault zone 20 deg. >> broken rock with some minor gouge (rehealed?). A few qz-cal-py sheared veins on either side of zone
		<<Struc: 735.93 - 756.6: sporadic fault zone>> mostly broken core, some fracture planes contain clay, while others don't (possibly mechanical?)
		<<Struc: 791.7 - 791.72: weakly developed lithology contact 40 deg. >> Lower contact to mafic dykelet.
		<<Struc: 815.4 - 817: sporadic fault zone>> Strongly broken rock, no dominant angle
		<<Struc: 838.5 - 847.05: weakly developed fault zone 55 deg. >> Gougy through interval with larger competent blocks up to 1m. Basalt dyke caught within fault zone.
		<<Struc: 860.65 - 865.5: weakly developed fault zone 15 deg. >> Increased clay +/- pyrite gouge through interval dominantly at low angle tCA
		<<Struc: 888.45 - 888.55: moderately developed fault zone 35 deg. >> Gougy zone
		<<Struc: 907.56 - 907.82: weakly developed fault zone 45 deg. >> Short gougy fault zone
		<<Struc: 912.45 - 916.7: weakly developed fault zone 25 deg. >> Lower contact at 25 dtCA; minor gouge through interval and increased quartz + pyrite veins.
		<<Struc: 916.7 - 917.6: strongly developed fault zone 40 deg. >> Lower contact at 40 dTCA; strong gouge with brecciated vein fragments.
		<<Struc: 961.7 - 971.95: weakly developed fault zone 20 deg. >> Lower contact measurement; gougy sections through interval; more clay & broken
		<<Struc: 981.85 - 985: moderately developed fault zone 30 deg. >> Measurement of upper contact.
		<<Struc: 1005.3 - 1006: strongly developed fault zone 20 deg. >> Approximate plane of weakness. Strong gouge.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
483.12	484.50	1.38	S212769	0.046	0.5	21	1	135
484.50	486.00	1.50	S212771	0.01	0.5	20	6	136
486.00	487.50	1.50	S212772	0.011	0.25	23	1	144
487.50	489.00	1.50	S212773	0.01	0.25	22	3	142
489.00	490.50	1.50	S212774	0.016	0.25	23	1	138

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			490.50	492.00	1.50	S212775	0.014	0.25	32	1	143
			492.00	493.00	1.00	S212776	0.034	0.25	32	1	140
			493.00	494.50	1.50	S212777	0.015	0.25	25	2	142
			494.50	495.86	1.36	S212778	0.007	0.25	19	1	148
			495.86	496.50	0.64	S212779	0.11	7.7	18	44	58
			496.50	497.10	0.60	S212781	0.114	30.1	107	97	420
			497.10	497.65	0.55	S212782	0.021	1.8	18	21	136
			497.65	499.00	1.35	S212783	0.129	7	12	76	193
			499.00	500.50	1.50	S212784	0.411	11.8	37	85	318
			500.50	501.77	1.27	S212785	0.607	25.4	46	344	869
			501.77	503.00	1.23	S212786	0.022	0.8	24	1	140
			503.00	504.50	1.50	S212787	0.048	0.5	28	1	149
			504.50	506.00	1.50	S212788	0.079	0.7	32	5	149
			506.00	507.50	1.50	S212789	0.068	0.5	24	1	138
			507.50	509.00	1.50	S212791	0.029	0.7	24	1	146
			509.00	510.00	1.00	S212792	0.01	0.25	23	1	154
			510.00	511.25	1.25	S212793	0.079	1.7	39	7	114
			511.25	512.50	1.25	S212794	0.247	2.6	95	9	73
			512.50	514.00	1.50	S212795	0.222	2.2	40	24	53
			514.00	515.50	1.50	S212796	0.488	3.3	87	7	42
			515.50	516.50	1.00	S212797	0.373	3.5	89	17	44
			516.50	517.40	0.90	S212798	0.414	5.2	61	16	90
			517.40	518.50	1.10	S212799	0.007	0.25	23	1	140
			518.50	520.00	1.50	S212801	0.022	0.25	27	7	140
			520.00	521.50	1.50	S212802	0.01	0.25	27	6	135
			521.50	523.00	1.50	S212803	0.007	0.25	21	4	132
			523.00	524.50	1.50	S212804	0.002	0.25	24	6	136
			524.50	526.00	1.50	S212805	0.002	0.25	12	3	135
			526.00	527.50	1.50	S212806	0.005	0.25	24	5	134

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			527.50	529.00	1.50	S212807	0.01	0.25	26	8	136
			529.00	530.00	1.00	S212808	0.007	0.5	26	3	137
			530.00	531.25	1.25	S212809	0.008	0.8	31	7	151
			531.25	532.50	1.25	S212811	0.424	9.2	110	14	52
			532.50	534.00	1.50	S212812	0.409	4.2	145	14	70
			534.00	535.50	1.50	S212813	0.345	2.7	130	20	64
			535.50	537.00	1.50	S212814	0.327	3.7	179	21	52
			537.00	538.50	1.50	S212815	0.363	7.2	219	16	48
			538.50	539.50	1.00	S212816	0.362	11.3	195	15	42
			539.50	541.00	1.50	S212817	0.529	15.2	244	38	89
			541.00	542.82	1.82	S212818	0.385	3.7	233	13	60
			542.82	543.50	0.68	S212819	0.013	0.5	127	5	146
			543.50	545.00	1.50	S212821	0.008	0.25	23	4	135
			545.00	546.00	1.00	S212822	0.002	0.25	19	4	130
			546.00	547.10	1.10	S212823	0.046	0.9	50	6	118
			547.10	548.50	1.40	S212824	0.346	3.2	79	19	42
			548.50	550.00	1.50	S212825	0.249	2.7	113	27	62
			550.00	551.50	1.50	S212826	0.259	1.9	61	56	83
			551.50	553.00	1.50	S212827	0.476	6.4	173	39	43
			553.00	554.50	1.50	S212828	0.536	6.3	206	64	80
			554.50	556.00	1.50	S212829	0.378	2.9	202	34	82
			556.00	557.50	1.50	S212831	0.318	3.2	186	21	54
			557.50	559.00	1.50	S212832	0.561	2.9	178	32	140
			559.00	560.50	1.50	S212833	0.761	4.9	194	29	84
			560.50	562.00	1.50	S212834	0.669	4.3	169	30	66
			562.00	563.50	1.50	S212835	0.413	2.3	141	26	48
			563.50	565.00	1.50	S212836	0.519	3.2	206	18	86
			565.00	566.50	1.50	S212837	0.849	2.2	208	11	84
			566.50	568.00	1.50	S212838	1.17	3.7	197	22	59

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			568.00	569.50	1.50	S212839	0.612	6.8	166	31	65
			569.50	571.00	1.50	S212841	0.644	9.6	280	32	64
			571.00	572.50	1.50	S212842	0.684	7.4	189	39	58
			572.50	574.50	2.00	S212843	0.583	3.6	101	21	48
			574.50	576.00	1.50	S212844	0.083	0.7	26	8	106
			576.00	577.50	1.50	S212845	0.022	0.25	18	5	128
			577.50	579.00	1.50	S212846	0.047	0.6	16	5	145
			579.00	580.50	1.50	S212847	0.033	0.25	21	7	131
			580.50	582.00	1.50	S212848	0.025	0.25	9	6	147
			582.00	583.50	1.50	S212849	0.002	0.25	14	5	144
			583.50	585.00	1.50	S212851	0.002	0.25	14	11	142
			585.00	586.50	1.50	S212852	0.013	0.25	12	6	140
			586.50	588.00	1.50	S212853	0.002	0.25	14	7	139
			588.00	589.50	1.50	S212854	0.002	0.25	21	3	140
			589.50	591.00	1.50	S212855	0.002	0.25	20	5	148
			591.00	592.50	1.50	S212856	0.002	0.25	13	4	144
			592.50	594.00	1.50	S212857	0.002	0.25	22	7	142
			594.00	595.50	1.50	S212858	0.002	0.25	13	6	138
			595.50	597.00	1.50	S212859	0.002	0.25	16	8	146
			597.00	598.50	1.50	S212861	0.002	0.25	11	5	135
			598.50	600.00	1.50	S212862	0.002	0.25	10	5	135
			600.00	601.50	1.50	S212863	0.002	0.25	19	3	142
			601.50	603.00	1.50	S212864	0.002	0.25	7	3	142
			603.00	604.50	1.50	S212865	0.002	0.25	26	6	141
			604.50	606.00	1.50	S212866	0.002	0.25	22	6	143
			606.00	607.50	1.50	S212867	0.002	0.25	25	6	141
			607.50	609.00	1.50	S212868	0.002	0.25	24	6	137
			609.00	610.50	1.50	S212869	0.002	0.25	25	13	153
			610.50	612.00	1.50	S212871	0.002	0.25	12	6	141

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			612.00	613.50	1.50	S212872	0.002	0.25	35	5	140
			613.50	615.00	1.50	S212873	0.002	0.25	17	9	142
			615.00	616.50	1.50	S212874	0.002	0.25	24	7	134
			616.50	618.00	1.50	S212875	0.002	0.25	26	5	137
			618.00	619.50	1.50	S212876	0.002	0.25	7	4	136
			619.50	621.00	1.50	S212877	0.002	0.25	11	3	133
			621.00	622.50	1.50	S212878	0.002	0.5	32	5	147
			622.50	624.00	1.50	S212879	0.002	0.8	61	6	137
			624.00	625.50	1.50	S212881	0.002	0.25	46	7	132
			625.50	627.00	1.50	S212882	0.002	0.25	29	5	135
			627.00	628.50	1.50	S212883	0.002	0.25	13	1	134
			628.50	630.00	1.50	S212884	0.002	0.25	43	7	132
			630.00	631.50	1.50	S212885	0.002	0.25	27	6	147
			631.50	632.85	1.35	S212886	0.05	1.6	53	6	140
			632.85	634.50	1.65	S212887	0.507	13.8	180	10	39
			634.50	636.00	1.50	S212888	0.573	15.7	365	20	101
			636.00	637.50	1.50	S212889	0.911	6.7	196	12	55
			637.50	639.00	1.50	S212891	1.315	6.7	352	13	51
			639.00	640.50	1.50	S212892	1.115	3.4	157	9	41
			640.50	642.00	1.50	S212893	0.625	5.5	191	46	94
			642.00	643.50	1.50	S212894	0.54	7.3	212	68	123
			643.50	645.00	1.50	S212895	0.599	5.6	288	34	95
			645.00	646.50	1.50	S212896	0.74	9.3	193	32	73
			646.50	648.00	1.50	S212897	0.687	13.4	149	35	96
			648.00	649.50	1.50	S212898	1.055	7.1	188	18	50
			649.50	651.00	1.50	S212899	0.723	4.6	137	21	51
			651.00	652.50	1.50	S212901	0.976	4	141	19	51
			652.50	654.00	1.50	S212902	0.686	9.9	155	13	62
			654.00	655.50	1.50	S212903	0.954	14.5	209	10	69

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			655.50	657.00	1.50	S212904	0.421	5.1	150	19	36
			657.00	658.50	1.50	S212905	0.386	6.8	180	54	170
			658.50	660.00	1.50	S212906	0.439	8.2	207	20	59
			660.00	661.50	1.50	S212907	0.624	12.4	226	20	57
			661.50	663.00	1.50	S212908	0.748	11	174	26	70
			663.00	664.50	1.50	S212909	0.583	10.1	124	20	48
			664.50	666.00	1.50	S212911	0.475	4.9	73	13	38
			666.00	667.50	1.50	S212912	0.298	11.2	77	16	35
			667.50	669.00	1.50	S212913	0.702	14.3	66	29	41
			669.00	670.38	1.38	S212914	0.678	10.9	79	22	59
			670.38	670.88	0.50	S212915	1.92	276	119	311	682
			670.88	671.50	0.62	S212917	0.646	44.6	78	78	734
			671.50	673.00	1.50	S212918	0.328	5.2	84	26	149
			673.00	674.50	1.50	S212919	0.315	4.3	82	23	63
			674.50	676.00	1.50	S212921	0.276	3.3	85	12	38
			676.00	677.50	1.50	S212922	0.299	3.4	120	14	45
			677.50	679.00	1.50	S212923	0.404	5.2	113	12	52
			679.00	680.50	1.50	S212924	0.362	5.1	118	16	56
			680.50	682.00	1.50	S212925	0.666	6.1	150	14	63
			682.00	683.50	1.50	S212926	0.411	9	72	27	78
			683.50	685.00	1.50	S212927	0.746	11.2	84	28	91
			685.00	686.50	1.50	S212928	0.606	11.4	127	35	107
			686.50	688.00	1.50	S212929	0.551	10.8	106	43	92
			688.00	689.50	1.50	S212931	0.477	9	98	45	91
			689.50	691.00	1.50	S212932	0.55	6.2	110	27	76
			691.00	692.86	1.86	S212933	0.458	4.9	126	28	72
			692.86	694.50	1.64	S212934	0.009	0.5	28	5	140
			694.50	696.00	1.50	S212935	0.002	0.25	20	10	138
			696.00	697.33	1.33	S212936	0.058	2.4	90	24	84

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			697.33	698.50	1.17	S212937	0.561	7.6	175	48	72
			698.50	700.00	1.50	S212938	1.265	23.1	532	707	1035
			700.00	701.50	1.50	S212939	0.785	50.1	230	85	361
			701.50	703.00	1.50	S212941	0.73	6.9	135	61	152
			703.00	704.00	1.00	S212942	0.622	9.4	146	44	227
			704.00	705.00	1.00	S212943	0.11	2.3	44	28	123
			705.00	706.20	1.20	S212944	0.008	0.8	24	16	149
			706.20	707.50	1.30	S212945	0.513	4.2	110	75	94
			707.50	709.00	1.50	S212946	0.647	4.7	163	74	194
			709.00	710.50	1.50	S212947	0.674	7.1	164	30	86
			710.50	712.00	1.50	S212948	0.65	20.3	137	33	128
			712.00	713.50	1.50	S212949	0.646	15.2	120	39	110
			713.50	715.00	1.50	S212951	0.519	41.7	200	42	137
			715.00	716.50	1.50	S212952	0.591	65.9	114	89	331
			716.50	718.00	1.50	S212953	0.646	22.9	187	69	208
			718.00	719.50	1.50	S212954	0.423	4.9	95	60	109
			719.50	721.00	1.50	S212955	0.855	5.2	157	45	109
			721.00	722.50	1.50	S212956	0.826	6.6	206	55	274
			722.50	724.00	1.50	S212957	0.522	5.9	155	49	164
			724.00	725.50	1.50	S212958	0.745	8.8	235	53	170
			725.50	727.00	1.50	S212959	0.444	6.3	181	75	317
			727.00	728.50	1.50	S212961	0.502	5.6	299	54	126
			728.50	730.00	1.50	S212962	0.432	3.3	173	34	104
			730.00	731.50	1.50	S212963	0.655	2.9	163	19	71
			731.50	733.00	1.50	S212964	0.82	3.8	238	19	79
			733.00	734.50	1.50	S212965	0.487	3	105	29	73
			734.50	736.00	1.50	S212966	0.372	3.2	117	58	177
			736.00	737.50	1.50	S212967	0.5	3.3	183	48	324
			737.50	739.00	1.50	S212968	0.561	4.4	222	56	163

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			739.00	740.50	1.50	S212969	0.496	3.6	205	44	132
			740.50	742.00	1.50	S212971	0.435	2.5	129	42	99
			742.00	743.50	1.50	S212972	0.469	4.5	97	35	81
			743.50	745.00	1.50	S212973	0.529	7.5	117	26	84
			745.00	746.00	1.00	S212974	0.443	8.8	156	19	76
			746.00	747.00	1.00	S212975	0.449	7.6	148	24	85
			747.00	748.16	1.16	S212976	0.858	11.4	120	30	127
			748.16	749.40	1.24	S212977	0.918	7.1	64	70	104
			749.40	751.00	1.60	S212978	0.577	11.4	133	60	225
			751.00	752.50	1.50	S212979	0.583	8.3	130	98	374
			752.50	754.00	1.50	S212981	0.588	5	163	43	115
			754.00	755.50	1.50	S212982	0.461	4	127	111	273
			755.50	757.00	1.50	S212983	0.812	2.8	93	106	232
			757.00	758.00	1.00	S212984	0.77	5.3	136	176	285
			758.00	759.62	1.62	S212985	0.578	2.3	159	100	199
			759.62	761.24	1.62	S212986	0.407	1.1	79	42	147
			761.24	762.50	1.26	S212987	1.2	2.6	157	147	228
			762.50	764.00	1.50	S212988	0.69	2.6	120	106	353
			764.00	765.50	1.50	S212989	0.65	4.8	160	90	201
			765.50	767.00	1.50	S212991	0.716	5.3	189	78	214
			767.00	768.00	1.00	S212992	1.39	4.1	150	106	245
			768.00	769.73	1.73	S212993	0.453	2.6	89	135	365
			769.73	770.50	0.77	S212994	0.008	0.25	25	5	141
			770.50	772.00	1.50	S212995	0.002	0.25	22	9	137
			772.00	773.40	1.40	S212996	0.002	0.25	19	5	140
			773.40	775.00	1.60	S212997	0.334	3.1	74	87	162
			775.00	776.50	1.50	S212998	0.288	2.2	59	67	219
			776.50	778.00	1.50	S212999	0.308	1.3	37	47	197
			778.00	779.50	1.50	S213001	0.344	3.7	145	58	110

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			779.50	781.00	1.50	S213002	0.474	3.3	121	29	150
			781.00	782.50	1.50	S213003	0.264	2	53	34	149
			782.50	784.50	2.00	S213004	0.301	3.2	75	30	173
			784.50	786.00	1.50	S213005	0.146	2.1	48	21	275
			786.00	787.50	1.50	S213006	0.008	0.6	22	9	153
			787.50	789.00	1.50	S213007	0.002	0.25	27	6	160
			789.00	790.00	1.00	S213008	0.002	0.25	13	13	162
			790.00	791.15	1.15	S213009	0.101	1.2	50	17	109
			791.15	792.50	1.35	S213011	0.503	3.3	93	20	71
			792.50	794.00	1.50	S213012	0.677	6.2	138	20	100
			794.00	795.50	1.50	S213013	0.65	4.1	123	41	89
			795.50	797.00	1.50	S213014	0.748	3.6	126	29	68
			797.00	798.50	1.50	S213015	0.55	4.8	120	37	92
			798.50	800.00	1.50	S213016	0.694	5.6	138	72	159
			800.00	801.50	1.50	S213017	0.909	4.1	127	50	102
			801.50	803.00	1.50	S213018	1.15	4.1	160	96	147
			803.00	804.50	1.50	S213019	1.33	4.3	180	45	127
			804.50	806.00	1.50	S213021	0.662	4.9	144	108	238
			806.00	807.50	1.50	S213022	0.479	10.3	159	68	92
			807.50	809.00	1.50	S213023	0.616	9	120	56	100
			809.00	810.50	1.50	S213024	0.532	9.5	108	40	95
			810.50	812.00	1.50	S213025	0.41	19.8	116	35	72
			812.00	813.50	1.50	S213026	0.677	19.1	162	46	95
			813.50	815.00	1.50	S213027	0.604	20.6	129	40	124
			815.00	816.50	1.50	S213028	0.602	14.2	145	71	303
			816.50	818.00	1.50	S213029	0.588	11.8	176	47	108
			818.00	819.50	1.50	S213031	0.523	8.6	103	91	451
			819.50	821.00	1.50	S213032	0.505	6.3	80	45	165
			821.00	822.50	1.50	S213033	0.474	4.6	80	40	358

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			822.50	824.00	1.50	S213034	0.595	65.8	748	68	285
			824.00	825.50	1.50	S213035	0.417	3.5	98	28	86
			825.50	827.00	1.50	S213036	0.462	5.8	136	46	150
			827.00	828.50	1.50	S213037	0.7	8.2	151	47	161
			828.50	830.00	1.50	S213038	0.466	3.2	72	51	144
			830.00	831.50	1.50	S213039	0.549	1.7	64	43	158
			831.50	833.00	1.50	S213041	0.833	3.3	127	48	163
			833.00	834.50	1.50	S213042	0.395	3	85	40	177
			834.50	836.00	1.50	S213043	0.437	9.6	151	60	156
			836.00	837.50	1.50	S213044	0.488	12.9	141	64	287
			837.50	839.00	1.50	S213045	0.576	3.4	55	83	307
			839.00	840.50	1.50	S213046	1.09	5.1	136	81	228
			840.50	842.25	1.75	S213047	0.666	6.5	138	67	137
			842.25	842.85	0.60	S213048	0.101	1.6	33	17	165
			842.85	844.50	1.65	S213049	0.321	4.6	83	39	109
			844.50	846.00	1.50	S213051	0.242	5.8	78	25	86
			846.00	847.50	1.50	S213052	0.444	8.3	91	22	75
			847.50	849.00	1.50	S213053	0.286	14	104	41	102
			849.00	850.50	1.50	S213054	0.507	10.8	98	30	136
			850.50	852.00	1.50	S213055	0.38	7.5	62	35	138
			852.00	853.50	1.50	S213056	0.382	10.7	98	52	474
			853.50	854.50	1.00	S213057	0.376	12.6	71	45	478
			854.50	855.55	1.05	S213058	0.189	2.8	41	42	260
			855.55	857.00	1.45	S213059	0.898	24	161	57	229
			857.00	858.50	1.50	S213061	0.482	4.1	57	41	370
			858.50	860.00	1.50	S213062	0.39	4.9	81	47	120
			860.00	861.50	1.50	S213063	0.381	6.7	128	79	301
			861.50	863.00	1.50	S213064	0.488	3.7	68	47	139
			863.00	864.50	1.50	S213065	0.515	8.2	173	42	166

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			864.50	866.00	1.50	S213066	0.372	10.6	163	40	398
			866.00	867.50	1.50	S213067	0.506	12.9	142	49	137
			867.50	869.00	1.50	S213068	0.507	32	237	57	299
			869.00	870.50	1.50	S213069	0.367	10.6	145	52	143
			870.50	872.00	1.50	S213071	0.458	14.5	156	76	224
			872.00	873.30	1.30	S213072	0.391	17.7	140	77	398
			873.30	875.00	1.70	S213073	0.255	5.1	47	63	488
			875.00	875.90	0.90	S213074	0.217	4.4	39	57	436
			875.90	877.50	1.60	S213075	0.373	12.5	111	56	180
			877.50	879.00	1.50	S213076	0.402	8.3	80	77	167
			879.00	880.50	1.50	S213077	0.309	5	64	50	186
			880.50	882.00	1.50	S213078	1.04	9.1	81	79	180
			882.00	883.50	1.50	S213079	0.461	10.8	166	22	92
			883.50	884.90	1.40	S213081	0.45	5.1	77	40	135
			884.90	886.00	1.10	S213082	0.563	12.9	115	50	377
			886.00	887.50	1.50	S213083	0.289	4.7	66	41	123
			887.50	889.00	1.50	S213084	0.44	12.1	121	38	132
			889.00	890.50	1.50	S213085	0.281	22.1	125	34	82
			890.50	892.00	1.50	S213086	0.386	18.6	88	62	140
			892.00	893.50	1.50	S213087	0.545	14	119	45	106
			893.50	895.00	1.50	S213088	0.51	10.8	100	43	107
			895.00	896.50	1.50	S213089	0.512	14.5	157	48	167
			896.50	898.00	1.50	S213091	0.56	17	232	63	236
			898.00	899.50	1.50	S213092	0.484	21.7	109	46	195
			899.50	901.00	1.50	S213093	0.478	10.7	56	35	576
			901.00	902.50	1.50	S213094	1.165	46.9	117	30	114
			902.50	904.00	1.50	S213095	0.525	14.6	130	19	76
			904.00	905.50	1.50	S213096	1.625	12.9	74	24	74
			905.50	907.00	1.50	S213097	0.828	12	88	46	103

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			907.00	908.50	1.50	S213098	0.442	12.7	93	75	235
			908.50	910.00	1.50	S213099	0.494	12.3	80	30	61
			910.00	911.50	1.50	S213101	0.371	16.6	95	50	202
			911.50	912.45	0.95	S213102	0.257	16.7	96	25	67
			912.45	914.00	1.55	S213103	0.657	31.3	120	43	74
			914.00	915.50	1.50	S213104	0.335	14.7	90	30	136
			915.50	916.50	1.00	S213105	0.457	14.7	124	35	135
			916.50	917.60	1.10	S213106	0.175	7.7	105	28	133
			917.60	919.00	1.40	S213107	0.307	9.8	165	39	77
			919.00	920.50	1.50	S213108	0.346	9.8	160	29	107
			920.50	922.00	1.50	S213109	0.314	12.1	259	35	107
			922.00	923.50	1.50	S213111	0.241	8.7	146	35	167
			923.50	925.00	1.50	S213112	0.245	7.2	127	37	95
			925.00	926.50	1.50	S213113	0.255	15	143	35	161
			926.50	928.00	1.50	S213114	0.226	16.6	139	44	167
			928.00	929.50	1.50	S213115	0.584	25	120	55	115
			929.50	931.00	1.50	S213116	0.232	9.5	88	40	124
			931.00	932.50	1.50	S213117	0.182	15.3	130	41	118
			932.50	934.00	1.50	S213118	0.235	11.9	138	29	112
			934.00	935.50	1.50	S213119	0.203	13.5	134	27	92
			935.50	937.50	2.00	S213121	0.291	27.2	180	33	132
			937.50	938.95	1.45	S213122	0.26	13	105	27	62
			938.95	939.50	0.55	S213123	0.043	1.2	30	14	133
			939.50	941.00	1.50	S213124	0.235	8.9	72	48	88
			941.00	942.50	1.50	S213125	0.226	2.4	61	23	52
			942.50	944.00	1.50	S213126	0.323	6.2	121	21	68
			944.00	945.50	1.50	S213127	0.301	9.2	130	18	44
			945.50	947.00	1.50	S213128	0.655	36.7	148	22	55
			947.00	948.50	1.50	S213129	0.303	10.6	70	24	61

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
			948.50	950.00	1.50	S213131	0.437	11.3	95	23	47
			950.00	951.50	1.50	S213132	0.295	8.6	76	25	57
			951.50	953.00	1.50	S213133	0.413	12.6	89	25	48
			953.00	954.50	1.50	S213134	0.397	14.3	60	26	74
			954.50	956.00	1.50	S213135	0.26	14	61	26	66
			956.00	957.50	1.50	S213136	0.404	20.1	90	20	67
			957.50	959.00	1.50	S213137	0.41	14.8	57	20	74
			959.00	960.50	1.50	S213138	0.599	14.5	68	35	131
			960.50	962.00	1.50	S213139	0.496	16.8	83	53	228
			962.00	963.50	1.50	S213141	0.36	16.1	104	61	1015
			963.50	965.00	1.50	S213142	0.294	8.4	31	24	122
			965.00	966.50	1.50	S213143	0.434	30.6	127	33	117
			966.50	968.00	1.50	S213144	0.52	14.8	113	41	212
			968.00	969.50	1.50	S213145	0.311	10.5	89	49	617
			969.50	971.00	1.50	S213146	0.397	10.5	150	22	244
			971.00	972.50	1.50	S213147	0.362	7	105	38	350
			972.50	974.00	1.50	S213148	0.295	5.2	100	24	532
			974.00	975.50	1.50	S213149	0.307	8.9	142	23	157
			975.50	977.00	1.50	S213151	0.297	7.3	65	26	130
			977.00	978.50	1.50	S213152	0.374	15.9	102	18	135
			978.50	980.00	1.50	S213153	0.333	15.7	105	21	245
			980.00	981.50	1.50	S213154	0.207	7.5	46	28	417
			981.50	983.00	1.50	S213155	0.6	114	178	103	570
			983.00	984.50	1.50	S213156	0.5	47.9	77	52	204
			984.50	986.00	1.50	S213157	0.471	12.3	60	37	59
			986.00	987.50	1.50	S213158	0.269	16.5	94	29	40
			987.50	989.00	1.50	S213159	0.471	20.1	122	24	98
			989.00	990.50	1.50	S213161	0.418	14.9	101	18	58
			990.50	992.00	1.50	S213162	0.449	17.2	119	19	86

Hole: SU-673

From (m)	To (m)		Rock Type & Description	
1013.00	**1028.00**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-mg**

1013 - 1028: Equivalent unit to phyllic altered P1. Observed brecciated vein fragments with phyllic altered wallrock. Transitions to a P1 unit where phenocrysts are less obvious downhole.

<<Min: 1019.5 - 1028: 0.5-2.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% molybdenite / traces sphalerite / 0.5-2.0% Ag,Pb,Sb,As sulfosalts>> Malachite/chrysocolla bleb within fault at 1021.5m. Moly blebs in vein fragments occasional within fault zone

<<Alt: 1021.5 - 1027.8: moderate to strong silica (pervasive silicification) / weak to moderate / weak to moderate clay>> Increased silica vein fragments within fault zone with sericite altered wallrock making up matrix; hydrothermal clay + sulphide gouge.

<<Alt: 1027.8 - 1075.25: moderate to strong / weak silica (pervasive silicification) / moderate / weak to moderate calcite / weak greater than 10% carbonate minerals>> Strong pervasive phyllic alteration (greater then before the fault zone). Less quartz veining and increased calcite +/- ankerite veins. Rare clay on fractures.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
992.00	993.50	1.50	S213163	0.508	15.4	150	28	133
993.50	995.00	1.50	S213164	0.506	10.9	143	19	63
995.00	996.50	1.50	S213165	0.402	5.2	76	33	206
996.50	998.00	1.50	S213166	0.402	5.4	76	20	115
998.00	999.50	1.50	S213167	0.402	2.4	35	27	104
999.50	1001.00	1.50	S213168	0.625	5.4	69	28	57
1001.00	1002.50	1.50	S213169	0.471	4.6	55	17	58
1002.50	1004.00	1.50	S213171	0.327	6.6	69	25	70
1004.00	1006.00	2.00	S213172	0.357	9.4	89	24	97
1006.00	1007.50	1.50	S213173	0.936	6.1	51	19	50
1007.50	1009.00	1.50	S213174	0.181	3.5	26	20	74
1009.00	1010.00	1.00	S213175	0.193	4.4	30	21	106
1010.00	1011.50	1.50	S213176	0.197	5	40	20	75
1011.50	1013.00	1.50	S213177	0.345	6.9	60	20	369
1013.00	1014.50	1.50	S213178	0.306	9.7	62	29	371
1014.50	1016.00	1.50	S213179	0.328	9.4	46	24	83
1016.00	1017.50	1.50	S213181	0.301	8	54	28	107
1017.50	1019.50	2.00	S213182	0.35	5.4	42	23	106

Hole: SU-673

From (m)	To (m)	Rock Type & Description	From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
		<<Vein: 1021.5 - 1027.5: 25.0-50.0 quartz-calcite>>	1019.50	1021.00	1.50	S213183	0.745	10.3	102	16	79
		<<Vein: 1027.5 - 1031: 5.0-10.0 quartz-calcite>>	1021.00	1022.50	1.50	S213184	0.363	43.1	56	293	192
		<<Struc: 1013.15 - 1027.85: strongly developed fault zone 45 deg. >> Strongly developed fault zone with abundant gouge and broken quartz vein stockwork.	1022.50	1024.00	1.50	S213185	2.43	635	143	1925	4250
			1024.00	1026.00	2.00	S213186	0.473	119	79	478	1010
			1026.00	1028.00	2.00	S213187	0.449	19.1	86	44	174
1028.00	**1104.00**	**P1 Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)** **lg-fg**	1028.00	1029.00	1.00	S213188	0.249	10.2	60	48	156
		1028 - 1104: Phenocrysts within interval have been commonly altered to tourmaline. Less obvious phenocryst/groundmass distinctions. Texturally obscured by alteration.									
		<<Min: 1028 - 1033: <0.5% molybdenite / 5.0-10.0% pyrite / <0.5% pyrite / <0.5% pyrite>> Increased phyllic alteration with more pyrite.	1029.00	1030.50	1.50	S213189	0.37	6.2	44	36	104
		<<Min: 1033 - 1048: 2.0-5.0% pyrite / 2.0-5.0% pyrite / <0.5% molybdenite / <0.5% pyrite>>	1030.50	1031.40	0.90	S213191	0.256	3.9	30	23	73
		<<Min: 1048 - 1072.5: 2.0-5.0% molybdenite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Increased moly stringers through interval.	1031.40	1033.00	1.60	S213192	0.362	3.3	45	39	159
		<<Min: 1075.25 - 1076.5: 2.0-5.0% magnetite / <0.5% pyrite / <0.5% pyrite / traces galena>> Mineralization restricted to exposed phyllically altered unit within mostly dyke interval.	1033.00	1034.50	1.50	S213193	0.376	4	68	48	314
		<<Min: 1076.5 - 1080.9: 2.0-5.0% pyrite / 0.5-2.0% pyrite / <0.5% pyrite>> Pyrite mixed with tourmaline.	1034.50	1036.00	1.50	S213194	0.442	4.1	67	33	196
		<<Min: 1080.9 - 1081.5: 0.5-2.0% magnetite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Pyrite within phyllic altered P1 unit; magnetite associated with mafic dyke (1st half of interval).	1036.00	1037.50	1.50	S213195	0.463	3.3	49	28	231
		<<Min: 1081.5 - 1098: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% molybdenite / traces Ag,Pb,Sb,As sulfosalts / 0.5-2.0% pyrite>> Fine disseminated pyrite, trace sulphosalt blebs.	1037.50	1039.00	1.50	S213196	0.5	4.6	134	43	196
		<<Min: 1098 - 1105: 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces galena / traces sphalerite / traces Ag,Pb,Sb,As sulfosalts>> Trace sphalerite +/- sulphosalt blebs in qtz+calcite veins (Vn3's).	1039.00	1040.50	1.50	S213197	0.633	3.2	106	43	139
		<<Alt: 1075.25 - 1076.5: moderate chlorite / trace calcite>>	1040.50	1042.00	1.50	S213198	0.511	2.1	91	27	203
		<<Alt: 1076.5 - 1080.9: moderate to strong / trace silica (pervasive silicification) / weak to moderate / weak clay>> Increased fracture controlled hydrothermal clay.	1042.00	1043.50	1.50	S213199	0.586	2.8	122	34	160

Hole: SU-673

From (m)	To (m)	Rock Type & Description
		<<Alt: 1080.9 - 1081.26: moderate chlorite / trace calcite>>
		<<Alt: 1081.26 - 1104: moderate to strong / weak to moderate silica (pervasive silicification) / trace clay / weak >> Disseminated tourmaline +/- biotite
		<<Vein: 1031 - 1067.07: 5.0-10.0 quartz-calcite>>
		<<Vein: 1067.07 - 1100: 1.0-5.0 quartz-calcite>>
		<<Vein: 1100 - 1101.5: 10.0-25.0 quartz-calcite>>
		<<Vein: 1101.5 - 1114.5: 1.0-5.0 quartz-calcite>>
		<<Struc: 1030.5 - 1031.1: weakly developed fault zone 20 deg. >> Moderately developed gouge. Measurement of upper contact; minor quartz vein fragments broken within interval.
		<<Struc: 1053.8 - 1055: weakly developed fault zone>> Gougy zone
		<<Struc: 1076.5 - 1082.7: sporadic fault zone 10 deg. >> Approximate plane of weakness; minor gouge.
		<<Struc: 1099.3 - 1099.7: weakly developed sheared 35 deg. >> Approximate shear angle
		<<Struc: 1103.25 - 1103.4: weakly developed sheared 35 deg. >> Sheared zone

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1043.50	1045.00	1.50	S213201	0.714	2.9	125	33	253
1045.00	1046.50	1.50	S213202	0.71	2	98	39	162
1046.50	1048.00	1.50	S213203	0.627	3.5	143	60	133
1048.00	1049.50	1.50	S213204	0.576	3.2	93	38	133
1049.50	1051.00	1.50	S213205	0.474	3.6	78	74	284
1051.00	1052.50	1.50	S213206	0.47	3.6	49	49	146
1052.50	1054.00	1.50	S213207	0.526	6.1	63	56	166
1054.00	1055.50	1.50	S213208	0.386	4.2	66	23	175
1055.50	1057.00	1.50	S213209	0.324	2.6	41	52	157
1057.00	1058.50	1.50	S213211	0.445	4.8	55	71	174
1058.50	1060.00	1.50	S213212	0.309	6.2	67	71	290
1060.00	1061.50	1.50	S213213	0.324	6.3	67	59	210
1061.50	1063.00	1.50	S213214	0.25	6.7	63	45	213
1063.00	1064.50	1.50	S213215	0.258	4.8	44	45	191
1064.50	1066.00	1.50	S213216	0.71	9	59	140	346
1066.00	1067.50	1.50	S213217	0.445	9.5	79	79	393
1067.50	1069.00	1.50	S213218	0.663	5	33	37	196
1069.00	1070.50	1.50	S213219	0.712	3.9	41	36	167
1070.50	1072.00	1.50	S213221	0.678	1.9	47	23	153
1072.00	1073.50	1.50	S213222	0.571	2.2	51	18	113
1073.50	1075.25	1.75	S213223	0.543	2.7	58	14	227
1075.25	1076.50	1.25	S213224	0.094	0.7	25	3	190
1076.50	1078.00	1.50	S213225	0.39	2.9	56	19	148
1078.00	1079.50	1.50	S213226	0.336	3.6	76	43	235
1079.50	1080.90	1.40	S213227	0.339	3	70	44	163
1080.90	1081.50	0.60	S213228	0.111	0.6	29	9	137
1081.50	1083.00	1.50	S213229	0.341	1.2	22	59	173
1083.00	1084.50	1.50	S213231	0.312	5.6	70	35	142

Hole: SU-673

From (m)	To (m)		Rock Type & Description	
1104.00	**1156.50**	**P1**	**Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	**lg-mg**

1104 - 1156.5: Phenocrysts becoming more evident locally (remnant plagioclase phenos); black tourmaline specks throughout interval; faint foliatjon due to alteration of phenocrysts/mineralization. Pyrite commonly as blebs replacing phenos.

<<Min: 1105 - 1115: 2.0-5.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Mineralization restricted to py (possibly b/c of increased tourmaline??)

<<Min: 1115 - 1120.5: 5.0-10.0% pyrite / 2.0-5.0% pyrite / traces sphalerite / traces Ag,Pb,Sb,As sulfosalts / traces molybdenite>>

<<Min: 1120.5 - 1125: 0.5-2.0% Ag,Pb,Sb,As sulfosalts / traces galena / <0.5% sphalerite / 5.0-10.0% pyrite / 0.5-2.0% pyrite>> Increased silicification through interval with blebby sulphides.

<<Min: 1125 - 1155.65: traces Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 2.0-5.0% pyrite / 0.5-2.0% pyrite / traces Ag,Pb,Sb,As sulfosalts>> Pyrite varies as a mix of disseminations and blebs. Localized disseminations of moly.

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1084.50	1086.00	1.50	S213232	0.349	5.1	54	88	179
1086.00	1087.50	1.50	S213233	0.316	6.2	63	46	174
1087.50	1089.00	1.50	S213234	0.325	12.4	79	54	138
1089.00	1090.50	1.50	S213235	0.327	3.2	42	25	82
1090.50	1092.00	1.50	S213236	0.409	2.6	44	46	131
1092.00	1093.50	1.50	S213237	0.427	3.9	66	29	105
1093.50	1095.00	1.50	S213238	0.329	3.1	58	30	190
1095.00	1096.50	1.50	S213239	0.247	2.9	78	27	96
1096.50	1098.00	1.50	S213241	0.439	2.7	72	45	153
1098.00	1099.50	1.50	S213242	0.281	2.1	41	35	134
1099.50	1101.00	1.50	S213243	0.321	6.1	71	23	78
1101.00	1102.50	1.50	S213244	0.213	7.2	81	12	49
1102.50	1104.00	1.50	S213245	0.734	31.6	371	33	112
1104.00	1105.50	1.50	S213246	0.337	2	81	37	110
1105.50	1107.00	1.50	S213247	0.436	2.4	207	35	139
1107.00	1108.50	1.50	S213248	0.669	2.2	235	37	171
1108.50	1110.00	1.50	S213249	1.06	1.3	176	30	129
1110.00	1111.50	1.50	S213251	1.23	1.2	168	49	231

Hole: SU-673

From (m)	To (m)	Rock Type & Description
		<<Min: 1155.65 - 1163.6: <0.5% Ag,Pb,Sb,As sulfosalts / <0.5% molybdenite / 0.5-2.0% sphalerite / <0.5% galena / 0.5-2.0% pyrite>> Drop in pyrite; blebby sulphides throughout quartz veining.
		<<Alt: 1104 - 1125: moderate / moderate silica (pervasive silicification) / weak >> Lesser disseminated tourmaline +/- biotite. Locally intense pervasive phyllic alteration; quartz veining pick s up at 1115m.
		<<Alt: 1125 - 1156.5: moderate / weak silica (pervasive silicification) / moderate >> Moderate to strong pervasive phyllic alteration with quartz as veins and vein fragments through interval. Massive rose quartz (vein 1c's) locally common through interval. Disseminated tourmaline throughout interval.
		<<Vein: 1114.5 - 1120.5: 10.0-25.0 quartz-calcite>>
		<<Vein: 1120.5 - 1125: 10.0-25.0 quartz-calcite>>
		<<Vein: 1125 - 1155.65: 1.0-5.0 quartz-calcite>> Overall low frequency of veining within interval.
		<<Vein: 1155.65 - 1163.6: 25.0-50.0 quartz-calcite>> Disseminated sulphides common in both vein types through interval; not enough in abundancy or in a concentrated enough style to define as vein 2s.
		<<Struc: 1113.55 - 1113.7: sporadic sheared 25 deg. >>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1111.50	1113.00	1.50	S213252	0.875	1.6	180	48	168
1113.00	1114.50	1.50	S213253	0.503	2.1	161	39	231
1114.50	1116.00	1.50	S213254	0.509	6.9	148	64	151
1116.00	1117.50	1.50	S213255	2.83	17.1	1230	50	172
1117.50	1119.00	1.50	S213256	8.04	7.5	5460	28	336
1119.00	1120.50	1.50	S213257	4.64	41.3	7340	41	389
1120.50	1122.00	1.50	S213258	1.795	24.5	2000	40	229
1122.00	1123.50	1.50	S213259	0.238	11.1	42	89	60
1123.50	1125.00	1.50	S213261	0.385	60.1	109	219	209
1125.00	1126.50	1.50	S213262	0.374	19.1	275	39	222
1126.50	1128.00	1.50	S213263	0.525	21.1	408	32	157
1128.00	1129.50	1.50	S213264	0.351	6.9	152	48	153
1129.50	1131.00	1.50	S213265	0.34	4.4	86	35	240
1131.00	1132.50	1.50	S213266	0.28	3.1	76	27	111
1132.50	1134.00	1.50	S213267	0.327	2.7	61	42	255
1134.00	1135.50	1.50	S213268	0.217	2.3	55	35	141
1135.50	1137.00	1.50	S213269	0.409	3.2	142	43	137
1137.00	1138.50	1.50	S213271	0.538	6.7	146	52	126
1138.50	1140.00	1.50	S213272	0.897	53.7	753	38	205
1140.00	1141.50	1.50	S213273	0.742	22.9	502	75	350
1141.50	1143.00	1.50	S213274	0.655	27.4	373	37	115
1143.00	1144.50	1.50	S213275	0.649	45.8	791	34	212
1144.50	1146.00	1.50	S213276	0.535	9.9	163	61	159
1146.00	1147.50	1.50	S213277	0.42	6.9	128	38	139
1147.50	1149.00	1.50	S213278	0.468	9.6	135	48	205
1149.00	1150.50	1.50	S213279	0.522	10	126	41	250

Hole: SU-673

From (m)	To (m)	Rock Type & Description
1156.50	**1177.70**	**P1 Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?) lg-mg**

1156.5 - 1177.7: Brecciated equivalent of porphyritic unit; ingtense quartz veining through interval gives appearance of clastic unit with subrounded hydrothermally altered quartz vein fragments; Black tourmaline specks still visible through interval; occ remnant outlines of plag phenos.

<<Min: 1163.6 - 1164.3: 2.0-5.0% pyrite>> Pyrite restricted to 2nd half of interval in ser-sil-py alteration.

<<Min: 1164.3 - 1177.7: 5.0-10.0% pyrite / 0.5-2.0% pyrite / traces galena / 0.5-2.0% molybdenite / <0.5% Ag,Pb,Sb,As sulfosalts>> Higher concentrations of disseminated pyrite particularly surrounding basalt dyke at 1171.2m

<<Alt: 1156.5 - 1163.6: moderate to strong silica (pervasive silicification) / weak to moderate / weak >> Pervasive silicification with a mix of cherty light grey + white + rosy quartz vein fragments. Sericite+silica+pyrite wallrock/matrix common through interval; locally brecciated as fragments.

<<Alt: 1163.6 - 1164.05: moderate to strong sericite / weak calcite / trace chlorite>> Mafic dyke has been pervasively altered; remnant chlorite + calcite veins.

<<Alt: 1164.05 - 1177.7: moderate / moderate silica (pervasive silicification) / weak to moderate / weak to moderate sericite>> Pervasive ser-sil-py +/- disseminated tourmaline specks. Quartz veins with vein breccia fragments common through interval both as white/pink (rose) quartz type veins and light grey vein fragments. Local zones of pervasive sericite alteration including within altered dyke from 1170.8-1171.2m and green sericite in clast/fragment 1174.2m.

<<Vein: 1163.6 - 1164.3: 5.0-10.0 calcite>>

<<Vein: 1164.3 - 1180: 10.0-25.0 quartz-calcite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1150.50	1152.00	1.50	S213281	0.621	12.8	102	52	168
1152.00	1153.50	1.50	S213282	0.543	10.2	75	43	159
1153.50	1155.00	1.50	S213283	0.502	30.5	207	39	143
1155.00	1156.50	1.50	S213284	0.324	16.7	78	30	354
1156.50	1157.30	0.80	S213285	0.387	24.7	80	46	74
1157.30	1158.50	1.20	S213286	0.485	70.6	262	31	99
1158.50	1159.50	1.00	S213287	0.31	23.8	108	17	33
1159.50	1161.00	1.50	S213288	0.313	28.7	98	36	76
1161.00	1162.50	1.50	S213289	0.232	33.2	98	79	94
1162.50	1163.60	1.10	S213291	0.367	109	138	642	958
1163.60	1164.30	0.70	S213292	0.143	15.6	41	22	118
1164.30	1165.50	1.20	S213293	0.543	48.5	101	56	216
1165.50	1167.00	1.50	S213294	0.418	66.3	153	175	256
1167.00	1168.50	1.50	S213295	0.409	33.7	157	31	91
1168.50	1170.00	1.50	S213296	0.492	19.7	152	21	65
1170.00	1171.20	1.20	S213297	0.521	23.3	189	20	77

Hole: SU-673

From (m)	To (m)	Rock Type & Description	
1177.70	1194.40	**P1 Plagioclase-hornblende porphyritic rocks (feldspar phyric to porphyritic, lesser hornblende phenocrysts); interpreted as volcanic (hypabyssal?)**	lg-mg

<<Min: 1177.7 - 1186.5: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / <0.5% molybdenite>> Decreased pyrite with increased plag phenos visible.

<<Min: 1186.5 - 1194.4: <0.5% Ag,Pb,Sb,As sulfosalts / traces galena / <0.5% molybdenite / 2.0-5.0% pyrite / 0.5-2.0% pyrite>> Blebby mineralization in vein at end of hole.

<<Alt: 1177.7 - 1188.4: moderate / weak to moderate illite / weak to moderate silica (pervasive silicification) / weak to moderate >> Light green to yellowish illite commonly replacing plag phenos; tourmaline as epcks and lesser as veins with pyrite. Quartz veining most abundant in 2nd half of interval.

<<Alt: 1188.4 - 1193.3: moderate / weak to moderate silica (pervasive silicification) / trace >> Lesser disseminated tourmaline through interval.

<<Alt: 1193.3 - 1194.4: moderate to strong silica (pervasive silicification) / weak >> Massive rose quartz vein; lesser fragments of phyllic altered wallrock.

<<Vein: 1180 - 1194.4: 10.0-25.0 quartz-calcite>>

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1171.20	1172.20	1.00	S213298	0.21	18.6	101	22	49
1172.20	1173.00	0.80	S213299	0.281	26.6	172	27	145
1173.00	1174.00	1.00	S213301	0.365	38.7	176	28	111
1174.00	1175.00	1.00	S213302	0.288	41.9	197	17	67
1175.00	1176.00	1.00	S213303	0.546	32	234	18	102
1176.00	1176.85	0.85	S213304	0.566	17.7	213	19	73
1176.85	1177.70	0.85	S213305	0.243	13.9	132	21	50
1177.70	1178.50	0.80	S213306	0.397	18.1	209	19	73
1178.50	1180.00	1.50	S213307	0.455	15.7	195	16	60
1180.00	1181.50	1.50	S213308	0.334	11	198	17	102
1181.50	1183.00	1.50	S213309	0.235	20.3	196	21	78
1183.00	1184.00	1.00	S213311	0.399	4.9	252	18	77
1184.00	1185.00	1.00	S213312	0.653	1.6	242	14	97

Hole: SU-673

From (m)	To (m)	Rock Type & Description

From (m)	To (m)	Length	Sample #	Au Best ppm	Ag Best ppm	Cu Best ppm	Pb Best ppm	Zn Best ppm
1185.00	1186.50	1.50	S213313	0.531	9.8	276	21	76
1186.50	1188.00	1.50	S213314	0.402	15.2	164	60	100
1188.00	1189.00	1.00	S213315	0.566	18	253	22	68
1189.00	1190.20	1.20	S213316	0.526	18.5	213	43	88
1190.20	1191.00	0.80	S213317	0.879	37.3	352	71	238
1191.00	1192.74	1.74	S213318	0.993	12.9	182	29	76
1192.74	1193.40	0.66	S213319	0.367	28.5	232	161	748
1193.40	1194.40	1.00	S213321	0.118	21.9	71	56	257

End of Hole @ 1194.4

Appendix IV. Assay Certificates from ALS Laboratories

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

CERTIFICATE TR15102767

Project: Brucejack Analytical

P.O. No.: BJL-3619

This report is for 104 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM**
ATTN: SUSAN FLASHA
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010001		5.72	<0.005		<0.5	6.61	7	2630	0.9	<2	9.81	<0.5	15	12	111	4.36
S010002		5.67	<0.005		<0.5	8.62	<5	3210	1.1	2	3.47	<0.5	21	23	46	5.89
S010003		6.45	0.005		<0.5	8.61	<5	3170	1.1	<2	5.96	<0.5	19	20	103	5.56
S010004		5.82	<0.005		<0.5	7.71	<5	2210	1.0	<2	6.65	<0.5	18	16	47	5.26
S010005		5.44	<0.005		<0.5	7.09	5	1810	0.8	<2	6.88	<0.5	18	15	92	5.41
S010006		3.23	<0.005		<0.5	7.44	<5	2060	0.8	<2	5.63	<0.5	17	15	70	5.34
S010006D		<0.02	<0.005		<0.5	7.59	<5	2090	0.9	<2	5.84	<0.5	17	16	65	5.47
S010007		5.48	<0.005		<0.5	9.11	<5	2540	1.0	<2	1.62	<0.5	22	19	34	6.21
S010008		7.92	<0.005		<0.5	8.45	<5	2160	1.0	<2	2.69	<0.5	21	16	77	5.91
S010009		5.72	<0.005		<0.5	9.12	<5	2150	1.1	3	2.21	<0.5	22	18	98	6.34
S010010		0.12	0.933		11.5	6.00	300	580	1.0	4	3.49	4.2	10	26	81	3.81
S010011		5.90	<0.005		<0.5	8.91	<5	2200	1.0	<2	2.00	<0.5	21	15	14	6.43
S010012		5.64	<0.005		<0.5	9.08	<5	2960	1.1	2	1.01	<0.5	20	12	29	6.01
S010013		5.94	<0.005		<0.5	9.02	<5	2330	1.1	<2	1.51	<0.5	19	9	41	5.82
S010014		6.57	<0.005		<0.5	8.83	<5	2150	1.0	<2	1.46	<0.5	18	9	8	6.05
S010015		6.36	<0.005		<0.5	9.46	<5	2200	1.1	<2	1.27	<0.5	19	10	15	5.91
S010016		5.04	<0.005		<0.5	9.03	<5	2050	1.2	<2	1.76	<0.5	18	10	23	5.22
S010017		6.27	<0.005		<0.5	9.37	<5	2000	1.2	<2	1.06	<0.5	18	12	70	4.56
S010018		5.57	<0.005		<0.5	9.45	<5	2080	1.2	<2	1.22	<0.5	18	14	7	4.37
S010019		5.37	<0.005		<0.5	9.83	<5	2130	1.5	<2	2.43	<0.5	17	14	20	3.70
S010020		0.36	<0.005		<0.5	0.04	<5	10	<0.5	<2	32.3	<0.5	<1	1	<1	0.03
S010021		5.04	<0.005		<0.5	7.80	<5	1820	1.0	<2	3.30	<0.5	15	17	2	4.01
S010022		7.29	<0.005		<0.5	8.36	<5	1830	1.1	<2	2.79	<0.5	17	35	4	5.40
S010023		5.69	<0.005		<0.5	8.68	<5	1840	1.1	4	2.04	<0.5	16	17	57	5.65
S010024		6.22	<0.005		<0.5	8.22	5	1750	1.1	<2	2.15	<0.5	16	8	68	5.33
S010025		6.16	<0.005		<0.5	8.43	<5	1840	1.1	<2	1.72	<0.5	16	10	65	5.46
S010026		2.66	<0.005		<0.5	8.69	7	1920	1.2	2	1.89	<0.5	16	12	76	5.64
S010026D		<0.02	0.005		<0.5	8.59	6	1920	1.1	3	1.87	<0.5	17	11	72	5.53
S010027		5.09	<0.005		<0.5	8.89	7	2080	1.2	2	1.52	<0.5	16	16	21	6.17
S010028		6.14	<0.005		<0.5	9.26	<5	2290	1.3	2	1.32	<0.5	15	10	36	5.94
S010029		5.97	<0.005		<0.5	9.26	<5	2120	1.3	<2	1.44	<0.5	16	9	15	5.23
S010030		0.12	>10.0	10.45	>100	5.80	372	680	1.0	<2	3.62	4.2	10	30	144	3.57
S010031		5.64	<0.005		<0.5	9.21	5	1550	1.5	4	1.50	<0.5	13	7	4	4.53
S010032		6.21	<0.005		<0.5	9.41	8	1260	1.3	<2	2.77	<0.5	10	5	<1	3.66
S010033		5.43	<0.005		<0.5	8.80	8	1310	1.1	<2	1.60	<0.5	13	4	4	3.81
S010034		5.61	<0.005		<0.5	8.63	<5	1200	1.2	<2	0.98	<0.5	16	3	1	3.61
S010035		5.71	<0.005		<0.5	9.31	8	1300	1.4	<2	1.65	<0.5	17	2	1	3.10
S010036		5.32	<0.005		<0.5	9.09	<5	1550	1.3	2	1.06	<0.5	18	7	23	3.55
S010037		6.21	<0.005		<0.5	8.65	5	1830	1.1	<2	0.60	<0.5	14	15	4	5.10
S010038		6.45	<0.005		<0.5	9.50	6	1820	1.3	2	0.68	<0.5	18	14	12	5.96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010001		10	1.47	20	1.41	2530	2	0.44	7	1160	19	0.01	9	20	255	<20
S010002		20	2.12	10	1.70	1700	<1	0.29	11	750	4	0.01	6	28	356	<20
S010003		20	2.03	20	1.63	1950	<1	0.39	7	1400	12	0.01	13	28	419	<20
S010004		20	1.83	20	1.57	1950	<1	0.34	9	1310	8	0.01	10	24	228	<20
S010005		20	1.66	10	1.53	1945	<1	0.26	7	710	9	0.01	6	22	177	<20
S010006		20	1.86	20	1.51	1775	1	0.26	7	860	11	0.01	5	23	176	<20
S010006D		20	1.88	20	1.54	1805	1	0.27	9	890	11	0.01	6	24	181	<20
S010007		20	2.42	20	1.78	1255	<1	0.24	12	630	<2	<0.01	<5	28	149	<20
S010008		20	2.11	10	1.79	1400	<1	0.33	11	470	<2	<0.01	6	25	168	<20
S010009		20	2.18	20	1.94	1380	<1	0.46	11	1020	<2	<0.01	5	29	181	<20
S010010		10	3.83	10	0.54	1380	8	0.20	17	910	140	2.78	19	11	189	<20
S010011		20	2.18	20	1.76	1265	<1	0.45	9	620	<2	<0.01	9	25	159	<20
S010012		20	2.22	20	1.67	991	<1	0.55	9	630	<2	0.02	5	24	181	<20
S010013		20	2.24	20	1.63	1005	<1	0.57	6	490	2	0.01	<5	24	192	<20
S010014		20	2.21	20	1.60	927	<1	0.51	7	350	<2	<0.01	7	25	186	<20
S010015		20	2.30	20	1.71	914	<1	0.67	8	600	3	<0.01	<5	25	235	<20
S010016		20	2.11	20	1.76	984	<1	0.78	4	590	<2	<0.01	<5	21	274	<20
S010017		20	2.15	20	1.79	833	<1	0.89	4	490	2	<0.01	6	19	300	<20
S010018		20	2.17	20	1.69	772	<1	0.93	4	380	<2	<0.01	7	16	343	<20
S010019		20	2.29	20	1.37	747	<1	1.19	4	1420	3	<0.01	8	13	489	<20
S010020		<10	0.01	<10	1.51	22	<1	<0.01	<1	30	<2	0.06	6	<1	5060	<20
S010021		20	1.80	20	1.32	1000	<1	0.90	3	890	2	0.01	7	16	344	<20
S010022		20	1.93	20	1.43	886	<1	1.00	4	870	<2	<0.01	<5	26	258	<20
S010023		20	1.93	20	1.59	889	<1	1.00	5	1670	2	<0.01	<5	23	269	<20
S010024		20	1.88	20	1.46	883	<1	0.86	3	1560	5	<0.01	5	20	249	<20
S010025		20	1.90	20	1.62	773	<1	0.74	5	2360	4	<0.01	8	23	265	<20
S010026		20	1.94	20	1.69	842	<1	0.76	6	2420	2	<0.01	7	24	274	<20
S010026D		20	1.95	20	1.66	840	<1	0.74	6	2210	4	0.01	<5	24	269	<20
S010027		20	2.21	10	1.47	725	<1	0.79	6	650	7	<0.01	5	25	276	<20
S010028		20	2.07	20	1.60	669	<1	0.92	6	590	7	0.01	7	23	321	<20
S010029		20	2.07	20	1.54	651	<1	0.95	6	480	5	0.01	9	19	348	<20
S010030		10	3.59	10	0.46	1325	8	0.16	21	800	230	2.96	65	10	194	<20
S010031		20	1.78	20	1.50	555	<1	1.42	2	510	10	<0.01	<5	13	483	<20
S010032		20	1.51	20	1.20	544	<1	1.94	1	820	22	<0.01	<5	10	968	<20
S010033		20	1.40	20	1.53	510	<1	1.66	2	650	16	<0.01	<5	11	707	<20
S010034		10	1.33	20	1.44	418	<1	1.89	2	620	12	<0.01	<5	11	557	<20
S010035		20	1.60	20	1.03	373	<1	1.41	2	850	17	<0.01	<5	7	846	<20
S010036		20	1.95	20	1.02	345	<1	1.10	3	860	12	<0.01	<5	12	515	<20
S010037		20	2.21	20	0.75	276	<1	0.79	5	360	9	<0.01	<5	20	301	<20
S010038		20	2.15	20	0.85	337	<1	0.91	6	460	8	<0.01	<5	22	403	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010001		0.39	10	<10	178	<10	72	
S010002		0.53	<10	<10	221	<10	85	
S010003		0.53	<10	<10	259	<10	82	
S010004		0.46	<10	<10	208	<10	80	
S010005		0.43	<10	<10	164	<10	83	
S010006		0.47	<10	<10	175	<10	80	
S010006D		0.47	<10	<10	177	<10	82	
S010007		0.56	10	<10	207	<10	97	
S010008		0.50	10	<10	183	<10	100	
S010009		0.56	<10	<10	221	<10	100	
S010010		0.24	<10	<10	103	<10	473	
S010011		0.52	<10	<10	161	<10	97	
S010012		0.52	<10	<10	156	<10	99	
S010013		0.50	<10	<10	146	<10	98	
S010014		0.51	<10	<10	145	<10	94	
S010015		0.52	<10	<10	143	<10	100	
S010016		0.45	<10	<10	117	<10	96	
S010017		0.41	<10	<10	100	<10	91	
S010018		0.37	<10	<10	91	<10	93	
S010019		0.33	<10	<10	107	<10	80	
S010020		<0.01	<10	<10	1	<10	<2	
S010021		0.37	<10	<10	89	<10	79	
S010022		0.56	<10	<10	132	<10	91	
S010023		0.52	<10	<10	138	<10	102	
S010024		0.47	<10	<10	126	<10	93	
S010025		0.49	<10	<10	126	<10	102	
S010026		0.50	<10	<10	129	<10	107	
S010026D		0.49	<10	<10	127	<10	104	
S010027		0.51	<10	<10	140	<10	97	
S010028		0.52	10	<10	131	<10	102	
S010029		0.46	<10	<10	114	<10	91	
S010030		0.22	10	<10	95	<10	496	137
S010031		0.36	<10	<10	112	<10	83	
S010032		0.29	<10	<10	121	<10	77	
S010033		0.30	<10	<10	105	<10	81	
S010034		0.30	<10	<10	98	<10	88	
S010035		0.25	<10	<10	93	<10	97	
S010036		0.34	<10	<10	151	<10	108	
S010037		0.44	<10	<10	142	<10	103	
S010038		0.48	<10	<10	120	<10	137	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
S010039		6.12	<0.005		<0.5	9.74	<5	1970	1.4	2	0.62	<0.5	13	15	1	6.12
S010040		0.41	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.5	<0.5	<1	<1	<1	0.04
S010041		5.67	<0.005		<0.5	10.60	9	2190	1.6	4	0.81	<0.5	11	19	31	7.40
S010042		5.90	<0.005		<0.5	9.81	7	2060	1.3	4	0.68	<0.5	12	16	62	6.70
S010043		6.73	<0.005		<0.5	10.30	<5	2280	1.5	4	0.56	<0.5	9	8	12	5.00
S010044		5.98	<0.005		<0.5	11.30	7	2310	1.7	4	0.52	<0.5	12	9	44	5.50
S010045		5.81	<0.005		<0.5	9.80	10	2490	1.3	7	0.63	<0.5	10	10	15	5.34
S010046		2.83	<0.005		<0.5	9.37	9	2380	1.3	2	0.59	<0.5	10	10	14	5.08
S010046D		<0.02	<0.005		<0.5	9.06	5	2260	1.2	3	0.57	<0.5	11	9	13	5.01
S010047		6.00	<0.005		<0.5	9.35	<5	2230	1.4	3	0.65	<0.5	11	10	24	4.41
S010048		5.53	<0.005		<0.5	10.50	10	2380	1.8	<2	0.60	<0.5	16	8	9	5.20
S010049		6.23	<0.005		<0.5	11.05	9	2550	2.0	3	0.81	<0.5	16	5	4	4.91
S010050		0.12	5.91		82.2	6.19	301	330	1.0	2	1.96	22.5	10	23	114	4.76
S010051		6.45	<0.005		<0.5	11.00	10	2800	1.9	<2	0.60	<0.5	16	5	3	4.70
S010052		6.16	<0.005		<0.5	10.40	11	2760	1.8	<2	0.71	<0.5	18	5	1	4.97
S010053		6.08	<0.005		<0.5	9.55	6	2030	1.6	2	1.34	<0.5	13	4	4	3.88
S010054		5.52	<0.005		<0.5	9.17	9	1610	1.6	2	2.41	<0.5	10	4	2	4.02
S010055		5.09	<0.005		<0.5	8.91	15	1830	1.5	<2	1.72	<0.5	9	3	5	3.54
S010056		6.00	<0.005		<0.5	8.64	10	1830	1.3	<2	2.57	<0.5	9	3	4	3.64
S010057		5.49	<0.005		<0.5	8.09	7	1200	1.1	<2	2.87	<0.5	7	5	2	3.62
S010058		6.50	<0.005		<0.5	8.51	6	1800	1.4	<2	2.00	<0.5	11	8	24	4.12
S010059		4.80	<0.005		<0.5	8.98	9	1650	1.5	<2	0.96	<0.5	18	11	90	4.51
S010060		0.47	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.1	<0.5	<1	<1	<1	0.05
S010061		6.28	<0.005		<0.5	8.77	7	1840	1.2	<2	1.26	<0.5	17	16	46	4.35
S010062		6.07	<0.005		<0.5	7.83	9	1710	1.0	7	2.12	<0.5	14	26	6	5.48
S010063		5.35	<0.005		<0.5	8.12	13	2330	1.0	3	2.16	<0.5	15	14	13	5.69
S010064		5.78	<0.005		<0.5	9.15	8	2090	1.3	4	1.88	<0.5	16	13	20	6.44
S010065		5.09	<0.005		<0.5	8.69	<5	2020	1.2	4	1.13	<0.5	15	12	9	6.03
S010066		2.39	<0.005		<0.5	8.92	5	2050	1.3	<2	1.08	<0.5	16	12	12	6.17
S010066D		<0.02	<0.005		<0.5	9.26	7	2130	1.3	2	1.11	<0.5	17	13	10	6.31
S010067		6.40	<0.005		<0.5	9.27	<5	3450	1.3	2	1.46	<0.5	15	8	15	5.37
S010068		6.43	<0.005		<0.5	9.53	<5	1620	1.5	<2	1.16	<0.5	18	9	9	4.92
S010069		4.49	<0.005		<0.5	8.64	8	1410	1.4	<2	1.14	<0.5	14	6	7	4.01
S010070		0.09	>10.0	18.95	25.1	6.62	756	1280	1.3	<2	2.69	1.6	17	96	129	4.79
S010071		6.35	<0.005		<0.5	9.27	6	1680	1.3	<2	0.98	<0.5	14	4	3	4.11
S010072		4.02	<0.005		<0.5	10.00	5	1520	1.4	<2	1.59	<0.5	17	4	3	3.53
S010073		7.17	<0.005		<0.5	10.10	<5	2150	1.6	<2	1.75	<0.5	18	4	91	3.58
S010074		5.90	<0.005		<0.5	8.26	7	1720	1.1	<2	0.81	<0.5	19	7	102	3.61
S010075		5.58	<0.005		<0.5	9.48	8	2190	1.4	<2	0.81	<0.5	18	15	7	5.70
S010076		6.46	<0.005		<0.5	10.35	6	2500	1.7	<2	0.65	<0.5	15	16	1	6.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010039		20	2.37	10	0.68	270	<1	0.93	2	240	8	<0.01	<5	22	406	<20
S010040		<10	0.01	<10	1.95	15	<1	<0.01	<1	30	<2	0.04	<5	<1	4540	<20
S010041		20	2.67	10	0.62	265	<1	0.98	5	530	8	<0.01	<5	23	452	<20
S010042		20	2.56	10	0.69	294	<1	0.77	8	270	8	<0.01	<5	24	358	<20
S010043		20	3.00	10	0.45	179	<1	0.83	3	80	7	<0.01	<5	22	366	<20
S010044		20	3.08	10	0.57	241	<1	0.97	6	490	8	<0.01	<5	21	402	<20
S010045		20	2.91	20	0.46	193	<1	0.82	3	280	8	0.01	<5	18	328	<20
S010046		20	2.80	20	0.44	181	<1	0.79	4	240	5	0.01	<5	18	307	<20
S010046D		20	2.67	20	0.42	173	<1	0.76	2	240	7	<0.01	<5	17	297	<20
S010047		20	2.71	30	0.50	203	<1	0.84	4	850	5	<0.01	<5	14	324	<20
S010048		20	2.99	20	0.66	247	<1	0.99	3	280	7	<0.01	<5	15	368	<20
S010049		20	3.17	40	0.69	264	<1	0.99	2	650	6	<0.01	<5	16	378	<20
S010050		10	3.69	10	0.48	1180	9	0.23	15	990	8350	3.04	76	12	142	<20
S010051		20	3.30	40	0.64	205	<1	0.93	3	170	10	<0.01	<5	15	369	<20
S010052		20	3.13	30	0.79	255	<1	0.88	1	360	5	<0.01	<5	15	342	<20
S010053		20	2.25	30	0.82	327	<1	1.58	3	400	7	<0.01	<5	11	490	<20
S010054		20	1.92	10	0.93	527	<1	1.80	1	860	13	<0.01	<5	11	644	<20
S010055		20	2.36	10	0.97	463	<1	1.22	2	830	8	0.01	5	10	371	<20
S010056		20	1.88	10	1.02	592	<1	1.63	3	960	11	0.01	<5	9	698	<20
S010057		20	1.28	10	0.61	516	<1	2.53	1	890	13	<0.01	<5	9	813	<20
S010058		20	1.81	10	1.02	664	<1	1.19	3	890	9	<0.01	<5	14	526	<20
S010059		20	1.55	20	1.72	796	<1	1.44	4	870	4	<0.01	<5	19	336	<20
S010060		<10	0.01	<10	1.51	14	<1	0.01	<1	30	<2	0.09	<5	<1	4710	<20
S010061		20	1.65	10	1.68	818	<1	1.41	7	1200	5	<0.01	<5	18	324	<20
S010062		20	1.58	10	1.55	888	<1	1.31	6	1590	6	<0.01	<5	23	262	<20
S010063		20	1.64	20	1.61	968	<1	1.19	7	2080	6	0.02	<5	20	277	<20
S010064		20	2.01	20	1.67	843	<1	1.11	8	1770	6	<0.01	<5	26	337	<20
S010065		20	2.06	10	1.44	625	<1	1.14	7	440	8	<0.01	<5	23	301	<20
S010066		20	2.07	20	1.45	648	<1	1.11	7	370	12	<0.01	<5	25	308	<20
S010066D		20	2.11	20	1.50	652	<1	1.11	7	350	8	<0.01	8	26	317	<20
S010067		20	1.93	20	1.58	702	<1	1.22	5	500	8	0.04	<5	20	384	<20
S010068		20	1.68	20	1.73	680	<1	1.44	5	550	4	<0.01	10	17	389	<20
S010069		20	1.50	20	1.33	491	<1	1.58	2	830	7	<0.01	<5	11	412	<20
S010070		20	2.90	20	0.70	949	7	0.15	65	1630	58	4.05	18	19	179	<20
S010071		20	1.63	20	1.46	489	1	1.94	4	520	10	<0.01	8	13	485	<20
S010072		20	1.54	20	1.39	486	<1	2.49	1	690	11	<0.01	<5	9	685	<20
S010073		20	1.69	20	1.40	526	<1	1.90	4	950	11	0.02	<5	11	700	<20
S010074		20	1.73	30	1.07	351	<1	1.48	4	790	7	0.01	6	14	332	<20
S010075		20	2.23	20	0.93	328	<1	1.20	6	580	8	<0.01	5	21	390	<20
S010076		30	2.62	10	0.75	261	<1	1.01	6	120	10	<0.01	<5	25	413	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010039		0.53	<10	<10	147	<10	109	
S010040		<0.01	<10	<10	<1	<10	<2	
S010041		0.62	<10	<10	285	<10	104	
S010042		0.53	<10	<10	248	<10	118	
S010043		0.48	<10	<10	123	<10	78	
S010044		0.42	<10	<10	154	<10	107	
S010045		0.48	<10	<10	153	<10	83	
S010046		0.47	<10	<10	147	<10	81	
S010046D		0.45	<10	<10	141	<10	78	
S010047		0.37	<10	<10	89	<10	86	
S010048		0.40	<10	<10	100	<10	105	
S010049		0.36	<10	<10	93	<10	102	
S010050		0.25	<10	<10	124	<10	1815	
S010051		0.35	<10	<10	82	<10	91	
S010052		0.31	<10	<10	80	<10	103	
S010053		0.33	<10	<10	97	<10	91	
S010054		0.36	<10	<10	125	<10	86	
S010055		0.35	<10	<10	110	<10	69	
S010056		0.33	<10	<10	115	<10	79	
S010057		0.31	<10	<10	104	<10	62	
S010058		0.36	<10	<10	112	<10	81	
S010059		0.42	<10	<10	102	<10	94	
S010060		<0.01	<10	<10	1	<10	<2	
S010061		0.41	<10	<10	98	<10	87	
S010062		0.53	<10	<10	132	<10	94	
S010063		0.48	10	<10	126	<10	102	
S010064		0.54	<10	<10	139	<10	103	
S010065		0.50	<10	<10	137	<10	92	
S010066		0.51	<10	<10	141	<10	94	
S010066D		0.54	<10	<10	144	<10	97	
S010067		0.47	<10	<10	120	<10	92	
S010068		0.42	<10	<10	115	<10	92	
S010069		0.31	<10	<10	108	<10	76	
S010070		0.34	<10	<10	172	10	211	
S010071		0.34	10	<10	115	<10	90	
S010072		0.32	<10	<10	109	<10	89	
S010073		0.35	<10	<10	132	<10	101	
S010074		0.35	<10	<10	143	<10	92	
S010075		0.48	<10	<10	94	<10	115	
S010076		0.56	10	<10	130	<10	111	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010077		5.46	<0.005		<0.5	10.80	5	2620	1.8	3	0.84	<0.5	11	19	14	7.67
S010078		7.24	0.087		<0.5	11.35	9	2670	2.0	<2	0.80	<0.5	13	19	25	8.80
S010079		5.32	<0.005		<0.5	10.90	9	2670	1.7	3	0.89	<0.5	11	12	8	6.35
S010080		0.49	<0.005		<0.5	0.09	<5	40	<0.5	2	35.5	<0.5	<1	1	1	0.07
S010081		5.12	0.005		<0.5	10.35	5	2740	1.4	<2	1.20	<0.5	10	14	55	5.36
S010082		5.96	<0.005		<0.5	8.84	5	4770	1.3	<2	5.63	0.5	18	17	93	5.70
S010083		6.15	<0.005		<0.5	8.22	7	3120	1.0	<2	6.40	<0.5	20	13	75	6.17
S010084		6.40	<0.005		<0.5	8.24	11	2450	1.1	<2	4.96	<0.5	16	11	31	5.73
S010085		4.66	<0.005		<0.5	9.31	6	2590	1.3	<2	3.71	<0.5	19	17	76	6.59
S010086		2.23	<0.005		<0.5	9.73	9	2660	1.4	<2	3.26	<0.5	18	17	58	6.49
S010086D		<0.02	0.005		<0.5	9.55	9	2560	1.3	<2	3.67	<0.5	20	16	57	6.61
S010087		6.00	<0.005		<0.5	8.94	11	2300	1.1	3	2.96	<0.5	21	17	55	6.58
S010088		6.50	0.041		<0.5	9.20	7	2180	1.2	<2	1.96	<0.5	22	19	21	6.61
S010089		5.52	0.019		<0.5	9.59	<5	1850	1.5	3	0.94	<0.5	12	8	7	4.55
S010090		0.12	0.965		12.3	6.13	319	1120	1.0	<2	3.64	4.1	10	26	86	3.97
S010091		6.35	<0.005		<0.5	8.59	<5	2120	1.3	<2	3.09	<0.5	9	4	6	3.46
S010092		5.83	<0.005		<0.5	8.98	6	1020	1.2	<2	2.97	<0.5	7	3	7	3.65
S010093		6.43	<0.005		<0.5	8.34	7	1920	1.3	<2	3.61	<0.5	9	3	3	3.55
S010094		5.71	<0.005		<0.5	8.43	6	960	1.1	<2	2.91	<0.5	5	7	25	3.63
S010095		5.58	<0.005		<0.5	9.01	11	1570	1.4	<2	3.48	<0.5	7	6	35	4.11
S010096		5.94	<0.005		<0.5	8.24	11	1030	1.1	<2	3.16	<0.5	9	5	29	3.85
S010097		6.60	<0.005		<0.5	9.02	8	1170	1.3	<2	3.30	<0.5	8	3	4	3.90
S010098		6.26	<0.005		<0.5	9.55	6	1010	1.4	4	2.61	<0.5	9	4	4	3.90
S010099		5.85	<0.005		<0.5	9.48	<5	1580	1.6	<2	2.35	<0.5	6	3	2	3.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010077		20	2.85	10	0.57	230	<1	1.04	7	160	9	<0.01	5	26	424	<20
S010078		30	3.08	10	0.59	236	1	1.13	8	340	8	<0.01	<5	26	452	<20
S010079		30	3.16	20	0.59	250	<1	0.94	7	1040	8	<0.01	6	28	359	<20
S010080		<10	0.02	<10	1.67	22	<1	0.01	1	40	2	0.08	6	<1	5210	<20
S010081		20	2.64	10	0.89	575	<1	0.68	4	200	6	0.01	<5	24	376	<20
S010082		20	1.83	20	1.72	1875	1	0.43	12	880	16	0.07	5	24	799	<20
S010083		20	1.63	20	1.74	2150	1	0.39	10	1200	17	0.03	7	22	790	<20
S010084		20	1.87	20	1.55	1565	<1	0.35	8	950	17	0.01	<5	24	596	<20
S010085		20	2.18	20	1.55	1540	<1	0.44	12	940	17	<0.01	8	29	708	<20
S010086		20	2.31	20	1.50	1375	1	0.45	11	840	19	<0.01	<5	31	719	<20
S010086D		20	2.18	20	1.60	1540	<1	0.42	11	840	16	<0.01	6	30	726	<20
S010087		20	2.10	20	1.68	1465	1	0.39	11	1350	14	0.01	6	28	543	<20
S010088		20	2.25	20	1.79	1170	<1	0.75	13	660	7	<0.01	<5	28	251	<20
S010089		20	2.25	30	0.82	364	<1	1.29	3	210	11	<0.01	<5	15	431	<20
S010090		20	3.87	10	0.57	1410	10	0.21	20	960	149	2.90	27	11	196	<20
S010091		20	1.04	20	1.09	995	1	2.62	7	800	16	0.03	11	9	877	<20
S010092		20	0.89	20	1.12	1070	1	2.77	1	960	14	<0.01	<5	9	942	<20
S010093		20	0.99	10	0.99	1185	<1	2.52	2	840	10	0.02	<5	9	765	<20
S010094		20	0.52	20	0.44	706	<1	3.81	1	800	13	0.01	8	10	781	<20
S010095		20	0.87	20	0.69	874	1	2.69	1	990	16	0.02	7	11	863	<20
S010096		20	0.66	20	0.82	947	1	3.04	3	820	12	0.01	9	9	712	<20
S010097		20	0.95	20	1.19	1070	<1	2.02	3	850	12	<0.01	5	9	833	<20
S010098		20	0.87	20	1.32	985	<1	2.44	<1	960	12	<0.01	5	9	820	<20
S010099		20	1.24	10	1.09	820	<1	2.35	1	1040	8	0.01	<5	9	597	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010077		0.60	<10	<10	206	<10	89	
S010078		0.64	<10	<10	328	<10	100	
S010079		0.58	<10	<10	221	<10	102	
S010080		<0.01	<10	<10	2	<10	<2	
S010081		0.49	<10	<10	148	<10	97	
S010082		0.54	<10	<10	189	<10	87	
S010083		0.49	<10	<10	164	<10	94	
S010084		0.50	<10	<10	163	<10	89	
S010085		0.60	<10	<10	207	<10	89	
S010086		0.62	<10	<10	212	<10	83	
S010086D		0.59	<10	<10	203	<10	90	
S010087		0.54	<10	<10	187	<10	95	
S010088		0.56	<10	<10	173	<10	105	
S010089		0.40	10	<10	106	<10	84	
S010090		0.26	<10	<10	108	10	471	
S010091		0.33	<10	<10	98	<10	79	
S010092		0.33	<10	<10	101	<10	81	
S010093		0.32	<10	<10	90	<10	80	
S010094		0.31	10	<10	104	<10	58	
S010095		0.37	<10	<10	116	<10	67	
S010096		0.32	<10	<10	101	<10	73	
S010097		0.32	<10	<10	100	<10	83	
S010098		0.33	<10	<10	115	<10	86	
S010099		0.37	<10	<10	131	<10	68	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
1600 - 570 GRANVILLE ST.
VANCOUVER BC V6C 3P1

Finalized Date: 21-JUL-2015
Account: PRETRES

Project: Brucejack Analytical

CERTIFICATE OF ANALYSIS TR15102767

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

CERTIFICATE TR15104081

Project: Bowser Regional Exploration

P.O. No.: BOW-0001

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 16-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010100		0.42	<0.005		<0.5	0.24	<5	10	<0.5	2	33.1	<0.5	<1	2	1	0.25
S010101		5.88	0.016		<0.5	7.87	<5	870	1.1	<2	2.67	<0.5	8	8	1	3.32
S010102		6.27	<0.005		<0.5	6.91	8	1120	1.2	<2	6.26	<0.5	9	2	3	3.31
S010103		5.95	<0.005		<0.5	7.15	6	1630	1.1	<2	4.37	<0.5	8	5	39	3.18
S010104		5.77	0.005		<0.5	7.40	5	4530	1.2	<2	3.91	<0.5	8	6	83	3.90
S010105		5.96	<0.005		<0.5	9.34	7	2030	1.8	<2	1.60	<0.5	9	8	3	3.93
S010106		2.35	<0.005		<0.5	9.84	6	1850	1.8	<2	1.07	<0.5	11	6	3	4.06
S010106D		<0.02	<0.005		<0.5	9.47	9	1770	1.8	<2	0.89	<0.5	11	6	2	4.05
S010107		6.21	<0.005		<0.5	8.09	<5	990	1.2	<2	2.83	<0.5	8	5	2	3.52
S010108		6.05	<0.005		<0.5	8.22	<5	1300	1.3	<2	2.78	<0.5	10	3	107	3.63
S010109		5.66	<0.005		<0.5	7.96	<5	940	1.2	<2	3.06	<0.5	9	4	27	3.59
S010110		0.13	>10.0	10.50	>100	5.88	362	350	1.0	<2	3.79	4.3	11	31	146	3.80
S010111		6.14	<0.005		<0.5	8.14	7	950	1.2	<2	3.39	<0.5	10	6	6	3.48
S010112		6.31	<0.005		<0.5	7.30	<5	990	1.1	2	7.53	<0.5	7	2	5	3.25
S010113		6.10	<0.005		<0.5	6.91	<5	860	1.0	<2	7.65	<0.5	7	4	8	3.10
S010114		6.45	<0.005		<0.5	7.85	7	1170	1.2	<2	3.74	<0.5	8	3	11	3.42
S010115		6.84	<0.005		<0.5	7.60	<5	1020	1.2	<2	4.93	<0.5	7	4	4	3.51
S010116		5.12	0.006		<0.5	8.26	<5	1200	1.3	<2	3.15	<0.5	10	3	4	3.65
S010117		6.46	<0.005		<0.5	7.84	6	920	1.2	<2	3.25	<0.5	8	7	9	3.49
S010118		5.88	<0.005		<0.5	7.79	<5	770	1.3	<2	3.68	<0.5	8	3	25	3.47
S010119		6.00	<0.005		0.5	7.50	11	900	1.0	<2	3.76	<0.5	7	11	139	3.38
S010120		0.49	<0.005		<0.5	0.05	<5	10	<0.5	<2	32.3	<0.5	<1	1	<1	0.04
S010121		6.12	<0.005		<0.5	8.50	6	1660	1.3	<2	2.18	<0.5	8	6	7	3.58
S010122		6.37	<0.005		<0.5	8.93	7	1100	1.3	<2	1.96	<0.5	9	3	9	3.59
S010123		5.68	<0.005		<0.5	8.30	9	1030	1.1	3	2.13	<0.5	8	4	23	3.41
S010124		7.12	<0.005		<0.5	8.61	10	1080	1.2	<2	2.26	<0.5	8	4	11	3.36
S010125		4.16	<0.005		<0.5	8.35	9	1020	1.1	4	2.27	<0.5	8	7	9	3.14
S010126		2.36	<0.005		<0.5	8.33	10	1040	1.1	3	2.08	<0.5	6	3	6	3.15
S010126D		<0.02	<0.005		<0.5	8.52	8	1060	1.1	<2	2.16	<0.5	7	3	6	3.22
S010127		9.91	<0.005		<0.5	8.03	6	1150	1.0	<2	2.54	<0.5	7	5	12	3.13
S010128		1.84	<0.005		<0.5	7.79	7	1040	1.0	2	3.57	<0.5	9	3	5	3.29
S010129		5.52	<0.005		<0.5	8.10	8	1100	1.1	<2	3.33	<0.5	8	2	5	3.23
S010130		0.36	5.62		76.7	6.14	280	1040	0.9	3	1.95	21.6	10	22	113	4.63
S010131		6.63	<0.005		<0.5	7.49	8	1410	1.1	<2	4.50	<0.5	7	2	5	3.33
S010132		6.05	<0.005		<0.5	8.57	8	1230	1.2	2	1.93	<0.5	6	3	6	3.45
S010133		5.86	<0.005		<0.5	8.33	9	1520	1.2	<2	2.82	<0.5	8	2	4	3.39
S010134		6.00	<0.005		<0.5	8.75	7	1430	1.3	<2	1.74	<0.5	8	2	5	3.59
S010135		5.91	<0.005		<0.5	8.20	14	1960	1.2	2	3.93	<0.5	7	3	22	3.93
S010136		6.66	<0.005		<0.5	7.64	<5	2350	1.2	<2	2.03	<0.5	5	2	52	2.64
S010137		6.91	<0.005		<0.5	8.51	9	2060	1.4	<2	2.72	<0.5	6	3	25	2.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010100		<10	0.02	<10	1.76	53	<1	0.04	<1	60	4	0.03	<5	1	4450	<20
S010101		20	0.90	10	0.90	810	<1	1.63	2	750	6	<0.01	<5	8	452	<20
S010102		20	0.67	10	0.88	1705	<1	1.12	2	800	2	0.01	<5	7	381	<20
S010103		20	0.68	10	0.92	1250	<1	1.11	3	720	3	0.03	<5	7	368	<20
S010104		20	0.84	10	0.77	1085	<1	1.48	3	410	8	0.10	<5	8	537	<20
S010105		20	1.61	20	0.86	525	<1	1.42	3	610	5	0.01	<5	14	486	<20
S010106		20	1.60	20	0.93	444	<1	1.44	3	460	4	0.01	<5	14	470	<20
S010106D		20	1.61	20	0.90	403	<1	1.43	3	420	7	0.01	6	13	448	<20
S010107		20	0.88	20	1.14	992	<1	1.94	3	630	8	<0.01	<5	9	570	<20
S010108		20	0.75	10	1.20	1275	<1	2.43	1	850	9	0.02	<5	8	720	<20
S010109		20	0.67	10	1.06	1420	<1	2.57	2	860	9	0.01	<5	8	741	<20
S010110		10	3.60	10	0.47	1365	8	0.16	22	820	248	3.05	60	10	199	<20
S010111		20	0.68	10	0.93	1410	<1	2.52	4	870	8	0.01	<5	8	822	<20
S010112		20	0.58	10	0.93	2800	<1	2.56	1	820	8	0.01	6	7	685	<20
S010113		20	0.53	10	0.85	2740	<1	2.32	<1	750	9	<0.01	<5	7	714	<20
S010114		20	0.67	10	0.91	1570	<1	2.53	1	840	10	0.01	<5	8	783	<20
S010115		20	0.62	10	1.08	2190	<1	2.56	1	800	9	<0.01	<5	7	676	<20
S010116		20	0.70	10	1.12	1545	<1	2.62	2	830	6	0.01	<5	8	684	<20
S010117		20	0.57	10	1.03	1465	<1	2.61	2	860	11	<0.01	<5	8	782	<20
S010118		20	0.53	10	0.91	1515	<1	2.86	2	830	8	<0.01	<5	8	756	<20
S010119		20	0.53	10	0.67	1200	<1	2.73	2	780	11	0.01	<5	7	837	<20
S010120		<10	<0.01	<10	1.89	20	<1	0.01	<1	40	<2	0.07	7	<1	4930	<20
S010121		20	0.74	10	1.21	1055	<1	2.70	2	840	9	0.02	<5	8	637	<20
S010122		20	0.74	20	1.23	999	<1	2.91	4	890	7	<0.01	<5	8	658	<20
S010123		20	0.72	10	1.14	977	<1	2.67	2	850	9	0.01	<5	8	650	<20
S010124		20	0.77	20	1.20	1030	<1	2.63	3	860	9	<0.01	<5	8	682	<20
S010125		20	0.80	20	1.20	1035	<1	2.59	6	800	10	<0.01	5	7	621	<20
S010126		20	0.76	10	1.18	961	<1	2.62	1	820	8	<0.01	5	7	623	<20
S010126D		20	0.79	10	1.21	1005	<1	2.68	1	830	11	<0.01	<5	8	637	<20
S010127		20	0.75	10	1.15	1135	<1	2.53	<1	790	6	0.01	<5	7	623	<20
S010128		20	0.71	10	1.37	1775	<1	2.72	3	800	10	0.01	<5	7	621	<20
S010129		20	0.74	10	1.40	1620	<1	2.74	2	800	9	0.01	6	7	618	<20
S010130		10	3.58	10	0.48	1155	9	0.23	16	920	8310	2.97	73	12	144	<20
S010131		20	0.81	10	1.29	1940	<1	2.66	4	810	17	0.01	7	7	628	<20
S010132		20	0.90	20	1.36	1065	<1	2.70	2	850	9	0.01	<5	8	599	<20
S010133		20	0.90	10	1.41	1340	<1	2.71	<1	860	7	0.01	5	7	616	<20
S010134		20	1.04	10	1.59	1040	<1	2.61	2	870	9	<0.01	7	8	546	<20
S010135		20	1.39	10	1.22	1250	<1	1.03	2	680	24	<0.01	<5	8	872	<20
S010136		10	1.22	20	0.86	1020	<1	2.10	2	660	9	0.02	5	5	495	<20
S010137		20	1.49	20	0.94	1230	<1	1.76	1	740	14	<0.01	7	5	655	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010100		0.02	<10	<10	9	<10	2	
S010101		0.29	<10	<10	88	<10	62	
S010102		0.30	<10	<10	98	<10	62	
S010103		0.27	<10	<10	88	<10	66	
S010104		0.29	<10	<10	92	<10	58	
S010105		0.35	<10	<10	83	<10	62	
S010106		0.36	<10	<10	83	<10	67	
S010106D		0.35	<10	<10	82	10	66	
S010107		0.31	<10	<10	94	<10	79	
S010108		0.33	<10	<10	125	<10	82	
S010109		0.33	10	<10	110	<10	77	
S010110		0.23	10	<10	97	10	504	132
S010111		0.33	<10	<10	105	<10	74	
S010112		0.30	<10	<10	97	<10	72	
S010113		0.28	<10	<10	89	<10	66	
S010114		0.32	10	<10	101	<10	69	
S010115		0.31	<10	<10	95	<10	79	
S010116		0.33	<10	<10	109	<10	85	
S010117		0.32	<10	<10	99	<10	81	
S010118		0.33	<10	<10	104	<10	84	
S010119		0.30	<10	<10	114	<10	61	
S010120		<0.01	<10	<10	1	<10	<2	
S010121		0.32	<10	<10	156	<10	79	
S010122		0.33	<10	<10	135	<10	78	
S010123		0.31	<10	<10	169	10	78	
S010124		0.32	<10	<10	153	10	75	
S010125		0.30	<10	<10	161	<10	72	
S010126		0.30	<10	<10	160	<10	68	
S010126D		0.31	<10	<10	165	<10	69	
S010127		0.29	<10	<10	163	<10	69	
S010128		0.29	<10	<10	142	<10	77	
S010129		0.30	<10	<10	146	<10	78	
S010130		0.25	<10	<10	118	<10	1750	
S010131		0.31	<10	10	174	<10	73	
S010132		0.31	<10	<10	192	<10	83	
S010133		0.32	<10	<10	191	<10	72	
S010134		0.33	<10	<10	179	<10	72	
S010135		0.32	<10	<10	129	<10	80	
S010136		0.24	<10	<10	61	<10	67	
S010137		0.27	<10	<10	73	<10	70	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010138		6.18	<0.005		<0.5	7.71	6	1700	1.1	<2	2.91	<0.5	4	2	3	2.40
S010139		6.62	<0.005		<0.5	8.24	7	2070	1.2	<2	2.48	<0.5	5	2	3	2.43
S010140		0.44	<0.005		<0.5	0.27	<5	20	<0.5	3	34.3	<0.5	<1	1	1	0.13
S010141		5.61	<0.005		<0.5	7.30	13	2330	1.0	<2	3.51	<0.5	5	2	3	2.21
S010142		6.48	<0.005		<0.5	7.96	8	2350	1.3	<2	2.91	<0.5	4	4	6	2.61
S010143		6.01	<0.005		<0.5	9.49	6	3100	1.5	3	1.39	<0.5	9	11	2	4.51
S010144		6.59	<0.005		<0.5	9.79	<5	2810	1.3	<2	0.98	<0.5	13	15	31	5.25
S010145		4.72	<0.005		1.2	9.91	<5	1930	1.5	<2	0.73	<0.5	14	22	123	4.68
S010146		2.43	<0.005		1.4	9.83	<5	1790	1.5	<2	0.47	<0.5	15	16	139	4.70
S010146D		<0.02	<0.005		1.3	9.67	<5	1750	1.5	4	0.47	<0.5	14	16	135	4.72
S010147		5.95	<0.005		<0.5	7.69	<5	1740	1.2	2	2.50	<0.5	4	3	4	2.80
S010148		6.68	<0.005		<0.5	8.29	5	1960	1.4	2	2.54	<0.5	6	3	1	3.14
S010149		6.07	<0.005		<0.5	7.39	<5	1980	1.2	2	3.26	<0.5	5	4	1	2.87
S010150		0.12	>10.0	19.10	19.9	6.92	766	770	1.3	<2	2.79	1.9	17	104	132	4.88
S010151		6.54	0.006		<0.5	7.81	5	1900	1.3	<2	2.98	<0.5	6	4	1	3.21
S010152		5.82	<0.005		<0.5	11.45	10	2190	2.1	<2	0.53	<0.5	15	36	18	7.49
S010153		6.13	<0.005		<0.5	12.90	5	2030	2.8	<2	0.33	<0.5	19	32	41	7.61
S010154		5.49	<0.005		<0.5	12.85	<5	2380	2.1	<2	0.36	<0.5	17	8	41	6.57
S010155		6.56	<0.005		<0.5	11.20	6	3360	1.5	2	0.74	<0.5	11	6	3	4.33
S010156		6.19	<0.005		<0.5	10.40	<5	2600	1.4	<2	1.14	<0.5	9	6	3	3.71
S010157		6.87	<0.005		<0.5	10.05	<5	2550	1.3	<2	1.04	<0.5	5	5	1	2.95
S010158		6.36	<0.005		<0.5	9.51	<5	2660	1.3	<2	1.60	<0.5	3	5	2	2.47
S010159		6.22	<0.005		<0.5	9.85	<5	2480	1.3	<2	0.95	<0.5	4	5	4	2.75
S010160		0.40	<0.005		<0.5	0.07	<5	20	<0.5	<2	34.5	<0.5	<1	1	1	0.04
S010161		6.52	<0.005		<0.5	7.93	<5	2150	1.3	<2	3.22	<0.5	10	3	4	3.17
S010162		6.33	<0.005		<0.5	8.19	<5	3420	1.3	<2	3.60	<0.5	13	9	31	5.07
S010163		5.76	<0.005		<0.5	7.68	<5	2040	1.3	<2	5.59	<0.5	13	2	1	3.57
S010164		6.47	<0.005		<0.5	10.15	<5	2610	1.5	<2	1.94	<0.5	11	6	2	5.18
S010165		6.26	<0.005		<0.5	10.00	<5	2520	1.5	<2	2.13	<0.5	18	6	2	4.92
S010166		2.70	<0.005		<0.5	9.82	<5	2550	1.5	<2	2.26	<0.5	14	7	2	4.74
S010166D		<0.02	<0.005		<0.5	9.62	<5	2520	1.5	<2	2.19	<0.5	14	7	2	4.62
S010167		6.52	<0.005		<0.5	11.60	<5	3100	1.5	<2	0.23	<0.5	9	10	3	4.92
S010168		6.27	<0.005		<0.5	10.35	<5	2670	1.1	<2	0.45	<0.5	14	13	65	4.34
S010169		5.42	<0.005		<0.5	9.98	<5	1920	1.3	<2	0.43	<0.5	18	5	109	4.97
S010170		0.12	1.025		12.3	6.31	311	1420	1.0	<2	3.65	4.2	11	27	85	3.95
S010171		6.48	<0.005		<0.5	10.20	<5	2690	1.3	<2	1.20	<0.5	10	6	5	5.03
S010172		6.21	<0.005		<0.5	9.22	<5	2440	1.2	<2	2.26	<0.5	12	6	18	4.57
S010173		6.96	<0.005		<0.5	9.07	<5	2360	1.2	<2	2.35	<0.5	10	6	5	4.67
S010174		5.83	<0.005		<0.5	8.43	<5	2870	1.1	<2	2.59	<0.5	10	5	4	4.50
S010175		5.83	<0.005		<0.5	8.29	<5	2300	1.2	<2	2.99	<0.5	9	5	2	4.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010138		20	1.24	20	0.87	1395	<1	2.25	<1	680	10	<0.01	<5	5	586	<20
S010139		20	1.36	20	1.20	1300	<1	2.09	<1	750	9	0.01	8	5	563	<20
S010140		<10	0.06	<10	1.44	25	<1	0.07	<1	50	3	0.14	<5	1	5170	<20
S010141		20	1.21	10	0.99	1625	<1	2.13	1	670	12	0.02	<5	5	638	<20
S010142		20	1.51	20	0.77	1230	<1	1.95	2	730	15	0.02	5	5	599	<20
S010143		20	3.01	10	0.68	949	<1	0.91	4	460	9	0.02	<5	11	327	<20
S010144		20	2.94	20	1.15	1350	<1	0.72	5	830	7	0.01	<5	14	264	<20
S010145		20	2.16	20	1.78	2050	<1	0.86	5	350	3	0.01	<5	15	322	<20
S010146		20	2.19	10	1.75	1975	<1	0.88	7	430	5	<0.01	11	14	312	<20
S010146D		20	2.12	10	1.78	2000	<1	0.85	5	410	5	<0.01	5	14	307	<20
S010147		20	1.95	10	0.53	1150	<1	1.55	1	680	5	<0.01	<5	6	298	<20
S010148		20	2.11	10	0.55	1010	<1	1.65	1	730	10	<0.01	<5	7	318	<20
S010149		20	1.81	20	0.60	1155	<1	1.74	1	710	8	0.01	<5	6	320	<20
S010150		20	2.99	20	0.72	988	6	0.16	70	1610	54	4.15	21	19	181	<20
S010151		20	2.16	10	0.76	1265	<1	1.50	2	830	8	0.01	6	7	304	<20
S010152		20	3.10	30	0.43	530	<1	1.10	13	780	26	<0.01	7	22	480	<20
S010153		30	3.19	20	0.57	614	<1	1.56	10	670	25	<0.01	8	21	674	<20
S010154		30	3.40	40	0.64	672	1	1.24	4	620	13	<0.01	6	21	607	<20
S010155		20	3.70	20	0.57	828	<1	0.88	5	380	10	0.04	6	15	971	<20
S010156		20	3.50	20	0.49	817	1	0.75	5	730	8	0.01	<5	12	629	<20
S010157		20	3.51	20	0.34	577	<1	0.73	5	840	10	<0.01	5	12	317	<20
S010158		20	3.30	20	0.25	656	<1	0.73	2	680	8	0.07	7	10	1965	<20
S010159		20	3.43	20	0.28	447	1	0.69	5	580	11	<0.01	<5	10	304	<20
S010160		<10	0.02	<10	1.57	24	1	0.01	1	40	<2	0.10	6	<1	5770	<20
S010161		20	2.54	10	0.38	1330	<1	0.85	4	680	13	0.01	7	8	391	<20
S010162		20	2.82	10	0.35	1305	1	0.69	5	380	14	0.04	7	12	431	<20
S010163		20	2.47	10	0.52	2400	<1	0.94	3	990	11	0.01	<5	8	464	<20
S010164		20	3.61	10	0.46	1090	<1	0.79	5	580	17	<0.01	5	17	346	<20
S010165		20	3.47	20	0.63	1515	1	0.78	7	650	16	<0.01	<5	12	312	<20
S010166		20	3.52	10	0.50	1375	<1	0.76	6	570	16	<0.01	<5	12	314	<20
S010166D		20	3.48	10	0.48	1335	1	0.74	5	530	16	<0.01	5	12	305	<20
S010167		20	4.14	20	0.40	542	1	0.68	5	190	12	<0.01	<5	12	250	<20
S010168		20	3.28	30	0.81	1370	<1	0.59	6	340	8	0.01	<5	12	210	<20
S010169		20	2.46	20	1.11	1820	1	0.79	5	890	8	0.01	<5	12	275	<20
S010170		10	3.87	10	0.57	1395	9	0.21	22	920	153	2.87	21	11	198	<20
S010171		20	3.06	20	0.61	1140	<1	0.90	6	1070	13	0.01	<5	12	295	<20
S010172		20	2.77	10	0.52	1250	<1	1.06	4	1030	13	0.01	<5	11	292	<20
S010173		20	2.89	10	0.45	1175	<1	0.95	5	1060	15	<0.01	5	11	269	<20
S010174		20	2.75	10	0.47	1295	1	0.97	5	1090	10	0.02	7	10	289	<20
S010175		20	2.73	10	0.44	1315	1	1.01	4	1130	11	<0.01	<5	10	277	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010138		0.25	<10	<10	60	<10	58	
S010139		0.27	<10	<10	64	<10	66	
S010140		0.01	<10	<10	1	<10	<2	
S010141		0.25	<10	<10	60	<10	58	
S010142		0.26	<10	<10	70	<10	55	
S010143		0.40	<10	<10	125	<10	79	
S010144		0.41	<10	<10	136	<10	112	
S010145		0.50	<10	<10	141	<10	129	
S010146		0.45	<10	<10	131	<10	126	
S010146D		0.43	<10	<10	129	<10	126	
S010147		0.26	<10	<10	70	<10	57	
S010148		0.29	<10	<10	77	<10	61	
S010149		0.27	<10	<10	73	<10	60	
S010150		0.35	<10	<10	176	<10	207	
S010151		0.30	<10	<10	84	<10	79	
S010152		0.66	<10	<10	221	<10	121	
S010153		0.65	<10	<10	220	<10	147	
S010154		0.50	<10	<10	154	<10	148	
S010155		0.39	<10	<10	106	<10	104	
S010156		0.35	<10	<10	87	<10	91	
S010157		0.33	<10	<10	85	<10	58	
S010158		0.30	<10	<10	76	<10	40	
S010159		0.28	<10	<10	69	<10	48	
S010160		<0.01	<10	<10	1	<10	<2	
S010161		0.27	<10	<10	88	<10	89	
S010162		0.43	<10	<10	136	<10	91	
S010163		0.32	<10	<10	94	<10	120	
S010164		0.45	10	<10	155	<10	86	
S010165		0.41	<10	<10	121	<10	125	
S010166		0.41	<10	<10	120	<10	103	
S010166D		0.41	<10	<10	118	<10	97	
S010167		0.44	<10	<10	119	<10	62	
S010168		0.45	<10	<10	149	<10	104	
S010169		0.41	<10	<10	129	<10	133	
S010170		0.26	<10	<10	106	10	477	
S010171		0.39	<10	<10	140	<10	83	
S010172		0.39	<10	<10	129	<10	85	
S010173		0.39	<10	<10	130	<10	79	
S010174		0.37	<10	<10	125	<10	82	
S010175		0.38	<10	10	123	<10	78	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010176		6.39	<0.005		<0.5	9.00	5	2310	1.2	<2	2.57	<0.5	9	5	39	5.19
S010177		6.98	<0.005		<0.5	8.51	<5	2000	1.1	<2	2.66	<0.5	9	5	54	4.91
S010178		6.24	<0.005		<0.5	8.77	<5	2200	1.2	<2	2.54	<0.5	9	6	4	4.81
S010179		6.24	<0.005		<0.5	9.23	<5	2210	1.2	<2	1.83	<0.5	10	5	5	4.50
S010180		0.38	<0.005		<0.5	0.08	<5	20	<0.5	<2	31.8	<0.5	<1	1	2	0.06
S010181		6.17	<0.005		<0.5	8.87	<5	2070	1.2	<2	2.23	<0.5	9	6	4	4.74
S010182		6.11	<0.005		<0.5	8.35	<5	1930	1.1	<2	3.04	<0.5	8	5	4	4.39
S010183		6.33	<0.005		<0.5	8.63	<5	1990	1.2	<2	2.75	<0.5	9	5	13	4.95
S010184		6.33	<0.005		<0.5	7.32	5	1680	1.0	<2	4.59	<0.5	8	4	24	5.72
S010185		5.89	<0.005		<0.5	7.57	<5	1650	1.0	<2	2.94	<0.5	10	5	80	5.81
S010186		2.93	<0.005		<0.5	7.67	<5	1590	1.0	<2	2.61	<0.5	8	4	65	5.35
S010186D		<0.02	<0.005		<0.5	7.48	<5	1600	1.0	<2	2.86	<0.5	9	4	76	5.58
S010187		6.24	<0.005		0.6	8.17	<5	1800	1.1	<2	2.28	<0.5	10	5	147	4.89
S010188		6.58	<0.005		<0.5	9.18	<5	2080	1.3	<2	1.21	<0.5	7	6	9	5.12
S010189		8.51	<0.005		<0.5	8.67	<5	1880	1.2	<2	2.80	<0.5	8	8	16	4.92
S010190		0.13	>10.0	10.85	>100	5.82	357	1160	0.9	<2	3.68	4.2	11	29	143	3.59
S010191		6.06	<0.005		<0.5	8.24	5	1730	1.1	<2	2.97	<0.5	8	5	11	4.32
S010192		5.75	<0.005		<0.5	8.46	<5	2210	1.1	<2	2.10	<0.5	9	5	8	4.40
S010193		6.20	<0.005		<0.5	8.58	5	1970	1.2	<2	1.82	<0.5	10	7	18	4.00
S010194		5.98	<0.005		<0.5	8.60	<5	1960	1.2	<2	2.13	<0.5	10	6	10	4.29
S010195		6.32	<0.005		<0.5	8.87	5	1970	1.3	<2	1.76	<0.5	9	7	6	4.20
S010196		6.06	<0.005		<0.5	8.54	9	1840	1.1	2	2.73	<0.5	10	6	4	4.51
S010197		6.42	<0.005		<0.5	8.60	5	1780	1.2	<2	2.61	<0.5	10	5	12	4.41
S010198		6.42	<0.005		<0.5	8.18	7	1710	1.1	<2	2.43	<0.5	11	6	8	3.93
S010199		6.41	<0.005		<0.5	8.50	7	1860	1.1	<2	2.29	<0.5	10	5	7	4.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010176		20	2.77	10	0.56	1255	1	1.23	4	1050	13	0.01	9	11	277	<20
S010177		20	2.48	20	0.79	1570	1	1.12	4	980	12	<0.01	6	10	247	<20
S010178		20	2.62	10	0.61	1245	1	1.30	6	1030	11	0.01	<5	11	275	<20
S010179		20	2.67	10	0.71	1060	1	1.40	6	1100	12	0.01	<5	11	266	<20
S010180		<10	0.02	<10	2.05	23	<1	0.01	<1	40	2	0.09	<5	<1	4860	<20
S010181		20	2.49	20	0.65	1110	1	1.43	4	1100	14	<0.01	<5	11	264	<20
S010182		20	2.34	10	0.67	1375	1	1.51	5	1020	10	<0.01	<5	10	256	<20
S010183		20	2.34	10	0.66	1235	1	1.66	5	1000	14	0.01	<5	10	273	<20
S010184		20	1.81	20	0.60	1740	2	1.77	3	880	17	0.02	<5	8	294	<20
S010185		20	1.82	20	0.66	1265	2	1.72	4	1050	19	0.01	<5	9	273	<20
S010186		20	1.85	20	0.69	1155	1	1.67	3	1050	14	0.01	7	9	252	<20
S010186D		20	1.84	20	0.67	1255	1	1.67	4	1080	15	0.01	<5	9	257	<20
S010187		20	2.06	20	0.70	1110	1	1.71	6	910	11	0.01	7	10	274	<20
S010188		20	2.46	10	0.51	596	1	1.79	4	1040	15	<0.01	<5	11	258	<20
S010189		20	2.25	10	0.59	1070	1	1.90	4	1070	12	<0.01	5	11	275	<20
S010190		10	3.53	10	0.47	1350	8	0.16	24	800	247	2.96	57	10	198	<20
S010191		20	1.98	10	0.67	1205	1	2.14	5	1040	10	0.01	5	11	300	<20
S010192		20	2.08	20	0.69	976	<1	1.92	4	1000	11	0.07	<5	10	431	<20
S010193		20	2.16	20	0.64	843	<1	2.02	4	1030	6	0.04	<5	10	288	<20
S010194		20	2.12	20	0.65	907	<1	1.96	3	1060	8	0.02	<5	10	294	<20
S010195		20	2.28	20	0.58	757	<1	2.18	3	1190	8	0.02	5	11	294	<20
S010196		20	1.99	20	0.68	1090	<1	2.25	2	1090	10	0.04	<5	10	308	<20
S010197		20	2.04	10	0.68	1120	<1	2.13	2	1050	8	0.01	<5	10	288	<20
S010198		20	1.94	10	0.67	1025	<1	2.05	2	970	8	0.03	6	9	282	<20
S010199		20	2.09	10	0.64	967	<1	1.93	1	1000	9	0.01	6	10	282	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010176		0.40	<10	<10	164	<10	82	
S010177		0.36	<10	<10	147	<10	97	
S010178		0.38	<10	<10	147	<10	74	
S010179		0.39	<10	<10	138	<10	84	
S010180		<0.01	<10	<10	2	<10	<2	
S010181		0.37	<10	<10	143	<10	79	
S010182		0.37	<10	<10	128	<10	84	
S010183		0.37	<10	<10	147	<10	82	
S010184		0.32	<10	<10	149	<10	75	
S010185		0.31	<10	<10	140	<10	80	
S010186		0.30	<10	<10	133	<10	83	
S010186D		0.30	<10	<10	133	10	81	
S010187		0.34	<10	<10	122	<10	84	
S010188		0.37	<10	<10	147	<10	58	
S010189		0.39	<10	<10	144	<10	66	
S010190		0.23	<10	<10	96	<10	484	129
S010191		0.36	<10	<10	127	<10	86	
S010192		0.36	<10	<10	125	<10	76	
S010193		0.36	<10	<10	121	<10	76	
S010194		0.36	<10	<10	121	<10	84	
S010195		0.40	<10	<10	124	<10	71	
S010196		0.38	<10	<10	125	<10	82	
S010197		0.38	10	<10	123	<10	87	
S010198		0.35	<10	<10	111	<10	82	
S010199		0.37	<10	<10	117	<10	77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104081

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

CERTIFICATE TR15104888

Project: Bowser Regional Exploration

P.O. No.: BOW-0003

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 18-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010200		0.46	<0.005		<0.5	0.04	<5	20	<0.5	<2	33.0	<0.5	<1	1	2	0.04
S010201		6.95	<0.005		<0.5	8.43	6	1810	1.0	<2	3.39	<0.5	11	5	5	4.08
S010202		6.04	<0.005		<0.5	8.62	5	1980	1.2	<2	2.71	<0.5	10	6	5	4.12
S010203		7.12	<0.005		<0.5	8.33	7	1860	1.0	<2	2.97	<0.5	11	6	4	3.88
S010204		5.83	<0.005		<0.5	8.66	9	1880	1.1	2	2.21	<0.5	11	5	4	4.16
S010205		6.86	<0.005		<0.5	8.19	7	2170	1.1	<2	2.85	<0.5	10	6	18	4.01
S010206		2.97	<0.005		<0.5	8.82	6	2030	1.2	<2	2.35	<0.5	10	5	23	4.22
S010206D		<0.02	<0.005		<0.5	8.64	<5	2010	1.2	<2	2.36	<0.5	10	6	20	4.18
S010207		7.44	<0.005		<0.5	8.75	5	2140	1.3	<2	2.48	<0.5	11	6	51	4.36
S010208		7.00	0.022		0.6	8.81	<5	2110	1.3	<2	3.39	<0.5	14	5	127	4.24
S010209		6.40	<0.005		1.6	8.61	5	2370	1.0	2	2.89	<0.5	19	10	367	2.80
S010210		0.14	5.62		82.1	6.33	305	800	1.0	<2	1.99	22.9	13	22	122	4.79
S010211		6.50	0.005		1.2	10.40	6	3230	1.3	2	0.81	<0.5	16	61	300	2.82
S010212		7.56	<0.005		0.6	8.83	<5	2770	1.6	<2	4.99	0.5	12	29	141	4.16
S010213		7.23	<0.005		<0.5	8.22	<5	1960	1.4	<2	5.68	<0.5	12	34	15	4.18
S010214		6.01	<0.005		1.6	8.62	<5	1370	1.2	<2	4.21	<0.5	13	19	137	4.19
S010215		6.25	<0.005		0.8	9.25	8	1490	1.6	<2	2.29	<0.5	13	37	61	3.17
S010216		4.01	<0.005		0.5	7.93	39	1130	1.2	<2	3.98	<0.5	13	32	32	3.56
S010217		8.94	<0.005		0.7	8.68	214	940	1.3	<2	3.63	0.5	14	48	19	3.99
S010218		6.08	<0.005		0.5	9.29	97	1090	1.3	<2	4.63	0.6	14	43	22	4.20
S010219		7.35	<0.005		<0.5	8.06	5	1270	1.2	<2	2.95	0.5	10	22	24	3.78
S010220		0.47	<0.005		<0.5	0.04	<5	10	<0.5	<2	33.1	<0.5	<1	1	<1	0.03
S010221		6.13	<0.005		<0.5	7.51	<5	1540	1.0	2	2.75	<0.5	10	24	5	3.88
S010222		6.86	<0.005		<0.5	10.10	<5	1900	1.6	2	2.60	0.5	11	37	17	4.35
S010223		6.42	<0.005		<0.5	9.88	<5	2240	1.3	<2	0.89	<0.5	13	17	25	4.92
S010224		9.58	<0.005		0.5	9.73	<5	1950	1.5	<2	0.81	<0.5	11	4	30	3.68
S010225		5.75	<0.005		<0.5	9.85	<5	2390	1.2	2	1.48	<0.5	7	3	20	3.89
S010226		3.15	<0.005		<0.5	9.62	7	2410	1.3	<2	1.58	<0.5	6	3	30	3.89
S010226D		<0.02	<0.005		<0.5	9.75	<5	2310	1.3	<2	1.57	<0.5	7	3	29	4.07
S010227		7.31	<0.005		0.8	7.89	<5	1440	1.0	<2	3.21	<0.5	12	27	83	4.31
S010228		7.01	<0.005		<0.5	10.30	6	2910	1.9	<2	2.60	<0.5	12	42	6	4.05
S010229		7.31	<0.005		<0.5	7.93	<5	2120	1.4	<2	3.91	<0.5	11	33	6	4.55
S010230		0.12	>10.0	18.35	17.4	6.87	799	330	1.3	<2	2.83	1.9	19	100	138	4.96
S010231		9.02	<0.005		<0.5	9.11	6	2670	1.6	<2	3.32	0.5	11	21	20	5.03
S010232		7.05	<0.005		<0.5	10.75	7	2090	2.0	<2	1.48	<0.5	15	35	47	5.36
S010233		6.36	<0.005		<0.5	8.74	<5	1650	1.2	<2	3.80	<0.5	11	42	46	6.44
S010234		5.68	<0.005		0.5	8.84	29	1860	1.5	<2	2.26	<0.5	18	24	49	6.64
S010235		6.04	<0.005		<0.5	9.72	28	1410	1.7	<2	0.39	<0.5	25	19	25	3.84
S010236		8.23	<0.005		0.9	10.30	19	1120	1.7	2	0.69	<0.5	20	8	22	4.58
S010237		6.82	<0.005		0.5	8.62	<5	1600	1.2	<2	1.03	<0.5	9	3	18	4.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010200		<10	0.01	<10	1.64	19	<1	0.01	1	30	4	0.08	<5	<1	5780	<20
S010201		20	2.09	10	0.66	1305	<1	2.18	2	1070	9	0.01	<5	10	307	<20
S010202		20	2.25	10	0.56	1030	<1	2.13	1	1110	7	0.03	<5	10	321	<20
S010203		20	2.09	10	0.60	1140	<1	2.13	<1	1060	9	0.02	<5	10	318	<20
S010204		20	2.11	10	0.61	932	<1	1.95	1	1060	8	<0.01	<5	10	305	<20
S010205		20	2.23	10	0.53	1075	<1	1.65	2	1080	8	0.01	<5	9	317	<20
S010206		20	2.34	20	0.52	949	<1	1.72	1	1170	9	<0.01	<5	10	310	<20
S010206D		20	2.32	20	0.52	955	<1	1.73	1	1150	8	<0.01	<5	10	308	<20
S010207		20	2.44	10	0.51	1030	<1	1.57	1	1130	6	0.01	<5	10	319	<20
S010208		20	2.54	10	0.76	1625	<1	1.42	1	1150	7	0.01	<5	10	329	<20
S010209		20	2.93	10	0.98	1705	<1	0.66	9	370	2	0.01	<5	9	225	<20
S010210		10	3.72	10	0.49	1195	8	0.24	16	980	8990	3.07	71	12	149	<20
S010211		20	3.63	20	0.80	861	<1	0.81	18	400	12	0.02	<5	14	230	<20
S010212		20	3.27	10	0.46	1815	<1	1.42	13	540	9	0.01	<5	11	374	<20
S010213		20	2.43	10	0.62	2290	<1	1.66	14	700	4	<0.01	<5	10	374	<20
S010214		20	1.77	20	1.08	2390	32	1.58	11	890	5	0.01	<5	9	334	<20
S010215		20	1.94	10	0.73	1490	29	2.01	15	1180	10	0.01	<5	12	392	<20
S010216		20	1.17	10	0.74	2020	4	2.24	13	1140	88	0.18	<5	9	386	<20
S010217		20	1.10	10	0.71	1840	4	2.85	14	1280	113	0.79	<5	11	411	<20
S010218		20	1.31	20	0.72	2200	1	3.06	14	1420	59	0.69	<5	11	427	<20
S010219		20	1.42	10	0.66	1695	<1	1.87	19	890	3	0.01	<5	10	299	<20
S010220		<10	0.01	<10	2.05	21	<1	0.01	<1	30	2	0.06	<5	<1	4960	<20
S010221		20	1.62	10	0.62	1610	<1	1.38	17	830	<2	<0.01	<5	9	242	<20
S010222		20	2.12	10	0.69	1605	<1	2.51	16	1610	2	<0.01	<5	12	384	<20
S010223		20	2.59	20	0.85	1385	1	1.11	8	690	4	<0.01	<5	13	268	<20
S010224		20	2.34	10	0.70	1045	52	1.61	1	910	6	0.01	<5	13	318	<20
S010225		20	2.65	10	0.70	1160	2	1.55	1	1530	4	0.01	<5	13	314	<20
S010226		20	2.63	10	0.70	1205	<1	1.55	<1	1530	3	0.01	<5	13	331	<20
S010226D		20	2.51	10	0.73	1240	1	1.55	<1	1510	6	0.01	<5	13	321	<20
S010227		20	1.67	10	0.89	1780	9	1.22	10	1140	3	0.02	<5	9	294	<20
S010228		20	2.86	10	0.52	1165	<1	1.98	16	1620	5	0.06	<5	12	458	<20
S010229		20	2.26	10	0.36	1330	<1	1.78	16	1220	6	0.03	<5	9	324	<20
S010230		20	3.02	20	0.72	996	5	0.16	67	1660	58	4.06	10	19	178	<20
S010231		20	2.73	10	0.43	1350	<1	1.89	13	1410	7	0.04	<5	11	339	<20
S010232		20	2.32	10	0.85	1475	7	2.14	11	1490	10	0.57	<5	12	411	<20
S010233		20	1.59	10	1.03	2380	<1	1.60	14	1230	5	0.43	<5	10	390	<20
S010234		20	2.16	10	0.76	1540	4	1.02	17	740	25	2.18	<5	12	330	<20
S010235		20	2.69	20	0.30	328	2	1.11	9	590	33	2.75	<5	14	339	<20
S010236		30	2.83	30	0.44	454	6	1.38	4	1050	45	2.98	<5	14	362	<20
S010237		20	1.85	10	0.61	742	1	1.68	<1	1160	29	1.68	<5	11	302	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010200		<0.01	<10	<10	1	<10	3	
S010201		0.39	<10	<10	116	<10	81	
S010202		0.38	<10	<10	122	<10	70	
S010203		0.37	<10	<10	111	<10	74	
S010204		0.37	10	<10	112	<10	79	
S010205		0.37	<10	<10	111	<10	75	
S010206		0.39	<10	<10	116	<10	74	
S010206D		0.38	<10	<10	116	<10	73	
S010207		0.38	<10	<10	118	<10	76	
S010208		0.40	<10	<10	124	<10	124	
S010209		0.36	<10	<10	107	<10	161	
S010210		0.25	10	<10	126	<10	1855	
S010211		0.50	<10	<10	130	<10	119	
S010212		0.43	<10	<10	155	<10	87	
S010213		0.34	<10	<10	110	<10	82	
S010214		0.32	<10	<10	98	<10	90	
S010215		0.41	<10	<10	126	<10	79	
S010216		0.36	10	<10	112	<10	93	
S010217		0.39	<10	<10	123	<10	95	
S010218		0.42	<10	<10	138	<10	93	
S010219		0.34	<10	<10	109	<10	85	
S010220		<0.01	<10	<10	1	<10	<2	
S010221		0.31	<10	<10	106	<10	76	
S010222		0.48	<10	<10	154	<10	91	
S010223		0.44	<10	<10	149	<10	104	
S010224		0.43	<10	<10	134	<10	82	
S010225		0.44	<10	10	176	<10	77	
S010226		0.45	<10	<10	173	<10	79	
S010226D		0.43	<10	<10	172	<10	82	
S010227		0.35	<10	<10	118	<10	101	
S010228		0.49	<10	<10	141	<10	72	
S010229		0.37	<10	<10	130	<10	71	
S010230		0.34	<10	<10	180	<10	212	
S010231		0.42	<10	<10	163	<10	76	
S010232		0.50	<10	<10	193	10	111	
S010233		0.39	<10	<10	151	10	124	
S010234		0.53	<10	<10	201	10	130	
S010235		0.52	<10	<10	181	<10	62	
S010236		0.52	10	<10	183	<10	122	
S010237		0.38	<10	<10	132	<10	104	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010238		7.30	<0.005		<0.5	8.12	<5	1530	1.0	<2	1.37	<0.5	10	3	21	4.52
S010239		6.39	<0.005		<0.5	8.27	<5	1920	1.1	<2	1.46	<0.5	9	3	32	4.48
S010240		0.41	<0.005		<0.5	0.04	<5	10	<0.5	<2	32.6	<0.5	<1	1	<1	0.03
S010241		6.70	<0.005		<0.5	7.84	5	2020	1.1	<2	2.30	<0.5	9	4	48	4.36
S010242		6.21	0.005		<0.5	7.25	6	2260	1.2	<2	3.37	<0.5	10	4	4	4.54
S010243		7.17	<0.005		<0.5	6.94	7	2040	1.0	<2	3.42	0.5	9	3	8	4.24
S010244		6.19	<0.005		<0.5	7.37	5	2010	1.1	<2	3.49	<0.5	10	3	2	4.29
S010245		6.86	<0.005		<0.5	7.76	<5	2220	1.2	<2	3.25	<0.5	9	3	2	4.52
S010246		2.85	<0.005		<0.5	7.42	7	2150	1.2	<2	3.01	<0.5	9	2	2	4.26
S010246D		<0.02	0.005		<0.5	7.60	<5	2190	1.2	<2	3.10	<0.5	9	2	2	4.33
S010247		7.00	<0.005		<0.5	7.52	5	1990	1.1	<2	3.51	<0.5	10	2	2	4.24
S010248		6.59	<0.005		<0.5	6.85	5	1710	1.0	<2	3.69	<0.5	10	2	2	3.96
S010249		6.65	<0.005		<0.5	7.49	<5	1900	1.0	<2	3.09	<0.5	10	2	1	4.21
S010250		0.14	0.932		12.1	5.69	314	390	0.9	<2	3.53	4.5	11	26	82	3.76
S010251		7.47	<0.005		<0.5	7.70	6	2120	1.1	<2	2.90	<0.5	10	2	3	4.30
S010252		6.61	<0.005		<0.5	8.14	5	1850	1.1	<2	2.54	<0.5	11	2	1	4.41
S010253		6.80	<0.005		<0.5	8.12	6	1950	1.2	<2	2.69	<0.5	11	2	2	4.46
S010254		6.98	<0.005		<0.5	7.12	<5	1630	1.0	<2	3.68	<0.5	10	2	2	3.97
S010255		6.75	<0.005		<0.5	8.36	5	1900	1.2	<2	2.91	<0.5	10	2	1	4.51
S010256		7.05	<0.005		<0.5	7.96	7	1930	1.2	<2	3.21	<0.5	12	2	1	4.41
S010257		5.88	<0.005		<0.5	7.85	7	1750	1.1	<2	3.47	<0.5	9	2	4	4.30
S010258		7.29	<0.005		<0.5	7.15	6	1480	0.9	<2	3.46	<0.5	11	2	3	3.98
S010259		7.91	<0.005		<0.5	7.02	5	1410	0.9	<2	4.42	<0.5	11	2	4	3.69
S010260		0.51	<0.005		<0.5	0.06	<5	10	<0.5	<2	32.2	<0.5	<1	1	<1	0.04
S010261		7.12	<0.005		<0.5	7.15	6	1400	1.0	<2	4.13	<0.5	11	2	3	4.02
S010262		5.72	<0.005		<0.5	7.13	9	3850	1.0	<2	4.87	<0.5	10	2	3	4.08
S010263		7.64	<0.005		<0.5	6.83	6	1440	0.9	<2	4.25	<0.5	10	2	10	3.90
S010264		5.40	<0.005		<0.5	7.47	6	1660	1.1	<2	4.04	<0.5	10	2	26	4.37
S010265		5.94	<0.005		<0.5	7.13	6	1450	1.0	<2	4.03	<0.5	11	2	6	4.17
S010266		2.79	<0.005		<0.5	7.15	5	1500	1.0	2	4.06	<0.5	11	2	7	4.27
S010266D		<0.02	<0.005		<0.5	7.33	5	1510	1.0	<2	4.08	<0.5	11	2	7	4.31
S010267		6.90	<0.005		<0.5	7.26	7	1610	1.1	<2	3.77	<0.5	9	2	4	4.19
S010268		6.38	0.006		<0.5	7.37	5	1610	1.0	<2	3.61	<0.5	9	2	7	4.31
S010269		6.18	<0.005		<0.5	7.08	<5	1560	1.0	<2	4.24	<0.5	9	2	5	4.32
S010270		0.14	>10.0	10.70	>100	5.79	368	350	1.0	<2	3.75	4.7	11	31	150	3.77
S010271		6.27	0.005		<0.5	7.05	<5	1560	0.9	<2	4.65	<0.5	10	1	15	4.10
S010272		8.45	<0.005		<0.5	7.15	<5	1710	0.9	<2	4.17	<0.5	8	2	16	4.31
S010273		6.47	<0.005		<0.5	7.41	<5	1870	1.0	<2	5.29	0.5	9	1	31	4.23
S010274		5.53	<0.005		<0.5	6.96	<5	1540	0.9	<2	4.38	<0.5	8	2	9	3.90
S010275		6.65	<0.005		<0.5	7.12	<5	1510	0.9	<2	5.33	<0.5	11	1	4	4.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010238		20	1.53	10	0.84	1135	5	1.77	<1	1170	<2	0.03	<5	10	256	<20
S010239		20	1.88	10	0.76	1115	<1	1.66	<1	1250	<2	0.01	<5	11	240	<20
S010240		<10	0.01	<10	1.66	15	<1	0.01	<1	30	<2	0.05	<5	<1	5160	<20
S010241		20	2.08	10	0.54	933	<1	1.62	<1	1200	3	<0.01	<5	10	265	<20
S010242		20	2.36	10	0.33	852	<1	1.63	<1	1140	6	<0.01	<5	10	286	<20
S010243		20	2.05	10	0.30	850	<1	2.06	<1	1150	10	<0.01	<5	8	315	<20
S010244		20	2.12	10	0.34	1020	<1	2.21	<1	1160	9	<0.01	<5	9	329	<20
S010245		20	2.35	10	0.35	1095	<1	2.20	1	1260	8	<0.01	<5	9	330	<20
S010246		20	2.25	10	0.34	1035	<1	2.17	<1	1190	10	<0.01	<5	9	319	<20
S010246D		20	2.32	10	0.35	1050	<1	2.23	<1	1210	6	<0.01	<5	9	324	<20
S010247		20	2.09	10	0.44	1270	<1	2.33	<1	1180	8	<0.01	<5	9	338	<20
S010248		20	1.70	10	0.50	1350	<1	2.28	1	1040	5	<0.01	<5	8	319	<20
S010249		20	1.92	10	0.50	1205	<1	2.37	<1	1180	6	<0.01	<5	9	317	<20
S010250		10	3.66	10	0.53	1335	8	0.20	18	910	149	2.72	12	10	182	<20
S010251		20	1.74	10	0.57	1185	<1	2.51	1	1180	6	0.01	<5	10	351	<20
S010252		20	2.05	10	0.61	1135	<1	2.52	<1	1260	7	<0.01	<5	10	334	<20
S010253		20	2.07	10	0.60	1215	<1	2.46	1	1290	7	<0.01	<5	10	365	<20
S010254		20	1.64	10	0.66	1640	1	2.34	<1	1120	9	0.01	<5	8	367	<20
S010255		20	2.13	10	0.58	1435	<1	2.31	<1	1310	7	<0.01	<5	11	366	<20
S010256		20	2.08	10	0.63	1625	<1	2.19	<1	1270	10	<0.01	<5	10	370	<20
S010257		20	1.97	10	0.64	1665	<1	2.45	<1	1270	9	<0.01	<5	10	389	<20
S010258		20	1.63	10	0.75	1685	<1	2.08	<1	1080	9	0.02	<5	9	342	<20
S010259		20	1.51	10	0.74	2070	<1	2.32	<1	1120	6	0.02	<5	9	397	<20
S010260		<10	0.01	<10	1.72	21	<1	0.01	<1	40	<2	0.06	<5	<1	5080	<20
S010261		20	1.61	10	0.83	1950	<1	2.23	<1	1150	9	0.01	<5	9	368	<20
S010262		20	1.71	10	0.86	2170	<1	2.06	<1	1190	9	0.07	<5	9	413	<20
S010263		20	1.66	10	0.67	1530	<1	1.99	<1	1040	10	0.01	<5	9	378	<20
S010264		20	1.91	10	0.71	1460	<1	2.15	<1	1210	9	<0.01	<5	10	410	<20
S010265		20	1.70	10	0.69	1405	<1	2.19	<1	1100	12	<0.01	<5	10	373	<20
S010266		20	1.70	10	0.68	1420	<1	2.25	1	1110	9	<0.01	5	10	381	<20
S010266D		20	1.73	10	0.71	1415	<1	2.25	<1	1120	9	0.01	<5	10	380	<20
S010267		20	1.87	10	0.57	1190	<1	2.23	<1	1160	10	0.01	<5	10	370	<20
S010268		20	1.79	10	0.62	1215	2	2.08	<1	1120	12	0.02	<5	10	352	<20
S010269		20	1.75	10	0.66	1375	1	1.97	<1	1100	13	0.01	<5	10	379	<20
S010270		10	3.57	10	0.46	1375	9	0.16	20	840	249	3.05	59	10	199	<20
S010271		20	1.71	10	0.82	1605	1	1.79	<1	1100	8	0.01	7	10	366	<20
S010272		20	1.84	10	0.64	1305	<1	1.66	<1	1110	10	0.01	<5	10	359	<20
S010273		20	1.81	10	0.78	1835	<1	1.72	<1	1130	7	0.02	6	11	379	<20
S010274		10	1.77	10	0.71	1415	1	1.65	<1	1060	7	<0.01	<5	9	351	<20
S010275		20	1.72	10	0.69	1630	1	1.66	<1	1070	8	<0.01	<5	10	368	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010238		0.36	10	<10	129	<10	108	
S010239		0.37	10	<10	127	<10	95	
S010240		<0.01	10	<10	1	<10	<2	
S010241		0.35	<10	<10	126	<10	92	
S010242		0.34	10	<10	126	<10	83	
S010243		0.34	<10	<10	114	<10	79	
S010244		0.35	<10	10	119	<10	70	
S010245		0.37	<10	<10	135	<10	74	
S010246		0.34	<10	<10	128	<10	71	
S010246D		0.35	<10	<10	132	<10	73	
S010247		0.36	<10	<10	130	<10	92	
S010248		0.32	<10	<10	110	<10	97	
S010249		0.34	<10	<10	120	<10	89	
S010250		0.24	<10	<10	104	<10	468	
S010251		0.34	10	<10	119	<10	94	
S010252		0.36	<10	<10	125	<10	97	
S010253		0.38	<10	<10	125	<10	92	
S010254		0.33	<10	<10	105	<10	98	
S010255		0.37	<10	<10	137	<10	85	
S010256		0.38	10	<10	138	<10	86	
S010257		0.39	<10	<10	134	<10	81	
S010258		0.34	<10	<10	111	<10	84	
S010259		0.35	<10	<10	115	<10	88	
S010260		<0.01	<10	<10	1	<10	<2	
S010261		0.37	<10	<10	122	<10	89	
S010262		0.37	<10	<10	124	<10	96	
S010263		0.34	<10	<10	124	<10	90	
S010264		0.39	<10	<10	136	<10	92	
S010265		0.35	<10	<10	122	<10	88	
S010266		0.37	<10	<10	126	<10	89	
S010266D		0.37	<10	<10	127	<10	90	
S010267		0.37	<10	<10	130	<10	76	
S010268		0.36	<10	<10	132	<10	83	
S010269		0.36	<10	<10	128	<10	87	
S010270		0.24	10	<10	98	<10	507	129
S010271		0.36	<10	<10	148	<10	102	
S010272		0.36	<10	<10	135	<10	85	
S010273		0.37	<10	<10	125	<10	95	
S010274		0.35	<10	<10	120	<10	88	
S010275		0.35	<10	<10	122	<10	98	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010276		4.87	<0.005		<0.5	7.54	7	1700	1.0	<2	4.23	<0.5	9	2	42	4.05
S010277		6.12	<0.005		<0.5	7.76	<5	1770	1.1	<2	3.88	0.6	9	2	11	4.30
S010278		6.36	<0.005		<0.5	7.20	<5	1780	1.0	<2	4.83	<0.5	9	1	2	4.31
S010279		6.39	<0.005		<0.5	7.30	<5	1790	1.0	<2	5.02	<0.5	9	2	3	4.26
S010280		0.57	<0.005		<0.5	0.05	<5	10	<0.5	2	32.5	<0.5	<1	1	<1	0.04
S010281		6.49	<0.005		<0.5	7.58	<5	1750	1.0	<2	3.47	<0.5	10	1	3	4.54
S010282		6.76	<0.005		<0.5	8.14	<5	2160	1.0	<2	3.93	<0.5	10	2	3	4.62
S010283		6.28	<0.005		<0.5	7.87	6	1790	1.0	2	3.40	0.5	10	1	2	4.92
S010284		7.05	0.009		0.5	9.19	6	1730	1.1	<2	1.99	<0.5	13	2	133	5.18
S010285		6.52	<0.005		<0.5	8.49	<5	2080	1.2	<2	2.39	<0.5	9	2	<1	4.48
S010286		2.48	<0.005		<0.5	8.28	5	2050	1.2	<2	2.61	<0.5	8	2	1	4.39
S010286D		<0.02	<0.005		<0.5	8.16	<5	1990	1.2	<2	2.53	<0.5	9	2	1	4.26
S010287		6.70	<0.005		<0.5	8.02	6	1860	1.1	<2	2.88	<0.5	9	2	1	4.43
S010288		7.11	<0.005		<0.5	7.91	<5	1830	1.0	<2	3.02	<0.5	9	2	1	4.25
S010289		7.08	<0.005		<0.5	7.72	<5	1760	1.1	<2	2.84	<0.5	10	2	1	4.13
S010290		0.13	5.56		81.6	6.13	278	360	0.9	<2	1.90	22.0	10	22	117	4.73
S010291		7.18	<0.005		<0.5	7.84	6	1830	1.1	<2	2.80	<0.5	9	2	<1	4.13
S010292		6.60	<0.005		<0.5	8.47	5	2260	1.3	<2	2.69	<0.5	11	2	<1	4.49
S010293		7.47	<0.005		<0.5	7.79	5	2330	1.3	<2	3.42	<0.5	11	2	<1	4.31
S010294		6.41	<0.005		<0.5	8.57	7	2630	1.4	<2	2.36	<0.5	8	2	1	4.65
S010295		6.83	0.005		<0.5	7.31	6	2050	1.2	<2	3.01	0.5	8	2	<1	4.23
S010296		6.94	<0.005		<0.5	6.59	6	2130	1.2	<2	4.35	<0.5	7	2	1	3.93
S010297		7.25	<0.005		<0.5	7.32	7	2330	1.2	<2	3.50	<0.5	6	2	<1	4.16
S010298		7.03	<0.005		<0.5	7.75	<5	2360	1.3	<2	3.21	<0.5	8	2	<1	4.49
S010299		7.13	<0.005		<0.5	8.29	5	2200	1.2	<2	3.16	<0.5	9	2	3	4.68
S010300		0.39	<0.005		<0.5	0.04	<5	10	<0.5	<2	31.9	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010276		20	1.91	10	0.78	1340	1	1.67	<1	1180	7	0.01	<5	10	328	<20
S010277		20	2.01	10	0.63	1165	<1	1.72	<1	1220	6	0.01	<5	11	370	<20
S010278		20	2.03	10	0.60	1425	1	1.56	<1	1190	4	<0.01	6	10	353	<20
S010279		20	2.06	10	0.54	1490	1	1.58	<1	1170	10	<0.01	<5	11	333	<20
S010280		<10	0.01	<10	1.74	22	1	0.01	<1	30	<2	0.07	<5	<1	5440	<20
S010281		20	2.01	10	0.45	1050	1	1.79	<1	1190	9	<0.01	<5	11	338	<20
S010282		20	2.42	10	0.41	1220	1	1.89	<1	1350	9	0.01	<5	12	369	<20
S010283		20	1.96	10	0.50	1185	1	1.76	<1	1180	10	0.01	<5	11	326	<20
S010284		20	1.99	20	1.05	1495	1	1.46	<1	1370	5	0.02	5	13	271	<20
S010285		20	2.25	10	0.39	950	2	1.96	<1	1240	12	0.01	6	11	316	<20
S010286		20	2.23	10	0.38	1000	2	1.99	<1	1240	11	0.01	6	10	314	<20
S010286D		20	2.14	10	0.38	987	2	1.95	<1	1190	9	0.01	6	10	306	<20
S010287		20	2.05	10	0.38	1075	3	2.21	<1	1200	10	0.01	<5	10	317	<20
S010288		20	1.82	10	0.52	1200	2	2.18	<1	1110	10	0.04	5	10	352	<20
S010289		20	1.92	10	0.52	1250	2	2.11	<1	1140	9	0.03	<5	10	311	<20
S010290		10	3.48	10	0.47	1175	10	0.23	15	950	8620	2.94	78	12	144	<20
S010291		20	1.98	10	0.56	1190	1	1.99	<1	1170	18	0.04	<5	10	322	<20
S010292		20	2.41	10	0.59	1215	2	1.54	<1	1260	11	0.05	12	10	337	<20
S010293		20	2.49	10	0.53	1490	2	1.10	<1	1180	11	0.03	<5	9	358	<20
S010294		20	3.03	10	0.51	1165	2	0.75	<1	1350	15	0.01	7	11	293	<20
S010295		10	2.39	10	0.42	1240	2	0.86	<1	1090	11	<0.01	<5	9	269	<20
S010296		20	2.33	10	0.38	1720	2	0.88	<1	1100	8	0.02	<5	8	320	<20
S010297		20	2.48	10	0.38	1420	2	0.78	<1	1130	9	0.01	<5	9	313	<20
S010298		20	2.57	10	0.44	1390	2	0.87	<1	1210	16	0.01	7	10	337	<20
S010299		20	2.42	10	0.59	1320	3	1.73	<1	1320	13	0.01	6	11	341	<20
S010300		<10	0.01	<10	2.20	20	1	0.01	<1	30	<2	0.05	<5	<1	5010	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010276		0.39	<10	<10	133	<10	100	
S010277		0.40	<10	<10	143	<10	84	
S010278		0.40	<10	<10	136	<10	87	
S010279		0.39	<10	<10	136	<10	86	
S010280		<0.01	<10	<10	1	<10	<2	
S010281		0.38	10	<10	142	<10	89	
S010282		0.45	<10	<10	155	<10	88	
S010283		0.39	<10	<10	140	<10	86	
S010284		0.45	<10	<10	155	<10	129	
S010285		0.38	<10	<10	137	<10	71	
S010286		0.37	<10	<10	134	<10	73	
S010286D		0.36	<10	<10	130	<10	71	
S010287		0.37	<10	<10	132	<10	84	
S010288		0.34	<10	<10	120	<10	101	
S010289		0.35	<10	<10	119	<10	101	
S010290		0.25	<10	<10	121	<10	1820	
S010291		0.35	<10	<10	119	<10	98	
S010292		0.36	<10	<10	125	<10	101	
S010293		0.35	<10	<10	121	<10	93	
S010294		0.39	<10	<10	124	<10	88	
S010295		0.33	10	<10	103	<10	68	
S010296		0.34	<10	<10	106	<10	69	
S010297		0.33	<10	<10	115	<10	62	
S010298		0.37	<10	<10	126	<10	69	
S010299		0.41	<10	<10	140	<10	90	
S010300		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15104888

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

CERTIFICATE TR15105651

Project: Bowser Regional Exploration

P.O. No.: BOW-0005

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010301		7.07	<0.005		<0.5	7.66	<5	1560	0.9	<2	4.24	<0.5	12	1	4	4.03
S010302		6.90	<0.005		<0.5	8.15	6	1520	0.9	<2	4.07	<0.5	12	2	4	4.12
S010303		6.90	<0.005		<0.5	8.10	7	1660	0.9	3	3.84	<0.5	12	2	3	4.03
S010304		6.75	0.005		<0.5	8.14	<5	1820	1.1	<2	3.95	<0.5	8	1	3	4.20
S010305		6.40	0.021		<0.5	7.34	5	2220	1.1	2	4.07	<0.5	9	2	13	4.69
S010306		2.89	0.030		<0.5	6.92	5	2110	1.1	<2	4.08	<0.5	10	2	12	4.70
S010307		7.07	0.005		<0.5	7.83	7	1980	1.2	5	4.03	<0.5	9	2	8	4.79
S010308		6.59	0.005		<0.5	7.71	6	1910	1.0	<2	4.01	<0.5	11	2	3	4.38
S010309		6.49	0.006		<0.5	7.58	<5	2050	1.1	4	4.43	<0.5	8	2	5	4.43
S010310		0.10	>10.0	18.45	19.1	6.67	752	750	1.3	2	2.70	1.6	18	109	132	4.89
S010311		7.18	0.008		<0.5	7.33	<5	1900	1.1	3	4.15	<0.5	10	2	6	4.17
S010312		7.15	0.008		<0.5	7.56	6	2210	1.2	5	3.73	<0.5	8	2	4	4.44
S010313		7.24	0.006		<0.5	7.42	<5	2140	1.2	4	4.38	<0.5	10	1	9	4.63
S010314		7.12	0.005		<0.5	6.86	5	2060	1.1	4	4.95	<0.5	9	1	3	4.10
S010315		6.93	0.005		<0.5	8.01	<5	2150	1.1	<2	4.67	<0.5	8	1	15	4.19
S010316		7.05	0.005		<0.5	7.87	<5	1470	0.9	<2	6.14	<0.5	10	1	20	4.96
S010317		7.10	<0.005		<0.5	7.86	<5	1390	1.0	<2	4.55	<0.5	9	1	14	4.53
S010318		7.53	<0.005		<0.5	7.67	<5	1070	1.0	2	5.09	<0.5	12	1	21	4.59
S010319		7.13	0.005		<0.5	8.39	5	1020	1.1	5	2.46	<0.5	16	1	13	5.68
S010320		0.50	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.1	<0.5	<1	1	<1	0.04
S010321		6.97	0.006		<0.5	9.12	<5	1320	1.5	6	2.43	<0.5	21	11	16	5.21
S010322		7.01	0.006		<0.5	11.20	6	2550	2.0	4	0.41	<0.5	16	22	36	4.47
S010323		7.17	<0.005		<0.5	10.15	<5	2450	1.3	5	0.18	<0.5	10	4	29	5.31
S010324		7.22	<0.005		<0.5	10.45	<5	2720	1.5	4	0.43	<0.5	11	6	24	4.38
S010325		6.44	<0.005		<0.5	8.51	<5	1480	1.2	2	1.82	<0.5	10	3	11	4.83
S010326		2.72	<0.005		<0.5	8.71	6	1510	1.2	<2	1.78	<0.5	10	3	11	4.79
S010327		7.25	<0.005		<0.5	8.09	6	1350	1.1	8	2.88	<0.5	9	3	11	4.54
S010328		7.26	<0.005		<0.5	7.91	<5	1500	1.0	5	3.17	<0.5	11	3	10	4.49
S010329		7.07	<0.005		<0.5	8.44	5	1530	1.1	<2	2.35	<0.5	9	3	14	4.53
S010330		0.13	0.991		12.6	6.12	316	1140	1.0	<2	3.59	4.3	11	28	84	3.96
S010331		6.21	<0.005		<0.5	8.02	<5	1490	1.1	<2	2.40	<0.5	8	3	10	4.24
S010332		6.62	<0.005		<0.5	7.68	7	1760	1.0	3	2.52	<0.5	7	4	18	4.59
S010333		7.13	<0.005		<0.5	9.76	<5	2230	1.4	3	1.13	<0.5	8	5	17	4.27
S010334		6.62	<0.005		<0.5	8.43	<5	1980	1.1	2	2.18	<0.5	9	3	36	4.80
S010335		7.89	<0.005		<0.5	7.53	<5	1950	1.0	<2	3.02	<0.5	9	5	7	4.21
S010336		6.98	<0.005		<0.5	6.62	<5	2430	1.1	3	3.35	<0.5	8	6	<1	3.82
S010337		7.05	<0.005		<0.5	6.51	<5	2420	1.1	<2	3.74	<0.5	9	5	<1	4.04
S010338		6.48	<0.005		<0.5	7.33	<5	3600	1.1	3	3.34	<0.5	8	3	<1	4.07
S010339		7.17	<0.005		<0.5	7.98	<5	2300	1.1	3	3.28	<0.5	8	4	<1	4.05
S010340		0.46	<0.005		<0.5	0.10	<5	20	<0.5	<2	35.1	<0.5	<1	<1	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010301		20	1.74	10	0.78	1660	<1	2.12	<1	1130	2	0.01	<5	11	345	<20
S010302		20	1.71	10	0.95	1520	<1	2.13	1	1170	<2	0.01	<5	11	344	<20
S010303		20	1.89	10	0.83	1305	<1	1.96	<1	1180	<2	<0.01	7	11	352	<20
S010304		20	2.02	10	0.57	1130	<1	1.86	<1	1160	<2	0.01	9	11	373	<20
S010305		20	1.97	10	0.51	1140	<1	1.60	1	1130	12	0.02	<5	10	479	<20
S010306		20	1.95	10	0.49	1140	<1	1.58	1	1090	7	0.02	<5	9	437	<20
S010307		20	2.23	10	0.50	1070	<1	1.69	<1	1210	8	<0.01	<5	11	378	<20
S010308		20	2.14	10	0.58	1070	<1	1.62	<1	1210	7	0.01	<5	11	361	<20
S010309		20	2.23	10	0.50	1075	<1	1.63	<1	1230	8	0.01	<5	10	387	<20
S010310		10	2.94	10	0.69	987	6	0.16	67	1650	50	4.10	10	19	183	<20
S010311		20	2.09	10	0.46	995	<1	1.37	<1	1120	4	0.01	<5	10	338	<20
S010312		20	2.37	10	0.40	949	<1	1.37	<1	1230	<2	0.02	<5	11	343	<20
S010313		20	2.36	10	0.50	1175	<1	1.12	<1	1220	7	<0.01	<5	11	300	<20
S010314		20	2.26	10	0.38	1275	<1	1.11	<1	1160	3	<0.01	<5	10	324	<20
S010315		20	2.30	10	0.59	1385	<1	0.94	<1	1280	<2	0.09	<5	12	327	<20
S010316		20	1.58	10	0.82	1875	1	1.21	<1	1210	3	0.13	<5	12	340	<20
S010317		20	1.51	10	0.72	1590	<1	1.53	<1	1200	3	0.03	<5	12	349	<20
S010318		20	1.23	10	0.72	2020	<1	1.81	<1	1200	2	<0.01	<5	12	382	<20
S010319		20	1.20	10	0.83	1460	<1	1.83	<1	1260	40	0.07	<5	13	310	<20
S010320		<10	0.01	<10	1.66	20	<1	0.01	<1	30	<2	0.07	<5	<1	4720	<20
S010321		20	1.64	20	0.71	1245	12	1.41	3	1120	55	0.02	<5	15	368	<20
S010322		30	3.03	10	0.54	650	<1	1.12	5	320	13	0.01	<5	20	379	<20
S010323		20	2.78	10	0.60	746	<1	0.69	2	550	<2	0.03	<5	17	216	<20
S010324		20	3.15	20	0.50	627	2	0.90	1	640	8	0.33	<5	17	236	<20
S010325		20	1.70	10	0.57	1140	1	1.59	<1	1030	15	0.78	<5	11	286	<20
S010326		20	1.76	10	0.58	1115	<1	1.61	<1	1080	14	0.75	<5	11	290	<20
S010327		20	1.56	10	0.56	1410	3	1.57	<1	1020	17	0.53	<5	10	300	<20
S010328		20	1.53	10	0.55	1445	5	1.60	<1	1020	13	0.51	<5	10	297	<20
S010329		20	1.71	10	0.60	1340	1	1.59	<1	1110	4	0.04	<5	11	281	<20
S010330		10	3.86	10	0.56	1425	9	0.21	19	930	145	2.88	15	11	198	<20
S010331		20	1.64	10	0.55	1350	<1	1.53	1	1010	3	0.01	<5	10	313	<20
S010332		20	1.59	10	0.61	1460	<1	1.20	<1	950	2	0.05	<5	9	298	<20
S010333		20	2.44	20	0.58	1035	<1	1.21	2	580	<2	0.01	<5	12	275	<20
S010334		20	1.77	10	0.63	1430	1	1.24	<1	800	<2	0.03	<5	10	298	<20
S010335		20	1.98	10	0.48	1390	<1	1.01	<1	920	4	0.07	<5	9	251	<20
S010336		20	2.47	10	0.28	1160	<1	0.73	<1	970	3	0.04	<5	8	253	<20
S010337		20	2.36	10	0.29	1215	<1	0.72	<1	910	6	0.07	<5	8	280	<20
S010338		20	2.59	10	0.35	1250	<1	0.77	<1	1040	4	0.11	<5	8	347	<20
S010339		20	2.25	10	0.58	1585	<1	0.79	<1	1060	<2	0.15	<5	10	289	<20
S010340		<10	0.02	<10	1.83	22	<1	0.01	<1	30	<2	0.11	<5	<1	5110	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010301		0.36	<10	<10	125	<10	101	
S010302		0.37	<10	<10	128	<10	109	
S010303		0.37	<10	<10	125	<10	110	
S010304		0.37	<10	<10	126	<10	83	
S010305		0.37	<10	<10	142	<10	97	
S010306		0.37	<10	<10	143	<10	91	
S010307		0.40	<10	<10	133	<10	93	
S010308		0.40	<10	<10	140	<10	100	
S010309		0.40	<10	<10	135	<10	90	
S010310		0.35	10	<10	175	<10	209	
S010311		0.37	<10	<10	124	<10	83	
S010312		0.40	10	<10	140	<10	78	
S010313		0.41	<10	<10	145	<10	90	
S010314		0.40	<10	<10	145	<10	71	
S010315		0.43	<10	<10	159	<10	79	
S010316		0.40	10	<10	155	<10	99	
S010317		0.40	<10	<10	155	<10	91	
S010318		0.40	<10	<10	134	<10	102	
S010319		0.42	<10	<10	139	<10	117	
S010320		<0.01	<10	<10	1	<10	<2	
S010321		0.49	<10	<10	162	<10	105	
S010322		0.64	<10	<10	215	<10	84	
S010323		0.42	<10	<10	146	<10	87	
S010324		0.46	10	<10	161	<10	80	
S010325		0.35	10	<10	112	<10	103	
S010326		0.36	10	<10	115	<10	102	
S010327		0.34	<10	<10	110	<10	102	
S010328		0.33	<10	<10	108	<10	94	
S010329		0.37	<10	<10	125	<10	92	
S010330		0.27	<10	<10	106	<10	488	
S010331		0.33	10	<10	109	<10	86	
S010332		0.33	<10	<10	108	<10	96	
S010333		0.39	<10	<10	124	<10	89	
S010334		0.33	<10	<10	101	<10	110	
S010335		0.32	<10	<10	101	<10	98	
S010336		0.33	<10	<10	107	<10	83	
S010337		0.31	10	<10	102	<10	84	
S010338		0.34	<10	<10	114	<10	78	
S010339		0.34	<10	<10	109	<10	96	
S010340		<0.01	<10	<10	2	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010341		7.59	<0.005		<0.5	7.75	<5	2050	1.1	<2	2.70	<0.5	8	4	2	3.56
S010342		7.88	<0.005		<0.5	8.00	<5	2090	1.1	<2	4.13	<0.5	8	2	2	3.65
S010343		7.30	<0.005		<0.5	7.69	<5	1870	1.1	<2	3.14	<0.5	5	2	7	3.38
S010344		7.85	<0.005		<0.5	8.15	<5	1600	1.2	<2	2.57	<0.5	6	2	17	3.93
S010345		7.29	<0.005		<0.5	8.27	<5	1540	1.2	<2	2.76	<0.5	9	2	11	3.61
S010346		3.38	<0.005		<0.5	8.26	<5	1590	1.2	<2	2.76	<0.5	8	2	11	3.47
S010347		7.64	<0.005		<0.5	8.46	21	330	1.3	<2	2.83	0.5	23	3	16	4.55
S010348		7.29	<0.005		<0.5	7.99	40	410	1.2	<2	3.71	<0.5	33	3	12	3.88
S010349		7.25	<0.005		<0.5	9.82	55	130	1.5	<2	0.55	<0.5	30	7	19	5.46
S010350		0.13	>10.0	10.40	>100	5.85	366	830	1.0	<2	3.69	4.2	10	30	144	3.67
S010351		7.71	<0.005		<0.5	8.70	38	100	1.4	<2	2.19	<0.5	14	2	11	7.24
S010352		7.46	<0.005		<0.5	8.36	54	190	1.3	<2	2.53	<0.5	10	3	9	5.64
S010353		7.53	<0.005		<0.5	7.88	36	180	1.2	<2	2.72	<0.5	9	2	12	4.60
S010354		7.42	<0.005		<0.5	7.95	15	250	1.2	<2	2.88	<0.5	8	3	11	4.16
S010355		7.50	<0.005		<0.5	7.44	24	220	1.2	<2	2.97	<0.5	9	2	10	4.03
S010356		7.09	<0.005		<0.5	6.31	28	160	1.0	<2	3.32	<0.5	9	2	9	4.87
S010357		7.15	<0.005		<0.5	9.26	22	400	1.4	2	1.42	<0.5	9	3	10	3.61
S010358		7.45	<0.005		<0.5	8.20	21	320	1.2	<2	1.51	0.5	11	2	10	3.12
S010359		7.16	<0.005		<0.5	7.63	13	320	1.1	<2	1.77	<0.5	10	3	12	4.26
S010360		0.42	<0.005		<0.5	0.10	<5	20	<0.5	<2	32.8	<0.5	<1	1	1	0.06
S010361		7.10	<0.005		<0.5	7.84	11	300	1.2	<2	2.11	<0.5	11	5	9	3.58
S010362		6.83	<0.005		<0.5	8.52	22	380	1.2	<2	1.36	<0.5	21	2	13	3.61
S010363		7.18	<0.005		<0.5	7.50	6	310	1.0	<2	2.57	<0.5	14	2	9	3.96
S010364		7.10	<0.005		<0.5	7.56	<5	1390	0.9	<2	4.28	<0.5	8	2	6	3.70
S010365		7.52	<0.005		<0.5	7.78	11	370	1.1	<2	2.80	<0.5	9	2	10	3.57
S010366		2.61	<0.005		<0.5	8.21	12	310	1.2	<2	2.85	<0.5	10	2	11	4.02
S010367		7.11	<0.005		<0.5	8.21	11	380	1.1	<2	1.73	<0.5	9	2	9	3.68
S010368		6.77	<0.005		<0.5	8.44	10	690	1.1	<2	1.57	<0.5	11	2	9	3.61
S010369		7.15	<0.005		<0.5	7.97	6	1400	1.0	<2	3.05	<0.5	8	2	8	4.04
S010370		0.13	5.79		79.6	6.04	278	1130	0.9	<2	1.90	21.4	11	21	115	4.63
S010371		7.30	<0.005		<0.5	7.75	14	480	1.0	<2	2.66	<0.5	10	3	10	3.43
S010372		7.81	<0.005		<0.5	7.49	21	370	1.0	<2	2.65	<0.5	9	2	11	3.57
S010373		6.71	<0.005		<0.5	8.04	28	540	1.1	<2	1.91	<0.5	10	2	9	3.04
S010374		6.71	<0.005		<0.5	8.09	13	640	1.0	<2	2.79	<0.5	8	2	7	4.03
S010375		6.85	<0.005		<0.5	8.33	<5	1850	1.0	<2	2.54	<0.5	7	2	9	3.27
S010376		7.53	<0.005		<0.5	7.28	<5	1540	0.9	<2	4.26	<0.5	6	3	6	3.80
S010377		6.90	<0.005		<0.5	7.91	<5	1880	1.0	<2	3.60	<0.5	6	2	14	3.20
S010378		6.78	<0.005		<0.5	7.29	<5	1400	0.8	<2	4.15	<0.5	5	2	7	4.00
S010379		6.71	<0.005		<0.5	7.51	<5	1550	0.9	<2	4.67	<0.5	6	2	8	3.90
S010380		0.45	<0.005		<0.5	0.08	<5	20	<0.5	<2	33.3	<0.5	<1	1	<1	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010341		20	2.08	10	0.52	1410	<1	0.85	1	970	11	0.13	<5	9	279	<20
S010342		20	2.17	10	0.55	1945	1	0.83	2	1020	7	0.11	<5	9	334	<20
S010343		20	2.02	10	0.53	1880	1	0.89	1	1000	8	0.15	<5	9	325	<20
S010344		20	1.75	10	0.76	2220	1	0.93	<1	990	2	0.17	<5	9	333	<20
S010345		20	1.91	10	0.70	2350	1	0.91	<1	1020	8	0.44	5	9	322	<20
S010346		20	1.98	10	0.68	2340	<1	0.95	1	1030	9	0.39	<5	9	332	<20
S010347		20	2.24	10	0.38	1815	13	0.94	1	970	20	3.21	<5	10	325	<20
S010348		20	2.47	10	0.33	3160	37	0.77	1	540	23	2.72	<5	9	412	<20
S010349		20	3.42	10	0.13	314	7	0.88	4	170	36	5.85	<5	14	230	<20
S010350		10	3.62	10	0.47	1355	9	0.16	21	820	242	3.00	56	10	200	<20
S010351		20	2.59	10	0.18	982	19	1.04	1	910	31	7.54	<5	13	346	<20
S010352		20	2.40	10	0.18	993	4	1.12	<1	1110	20	5.55	<5	11	364	<20
S010353		20	2.16	10	0.20	1020	5	1.13	1	970	18	4.35	<5	9	341	<20
S010354		20	2.27	10	0.17	984	10	1.13	1	1070	18	3.81	<5	9	316	<20
S010355		20	2.48	10	0.15	986	3	1.01	1	1070	14	3.73	<5	9	351	<20
S010356		20	2.21	10	0.18	1055	5	0.82	<1	930	15	4.69	<5	7	349	<20
S010357		20	2.98	10	0.18	462	3	0.91	<1	1220	20	3.36	<5	11	298	<20
S010358		20	2.62	10	0.12	364	2	0.77	<1	1070	13	3.21	<5	10	305	<20
S010359		20	2.34	10	0.16	524	2	0.70	<1	960	18	4.16	<5	9	315	<20
S010360		<10	0.02	<10	2.18	23	1	0.01	1	40	2	0.06	6	<1	4440	<20
S010361		20	2.44	10	0.22	673	2	0.73	<1	1040	12	3.13	<5	9	299	<20
S010362		20	2.68	10	0.23	466	25	0.72	2	1120	17	3.14	<5	10	283	<20
S010363		10	2.30	10	0.33	946	4	0.63	1	980	10	2.96	<5	9	251	<20
S010364		20	1.97	10	0.73	1910	1	0.54	1	940	8	0.99	<5	9	274	<20
S010365		20	2.50	10	0.25	880	1	0.68	1	1040	12	2.91	<5	9	253	<20
S010366		20	2.70	20	0.25	885	1	0.72	<1	1130	12	3.37	<5	10	262	<20
S010367		20	2.67	10	0.28	610	3	0.67	1	1120	11	2.96	<5	10	233	<20
S010368		20	2.76	10	0.38	645	12	0.63	<1	1120	12	2.44	<5	10	283	<20
S010369		20	2.34	10	0.60	1445	4	0.58	1	1060	12	1.86	<5	10	288	<20
S010370		10	3.58	10	0.47	1145	10	0.23	15	930	8430	2.91	70	12	144	<20
S010371		20	2.48	10	0.26	766	10	0.62	1	1010	24	2.70	<5	9	271	<20
S010372		20	2.52	10	0.25	689	7	0.61	1	1020	13	2.80	<5	9	255	<20
S010373		20	2.65	10	0.22	438	7	0.62	2	1040	12	2.43	<5	9	249	<20
S010374		20	2.56	10	0.43	1010	6	0.59	<1	1090	11	2.40	<5	10	256	<20
S010375		20	2.60	10	0.59	1035	1	0.53	1	1110	4	0.54	<5	10	223	<20
S010376		20	2.19	10	0.57	1350	2	0.52	<1	1010	8	1.10	5	9	263	<20
S010377		20	2.32	10	0.58	1135	2	0.57	3	1030	7	0.43	<5	9	359	<20
S010378		20	1.79	10	0.82	1450	1	0.48	1	900	7	0.09	<5	9	263	<20
S010379		20	2.06	10	0.68	1445	2	0.56	<1	1020	7	0.65	<5	9	280	<20
S010380		<10	0.01	<10	1.64	28	<1	0.01	1	40	<2	0.10	6	<1	4730	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010341		0.32	<10	<10	100	<10	88	
S010342		0.33	<10	<10	107	<10	84	
S010343		0.33	<10	<10	102	<10	72	
S010344		0.31	<10	<10	99	<10	97	
S010345		0.33	<10	<10	103	<10	112	
S010346		0.33	<10	<10	106	<10	109	
S010347		0.35	<10	<10	121	<10	92	
S010348		0.34	10	<10	138	<10	116	
S010349		0.45	<10	<10	164	<10	31	
S010350		0.23	<10	<10	97	10	484	126
S010351		0.40	<10	<10	145	10	71	
S010352		0.40	<10	<10	133	<10	75	
S010353		0.34	<10	<10	112	<10	86	
S010354		0.35	<10	<10	111	<10	60	
S010355		0.35	<10	<10	116	<10	55	
S010356		0.30	<10	<10	104	<10	88	
S010357		0.39	<10	<10	139	<10	71	
S010358		0.35	<10	<10	133	<10	43	
S010359		0.30	<10	<10	129	<10	62	
S010360		<0.01	<10	<10	3	<10	14	
S010361		0.33	<10	<10	132	<10	80	
S010362		0.35	<10	<10	211	<10	67	
S010363		0.31	<10	<10	141	<10	87	
S010364		0.29	<10	10	110	<10	159	
S010365		0.33	<10	<10	122	<10	49	
S010366		0.36	<10	<10	130	<10	54	
S010367		0.35	<10	<10	153	<10	61	
S010368		0.35	<10	<10	147	<10	90	
S010369		0.33	<10	<10	123	<10	163	
S010370		0.25	<10	<10	119	<10	1755	
S010371		0.32	<10	<10	157	<10	76	
S010372		0.32	<10	<10	195	<10	75	
S010373		0.33	<10	<10	216	<10	50	
S010374		0.34	<10	<10	123	<10	85	
S010375		0.35	<10	<10	127	<10	96	
S010376		0.32	<10	<10	111	<10	102	
S010377		0.33	<10	<10	113	<10	80	
S010378		0.29	<10	<10	104	<10	106	
S010379		0.32	<10	<10	110	<10	112	
S010380		<0.01	<10	<10	2	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010381		7.12	<0.005		<0.5	7.95	9	670	1.0	<2	3.81	<0.5	7	2	10	3.96
S010382		6.97	<0.005		<0.5	7.46	9	430	1.0	<2	3.77	<0.5	8	2	8	3.83
S010383		7.32	<0.005		<0.5	7.57	12	210	1.0	<2	2.98	<0.5	9	2	13	4.50
S010384		6.51	<0.005		<0.5	7.95	<5	1670	1.0	<2	3.76	<0.5	8	2	8	3.69
S010385		8.39	<0.005		<0.5	7.10	10	1400	1.0	<2	4.76	<0.5	6	2	8	3.69
S010386		2.79	<0.005		<0.5	7.77	8	1500	1.0	<2	4.58	<0.5	6	2	9	3.88
S010387		7.18	<0.005		<0.5	7.73	6	440	1.0	<2	3.87	<0.5	8	2	10	3.83
S010388		7.04	<0.005		<0.5	7.81	11	380	1.0	<2	3.29	<0.5	10	3	9	4.25
S010389		7.13	<0.005		<0.5	6.43	14	330	1.0	<2	4.64	<0.5	7	2	8	3.34
S010390		0.10	>10.0	18.95	18.6	7.03	765	1320	1.4	<2	2.81	1.8	20	106	134	5.07
S010391		7.07	<0.005		<0.5	7.62	11	330	1.1	<2	3.64	<0.5	8	3	12	4.48
S010392		6.75	<0.005		<0.5	7.88	<5	1710	0.9	<2	3.88	<0.5	10	2	8	3.96
S010393		5.75	<0.005		<0.5	7.73	<5	1790	0.9	<2	3.54	<0.5	7	3	8	3.73
S010394		4.58	<0.005		<0.5	7.99	<5	3390	1.0	<2	3.20	<0.5	6	2	10	3.49
S010395		3.75	<0.005		<0.5	8.02	<5	3590	1.0	<2	3.21	<0.5	5	2	9	3.51
S010396		3.49	<0.005		<0.5	8.04	<5	1780	1.0	<2	3.47	<0.5	8	2	6	3.80
S010397		3.88	<0.005		<0.5	8.29	7	380	1.1	<2	3.01	<0.5	8	3	16	4.14
S010398		3.96	<0.005		<0.5	8.99	9	390	1.3	<2	2.55	<0.5	12	2	14	3.95
S010399		3.40	<0.005		0.5	9.49	16	300	1.3	<2	1.87	<0.5	11	3	20	4.88
S010400		0.59	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.1	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010381		20	2.39	10	0.41	986	1	0.66	1	1040	14	2.26	<5	10	290	<20
S010382		20	2.32	10	0.32	851	2	0.66	2	1010	13	2.60	<5	9	279	<20
S010383		20	2.46	10	0.20	587	1	0.70	<1	1020	20	4.05	<5	9	270	<20
S010384		20	2.19	10	0.52	1035	2	0.66	1	1030	12	1.50	<5	9	276	<20
S010385		20	2.14	10	0.45	1160	2	0.64	1	1020	12	1.75	<5	8	294	<20
S010386		20	2.20	10	0.49	1135	2	0.63	<1	1020	14	1.90	<5	9	299	<20
S010387		20	2.39	10	0.32	900	2	0.72	1	1070	15	2.62	<5	9	277	<20
S010388		20	2.20	10	0.41	823	2	0.71	<1	1020	16	2.75	<5	9	282	<20
S010389		20	2.30	10	0.17	869	4	0.72	<1	940	14	2.76	<5	7	306	<20
S010390		20	3.04	20	0.73	1010	8	0.16	66	1660	63	4.15	16	19	188	<20
S010391		20	2.24	10	0.36	927	4	0.75	1	1050	18	2.98	<5	9	276	<20
S010392		20	1.89	20	0.74	1220	3	0.68	<1	1000	11	0.99	<5	9	288	<20
S010393		20	1.90	10	0.72	1270	1	0.68	<1	1000	11	0.55	<5	9	292	<20
S010394		20	1.95	10	0.78	1180	1	0.69	1	1040	6	0.17	<5	9	919	<20
S010395		20	1.94	20	0.77	1210	1	0.73	2	1060	6	0.16	<5	9	1070	<20
S010396		20	1.89	10	0.84	1320	5	0.72	1	1090	8	0.27	<5	10	300	<20
S010397		20	2.19	10	0.38	828	5	0.88	1	1130	18	2.91	<5	10	329	<20
S010398		20	2.40	10	0.35	666	4	1.01	<1	1250	19	3.07	<5	11	346	<20
S010399		20	2.15	20	0.40	559	5	1.14	3	1020	28	4.00	<5	13	343	<20
S010400		<10	<0.01	<10	1.74	18	<1	0.01	<1	30	3	0.07	<5	<1	4790	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010381		0.34	<10	<10	121	<10	77	
S010382		0.32	<10	<10	116	<10	72	
S010383		0.33	<10	<10	131	<10	41	
S010384		0.32	<10	<10	117	<10	109	
S010385		0.32	<10	<10	118	<10	104	
S010386		0.32	<10	<10	117	<10	102	
S010387		0.35	<10	<10	126	<10	69	
S010388		0.33	<10	<10	115	<10	88	
S010389		0.32	<10	<10	115	<10	41	
S010390		0.36	<10	<10	179	<10	219	
S010391		0.33	<10	<10	124	<10	74	
S010392		0.32	<10	<10	105	<10	110	
S010393		0.32	<10	<10	103	<10	88	
S010394		0.33	10	<10	107	<10	82	
S010395		0.34	<10	<10	108	<10	79	
S010396		0.35	<10	<10	117	<10	104	
S010397		0.36	<10	<10	130	<10	54	
S010398		0.39	<10	<10	134	<10	62	
S010399		0.41	<10	<10	130	<10	79	
S010400		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15105651

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

CERTIFICATE TR15106194

Project: Bowser Regional Exploration

P.O. No.: BOW-0007

This report is for 100 Drill Core samples submitted to our lab in Terrace, BC, Canada on 21-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010401		0.73	0.037		<0.5	10.95	11	2400	1.8	<2	0.26	<0.5	10	3	14	2.01
S010402		2.15	<0.005		<0.5	9.37	15	1660	1.3	<2	1.05	<0.5	8	8	18	3.59
S010403		2.11	<0.005		<0.5	11.75	32	680	1.7	<2	0.22	<0.5	12	8	27	4.08
S010404		3.11	<0.005		<0.5	12.30	19	1320	1.8	<2	0.24	<0.5	11	12	28	2.99
S010405		3.48	<0.005		<0.5	9.34	15	3660	1.1	<2	0.73	<0.5	7	10	6	3.90
S010406		2.15	<0.005		<0.5	9.37	11	2870	1.2	4	0.57	<0.5	6	9	9	3.47
S010407		3.44	<0.005		<0.5	8.36	13	1480	1.0	2	2.66	<0.5	11	7	12	4.43
S010408		2.69	<0.005		<0.5	7.65	14	310	1.1	2	2.84	<0.5	5	3	14	3.22
S010409		3.65	<0.005		<0.5	8.47	18	360	1.2	2	1.16	<0.5	8	2	19	3.48
S010410		0.12	1.010		13.0	6.17	306	1100	1.0	2	3.58	4.1	9	26	83	3.96
S010411		3.60	<0.005		<0.5	8.12	17	510	1.2	3	2.57	<0.5	6	2	27	3.00
S010412		3.19	<0.005		<0.5	8.35	18	690	1.2	<2	1.89	<0.5	6	3	17	2.48
S010413		3.59	<0.005		<0.5	8.42	19	350	1.3	<2	2.21	<0.5	6	3	17	3.19
S010414		3.15	<0.005		<0.5	8.43	13	590	1.3	<2	2.46	0.8	6	3	16	2.69
S010415		4.22	<0.005		<0.5	8.65	14	450	1.3	<2	3.14	0.8	5	2	16	2.90
S010416		3.45	<0.005		<0.5	8.85	13	380	1.4	<2	3.26	0.7	8	2	22	3.38
S010417		3.33	<0.005		<0.5	9.72	9	460	1.4	<2	1.75	0.6	7	5	19	3.36
S010418		3.62	<0.005		<0.5	8.73	10	300	1.3	<2	3.16	<0.5	7	2	24	3.79
S010419		3.66	<0.005		<0.5	8.94	11	410	1.3	<2	2.55	<0.5	6	2	18	3.18
S010420		0.55	<0.005		<0.5	0.06	<5	10	<0.5	2	34.5	<0.5	<1	1	<1	0.04
S010421		3.77	<0.005		<0.5	7.95	11	340	1.1	<2	2.67	<0.5	7	2	18	3.05
S010422		3.57	<0.005		<0.5	8.48	8	360	1.2	<2	2.63	<0.5	7	2	21	3.08
S010423		3.27	<0.005		<0.5	7.16	10	360	1.0	<2	3.40	<0.5	7	2	23	3.31
S010424		4.10	<0.005		<0.5	7.60	9	390	1.1	<2	3.60	<0.5	9	2	23	3.48
S010425		3.86	<0.005		<0.5	8.12	9	360	1.1	<2	2.47	<0.5	7	2	26	3.51
S010426		1.56	<0.005		<0.5	8.30	10	1000	1.1	2	2.69	<0.5	6	3	28	3.62
S010427		3.00	<0.005		<0.5	8.76	9	910	1.1	<2	2.80	<0.5	7	2	22	3.36
S010428		3.89	<0.005		<0.5	8.53	9	410	1.2	<2	2.78	<0.5	8	2	22	3.58
S010429		4.49	<0.005		<0.5	9.04	10	470	1.2	<2	3.61	<0.5	9	1	29	5.02
S010430		0.13	>10.0	11.25	>100	5.96	391	1290	1.0	<2	3.82	4.5	9	31	148	3.81
S010431		3.72	<0.005		<0.5	8.11	12	570	1.1	<2	2.67	<0.5	7	2	16	3.45
S010432		3.14	<0.005		<0.5	8.23	8	1430	1.0	<2	2.71	<0.5	6	2	16	3.48
S010433		3.74	<0.005		<0.5	8.29	6	810	1.1	<2	2.82	<0.5	8	2	24	3.96
S010434		3.90	<0.005		<0.5	8.63	8	1870	1.0	<2	2.46	<0.5	12	1	21	4.51
S010435		3.89	<0.005		<0.5	9.07	<5	3930	1.0	<2	2.61	<0.5	8	2	24	4.02
S010436		3.70	<0.005		<0.5	9.16	5	3550	1.0	<2	2.80	<0.5	5	2	32	3.97
S010437		3.84	<0.005		<0.5	9.40	<5	4430	1.1	<2	2.37	<0.5	4	2	24	4.03
S010438		4.55	<0.005		<0.5	8.98	<5	4080	1.0	<2	2.38	<0.5	5	1	26	4.20
S010439		4.08	<0.005		<0.5	7.55	<5	4590	0.7	<2	3.46	<0.5	6	1	20	4.96
S010440		0.62	<0.005		<0.5	0.05	<5	20	<0.5	<2	35.0	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010401		20	2.81	10	0.21	104	2	1.68	2	910	11	1.70	<5	14	387	<20
S010402		20	1.86	20	0.56	555	5	1.22	1	640	8	1.84	<5	12	339	<20
S010403		30	3.25	20	0.29	190	38	1.69	3	210	11	4.01	<5	15	486	<20
S010404		30	3.57	30	0.11	34	7	1.67	3	810	6	3.31	<5	16	522	<20
S010405		20	2.11	20	0.86	741	5	0.93	2	240	<2	1.03	<5	13	462	<20
S010406		20	2.14	10	0.74	586	5	1.00	1	290	<2	1.17	<5	13	388	<20
S010407		20	1.88	10	0.76	961	3	0.83	2	770	7	2.11	<5	11	460	<20
S010408		20	2.00	10	0.12	583	3	1.03	<1	1080	8	3.35	7	9	348	<20
S010409		20	2.06	10	0.14	218	3	1.07	<1	1160	8	3.58	<5	10	343	<20
S010410		10	3.83	10	0.55	1390	10	0.21	19	920	145	2.85	20	11	194	<20
S010411		20	1.99	10	0.15	510	2	1.06	<1	1110	9	3.04	<5	9	369	<20
S010412		20	1.98	10	0.14	357	3	1.12	<1	1150	6	2.40	<5	9	382	<20
S010413		20	1.97	10	0.12	376	1	1.17	<1	1120	12	3.32	7	9	415	<20
S010414		20	1.99	10	0.13	408	3	1.17	<1	1150	9	2.64	<5	9	419	<20
S010415		20	2.23	10	0.12	525	4	1.26	<1	1280	12	3.00	5	10	456	<20
S010416		20	2.40	10	0.11	496	2	1.43	<1	1310	14	3.50	6	10	520	<20
S010417		20	2.32	20	0.12	283	2	1.32	<1	1330	11	3.58	<5	11	444	<20
S010418		20	2.34	10	0.10	500	5	1.33	3	1270	16	3.99	<5	10	467	<20
S010419		20	2.19	10	0.14	442	3	1.19	<1	1300	15	3.29	5	10	431	<20
S010420		<10	0.01	<10	1.71	23	<1	0.01	<1	30	2	0.06	5	<1	5100	<20
S010421		20	2.01	10	0.10	427	2	1.07	<1	1130	12	3.24	7	9	409	<20
S010422		20	2.22	10	0.10	435	1	1.10	<1	1230	13	3.12	<5	10	419	<20
S010423		20	1.77	10	0.15	614	2	0.91	<1	1070	13	3.36	<5	8	372	<20
S010424		20	1.98	10	0.29	792	3	0.99	<1	1130	11	3.01	<5	9	409	<20
S010425		20	2.00	10	0.22	495	3	1.01	2	1190	12	3.34	<5	10	368	<20
S010426		20	2.05	20	0.24	557	1	1.00	2	1210	19	3.32	8	11	381	<20
S010427		20	2.23	10	0.22	513	1	1.09	1	1300	18	3.13	13	11	418	<20
S010428		20	2.17	10	0.22	536	2	1.14	2	1310	20	3.29	9	11	412	<20
S010429		20	2.24	20	0.47	879	2	1.13	1	1370	19	4.13	8	11	420	<20
S010430		10	3.72	10	0.48	1375	8	0.16	24	860	249	3.13	61	11	208	<20
S010431		20	2.03	10	0.26	586	2	0.99	1	1160	17	3.01	6	10	365	<20
S010432		20	2.02	10	0.27	610	<1	0.90	<1	1130	17	2.99	<5	10	341	<20
S010433		20	2.06	10	0.38	743	1	0.96	<1	1190	15	3.03	10	10	361	<20
S010434		20	1.87	20	0.79	1075	1	0.86	1	1230	11	1.93	5	11	333	<20
S010435		20	1.94	20	1.01	1365	<1	0.82	1	1330	5	0.17	6	11	746	<20
S010436		20	2.04	20	0.95	1360	<1	0.85	1	1340	3	0.09	6	11	730	<20
S010437		20	2.16	20	0.94	1245	<1	0.83	1	1350	3	0.16	9	12	802	<20
S010438		20	2.04	20	0.98	1295	<1	0.74	1	1290	3	0.12	7	11	832	<20
S010439		20	1.56	10	1.18	1815	<1	0.52	1	1080	6	0.17	<5	9	1585	<20
S010440		<10	0.01	<10	1.78	22	<1	<0.01	<1	30	4	0.10	<5	<1	5310	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010401		0.44	<10	<10	137	<10	37	
S010402		0.32	<10	<10	126	<10	128	
S010403		0.47	<10	<10	178	<10	68	
S010404		0.61	<10	<10	208	<10	17	
S010405		0.35	<10	<10	121	<10	158	
S010406		0.37	<10	<10	128	<10	138	
S010407		0.36	<10	<10	113	<10	129	
S010408		0.34	<10	<10	101	<10	30	
S010409		0.36	<10	<10	110	<10	36	
S010410		0.26	<10	<10	106	<10	473	
S010411		0.35	<10	<10	106	<10	32	
S010412		0.36	<10	<10	107	<10	30	
S010413		0.37	<10	<10	111	<10	49	
S010414		0.36	<10	<10	112	<10	79	
S010415		0.41	<10	<10	124	<10	87	
S010416		0.41	<10	<10	138	<10	78	
S010417		0.42	<10	<10	127	<10	72	
S010418		0.41	<10	<10	127	<10	53	
S010419		0.41	<10	10	118	<10	57	
S010420		<0.01	<10	<10	1	<10	<2	
S010421		0.37	<10	<10	118	<10	34	
S010422		0.38	<10	<10	129	<10	29	
S010423		0.34	<10	<10	107	<10	42	
S010424		0.35	<10	<10	114	<10	76	
S010425		0.37	<10	<10	117	<10	66	
S010426		0.36	<10	<10	118	<10	70	
S010427		0.38	<10	<10	127	<10	56	
S010428		0.40	<10	<10	136	<10	57	
S010429		0.40	<10	<10	140	<10	127	
S010430		0.23	<10	<10	100	<10	510	134
S010431		0.35	<10	<10	118	<10	54	
S010432		0.35	<10	<10	112	<10	46	
S010433		0.37	<10	<10	119	<10	65	
S010434		0.37	<10	<10	122	<10	111	
S010435		0.39	<10	<10	132	<10	111	
S010436		0.39	<10	<10	130	<10	96	
S010437		0.39	<10	<10	131	<10	89	
S010438		0.38	<10	<10	122	<10	89	
S010439		0.31	<10	<10	102	<10	109	
S010440		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010441		2.19	<0.005		<0.5	8.83	<5	2040	0.9	<2	3.07	<0.5	6	1	18	5.63
S010442		3.97	<0.005		<0.5	7.32	<5	2300	0.8	<2	2.24	<0.5	7	1	19	4.02
S010443		4.31	<0.005		<0.5	8.93	5	2270	1.1	<2	1.75	<0.5	12	2	18	4.71
S010444		3.71	<0.005		<0.5	8.72	5	1990	0.9	<2	1.99	<0.5	11	2	18	4.64
S010445		3.15	<0.005		<0.5	8.34	9	3750	1.0	<2	2.49	<0.5	10	2	19	4.07
S010446		1.30	<0.005		<0.5	8.39	9	3840	1.0	<2	2.37	<0.5	8	2	19	4.04
S010447		3.47	<0.005		<0.5	8.78	<5	1890	1.0	<2	2.94	<0.5	5	2	32	4.18
S010448		4.02	<0.005		<0.5	7.67	6	1580	0.9	<2	4.93	<0.5	6	1	12	3.78
S010449		3.84	<0.005		<0.5	7.88	<5	1590	1.0	<2	4.52	<0.5	8	2	23	3.81
S010450		0.12	5.73		79.2	5.90	278	1390	0.9	<2	1.89	21.5	8	22	111	4.61
S010451		2.38	<0.005		<0.5	8.38	7	1810	0.9	<2	3.43	<0.5	8	2	20	3.69
S010452		3.79	<0.005		<0.5	8.57	9	1560	0.9	<2	1.71	<0.5	9	2	18	4.19
S010453		3.94	<0.005		<0.5	8.41	22	1230	1.1	<2	2.96	<0.5	8	4	13	3.33
S010454		3.41	<0.005		<0.5	7.97	22	670	1.0	<2	1.86	<0.5	8	2	19	4.74
S010455		3.15	<0.005		<0.5	7.91	26	710	1.0	<2	2.88	<0.5	7	4	20	4.42
S010456		3.53	<0.005		<0.5	8.12	22	330	1.1	<2	2.22	<0.5	6	4	19	4.27
S010457		4.44	<0.005		0.6	9.18	22	510	1.2	<2	1.97	<0.5	9	5	13	3.22
S010458		2.09	0.028		<0.5	8.91	132	240	1.3	<2	0.81	<0.5	7	4	10	4.42
S010459		3.52	0.007		<0.5	9.02	79	590	1.2	<2	2.03	<0.5	6	4	8	4.65
S010460		0.56	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.4	<0.5	<1	1	1	0.04
S010461		3.71	<0.005		<0.5	7.46	55	480	1.0	<2	3.52	<0.5	5	3	6	3.63
S010462		4.18	<0.005		<0.5	7.91	47	510	1.0	<2	3.76	<0.5	8	3	9	4.18
S010463		4.00	<0.005		<0.5	7.65	36	770	1.0	<2	4.90	<0.5	7	3	5	3.03
S010464		4.05	<0.005		<0.5	7.90	39	450	1.1	<2	2.60	<0.5	7	7	8	4.25
S010465		3.43	<0.005		<0.5	9.58	38	1620	1.3	2	2.17	<0.5	9	4	8	4.56
S010466		1.37	<0.005		<0.5	8.52	36	410	1.2	<2	2.41	<0.5	8	4	7	3.93
S010467		3.79	<0.005		<0.5	8.07	32	510	1.2	<2	2.20	<0.5	7	4	6	3.60
S010468		3.96	<0.005		<0.5	8.24	30	760	1.1	<2	3.62	<0.5	7	3	5	2.94
S010469		3.83	<0.005		<0.5	8.19	12	1770	0.9	<2	4.90	<0.5	7	3	4	2.78
S010470		0.10	>10.0	18.90	20.6	6.97	751	1530	1.4	<2	2.80	1.8	19	109	134	4.98
S010471		3.84	<0.005		<0.5	8.72	13	1580	1.0	<2	3.06	<0.5	6	3	5	3.37
S010472		3.64	<0.005		<0.5	8.73	13	1760	1.3	<2	2.47	<0.5	5	4	4	2.81
S010473		3.76	<0.005		<0.5	8.72	17	980	1.3	<2	2.62	<0.5	6	4	5	3.35
S010474		3.85	<0.005		<0.5	8.35	13	470	1.2	2	3.29	<0.5	7	3	7	4.38
S010475		3.61	<0.005		<0.5	7.44	12	1140	1.0	<2	4.21	<0.5	7	5	5	3.98
S010476		3.92	<0.005		<0.5	7.62	8	570	1.1	<2	3.06	<0.5	6	6	5	3.25
S010477		3.83	<0.005		<0.5	7.82	8	790	1.1	<2	2.89	<0.5	6	4	5	3.20
S010478		3.82	<0.005		<0.5	7.20	8	1030	1.0	3	6.82	<0.5	5	3	5	3.96
S010479		3.90	<0.005		<0.5	7.26	6	950	1.0	<2	5.06	<0.5	6	3	4	3.16
S010480		0.55	<0.005		<0.5	0.06	<5	20	<0.5	<2	33.4	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010441		20	1.78	20	1.35	1880	<1	0.61	2	1220	2	0.02	6	11	324	<20
S010442		20	1.61	10	0.84	1295	3	0.55	1	1020	5	0.61	5	9	355	<20
S010443		20	2.15	20	0.93	1290	<1	0.73	1	1320	7	0.92	8	11	278	<20
S010444		20	1.91	20	0.95	1325	<1	0.60	2	1230	5	0.99	14	10	248	<20
S010445		20	1.84	10	1.05	1475	<1	0.62	1	1190	3	0.66	7	10	446	<20
S010446		20	1.86	10	1.04	1465	<1	0.62	<1	1180	8	0.61	10	10	451	<20
S010447		20	1.90	20	1.30	1530	<1	0.61	2	1250	7	0.52	7	10	266	<20
S010448		20	1.60	20	1.20	1870	<1	0.56	2	1060	6	0.71	7	9	265	<20
S010449		20	1.61	20	1.26	1990	<1	0.60	<1	1260	5	0.89	5	10	307	<20
S010450		10	3.53	10	0.47	1140	8	0.22	15	940	8430	2.94	76	12	144	<20
S010451		20	1.82	10	1.22	1645	<1	0.62	<1	2650	12	1.03	5	10	293	<20
S010452		20	1.71	10	1.54	1370	<1	0.65	2	1100	8	1.16	9	13	258	<20
S010453		20	1.94	10	0.75	1125	<1	0.87	<1	820	13	2.39	6	14	335	<20
S010454		20	1.70	10	0.68	822	<1	0.82	2	1140	13	4.69	8	11	324	<20
S010455		20	1.67	10	0.56	871	<1	0.83	2	800	9	4.90	<5	14	321	<20
S010456		20	1.95	10	0.41	864	<1	0.91	2	930	13	4.79	<5	14	333	<20
S010457		20	2.06	10	0.54	649	<1	1.03	2	1010	11	3.60	7	16	371	<20
S010458		20	2.25	10	0.42	279	1	1.04	2	1250	16	5.18	9	11	306	<20
S010459		20	2.18	20	0.45	655	<1	0.94	1	1250	16	5.28	8	11	340	<20
S010460		<10	0.01	<10	1.99	21	<1	0.01	<1	30	7	0.11	5	<1	5300	<20
S010461		20	1.89	10	0.40	1045	<1	0.79	1	1040	14	4.09	10	10	343	<20
S010462		20	2.03	10	0.44	1070	<1	0.79	<1	1190	12	4.64	<5	10	358	<20
S010463		20	2.04	10	0.51	1490	<1	0.70	<1	1120	8	3.24	<5	9	384	<20
S010464		20	1.88	10	0.55	681	<1	0.73	<1	1110	12	4.62	5	10	312	<20
S010465		20	2.13	20	0.74	686	<1	0.86	<1	1200	14	4.91	9	12	356	<20
S010466		20	2.04	10	0.66	700	<1	0.83	<1	1230	11	4.30	7	11	331	<20
S010467		20	2.02	10	0.57	698	<1	0.76	<1	1070	11	3.85	5	10	320	<20
S010468		20	2.23	10	0.75	1295	<1	0.73	<1	1210	8	2.74	5	10	369	<20
S010469		20	1.97	10	1.36	2110	<1	0.56	<1	1030	3	1.54	9	10	349	<20
S010470		20	3.03	20	0.73	1000	5	0.16	65	1680	58	4.15	16	19	188	<20
S010471		20	1.83	10	1.83	1675	<1	0.60	<1	1040	4	1.42	5	10	297	<20
S010472		20	1.96	10	1.28	1175	<1	0.78	<1	1000	5	1.56	5	10	342	<20
S010473		20	2.06	10	1.05	1055	<1	0.83	<1	840	4	2.74	<5	10	385	<20
S010474		20	2.03	10	1.07	1175	<1	0.70	<1	1160	7	4.06	<5	10	352	<20
S010475		20	1.74	20	0.83	1390	<1	0.62	<1	1010	7	3.79	6	9	338	<20
S010476		20	1.81	10	0.81	976	<1	0.67	<1	1020	8	3.06	5	9	288	<20
S010477		20	1.81	10	0.88	950	<1	0.68	<1	920	9	2.97	8	9	300	<20
S010478		20	1.72	10	0.83	2030	<1	0.62	<1	1000	7	3.80	5	9	422	<20
S010479		20	1.81	10	0.62	1390	<1	0.66	<1	1010	5	3.03	<5	9	374	<20
S010480		<10	0.01	<10	1.73	21	<1	<0.01	<1	50	<2	0.08	<5	<1	4950	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010441		0.37	<10	<10	116	<10	123	
S010442		0.31	<10	<10	100	<10	75	
S010443		0.39	<10	<10	125	<10	88	
S010444		0.36	<10	<10	105	<10	90	
S010445		0.34	<10	<10	94	<10	82	
S010446		0.35	<10	<10	94	<10	82	
S010447		0.36	<10	<10	99	<10	92	
S010448		0.31	<10	<10	96	<10	74	
S010449		0.32	<10	<10	104	<10	78	
S010450		0.24	<10	<10	120	<10	1745	
S010451		0.34	<10	<10	111	<10	78	
S010452		0.42	<10	<10	121	<10	111	
S010453		0.47	<10	<10	171	<10	84	
S010454		0.36	<10	<10	131	<10	67	
S010455		0.42	<10	<10	140	<10	62	
S010456		0.45	<10	<10	120	<10	54	
S010457		0.50	<10	<10	158	<10	88	
S010458		0.40	<10	<10	111	<10	83	
S010459		0.40	<10	<10	105	<10	86	
S010460		<0.01	<10	<10	1	<10	<2	
S010461		0.33	<10	<10	89	<10	94	
S010462		0.36	<10	<10	96	<10	89	
S010463		0.34	<10	<10	94	<10	71	
S010464		0.34	<10	<10	96	<10	99	
S010465		0.38	<10	<10	106	<10	86	
S010466		0.37	<10	<10	103	<10	83	
S010467		0.34	<10	<10	99	<10	54	
S010468		0.38	<10	<10	106	<10	79	
S010469		0.33	<10	<10	90	<10	98	
S010470		0.35	<10	<10	180	<10	226	
S010471		0.34	<10	<10	93	<10	129	
S010472		0.34	<10	<10	115	<10	96	
S010473		0.35	<10	<10	118	<10	89	
S010474		0.37	<10	<10	108	<10	100	
S010475		0.31	10	<10	83	<10	82	
S010476		0.32	<10	<10	91	<10	86	
S010477		0.32	<10	<10	106	<10	98	
S010478		0.31	<10	<10	90	<10	99	
S010479		0.31	<10	<10	86	<10	78	
S010480		<0.01	10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010481		4.05	<0.005		<0.5	7.09	9	1180	1.0	<2	6.82	<0.5	5	3	5	3.68
S010482		4.13	<0.005		<0.5	7.75	10	590	1.1	<2	2.53	<0.5	8	4	7	4.25
S010483		3.84	<0.005		<0.5	7.25	8	780	1.0	<2	5.09	<0.5	7	3	5	3.27
S010484		3.82	<0.005		<0.5	7.76	5	1380	1.0	<2	5.76	<0.5	5	3	4	3.28
S010485		4.11	<0.005		<0.5	6.56	7	840	0.9	3	7.59	<0.5	4	3	5	3.58
S010486		1.52	<0.005		<0.5	6.46	10	1440	0.9	<2	8.08	<0.5	6	3	5	3.47
S010487		3.75	<0.005		<0.5	6.33	11	420	1.0	<2	8.24	<0.5	4	3	7	3.62
S010488		3.71	<0.005		<0.5	7.53	7	1330	1.0	<2	4.93	<0.5	6	4	6	3.56
S010489		3.69	<0.005		<0.5	8.09	5	1790	1.0	3	4.59	<0.5	5	4	4	3.57
S010490		0.12	1.015		12.0	5.84	284	1440	1.0	<2	3.47	4.1	10	25	79	3.78
S010491		4.10	<0.005		<0.5	8.01	7	1560	1.1	2	4.73	<0.5	6	3	7	3.82
S010492		3.97	<0.005		<0.5	8.02	7	1780	1.1	<2	4.75	<0.5	6	3	8	3.70
S010493		3.07	<0.005		<0.5	8.24	<5	2050	0.9	<2	4.05	<0.5	7	3	5	3.55
S010494		3.84	<0.005		<0.5	8.02	<5	1990	0.9	2	4.05	<0.5	5	3	5	3.50
S010495		4.42	<0.005		<0.5	7.99	<5	2000	1.0	<2	4.42	<0.5	8	4	5	3.40
S010496		3.84	<0.005		<0.5	7.60	19	930	1.1	<2	3.73	<0.5	7	4	8	4.06
S010497		3.86	<0.005		<0.5	7.58	10	1380	1.1	<2	4.36	<0.5	8	4	8	3.49
S010498		3.77	<0.005		<0.5	8.00	<5	2050	0.9	<2	3.73	<0.5	4	3	6	3.84
S010499		4.72	<0.005		<0.5	8.43	6	2300	1.0	<2	3.99	<0.5	5	4	7	3.75
S010500		0.53	<0.005		<0.5	0.05	<5	10	<0.5	2	34.3	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010481		20	1.67	10	0.72	1810	<1	0.64	<1	950	8	3.52	<5	9	436	<20
S010482		20	2.03	10	0.52	672	<1	0.74	<1	1110	10	4.34	6	9	310	<20
S010483		20	1.98	10	0.62	1350	<1	0.70	<1	1050	7	2.94	<5	9	414	<20
S010484		20	1.90	20	0.83	1675	<1	0.68	<1	1060	<2	2.60	<5	9	455	<20
S010485		10	1.69	10	0.63	2170	<1	0.59	<1	950	6	3.15	<5	8	601	<20
S010486		10	1.60	10	0.63	2310	<1	0.55	<1	860	6	3.04	<5	8	815	<20
S010487		20	1.74	10	0.47	2250	<1	0.65	<1	930	9	3.31	5	7	410	<20
S010488		20	1.91	20	0.69	1515	<1	0.65	<1	1000	3	2.66	<5	9	388	<20
S010489		20	1.91	10	1.18	1585	<1	0.62	<1	1050	3	1.55	<5	10	392	<20
S010490		10	3.72	10	0.54	1330	8	0.20	17	890	138	2.68	17	10	188	<20
S010491		20	2.00	10	0.93	1600	<1	0.67	<1	1110	10	2.14	<5	10	372	<20
S010492		20	2.06	20	0.80	1395	1	0.64	<1	1080	10	2.15	<5	10	385	<20
S010493		20	2.09	20	1.12	1380	<1	0.57	<1	1070	5	0.95	<5	10	354	<20
S010494		20	2.00	20	1.16	1340	<1	0.54	<1	1050	2	0.47	<5	9	330	<20
S010495		20	2.01	20	1.07	1350	<1	0.57	<1	1050	4	0.78	5	10	350	<20
S010496		20	2.07	10	0.67	1070	<1	0.64	<1	1030	6	2.72	<5	9	347	<20
S010497		20	2.23	10	0.70	1185	<1	0.66	<1	1120	7	1.94	<5	9	349	<20
S010498		20	1.93	10	1.33	1420	<1	0.53	3	1070	5	0.40	<5	9	280	<20
S010499		20	2.16	10	1.12	1360	<1	0.60	2	1130	4	0.74	5	10	315	<20
S010500		<10	0.01	<10	1.85	19	<1	<0.01	<1	30	3	0.05	6	<1	4700	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010481		0.30	<10	<10	80	<10	93	
S010482		0.34	<10	<10	98	<10	66	
S010483		0.32	<10	<10	89	<10	85	
S010484		0.32	<10	<10	90	<10	106	
S010485		0.28	<10	<10	78	<10	72	
S010486		0.26	<10	<10	73	<10	70	
S010487		0.29	<10	<10	80	<10	56	
S010488		0.31	<10	<10	82	<10	73	
S010489		0.33	<10	<10	87	<10	113	
S010490		0.24	<10	<10	102	<10	465	
S010491		0.34	<10	<10	89	<10	86	
S010492		0.33	<10	<10	89	<10	65	
S010493		0.34	<10	<10	89	<10	86	
S010494		0.33	<10	<10	86	<10	83	
S010495		0.33	<10	<10	87	<10	81	
S010496		0.32	<10	<10	84	<10	60	
S010497		0.35	<10	<10	92	<10	70	
S010498		0.34	<10	<10	90	<10	116	
S010499		0.35	<10	<10	95	<10	85	
S010500		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 28-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106194

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

CERTIFICATE TR15106805

Project: Bowser Regional Exploration

P.O. No.: BOW-0009

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010501		4.01	0.052		<0.5	7.79	<5	2020	0.9	<2	4.21	<0.5	3	4	8	3.59
S010502		2.97	<0.005		<0.5	7.83	6	2000	1.0	<2	3.95	<0.5	3	3	3	3.66
S010503		3.54	<0.005		<0.5	7.94	13	1480	1.1	2	4.10	<0.5	5	3	6	3.88
S010504		4.62	<0.005		<0.5	7.98	20	570	1.1	3	4.82	<0.5	5	4	6	3.43
S010505		3.21	<0.005		<0.5	7.87	11	2230	1.0	4	4.48	<0.5	9	3	7	3.58
S010506		1.93	<0.005		<0.5	7.71	9	2120	1.0	<2	4.16	<0.5	7	4	6	3.50
S010507		2.97	<0.005		<0.5	7.60	11	2060	0.9	2	5.90	<0.5	6	3	10	3.82
S010508		3.14	<0.005		<0.5	7.70	7	2030	1.0	<2	4.95	<0.5	6	3	4	3.74
S010509		4.27	<0.005		<0.5	7.72	9	2110	1.0	6	4.27	<0.5	5	4	5	3.51
S010510		0.13	5.59		76.6	5.98	273	810	0.9	4	1.91	21.1	10	22	111	4.53
S010511		3.71	<0.005		<0.5	8.06	6	2380	1.0	5	3.86	<0.5	9	4	8	3.71
S010512		3.31	<0.005		<0.5	7.88	6	2230	1.0	4	4.04	<0.5	8	3	6	3.62
S010513		3.57	<0.005		<0.5	7.84	5	2090	1.0	3	4.86	<0.5	5	3	6	3.85
S010514		3.44	<0.005		<0.5	7.70	14	400	1.1	3	4.90	<0.5	6	3	8	3.98
S010515		3.31	<0.005		<0.5	7.70	9	2110	0.9	3	4.04	<0.5	7	4	6	3.84
S010516		3.75	<0.005		<0.5	7.89	10	1780	1.0	2	4.23	<0.5	6	3	8	4.05
S010517		3.45	<0.005		<0.5	8.08	10	2400	1.1	2	3.94	<0.5	8	3	5	3.63
S010518		3.38	<0.005		<0.5	7.96	5	2230	1.0	<2	4.21	<0.5	7	4	5	3.77
S010519		3.62	<0.005		<0.5	7.98	11	2360	1.0	<2	3.60	<0.5	8	3	7	3.83
S010520		0.54	<0.005		<0.5	0.07	<5	10	<0.5	<2	35.4	<0.5	<1	1	<1	0.04
S010521		3.59	<0.005		<0.5	7.98	11	2220	1.1	2	4.07	<0.5	6	3	6	3.50
S010522		3.56	<0.005		<0.5	7.94	8	2170	1.0	2	3.96	<0.5	4	4	3	3.10
S010523		3.28	<0.005		<0.5	7.74	11	640	1.0	3	4.29	<0.5	5	3	7	4.08
S010524		3.41	<0.005		<0.5	7.86	17	380	1.0	6	3.89	<0.5	4	3	5	3.30
S010525		3.36	<0.005		<0.5	7.72	33	140	1.2	3	4.13	<0.5	6	4	7	4.12
S010526		3.82	<0.005		<0.5	7.39	20	170	1.1	2	4.30	<0.5	6	3	5	3.65
S010526D		<0.02	<0.005		<0.5	7.23	25	180	1.1	3	4.29	<0.5	6	4	6	3.90
S010527		3.61	<0.005		<0.5	6.46	19	130	0.9	2	3.57	<0.5	4	3	6	4.26
S010528		3.29	<0.005		<0.5	7.76	27	100	1.2	2	3.67	<0.5	5	5	9	4.30
S010529		2.56	0.008		<0.5	7.80	27	130	1.1	3	2.84	<0.5	5	3	8	3.83
S010530		0.13	5.69		77.0	6.19	277	630	1.0	5	1.97	22.1	10	22	116	4.70
S010531		2.88	0.015		<0.5	8.42	29	150	1.2	3	2.46	<0.5	6	4	12	4.11
S010532		2.87	<0.005		<0.5	7.41	14	200	1.0	<2	3.82	<0.5	8	5	10	3.60
S010533		2.64	<0.005		<0.5	7.01	16	150	1.1	2	4.03	<0.5	9	6	9	3.63
S010534		3.28	<0.005		<0.5	7.66	17	180	1.1	<2	4.11	<0.5	7	5	19	3.60
S010535		3.92	0.054		<0.5	7.99	55	160	1.1	4	2.03	<0.5	8	8	18	4.42
S010536		3.43	<0.005		<0.5	9.85	17	140	1.5	4	2.11	<0.5	11	6	16	4.53
S010537		2.98	0.005		<0.5	8.61	22	140	1.3	<2	0.80	<0.5	9	7	16	4.11
S010538		3.30	0.007		<0.5	7.72	14	160	1.2	<2	3.79	<0.5	8	5	19	3.68
S010539		3.18	0.009		<0.5	7.51	22	270	1.4	3	4.35	<0.5	14	34	21	4.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010501		20	1.86	10	1.23	1550	<1	0.55	1	1030	3	0.19	7	9	302	<20
S010502		20	1.82	10	1.24	1515	<1	0.61	2	1040	<2	0.34	8	9	311	<20
S010503		20	1.98	10	0.99	1435	1	0.69	<1	1090	4	1.79	9	9	350	<20
S010504		20	2.18	10	0.73	1490	1	0.71	1	1070	6	2.08	9	9	355	<20
S010505		20	2.07	20	1.03	1500	<1	0.62	1	1070	6	1.15	8	10	323	<20
S010506		20	1.98	10	1.01	1430	<1	0.61	1	1020	4	1.06	8	9	313	<20
S010507		20	1.84	10	1.14	1925	<1	0.55	<1	960	10	1.06	11	9	311	<20
S010508		20	1.83	10	1.15	1670	<1	0.67	1	1050	2	0.41	7	9	325	<20
S010509		20	1.91	10	1.08	1460	<1	0.67	1	1050	<2	0.50	6	9	305	<20
S010510		10	3.54	10	0.46	1135	9	0.22	15	910	8450	2.94	75	11	139	<20
S010511		20	2.09	20	1.03	1435	<1	0.63	2	1040	17	1.09	9	10	283	<20
S010512		20	1.93	10	1.12	1505	<1	0.63	<1	1050	10	0.80	8	9	302	<20
S010513		20	1.85	10	1.21	1760	<1	0.69	<1	1060	5	0.82	6	9	343	<20
S010514		20	1.99	20	0.90	1560	1	0.68	<1	1020	6	2.23	9	9	376	<20
S010515		20	1.90	10	1.28	1610	<1	0.65	<1	1030	5	0.88	7	9	291	<20
S010516		20	2.00	20	1.20	1600	1	0.59	<1	1020	5	1.58	5	9	293	<20
S010517		20	2.12	10	1.27	1605	<1	0.67	<1	1110	5	0.74	9	10	307	<20
S010518		20	1.96	10	1.44	1775	<1	0.56	<1	1040	2	0.77	<5	9	285	<20
S010519		20	2.07	10	1.42	1640	<1	0.60	2	1090	9	1.20	7	9	282	<20
S010520		<10	0.01	<10	1.54	22	<1	<0.01	<1	30	<2	0.13	14	<1	4550	<20
S010521		20	2.12	10	1.26	1540	1	0.55	<1	1070	5	1.51	13	9	303	<20
S010522		20	1.92	10	1.68	1770	1	0.54	<1	1110	4	0.64	8	9	308	<20
S010523		20	1.77	10	1.79	1870	1	0.50	<1	990	2	2.07	9	9	300	<20
S010524		20	2.05	10	1.30	1410	<1	0.58	<1	1060	7	2.36	<5	9	312	<20
S010525		20	2.43	10	0.58	1210	1	0.64	2	1120	16	4.35	10	9	326	<20
S010526		20	2.40	10	0.46	1205	1	0.65	<1	1080	10	4.17	8	9	316	<20
S010526D		20	2.41	10	0.45	1220	1	0.64	1	1080	11	4.35	10	9	315	<20
S010527		10	1.61	10	0.86	1040	1	0.40	<1	910	16	4.88	11	8	212	<20
S010528		20	2.40	10	0.70	1220	6	0.61	<1	1200	27	4.99	9	9	263	<20
S010529		20	2.20	10	0.63	853	2	0.56	1	1070	22	4.45	12	9	239	<20
S010530		10	3.62	10	0.48	1180	9	0.23	15	960	8680	3.06	77	12	145	<20
S010531		20	2.22	10	0.94	801	2	0.55	1	1120	30	4.66	9	10	218	<20
S010532		20	2.02	10	0.84	1210	<1	0.41	3	790	5	4.12	11	10	202	<20
S010533		20	2.27	10	0.67	1225	<1	0.46	2	890	4	4.01	7	9	225	<20
S010534		20	2.30	10	0.71	1230	<1	0.46	1	870	4	4.17	13	10	228	<20
S010535		20	2.37	10	0.66	667	<1	0.46	3	880	6	4.96	20	10	193	<20
S010536		20	3.09	10	0.71	688	<1	0.63	7	1070	9	5.29	11	13	249	<20
S010537		20	2.66	10	0.62	308	2	0.50	3	960	8	4.63	8	11	176	<20
S010538		20	2.50	10	0.62	1305	<1	0.45	2	890	11	4.27	13	10	220	<20
S010539		20	2.27	20	1.16	1340	1	0.79	17	1510	12	3.43	11	13	445	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
S010501		0.34	<10	<10	85	<10	92
S010502		0.34	<10	<10	88	<10	100
S010503		0.36	<10	<10	89	<10	92
S010504		0.35	<10	<10	87	<10	79
S010505		0.35	<10	<10	88	<10	92
S010506		0.34	<10	<10	85	<10	87
S010507		0.32	<10	<10	81	<10	86
S010508		0.34	<10	<10	88	<10	89
S010509		0.35	<10	<10	88	<10	83
S010510		0.25	<10	<10	116	10	1770
S010511		0.33	<10	<10	88	<10	79
S010512		0.34	<10	<10	87	<10	82
S010513		0.34	<10	<10	88	<10	93
S010514		0.32	<10	<10	84	<10	66
S010515		0.33	<10	<10	83	<10	94
S010516		0.33	<10	<10	83	<10	81
S010517		0.37	<10	<10	93	<10	88
S010518		0.34	<10	<10	87	<10	90
S010519		0.35	<10	<10	88	<10	85
S010520		<0.01	<10	<10	1	<10	<2
S010521		0.35	<10	10	89	<10	74
S010522		0.36	<10	<10	92	<10	92
S010523		0.32	<10	<10	88	<10	99
S010524		0.34	<10	<10	96	<10	94
S010525		0.35	<10	<10	101	<10	59
S010526		0.35	<10	<10	98	<10	54
S010526D		0.36	<10	<10	97	<10	55
S010527		0.28	<10	<10	83	<10	95
S010528		0.39	<10	<10	100	<10	95
S010529		0.35	<10	<10	88	<10	95
S010530		0.25	<10	<10	120	10	1840
S010531		0.37	<10	<10	96	<10	88
S010532		0.29	<10	<10	91	<10	79
S010533		0.33	<10	<10	99	<10	49
S010534		0.32	<10	<10	98	<10	60
S010535		0.30	<10	<10	98	<10	68
S010536		0.38	<10	<10	126	<10	106
S010537		0.34	<10	<10	106	<10	149
S010538		0.33	<10	<10	102	<10	98
S010539		0.50	<10	<10	120	<10	79

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010540		0.48	<0.005		<0.5	0.05	<5	20	<0.5	3	33.9	<0.5	<1	1	<1	0.04
S010541		3.31	0.014		<0.5	8.19	19	150	1.1	3	0.90	<0.5	8	8	7	4.11
S010542		3.21	0.021		<0.5	7.96	23	130	1.1	<2	0.41	<0.5	9	8	8	3.70
S010543		3.03	0.010		<0.5	8.80	18	130	1.3	4	1.11	<0.5	10	7	17	4.10
S010544		3.56	0.034		<0.5	7.90	22	290	1.2	<2	3.36	<0.5	7	6	25	3.04
S010545		3.25	0.013		<0.5	6.88	22	260	1.1	2	3.96	<0.5	8	15	18	3.20
S010546		2.60	0.047		<0.5	7.61	27	220	1.2	4	3.72	<0.5	8	6	38	3.31
S010546D		<0.02	0.044		<0.5	7.52	27	230	1.2	<2	3.77	<0.5	7	6	39	3.36
S010547		4.54	0.043		<0.5	7.59	32	230	1.1	4	3.81	<0.5	7	5	28	3.38
S010548		4.42	0.009		<0.5	7.02	37	160	1.1	<2	4.90	<0.5	9	6	17	3.78
S010549		3.20	0.005		<0.5	7.67	33	230	1.0	<2	4.56	<0.5	7	5	13	3.81
S010550		0.10	>10.0	18.55	18.6	7.18	794	940	1.4	2	2.81	1.9	18	98	133	5.07
S010601		3.65	0.006		<0.5	6.82	31	160	1.0	<2	5.06	<0.5	9	5	20	3.90
S010602		3.13	<0.005		<0.5	7.54	36	150	1.1	2	3.64	<0.5	8	9	18	3.97
S010603		3.29	<0.005		<0.5	7.46	26	230	1.0	<2	5.04	<0.5	8	5	16	3.76
S010604		3.36	0.008		<0.5	8.76	30	140	1.4	6	2.95	<0.5	14	26	21	4.83
S010605		3.86	<0.005		<0.5	7.95	26	200	1.2	2	1.97	<0.5	7	6	13	3.94
S010606		3.06	0.005		<0.5	8.76	39	130	1.3	2	2.01	0.5	11	7	31	4.41
S010606D		<0.02	0.008		<0.5	8.83	41	130	1.3	2	2.15	<0.5	10	6	32	4.33
S010607		3.23	0.022		0.5	7.46	31	110	1.0	2	4.75	<0.5	5	4	12	4.39
S010608		3.62	0.006		<0.5	8.35	29	140	1.2	<2	1.92	<0.5	7	5	9	3.80
S010609		3.41	0.008		<0.5	9.32	37	140	1.3	5	1.57	<0.5	8	4	9	4.32
S010610		0.13	5.87		78.2	6.04	286	610	1.0	3	1.93	21.7	10	21	113	4.60
S010611		3.61	0.011		<0.5	7.79	40	110	1.1	2	3.01	<0.5	8	3	11	4.27
S010612		3.22	0.011		<0.5	8.97	36	140	1.3	2	1.85	<0.5	8	4	10	4.54
S010613		3.20	0.007		<0.5	8.79	32	120	1.3	5	2.28	<0.5	8	3	11	4.82
S010614		4.09	0.014		<0.5	8.49	39	90	1.3	4	1.96	<0.5	9	5	13	5.38
S010615		3.15	0.013		<0.5	7.73	69	100	1.2	3	1.78	<0.5	17	6	12	4.88
S010616		2.34	0.025		<0.5	10.65	46	70	1.7	3	0.59	<0.5	12	5	20	7.33
S010617		3.85	0.012		<0.5	7.83	70	80	1.3	<2	0.73	<0.5	20	5	14	5.66
S010618		4.14	0.005		<0.5	8.73	36	120	1.5	2	1.14	<0.5	23	7	15	5.79
S010619		3.79	<0.005		<0.5	8.23	21	90	1.4	2	0.86	<0.5	17	6	10	5.96
S010620		0.61	<0.005		<0.5	0.04	<5	20	<0.5	<2	35.2	<0.5	<1	2	5	0.04
S010621		3.51	0.164		<0.5	8.64	142	110	1.5	<2	0.41	<0.5	29	7	12	4.61
S010622		3.44	0.144		0.9	8.11	360	340	1.3	<2	1.22	<0.5	36	7	17	6.14
S010623		3.39	0.011		<0.5	6.98	27	110	1.2	<2	3.97	<0.5	8	6	9	3.45
S010624		3.28	0.013		<0.5	8.03	33	100	1.3	<2	2.62	<0.5	11	6	13	4.05
S010625		3.12	0.090		0.8	6.52	47	280	1.2	<2	5.27	<0.5	7	5	19	2.81
S010626		3.54	0.055		<0.5	7.07	38	150	1.2	<2	4.23	<0.5	10	6	15	3.81
S010626D		<0.02	0.072		<0.5	6.87	46	130	1.1	<2	4.18	<0.5	11	5	16	4.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010540		<10	0.01	<10	2.12	18	<1	<0.01	<1	30	<2	0.05	8	<1	4670	<20
S010541		20	2.47	10	0.60	324	2	0.44	2	870	14	4.56	5	11	158	<20
S010542		20	2.49	10	0.62	164	1	0.44	2	840	14	4.32	11	11	144	<20
S010543		20	2.82	10	0.57	426	<1	0.49	2	930	9	4.64	13	12	175	<20
S010544		20	2.65	10	0.50	1190	<1	0.45	1	880	17	3.48	20	11	211	<20
S010545		20	2.18	10	0.87	1385	<1	0.48	6	1060	16	2.98	15	10	246	<20
S010546		20	2.55	10	0.58	1385	<1	0.43	2	860	33	3.85	32	10	208	<20
S010546D		20	2.51	10	0.57	1400	<1	0.43	3	880	36	3.76	34	10	208	<20
S010547		20	2.50	10	0.57	1385	<1	0.41	4	900	18	3.94	26	10	200	<20
S010548		20	2.34	10	0.71	1810	<1	0.40	3	860	22	4.26	16	9	208	<20
S010549		20	2.20	10	0.95	1635	<1	0.44	1	890	15	4.39	12	10	189	<20
S010550		20	3.08	20	0.74	1020	7	0.17	66	1650	61	4.36	21	19	187	<20
S010601		20	2.07	10	0.94	1895	<1	0.35	2	960	16	4.39	14	9	189	<20
S010602		20	2.36	10	0.86	1345	<1	0.37	2	870	30	4.63	14	10	184	<20
S010603		20	2.25	10	0.91	1885	<1	0.39	3	830	14	4.20	13	10	210	<20
S010604		20	2.68	10	1.08	970	9	0.72	12	1370	15	4.54	16	14	262	<20
S010605		20	2.37	10	0.81	760	1	0.40	1	840	23	4.50	11	11	147	<20
S010606		20	2.77	10	0.82	792	1	0.45	3	1000	19	4.94	23	12	166	<20
S010606D		20	2.80	10	0.82	818	1	0.46	5	1020	23	5.02	23	12	172	<20
S010607		20	2.25	10	1.03	1940	3	0.37	1	1200	24	5.02	10	9	208	<20
S010608		20	2.53	10	0.83	769	2	0.42	<1	1200	21	4.40	6	10	179	<20
S010609		20	2.77	10	1.04	708	2	0.44	1	1250	23	4.89	6	11	181	<20
S010610		10	3.59	10	0.47	1150	9	0.22	16	930	8500	3.01	78	12	140	<20
S010611		20	2.37	10	0.99	1180	2	0.38	<1	1110	33	5.01	7	9	208	<20
S010612		20	2.74	10	0.87	812	2	0.44	1	1160	23	5.14	9	10	224	<20
S010613		20	2.84	10	0.75	975	2	0.44	<1	1150	25	5.69	12	10	245	<20
S010614		20	2.55	10	0.98	941	1	0.39	<1	1120	32	6.13	8	10	210	<20
S010615		20	2.48	10	0.69	1035	<1	0.37	3	1050	14	5.68	12	11	154	<20
S010616		30	3.43	20	1.30	355	1	0.53	1	1670	50	8.67	13	13	233	<20
S010617		20	2.52	10	0.68	427	<1	0.38	5	1100	18	6.55	19	10	138	<20
S010618		20	2.80	10	0.66	693	<1	0.42	5	1160	20	6.50	7	12	157	<20
S010619		20	2.67	10	0.65	501	<1	0.41	4	1340	14	6.88	5	11	140	<20
S010620		<10	0.01	<10	1.70	25	<1	<0.01	2	30	4	0.07	6	<1	5020	<20
S010621		20	3.03	10	0.42	191	1	0.43	4	1210	26	5.12	37	11	152	<20
S010622		20	2.67	10	0.52	623	1	0.38	6	2130	35	6.58	44	10	144	<20
S010623		20	2.70	10	0.47	2250	1	0.38	1	920	14	3.83	6	9	176	<20
S010624		20	2.80	10	0.58	1300	<1	0.39	2	950	12	4.28	10	11	169	<20
S010625		20	2.70	10	0.38	1420	<1	0.33	3	860	7	3.03	8	9	207	<20
S010626		20	2.66	10	0.56	1085	<1	0.31	2	840	7	3.90	8	9	181	<20
S010626D		20	2.54	10	0.55	1060	<1	0.30	3	820	8	4.48	<5	9	179	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
S010540		<0.01	<10	<10	1	<10	<2
S010541		0.32	<10	<10	100	<10	84
S010542		0.32	<10	<10	101	<10	74
S010543		0.35	<10	<10	109	<10	140
S010544		0.33	<10	<10	102	<10	76
S010545		0.37	<10	<10	101	<10	72
S010546		0.33	10	10	102	<10	68
S010546D		0.33	<10	<10	103	<10	68
S010547		0.31	<10	<10	98	<10	78
S010548		0.32	<10	<10	98	<10	76
S010549		0.32	<10	<10	95	<10	72
S010550		0.37	<10	<10	178	<10	221
S010601		0.30	<10	<10	92	<10	64
S010602		0.33	<10	<10	102	<10	66
S010603		0.31	<10	<10	97	<10	74
S010604		0.50	<10	<10	137	<10	88
S010605		0.32	<10	<10	97	<10	75
S010606		0.37	<10	<10	115	<10	117
S010606D		0.37	<10	<10	115	<10	111
S010607		0.37	<10	<10	96	<10	83
S010608		0.35	<10	<10	95	<10	83
S010609		0.40	<10	<10	106	<10	74
S010610		0.25	<10	<10	119	10	1800
S010611		0.36	<10	<10	95	<10	137
S010612		0.38	<10	<10	104	<10	84
S010613		0.38	<10	<10	101	<10	73
S010614		0.37	<10	<10	98	<10	85
S010615		0.32	<10	<10	98	<10	120
S010616		0.52	<10	<10	133	<10	89
S010617		0.32	<10	<10	98	<10	162
S010618		0.34	<10	<10	106	<10	196
S010619		0.34	<10	<10	103	<10	179
S010620		<0.01	<10	<10	1	<10	2
S010621		0.31	10	<10	106	<10	237
S010622		0.26	<10	<10	93	<10	427
S010623		0.33	<10	<10	103	<10	71
S010624		0.33	<10	<10	105	<10	75
S010625		0.30	<10	<10	94	<10	68
S010626		0.30	<10	10	94	<10	60
S010626D		0.29	<10	<10	90	<10	66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010627		3.56	0.023		<0.5	6.49	27	150	1.2	<2	3.68	<0.5	7	6	15	3.51
S010628		3.54	0.098		1.5	6.90	51	200	1.1	<2	3.43	<0.5	8	5	29	2.93
S010629		3.43	0.076		2.4	7.09	64	200	1.1	2	2.86	<0.5	4	6	46	3.33
S010630		0.10	>10.0	18.80	16.9	6.69	764	580	1.3	<2	2.65	1.9	16	102	128	4.85
S010631		3.63	0.052		0.8	7.52	46	170	1.1	<2	2.68	<0.5	8	6	29	3.85
S010632		3.53	0.060		<0.5	7.06	52	250	1.0	2	5.03	<0.5	5	6	19	3.56
S010633		3.93	0.038		<0.5	7.61	45	360	1.0	3	5.29	<0.5	5	5	15	3.16
S010634		3.33	0.054		<0.5	6.92	43	370	1.0	2	7.27	<0.5	5	6	14	2.95
S010635		3.51	0.031		0.5	7.22	40	200	1.1	<2	5.33	<0.5	8	5	23	3.82
S010636		3.85	0.038		<0.5	6.96	32	340	1.1	2	5.05	<0.5	5	5	21	3.06
S010637		3.71	0.039		0.6	6.40	37	190	1.0	<2	5.42	<0.5	6	5	20	3.40
S010638		3.21	0.033		<0.5	9.35	34	130	1.7	<2	2.26	<0.5	12	7	7	5.19
S010639		3.34	0.037		<0.5	7.46	42	120	1.3	<2	2.66	<0.5	8	5	12	3.92
S010640		0.46	<0.005		<0.5	0.05	<5	10	<0.5	4	33.3	<0.5	<1	1	<1	0.04
S010641		4.11	0.069		0.8	7.64	59	130	1.2	<2	1.93	<0.5	7	6	21	3.56
S010642		3.37	1.250		0.8	8.23	73	160	1.3	<2	1.36	<0.5	6	6	17	3.37
S010643		3.28	0.186		1.4	8.34	117	260	1.2	2	2.33	<0.5	8	5	25	3.59
S010644		3.33	0.087		0.9	7.65	67	330	1.1	2	2.94	<0.5	6	5	19	3.32
S010645		3.63	0.070		1.0	5.95	62	230	1.0	<2	4.11	<0.5	5	5	11	3.12
S010646		3.58	0.051		1.0	8.52	91	150	1.5	<2	3.60	<0.5	9	7	14	4.74
S010646D		<0.02	0.049		1.0	7.95	81	150	1.4	<2	3.50	<0.5	10	6	12	4.30
S010647		3.03	0.030		0.7	6.36	52	160	1.1	<2	4.66	<0.5	9	5	10	3.68
S010648		3.21	0.029		0.5	7.71	38	390	1.0	<2	3.98	<0.5	8	4	19	3.48
S010649		3.95	0.013		<0.5	7.26	21	1820	0.9	2	3.70	<0.5	7	5	16	3.52
S010650		0.13	0.938		12.3	5.72	302	400	1.0	2	3.46	4.0	9	26	82	3.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010627		20	2.68	10	0.30	926	<1	0.31	1	810	4	3.65	7	9	166	<20
S010628		20	2.85	10	0.37	863	<1	0.29	2	840	6	3.07	15	9	159	<20
S010629		20	2.87	10	0.54	826	<1	0.27	4	840	5	3.27	18	10	142	<20
S010630		20	2.91	20	0.69	964	7	0.15	66	1600	52	3.98	13	18	174	<20
S010631		20	2.82	10	0.75	817	<1	0.26	4	860	6	3.82	12	10	148	<20
S010632		20	2.49	10	1.10	1490	1	0.38	2	830	7	2.97	12	9	185	<20
S010633		20	2.53	10	1.29	1550	1	0.57	2	880	5	2.38	6	10	179	<20
S010634		20	2.58	10	0.83	1530	<1	0.38	2	830	4	2.44	6	9	231	<20
S010635		20	2.85	10	0.96	1435	<1	0.36	3	910	2	3.55	10	10	177	<20
S010636		20	2.82	10	0.92	1350	<1	0.32	3	910	6	2.59	8	9	184	<20
S010637		10	2.66	10	0.46	1135	<1	0.25	3	800	6	3.55	6	9	193	<20
S010638		20	4.01	10	0.37	540	<1	0.37	3	1150	8	5.53	<5	13	158	<20
S010639		20	3.19	10	0.53	743	<1	0.27	2	910	3	4.15	<5	10	137	<20
S010640		<10	0.01	<10	1.85	21	1	<0.01	1	30	3	0.05	<5	<1	4750	<20
S010641		20	3.15	10	0.43	542	1	0.26	4	890	6	3.70	10	10	124	<20
S010642		20	3.35	10	0.43	370	<1	0.26	3	930	6	3.32	9	11	115	<20
S010643		20	3.10	10	1.37	980	1	0.35	1	980	7	2.84	11	11	122	<20
S010644		20	2.73	10	1.43	1220	<1	0.37	4	900	8	2.29	6	10	122	<20
S010645		20	2.84	10	0.37	1145	1	0.19	3	800	17	3.17	<5	8	142	<20
S010646		20	4.52	10	0.47	1425	1	0.25	5	1180	22	4.84	7	11	143	<20
S010646D		20	4.19	10	0.43	1390	1	0.23	2	1090	18	4.51	5	10	138	<20
S010647		20	3.12	10	0.52	1385	<1	0.19	3	880	12	3.43	<5	8	134	<20
S010648		20	2.56	10	1.26	1435	<1	0.71	2	900	9	2.08	9	10	156	<20
S010649		20	2.19	10	1.56	1660	1	1.03	3	890	6	1.21	<5	10	165	<20
S010650		10	3.75	10	0.52	1355	9	0.20	20	900	141	2.71	19	10	184	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
S010627		0.28	<10	<10	89	<10	27
S010628		0.30	<10	<10	94	<10	37
S010629		0.30	<10	10	94	<10	54
S010630		0.34	<10	<10	173	<10	214
S010631		0.30	<10	10	96	<10	62
S010632		0.28	<10	<10	86	<10	75
S010633		0.31	<10	10	93	<10	70
S010634		0.28	<10	<10	87	<10	46
S010635		0.32	<10	<10	98	<10	54
S010636		0.32	<10	10	97	<10	49
S010637		0.27	<10	10	85	<10	27
S010638		0.40	<10	10	131	<10	18
S010639		0.32	<10	<10	98	<10	38
S010640		<0.01	<10	<10	1	<10	<2
S010641		0.31	<10	<10	96	<10	29
S010642		0.32	<10	<10	100	<10	38
S010643		0.34	<10	<10	101	<10	102
S010644		0.31	<10	<10	97	<10	92
S010645		0.28	<10	<10	90	<10	34
S010646		0.40	<10	<10	137	<10	27
S010646D		0.38	<10	10	127	<10	24
S010647		0.29	<10	10	92	<10	31
S010648		0.31	<10	<10	95	<10	62
S010649		0.32	<10	<10	97	<10	49
S010650		0.24	<10	<10	101	10	450

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15106805

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
	Au-AA23	Au-GRA21	ME-ICP61

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

CERTIFICATE TR15107427

Project: Bowser Regional Exploration

P.O. No.: BOW-0012

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010651		3.64	0.015		<0.5	7.00	24	540	1.0	<2	4.29	<0.5	11	5	13	3.58
S010652		3.29	0.025		<0.5	7.12	24	1480	0.8	<2	4.00	<0.5	8	5	17	3.48
S010653		3.21	0.026		<0.5	7.67	29	560	1.0	<2	4.19	<0.5	7	5	15	3.22
S010654		4.35	0.031		<0.5	7.63	36	340	1.1	<2	4.76	<0.5	8	6	16	3.50
S010655		3.61	0.033		<0.5	8.03	33	410	1.0	2	3.95	<0.5	7	6	18	3.44
S010656		2.96	0.037		0.6	8.00	32	530	1.0	<2	4.51	<0.5	6	5	18	3.10
S010657		3.54	0.037		<0.5	8.56	42	250	1.1	<2	3.68	0.9	6	5	12	3.70
S010658		4.35	0.025		0.6	7.91	27	470	1.0	<2	4.60	<0.5	8	5	17	3.54
S010659		3.48	0.056		0.5	8.19	47	400	1.2	<2	5.14	<0.5	8	5	16	3.61
S010660		0.65	<0.005		<0.5	0.05	<5	10	<0.5	5	33.9	<0.5	<1	1	<1	0.05
S010661		3.38	0.083		<0.5	7.94	35	980	1.1	<2	4.19	<0.5	8	5	16	3.42
S010662		3.61	0.058		0.5	8.10	49	740	1.1	2	4.18	<0.5	9	5	17	3.54
S010663		4.38	0.100		0.7	8.36	40	1600	1.0	<2	4.63	<0.5	10	5	17	3.76
S010664		3.77	0.030		<0.5	8.71	28	2060	1.1	<2	4.29	<0.5	10	5	18	3.81
S010665		2.87	0.015		<0.5	8.37	16	1860	1.0	<2	4.12	<0.5	9	5	16	3.67
S010666		3.67	0.057		<0.5	8.45	15	2070	1.1	<2	4.19	<0.5	8	5	19	3.69
S010666D		<0.02	0.019		<0.5	8.45	13	2090	1.1	<2	4.11	<0.5	9	5	17	3.64
S010667		4.39	0.011		<0.5	8.37	12	1890	1.0	<2	4.24	<0.5	8	5	18	3.61
S010668		3.57	0.025		<0.5	8.69	24	1860	1.2	<2	3.81	<0.5	8	4	14	3.58
S010669		3.10	0.041		0.5	8.35	51	650	1.1	<2	5.32	<0.5	8	5	19	3.43
S010670		0.13	>10.0	10.40	>100	6.15	373	470	1.0	<2	3.84	4.9	12	31	156	3.72
S010671		3.76	0.090		0.5	8.68	65	360	1.3	<2	3.15	<0.5	9	5	15	3.71
S010672		4.49	0.286		<0.5	8.61	71	910	1.1	3	2.06	<0.5	11	6	20	3.79
S010673		3.34	0.371		<0.5	9.17	56	2340	1.2	<2	3.38	<0.5	11	5	17	3.86
S010674		2.94	<0.005		<0.5	8.25	6	2050	1.1	<2	4.14	<0.5	8	4	15	3.52
S010675		3.77	0.028		<0.5	8.23	14	1820	1.0	<2	5.29	<0.5	6	4	16	3.33
S010676		4.71	0.006		<0.5	8.04	13	900	1.0	<2	4.72	0.5	13	5	10	4.03
S010677		3.35	0.008		<0.5	8.08	11	1950	1.0	<2	4.54	<0.5	5	5	16	3.15
S010678		3.55	0.010		<0.5	8.26	6	2040	1.1	<2	4.19	<0.5	7	5	16	3.46
S010679		3.56	0.015		<0.5	8.22	22	560	1.1	<2	4.13	<0.5	16	5	14	4.08
S010680		0.53	<0.005		<0.5	0.06	<5	20	<0.5	3	35.2	<0.5	<1	1	<1	0.04
S010681		3.88	0.009		<0.5	7.92	14	1660	1.0	<2	4.03	<0.5	8	6	18	3.33
S010682		3.62	0.042		<0.5	7.76	26	1860	1.0	<2	4.33	<0.5	8	5	16	3.31
S010683		3.78	0.014		<0.5	7.61	17	1810	1.0	<2	4.14	<0.5	6	5	17	3.29
S010684		3.35	0.121		<0.5	7.67	40	1880	1.0	<2	4.77	<0.5	9	4	18	3.32
S010685		3.69	0.095		<0.5	7.88	86	710	1.2	<2	4.76	<0.5	7	5	14	3.19
S010686		3.37	0.197		<0.5	7.64	82	440	1.1	<2	4.30	<0.5	9	4	23	3.44
S010686D		<0.02	0.185		<0.5	7.70	70	560	1.1	<2	4.16	<0.5	9	4	20	3.33
S010687		3.53	0.464		<0.5	7.11	47	2020	1.1	<2	4.16	<0.5	7	5	24	3.16
S010688		3.56	0.054		0.7	7.33	70	410	1.2	<2	3.09	0.5	9	6	12	3.41

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010651		20	2.32	10	1.06	1460	<1	1.07	2	860	10	1.99	<5	9	192	<20
S010652		20	1.98	10	1.09	1400	<1	1.68	4	870	8	1.49	5	9	209	<20
S010653		20	2.43	10	0.80	1165	1	1.38	5	880	7	2.14	<5	10	170	<20
S010654		20	2.55	10	0.77	1365	1	1.00	3	850	13	2.64	<5	10	165	<20
S010655		20	2.56	10	0.80	1130	1	1.57	3	930	14	2.65	<5	11	162	<20
S010656		20	2.37	10	0.78	1235	<1	1.76	3	910	12	2.32	5	11	178	<20
S010657		20	2.93	10	0.66	1035	1	1.37	5	940	13	3.34	<5	11	142	<20
S010658		20	2.41	10	1.01	1435	<1	1.54	4	920	7	2.45	<5	11	184	<20
S010659		20	2.84	10	0.93	1550	1	0.72	3	890	12	2.67	<5	11	166	<20
S010660		<10	0.01	<10	1.78	20	1	0.01	1	30	3	0.07	5	<1	5340	<20
S010661		20	2.45	10	1.02	1335	1	1.30	5	900	3	1.90	<5	11	187	<20
S010662		20	2.59	10	0.97	1335	1	1.27	4	930	5	2.01	<5	11	210	<20
S010663		20	2.20	10	1.15	1570	1	1.73	3	930	10	1.70	<5	11	244	<20
S010664		20	2.32	10	1.31	1630	1	1.85	4	1000	5	0.97	<5	12	262	<20
S010665		20	2.19	10	1.17	1490	1	1.83	4	930	<2	1.09	<5	11	255	<20
S010666		20	2.33	10	1.24	1610	1	1.60	5	930	7	0.86	<5	11	256	<20
S010666D		20	2.29	10	1.24	1595	<1	1.55	4	960	5	0.78	<5	11	255	<20
S010667		20	2.23	10	1.30	1625	<1	1.54	4	910	4	0.81	<5	11	248	<20
S010668		20	2.86	10	1.20	1470	1	0.86	3	930	3	1.49	<5	12	175	<20
S010669		20	2.73	10	0.89	1525	<1	1.33	3	930	8	2.27	<5	11	185	<20
S010670		20	3.72	10	0.49	1405	8	0.16	23	850	271	3.07	57	11	207	<20
S010671		20	3.36	10	0.81	993	<1	0.77	4	950	5	2.71	<5	11	136	<20
S010672		20	2.48	10	1.24	1030	1	1.57	4	940	3	1.81	<5	12	152	<20
S010673		20	2.68	10	1.32	1320	1	1.43	5	1010	<2	1.31	<5	12	221	<20
S010674		20	2.20	10	1.29	1525	1	1.83	5	960	<2	0.34	<5	11	277	<20
S010675		20	2.02	10	1.16	1550	<1	1.97	5	910	2	0.54	<5	11	299	<20
S010676		20	1.95	10	0.96	1295	<1	2.00	4	880	21	1.94	<5	11	322	<20
S010677		20	2.01	10	0.88	1185	<1	2.11	3	870	6	1.08	<5	11	332	<20
S010678		20	2.21	10	1.15	1390	<1	1.82	4	910	2	0.43	<5	11	276	<20
S010679		20	2.36	10	0.83	1080	1	1.77	4	940	9	2.39	<5	11	230	<20
S010680		<10	0.01	<10	1.81	22	<1	0.01	2	30	2	0.07	<5	<1	5070	<20
S010681		20	2.00	10	1.10	1345	<1	2.12	4	910	<2	0.49	<5	10	235	<20
S010682		20	2.34	10	0.96	1285	<1	1.53	4	850	5	1.22	<5	10	183	<20
S010683		20	2.29	10	1.14	1445	<1	1.39	3	880	2	0.79	<5	10	168	<20
S010684		20	2.53	10	1.04	1465	<1	1.28	4	920	3	1.41	<5	10	161	<20
S010685		20	3.20	10	0.82	1465	<1	0.52	4	920	7	2.07	<5	10	137	<20
S010686		20	2.79	10	1.05	1390	1	0.73	4	870	3	2.21	<5	10	143	<20
S010686D		20	2.67	10	1.05	1335	<1	0.71	4	850	5	2.12	<5	10	140	<20
S010687		20	2.70	10	1.20	1465	<1	0.70	3	880	<2	1.70	<5	9	139	<20
S010688		20	3.57	10	0.61	960	1	0.17	3	920	8	3.13	5	10	92	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010651		0.30	<10	<10	96	<10	36	
S010652		0.30	<10	<10	95	<10	46	
S010653		0.31	<10	<10	97	<10	55	
S010654		0.30	<10	<10	90	<10	60	
S010655		0.33	<10	<10	101	<10	62	
S010656		0.31	<10	<10	97	<10	70	
S010657		0.33	<10	10	104	<10	67	
S010658		0.32	<10	<10	98	<10	67	
S010659		0.30	<10	<10	94	<10	68	
S010660		<0.01	<10	10	1	<10	<2	
S010661		0.32	<10	<10	100	<10	77	
S010662		0.32	<10	<10	102	<10	75	
S010663		0.32	<10	10	101	<10	71	
S010664		0.35	<10	<10	111	<10	67	
S010665		0.33	<10	<10	104	<10	56	
S010666		0.34	<10	<10	107	<10	62	
S010666D		0.34	<10	<10	105	<10	63	
S010667		0.32	<10	<10	100	<10	77	
S010668		0.33	<10	<10	105	<10	76	
S010669		0.32	<10	<10	103	<10	70	
S010670		0.24	<10	<10	102	<10	517	136
S010671		0.34	<10	<10	110	<10	75	
S010672		0.33	<10	<10	104	<10	92	
S010673		0.35	<10	<10	110	<10	90	
S010674		0.34	<10	10	106	<10	90	
S010675		0.32	<10	<10	100	<10	79	
S010676		0.31	<10	<10	98	<10	56	
S010677		0.31	<10	<10	101	<10	52	
S010678		0.33	<10	10	103	<10	73	
S010679		0.32	<10	<10	103	<10	43	
S010680		<0.01	<10	<10	1	<10	<2	
S010681		0.32	<10	<10	102	<10	71	
S010682		0.31	<10	<10	98	<10	59	
S010683		0.31	10	<10	98	<10	66	
S010684		0.32	<10	<10	99	<10	57	
S010685		0.32	<10	<10	100	<10	41	
S010686		0.31	<10	<10	94	<10	56	
S010686D		0.29	10	<10	89	<10	54	
S010687		0.32	<10	<10	97	<10	99	
S010688		0.33	<10	<10	105	<10	73	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010689		3.89	0.054		<0.5	6.32	82	540	1.0	<2	5.92	<0.5	8	5	10	3.12
S010690		0.13	5.66		82.6	6.01	294	660	1.0	<2	1.98	22.0	11	25	118	4.76
S010691		3.41	0.074		0.7	7.10	85	670	1.1	<2	4.61	<0.5	8	6	17	3.54
S010692		3.13	0.093		<0.5	7.34	57	2010	1.0	<2	3.96	<0.5	9	4	24	3.81
S010693		3.54	0.074		0.9	6.43	69	360	1.2	<2	4.64	<0.5	7	6	20	3.86
S010694		3.80	0.045		0.9	5.16	43	370	1.0	<2	5.21	<0.5	4	6	9	2.96
S010695		3.62	0.052		0.6	6.92	72	250	1.1	<2	3.91	<0.5	13	6	13	5.07
S010696		3.65	0.107		<0.5	6.59	39	1310	0.9	2	4.37	<0.5	7	5	10	3.18
S010697		3.20	0.106		0.8	6.68	37	1380	1.0	<2	4.22	<0.5	9	5	10	3.41
S010698		3.46	0.020		<0.5	6.94	12	1380	1.0	<2	3.68	<0.5	9	6	19	3.65
S010699		2.96	0.036		<0.5	7.47	24	1370	1.0	<2	4.39	<0.5	14	5	13	3.95
S010700		0.57	<0.005		<0.5	0.07	<5	20	<0.5	2	35.2	<0.5	<1	1	<1	0.05
S010701		3.10	0.025		<0.5	6.65	17	1410	0.9	<2	4.31	<0.5	8	4	14	3.40
S010702		3.47	0.084		<0.5	7.55	35	1390	1.0	<2	4.20	<0.5	9	5	17	3.75
S010703		4.07	0.021		<0.5	7.25	11	1860	1.0	<2	4.03	<0.5	9	4	17	3.60
S010704		3.37	<0.005		<0.5	7.30	<5	1620	1.0	<2	3.89	<0.5	10	5	19	3.70
S010705		2.84	0.010		<0.5	7.31	13	1730	1.0	<2	3.94	<0.5	7	5	21	3.65
S010706		2.10	0.047		<0.5	7.28	34	1710	1.0	<2	3.67	<0.5	9	5	23	3.64
S010706D		<0.02	0.041		<0.5	7.51	27	1750	1.0	<2	3.63	<0.5	10	5	22	3.77
S010707		5.51	0.222		<0.5	6.67	50	1800	1.0	<2	6.17	<0.5	8	5	20	3.46
S010708		3.50	0.032		<0.5	7.03	43	1950	1.2	<2	4.35	<0.5	8	6	18	3.58
S010709		3.43	0.048		0.6	7.34	42	570	1.1	<2	4.43	<0.5	13	5	16	4.72
S010710		0.10	>10.0	18.40	22.0	6.58	814	280	1.4	<2	2.84	2.0	20	120	138	5.12
S010711		3.60	0.101		<0.5	7.75	39	1930	1.0	<2	3.88	<0.5	10	5	19	3.89
S010712		4.17	0.232		<0.5	7.25	96	1940	1.1	<2	4.62	1.1	8	5	19	3.56
S010713		3.40	0.076		0.5	6.18	89	650	1.0	<2	8.73	<0.5	8	5	14	3.16
S010714		3.42	0.071		0.5	6.92	57	2080	1.1	<2	3.78	<0.5	6	5	23	3.24
S010715		3.34	0.217		0.8	7.56	122	380	1.3	<2	2.38	<0.5	15	5	21	4.04
S010716		4.41	0.078		<0.5	6.76	74	1740	0.9	<2	5.35	<0.5	9	5	18	3.81
S010717		3.67	0.092		0.6	6.56	67	1510	0.9	<2	4.62	<0.5	8	5	15	3.39
S010718		3.12	0.024		<0.5	8.18	50	2450	1.1	<2	3.72	<0.5	9	6	17	3.82
S010719		3.31	0.067		0.6	7.11	70	1990	1.0	<2	5.32	<0.5	8	5	22	3.70
S010720		0.55	<0.005		<0.5	0.08	<5	20	<0.5	2	35.7	<0.5	<1	1	<1	0.06
S010721		4.18	0.050		0.5	8.28	62	2130	1.1	<2	2.15	<0.5	10	5	19	3.80
S010722		3.55	0.040		0.5	7.62	52	1210	1.0	<2	2.83	<0.5	10	5	31	3.72
S010723		3.10	0.010		<0.5	7.68	28	2560	1.0	<2	3.88	<0.5	7	5	20	3.61
S010724		3.57	0.016		<0.5	7.16	25	2340	1.0	<2	3.27	<0.5	7	17	21	3.61
S010725		4.22	0.017		<0.5	7.12	22	2170	0.9	<2	5.57	<0.5	6	5	15	2.96
S010726		3.60	0.065		0.6	7.04	68	1830	1.0	<2	4.02	<0.5	8	5	23	3.59
S010726D		<0.02	0.057		0.5	7.70	68	2320	1.0	<2	4.05	<0.5	7	6	23	3.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010689		20	3.12	10	0.66	1565	<1	0.11	4	850	6	2.76	8	9	153	<20
S010690		10	3.62	10	0.47	1180	8	0.22	16	950	8830	2.99	74	12	143	<20
S010691		20	3.10	10	1.05	1515	<1	0.15	5	880	17	2.43	5	10	138	<20
S010692		20	2.61	10	1.56	1785	<1	0.56	3	920	2	1.39	7	10	141	<20
S010693		20	3.36	10	0.76	1455	<1	0.13	6	920	9	3.19	<5	8	134	<20
S010694		20	2.79	10	0.33	1260	2	0.10	2	700	10	2.96	<5	7	149	<20
S010695		20	2.80	10	0.89	1330	<1	0.91	5	880	5	4.18	<5	9	154	<20
S010696		20	1.96	10	1.13	1675	<1	1.84	4	860	2	1.00	<5	8	213	<20
S010697		20	2.08	10	0.82	1385	<1	2.08	3	890	5	1.65	5	9	242	<20
S010698		20	1.93	10	0.97	1430	<1	2.23	4	920	3	1.08	5	9	256	<20
S010699		20	1.93	10	1.01	1580	<1	2.34	4	930	8	1.22	5	10	315	<20
S010700		<10	0.01	<10	1.85	20	<1	0.01	1	50	3	0.07	<5	<1	5130	<20
S010701		20	1.83	10	0.91	1490	<1	2.26	2	890	5	1.02	<5	8	338	<20
S010702		20	1.85	10	1.07	1545	<1	2.50	4	930	8	0.96	<5	10	322	<20
S010703		20	2.37	10	1.05	1605	<1	1.54	3	910	4	0.40	<5	9	248	<20
S010704		20	2.10	10	1.02	1620	<1	2.01	4	900	<2	0.25	<5	10	317	<20
S010705		20	2.16	10	1.07	1560	<1	1.88	3	920	5	0.45	<5	9	280	<20
S010706		20	2.16	10	1.03	1430	<1	1.84	3	880	4	1.07	<5	9	228	<20
S010706D		20	2.19	10	1.10	1495	<1	1.86	4	900	<2	0.92	<5	10	231	<20
S010707		20	2.36	10	0.99	1645	<1	1.30	4	860	8	1.22	<5	9	278	<20
S010708		20	2.77	10	0.85	1280	<1	0.92	3	880	5	1.89	<5	9	173	<20
S010709		20	2.66	10	0.92	1340	<1	1.17	6	900	7	3.22	<5	10	179	<20
S010710		20	3.07	10	0.68	1030	6	0.16	71	1680	55	4.22	15	18	181	<20
S010711		20	2.51	10	1.40	1685	<1	1.45	5	960	5	1.13	<5	10	208	<20
S010712		20	2.85	10	0.98	1550	<1	0.90	5	890	6	1.98	<5	10	185	<20
S010713		20	2.85	10	0.51	1870	1	0.24	3	760	4	2.65	8	8	275	<20
S010714		20	2.97	10	0.97	1500	<1	0.79	4	920	5	1.67	6	9	147	<20
S010715		20	3.68	10	0.63	890	<1	0.39	4	950	13	3.53	7	10	99	<20
S010716		20	2.53	10	1.14	1925	<1	1.45	4	900	5	1.91	<5	9	238	<20
S010717		20	2.63	10	0.90	1620	<1	1.31	2	870	5	1.97	<5	9	203	<20
S010718		20	2.91	10	1.21	1650	<1	1.53	5	990	6	1.72	<5	11	230	<20
S010719		20	2.50	10	1.22	1940	<1	1.45	5	910	5	1.43	5	9	247	<20
S010720		<10	0.02	<10	2.09	32	<1	0.01	1	30	<2	0.09	5	<1	4840	<20
S010721		20	3.22	10	1.19	1195	<1	1.09	3	990	6	1.98	<5	11	139	<20
S010722		20	2.97	10	1.02	1280	1	0.89	9	910	12	1.94	7	10	138	<20
S010723		20	2.64	10	1.24	1790	<1	1.22	2	920	11	0.96	8	10	182	<20
S010724		20	2.81	10	1.24	1790	<1	0.94	6	920	5	0.69	<5	9	163	<20
S010725		20	2.63	10	1.04	1840	<1	0.73	4	780	7	0.97	7	9	229	<20
S010726		20	3.24	10	1.10	1720	<1	0.65	2	940	14	1.62	7	9	153	<20
S010726D		20	3.30	10	1.17	1710	<1	0.65	4	920	10	1.59	7	10	154	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010689		0.30	<10	<10	93	<10	42	
S010690		0.25	<10	<10	122	<10	1790	
S010691		0.32	<10	<10	97	<10	66	
S010692		0.32	<10	<10	99	<10	102	
S010693		0.33	<10	<10	103	<10	74	
S010694		0.25	<10	<10	80	<10	33	
S010695		0.32	<10	<10	98	<10	34	
S010696		0.31	<10	<10	96	<10	44	
S010697		0.32	<10	<10	98	<10	35	
S010698		0.33	<10	<10	102	<10	44	
S010699		0.33	<10	<10	102	<10	40	
S010700		<0.01	<10	<10	1	<10	<2	
S010701		0.31	<10	<10	97	<10	29	
S010702		0.33	<10	<10	100	<10	41	
S010703		0.33	<10	<10	100	<10	95	
S010704		0.33	<10	<10	100	<10	111	
S010705		0.33	<10	<10	101	<10	133	
S010706		0.32	<10	<10	98	<10	122	
S010706D		0.33	<10	<10	100	<10	128	
S010707		0.31	<10	<10	93	<10	69	
S010708		0.32	<10	<10	100	<10	50	
S010709		0.32	<10	<10	102	<10	54	
S010710		0.38	<10	<10	182	<10	213	
S010711		0.34	<10	<10	107	<10	82	
S010712		0.32	<10	<10	98	<10	139	
S010713		0.26	<10	<10	83	<10	39	
S010714		0.33	<10	<10	100	<10	102	
S010715		0.34	<10	<10	102	<10	47	
S010716		0.32	<10	<10	98	<10	46	
S010717		0.31	<10	<10	96	<10	39	
S010718		0.36	<10	<10	107	<10	53	
S010719		0.32	<10	<10	100	<10	59	
S010720		<0.01	<10	<10	2	<10	<2	
S010721		0.35	<10	<10	108	<10	57	
S010722		0.33	<10	<10	98	<10	49	
S010723		0.33	<10	<10	99	<10	51	
S010724		0.33	10	<10	101	<10	61	
S010725		0.28	<10	10	81	<10	62	
S010726		0.34	<10	<10	101	<10	73	
S010726D		0.34	<10	<10	100	<10	73	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010727		2.99	0.245		1.1	7.64	163	260	1.3	<2	2.66	<0.5	6	6	11	3.73
S010728		3.69	0.172		1.3	7.69	122	340	1.2	<2	3.54	<0.5	8	5	16	3.62
S010729		3.80	0.302		2.8	6.94	130	150	1.2	<2	3.20	<0.5	10	7	16	4.09
S010730		0.13	0.990		11.9	6.00	314	440	1.0	<2	3.57	4.4	8	27	82	3.90
S010731		3.69	>10.0	16.90	44.2	5.00	150	100	0.9	<2	0.51	31.5	4	9	1625	3.29
S010732		3.05	0.838		4.7	7.35	154	200	1.2	<2	1.88	<0.5	7	9	49	3.63
S010733		3.64	1.430		3.6	6.06	125	330	1.1	<2	5.71	<0.5	8	5	20	3.19
S010734		4.21	0.460		1.7	6.24	117	410	1.0	<2	7.47	<0.5	6	5	11	3.16
S010735		3.64	0.568		1.6	6.89	167	320	1.0	<2	3.98	<0.5	6	6	17	3.14
S010736		3.40	0.171		1.0	7.26	119	630	1.1	<2	4.36	<0.5	6	5	9	3.53
S010737		3.58	0.113		1.0	7.57	79	1040	1.0	<2	4.83	<0.5	9	5	13	3.60
S010738		3.65	0.173		0.9	7.34	109	2030	0.9	<2	4.35	<0.5	8	5	19	3.65
S010739		3.74	0.219		1.5	6.73	132	540	1.1	<2	5.02	<0.5	7	5	13	3.49
S010740		0.48	<0.005		<0.5	0.06	<5	20	<0.5	<2	35.5	<0.5	<1	1	<1	0.04
S010741		3.28	1.295		2.4	6.87	97	1070	1.1	<2	6.78	<0.5	6	4	19	3.24
S010742		3.69	0.456		1.3	6.20	87	550	0.9	<2	8.46	<0.5	6	4	46	2.91
S010743		3.87	0.134		0.9	6.85	90	1050	0.9	<2	3.96	<0.5	6	5	10	3.33
S010744		3.74	0.157		1.0	7.32	101	1490	1.1	<2	4.03	<0.5	5	5	11	3.29
S010745		3.74	0.141		0.7	7.51	67	2340	0.9	<2	4.12	<0.5	8	5	16	3.68
S010746		3.64	0.129		0.6	7.57	83	2720	1.0	<2	3.66	<0.5	8	5	21	3.43
S010746D		<0.02	0.139		0.6	7.84	82	2900	1.0	<2	3.80	<0.5	10	6	22	3.59
S010747		3.59	0.494		1.8	6.36	183	1090	0.9	<2	3.38	<0.5	5	6	25	2.34
S010748		3.42	2.95		2.7	6.34	253	920	1.0	<2	3.38	<0.5	6	7	29	2.73
S010749		3.54	0.692		1.2	8.32	118	2590	1.2	<2	3.39	<0.5	8	5	17	3.56
S010750		0.13	>10.0	10.85	>100	5.85	385	400	1.0	<2	3.78	4.4	10	33	147	3.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010727		20	3.71	10	0.51	974	<1	0.08	4	930	18	3.58	14	10	74	<20
S010728		20	4.00	10	0.74	1280	<1	0.08	5	920	20	3.08	12	10	100	<20
S010729		20	3.83	10	0.43	814	1	0.07	2	860	28	4.15	15	9	105	<20
S010730		10	3.73	10	0.54	1340	8	0.20	21	890	143	2.77	23	11	183	<20
S010731		10	2.44	<10	0.30	185	2	0.05	4	510	1100	3.64	106	6	333	<20
S010732		20	3.82	10	0.54	673	1	0.07	4	850	11	3.40	10	10	70	<20
S010733		20	3.56	10	0.55	1430	<1	0.06	3	820	12	2.81	13	8	192	<20
S010734		20	3.50	10	0.61	1690	<1	0.06	4	820	3	2.58	9	8	245	<20
S010735		20	3.55	10	0.74	1520	<1	0.07	1	830	6	1.89	6	9	213	<20
S010736		20	3.35	10	0.79	1650	<1	0.64	3	890	12	2.26	<5	10	161	<20
S010737		20	3.10	10	0.89	1800	<1	1.04	2	880	11	2.03	10	10	199	<20
S010738		20	3.08	10	1.08	2030	<1	0.94	3	880	6	1.74	6	10	206	<20
S010739		20	3.39	10	0.87	1790	<1	0.24	3	830	5	2.44	12	9	181	<20
S010740		<10	0.02	<10	1.64	23	<1	<0.01	1	30	2	0.10	<5	<1	5230	<20
S010741		20	3.50	10	0.86	2060	<1	0.12	2	820	12	2.13	18	9	257	<20
S010742		10	3.17	10	0.64	2030	<1	0.05	2	690	7	2.26	16	8	288	<20
S010743		20	3.32	10	0.83	1600	<1	0.47	1	820	6	1.94	11	9	126	<20
S010744		20	3.34	10	0.79	1650	<1	0.38	3	860	10	1.89	9	10	122	<20
S010745		20	3.02	10	0.85	1860	<1	1.30	3	920	3	1.30	8	10	181	<20
S010746		20	3.55	10	0.70	1680	<1	0.69	3	950	6	1.16	7	10	129	<20
S010746D		20	3.70	10	0.72	1740	<1	0.70	3	970	6	1.22	12	10	132	<20
S010747		10	3.49	10	0.36	1060	<1	0.06	2	770	11	1.59	14	8	103	<20
S010748		20	3.67	10	0.43	1130	<1	0.06	2	850	9	1.72	11	8	105	<20
S010749		20	3.99	10	0.75	1440	<1	0.22	4	970	9	1.67	6	11	116	<20
S010750		10	3.68	10	0.46	1360	8	0.16	22	840	245	3.06	62	10	193	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010727		0.34	<10	<10	101	<10	27	
S010728		0.34	<10	<10	99	<10	48	
S010729		0.31	<10	<10	92	<10	30	
S010730		0.25	<10	<10	105	10	456	
S010731		0.19	<10	<10	60	10	5110	
S010732		0.31	<10	<10	92	<10	32	
S010733		0.30	<10	<10	88	<10	36	
S010734		0.29	<10	<10	86	<10	39	
S010735		0.30	10	<10	89	<10	49	
S010736		0.32	10	<10	95	<10	42	
S010737		0.32	<10	<10	94	<10	41	
S010738		0.32	<10	<10	95	<10	50	
S010739		0.30	<10	<10	91	<10	51	
S010740		<0.01	<10	<10	1	<10	<2	
S010741		0.30	<10	<10	91	<10	67	
S010742		0.25	<10	<10	76	<10	48	
S010743		0.31	<10	<10	92	<10	57	
S010744		0.31	<10	<10	93	<10	46	
S010745		0.34	<10	<10	102	<10	52	
S010746		0.34	<10	<10	104	<10	56	
S010746D		0.36	<10	<10	108	<10	59	
S010747		0.28	10	<10	79	<10	54	
S010748		0.31	10	<10	91	<10	53	
S010749		0.35	<10	<10	106	<10	48	
S010750		0.24	<10	<10	98	10	502	133

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-JUL-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15107427

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

CERTIFICATE TR15108294

Project: Bowser Regional Exploration

P.O. No.: BOW-0014

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 25-JUL-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010751		3.55	0.049		<0.5	7.86	29	1920	0.9	<2	3.64	<0.5	7	5	25	3.82
S010752		3.36	0.342		2.1	7.80	112	1970	1.1	<2	4.16	<0.5	9	5	37	3.74
S010753		3.20	0.401		1.1	8.40	89	2260	1.1	2	2.79	<0.5	8	5	26	3.70
S010754		3.08	0.350		0.9	7.81	91	2050	1.1	<2	3.85	<0.5	6	5	24	3.47
S010755		3.35	0.640		1.3	8.17	109	730	1.3	2	2.30	<0.5	9	5	11	3.60
S010756		3.56	0.214		2.9	7.73	79	650	1.2	<2	2.68	<0.5	7	5	9	3.35
S010757		3.58	0.297		1.4	7.03	101	430	1.3	<2	4.83	<0.5	7	5	14	3.50
S010758		3.41	0.255		0.9	7.50	73	1560	1.2	<2	4.41	<0.5	8	4	20	3.73
S010759		3.27	0.034		0.8	7.62	50	960	1.1	<2	4.17	<0.5	7	9	28	3.75
S010760		0.53	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.5	<0.5	<1	<1	<1	0.05
S010761		3.60	0.246		0.9	7.60	42	590	1.1	3	4.34	<0.5	7	4	20	3.58
S010762		3.53	0.053		<0.5	7.18	42	400	1.2	<2	4.36	<0.5	7	4	12	3.50
S010763		3.23	0.053		<0.5	7.68	34	900	1.1	<2	4.49	<0.5	7	4	14	3.47
S010764		3.56	0.008		<0.5	7.54	25	2400	1.1	<2	4.16	<0.5	7	4	16	3.64
S010765		3.72	0.040		<0.5	7.74	49	640	1.2	<2	3.35	<0.5	8	6	17	3.51
S010766		3.33	0.377		0.5	7.25	43	2150	1.1	<2	5.89	<0.5	6	4	21	3.44
S010766D		<0.02	0.449		0.6	6.86	44	1990	1.1	<2	6.17	<0.5	6	5	20	3.34
S010767		2.35	<0.005		<0.5	7.40	6	2270	1.0	2	3.85	<0.5	8	4	17	3.41
S010768		4.54	<0.005		<0.5	7.60	12	2550	1.0	<2	4.34	<0.5	7	4	21	3.81
S010769		3.44	0.062		<0.5	7.27	20	2160	1.0	<2	3.93	<0.5	8	4	24	3.67
S010770		0.13	5.87		81.9	6.12	282	340	1.0	3	1.89	21.9	10	22	118	4.65
S010771		3.22	0.021		<0.5	7.40	13	2050	0.9	<2	4.20	<0.5	8	4	18	3.60
S010772		3.03	0.018		<0.5	7.67	21	2020	1.0	<2	3.72	<0.5	8	4	27	3.78
S010773		3.76	0.171		0.7	7.62	92	1810	1.3	<2	4.49	<0.5	6	4	10	3.61
S010774		3.62	0.022		<0.5	7.72	14	1920	1.0	<2	3.64	<0.5	9	4	16	3.78
S010775		3.50	0.298		0.6	8.36	157	2180	1.1	<2	3.11	<0.5	9	4	22	3.97
S010776		3.26	0.050		<0.5	7.97	36	1980	1.0	3	3.72	<0.5	7	4	15	3.75
S010777		3.56	0.031		<0.5	7.41	17	2100	1.0	<2	3.80	<0.5	7	4	13	3.59
S010778		3.49	0.055		0.8	7.50	37	2230	1.0	<2	3.73	<0.5	12	8	18	3.88
S010779		3.31	0.183		0.6	7.68	106	2100	1.0	<2	3.92	<0.5	8	4	20	3.67
S010780		0.51	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.9	<0.5	<1	4	<1	0.06
S010781		3.21	0.110		0.5	7.98	57	2120	1.0	3	3.52	<0.5	7	4	17	3.70
S010782		3.43	0.041		<0.5	7.48	60	2080	1.0	3	3.41	<0.5	6	4	22	3.63
S010783		3.41	0.064		0.6	8.12	51	2020	1.0	<2	3.92	<0.5	8	27	20	4.07
S010784		3.70	0.140		0.6	7.61	75	1880	0.9	<2	4.21	<0.5	9	3	22	3.37
S010785		3.34	0.133		0.8	7.38	68	2200	0.9	<2	4.47	<0.5	8	3	19	3.29
S010786		3.43	0.256		1.0	7.42	89	880	1.0	2	9.80	<0.5	8	2	18	3.17
S010786D		<0.02	0.249		0.9	7.18	86	700	0.9	<2	9.48	<0.5	8	2	16	3.05
S010787		6.46	0.248		0.8	7.87	56	1920	0.9	<2	4.37	<0.5	7	3	16	3.53
S010788		1.57	0.245		0.5	7.92	50	2010	0.9	<2	3.20	<0.5	8	3	13	3.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010751		20	2.60	10	1.01	1745	<1	1.86	3	940	2	0.81	<5	10	227	<20
S010752		20	3.26	10	0.96	1815	<1	0.73	3	930	6	1.56	14	10	164	<20
S010753		20	3.35	10	1.13	1390	<1	1.03	3	960	6	1.31	<5	11	141	<20
S010754		20	2.99	10	1.10	1520	<1	1.13	3	900	7	1.38	<5	10	163	<20
S010755		20	3.51	10	1.07	1150	<1	0.54	3	910	16	1.81	6	11	96	<20
S010756		20	3.42	10	0.92	1105	<1	0.33	5	860	11	1.83	6	10	95	<20
S010757		20	3.67	10	0.78	1480	<1	0.10	4	940	6	2.38	5	9	154	<20
S010758		20	3.35	10	1.12	1655	<1	0.41	2	910	5	1.72	<5	10	168	<20
S010759		20	3.19	10	1.12	1530	<1	0.80	3	920	3	1.95	<5	11	175	<20
S010760		<10	0.01	<10	1.53	21	<1	0.01	<1	30	<2	0.14	<5	<1	4900	<20
S010761		20	3.24	10	1.02	1525	<1	0.69	2	900	5	2.11	5	10	189	<20
S010762		20	3.50	10	0.69	1215	<1	0.35	2	860	10	2.98	6	10	153	<20
S010763		20	3.29	10	1.00	1520	<1	0.58	3	880	3	1.99	<5	10	191	<20
S010764		20	3.03	10	1.31	1775	<1	0.68	3	930	4	0.84	<5	10	187	<20
S010765		20	3.56	10	0.91	1225	<1	0.14	4	910	4	1.99	<5	11	115	<20
S010766		20	3.09	10	0.88	1820	<1	0.49	3	840	5	1.46	<5	10	205	<20
S010766D		20	3.00	10	0.82	1845	<1	0.45	3	810	8	1.49	<5	9	212	<20
S010767		20	2.67	10	1.10	1635	<1	1.39	4	890	<2	0.31	<5	10	221	<20
S010768		20	2.76	10	1.06	1790	<1	1.64	3	910	<2	0.63	<5	10	266	<20
S010769		20	2.38	10	1.04	1695	<1	2.00	4	890	2	0.17	<5	9	279	<20
S010770		10	3.66	10	0.46	1175	9	0.23	16	920	8500	2.94	67	12	143	<20
S010771		20	2.17	10	1.01	1750	<1	2.31	2	890	8	0.28	<5	10	304	<20
S010772		20	2.21	10	1.09	1720	<1	2.28	2	910	4	0.57	<5	10	263	<20
S010773		20	2.91	10	0.84	1480	<1	1.44	3	900	12	1.61	5	10	212	<20
S010774		20	2.09	10	1.04	1545	<1	2.65	2	910	3	0.64	<5	10	304	<20
S010775		20	2.49	10	0.99	1265	<1	2.60	2	950	8	1.54	<5	11	308	<20
S010776		20	2.16	10	0.99	1440	<1	2.80	2	930	3	0.87	<5	10	316	<20
S010777		20	2.22	10	0.98	1535	<1	2.17	2	890	4	0.35	<5	10	274	<20
S010778		20	2.26	10	0.96	1470	<1	1.96	4	870	7	1.11	<5	10	267	<20
S010779		20	2.49	10	0.96	1510	<1	1.84	2	890	11	1.33	<5	10	274	<20
S010780		<10	0.01	<10	1.84	27	<1	0.01	1	50	2	0.04	<5	<1	5370	<20
S010781		20	2.48	10	1.02	1580	<1	2.12	4	910	4	1.17	<5	10	269	<20
S010782		20	2.36	10	1.00	1580	<1	1.94	3	870	4	1.23	<5	10	234	<20
S010783		20	2.27	10	1.14	1790	<1	2.45	9	940	3	1.13	<5	12	307	<20
S010784		20	2.24	10	0.96	1605	<1	2.00	3	890	8	0.97	<5	10	313	<20
S010785		20	2.61	10	1.07	1675	<1	1.31	3	850	15	1.07	<5	9	260	<20
S010786		20	2.86	10	0.81	2300	<1	0.77	1	790	18	1.96	<5	9	346	<20
S010786D		20	2.72	10	0.78	2200	<1	0.74	2	760	14	1.86	<5	9	330	<20
S010787		20	2.33	10	1.05	1475	<1	1.82	2	900	7	1.19	<5	10	224	<20
S010788		20	2.39	10	0.91	1080	<1	1.99	2	900	6	1.13	<5	10	236	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010751		0.34	<10	<10	103	<10	61	
S010752		0.32	<10	<10	101	<10	171	
S010753		0.35	<10	<10	102	<10	61	
S010754		0.32	<10	<10	96	<10	55	
S010755		0.32	<10	<10	98	<10	47	
S010756		0.30	<10	<10	88	<10	43	
S010757		0.32	<10	<10	100	<10	40	
S010758		0.33	<10	<10	101	<10	49	
S010759		0.34	10	<10	105	<10	47	
S010760		<0.01	10	10	<1	<10	<2	
S010761		0.32	<10	<10	97	<10	55	
S010762		0.31	<10	<10	93	<10	31	
S010763		0.32	10	<10	95	<10	41	
S010764		0.33	<10	<10	99	<10	53	
S010765		0.32	<10	<10	94	<10	37	
S010766		0.30	<10	<10	86	<10	36	
S010766D		0.29	<10	<10	84	<10	34	
S010767		0.32	<10	<10	95	<10	43	
S010768		0.33	<10	<10	98	<10	43	
S010769		0.32	<10	<10	99	<10	43	
S010770		0.25	10	<10	118	<10	1810	
S010771		0.32	<10	<10	96	<10	45	
S010772		0.32	10	<10	101	<10	48	
S010773		0.32	<10	10	96	<10	35	
S010774		0.32	<10	<10	102	<10	45	
S010775		0.33	10	<10	103	<10	49	
S010776		0.33	<10	<10	100	<10	52	
S010777		0.31	<10	<10	95	<10	49	
S010778		0.31	<10	<10	97	<10	45	
S010779		0.31	10	<10	95	<10	47	
S010780		<0.01	<10	10	<1	<10	<2	
S010781		0.33	<10	<10	98	<10	48	
S010782		0.31	<10	<10	95	<10	46	
S010783		0.34	<10	<10	107	<10	55	
S010784		0.31	<10	<10	95	<10	53	
S010785		0.29	<10	<10	90	<10	68	
S010786		0.28	<10	<10	82	10	34	
S010786D		0.26	<10	<10	79	<10	33	
S010787		0.30	<10	<10	96	<10	43	
S010788		0.31	<10	<10	96	<10	39	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010789		2.93	0.268		<0.5	7.99	19	1590	0.8	<2	3.50	<0.5	9	3	17	3.50
S010790		0.11	>10.0	19.10	22.1	6.94	755	190	1.3	<2	2.71	1.7	19	108	133	4.81
S010791		3.50	0.092		0.5	7.88	32	1850	0.9	<2	4.22	<0.5	9	4	16	3.54
S010792		3.71	0.165		0.7	7.71	50	2030	1.0	<2	3.72	<0.5	11	4	24	3.60
S010793		3.42	0.383		0.8	7.25	69	1530	0.8	<2	4.49	<0.5	7	4	18	3.19
S010794		3.22	0.061		<0.5	7.93	28	1630	0.9	<2	3.85	<0.5	9	3	17	3.40
S010795		3.55	0.225		0.8	8.33	118	740	1.3	<2	2.88	<0.5	9	9	20	3.49
S010796		3.56	0.248		0.5	7.35	92	1690	0.9	<2	4.38	<0.5	7	3	23	3.13
S010797		3.60	0.100		0.5	7.96	81	1780	1.0	<2	3.63	<0.5	9	4	22	3.37
S010798		3.75	0.012		<0.5	8.04	26	1920	1.0	<2	3.77	<0.5	10	3	17	3.61
S010799		3.14	0.158		<0.5	8.03	68	1910	0.9	<2	3.47	<0.5	8	4	24	3.51
S010800		0.51	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.3	<0.5	<1	<1	<1	0.04
S010801		3.89	0.200		0.7	7.61	105	880	1.1	<2	4.06	<0.5	9	3	22	3.35
S010802		3.30	0.033		0.5	7.72	116	2050	1.0	<2	4.31	<0.5	8	4	20	3.56
S010803		3.18	0.038		<0.5	7.84	16	2310	1.0	<2	3.62	<0.5	9	3	18	3.42
S010804		3.23	0.193		<0.5	8.04	44	1950	1.0	<2	3.85	<0.5	9	3	19	3.39
S010805		3.38	0.094		0.6	7.50	36	1960	1.0	<2	3.87	<0.5	8	3	20	3.26
S010806		3.38	0.008		<0.5	8.00	14	2050	1.0	<2	4.29	<0.5	8	3	16	3.41
S010806D		<0.02	0.010		<0.5	7.93	13	1990	0.9	<2	4.18	<0.5	7	3	15	3.31
S010807		3.30	0.031		<0.5	8.31	26	1270	1.0	<2	4.02	<0.5	12	4	22	3.70
S010808		3.46	0.018		<0.5	7.41	19	1880	0.9	<2	3.42	<0.5	7	3	13	3.04
S010809		3.18	0.076		<0.5	8.20	46	1510	1.0	<2	3.95	<0.5	8	3	17	3.42
S010810		0.13	1.070		11.9	5.99	286	400	1.0	<2	3.36	3.9	10	24	81	3.62
S010811		3.57	0.089		<0.5	7.07	35	390	1.0	<2	4.69	<0.5	8	3	14	3.61
S010812		3.56	0.194		0.5	7.55	43	360	1.0	<2	3.91	<0.5	9	3	15	3.46
S010813		3.34	0.157		0.7	6.97	58	280	0.9	<2	4.50	<0.5	8	3	16	3.25
S010814		2.91	0.159		0.6	6.79	100	200	0.9	<2	4.63	<0.5	10	3	19	3.78
S010815		2.35	0.172		0.9	6.85	74	270	1.1	4	4.56	<0.5	7	4	16	3.26
S010816		3.67	0.152		1.6	7.33	127	270	1.1	<2	4.36	0.8	8	3	15	3.38
S010817		3.34	0.134		1.3	7.53	135	300	1.0	3	4.32	0.6	9	4	17	3.30
S010818		4.29	0.105		0.9	5.73	88	230	0.9	<2	4.07	0.5	9	6	16	3.31
S010819		3.47	0.115		2.4	5.15	177	210	0.9	<2	7.02	<0.5	8	5	18	3.15
S010820		0.40	<0.005		<0.5	0.04	<5	10	<0.5	<2	33.9	<0.5	<1	1	<1	0.03
S010821		3.07	0.070		3.0	6.29	110	260	1.1	<2	3.53	<0.5	9	6	14	3.25
S010822		3.21	0.134		1.9	6.61	119	420	1.0	<2	4.01	<0.5	9	4	14	3.37
S010823		3.55	0.082		2.3	5.95	144	500	0.9	<2	4.05	<0.5	8	4	15	3.14
S010824		2.96	0.056		2.3	6.38	124	900	0.9	<2	3.63	<0.5	9	4	14	3.17
S010825		3.58	0.062		3.5	6.81	96	760	0.9	<2	3.71	<0.5	8	4	17	3.25
S010826		3.55	0.022		1.4	6.21	63	980	0.8	<2	3.58	<0.5	9	4	20	3.21
S010826D		<0.02	0.023		1.5	6.42	64	900	0.9	<2	3.62	<0.5	10	4	20	3.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010789		20	1.94	10	1.04	1325	<1	2.80	2	930	4	0.59	<5	10	311	<20
S010790		20	2.91	10	0.68	974	6	0.16	69	1630	59	3.98	9	18	179	<20
S010791		20	2.22	10	0.99	1435	<1	2.46	3	920	6	0.92	<5	10	320	<20
S010792		20	2.49	10	1.05	1250	<1	1.61	3	870	6	1.31	<5	10	202	<20
S010793		20	2.10	10	0.85	1250	<1	1.93	2	810	9	1.43	<5	9	310	<20
S010794		20	2.25	10	1.16	1370	<1	2.09	2	890	4	0.46	<5	10	320	<20
S010795		20	3.47	10	0.83	928	<1	0.63	2	950	12	2.12	<5	11	140	<20
S010796		20	2.52	10	0.95	1310	<1	1.52	1	870	7	1.33	<5	9	217	<20
S010797		20	2.84	10	0.97	1130	<1	1.18	2	880	8	1.52	<5	10	187	<20
S010798		20	2.34	10	1.20	1295	<1	1.86	1	890	7	0.66	<5	10	331	<20
S010799		20	2.61	10	1.11	1160	<1	1.46	1	880	8	0.88	<5	10	271	<20
S010800		<10	0.01	<10	1.63	18	<1	0.01	<1	30	<2	0.09	<5	<1	4890	<20
S010801		20	3.12	10	0.81	1075	<1	0.73	1	850	14	1.85	<5	10	190	<20
S010802		20	2.74	10	1.05	1260	<1	1.55	2	890	5	1.42	<5	10	302	<20
S010803		20	3.06	10	1.23	1240	<1	0.80	2	880	<2	0.36	<5	10	195	<20
S010804		20	2.69	10	1.10	1145	<1	1.50	2	900	4	0.83	<5	10	246	<20
S010805		20	2.69	10	0.93	1025	<1	1.24	3	860	6	1.34	<5	10	171	<20
S010806		20	2.72	10	1.25	1335	<1	1.37	2	930	3	0.54	<5	10	256	<20
S010806D		20	2.65	10	1.23	1310	<1	1.34	1	900	3	0.52	<5	10	251	<20
S010807		20	2.85	10	1.04	1130	<1	1.44	3	920	6	1.67	<5	11	270	<20
S010808		20	2.57	10	1.12	1125	<1	1.11	2	810	3	0.87	<5	9	205	<20
S010809		20	2.92	10	1.09	1135	<1	1.19	3	880	5	1.69	<5	11	206	<20
S010810		10	3.57	10	0.52	1290	8	0.20	20	880	139	2.63	13	10	182	<20
S010811		20	3.02	10	0.74	1250	1	1.07	3	810	5	2.97	<5	9	202	<20
S010812		20	3.37	10	0.78	1090	<1	1.00	2	890	7	3.20	<5	10	179	<20
S010813		20	3.08	10	0.70	1200	<1	1.11	1	820	10	3.30	<5	9	192	<20
S010814		20	2.98	10	0.89	1355	<1	0.83	1	790	13	3.97	<5	9	173	<20
S010815		20	3.66	10	0.51	1160	<1	0.14	2	810	31	3.61	<5	9	140	<20
S010816		20	3.86	10	0.52	1295	<1	0.09	2	860	22	3.76	<5	9	122	<20
S010817		20	3.90	10	0.66	1375	<1	0.22	2	890	13	3.61	<5	10	127	<20
S010818		20	3.51	10	0.50	1230	<1	0.50	3	870	15	3.83	<5	7	126	<20
S010819		20	3.48	10	0.38	1455	<1	0.08	2	780	15	3.70	<5	6	150	<20
S010820		<10	0.01	<10	1.84	21	<1	<0.01	<1	30	4	0.03	<5	<1	4540	<20
S010821		20	3.81	10	0.39	872	<1	0.09	2	800	23	3.74	<5	8	98	<20
S010822		20	3.74	10	0.70	1265	<1	0.09	2	880	21	3.35	<5	8	110	<20
S010823		20	3.16	10	0.73	1290	<1	0.66	1	860	15	2.63	<5	8	119	<20
S010824		20	2.84	10	0.83	1105	<1	0.93	2	830	20	2.45	7	8	124	<20
S010825		20	3.10	10	0.65	1000	<1	1.19	2	840	20	2.84	<5	9	144	<20
S010826		20	3.15	10	0.68	1020	<1	0.94	2	860	26	2.45	<5	8	142	<20
S010826D		20	3.25	10	0.70	1040	<1	0.97	2	890	24	2.49	<5	8	145	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010789		0.32	<10	<10	99	<10	46	
S010790		0.34	<10	<10	175	<10	208	
S010791		0.32	<10	<10	102	<10	46	
S010792		0.31	<10	<10	101	10	46	
S010793		0.29	<10	<10	88	<10	45	
S010794		0.31	<10	<10	98	<10	60	
S010795		0.32	<10	<10	105	<10	46	
S010796		0.30	<10	<10	93	<10	50	
S010797		0.30	<10	<10	96	<10	52	
S010798		0.32	<10	<10	104	<10	73	
S010799		0.30	<10	<10	98	<10	69	
S010800		<0.01	<10	<10	1	<10	<2	
S010801		0.29	<10	<10	97	<10	52	
S010802		0.32	<10	<10	102	<10	70	
S010803		0.31	<10	<10	98	<10	66	
S010804		0.32	<10	<10	98	<10	57	
S010805		0.29	<10	<10	93	<10	46	
S010806		0.32	<10	<10	102	<10	66	
S010806D		0.31	<10	<10	98	<10	64	
S010807		0.32	<10	<10	101	<10	54	
S010808		0.28	<10	<10	86	<10	62	
S010809		0.30	<10	<10	96	<10	64	
S010810		0.24	<10	<10	99	10	447	
S010811		0.29	<10	<10	95	<10	43	
S010812		0.30	<10	<10	100	<10	45	
S010813		0.28	<10	<10	88	<10	46	
S010814		0.27	<10	<10	89	<10	62	
S010815		0.27	<10	<10	89	<10	37	
S010816		0.29	<10	<10	95	<10	85	
S010817		0.30	<10	<10	96	10	88	
S010818		0.30	<10	<10	93	<10	80	
S010819		0.28	<10	<10	88	<10	88	
S010820		<0.01	<10	<10	1	<10	<2	
S010821		0.30	<10	<10	92	<10	50	
S010822		0.31	<10	<10	97	<10	79	
S010823		0.30	<10	<10	89	<10	104	
S010824		0.29	<10	<10	89	<10	157	
S010825		0.30	<10	<10	93	<10	114	
S010826		0.30	<10	<10	95	<10	107	
S010826D		0.31	<10	<10	98	<10	107	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S010827		3.46	0.014		<0.5	7.28	35	1450	0.9	<2	3.87	<0.5	11	4	16	3.56
S010828		3.58	0.019		0.9	6.40	42	1610	0.9	<2	3.92	<0.5	8	5	17	3.39
S010829		3.64	0.020		0.6	6.86	31	1650	0.8	<2	3.87	<0.5	9	5	16	3.37
S010830		0.13	>10.0	10.50	>100	6.04	389	380	1.0	<2	3.89	4.5	11	31	149	3.80
S010831		3.49	0.042		0.8	7.37	39	1670	0.8	<2	4.27	<0.5	9	5	12	3.37
S010832		3.66	0.037		1.1	8.02	27	690	0.9	<2	4.29	<0.5	9	5	16	3.45
S010833		3.44	0.037		2.1	7.26	54	510	1.0	<2	5.08	<0.5	8	4	13	3.15
S010834		3.89	0.302		8.8	7.85	197	180	1.2	<2	2.55	<0.5	9	5	13	3.91
S010835		3.84	0.290		7.7	8.72	129	220	1.4	<2	1.51	<0.5	10	6	9	4.32
S010836		3.49	0.064		6.1	7.92	146	230	1.3	<2	3.22	<0.5	9	5	12	3.47
S010837		3.36	0.140		5.7	8.08	162	170	1.3	<2	2.58	<0.5	11	6	12	4.02
S010838		3.32	0.071		4.6	7.49	111	240	1.2	<2	3.96	<0.5	9	5	15	3.57
S010839		3.39	0.078		4.4	5.35	109	200	1.1	2	3.51	<0.5	9	5	17	3.24
S010840		1.24	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.9	<0.5	<1	<1	<1	0.04
S010841		3.30	0.095		3.6	6.21	88	220	1.2	<2	2.89	<0.5	9	5	13	3.44
S010842		3.81	0.084		2.9	6.04	115	230	1.1	<2	2.87	<0.5	9	4	17	3.18
S010843		3.67	0.076		3.3	5.91	82	220	1.2	<2	2.80	<0.5	9	5	16	3.37
S010844		3.73	0.065		2.7	5.94	102	290	1.1	<2	3.28	<0.5	9	4	16	3.37
S010845		3.60	0.060		2.2	6.19	74	400	1.1	2	3.00	<0.5	8	4	13	3.19
S010846		3.48	0.095		3.3	7.11	89	310	1.1	<2	2.37	<0.5	9	5	13	3.61
S010846D		<0.02	0.095		3.4	7.32	92	260	1.2	3	2.48	0.5	9	6	14	3.80
S010847		3.96	0.059		2.1	7.14	87	360	1.1	<2	2.90	<0.5	9	4	15	3.47
S010848		3.63	0.040		1.4	7.39	48	420	1.0	<2	2.79	<0.5	9	5	15	3.46
S010849		3.54	0.015		0.6	7.13	41	1620	0.9	<2	3.06	<0.5	8	4	21	3.03
S010850		0.13	5.52		80.3	5.94	276	440	0.9	<2	1.88	21.7	9	21	115	4.48

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S010827		20	3.20	10	0.99	1190	<1	1.03	3	890	14	2.12	<5	9	155	<20
S010828		20	3.01	10	0.87	1180	<1	1.10	1	880	22	2.07	<5	8	169	<20
S010829		20	2.91	10	1.00	1255	<1	1.30	2	870	13	1.65	<5	8	179	<20
S010830		10	3.84	10	0.49	1385	8	0.17	22	830	244	3.09	58	10	202	<20
S010831		20	2.89	10	1.10	1365	<1	1.41	2	820	12	1.69	<5	10	185	<20
S010832		20	3.11	10	0.98	1290	<1	1.42	2	860	11	2.48	<5	11	171	<20
S010833		20	3.57	10	0.62	1430	<1	1.02	3	880	14	2.96	<5	10	173	<20
S010834		20	4.08	10	0.55	694	<1	0.15	3	850	54	4.12	<5	10	82	<20
S010835		20	4.54	10	0.64	421	<1	0.09	3	920	34	4.62	5	12	55	<20
S010836		20	4.44	10	0.59	923	<1	0.09	2	910	20	3.74	<5	10	91	<20
S010837		20	4.45	10	0.62	739	<1	0.08	2	870	20	4.31	8	11	76	<20
S010838		20	4.30	10	0.59	1160	<1	0.13	3	870	14	3.84	5	10	106	<20
S010839		20	3.95	<10	0.38	1035	<1	0.08	2	860	13	3.78	<5	7	94	<20
S010840		<10	0.02	<10	1.52	18	<1	<0.01	<1	30	<2	0.07	<5	<1	4980	<20
S010841		20	4.02	10	0.43	839	<1	0.07	1	870	11	3.95	<5	8	95	<20
S010842		20	4.05	<10	0.41	819	<1	0.07	2	860	15	3.69	<5	8	97	<20
S010843		20	3.97	10	0.41	854	<1	0.08	2	840	13	3.86	<5	7	83	<20
S010844		20	3.66	10	0.56	1115	<1	0.38	3	850	9	3.72	<5	7	100	<20
S010845		20	3.62	10	0.53	1040	<1	0.31	2	810	13	3.52	<5	8	95	<20
S010846		20	3.68	10	0.64	854	<1	0.36	4	860	12	3.88	<5	9	86	<20
S010846D		20	3.92	10	0.65	895	<1	0.38	3	900	15	4.10	<5	9	89	<20
S010847		20	3.67	10	0.80	1080	<1	0.52	3	920	10	3.59	<5	9	101	<20
S010848		20	3.61	10	1.09	1225	<1	0.58	2	920	10	3.33	<5	9	105	<20
S010849		20	3.15	10	1.51	1565	<1	0.94	<1	920	9	2.28	<5	9	130	<20
S010850		20	3.54	10	0.44	1150	9	0.22	15	940	8590	2.88	70	11	141	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S010827		0.31	<10	<10	99	<10	118	
S010828		0.31	<10	<10	97	<10	114	
S010829		0.31	<10	<10	97	<10	113	
S010830		0.24	10	<10	101	<10	511	134
S010831		0.30	<10	<10	99	<10	102	
S010832		0.31	<10	10	97	<10	105	
S010833		0.31	<10	<10	98	<10	89	
S010834		0.30	<10	<10	98	<10	83	
S010835		0.33	<10	<10	109	<10	76	
S010836		0.33	<10	<10	103	<10	86	
S010837		0.32	<10	<10	104	<10	97	
S010838		0.32	<10	<10	101	<10	98	
S010839		0.31	<10	<10	98	<10	73	
S010840		<0.01	<10	<10	1	<10	<2	
S010841		0.30	<10	<10	98	<10	47	
S010842		0.30	<10	<10	98	<10	54	
S010843		0.30	<10	<10	98	<10	51	
S010844		0.30	<10	<10	99	<10	50	
S010845		0.29	<10	<10	92	<10	43	
S010846		0.30	<10	<10	96	<10	42	
S010846D		0.32	<10	<10	101	<10	44	
S010847		0.32	<10	<10	98	<10	56	
S010848		0.32	<10	<10	96	<10	80	
S010849		0.32	<10	<10	98	<10	117	
S010850		0.25	<10	<10	117	<10	1790	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15108294

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

CERTIFICATE TR15117133

Project: Bowser Regional Exploration

P.O. No.: BOW-0025

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 5-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007451		3.99	0.008		0.5	8.42	12	1920	1.1	<2	4.93	<0.5	16	5	78	5.09
S007452		3.75	0.008		0.5	7.04	12	1060	1.1	<2	5.84	<0.5	13	4	58	4.24
S007453		4.32	0.025		1.3	6.33	34	240	1.0	<2	6.23	<0.5	16	4	65	5.29
S007454		3.20	0.023		0.7	6.54	36	500	0.9	<2	10.60	<0.5	12	4	38	4.00
S007455		3.76	0.012		0.5	7.27	25	410	1.1	<2	6.39	<0.5	11	4	74	4.21
S007456		4.81	0.020		1.7	7.85	123	480	1.2	<2	6.13	<0.5	14	4	79	5.22
S007457		3.07	0.009		0.5	7.80	29	1980	1.0	<2	5.36	<0.5	12	4	80	4.38
S007458		3.50	0.007		<0.5	8.06	20	1980	1.1	2	5.43	<0.5	8	4	72	4.15
S007459		3.95	0.015		0.9	7.37	54	500	1.0	<2	5.24	<0.5	13	4	68	4.76
S007460		0.60	<0.005		<0.5	0.04	<5	10	<0.5	2	35.1	<0.5	<1	<1	<1	0.03
S007461		3.11	0.006		<0.5	7.69	17	1880	1.0	3	6.67	<0.5	10	3	62	4.28
S007462		3.75	0.009		0.5	6.64	24	1390	0.9	3	7.53	<0.5	11	3	85	4.51
S007463		3.66	0.010		0.8	7.66	24	1790	1.0	2	6.23	<0.5	12	3	85	4.95
S007464		3.04	0.007		0.6	7.97	25	1900	1.1	5	5.21	<0.5	15	4	70	4.74
S007465		3.46	0.009		0.5	7.55	38	670	1.1	2	6.25	<0.5	13	3	56	5.18
S007466		3.75	0.005		0.5	7.99	14	1840	1.1	4	7.01	<0.5	14	3	75	4.86
S007466D		<0.02	0.013		<0.5	8.42	14	1900	1.1	3	7.23	<0.5	12	3	74	5.03
S007467		3.51	0.009		0.8	8.42	16	1830	1.1	2	8.58	<0.5	12	3	91	5.07
S007468		3.50	<0.005		0.5	7.95	10	1620	1.1	2	5.67	<0.5	13	4	63	4.94
S007469		3.42	<0.005		0.6	7.90	<5	1590	1.1	<2	6.08	<0.5	13	4	63	4.77
S007470		0.12	1.075		16.4	6.43	328	280	1.0	<2	3.84	4.6	11	22	87	4.27
S007471		3.86	0.007		0.5	8.07	12	1620	1.2	3	5.89	<0.5	12	4	57	4.63
S007472		3.92	0.006		0.7	7.88	24	1630	1.2	4	5.83	<0.5	13	4	65	4.79
S007473		3.98	0.014		0.8	7.92	45	1550	1.2	4	5.96	<0.5	14	4	52	4.97
S007474		3.71	0.011		0.5	8.38	19	1560	1.2	4	6.23	<0.5	16	6	101	5.62
S007475		3.44	0.027		1.0	7.96	26	500	1.2	<2	4.44	0.6	16	6	57	5.66
S007476		4.02	0.100		1.3	7.30	77	760	1.1	<2	6.13	3.6	13	5	96	4.85
S007477		3.59	0.057		1.0	7.25	74	800	1.2	<2	6.11	0.6	15	8	31	4.41
S007478		3.28	1.560		3.6	7.66	97	1100	1.2	<2	3.95	11.1	15	5	378	4.83
S007479		4.70	4.48		31.8	6.86	194	220	1.1	<2	3.86	114.5	15	5	3970	5.01
S007480		0.60	<0.005		<0.5	0.08	<5	10	<0.5	3	36.3	<0.5	<1	<1	3	0.05
S007481		3.36	0.026		1.3	8.28	35	1560	1.3	2	2.55	<0.5	13	6	147	4.34
S007482		3.73	0.476		1.2	6.92	73	360	1.0	4	5.03	1.3	12	5	99	4.40
S007483		3.82	0.104		2.1	6.72	152	130	1.1	5	2.60	0.5	18	3	25	5.00
S007484		4.40	0.039		0.8	7.99	46	120	1.2	<2	3.10	<0.5	14	4	20	5.65
S007485		3.59	0.027		0.9	8.29	25	160	1.3	4	2.81	0.7	15	5	25	5.30
S007486		4.89	0.044		1.5	10.85	39	170	1.6	<2	2.09	1.6	23	7	36	7.41
S007486D		<0.02	0.050		1.5	10.30	41	110	1.6	2	1.71	1.4	23	8	40	8.15
S007487		4.82	0.035		0.9	9.17	47	340	1.3	4	4.54	0.7	19	4	33	5.92
S007488		2.48	0.027		0.9	7.69	28	340	1.1	<2	5.62	1.2	15	4	56	4.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007451		20	3.16	10	1.53	1670	<1	0.24	1	1350	7	1.79	9	17	278	<20
S007452		20	3.16	10	0.83	2010	<1	0.20	2	1200	9	2.55	10	14	312	<20
S007453		20	3.09	10	0.58	2350	<1	0.17	1	1150	15	4.42	12	13	313	<20
S007454		20	2.82	10	0.70	4640	<1	0.10	<1	1020	9	2.97	7	14	490	<20
S007455		10	3.09	10	0.92	2850	<1	0.12	3	1170	14	2.34	6	15	324	<20
S007456		20	3.41	10	0.93	2760	<1	0.22	4	1320	15	3.20	<5	16	333	<20
S007457		20	3.05	10	1.35	3020	2	0.18	4	1250	4	0.73	<5	16	298	<20
S007458		20	3.10	10	1.33	3180	1	0.18	4	1230	3	0.64	<5	16	298	<20
S007459		20	3.02	10	0.95	3200	<1	0.17	3	1160	7	2.42	<5	15	276	<20
S007460		<10	0.01	<10	2.03	25	<1	<0.01	<1	30	<2	0.09	<5	<1	5810	<20
S007461		20	3.03	10	1.08	3660	<1	0.23	4	1190	4	1.47	<5	16	378	<20
S007462		10	2.51	10	1.02	4770	<1	0.16	3	1010	5	1.56	<5	13	406	<20
S007463		20	2.93	10	1.14	5140	<1	0.15	3	1170	5	1.37	<5	16	324	<20
S007464		20	3.21	10	1.03	4390	1	0.13	6	1190	3	1.70	<5	16	269	<20
S007465		20	3.08	10	1.00	5140	<1	0.15	3	1160	5	2.61	<5	15	324	<20
S007466		20	3.14	10	1.18	4930	<1	0.16	4	1210	5	1.58	<5	16	392	<20
S007466D		20	3.29	10	1.22	5060	<1	0.17	4	1270	8	1.64	5	17	407	<20
S007467		20	3.20	10	1.39	3970	<1	0.16	4	1260	6	1.56	<5	17	868	<20
S007468		20	2.85	10	1.65	2940	<1	0.10	3	1210	4	0.98	<5	16	334	<20
S007469		20	2.85	10	1.71	2880	<1	0.10	3	1210	3	0.94	<5	16	357	<20
S007470		10	4.14	10	0.59	1470	9	0.23	23	960	154	3.00	16	11	201	<20
S007471		20	3.02	10	1.63	2750	<1	0.10	2	1240	5	1.29	<5	16	320	<20
S007472		20	3.02	10	1.60	2480	<1	0.11	5	1230	6	1.72	5	16	289	<20
S007473		20	3.18	10	1.44	2440	<1	0.15	3	1270	9	2.39	<5	16	295	<20
S007474		20	3.11	10	2.02	2730	<1	0.20	5	1530	9	2.26	<5	21	327	<20
S007475		20	3.22	10	1.67	2370	<1	0.14	4	1500	18	3.56	<5	22	225	<20
S007476		20	3.13	10	1.13	3110	<1	0.11	5	1210	307	2.99	<5	14	240	<20
S007477		20	3.31	10	0.85	2700	<1	0.11	8	1310	91	2.92	<5	13	238	<20
S007478		20	3.14	10	1.08	2150	<1	0.11	9	1170	1145	2.49	<5	14	168	<20
S007479		20	2.96	10	0.78	2040	1	0.10	8	1090	>10000	4.38	17	12	161	<20
S007480		<10	0.01	<10	2.16	25	<1	<0.01	1	40	6	0.07	<5	<1	5130	<20
S007481		20	3.41	10	1.25	1555	<1	0.11	7	1280	178	1.17	5	15	117	<20
S007482		20	2.97	10	0.87	2520	<1	0.10	7	1120	154	2.77	<5	13	197	<20
S007483		20	3.38	10	0.35	1090	3	0.11	6	1320	87	5.00	6	15	107	<20
S007484		20	3.81	10	0.46	1340	<1	0.13	4	1440	69	5.68	6	16	128	<20
S007485		20	4.17	<10	0.51	1355	<1	0.14	5	1490	89	5.29	<5	17	121	<20
S007486		20	5.31	10	0.65	942	<1	0.17	9	1850	131	7.42	8	22	110	<20
S007486D		20	5.34	10	0.56	819	<1	0.18	11	1830	136	8.36	5	20	95	<20
S007487		20	4.27	10	0.95	2390	<1	0.14	7	1540	35	4.98	<5	18	187	<20
S007488		20	3.79	10	0.78	2500	<1	0.13	6	1420	21	4.05	<5	15	221	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Pb-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.01	10	10	1	10	2	1	0.001	0.001
S007451		0.49	<10	<10	118	<10	134			
S007452		0.44	<10	<10	115	<10	73			
S007453		0.40	<10	<10	120	<10	48			
S007454		0.36	<10	<10	112	<10	49			
S007455		0.41	<10	<10	128	<10	76			
S007456		0.47	<10	<10	150	<10	84			
S007457		0.45	<10	<10	134	<10	109			
S007458		0.44	<10	<10	87	<10	95			
S007459		0.41	<10	<10	80	<10	70			
S007460		<0.01	<10	<10	1	<10	<2			
S007461		0.42	<10	<10	113	<10	84			
S007462		0.35	<10	<10	79	<10	83			
S007463		0.41	10	<10	96	<10	96			
S007464		0.43	10	<10	93	<10	88			
S007465		0.42	<10	<10	95	<10	83			
S007466		0.44	10	<10	141	<10	106			
S007466D		0.45	10	<10	144	<10	107			
S007467		0.45	<10	<10	169	<10	127			
S007468		0.43	<10	<10	97	<10	155			
S007469		0.43	10	<10	111	<10	172			
S007470		0.27	10	<10	110	<10	509			
S007471		0.44	<10	<10	157	<10	174			
S007472		0.45	<10	<10	106	<10	178			
S007473		0.45	<10	<10	111	<10	164			
S007474		0.53	10	<10	281	<10	254			
S007475		0.51	10	<10	305	<10	237			
S007476		0.43	<10	<10	147	<10	624			
S007477		0.45	<10	<10	148	<10	210			
S007478		0.43	10	<10	146	10	1815			
S007479		0.38	10	<10	139	10	>10000		1.080	1.735
S007480		<0.01	10	<10	1	<10	11			
S007481		0.48	<10	<10	161	<10	319			
S007482		0.40	<10	<10	142	<10	352			
S007483		0.43	<10	<10	155	<10	79			
S007484		0.41	<10	<10	139	<10	78			
S007485		0.47	10	<10	171	<10	137			
S007486		0.60	10	<10	232	<10	263			
S007486D		0.63	10	<10	239	<10	242			
S007487		0.51	10	<10	194	<10	199			
S007488		0.49	<10	<10	170	<10	226			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007489		3.44	0.032		1.0	6.91	50	310	1.0	<2	5.37	0.6	12	5	61	4.80
S007490		0.17	6.04		81.4	6.41	290	390	1.0	2	2.04	22.9	11	23	124	5.03
S007491		3.05	0.032		0.9	6.97	70	450	1.0	<2	5.28	0.7	14	4	31	4.88
S007492		3.93	0.023		1.0	7.23	62	570	1.1	3	5.92	0.5	12	5	33	4.65
S007493		2.32	0.056		1.2	7.48	103	340	1.0	<2	4.97	<0.5	15	4	32	5.11
S007501		7.08	<0.005		<0.5	7.73	9	2460	1.0	<2	6.00	0.5	18	15	73	5.43
S007502		7.44	<0.005		<0.5	8.45	5	2300	1.1	<2	2.29	<0.5	20	16	81	5.76
S007503		7.12	<0.005		<0.5	8.96	11	2310	1.1	6	1.50	<0.5	23	16	82	6.24
S007504		5.92	<0.005		<0.5	8.63	<5	2280	1.1	4	1.74	<0.5	20	12	53	6.02
S007505		8.36	<0.005		<0.5	9.29	<5	2610	1.1	2	1.84	<0.5	18	8	12	6.52
S007506		8.63	<0.005		<0.5	9.84	6	2190	1.3	2	1.07	<0.5	18	13	17	5.38
S007506D		<0.02	<0.005		<0.5	9.65	7	2190	1.3	3	1.05	<0.5	19	13	17	5.34
S007507		5.97	<0.005		<0.5	9.47	6	2120	1.3	3	1.14	<0.5	16	17	4	4.81
S007508		5.97	<0.005		<0.5	8.49	11	1610	1.1	<2	1.91	<0.5	17	35	16	5.71
S007509		9.00	<0.005		<0.5	9.32	14	1840	1.2	7	1.81	<0.5	16	15	32	6.19
S007510		0.12	1.025		14.0	6.34	329	310	1.0	<2	3.75	4.4	10	26	86	4.21
S007511		7.07	<0.005		<0.5	8.93	9	2340	1.2	2	2.34	<0.5	17	12	41	6.58
S007512		8.11	<0.005		<0.5	9.06	5	2200	1.3	5	1.44	<0.5	14	11	8	6.12
S007513		7.92	<0.005		<0.5	8.98	8	1850	1.3	4	1.07	<0.5	15	10	39	5.07
S007514		8.25	<0.005		<0.5	8.79	5	1480	1.3	2	1.74	<0.5	13	5	2	3.32
S007515		11.20	<0.005		<0.5	10.35	6	2160	1.5	3	1.14	<0.5	21	3	2	3.39
S007516		8.29	<0.005		<0.5	9.96	8	2530	1.3	<2	0.84	<0.5	12	15	6	5.74
S007517		5.65	<0.005		<0.5	10.30	7	2570	1.4	2	0.36	<0.5	16	15	3	6.89
S007518		6.93	<0.005		<0.5	10.45	5	2750	1.4	4	0.28	<0.5	12	20	2	7.77
S007519		6.15	<0.005		<0.5	9.98	7	3060	1.5	5	0.46	<0.5	10	17	<1	8.32
S007520		0.58	<0.005		<0.5	0.05	<5	10	<0.5	<2	37.5	<0.5	1	1	<1	0.04
S007521		6.41	<0.005		<0.5	10.95	6	2920	1.3	4	0.58	<0.5	10	9	12	5.91
S007522		4.40	<0.005		0.6	10.60	6	2330	1.4	4	0.52	<0.5	16	9	161	5.93
S007523		4.26	<0.005		0.7	8.29	8	1710	1.1	3	0.99	<0.5	12	8	192	4.12
S007524		6.13	<0.005		<0.5	8.61	5	1060	1.1	4	1.31	<0.5	7	3	69	3.15
S007525		3.90	<0.005		<0.5	8.22	5	810	0.9	<2	1.45	<0.5	8	3	40	3.53
S007526		7.13	<0.005		<0.5	7.45	7	1000	0.9	5	1.99	<0.5	7	3	24	3.37
S007526D		<0.02	<0.005		<0.5	7.49	5	1040	0.9	2	2.04	<0.5	8	4	25	3.42
S007527		8.13	<0.005		<0.5	7.99	9	980	0.9	<2	2.04	<0.5	7	6	9	3.29
S007528		7.23	<0.005		<0.5	8.55	14	1310	1.4	3	1.18	<0.5	7	5	1	3.66
S007529		7.74	<0.005		<0.5	8.44	10	1480	1.3	2	2.16	<0.5	8	7	<1	3.57
S007530		0.13	>10.0	10.65	>100	5.77	370	1010	0.9	<2	3.62	4.5	11	30	144	3.55
S007531		5.26	<0.005		<0.5	8.40	10	1320	1.2	<2	1.65	<0.5	7	5	1	3.56
S007532		6.14	<0.005		<0.5	9.52	12	2240	1.7	2	1.27	<0.5	7	3	1	3.58
S007533		5.42	<0.005		<0.5	8.22	8	2480	1.3	<2	2.38	<0.5	8	4	<1	3.45

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007489		20	3.30	10	0.78	2830	<1	0.11	9	1180	22	4.15	5	13	221	<20
S007490		10	3.87	10	0.50	1240	9	0.24	17	990	8820	3.12	76	12	150	<20
S007491		20	3.40	10	0.92	2740	<1	0.11	5	1320	59	3.99	<5	14	227	<20
S007492		20	3.53	10	0.96	2790	<1	0.12	5	1340	48	3.46	6	14	209	<20
S007493		20	3.41	10	0.93	2550	<1	0.11	4	1280	52	4.12	<5	15	209	<20
S007501		10	2.07	20	1.55	2130	1	0.24	10	1030	24	0.05	<5	24	169	<20
S007502		20	2.35	20	1.72	1470	<1	0.20	11	870	13	0.01	<5	24	110	<20
S007503		20	2.43	20	1.80	1320	<1	0.34	12	1690	6	0.01	<5	27	111	<20
S007504		20	2.39	20	1.65	1225	<1	0.44	11	1020	5	0.01	<5	24	119	<20
S007505		20	2.47	20	1.62	1085	<1	0.65	9	780	3	0.01	<5	25	162	<20
S007506		20	2.45	20	1.89	875	<1	1.31	9	730	3	<0.01	<5	20	265	<20
S007506D		20	2.47	20	1.89	873	<1	1.29	7	810	4	<0.01	<5	20	257	<20
S007507		20	2.40	20	1.60	711	<1	1.55	8	580	4	<0.01	<5	17	307	<20
S007508		20	1.88	20	1.79	1010	<1	1.28	8	1410	4	<0.01	<5	26	201	<20
S007509		20	2.21	20	1.62	897	<1	1.38	9	2940	5	<0.01	<5	24	238	<20
S007510		10	4.05	10	0.58	1440	9	0.22	21	970	154	2.98	19	11	199	<20
S007511		20	2.46	20	1.59	965	<1	0.85	9	1120	8	0.01	<5	25	197	<20
S007512		20	2.66	20	1.36	657	<1	0.95	7	470	6	<0.01	<5	22	187	<20
S007513		20	2.36	20	1.72	717	<1	1.08	6	390	7	<0.01	<5	17	275	<20
S007514		20	1.87	20	1.44	560	<1	2.04	2	790	12	<0.01	<5	8	669	<20
S007515		20	2.72	30	1.44	450	<1	1.77	4	890	9	<0.01	<5	9	502	20
S007516		20	3.31	30	0.67	278	<1	1.01	9	790	9	<0.01	<5	25	249	<20
S007517		20	3.36	10	0.85	343	<1	0.52	8	130	8	0.01	<5	24	190	<20
S007518		20	3.67	10	0.70	280	<1	0.49	7	190	9	<0.01	<5	26	184	<20
S007519		20	3.66	20	0.47	218	<1	0.51	9	140	13	0.01	<5	26	203	<20
S007520		<10	0.01	<10	1.73	20	<1	<0.01	<1	40	2	0.04	<5	<1	4930	<20
S007521		20	3.63	10	0.88	443	<1	0.53	9	90	5	0.01	<5	25	198	<20
S007522		20	2.97	20	1.32	667	<1	0.63	7	110	<2	<0.01	<5	22	223	<20
S007523		20	1.86	30	0.98	721	<1	1.60	3	420	13	0.01	<5	9	363	<20
S007524		20	1.26	10	0.86	837	<1	2.89	3	820	11	0.01	<5	8	442	<20
S007525		10	0.83	20	1.16	1165	<1	3.25	1	770	10	0.01	5	7	431	<20
S007526		10	0.85	10	1.07	1100	<1	2.50	3	720	5	0.01	<5	7	445	<20
S007526D		10	0.88	10	1.10	1130	<1	2.48	2	730	3	0.01	<5	7	442	<20
S007527		10	0.74	20	0.97	923	<1	3.57	3	820	8	0.01	<5	8	551	<20
S007528		20	1.25	20	0.88	551	<1	3.81	3	830	8	<0.01	<5	9	428	<20
S007529		20	1.41	10	0.77	630	<1	3.22	2	810	9	<0.01	<5	8	518	<20
S007530		10	3.55	10	0.45	1315	9	0.15	23	810	238	2.97	54	10	197	<20
S007531		20	1.24	10	0.82	699	<1	3.29	<1	820	7	<0.01	<5	7	453	<20
S007532		20	2.08	20	0.74	585	<1	2.97	<1	1040	6	0.01	<5	10	449	<20
S007533		20	1.55	10	0.61	715	1	2.63	1	830	8	0.03	<5	8	502	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Pb-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.01	10	10	1	10	2	1	0.001	0.001
S007489		0.42	<10	<10	152	<10	151			
S007490		0.27	10	<10	125	<10	1935			
S007491		0.45	10	<10	161	<10	176			
S007492		0.48	10	<10	173	10	173			
S007493		0.45	10	10	166	<10	148			
S007501		0.47	10	<10	180	<10	82			
S007502		0.50	<10	<10	181	<10	89			
S007503		0.57	10	<10	191	<10	99			
S007504		0.53	10	<10	198	<10	98			
S007505		0.52	<10	<10	157	<10	101			
S007506		0.46	<10	<10	111	<10	106			
S007506D		0.46	10	<10	110	<10	107			
S007507		0.41	10	<10	106	<10	93			
S007508		0.57	<10	<10	147	<10	100			
S007509		0.56	10	<10	178	<10	114			
S007510		0.27	10	<10	106	<10	512			
S007511		0.53	10	<10	167	<10	117			
S007512		0.51	10	<10	148	<10	98			
S007513		0.43	<10	<10	133	<10	94			
S007514		0.28	<10	<10	107	<10	78			
S007515		0.32	<10	<10	137	<10	101			
S007516		0.51	<10	<10	131	<10	75			
S007517		0.56	10	<10	148	<10	140			
S007518		0.68	<10	<10	222	<10	103			
S007519		0.63	10	<10	228	<10	71			
S007520		<0.01	10	<10	1	<10	<2			
S007521		0.56	<10	<10	126	<10	96			
S007522		0.50	<10	<10	128	<10	141			
S007523		0.33	<10	<10	122	<10	108			
S007524		0.30	<10	<10	143	<10	59			
S007525		0.28	<10	<10	131	<10	68			
S007526		0.27	10	<10	96	<10	68			
S007526D		0.27	<10	<10	98	<10	71			
S007527		0.30	<10	<10	93	<10	70			
S007528		0.33	<10	<10	97	<10	71			
S007529		0.29	<10	<10	90	<10	71			
S007530		0.22	<10	<10	95	<10	486	133		
S007531		0.30	<10	<10	93	<10	77			
S007532		0.38	<10	<10	130	<10	65			
S007533		0.31	<10	<10	108	<10	68			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007534		4.74	<0.005		<0.5	8.38	11	1820	1.1	<2	2.25	<0.5	6	5	<1	3.29
S007535		4.34	<0.005		<0.5	10.05	6	6590	1.7	<2	1.37	<0.5	8	3	20	3.26
S007536		5.43	<0.005		<0.5	7.30	<5	8800	0.8	<2	4.66	<0.5	20	26	18	6.02
S007537		5.96	<0.005		<0.5	8.49	<5	390	0.9	<2	4.40	0.5	31	37	19	8.34
S007538		6.16	<0.005		<0.5	8.01	<5	550	1.0	3	4.88	2.4	28	28	30	7.38
S007539		5.22	<0.005		2.6	7.73	7	1730	1.0	3	3.70	11.1	24	31	439	5.32
S007540		0.51	<0.005		<0.5	0.05	<5	10	<0.5	<2	32.2	<0.5	<1	1	<1	0.04
S007541		4.29	<0.005		<0.5	8.28	16	1700	1.2	<2	2.96	<0.5	6	6	11	3.09
S007542		6.67	<0.005		<0.5	9.28	9	1850	1.7	<2	2.01	<0.5	6	4	1	3.88
S007543		5.59	<0.005		<0.5	9.29	6	1940	1.7	<2	1.38	<0.5	7	5	2	3.88
S007544		8.46	<0.005		<0.5	9.05	7	1500	1.3	<2	1.83	<0.5	6	5	41	3.84
S007545		6.21	<0.005		<0.5	8.91	6	1710	1.2	<2	1.12	<0.5	10	3	43	3.68
S007546		5.08	<0.005		<0.5	9.29	<5	1360	1.7	<2	0.97	0.5	12	3	59	2.81
S007546D		<0.02	<0.005		<0.5	9.15	<5	1340	1.7	<2	0.97	0.5	10	3	59	2.77
S007547		6.90	<0.005		<0.5	8.69	<5	1240	1.6	<2	1.09	<0.5	12	6	42	3.06
S007548		3.20	<0.005		0.5	8.29	<5	1410	1.4	2	2.11	<0.5	15	7	94	3.65
S007549		8.55	<0.005		<0.5	8.33	6	840	1.1	<2	4.53	<0.5	30	38	26	8.57
S007550		0.14	5.73		79.1	6.20	295	1180	1.0	<2	1.92	22.2	12	23	116	4.67
S007551		7.31	<0.005		<0.5	8.68	6	1990	1.4	<2	1.54	<0.5	7	4	1	3.72
S007552		7.36	<0.005		<0.5	8.78	8	1750	1.2	<2	2.07	<0.5	7	6	<1	3.83
S007553		5.76	<0.005		<0.5	8.96	<5	2600	1.4	<2	1.97	<0.5	8	5	96	3.78
S007554		6.74	<0.005		<0.5	8.11	<5	350	1.0	2	5.97	0.5	29	34	23	7.56
S007555		5.48	<0.005		<0.5	8.33	<5	440	1.3	4	5.31	<0.5	35	47	23	8.40
S007556		7.91	<0.005		<0.5	8.61	<5	500	1.1	<2	5.01	<0.5	28	24	26	8.66
S007557		6.33	<0.005		<0.5	8.95	<5	1910	1.3	<2	1.03	<0.5	6	3	19	3.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007534		20	1.22	10	0.61	715	<1	3.18	<1	770	6	0.02	<5	8	548	<20
S007535		20	2.27	10	1.03	971	<1	1.95	1	1050	3	0.09	<5	10	555	<20
S007536		20	0.22	10	2.59	3200	<1	1.05	8	2590	4	0.02	<5	20	435	<20
S007537		20	0.13	10	3.93	5380	<1	2.28	12	3790	7	<0.01	<5	22	317	<20
S007538		20	0.21	10	3.46	4530	2	2.08	8	3560	18	<0.01	<5	23	327	<20
S007539		20	0.42	10	2.27	2750	29	2.39	8	2680	27	0.03	<5	19	354	<20
S007540		<10	<0.01	<10	1.59	29	<1	0.01	<1	40	<2	0.07	<5	<1	4650	<20
S007541		20	1.23	10	0.82	1115	<1	2.11	<1	750	12	<0.01	<5	8	760	<20
S007542		20	1.67	20	0.64	722	<1	3.33	<1	890	8	<0.01	<5	9	509	<20
S007543		20	1.91	20	0.55	491	<1	2.96	<1	1010	10	<0.01	<5	9	506	<20
S007544		20	1.41	20	0.87	854	<1	3.04	<1	890	8	<0.01	<5	8	518	<20
S007545		20	1.25	10	1.28	1195	<1	2.59	<1	930	5	0.01	<5	8	452	<20
S007546		20	1.32	10	1.10	1135	<1	2.68	<1	850	4	0.01	<5	9	448	<20
S007546D		20	1.32	10	1.09	1140	<1	2.65	<1	850	3	<0.01	<5	9	444	<20
S007547		20	0.99	10	1.17	1330	<1	2.93	2	1100	4	0.01	<5	9	433	<20
S007548		20	0.93	20	1.37	1835	<1	2.59	3	1040	5	0.01	<5	10	435	<20
S007549		20	0.22	10	4.47	5880	<1	1.62	16	3920	7	0.01	<5	21	335	<20
S007550		10	3.71	10	0.48	1175	9	0.23	14	940	8550	3.00	76	12	146	<20
S007551		20	1.42	20	0.62	926	<1	3.21	<1	830	15	0.01	<5	8	512	<20
S007552		20	1.25	20	0.49	925	<1	3.55	<1	870	8	<0.01	<5	9	580	<20
S007553		20	1.66	10	1.07	1890	<1	2.10	<1	1040	9	0.02	<5	10	449	<20
S007554		20	0.07	20	3.92	6480	<1	1.97	11	3730	6	<0.01	<5	26	350	<20
S007555		20	0.10	10	4.55	7380	<1	1.78	20	3720	8	<0.01	<5	23	360	<20
S007556		20	0.10	20	3.89	6670	<1	2.11	7	4490	6	<0.01	5	28	342	<20
S007557		20	1.48	20	0.76	883	<1	3.23	<1	940	6	0.01	<5	9	410	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Pb-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Pb	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	LOR	0.01	10	10	1	10	2	1	0.001	0.001
S007534		0.30	<10	<10	96	<10	65			
S007535		0.39	<10	<10	134	<10	79			
S007536		0.80	<10	<10	245	<10	125			
S007537		1.18	<10	<10	289	<10	142			
S007538		1.10	<10	<10	257	<10	128			
S007539		0.87	<10	<10	232	<10	134			
S007540		<0.01	<10	10	2	<10	<2			
S007541		0.30	<10	<10	105	<10	65			
S007542		0.37	<10	<10	123	<10	69			
S007543		0.36	<10	<10	164	<10	57			
S007544		0.32	<10	<10	137	<10	72			
S007545		0.33	<10	<10	148	<10	82			
S007546		0.34	<10	<10	171	<10	69			
S007546D		0.35	<10	<10	170	<10	69			
S007547		0.37	<10	<10	210	<10	83			
S007548		0.39	<10	<10	261	<10	107			
S007549		1.18	<10	<10	305	<10	142			
S007550		0.25	<10	<10	122	<10	1835			
S007551		0.32	<10	<10	138	<10	59			
S007552		0.33	<10	<10	137	<10	55			
S007553		0.39	<10	<10	385	<10	75			
S007554		1.11	<10	<10	317	<10	147			
S007555		1.16	<10	<10	284	<10	125			
S007556		1.30	<10	<10	291	<10	143			
S007557		0.33	<10	<10	123	<10	69			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117133

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62	Pb-OG62	Zn-OG62	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

CERTIFICATE TR15117893

Project: Bowser Regional Exploration

P.O. No.: BOW-0028

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007558		7.71	<0.005		<0.5	8.27	6	2050	1.3	<2	1.06	<0.5	6	3	1	3.66
S007559		6.90	<0.005		<0.5	7.49	<5	1370	0.9	2	1.61	<0.5	9	12	12	3.70
S007560		0.53	<0.005		<0.5	0.05	<5	10	<0.5	<2	31.2	<0.5	<1	3	<1	0.04
S007561		8.20	<0.005		<0.5	8.46	<5	1390	1.1	<2	1.15	<0.5	8	6	13	3.61
S007562		7.20	<0.005		<0.5	8.00	6	1350	1.2	3	1.20	1.7	9	7	7	3.79
S007563		8.62	0.005		<0.5	8.13	6	1490	1.2	<2	0.87	3.3	10	3	13	4.04
S007564		6.48	<0.005		<0.5	8.78	9	1520	1.6	2	0.86	<0.5	10	2	54	3.19
S007565		7.10	<0.005		<0.5	8.88	14	1950	1.4	<2	0.92	<0.5	9	3	97	3.48
S007566		4.82	<0.005		<0.5	8.12	9	1920	1.3	5	1.19	<0.5	6	3	3	3.45
S007566D		<0.02	<0.005		<0.5	8.44	7	1980	1.3	2	1.27	<0.5	6	3	2	3.57
S007567		4.86	<0.005		<0.5	8.16	5	2530	1.2	4	1.19	<0.5	10	3	2	3.38
S007568		6.59	<0.005		<0.5	9.14	13	2240	1.3	<2	1.17	<0.5	17	3	9	3.49
S007569		5.78	<0.005		<0.5	7.32	10	2440	1.0	<2	0.66	<0.5	10	7	1	3.42
S007570		0.10	>10.0	19.45	18.4	6.40	711	220	1.2	<2	2.61	1.6	18	100	127	4.70
S007571		7.03	<0.005		<0.5	9.09	9	2610	1.3	3	0.66	<0.5	9	8	108	4.35
S007572		7.50	<0.005		<0.5	9.52	11	2810	1.4	<2	0.71	<0.5	9	6	100	4.44
S007573		7.21	<0.005		<0.5	10.15	23	2970	1.4	<2	0.90	<0.5	11	7	11	4.99
S007574		7.59	<0.005		<0.5	9.25	19	2420	1.0	4	1.35	<0.5	12	4	3	4.69
S007575		7.92	<0.005		<0.5	9.86	23	3520	1.4	2	1.02	<0.5	12	8	6	5.24
S007576		7.94	<0.005		<0.5	10.85	17	3770	1.6	3	1.03	<0.5	11	9	8	5.44
S007577		3.69	<0.005		<0.5	9.35	14	3160	1.2	<2	1.39	<0.5	13	4	3	3.92
S007578		7.19	<0.005		<0.5	9.95	15	2890	1.3	<2	1.92	<0.5	15	5	4	5.06
S007579		4.79	<0.005		<0.5	8.94	14	2680	1.3	<2	1.56	<0.5	11	3	2	4.44
S007580		0.57	0.005		<0.5	0.05	<5	10	<0.5	3	32.8	<0.5	<1	1	<1	0.03
S007581		5.39	<0.005		<0.5	8.00	15	2300	1.2	2	3.05	<0.5	8	4	3	4.53
S007582		6.53	<0.005		<0.5	8.69	9	2160	1.3	2	3.01	<0.5	11	5	5	4.37
S007583		5.58	<0.005		<0.5	8.38	8	1680	1.1	3	2.34	<0.5	10	4	66	4.07
S007584		5.00	<0.005		<0.5	8.48	11	2130	1.2	<2	2.40	<0.5	11	4	4	4.40
S007585		5.99	<0.005		<0.5	8.65	10	2180	1.3	2	2.51	<0.5	12	3	5	4.68
S007586		6.14	<0.005		<0.5	8.13	10	2140	1.1	<2	2.90	<0.5	11	4	8	4.07
S007586D		<0.02	<0.005		<0.5	9.60	10	2380	1.3	3	3.19	<0.5	11	3	12	4.59
S007587		6.43	<0.005		<0.5	9.56	18	2270	1.3	<2	2.80	<0.5	11	8	32	4.64
S007588		4.73	<0.005		<0.5	9.50	11	2430	1.5	<2	1.14	<0.5	10	6	6	4.17
S007589		8.70	<0.005		<0.5	8.87	10	2250	1.3	<2	2.09	<0.5	10	4	35	4.14
S007590		0.12	1.040		13.0	6.19	326	440	1.0	<2	3.61	4.4	11	27	84	3.98
S007591		7.62	<0.005		<0.5	9.31	15	2360	1.3	<2	2.94	<0.5	13	3	23	4.61
S007592		6.49	<0.005		<0.5	8.04	8	2060	1.2	<2	2.63	<0.5	8	3	11	4.00
S007593		7.68	<0.005		<0.5	8.10	13	2240	1.1	<2	2.00	<0.5	9	3	4	3.69
S007594		7.60	<0.005		<0.5	8.85	20	2580	1.4	<2	1.77	<0.5	10	2	<1	3.58
S007595		7.66	<0.005		<0.5	8.28	14	2270	1.2	<2	1.99	<0.5	8	2	2	3.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007558		20	1.68	10	0.48	492	<1	2.81	2	860	8	0.01	<5	8	378	<20
S007559		20	0.87	10	1.24	1485	<1	2.58	3	1180	3	0.01	<5	9	320	<20
S007560		<10	0.01	<10	1.49	20	<1	<0.01	<1	30	2	0.08	<5	<1	4270	<20
S007561		20	1.02	10	1.03	1095	<1	2.73	1	840	4	0.05	<5	8	398	<20
S007562		20	0.84	10	1.19	1385	<1	2.62	3	860	13	0.02	<5	7	327	<20
S007563		20	0.86	10	1.10	1435	<1	3.05	1	870	23	0.17	<5	8	340	<20
S007564		20	1.30	10	0.97	1310	<1	2.64	2	760	29	0.02	<5	8	353	<20
S007565		20	1.54	20	0.78	745	1	2.79	2	880	18	0.02	<5	8	397	<20
S007566		20	1.75	20	0.61	354	<1	2.55	1	800	9	0.01	<5	8	452	<20
S007566D		20	1.78	20	0.64	374	<1	2.64	1	830	12	0.01	<5	8	472	<20
S007567		20	1.74	10	0.76	412	<1	2.39	2	740	7	0.02	<5	7	455	<20
S007568		20	2.08	20	1.33	651	<1	2.01	2	750	8	0.01	<5	8	414	<20
S007569		20	2.24	20	0.88	398	<1	1.06	3	500	6	0.01	<5	8	166	<20
S007570		10	2.81	10	0.65	907	5	0.15	63	1530	54	3.86	15	17	168	<20
S007571		20	2.59	10	0.89	431	<1	2.14	4	450	8	0.01	<5	11	246	<20
S007572		20	2.64	10	0.96	488	<1	2.23	2	640	5	0.01	<5	11	276	<20
S007573		20	3.01	10	0.92	464	<1	2.23	3	620	10	<0.01	<5	12	301	<20
S007574		20	1.99	20	1.36	739	<1	2.51	2	790	7	0.01	<5	11	352	<20
S007575		20	3.64	10	0.77	394	<1	1.04	3	700	11	<0.01	<5	16	272	<20
S007576		20	4.01	10	0.76	367	<1	1.06	4	530	11	<0.01	<5	16	273	<20
S007577		20	3.27	20	0.77	445	<1	0.72	2	910	12	<0.01	<5	12	322	<20
S007578		20	2.88	20	0.88	583	<1	1.45	3	1260	15	<0.01	<5	14	504	<20
S007579		20	2.70	20	0.92	547	<1	1.16	2	1100	13	<0.01	<5	12	363	<20
S007580		<10	0.01	<10	1.42	17	<1	0.01	<1	30	<2	0.04	<5	<1	4370	<20
S007581		20	2.18	10	0.75	863	<1	1.71	1	1090	12	0.02	5	11	494	<20
S007582		20	2.14	10	0.81	904	<1	1.92	1	1130	9	<0.01	<5	11	544	<20
S007583		20	1.61	10	1.13	1130	<1	1.98	2	1150	14	<0.01	<5	11	654	<20
S007584		20	1.91	10	0.76	882	<1	2.32	1	1170	13	<0.01	<5	11	582	<20
S007585		20	2.06	10	0.83	926	<1	2.24	1	1210	8	<0.01	<5	12	572	<20
S007586		20	2.03	10	0.67	886	<1	1.57	1	1090	11	<0.01	<5	11	700	<20
S007586D		20	2.30	20	0.78	1035	<1	1.73	2	1260	16	<0.01	<5	13	805	<20
S007587		20	2.28	20	0.93	1030	<1	1.72	2	1280	15	<0.01	<5	14	754	<20
S007588		20	2.31	10	0.79	618	<1	2.59	2	540	5	<0.01	<5	10	488	<20
S007589		20	2.13	10	0.82	883	<1	2.19	1	960	10	<0.01	<5	11	569	<20
S007590		10	3.86	10	0.56	1430	9	0.21	19	940	152	2.86	16	11	198	<20
S007591		20	2.09	10	0.95	1160	<1	1.97	<1	1240	15	0.01	<5	12	801	<20
S007592		20	1.92	10	0.71	899	<1	1.55	1	1030	13	<0.01	<5	11	687	<20
S007593		20	2.26	10	1.02	818	<1	0.98	<1	800	11	<0.01	<5	9	446	<20
S007594		20	2.82	20	1.37	724	<1	0.50	1	850	7	<0.01	<5	8	266	<20
S007595		20	2.50	10	1.12	682	<1	0.73	<1	820	8	<0.01	<5	7	343	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007558		0.29	<10	<10	94	<10	59	
S007559		0.39	<10	<10	116	<10	87	
S007560		<0.01	<10	<10	1	<10	<2	
S007561		0.29	<10	<10	121	<10	73	
S007562		0.29	<10	<10	119	<10	83	
S007563		0.31	<10	<10	119	<10	80	
S007564		0.31	<10	<10	147	<10	58	
S007565		0.31	<10	<10	218	<10	65	
S007566		0.29	<10	<10	76	<10	69	
S007566D		0.30	<10	<10	79	<10	61	
S007567		0.29	<10	<10	89	<10	82	
S007568		0.32	<10	<10	104	<10	161	
S007569		0.31	<10	<10	81	<10	104	
S007570		0.32	<10	<10	164	<10	209	
S007571		0.43	<10	<10	124	<10	101	
S007572		0.34	<10	<10	113	<10	99	
S007573		0.46	<10	<10	132	<10	100	
S007574		0.35	<10	<10	102	<10	127	
S007575		0.44	<10	<10	100	<10	88	
S007576		0.47	<10	<10	116	<10	85	
S007577		0.35	<10	<10	97	<10	87	
S007578		0.42	<10	<10	121	<10	100	
S007579		0.36	<10	<10	107	<10	89	
S007580		<0.01	<10	<10	1	<10	<2	
S007581		0.35	<10	<10	151	<10	160	
S007582		0.38	<10	<10	169	<10	81	
S007583		0.37	<10	<10	136	<10	96	
S007584		0.38	<10	<10	129	<10	81	
S007585		0.39	<10	<10	138	<10	96	
S007586		0.35	<10	<10	127	<10	81	
S007586D		0.40	<10	<10	150	<10	91	
S007587		0.42	<10	<10	141	<10	113	
S007588		0.35	<10	<10	104	<10	79	
S007589		0.36	<10	<10	115	<10	85	
S007590		0.25	<10	<10	107	10	488	
S007591		0.40	<10	<10	138	<10	108	
S007592		0.34	<10	<10	119	<10	80	
S007593		0.30	<10	<10	89	<10	94	
S007594		0.31	<10	<10	81	<10	88	
S007595		0.28	<10	<10	82	<10	74	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007596		7.13	<0.005		<0.5	8.56	10	2600	1.4	<2	2.22	<0.5	8	5	2	3.42
S007597		8.05	<0.005		<0.5	9.57	12	2610	1.4	<2	2.30	<0.5	10	8	4	3.78
S007598		7.04	<0.005		<0.5	6.80	17	820	0.7	2	3.69	<0.5	7	10	29	2.71
S007599		8.09	<0.005		<0.5	8.33	20	1850	1.2	2	3.85	<0.5	8	7	8	3.41
S007600		0.46	<0.005		<0.5	0.04	<5	10	<0.5	4	35.6	<0.5	<1	3	<1	0.03
S007601		8.27	<0.005		<0.5	8.87	19	2690	1.4	<2	2.73	<0.5	10	6	3	3.73
S007602		7.41	<0.005		<0.5	8.03	19	1880	1.1	<2	5.13	<0.5	9	7	19	3.39
S007603		7.33	<0.005		<0.5	6.96	19	1250	0.8	<2	5.92	<0.5	7	10	11	3.00
S007604		7.93	<0.005		<0.5	8.28	32	1560	1.0	<2	6.17	<0.5	12	7	2	3.61
S007605		7.88	<0.005		<0.5	5.37	28	650	0.5	<2	6.38	<0.5	2	13	16	2.30
S007606		7.84	<0.005		<0.5	5.47	24	760	0.6	<2	6.33	<0.5	2	20	34	2.57
S007606D		<0.02	<0.005		<0.5	5.57	23	740	0.6	<2	6.35	<0.5	4	18	33	2.55
S007607		7.10	<0.005		<0.5	7.70	27	1400	1.0	<2	5.88	<0.5	9	11	43	3.32
S007608		5.94	<0.005		1.2	6.00	26	1430	0.7	2	7.03	<0.5	3	20	52	2.77
S007609		5.20	<0.005		<0.5	8.32	26	2100	1.1	<2	4.83	<0.5	8	10	23	3.68
S007610		0.13	>10.0	10.90	>100	5.87	390	340	1.0	<2	3.71	4.6	12	33	145	3.72
S007611		3.96	0.007		<0.5	6.96	27	940	0.7	<2	6.00	<0.5	6	16	10	2.82
S007612		5.55	<0.005		<0.5	9.25	12	2090	1.2	<2	1.28	<0.5	7	6	3	3.64
S007613		6.68	<0.005		<0.5	8.93	17	2130	1.2	<2	1.78	<0.5	11	6	2	3.48
S007614		3.97	0.013		<0.5	6.07	21	480	0.6	<2	4.58	<0.5	7	11	3	2.53
S007615		5.65	<0.005		<0.5	8.01	21	1590	0.9	<2	2.64	<0.5	8	10	4	3.28
S007616		5.69	<0.005		<0.5	7.02	18	1350	0.9	<2	3.98	<0.5	7	11	2	3.13
S007617		4.87	<0.005		<0.5	7.75	18	1250	1.0	<2	2.89	<0.5	9	9	1	3.25
S007618		4.70	<0.005		<0.5	8.63	16	1660	1.2	<2	2.48	<0.5	7	11	3	3.44
S007619		6.24	<0.005		<0.5	7.01	15	1140	0.9	<2	3.91	<0.5	7	10	1	3.02
S007620		1.27	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.2	<0.5	<1	4	<1	0.04
S007621		6.04	<0.005		<0.5	7.03	8	4020	1.0	<2	2.45	<0.5	6	4	3	2.83
S007622		5.79	<0.005		<0.5	8.64	9	1820	1.4	<2	1.90	<0.5	8	3	3	3.41
S007623		6.16	<0.005		<0.5	8.71	12	1810	1.4	<2	2.08	<0.5	8	3	7	3.39
S007624		5.57	<0.005		<0.5	8.80	9	1820	1.5	<2	1.64	<0.5	7	3	7	3.52
S007625		4.96	<0.005		<0.5	8.73	10	1850	1.4	<2	2.33	<0.5	6	3	6	3.43
S007626		5.19	<0.005		<0.5	8.57	8	1770	1.4	<2	1.90	<0.5	6	3	8	3.39
S007626D		<0.02	<0.005		<0.5	8.59	9	1770	1.4	<2	1.92	<0.5	8	3	8	3.36
S007627		4.83	<0.005		<0.5	8.76	12	1790	1.4	<2	2.14	<0.5	8	3	5	3.51
S007628		5.38	<0.005		<0.5	8.42	11	1560	1.3	2	1.67	<0.5	8	5	6	3.47
S007629		4.08	<0.005		<0.5	9.81	12	2110	1.6	2	1.70	<0.5	7	4	5	3.93
S007630		0.13	5.48		81.2	6.15	285	1390	1.0	<2	1.89	21.7	11	22	114	4.69
S007631		5.70	0.005		<0.5	9.23	16	2050	1.4	<2	2.16	<0.5	10	4	5	3.43
S007632		2.51	<0.005		<0.5	9.42	17	1790	1.4	<2	2.01	<0.5	13	5	7	3.82
S007633		4.33	<0.005		<0.5	9.82	17	2100	1.5	5	2.49	<0.5	13	4	11	4.20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007596		20	2.79	10	1.09	690	<1	0.77	<1	850	8	<0.01	<5	8	303	<20
S007597		20	2.89	20	1.38	854	<1	0.96	1	930	7	<0.01	<5	8	362	<20
S007598		10	0.98	10	0.61	800	<1	1.89	<1	700	13	<0.01	<5	7	808	<20
S007599		20	1.71	10	0.87	1010	<1	1.52	2	810	22	<0.01	<5	7	998	<20
S007600		<10	<0.01	<10	1.77	17	<1	<0.01	<1	30	<2	0.05	<5	<1	5790	<20
S007601		20	2.69	10	1.00	826	<1	1.00	1	860	11	0.02	<5	8	506	<20
S007602		20	2.23	10	0.67	866	<1	0.65	1	850	14	<0.01	<5	7	964	<20
S007603		20	1.38	10	0.51	956	<1	0.42	<1	720	16	<0.01	<5	6	1335	<20
S007604		20	2.10	10	0.66	1060	<1	0.35	1	880	20	<0.01	<5	7	1300	<20
S007605		10	0.38	10	0.15	894	<1	0.13	<1	460	18	0.01	<5	4	1770	<20
S007606		10	0.47	10	0.18	844	<1	0.09	1	520	18	0.01	<5	4	1760	<20
S007606D		10	0.47	10	0.19	849	<1	0.09	<1	510	18	0.01	<5	4	1785	<20
S007607		20	1.42	10	0.64	1100	<1	0.73	1	820	20	<0.01	<5	7	1715	<20
S007608		20	0.46	10	0.17	960	<1	0.19	9	590	28	0.01	<5	5	2220	<20
S007609		20	2.17	10	0.49	843	<1	0.65	2	900	18	0.01	<5	7	1515	<20
S007610		10	3.62	10	0.46	1390	8	0.16	22	820	252	3.01	55	10	200	<20
S007611		10	0.73	10	0.46	1045	<1	0.77	2	680	21	0.01	<5	6	1755	<20
S007612		20	2.48	20	0.86	485	<1	2.05	2	930	6	0.01	<5	8	385	<20
S007613		20	2.27	20	1.10	647	<1	1.73	2	850	7	0.07	<5	8	470	<20
S007614		10	0.55	20	0.61	957	<1	0.84	2	610	17	0.05	<5	6	1270	<20
S007615		10	1.83	20	0.66	599	<1	1.69	<1	800	9	0.03	<5	7	681	<20
S007616		20	1.60	10	0.49	727	<1	0.75	<1	740	16	0.04	<5	6	1050	<20
S007617		10	1.54	10	0.79	704	<1	1.49	1	760	12	0.01	<5	7	729	<20
S007618		20	2.00	20	0.65	603	<1	2.09	1	880	10	0.02	<5	8	597	<20
S007619		10	1.38	10	0.66	894	<1	1.48	1	690	16	0.01	<5	6	857	<20
S007620		<10	0.01	<10	1.87	22	<1	0.01	<1	30	<2	0.07	<5	<1	5070	<20
S007621		10	1.72	10	0.71	890	<1	1.76	1	690	12	0.08	<5	6	639	<20
S007622		20	2.32	20	0.83	812	<1	2.15	1	870	11	0.01	<5	8	471	<20
S007623		20	2.42	20	0.76	755	<1	2.03	2	890	17	0.01	<5	8	542	<20
S007624		20	2.48	20	0.75	652	<1	2.20	1	950	14	0.01	<5	8	465	<20
S007625		20	2.39	20	0.78	777	<1	2.14	<1	920	13	0.07	<5	8	589	<20
S007626		20	2.39	10	0.83	727	<1	1.97	2	860	12	0.01	<5	7	467	<20
S007626D		20	2.39	20	0.83	732	<1	1.98	<1	850	11	0.02	<5	7	469	<20
S007627		20	2.34	20	0.83	766	<1	2.12	2	910	13	0.01	<5	8	546	<20
S007628		20	2.05	20	0.79	665	<1	2.51	2	860	10	<0.01	<5	8	478	<20
S007629		20	2.91	20	0.68	575	<1	2.61	1	1090	14	<0.01	<5	10	511	<20
S007630		10	3.58	10	0.47	1180	8	0.23	16	940	8660	2.96	68	12	147	<20
S007631		20	2.57	20	0.88	770	<1	2.20	2	1060	17	0.01	<5	8	538	<20
S007632		20	2.65	20	1.03	805	<1	1.81	2	1050	17	<0.01	<5	9	651	<20
S007633		20	2.98	20	1.13	963	<1	1.30	3	1230	25	<0.01	<5	9	739	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007596		0.30	<10	<10	87	<10	71	
S007597		0.32	10	<10	94	<10	91	
S007598		0.24	<10	<10	59	<10	52	
S007599		0.29	<10	<10	77	<10	72	
S007600		<0.01	<10	<10	1	<10	<2	
S007601		0.32	<10	<10	92	<10	87	
S007602		0.31	<10	<10	87	<10	71	
S007603		0.26	<10	<10	73	<10	53	
S007604		0.32	<10	<10	75	<10	69	
S007605		0.17	<10	<10	73	<10	17	
S007606		0.19	<10	<10	70	<10	23	
S007606D		0.19	<10	<10	69	<10	23	
S007607		0.29	<10	<10	77	<10	77	
S007608		0.22	<10	<10	72	<10	28	
S007609		0.33	10	<10	92	<10	69	
S007610		0.23	<10	<10	99	<10	512	133
S007611		0.25	<10	<10	57	<10	55	
S007612		0.32	<10	<10	80	<10	74	
S007613		0.30	<10	<10	77	<10	99	
S007614		0.23	<10	<10	51	<10	65	
S007615		0.29	10	<10	72	<10	67	
S007616		0.26	<10	<10	69	<10	53	
S007617		0.28	<10	10	60	<10	77	
S007618		0.31	<10	<10	76	<10	62	
S007619		0.25	<10	<10	64	<10	60	
S007620		<0.01	<10	<10	1	<10	<2	
S007621		0.23	<10	<10	71	<10	69	
S007622		0.30	<10	<10	89	<10	79	
S007623		0.29	<10	<10	90	<10	77	
S007624		0.31	<10	<10	95	<10	73	
S007625		0.30	<10	<10	90	<10	71	
S007626		0.28	<10	<10	85	<10	82	
S007626D		0.29	<10	<10	86	<10	83	
S007627		0.30	<10	<10	84	<10	89	
S007628		0.29	<10	<10	89	<10	81	
S007629		0.36	<10	<10	109	<10	63	
S007630		0.25	<10	<10	120	<10	1815	
S007631		0.31	<10	<10	85	<10	89	
S007632		0.31	<10	<10	93	<10	104	
S007633		0.32	<10	<10	102	<10	116	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007634		6.98	<0.005		<0.5	7.12	10	1890	1.0	<2	1.77	<0.5	6	5	2	4.00
S007635		5.52	<0.005		<0.5	9.76	10	2160	1.4	2	1.40	<0.5	6	4	2	3.71
S007636		4.97	<0.005		<0.5	7.55	7	1530	0.9	<2	2.86	<0.5	7	9	11	3.15
S007637		5.31	<0.005		<0.5	7.64	7	1910	1.1	<2	1.62	<0.5	5	5	1	2.82
S007638		5.40	<0.005		<0.5	8.72	12	2220	1.4	<2	1.94	<0.5	6	4	1	2.62
S007639		8.14	<0.005		<0.5	9.34	10	2450	1.7	4	2.24	<0.5	4	2	1	2.59
S007640		0.52	0.005		<0.5	0.10	<5	20	<0.5	2	34.9	<0.5	<1	1	<1	0.05
S007641		5.50	<0.005		<0.5	7.94	5	1990	1.3	<2	2.38	<0.5	5	2	1	2.74
S007642		4.19	<0.005		<0.5	8.20	11	1980	1.3	<2	2.28	<0.5	5	3	1	2.81
S007643		5.10	<0.005		<0.5	8.15	13	5240	1.4	<2	2.67	<0.5	5	2	3	2.32
S007644		5.22	<0.005		<0.5	8.67	14	2000	1.5	<2	2.47	<0.5	9	2	5	3.10
S007645		6.10	<0.005		<0.5	7.99	12	1750	1.4	<2	2.62	<0.5	7	2	5	2.87
S007646		5.56	<0.005		<0.5	8.84	10	1970	1.5	2	1.89	<0.5	6	1	4	2.98
S007646D		<0.02	<0.005		<0.5	8.79	12	2000	1.5	<2	1.91	<0.5	7	1	4	3.02
S007647		5.03	<0.005		<0.5	8.57	12	1980	1.5	<2	2.22	<0.5	8	2	2	2.99
S007648		5.47	<0.005		<0.5	8.62	14	2270	1.6	<2	3.61	<0.5	9	2	3	2.32
S007649		5.30	<0.005		<0.5	7.23	11	2210	1.3	<2	3.94	<0.5	6	2	2	2.06
S007650		0.10	>10.0	19.00	24.7	7.09	795	1210	1.4	2	2.77	1.7	20	110	131	5.01
S007651		5.68	0.047		<0.5	9.05	8	3210	1.4	<2	1.09	<0.5	6	5	5	3.40
S007652		5.61	<0.005		<0.5	8.61	5	2410	1.2	2	1.64	<0.5	8	5	6	3.30
S007653		4.98	<0.005		<0.5	9.27	5	2310	1.4	<2	1.89	<0.5	7	5	7	3.33
S007654		4.35	<0.005		<0.5	7.62	7	1950	1.2	<2	2.49	<0.5	7	4	25	3.00
S007655		4.50	<0.005		<0.5	8.04	5	1900	1.3	<2	2.44	<0.5	8	7	13	3.12
S007656		6.63	<0.005		<0.5	8.14	5	2120	1.3	<2	2.62	<0.5	7	7	14	3.26
S007657		5.47	<0.005		<0.5	7.65	7	2200	1.2	<2	2.93	<0.5	8	7	12	3.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007634		20	2.61	20	0.83	697	<1	0.49	4	660	10	<0.01	<5	11	170	<20
S007635		20	3.08	20	0.76	623	<1	2.03	2	560	10	<0.01	<5	8	267	<20
S007636		10	1.23	10	0.60	1065	<1	3.26	1	830	14	0.02	<5	6	502	<20
S007637		20	1.96	20	0.71	769	<1	2.32	2	740	9	0.02	<5	7	267	<20
S007638		20	2.92	30	0.81	921	<1	1.54	1	740	12	<0.01	<5	6	287	<20
S007639		20	3.27	20	0.74	910	<1	1.25	1	800	21	<0.01	<5	6	432	<20
S007640		<10	0.02	<10	1.48	29	<1	0.01	<1	40	<2	0.06	<5	<1	5210	<20
S007641		20	2.51	20	0.76	978	<1	1.34	<1	660	17	<0.01	<5	5	402	<20
S007642		10	2.42	20	0.82	968	<1	1.44	<1	720	17	<0.01	<5	6	475	<20
S007643		20	2.55	20	0.97	1300	<1	1.25	<1	700	19	0.08	<5	5	574	<20
S007644		20	2.44	20	1.77	1670	<1	1.24	1	770	23	<0.01	<5	5	586	<20
S007645		20	2.04	10	2.22	1985	<1	1.35	<1	730	17	<0.01	<5	5	527	<20
S007646		20	2.15	20	2.34	1775	<1	1.33	<1	750	16	0.01	<5	6	473	<20
S007646D		20	2.19	20	2.39	1815	<1	1.37	<1	770	16	0.01	<5	5	477	<20
S007647		20	2.39	20	1.72	1530	<1	1.23	<1	710	19	<0.01	<5	5	459	<20
S007648		20	2.67	20	1.06	1565	<1	1.41	<1	750	21	<0.01	<5	5	535	<20
S007649		20	2.60	10	0.49	1765	<1	1.13	<1	630	20	<0.01	<5	4	439	<20
S007650		10	3.02	20	0.71	1020	6	0.16	68	1640	60	4.17	13	19	190	<20
S007651		20	3.15	20	0.51	524	<1	1.46	1	770	13	0.02	<5	9	276	<20
S007652		20	2.75	20	0.69	817	<1	1.69	2	730	7	<0.01	<5	9	221	<20
S007653		20	2.67	20	0.63	906	<1	2.24	1	920	9	<0.01	<5	9	301	<20
S007654		10	1.97	10	0.61	1210	<1	2.16	2	710	8	0.01	<5	7	315	<20
S007655		20	2.03	20	0.56	1120	<1	2.31	2	740	11	<0.01	<5	7	385	<20
S007656		20	2.25	20	0.53	1135	<1	2.13	1	830	7	<0.01	5	7	370	<20
S007657		20	1.94	10	0.57	1220	<1	1.91	1	720	11	0.01	<5	7	431	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007634		0.31	<10	<10	92	<10	76	
S007635		0.32	<10	<10	85	<10	88	
S007636		0.28	<10	<10	64	<10	69	
S007637		0.27	<10	<10	73	<10	57	
S007638		0.30	<10	<10	76	<10	58	
S007639		0.30	<10	<10	73	<10	56	
S007640		<0.01	<10	<10	1	<10	<2	
S007641		0.25	<10	<10	69	<10	62	
S007642		0.26	<10	<10	80	<10	62	
S007643		0.26	<10	<10	89	<10	64	
S007644		0.28	<10	<10	70	<10	103	
S007645		0.27	<10	<10	65	<10	89	
S007646		0.28	<10	<10	68	<10	85	
S007646D		0.29	<10	<10	70	<10	87	
S007647		0.27	<10	<10	65	<10	86	
S007648		0.28	<10	<10	68	<10	82	
S007649		0.24	<10	<10	57	<10	57	
S007650		0.35	<10	<10	182	<10	221	
S007651		0.30	<10	<10	78	<10	61	
S007652		0.28	<10	<10	82	<10	84	
S007653		0.31	<10	<10	90	<10	73	
S007654		0.25	<10	<10	74	<10	80	
S007655		0.26	<10	<10	78	<10	73	
S007656		0.28	<10	<10	86	<10	70	
S007657		0.25	<10	<10	74	<10	77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15117893

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

CERTIFICATE TR15119483

Project: Bowser Regional Exploration

P.O. No.: BOW-0030

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007658		5.47	<0.005		<0.5	8.46	6	2270	1.3	<2	2.33	<0.5	7	5	11	3.29
S007659		6.39	<0.005		<0.5	8.49	<5	2410	1.4	<2	2.08	<0.5	7	5	14	3.27
S007660		0.53	<0.005		<0.5	0.06	<5	20	<0.5	5	34.1	<0.5	<1	1	<1	0.04
S007661		4.98	<0.005		<0.5	8.32	<5	2460	1.4	<2	2.27	<0.5	6	5	15	3.20
S007662		5.56	<0.005		<0.5	7.52	<5	2670	1.2	<2	2.55	<0.5	7	4	9	2.94
S007663		5.46	<0.005		<0.5	7.17	5	2900	1.1	<2	3.01	<0.5	6	4	11	2.96
S007664		5.61	<0.005		<0.5	7.77	<5	2580	1.3	<2	2.59	<0.5	7	4	6	2.98
S007665		5.03	<0.005		<0.5	7.63	5	2540	1.2	3	1.89	<0.5	6	4	28	2.95
S007666		6.94	<0.005		<0.5	7.44	5	2590	1.1	<2	2.14	<0.5	8	3	6	3.27
S007666D		<0.02	<0.005		<0.5	7.80	7	2750	1.1	<2	2.27	<0.5	9	3	6	3.43
S007667		6.53	<0.005		<0.5	9.09	7	2870	1.4	<2	2.11	<0.5	8	2	9	3.33
S007668		6.56	<0.005		<0.5	8.13	<5	2680	1.2	2	2.18	<0.5	5	2	61	2.62
S007669		8.05	<0.005		<0.5	7.82	<5	2400	1.3	2	3.23	<0.5	6	2	28	2.97
S007670		0.13	0.962		12.1	6.19	307	1540	1.0	<2	3.55	4.4	10	28	81	3.90
S007671		6.33	<0.005		<0.5	7.83	5	2430	1.3	2	2.85	<0.5	7	3	5	3.26
S007672		6.94	<0.005		<0.5	7.61	<5	2370	1.2	<2	2.13	<0.5	7	3	6	3.01
S007673		6.51	<0.005		<0.5	8.19	<5	2560	1.4	<2	2.34	<0.5	5	3	5	3.04
S007674		7.24	<0.005		<0.5	7.95	<5	2400	1.3	<2	2.52	<0.5	7	3	5	2.96
S007675		7.18	<0.005		<0.5	8.30	<5	2640	1.4	<2	2.31	<0.5	6	3	4	3.07
S007676		7.08	<0.005		<0.5	8.51	<5	2830	1.4	<2	1.70	<0.5	6	3	3	3.09
S007677		6.43	<0.005		<0.5	7.96	<5	2300	1.1	<2	2.21	<0.5	7	3	4	3.08
S007678		6.09	<0.005		<0.5	8.45	<5	2480	1.2	<2	1.93	<0.5	7	4	4	2.80
S007679		7.33	<0.005		<0.5	8.24	<5	2320	1.2	<2	1.97	<0.5	8	3	2	2.78
S007680		0.46	0.058		<0.5	0.05	<5	10	<0.5	3	34.0	<0.5	<1	1	<1	0.04
S007681		6.80	<0.005		<0.5	8.04	<5	2160	1.2	<2	2.45	<0.5	7	3	1	2.72
S007682		7.24	<0.005		<0.5	8.80	5	2710	1.4	2	1.82	<0.5	9	2	1	3.04
S007683		6.47	<0.005		<0.5	10.00	<5	3060	1.7	2	1.88	<0.5	8	2	<1	3.53
S007684		6.85	0.007		<0.5	9.45	<5	2950	1.5	<2	2.15	<0.5	15	4	1	3.87
S007685		6.61	<0.005		<0.5	12.00	5	3800	1.8	<2	0.33	<0.5	8	11	7	6.00
S007686		7.10	<0.005		<0.5	8.59	10	3020	1.2	<2	2.17	<0.5	8	6	9	3.49
S007686D		<0.02	<0.005		<0.5	8.45	<5	3020	1.2	<2	2.10	<0.5	9	9	10	3.46
S007687		6.55	<0.005		<0.5	9.65	8	1920	1.8	<2	2.02	<0.5	9	3	2	2.89
S007688		6.13	<0.005		<0.5	10.00	7	2130	1.7	<2	2.29	<0.5	10	6	26	4.15
S007689		6.88	<0.005		<0.5	13.00	11	2500	2.3	<2	0.22	<0.5	5	9	5	6.66
S007690		0.14	>10.0	10.80	>100	5.99	372	1390	1.0	<2	3.72	4.4	11	31	145	3.67
S007691		6.54	<0.005		<0.5	12.55	7	2520	2.0	<2	0.39	<0.5	9	8	14	4.86
S007692		6.69	<0.005		<0.5	11.25	6	2520	1.6	<2	0.27	<0.5	7	12	25	4.81
S007693		5.82	<0.005		<0.5	11.10	8	2570	1.5	<2	0.91	<0.5	5	10	8	5.27
S007694		5.77	<0.005		<0.5	8.38	6	1790	1.3	<2	3.77	<0.5	13	5	2	4.10
S007695		6.15	<0.005		<0.5	7.60	<5	1470	1.1	<2	6.42	<0.5	15	3	5	4.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007658		20	2.10	20	0.56	964	<1	2.28	1	840	16	0.01	<5	8	478	<20
S007659		20	2.23	20	0.55	863	<1	2.20	3	850	18	0.01	<5	8	429	<20
S007660		<10	0.01	<10	1.66	22	<1	0.01	<1	30	4	0.07	5	<1	5260	<20
S007661		20	2.28	20	0.57	912	<1	2.14	2	810	13	0.01	<5	7	389	<20
S007662		20	1.94	20	0.57	975	<1	2.05	2	720	15	0.02	<5	7	335	<20
S007663		20	2.28	10	0.39	955	<1	1.46	1	710	9	0.03	<5	7	269	<20
S007664		20	2.12	20	0.51	947	<1	1.97	1	750	17	0.01	<5	7	479	<20
S007665		20	2.03	20	0.53	763	<1	1.99	1	700	12	0.01	<5	7	321	<20
S007666		20	1.84	20	0.61	927	<1	2.14	1	790	11	0.02	<5	8	291	<20
S007666D		20	1.93	20	0.65	988	<1	2.26	3	810	9	0.02	<5	9	306	<20
S007667		20	2.59	20	0.66	1020	<1	2.40	3	980	11	0.01	<5	9	256	<20
S007668		20	2.13	20	0.79	1155	<1	1.94	3	730	10	0.01	<5	7	233	<20
S007669		20	1.98	20	0.81	1570	<1	2.06	1	690	10	0.01	<5	7	295	<20
S007670		20	3.80	10	0.56	1380	8	0.21	22	910	155	2.84	22	11	196	<20
S007671		20	1.97	20	0.59	1045	<1	2.33	3	810	13	0.01	<5	8	387	<20
S007672		20	1.80	20	0.63	872	<1	2.26	2	740	12	0.01	<5	7	351	<20
S007673		20	2.10	20	0.67	1020	<1	2.20	<1	760	10	0.01	<5	8	351	<20
S007674		20	1.94	20	0.70	1110	<1	2.24	2	740	13	0.04	<5	7	343	<20
S007675		20	2.23	20	0.71	1145	<1	2.12	3	810	11	0.02	<5	8	300	<20
S007676		20	2.28	20	0.72	926	<1	2.06	2	810	9	0.02	<5	8	253	<20
S007677		20	1.86	20	0.82	1310	<1	2.04	3	710	8	0.01	<5	7	249	<20
S007678		20	2.20	20	0.84	1145	<1	1.89	2	780	6	0.02	<5	8	258	<20
S007679		20	2.13	20	0.91	1130	<1	1.54	2	750	8	0.01	<5	7	244	<20
S007680		<10	0.01	<10	1.80	18	<1	0.01	1	20	<2	0.06	<5	<1	4610	<20
S007681		20	2.06	20	0.80	1300	<1	1.53	2	780	6	0.02	<5	7	249	<20
S007682		20	2.53	20	0.72	1040	<1	1.38	1	820	9	0.03	<5	8	261	<20
S007683		20	3.24	20	0.57	996	<1	1.37	3	840	9	<0.01	<5	10	262	<20
S007684		20	3.22	10	0.65	1225	<1	1.15	4	740	14	<0.01	<5	10	244	<20
S007685		30	4.51	20	0.39	331	<1	0.77	4	120	25	<0.01	<5	21	239	<20
S007686		20	2.69	10	0.41	858	<1	0.63	4	690	10	0.10	5	10	407	<20
S007686D		20	2.70	10	0.40	843	<1	0.63	5	690	8	0.10	<5	10	397	<20
S007687		20	2.49	20	0.44	1050	<1	1.12	2	690	11	<0.01	<5	7	392	<20
S007688		20	2.83	10	0.34	930	<1	1.20	4	400	18	<0.01	<5	11	410	<20
S007689		30	3.49	10	0.20	151	<1	1.56	3	90	24	<0.01	<5	17	453	<20
S007690		20	3.58	10	0.47	1325	7	0.16	22	810	251	3.05	60	10	204	<20
S007691		30	3.32	20	0.33	398	<1	1.40	4	160	17	0.01	<5	16	422	<20
S007692		20	3.24	20	0.26	289	1	1.21	5	130	19	<0.01	<5	11	368	<20
S007693		30	3.18	20	0.24	470	<1	1.18	3	320	18	<0.01	<5	12	403	<20
S007694		20	2.16	10	0.53	1880	<1	1.19	2	870	12	<0.01	<5	10	424	<20
S007695		20	1.72	10	0.69	2780	<1	1.08	4	900	11	<0.01	<5	10	404	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007658		0.29	<10	<10	84	<10	72	
S007659		0.29	<10	<10	86	<10	69	
S007660		<0.01	<10	<10	1	<10	<2	
S007661		0.28	<10	<10	85	<10	72	
S007662		0.25	<10	<10	77	<10	71	
S007663		0.25	<10	<10	78	<10	62	
S007664		0.26	<10	<10	77	<10	68	
S007665		0.26	<10	<10	81	<10	67	
S007666		0.27	<10	<10	83	<10	75	
S007666D		0.28	<10	<10	88	<10	79	
S007667		0.32	<10	<10	91	<10	69	
S007668		0.26	<10	<10	64	<10	64	
S007669		0.26	<10	<10	69	<10	68	
S007670		0.25	<10	<10	103	<10	472	
S007671		0.26	<10	<10	75	<10	64	
S007672		0.24	<10	<10	69	<10	63	
S007673		0.25	<10	<10	75	<10	62	
S007674		0.24	<10	<10	71	<10	63	
S007675		0.26	<10	<10	79	<10	63	
S007676		0.26	<10	<10	83	<10	66	
S007677		0.24	<10	<10	75	<10	85	
S007678		0.26	<10	<10	77	<10	71	
S007679		0.23	<10	<10	64	<10	67	
S007680		<0.01	<10	<10	2	<10	<2	
S007681		0.24	<10	<10	66	<10	64	
S007682		0.27	<10	<10	78	<10	79	
S007683		0.31	<10	<10	101	<10	75	
S007684		0.32	<10	<10	103	<10	106	
S007685		0.53	<10	<10	170	<10	48	
S007686		0.27	<10	<10	90	<10	66	
S007686D		0.27	<10	<10	90	<10	66	
S007687		0.28	<10	<10	73	<10	83	
S007688		0.39	<10	<10	109	<10	79	
S007689		0.54	<10	<10	172	<10	26	
S007690		0.23	<10	<10	97	<10	500	137
S007691		0.47	<10	<10	128	<10	83	
S007692		0.49	<10	<10	142	<10	46	
S007693		0.52	<10	<10	156	<10	39	
S007694		0.41	<10	<10	126	<10	104	
S007695		0.36	<10	<10	110	<10	121	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007696		7.39	<0.005		<0.5	8.69	<5	1650	1.2	<2	2.58	<0.5	7	5	6	3.70
S007697		6.75	<0.005		<0.5	8.34	<5	1650	1.2	<2	3.03	<0.5	9	5	8	3.81
S007698		6.73	<0.005		<0.5	8.23	5	1750	1.2	<2	4.24	<0.5	15	4	5	4.03
S007699		5.92	<0.005		<0.5	9.39	<5	2200	1.4	<2	2.72	<0.5	13	8	30	4.93
S007700		0.53	0.053		<0.5	0.06	<5	20	<0.5	5	33.7	<0.5	<1	1	<1	0.04
S007701		7.15	<0.005		<0.5	11.05	5	2570	1.4	<2	0.33	<0.5	8	13	37	5.25
S007702		5.34	<0.005		<0.5	10.40	<5	2220	1.4	<2	0.99	<0.5	6	5	4	4.37
S007703		7.88	<0.005		<0.5	9.81	7	2080	1.4	<2	2.12	<0.5	10	5	16	4.35
S007704		6.24	<0.005		<0.5	8.55	<5	1730	1.2	<2	4.28	<0.5	10	5	13	4.18
S007705		8.78	<0.005		<0.5	8.37	8	1670	1.2	<2	2.99	<0.5	11	5	18	4.35
S007706		7.26	<0.005		<0.5	10.40	7	2580	1.5	<2	1.95	<0.5	15	12	1	6.36
S007706D		<0.02	<0.005		<0.5	10.00	7	2510	1.5	<2	1.86	<0.5	16	11	1	5.92
S007707		5.36	<0.005		<0.5	10.40	<5	3130	1.6	<2	1.63	<0.5	17	20	31	3.73
S007708		5.10	<0.005		0.5	10.65	<5	4550	1.4	<2	0.35	<0.5	40	25	21	7.20
S007709		7.42	<0.005		<0.5	12.05	<5	2470	1.6	<2	0.15	<0.5	9	8	22	4.98
S007710		0.14	5.37		77.3	6.16	283	1450	0.9	<2	1.90	21.8	11	22	112	4.62
S007711		4.77	<0.005		<0.5	11.80	7	2580	1.6	<2	0.23	<0.5	7	4	16	5.60
S007712		6.53	<0.005		<0.5	9.44	8	2160	1.3	2	1.41	<0.5	8	2	1	5.81
S007713		7.16	<0.005		<0.5	7.06	<5	2000	1.1	<2	4.69	<0.5	8	2	4	4.99
S007714		6.87	<0.005		<0.5	7.31	6	2030	1.1	<2	3.47	<0.5	6	2	11	4.17
S007715		6.10	<0.005		<0.5	9.29	5	2230	1.2	<2	1.75	<0.5	9	2	3	4.71
S007716		6.74	<0.005		<0.5	7.24	<5	4500	1.0	<2	3.69	<0.5	7	3	1	4.22
S007717		7.17	<0.005		<0.5	6.86	10	1950	1.0	<2	5.00	<0.5	8	2	1	4.20
S007718		6.81	<0.005		<0.5	7.46	9	2010	1.1	<2	3.11	<0.5	9	2	<1	3.99
S007719		6.64	<0.005		<0.5	9.33	10	2340	1.2	<2	1.79	<0.5	10	2	1	4.88
S007720		0.54	0.040		<0.5	0.11	<5	30	<0.5	4	35.3	<0.5	<1	1	<1	0.07
S007721		8.00	<0.005		<0.5	6.85	10	1730	1.0	4	4.00	<0.5	8	2	1	4.01
S007722		7.25	<0.005		<0.5	7.00	5	1820	1.1	<2	4.56	<0.5	8	2	<1	4.34
S007723		6.80	<0.005		<0.5	7.22	16	1970	1.1	<2	3.02	<0.5	9	3	<1	4.31
S007724		7.29	<0.005		<0.5	7.53	17	1820	1.1	<2	2.91	<0.5	9	3	<1	4.25
S007725		7.22	<0.005		<0.5	8.26	23	1880	1.1	<2	2.24	<0.5	9	2	1	4.32
S007726		7.27	<0.005		<0.5	8.69	20	1980	1.3	<2	2.61	<0.5	9	2	<1	4.16
S007726D		<0.02	<0.005		<0.5	8.04	23	1820	1.2	4	2.44	<0.5	8	2	2	3.84
S007727		7.53	<0.005		<0.5	7.95	21	2100	1.2	2	2.68	<0.5	8	2	<1	3.56
S007728		7.10	<0.005		<0.5	7.65	16	2130	1.2	2	2.80	<0.5	8	2	<1	3.19
S007729		6.18	<0.005		<0.5	7.81	14	2290	1.3	<2	2.61	<0.5	7	2	<1	2.70
S007730		0.12	>10.0	19.70	17.0	6.54	754	180	1.3	<2	2.75	1.8	19	114	132	4.76
S007731		7.53	<0.005		<0.5	7.83	5	2470	1.3	2	3.25	<0.5	10	2	<1	3.82
S007732		7.26	<0.005		<0.5	8.25	11	2600	1.2	<2	2.67	<0.5	5	3	<1	2.92
S007733		6.16	<0.005		<0.5	8.32	7	1970	1.1	5	2.00	<0.5	7	3	1	2.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007696		20	2.03	10	0.42	1185	<1	1.25	1	1020	11	<0.01	<5	10	424	<20
S007697		20	2.07	10	0.45	1345	<1	1.26	2	1060	9	<0.01	<5	10	399	<20
S007698		20	2.24	10	0.53	1810	<1	1.18	4	880	10	<0.01	<5	9	396	<20
S007699		20	2.81	10	0.42	1060	<1	0.97	4	270	17	<0.01	<5	12	341	<20
S007700		<10	0.01	<10	1.72	19	<1	0.01	1	20	<2	0.07	<5	<1	5220	<20
S007701		20	3.23	20	0.36	406	<1	0.98	4	180	14	<0.01	<5	13	322	<20
S007702		20	2.79	20	0.36	495	<1	1.02	3	370	14	0.01	<5	14	354	<20
S007703		20	2.66	10	0.47	976	<1	1.17	3	1070	13	<0.01	<5	12	395	<20
S007704		20	2.13	10	0.54	1605	<1	1.30	3	1050	8	0.01	<5	10	390	<20
S007705		20	2.02	20	0.45	1300	<1	1.55	3	1020	10	0.02	<5	9	463	<20
S007706		20	3.35	10	0.29	1080	1	1.18	4	560	16	0.01	10	11	331	<20
S007706D		20	3.24	10	0.29	1065	<1	1.13	5	530	15	0.01	<5	10	317	<20
S007707		20	2.75	20	0.57	1260	14	1.00	10	690	7	0.05	<5	12	571	<20
S007708		30	2.32	10	1.04	1895	52	0.88	15	770	6	0.09	<5	14	520	<20
S007709		30	3.19	10	0.59	1095	4	1.11	6	320	4	0.01	<5	18	329	<20
S007710		10	3.55	10	0.47	1155	9	0.22	17	930	8490	2.96	72	12	145	<20
S007711		30	2.98	10	0.67	1260	3	1.05	7	700	8	0.02	<5	16	330	<20
S007712		20	2.68	20	0.47	981	<1	1.16	2	1210	9	<0.01	8	11	252	<20
S007713		20	2.41	10	0.28	1500	<1	1.31	3	970	8	<0.01	<5	9	266	<20
S007714		20	2.60	10	0.21	1155	1	1.55	<1	970	6	<0.01	<5	9	284	<20
S007715		20	2.73	10	0.31	723	1	1.93	3	1110	6	0.01	<5	11	308	<20
S007716		20	2.33	10	0.30	1305	<1	1.87	3	1000	7	0.08	<5	9	560	<20
S007717		20	2.32	10	0.29	1825	<1	2.06	4	1090	6	<0.01	<5	9	342	<20
S007718		20	2.36	10	0.31	1215	<1	1.92	3	1050	7	0.01	<5	8	335	<20
S007719		20	2.74	10	0.37	841	<1	2.02	3	1040	8	0.01	<5	12	314	<20
S007720		<10	0.02	<10	1.68	32	1	0.02	<1	40	3	0.10	<5	<1	5280	<20
S007721		20	2.06	10	0.39	1495	<1	2.08	2	1010	8	<0.01	<5	8	301	<20
S007722		20	2.10	10	0.44	1780	<1	2.09	2	1030	10	0.01	<5	8	331	<20
S007723		20	1.94	10	0.47	1255	<1	2.03	2	930	16	0.04	<5	8	359	<20
S007724		20	1.96	10	0.50	1280	<1	2.33	5	960	9	0.02	<5	9	327	<20
S007725		20	2.28	10	0.49	1075	<1	2.13	2	1110	9	0.01	<5	10	291	<20
S007726		20	2.74	20	0.61	1145	<1	1.32	3	1160	7	0.01	<5	10	253	<20
S007726D		20	2.60	10	0.56	1090	<1	1.24	2	1050	9	0.01	8	9	232	<20
S007727		20	2.98	10	0.55	1055	<1	1.07	1	1080	7	<0.01	11	9	205	<20
S007728		20	2.97	10	0.54	1070	<1	0.97	<1	1120	7	<0.01	5	8	202	<20
S007729		20	3.10	10	0.57	1035	<1	0.84	1	1170	9	<0.01	11	9	211	<20
S007730		20	2.96	10	0.67	1005	6	0.15	66	1570	56	4.02	22	18	176	<20
S007731		20	3.01	10	0.74	1395	<1	0.95	<1	1140	11	0.01	<5	9	231	<20
S007732		20	2.88	10	0.58	1075	<1	1.59	1	1210	8	0.01	7	10	284	<20
S007733		20	2.29	10	0.74	941	<1	2.20	<1	1180	9	0.01	10	10	277	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007696		0.39	<10	<10	118	<10	65	
S007697		0.39	<10	<10	118	<10	73	
S007698		0.35	<10	<10	109	<10	117	
S007699		0.45	<10	<10	140	<10	98	
S007700		<0.01	<10	<10	2	<10	<2	
S007701		0.47	<10	<10	141	<10	67	
S007702		0.41	<10	<10	130	<10	54	
S007703		0.44	<10	<10	137	<10	77	
S007704		0.39	<10	<10	126	<10	85	
S007705		0.38	<10	<10	138	<10	82	
S007706		0.45	<10	<10	196	<10	71	
S007706D		0.44	<10	<10	183	<10	72	
S007707		0.50	<10	<10	144	<10	100	
S007708		0.50	<10	<10	197	<10	155	
S007709		0.50	<10	<10	171	<10	85	
S007710		0.25	<10	<10	121	<10	1785	
S007711		0.49	<10	<10	154	<10	97	
S007712		0.37	<10	<10	136	<10	82	
S007713		0.33	<10	<10	124	<10	80	
S007714		0.36	<10	<10	129	<10	64	
S007715		0.36	<10	<10	150	<10	77	
S007716		0.34	<10	<10	149	<10	78	
S007717		0.36	<10	<10	62	<10	74	
S007718		0.35	<10	<10	68	<10	78	
S007719		0.40	<10	<10	108	<10	77	
S007720		<0.01	<10	<10	2	<10	<2	
S007721		0.33	<10	<10	103	<10	83	
S007722		0.33	<10	<10	78	<10	87	
S007723		0.33	<10	<10	78	<10	81	
S007724		0.33	<10	<10	59	<10	87	
S007725		0.35	<10	<10	58	<10	82	
S007726		0.37	<10	<10	62	<10	87	
S007726D		0.34	<10	<10	58	<10	82	
S007727		0.35	<10	<10	75	<10	73	
S007728		0.35	<10	<10	79	<10	75	
S007729		0.36	<10	<10	95	<10	62	
S007730		0.35	<10	<10	177	<10	218	
S007731		0.35	<10	<10	143	<10	87	
S007732		0.38	<10	<10	133	<10	52	
S007733		0.36	<10	<10	128	<10	65	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007734		8.46	<0.005		<0.5	7.44	14	1870	1.0	2	3.34	<0.5	5	2	2	1.74
S007735		7.15	<0.005		<0.5	8.40	8	1720	1.0	2	2.71	<0.5	9	92	4	3.76
S007736		6.72	<0.005		<0.5	7.37	8	1930	1.2	2	3.79	<0.5	8	33	3	2.68
S007737		6.12	<0.005		<0.5	8.77	6	2270	1.3	5	2.81	<0.5	7	45	4	3.11
S007738		7.23	<0.005		<0.5	7.54	7	1670	1.1	<2	2.56	<0.5	9	8	3	4.40
S007739		7.16	<0.005		<0.5	8.34	12	2270	1.2	<2	2.53	<0.5	9	25	2	4.24
S007740		1.06	<0.005		<0.5	0.07	<5	10	<0.5	<2	32.3	<0.5	<1	1	<1	0.05
S007741		7.96	<0.005		<0.5	8.08	12	1940	1.2	3	3.49	<0.5	11	125	4	4.68
S007742		7.09	<0.005		<0.5	6.85	8	1190	0.9	3	4.48	<0.5	11	134	4	4.83
S007743		7.28	<0.005		<0.5	7.71	5	1440	1.1	<2	4.00	<0.5	14	157	3	4.91
S007744		6.61	<0.005		<0.5	6.45	12	1160	0.9	<2	3.87	0.5	11	129	3	5.58
S007745		6.83	<0.005		<0.5	7.32	8	1460	1.1	4	3.14	<0.5	16	146	1	4.87
S007746		5.41	<0.005		<0.5	7.36	6	1300	1.0	4	5.67	<0.5	21	146	1	5.46
S007746D		<0.02	<0.005		<0.5	7.00	9	1300	1.0	2	5.71	0.5	22	146	1	5.52
S007747		4.57	<0.005		<0.5	6.94	8	1390	1.1	6	4.88	<0.5	21	170	2	4.80
S007748		5.05	<0.005		<0.5	7.49	10	1440	1.1	4	4.94	<0.5	20	190	1	5.06
S007749		6.71	<0.005		<0.5	6.87	6	1580	1.1	6	3.95	<0.5	17	154	<1	4.29
S007750		0.14	0.945		12.1	5.91	298	440	1.0	<2	3.47	4.5	10	27	81	3.73
S007751		5.73	<0.005		<0.5	7.03	7	1510	1.0	<2	5.05	<0.5	19	183	<1	4.51
S007752		7.20	<0.005		<0.5	8.30	<5	1830	1.2	<2	3.45	<0.5	14	153	2	4.93
S007753		7.02	<0.005		<0.5	8.26	9	2140	1.6	<2	2.90	<0.5	9	5	4	4.69
S007754		7.21	0.008		<0.5	7.78	10	1850	1.4	3	2.86	<0.5	8	3	4	4.44
S007755		7.24	<0.005		<0.5	6.99	10	1480	1.0	4	6.93	<0.5	14	16	3	4.28
S007756		5.60	<0.005		<0.5	7.73	6	1900	1.0	<2	1.40	<0.5	9	21	4	4.55
S007757		7.23	<0.005		<0.5	9.42	6	1750	1.4	<2	1.84	<0.5	10	40	6	4.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007734		20	2.06	10	0.59	1260	<1	2.45	1	1140	10	0.01	8	9	278	<20
S007735		20	2.15	10	0.62	1145	<1	2.89	10	1190	9	<0.01	5	14	286	<20
S007736		20	2.34	10	0.46	1285	<1	2.02	8	980	9	0.01	11	10	311	<20
S007737		20	2.69	10	0.50	1055	<1	2.38	5	1280	8	0.01	<5	11	335	<20
S007738		20	1.98	10	0.42	1015	<1	2.40	3	1010	10	0.01	<5	9	425	<20
S007739		20	2.39	10	0.42	969	<1	2.20	7	1050	10	0.02	9	12	391	<20
S007740		<10	0.01	<10	1.76	19	1	0.01	<1	20	2	0.06	10	<1	4440	<20
S007741		20	2.38	10	0.63	1315	1	2.05	25	1260	9	0.01	6	15	300	<20
S007742		10	1.53	10	0.70	1625	<1	2.51	40	1000	10	<0.01	7	14	296	<20
S007743		20	1.85	10	0.67	1490	<1	2.64	49	1280	10	<0.01	6	16	318	<20
S007744		10	1.44	10	0.56	1410	<1	2.19	41	970	8	0.02	<5	13	263	<20
S007745		20	1.92	10	0.59	1240	1	2.25	43	1180	10	<0.01	5	15	258	<20
S007746		20	1.70	10	0.83	2830	1	2.15	47	1060	12	<0.01	11	16	289	<20
S007746D		20	1.66	10	0.82	2840	1	2.13	49	1080	12	<0.01	8	16	292	<20
S007747		20	1.85	10	0.72	1785	<1	2.02	36	1050	7	<0.01	<5	15	280	<20
S007748		20	1.87	10	0.75	1730	<1	2.05	41	1070	11	<0.01	<5	18	287	<20
S007749		20	2.09	10	0.64	1415	1	1.59	31	1000	8	<0.01	5	15	240	<20
S007750		10	3.75	10	0.52	1360	8	0.20	18	850	146	2.69	21	10	184	<20
S007751		20	1.99	10	0.70	1750	<1	1.94	39	1090	10	<0.01	5	16	284	<20
S007752		20	2.50	10	0.47	1280	<1	2.17	38	1240	14	<0.01	<5	16	298	<20
S007753		20	2.96	10	0.28	910	<1	1.58	5	1210	11	0.01	5	9	324	<20
S007754		20	2.40	10	0.28	920	<1	1.88	1	1170	12	0.01	<5	9	336	<20
S007755		20	1.89	20	0.75	2560	<1	1.67	6	1460	12	0.01	7	9	356	<20
S007756		20	2.48	20	0.49	666	<1	1.08	8	530	5	0.02	12	9	185	<20
S007757		20	2.41	20	0.51	771	<1	2.34	8	1280	14	0.01	<5	11	302	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007734		0.36	<10	<10	113	<10	53	
S007735		0.38	<10	<10	184	<10	83	
S007736		0.35	<10	<10	115	<10	64	
S007737		0.44	<10	<10	122	<10	67	
S007738		0.32	<10	<10	102	<10	76	
S007739		0.36	<10	<10	109	<10	73	
S007740		<0.01	<10	<10	2	<10	<2	
S007741		0.37	<10	<10	148	<10	91	
S007742		0.30	<10	<10	135	<10	94	
S007743		0.34	<10	<10	157	<10	86	
S007744		0.27	<10	<10	151	<10	67	
S007745		0.32	<10	<10	166	<10	71	
S007746		0.32	<10	<10	169	10	87	
S007746D		0.32	<10	<10	169	10	88	
S007747		0.32	10	<10	153	<10	88	
S007748		0.34	<10	<10	160	<10	98	
S007749		0.32	<10	<10	144	<10	87	
S007750		0.24	<10	<10	101	<10	472	
S007751		0.34	<10	<10	153	<10	114	
S007752		0.39	<10	<10	154	<10	98	
S007753		0.39	<10	<10	134	<10	56	
S007754		0.35	<10	<10	118	<10	57	
S007755		0.33	<10	<10	105	<10	123	
S007756		0.31	10	<10	114	<10	71	
S007757		0.40	<10	<10	131	<10	79	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15119483

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

CERTIFICATE TR15120451

Project: Bowser Regional Exploration

P.O. No.: BOW-0035

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 11-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007858		6.16	<0.005		<0.5	8.42	6	1140	1.3	<2	2.59	<0.5	10	6	15	3.75
S007859		7.09	<0.005		<0.5	7.07	5	1080	1.1	2	3.56	0.5	7	3	12	3.59
S007860		0.52	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.6	<0.5	<1	<1	<1	0.03
S007861		5.72	<0.005		<0.5	7.71	<5	2040	1.1	<2	3.66	<0.5	7	3	12	3.47
S007862		7.29	<0.005		<0.5	8.14	<5	2080	1.1	<2	2.43	<0.5	7	2	20	3.39
S007863		6.35	<0.005		<0.5	7.57	6	1080	1.1	2	3.40	<0.5	9	2	19	3.56
S007864		6.10	<0.005		<0.5	8.76	<5	2240	1.3	<2	2.29	<0.5	7	2	26	3.29
S007865		6.75	<0.005		<0.5	7.97	<5	1950	0.9	<2	3.41	<0.5	9	2	16	4.55
S007866		5.83	<0.005		<0.5	7.80	<5	2020	0.9	<2	3.78	<0.5	11	2	<1	4.47
S007866D		<0.02	<0.005		<0.5	7.75	5	1970	0.9	<2	3.83	<0.5	10	2	<1	4.44
S007867		5.88	<0.005		<0.5	8.10	<5	2780	1.0	<2	2.80	<0.5	8	2	<1	4.03
S007868		7.66	<0.005		<0.5	7.16	<5	2750	1.0	<2	4.02	<0.5	7	3	<1	4.28
S007869		6.04	<0.005		<0.5	7.29	5	2050	0.8	2	3.13	<0.5	10	2	<1	4.61
S007870		0.13	5.65		73.6	6.08	273	1100	0.9	<2	1.88	22.2	11	22	116	4.64
S007871		7.61	<0.005		<0.5	8.35	<5	>10000	1.1	3	3.60	<0.5	10	2	63	3.84
S007872		5.43	<0.005		<0.5	8.11	16	760	1.4	2	4.52	<0.5	13	2	133	4.54
S007873		5.59	<0.005		<0.5	8.50	17	970	1.3	3	6.34	<0.5	14	2	194	4.85
S007874		6.91	<0.005		<0.5	7.91	<5	2630	1.0	2	4.01	<0.5	9	1	2	3.38
S007875		6.82	<0.005		<0.5	8.15	<5	2260	1.0	<2	3.38	<0.5	9	2	<1	3.90
S007876		5.86	<0.005		<0.5	7.26	<5	2540	1.1	<2	4.24	<0.5	8	1	<1	3.94
S007877		6.80	<0.005		<0.5	6.79	5	2890	0.9	<2	5.78	<0.5	10	1	<1	3.73
S007878		3.87	<0.005		<0.5	6.84	<5	2950	1.0	<2	5.17	<0.5	7	1	<1	3.41
S007879		2.95	<0.005		<0.5	7.40	<5	3480	1.1	<2	5.07	<0.5	11	1	1	3.71
S007880		1.25	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.1	<0.5	<1	1	<1	0.04
S007881		3.54	<0.005		<0.5	7.68	<5	2580	1.2	<2	5.84	<0.5	9	2	<1	4.04
S007882		3.33	<0.005		<0.5	6.87	5	2260	1.0	<2	4.87	<0.5	10	2	<1	3.47
S007883		3.44	<0.005		<0.5	7.03	<5	2120	0.9	<2	6.09	<0.5	9	1	2	3.66
S007884		3.36	<0.005		<0.5	7.22	5	2470	1.1	2	4.81	<0.5	9	2	1	3.88
S007885		3.44	<0.005		<0.5	6.75	5	2270	1.0	<2	4.66	<0.5	9	1	1	3.71
S007886		3.90	<0.005		<0.5	7.60	5	2670	1.1	<2	5.37	<0.5	8	2	<1	3.79
S007886D		<0.02	<0.005		<0.5	7.54	7	2750	1.1	<2	5.15	<0.5	10	2	<1	3.75
S007887		4.06	<0.005		<0.5	7.19	<5	2610	1.0	<2	6.08	<0.5	10	2	<1	3.60
S007888		3.71	<0.005		<0.5	6.24	<5	2620	0.9	<2	5.43	<0.5	6	2	<1	3.36
S007889		4.61	<0.005		<0.5	7.10	<5	2780	1.0	<2	5.87	<0.5	8	2	1	3.57
S007890		0.11	>10.0	19.35	15.7	6.95	762	1240	1.4	<2	2.74	2.1	20	108	138	5.01
S007891		4.19	<0.005		<0.5	6.85	6	2290	1.0	<2	4.96	<0.5	10	2	<1	3.92
S007892		3.26	<0.005		<0.5	7.78	<5	2730	1.2	<2	5.54	<0.5	10	2	<1	4.22
S007893		3.74	<0.005		<0.5	7.07	9	2740	1.1	<2	5.09	<0.5	9	2	1	3.87
S007894		4.28	<0.005		<0.5	6.51	<5	2530	1.0	<2	5.85	<0.5	9	2	<1	3.89
S007895		4.68	<0.005		<0.5	6.79	<5	2920	1.0	<2	6.30	<0.5	9	1	<1	3.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007858		20	2.46	10	0.37	648	1	0.82	2	740	20	2.02	5	9	317	<20
S007859		20	1.69	10	0.42	860	<1	0.83	<1	1000	11	1.69	<5	8	445	<20
S007860		<10	0.01	<10	1.77	19	<1	0.01	<1	20	<2	0.11	<5	<1	4870	<20
S007861		20	1.82	10	0.45	860	4	0.86	<1	1040	9	1.40	<5	9	422	<20
S007862		20	1.94	10	0.57	774	<1	0.90	<1	1070	5	0.77	<5	10	389	<20
S007863		20	1.76	10	0.54	886	7	0.79	1	900	8	1.18	<5	8	631	<20
S007864		20	2.10	10	0.58	709	1	1.15	<1	1210	5	0.50	<5	10	402	<20
S007865		20	1.61	10	0.94	1015	<1	0.92	<1	1160	5	0.21	<5	9	399	<20
S007866		20	1.76	10	0.89	1040	<1	0.75	<1	1120	<2	0.20	<5	9	396	<20
S007866D		20	1.71	10	0.89	1050	<1	0.74	1	1100	4	0.20	<5	9	392	<20
S007867		20	2.22	10	0.66	759	<1	0.81	<1	1170	4	0.12	<5	9	382	<20
S007868		20	2.32	10	0.41	842	<1	0.73	<1	1080	<2	0.08	<5	8	397	<20
S007869		20	1.59	10	0.92	917	<1	0.59	<1	940	3	0.24	<5	9	374	<20
S007870		10	3.64	10	0.47	1155	8	0.23	14	910	8410	2.90	74	12	142	<20
S007871		20	1.87	20	0.84	993	<1	0.90	<1	1210	6	0.44	<5	10	1730	<20
S007872		20	2.04	10	0.52	969	5	1.07	1	1250	28	2.60	<5	10	428	<20
S007873		20	1.80	20	0.80	1560	15	1.10	<1	1290	24	2.24	<5	10	1010	<20
S007874		20	1.69	10	0.94	1015	<1	1.09	<1	1210	3	0.24	<5	10	537	<20
S007875		20	2.17	10	0.89	857	<1	0.93	2	1230	5	0.06	<5	9	345	<20
S007876		20	2.70	10	0.33	774	<1	0.77	1	1210	7	0.04	<5	8	290	<20
S007877		20	2.40	10	0.47	1050	<1	0.65	<1	1080	8	0.04	<5	8	378	<20
S007878		20	2.43	10	0.51	945	<1	0.76	<1	1080	<2	0.02	<5	8	343	<20
S007879		20	2.44	10	0.81	1100	<1	0.75	1	1120	6	0.03	<5	8	448	<20
S007880		<10	0.01	<10	1.81	18	<1	<0.01	<1	30	3	0.06	<5	<1	4530	<20
S007881		20	2.56	10	0.81	1125	<1	0.82	1	1200	4	<0.01	<5	9	302	<20
S007882		20	2.17	10	0.71	892	<1	0.74	1	980	7	0.01	<5	8	258	<20
S007883		20	2.15	10	0.84	1090	<1	0.72	<1	1050	5	<0.01	<5	8	270	<20
S007884		20	2.42	10	0.72	896	<1	0.79	<1	1110	2	<0.01	9	8	271	<20
S007885		20	2.29	10	0.65	903	<1	0.73	<1	1090	5	<0.01	<5	8	252	<20
S007886		20	2.50	10	0.74	976	<1	0.80	<1	1180	6	0.01	6	9	307	<20
S007886D		20	2.62	10	0.70	959	<1	0.81	<1	1170	6	0.01	7	8	310	<20
S007887		20	2.50	10	0.67	1175	<1	0.70	<1	1150	5	0.02	8	8	314	<20
S007888		20	2.37	10	0.45	991	<1	0.59	<1	1180	6	0.02	<5	7	299	<20
S007889		20	2.72	10	0.44	1235	<1	0.62	1	1190	5	0.01	<5	8	311	<20
S007890		20	3.04	20	0.71	1005	5	0.16	68	1630	55	4.12	27	19	184	<20
S007891		20	2.50	10	0.60	1015	<1	0.68	2	1150	5	0.01	<5	8	232	<20
S007892		20	2.92	10	0.59	1115	<1	0.78	<1	1350	6	<0.01	8	9	274	<20
S007893		20	2.61	10	0.50	1005	<1	0.67	<1	1170	8	0.06	8	8	383	<20
S007894		20	2.36	10	0.47	1150	<1	0.60	<1	1050	8	0.01	<5	8	286	<20
S007895		20	2.55	10	0.44	1280	<1	0.60	<1	1090	4	0.04	<5	8	387	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007858		0.34	<10	<10	94	<10	68	
S007859		0.31	<10	<10	96	<10	75	
S007860		<0.01	<10	<10	1	<10	<2	
S007861		0.33	10	<10	101	<10	71	
S007862		0.33	10	<10	103	<10	86	
S007863		0.30	<10	<10	95	<10	72	
S007864		0.37	<10	<10	115	<10	69	
S007865		0.34	10	<10	110	<10	107	
S007866		0.34	<10	<10	99	<10	104	
S007866D		0.33	<10	<10	99	<10	103	
S007867		0.36	<10	<10	107	<10	87	
S007868		0.33	10	<10	102	<10	64	
S007869		0.31	<10	<10	92	<10	95	
S007870		0.25	10	<10	119	<10	1775	
S007871		0.38	10	<10	111	<10	92	
S007872		0.39	<10	<10	129	<10	58	
S007873		0.40	<10	<10	128	<10	78	
S007874		0.38	10	<10	115	<10	84	
S007875		0.37	<10	<10	121	<10	77	
S007876		0.37	<10	<10	118	<10	50	
S007877		0.32	<10	<10	102	<10	65	
S007878		0.32	<10	<10	109	<10	63	
S007879		0.34	<10	<10	111	<10	92	
S007880		<0.01	<10	10	1	<10	<2	
S007881		0.37	10	<10	119	<10	83	
S007882		0.31	10	<10	100	<10	72	
S007883		0.32	<10	<10	103	<10	79	
S007884		0.34	<10	<10	122	<10	73	
S007885		0.31	10	<10	110	<10	76	
S007886		0.36	10	<10	133	<10	77	
S007886D		0.36	<10	<10	134	<10	74	
S007887		0.33	<10	<10	112	<10	76	
S007888		0.29	<10	<10	96	<10	60	
S007889		0.34	<10	<10	112	<10	54	
S007890		0.35	10	<10	177	<10	211	
S007891		0.33	10	<10	115	<10	69	
S007892		0.38	<10	<10	133	<10	69	
S007893		0.34	<10	<10	123	<10	61	
S007894		0.30	<10	<10	110	<10	61	
S007895		0.33	<10	<10	120	<10	55	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007896		3.99	<0.005		<0.5	6.75	<5	2660	1.0	<2	6.19	<0.5	9	2	5	3.95
S007897		4.04	<0.005		<0.5	7.29	<5	4200	1.0	<2	6.41	<0.5	8	1	2	3.91
S007898		4.11	<0.005		<0.5	7.83	<5	3010	1.0	<2	5.35	<0.5	9	2	1	3.63
S007899		4.10	<0.005		<0.5	7.81	<5	2370	0.9	<2	5.11	<0.5	9	2	<1	4.04
S007900		1.00	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.7	<0.5	<1	1	1	0.05
S007901		4.09	<0.005		<0.5	8.13	6	2640	1.1	<2	4.53	<0.5	8	2	1	3.64
S007902		4.30	<0.005		<0.5	7.47	<5	2370	1.0	<2	4.56	<0.5	10	1	<1	3.46
S007903		3.96	<0.005		<0.5	6.89	5	2210	1.0	<2	3.42	<0.5	7	2	1	2.87
S007904		4.59	<0.005		<0.5	7.80	<5	1830	1.2	<2	3.88	<0.5	9	1	1	3.29
S007905		3.69	<0.005		<0.5	7.33	6	1640	1.0	<2	4.72	<0.5	7	1	41	3.37
S007906		3.10	<0.005		<0.5	8.04	6	1770	1.1	<2	3.81	<0.5	9	1	68	3.64
S007906D		<0.02	<0.005		<0.5	8.01	<5	1780	1.1	<2	3.81	<0.5	7	1	64	3.54
S007907		3.23	<0.005		<0.5	7.85	<5	1500	1.1	<2	5.20	<0.5	10	2	36	3.88
S007908		3.61	<0.005		<0.5	8.44	25	1710	1.3	<2	3.78	<0.5	11	2	62	3.82
S007909		3.57	<0.005		<0.5	7.96	13	1530	1.0	<2	3.78	<0.5	9	2	40	3.91
S007910		0.13	1.025		12.1	5.92	292	1140	1.0	<2	3.48	4.2	10	26	80	3.78
S007911		3.03	<0.005		<0.5	7.24	5	1450	0.9	<2	3.87	<0.5	9	2	78	3.43
S007912		3.84	<0.005		<0.5	7.73	<5	1260	0.9	<2	6.67	<0.5	10	2	55	4.01
S007913		4.57	<0.005		<0.5	6.91	5	1780	0.8	<2	4.74	<0.5	8	1	76	3.39
S007914		3.79	<0.005		<0.5	6.75	<5	1710	0.9	<2	5.28	<0.5	9	2	17	3.41
S007915		3.36	<0.005		<0.5	6.89	<5	2770	1.2	<2	6.09	<0.5	6	2	1	3.92
S007916		3.64	<0.005		<0.5	7.03	<5	2440	1.2	<2	5.42	<0.5	7	1	1	4.02
S007917		3.83	<0.005		<0.5	6.63	6	2100	1.0	<2	4.67	<0.5	8	1	1	3.66
S007918		3.73	<0.005		<0.5	6.79	<5	2050	1.0	<2	4.57	<0.5	9	3	2	3.71
S007919		2.86	<0.005		<0.5	6.74	5	1420	0.8	<2	5.25	<0.5	10	1	1	3.48
S007920		1.01	<0.005		<0.5	0.09	<5	20	<0.5	<2	33.3	<0.5	<1	1	<1	0.06
S007921		4.30	<0.005		<0.5	7.26	5	1540	0.9	<2	5.52	<0.5	11	1	1	4.00
S007922		3.61	<0.005		<0.5	6.80	<5	1780	0.9	<2	6.43	<0.5	9	1	1	3.79
S007923		3.61	<0.005		<0.5	5.96	<5	1800	0.8	<2	5.38	<0.5	7	1	5	3.35
S007924		3.70	<0.005		<0.5	7.15	7	2230	0.9	<2	5.64	<0.5	10	2	1	3.86
S007925		4.68	<0.005		<0.5	7.35	5	2300	1.0	<2	4.74	<0.5	11	1	1	4.00
S007926		3.64	<0.005		<0.5	6.83	5	2670	1.0	<2	5.79	<0.5	11	1	1	4.03
S007926D		<0.02	<0.005		<0.5	6.74	<5	2640	1.0	<2	5.68	<0.5	10	2	1	4.01
S007927		3.97	<0.005		<0.5	6.44	5	2890	1.0	<2	6.00	<0.5	9	1	1	3.60
S007928		3.96	<0.005		<0.5	6.08	<5	2470	0.9	<2	6.21	<0.5	7	1	2	3.31
S007929		4.15	<0.005		<0.5	5.94	6	2560	1.0	<2	5.23	<0.5	7	1	1	3.46
S007930		0.13	>10.0	10.50	>100	5.74	355	970	1.0	<2	3.62	4.2	10	31	145	3.61
S007931		4.47	<0.005		<0.5	6.44	6	2580	1.0	<2	5.44	<0.5	8	2	2	3.42
S007932		3.48	<0.005		<0.5	6.08	<5	2640	0.9	<2	5.89	<0.5	6	2	1	3.30
S007933		3.36	<0.005		<0.5	6.75	<5	3150	1.1	<2	5.32	<0.5	5	3	1	3.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007896		20	2.33	10	0.50	1245	<1	0.59	6	1090	9	0.04	<5	8	318	<20
S007897		20	2.23	10	0.79	1465	<1	0.64	3	1130	9	0.11	<5	9	640	<20
S007898		20	2.17	10	1.17	1380	<1	0.65	1	1250	7	0.10	<5	10	402	<20
S007899		20	1.95	10	1.38	1480	<1	0.63	<1	1220	7	0.13	<5	10	325	<20
S007900		<10	0.01	<10	1.81	21	<1	0.01	<1	30	5	0.09	5	<1	4780	<20
S007901		20	1.85	20	1.32	1315	<1	0.78	<1	1290	4	0.21	<5	10	441	<20
S007902		20	1.55	10	1.25	1380	<1	0.75	<1	1110	10	0.20	<5	9	436	<20
S007903		20	1.49	10	1.03	1055	<1	0.66	<1	990	6	0.15	<5	8	413	<20
S007904		20	1.58	10	1.19	1300	<1	0.93	<1	1240	9	0.05	<5	9	363	<20
S007905		20	1.45	10	1.21	1495	<1	0.86	1	1080	5	0.06	<5	8	368	<20
S007906		20	1.56	10	1.32	1355	1	0.91	2	1180	5	0.04	<5	9	367	<20
S007906D		20	1.58	10	1.30	1345	2	0.92	1	1180	3	0.04	<5	9	368	<20
S007907		20	1.40	10	1.41	1615	<1	1.00	2	1170	7	0.05	<5	9	371	<20
S007908		20	1.66	20	1.01	1195	1	1.38	1	1250	31	1.26	<5	10	396	<20
S007909		20	1.41	10	1.31	1305	<1	1.26	<1	1180	15	0.63	<5	10	326	<20
S007910		10	3.72	10	0.54	1350	10	0.20	19	890	148	2.71	24	11	186	<20
S007911		20	1.36	10	1.15	1250	<1	1.16	2	1120	11	0.49	<5	9	298	<20
S007912		20	1.25	10	1.54	2070	<1	1.21	<1	1130	10	0.06	<5	9	341	<20
S007913		20	1.16	10	1.38	1450	<1	1.06	1	1010	5	0.05	6	8	419	<20
S007914		20	1.37	10	1.14	1535	2	1.10	<1	1040	5	0.02	<5	8	356	<20
S007915		20	2.48	10	0.41	1250	<1	0.86	1	1160	9	0.02	<5	8	367	<20
S007916		20	2.38	10	0.55	1165	<1	0.89	1	1130	8	0.01	<5	8	300	<20
S007917		20	2.01	10	0.65	1055	<1	1.05	1	1130	8	<0.01	7	8	283	<20
S007918		20	1.97	10	0.67	1185	<1	1.19	1	1150	4	<0.01	<5	8	279	<20
S007919		20	1.42	10	1.20	1310	<1	1.35	1	1030	10	<0.01	<5	8	265	<20
S007920		<10	0.02	<10	1.70	23	<1	0.01	<1	40	<2	0.04	<5	<1	4900	<20
S007921		20	1.53	10	1.37	1455	<1	1.57	1	1160	9	<0.01	<5	9	300	<20
S007922		20	1.66	10	1.17	1530	<1	1.18	1	1110	8	<0.01	<5	8	295	<20
S007923		20	1.50	10	0.98	1245	<1	0.91	<1	970	9	0.01	<5	7	271	<20
S007924		20	1.75	10	1.21	1295	<1	0.87	<1	1110	12	0.01	<5	9	306	<20
S007925		20	1.77	10	1.32	1065	<1	0.71	<1	1170	7	0.02	<5	9	276	<20
S007926		20	1.91	10	1.20	1285	<1	0.74	<1	1160	5	0.02	<5	8	332	<20
S007926D		20	1.85	10	1.17	1265	<1	0.70	<1	1140	7	0.02	<5	8	330	<20
S007927		20	1.79	10	0.98	1375	<1	0.62	1	1020	5	0.03	<5	8	354	<20
S007928		20	1.92	10	0.63	1465	<1	0.49	1	920	7	0.01	<5	7	266	<20
S007929		20	2.09	10	0.48	1285	<1	0.48	1	1000	8	0.01	<5	7	234	<20
S007930		10	3.50	10	0.46	1320	8	0.15	22	800	247	2.92	52	10	193	<20
S007931		20	2.18	10	0.59	1305	<1	0.46	<1	1000	8	0.01	<5	8	225	<20
S007932		20	2.16	10	0.57	1330	<1	0.46	<1	1010	7	0.01	<5	7	242	<20
S007933		20	2.51	10	0.52	1240	<1	0.49	1	1150	6	0.02	5	8	248	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007896		0.32	<10	<10	119	<10	64	
S007897		0.34	<10	<10	121	<10	73	
S007898		0.37	<10	<10	120	<10	81	
S007899		0.37	<10	<10	122	<10	88	
S007900		<0.01	<10	<10	1	<10	<2	
S007901		0.38	<10	<10	127	<10	80	
S007902		0.33	10	<10	110	<10	77	
S007903		0.30	<10	<10	101	<10	62	
S007904		0.35	<10	<10	114	<10	75	
S007905		0.32	<10	<10	102	<10	76	
S007906		0.34	<10	<10	114	<10	79	
S007906D		0.34	<10	<10	114	<10	77	
S007907		0.34	<10	<10	113	<10	84	
S007908		0.38	<10	<10	121	<10	59	
S007909		0.34	<10	<10	114	<10	75	
S007910		0.25	10	<10	102	10	461	
S007911		0.33	<10	<10	109	<10	64	
S007912		0.35	<10	<10	113	<10	83	
S007913		0.30	<10	<10	104	<10	72	
S007914		0.30	<10	<10	107	<10	75	
S007915		0.36	<10	<10	135	<10	48	
S007916		0.35	<10	<10	94	<10	59	
S007917		0.32	<10	<10	76	<10	62	
S007918		0.34	<10	<10	52	<10	66	
S007919		0.30	<10	<10	67	<10	83	
S007920		<0.01	<10	<10	1	<10	<2	
S007921		0.35	<10	<10	98	<10	93	
S007922		0.33	<10	<10	105	<10	83	
S007923		0.30	<10	<10	88	<10	69	
S007924		0.34	<10	<10	94	<10	81	
S007925		0.36	<10	<10	89	<10	85	
S007926		0.36	<10	<10	72	<10	84	
S007926D		0.35	<10	<10	71	<10	83	
S007927		0.31	<10	<10	54	<10	76	
S007928		0.29	<10	<10	46	<10	60	
S007929		0.29	<10	<10	50	<10	56	
S007930		0.22	10	<10	94	10	493	131
S007931		0.29	<10	<10	85	<10	61	
S007932		0.29	<10	<10	118	<10	53	
S007933		0.33	<10	<10	111	<10	50	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007934		3.76	<0.005		<0.5	6.93	<5	2770	1.0	<2	5.32	<0.5	8	2	1	3.68
S007935		4.61	<0.005		<0.5	7.67	6	7600	1.0	<2	5.71	<0.5	9	2	<1	3.37
S007936		4.37	<0.005		<0.5	7.84	<5	9370	0.9	<2	4.68	<0.5	9	2	2	4.02
S007937		4.13	<0.005		<0.5	7.69	<5	5140	0.9	<2	4.45	<0.5	9	2	14	3.95
S007938		3.60	<0.005		<0.5	7.83	<5	2460	1.0	<2	2.63	<0.5	10	2	17	4.25
S007939		3.34	<0.005		<0.5	8.90	<5	2570	1.1	<2	0.47	<0.5	12	3	163	4.73
S007940		0.97	<0.005		<0.5	0.07	<5	10	<0.5	<2	34.4	<0.5	<1	1	1	0.05
S007941		3.56	<0.005		<0.5	9.60	5	2070	1.1	<2	0.28	<0.5	11	4	6	5.35
S007942		4.30	<0.005		<0.5	9.61	<5	1700	0.9	<2	0.29	<0.5	15	4	49	5.91
S007943		3.42	0.032		0.8	8.78	25	630	0.9	<2	0.52	<0.5	26	11	61	3.89
S007944		3.70	<0.005		<0.5	10.00	11	1550	0.9	<2	0.29	<0.5	10	4	12	4.58
S007945		3.21	<0.005		<0.5	10.30	5	1580	0.9	<2	0.27	<0.5	11	4	19	5.75
S007946		3.09	<0.005		<0.5	8.86	5	1760	0.8	<2	0.26	<0.5	14	4	29	4.19
S007946D		<0.02	<0.005		<0.5	9.11	5	1840	0.8	<2	0.26	<0.5	15	4	25	4.02
S007947		3.41	<0.005		<0.5	9.46	5	150	0.9	<2	0.21	<0.5	6	6	20	4.33
S007948		5.20	<0.005		<0.5	10.80	22	140	1.0	<2	0.14	<0.5	12	10	25	7.07
S007949		3.38	0.009		<0.5	1.93	24	220	<0.5	<2	0.29	<0.5	13	26	48	5.53
S007950		0.13	6.10		81.2	6.12	289	1070	1.0	<2	1.91	21.7	10	23	111	4.69
S007951		3.40	0.008		<0.5	9.77	17	850	0.8	<2	0.37	<0.5	14	15	30	2.57
S007952		3.87	0.010		<0.5	11.75	17	460	1.0	<2	0.21	<0.5	12	10	29	3.66
S007953		4.38	0.016		1.1	11.60	40	110	1.1	<2	0.39	<0.5	15	9	32	9.30
S007954		2.61	0.013		0.7	8.07	31	170	0.8	<2	0.29	<0.5	21	9	37	6.29
S007955		3.57	<0.005		<0.5	9.19	9	1800	0.9	<2	0.28	<0.5	10	3	33	4.95
S007956		3.24	<0.005		<0.5	8.74	11	2220	0.9	<2	0.54	<0.5	10	4	24	4.89
S007957		3.84	0.010		<0.5	9.65	11	3280	1.3	<2	0.38	<0.5	15	10	14	4.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007934		20	2.33	10	0.69	1295	<1	0.44	<1	1070	5	<0.01	<5	8	223	<20
S007935		20	2.30	10	1.13	1780	<1	0.44	2	1160	4	0.13	<5	9	586	<20
S007936		20	2.09	20	1.31	1760	<1	0.42	2	1180	6	0.19	5	10	801	<20
S007937		20	1.84	10	1.45	1925	<1	0.43	<1	1080	4	0.08	9	9	425	<20
S007938		20	1.78	10	1.47	1840	<1	0.46	2	1120	4	0.22	<5	9	199	<20
S007939		20	2.12	10	1.30	928	<1	0.58	1	1230	5	0.63	<5	11	173	<20
S007940		<10	0.01	<10	1.81	22	<1	<0.01	1	40	<2	0.09	5	<1	5020	<20
S007941		20	2.01	10	1.06	782	<1	0.73	2	1050	<2	0.38	<5	16	210	<20
S007942		20	1.76	10	0.97	708	<1	0.81	2	1130	5	0.58	<5	16	222	<20
S007943		20	1.95	10	0.25	264	12	1.04	5	930	17	3.01	<5	12	297	<20
S007944		20	1.80	<10	0.73	536	<1	1.05	1	1050	6	0.26	<5	15	286	<20
S007945		20	1.75	10	0.87	664	<1	1.02	3	1140	<2	0.48	<5	16	285	<20
S007946		20	1.75	10	0.47	368	<1	0.97	2	1060	<2	1.48	<5	14	277	<20
S007946D		20	1.82	10	0.46	357	<1	1.01	3	1070	<2	1.31	<5	15	288	<20
S007947		20	2.66	<10	0.05	41	<1	1.06	3	880	11	4.73	<5	16	277	<20
S007948		30	2.95	<10	0.05	19	<1	1.24	2	510	15	8.20	<5	15	332	<20
S007949		10	0.45	10	0.02	157	12	0.20	4	430	23	6.03	<5	4	86	<20
S007950		10	3.58	10	0.47	1160	10	0.22	14	940	8720	2.95	69	12	143	<20
S007951		30	2.18	20	0.02	49	7	1.37	3	1510	24	2.80	<5	4	453	<20
S007952		30	2.79	10	0.03	20	4	1.83	3	820	17	4.49	<5	6	484	<20
S007953		30	2.00	<10	0.03	19	15	2.00	3	1670	31	>10.0	6	8	487	<20
S007954		20	1.46	10	0.22	254	5	1.05	5	900	15	5.57	<5	10	297	<20
S007955		20	1.69	10	0.85	789	<1	0.82	1	1150	3	0.08	<5	13	225	<20
S007956		20	1.87	10	0.89	890	<1	0.66	2	910	3	0.29	<5	12	198	<20
S007957		20	2.58	10	0.71	819	12	0.72	3	660	9	0.66	<5	16	214	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007934		0.32	<10	10	108	<10	61	
S007935		0.35	<10	<10	118	<10	75	
S007936		0.36	<10	<10	110	<10	75	
S007937		0.33	<10	<10	105	<10	82	
S007938		0.34	<10	<10	117	<10	96	
S007939		0.38	<10	<10	134	<10	112	
S007940		<0.01	<10	<10	1	<10	<2	
S007941		0.50	<10	<10	158	<10	137	
S007942		0.49	<10	<10	162	<10	144	
S007943		0.55	<10	<10	157	<10	41	
S007944		0.51	<10	<10	205	<10	143	
S007945		0.53	<10	<10	210	<10	191	
S007946		0.48	<10	<10	168	<10	118	
S007946D		0.49	<10	<10	170	<10	113	
S007947		0.54	<10	<10	173	<10	6	
S007948		0.59	<10	<10	193	<10	3	
S007949		1.76	<10	<10	94	<10	3	
S007950		0.25	<10	<10	120	10	1820	
S007951		1.47	<10	<10	186	10	3	
S007952		0.60	10	<10	178	10	4	
S007953		0.63	<10	<10	162	<10	11	
S007954		0.48	<10	<10	115	<10	39	
S007955		0.42	<10	<10	123	<10	128	
S007956		0.40	<10	<10	118	<10	115	
S007957		0.44	<10	<10	151	<10	76	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15120451

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

CERTIFICATE TR15121668

Project: Bowser Regional Exploration

P.O. No.: BOW-0038

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007958		3.29	<0.005		<0.5	10.50	<5	3780	1.4	<2	0.65	<0.5	10	7	<1	4.26
S007959		4.29	<0.005		<0.5	9.50	6	3730	1.3	2	0.49	<0.5	11	7	<1	3.69
S007960		1.14	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.6	<0.5	<1	<1	1	0.04
S007961		3.67	0.007		<0.5	11.30	9	4030	1.4	<2	0.29	<0.5	12	7	1	5.23
S007962		4.11	<0.005		<0.5	10.95	7	4010	1.4	<2	0.31	<0.5	13	5	1	6.16
S007963		4.16	<0.005		<0.5	10.65	7	2470	1.3	<2	0.43	<0.5	19	4	2	6.81
S007964		3.80	<0.005		<0.5	11.00	5	4320	1.3	2	0.27	<0.5	12	4	1	5.08
S007965		3.65	<0.005		<0.5	8.71	10	3130	1.2	3	4.46	<0.5	13	2	2	5.37
S007966		4.42	<0.005		<0.5	8.37	13	2360	1.0	<2	2.79	<0.5	12	2	11	5.89
S007966D		<0.02	<0.005		<0.5	8.39	18	2560	1.0	<2	2.92	<0.5	16	2	11	5.71
S007967		3.93	<0.005		<0.5	8.51	6	2690	1.1	<2	4.69	<0.5	8	2	77	3.83
S007968		4.39	<0.005		<0.5	8.11	8	2820	1.2	<2	4.99	<0.5	7	2	41	3.80
S007969		3.81	<0.005		<0.5	7.81	18	2050	1.0	<2	3.70	<0.5	11	4	21	4.35
S007970		0.10	>10.0	19.25	23.0	7.19	787	1440	1.4	<2	2.76	1.7	19	108	139	5.17
S007971		4.70	0.009		<0.5	8.37	29	2810	1.1	<2	3.95	<0.5	9	4	25	4.49
S007972		2.76	0.005		<0.5	10.25	27	2670	1.5	<2	0.90	<0.5	15	4	20	6.16
S007973		3.45	0.007		<0.5	11.85	28	3460	1.7	<2	0.09	<0.5	17	16	16	6.04
S007974		2.60	<0.005		<0.5	10.20	12	3420	1.4	<2	1.04	<0.5	12	4	16	4.43
S007975		2.84	<0.005		<0.5	9.59	14	3060	1.3	<2	1.40	<0.5	7	4	22	4.51
S007976		2.66	<0.005		<0.5	8.89	13	2790	1.3	<2	0.78	<0.5	7	6	14	2.98
S007977		3.95	<0.005		<0.5	9.87	13	2890	1.4	<2	0.25	<0.5	8	10	17	4.10
S007978		4.37	0.010		<0.5	10.35	25	3040	1.5	<2	0.45	<0.5	16	8	28	5.35
S007979		3.80	0.017		<0.5	9.93	83	540	1.6	<2	0.30	<0.5	16	6	26	5.63
S007980		0.86	<0.005		<0.5	0.05	<5	20	<0.5	<2	36.1	<0.5	<1	<1	<1	0.04
S007981		3.46	0.016		<0.5	10.15	67	200	1.7	<2	0.50	0.8	17	15	29	5.76
S007982		3.18	<0.005		<0.5	10.15	34	3000	1.4	<2	0.72	0.5	18	15	29	5.06
S007983		3.44	<0.005		<0.5	10.95	17	810	1.6	<2	0.33	<0.5	19	15	43	7.27
S007984		3.60	<0.005		<0.5	9.62	8	230	1.5	<2	0.46	<0.5	13	8	31	5.26
S007985		3.26	<0.005		<0.5	9.99	10	260	1.5	<2	0.93	<0.5	11	6	17	4.86
S007986		4.13	<0.005		<0.5	10.05	10	260	1.6	<2	0.48	<0.5	12	4	15	4.31
S007986D		<0.02	<0.005		<0.5	10.10	10	240	1.6	<2	0.48	<0.5	12	4	16	4.35
S007987		4.53	<0.005		<0.5	9.96	12	140	1.5	<2	0.77	<0.5	12	6	31	5.04
S007988		3.87	0.005		<0.5	9.17	13	290	1.2	<2	0.20	<0.5	7	9	26	3.80
S007989		3.63	0.007		<0.5	9.18	9	1660	1.2	<2	0.17	<0.5	5	8	7	3.17
S007990		0.12	1.070		12.5	5.79	298	560	1.0	<2	3.37	4.2	9	26	82	3.90
S007991		3.60	0.008		<0.5	9.16	25	1660	1.1	<2	0.22	<0.5	8	8	16	3.35
S007992		3.54	0.005		<0.5	9.08	19	170	1.2	<2	0.18	<0.5	5	12	17	4.43
S007993		2.66	0.005		<0.5	8.97	9	130	1.2	<2	0.22	<0.5	5	10	20	4.71
S007994		3.50	0.005		<0.5	9.50	8	110	1.2	<2	0.22	<0.5	4	10	27	4.67
S007995		3.87	0.013		<0.5	10.35	9	150	1.2	<2	0.17	<0.5	6	10	24	4.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007958		20	2.82	20	0.85	966	<1	0.73	2	830	<2	0.02	<5	15	231	<20
S007959		20	2.82	10	0.73	845	<1	0.62	3	760	3	0.05	<5	14	183	<20
S007960		<10	0.01	<10	1.80	21	<1	<0.01	<1	40	2	0.03	<5	<1	4900	<20
S007961		20	3.15	10	0.89	1010	<1	0.72	<1	660	<2	0.35	<5	18	224	<20
S007962		20	2.91	10	0.95	1140	<1	0.70	<1	770	9	0.80	<5	17	233	<20
S007963		20	2.87	10	0.90	1140	<1	0.67	<1	810	7	1.88	<5	17	223	<20
S007964		20	3.08	20	0.82	990	<1	0.64	<1	440	<2	0.60	<5	17	207	<20
S007965		20	2.27	10	0.83	2440	<1	0.64	<1	1190	<2	0.64	<5	10	271	<20
S007966		20	1.84	10	1.04	1980	<1	0.55	<1	1210	<2	0.19	6	11	260	<20
S007966D		20	1.85	10	1.00	1995	<1	0.55	1	1170	<2	0.26	<5	11	260	<20
S007967		20	2.03	20	0.71	2230	<1	0.62	<1	1010	5	0.26	<5	11	289	<20
S007968		20	2.11	10	0.62	2470	<1	0.74	<1	1190	4	0.06	<5	10	330	<20
S007969		20	1.70	10	0.75	2170	<1	0.56	2	810	18	0.47	<5	10	262	<20
S007970		10	3.13	20	0.72	1030	6	0.17	68	1670	58	4.26	15	20	191	<20
S007971		20	2.00	10	0.76	2070	9	0.61	1	780	35	0.47	5	13	300	<20
S007972		20	2.27	10	1.09	1500	<1	0.82	<1	960	34	0.65	<5	14	318	<20
S007973		30	2.87	<10	1.10	1160	1	0.93	2	140	9	0.08	<5	16	322	<20
S007974		20	2.73	20	0.88	1320	<1	0.76	3	660	10	0.25	<5	16	302	<20
S007975		20	2.47	20	0.92	2030	<1	0.70	2	280	26	0.11	<5	12	282	<20
S007976		20	2.35	20	0.66	1215	<1	0.71	3	490	6	0.06	<5	8	268	<20
S007977		20	2.53	10	0.80	1035	<1	0.76	3	210	7	0.27	<5	11	263	<20
S007978		20	2.65	20	0.99	1180	<1	0.84	3	440	16	1.31	<5	15	305	<20
S007979		20	2.70	10	0.69	794	5	0.97	2	800	29	3.58	8	15	350	<20
S007980		<10	0.01	<10	1.77	22	<1	<0.01	<1	40	<2	0.10	<5	<1	5280	<20
S007981		20	2.93	10	0.48	728	2	0.98	3	650	26	4.92	<5	16	352	<20
S007982		20	2.82	10	1.06	1610	<1	0.80	3	370	14	1.62	<5	16	280	<20
S007983		30	2.99	20	1.14	1255	<1	0.85	5	930	15	3.81	<5	21	306	<20
S007984		20	3.03	10	0.60	935	<1	0.79	1	400	3	4.31	<5	13	267	<20
S007985		20	3.23	10	0.74	987	<1	0.87	3	1020	5	3.92	<5	14	284	<20
S007986		20	3.24	10	0.48	538	<1	0.99	2	1300	8	4.05	8	13	327	<20
S007986D		20	3.21	10	0.48	535	<1	0.98	1	1270	9	4.04	<5	13	329	<20
S007987		20	3.12	10	0.34	477	<1	0.96	2	660	13	5.32	<5	14	294	<20
S007988		20	2.94	10	0.40	316	<1	0.75	2	640	14	3.75	5	11	246	<20
S007989		20	2.78	10	0.61	442	<1	0.72	<1	680	5	2.35	<5	12	232	<20
S007990		10	3.89	10	0.51	1365	8	0.22	18	890	139	2.75	22	10	189	<20
S007991		20	2.69	10	0.72	560	<1	0.73	<1	560	12	2.33	<5	13	230	<20
S007992		20	2.94	10	0.25	138	<1	0.84	<1	680	12	4.86	<5	13	252	<20
S007993		20	2.86	10	0.16	82	<1	0.82	<1	870	8	5.31	<5	12	250	<20
S007994		20	2.95	10	0.16	78	<1	0.83	6	790	8	5.28	<5	14	255	<20
S007995		20	3.23	10	0.17	67	<1	0.89	2	530	<2	4.86	<5	14	277	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007958		0.47	<10	<10	150	<10	91	
S007959		0.45	10	<10	139	<10	76	
S007960		<0.01	10	<10	<1	<10	2	
S007961		0.54	<10	<10	136	<10	99	
S007962		0.54	<10	<10	109	<10	102	
S007963		0.53	<10	<10	94	<10	99	
S007964		0.53	<10	<10	97	<10	88	
S007965		0.41	<10	<10	115	<10	108	
S007966		0.39	<10	<10	100	<10	126	
S007966D		0.39	<10	<10	100	<10	119	
S007967		0.35	<10	<10	104	<10	78	
S007968		0.40	<10	<10	125	<10	81	
S007969		0.35	10	<10	99	<10	80	
S007970		0.36	<10	<10	180	<10	230	
S007971		0.38	<10	<10	109	<10	84	
S007972		0.48	<10	<10	126	<10	113	
S007973		0.62	<10	<10	214	<10	117	
S007974		0.38	<10	<10	114	<10	83	
S007975		0.35	<10	<10	96	<10	83	
S007976		0.25	<10	<10	62	<10	56	
S007977		0.36	<10	<10	103	<10	85	
S007978		0.47	<10	<10	123	<10	111	
S007979		0.51	<10	<10	146	<10	90	
S007980		<0.01	10	10	<1	<10	<2	
S007981		0.51	<10	<10	160	<10	129	
S007982		0.50	<10	<10	151	<10	172	
S007983		0.61	<10	<10	171	<10	183	
S007984		0.40	<10	<10	116	<10	102	
S007985		0.46	<10	<10	152	<10	93	
S007986		0.42	<10	<10	129	<10	92	
S007986D		0.42	<10	<10	128	<10	91	
S007987		0.41	<10	<10	117	<10	115	
S007988		0.35	<10	<10	107	<10	64	
S007989		0.39	<10	10	125	<10	47	
S007990		0.25	<10	<10	99	<10	479	
S007991		0.41	<10	<10	134	<10	84	
S007992		0.42	<10	<10	136	<10	51	
S007993		0.40	<10	<10	143	<10	17	
S007994		0.39	<10	<10	147	<10	50	
S007995		0.39	<10	<10	119	<10	49	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007996		3.68	<0.005		<0.5	10.20	<5	200	1.1	<2	0.12	<0.5	3	9	11	4.04
S007997		3.56	0.012		<0.5	9.80	16	160	1.0	2	0.23	<0.5	2	7	23	4.30
S007998		3.11	0.008		<0.5	9.97	27	170	1.1	2	0.20	<0.5	3	7	31	4.31
S007999		3.72	<0.005		<0.5	9.34	32	210	1.1	2	0.19	<0.5	3	8	31	3.70
S008000		0.88	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.8	<0.5	<1	1	<1	0.03
S008001		4.17	0.026		<0.5	9.81	45	400	1.5	<2	0.15	<0.5	3	7	50	3.33
S008002		4.01	0.019		<0.5	9.11	44	300	1.6	<2	0.33	0.6	6	7	36	3.55
S008003		3.89	0.008		<0.5	9.61	32	420	1.5	<2	0.23	<0.5	5	7	30	3.13
S008004		3.91	<0.005		<0.5	9.78	22	350	1.3	<2	0.40	0.8	5	8	15	3.12
S008005		3.74	0.045		<0.5	9.24	117	130	1.2	<2	0.30	0.5	12	7	32	4.63
S008006		3.91	0.015		<0.5	9.31	72	130	1.2	<2	0.35	2.1	21	7	16	4.57
S008006D		<0.02	0.017		<0.5	9.34	79	120	1.2	5	0.34	1.7	20	7	16	4.62
S008007		4.50	0.014		<0.5	8.74	69	160	1.0	<2	0.78	<0.5	11	7	16	3.78
S008008		4.10	0.012		<0.5	8.71	61	200	0.9	<2	1.55	<0.5	9	7	16	3.66
S008009		3.80	0.010		<0.5	8.98	34	180	1.0	<2	0.98	<0.5	10	6	13	3.83
S008010		0.12	>10.0	10.60	>100	6.37	393	430	1.1	<2	4.03	5.0	10	32	151	3.99
S008011		3.54	0.015		0.9	8.59	34	280	1.2	<2	1.71	<0.5	13	6	15	3.56
S008012		3.63	0.014		0.5	8.99	37	160	1.0	<2	1.41	<0.5	8	7	16	3.99
S008013		4.39	0.014		0.5	9.12	45	170	1.1	<2	0.91	<0.5	9	7	14	3.81
S008014		3.96	0.025		0.9	9.25	46	150	1.2	<2	2.02	<0.5	9	7	14	3.85
S008015		3.94	0.013		0.8	9.02	32	370	1.2	<2	0.72	<0.5	10	7	19	3.93
S008016		3.63	0.005		<0.5	8.75	17	620	1.2	<2	1.02	0.5	9	7	22	3.74
S008017		3.44	0.014		13.4	8.88	40	220	1.1	<2	1.15	<0.5	11	8	42	4.10
S008018		6.24	0.040		1.0	8.78	37	530	1.2	<2	1.55	<0.5	10	7	18	4.17
S008019		1.12	0.041		1.6	9.29	57	260	1.4	2	0.70	<0.5	9	6	14	4.22
S008020		0.92	<0.005		<0.5	0.05	<5	10	<0.5	3	37.0	<0.5	<1	1	<1	0.05
S008021		4.17	0.075		1.7	9.45	73	160	1.5	<2	1.22	<0.5	11	6	16	4.53
S008022		4.13	0.017		0.5	8.98	33	650	1.2	<2	1.00	<0.5	10	8	18	4.16
S008023		3.55	0.013		<0.5	8.90	29	1940	1.0	<2	1.15	<0.5	9	6	18	4.08
S008024		3.73	<0.005		<0.5	8.87	14	1530	1.2	2	1.78	<0.5	9	6	18	4.17
S008025		3.87	0.012		<0.5	8.89	18	2270	1.1	<2	1.51	<0.5	10	7	19	4.09
S008026		3.53	0.006		<0.5	8.92	17	1260	1.2	<2	1.24	<0.5	8	6	18	4.15
S008026D		<0.02	0.005		<0.5	8.63	17	1460	1.1	<2	1.18	<0.5	8	6	16	3.92
S008027		3.75	0.026		<0.5	8.72	25	530	1.1	<2	0.86	<0.5	9	5	18	3.94
S008028		4.14	0.045		1.2	8.57	49	530	1.1	3	0.93	<0.5	10	5	21	3.87
S008029		4.07	0.044		1.2	9.08	70	480	1.3	<2	0.83	<0.5	11	6	18	4.24
S008030		0.12	5.42		80.6	6.20	288	1100	1.0	3	1.93	21.7	11	22	117	4.72
S008031		4.29	0.030		0.7	8.40	121	440	1.3	<2	1.26	<0.5	11	6	19	4.05
S008032		4.06	0.015		<0.5	8.60	61	1930	1.0	3	1.50	<0.5	10	6	18	3.75
S008033		3.79	0.061		<0.5	8.36	26	1810	1.0	4	2.35	<0.5	8	6	21	3.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007996		20	3.19	10	0.16	58	<1	0.84	1	390	<2	4.48	<5	13	264	<20
S007997		20	3.24	10	0.20	92	<1	0.71	1	800	7	4.74	<5	13	217	<20
S007998		20	3.19	30	0.21	86	4	0.72	1	690	12	4.76	<5	13	219	<20
S007999		20	3.04	10	0.23	125	2	0.70	1	460	7	4.05	<5	12	218	<20
S008000		<10	0.01	<10	1.82	19	<1	<0.01	<1	30	<2	0.08	<5	<1	5170	<20
S008001		20	2.48	20	0.21	81	3	1.13	1	360	10	3.68	13	13	307	<20
S008002		20	2.04	20	0.31	143	4	1.13	2	1250	13	3.85	9	12	315	<20
S008003		20	2.69	20	0.37	186	2	1.00	2	380	10	3.39	8	13	269	<20
S008004		20	3.13	20	0.45	196	<1	0.82	2	1220	6	3.30	<5	13	200	<20
S008005		20	3.07	30	0.36	185	<1	0.71	5	440	17	5.07	5	12	170	<20
S008006		20	3.13	10	0.41	204	1	0.67	4	490	8	5.05	<5	12	159	<20
S008006D		20	3.18	10	0.41	201	1	0.67	5	470	9	5.11	<5	12	159	<20
S008007		20	2.76	10	0.69	434	<1	0.87	2	1000	8	3.98	<5	12	141	<20
S008008		20	2.37	10	1.05	804	<1	1.23	2	1000	10	3.70	<5	12	146	<20
S008009		20	2.70	10	1.16	734	<1	1.16	3	1080	6	3.81	<5	12	144	<20
S008010		10	3.78	10	0.51	1440	7	0.17	22	920	260	3.22	57	11	211	<20
S008011		20	2.51	10	1.23	1065	<1	0.82	2	1060	8	3.44	<5	12	172	<20
S008012		20	2.72	10	0.89	670	<1	1.14	2	1010	7	4.12	<5	12	147	<20
S008013		20	3.17	10	0.49	356	1	0.98	1	1010	11	4.07	<5	12	132	<20
S008014		20	3.26	10	0.45	725	1	0.97	2	1030	12	4.12	<5	12	161	<20
S008015		20	2.78	10	1.21	758	<1	1.18	2	1060	5	3.19	7	12	145	<20
S008016		20	2.47	10	1.46	1030	<1	1.15	1	990	<2	2.39	<5	12	156	<20
S008017		20	2.75	10	0.97	811	<1	1.22	4	1040	7	3.40	<5	12	151	<20
S008018		20	2.59	10	1.35	1165	<1	0.99	1	1140	6	2.56	<5	12	170	<20
S008019		20	3.15	10	0.92	565	<1	0.77	2	1250	2	3.50	<5	12	134	<20
S008020		<10	0.01	<10	1.80	22	<1	<0.01	<1	40	<2	0.07	6	<1	5370	<20
S008021		20	3.33	10	0.67	612	<1	0.50	2	1300	9	4.25	<5	13	147	<20
S008022		20	2.69	10	1.28	899	<1	0.97	2	1110	2	2.55	<5	12	132	<20
S008023		20	2.35	20	1.58	1185	<1	1.41	<1	1000	3	1.62	<5	12	162	<20
S008024		20	2.49	10	1.52	1310	<1	1.06	1	1000	3	1.77	<5	12	164	<20
S008025		20	2.43	10	1.70	1365	<1	1.07	1	1010	5	1.19	<5	12	157	<20
S008026		20	2.58	10	1.44	1080	<1	1.20	2	1000	5	1.98	<5	12	153	<20
S008026D		20	2.47	10	1.37	1025	<1	1.15	<1	960	3	1.85	<5	11	148	<20
S008027		20	2.67	10	1.09	737	<1	1.29	<1	1030	6	2.62	<5	12	122	<20
S008028		20	2.67	10	0.99	680	<1	1.19	3	990	12	2.82	6	11	122	<20
S008029		20	3.07	10	1.02	647	<1	0.74	3	1020	9	3.22	5	12	114	<20
S008030		20	3.61	10	0.48	1170	10	0.22	16	940	8680	2.97	77	12	146	<20
S008031		20	2.90	10	0.94	860	1	0.50	3	970	24	2.98	7	11	123	<20
S008032		20	2.43	10	1.45	1195	<1	1.09	2	950	8	1.37	12	11	137	<20
S008033		20	2.19	10	1.60	1655	<1	1.29	2	940	9	1.13	9	11	183	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007996		0.37	<10	<10	97	<10	54	
S007997		0.36	<10	<10	106	<10	53	
S007998		0.37	<10	<10	122	<10	45	
S007999		0.36	<10	<10	117	<10	89	
S008000		<0.01	<10	<10	1	<10	<2	
S008001		0.39	<10	<10	113	<10	37	
S008002		0.36	<10	<10	102	<10	82	
S008003		0.39	<10	<10	141	<10	67	
S008004		0.38	<10	<10	148	<10	86	
S008005		0.35	<10	<10	147	<10	64	
S008006		0.36	<10	<10	123	<10	213	
S008006D		0.37	<10	<10	124	<10	169	
S008007		0.36	<10	<10	107	<10	44	
S008008		0.34	<10	<10	107	<10	103	
S008009		0.36	<10	<10	114	<10	79	
S008010		0.24	<10	<10	105	<10	540	136
S008011		0.34	<10	<10	110	<10	118	
S008012		0.33	<10	<10	107	<10	116	
S008013		0.35	<10	<10	112	<10	60	
S008014		0.36	<10	<10	110	<10	102	
S008015		0.35	<10	<10	116	<10	105	
S008016		0.34	<10	<10	111	<10	119	
S008017		0.35	<10	<10	110	50	45	
S008018		0.35	<10	<10	111	<10	83	
S008019		0.37	<10	<10	119	<10	43	
S008020		<0.01	<10	<10	1	<10	<2	
S008021		0.35	<10	<10	117	<10	33	
S008022		0.34	<10	<10	116	<10	80	
S008023		0.34	<10	<10	112	<10	92	
S008024		0.34	<10	<10	113	<10	83	
S008025		0.36	<10	<10	117	<10	105	
S008026		0.35	<10	<10	112	<10	105	
S008026D		0.33	<10	<10	108	<10	98	
S008027		0.33	<10	<10	108	<10	76	
S008028		0.31	<10	<10	107	<10	56	
S008029		0.33	<10	<10	111	<10	51	
S008030		0.25	<10	<10	120	<10	1825	
S008031		0.31	<10	<10	102	<10	55	
S008032		0.33	<10	<10	107	<10	96	
S008033		0.33	<10	<10	105	<10	105	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008034		3.28	0.028		<0.5	8.56	16	1840	1.0	<2	1.80	<0.5	10	6	19	3.75
S008035		4.29	0.009		<0.5	8.21	14	1680	1.0	3	1.47	<0.5	8	5	21	3.73
S008036		4.12	0.012		<0.5	8.96	23	1740	1.0	3	1.05	<0.5	10	5	20	4.12
S008037		4.24	0.038		<0.5	8.88	29	580	1.2	2	0.90	<0.5	10	5	17	3.92
S008038		4.50	0.052		<0.5	8.44	40	390	1.2	2	1.34	<0.5	10	5	17	4.04
S008039		2.96	0.023		0.6	8.66	31	560	1.3	<2	1.02	<0.5	10	6	18	3.78
S008040		0.84	<0.005		<0.5	0.05	<5	10	<0.5	3	34.2	<0.5	<1	1	<1	0.03
S008041		3.42	0.061		<0.5	10.10	70	360	1.7	3	2.25	<0.5	11	6	17	5.04
S008042		3.82	0.085		<0.5	12.25	96	920	2.2	2	0.81	<0.5	13	7	7	5.43
S008043		4.11	0.023		0.8	9.95	69	300	1.7	3	1.19	<0.5	13	7	8	4.39
S008044		4.40	0.020		1.0	9.50	64	340	1.6	<2	0.95	<0.5	13	6	15	3.93
S008045		4.03	0.014		<0.5	8.67	50	760	1.3	<2	2.49	0.5	8	6	11	3.80
S008046		3.62	0.034		1.5	8.82	76	310	1.4	<2	2.46	<0.5	9	5	23	4.09
S008046D		<0.02	0.033		1.6	8.92	80	380	1.4	<2	2.73	<0.5	10	6	24	4.36
S008047		3.65	0.025		0.8	8.79	63	420	1.4	5	1.60	<0.5	9	5	15	3.96
S008048		3.71	0.029		0.7	8.68	73	400	1.4	<2	0.68	<0.5	10	6	11	3.73
S008049		4.10	0.045		1.0	8.38	80	600	1.1	<2	1.19	<0.5	9	5	20	3.80
S008050		0.10	>10.0	18.60	23.9	7.10	816	1230	1.4	<2	2.82	1.7	20	110	137	5.06
S008051		4.30	0.033		1.1	8.39	65	1270	1.0	<2	2.82	<0.5	9	5	23	3.63
S008052		4.15	0.020		0.7	8.63	55	840	1.1	3	1.81	<0.5	9	6	19	3.74
S008053		4.28	0.025		1.2	8.63	57	680	1.1	3	0.77	<0.5	11	6	24	3.85
S008054		4.32	0.028		0.9	9.06	117	530	1.3	2	1.44	<0.5	11	6	21	3.97
S008055		4.11	0.028		1.0	8.91	103	510	1.4	4	0.58	<0.5	10	6	16	3.93
S008056		3.93	0.028		1.1	9.27	98	260	1.5	<2	0.63	<0.5	11	6	15	4.76
S008057		4.71	0.026		1.2	8.82	88	300	1.5	<2	0.57	<0.5	12	6	11	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008034		20	2.41	10	1.52	1390	<1	1.30	3	990	7	1.34	9	11	156	<20
S008035		20	2.21	10	1.48	1305	<1	1.49	3	950	9	1.60	5	11	157	<20
S008036		20	2.56	10	1.54	1145	<1	1.45	1	1060	8	2.22	<5	12	132	<20
S008037		20	3.04	10	1.08	805	<1	0.93	4	1060	9	2.95	8	12	96	<20
S008038		20	2.95	10	0.97	849	<1	0.75	2	990	6	3.38	7	11	92	<20
S008039		20	3.00	10	1.20	843	<1	0.70	2	1130	7	2.83	11	11	91	<20
S008040		<10	0.01	<10	1.85	19	<1	<0.01	<1	20	4	0.06	5	<1	4840	<20
S008041		20	4.01	10	0.78	1060	<1	0.45	5	1210	20	5.05	8	13	142	<20
S008042		30	5.30	10	0.45	280	<1	0.43	5	1650	15	6.10	11	16	139	<20
S008043		20	4.16	10	0.38	413	<1	0.32	4	1140	16	4.79	5	13	113	<20
S008044		20	3.97	10	0.37	373	1	0.28	2	1130	14	4.29	6	13	103	<20
S008045		20	3.36	10	0.90	1185	<1	0.26	2	940	17	3.48	<5	12	139	<20
S008046		20	3.81	10	0.59	1020	<1	0.28	3	1090	30	4.28	10	12	126	<20
S008046D		20	3.80	10	0.62	1140	<1	0.28	3	1120	32	4.53	6	12	133	<20
S008047		20	3.42	10	0.84	772	1	0.25	2	1020	25	3.69	5	12	102	<20
S008048		20	3.44	10	0.88	468	<1	0.24	2	1040	15	3.39	7	12	77	<20
S008049		20	3.02	10	1.28	823	<1	0.51	2	980	10	2.95	13	11	82	<20
S008050		20	3.04	20	0.73	1020	6	0.16	67	1650	67	4.19	21	19	188	<20
S008051		20	2.47	10	1.59	1430	<1	1.24	2	950	6	2.20	16	11	139	<20
S008052		20	2.88	10	1.50	1090	<1	0.97	2	1000	11	2.54	10	12	117	<20
S008053		20	2.92	10	1.42	718	<1	0.99	2	1020	7	2.85	12	12	92	<20
S008054		20	3.40	10	1.17	775	<1	0.27	4	1070	12	3.09	7	12	108	<20
S008055		20	3.49	10	1.03	453	<1	0.24	3	1050	15	3.24	5	12	77	<20
S008056		20	3.92	10	0.52	236	1	0.26	3	1310	19	5.05	9	12	83	<20
S008057		20	3.77	10	0.36	154	1	0.25	3	1260	10	4.06	7	12	77	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008034		0.34	<10	<10	106	<10	94	
S008035		0.33	<10	<10	102	<10	91	
S008036		0.35	10	<10	112	<10	102	
S008037		0.34	<10	<10	111	<10	79	
S008038		0.31	<10	<10	103	<10	88	
S008039		0.33	<10	<10	107	<10	102	
S008040		<0.01	<10	<10	1	<10	<2	
S008041		0.38	<10	<10	127	<10	111	
S008042		0.48	<10	<10	155	<10	32	
S008043		0.36	<10	<10	120	<10	20	
S008044		0.35	<10	<10	114	<10	93	
S008045		0.33	<10	<10	110	<10	238	
S008046		0.36	<10	<10	109	<10	109	
S008046D		0.36	<10	<10	110	<10	112	
S008047		0.33	<10	<10	107	<10	98	
S008048		0.33	<10	<10	108	<10	92	
S008049		0.32	<10	<10	103	<10	103	
S008050		0.36	<10	<10	182	<10	227	
S008051		0.33	<10	10	106	<10	97	
S008052		0.35	<10	<10	111	<10	89	
S008053		0.34	<10	<10	114	<10	89	
S008054		0.33	<10	10	113	<10	85	
S008055		0.34	<10	<10	114	<10	83	
S008056		0.35	<10	<10	118	<10	54	
S008057		0.34	<10	<10	108	<10	18	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15121668

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

CERTIFICATE TR15129098

Project: Bowser Regional Exploration

P.O. No.: BOW-0050

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 26-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008351		6.04	<0.005		<0.5	7.94	11	2190	1.2	3	2.62	<0.5	7	7	17	3.59
S008352		5.24	<0.005		<0.5	7.17	14	1960	1.0	2	4.37	<0.5	6	9	5	3.56
S008353		6.58	<0.005		<0.5	8.15	13	2830	1.0	<2	3.41	<0.5	10	6	4	3.74
S008354		6.70	<0.005		<0.5	8.52	18	2270	1.0	<2	3.62	<0.5	9	6	1	4.02
S008355		6.54	<0.005		<0.5	7.36	16	1510	0.9	<2	3.95	<0.5	7	5	<1	3.45
S008356		5.77	<0.005		<0.5	6.37	15	1340	0.8	<2	4.40	<0.5	6	11	1	3.21
S008357		6.93	<0.005		<0.5	7.33	15	1830	1.0	<2	3.38	<0.5	7	6	8	3.52
S008358		5.94	<0.005		<0.5	7.60	11	1940	1.2	3	3.04	<0.5	9	4	18	3.44
S008359		5.97	<0.005		<0.5	7.23	10	2010	1.2	3	3.35	<0.5	9	5	18	3.55
S008360		0.88	<0.005		<0.5	0.05	<5	10	<0.5	2	34.7	<0.5	<1	<1	<1	0.03
S008361		6.09	<0.005		<0.5	7.67	11	2990	1.2	2	2.98	<0.5	8	4	17	3.55
S008362		4.91	<0.005		<0.5	7.96	13	2550	1.2	<2	2.41	<0.5	8	4	17	3.53
S008363		5.85	<0.005		<0.5	8.28	11	2570	1.2	<2	2.71	<0.5	9	4	17	3.56
S008364		4.03	<0.005		<0.5	8.31	10	2000	1.2	2	2.53	<0.5	10	3	17	3.77
S008365		6.10	<0.005		<0.5	8.11	15	2390	1.2	<2	3.89	<0.5	7	4	12	3.59
S008366		6.25	<0.005		<0.5	7.20	18	2630	0.9	<2	5.11	<0.5	8	4	13	3.47
S008366D		<0.02	<0.005		<0.5	6.74	17	2740	0.9	<2	5.08	<0.5	9	5	14	3.32
S008367		6.57	<0.005		<0.5	8.34	16	2260	1.2	2	3.14	<0.5	8	5	18	3.78
S008368		5.28	<0.005		<0.5	7.53	14	2070	1.1	<2	4.18	<0.5	8	4	9	3.49
S008369		3.71	<0.005		<0.5	8.46	16	2020	1.3	<2	1.69	<0.5	10	3	12	3.90
S008370		0.11	1.010		12.6	5.73	302	350	1.0	<2	3.41	4.2	9	26	82	3.79
S008371		4.46	<0.005		<0.5	8.21	15	2100	1.2	<2	2.57	<0.5	9	3	17	3.79
S008372		8.12	<0.005		<0.5	7.64	14	1880	1.2	<2	3.49	<0.5	10	5	20	3.67
S008373		7.30	<0.005		<0.5	7.87	19	1170	1.2	<2	4.46	<0.5	10	5	27	3.67
S008374		6.00	<0.005		<0.5	7.78	17	1660	1.3	2	2.96	<0.5	10	6	32	3.69
S008375		6.44	<0.005		<0.5	7.72	20	1680	1.2	2	4.00	<0.5	14	6	20	3.74
S008376		6.63	<0.005		<0.5	8.99	29	1540	1.3	2	4.69	<0.5	14	5	24	4.52
S008377		6.73	<0.005		<0.5	7.81	28	1780	1.1	<2	3.25	<0.5	9	6	2	4.16
S008378		6.23	<0.005		<0.5	9.20	19	3000	1.4	<2	2.05	<0.5	11	4	1	4.75
S008379		6.24	<0.005		<0.5	7.72	27	1700	0.9	<2	5.85	<0.5	10	6	3	3.79
S008380		0.84	<0.005		<0.5	0.07	<5	20	<0.5	3	33.8	<0.5	<1	1	<1	0.05
S008381		6.28	<0.005		<0.5	8.25	10	1990	1.2	<2	1.73	<0.5	15	7	6	4.16
S008382		6.87	<0.005		<0.5	8.17	10	1360	1.0	2	2.64	<0.5	12	13	2	4.53
S008383		10.29	<0.005		<0.5	8.61	17	2310	1.3	<2	3.66	<0.5	12	6	5	4.61
S008384		6.03	<0.005		0.5	7.81	20	1410	1.4	5	4.89	<0.5	35	80	61	6.62
S008385		4.86	<0.005		<0.5	8.67	15	2340	1.3	2	4.20	<0.5	26	32	10	4.85
S008386		4.83	<0.005		<0.5	8.14	12	2320	1.5	<2	3.53	<0.5	19	31	17	4.17
S008386D		<0.02	<0.005		<0.5	8.95	10	2150	1.5	<2	3.59	<0.5	19	18	17	4.28
S008387		5.81	<0.005		<0.5	7.86	6	2110	1.3	<2	2.57	<0.5	8	6	25	3.52
S008388		5.05	<0.005		<0.5	7.69	14	2510	1.2	2	3.85	<0.5	6	5	3	3.59

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008351		20	2.64	20	0.50	571	1	1.62	1	970	7	<0.01	<5	9	557	<20
S008352		20	2.24	10	0.33	611	1	0.88	2	960	11	0.01	<5	7	924	<20
S008353		20	3.00	10	0.50	491	1	1.15	3	1060	10	0.02	<5	9	605	<20
S008354		20	3.19	20	0.51	519	<1	1.07	1	1120	11	<0.01	<5	9	664	<20
S008355		20	2.16	10	0.36	480	<1	0.96	<1	910	11	<0.01	<5	8	750	<20
S008356		20	1.67	10	0.25	537	<1	0.99	<1	870	14	<0.01	<5	7	875	<20
S008357		20	2.38	10	0.38	539	<1	1.30	<1	960	14	<0.01	<5	8	701	<20
S008358		20	2.38	10	0.55	1040	<1	2.86	<1	990	8	<0.01	<5	8	478	<20
S008359		20	1.88	10	0.52	1385	<1	3.21	1	980	14	<0.01	<5	8	735	<20
S008360		<10	0.01	<10	1.78	19	<1	0.01	<1	30	<2	0.04	<5	<1	4910	<20
S008361		20	2.08	10	0.41	1205	<1	3.59	<1	990	12	<0.01	<5	8	722	<20
S008362		20	2.04	20	0.34	947	<1	3.51	1	1030	13	0.01	<5	9	705	<20
S008363		20	2.04	20	0.45	983	<1	3.29	1	1030	12	0.02	<5	10	662	<20
S008364		20	2.18	20	0.46	830	<1	2.89	<1	1030	13	0.01	<5	9	686	<20
S008365		20	2.33	20	0.49	1220	<1	2.54	1	980	11	0.01	<5	9	728	<20
S008366		20	1.21	20	0.26	1510	<1	2.35	<1	880	13	0.04	<5	9	998	<20
S008366D		20	1.21	10	0.25	1525	<1	2.26	1	850	13	0.04	<5	8	932	<20
S008367		20	1.92	20	0.29	1150	<1	3.65	<1	1040	14	0.01	<5	9	717	<20
S008368		20	1.96	10	0.30	1970	<1	3.42	<1	960	11	0.01	<5	8	551	<20
S008369		20	2.10	20	0.62	1615	<1	3.76	<1	1110	13	<0.01	<5	10	588	<20
S008370		10	3.71	10	0.52	1350	9	0.21	20	900	142	2.71	19	10	183	<20
S008371		20	2.31	20	0.58	1185	<1	2.85	<1	1070	12	<0.01	<5	9	693	<20
S008372		20	1.51	10	0.76	1400	<1	3.29	1	1050	12	0.01	<5	8	803	<20
S008373		20	0.96	10	0.98	1595	<1	3.01	1	1060	18	<0.01	<5	9	1125	<20
S008374		20	1.43	10	0.99	1435	<1	3.06	1	1030	11	<0.01	<5	9	644	<20
S008375		20	1.18	10	1.05	1745	<1	2.85	1	1020	11	0.01	<5	9	838	<20
S008376		20	1.37	10	2.11	2050	<1	2.07	1	1230	16	<0.01	<5	10	1025	<20
S008377		20	1.64	10	1.20	1255	<1	1.98	2	1050	16	0.01	<5	10	723	<20
S008378		20	2.95	20	1.20	936	<1	2.22	1	1250	10	<0.01	<5	12	400	<20
S008379		20	0.78	20	1.01	1725	<1	2.03	<1	1070	17	0.03	<5	10	1100	<20
S008380		<10	0.01	<10	1.70	21	<1	0.01	<1	40	2	0.06	<5	<1	5020	<20
S008381		20	1.89	10	2.46	1765	<1	2.22	3	1290	6	0.01	<5	12	376	<20
S008382		20	1.18	20	1.90	1695	<1	2.59	3	1170	14	<0.01	<5	12	564	<20
S008383		20	2.22	10	1.42	1610	<1	1.67	2	1230	16	<0.01	<5	12	669	<20
S008384		20	1.19	30	4.35	4560	<1	0.53	74	3250	13	0.01	<5	20	433	<20
S008385		20	1.62	10	2.27	2670	<1	1.72	31	2010	9	0.02	<5	16	610	<20
S008386		20	1.69	10	1.60	2170	<1	1.75	23	1720	9	0.02	<5	14	481	<20
S008386D		20	1.75	20	1.58	2090	<1	1.88	20	1600	8	0.01	<5	15	539	<20
S008387		20	1.94	20	1.09	1495	<1	1.38	4	950	10	<0.01	<5	8	467	<20
S008388		20	2.26	10	0.51	1140	<1	1.31	1	930	17	<0.01	<5	7	638	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008351		0.31	<10	<10	97	<10	64	
S008352		0.31	<10	<10	91	<10	56	
S008353		0.35	<10	10	97	<10	79	
S008354		0.36	<10	<10	107	<10	80	
S008355		0.29	<10	<10	83	<10	58	
S008356		0.28	<10	10	80	<10	47	
S008357		0.31	<10	<10	91	<10	56	
S008358		0.33	<10	<10	106	<10	79	
S008359		0.32	<10	<10	106	<10	75	
S008360		<0.01	<10	<10	1	<10	<2	
S008361		0.33	<10	<10	104	<10	71	
S008362		0.33	<10	<10	105	<10	73	
S008363		0.33	<10	<10	102	<10	69	
S008364		0.34	<10	10	111	<10	72	
S008365		0.33	<10	<10	106	<10	70	
S008366		0.28	<10	<10	93	<10	60	
S008366D		0.27	<10	<10	91	<10	58	
S008367		0.35	<10	<10	116	<10	72	
S008368		0.32	<10	<10	107	<10	69	
S008369		0.35	<10	<10	118	<10	84	
S008370		0.25	<10	<10	99	10	455	
S008371		0.34	<10	<10	110	<10	77	
S008372		0.34	<10	<10	109	<10	77	
S008373		0.34	<10	10	120	<10	80	
S008374		0.33	<10	10	156	<10	78	
S008375		0.33	<10	<10	157	<10	82	
S008376		0.39	<10	<10	168	<10	125	
S008377		0.34	<10	<10	122	<10	71	
S008378		0.42	<10	<10	134	<10	77	
S008379		0.34	<10	<10	107	<10	78	
S008380		<0.01	<10	<10	1	<10	3	
S008381		0.41	<10	<10	179	<10	110	
S008382		0.35	<10	<10	130	<10	89	
S008383		0.39	<10	<10	142	<10	85	
S008384		0.86	<10	<10	259	<10	193	
S008385		0.59	<10	<10	168	<10	208	
S008386		0.54	<10	<10	166	<10	192	
S008386D		0.50	<10	10	155	<10	185	
S008387		0.32	<10	<10	99	<10	84	
S008388		0.30	<10	<10	78	<10	53	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008389		10.01	<0.005		<0.5	8.09	19	2840	1.3	<2	4.06	<0.5	9	4	1	3.68
S008390		0.12	>10.0	10.15	>100	5.68	371	330	1.0	<2	3.70	4.3	10	30	145	3.70
S008391		6.31	<0.005		<0.5	8.74	20	4100	1.6	<2	1.52	<0.5	8	5	<1	3.77
S008392		5.83	<0.005		<0.5	7.93	19	3170	1.4	2	3.17	<0.5	7	4	<1	3.11
S008393		7.19	<0.005		<0.5	7.11	22	2720	1.2	<2	3.82	<0.5	8	4	<1	2.68
S008394		5.91	<0.005		<0.5	7.73	14	3640	1.3	<2	1.39	<0.5	7	3	<1	2.79
S008395		6.61	<0.005		<0.5	7.20	15	3230	1.3	3	2.41	<0.5	5	2	<1	2.86
S008396		6.23	<0.005		<0.5	7.63	17	2620	1.3	<2	2.38	<0.5	5	2	<1	2.34
S008397		7.43	<0.005		<0.5	7.72	18	2620	1.3	<2	2.74	<0.5	6	4	<1	2.30
S008398		6.34	<0.005		<0.5	7.90	17	2770	1.3	2	1.67	<0.5	4	3	2	2.83
S008399		6.38	<0.005		<0.5	9.27	20	3350	1.6	2	1.17	<0.5	5	2	<1	2.51
S008400		0.84	<0.005		<0.5	0.06	<5	10	<0.5	3	35.5	<0.5	<1	1	<1	0.04
S008401		6.19	<0.005		<0.5	8.29	17	2710	1.4	<2	1.53	<0.5	5	2	<1	2.87
S008402		6.92	<0.005		<0.5	8.05	11	2590	1.3	<2	1.66	<0.5	6	2	<1	2.55
S008403		6.24	<0.005		<0.5	8.59	14	3080	1.5	3	1.81	<0.5	5	2	<1	3.19
S008404		6.28	<0.005		<0.5	7.71	13	2620	1.3	3	1.78	<0.5	6	3	<1	2.69
S008405		6.74	<0.005		<0.5	6.93	10	2200	1.1	<2	2.37	<0.5	4	4	<1	2.38
S008406		6.60	<0.005		<0.5	7.61	6	1400	1.3	<2	3.58	<0.5	8	2	<1	2.65
S008406D		<0.02	<0.005		<0.5	7.38	7	1530	1.2	<2	4.28	<0.5	8	1	<1	2.60
S008407		6.99	<0.005		<0.5	6.58	10	1410	1.0	<2	4.19	<0.5	4	4	36	2.14
S008408		6.75	<0.005		<0.5	7.13	16	2330	1.0	<2	2.05	<0.5	4	3	1	2.41
S008409		6.92	<0.005		<0.5	7.18	14	2250	1.0	<2	1.74	<0.5	3	3	<1	2.43
S008410		0.11	5.85		84.7	6.22	292	310	1.0	<2	1.95	22.5	11	20	121	4.71
S008411		3.43	<0.005		<0.5	7.12	10	2210	1.0	<2	1.67	<0.5	3	4	<1	2.40
S008412		5.56	<0.005		<0.5	7.52	8	1670	1.1	2	2.35	<0.5	4	7	5	2.53
S008413		6.75	<0.005		<0.5	7.91	12	1250	1.2	<2	2.54	<0.5	3	8	7	2.57
S008414		6.65	<0.005		<0.5	7.09	10	2070	1.2	<2	1.81	<0.5	5	5	6	2.46
S008415		6.91	<0.005		<0.5	8.06	9	1910	1.3	<2	2.14	<0.5	6	4	7	2.39
S008416		6.51	<0.005		<0.5	8.20	7	2000	1.3	<2	2.44	<0.5	4	4	5	2.49
S008417		7.05	<0.005		<0.5	7.66	16	1910	1.3	<2	2.53	<0.5	4	4	6	2.66
S008418		7.08	<0.005		<0.5	8.40	18	2430	1.3	<2	1.86	<0.5	4	3	2	2.80
S008419		6.37	<0.005		<0.5	8.25	14	2210	1.3	<2	1.79	<0.5	3	3	3	2.75
S008420		0.92	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.3	<0.5	<1	<1	<1	0.04
S008421		5.48	<0.005		<0.5	8.13	13	2300	1.3	<2	1.89	<0.5	4	3	7	2.82
S008422		5.38	<0.005		<0.5	7.76	14	2290	1.2	<2	1.53	<0.5	2	4	4	2.68
S008423		5.76	<0.005		<0.5	6.12	24	1470	0.9	<2	2.97	<0.5	3	8	11	2.39
S008424		6.47	<0.005		<0.5	8.22	13	2380	1.3	2	1.98	<0.5	5	5	4	2.95
S008425		6.12	<0.005		<0.5	7.83	14	2010	1.3	2	1.33	<0.5	3	7	2	2.77
S008426		7.17	<0.005		<0.5	8.19	16	2240	1.3	4	1.08	<0.5	3	3	2	2.97
S008426D		<0.02	<0.005		<0.5	7.99	14	2220	1.3	4	1.03	<0.5	3	5	2	2.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008389		20	2.63	10	0.63	1075	<1	1.41	<1	1000	14	0.01	<5	8	591	<20
S008390		10	3.59	10	0.45	1370	8	0.16	20	830	249	3.00	54	10	198	<20
S008391		20	3.75	20	0.80	602	<1	0.81	2	790	14	0.01	<5	10	236	<20
S008392		20	3.13	10	0.67	913	<1	0.90	<1	640	17	0.01	<5	6	464	<20
S008393		20	2.01	10	0.76	1075	<1	0.90	<1	570	21	0.02	<5	4	634	<20
S008394		20	3.29	20	1.02	602	<1	0.95	<1	660	8	0.02	<5	5	149	<20
S008395		20	3.24	10	1.20	910	<1	0.97	<1	660	9	0.01	<5	4	133	<20
S008396		20	2.84	10	1.40	1125	<1	1.83	<1	740	9	<0.01	<5	5	227	<20
S008397		20	2.71	10	1.70	1275	<1	1.45	1	730	13	0.01	<5	5	308	<20
S008398		20	3.08	20	1.37	898	<1	1.17	<1	740	11	0.01	<5	5	274	<20
S008399		20	4.20	10	1.42	687	<1	1.05	<1	830	10	<0.01	<5	6	217	<20
S008400		<10	0.01	<10	1.89	21	<1	<0.01	<1	40	<2	0.08	<5	<1	4800	<20
S008401		20	3.46	20	1.35	835	<1	0.84	<1	750	10	<0.01	<5	5	241	<20
S008402		20	3.36	20	1.60	975	<1	1.00	<1	710	7	<0.01	<5	5	155	<20
S008403		20	4.05	20	1.32	892	<1	0.66	<1	770	9	<0.01	<5	6	163	<20
S008404		20	3.55	20	1.38	957	<1	0.40	<1	640	7	<0.01	<5	5	129	<20
S008405		10	2.68	10	0.92	958	<1	1.15	<1	630	15	0.01	<5	5	302	<20
S008406		20	3.20	10	1.19	1395	<1	1.41	<1	690	10	<0.01	<5	5	201	<20
S008406D		20	3.30	10	1.17	1560	<1	1.26	<1	710	12	<0.01	<5	5	215	<20
S008407		10	2.33	10	0.83	1605	<1	1.62	<1	610	11	<0.01	<5	4	241	<20
S008408		20	3.38	10	0.57	558	<1	0.28	<1	680	14	<0.01	<5	4	378	<20
S008409		20	3.21	20	0.50	439	<1	0.51	<1	670	11	<0.01	<5	5	396	<20
S008410		10	3.73	10	0.48	1185	9	0.23	14	970	8900	3.03	72	12	145	<20
S008411		20	3.14	20	0.47	397	<1	0.59	<1	630	14	<0.01	<5	4	404	<20
S008412		10	2.30	20	0.38	479	<1	2.12	<1	680	23	<0.01	5	5	634	<20
S008413		10	1.70	20	0.26	442	<1	3.35	<1	690	24	<0.01	<5	5	731	<20
S008414		10	2.70	10	0.34	309	<1	1.66	<1	630	11	<0.01	<5	5	312	<20
S008415		10	2.37	20	0.31	350	<1	3.03	<1	700	13	<0.01	<5	5	445	<20
S008416		20	2.44	10	0.29	508	<1	3.48	<1	760	9	<0.01	<5	5	426	<20
S008417		20	2.27	10	0.24	398	<1	2.65	<1	700	23	<0.01	<5	5	807	<20
S008418		20	3.00	20	0.33	289	<1	2.29	<1	750	15	<0.01	<5	5	569	<20
S008419		20	2.66	20	0.30	271	<1	2.65	<1	750	12	<0.01	<5	5	560	<20
S008420		<10	0.01	<10	1.88	22	<1	0.01	<1	40	<2	0.06	<5	<1	5090	<20
S008421		20	2.80	20	0.32	286	<1	2.37	<1	760	14	<0.01	<5	6	569	<20
S008422		20	2.88	20	0.33	240	2	1.64	5	670	8	<0.01	<5	5	417	<20
S008423		20	2.12	10	0.19	369	1	0.70	2	560	15	<0.01	<5	4	863	<20
S008424		20	3.13	20	0.31	286	1	1.76	2	800	7	<0.01	<5	6	529	<20
S008425		10	2.60	20	0.31	239	1	2.25	2	740	6	<0.01	<5	5	387	<20
S008426		20	2.91	20	0.36	232	1	2.47	2	800	3	<0.01	<5	6	327	<20
S008426D		20	2.87	20	0.35	229	1	2.42	3	790	4	<0.01	<5	6	321	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008389		0.30	<10	10	100	<10	78	
S008390		0.23	<10	10	96	<10	496	136
S008391		0.35	<10	<10	74	<10	71	
S008392		0.28	<10	<10	68	<10	64	
S008393		0.23	<10	<10	70	<10	66	
S008394		0.25	<10	<10	70	<10	64	
S008395		0.25	<10	<10	87	<10	73	
S008396		0.27	<10	<10	79	<10	76	
S008397		0.26	<10	<10	68	<10	75	
S008398		0.26	<10	<10	79	<10	66	
S008399		0.30	<10	<10	76	<10	60	
S008400		<0.01	<10	<10	1	<10	<2	
S008401		0.27	<10	10	78	<10	59	
S008402		0.27	<10	<10	68	<10	70	
S008403		0.28	<10	<10	74	<10	61	
S008404		0.24	<10	<10	59	<10	68	
S008405		0.24	<10	<10	76	<10	59	
S008406		0.26	<10	10	69	<10	84	
S008406D		0.26	<10	10	74	<10	84	
S008407		0.22	<10	<10	79	<10	59	
S008408		0.23	<10	<10	42	<10	43	
S008409		0.22	<10	10	38	<10	38	
S008410		0.25	10	10	120	<10	1810	
S008411		0.22	<10	<10	50	<10	39	
S008412		0.25	<10	<10	70	<10	64	
S008413		0.25	<10	<10	66	<10	48	
S008414		0.23	<10	<10	62	<10	54	
S008415		0.26	<10	<10	69	<10	55	
S008416		0.27	<10	<10	77	<10	57	
S008417		0.26	<10	<10	56	<10	45	
S008418		0.27	<10	<10	56	<10	54	
S008419		0.27	<10	<10	57	<10	49	
S008420		<0.01	<10	<10	1	<10	<2	
S008421		0.27	<10	<10	70	<10	52	
S008422		0.24	<10	<10	60	<10	57	
S008423		0.21	<10	<10	55	<10	38	
S008424		0.28	<10	<10	75	<10	59	
S008425		0.25	<10	<10	61	<10	51	
S008426		0.27	<10	<10	63	<10	55	
S008426D		0.27	<10	<10	63	<10	55	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008427		6.92	<0.005		<0.5	8.01	18	2380	1.1	<2	1.04	<0.5	4	3	1	2.78
S008428		7.31	<0.005		<0.5	7.45	17	3040	1.1	3	1.94	<0.5	3	5	5	2.64
S008429		6.15	<0.005		<0.5	7.16	26	1780	1.1	<2	2.83	<0.5	2	7	8	2.76
S008430		0.09	>10.0	18.45	25.9	6.78	818	150	1.4	3	2.82	1.8	19	111	139	5.04
S008431		7.23	<0.005		<0.5	8.58	13	2450	1.4	<2	1.03	<0.5	4	3	9	3.06
S008432		6.24	<0.005		<0.5	8.58	18	2090	1.4	5	1.45	<0.5	4	4	9	3.01
S008433		6.94	<0.005		<0.5	8.64	17	2430	1.4	3	1.13	<0.5	4	3	9	2.94
S008434		5.81	<0.005		<0.5	7.87	17	2420	1.3	3	1.52	<0.5	4	3	2	2.79
S008435		6.74	<0.005		<0.5	8.15	15	2310	1.3	4	1.51	<0.5	3	3	3	2.74
S008436		5.69	<0.005		<0.5	7.82	15	2600	1.3	2	1.15	<0.5	5	3	4	2.81
S008437		6.53	<0.005		<0.5	7.26	19	2490	1.3	3	1.32	<0.5	3	5	3	2.64
S008438		2.69	<0.005		<0.5	7.83	28	2440	1.3	4	1.42	<0.5	3	3	2	2.71
S008439		9.04	<0.005		<0.5	7.54	22	2490	1.2	2	1.15	<0.5	4	5	1	2.60
S008440		1.24	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.4	<0.5	<1	1	<1	0.03
S008441		4.37	<0.005		<0.5	8.17	17	2970	1.4	3	1.46	<0.5	4	4	4	2.78
S008442		3.98	<0.005		<0.5	8.21	20	2540	1.3	<2	1.14	<0.5	4	5	5	2.94
S008443		7.45	<0.005		<0.5	7.80	21	2530	1.2	<2	0.95	<0.5	4	4	2	2.75
S008444		7.26	<0.005		<0.5	7.36	15	2380	1.1	2	1.43	<0.5	4	6	7	2.45
S008445		5.90	<0.005		<0.5	8.24	18	3180	1.4	5	1.14	<0.5	5	4	6	2.89
S008446		6.11	<0.005		<0.5	7.63	15	1940	1.2	<2	1.02	<0.5	4	4	2	2.54
S008446D		<0.02	<0.005		<0.5	7.59	17	1890	1.2	3	1.05	<0.5	3	3	2	2.57
S008447		5.20	<0.005		<0.5	7.31	26	1540	1.2	<2	2.68	<0.5	2	7	5	2.73
S008448		6.94	<0.005		<0.5	5.62	43	990	0.9	2	4.61	<0.5	4	10	18	2.52
S008449		6.72	<0.005		<0.5	6.12	18	2100	1.2	<2	3.50	<0.5	3	10	13	2.41
S008450		0.12	1.010		12.5	5.51	311	310	1.0	2	3.46	4.2	10	26	82	3.84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008427		20	3.18	20	0.39	251	1	1.91	2	720	<2	<0.01	<5	5	291	<20
S008428		10	2.54	20	0.29	307	1	1.70	1	680	9	0.03	<5	5	591	<20
S008429		20	2.48	20	0.25	385	<1	1.09	2	690	14	<0.01	<5	5	793	<20
S008430		10	3.02	10	0.68	1030	8	0.17	72	1690	61	4.16	19	19	184	<20
S008431		20	3.09	20	0.37	274	1	2.75	2	830	4	<0.01	<5	6	334	<20
S008432		20	2.56	20	0.31	321	1	3.44	2	850	7	<0.01	7	6	500	<20
S008433		20	2.88	20	0.35	337	1	3.21	1	800	8	<0.01	<5	6	396	<20
S008434		20	2.71	20	0.31	579	1	3.12	2	740	7	<0.01	<5	5	306	<20
S008435		10	2.37	20	0.25	400	1	3.67	2	760	11	<0.01	<5	5	402	<20
S008436		20	2.86	20	0.30	330	1	2.94	1	790	6	<0.01	<5	6	353	<20
S008437		10	2.68	20	0.29	346	1	2.55	1	760	7	0.01	<5	5	355	<20
S008438		20	3.01	20	0.33	392	2	2.25	1	730	9	0.01	7	5	377	<20
S008439		10	2.87	20	0.30	344	1	2.64	1	700	6	<0.01	<5	5	308	<20
S008440		<10	0.01	<10	1.52	20	<1	0.01	1	30	<2	0.07	<5	<1	5450	<20
S008441		10	3.12	20	0.29	386	1	3.01	2	780	9	0.01	<5	6	384	<20
S008442		20	3.11	20	0.29	347	1	2.94	1	770	10	<0.01	<5	6	383	<20
S008443		20	3.30	20	0.34	329	1	2.35	1	750	7	<0.01	<5	5	300	<20
S008444		10	2.93	20	0.30	351	1	1.86	1	660	8	0.01	<5	5	401	<20
S008445		20	3.65	20	0.39	343	1	2.01	<1	820	3	0.02	<5	6	326	<20
S008446		20	2.97	20	0.33	314	1	2.53	1	720	6	0.01	<5	5	273	<20
S008446D		10	2.92	20	0.33	319	<1	2.53	1	710	7	0.01	<5	5	266	<20
S008447		10	2.29	10	0.23	424	1	1.93	1	720	9	0.01	<5	5	708	<20
S008448		20	1.81	10	0.10	594	1	0.67	1	620	14	0.01	<5	3	1170	<20
S008449		20	1.96	10	0.16	811	1	1.14	1	650	16	0.03	<5	4	1075	<20
S008450		10	3.66	10	0.50	1360	10	0.21	19	890	140	2.72	19	10	184	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008427		0.25	<10	<10	47	<10	58	
S008428		0.24	<10	<10	50	<10	53	
S008429		0.24	<10	<10	50	<10	52	
S008430		0.36	<10	<10	182	<10	224	
S008431		0.28	<10	<10	53	<10	63	
S008432		0.29	<10	<10	56	<10	56	
S008433		0.28	<10	<10	55	<10	62	
S008434		0.25	<10	<10	64	<10	53	
S008435		0.26	<10	<10	67	<10	44	
S008436		0.26	<10	<10	66	<10	52	
S008437		0.26	<10	<10	58	<10	49	
S008438		0.25	<10	<10	42	<10	52	
S008439		0.25	<10	<10	46	<10	50	
S008440		<0.01	<10	<10	1	<10	<2	
S008441		0.27	<10	<10	64	<10	54	
S008442		0.27	<10	<10	55	<10	55	
S008443		0.25	<10	<10	46	<10	59	
S008444		0.23	<10	<10	45	<10	53	
S008445		0.28	<10	<10	57	<10	67	
S008446		0.25	<10	<10	47	<10	55	
S008446D		0.25	<10	<10	46	<10	55	
S008447		0.25	<10	<10	50	<10	45	
S008448		0.23	<10	<10	59	<10	42	
S008449		0.23	<10	<10	73	<10	41	
S008450		0.25	<10	<10	100	<10	477	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15129098

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

CERTIFICATE TR15130374

Project: Bowser Regional Exploration

P.O. No.: BOW-0054

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 28-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008451		6.50	<0.005		<0.5	7.70	17	2780	1.2	<2	1.83	<0.5	5	9	3	2.71
S008452		5.21	<0.005		<0.5	7.73	14	2970	1.3	<2	2.28	<0.5	6	3	13	2.43
S008453		6.55	<0.005		<0.5	7.34	18	3090	1.2	<2	2.19	<0.5	5	4	2	2.85
S008454		6.38	<0.005		<0.5	7.94	16	3030	1.3	<2	1.80	<0.5	5	7	2	2.65
S008455		7.11	<0.005		<0.5	7.24	17	2840	1.2	<2	2.42	<0.5	6	4	2	2.61
S008456		5.86	<0.005		<0.5	7.13	15	2480	1.1	<2	1.19	<0.5	4	5	1	2.76
S008457		6.45	<0.005		<0.5	7.25	19	2210	1.2	3	1.72	<0.5	6	3	1	2.62
S008458		6.33	<0.005		<0.5	7.92	17	2840	1.2	<2	1.63	<0.5	5	4	2	2.25
S008459		6.54	<0.005		<0.5	8.10	16	2510	1.2	<2	1.54	<0.5	6	7	4	2.93
S008460		0.87	<0.005		<0.5	0.05	<5	20	<0.5	<2	33.1	<0.5	<1	1	<1	0.03
S008461		6.28	<0.005		<0.5	8.56	12	2800	1.3	<2	1.68	<0.5	6	7	4	3.07
S008462		6.18	<0.005		<0.5	7.50	9	2910	1.3	<2	2.64	<0.5	5	3	43	1.94
S008463		5.74	<0.005		0.6	7.16	10	2960	1.3	<2	2.91	<0.5	7	2	43	2.04
S008464		5.67	<0.005		<0.5	7.85	10	2680	1.3	<2	2.51	<0.5	6	2	35	2.11
S008465		5.68	<0.005		<0.5	7.74	12	2370	1.2	<2	2.29	<0.5	7	2	30	2.02
S008466		5.93	<0.005		<0.5	6.92	9	2780	1.2	<2	2.58	<0.5	5	3	11	3.04
S008466D		<0.02	<0.005		<0.5	6.77	10	2770	1.2	<2	2.65	<0.5	6	2	11	3.13
S008467		5.97	<0.005		0.6	6.75	10	2700	1.2	<2	2.46	<0.5	5	2	33	1.89
S008468		6.86	<0.005		0.9	8.02	16	2010	1.2	<2	1.22	<0.5	5	4	92	2.94
S008469		5.80	<0.005		<0.5	7.07	57	1180	1.1	<2	2.53	<0.5	5	6	<1	2.70
S008470		0.12	>10.0	10.70	>100	5.71	376	390	1.0	<2	3.71	4.3	12	31	143	3.83
S008471		6.22	<0.005		<0.5	7.91	61	1930	1.2	<2	1.67	<0.5	5	4	<1	2.81
S008472		5.81	<0.005		<0.5	8.21	47	2390	1.3	<2	1.35	<0.5	6	3	<1	2.78
S008473		5.89	<0.005		<0.5	8.33	47	2260	1.3	<2	1.60	<0.5	5	3	1	3.00
S008474		6.05	<0.005		<0.5	7.89	44	2850	1.2	<2	1.02	<0.5	7	3	<1	2.73
S008475		5.75	<0.005		<0.5	7.75	34	2310	1.2	<2	1.01	<0.5	7	4	1	2.74
S008476		5.58	<0.005		<0.5	8.49	26	2220	1.4	<2	1.20	<0.5	6	3	2	3.19
S008477		5.74	<0.005		<0.5	8.50	14	1370	1.3	<2	1.07	<0.5	6	2	3	3.24
S008478		5.96	<0.005		<0.5	7.54	27	1590	1.1	<2	1.89	<0.5	4	4	3	2.81
S008479		5.87	<0.005		<0.5	5.43	22	1010	0.8	<2	2.33	<0.5	4	10	7	2.34
S008480		0.74	<0.005		<0.5	0.09	<5	10	<0.5	<2	31.7	<0.5	<1	1	<1	0.06
S008481		6.33	<0.005		<0.5	6.97	27	1360	1.1	<2	2.54	<0.5	4	5	2	2.69
S008482		6.27	<0.005		<0.5	7.98	20	2360	1.3	<2	0.91	<0.5	5	4	1	3.02
S008483		6.13	<0.005		<0.5	7.94	22	2370	1.2	<2	1.60	<0.5	6	4	1	2.89
S008484		6.34	<0.005		<0.5	7.93	19	2270	1.3	3	1.11	<0.5	5	3	5	2.93
S008485		6.22	<0.005		<0.5	8.71	21	2280	1.4	<2	1.28	<0.5	5	3	6	3.10
S008486		6.49	<0.005		<0.5	6.88	26	2190	1.2	2	2.77	<0.5	4	5	6	2.71
S008486D		<0.02	<0.005		<0.5	7.44	28	2310	1.3	<2	2.62	<0.5	4	5	5	2.85
S008487		6.08	<0.005		<0.5	8.01	23	2690	1.4	<2	1.04	<0.5	7	4	2	2.89
S008488		6.27	<0.005		<0.5	8.12	25	2310	1.4	<2	1.08	<0.5	6	4	1	3.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008451		20	3.55	10	0.31	915	1	2.55	1	700	10	<0.01	5	5	299	<20
S008452		20	3.63	10	0.30	978	1	2.60	1	690	15	<0.01	<5	5	385	<20
S008453		10	3.75	10	0.28	1390	1	2.14	<1	710	11	<0.01	<5	5	379	<20
S008454		20	3.50	20	0.26	823	1	2.76	<1	740	13	<0.01	<5	5	399	<20
S008455		20	3.38	10	0.24	1135	1	2.56	<1	660	10	<0.01	<5	5	410	<20
S008456		10	3.30	20	0.27	454	1	1.91	1	590	8	<0.01	<5	5	308	<20
S008457		20	3.04	20	0.27	585	1	2.09	<1	640	10	0.01	<5	5	374	<20
S008458		10	3.20	20	0.24	631	1	3.01	<1	650	10	<0.01	<5	5	377	<20
S008459		20	3.30	20	0.26	500	1	2.63	<1	730	14	<0.01	<5	5	459	<20
S008460		<10	0.02	<10	1.60	18	<1	0.01	<1	30	3	0.06	<5	<1	4930	<20
S008461		20	3.61	20	0.28	688	2	2.98	<1	760	12	<0.01	<5	5	435	<20
S008462		20	3.49	10	0.23	1165	1	3.07	<1	740	10	<0.01	<5	5	463	<20
S008463		20	3.69	10	0.24	1450	<1	2.64	<1	720	9	<0.01	<5	5	450	<20
S008464		20	3.50	10	0.27	1095	1	2.83	<1	760	13	<0.01	<5	5	514	<20
S008465		20	3.07	10	0.22	930	<1	3.35	<1	780	11	<0.01	<5	5	482	<20
S008466		20	3.49	10	0.26	1210	1	2.21	<1	740	12	<0.01	<5	5	381	<20
S008466D		20	3.46	10	0.26	1245	1	2.17	<1	720	13	<0.01	<5	5	381	<20
S008467		20	3.19	10	0.21	1075	1	2.75	<1	660	11	<0.01	<5	4	404	<20
S008468		20	3.08	20	0.30	577	1	2.59	<1	700	13	0.01	<5	5	328	<20
S008469		10	2.49	10	0.24	743	<1	1.93	<1	680	17	<0.01	5	5	526	<20
S008470		10	3.57	10	0.46	1355	9	0.16	19	820	241	3.03	56	10	194	<20
S008471		20	3.19	20	0.32	648	<1	1.99	<1	730	12	<0.01	<5	5	425	<20
S008472		20	3.31	20	0.32	601	<1	2.51	1	730	14	<0.01	<5	5	359	<20
S008473		10	2.86	20	0.26	684	1	3.56	<1	780	10	<0.01	<5	6	342	<20
S008474		20	3.70	20	0.36	589	<1	2.23	<1	740	9	<0.01	5	5	264	<20
S008475		20	3.25	20	0.34	517	<1	2.46	1	710	7	<0.01	<5	5	288	<20
S008476		20	3.42	20	0.38	640	1	3.04	1	790	11	<0.01	<5	6	332	<20
S008477		20	2.75	20	0.35	554	<1	3.59	<1	810	11	<0.01	5	6	270	<20
S008478		20	2.66	20	0.28	563	<1	1.86	2	710	12	0.01	7	5	457	<20
S008479		10	2.09	10	0.17	660	<1	1.05	<1	550	8	<0.01	<5	4	385	<20
S008480		<10	0.01	<10	1.80	16	1	0.01	<1	50	3	0.06	<5	<1	4540	<20
S008481		10	2.43	10	0.24	781	2	1.94	1	680	12	<0.01	<5	5	460	<20
S008482		20	3.40	20	0.40	574	1	2.33	1	760	8	<0.01	7	6	231	<20
S008483		10	3.11	20	0.35	1120	2	2.68	<1	760	11	<0.01	5	5	300	<20
S008484		10	2.99	20	0.35	597	1	2.83	<1	770	11	<0.01	<5	6	299	<20
S008485		20	2.85	20	0.32	740	<1	3.65	<1	850	10	<0.01	<5	6	343	<20
S008486		20	2.48	10	0.25	1100	3	1.88	<1	700	15	0.01	6	5	609	<20
S008486D		20	2.74	10	0.29	1090	<1	1.94	<1	740	14	0.01	<5	5	592	<20
S008487		20	3.33	20	0.39	619	1	2.33	1	760	9	<0.01	7	5	306	<20
S008488		20	2.71	20	0.33	635	<1	3.12	<1	750	12	<0.01	5	5	370	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008451		0.25	<10	10	67	<10	59	
S008452		0.26	<10	<10	78	<10	69	
S008453		0.26	<10	<10	76	<10	61	
S008454		0.27	<10	<10	82	<10	63	
S008455		0.25	<10	<10	68	<10	60	
S008456		0.22	<10	<10	56	<10	61	
S008457		0.23	<10	<10	53	<10	57	
S008458		0.25	10	<10	68	<10	53	
S008459		0.26	<10	<10	61	<10	58	
S008460		<0.01	<10	<10	1	<10	2	
S008461		0.27	<10	<10	80	<10	71	
S008462		0.28	<10	<10	75	<10	79	
S008463		0.27	<10	<10	77	<10	79	
S008464		0.28	<10	<10	72	<10	83	
S008465		0.28	<10	<10	74	<10	70	
S008466		0.26	<10	<10	115	<10	74	
S008466D		0.26	<10	<10	116	<10	73	
S008467		0.25	<10	<10	84	<10	70	
S008468		0.25	<10	<10	117	<10	64	
S008469		0.24	<10	<10	40	<10	59	
S008470		0.24	<10	<10	95	10	501	137
S008471		0.26	<10	<10	44	<10	66	
S008472		0.26	<10	<10	50	<10	64	
S008473		0.28	<10	<10	68	<10	56	
S008474		0.26	<10	<10	55	<10	68	
S008475		0.25	<10	<10	53	<10	62	
S008476		0.28	<10	<10	96	<10	65	
S008477		0.28	<10	<10	102	<10	64	
S008478		0.25	<10	<10	58	<10	57	
S008479		0.20	<10	<10	42	<10	49	
S008480		<0.01	<10	<10	1	<10	<2	
S008481		0.24	<10	<10	44	<10	48	
S008482		0.27	<10	<10	50	<10	61	
S008483		0.27	<10	<10	50	<10	58	
S008484		0.27	<10	<10	54	<10	61	
S008485		0.29	<10	<10	58	<10	61	
S008486		0.25	10	<10	45	<10	56	
S008486D		0.27	<10	<10	48	<10	60	
S008487		0.27	<10	<10	48	<10	70	
S008488		0.27	<10	<10	51	<10	61	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008489		6.20	<0.005		<0.5	8.21	26	1970	1.4	<2	1.16	<0.5	7	4	2	2.95
S008490		0.12	5.73		79.7	5.99	273	840	0.9	3	1.89	21.5	11	21	115	4.79
S008491		5.97	<0.005		<0.5	8.10	25	2360	1.4	<2	1.37	<0.5	6	3	2	2.83
S008492		6.39	<0.005		<0.5	7.89	28	2610	1.3	<2	1.51	<0.5	7	4	2	2.80
S008493		6.29	<0.005		<0.5	8.17	21	2360	1.3	<2	1.43	<0.5	5	5	5	2.86
S008494		5.71	<0.005		<0.5	7.86	34	2330	1.3	2	1.47	<0.5	7	4	2	2.71
S008495		6.08	<0.005		<0.5	8.18	22	2360	1.4	<2	1.22	<0.5	5	3	3	2.87
S008496		5.74	<0.005		<0.5	8.12	27	2620	1.4	<2	2.29	<0.5	6	3	7	2.98
S008497		6.29	<0.005		<0.5	7.80	23	2200	1.2	<2	1.22	<0.5	4	5	4	2.79
S008498		5.96	<0.005		<0.5	7.83	25	3050	1.2	<2	1.93	<0.5	7	3	6	2.71
S008499		6.32	<0.005		<0.5	7.31	23	2220	1.3	<2	2.77	<0.5	8	3	27	2.01
S008500		0.50	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.7	<0.5	<1	<1	<1	0.03
S008501		5.87	<0.005		<0.5	7.75	29	2490	1.3	<2	2.05	<0.5	6	4	13	2.65
S008502		6.29	<0.005		<0.5	8.01	17	2180	1.3	<2	1.66	<0.5	7	3	4	2.95
S008503		6.03	<0.005		<0.5	8.02	12	2390	1.3	<2	1.52	<0.5	6	8	8	2.90
S008504		6.50	<0.005		<0.5	7.92	10	2210	1.3	<2	1.58	<0.5	6	5	3	2.82
S008505		6.04	<0.005		<0.5	8.00	10	2280	1.3	<2	1.47	<0.5	6	4	3	2.82
S008506		6.39	<0.005		<0.5	7.74	17	2370	1.3	<2	2.49	<0.5	6	5	16	3.08
S008506D		<0.02	<0.005		<0.5	7.72	18	2290	1.3	<2	2.56	<0.5	6	6	17	2.95
S008507		4.83	<0.005		<0.5	6.63	17	3060	1.0	<2	5.04	<0.5	6	5	39	2.33
S008508		4.75	<0.005		<0.5	7.77	12	2250	1.3	<2	2.31	<0.5	4	6	5	3.05
S008509		7.51	<0.005		<0.5	7.61	14	1950	1.2	<2	2.34	<0.5	6	3	<1	2.72
S008510		0.09	>10.0	19.30	19.5	6.57	765	190	1.3	<2	2.72	1.6	19	105	134	4.96
S008511		5.18	<0.005		<0.5	7.13	11	1760	1.1	<2	2.93	<0.5	5	3	<1	2.56
S008512		7.64	<0.005		<0.5	7.33	10	1500	1.2	2	2.88	<0.5	5	3	2	2.38
S008513		5.06	<0.005		0.5	7.59	13	1610	1.1	<2	3.79	<0.5	9	2	67	2.99
S008514		6.16	<0.005		<0.5	7.34	8	1540	1.2	<2	4.09	<0.5	5	3	47	2.38
S008515		5.33	<0.005		<0.5	7.49	10	1580	1.1	<2	2.90	<0.5	7	2	3	2.60
S008516		6.49	<0.005		<0.5	7.77	5	1690	1.0	<2	2.13	<0.5	10	3	1	2.98
S008517		5.83	<0.005		<0.5	9.22	6	2650	1.4	<2	0.90	<0.5	9	12	16	4.57
S008518		5.32	<0.005		<0.5	6.23	10	1480	1.1	<2	5.08	<0.5	5	3	1	2.29
S008519		6.51	<0.005		<0.5	7.07	9	1610	1.1	<2	3.89	<0.5	5	3	21	2.60
S008520		0.70	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.3	<0.5	<1	1	4	0.03
S008521		5.58	<0.005		<0.5	7.53	7	2820	1.0	<2	2.10	<0.5	8	5	1	3.10
S008522		5.82	<0.005		<0.5	8.76	5	2200	1.1	<2	1.50	<0.5	11	10	4	4.05
S008523		6.11	0.005		<0.5	8.09	10	2660	1.0	<2	2.27	<0.5	16	6	1	4.33
S008524		6.17	<0.005		<0.5	8.33	8	1690	1.1	<2	1.26	<0.5	17	6	3	3.97
S008525		6.50	<0.005		<0.5	8.48	5	3820	1.1	<2	1.47	<0.5	14	6	3	4.12
S008526		5.82	<0.005		<0.5	10.55	7	3600	1.4	<2	0.87	<0.5	12	10	49	4.66
S008526D		<0.02	<0.005		<0.5	10.35	6	3580	1.5	<2	0.81	<0.5	12	9	49	4.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008489		20	2.25	20	0.28	624	1	3.97	<1	780	9	<0.01	<5	5	388	<20
S008490		10	3.56	10	0.47	1155	10	0.22	14	930	8440	2.95	75	11	141	<20
S008491		20	2.62	20	0.33	737	<1	3.36	<1	780	16	<0.01	<5	5	412	<20
S008492		20	2.91	20	0.37	833	<1	2.23	<1	750	16	<0.01	<5	5	575	<20
S008493		20	2.68	20	0.35	804	<1	3.07	<1	770	11	<0.01	6	5	437	<20
S008494		10	2.35	20	0.31	915	<1	3.12	1	720	13	0.01	7	5	437	<20
S008495		20	2.71	20	0.35	788	<1	2.79	<1	740	10	<0.01	<5	5	417	<20
S008496		20	3.15	20	0.37	1300	1	1.97	1	780	18	<0.01	5	5	596	<20
S008497		20	2.69	20	0.35	834	<1	2.77	<1	750	8	<0.01	<5	5	346	<20
S008498		20	3.45	20	0.44	1540	1	1.69	1	740	6	0.01	12	5	307	<20
S008499		10	2.29	10	0.25	1935	2	3.31	<1	690	8	<0.01	<5	5	434	<20
S008500		<10	0.01	<10	1.99	18	<1	0.01	<1	40	3	0.10	<5	<1	4900	<20
S008501		20	2.62	20	0.31	1750	1	2.32	1	720	14	<0.01	7	5	645	<20
S008502		20	2.40	20	0.29	1045	<1	3.09	<1	790	11	<0.01	<5	5	500	<20
S008503		20	2.58	20	0.32	781	<1	2.73	<1	780	11	0.01	5	5	438	<20
S008504		20	2.42	20	0.30	693	1	2.89	<1	720	9	<0.01	<5	5	415	<20
S008505		20	2.54	20	0.36	651	1	2.69	<1	740	5	<0.01	<5	5	299	<20
S008506		20	2.27	20	0.49	1330	<1	2.24	<1	720	15	0.02	<5	5	728	<20
S008506D		10	2.16	20	0.45	1305	1	2.36	1	720	16	0.02	<5	5	740	<20
S008507		20	1.83	10	0.23	1850	<1	1.90	<1	680	22	0.05	<5	4	1285	<20
S008508		20	2.86	20	0.53	1215	<1	1.19	<1	640	15	<0.01	<5	7	580	<20
S008509		20	2.60	10	0.59	1235	<1	1.57	<1	650	10	<0.01	<5	5	476	<20
S008510		10	2.88	10	0.67	982	7	0.16	66	1600	59	4.03	17	18	174	<20
S008511		20	2.32	10	0.67	1585	<1	1.48	<1	670	10	<0.01	<5	5	521	<20
S008512		10	2.01	20	0.88	1985	<1	1.83	<1	650	14	<0.01	<5	5	520	<20
S008513		20	2.01	10	1.36	2960	<1	1.50	<1	740	14	0.01	<5	5	657	<20
S008514		20	2.51	10	0.61	2160	<1	1.44	<1	710	15	<0.01	5	5	542	<20
S008515		20	2.35	20	0.75	1970	<1	1.69	<1	660	15	<0.01	<5	5	451	<20
S008516		10	2.19	20	0.72	1695	<1	2.25	1	630	8	<0.01	<5	5	288	<20
S008517		20	3.74	20	0.62	929	1	1.48	6	840	10	<0.01	<5	12	170	<20
S008518		10	2.06	10	0.47	2160	<1	1.22	<1	620	13	0.01	<5	4	562	<20
S008519		10	1.78	10	0.72	2140	1	1.69	<1	660	20	0.01	<5	5	722	<20
S008520		<10	0.01	<10	1.49	19	1	0.01	3	30	5	0.06	<5	<1	5030	<20
S008521		20	1.95	20	0.72	1735	<1	2.15	1	800	12	0.04	<5	7	470	<20
S008522		20	3.04	20	0.71	1670	<1	1.99	3	830	7	0.01	<5	10	259	<20
S008523		20	2.10	10	0.60	2020	1	2.78	2	830	11	0.03	<5	10	388	<20
S008524		20	2.24	20	0.60	1395	<1	2.91	2	870	12	<0.01	<5	9	319	<20
S008525		20	2.42	20	0.57	1485	<1	2.67	<1	980	10	0.06	<5	10	392	<20
S008526		20	4.63	10	0.46	800	1	1.13	3	760	9	0.02	<5	12	181	<20
S008526D		20	4.83	10	0.45	780	1	1.05	5	780	8	0.01	<5	11	169	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008489		0.28	<10	<10	57	<10	62	
S008490		0.26	<10	<10	115	<10	1790	
S008491		0.28	<10	<10	62	<10	66	
S008492		0.26	<10	<10	56	<10	73	
S008493		0.27	<10	<10	90	<10	63	
S008494		0.26	10	<10	60	<10	61	
S008495		0.26	<10	<10	56	<10	62	
S008496		0.28	<10	<10	57	<10	67	
S008497		0.26	<10	<10	53	<10	52	
S008498		0.26	<10	<10	47	<10	70	
S008499		0.26	<10	<10	60	<10	67	
S008500		<0.01	<10	<10	1	<10	<2	
S008501		0.26	<10	<10	52	<10	71	
S008502		0.27	<10	<10	67	<10	70	
S008503		0.27	<10	<10	76	<10	68	
S008504		0.26	<10	<10	78	<10	63	
S008505		0.26	<10	<10	80	<10	60	
S008506		0.26	<10	<10	79	<10	81	
S008506D		0.27	<10	<10	76	<10	75	
S008507		0.27	<10	<10	62	<10	49	
S008508		0.29	<10	<10	85	<10	61	
S008509		0.26	<10	<10	70	<10	60	
S008510		0.36	<10	<10	170	<10	207	
S008511		0.25	<10	<10	79	<10	63	
S008512		0.24	<10	<10	60	<10	66	
S008513		0.28	<10	<10	63	<10	91	
S008514		0.27	<10	<10	64	<10	59	
S008515		0.25	<10	<10	59	<10	68	
S008516		0.26	<10	<10	65	<10	92	
S008517		0.38	<10	<10	122	<10	83	
S008518		0.23	<10	<10	50	<10	55	
S008519		0.24	<10	<10	56	<10	64	
S008520		<0.01	<10	<10	1	<10	3	
S008521		0.27	<10	<10	72	<10	86	
S008522		0.36	<10	<10	111	<10	113	
S008523		0.36	<10	<10	113	<10	87	
S008524		0.37	<10	<10	111	<10	86	
S008525		0.39	<10	<10	118	<10	89	
S008526		0.41	<10	<10	129	<10	80	
S008526D		0.42	<10	<10	132	<10	81	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008527		6.65	<0.005		<0.5	9.47	9	2770	1.2	<2	1.58	<0.5	20	23	13	4.92
S008528		6.25	<0.005		<0.5	9.24	10	2140	1.1	<2	2.42	<0.5	15	39	11	4.75
S008529		6.17	<0.005		<0.5	9.46	11	2180	1.1	<2	2.16	<0.5	11	40	10	4.93
S008530		0.12	1.005		12.9	6.03	304	490	1.0	3	3.54	4.2	11	28	84	4.05
S008531		6.23	<0.005		<0.5	9.22	6	2240	1.0	<2	2.39	<0.5	12	45	6	4.64
S008532		5.92	<0.005		<0.5	8.98	7	1770	1.0	2	2.40	<0.5	14	37	6	4.62
S008533		6.57	<0.005		<0.5	8.58	7	1710	1.1	<2	1.36	<0.5	10	42	6	4.36
S008534		6.95	<0.005		<0.5	9.19	8	2230	1.3	<2	1.40	<0.5	13	40	39	4.54
S008535		6.26	<0.005		<0.5	10.45	6	3150	1.5	<2	0.92	<0.5	14	29	23	5.36
S008536		6.73	<0.005		<0.5	10.35	7	3490	1.6	3	0.63	<0.5	11	9	45	5.40
S008537		6.33	<0.005		<0.5	11.15	9	3910	1.7	2	0.70	<0.5	11	22	28	6.31
S008538		6.47	<0.005		<0.5	10.50	6	3870	1.5	<2	1.01	<0.5	18	3	25	5.14
S008539		6.40	0.005		<0.5	9.46	10	2480	1.3	<2	1.82	<0.5	12	2	4	4.96
S008540		0.71	0.008		<0.5	0.13	<5	10	<0.5	<2	34.0	<0.5	<1	1	3	0.07
S008541		6.09	<0.005		<0.5	8.69	11	1950	1.2	<2	2.35	<0.5	7	2	1	4.84
S008542		6.64	<0.005		<0.5	8.98	7	2140	1.2	2	1.59	<0.5	7	2	2	4.85
S008543		6.10	<0.005		<0.5	8.45	9	2720	1.1	<2	2.25	<0.5	8	2	3	4.24
S008544		5.83	<0.005		<0.5	8.56	6	2550	1.1	2	1.71	<0.5	9	2	6	4.09
S008545		6.44	<0.005		<0.5	8.98	7	2390	1.2	<2	1.77	<0.5	9	2	22	4.45
S008546		6.16	<0.005		<0.5	7.93	8	2530	1.1	3	2.68	<0.5	8	2	7	4.39
S008546D		<0.02	<0.005		<0.5	7.90	<5	2740	1.1	<2	2.83	<0.5	8	2	7	4.42
S008547		6.55	<0.005		<0.5	7.74	13	2170	1.0	<2	3.03	<0.5	8	4	7	4.32
S008548		6.20	<0.005		<0.5	8.61	7	2660	1.2	<2	1.97	<0.5	7	2	2	3.48
S008549		6.93	<0.005		<0.5	8.94	7	3460	1.2	<2	1.86	<0.5	6	2	5	4.19
S008550		0.12	>10.0	10.30	>100	5.61	358	330	0.9	<2	3.62	4.3	11	29	141	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008527		20	3.88	20	0.83	1880	1	1.01	13	810	15	<0.01	<5	12	275	<20
S008528		20	3.09	20	0.67	1695	1	2.06	22	1230	13	<0.01	<5	11	338	<20
S008529		20	3.10	20	0.56	1410	1	2.37	17	1340	12	<0.01	<5	13	285	<20
S008530		10	3.80	10	0.55	1380	9	0.21	18	930	144	2.83	17	11	189	<20
S008531		20	2.93	20	0.61	1585	1	2.40	19	1330	13	<0.01	<5	12	336	<20
S008532		20	2.15	20	0.67	1675	1	3.09	21	1210	13	0.01	<5	11	436	<20
S008533		20	2.08	20	0.56	1095	2	3.12	14	1210	11	<0.01	<5	10	403	<20
S008534		20	2.68	20	0.60	1145	1	2.75	16	1320	9	0.01	<5	11	381	<20
S008535		20	4.20	20	0.52	707	<1	1.52	11	1220	8	0.01	<5	13	241	<20
S008536		20	4.59	20	0.43	518	1	0.72	4	300	10	0.01	<5	13	181	<20
S008537		20	5.21	20	0.41	450	2	0.55	4	620	10	0.01	<5	16	178	<20
S008538		20	4.15	20	0.77	1040	1	1.57	5	760	11	0.03	<5	14	286	<20
S008539		20	3.32	20	0.73	1140	2	1.91	2	1100	14	<0.01	<5	12	309	<20
S008540		<10	0.03	<10	1.69	21	<1	0.01	<1	40	<2	0.09	<5	<1	4340	<20
S008541		20	2.47	20	0.64	1200	2	2.28	3	1230	20	<0.01	<5	12	536	<20
S008542		20	2.49	20	0.65	964	2	2.69	3	1300	13	<0.01	<5	11	437	<20
S008543		20	2.55	10	0.49	1035	2	2.17	1	1170	8	0.01	<5	10	285	<20
S008544		20	2.10	10	0.55	1065	1	3.04	<1	1180	9	0.01	<5	11	375	<20
S008545		20	2.19	20	0.59	1075	<1	3.18	1	1270	8	<0.01	<5	11	445	<20
S008546		20	1.89	10	0.50	1255	1	3.13	<1	1150	5	0.01	<5	10	467	<20
S008546D		20	1.86	10	0.50	1305	2	3.17	2	1160	7	0.02	<5	10	480	<20
S008547		20	1.66	10	0.41	1130	6	2.88	1	1130	15	0.01	<5	9	800	<20
S008548		20	2.31	20	0.43	704	1	2.75	2	1190	9	<0.01	<5	10	516	<20
S008549		20	2.69	20	0.41	677	1	2.70	1	1340	9	0.02	<5	11	540	<20
S008550		10	3.53	10	0.45	1335	8	0.16	21	800	240	2.98	60	10	191	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008527		0.44	<10	<10	122	<10	166	
S008528		0.42	<10	<10	126	<10	109	
S008529		0.43	<10	<10	134	<10	82	
S008530		0.26	<10	<10	103	<10	478	
S008531		0.42	<10	<10	126	<10	84	
S008532		0.39	<10	<10	115	<10	90	
S008533		0.39	<10	<10	122	<10	70	
S008534		0.41	<10	<10	126	<10	91	
S008535		0.45	<10	<10	143	<10	100	
S008536		0.48	<10	<10	142	<10	92	
S008537		0.56	<10	<10	159	<10	90	
S008538		0.45	10	<10	134	<10	137	
S008539		0.43	<10	<10	129	<10	96	
S008540		0.01	<10	<10	1	<10	2	
S008541		0.39	<10	<10	120	<10	80	
S008542		0.41	<10	<10	128	<10	88	
S008543		0.36	<10	<10	124	<10	84	
S008544		0.37	<10	<10	114	<10	87	
S008545		0.40	<10	<10	124	<10	85	
S008546		0.37	<10	<10	115	<10	89	
S008546D		0.37	<10	<10	116	<10	89	
S008547		0.36	<10	<10	113	<10	84	
S008548		0.38	<10	<10	112	<10	75	
S008549		0.43	<10	<10	134	<10	66	
S008550		0.23	10	<10	91	<10	495	134

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 11-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15130374

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

CERTIFICATE TR15131562

Project: Bowser Regional Exploration

P.O. No.: BOW-0057

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008551		5.85	<0.005		<0.5	8.83	7	2470	1.2	<2	2.15	<0.5	9	4	12	4.46
S008552		6.35	<0.005		<0.5	8.59	5	2380	1.1	<2	1.74	<0.5	9	3	22	4.54
S008553		6.10	<0.005		<0.5	8.49	6	2420	1.2	<2	1.76	<0.5	8	6	10	3.65
S008554		6.59	<0.005		<0.5	8.05	<5	2480	1.2	<2	2.60	<0.5	6	3	18	3.46
S008555		6.50	<0.005		<0.5	7.87	7	2360	1.1	<2	2.88	<0.5	8	2	8	3.94
S008556		6.03	<0.005		<0.5	8.76	6	2600	1.2	<2	2.03	<0.5	9	3	10	4.43
S008557		6.13	<0.005		<0.5	8.97	<5	2820	1.2	<2	1.93	<0.5	8	2	6	4.42
S008558		7.43	<0.005		<0.5	7.72	<5	2240	1.1	<2	3.33	<0.5	12	2	7	4.49
S008559		6.66	<0.005		<0.5	7.37	<5	2080	1.0	<2	3.36	<0.5	10	2	6	4.12
S008560		0.69	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.4	<0.5	<1	<1	<1	0.04
S008561		6.92	<0.005		<0.5	6.66	5	2400	1.1	<2	4.28	<0.5	9	2	1	4.42
S008562		6.85	<0.005		<0.5	7.36	<5	2400	1.1	<2	3.07	<0.5	6	2	<1	4.19
S008563		6.69	<0.005		<0.5	5.45	6	3330	0.8	<2	4.72	<0.5	7	3	1	3.60
S008564		6.50	<0.005		<0.5	7.61	<5	2450	1.1	<2	4.93	<0.5	14	2	10	4.80
S008565		6.42	<0.005		<0.5	9.90	5	3160	1.4	<2	2.61	<0.5	10	2	10	5.51
S008566		6.85	<0.005		<0.5	6.81	5	1830	0.9	<2	3.49	<0.5	10	2	6	3.87
S008566D		<0.02	<0.005		<0.5	6.92	<5	1810	0.9	<2	3.42	<0.5	10	2	6	3.85
S008567		6.54	<0.005		<0.5	8.21	5	2500	1.1	<2	2.18	<0.5	7	2	4	4.36
S008568		6.53	<0.005		<0.5	7.16	<5	1960	1.0	<2	3.41	<0.5	9	2	32	3.98
S008569		5.91	<0.005		<0.5	8.60	<5	2240	1.2	<2	2.57	<0.5	10	2	39	4.58
S008570		0.12	5.62		80.1	6.14	294	600	1.0	<2	1.89	22.4	11	22	115	4.68
S008571		6.63	<0.005		<0.5	7.49	5	2340	1.0	<2	2.37	<0.5	8	2	1	4.35
S008572		6.11	0.006		<0.5	7.64	<5	2690	1.1	<2	5.05	<0.5	8	2	1	4.54
S008573		6.60	<0.005		<0.5	6.98	5	1840	0.9	<2	4.18	<0.5	11	2	4	4.09
S008574		6.30	<0.005		<0.5	7.82	<5	1880	0.9	<2	3.71	<0.5	11	2	3	4.47
S008575		6.17	<0.005		<0.5	7.90	6	1870	1.0	<2	3.80	<0.5	12	2	4	4.56
S008576		6.70	<0.005		<0.5	9.23	5	2390	1.3	<2	2.63	<0.5	11	2	15	4.81
S008577		4.90	<0.005		<0.5	8.34	<5	2360	1.1	<2	2.21	<0.5	13	2	19	4.22
S008578		5.60	<0.005		<0.5	9.64	<5	3800	1.3	<2	1.84	<0.5	12	33	2	4.52
S008579		6.54	<0.005		<0.5	10.40	6	3360	1.3	<2	1.90	<0.5	15	23	2	5.12
S008580		0.80	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.1	<0.5	<1	<1	<1	0.04
S008581		6.76	<0.005		<0.5	9.21	<5	3160	1.1	<2	1.30	<0.5	14	4	1	4.61
S008582		6.94	<0.005		<0.5	8.75	5	4090	1.1	<2	1.67	<0.5	16	6	1	4.35
S008583		6.29	<0.005		<0.5	9.53	<5	7650	1.2	<2	1.71	<0.5	16	3	2	5.09
S008584		6.14	<0.005		<0.5	10.55	7	3490	1.3	<2	0.92	<0.5	17	3	3	5.83
S008585		5.99	<0.005		<0.5	8.82	<5	2320	1.0	<2	2.55	<0.5	17	3	2	4.95
S008586		6.08	<0.005		<0.5	9.22	10	2440	1.1	<2	1.98	<0.5	14	3	2	4.81
S008586D		<0.02	<0.005		<0.5	8.54	8	2250	1.0	<2	2.20	<0.5	14	3	2	4.46
S008587		5.79	<0.005		<0.5	8.54	8	1880	0.9	<2	2.14	<0.5	16	3	2	4.54
S008588		5.36	<0.005		<0.5	8.65	6	1900	1.0	<2	3.05	<0.5	19	3	2	4.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008551		20	2.34	10	0.46	886	<1	3.04	<1	1320	9	0.01	<5	12	484	<20
S008552		20	2.25	10	0.44	848	<1	2.77	1	1210	8	0.01	<5	11	399	<20
S008553		20	2.34	10	0.38	766	<1	2.70	2	1250	7	<0.01	<5	10	378	<20
S008554		20	2.36	10	0.32	980	<1	2.65	<1	1230	9	0.01	<5	10	484	<20
S008555		20	2.12	10	0.37	1160	2	2.61	<1	1160	9	0.01	<5	10	483	<20
S008556		20	2.51	10	0.43	930	<1	2.61	1	1270	8	0.01	<5	11	440	<20
S008557		20	2.73	10	0.41	830	<1	2.44	<1	1320	6	0.02	<5	12	415	<20
S008558		20	2.11	10	0.58	1510	<1	2.68	<1	1190	5	0.01	<5	10	397	<20
S008559		20	2.11	10	0.47	1360	<1	2.66	<1	1150	6	0.01	<5	10	380	<20
S008560		<10	0.01	<10	1.83	19	<1	0.01	<1	40	2	0.07	<5	<1	5910	<20
S008561		20	2.37	10	0.22	1300	<1	2.65	<1	1150	7	0.01	<5	8	423	<20
S008562		20	2.43	10	0.21	933	<1	2.26	<1	1110	9	<0.01	<5	9	362	<20
S008563		10	1.72	10	0.23	1585	<1	2.14	<1	910	16	0.04	<5	6	544	<20
S008564		20	2.34	10	0.56	2050	<1	2.43	2	1230	12	<0.01	<5	10	393	<20
S008565		20	3.06	10	0.51	1155	<1	2.55	<1	1530	10	<0.01	<5	15	412	<20
S008566		20	1.65	10	0.43	1355	<1	2.76	<1	1040	10	<0.01	<5	8	438	<20
S008566D		10	1.63	10	0.44	1315	<1	2.66	<1	1020	10	<0.01	6	9	425	<20
S008567		20	2.12	10	0.39	913	<1	2.63	<1	1160	8	0.01	<5	11	419	<20
S008568		20	1.60	10	0.51	1450	<1	2.95	<1	1100	5	<0.01	<5	10	419	<20
S008569		20	2.15	10	0.60	1290	<1	2.94	<1	1260	10	<0.01	<5	11	377	<20
S008570		10	3.60	10	0.48	1165	8	0.23	14	980	8680	3.05	72	12	147	<20
S008571		20	1.86	10	0.45	1085	<1	2.52	<1	1070	15	0.01	5	9	314	<20
S008572		20	2.03	10	0.46	2010	<1	2.87	<1	1200	9	0.01	<5	10	450	<20
S008573		10	1.33	10	0.59	2070	<1	3.16	<1	1050	7	0.01	<5	9	468	<20
S008574		20	1.40	10	0.68	1955	<1	3.29	<1	1130	10	<0.01	<5	10	442	<20
S008575		20	1.40	10	0.80	1910	<1	3.01	<1	1120	10	<0.01	<5	11	424	<20
S008576		20	1.83	10	0.90	1625	<1	3.27	<1	1440	12	<0.01	<5	13	492	<20
S008577		20	1.74	10	0.96	1440	<1	2.50	2	1210	9	0.01	6	11	405	<20
S008578		20	3.17	20	0.36	614	<1	1.76	10	770	11	<0.01	<5	16	310	<20
S008579		20	2.95	20	0.42	727	<1	2.61	6	1030	7	<0.01	<5	16	352	<20
S008580		<10	0.01	<10	1.85	16	<1	<0.01	<1	30	2	0.07	<5	<1	5350	<20
S008581		20	2.66	20	0.43	575	<1	2.17	1	840	9	0.01	<5	14	475	<20
S008582		20	2.84	20	0.68	742	<1	1.32	1	520	8	0.03	<5	14	336	<20
S008583		20	3.19	10	0.53	688	<1	1.09	3	830	15	0.13	<5	16	796	<20
S008584		20	3.29	20	0.59	524	<1	1.72	4	1020	14	<0.01	<5	17	350	<20
S008585		20	2.19	10	0.58	842	<1	2.39	2	920	11	<0.01	<5	14	413	<20
S008586		20	2.24	10	0.52	637	<1	2.59	<1	1020	12	<0.01	<5	14	447	<20
S008586D		20	2.01	10	0.51	708	<1	2.55	2	940	12	<0.01	<5	13	435	<20
S008587		10	1.72	20	0.62	729	<1	2.83	1	890	11	<0.01	<5	13	442	<20
S008588		20	1.73	10	0.70	1020	<1	3.44	2	1000	10	<0.01	<5	12	495	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008551		0.41	<10	<10	132	<10	80	
S008552		0.38	<10	<10	131	<10	78	
S008553		0.39	<10	<10	121	<10	69	
S008554		0.40	<10	<10	123	<10	62	
S008555		0.37	<10	<10	117	<10	77	
S008556		0.40	<10	<10	129	<10	84	
S008557		0.41	<10	<10	130	<10	78	
S008558		0.38	<10	<10	120	<10	120	
S008559		0.37	<10	<10	123	<10	98	
S008560		<0.01	<10	<10	1	<10	<2	
S008561		0.37	<10	<10	131	<10	57	
S008562		0.36	<10	<10	120	<10	48	
S008563		0.31	<10	<10	98	<10	63	
S008564		0.39	<10	<10	126	<10	124	
S008565		0.48	<10	<10	157	<10	86	
S008566		0.33	<10	<10	104	<10	79	
S008566D		0.32	<10	<10	102	<10	77	
S008567		0.37	<10	<10	121	<10	56	
S008568		0.35	<10	<10	111	<10	78	
S008569		0.38	<10	<10	130	<10	91	
S008570		0.25	<10	<10	122	<10	1820	
S008571		0.30	<10	<10	113	<10	72	
S008572		0.34	10	<10	123	<10	79	
S008573		0.30	<10	<10	104	<10	93	
S008574		0.31	<10	<10	112	<10	96	
S008575		0.34	<10	<10	123	<10	99	
S008576		0.45	<10	<10	148	<10	86	
S008577		0.38	<10	<10	128	<10	102	
S008578		0.39	10	<10	141	<10	69	
S008579		0.42	<10	<10	156	<10	89	
S008580		<0.01	<10	<10	1	<10	<2	
S008581		0.38	<10	<10	147	<10	82	
S008582		0.39	<10	<10	126	<10	114	
S008583		0.38	<10	<10	113	<10	89	
S008584		0.41	<10	<10	130	<10	88	
S008585		0.35	<10	<10	132	<10	91	
S008586		0.38	<10	<10	144	<10	77	
S008586D		0.35	<10	<10	134	<10	78	
S008587		0.34	<10	<10	127	<10	90	
S008588		0.36	<10	<10	138	<10	110	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008589		6.46	<0.005		<0.5	7.66	<5	1930	0.8	<2	2.07	<0.5	15	3	2	4.18
S008590		0.10	>10.0	19.15	28.4	7.47	870	210	1.5	<2	2.98	2.0	22	117	149	5.38
S008591		5.78	<0.005		<0.5	9.38	5	2340	1.1	<2	1.77	<0.5	13	3	4	4.60
S008592		4.07	<0.005		<0.5	9.29	5	2880	1.1	<2	1.95	<0.5	12	5	2	4.79
S008593		10.38	<0.005		<0.5	9.18	<5	2480	1.2	<2	0.96	<0.5	10	6	1	4.26
S008594		6.00	<0.005		<0.5	9.69	6	2450	1.4	<2	1.40	<0.5	6	6	1	4.13
S008595		5.65	<0.005		<0.5	9.65	<5	2240	1.4	<2	1.25	<0.5	8	6	4	3.59
S008596		6.70	<0.005		<0.5	9.33	<5	2300	1.3	<2	1.28	<0.5	8	6	32	4.27
S008597		6.31	<0.005		<0.5	9.42	<5	2480	1.4	<2	1.57	<0.5	8	7	6	5.18
S008598		6.70	<0.005		<0.5	9.47	5	2570	1.3	<2	2.00	<0.5	11	6	16	4.73
S008599		6.40	<0.005		<0.5	9.28	<5	2210	1.2	<2	2.15	<0.5	11	9	4	4.73
S008600		0.52	<0.005		<0.5	0.07	<5	20	<0.5	<2	34.6	<0.5	<1	<1	<1	0.04
S008601		6.11	<0.005		<0.5	8.53	<5	1970	1.1	<2	1.90	<0.5	9	6	1	4.18
S008602		6.37	<0.005		<0.5	8.56	<5	2490	1.3	<2	1.95	<0.5	8	5	<1	4.47
S008603		5.68	<0.005		<0.5	8.62	<5	2100	1.1	<2	2.06	<0.5	8	5	2	4.12
S008604		6.47	<0.005		<0.5	8.41	<5	2280	1.1	<2	2.07	<0.5	9	6	4	4.03
S008605		6.06	<0.005		<0.5	8.56	<5	2290	1.2	<2	2.09	<0.5	9	5	7	4.18
S008606		5.77	<0.005		<0.5	8.65	<5	2300	1.2	<2	2.12	<0.5	9	7	8	4.22
S008606D		<0.02	<0.005		<0.5	8.71	6	2360	1.2	<2	2.19	<0.5	9	7	9	4.35
S008607		6.14	<0.005		<0.5	8.51	<5	2220	1.2	<2	2.28	<0.5	9	10	10	4.21
S008608		5.85	<0.005		<0.5	9.27	<5	2140	1.3	<2	2.18	<0.5	10	7	14	4.45
S008609		6.05	<0.005		<0.5	8.69	<5	2100	1.2	<2	2.28	<0.5	10	7	18	4.27
S008610		0.12	1.055		13.4	6.32	322	380	1.1	<2	3.66	4.5	11	28	85	4.15
S008611		6.05	<0.005		<0.5	8.54	<5	1920	1.2	<2	2.72	<0.5	10	4	9	4.27
S008612		6.53	<0.005		<0.5	8.96	<5	1970	1.2	<2	1.89	<0.5	11	3	7	4.39
S008613		6.31	<0.005		<0.5	7.96	<5	2040	1.1	<2	2.67	<0.5	11	4	3	3.82
S008614		4.79	<0.005		<0.5	6.81	<5	2030	0.9	<2	2.71	<0.5	10	4	3	3.51
S008615		4.98	<0.005		<0.5	10.85	6	3520	2.0	<2	1.09	<0.5	9	20	15	5.97
S008616		4.96	<0.005		0.5	11.60	8	3920	2.0	<2	0.99	<0.5	12	22	30	6.41
S008617		4.79	<0.005		<0.5	10.65	5	3230	1.5	<2	0.85	<0.5	13	3	18	4.46
S008618		6.41	<0.005		<0.5	9.74	7	2510	1.4	<2	2.19	<0.5	13	2	7	4.60
S008619		6.76	<0.005		<0.5	8.36	6	1940	1.0	<2	2.20	<0.5	10	2	4	4.03
S008620		0.60	<0.005		<0.5	0.05	<5	10	<0.5	<2	36.4	<0.5	<1	<1	<1	0.03
S008621		5.90	<0.005		<0.5	8.86	7	2610	1.1	<2	2.46	<0.5	10	2	14	4.55
S008622		6.26	<0.005		<0.5	8.73	5	2530	1.2	<2	2.47	<0.5	9	2	4	4.44
S008623		6.34	<0.005		<0.5	8.35	7	2270	1.1	<2	2.52	<0.5	10	2	3	4.49
S008624		6.49	<0.005		<0.5	8.35	5	2240	1.1	<2	2.44	<0.5	10	2	3	4.43
S008625		6.13	<0.005		<0.5	7.98	5	2180	1.1	<2	2.71	<0.5	9	2	1	4.06
S008626		6.94	<0.005		<0.5	8.35	<5	2210	1.1	<2	2.30	<0.5	9	2	2	4.16
S008626D		<0.02	<0.005		<0.5	8.35	9	2240	1.1	<2	2.31	<0.5	9	2	2	4.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008589		10	1.24	10	0.54	716	<1	3.18	<1	830	9	0.02	<5	11	422	<20
S008590		20	3.23	10	0.78	1090	6	0.18	72	1860	64	4.65	22	21	201	<20
S008591		20	2.11	10	0.43	694	<1	3.05	<1	1070	6	0.01	<5	14	447	<20
S008592		20	2.44	10	0.42	683	<1	2.36	1	890	13	0.01	<5	14	393	<20
S008593		20	2.24	20	0.66	655	<1	1.98	<1	800	8	0.01	<5	12	365	<20
S008594		20	2.47	10	0.53	581	<1	2.15	<1	1240	11	<0.01	<5	14	408	<20
S008595		20	2.30	20	0.80	775	<1	2.17	<1	1220	8	<0.01	<5	12	423	<20
S008596		20	2.33	20	0.94	965	<1	1.54	<1	1030	6	<0.01	<5	13	320	<20
S008597		20	2.53	10	0.67	716	<1	1.84	<1	1180	7	0.01	<5	13	420	<20
S008598		20	2.51	20	0.71	853	<1	1.97	2	1150	9	0.01	<5	13	461	<20
S008599		20	2.13	10	0.75	1005	<1	2.49	<1	1210	7	<0.01	<5	13	360	<20
S008600		<10	0.01	<10	1.92	20	<1	0.01	<1	30	<2	0.09	<5	<1	5420	<20
S008601		20	1.84	10	0.76	991	<1	2.43	<1	1080	6	<0.01	<5	11	330	<20
S008602		20	2.38	20	0.68	959	<1	1.63	<1	340	11	0.03	<5	11	792	<20
S008603		20	2.06	10	0.70	871	<1	2.30	<1	1090	3	<0.01	<5	10	349	<20
S008604		20	2.09	10	0.72	881	<1	2.12	<1	1050	7	0.01	<5	10	364	<20
S008605		20	2.22	10	0.75	906	<1	2.07	<1	1090	7	<0.01	<5	10	355	<20
S008606		20	2.27	10	0.74	920	<1	1.93	<1	1100	7	<0.01	<5	11	343	<20
S008606D		20	2.30	10	0.74	934	<1	1.98	<1	1120	7	<0.01	<5	11	353	<20
S008607		20	2.24	10	0.73	993	<1	2.12	<1	1100	8	<0.01	<5	11	336	<20
S008608		20	2.19	10	0.83	1085	<1	2.45	<1	1180	8	<0.01	<5	11	355	<20
S008609		20	2.02	10	0.84	1180	<1	2.34	<1	1120	5	<0.01	<5	10	340	<20
S008610		10	3.92	10	0.58	1420	8	0.23	19	980	151	2.96	19	11	203	<20
S008611		20	1.90	10	0.90	1360	<1	2.35	<1	1120	11	<0.01	<5	10	342	<20
S008612		20	2.03	10	0.95	1145	<1	2.33	<1	1130	7	<0.01	<5	11	371	<20
S008613		20	1.93	10	0.80	1115	<1	1.95	<1	1050	8	0.01	<5	9	351	<20
S008614		10	1.75	10	0.74	1070	<1	1.42	<1	840	6	0.01	<5	8	281	<20
S008615		20	4.45	10	0.38	553	<1	0.59	3	330	17	<0.01	<5	13	256	<20
S008616		30	4.70	40	0.47	585	<1	0.74	7	560	14	0.01	<5	15	291	<20
S008617		20	3.29	10	0.64	680	<1	2.43	5	1340	9	<0.01	<5	14	383	<20
S008618		20	2.39	20	0.77	1230	<1	2.82	5	1430	12	<0.01	<5	13	471	<20
S008619		20	1.75	10	0.71	1305	1	2.85	3	1220	6	<0.01	<5	11	423	<20
S008620		<10	0.01	<10	1.36	17	<1	0.01	<1	30	<2	0.07	<5	<1	5830	<20
S008621		20	2.08	10	0.62	1245	4	2.80	6	1320	9	0.02	<5	11	505	<20
S008622		20	2.22	10	0.50	1140	4	2.70	4	1310	10	0.02	<5	11	501	<20
S008623		20	1.93	10	0.52	1270	3	2.75	4	1230	9	0.02	<5	10	505	<20
S008624		20	1.99	10	0.49	1345	1	2.82	5	1220	10	<0.01	<5	11	413	<20
S008625		20	1.94	10	0.37	1335	<1	2.69	4	1170	11	<0.01	<5	11	431	<20
S008626		20	1.90	10	0.41	1125	<1	2.91	5	1210	10	<0.01	<5	11	437	<20
S008626D		20	1.93	10	0.42	1125	<1	2.95	5	1220	10	<0.01	<5	11	444	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008589		0.30	10	<10	118	<10	85	
S008590		0.39	<10	<10	196	<10	241	
S008591		0.39	<10	<10	133	<10	75	
S008592		0.39	<10	<10	140	<10	71	
S008593		0.37	10	<10	123	<10	87	
S008594		0.40	<10	<10	172	<10	61	
S008595		0.41	<10	<10	178	<10	95	
S008596		0.38	<10	<10	166	<10	97	
S008597		0.38	<10	<10	186	<10	90	
S008598		0.39	<10	<10	131	<10	100	
S008599		0.39	<10	<10	134	<10	92	
S008600		<0.01	<10	<10	1	<10	<2	
S008601		0.34	<10	<10	113	<10	88	
S008602		0.35	<10	<10	116	<10	89	
S008603		0.34	<10	<10	105	<10	81	
S008604		0.33	10	<10	104	<10	79	
S008605		0.35	<10	<10	109	<10	81	
S008606		0.35	<10	<10	112	<10	80	
S008606D		0.35	<10	<10	115	<10	82	
S008607		0.35	<10	<10	114	<10	79	
S008608		0.35	<10	<10	119	<10	86	
S008609		0.34	<10	<10	112	<10	84	
S008610		0.26	<10	<10	108	<10	498	
S008611		0.33	<10	<10	109	<10	85	
S008612		0.34	<10	<10	112	<10	88	
S008613		0.32	<10	<10	105	<10	78	
S008614		0.25	<10	<10	83	<10	76	
S008615		0.57	<10	<10	185	<10	64	
S008616		0.56	<10	<10	173	<10	84	
S008617		0.43	<10	<10	132	<10	100	
S008618		0.43	10	<10	131	<10	116	
S008619		0.37	<10	<10	111	<10	102	
S008620		<0.01	<10	10	1	<10	<2	
S008621		0.40	<10	<10	125	<10	89	
S008622		0.39	<10	<10	120	<10	72	
S008623		0.37	<10	<10	112	<10	87	
S008624		0.36	<10	<10	122	<10	88	
S008625		0.35	<10	<10	113	<10	63	
S008626		0.37	<10	<10	122	<10	68	
S008626D		0.37	<10	<10	123	<10	69	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008627		6.88	<0.005		<0.5	8.72	6	2390	1.1	<2	2.05	<0.5	11	2	6	4.25
S008628		6.66	<0.005		<0.5	8.34	5	2370	1.1	<2	2.00	<0.5	10	2	5	4.43
S008629		6.24	<0.005		<0.5	8.80	9	2760	1.2	<2	1.84	<0.5	10	2	23	5.08
S008630		0.12	>10.0	10.80	>100	5.77	370	310	1.0	<2	3.63	4.2	12	30	142	3.74
S008631		6.78	<0.005		<0.5	9.13	10	2960	1.2	<2	1.77	<0.5	10	2	39	4.79
S008632		6.91	<0.005		<0.5	9.00	5	3000	1.1	<2	1.87	<0.5	8	2	36	4.77
S008633		6.21	<0.005		<0.5	6.76	7	3830	1.1	<2	4.89	<0.5	8	2	17	4.09
S008634		6.09	<0.005		<0.5	9.18	7	3190	1.2	<2	2.11	<0.5	10	2	4	4.64
S008635		6.26	<0.005		<0.5	8.76	8	2840	1.1	<2	2.81	<0.5	11	2	9	4.63
S008636		6.29	<0.005		<0.5	7.65	6	2650	1.1	<2	3.50	<0.5	9	2	8	4.38
S008637		6.29	<0.005		<0.5	7.47	6	2670	1.0	<2	3.54	<0.5	7	2	12	4.02
S008638		6.02	<0.005		<0.5	8.44	6	2750	1.1	<2	2.54	<0.5	8	2	16	4.52
S008639		6.12	<0.005		<0.5	9.40	10	2890	1.1	<2	1.65	<0.5	11	2	28	4.69
S008640		0.52	<0.005		<0.5	0.04	<5	20	<0.5	<2	35.1	<0.5	<1	<1	<1	0.04
S008641		6.05	<0.005		<0.5	9.33	8	3330	1.2	<2	1.95	<0.5	8	2	33	4.51
S008642		6.04	<0.005		<0.5	8.57	7	2620	1.1	<2	2.05	<0.5	11	2	19	4.28
S008643		5.67	<0.005		<0.5	6.84	9	2230	0.9	<2	7.88	<0.5	12	2	19	4.14
S008644		6.29	<0.005		<0.5	9.28	6	2890	1.2	<2	1.53	<0.5	13	2	16	4.51
S008645		3.73	<0.005		<0.5	8.92	7	2540	1.1	2	2.19	<0.5	12	2	5	4.40
S008646		5.88	0.008		<0.5	8.43	7	2800	1.2	<2	3.38	<0.5	9	2	7	4.60
S008646D		<0.02	<0.005		<0.5	8.36	<5	2770	1.2	2	3.61	<0.5	9	2	6	4.56
S008647		5.88	<0.005		<0.5	7.59	9	2440	1.0	<2	2.30	<0.5	7	3	3	3.95
S008648		5.89	<0.005		<0.5	8.09	8	2490	1.1	<2	3.32	<0.5	8	2	6	4.41
S008649		6.00	<0.005		<0.5	7.95	8	2330	1.1	<2	3.17	<0.5	11	2	7	4.41
S008650		0.12	5.78		81.9	6.28	271	1320	1.0	2	1.96	21.9	9	23	118	4.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008627		20	1.98	10	0.50	1100	<1	3.02	6	1270	9	0.01	<5	11	463	<20
S008628		20	1.93	10	0.55	1070	2	2.87	6	1240	9	0.03	<5	11	471	<20
S008629		20	2.27	20	0.59	992	1	2.64	7	1330	11	0.02	<5	12	452	<20
S008630		10	3.58	10	0.46	1325	7	0.16	19	850	247	3.06	62	10	201	<20
S008631		20	2.43	10	0.58	890	1	2.69	7	1360	10	0.03	<5	12	442	<20
S008632		20	2.43	20	0.49	827	6	2.49	9	1250	7	0.03	6	12	407	<20
S008633		20	2.04	10	0.51	1415	4	2.32	6	1090	10	0.11	<5	9	458	<20
S008634		20	2.36	20	0.65	1035	3	2.66	8	1290	7	0.05	<5	12	441	<20
S008635		20	2.45	10	0.64	1310	3	2.26	9	1250	9	0.01	<5	11	386	<20
S008636		20	2.28	10	0.58	1435	3	1.99	10	1120	9	0.03	<5	10	342	<20
S008637		20	2.33	10	0.51	1375	3	1.70	9	1060	9	0.03	<5	10	317	<20
S008638		20	2.36	10	0.61	1155	4	2.20	11	1200	10	0.01	<5	12	378	<20
S008639		20	2.58	20	0.64	876	2	2.41	6	1310	6	<0.01	<5	12	374	<20
S008640		<10	0.01	<10	1.79	15	1	0.01	2	40	<2	0.09	<5	<1	4930	<20
S008641		20	2.87	10	0.41	818	<1	2.23	4	1260	10	0.01	<5	13	349	<20
S008642		20	2.35	10	0.59	973	1	2.26	5	1180	4	<0.01	<5	11	324	<20
S008643		10	1.77	10	0.72	2970	3	1.95	6	1000	7	0.01	<5	10	374	<20
S008644		20	2.52	20	0.82	1140	3	2.40	6	1310	7	<0.01	<5	12	323	<20
S008645		20	2.21	10	0.88	1455	3	2.50	4	1220	6	<0.01	6	12	327	<20
S008646		20	2.48	10	0.65	1560	1	2.39	4	1280	7	<0.01	<5	11	341	<20
S008646D		20	2.45	10	0.63	1580	2	2.42	5	1270	9	<0.01	<5	11	344	<20
S008647		10	2.08	10	0.41	938	1	2.18	5	1030	5	<0.01	<5	8	319	<20
S008648		20	2.04	10	0.52	1400	1	2.92	2	1200	9	<0.01	<5	10	396	<20
S008649		20	1.96	10	0.68	1605	1	2.91	1	1180	9	<0.01	<5	10	385	<20
S008650		10	3.70	10	0.49	1195	10	0.24	17	970	8680	3.05	76	12	148	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008627		0.38	<10	<10	130	<10	83	
S008628		0.37	<10	<10	128	<10	85	
S008629		0.39	<10	<10	144	<10	83	
S008630		0.23	<10	<10	96	<10	497	145
S008631		0.41	<10	<10	142	<10	83	
S008632		0.40	<10	<10	152	<10	70	
S008633		0.36	<10	<10	123	<10	87	
S008634		0.41	<10	<10	133	<10	93	
S008635		0.40	<10	<10	125	<10	92	
S008636		0.36	<10	<10	113	<10	86	
S008637		0.33	<10	<10	103	<10	69	
S008638		0.38	<10	<10	121	<10	78	
S008639		0.40	<10	<10	138	<10	83	
S008640		<0.01	<10	<10	<1	<10	<2	
S008641		0.40	<10	<10	136	<10	53	
S008642		0.38	<10	<10	145	<10	80	
S008643		0.32	<10	<10	114	<10	112	
S008644		0.42	<10	<10	137	<10	121	
S008645		0.39	<10	<10	125	<10	133	
S008646		0.42	<10	<10	137	<10	96	
S008646D		0.41	<10	<10	135	<10	95	
S008647		0.33	<10	<10	110	<10	56	
S008648		0.39	<10	<10	123	<10	78	
S008649		0.38	<10	<10	127	<10	97	
S008650		0.26	10	<10	124	<10	1845	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15131562

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

CERTIFICATE TR15133107

Project: Bowser Regional Exploration

P.O. No.: BOW-0064

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 31-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008651		6.54	<0.005		<0.5	7.32	7	2100	0.9	<2	3.23	<0.5	8	1	9	4.24
S008652		6.21	<0.005		<0.5	7.80	5	2460	1.1	<2	3.41	<0.5	9	1	30	4.38
S008653		6.17	<0.005		<0.5	7.52	11	2360	1.1	<2	3.44	<0.5	7	1	15	4.10
S008654		6.31	<0.005		<0.5	6.69	7	2120	1.0	3	4.74	<0.5	5	2	7	4.53
S008655		5.88	<0.005		<0.5	7.71	7	2000	1.0	<2	4.42	<0.5	9	1	6	4.54
S008656		6.10	<0.005		1.0	7.47	9	2030	1.0	<2	4.29	<0.5	7	2	91	3.84
S008657		6.53	<0.005		<0.5	7.55	9	2140	1.0	<2	3.98	<0.5	7	2	38	3.66
S008658		6.20	<0.005		<0.5	6.09	9	1630	0.7	<2	6.57	<0.5	6	6	<1	2.99
S008659		6.13	<0.005		<0.5	7.08	11	1690	0.7	<2	5.08	<0.5	11	2	1	4.15
S008660		0.54	<0.005		<0.5	0.07	<5	20	<0.5	<2	32.9	<0.5	<1	<1	<1	0.06
S008661		5.96	<0.005		<0.5	8.05	6	2160	1.0	<2	4.49	<0.5	12	6	11	4.46
S008662		2.31	<0.005		0.5	9.30	12	3810	1.4	2	2.19	<0.5	9	45	14	6.05
S008663		2.90	<0.005		<0.5	10.70	11	5060	1.7	<2	0.99	<0.5	18	117	6	6.39
S008664		5.43	<0.005		<0.5	9.00	10	3110	1.3	<2	2.59	<0.5	19	107	3	4.45
S008665		5.70	<0.005		<0.5	8.36	8	3030	1.2	<2	2.70	<0.5	12	67	1	3.86
S008666		5.38	<0.005		<0.5	7.95	8	2390	1.1	<2	2.78	<0.5	13	85	1	3.90
S008666D		<0.02	<0.005		<0.5	8.24	11	2440	1.2	<2	2.81	<0.5	13	89	1	4.03
S008667		5.83	<0.005		<0.5	8.04	10	2560	1.1	<2	2.69	<0.5	13	88	1	4.06
S008668		5.71	<0.005		<0.5	7.44	7	2130	1.1	<2	3.61	<0.5	15	74	3	3.80
S008669		5.76	<0.005		<0.5	6.91	8	1890	1.2	<2	4.50	<0.5	10	129	3	4.19
S008670		0.10	>10.0	19.60	17.0	6.71	731	1310	1.3	<2	2.66	1.6	16	105	120	4.88
S008671		6.25	<0.005		<0.5	7.31	12	1910	1.1	<2	3.64	<0.5	16	137	7	4.30
S008672		5.76	<0.005		<0.5	6.68	13	2060	1.0	<2	4.79	<0.5	15	139	25	4.05
S008673		6.03	<0.005		<0.5	7.36	10	1750	1.1	<2	4.47	<0.5	16	125	10	4.04
S008674		5.97	<0.005		<0.5	7.14	11	1240	0.9	<2	4.42	<0.5	20	133	9	4.18
S008675		5.99	<0.005		<0.5	7.17	9	1420	1.0	<2	2.89	<0.5	19	110	10	4.20
S008676		6.20	<0.005		<0.5	6.94	9	1740	1.0	<2	3.54	<0.5	8	96	5	3.70
S008677		5.87	<0.005		<0.5	7.51	10	1520	1.0	<2	3.45	<0.5	16	97	7	4.06
S008678		5.71	<0.005		<0.5	7.45	9	1180	0.9	<2	3.33	<0.5	19	113	6	4.27
S008679		5.11	<0.005		<0.5	7.04	9	2020	0.9	<2	4.71	<0.5	14	91	12	3.72
S008680		0.59	<0.005		<0.5	0.04	5	10	<0.5	<2	33.2	<0.5	<1	<1	<1	0.03
S008681		5.50	<0.005		<0.5	9.37	7	4020	1.3	<2	1.26	<0.5	8	28	7	4.08
S008682		2.88	<0.005		0.7	8.46	6	2810	1.2	<2	0.47	<0.5	8	3	106	2.38
S008683		5.76	<0.005		1.1	9.43	7	2550	1.4	4	0.47	<0.5	5	4	120	2.62
S008684		4.03	<0.005		4.6	8.99	8	1700	1.4	6	0.51	<0.5	9	7	458	3.92
S008685		0.58	<0.005		0.9	9.03	8	2160	1.2	<2	0.53	<0.5	10	5	121	3.44
S008686		5.82	<0.005		<0.5	8.90	7	2650	1.2	<2	1.17	<0.5	7	7	<1	4.64
S008686D		<0.02	<0.005		<0.5	9.13	9	2750	1.2	<2	1.20	<0.5	7	8	1	4.77
S008687		6.03	<0.005		<0.5	8.54	8	2750	1.2	<2	2.50	<0.5	5	9	5	6.62
S008688		6.51	<0.005		<0.5	8.59	8	2500	1.2	<2	1.56	<0.5	5	10	3	5.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008651		10	1.48	10	0.75	1835	1	2.99	1	1090	5	0.01	<5	8	353	<20
S008652		20	1.83	10	0.76	1905	1	2.85	<1	1180	4	0.01	<5	10	372	<20
S008653		20	1.82	10	0.64	1710	2	2.78	5	1100	12	0.01	<5	10	376	<20
S008654		20	1.84	10	0.47	2160	1	2.47	4	1020	11	<0.01	<5	9	384	<20
S008655		20	1.77	10	0.82	2440	<1	2.72	5	1110	9	<0.01	<5	10	394	<20
S008656		20	1.85	10	0.91	2190	<1	2.13	3	1070	7	<0.01	<5	10	312	<20
S008657		20	2.01	10	0.99	1725	<1	2.06	2	1120	7	0.20	<5	10	311	<20
S008658		10	1.57	10	1.01	2300	<1	0.80	2	750	7	<0.01	<5	7	315	<20
S008659		20	1.70	10	1.31	2050	<1	1.88	5	1010	4	<0.01	<5	9	252	<20
S008660		<10	0.02	<10	1.80	24	<1	0.01	<1	50	<2	0.08	<5	<1	4410	<20
S008661		20	2.16	10	1.23	1725	<1	1.93	4	1200	6	<0.01	<5	11	270	<20
S008662		20	4.06	10	0.59	841	<1	0.29	14	640	15	0.01	<5	18	158	<20
S008663		30	4.94	20	0.82	594	<1	0.39	33	470	15	0.01	<5	18	151	<20
S008664		20	3.08	20	1.02	1390	<1	1.63	45	910	9	<0.01	<5	15	277	<20
S008665		20	2.56	10	0.94	1175	<1	1.92	42	950	5	0.01	<5	13	348	<20
S008666		20	2.19	10	1.08	1270	<1	2.03	36	970	9	<0.01	<5	13	303	<20
S008666D		20	2.27	10	1.12	1310	<1	2.05	39	990	7	<0.01	<5	13	309	<20
S008667		20	2.23	10	1.16	1245	<1	1.90	38	930	8	0.01	<5	13	296	<20
S008668		10	1.74	10	1.14	1385	<1	2.24	36	890	5	0.01	<5	12	353	<20
S008669		20	1.63	10	0.77	1265	<1	2.54	39	950	9	<0.01	<5	14	417	<20
S008670		10	2.88	20	0.69	974	6	0.16	64	1560	57	3.95	14	18	176	<20
S008671		20	1.71	10	1.16	1410	<1	2.56	47	1000	9	<0.01	<5	15	368	<20
S008672		20	1.66	10	1.12	1485	<1	2.09	47	1000	5	<0.01	<5	14	358	<20
S008673		20	1.35	10	1.38	1680	<1	2.68	43	990	4	<0.01	<5	14	440	<20
S008674		20	0.98	10	1.68	1835	<1	2.99	53	1000	6	<0.01	<5	15	451	<20
S008675		20	1.14	10	1.46	1320	<1	2.89	42	950	8	<0.01	<5	13	428	<20
S008676		10	1.44	10	0.80	1145	<1	2.44	33	930	7	<0.01	<5	13	381	<20
S008677		20	1.23	10	1.55	1580	<1	2.83	39	1030	5	<0.01	<5	13	362	<20
S008678		20	0.98	10	1.92	1725	<1	2.86	40	970	4	<0.01	<5	14	350	<20
S008679		20	1.73	10	1.00	1650	<1	2.09	39	870	6	<0.01	<5	13	309	<20
S008680		<10	0.01	<10	1.39	17	<1	0.01	<1	30	<2	0.03	<5	<1	4940	<20
S008681		20	3.41	20	0.63	625	<1	0.93	10	400	9	0.02	<5	14	251	<20
S008682		20	2.86	20	0.85	724	<1	0.72	4	100	4	0.01	<5	10	210	<20
S008683		20	2.96	10	0.95	840	12	0.93	4	340	3	<0.01	<5	12	262	<20
S008684		20	2.06	20	1.46	1395	189	1.10	2	490	9	0.01	<5	13	280	<20
S008685		20	2.57	10	1.25	1165	10	1.20	1	860	7	0.01	<5	12	255	<20
S008686		20	3.02	20	0.41	465	1	1.39	<1	1010	8	<0.01	<5	12	234	<20
S008686D		20	3.12	20	0.43	480	2	1.45	2	1030	8	<0.01	<5	12	242	<20
S008687		20	3.00	10	0.37	781	<1	1.55	1	1110	17	<0.01	<5	11	270	<20
S008688		20	2.81	20	0.29	484	<1	1.47	2	1070	9	<0.01	<5	12	239	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008651		0.34	<10	<10	115	<10	102	
S008652		0.38	<10	<10	127	<10	91	
S008653		0.36	<10	<10	109	<10	83	
S008654		0.33	<10	<10	119	<10	71	
S008655		0.37	<10	<10	122	<10	98	
S008656		0.35	<10	<10	114	<10	85	
S008657		0.36	<10	<10	113	<10	80	
S008658		0.24	<10	<10	80	<10	87	
S008659		0.34	<10	<10	101	<10	103	
S008660		<0.01	<10	<10	<1	<10	<2	
S008661		0.39	<10	<10	117	<10	105	
S008662		0.55	<10	<10	198	<10	76	
S008663		0.52	<10	<10	209	<10	106	
S008664		0.37	<10	<10	121	<10	115	
S008665		0.33	<10	<10	106	<10	80	
S008666		0.32	<10	<10	107	<10	76	
S008666D		0.34	<10	<10	110	<10	77	
S008667		0.32	<10	<10	107	<10	80	
S008668		0.31	<10	<10	106	<10	73	
S008669		0.32	<10	10	131	<10	51	
S008670		0.34	<10	<10	170	<10	207	
S008671		0.34	<10	<10	140	<10	68	
S008672		0.32	<10	<10	129	<10	63	
S008673		0.33	<10	<10	124	<10	71	
S008674		0.33	<10	<10	124	<10	79	
S008675		0.31	<10	<10	123	<10	78	
S008676		0.30	<10	<10	117	<10	52	
S008677		0.33	<10	<10	129	<10	71	
S008678		0.33	<10	<10	126	<10	80	
S008679		0.31	<10	<10	115	<10	82	
S008680		<0.01	<10	<10	<1	<10	<2	
S008681		0.37	<10	<10	115	<10	62	
S008682		0.34	<10	<10	88	<10	69	
S008683		0.39	<10	<10	141	<10	64	
S008684		0.35	<10	<10	119	<10	112	
S008685		0.39	<10	<10	122	<10	133	
S008686		0.36	<10	<10	124	<10	67	
S008686D		0.38	<10	<10	128	<10	71	
S008687		0.37	<10	<10	141	<10	55	
S008688		0.36	<10	<10	131	<10	45	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008689		6.42	<0.005		<0.5	9.01	<5	2460	1.2	<2	1.25	<0.5	9	9	5	4.08
S008690		0.13	0.965		12.8	6.22	309	510	1.0	<2	3.55	3.9	11	27	83	4.02
S008691		6.28	<0.005		<0.5	10.50	<5	3430	1.5	<2	0.48	<0.5	7	6	7	4.39
S008692		5.98	<0.005		<0.5	9.19	7	2470	1.2	<2	1.72	<0.5	8	3	1	3.36
S008693		6.30	<0.005		<0.5	8.57	<5	2250	1.2	<2	2.08	<0.5	7	4	2	3.50
S008694		6.33	<0.005		<0.5	8.23	6	2180	1.1	<2	2.43	<0.5	9	3	2	3.96
S008695		6.05	<0.005		<0.5	8.40	<5	2090	1.1	2	1.91	<0.5	8	2	5	3.84
S008696		6.19	<0.005		<0.5	8.69	<5	2030	1.1	2	2.05	<0.5	8	5	7	4.11
S008697		6.18	<0.005		<0.5	8.60	<5	2000	1.2	<2	2.00	<0.5	9	5	6	4.16
S008698		6.01	<0.005		<0.5	9.22	<5	2190	1.3	<2	1.90	<0.5	8	5	11	4.49
S008699		6.22	<0.005		<0.5	9.07	<5	2030	1.2	<2	1.96	<0.5	10	4	23	4.53
S008700		0.54	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.9	<0.5	<1	<1	<1	0.04
S008701		6.33	<0.005		<0.5	8.73	<5	1940	1.2	<2	2.35	<0.5	9	5	25	4.46
S008702		6.16	<0.005		<0.5	7.82	<5	1830	1.1	<2	2.75	<0.5	9	5	34	4.17
S008703		6.42	0.006		<0.5	8.01	7	1530	1.1	<2	2.59	<0.5	9	4	15	4.22
S008704		6.76	<0.005		<0.5	9.09	7	1720	1.3	4	2.27	<0.5	11	6	36	4.54
S008705		6.50	<0.005		<0.5	8.58	8	1470	1.1	<2	2.18	<0.5	11	3	5	4.12
S008706		6.77	<0.005		<0.5	8.09	<5	1710	1.1	<2	2.64	<0.5	9	2	4	3.96
S008706D		<0.02	<0.005		<0.5	8.26	11	1670	1.1	<2	2.72	<0.5	9	2	4	3.93
S008707		6.67	<0.005		<0.5	8.44	5	1630	1.1	<2	2.52	<0.5	10	2	4	4.06
S008708		6.37	<0.005		<0.5	8.29	<5	1610	1.1	<2	2.69	<0.5	10	2	3	4.11
S008709		6.22	<0.005		<0.5	7.51	7	1810	1.1	<2	3.02	<0.5	9	2	3	3.90
S008710		0.12	>10.0	10.45	>100	5.95	376	540	1.0	<2	3.65	4.1	10	29	143	3.73
S008711		6.07	<0.005		<0.5	7.58	<5	1720	1.1	<2	2.71	<0.5	8	2	5	3.81
S008712		6.13	<0.005		<0.5	7.56	<5	1610	1.1	<2	3.13	<0.5	10	2	2	3.77
S008713		5.97	<0.005		<0.5	8.12	8	1730	1.1	<2	2.68	<0.5	9	2	2	3.90
S008714		6.41	<0.005		<0.5	8.50	7	1820	1.2	2	2.29	<0.5	10	3	3	4.14
S008715		5.99	<0.005		<0.5	8.50	6	1620	1.2	<2	2.68	<0.5	14	1	<1	4.04
S008716		6.55	<0.005		<0.5	6.54	9	1330	0.9	2	4.00	<0.5	12	1	1	3.01
S008717		5.65	<0.005		<0.5	6.91	8	1370	1.0	<2	3.45	<0.5	12	1	<1	3.87
S008718		3.87	<0.005		<0.5	9.25	<5	1820	1.3	<2	1.61	<0.5	10	1	<1	5.27
S008719		3.33	<0.005		<0.5	7.50	8	1660	1.2	<2	2.94	<0.5	9	1	<1	4.17
S008720		0.60	<0.005		<0.5	0.03	<5	10	<0.5	<2	33.9	<0.5	<1	<1	<1	0.04
S008721		3.26	<0.005		<0.5	8.28	5	1640	1.2	<2	1.86	<0.5	8	1	<1	4.35
S008722		3.49	<0.005		<0.5	8.69	7	1760	1.2	<2	2.05	<0.5	7	1	6	4.59
S008723		3.23	<0.005		<0.5	8.44	9	1800	1.2	<2	2.51	<0.5	7	2	<1	4.42
S008724		3.17	<0.005		<0.5	6.52	8	1450	0.7	<2	3.78	<0.5	7	6	<1	3.80
S008725		3.30	<0.005		<0.5	6.38	12	1480	0.9	<2	2.78	<0.5	6	2	<1	5.31
S008726		3.42	<0.005		<0.5	6.24	17	1660	0.8	<2	3.29	<0.5	7	3	<1	6.44
S008726D		<0.02	<0.005		<0.5	6.17	18	1710	0.7	<2	3.43	<0.5	7	4	<1	6.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008689		20	2.90	20	0.52	610	<1	1.58	2	1170	4	<0.01	<5	12	262	<20
S008690		10	3.86	10	0.54	1400	9	0.21	18	940	140	2.83	16	11	188	<20
S008691		20	4.07	10	0.43	314	2	0.74	4	340	4	0.01	<5	14	212	<20
S008692		20	2.90	20	0.59	785	<1	1.47	1	900	2	0.01	<5	11	264	<20
S008693		20	2.58	10	0.61	914	<1	1.54	2	970	6	0.01	<5	10	286	<20
S008694		20	2.46	10	0.69	1135	<1	1.53	<1	960	3	0.01	<5	10	291	<20
S008695		20	2.62	10	0.64	971	<1	1.39	<1	950	4	<0.01	<5	9	255	<20
S008696		20	2.60	10	0.69	1070	<1	1.48	<1	1000	3	<0.01	<5	10	254	<20
S008697		20	2.64	10	0.68	1110	<1	1.46	<1	1050	6	<0.01	<5	10	254	<20
S008698		20	2.94	20	0.63	1025	1	1.38	1	1120	8	0.01	<5	11	261	<20
S008699		20	2.73	20	0.77	1225	<1	1.36	<1	1090	4	<0.01	<5	11	261	<20
S008700		<10	0.01	<10	2.04	21	<1	0.01	<1	30	<2	0.03	<5	<1	4800	<20
S008701		20	2.70	10	0.74	1335	<1	1.29	<1	1060	4	<0.01	<5	11	259	<20
S008702		10	2.41	10	0.71	1505	<1	1.31	<1	1010	5	<0.01	<5	9	263	<20
S008703		20	2.12	10	0.78	1600	<1	1.76	2	1050	6	<0.01	<5	9	294	<20
S008704		20	2.47	10	0.82	1535	<1	1.77	<1	1170	6	<0.01	<5	11	303	<20
S008705		20	2.31	10	0.92	1610	<1	1.35	<1	1060	4	<0.01	<5	9	280	<20
S008706		20	2.37	10	0.83	1830	<1	1.18	<1	1070	5	<0.01	<5	9	308	<20
S008706D		20	2.40	10	0.84	1850	<1	1.18	<1	1070	8	<0.01	<5	9	303	<20
S008707		20	2.50	10	0.89	1765	<1	1.05	<1	1070	5	<0.01	<5	9	294	<20
S008708		20	2.45	10	0.91	1825	<1	0.96	<1	1080	4	<0.01	<5	9	287	<20
S008709		20	2.40	10	0.78	1935	<1	0.99	<1	1020	7	0.02	<5	8	312	<20
S008710		10	3.61	10	0.45	1360	7	0.16	22	840	235	3.00	52	10	193	<20
S008711		20	2.58	10	0.71	1780	<1	0.83	<1	1080	6	0.01	<5	8	269	<20
S008712		20	2.52	10	0.73	1915	<1	0.83	<1	1090	6	<0.01	<5	8	276	<20
S008713		20	2.71	10	0.77	1635	<1	0.72	1	1080	2	<0.01	<5	9	286	<20
S008714		20	2.73	10	0.81	1575	<1	0.77	1	950	6	0.01	<5	10	434	<20
S008715		20	2.65	10	0.80	1490	<1	0.97	<1	1210	6	<0.01	<5	11	365	<20
S008716		10	2.04	10	0.73	1890	<1	0.66	<1	880	4	0.01	<5	8	294	<20
S008717		10	2.16	10	0.74	1550	<1	0.54	<1	1060	8	<0.01	<5	8	275	<20
S008718		20	2.86	20	0.60	864	<1	0.72	<1	1270	9	<0.01	<5	10	300	<20
S008719		20	2.65	10	0.44	1670	<1	0.64	<1	1110	5	<0.01	<5	9	329	<20
S008720		<10	<0.01	<10	1.87	22	<1	<0.01	<1	40	<2	0.08	<5	<1	4660	<20
S008721		20	2.64	10	0.45	1005	<1	0.64	<1	1060	5	<0.01	<5	9	311	<20
S008722		20	2.89	10	0.38	1065	1	0.69	6	1160	13	<0.01	<5	10	325	<20
S008723		20	2.89	10	0.29	1125	<1	0.75	<1	1180	8	<0.01	<5	9	345	<20
S008724		10	2.33	10	0.40	1670	<1	0.45	<1	930	3	0.01	<5	7	234	<20
S008725		20	2.54	10	0.21	1110	1	0.53	<1	940	8	<0.01	<5	7	241	<20
S008726		10	2.01	20	0.50	2040	1	0.38	<1	850	5	0.02	<5	8	253	<20
S008726D		10	1.92	20	0.50	2110	<1	0.36	1	820	4	0.02	<5	7	257	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008689		0.39	<10	<10	142	<10	88	
S008690		0.26	10	<10	105	10	488	
S008691		0.40	<10	<10	142	<10	63	
S008692		0.39	<10	<10	122	<10	92	
S008693		0.35	<10	<10	107	<10	88	
S008694		0.34	<10	<10	103	<10	96	
S008695		0.34	<10	<10	103	<10	83	
S008696		0.34	<10	<10	109	<10	85	
S008697		0.34	<10	<10	110	<10	86	
S008698		0.36	<10	<10	118	<10	81	
S008699		0.36	<10	<10	115	<10	94	
S008700		<0.01	10	<10	1	<10	<2	
S008701		0.36	<10	<10	115	<10	89	
S008702		0.34	<10	<10	107	<10	88	
S008703		0.33	<10	<10	108	<10	89	
S008704		0.37	<10	<10	121	<10	90	
S008705		0.33	<10	<10	107	<10	97	
S008706		0.33	<10	<10	108	<10	83	
S008706D		0.34	10	<10	109	<10	82	
S008707		0.34	<10	<10	109	<10	85	
S008708		0.33	<10	<10	107	<10	90	
S008709		0.32	<10	<10	105	<10	88	
S008710		0.23	<10	<10	97	<10	501	133
S008711		0.32	<10	<10	107	<10	83	
S008712		0.32	<10	<10	104	<10	88	
S008713		0.34	<10	<10	104	<10	91	
S008714		0.35	<10	<10	113	<10	106	
S008715		0.37	<10	<10	122	<10	116	
S008716		0.30	<10	<10	93	<10	105	
S008717		0.32	<10	<10	109	<10	100	
S008718		0.36	<10	<10	132	<10	77	
S008719		0.35	<10	<10	112	<10	76	
S008720		<0.01	10	<10	<1	<10	<2	
S008721		0.33	<10	<10	128	<10	68	
S008722		0.35	<10	<10	114	<10	68	
S008723		0.35	<10	<10	125	<10	50	
S008724		0.29	<10	<10	101	<10	61	
S008725		0.29	<10	<10	99	<10	39	
S008726		0.23	<10	<10	112	10	73	
S008726D		0.23	<10	<10	111	10	72	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008727		3.03	<0.005		<0.5	9.74	8	1940	1.2	<2	1.32	<0.5	7	1	<1	4.88
S008728		3.20	<0.005		<0.5	8.91	6	1820	1.2	4	2.51	<0.5	7	1	<1	4.45
S008729		3.17	<0.005		<0.5	8.35	<5	1600	1.2	<2	2.60	<0.5	7	2	<1	4.19
S008730		0.12	5.59		80.5	6.33	283	570	0.9	<2	1.91	21.1	11	21	117	4.78
S008731		3.42	<0.005		<0.5	8.59	6	1640	1.2	<2	1.74	<0.5	7	1	<1	4.19
S008732		3.18	<0.005		<0.5	8.21	<5	1520	1.1	<2	1.83	<0.5	6	1	<1	4.19
S008733		2.66	<0.005		<0.5	7.43	8	1340	1.0	<2	1.82	<0.5	9	1	<1	4.30
S008734		3.42	<0.005		<0.5	8.34	8	1510	1.1	<2	1.55	<0.5	9	2	<1	4.72
S008735		3.04	<0.005		<0.5	8.19	5	1450	1.1	<2	1.49	<0.5	8	1	<1	3.94
S008736		3.17	<0.005		<0.5	7.74	7	1390	1.1	<2	2.59	<0.5	8	2	1	4.56
S008737		3.22	<0.005		<0.5	6.03	7	1330	0.8	<2	4.87	<0.5	6	2	19	5.89
S008738		3.11	<0.005		<0.5	8.70	5	1510	1.2	<2	0.78	<0.5	8	1	<1	5.25
S008739		3.33	<0.005		<0.5	8.22	5	1310	1.1	<2	1.41	<0.5	10	1	1	4.89
S008740		0.61	<0.005		<0.5	0.03	<5	10	<0.5	<2	34.0	<0.5	<1	<1	<1	0.03
S008741		3.11	<0.005		<0.5	7.25	6	1110	1.0	<2	2.61	<0.5	11	1	2	5.40
S008742		3.25	<0.005		<0.5	8.56	6	1550	1.2	<2	2.00	<0.5	9	1	<1	5.08
S008743		3.15	<0.005		<0.5	8.54	7	1340	1.2	2	1.61	<0.5	10	1	<1	4.75
S008744		3.26	<0.005		<0.5	7.91	8	1280	1.1	<2	2.75	<0.5	8	1	1	4.39
S008745		3.17	<0.005		<0.5	7.91	<5	1300	1.1	<2	3.23	<0.5	8	1	<1	4.51
S008746		3.42	<0.005		<0.5	8.63	5	1580	1.2	<2	2.93	<0.5	8	1	<1	4.57
S008746D		<0.02	<0.005		<0.5	8.98	10	1610	1.3	2	2.98	<0.5	7	1	1	4.64
S008747		3.23	<0.005		<0.5	7.52	8	1400	1.2	<2	4.36	<0.5	8	1	2	3.80
S008748		3.43	<0.005		<0.5	7.13	9	1310	1.1	3	3.40	<0.5	8	1	1	3.79
S008749		3.33	<0.005		<0.5	7.41	7	1150	1.0	<2	2.00	<0.5	10	1	1	4.11
S008750		0.10	>10.0	18.50	23.0	7.08	793	680	1.4	<2	2.76	1.3	18	103	136	5.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008727		20	3.39	20	0.37	606	<1	0.66	1	1290	4	<0.01	<5	11	293	<20
S008728		20	3.24	10	0.40	1060	<1	0.65	<1	1190	5	<0.01	<5	10	323	<20
S008729		20	2.90	10	0.43	1115	<1	0.63	<1	1140	8	<0.01	<5	9	338	<20
S008730		10	3.61	10	0.47	1180	8	0.23	14	960	8500	2.99	70	12	142	<20
S008731		20	2.92	10	0.40	696	<1	0.63	<1	1170	7	<0.01	<5	10	319	<20
S008732		20	2.80	10	0.37	678	<1	0.60	<1	1090	8	<0.01	<5	9	301	<20
S008733		20	2.45	10	0.44	758	<1	0.53	<1	970	6	<0.01	<5	8	280	<20
S008734		20	2.77	10	0.45	667	<1	0.59	<1	1120	5	<0.01	<5	10	284	<20
S008735		20	2.69	10	0.42	605	<1	0.59	<1	1020	3	<0.01	<5	9	305	<20
S008736		10	2.56	10	0.42	891	12	0.54	<1	1070	2	<0.01	<5	9	283	<20
S008737		10	1.94	10	0.41	1390	4	0.42	<1	790	4	0.01	<5	7	294	<20
S008738		20	2.81	10	0.49	381	<1	0.62	<1	1190	3	<0.01	<5	10	276	<20
S008739		20	2.49	10	0.68	593	<1	0.58	<1	1080	8	<0.01	<5	10	274	<20
S008740		<10	0.01	<10	1.81	16	<1	<0.01	<1	40	<2	0.04	<5	<1	5210	<20
S008741		10	2.16	10	0.74	924	<1	0.53	<1	1020	5	<0.01	<5	9	278	<20
S008742		20	2.92	10	0.53	670	<1	0.62	<1	1190	3	<0.01	<5	10	299	<20
S008743		10	2.61	10	0.71	653	<1	0.62	<1	1130	5	<0.01	<5	10	298	<20
S008744		10	2.46	10	0.69	901	<1	0.58	1	1020	5	<0.01	<5	10	288	<20
S008745		10	2.44	20	0.73	1015	<1	0.60	<1	1060	4	<0.01	<5	9	306	<20
S008746		20	3.01	10	0.58	899	<1	0.67	<1	1250	2	<0.01	<5	10	308	<20
S008746D		20	3.08	10	0.61	922	<1	0.67	<1	1250	7	<0.01	<5	11	312	<20
S008747		20	2.63	10	0.66	1315	<1	0.64	<1	1100	3	<0.01	<5	9	323	<20
S008748		20	2.42	10	0.67	1050	<1	0.61	<1	1040	4	<0.01	<5	8	286	<20
S008749		10	2.15	10	0.80	759	<1	0.54	<1	960	4	<0.01	<5	9	307	<20
S008750		10	3.04	20	0.71	1010	6	0.17	69	1690	54	4.20	13	19	181	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008727		0.38	<10	<10	151	<10	52	
S008728		0.37	<10	<10	142	<10	68	
S008729		0.34	<10	<10	129	<10	74	
S008730		0.25	10	<10	121	<10	1830	
S008731		0.33	<10	<10	128	<10	64	
S008732		0.31	<10	<10	126	<10	62	
S008733		0.26	<10	<10	125	<10	71	
S008734		0.30	<10	<10	133	<10	73	
S008735		0.29	<10	<10	130	<10	67	
S008736		0.30	<10	<10	152	<10	68	
S008737		0.21	<10	<10	181	10	59	
S008738		0.29	<10	<10	170	<10	65	
S008739		0.28	<10	<10	151	<10	90	
S008740		<0.01	<10	<10	<1	<10	<2	
S008741		0.26	<10	<10	148	<10	98	
S008742		0.32	<10	<10	155	<10	67	
S008743		0.32	<10	<10	139	<10	83	
S008744		0.32	<10	<10	125	<10	82	
S008745		0.32	<10	<10	121	<10	86	
S008746		0.38	<10	<10	139	<10	79	
S008746D		0.38	<10	<10	143	<10	80	
S008747		0.34	<10	<10	128	<10	93	
S008748		0.32	<10	<10	129	<10	84	
S008749		0.29	<10	<10	142	<10	86	
S008750		0.36	<10	<10	178	<10	209	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15133107

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

CERTIFICATE TR15134382

Project: Bowser Regional Exploration

P.O. No.: BOW-0066

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 3-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008751		3.60	<0.005		<0.5	8.77	9	1450	1.1	<2	1.22	<0.5	9	4	1	5.45
S008752		3.15	<0.005		<0.5	7.94	<5	1280	1.1	2	2.28	<0.5	7	3	2	4.94
S008753		3.29	<0.005		<0.5	8.33	8	1410	1.2	<2	3.35	<0.5	7	2	5	4.85
S008754		3.10	<0.005		<0.5	8.44	5	2490	1.2	<2	3.83	<0.5	9	2	2	4.66
S008755		3.13	<0.005		<0.5	9.29	7	1630	1.4	<2	2.17	<0.5	4	2	<1	4.58
S008756		3.18	<0.005		<0.5	8.27	9	1340	1.2	<2	3.48	<0.5	7	2	1	4.25
S008757		3.07	<0.005		<0.5	7.39	5	1330	1.2	<2	3.92	<0.5	6	2	2	4.23
S008758		3.06	<0.005		<0.5	7.74	6	1360	1.1	<2	4.74	<0.5	6	2	1	3.84
S008759		3.50	<0.005		<0.5	7.45	7	1290	1.1	<2	5.48	<0.5	6	2	2	3.95
S008760		0.43	<0.005		<0.5	0.24	<5	30	<0.5	<2	33.6	<0.5	<1	1	<1	0.13
S008761		3.26	<0.005		<0.5	7.64	6	1170	1.0	6	4.73	<0.5	7	2	2	4.21
S008762		3.50	<0.005		<0.5	7.31	<5	1120	1.0	2	4.88	<0.5	8	2	2	4.94
S008763		3.44	<0.005		<0.5	6.77	8	1190	1.0	<2	5.38	<0.5	8	2	2	3.46
S008764		3.26	<0.005		<0.5	7.15	6	1310	1.0	<2	4.81	<0.5	8	2	2	3.72
S008765		3.42	<0.005		<0.5	7.63	6	1120	1.0	<2	4.39	<0.5	9	2	5	4.24
S008766		3.21	<0.005		<0.5	8.11	5	1550	1.1	4	3.24	<0.5	8	2	1	4.53
S008766D		<0.02	<0.005		<0.5	8.66	5	1560	1.2	3	3.22	<0.5	8	2	2	4.78
S008767		3.40	<0.005		<0.5	8.10	6	1410	1.2	2	3.03	<0.5	7	2	1	4.56
S008768		3.82	<0.005		<0.5	9.52	11	1720	1.3	2	1.08	<0.5	6	2	3	4.67
S008769		3.35	<0.005		<0.5	9.00	7	1590	1.2	4	0.99	<0.5	12	2	6	3.86
S008770		0.13	0.977		17.0	5.94	297	1020	1.0	2	3.59	4.2	9	26	82	4.04
S008771		3.05	<0.005		<0.5	8.18	<5	1210	1.1	2	3.36	<0.5	11	2	6	4.02
S008772		3.29	<0.005		<0.5	7.80	5	1300	1.1	<2	3.56	<0.5	10	2	8	4.31
S008773		3.51	<0.005		<0.5	7.00	<5	1850	1.0	<2	5.08	<0.5	10	2	44	3.39
S008774		3.45	<0.005		<0.5	7.49	6	1330	1.1	<2	4.03	<0.5	9	2	<1	4.41
S008775		3.29	<0.005		<0.5	7.60	<5	1250	1.1	<2	4.22	<0.5	9	2	<1	4.34
S008776		3.25	<0.005		<0.5	7.42	7	1450	1.0	<2	3.74	<0.5	7	2	<1	4.27
S008777		3.21	<0.005		<0.5	7.97	7	1420	1.1	7	4.10	<0.5	8	2	<1	4.31
S008778		3.20	<0.005		<0.5	8.07	<5	1730	1.2	<2	3.47	<0.5	6	2	1	4.49
S008779		3.27	<0.005		<0.5	8.05	8	1400	1.1	<2	4.65	<0.5	10	2	3	4.30
S008780		0.45	<0.005		<0.5	0.20	<5	10	<0.5	2	32.9	<0.5	<1	<1	<1	0.10
S008781		3.32	<0.005		<0.5	7.35	5	1260	0.9	<2	4.72	<0.5	8	2	2	3.64
S008782		4.17	<0.005		<0.5	7.66	<5	1370	1.0	3	5.04	<0.5	7	2	<1	3.42
S008783		2.70	<0.005		<0.5	7.66	7	1410	1.1	<2	5.30	<0.5	6	2	1	4.20
S008784		3.40	<0.005		<0.5	7.63	5	1520	1.1	<2	5.26	<0.5	8	2	<1	4.02
S008785		3.32	<0.005		<0.5	7.37	7	1510	1.0	<2	5.35	<0.5	9	2	1	3.24
S008786		3.71	<0.005		<0.5	7.79	7	1470	1.1	2	4.35	<0.5	10	2	3	4.23
S008786D		<0.02	<0.005		<0.5	7.50	7	1490	1.1	<2	4.31	<0.5	9	2	2	4.22
S008787		3.23	<0.005		<0.5	7.10	5	1570	1.1	<2	4.13	<0.5	10	2	9	3.71
S008788		3.32	<0.005		<0.5	6.81	6	1580	1.0	<2	5.49	<0.5	11	2	3	3.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008751		20	2.66	10	0.93	578	<1	0.57	<1	1180	6	0.01	<5	11	374	<20
S008752		10	2.36	20	0.88	810	<1	0.56	<1	1020	5	0.01	<5	10	421	<20
S008753		20	2.53	10	0.69	843	<1	0.63	<1	1070	9	<0.01	<5	10	308	<20
S008754		20	2.67	20	0.84	983	<1	0.61	<1	1100	7	0.03	<5	10	343	<20
S008755		20	3.16	10	0.47	534	<1	0.73	<1	1270	4	<0.01	<5	12	306	<20
S008756		20	2.48	10	0.68	897	<1	0.64	<1	1020	7	<0.01	5	10	297	<20
S008757		20	2.60	10	0.53	1070	<1	0.64	<1	1060	8	<0.01	<5	9	288	<20
S008758		10	2.64	10	0.67	1425	<1	0.63	<1	1080	9	<0.01	<5	9	300	<20
S008759		10	2.40	10	0.74	1675	1	0.61	<1	1010	5	<0.01	<5	9	303	<20
S008760		<10	0.06	<10	1.47	35	<1	0.08	<1	50	<2	0.08	<5	<1	4550	<20
S008761		20	2.22	10	0.85	1490	<1	0.59	<1	1000	7	<0.01	<5	9	296	<20
S008762		10	2.07	20	0.95	1685	2	0.54	<1	940	13	<0.01	6	9	295	<20
S008763		10	2.18	10	0.85	1745	<1	0.58	<1	940	6	<0.01	<5	8	296	<20
S008764		10	2.34	10	0.88	1575	<1	0.63	<1	1030	6	<0.01	<5	9	298	<20
S008765		10	2.03	10	1.13	1480	1	0.61	<1	940	3	<0.01	<5	9	304	<20
S008766		20	2.45	10	0.97	1135	<1	0.65	<1	1090	7	0.01	<5	10	390	<20
S008766D		10	2.47	20	1.02	1135	<1	0.68	<1	1120	6	0.01	<5	11	382	<20
S008767		20	2.41	10	0.87	968	<1	0.68	<1	1050	9	<0.01	5	10	309	<20
S008768		20	2.99	10	0.73	435	<1	0.71	<1	1210	8	<0.01	<5	12	278	<20
S008769		20	2.50	10	1.08	633	<1	0.84	<1	1130	5	0.01	8	11	298	<20
S008770		10	3.82	10	0.55	1365	9	0.22	18	900	146	2.79	21	11	189	<20
S008771		20	2.04	10	1.33	1240	1	0.79	<1	1050	6	<0.01	<5	10	307	<20
S008772		10	1.99	10	1.34	1330	<1	0.83	<1	1040	3	0.01	<5	10	383	<20
S008773		10	2.06	10	1.17	1855	2	0.77	<1	1040	8	0.10	<5	9	484	<20
S008774		20	1.94	10	1.00	1210	<1	0.80	<1	1000	8	0.02	<5	9	528	<20
S008775		10	1.95	10	0.98	1210	<1	0.75	<1	970	4	0.01	5	9	376	<20
S008776		10	2.00	10	0.86	1075	<1	0.86	<1	960	11	0.02	5	9	463	<20
S008777		20	2.13	10	0.79	1100	<1	0.89	<1	1010	8	0.01	<5	10	412	<20
S008778		20	2.68	10	0.64	924	<1	0.85	<1	1140	10	<0.01	<5	10	360	<20
S008779		20	2.17	10	1.13	1425	<1	0.82	<1	1060	6	<0.01	<5	10	353	<20
S008780		<10	0.01	<10	1.88	16	<1	0.01	<1	50	<2	0.13	<5	<1	4570	<20
S008781		20	1.88	10	1.16	1450	<1	0.94	<1	980	6	<0.01	<5	9	365	<20
S008782		10	1.96	10	1.09	1455	<1	1.10	<1	1020	4	<0.01	<5	9	392	<20
S008783		10	2.02	10	0.82	1390	<1	1.05	<1	1020	7	<0.01	<5	9	394	<20
S008784		20	2.12	10	0.89	1455	<1	1.04	<1	1060	5	<0.01	8	10	384	<20
S008785		20	1.94	10	1.03	1535	<1	1.15	<1	1030	5	0.01	<5	9	409	<20
S008786		10	1.97	10	0.96	1255	<1	1.10	<1	1010	7	0.01	<5	10	408	<20
S008786D		10	1.95	10	0.92	1245	<1	1.11	<1	1000	7	0.01	<5	9	420	<20
S008787		20	2.04	10	0.92	1300	<1	0.96	7	1040	17	0.01	<5	9	392	<20
S008788		20	2.01	10	1.03	1540	<1	0.93	2	1020	10	<0.01	6	8	406	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008751		0.34	<10	<10	239	<10	86	
S008752		0.30	<10	<10	191	<10	84	
S008753		0.32	<10	<10	208	<10	71	
S008754		0.33	<10	<10	163	<10	92	
S008755		0.36	<10	<10	158	<10	49	
S008756		0.32	<10	<10	137	<10	72	
S008757		0.32	<10	<10	130	<10	58	
S008758		0.34	<10	<10	119	<10	71	
S008759		0.32	<10	<10	113	<10	74	
S008760		0.01	<10	<10	2	<10	2	
S008761		0.31	<10	<10	112	<10	77	
S008762		0.29	<10	<10	109	<10	83	
S008763		0.29	<10	<10	104	<10	80	
S008764		0.32	<10	<10	115	<10	80	
S008765		0.30	<10	<10	108	<10	90	
S008766		0.33	<10	<10	118	<10	80	
S008766D		0.34	<10	<10	118	<10	82	
S008767		0.33	<10	<10	120	<10	78	
S008768		0.36	<10	<10	134	<10	59	
S008769		0.35	<10	<10	138	<10	97	
S008770		0.25	<10	<10	103	10	467	
S008771		0.33	<10	<10	123	<10	117	
S008772		0.32	<10	<10	125	<10	110	
S008773		0.32	<10	<10	107	<10	97	
S008774		0.31	<10	<10	112	<10	84	
S008775		0.30	<10	<10	112	<10	88	
S008776		0.31	<10	<10	98	<10	78	
S008777		0.32	<10	<10	104	<10	71	
S008778		0.35	<10	<10	135	<10	65	
S008779		0.33	<10	<10	121	<10	86	
S008780		0.01	10	<10	1	<10	<2	
S008781		0.32	<10	<10	110	<10	97	
S008782		0.33	<10	<10	113	<10	88	
S008783		0.33	<10	<10	114	<10	73	
S008784		0.34	10	<10	117	<10	79	
S008785		0.32	<10	<10	102	<10	89	
S008786		0.32	<10	<10	108	<10	83	
S008786D		0.31	<10	<10	108	<10	81	
S008787		0.32	<10	10	110	<10	91	
S008788		0.32	<10	10	107	<10	96	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008789		3.27	<0.005		<0.5	6.79	5	1600	1.0	<2	5.24	<0.5	10	2	3	3.77
S008790		0.13	>10.0	10.30	>100	5.82	370	390	1.0	<2	3.75	4.4	10	31	150	3.73
S008791		3.60	<0.005		<0.5	7.79	8	1870	1.2	<2	4.68	<0.5	9	2	2	4.15
S008792		3.06	<0.005		<0.5	8.27	6	2160	1.3	<2	4.35	<0.5	6	2	2	4.46
S008793		3.20	<0.005		<0.5	7.58	9	1960	1.2	<2	4.51	<0.5	5	2	2	4.41
S008794		3.48	<0.005		<0.5	7.15	11	2040	1.2	<2	4.85	<0.5	9	2	3	4.15
S008795		3.53	<0.005		<0.5	8.16	6	2040	1.3	<2	4.45	<0.5	8	2	3	4.49
S008796		3.31	<0.005		<0.5	7.89	<5	2030	1.3	<2	3.86	<0.5	6	2	2	4.04
S008797		3.99	<0.005		<0.5	6.73	<5	1870	1.1	<2	5.14	<0.5	10	2	2	3.94
S008798		2.71	<0.005		<0.5	6.63	<5	1990	1.1	<2	5.11	<0.5	9	1	3	3.50
S008799		3.52	<0.005		<0.5	7.56	<5	2130	1.2	<2	5.54	<0.5	9	2	2	4.03
S008800		0.42	<0.005		<0.5	0.05	<5	10	<0.5	4	35.6	<0.5	<1	1	1	0.04
S008901		3.30	<0.005		<0.5	7.03	<5	2330	1.2	<2	5.68	<0.5	5	2	2	4.28
S008902		3.33	<0.005		<0.5	7.94	<5	2150	1.2	<2	5.07	<0.5	7	2	2	4.48
S008903		3.14	<0.005		<0.5	7.14	<5	2110	1.1	<2	4.21	<0.5	7	2	2	3.81
S008904		3.64	<0.005		<0.5	7.16	5	2040	1.1	<2	4.44	<0.5	7	2	1	3.66
S008905		3.40	<0.005		<0.5	6.85	<5	1960	1.1	<2	4.94	<0.5	7	2	1	3.76
S008906		1.99	<0.005		<0.5	7.69	7	1990	1.0	<2	5.35	<0.5	7	2	<1	3.30
S008906D		<0.02	<0.005		<0.5	7.50	<5	1960	1.0	<2	5.26	<0.5	7	2	1	3.23
S008907		2.70	<0.005		<0.5	7.16	<5	3140	0.9	<2	5.36	<0.5	8	2	<1	3.77
S008908		3.30	<0.005		<0.5	7.36	6	1870	0.9	2	5.36	<0.5	10	2	<1	3.89
S008909		3.03	<0.005		<0.5	7.44	6	2510	0.9	<2	4.52	<0.5	8	2	<1	3.66
S008910		0.13	5.51		81.2	6.11	281	340	1.0	2	1.93	21.6	11	22	117	4.65
S008911		3.38	<0.005		<0.5	7.49	<5	2540	0.9	<2	5.29	<0.5	9	2	<1	3.59
S008912		3.69	<0.005		<0.5	7.72	6	2750	1.0	<2	5.10	<0.5	7	1	1	3.56
S008913		3.13	<0.005		<0.5	7.00	<5	2920	1.0	2	3.92	<0.5	6	2	<1	3.86
S008914		3.39	<0.005		<0.5	7.00	<5	2890	1.0	<2	4.01	<0.5	7	2	<1	3.65
S008915		2.97	<0.005		<0.5	6.33	<5	2220	0.9	<2	4.26	<0.5	7	2	<1	3.01
S008916		2.32	<0.005		<0.5	8.13	<5	3760	1.1	<2	3.22	<0.5	7	2	<1	3.46
S008917		3.22	<0.005		<0.5	7.63	<5	2550	0.9	2	4.39	<0.5	8	2	2	4.06
S008918		3.69	<0.005		<0.5	7.69	5	2570	1.1	<2	2.99	<0.5	8	2	8	3.66
S008919		3.23	<0.005		<0.5	7.29	<5	2330	1.1	<2	5.48	<0.5	9	2	22	4.17
S008920		0.50	<0.005		<0.5	0.07	<5	20	<0.5	5	33.2	<0.5	<1	1	<1	0.04
S008921		3.70	<0.005		<0.5	7.49	<5	3740	1.0	<2	3.83	<0.5	10	2	20	3.86
S008922		2.44	<0.005		<0.5	8.00	<5	8010	1.0	<2	2.84	<0.5	7	4	13	3.71
S008923		2.57	<0.005		<0.5	8.01	7	4910	1.0	<2	2.85	<0.5	7	3	12	4.43
S008924		3.33	<0.005		<0.5	8.27	38	280	1.6	2	0.85	<0.5	14	6	18	4.17
S008925		3.30	<0.005		0.5	8.48	38	600	1.9	<2	1.48	<0.5	14	7	22	4.20
S008926		3.37	0.007		0.6	8.66	128	460	1.9	<2	1.14	0.7	17	8	12	4.67
S008926D		<0.02	0.006		<0.5	8.12	119	250	1.9	2	1.09	0.5	14	8	12	4.28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008789		20	2.04	10	0.85	1490	<1	0.97	1	1010	9	<0.01	<5	8	397	<20
S008790		10	3.68	10	0.46	1380	8	0.16	25	850	254	3.04	55	10	201	<20
S008791		20	2.35	10	0.69	1310	<1	1.04	2	1110	10	<0.01	<5	10	417	<20
S008792		20	2.70	10	0.52	1110	<1	1.13	1	1200	11	<0.01	<5	10	427	<20
S008793		20	2.34	10	0.58	1190	<1	0.93	2	1060	15	0.01	<5	9	416	<20
S008794		20	2.33	10	0.66	1270	<1	0.89	2	1070	12	0.01	<5	9	464	<20
S008795		20	2.46	10	0.64	1100	<1	0.95	2	1150	10	<0.01	<5	10	425	<20
S008796		20	2.44	10	0.58	940	<1	0.83	2	1100	13	<0.01	<5	10	375	<20
S008797		20	2.26	10	0.65	1310	<1	0.79	1	1020	11	<0.01	<5	8	411	<20
S008798		20	2.32	10	0.57	1210	<1	0.72	2	990	10	<0.01	<5	8	404	<20
S008799		20	2.50	10	0.64	1290	<1	0.71	2	1070	7	<0.01	<5	9	423	<20
S008800		<10	0.01	<10	1.98	23	<1	<0.01	1	40	2	0.05	<5	<1	5250	<20
S008901		20	2.65	10	0.43	1320	<1	0.66	2	1060	14	0.01	<5	8	442	<20
S008902		20	2.47	10	0.68	1270	<1	0.67	1	1090	12	<0.01	<5	10	409	<20
S008903		20	2.38	10	0.68	1140	<1	0.70	<1	1080	8	0.01	<5	8	383	<20
S008904		20	2.26	10	0.74	1210	<1	0.69	2	1040	10	<0.01	<5	9	372	<20
S008905		20	2.06	10	0.77	1390	<1	0.74	<1	970	7	<0.01	<5	8	365	<20
S008906		20	2.16	10	0.83	1490	<1	0.83	1	1040	8	<0.01	<5	10	355	<20
S008906D		20	2.15	10	0.81	1470	<1	0.82	1	1020	12	<0.01	<5	9	348	<20
S008907		20	1.97	20	0.77	1450	<1	0.81	<1	980	9	0.10	<5	9	419	<20
S008908		20	1.94	10	1.10	2230	<1	0.51	<1	1000	6	0.13	<5	9	337	<20
S008909		20	2.41	10	0.76	1660	<1	0.43	<1	1020	8	<0.01	<5	9	254	<20
S008910		10	3.64	10	0.47	1160	9	0.23	16	970	8830	2.97	70	12	143	<20
S008911		20	2.43	10	0.80	1880	<1	0.43	2	1000	15	<0.01	<5	9	274	<20
S008912		20	2.62	10	0.65	1680	<1	0.44	3	1000	13	<0.01	<5	9	282	<20
S008913		20	2.75	10	0.45	1260	<1	0.53	<1	1020	8	0.01	8	8	260	<20
S008914		20	2.71	10	0.52	1370	<1	0.50	<1	1020	8	0.01	<5	8	260	<20
S008915		20	2.10	10	0.58	1390	<1	0.55	<1	890	5	0.14	<5	8	246	<20
S008916		20	2.89	10	0.63	1400	<1	0.54	1	1130	7	0.09	<5	10	287	<20
S008917		20	2.26	10	0.84	1950	<1	0.46	2	1020	5	0.19	<5	10	285	<20
S008918		20	2.34	10	0.75	1430	1	0.62	1	1110	8	0.11	5	10	311	<20
S008919		20	1.86	10	0.90	2530	<1	0.59	1	1030	9	0.05	<5	9	406	<20
S008920		<10	0.02	<10	2.05	23	<1	<0.01	<1	30	3	0.05	5	<1	4700	<20
S008921		20	1.90	10	0.90	1810	2	0.58	1	900	5	0.09	<5	10	1025	<20
S008922		10	2.11	20	0.84	1370	<1	0.56	<1	790	10	0.43	<5	11	3870	<20
S008923		10	1.75	20	1.09	1830	<1	0.60	<1	990	3	0.17	<5	10	712	<20
S008924		10	2.42	10	0.50	506	1	0.76	6	1160	45	3.92	<5	11	226	<20
S008925		20	2.34	10	0.48	728	<1	0.79	1	1370	97	4.20	<5	11	264	<20
S008926		20	2.29	10	0.54	539	<1	0.81	1	1100	277	4.76	<5	12	264	<20
S008926D		20	2.22	10	0.50	521	<1	0.78	2	1070	242	4.43	<5	11	252	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008789		0.32	<10	<10	115	<10	85	
S008790		0.23	<10	<10	96	<10	512	137
S008791		0.35	<10	10	134	<10	72	
S008792		0.36	<10	<10	148	<10	65	
S008793		0.33	<10	<10	134	<10	66	
S008794		0.33	<10	<10	134	<10	75	
S008795		0.35	<10	<10	141	<10	66	
S008796		0.34	<10	10	129	<10	56	
S008797		0.32	<10	10	116	<10	69	
S008798		0.31	<10	<10	109	<10	63	
S008799		0.34	<10	<10	121	<10	69	
S008800		<0.01	<10	10	1	<10	<2	
S008901		0.34	<10	<10	121	<10	50	
S008902		0.33	<10	<10	122	<10	65	
S008903		0.33	<10	<10	115	<10	62	
S008904		0.32	<10	<10	108	<10	62	
S008905		0.30	<10	<10	104	<10	64	
S008906		0.32	<10	10	107	<10	68	
S008906D		0.32	<10	<10	105	<10	66	
S008907		0.30	<10	10	109	<10	65	
S008908		0.31	<10	<10	107	<10	94	
S008909		0.31	<10	<10	112	<10	76	
S008910		0.25	<10	<10	118	<10	1820	
S008911		0.31	<10	<10	114	<10	89	
S008912		0.31	<10	10	108	<10	74	
S008913		0.33	<10	<10	110	<10	63	
S008914		0.32	<10	<10	109	<10	77	
S008915		0.29	<10	<10	95	<10	77	
S008916		0.38	<10	<10	132	<10	70	
S008917		0.34	<10	<10	112	<10	81	
S008918		0.36	<10	<10	126	<10	74	
S008919		0.33	<10	<10	110	<10	90	
S008920		<0.01	<10	<10	1	<10	18	
S008921		0.31	<10	<10	104	<10	83	
S008922		0.35	<10	<10	109	<10	74	
S008923		0.33	<10	<10	100	10	93	
S008924		0.30	<10	<10	109	<10	113	
S008925		0.33	<10	<10	104	<10	115	
S008926		0.34	<10	<10	105	<10	423	
S008926D		0.32	<10	<10	101	<10	345	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008927		3.17	<0.005		<0.5	9.07	89	400	1.9	3	1.65	<0.5	11	6	8	4.24
S008928		3.56	<0.005		<0.5	8.62	76	260	1.7	2	0.58	<0.5	11	7	11	3.84
S008929		3.16	<0.005		<0.5	8.70	53	280	1.6	<2	0.74	<0.5	11	7	11	3.94
S008930		0.10	>10.0	19.80	25.7	7.02	750	1440	1.4	<2	2.85	2.0	17	108	134	5.10
S008931		3.47	<0.005		<0.5	8.38	27	540	1.3	<2	2.04	<0.5	10	8	23	4.45
S008932		3.09	<0.005		<0.5	7.97	26	590	1.1	<2	2.70	<0.5	8	6	14	4.19
S008933		3.64	<0.005		<0.5	8.46	28	250	1.2	4	0.92	<0.5	11	7	21	4.61
S008934		3.32	<0.005		<0.5	8.16	20	240	1.1	3	1.28	<0.5	9	7	20	4.46
S008935		3.30	<0.005		<0.5	8.26	47	480	1.1	2	2.41	<0.5	7	6	13	3.72
S008936		3.80	<0.005		<0.5	8.32	52	450	1.0	<2	3.03	<0.5	9	6	11	3.74
S008937		3.19	<0.005		<0.5	8.31	13	660	0.9	2	3.28	<0.5	7	6	16	3.92
S008938		3.66	<0.005		<0.5	6.92	35	330	0.9	<2	3.23	<0.5	10	6	12	3.69
S008939		3.56	<0.005		<0.5	7.90	20	480	0.8	<2	3.17	<0.5	7	6	18	3.98
S008940		0.46	<0.005		<0.5	0.06	<5	10	<0.5	<2	36.2	<0.5	<1	1	<1	0.05
S008941		3.85	<0.005		<0.5	7.48	38	490	0.9	<2	4.37	<0.5	7	6	14	3.73
S008942		3.50	<0.005		<0.5	7.62	28	430	1.0	3	3.98	<0.5	10	6	17	4.52
S008943		3.87	<0.005		<0.5	7.08	27	350	1.0	2	4.82	<0.5	6	6	16	3.73
S008944		3.61	<0.005		<0.5	7.88	17	680	0.9	<2	5.08	<0.5	7	6	16	3.75
S008945		3.55	0.007		<0.5	7.03	40	390	1.0	<2	4.28	<0.5	6	6	15	3.77
S008946		3.40	<0.005		<0.5	7.61	59	380	1.1	3	3.77	<0.5	7	7	12	4.43
S008946D		<0.02	<0.005		<0.5	7.41	65	410	1.1	<2	3.77	<0.5	10	7	11	4.64
S008947		3.82	<0.005		<0.5	7.49	36	340	1.1	3	3.49	<0.5	9	7	22	4.21
S008948		3.53	<0.005		<0.5	7.87	24	390	1.1	4	2.93	<0.5	10	7	19	4.22
S008949		3.60	<0.005		<0.5	7.94	31	590	1.1	2	3.50	<0.5	7	8	20	3.87
S008950		0.13	1.000		12.3	6.12	285	1450	1.0	<2	3.66	4.3	8	28	80	4.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008927		20	2.26	10	0.66	818	1	0.85	3	1230	62	4.39	5	12	289	<20
S008928		20	2.47	10	0.56	230	<1	0.82	2	1360	56	4.05	<5	11	240	<20
S008929		20	2.36	10	0.68	367	<1	0.81	1	1110	42	4.20	5	12	240	<20
S008930		10	3.04	20	0.74	991	7	0.17	65	1660	56	4.21	21	19	187	<20
S008931		20	1.91	10	0.99	1060	<1	0.67	1	1020	22	4.57	7	12	239	<20
S008932		10	1.77	10	1.06	1510	<1	0.62	2	910	15	4.31	<5	11	229	<20
S008933		20	1.98	10	1.15	508	<1	0.64	2	1050	27	4.98	6	12	197	<20
S008934		20	1.77	10	1.31	732	1	0.58	<1	990	24	4.78	6	11	197	<20
S008935		20	2.00	10	1.10	1080	<1	0.73	2	930	45	3.79	5	11	224	<20
S008936		20	1.93	10	1.31	1300	<1	0.75	<1	980	69	3.85	<5	11	237	<20
S008937		20	1.70	10	1.56	1470	<1	0.79	2	920	48	4.02	<5	11	230	<20
S008938		10	1.77	10	1.04	1400	<1	0.69	<1	850	22	3.84	5	9	221	<20
S008939		20	1.74	10	1.46	1365	<1	0.58	1	920	15	4.09	5	11	203	<20
S008940		<10	0.01	<10	1.91	21	<1	<0.01	<1	30	<2	0.11	<5	<1	4940	<20
S008941		20	1.80	10	1.25	1650	<1	0.61	<1	890	13	3.80	<5	10	227	<20
S008942		10	2.01	10	1.02	1445	<1	0.66	2	870	19	4.78	<5	10	217	<20
S008943		20	2.17	10	0.80	1600	<1	0.68	<1	890	15	3.90	<5	10	240	<20
S008944		20	2.16	10	0.88	1485	<1	0.68	2	860	8	3.91	6	11	242	<20
S008945		20	2.13	10	0.66	1200	<1	0.54	<1	930	21	3.98	5	10	222	<20
S008946		20	2.42	10	0.53	936	<1	0.55	1	990	22	4.71	5	10	225	<20
S008946D		10	2.43	10	0.52	947	<1	0.55	1	1000	25	4.94	<5	10	223	<20
S008947		20	2.36	10	0.64	910	<1	0.52	1	950	20	4.45	8	10	204	<20
S008948		20	2.41	10	0.75	809	1	0.54	<1	1020	19	4.51	6	11	204	<20
S008949		10	2.32	10	0.74	899	<1	0.51	<1	880	9	4.05	7	11	212	<20
S008950		10	3.84	10	0.57	1385	9	0.22	18	920	144	2.84	21	11	192	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008927		0.35	<10	<10	107	<10	58	
S008928		0.34	<10	<10	112	<10	34	
S008929		0.34	<10	<10	115	<10	38	
S008930		0.35	<10	<10	179	<10	219	
S008931		0.33	<10	<10	107	<10	55	
S008932		0.31	<10	<10	99	<10	56	
S008933		0.35	<10	<10	110	<10	60	
S008934		0.32	<10	<10	104	<10	58	
S008935		0.32	<10	<10	102	<10	63	
S008936		0.33	<10	<10	106	<10	69	
S008937		0.33	<10	<10	106	<10	68	
S008938		0.29	<10	<10	98	<10	48	
S008939		0.32	<10	<10	103	<10	69	
S008940		<0.01	<10	<10	1	<10	<2	
S008941		0.31	<10	<10	98	<10	77	
S008942		0.31	<10	<10	103	<10	57	
S008943		0.32	<10	<10	102	<10	45	
S008944		0.32	<10	<10	98	<10	45	
S008945		0.30	<10	<10	95	<10	38	
S008946		0.32	<10	<10	105	<10	35	
S008946D		0.33	<10	<10	105	<10	36	
S008947		0.31	<10	<10	107	<10	58	
S008948		0.33	<10	<10	111	<10	51	
S008949		0.31	<10	<10	101	<10	46	
S008950		0.25	<10	<10	103	10	475	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134382

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

CERTIFICATE TR15134584

Project: Bowser Regional Exploration

P.O. No.: BOW-0068

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 4-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008951		3.66	<0.005		<0.5	6.69	94	250	1.0	4	4.34	<0.5	4	5	12	3.67
S008952		3.44	0.012		<0.5	7.06	177	340	1.0	<2	4.37	<0.5	5	5	16	3.17
S008953		3.61	<0.005		<0.5	6.92	52	290	0.8	6	4.15	<0.5	9	8	26	3.71
S008954		3.70	<0.005		<0.5	7.22	30	280	0.9	3	4.18	<0.5	9	5	22	3.65
S008955		3.71	<0.005		<0.5	7.16	48	310	0.8	<2	4.38	<0.5	9	5	57	4.22
S008956		3.57	<0.005		<0.5	7.53	33	270	1.0	<2	3.94	<0.5	9	9	9	3.72
S008957		3.08	0.005		<0.5	7.41	36	260	1.0	<2	3.33	<0.5	10	6	12	3.97
S008958		3.38	<0.005		<0.5	7.40	34	380	1.0	<2	4.47	<0.5	8	5	15	2.84
S008959		3.74	0.015		<0.5	7.22	40	280	1.0	<2	2.16	<0.5	12	7	14	2.67
S008960		0.54	<0.005		<0.5	0.07	<5	10	<0.5	<2	35.3	<0.5	<1	1	<1	0.05
S008961		3.39	0.034		0.9	7.29	38	200	1.0	2	1.59	<0.5	10	7	16	3.46
S008962		3.94	<0.005		<0.5	7.20	28	230	0.8	3	4.41	<0.5	6	6	13	4.12
S008963		3.58	<0.005		<0.5	7.34	31	250	0.9	2	3.72	<0.5	7	6	14	3.94
S008964		3.12	0.005		<0.5	7.26	33	200	0.9	3	3.30	<0.5	7	6	5	4.09
S008965		3.67	0.005		<0.5	7.47	25	360	0.9	3	3.96	<0.5	6	5	8	3.00
S008966		4.23	0.010		<0.5	7.05	37	240	0.7	<2	3.55	<0.5	7	5	13	4.31
S008966D		<0.02	0.011		<0.5	7.22	41	250	0.7	4	3.63	<0.5	8	6	12	4.51
S008967		3.64	0.019		<0.5	7.16	50	280	0.8	3	4.00	<0.5	7	6	9	3.83
S008968		3.30	0.015		<0.5	6.96	43	260	0.9	5	5.77	<0.5	7	5	15	3.64
S008969		3.52	0.019		<0.5	7.65	56	250	1.0	<2	4.33	<0.5	7	5	12	4.05
S008970		0.13	>10.0	11.15	>100	5.91	375	1280	1.0	<2	3.97	4.4	10	30	148	3.97
S008971		3.84	0.038		<0.5	6.95	81	270	0.9	3	4.30	<0.5	7	5	17	3.40
S008972		3.57	0.013		<0.5	7.12	44	250	0.9	2	4.21	<0.5	7	6	15	3.99
S008973		3.42	0.019		<0.5	6.95	51	280	0.9	<2	4.07	<0.5	8	6	16	4.13
S008974		3.61	0.037		<0.5	7.17	68	230	0.9	<2	2.78	<0.5	9	6	19	4.31
S008975		3.89	0.022		<0.5	7.23	105	280	0.9	5	4.27	<0.5	9	5	18	4.24
S008976		3.73	0.007		<0.5	7.16	68	250	1.0	<2	3.73	<0.5	7	6	11	3.88
S008977		3.47	0.007		<0.5	7.57	44	420	1.0	5	3.13	<0.5	7	6	15	4.15
S008978		3.56	<0.005		<0.5	7.23	37	310	1.0	3	4.32	<0.5	8	5	12	3.30
S008979		4.59	<0.005		<0.5	8.19	45	320	1.0	<2	3.09	<0.5	8	7	14	3.71
S008980		0.67	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.4	<0.5	<1	<1	<1	0.06
S008981		2.53	0.018		<0.5	8.06	164	150	1.0	2	1.82	<0.5	13	6	23	5.20
S008982		3.48	0.031		<0.5	7.53	173	220	1.0	5	2.62	<0.5	9	6	21	4.50
S008983		3.59	0.034		<0.5	7.80	105	200	1.0	3	1.85	<0.5	8	7	17	4.27
S008984		3.57	0.100		<0.5	8.05	104	270	1.1	<2	3.09	<0.5	7	6	14	4.25
S008985		3.52	0.042		<0.5	8.08	78	260	1.1	3	4.08	0.8	8	6	20	4.19
S008986		3.74	0.021		<0.5	9.35	76	160	1.2	3	2.97	<0.5	15	8	9	5.62
S008986D		<0.02	0.023		<0.5	9.54	79	170	1.1	4	3.05	<0.5	15	8	9	5.55
S008987		3.20	0.015		<0.5	7.22	85	190	1.1	4	5.76	<0.5	10	6	13	4.82
S008988		3.62	0.009		<0.5	7.49	47	300	1.0	<2	3.87	<0.5	8	7	15	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008951		20	2.00	10	0.81	1340	2	0.55	3	790	9	3.79	<5	9	219	<20
S008952		20	1.90	10	1.21	1495	1	0.59	3	880	12	3.18	6	10	230	<20
S008953		20	1.93	10	1.21	1215	1	0.59	6	860	9	3.85	9	10	180	<20
S008954		20	2.01	10	1.22	1190	1	0.72	2	900	10	3.75	5	10	201	<20
S008955		20	1.81	10	1.34	1310	1	0.63	3	880	12	4.40	17	10	198	<20
S008956		20	2.40	10	0.88	1000	2	0.57	2	930	16	3.83	<5	11	201	<20
S008957		20	2.40	10	0.68	893	1	0.47	5	870	19	4.05	<5	10	198	<20
S008958		20	2.34	10	0.84	1255	2	0.48	4	860	17	2.90	10	10	208	<20
S008959		20	2.52	10	0.43	592	2	0.51	5	850	26	2.65	<5	9	215	<20
S008960		<10	0.02	<10	1.56	19	2	0.01	<1	40	<2	0.11	<5	<1	4380	<20
S008961		20	2.44	10	0.58	442	2	0.48	3	820	31	3.49	5	10	182	<20
S008962		20	2.22	10	0.96	1180	1	0.59	2	830	18	4.30	<5	10	186	<20
S008963		20	2.18	10	1.04	998	1	0.55	4	850	20	4.08	<5	10	173	<20
S008964		20	2.30	10	0.96	884	1	0.57	2	860	17	4.24	<5	10	166	<20
S008965		20	2.39	10	0.91	1020	1	0.61	2	850	16	3.11	<5	10	178	<20
S008966		20	2.14	10	1.04	943	1	0.42	3	810	25	4.48	6	10	159	<20
S008966D		20	2.16	10	1.10	962	1	0.41	3	820	26	4.70	<5	10	163	<20
S008967		20	2.10	10	1.19	1200	2	0.34	3	830	25	3.94	6	10	174	<20
S008968		20	2.66	10	0.77	1685	2	0.36	2	870	15	3.75	7	10	202	<20
S008969		10	2.40	10	1.22	1375	1	0.37	3	960	13	4.20	<5	11	189	<20
S008970		10	3.82	10	0.50	1420	10	0.17	23	810	259	3.03	59	10	197	<20
S008971		10	2.54	10	0.84	1280	1	0.31	3	860	17	3.44	8	10	172	<20
S008972		20	2.65	10	0.79	1215	1	0.45	2	850	8	4.05	<5	10	186	<20
S008973		20	2.40	10	0.95	1305	1	0.39	2	810	6	4.17	<5	10	174	<20
S008974		20	2.54	10	0.91	939	2	0.32	2	830	14	4.40	10	10	139	<20
S008975		10	2.60	10	0.88	1205	<1	0.31	2	840	14	4.30	7	10	165	<20
S008976		20	2.65	10	0.72	977	1	0.35	4	830	12	3.89	<5	10	175	<20
S008977		20	2.58	10	0.92	902	1	0.34	2	860	6	4.15	6	10	166	<20
S008978		20	2.61	10	0.89	1145	1	0.41	5	830	7	3.20	5	10	192	<20
S008979		20	2.87	10	1.17	1030	1	0.55	2	940	8	3.38	<5	11	176	<20
S008980		<10	0.01	<10	1.79	17	1	<0.01	<1	40	<2	0.10	<5	<1	4950	<20
S008981		20	2.49	10	1.38	788	1	0.51	3	880	33	5.09	6	11	173	<20
S008982		20	2.42	10	1.33	1100	1	0.54	4	870	15	4.17	<5	10	186	<20
S008983		20	2.60	10	1.17	780	1	0.37	2	860	19	4.06	6	11	161	<20
S008984		20	2.81	10	0.86	969	1	0.40	4	940	17	4.27	6	11	229	<20
S008985		20	2.47	10	1.20	1205	1	0.43	2	910	15	4.24	7	11	210	<20
S008986		20	3.06	10	1.50	1005	1	0.53	3	1270	13	5.91	<5	13	197	<20
S008986D		20	3.10	10	1.52	1025	<1	0.53	2	1270	8	5.83	<5	13	198	<20
S008987		20	2.79	10	0.85	1625	1	0.48	4	980	16	5.01	5	10	237	<20
S008988		20	2.86	10	0.58	865	1	0.42	1	820	13	3.62	5	10	204	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008951		0.30	<10	<10	93	<10	42	
S008952		0.32	<10	<10	100	<10	74	
S008953		0.31	<10	<10	101	<10	52	
S008954		0.32	<10	<10	102	<10	37	
S008955		0.32	<10	<10	101	<10	42	
S008956		0.33	<10	<10	105	<10	30	
S008957		0.30	<10	<10	95	<10	30	
S008958		0.32	<10	<10	101	<10	38	
S008959		0.30	<10	10	92	<10	212	
S008960		<0.01	<10	<10	1	<10	<2	
S008961		0.30	<10	<10	90	<10	207	
S008962		0.31	<10	10	98	<10	37	
S008963		0.32	10	<10	103	<10	38	
S008964		0.30	<10	<10	104	<10	34	
S008965		0.31	<10	<10	102	<10	32	
S008966		0.30	<10	<10	95	<10	45	
S008966D		0.31	<10	<10	97	<10	48	
S008967		0.31	<10	<10	95	<10	75	
S008968		0.32	<10	<10	98	<10	179	
S008969		0.36	<10	<10	101	<10	55	
S008970		0.24	<10	<10	96	<10	535	129
S008971		0.32	<10	<10	97	<10	39	
S008972		0.31	<10	<10	98	<10	45	
S008973		0.31	<10	<10	97	<10	58	
S008974		0.31	<10	<10	99	<10	123	
S008975		0.32	10	<10	98	<10	183	
S008976		0.31	<10	<10	97	<10	81	
S008977		0.32	<10	<10	95	<10	57	
S008978		0.31	<10	<10	93	<10	52	
S008979		0.35	<10	<10	109	<10	84	
S008980		<0.01	<10	<10	<1	<10	<2	
S008981		0.33	<10	<10	103	<10	104	
S008982		0.32	<10	<10	100	<10	105	
S008983		0.32	<10	<10	100	<10	97	
S008984		0.35	<10	<10	108	<10	110	
S008985		0.34	<10	<10	102	<10	344	
S008986		0.45	<10	<10	122	<10	103	
S008986D		0.46	<10	<10	123	<10	101	
S008987		0.37	<10	<10	109	<10	91	
S008988		0.32	<10	<10	90	<10	119	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S008989		3.42	0.024		0.9	7.14	38	270	1.1	<2	4.43	1.1	7	6	15	3.65
S008990		0.13	5.64		79.8	6.17	285	1280	1.0	3	2.04	22.1	10	23	118	4.92
S008991		3.40	0.007		0.9	7.26	29	190	1.0	<2	4.18	<0.5	8	7	17	4.57
S008992		3.64	<0.005		<0.5	7.36	33	190	1.0	<2	3.75	<0.5	11	7	12	5.15
S008993		2.93	0.007		<0.5	6.19	28	200	0.9	5	5.92	<0.5	6	5	12	4.92
S008994		4.05	<0.005		<0.5	7.84	38	1740	1.0	<2	3.41	<0.5	8	5	16	3.58
S008995		3.60	0.012		<0.5	7.84	58	400	1.0	<2	2.91	<0.5	12	6	19	4.50
S008996		3.73	0.045		<0.5	7.96	59	330	1.1	<2	2.54	<0.5	7	6	14	3.95
S008997		3.50	0.025		<0.5	8.13	48	660	1.0	<2	3.04	<0.5	8	5	15	4.12
S008998		3.52	0.005		<0.5	7.86	29	1670	0.9	<2	2.96	<0.5	8	5	14	3.67
S008999		3.72	<0.005		<0.5	7.89	46	1340	0.9	5	2.68	<0.5	7	6	13	3.72
S009000		0.51	<0.005		<0.5	0.08	<5	10	<0.5	<2	34.6	<0.5	<1	<1	<1	0.05
S216001		4.35	0.006		<0.5	7.47	45	1240	0.8	<2	3.63	<0.5	7	7	10	3.33
S216002		2.64	<0.005		<0.5	7.74	18	280	1.0	<2	2.83	<0.5	8	6	18	3.97
S216003		3.68	0.007		<0.5	8.03	33	260	1.0	2	2.83	<0.5	7	7	19	3.92
S216004		3.48	0.005		<0.5	7.70	28	210	1.0	<2	2.58	<0.5	9	7	15	4.18
S216005		3.50	0.012		<0.5	7.58	67	280	0.9	<2	2.73	<0.5	8	8	12	4.07
S216006		3.39	0.061		1.8	7.88	51	250	1.1	<2	2.74	<0.5	7	7	14	4.11
S216006D		<0.02	0.061		1.6	8.19	46	250	1.1	<2	2.81	<0.5	8	8	14	4.27
S216007		3.29	0.044		1.0	10.20	45	180	1.8	<2	0.68	0.8	12	9	21	4.88
S216008		3.61	0.068		1.5	8.83	47	170	1.3	<2	1.86	0.9	9	10	21	4.50
S216009		3.31	0.020		0.5	8.35	33	180	1.3	<2	0.30	0.6	11	9	14	4.22
S216010		0.10	>10.0	19.20	20.9	6.60	740	480	1.3	<2	2.76	2.0	18	106	130	4.98
S216011		3.25	0.024		<0.5	8.43	53	180	1.2	4	0.29	<0.5	12	9	21	4.72
S216012		3.23	0.018		<0.5	8.64	41	170	1.2	5	0.92	<0.5	9	9	18	4.41
S216013		3.21	0.028		<0.5	8.26	46	180	1.0	<2	1.36	<0.5	9	7	16	4.14
S216014		3.00	0.022		<0.5	7.76	40	180	1.0	<2	1.99	<0.5	7	7	19	4.05
S216015		3.09	0.028		<0.5	7.91	43	190	1.0	<2	1.56	<0.5	9	7	17	3.99
S216016		3.05	0.048		<0.5	7.86	84	270	1.0	3	2.34	<0.5	7	6	20	3.20
S216017		3.33	0.022		<0.5	6.89	39	220	0.9	<2	4.76	<0.5	7	5	14	3.40
S216018		3.33	0.053		<0.5	7.22	40	220	1.0	<2	4.12	<0.5	8	5	15	3.68
S216019		3.22	0.030		<0.5	7.19	37	190	1.0	3	2.91	<0.5	8	6	18	3.77
S216020		0.56	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.6	<0.5	<1	<1	<1	0.05
S216021		3.55	0.110		0.6	7.84	56	160	1.1	<2	2.30	<0.5	9	7	18	4.09
S216022		3.15	0.046		0.5	7.64	39	200	1.1	2	2.42	<0.5	8	7	18	3.65
S216023		3.61	0.019		<0.5	7.77	27	240	1.1	<2	2.83	<0.5	7	6	17	3.89
S216024		2.85	0.027		<0.5	8.51	31	150	1.3	3	1.43	<0.5	9	6	14	4.48
S216025		3.68	0.017		<0.5	7.77	35	220	1.1	<2	3.42	<0.5	9	6	14	4.09
S216026		3.47	0.032		1.0	7.46	30	180	1.1	<2	2.86	<0.5	8	7	17	4.18
S216026D		<0.02	0.033		0.9	7.51	30	180	1.1	<2	2.80	<0.5	8	7	15	4.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S008989		20	2.78	10	0.59	1035	1	0.43	3	840	11	3.48	<5	10	198	<20
S008990		10	3.85	10	0.50	1225	11	0.24	17	930	9040	3.01	74	12	144	<20
S008991		20	2.57	10	0.67	1030	<1	0.65	5	860	5	4.59	<5	10	204	<20
S008992		20	2.50	10	0.79	998	<1	0.67	3	840	7	5.17	<5	10	194	<20
S008993		20	2.19	10	0.71	1650	<1	0.49	3	750	<2	4.88	<5	8	211	<20
S008994		20	2.10	10	1.93	1520	<1	0.69	<1	900	7	1.75	<5	11	208	<20
S008995		20	2.33	10	1.42	1200	<1	0.57	3	870	13	3.31	7	11	192	<20
S008996		20	2.58	10	1.13	1080	<1	0.46	1	920	14	2.95	<5	11	203	<20
S008997		20	2.35	10	1.46	1305	<1	0.54	1	860	10	2.82	<5	11	199	<20
S008998		20	2.11	10	1.86	1515	<1	0.80	1	910	6	1.84	<5	11	215	<20
S008999		20	2.06	10	1.94	1460	<1	0.79	3	860	2	1.97	<5	11	208	<20
S009000		<10	0.01	<10	1.66	20	<1	0.01	<1	50	<2	0.07	<5	<1	4330	<20
S216001		20	2.00	10	1.89	1625	<1	0.57	<1	800	5	1.97	5	10	194	<20
S216002		20	2.18	10	1.60	1180	<1	0.73	2	860	16	3.51	<5	10	207	<20
S216003		20	2.39	10	1.33	1075	<1	0.53	1	930	22	3.79	5	11	214	<20
S216004		20	2.27	10	1.30	921	<1	0.37	1	880	12	4.15	<5	10	195	<20
S216005		20	2.29	10	1.17	960	<1	0.34	2	830	20	4.01	5	10	188	<20
S216006		20	2.78	10	0.61	888	<1	0.40	1	890	19	4.24	5	11	200	<20
S216006D		20	2.88	10	0.62	912	<1	0.41	3	910	21	4.34	<5	11	206	<20
S216007		20	4.07	10	0.26	251	<1	0.58	2	1170	22	5.40	<5	14	217	<20
S216008		20	3.15	10	0.32	742	<1	0.52	4	960	32	4.72	<5	12	235	<20
S216009		20	3.09	10	0.42	192	<1	0.58	3	970	79	4.60	<5	11	234	<20
S216010		10	3.00	10	0.69	991	6	0.16	66	1610	50	4.16	15	18	178	<20
S216011		20	3.03	10	0.59	213	<1	0.52	2	1010	95	5.31	5	12	212	<20
S216012		20	2.98	10	0.70	755	<1	0.49	1	980	87	4.73	<5	12	224	<20
S216013		20	2.37	10	1.40	1065	<1	0.40	3	940	54	4.47	5	11	191	<20
S216014		20	2.08	10	1.34	1335	<1	0.36	1	860	115	4.26	6	10	193	<20
S216015		20	2.19	10	1.36	1045	<1	0.36	2	890	80	4.19	<5	11	192	<20
S216016		20	1.99	10	1.44	1360	<1	0.50	2	890	85	3.23	5	10	212	<20
S216017		20	1.99	10	1.10	2210	<1	0.52	2	810	48	3.49	6	9	250	<20
S216018		20	2.31	10	0.86	1690	<1	0.56	<1	820	50	3.85	6	10	227	<20
S216019		20	2.25	10	0.87	1260	<1	0.45	3	800	65	3.93	<5	10	208	<20
S216020		<10	0.01	<10	1.59	23	<1	<0.01	<1	40	<2	0.09	<5	<1	4350	<20
S216021		20	2.43	10	0.94	1045	<1	0.42	1	850	86	4.28	<5	10	227	<20
S216022		20	2.33	10	0.97	1015	<1	0.40	3	890	85	3.79	6	10	221	<20
S216023		20	2.24	10	1.05	1250	<1	0.43	3	820	70	4.08	<5	10	226	<20
S216024		20	2.91	10	0.70	649	<1	0.49	1	930	62	4.87	7	11	217	<20
S216025		20	2.56	10	0.88	1310	<1	0.42	1	880	69	4.37	5	10	221	<20
S216026		20	2.41	10	0.89	1120	<1	0.38	1	850	65	4.40	<5	10	198	<20
S216026D		20	2.42	10	0.89	1110	<1	0.39	1	860	65	4.34	6	10	198	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S008989		0.31	<10	<10	96	<10	301	
S008990		0.26	<10	<10	121	<10	1935	
S008991		0.32	<10	<10	103	<10	58	
S008992		0.32	<10	<10	100	<10	59	
S008993		0.28	10	<10	87	<10	48	
S008994		0.32	<10	<10	104	<10	168	
S008995		0.32	<10	<10	102	<10	109	
S008996		0.34	<10	<10	107	<10	78	
S008997		0.32	<10	<10	103	<10	81	
S008998		0.33	<10	<10	106	<10	80	
S008999		0.32	<10	<10	101	<10	76	
S009000		<0.01	<10	<10	<1	<10	<2	
S216001		0.30	<10	<10	94	<10	120	
S216002		0.32	<10	<10	100	<10	102	
S216003		0.34	<10	<10	110	<10	95	
S216004		0.32	<10	<10	105	<10	97	
S216005		0.31	<10	<10	101	<10	78	
S216006		0.33	<10	<10	105	<10	46	
S216006D		0.33	<10	<10	107	<10	44	
S216007		0.43	<10	<10	139	<10	29	
S216008		0.34	<10	<10	115	<10	49	
S216009		0.34	<10	<10	112	<10	118	
S216010		0.35	<10	<10	179	<10	213	
S216011		0.34	<10	<10	121	<10	98	
S216012		0.34	<10	<10	115	<10	98	
S216013		0.35	<10	<10	113	<10	121	
S216014		0.32	<10	<10	103	<10	107	
S216015		0.32	<10	<10	105	<10	71	
S216016		0.33	<10	<10	107	<10	100	
S216017		0.31	<10	<10	99	<10	74	
S216018		0.31	<10	<10	100	<10	71	
S216019		0.30	<10	<10	100	<10	117	
S216020		<0.01	<10	10	<1	<10	<2	
S216021		0.32	<10	<10	103	<10	52	
S216022		0.32	<10	<10	102	<10	62	
S216023		0.31	<10	<10	99	<10	73	
S216024		0.33	<10	<10	108	<10	36	
S216025		0.33	<10	<10	106	<10	73	
S216026		0.31	<10	<10	98	<10	62	
S216026D		0.32	<10	<10	101	<10	59	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216027		3.41	0.132		2.9	7.59	37	190	1.1	<2	3.04	<0.5	8	7	16	4.12
S216028		3.23	0.048		0.9	7.70	39	230	1.0	2	2.97	<0.5	8	6	14	4.17
S216029		3.41	0.087		1.4	8.86	37	170	1.2	<2	1.34	<0.5	9	8	16	4.55
S216030		0.13	0.962		12.2	6.17	305	1210	1.0	<2	3.64	4.3	9	27	85	4.09
S216031		3.59	0.074		0.8	7.60	26	220	1.1	<2	1.41	<0.5	9	10	10	4.31
S216032		3.92	0.658		0.8	7.71	51	180	1.4	<2	3.41	<0.5	9	7	16	4.20
S216033		3.11	0.287		1.6	8.83	59	160	1.6	<2	2.59	<0.5	12	8	12	4.78
S216034		3.49	0.058		<0.5	6.65	24	220	1.2	2	2.47	<0.5	7	8	11	3.41
S216035		3.83	0.028		<0.5	9.48	46	110	2.0	2	0.82	<0.5	12	8	13	4.90
S216036		3.45	0.015		<0.5	9.02	39	140	1.8	<2	2.12	<0.5	15	8	10	5.11
S216037		3.51	0.015		<0.5	7.59	180	140	1.6	6	7.12	<0.5	17	7	16	5.78
S216038		3.67	0.020		<0.5	11.15	48	150	1.6	3	0.42	<0.5	21	9	12	5.59
S216039		3.51	0.015		<0.5	8.96	40	140	1.1	2	2.35	<0.5	15	9	13	4.97
S216040		0.51	<0.005		<0.5	0.10	<5	30	<0.5	<2	37.5	<0.5	<1	<1	<1	0.06
S216041		3.37	0.008		<0.5	7.39	29	180	0.9	2	3.60	<0.5	8	8	11	3.91
S216042		3.36	0.006		<0.5	6.95	33	270	1.1	<2	2.94	<0.5	7	9	11	3.43
S216043		3.90	0.008		<0.5	7.59	31	210	1.0	3	3.86	<0.5	7	7	10	3.75
S216044		3.56	0.005		<0.5	6.63	27	210	0.8	<2	5.17	<0.5	7	6	6	3.70
S216045		3.24	0.010		<0.5	6.35	35	160	0.8	<2	5.45	<0.5	7	6	15	4.36
S216046		3.39	<0.005		<0.5	7.05	21	250	1.0	<2	5.65	0.8	7	6	9	3.69
S216046D		<0.02	<0.005		<0.5	6.48	22	190	0.9	<2	5.59	0.9	7	6	10	3.80
S216047		3.14	<0.005		<0.5	7.43	27	210	1.0	<2	4.78	<0.5	7	7	10	3.86
S216048		3.19	0.006		<0.5	7.39	38	220	0.9	3	4.12	<0.5	5	6	24	3.61
S216049		3.02	0.007		<0.5	7.74	32	240	0.9	<2	4.33	<0.5	5	6	9	3.88
S216050		0.13	5.54		83.1	6.48	287	1170	1.0	2	2.05	22.7	11	24	123	5.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216027		20	2.53	10	0.83	1125	<1	0.39	<1	850	116	4.36	5	10	204	<20
S216028		20	2.54	10	0.87	1050	<1	0.36	1	860	60	4.44	6	10	201	<20
S216029		20	2.97	10	0.74	537	<1	0.51	3	1030	54	4.97	6	12	225	<20
S216030		10	3.88	10	0.57	1420	8	0.22	17	920	141	2.88	16	11	194	<20
S216031		20	2.47	10	0.47	542	<1	0.48	2	800	30	4.42	<5	10	222	<20
S216032		20	2.80	10	0.39	1460	<1	0.53	2	900	23	4.45	5	10	270	<20
S216033		20	3.02	10	0.51	970	<1	0.58	3	1040	65	5.22	6	12	293	<20
S216034		10	2.30	10	0.34	896	<1	0.43	1	720	63	3.54	<5	9	218	<20
S216035		20	3.44	10	0.59	374	<1	0.67	2	1060	63	5.60	7	12	263	<20
S216036		20	2.91	10	0.64	813	<1	0.63	2	1060	104	5.68	<5	12	295	<20
S216037		20	3.38	10	0.48	2640	<1	0.72	4	1110	111	6.69	5	10	437	<20
S216038		20	4.14	10	0.88	209	<1	0.99	4	1490	74	6.92	5	15	365	<20
S216039		20	2.87	10	0.66	844	<1	0.68	2	1160	47	5.46	<5	12	331	<20
S216040		<10	0.02	<10	1.75	22	<1	0.01	<1	50	<2	0.09	<5	<1	5950	<20
S216041		20	2.78	10	0.37	973	<1	0.52	1	860	46	4.10	<5	10	273	<20
S216042		10	2.41	10	0.43	916	<1	0.45	4	780	51	3.53	<5	9	241	<20
S216043		20	2.55	10	0.63	1210	<1	0.55	2	890	65	3.95	<5	10	280	<20
S216044		20	2.24	10	0.63	1250	<1	0.52	3	830	42	3.91	7	9	280	<20
S216045		20	1.98	10	0.79	1460	<1	0.51	2	840	83	4.66	6	9	275	<20
S216046		20	2.33	10	0.62	1260	<1	0.53	<1	820	80	3.85	<5	9	286	<20
S216046D		20	2.32	10	0.58	1270	<1	0.54	2	820	94	4.03	<5	9	282	<20
S216047		20	2.10	10	0.83	1150	<1	1.23	1	910	87	3.97	<5	10	301	<20
S216048		20	2.00	10	0.90	1150	<1	1.25	1	900	70	3.68	8	10	299	<20
S216049		20	2.08	10	0.93	1200	<1	1.25	<1	920	65	3.94	5	10	305	<20
S216050		10	3.84	10	0.51	1235	8	0.25	13	980	9110	3.19	79	12	153	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216027		0.31	<10	<10	102	<10	105	
S216028		0.32	<10	<10	100	<10	78	
S216029		0.35	<10	<10	117	<10	81	
S216030		0.26	<10	<10	105	<10	490	
S216031		0.28	<10	<10	93	<10	19	
S216032		0.32	<10	<10	107	<10	23	
S216033		0.35	<10	<10	114	<10	43	
S216034		0.26	<10	<10	87	<10	36	
S216035		0.38	<10	<10	127	<10	52	
S216036		0.38	<10	<10	119	<10	33	
S216037		0.43	<10	<10	137	<10	38	
S216038		0.55	<10	<10	154	<10	43	
S216039		0.41	<10	<10	118	<10	34	
S216040		<0.01	<10	<10	1	<10	<2	
S216041		0.31	<10	<10	104	<10	22	
S216042		0.29	<10	<10	97	<10	22	
S216043		0.32	<10	<10	101	<10	33	
S216044		0.32	<10	<10	97	<10	40	
S216045		0.30	<10	<10	97	<10	63	
S216046		0.30	<10	<10	94	<10	112	
S216046D		0.31	<10	<10	95	<10	124	
S216047		0.33	<10	<10	102	<10	74	
S216048		0.33	10	<10	102	<10	83	
S216049		0.34	<10	<10	104	<10	102	
S216050		0.27	<10	<10	128	<10	1925	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15134584

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

CERTIFICATE TR15135579

Project: Bowser Regional Exploration

P.O. No.: BOW-0071

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216051		2.83	0.017		<0.5	7.31	34	250	0.9	<2	2.45	<0.5	7	6	15	3.51
S216052		3.12	0.014		<0.5	7.16	29	260	0.9	2	4.05	0.6	9	6	14	3.53
S216053		3.33	0.009		<0.5	7.64	32	220	0.9	<2	2.79	0.5	9	7	10	3.78
S216054		2.98	<0.005		<0.5	7.48	28	220	0.8	2	3.26	<0.5	9	9	19	3.89
S216055		3.18	<0.005		<0.5	7.47	30	170	0.9	<2	3.31	0.6	8	6	23	3.87
S216056		3.26	<0.005		<0.5	8.66	50	170	1.1	<2	1.95	0.7	10	7	12	4.04
S216057		3.29	<0.005		0.5	10.50	64	170	2.0	<2	2.41	<0.5	15	7	10	5.09
S216058		3.38	<0.005		0.6	9.00	61	150	1.7	4	2.61	<0.5	11	7	26	4.28
S216059		2.70	<0.005		<0.5	8.18	67	180	1.2	2	2.95	<0.5	9	7	18	3.75
S216060		0.61	<0.005		<0.5	0.08	<5	20	<0.5	<2	35.9	<0.5	<1	1	1	0.05
S216061		3.02	<0.005		<0.5	7.80	49	140	1.2	<2	2.50	<0.5	7	7	9	3.86
S216062		3.25	<0.005		<0.5	7.83	66	210	1.1	<2	3.49	<0.5	9	7	20	3.56
S216063		3.32	<0.005		<0.5	8.00	49	210	1.3	<2	3.26	<0.5	10	7	19	3.69
S216064		3.01	<0.005		<0.5	7.86	34	190	1.1	<2	3.23	<0.5	9	6	19	3.86
S216065		3.32	<0.005		<0.5	7.62	38	220	0.9	2	3.33	<0.5	14	7	16	4.11
S216066		3.09	<0.005		<0.5	8.61	33	160	1.0	<2	2.30	<0.5	10	7	17	4.35
S216066D		<0.02	<0.005		<0.5	8.56	28	180	1.0	<2	2.28	<0.5	9	7	17	4.15
S216067		3.17	<0.005		<0.5	7.60	30	220	1.0	<2	3.03	<0.5	7	7	19	3.76
S216068		3.03	<0.005		<0.5	8.04	27	260	1.0	<2	3.01	<0.5	9	6	15	3.64
S216069		3.08	<0.005		<0.5	7.27	33	170	1.0	<2	3.19	<0.5	8	6	20	4.13
S216070		0.09	>10.0	19.50	21.3	6.79	763	170	1.4	<2	2.83	1.8	20	106	138	5.03
S216071		3.49	<0.005		<0.5	8.34	44	310	1.1	<2	2.90	<0.5	7	7	20	3.32
S216072		3.27	<0.005		<0.5	7.41	64	200	0.9	<2	2.50	<0.5	9	6	16	3.72
S216073		3.21	<0.005		<0.5	7.83	43	240	1.0	<2	3.41	1.5	9	6	20	3.57
S216074		3.43	<0.005		<0.5	8.60	52	150	1.1	<2	2.36	<0.5	12	7	17	4.86
S216075		3.35	<0.005		<0.5	9.04	44	180	1.2	<2	2.02	<0.5	10	7	18	4.00
S216076		3.69	<0.005		<0.5	9.02	42	200	1.1	<2	2.00	<0.5	10	7	15	3.91
S216077		3.25	<0.005		<0.5	9.10	33	130	1.2	<2	1.27	0.7	11	7	17	4.94
S216078		3.36	<0.005		<0.5	7.52	43	240	1.0	2	4.03	<0.5	10	6	19	3.82
S216079		3.44	<0.005		<0.5	8.87	55	150	1.1	<2	2.14	<0.5	13	8	17	4.96
S216080		0.44	<0.005		<0.5	0.07	<5	10	<0.5	<2	35.2	<0.5	<1	1	<1	0.04
S216081		3.58	<0.005		<0.5	7.59	44	260	1.0	<2	3.42	<0.5	9	7	14	3.72
S216082		3.32	<0.005		<0.5	7.27	52	210	1.0	<2	3.72	<0.5	7	7	20	3.47
S216083		3.53	<0.005		<0.5	6.70	51	220	0.9	<2	4.32	<0.5	9	6	12	3.61
S216084		3.73	0.013		<0.5	7.61	53	240	1.0	<2	3.33	<0.5	10	7	16	3.97
S216085		3.21	0.007		<0.5	7.11	41	150	1.0	<2	3.77	<0.5	11	6	12	4.52
S216086		3.56	<0.005		<0.5	7.44	71	270	0.9	<2	3.39	<0.5	8	6	14	3.37
S216086D		<0.02	<0.005		<0.5	7.47	70	320	0.9	<2	3.34	<0.5	7	6	14	3.26
S216087		3.12	0.015		<0.5	7.57	76	160	1.0	<2	2.76	<0.5	16	6	21	4.82
S216088		3.53	0.016		<0.5	8.27	80	220	1.1	<2	2.64	<0.5	10	6	16	4.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216051		20	2.16	10	0.88	858	<1	0.51	<1	760	51	3.48	13	10	250	<20
S216052		20	2.21	10	0.89	1170	<1	0.69	<1	800	82	3.54	8	10	269	<20
S216053		20	2.10	10	0.95	919	<1	1.33	2	880	109	3.82	<5	10	287	<20
S216054		20	1.95	10	1.01	1080	<1	1.58	1	890	148	3.95	11	10	301	<20
S216055		20	2.00	10	0.93	1035	<1	1.37	2	880	190	3.95	12	10	296	<20
S216056		20	2.42	10	0.94	650	<1	0.90	3	950	138	4.15	7	12	295	<20
S216057		20	3.72	10	0.60	846	1	0.70	2	1190	222	5.54	9	14	346	<20
S216058		20	3.03	10	0.63	780	<1	0.58	2	1000	211	4.46	14	12	294	<20
S216059		20	2.90	10	0.45	861	<1	0.56	1	930	118	3.91	8	11	286	<20
S216060		<10	0.01	<10	1.66	22	<1	0.01	<1	30	<2	0.07	<5	<1	5530	<20
S216061		20	2.72	10	0.52	755	2	0.50	2	870	141	4.04	6	11	262	<20
S216062		20	2.41	10	0.84	1100	<1	0.60	2	900	76	3.70	6	10	305	<20
S216063		20	2.32	10	1.00	1045	<1	0.86	<1	930	65	3.80	7	11	302	<20
S216064		20	2.43	10	0.85	1055	<1	0.55	1	910	142	4.03	10	11	279	<20
S216065		20	1.91	10	1.05	1125	<1	1.09	1	850	146	4.26	11	10	285	<20
S216066		20	2.36	10	0.94	796	<1	1.26	2	960	60	4.52	7	11	294	<20
S216066D		20	2.33	10	0.93	782	<1	1.25	1	960	60	4.26	7	12	293	<20
S216067		20	1.95	10	1.04	1030	<1	1.30	2	880	63	3.83	9	10	287	<20
S216068		20	2.21	10	0.92	1105	<1	1.25	<1	950	37	3.74	6	11	303	<20
S216069		20	2.30	10	0.86	1125	<1	0.51	1	800	55	4.25	7	10	231	<20
S216070		10	3.15	10	0.69	1020	7	0.17	69	1690	60	4.20	21	19	186	<20
S216071		20	2.38	10	1.17	1105	<1	0.79	1	970	36	3.40	8	11	276	<20
S216072		10	1.95	10	0.92	1015	<1	1.05	1	810	43	3.83	8	10	240	<20
S216073		20	2.25	10	1.05	1240	<1	0.67	<1	890	34	3.64	8	10	248	<20
S216074		20	2.59	10	0.97	867	<1	0.53	<1	1000	82	5.11	7	12	271	<20
S216075		20	2.79	10	0.97	769	<1	0.65	<1	1040	57	4.14	9	12	274	<20
S216076		20	2.69	10	0.84	750	<1	1.10	1	1030	81	4.03	6	12	264	<20
S216077		20	3.05	10	0.72	499	<1	0.66	1	1040	93	5.42	7	12	239	<20
S216078		20	2.30	10	1.16	1455	<1	0.60	2	920	39	3.95	7	10	254	<20
S216079		20	2.52	10	1.12	880	<1	1.04	2	1000	55	5.20	12	12	252	<20
S216080		<10	0.01	<10	1.69	19	<1	0.01	<1	30	<2	0.08	<5	<1	5120	<20
S216081		10	2.02	10	1.16	1320	<1	1.22	1	880	24	3.81	7	10	272	<20
S216082		20	2.20	10	0.86	1295	<1	1.03	1	860	21	3.61	12	10	251	<20
S216083		20	1.92	10	1.25	1830	<1	1.11	<1	810	12	3.71	6	9	270	<20
S216084		20	2.02	10	1.45	1430	<1	0.90	1	860	20	4.06	7	11	230	<20
S216085		20	2.22	10	1.08	1505	<1	0.55	1	820	15	4.78	6	9	209	<20
S216086		20	2.22	10	1.38	1620	<1	1.08	<1	890	16	3.43	6	10	223	<20
S216086D		20	2.14	10	1.38	1590	<1	1.06	1	870	16	3.32	6	10	218	<20
S216087		20	2.24	10	1.31	1305	<1	0.81	1	840	22	5.05	6	10	186	<20
S216088		20	2.56	10	1.26	1270	<1	0.87	1	930	33	4.20	8	11	200	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216051		0.29	<10	<10	91	<10	62	
S216052		0.30	<10	<10	96	<10	160	
S216053		0.34	<10	<10	106	<10	170	
S216054		0.33	<10	<10	106	<10	154	
S216055		0.32	<10	10	99	<10	220	
S216056		0.34	<10	<10	108	<10	290	
S216057		0.43	10	<10	135	<10	96	
S216058		0.36	<10	<10	111	<10	75	
S216059		0.34	<10	10	104	<10	131	
S216060		<0.01	<10	<10	1	<10	<2	
S216061		0.32	10	<10	101	<10	77	
S216062		0.33	<10	<10	104	<10	58	
S216063		0.35	<10	10	103	<10	60	
S216064		0.33	<10	<10	102	<10	79	
S216065		0.30	10	<10	96	<10	92	
S216066		0.34	<10	<10	106	<10	63	
S216066D		0.34	<10	<10	106	<10	62	
S216067		0.31	10	<10	97	<10	77	
S216068		0.34	<10	<10	100	<10	59	
S216069		0.29	10	<10	92	<10	56	
S216070		0.36	<10	<10	179	<10	223	
S216071		0.35	<10	10	111	<10	81	
S216072		0.29	<10	10	90	<10	100	
S216073		0.32	<10	10	100	<10	381	
S216074		0.35	<10	<10	110	<10	90	
S216075		0.36	<10	10	112	<10	65	
S216076		0.36	<10	<10	110	<10	60	
S216077		0.37	10	<10	117	<10	127	
S216078		0.31	<10	<10	101	<10	99	
S216079		0.36	10	<10	110	<10	87	
S216080		<0.01	<10	<10	1	<10	<2	
S216081		0.31	10	<10	98	<10	73	
S216082		0.31	<10	<10	96	<10	52	
S216083		0.29	<10	<10	91	<10	72	
S216084		0.31	<10	10	102	<10	72	
S216085		0.29	<10	10	95	<10	57	
S216086		0.32	<10	<10	100	<10	91	
S216086D		0.31	<10	<10	98	<10	90	
S216087		0.30	10	<10	98	<10	81	
S216088		0.33	<10	10	104	<10	83	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216089		3.56	0.015		<0.5	7.44	85	270	0.9	<2	3.43	1.1	8	6	21	3.38
S216090		0.12	1.040		12.7	5.95	316	350	1.0	<2	3.66	4.3	10	27	86	4.06
S216091		3.59	0.022		<0.5	8.01	64	220	1.1	<2	3.03	<0.5	8	7	23	3.49
S216092		3.43	0.029		<0.5	8.75	56	250	1.2	2	2.56	0.7	8	7	35	3.61
S216093		3.37	0.027		<0.5	6.71	56	150	1.2	<2	3.79	1.0	11	7	12	4.27
S216094		3.54	0.022		<0.5	6.67	39	240	1.4	<2	3.58	1.1	6	7	6	3.34
S216095		3.61	0.042		<0.5	7.29	55	240	1.1	2	3.23	<0.5	7	7	14	3.16
S216096		3.63	0.048		<0.5	7.47	76	200	1.0	<2	3.56	<0.5	11	6	20	4.34
S216097		3.69	0.041		<0.5	8.07	63	230	1.1	<2	2.73	0.9	7	7	16	3.68
S216098		3.20	0.050		<0.5	7.54	63	180	1.0	<2	2.88	0.6	9	7	16	3.76
S216099		3.11	0.024		<0.5	7.66	72	330	1.1	<2	3.69	<0.5	8	5	22	3.01
S216100		0.54	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.7	<0.5	<1	1	<1	0.03
S216101		4.22	0.016		<0.5	7.67	57	200	1.1	<2	3.55	0.7	10	6	17	3.93
S216102		3.12	0.024		0.6	8.33	56	180	1.1	2	2.72	0.8	11	6	18	4.16
S216103		3.44	0.023		0.5	8.23	47	160	1.1	<2	2.35	2.7	9	7	16	3.95
S216104		3.26	0.069		0.6	7.46	59	150	1.1	2	3.23	2.2	11	7	11	4.34
S216105		3.35	0.066		0.8	6.62	62	200	1.0	<2	3.97	0.5	8	6	28	3.85
S216106		3.46	0.060		0.8	6.97	58	180	1.1	3	3.98	0.7	9	6	18	4.25
S216106D		<0.02	0.063		0.7	7.17	54	180	1.1	<2	3.92	0.6	9	6	18	4.29
S216107		3.47	0.031		0.5	6.99	65	180	1.0	<2	4.17	<0.5	10	5	21	4.08
S216108		3.32	0.028		<0.5	7.09	68	270	1.0	<2	3.44	<0.5	9	6	18	3.58
S216109		3.50	0.019		<0.5	7.38	52	250	0.9	<2	3.77	<0.5	11	6	17	4.03
S216110		0.12	>10.0	10.25	>100	5.93	376	450	1.0	<2	3.89	4.5	11	32	149	3.85
S216111		3.16	0.049		<0.5	7.29	61	280	1.1	<2	4.76	<0.5	9	6	19	3.63
S216112		3.56	0.028		<0.5	7.00	49	200	1.1	<2	4.15	<0.5	9	6	15	3.82
S216113		3.29	0.062		0.5	7.53	41	180	1.1	<2	4.11	0.5	10	5	20	4.36
S216114		3.49	0.056		0.8	7.07	34	200	1.1	<2	3.94	<0.5	8	6	19	3.71
S216115		3.29	0.071		0.9	6.72	26	170	1.0	<2	4.47	0.9	8	6	20	3.86
S216116		3.62	0.029		1.1	7.13	25	240	1.0	<2	4.62	<0.5	8	5	15	3.88
S216117		3.45	0.044		1.3	10.05	40	170	1.4	<2	1.26	0.7	13	8	13	4.97
S216118		2.93	0.059		1.9	6.46	23	190	0.9	<2	4.80	6.5	9	6	11	3.33
S216119		3.45	0.023		1.3	7.65	14	300	1.1	<2	3.43	1.8	8	6	16	3.46
S216120		0.42	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.5	<0.5	1	1	<1	0.03
S216121		3.27	0.043		1.3	6.81	23	160	1.0	<2	3.80	3.0	11	6	12	3.92
S216122		3.36	0.046		1.3	7.41	18	310	1.0	<2	3.94	2.2	8	5	13	3.48
S216123		3.48	0.089		2.0	6.94	22	340	1.0	<2	4.61	5.3	8	6	17	3.27
S216124		2.96	0.076		1.9	7.68	17	280	1.1	2	4.15	5.6	9	6	17	3.81
S216125		3.88	0.757		20.5	7.84	22	280	1.1	2	3.84	5.6	8	6	38	3.92
S216126		3.28	0.125		0.5	7.44	14	180	1.1	<2	4.29	8.2	9	6	17	4.07
S216126D		<0.02	0.132		0.5	7.47	12	240	1.0	<2	4.26	8.6	11	6	16	4.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216089		20	2.26	10	1.31	1555	<1	0.72	<1	860	27	3.53	6	10	183	<20
S216090		10	4.02	10	0.54	1425	9	0.21	19	970	147	2.92	21	11	198	<20
S216091		20	3.04	10	0.87	1230	<1	0.39	1	980	29	3.70	12	11	185	<20
S216092		20	3.30	10	0.73	1025	<1	0.42	1	1020	20	3.77	16	12	197	<20
S216093		20	2.90	10	0.49	1375	<1	0.35	2	870	29	4.56	6	9	189	<20
S216094		20	2.67	10	0.47	1250	1	0.33	<1	810	23	3.48	6	9	194	<20
S216095		20	2.83	10	0.82	1280	1	0.34	1	880	17	3.30	9	10	192	<20
S216096		20	2.57	10	1.29	1630	<1	0.43	<1	870	21	4.60	10	10	171	<20
S216097		20	3.09	10	0.80	1140	1	0.35	2	950	21	3.92	12	11	171	<20
S216098		20	2.95	10	0.73	1135	<1	0.33	2	880	17	4.08	7	10	157	<20
S216099		20	3.00	10	0.89	1580	<1	0.33	<1	900	11	3.29	10	10	243	<20
S216100		<10	0.01	<10	1.85	21	<1	<0.01	<1	40	<2	0.07	<5	<1	4950	<20
S216101		20	2.86	10	1.17	1680	<1	0.31	<1	910	19	4.25	7	10	331	<20
S216102		20	3.25	10	0.82	1195	<1	0.32	<1	960	28	4.50	12	11	166	<20
S216103		20	3.32	10	0.66	1115	<1	0.34	<1	980	39	4.27	8	11	159	<20
S216104		20	3.37	10	0.53	1350	1	0.32	2	940	42	4.73	11	10	180	<20
S216105		20	2.95	10	0.63	1500	<1	0.30	<1	850	22	4.14	15	9	166	<20
S216106		20	3.03	10	0.69	1300	<1	0.30	1	860	35	4.60	13	9	167	<20
S216106D		20	3.05	10	0.70	1270	<1	0.30	<1	880	37	4.65	13	9	164	<20
S216107		20	2.65	10	1.17	1560	<1	0.58	<1	880	18	4.37	10	9	176	<20
S216108		20	2.60	10	1.29	1395	<1	1.00	<1	910	7	3.74	9	10	172	<20
S216109		20	2.60	10	1.60	1575	<1	0.78	<1	910	9	4.17	9	10	161	<20
S216110		10	3.80	10	0.47	1405	8	0.16	20	890	248	3.15	65	10	210	<20
S216111		20	3.12	10	0.94	1585	<1	0.32	1	920	15	3.86	8	10	162	<20
S216112		20	3.08	10	1.20	1540	<1	0.29	1	910	29	4.03	7	10	150	<20
S216113		20	3.14	10	1.16	1485	1	0.29	<1	930	31	4.70	8	10	151	<20
S216114		20	2.98	10	1.28	1575	<1	0.23	<1	900	27	3.95	12	9	174	<20
S216115		20	3.05	10	0.89	1820	<1	0.23	<1	850	27	4.21	7	9	184	<20
S216116		20	3.14	10	0.91	1975	<1	0.22	<1	860	22	4.19	10	10	169	<20
S216117		20	4.67	10	0.51	634	<1	0.32	2	1210	49	5.59	8	14	119	<20
S216118		20	3.21	10	0.67	2180	1	0.21	<1	840	134	3.67	6	9	182	<20
S216119		20	3.32	10	1.24	1670	<1	0.20	1	910	61	3.65	6	10	121	<20
S216120		<10	0.01	<10	1.52	20	<1	<0.01	<1	30	<2	0.07	<5	<1	5160	<20
S216121		20	3.48	10	0.67	1715	1	0.20	<1	920	88	4.22	8	9	181	<20
S216122		20	3.40	10	0.78	1750	3	0.19	<1	870	77	3.78	7	10	132	<20
S216123		20	3.22	10	0.79	1955	3	0.18	<1	870	120	3.50	6	9	156	<20
S216124		20	3.58	10	0.68	1580	1	0.19	6	880	90	4.05	<5	10	116	<20
S216125		20	3.67	10	0.81	1240	1	0.19	3	920	91	4.66	17	11	224	<20
S216126		20	3.53	10	0.79	1445	1	0.19	3	880	82	4.59	<5	10	196	<20
S216126D		20	3.47	10	0.79	1440	1	0.19	2	860	83	4.57	<5	10	196	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216089		0.31	10	<10	96	<10	319	
S216090		0.26	10	<10	105	<10	495	
S216091		0.35	<10	<10	106	<10	55	
S216092		0.35	<10	10	108	<10	43	
S216093		0.30	<10	10	96	<10	36	
S216094		0.28	10	10	91	<10	33	
S216095		0.31	10	10	97	<10	39	
S216096		0.31	<10	<10	99	<10	64	
S216097		0.33	10	<10	109	<10	83	
S216098		0.29	<10	10	99	<10	51	
S216099		0.29	<10	10	86	<10	50	
S216100		<0.01	<10	<10	1	<10	<2	
S216101		0.29	<10	10	99	<10	72	
S216102		0.32	<10	<10	108	<10	81	
S216103		0.29	10	<10	101	<10	226	
S216104		0.31	<10	<10	109	<10	149	
S216105		0.27	<10	<10	94	<10	66	
S216106		0.26	10	10	94	<10	84	
S216106D		0.26	<10	10	95	<10	85	
S216107		0.28	10	<10	97	<10	79	
S216108		0.31	10	<10	100	<10	87	
S216109		0.32	<10	10	104	<10	98	
S216110		0.24	<10	<10	99	<10	525	136
S216111		0.32	<10	<10	102	<10	63	
S216112		0.29	<10	<10	99	<10	80	
S216113		0.28	10	<10	100	<10	110	
S216114		0.27	<10	10	96	<10	100	
S216115		0.25	<10	10	93	<10	112	
S216116		0.27	10	<10	98	<10	74	
S216117		0.39	10	10	134	<10	73	
S216118		0.30	10	<10	91	<10	275	
S216119		0.32	10	10	96	<10	102	
S216120		<0.01	<10	<10	1	<10	<2	
S216121		0.32	<10	<10	99	<10	128	
S216122		0.31	10	10	98	<10	162	
S216123		0.29	10	10	90	<10	272	
S216124		0.30	<10	<10	99	<10	207	
S216125		0.32	<10	<10	104	<10	223	
S216126		0.29	<10	<10	102	<10	263	
S216126D		0.29	<10	<10	99	<10	262	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216127		3.49	0.340		0.5	7.70	20	360	1.0	<2	3.83	25.3	9	6	22	3.55
S216128		3.38	0.207		0.6	8.19	26	1110	1.0	4	3.66	9.1	9	7	20	3.99
S216129		3.02	0.147		0.6	6.99	19	570	1.0	<2	4.29	2.5	8	5	16	3.05
S216130		0.12	5.39		83.2	6.24	296	470	0.9	2	1.99	21.4	11	23	121	4.76
S216131		3.31	0.247		1.0	6.56	26	260	0.9	<2	6.24	2.1	9	5	21	3.53
S216132		3.54	0.116		1.4	8.08	35	450	1.1	<2	3.13	1.0	8	6	16	4.00
S216133		3.07	0.159		2.2	7.69	57	150	1.3	<2	4.21	2.7	12	7	17	4.69
S216134		3.60	0.118		1.6	7.54	45	350	1.0	<2	4.44	2.6	8	6	15	3.63
S216135		3.08	0.151		1.1	7.89	41	300	1.0	2	2.52	2.7	9	7	22	3.72
S216136		3.40	0.171		1.1	7.92	41	390	1.1	<2	2.92	1.4	19	6	22	3.40
S216137		3.27	0.220		1.5	7.76	36	260	1.0	<2	3.31	1.0	9	6	21	3.85
S216138		3.13	0.157		1.5	7.85	34	370	1.1	<2	2.90	4.5	8	6	14	3.28
S216139		3.36	0.118		1.9	7.40	35	340	1.1	2	3.94	4.8	10	7	15	3.39
S216140		0.53	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.9	<0.5	<1	1	<1	0.04
S216141		3.45	0.169		3.0	6.54	74	190	0.9	<2	4.52	3.6	9	6	12	3.87
S216142		3.59	0.324		2.3	9.78	119	220	1.4	2	1.59	2.1	12	8	9	5.00
S216143		3.46	0.252		2.4	10.10	74	200	1.5	<2	1.84	2.2	12	10	8	5.46
S216144		3.16	0.149		1.8	7.84	60	210	1.2	<2	3.66	2.1	12	6	7	4.08
S216145		2.87	0.132		2.4	8.10	37	420	1.1	<2	4.83	1.0	10	6	22	3.70
S216146		3.32	0.140		1.6	7.48	23	520	1.2	<2	3.99	0.7	9	6	18	2.93
S216146D		<0.02	0.145		1.6	7.71	24	550	1.2	2	3.89	0.8	10	6	18	2.85
S216147		3.21	0.234		1.4	7.12	29	370	1.0	<2	3.94	1.2	7	6	18	3.26
S216148		3.96	0.200		2.4	7.18	24	280	1.1	<2	4.25	0.5	10	5	15	3.83
S216149		3.39	0.238		4.2	7.67	46	280	1.1	<2	2.77	2.0	9	7	12	3.74
S216150		0.09	>10.0	19.40	23.0	6.87	749	670	1.3	3	2.80	1.8	18	105	129	4.94

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216127		20	3.42	10	0.88	1085	5	0.18	1	840	79	4.29	<5	10	331	<20
S216128		20	3.36	20	1.24	1555	3	0.17	3	890	76	3.30	<5	11	185	<20
S216129		20	3.19	10	1.03	1685	3	0.16	3	860	60	2.12	7	10	115	<20
S216130		10	3.70	10	0.48	1205	8	0.23	17	980	8930	3.07	78	12	147	<20
S216131		20	2.92	10	1.16	2510	6	0.14	1	780	66	2.51	7	9	310	<20
S216132		20	3.54	10	1.06	1350	6	0.16	1	890	45	3.73	9	11	155	<20
S216133		20	4.32	10	0.46	1870	7	0.23	3	1060	77	5.19	11	10	217	<20
S216134		20	3.61	10	0.64	2000	<1	0.18	2	870	60	3.81	6	10	148	<20
S216135		20	3.55	10	1.05	1265	9	0.18	3	890	63	3.71	5	11	98	<20
S216136		20	3.66	10	1.00	1260	5	0.18	5	850	64	3.30	<5	10	94	<20
S216137		20	3.54	10	1.11	1460	10	0.17	4	910	73	3.76	8	11	105	<20
S216138		20	3.64	10	0.86	1275	21	0.18	3	930	74	3.24	5	11	96	<20
S216139		20	3.90	10	0.48	1550	6	0.18	2	960	95	3.58	9	10	134	<20
S216140		<10	0.01	<10	1.92	24	<1	<0.01	<1	40	4	0.09	<5	<1	5640	<20
S216141		20	3.47	10	0.47	2170	5	0.15	4	810	55	4.18	8	9	107	<20
S216142		20	4.92	10	0.61	765	10	0.21	5	1150	38	5.58	7	13	75	<20
S216143		20	4.94	10	0.71	998	2	0.21	6	1150	51	5.92	9	14	73	<20
S216144		20	4.37	10	0.61	1750	1	0.18	3	1020	43	4.48	11	10	116	<20
S216145		20	3.83	10	1.08	1710	1	0.15	3	940	58	3.59	5	11	121	<20
S216146		20	3.94	10	0.75	1285	4	0.16	2	950	33	2.88	5	10	108	<20
S216146D		20	3.87	10	0.76	1265	3	0.15	2	930	33	2.76	<5	11	110	<20
S216147		20	3.40	10	0.84	1255	<1	0.13	2	820	39	3.04	<5	10	94	<20
S216148		20	3.65	10	0.86	1390	2	0.14	2	890	37	3.77	<5	10	108	<20
S216149		20	3.83	10	0.50	896	3	0.15	2	870	47	3.89	9	10	72	<20
S216150		20	3.04	20	0.71	1005	6	0.16	68	1650	55	4.12	18	19	181	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216127		0.29	<10	<10	99	<10	253	
S216128		0.29	<10	<10	99	<10	171	
S216129		0.29	<10	<10	96	<10	143	
S216130		0.25	<10	<10	124	<10	1875	
S216131		0.28	<10	<10	91	<10	160	
S216132		0.32	<10	<10	104	<10	130	
S216133		0.38	<10	<10	118	<10	151	
S216134		0.32	<10	<10	97	<10	160	
S216135		0.32	<10	<10	98	<10	166	
S216136		0.32	<10	<10	90	<10	125	
S216137		0.33	<10	<10	106	<10	126	
S216138		0.33	<10	<10	108	<10	181	
S216139		0.34	<10	<10	116	<10	207	
S216140		<0.01	<10	<10	1	<10	<2	
S216141		0.28	<10	<10	94	<10	159	
S216142		0.38	<10	<10	134	<10	114	
S216143		0.39	<10	<10	135	<10	108	
S216144		0.34	<10	<10	118	<10	77	
S216145		0.32	<10	<10	106	<10	95	
S216146		0.33	<10	<10	111	<10	71	
S216146D		0.32	<10	<10	109	<10	67	
S216147		0.29	<10	<10	96	<10	80	
S216148		0.30	<10	<10	99	<10	90	
S216149		0.31	<10	<10	104	<10	60	
S216150		0.34	10	<10	182	<10	218	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15135579

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

CERTIFICATE TR15136927

Project: Bowser Regional Exploration

P.O. No.: BOW-0073

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211401		3.39	<0.005		<0.5	6.86	6	2300	0.9	<2	5.02	<0.5	14	14	61	4.82
S211402		5.55	<0.005		<0.5	8.17	10	2050	1.0	5	4.27	<0.5	20	18	81	5.73
S211403		6.17	<0.005		<0.5	8.55	7	2120	1.0	<2	1.44	<0.5	21	20	31	6.40
S211404		6.00	<0.005		<0.5	8.65	8	2090	1.1	<2	1.95	<0.5	20	13	40	5.99
S211405		6.25	<0.005		<0.5	8.23	6	1880	1.0	4	2.66	<0.5	19	11	47	6.07
S211406		5.82	<0.005		<0.5	9.20	5	2050	1.2	<2	0.99	<0.5	17	14	15	4.97
S211406D		<0.02	<0.005		<0.5	9.18	5	2060	1.2	<2	0.98	<0.5	16	14	16	4.98
S211407		5.71	<0.005		<0.5	8.47	8	1700	1.1	3	1.27	<0.5	15	28	61	4.70
S211408		6.06	<0.005		<0.5	8.62	9	1850	1.2	3	1.51	<0.5	17	19	32	6.03
S211409		6.15	<0.005		<0.5	9.52	10	2360	1.4	<2	1.16	<0.5	17	15	8	6.69
S211410		0.13	0.957		13.2	6.35	315	490	1.0	<2	3.66	4.1	12	27	84	3.98
S211411		6.23	<0.005		<0.5	9.00	8	2270	1.3	<2	1.51	<0.5	17	17	17	6.43
S211412		5.87	<0.005		<0.5	9.38	<5	1890	1.3	<2	1.20	<0.5	17	9	28	5.23
S211413		6.11	<0.005		<0.5	9.04	6	1510	1.3	2	1.38	<0.5	16	11	8	4.24
S211414		6.43	<0.005		<0.5	8.91	<5	1310	1.2	<2	1.26	<0.5	14	5	1	3.55
S211415		6.26	<0.005		<0.5	9.15	6	1480	1.3	<2	0.89	<0.5	18	3	<1	3.07
S211416		5.85	<0.005		0.8	9.42	9	1820	1.5	<2	0.75	<0.5	22	5	327	2.90
S211417		7.01	<0.005		<0.5	9.21	<5	2010	1.2	<2	0.60	<0.5	17	15	4	5.35
S211418		6.05	<0.005		<0.5	10.60	6	2340	1.6	2	0.52	<0.5	17	13	1	6.15
S211419		7.47	<0.005		<0.5	10.85	8	2420	1.6	<2	0.33	<0.5	14	17	3	6.83
S211420		0.43	<0.005		<0.5	0.10	<5	20	<0.5	<2	35.5	<0.5	1	<1	<1	0.07
S211421		5.74	<0.005		<0.5	10.60	12	2410	1.5	<2	0.33	<0.5	10	17	12	7.79
S211422		6.30	<0.005		<0.5	10.75	5	2370	1.4	<2	0.48	<0.5	11	10	48	5.50
S211423		6.33	<0.005		<0.5	10.55	<5	2310	1.4	<2	0.51	<0.5	12	9	22	6.02
S211424		6.50	<0.005		<0.5	9.88	5	2200	1.2	<2	0.47	<0.5	13	15	29	4.57
S211425		6.15	<0.005		<0.5	11.15	<5	2240	1.6	<2	0.50	<0.5	15	12	3	5.11
S211426		6.25	<0.005		<0.5	10.75	7	2380	1.7	<2	0.50	<0.5	14	7	4	4.46
S211426D		<0.02	<0.005		<0.5	10.35	<5	2290	1.6	<2	0.47	<0.5	14	7	4	4.50
S211427		6.22	<0.005		<0.5	9.42	10	1570	1.4	<2	0.81	<0.5	15	4	3	3.91
S211428		6.75	<0.005		<0.5	9.50	<5	1240	1.3	<2	1.12	<0.5	12	3	3	3.88
S211429		4.82	<0.005		<0.5	10.10	12	1360	1.6	<2	1.36	<0.5	13	6	1	4.03
S211430		0.28	>10.0	11.00	>100	6.24	386	550	1.0	<2	3.76	4.3	12	32	147	3.75
S211431		6.32	0.005		<0.5	9.49	13	1400	1.4	<2	1.71	<0.5	11	4	1	3.86
S211432		6.14	<0.005		<0.5	9.07	9	1170	1.3	<2	2.18	<0.5	10	4	1	3.72
S211433		6.02	<0.005		<0.5	8.99	10	1070	1.4	2	2.09	<0.5	10	4	1	3.56
S211434		5.83	<0.005		<0.5	7.83	7	1010	1.2	<2	4.66	<0.5	12	4	1	3.72
S211435		6.43	<0.005		<0.5	8.69	9	990	1.3	<2	2.69	<0.5	10	3	4	3.55
S211436		6.64	<0.005		<0.5	9.00	5	970	1.4	<2	2.94	<0.5	10	4	6	3.77
S211437		7.16	<0.005		<0.5	9.12	10	980	1.5	<2	2.78	<0.5	11	3	4	3.85
S211438		5.53	<0.005		<0.5	8.03	12	720	1.2	<2	3.99	<0.5	10	6	8	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211401		10	1.87	10	1.39	1650	2	0.20	6	490	22	0.03	<5	19	129	<20
S211402		20	2.21	20	1.73	1680	2	0.19	10	1030	28	0.02	<5	24	124	<20
S211403		20	2.32	10	1.78	1380	<1	0.24	10	920	4	0.01	<5	27	95	<20
S211404		20	2.34	10	1.61	1195	1	0.44	7	480	<2	<0.01	5	24	113	<20
S211405		20	2.04	10	1.65	1195	<1	0.74	7	890	3	0.01	<5	22	160	<20
S211406		20	2.25	10	1.70	779	<1	1.31	4	410	6	<0.01	<5	17	279	<20
S211406D		20	2.26	10	1.69	788	<1	1.31	6	390	3	0.01	<5	17	281	<20
S211407		20	1.97	10	1.58	759	<1	1.29	5	1220	3	<0.01	5	20	256	<20
S211408		20	2.24	10	1.34	750	<1	1.29	5	1520	6	<0.01	<5	22	227	<20
S211409		20	2.85	10	1.27	625	2	0.88	13	400	11	<0.01	<5	27	212	<20
S211410		10	4.01	10	0.56	1460	10	0.22	19	960	149	2.90	23	11	202	<20
S211411		20	2.61	10	1.30	678	1	0.85	8	700	4	0.01	<5	25	211	<20
S211412		20	2.32	20	1.68	734	1	1.02	5	1170	3	<0.01	7	19	236	<20
S211413		20	1.90	20	1.75	702	1	1.36	5	560	5	<0.01	5	14	428	<20
S211414		20	1.65	20	1.42	505	1	2.07	1	570	5	<0.01	7	11	578	<20
S211415		20	2.05	20	1.32	411	1	1.72	2	790	<2	<0.01	<5	8	489	<20
S211416		20	2.45	20	1.30	416	1	1.17	4	840	<2	0.01	6	9	361	<20
S211417		20	2.73	20	0.74	299	1	0.80	6	450	2	<0.01	5	20	268	<20
S211418		20	3.27	10	0.72	297	<1	0.76	5	80	4	<0.01	6	20	313	<20
S211419		20	3.39	10	0.68	275	<1	0.71	5	90	8	<0.01	<5	25	299	<20
S211420		<10	0.03	<10	1.64	17	1	0.01	<1	40	<2	0.11	<5	<1	5570	<20
S211421		20	3.57	10	0.49	207	1	0.65	7	200	16	<0.01	5	24	282	<20
S211422		20	3.60	10	0.48	201	1	0.65	7	70	<2	<0.01	6	23	269	<20
S211423		20	3.45	10	0.51	228	1	0.69	6	120	5	<0.01	5	24	278	<20
S211424		20	3.10	20	0.55	244	2	0.74	5	140	<2	<0.01	<5	15	257	<20
S211425		20	3.47	20	0.74	295	1	0.95	3	130	<2	<0.01	6	15	305	<20
S211426		30	3.20	10	0.79	332	1	1.18	3	130	2	0.01	6	16	352	<20
S211426D		20	3.10	10	0.75	319	1	1.13	3	120	3	0.01	6	15	338	<20
S211427		20	1.99	20	0.85	381	1	2.19	4	900	6	<0.01	5	9	507	<20
S211428		20	1.53	20	1.02	464	1	3.06	1	840	3	<0.01	<5	9	632	<20
S211429		20	1.65	20	1.23	571	1	2.72	2	730	6	<0.01	5	10	771	<20
S211430		10	3.74	10	0.48	1410	9	0.17	23	850	243	3.12	61	10	212	<20
S211431		20	1.61	20	1.34	698	1	1.94	2	720	12	0.01	<5	12	770	<20
S211432		20	1.37	10	1.30	828	1	2.43	3	870	5	<0.01	<5	10	840	<20
S211433		20	1.21	10	1.25	828	1	2.64	1	840	8	<0.01	7	9	869	<20
S211434		20	1.05	10	1.26	1670	1	2.50	1	860	9	<0.01	<5	8	859	<20
S211435		20	1.01	10	1.14	1115	2	2.63	3	960	8	<0.01	12	9	964	<20
S211436		20	0.94	10	1.10	1230	1	2.69	2	990	8	<0.01	6	9	1025	<20
S211437		20	0.95	10	1.01	1130	1	2.66	3	960	7	<0.01	7	9	1000	<20
S211438		20	0.68	10	0.78	1270	1	2.83	2	900	12	<0.01	7	8	1080	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211401		0.40	<10	<10	148	<10	72	
S211402		0.49	10	<10	182	<10	92	
S211403		0.53	<10	<10	187	<10	99	
S211404		0.49	<10	<10	182	<10	99	
S211405		0.47	<10	<10	188	<10	107	
S211406		0.40	<10	<10	98	<10	96	
S211406D		0.40	<10	<10	98	<10	96	
S211407		0.45	<10	<10	123	<10	87	
S211408		0.56	<10	<10	166	<10	103	
S211409		0.56	<10	<10	176	<10	106	
S211410		0.27	10	<10	109	<10	478	
S211411		0.54	<10	<10	172	<10	95	
S211412		0.48	10	<10	131	<10	93	
S211413		0.37	<10	<10	116	<10	85	
S211414		0.31	<10	<10	110	<10	74	
S211415		0.28	<10	<10	108	<10	87	
S211416		0.32	<10	<10	155	<10	102	
S211417		0.47	<10	<10	134	<10	93	
S211418		0.53	10	<10	135	<10	109	
S211419		0.63	<10	<10	169	<10	105	
S211420		<0.01	<10	<10	2	<10	10	
S211421		0.65	<10	<10	261	<10	82	
S211422		0.49	10	<10	147	<10	85	
S211423		0.49	<10	<10	125	<10	98	
S211424		0.46	10	<10	125	<10	97	
S211425		0.43	10	<10	98	<10	103	
S211426		0.40	<10	<10	129	<10	103	
S211426D		0.39	<10	<10	125	<10	100	
S211427		0.34	<10	<10	101	<10	97	
S211428		0.36	10	<10	105	<10	82	
S211429		0.38	<10	<10	107	<10	83	
S211430		0.24	<10	<10	100	<10	498	136
S211431		0.36	10	<10	95	<10	80	
S211432		0.37	<10	<10	103	<10	80	
S211433		0.36	<10	<10	109	<10	79	
S211434		0.34	<10	<10	103	<10	90	
S211435		0.35	<10	<10	110	<10	76	
S211436		0.37	<10	<10	111	<10	80	
S211437		0.36	<10	<10	110	<10	81	
S211438		0.34	10	<10	107	<10	76	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211439		6.36	<0.005		<0.5	8.65	14	1060	1.5	<2	3.92	<0.5	10	6	14	3.94
S211440		0.53	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.8	<0.5	2	<1	<1	0.04
S211441		4.95	<0.005		<0.5	8.33	11	500	0.9	<2	2.78	<0.5	9	9	4	3.75
S211442		6.09	<0.005		<0.5	9.03	8	1050	1.4	<2	2.59	<0.5	9	13	5	4.07
S211443		4.06	<0.005		<0.5	8.88	11	870	1.4	<2	2.39	<0.5	9	7	7	3.95
S211444		5.66	<0.005		<0.5	9.13	12	1040	1.6	<2	2.49	<0.5	9	5	17	3.80
S211445		5.45	0.007		<0.5	9.01	14	1010	1.5	<2	2.49	<0.5	11	6	10	4.25
S211446		5.70	<0.005		<0.5	9.10	12	1050	1.5	<2	2.30	<0.5	9	8	8	3.99
S211446D		<0.02	<0.005		<0.5	8.89	12	1030	1.4	<2	2.27	<0.5	10	7	8	3.93
S211447		4.55	<0.005		<0.5	8.48	14	680	1.0	<2	3.07	<0.5	10	6	3	3.74
S211448		5.30	<0.005		<0.5	8.88	12	1220	1.2	<2	2.74	<0.5	9	6	27	3.76
S211449		5.65	<0.005		<0.5	9.42	16	1390	1.4	<2	2.94	<0.5	9	6	14	3.80
S211450		0.15	5.62		84.0	6.56	286	1050	1.0	<2	2.03	22.5	11	23	115	4.67
S211451		5.54	<0.005		<0.5	10.25	15	1890	1.8	<2	2.69	<0.5	13	4	5	4.35
S211452		5.65	<0.005		<0.5	9.33	18	1830	1.5	<2	3.26	<0.5	10	4	7	4.10
S211453		5.46	<0.005		<0.5	9.97	12	2080	1.7	<2	2.88	<0.5	12	4	6	4.33
S211454		5.83	<0.005		<0.5	9.77	10	1700	1.6	<2	2.70	<0.5	11	3	6	4.21
S211455		5.35	<0.005		<0.5	9.10	15	1580	1.2	<2	3.54	<0.5	10	4	36	3.88
S211456		5.70	<0.005		<0.5	9.02	13	1670	1.3	<2	3.33	<0.5	10	4	7	3.96
S211457		5.70	<0.005		<0.5	9.05	11	1500	1.3	<2	3.66	<0.5	9	3	8	3.81
S211458		5.40	<0.005		<0.5	7.48	9	940	1.1	<2	7.67	<0.5	9	3	4	3.50
S211459		5.80	<0.005		<0.5	9.27	12	1420	1.4	<2	4.11	<0.5	9	10	7	3.91
S211460		0.45	<0.005		<0.5	0.05	<5	10	<0.5	<2	36.4	<0.5	1	<1	<1	0.04
S211461		5.62	<0.005		<0.5	9.34	9	1270	1.3	<2	3.16	<0.5	10	8	6	3.96
S211462		5.85	<0.005		<0.5	8.78	16	940	1.1	<2	3.96	<0.5	10	5	11	3.80
S211463		5.64	<0.005		<0.5	7.47	12	950	1.0	<2	7.71	<0.5	11	5	5	3.37
S211464		6.42	<0.005		<0.5	8.62	12	2360	1.3	<2	3.66	<0.5	8	4	5	3.57
S211465		4.73	<0.005		<0.5	8.97	11	2050	1.3	2	2.51	<0.5	10	5	3	3.66
S211466		5.84	<0.005		<0.5	8.83	12	1860	1.3	<2	2.19	<0.5	7	3	3	3.43
S211466D		<0.02	<0.005		<0.5	9.14	14	2000	1.3	<2	2.28	<0.5	8	4	4	3.51
S211467		6.71	<0.005		<0.5	9.08	9	1380	1.3	<2	2.27	<0.5	10	4	4	3.65
S211468		6.05	<0.005		<0.5	9.39	10	1440	1.3	<2	2.28	<0.5	9	4	4	3.74
S211469		5.37	<0.005		<0.5	8.66	12	2140	1.1	<2	3.53	<0.5	10	5	9	3.74
S211470		0.13	>10.0	19.60	21.1	6.75	776	390	1.3	<2	2.75	1.7	20	112	128	4.80
S211471		6.12	0.005		<0.5	8.88	14	1230	1.3	<2	2.48	<0.5	9	5	3	3.56
S211472		5.75	<0.005		<0.5	8.71	9	1410	1.4	<2	2.23	<0.5	9	4	2	3.45
S211473		6.12	<0.005		<0.5	9.33	12	1420	1.3	<2	2.63	<0.5	8	4	3	3.72
S211474		6.04	<0.005		<0.5	8.67	11	1350	1.2	<2	2.50	<0.5	10	6	1	3.65
S211475		6.36	<0.005		<0.5	8.31	9	1390	1.2	<2	3.32	<0.5	10	4	<1	3.77
S211476		6.63	<0.005		<0.5	9.09	12	1450	1.3	<2	2.39	<0.5	9	4	<1	3.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211439		20	0.82	10	0.76	1265	1	3.14	2	960	12	<0.01	<5	10	985	<20
S211440		<10	<0.01	<10	1.72	20	1	0.01	<1	40	<2	0.05	<5	<1	5240	<20
S211441		20	0.40	20	0.76	934	1	3.66	2	870	9	<0.01	6	8	848	<20
S211442		20	0.84	10	0.88	1025	<1	3.68	2	960	7	<0.01	9	9	650	<20
S211443		20	0.71	20	0.67	831	1	3.85	2	990	7	<0.01	5	9	766	<20
S211444		20	0.74	10	0.62	800	1	4.02	2	1000	10	<0.01	6	10	769	<20
S211445		20	0.75	20	0.71	875	1	3.92	3	900	9	<0.01	9	9	702	<20
S211446		20	0.69	10	0.70	762	1	3.88	2	870	2	0.01	7	10	700	<20
S211446D		20	0.66	10	0.69	752	1	3.87	2	860	5	0.01	5	9	694	<20
S211447		20	0.46	10	0.65	926	1	3.85	1	830	7	<0.01	<5	9	783	<20
S211448		20	0.78	10	0.61	762	1	3.53	1	800	8	0.01	<5	9	745	<20
S211449		20	0.97	20	0.81	871	1	3.21	2	990	9	0.01	<5	10	815	<20
S211450		10	3.73	10	0.50	1230	11	0.24	15	980	8740	3.07	82	12	154	<20
S211451		30	1.41	10	1.25	962	1	2.10	2	1040	12	<0.01	7	11	741	<20
S211452		20	1.39	10	0.99	983	1	2.05	1	1030	9	<0.01	<5	10	742	<20
S211453		20	1.44	10	1.19	984	1	2.20	2	1000	5	0.01	<5	11	714	<20
S211454		20	1.21	10	1.16	915	<1	2.31	2	1040	11	<0.01	<5	10	775	<20
S211455		20	1.08	10	1.00	1005	1	2.32	<1	1000	8	0.01	<5	9	840	<20
S211456		20	1.19	10	1.01	978	1	1.88	2	910	8	0.01	10	9	779	<20
S211457		20	1.07	10	1.07	1065	1	1.89	3	950	8	0.01	7	9	832	<20
S211458		20	0.71	10	1.20	2230	<1	2.09	2	860	4	<0.01	7	7	786	<20
S211459		20	1.05	10	1.09	1115	1	2.02	1	1040	3	0.01	<5	9	863	<20
S211460		<10	<0.01	<10	2.09	20	<1	0.01	2	30	<2	0.05	<5	<1	5600	<20
S211461		20	1.04	10	1.19	963	<1	2.09	2	980	6	<0.01	5	9	746	<20
S211462		20	0.79	10	1.00	1040	1	2.00	2	960	10	<0.01	<5	9	872	<20
S211463		20	0.73	10	1.29	2470	1	1.69	2	820	5	<0.01	5	7	704	<20
S211464		20	1.18	10	0.91	1035	1	1.85	1	920	8	0.03	<5	8	814	<20
S211465		20	1.18	10	1.25	935	1	2.09	2	910	8	0.02	5	8	656	<20
S211466		20	1.21	20	1.11	804	1	2.20	2	880	2	0.01	<5	8	607	<20
S211466D		20	1.24	20	1.12	809	1	2.26	<1	930	8	0.02	<5	9	635	<20
S211467		20	1.07	10	1.32	931	1	2.52	2	910	8	<0.01	6	8	637	<20
S211468		20	1.17	10	1.29	951	1	2.67	2	950	4	<0.01	5	9	667	<20
S211469		20	1.01	10	1.23	1250	1	2.40	1	890	13	0.03	9	8	790	<20
S211470		20	2.95	10	0.70	1015	8	0.16	66	1670	58	4.18	21	18	184	<20
S211471		20	1.04	10	1.19	932	1	2.47	2	880	7	<0.01	<5	8	723	<20
S211472		20	1.18	10	1.27	952	1	2.44	1	910	4	<0.01	8	8	592	<20
S211473		20	1.23	10	1.25	1020	1	2.59	<1	950	2	<0.01	8	9	695	<20
S211474		20	1.16	10	1.22	1030	1	2.34	1	870	4	<0.01	5	8	636	<20
S211475		20	1.23	10	1.18	1305	<1	2.27	2	900	5	<0.01	6	7	665	<20
S211476		20	1.24	10	1.23	969	1	2.25	1	930	5	<0.01	8	9	663	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211439		0.39	<10	<10	116	<10	83	
S211440		<0.01	<10	<10	2	<10	<2	
S211441		0.32	<10	<10	90	<10	74	
S211442		0.36	<10	<10	115	<10	96	
S211443		0.36	<10	<10	108	<10	76	
S211444		0.37	<10	<10	110	<10	77	
S211445		0.36	10	<10	127	<10	90	
S211446		0.35	10	<10	112	<10	88	
S211446D		0.35	<10	<10	109	<10	87	
S211447		0.34	10	<10	103	<10	78	
S211448		0.34	<10	<10	112	<10	72	
S211449		0.38	<10	<10	115	<10	71	
S211450		0.26	10	<10	124	<10	1820	
S211451		0.40	<10	<10	125	<10	100	
S211452		0.39	<10	<10	124	<10	83	
S211453		0.40	10	<10	128	<10	95	
S211454		0.39	<10	<10	121	<10	91	
S211455		0.37	10	<10	120	<10	80	
S211456		0.35	10	<10	113	<10	77	
S211457		0.36	10	<10	113	<10	81	
S211458		0.30	10	<10	99	<10	84	
S211459		0.38	10	<10	124	<10	77	
S211460		<0.01	<10	<10	1	<10	<2	
S211461		0.37	<10	<10	118	<10	85	
S211462		0.34	<10	<10	111	<10	78	
S211463		0.29	<10	<10	89	<10	90	
S211464		0.34	<10	<10	107	<10	67	
S211465		0.33	<10	<10	106	<10	79	
S211466		0.32	<10	<10	107	<10	65	
S211466D		0.33	10	<10	108	<10	66	
S211467		0.34	<10	<10	106	<10	78	
S211468		0.35	<10	<10	109	<10	77	
S211469		0.32	<10	<10	103	<10	79	
S211470		0.36	<10	<10	181	<10	215	
S211471		0.33	<10	<10	101	<10	71	
S211472		0.33	10	<10	101	<10	72	
S211473		0.34	<10	<10	108	<10	73	
S211474		0.32	<10	<10	101	<10	80	
S211475		0.33	<10	<10	99	<10	78	
S211476		0.34	10	<10	102	<10	79	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211477		5.87	<0.005		<0.5	7.65	13	1650	1.0	<2	4.30	<0.5	8	10	1	3.48
S211478		4.33	<0.005		<0.5	9.69	12	2020	1.6	<2	2.31	<0.5	11	4	5	4.38
S211479		6.02	<0.005		<0.5	8.91	7	1580	1.4	<2	2.30	<0.5	9	3	<1	4.01
S211480		0.70	<0.005		<0.5	0.05	<5	10	<0.5	2	35.2	<0.5	<1	<1	<1	0.04
S211481		5.57	<0.005		<0.5	9.12	9	1520	1.4	<2	2.07	<0.5	7	4	<1	3.88
S211482		5.97	<0.005		<0.5	9.00	9	1390	1.3	<2	1.86	<0.5	8	3	<1	3.82
S211483		5.44	<0.005		<0.5	8.67	10	1380	1.3	<2	2.80	<0.5	6	4	1	3.85
S211484		6.68	<0.005		<0.5	8.01	11	1810	1.0	<2	2.90	<0.5	6	3	<1	3.44
S211485		5.26	<0.005		<0.5	6.90	8	1720	1.0	<2	4.54	<0.5	6	2	<1	3.28
S211486		5.57	<0.005		<0.5	8.43	12	3650	1.3	<2	2.78	<0.5	8	3	<1	3.73
S211486D		<0.02	<0.005		<0.5	8.22	13	4650	1.3	<2	3.16	<0.5	8	4	<1	3.89
S211487		6.04	<0.005		0.5	9.28	23	3380	1.5	<2	1.75	<0.5	10	5	<1	4.69
S211488		7.60	<0.005		<0.5	9.40	19	3460	1.5	<2	1.86	<0.5	8	3	<1	4.47
S211489		7.10	<0.005		<0.5	6.27	15	2110	0.9	<2	5.44	<0.5	3	7	<1	3.12
S211490		0.13	0.994		12.6	6.00	300	490	1.0	<2	3.59	4.1	10	26	79	4.01
S211491		2.87	<0.005		<0.5	9.81	10	2160	1.8	<2	2.81	<0.5	12	5	<1	4.83
S211492		5.79	<0.005		<0.5	8.57	6	1600	1.5	<2	2.00	<0.5	8	3	<1	3.73
S211493		5.99	<0.005		<0.5	8.57	7	1370	1.3	<2	2.24	<0.5	8	2	<1	3.73
S211494		5.91	<0.005		<0.5	7.79	5	1230	1.2	<2	5.11	<0.5	8	3	2	3.85
S211495		6.53	<0.005		<0.5	8.29	8	1200	1.3	<2	4.29	<0.5	9	2	1	3.89
S211496		6.04	<0.005		<0.5	8.98	10	1280	1.3	<2	2.46	<0.5	9	4	3	4.03
S211497		5.75	<0.005		<0.5	9.17	15	1460	1.3	<2	2.72	<0.5	7	3	<1	3.93
S211498		5.26	<0.005		<0.5	8.77	15	1570	1.2	2	2.95	<0.5	9	3	37	3.76
S211499		4.79	<0.005		<0.5	9.06	16	1600	1.2	<2	2.80	<0.5	9	3	24	4.03
S211500		0.55	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.2	<0.5	<1	<1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211477		20	0.66	10	0.89	1335	1	1.50	3	780	13	<0.01	<5	7	1020	<20
S211478		20	1.83	10	1.27	1060	3	2.10	4	1010	9	<0.01	<5	9	647	<20
S211479		20	1.49	10	1.24	1040	<1	2.28	1	900	9	<0.01	<5	8	654	<20
S211480		<10	0.01	<10	1.75	16	1	0.01	<1	40	<2	0.08	<5	<1	4980	<20
S211481		20	1.48	10	1.13	925	<1	2.57	<1	890	7	<0.01	<5	8	672	<20
S211482		20	1.36	10	1.24	945	<1	2.66	<1	860	8	<0.01	6	8	652	<20
S211483		20	1.39	10	1.05	1145	<1	2.54	<1	880	10	<0.01	<5	8	758	<20
S211484		10	1.38	10	0.91	1145	<1	2.06	<1	790	14	0.01	<5	7	684	<20
S211485		10	1.40	10	1.08	1650	<1	1.87	<1	910	7	0.01	<5	6	353	<20
S211486		20	2.14	10	1.28	1065	<1	1.80	<1	840	4	0.04	<5	8	328	<20
S211486D		20	2.14	10	1.32	1190	<1	1.91	<1	890	2	0.06	<5	7	364	<20
S211487		20	3.10	20	1.55	858	<1	0.73	1	590	6	0.01	<5	13	239	<20
S211488		20	2.83	20	1.41	892	<1	0.81	<1	840	6	<0.01	<5	8	411	<20
S211489		20	0.33	10	0.61	1355	<1	0.35	<1	600	17	<0.01	<5	6	1250	<20
S211490		10	3.84	10	0.55	1395	10	0.21	16	890	145	2.80	19	11	189	<20
S211491		20	1.53	10	1.56	1185	<1	1.65	<1	1050	11	<0.01	<5	9	760	<20
S211492		20	1.19	10	1.15	782	<1	2.27	<1	820	4	0.01	<5	8	540	<20
S211493		20	1.04	10	1.24	929	<1	2.64	<1	830	5	<0.01	<5	8	580	<20
S211494		20	0.85	10	1.25	1850	<1	2.79	<1	850	<2	<0.01	<5	7	685	<20
S211495		20	0.84	10	1.32	1740	<1	2.83	<1	870	10	<0.01	<5	7	755	<20
S211496		20	0.97	10	1.28	989	<1	2.74	<1	910	12	<0.01	<5	8	820	<20
S211497		20	1.15	10	1.18	950	<1	2.73	<1	940	11	<0.01	<5	9	858	<20
S211498		20	1.11	20	1.13	922	<1	2.27	<1	830	18	0.01	<5	8	878	<20
S211499		20	1.25	10	1.31	921	<1	2.17	<1	850	19	0.01	<5	8	822	<20
S211500		<10	0.01	<10	1.66	22	1	0.01	<1	40	<2	0.06	<5	<1	4580	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211477		0.29	<10	<10	88	<10	63	
S211478		0.38	<10	<10	114	<10	89	
S211479		0.34	<10	<10	105	<10	81	
S211480		<0.01	<10	<10	1	<10	<2	
S211481		0.35	<10	<10	108	<10	69	
S211482		0.34	<10	<10	106	<10	74	
S211483		0.34	<10	<10	106	<10	64	
S211484		0.30	<10	<10	93	<10	64	
S211485		0.27	<10	10	83	<10	65	
S211486		0.33	<10	<10	118	<10	79	
S211486D		0.33	<10	<10	121	<10	85	
S211487		0.43	<10	<10	109	<10	88	
S211488		0.35	<10	<10	94	<10	78	
S211489		0.24	<10	<10	89	<10	47	
S211490		0.26	<10	<10	104	10	472	
S211491		0.40	<10	<10	116	<10	111	
S211492		0.32	<10	<10	103	<10	71	
S211493		0.33	<10	<10	105	<10	79	
S211494		0.33	<10	<10	102	<10	86	
S211495		0.34	<10	<10	102	<10	86	
S211496		0.35	<10	<10	108	<10	82	
S211497		0.36	<10	<10	110	<10	67	
S211498		0.34	<10	<10	104	<10	67	
S211499		0.34	<10	<10	98	<10	94	
S211500		<0.01	<10	<10	<1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136927

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

CERTIFICATE TR15136967

Project: Bowser Regional Exploration

P.O. No.: BOW-0075

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216151		3.10	0.160		5.5	7.73	38	1480	1.1	<2	1.64	2.9	7	6	18	3.29
S216152		3.47	0.186		2.9	7.57	33	510	1.1	<2	2.66	1.7	7	6	9	3.01
S216153		2.99	0.226		1.4	7.56	31	480	1.1	<2	3.46	0.9	7	6	12	3.29
S216154		3.25	0.203		0.6	7.27	28	580	1.0	<2	4.74	1.2	6	5	12	3.08
S216155		3.42	0.210		1.0	7.21	28	1110	1.0	<2	5.05	1.6	5	5	26	2.94
S216156		3.48	0.165		0.5	7.33	19	560	1.0	<2	5.47	1.1	5	5	23	3.22
S216157		3.63	0.108		<0.5	7.25	23	480	1.0	<2	4.52	0.6	5	6	12	3.40
S216158		2.98	0.135		0.7	7.48	21	320	1.1	<2	4.76	0.7	9	5	13	3.54
S216159		3.29	0.238		1.7	7.46	44	130	1.3	<2	3.63	2.5	10	6	15	4.20
S216160		0.45	<0.005		<0.5	0.06	<5	10	<0.5	2	35.5	<0.5	<1	1	<1	0.03
S216161		3.29	0.259		1.2	7.97	24	400	1.3	<2	3.99	1.0	10	5	18	3.47
S216162		3.09	0.607		1.1	8.27	9	1060	1.0	<2	2.42	0.7	10	9	22	3.62
S216163		3.27	0.592		1.0	7.61	21	1140	0.9	<2	3.66	1.0	10	6	22	3.50
S216164		3.13	0.451		1.0	7.34	22	520	1.0	<2	3.72	1.7	10	5	24	3.86
S216165		3.70	0.437		0.7	7.94	27	660	0.8	<2	3.12	2.1	8	5	14	3.76
S216166		3.19	0.486		1.0	7.62	14	1460	0.8	<2	3.62	1.0	8	5	20	3.35
S216166D		<0.02	0.461		1.0	7.39	13	1490	0.8	<2	3.79	1.0	9	5	20	3.38
S216167		3.09	0.424		1.5	7.65	33	1210	1.0	<2	3.70	1.0	10	5	29	3.61
S216168		3.43	0.398		1.1	7.32	27	1540	1.0	<2	4.30	0.8	10	5	23	3.68
S216169		3.09	0.245		1.2	8.26	18	1650	0.9	<2	3.61	0.5	11	5	21	3.58
S216170		0.12	0.953		13.5	6.30	327	340	1.1	<2	3.86	4.7	11	29	84	4.15
S216171		3.64	0.391		1.1	8.29	16	1690	1.0	<2	3.48	0.6	10	6	26	4.02
S216172		3.13	0.183		0.5	8.00	15	1740	0.8	<2	4.10	0.8	11	5	18	3.98
S216173		3.10	0.192		0.5	7.59	15	2250	0.8	<2	4.11	7.0	8	5	16	3.25
S216174		3.07	0.203		0.6	8.15	21	2020	0.9	<2	3.67	1.7	11	6	22	3.86
S216175		3.20	0.190		0.5	7.80	25	1830	0.8	<2	4.01	2.0	10	5	20	3.79
S216176		3.16	0.306		0.7	7.83	29	2230	1.0	<2	3.54	2.0	11	5	20	4.01
S216177		3.36	0.511		1.2	7.75	52	1190	1.1	<2	4.97	3.2	10	5	25	4.34
S216178		3.20	0.343		1.2	7.81	21	2470	1.2	<2	4.61	<0.5	10	5	26	4.04
S216179		3.13	0.369		1.8	8.33	46	450	1.6	<2	4.66	0.8	10	5	31	4.35
S216180		0.50	<0.005		<0.5	0.03	<5	10	<0.5	<2	37.2	<0.5	<1	1	<1	0.03
S216181		3.46	0.059		0.5	8.47	24	1840	0.8	<2	6.63	0.7	15	3	6	6.23
S216182		3.30	0.115		1.6	7.13	25	940	1.1	<2	6.38	0.6	11	4	10	4.01
S216183		3.53	0.304		1.5	7.68	30	810	1.2	<2	4.54	0.5	11	5	18	3.68
S216184		2.87	0.461		1.2	7.65	31	1130	0.9	<2	4.46	<0.5	10	5	20	3.95
S216185		3.03	0.723		1.0	7.72	24	1930	1.0	<2	4.74	<0.5	10	5	18	3.78
S216186		3.65	0.343		0.9	7.73	42	1280	1.1	<2	4.68	0.9	9	5	21	3.65
S216186D		<0.02	0.325		0.9	7.80	41	1570	1.1	<2	4.76	0.8	7	5	22	3.66
S216187		3.39	0.406		1.6	7.24	99	400	1.2	<2	4.24	0.7	10	6	23	3.68
S216188		3.40	0.382		1.2	7.06	70	590	1.2	<2	4.61	<0.5	8	5	24	3.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216151		20	3.74	20	0.52	506	14	0.17	1	800	51	3.30	<5	10	77	<20
S216152		20	3.82	10	0.59	805	7	0.15	1	810	36	2.99	<5	10	76	<20
S216153		20	3.70	10	0.79	1045	5	0.23	4	850	33	3.20	<5	10	87	<20
S216154		20	3.42	10	1.04	1460	4	0.34	4	820	28	2.72	<5	10	103	<20
S216155		20	3.21	10	1.01	1435	1	0.29	2	780	42	2.58	<5	10	222	<20
S216156		10	3.29	10	1.11	1595	5	0.57	3	820	26	2.80	<5	10	203	<20
S216157		20	3.39	10	1.00	1230	11	0.44	3	820	21	3.09	<5	10	111	<20
S216158		20	3.44	10	1.15	1415	1	0.37	1	870	32	3.24	<5	10	116	<20
S216159		20	3.99	10	0.64	983	14	0.13	1	930	49	4.40	<5	10	92	<20
S216160		<10	0.01	<10	1.88	18	<1	<0.01	<1	40	<2	0.05	<5	<1	5350	<20
S216161		20	3.57	10	1.07	1130	5	0.50	<1	940	36	2.83	<5	11	117	<20
S216162		20	3.01	10	1.35	905	4	1.21	3	970	47	2.01	<5	11	111	<20
S216163		20	2.37	10	1.12	1070	37	1.87	2	880	38	1.99	<5	10	185	<20
S216164		20	2.70	10	0.94	941	11	1.54	1	890	39	2.88	<5	10	161	<20
S216165		20	2.14	10	0.93	846	15	2.59	2	860	29	2.62	<5	11	240	<20
S216166		20	2.10	10	1.18	1050	22	2.38	1	880	22	1.33	<5	10	235	<20
S216166D		20	2.11	10	1.16	1070	30	2.43	<1	890	21	1.36	<5	9	242	<20
S216167		20	2.73	10	0.98	973	52	1.92	2	910	25	2.06	<5	10	197	<20
S216168		20	2.91	10	1.09	1215	13	1.50	<1	920	17	1.63	<5	10	187	<20
S216169		20	2.67	10	1.04	1055	7	2.06	<1	910	17	1.67	<5	11	269	<20
S216170		20	4.00	10	0.59	1485	9	0.22	18	980	157	2.98	20	11	199	<20
S216171		20	2.76	10	1.06	1145	20	1.86	1	930	13	1.78	<5	11	334	<20
S216172		20	1.85	10	1.32	1585	6	2.92	<1	940	14	0.96	<5	12	341	<20
S216173		20	1.70	10	1.10	1430	2	3.20	<1	900	17	0.71	<5	10	540	<20
S216174		20	2.06	10	1.13	1365	6	2.95	1	960	20	1.56	5	11	728	<20
S216175		20	1.90	10	1.19	1570	5	2.77	1	890	22	1.11	<5	10	408	<20
S216176		20	2.94	10	1.08	1360	17	1.74	2	960	28	1.64	<5	10	316	<20
S216177		20	3.46	10	1.17	1750	15	0.91	<1	990	31	2.11	<5	10	250	<20
S216178		20	3.26	10	1.44	1925	12	0.76	<1	930	21	1.31	<5	10	237	<20
S216179		20	4.18	10	1.01	1650	47	0.13	<1	990	30	2.90	<5	11	169	<20
S216180		<10	0.01	<10	2.37	23	<1	<0.01	<1	30	4	0.08	<5	<1	5440	<20
S216181		20	2.04	20	2.44	3060	9	1.36	<1	2840	13	1.25	<5	18	447	<20
S216182		20	2.98	10	1.08	2070	29	0.96	1	1580	26	2.06	<5	11	277	<20
S216183		20	3.29	10	0.93	1440	47	1.20	<1	920	29	2.65	<5	10	161	<20
S216184		20	2.63	10	1.13	1705	18	1.71	<1	890	24	2.04	<5	10	224	<20
S216185		20	2.94	10	1.21	1905	21	1.20	2	910	15	1.46	<5	10	176	<20
S216186		20	3.16	10	1.11	1770	22	0.83	<1	890	19	1.83	<5	10	168	<20
S216186D		20	3.24	10	1.12	1800	22	0.86	<1	880	19	1.84	<5	10	172	<20
S216187		20	3.78	10	0.78	1415	24	0.09	1	980	26	2.75	<5	11	114	<20
S216188		20	3.81	10	0.62	1300	8	0.09	<1	860	27	2.46	<5	9	110	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216151		0.29	<10	<10	95	<10	75	
S216152		0.30	<10	<10	99	10	64	
S216153		0.32	<10	<10	103	<10	84	
S216154		0.31	<10	<10	97	<10	112	
S216155		0.29	<10	<10	88	<10	81	
S216156		0.31	<10	<10	95	<10	83	
S216157		0.31	10	<10	96	<10	76	
S216158		0.32	<10	<10	98	<10	105	
S216159		0.34	<10	<10	103	<10	90	
S216160		<0.01	<10	<10	1	<10	<2	
S216161		0.34	<10	<10	103	<10	111	
S216162		0.35	<10	<10	107	<10	114	
S216163		0.32	<10	<10	98	<10	103	
S216164		0.31	<10	<10	100	<10	83	
S216165		0.31	<10	<10	98	<10	84	
S216166		0.32	<10	<10	98	<10	111	
S216166D		0.32	<10	<10	100	<10	114	
S216167		0.33	<10	<10	105	<10	92	
S216168		0.34	<10	<10	106	<10	118	
S216169		0.34	<10	<10	104	<10	99	
S216170		0.27	<10	<10	110	10	489	
S216171		0.35	<10	<10	108	<10	118	
S216172		0.39	<10	<10	116	<10	173	
S216173		0.33	<10	<10	103	<10	156	
S216174		0.34	<10	<10	107	<10	140	
S216175		0.32	<10	<10	104	<10	153	
S216176		0.34	<10	<10	112	<10	150	
S216177		0.35	10	<10	110	<10	201	
S216178		0.35	<10	<10	107	<10	228	
S216179		0.36	<10	<10	115	<10	131	
S216180		<0.01	<10	<10	1	<10	<2	
S216181		0.82	<10	<10	160	10	174	
S216182		0.50	<10	<10	110	<10	88	
S216183		0.34	<10	<10	105	<10	119	
S216184		0.32	<10	<10	101	<10	122	
S216185		0.33	<10	<10	103	<10	136	
S216186		0.33	10	10	100	<10	148	
S216186D		0.33	<10	<10	101	<10	150	
S216187		0.36	<10	<10	107	<10	122	
S216188		0.32	<10	<10	99	<10	100	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216189		3.26	1.420		1.1	7.11	63	1120	1.1	<2	5.83	0.5	8	5	35	3.94
S216190		0.12	>10.0	10.95	>100	6.10	373	380	1.0	<2	3.96	4.3	12	32	147	3.88
S216191		2.90	1.090		1.8	7.72	63	1870	1.3	<2	4.44	0.6	10	5	29	3.47
S216192		3.49	0.887		1.3	7.92	48	2020	1.2	<2	2.85	<0.5	11	5	36	3.64
S216193		3.12	0.278		1.2	8.34	77	850	1.4	<2	2.70	1.5	10	5	22	3.86
S216194		3.56	0.592		1.2	7.68	29	2130	1.3	<2	3.21	0.6	10	5	23	3.64
S216195		3.22	0.713		1.0	7.23	26	2290	1.2	<2	3.65	0.5	11	5	26	3.43
S216196		3.26	0.528		0.8	7.74	23	2240	1.0	<2	4.01	0.6	11	5	37	3.81
S216197		3.88	0.959		1.0	7.29	22	2110	1.0	<2	3.87	<0.5	10	5	25	3.61
S216198		2.64	1.035		1.1	7.33	23	2270	1.0	<2	3.68	0.5	10	5	40	3.53
S216199		1.91	1.005		1.2	8.00	40	2350	1.2	<2	3.13	<0.5	12	5	26	3.88
S216200		0.45	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.0	<0.5	1	1	<1	0.04
S216201		4.43	<0.005		<0.5	7.99	<5	3140	1.0	<2	7.65	0.5	21	13	90	5.35
S216202		5.70	<0.005		0.5	7.83	<5	3930	1.1	<2	7.01	<0.5	19	18	108	5.24
S216203		6.67	<0.005		<0.5	8.06	5	2770	1.0	<2	9.27	<0.5	19	17	69	5.33
S216204		6.68	<0.005		<0.5	7.85	<5	2340	0.9	<2	2.87	<0.5	18	16	33	5.37
S216205		5.89	<0.005		<0.5	8.07	<5	2250	1.0	<2	7.63	<0.5	19	17	138	5.60
S216206		6.55	<0.005		<0.5	8.83	5	2230	1.1	<2	2.21	<0.5	22	17	72	6.11
S216206D		<0.02	<0.005		<0.5	8.89	5	2220	1.1	<2	2.20	<0.5	22	18	75	6.11
S216207		6.55	<0.005		<0.5	8.66	6	2180	1.0	<2	2.43	<0.5	23	20	51	6.75
S216208		9.10	<0.005		<0.5	8.99	5	2200	1.2	<2	1.61	<0.5	21	12	111	5.81
S216209		3.56	<0.005		<0.5	9.17	<5	2250	1.2	<2	1.35	<0.5	20	11	20	6.36
S216210		0.13	1.045		12.5	6.38	335	970	1.0	<2	3.63	4.3	10	27	83	4.05
S216211		5.55	<0.005		<0.5	9.30	<5	2090	1.2	<2	1.16	<0.5	19	11	60	5.46
S216212		6.41	<0.005		<0.5	8.04	<5	1850	1.2	<2	3.14	<0.5	18	11	44	4.59
S216213		7.14	<0.005		<0.5	9.01	<5	2130	1.2	<2	1.95	<0.5	16	17	1	4.32
S216214		6.50	<0.005		<0.5	8.36	9	1850	1.1	<2	1.96	<0.5	15	35	14	5.54
S216215		4.33	<0.005		<0.5	8.25	5	1490	1.0	<2	2.02	<0.5	19	14	121	5.65
S216216		6.00	<0.005		<0.5	8.83	8	1700	1.1	<2	2.70	<0.5	19	10	30	6.11
S216217		6.59	<0.005		<0.5	9.25	6	2010	1.3	<2	1.24	<0.5	20	14	15	6.37
S216218		6.12	<0.005		<0.5	8.92	7	1910	1.3	<2	1.52	<0.5	18	16	22	6.23
S216219		6.19	<0.005		<0.5	8.71	5	1830	1.2	<2	1.50	<0.5	15	11	32	5.85
S216220		0.66	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.0	<0.5	2	1	2	0.25
S216221		6.77	<0.005		<0.5	9.31	<5	1620	1.4	<2	1.34	<0.5	17	10	11	4.98
S216222		6.01	<0.005		<0.5	8.95	5	1340	1.4	<2	1.87	<0.5	16	6	1	4.16
S216223		5.96	<0.005		<0.5	9.36	8	1210	1.3	<2	2.11	<0.5	13	5	5	3.82
S216224		6.78	<0.005		<0.5	7.87	5	1040	0.9	<2	1.12	<0.5	14	5	111	3.71
S216225		5.83	<0.005		<0.5	9.89	<5	1200	1.5	<2	1.46	<0.5	26	3	5	3.98
S216226		6.41	0.005		<0.5	9.71	7	1720	1.3	<2	0.81	<0.5	19	18	3	5.28
S216226D		<0.02	0.005		<0.5	9.48	7	1690	1.3	2	0.79	<0.5	19	17	6	5.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216189		20	3.24	10	1.09	1905	34	0.07	1	840	22	1.84	<5	10	139	<20
S216190		10	3.76	10	0.49	1435	8	0.16	21	870	245	3.16	61	11	205	<20
S216191		20	3.79	10	0.98	1435	41	0.07	1	920	26	1.60	<5	10	137	<20
S216192		20	3.52	10	1.17	1235	67	0.23	2	860	21	1.42	8	11	124	<20
S216193		20	4.10	10	0.96	1015	33	0.13	2	930	38	2.28	13	11	137	<20
S216194		20	3.72	10	1.04	1260	36	0.17	3	880	19	1.44	<5	10	128	<20
S216195		20	3.49	10	1.10	1395	25	0.08	3	820	13	0.75	<5	9	155	<20
S216196		20	3.07	10	1.29	1555	49	0.35	3	830	20	0.56	<5	11	166	<20
S216197		20	2.89	10	1.20	1450	64	0.70	4	830	23	0.46	9	10	174	<20
S216198		20	2.73	10	1.22	1425	49	0.98	1	810	30	0.48	5	10	198	<20
S216199		20	3.50	10	1.17	1130	27	0.40	4	900	40	1.34	<5	11	137	<20
S216200		<10	0.01	<10	2.17	17	<1	<0.01	<1	40	<2	0.05	<5	<1	4760	<20
S216201		20	1.85	10	1.60	1980	<1	0.25	9	1220	18	0.01	<5	24	560	<20
S216202		20	1.80	10	1.66	2020	<1	0.26	10	840	24	0.01	6	26	355	<20
S216203		20	1.82	20	1.64	2420	1	0.41	9	1250	22	0.01	<5	26	425	<20
S216204		20	2.02	10	1.60	1465	<1	0.21	8	640	10	0.01	<5	24	153	<20
S216205		20	2.05	10	1.68	1860	<1	0.21	11	800	20	0.01	<5	25	210	<20
S216206		20	2.23	10	1.81	1380	<1	0.33	11	1200	4	<0.01	<5	27	170	<20
S216206D		20	2.23	10	1.81	1395	<1	0.33	11	1180	6	<0.01	5	27	167	<20
S216207		20	2.03	20	1.87	1420	<1	0.44	11	1480	6	0.01	9	27	180	<20
S216208		20	2.23	20	1.75	1100	<1	0.59	9	1720	6	0.01	7	24	205	<20
S216209		20	2.34	10	1.73	985	<1	0.61	5	570	4	<0.01	7	26	207	<20
S216210		10	3.87	10	0.57	1450	9	0.21	19	950	153	2.89	20	11	201	<20
S216211		20	2.23	10	1.90	981	<1	0.78	5	590	9	<0.01	5	23	243	<20
S216212		20	1.89	10	1.75	1250	<1	0.97	5	370	7	<0.01	<5	14	329	<20
S216213		20	2.28	10	1.44	759	<1	1.10	3	730	10	<0.01	<5	16	358	<20
S216214		20	2.02	10	1.55	850	<1	0.97	7	1780	12	<0.01	<5	25	242	<20
S216215		20	1.60	20	1.92	1075	<1	0.90	6	3390	2	<0.01	<5	21	245	<20
S216216		20	1.77	20	1.94	1250	<1	0.95	6	2550	9	<0.01	<5	21	274	<20
S216217		20	2.25	10	1.70	788	<1	0.78	5	910	8	<0.01	6	26	273	<20
S216218		20	2.12	10	1.69	808	<1	0.83	5	700	11	<0.01	<5	26	284	<20
S216219		20	2.01	20	1.58	713	<1	0.93	5	1450	10	<0.01	5	23	304	<20
S216220		<10	0.01	<10	1.94	27	<1	<0.01	1	40	<2	0.13	<5	<1	5310	<20
S216221		20	1.86	10	1.72	715	<1	1.21	5	550	8	<0.01	8	17	407	<20
S216222		20	1.57	20	1.37	522	<1	1.57	2	1100	8	<0.01	9	10	522	<20
S216223		20	1.41	20	1.35	544	<1	1.96	3	1010	20	<0.01	8	10	825	<20
S216224		10	1.13	20	1.44	515	<1	1.78	1	640	12	<0.01	<5	13	512	<20
S216225		20	1.44	20	1.49	518	<1	1.50	3	860	22	<0.01	<5	7	797	<20
S216226		20	2.15	30	0.87	330	<1	1.12	5	670	9	<0.01	12	22	401	<20
S216226D		20	2.17	30	0.85	311	<1	1.13	7	650	10	<0.01	<5	21	391	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216189		0.30	<10	<10	94	<10	194	
S216190		0.25	<10	<10	101	10	513	133
S216191		0.33	<10	<10	107	<10	192	
S216192		0.31	<10	<10	100	<10	208	
S216193		0.34	<10	<10	110	10	173	
S216194		0.31	<10	<10	108	<10	220	
S216195		0.30	<10	<10	102	<10	254	
S216196		0.29	<10	<10	95	<10	262	
S216197		0.30	<10	<10	96	<10	264	
S216198		0.29	<10	<10	94	<10	274	
S216199		0.31	<10	<10	101	<10	271	
S216200		<0.01	<10	<10	1	<10	<2	
S216201		0.48	<10	<10	199	<10	78	
S216202		0.47	<10	<10	244	<10	77	
S216203		0.48	<10	<10	220	<10	81	
S216204		0.47	<10	<10	183	<10	77	
S216205		0.49	<10	<10	179	<10	86	
S216206		0.53	<10	<10	196	<10	100	
S216206D		0.53	<10	<10	195	<10	100	
S216207		0.55	<10	<10	203	<10	101	
S216208		0.52	10	<10	171	<10	101	
S216209		0.55	<10	<10	169	<10	102	
S216210		0.25	<10	<10	109	10	474	
S216211		0.48	<10	<10	136	<10	101	
S216212		0.37	<10	<10	95	<10	96	
S216213		0.40	<10	<10	100	<10	86	
S216214		0.55	<10	<10	151	<10	89	
S216215		0.50	<10	<10	147	<10	107	
S216216		0.50	<10	<10	140	<10	117	
S216217		0.54	<10	<10	141	<10	108	
S216218		0.53	<10	<10	148	<10	104	
S216219		0.52	<10	<10	149	10	94	
S216220		<0.01	<10	10	1	<10	<2	
S216221		0.42	10	<10	119	<10	89	
S216222		0.31	<10	<10	117	<10	79	
S216223		0.30	<10	<10	133	<10	83	
S216224		0.30	<10	<10	118	<10	75	
S216225		0.28	<10	<10	112	<10	144	
S216226		0.47	<10	<10	136	<10	125	
S216226D		0.48	<10	<10	133	<10	127	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216227		6.10	<0.005		<0.5	9.48	7	1660	1.3	3	0.70	<0.5	23	14	6	7.36
S216228		6.09	<0.005		<0.5	10.15	5	1940	1.5	<2	0.64	<0.5	14	20	4	6.21
S216229		5.78	<0.005		<0.5	10.20	9	1810	1.6	3	0.58	<0.5	13	20	3	6.41
S216230		0.13	>10.0	10.50	>100	5.67	372	550	1.0	3	3.66	4.3	11	31	144	3.83
S216231		6.36	<0.005		<0.5	10.35	8	2040	1.5	5	0.93	<0.5	19	11	14	5.73
S216232		5.85	0.006		<0.5	10.70	<5	1880	1.7	<2	0.61	<0.5	13	9	5	5.46
S216233		6.22	<0.005		<0.5	10.05	8	1880	1.6	<2	0.61	<0.5	18	7	18	5.70
S216234		5.44	<0.005		<0.5	9.75	12	1890	1.6	<2	0.74	<0.5	9	11	15	5.40
S216235		6.06	<0.005		<0.5	9.81	10	1920	1.6	5	0.63	<0.5	9	11	45	5.01
S216236		5.55	<0.005		<0.5	9.90	9	1960	1.7	2	0.58	<0.5	11	10	13	4.21
S216237		5.26	<0.005		<0.5	10.40	9	1970	1.9	<2	0.65	<0.5	20	10	5	6.01
S216238		7.26	<0.005		<0.5	10.25	10	2230	1.8	3	0.80	<0.5	14	7	7	5.07
S216239		4.73	<0.005		<0.5	8.08	<5	2640	1.4	<2	2.60	<0.5	10	6	2	3.43
S216240		0.51	<0.005		<0.5	0.04	<5	10	<0.5	6	34.5	<0.5	<1	1	<1	0.03
S216241		5.66	<0.005		<0.5	10.05	8	2040	1.7	<2	1.03	<0.5	16	6	2	4.48
S216242		6.15	<0.005		<0.5	9.39	8	1530	1.5	<2	1.86	<0.5	13	5	<1	3.99
S216243		6.36	<0.005		<0.5	8.86	9	1090	1.3	<2	2.08	<0.5	10	5	1	3.75
S216244		5.48	<0.005		<0.5	8.72	<5	1050	1.3	2	2.24	<0.5	10	4	2	3.73
S216245		5.86	<0.005		<0.5	8.66	8	1000	1.4	3	2.84	<0.5	9	3	2	3.69
S216246		6.05	<0.005		<0.5	8.34	7	1010	1.3	2	3.21	<0.5	10	3	3	3.83
S216246D		<0.02	<0.005		<0.5	8.66	9	1040	1.3	<2	3.33	<0.5	10	4	3	3.92
S216247		5.86	<0.005		<0.5	8.38	5	930	1.4	4	3.58	<0.5	9	3	2	3.78
S216248		6.10	<0.005		<0.5	8.64	8	760	1.4	<2	2.71	<0.5	10	3	7	3.80
S216249		5.61	<0.005		<0.5	8.30	6	980	1.2	<2	3.00	<0.5	9	4	10	3.84
S216250		0.14	5.88		78.4	6.04	280	1250	0.9	<2	1.88	21.5	11	23	114	4.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216227		20	1.97	20	0.97	371	<1	0.98	8	470	10	<0.01	5	25	445	<20
S216228		20	2.37	10	0.59	227	<1	1.14	5	240	8	<0.01	<5	24	507	<20
S216229		20	2.33	10	0.59	238	<1	1.10	7	430	9	<0.01	5	23	501	<20
S216230		10	3.65	10	0.46	1330	9	0.16	22	820	246	2.98	61	10	197	<20
S216231		20	2.43	20	0.72	281	<1	1.07	9	1670	5	0.01	<5	28	488	<20
S216232		20	2.53	20	0.45	182	1	1.16	4	250	12	0.01	<5	23	538	<20
S216233		20	2.27	20	0.59	251	<1	1.07	8	650	8	0.01	<5	19	492	<20
S216234		20	2.42	30	0.33	150	1	1.07	2	650	9	<0.01	<5	22	502	<20
S216235		20	2.51	30	0.35	154	1	1.11	4	420	8	<0.01	6	17	491	<20
S216236		20	2.47	20	0.35	145	1	1.12	4	610	6	<0.01	<5	15	505	<20
S216237		20	2.28	20	0.73	295	<1	1.21	4	320	9	0.01	8	17	520	<20
S216238		20	2.47	30	0.77	319	<1	1.33	4	450	7	0.01	6	15	496	<20
S216239		20	1.47	20	0.80	503	1	1.61	<1	350	7	0.03	<5	10	540	<20
S216240		<10	<0.01	<10	1.76	18	1	0.01	<1	30	<2	0.04	<5	<1	4660	<20
S216241		20	2.35	30	0.75	341	<1	1.48	4	210	5	<0.01	<5	12	478	<20
S216242		20	1.72	20	0.94	461	<1	1.82	2	220	17	<0.01	<5	10	756	<20
S216243		20	1.20	20	1.22	619	1	2.11	2	570	14	<0.01	5	10	913	<20
S216244		20	0.96	20	1.23	739	<1	2.37	1	790	11	<0.01	<5	9	916	<20
S216245		20	0.96	10	1.06	852	<1	2.49	<1	790	11	<0.01	<5	9	975	<20
S216246		20	1.05	10	1.18	964	<1	2.05	2	740	12	<0.01	5	9	935	<20
S216246D		20	1.07	10	1.21	990	<1	2.10	2	770	13	<0.01	<5	10	956	<20
S216247		20	0.95	10	1.11	1040	<1	2.52	<1	880	9	<0.01	6	8	1020	<20
S216248		20	0.65	10	1.29	1095	1	3.11	2	940	10	<0.01	<5	9	1015	<20
S216249		20	0.38	20	0.75	978	1	3.64	1	810	11	0.02	<5	9	882	<20
S216250		10	3.58	10	0.47	1115	10	0.22	15	940	8250	2.91	74	12	142	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216227		0.50	<10	<10	127	<10	178	
S216228		0.55	<10	<10	157	<10	120	
S216229		0.54	<10	<10	218	<10	122	
S216230		0.23	10	10	97	10	504	135
S216231		0.50	<10	<10	191	<10	165	
S216232		0.44	<10	<10	145	<10	103	
S216233		0.38	<10	<10	125	<10	143	
S216234		0.50	<10	<10	135	<10	75	
S216235		0.47	<10	<10	122	<10	78	
S216236		0.34	<10	<10	88	<10	77	
S216237		0.43	<10	<10	108	<10	148	
S216238		0.39	<10	<10	114	<10	107	
S216239		0.28	<10	<10	82	<10	83	
S216240		<0.01	<10	<10	1	<10	<2	
S216241		0.36	<10	<10	113	<10	107	
S216242		0.36	<10	<10	109	<10	92	
S216243		0.34	<10	<10	110	<10	79	
S216244		0.34	<10	<10	110	<10	82	
S216245		0.35	<10	<10	111	<10	77	
S216246		0.33	<10	<10	109	<10	86	
S216246D		0.34	<10	<10	110	<10	87	
S216247		0.34	<10	<10	112	<10	81	
S216248		0.34	<10	<10	109	<10	92	
S216249		0.33	<10	<10	105	<10	81	
S216250		0.25	<10	<10	119	10	1780	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136967

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

CERTIFICATE TR15136978

Project: Bowser Regional Exploration

P.O. No.: BOW-0076

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313001		4.37	<0.005		<0.5	7.61	<5	2740	1.1	<2	1.63	<0.5	6	7	2	2.74
S313002		4.77	<0.005		<0.5	7.53	<5	2810	1.2	<2	2.15	<0.5	5	5	6	2.83
S313003		6.24	0.008		1.2	7.53	10	2230	1.3	<2	2.98	<0.5	13	31	433	4.18
S313004		5.27	<0.005		<0.5	7.63	7	2180	1.4	<2	3.20	<0.5	8	3	19	3.75
S313005		5.72	<0.005		<0.5	7.93	9	2310	1.6	<2	2.72	<0.5	7	2	15	3.70
S313006		3.23	<0.005		<0.5	7.79	6	2310	1.4	<2	2.96	<0.5	8	3	22	3.68
S313006D		<0.02	<0.005		<0.5	7.63	9	2230	1.3	<2	2.97	<0.5	8	2	20	3.64
S313007		8.14	0.010		<0.5	6.98	16	2300	1.1	<2	4.24	<0.5	7	3	15	3.48
S313008		6.35	0.005		<0.5	7.30	20	2590	1.3	<2	3.02	<0.5	8	3	9	3.50
S313009		5.94	<0.005		<0.5	7.74	10	2460	1.2	<2	3.43	<0.5	7	2	10	3.53
S313010		0.12	0.914		12.6	5.92	306	420	1.0	<2	3.54	4.5	11	27	84	3.99
S313011		6.84	0.010		<0.5	7.60	22	2380	1.2	<2	2.88	<0.5	7	3	9	3.65
S313012		5.83	0.005		<0.5	7.87	17	2450	1.3	<2	2.66	<0.5	7	2	11	3.63
S313013		5.82	<0.005		<0.5	7.84	5	2310	1.1	<2	3.38	<0.5	7	3	8	3.64
S313014		6.37	<0.005		<0.5	7.94	7	2550	1.2	<2	2.85	<0.5	9	2	9	3.67
S313015		6.75	<0.005		<0.5	7.52	11	1960	1.1	<2	3.36	<0.5	7	2	8	3.70
S313016		5.83	<0.005		<0.5	7.95	10	1960	1.2	<2	3.65	<0.5	7	2	16	3.62
S313017		4.46	0.020		0.9	7.74	27	1980	1.1	<2	3.56	0.5	15	10	483	4.45
S313018		6.34	<0.005		<0.5	7.25	15	2220	1.1	<2	3.01	<0.5	7	2	19	3.44
S313019		5.03	<0.005		<0.5	7.23	5	2200	1.1	<2	2.95	<0.5	7	2	8	3.62
S313020		0.39	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.8	<0.5	<1	<1	<1	0.04
S313021		5.16	<0.005		<0.5	7.85	20	1290	1.5	<2	3.34	<0.5	9	9	14	3.56
S313022		6.27	<0.005		<0.5	7.72	10	2640	1.6	<2	3.65	<0.5	14	23	13	4.59
S313023		8.55	<0.005		<0.5	7.32	7	2230	1.1	<2	3.23	<0.5	8	3	9	3.50
S313024		7.95	<0.005		<0.5	7.72	<5	2300	1.1	<2	3.05	<0.5	7	2	12	3.54
S313025		6.57	<0.005		<0.5	7.32	<5	2610	1.2	<2	3.19	<0.5	7	2	7	3.51
S313026		7.23	0.058		<0.5	7.34	<5	2530	1.3	<2	3.28	<0.5	7	3	9	3.43
S313026D		<0.02	0.072		<0.5	7.62	<5	2540	1.3	<2	3.47	<0.5	7	3	8	3.46
S313027		7.09	<0.005		<0.5	7.53	<5	2870	1.2	<2	2.70	<0.5	7	7	12	3.52
S313028		6.17	<0.005		<0.5	7.64	<5	2980	1.3	<2	3.00	<0.5	7	4	16	3.57
S313029		6.35	<0.005		<0.5	7.35	<5	3220	1.3	<2	2.79	<0.5	7	3	17	3.50
S313030		0.12	>10.0	10.95	>100	6.04	378	710	1.0	<2	3.88	4.6	12	32	148	3.92
S313031		6.99	<0.005		<0.5	7.40	<5	3040	1.3	<2	3.09	<0.5	7	3	7	3.60
S313032		7.04	<0.005		<0.5	7.58	<5	2770	1.3	<2	3.30	<0.5	6	3	8	3.57
S313033		5.68	<0.005		<0.5	7.62	<5	3230	1.2	<2	2.67	<0.5	7	2	8	3.57
S313034		7.34	<0.005		<0.5	7.64	<5	3180	1.3	<2	2.52	<0.5	7	2	10	3.54
S313035		6.12	<0.005		<0.5	7.90	<5	2940	1.2	<2	2.90	<0.5	7	3	21	3.71
S313036		6.41	<0.005		<0.5	7.99	<5	3120	1.3	<2	2.53	<0.5	8	2	13	3.67
S313037		6.77	<0.005		<0.5	8.13	5	3080	1.3	<2	3.06	<0.5	7	3	6	3.77
S313038		6.40	0.033		<0.5	8.03	5	2490	1.4	<2	3.61	<0.5	7	2	9	3.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313001		20	3.56	10	0.70	969	<1	3.35	<1	680	5	<0.01	<5	5	431	<20
S313002		20	3.67	10	0.75	1100	<1	3.17	<1	690	14	0.01	<5	5	461	<20
S313003		20	3.73	10	1.54	2050	10	2.47	18	1050	21	0.17	5	8	394	<20
S313004		20	3.50	10	1.02	1580	<1	2.63	<1	1080	5	0.03	<5	7	419	<20
S313005		20	3.86	10	0.97	1400	<1	2.40	<1	1070	7	0.07	<5	7	417	<20
S313006		20	3.46	10	0.96	1375	1	2.73	<1	1100	9	0.20	<5	7	438	<20
S313006D		20	3.38	10	0.94	1380	1	2.69	<1	1060	6	0.21	5	7	432	<20
S313007		20	3.07	10	0.96	1355	1	2.79	<1	970	9	0.29	<5	6	413	<20
S313008		20	3.57	10	0.89	1130	<1	2.57	<1	1040	3	0.30	<5	7	405	<20
S313009		20	3.35	10	0.96	1255	1	2.76	<1	1050	3	0.22	6	7	416	<20
S313010		10	3.77	10	0.54	1405	8	0.21	19	890	140	2.83	21	11	196	<20
S313011		20	3.33	10	0.99	1295	1	2.95	<1	1050	6	0.45	<5	7	378	<20
S313012		20	3.49	10	1.05	1335	<1	2.77	<1	1040	6	0.35	9	7	314	<20
S313013		20	3.17	10	0.99	1325	<1	3.03	<1	1070	4	0.22	<5	7	381	<20
S313014		20	3.49	10	0.98	1230	1	2.89	<1	1060	4	0.28	<5	7	437	<20
S313015		20	3.07	10	1.00	1320	<1	2.90	<1	1030	5	0.43	<5	7	332	<20
S313016		20	2.96	10	1.03	1195	<1	2.80	<1	1040	<2	0.21	5	8	404	<20
S313017		20	3.34	10	1.18	1430	165	2.42	6	1110	10	0.45	6	10	378	<20
S313018		20	2.98	10	0.62	1075	1	3.09	<1	1010	5	0.11	5	6	496	<20
S313019		20	2.99	10	0.68	1110	<1	3.10	<1	1050	4	0.06	5	7	536	<20
S313020		<10	0.01	<10	1.84	19	<1	0.01	<1	30	<2	0.06	<5	<1	4900	<20
S313021		20	3.07	10	0.84	1060	1	2.08	1	1280	3	0.16	7	8	419	<20
S313022		20	3.15	30	1.46	1040	1	1.71	7	2210	8	0.18	6	9	551	<20
S313023		20	2.87	10	0.83	1075	1	3.05	<1	980	2	0.15	<5	7	441	<20
S313024		20	2.91	10	0.92	1050	1	3.00	<1	990	2	0.09	<5	7	398	<20
S313025		20	3.03	10	0.83	1065	<1	2.82	<1	970	<2	0.08	6	7	570	<20
S313026		20	2.85	10	0.81	1085	<1	2.88	<1	920	2	0.04	10	6	751	<20
S313026D		20	2.81	10	0.83	1100	<1	2.90	<1	940	3	0.04	8	7	800	<20
S313027		20	3.29	10	0.88	1060	<1	2.88	<1	920	<2	<0.01	<5	7	554	<20
S313028		20	3.45	10	0.92	1130	<1	2.89	<1	970	3	0.01	5	7	558	<20
S313029		20	3.54	10	0.81	1010	<1	2.60	<1	950	7	0.01	7	7	515	<20
S313030		10	3.69	10	0.49	1430	7	0.16	21	830	245	3.14	64	11	210	<20
S313031		20	3.62	10	0.83	1055	<1	2.53	<1	990	6	0.01	<5	7	439	<20
S313032		20	3.64	10	0.82	1050	<1	2.42	1	980	8	0.05	<5	7	485	<20
S313033		20	3.83	10	0.81	1050	<1	2.69	<1	990	2	0.01	<5	7	508	<20
S313034		20	3.83	10	0.85	1010	<1	2.53	<1	970	<2	<0.01	5	7	474	<20
S313035		20	3.82	10	0.87	1095	<1	2.74	1	1020	5	0.01	<5	7	421	<20
S313036		20	3.78	10	0.88	1050	<1	2.80	1	1020	4	0.01	<5	7	503	<20
S313037		20	3.46	10	0.97	1160	<1	2.99	<1	1050	5	0.04	<5	7	580	<20
S313038		20	2.93	10	0.89	1125	1	3.01	1	1020	8	0.15	5	7	676	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313001		0.24	<10	<10	59	<10	65	
S313002		0.24	<10	<10	63	<10	71	
S313003		0.32	<10	<10	139	<10	109	
S313004		0.33	<10	<10	104	<10	83	
S313005		0.33	<10	<10	104	<10	85	
S313006		0.33	<10	<10	104	<10	84	
S313006D		0.33	<10	<10	102	<10	83	
S313007		0.30	<10	<10	95	<10	74	
S313008		0.32	<10	<10	101	<10	76	
S313009		0.33	<10	<10	101	<10	71	
S313010		0.25	<10	<10	105	<10	494	
S313011		0.33	<10	<10	100	<10	76	
S313012		0.33	<10	<10	102	10	78	
S313013		0.33	<10	<10	103	<10	77	
S313014		0.33	<10	<10	103	<10	78	
S313015		0.32	<10	<10	101	10	72	
S313016		0.32	<10	<10	99	<10	78	
S313017		0.36	<10	<10	133	10	100	
S313018		0.32	<10	<10	105	<10	77	
S313019		0.32	<10	<10	103	<10	72	
S313020		<0.01	<10	<10	1	<10	<2	
S313021		0.39	<10	<10	103	<10	67	
S313022		0.64	<10	<10	113	<10	104	
S313023		0.31	<10	<10	95	<10	76	
S313024		0.31	<10	<10	95	<10	78	
S313025		0.30	<10	<10	107	<10	69	
S313026		0.29	<10	<10	107	<10	66	
S313026D		0.29	<10	<10	113	<10	66	
S313027		0.30	<10	<10	96	<10	72	
S313028		0.30	<10	<10	93	<10	76	
S313029		0.30	10	<10	95	<10	72	
S313030		0.24	<10	<10	101	<10	534	133
S313031		0.31	<10	<10	95	<10	74	
S313032		0.31	<10	<10	95	<10	73	
S313033		0.30	<10	<10	94	<10	74	
S313034		0.29	<10	<10	94	<10	70	
S313035		0.30	<10	<10	97	<10	76	
S313036		0.32	<10	<10	98	<10	79	
S313037		0.33	<10	<10	100	<10	77	
S313038		0.31	<10	<10	104	<10	77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313039		3.42	0.005		<0.5	8.04	8	2040	1.4	<2	3.65	<0.5	7	2	20	3.70
S313040		0.47	<0.005		<0.5	0.09	<5	30	<0.5	<2	36.9	<0.5	<1	<1	<1	0.06
S313041		7.68	0.025		0.6	7.60	22	1780	1.3	<2	4.71	<0.5	14	61	554	4.00
S313042		6.21	0.030		0.8	7.42	20	1230	1.5	<2	4.51	<0.5	19	55	721	3.82
S313043		6.23	0.016		0.6	7.57	29	1180	1.5	<2	3.47	<0.5	16	58	585	4.17
S313044		6.04	0.015		0.5	7.71	36	1490	1.6	<2	3.77	<0.5	14	66	609	4.25
S313045		6.22	0.056		0.9	7.54	45	910	1.7	<2	5.91	15.4	14	46	646	4.36
S313046		6.70	0.038		1.0	7.62	42	800	1.1	<2	4.27	<0.5	19	60	908	4.61
S313046D		<0.02	0.036		0.8	7.30	40	550	1.1	<2	4.18	<0.5	18	58	868	4.46
S313047		5.54	0.027		0.8	7.75	49	1330	1.1	<2	4.35	0.5	17	47	832	4.15
S313048		4.86	0.052		0.7	6.34	97	1590	1.6	<2	5.36	<0.5	25	12	198	7.33
S313049		6.35	0.098		0.6	6.62	70	870	1.4	<2	5.42	<0.5	21	44	363	6.55
S313050		0.13	5.67		81.9	6.48	301	590	1.0	<2	2.02	23.7	12	22	124	4.97
S313051		6.53	0.052		0.6	5.66	60	520	1.0	<2	3.14	<0.5	12	70	502	3.65
S313052		6.32	0.047		0.8	7.20	47	640	1.1	<2	4.31	<0.5	26	84	992	5.20
S313053		6.73	0.022		0.8	7.87	27	500	1.0	<2	5.69	<0.5	25	65	1190	5.87
S313054		5.65	0.047		0.9	7.52	38	260	1.0	<2	5.11	<0.5	27	62	1260	5.95
S313055		5.55	0.045		1.0	7.17	40	690	0.9	<2	5.11	<0.5	23	63	1250	5.55
S313056		5.95	0.034		0.6	7.01	56	510	1.1	<2	5.89	<0.5	23	76	736	5.72
S313057		6.57	0.088		0.5	7.39	76	670	1.1	<2	4.98	<0.5	18	103	750	4.85
S313058		6.68	0.068		1.0	7.33	78	350	1.1	<2	4.06	<0.5	16	35	984	4.50
S313059		5.75	0.186		2.2	5.55	209	360	1.2	<2	10.80	21.0	15	51	962	4.98
S313060		0.80	<0.005		<0.5	0.07	<5	20	<0.5	<2	36.8	<0.5	<1	<1	3	0.06
S313061		6.56	0.037		0.9	6.78	39	770	0.8	<2	5.35	<0.5	13	64	1010	4.02
S313062		5.90	0.076		0.8	6.63	55	760	0.8	<2	6.25	<0.5	12	73	900	4.44
S313063		6.08	0.110		1.4	6.83	35	540	0.9	<2	4.39	0.5	16	79	1480	5.30
S313064		5.88	0.053		1.1	7.68	42	1960	1.2	<2	4.65	<0.5	14	31	650	4.65
S313065		6.60	0.070		1.2	8.63	48	2180	1.3	<2	2.37	<0.5	9	5	286	4.37
S313066		6.14	0.019		<0.5	8.57	47	1380	0.8	<2	2.94	<0.5	6	3	17	3.29
S313066D		<0.02	0.018		<0.5	8.34	47	1340	0.8	<2	2.81	<0.5	6	3	17	3.16
S313067		5.75	0.025		0.7	7.86	52	2590	0.8	<2	2.85	<0.5	7	5	269	3.23
S313068		6.11	0.017		0.7	7.85	37	2900	1.1	<2	2.71	<0.5	7	6	282	3.38
S313069		6.34	<0.005		<0.5	7.58	10	2950	0.9	<2	1.83	<0.5	6	5	16	2.89
S313070		0.09	>10.0	18.30	22.6	6.71	774	200	1.4	<2	2.78	2.1	20	110	133	5.04
S313071		5.82	0.005		<0.5	7.66	13	3020	0.9	<2	1.82	<0.5	6	3	10	2.96
S313072		6.05	<0.005		<0.5	7.95	14	3060	0.9	<2	1.57	<0.5	5	4	14	2.96
S313073		5.92	<0.005		<0.5	7.57	12	3020	0.8	<2	1.76	<0.5	6	4	4	2.88
S313074		6.71	0.006		<0.5	6.68	27	2660	0.7	<2	3.67	<0.5	6	3	5	2.74
S313075		6.37	0.032		<0.5	7.72	47	1730	1.0	<2	2.38	<0.5	11	24	60	3.80
S313076		5.95	0.023		<0.5	7.41	22	3410	1.2	<2	3.65	<0.5	9	3	181	3.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313039		20	2.71	10	0.96	1115	1	3.10	<1	1040	<2	0.12	<5	7	598	<20
S313040		<10	0.03	<10	1.70	23	<1	0.02	<1	40	<2	0.13	<5	<1	6110	20
S313041		10	3.79	10	1.32	907	17	2.23	29	1510	2	1.43	7	13	543	<20
S313042		20	4.22	10	1.22	713	146	2.16	27	1360	4	2.15	5	12	380	<20
S313043		20	4.10	10	1.34	693	22	2.37	38	1560	2	1.98	<5	14	508	<20
S313044		20	4.60	10	1.40	670	12	2.21	41	1580	<2	2.06	<5	14	456	<20
S313045		20	4.08	10	1.38	933	31	2.12	38	1340	21	2.35	6	13	483	<20
S313046		10	4.30	10	1.12	706	11	2.56	44	1420	6	2.85	5	13	357	<20
S313046D		20	4.16	10	1.08	689	9	2.51	43	1370	6	2.74	5	13	346	<20
S313047		20	4.51	10	1.04	703	9	2.47	32	1560	3	2.30	<5	12	331	<20
S313048		20	3.19	10	2.28	1765	5	0.59	3	1270	16	1.01	9	29	181	<20
S313049		20	4.41	10	1.78	1440	49	0.71	19	1390	10	1.88	9	25	220	<20
S313050		10	3.79	10	0.50	1260	8	0.24	16	970	8880	3.18	82	13	155	<20
S313051		10	4.30	10	0.85	543	25	0.58	32	1160	10	2.40	6	13	158	<20
S313052		20	5.13	10	1.58	737	33	1.31	47	1670	6	3.22	<5	20	383	<20
S313053		20	4.58	10	2.02	818	31	1.71	43	1890	6	3.29	6	26	580	<20
S313054		20	4.95	10	1.74	827	62	1.74	44	1820	4	3.49	7	23	481	<20
S313055		20	5.11	10	1.61	821	31	1.37	44	1680	6	3.63	<5	22	376	<20
S313056		20	3.94	10	1.78	935	14	1.53	47	1680	2	3.59	5	23	413	<20
S313057		20	5.06	10	1.70	939	12	1.24	52	1630	4	2.67	9	19	331	<20
S313058		20	5.17	10	1.16	781	10	0.67	21	1560	11	3.00	6	19	309	<20
S313059		20	3.56	10	0.89	1725	9	0.17	32	1360	144	4.53	7	17	315	<20
S313060		<10	0.02	<10	2.04	23	<1	0.01	<1	40	<2	0.09	<5	<1	5620	<20
S313061		10	5.00	10	1.19	985	1	1.28	37	1370	3	1.95	<5	14	332	<20
S313062		10	4.86	10	1.28	1125	1	1.19	36	1430	36	2.33	<5	15	335	<20
S313063		20	3.69	10	1.39	944	2	1.57	36	1440	11	3.10	<5	15	452	<20
S313064		20	3.22	10	1.35	1330	5	2.46	12	1410	13	1.51	7	15	470	<20
S313065		20	3.43	10	1.09	1185	2	3.10	<1	1270	5	1.48	<5	10	357	<20
S313066		20	1.68	10	0.79	1095	3	5.28	<1	770	9	0.51	<5	6	339	<20
S313066D		20	1.67	10	0.76	1060	2	5.24	1	760	4	0.49	6	6	335	<20
S313067		10	2.77	10	0.77	1030	2	3.76	<1	900	7	0.45	<5	7	369	<20
S313068		20	3.30	10	0.78	1140	8	3.47	<1	990	8	0.25	<5	7	456	<20
S313069		10	3.58	10	0.71	971	1	3.10	<1	700	7	0.02	6	6	317	<20
S313070		10	2.96	10	0.70	1020	6	0.16	67	1610	57	4.25	17	19	183	<20
S313071		20	3.85	10	0.76	978	<1	2.96	<1	750	4	0.01	<5	6	291	<20
S313072		10	3.79	20	0.78	961	1	3.28	<1	750	3	0.02	<5	6	302	<20
S313073		20	3.43	10	0.73	1005	1	3.40	<1	690	9	0.03	<5	6	323	<20
S313074		10	2.85	10	0.72	1395	<1	3.46	<1	650	4	0.14	6	5	270	<20
S313075		20	2.04	10	1.18	1170	2	3.91	4	890	9	0.59	<5	10	302	<20
S313076		20	4.03	10	0.80	1130	3	2.40	1	1240	3	0.44	5	10	793	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313039		0.32	<10	<10	99	<10	77	
S313040		<0.01	<10	<10	1	<10	<2	
S313041		0.31	<10	<10	171	<10	72	
S313042		0.33	<10	<10	165	<10	43	
S313043		0.31	<10	<10	186	<10	52	
S313044		0.33	<10	<10	205	<10	49	
S313045		0.32	<10	<10	199	<10	1295	
S313046		0.34	<10	<10	187	<10	49	
S313046D		0.33	<10	<10	181	<10	47	
S313047		0.32	<10	<10	183	<10	46	
S313048		0.71	<10	<10	284	10	159	
S313049		0.59	<10	<10	253	10	112	
S313050		0.26	<10	<10	129	<10	2000	
S313051		0.29	<10	<10	183	<10	37	
S313052		0.38	<10	<10	251	<10	37	
S313053		0.43	<10	<10	300	<10	41	
S313054		0.41	<10	<10	291	<10	52	
S313055		0.38	<10	<10	243	<10	47	
S313056		0.40	<10	<10	264	<10	47	
S313057		0.38	<10	<10	237	10	63	
S313058		0.27	<10	<10	206	<10	61	
S313059		0.30	<10	<10	228	<10	1630	
S313060		<0.01	<10	<10	2	<10	2	
S313061		0.29	<10	<10	180	<10	73	
S313062		0.32	<10	<10	201	<10	64	
S313063		0.32	<10	<10	236	<10	59	
S313064		0.40	<10	<10	179	10	81	
S313065		0.28	<10	<10	129	<10	50	
S313066		0.26	<10	<10	65	<10	60	
S313066D		0.26	<10	<10	63	<10	58	
S313067		0.24	<10	<10	81	<10	61	
S313068		0.26	<10	<10	97	<10	65	
S313069		0.25	<10	<10	62	<10	66	
S313070		0.36	<10	<10	180	<10	231	
S313071		0.26	<10	<10	66	<10	67	
S313072		0.25	<10	<10	66	<10	67	
S313073		0.24	<10	<10	60	<10	67	
S313074		0.24	10	<10	58	<10	62	
S313075		0.27	<10	<10	107	<10	69	
S313076		0.26	<10	<10	138	<10	57	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313077		6.26	0.022		<0.5	8.11	22	3090	1.2	<2	3.43	<0.5	10	3	81	3.97
S313078		5.80	0.032		1.0	8.07	36	2440	1.0	<2	2.39	<0.5	9	3	284	3.42
S313079		6.58	0.062		3.9	7.13	41	2090	1.1	<2	5.08	0.7	8	3	1170	4.10
S313080		0.60	<0.005		<0.5	0.06	<5	20	<0.5	<2	35.5	<0.5	<1	<1	<1	0.03
S313081		6.77	0.069		0.5	7.71	76	1120	1.2	<2	3.04	<0.5	10	3	225	4.12
S313082		6.11	0.037		<0.5	7.55	48	3850	1.2	<2	3.88	<0.5	9	4	152	3.69
S313083		6.74	0.177		0.8	8.08	149	570	1.6	<2	2.85	0.6	14	39	150	4.59
S313084		6.71	0.140		1.3	6.47	102	530	1.3	<2	4.32	0.7	10	18	230	3.95
S313085		7.41	0.062		0.8	7.53	78	570	1.3	<2	3.40	<0.5	12	4	549	3.96
S313086		6.16	0.058		1.8	7.50	43	1020	1.3	<2	3.43	<0.5	12	4	785	4.03
S313086D		<0.02	0.059		1.6	7.44	46	1030	1.3	<2	3.41	<0.5	12	4	829	3.93
S313087		6.65	0.045		1.0	7.44	35	3980	1.2	<2	3.88	<0.5	11	5	717	3.94
S313088		6.15	0.124		0.8	7.88	188	1340	1.6	<2	2.98	0.7	10	4	242	3.91
S313089		7.08	0.140		2.9	7.90	120	530	1.4	<2	2.93	0.5	12	4	1130	4.07
S313090		0.12	0.977		12.0	5.95	304	390	1.0	<2	3.62	4.5	11	27	84	4.02
S313091		6.70	0.110		1.3	8.57	369	690	1.5	<2	2.38	1.4	10	4	533	4.31
S313092		6.14	0.038		0.7	7.46	95	4020	1.2	<2	4.10	<0.5	11	5	362	3.85
S313093		5.30	0.059		1.2	7.73	77	820	1.3	<2	3.59	<0.5	9	4	199	4.12
S313094		7.01	0.022		<0.5	7.42	47	3790	1.2	<2	4.89	<0.5	9	4	52	3.97
S313095		5.29	0.019		<0.5	7.19	44	3980	1.2	<2	4.80	<0.5	8	4	39	3.94
S313096		6.18	0.025		<0.5	7.59	46	3330	1.3	<2	3.27	<0.5	10	9	36	4.08
S313097		6.65	0.034		<0.5	7.61	58	3890	1.1	<2	3.09	<0.5	9	5	89	3.67
S313098		6.54	0.039		2.8	7.25	59	3510	1.1	<2	3.53	<0.5	9	5	1480	3.94
S313099		5.17	0.030		<0.5	7.54	79	3840	1.2	<2	3.74	<0.5	9	4	39	3.79
S313100		0.55	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.7	<0.5	<1	<1	2	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313077		20	3.68	10	0.91	1210	<1	3.16	<1	1360	4	1.02	<5	10	516	<20
S313078		20	2.95	10	0.85	969	1	3.71	<1	980	8	1.12	<5	8	334	<20
S313079		20	3.89	10	1.07	1400	41	1.57	<1	1290	8	1.65	8	10	347	<20
S313080		<10	0.01	<10	1.97	17	<1	0.01	<1	30	<2	0.04	<5	<1	5620	20
S313081		20	4.91	10	1.01	1055	<1	1.45	<1	1470	9	1.78	7	11	514	<20
S313082		20	4.90	10	0.81	1045	<1	1.47	<1	1400	9	1.13	<5	11	516	<20
S313083		20	4.37	10	1.09	887	1	0.63	9	1190	15	2.61	9	15	151	<20
S313084		20	3.74	10	0.80	994	22	0.36	2	1130	37	2.80	9	11	117	<20
S313085		20	4.61	10	0.87	876	<1	1.04	<1	1370	6	2.46	5	11	209	<20
S313086		20	4.54	10	0.93	923	<1	1.19	1	1370	8	2.14	6	10	202	<20
S313086D		20	4.50	10	0.91	919	<1	1.17	<1	1350	3	2.10	8	10	201	<20
S313087		20	4.27	10	0.99	1120	87	1.78	<1	1400	6	1.07	5	10	498	<20
S313088		20	4.84	10	0.94	896	<1	0.75	<1	1400	19	2.03	5	11	172	<20
S313089		20	4.78	10	0.78	716	33	0.83	<1	1390	17	2.79	9	11	173	<20
S313090		10	3.79	10	0.55	1420	8	0.21	18	910	137	2.83	21	11	194	<20
S313091		20	4.96	10	0.88	737	10	0.61	<1	1420	18	2.47	12	12	175	<20
S313092		20	4.57	10	0.75	1055	4	1.72	<1	1370	11	0.95	5	10	570	<20
S313093		20	3.78	10	0.97	922	<1	1.17	1	1300	7	2.37	7	11	162	<20
S313094		20	3.83	10	0.86	1195	<1	1.92	<1	1390	7	0.80	5	10	806	<20
S313095		20	3.83	10	0.88	1220	<1	1.90	<1	1390	9	0.96	<5	10	573	<20
S313096		20	3.89	10	0.97	885	<1	1.82	2	1560	9	1.14	8	10	525	<20
S313097		20	4.38	10	0.78	917	<1	1.86	1	1250	2	0.65	<5	10	602	<20
S313098		20	4.23	10	0.83	1005	67	1.64	<1	1280	7	1.09	7	10	499	<20
S313099		20	4.54	10	0.74	1015	<1	1.59	<1	1350	5	0.64	5	10	632	<20
S313100		<10	0.01	<10	1.77	16	<1	0.01	<1	40	<2	0.06	<5	<1	5150	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313077		0.27	<10	<10	141	<10	59	
S313078		0.25	<10	<10	98	<10	52	
S313079		0.24	<10	<10	126	<10	59	
S313080		<0.01	<10	<10	1	<10	<2	
S313081		0.26	<10	<10	154	<10	66	
S313082		0.27	<10	<10	150	<10	66	
S313083		0.28	<10	<10	156	<10	84	
S313084		0.22	<10	<10	134	<10	73	
S313085		0.24	<10	<10	146	<10	58	
S313086		0.25	<10	<10	145	<10	44	
S313086D		0.25	<10	<10	143	<10	43	
S313087		0.27	<10	<10	154	<10	56	
S313088		0.26	<10	<10	154	<10	84	
S313089		0.25	<10	<10	151	<10	58	
S313090		0.25	<10	<10	106	<10	500	
S313091		0.26	<10	<10	159	<10	139	
S313092		0.26	<10	<10	152	<10	67	
S313093		0.25	<10	<10	136	<10	48	
S313094		0.26	<10	<10	150	<10	56	
S313095		0.26	<10	<10	145	<10	54	
S313096		0.35	<10	<10	137	<10	67	
S313097		0.25	<10	<10	143	<10	53	
S313098		0.25	<10	<10	139	<10	56	
S313099		0.27	<10	<10	153	<10	57	
S313100		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15136978

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

CERTIFICATE TR15137725

Project: Bowser Regional Exploration

P.O. No.: BOW-0077

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 9-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313101		5.52	0.030		0.5	7.46	60	3590	1.2	2	3.80	<0.5	6	3	121	3.76
S313102		6.02	0.024		<0.5	7.59	131	2830	1.2	<2	5.13	<0.5	5	6	45	3.70
S313103		7.60	0.019		0.6	7.56	60	3650	1.2	<2	3.91	<0.5	6	3	63	3.72
S313104		6.14	0.008		<0.5	7.62	105	2780	1.2	<2	4.98	<0.5	6	3	55	3.75
S313105		7.05	<0.005		<0.5	7.43	75	3610	1.1	<2	4.34	<0.5	6	3	67	3.62
S313106		6.58	0.039		1.1	7.01	70	3820	1.0	<2	4.48	<0.5	8	3	549	3.52
S313106D		<0.02	0.041		1.4	7.15	72	3710	1.0	<2	4.67	<0.5	7	3	521	3.49
S313107		6.42	0.007		<0.5	7.56	43	3540	1.1	<2	3.90	<0.5	7	3	58	3.21
S313108		6.54	0.016		<0.5	7.79	54	3890	1.2	<2	3.86	<0.5	7	3	185	3.48
S313109		6.47	0.139		0.7	7.69	41	3980	1.2	<2	3.18	<0.5	7	3	260	3.50
S313110		0.12	>10.0	10.75	>100	6.19	378	1080	1.0	<2	3.80	4.1	10	30	141	3.86
S313111		6.54	0.036		<0.5	7.30	36	3810	1.1	<2	3.99	<0.5	5	3	82	3.51
S313112		6.00	0.056		<0.5	7.62	42	4200	1.2	<2	3.92	<0.5	6	3	87	3.40
S313113		8.00	0.020		<0.5	7.37	40	4280	1.1	<2	4.17	<0.5	6	3	219	3.34
S313114		5.32	0.067		0.8	7.79	45	3810	1.1	<2	3.46	<0.5	6	3	640	3.42
S313115		6.79	0.063		<0.5	8.21	36	4260	1.2	2	3.52	<0.5	6	3	83	3.70
S313116		6.37	0.023		<0.5	8.10	46	4270	1.1	<2	3.81	<0.5	6	3	25	3.67
S313117		6.64	0.043		0.6	7.35	37	1820	1.1	<2	3.86	<0.5	6	3	41	3.46
S313118		6.25	0.189		2.4	8.39	95	370	1.4	3	1.98	0.6	6	3	254	4.29
S313119		6.49	0.079		0.6	9.03	79	1030	1.5	<2	2.01	<0.5	7	3	109	3.67
S313120		0.48	<0.005		<0.5	0.05	<5	20	<0.5	3	35.8	<0.5	<1	<1	<1	0.05
S313121		6.01	0.027		0.5	8.44	58	4620	1.3	<2	3.16	<0.5	7	3	168	3.40
S313122		6.02	0.037		<0.5	7.67	57	4760	1.0	<2	3.84	<0.5	4	4	51	3.66
S313123		5.86	0.029		0.5	8.16	68	4820	1.0	2	3.96	<0.5	5	3	55	3.64
S313124		5.47	0.021		0.6	7.95	67	4000	1.0	<2	3.71	<0.5	6	3	86	3.65
S313125		6.04	0.068		0.5	7.27	73	3410	1.1	<2	5.39	<0.5	3	3	181	3.12
S313126		6.40	0.046		0.6	7.71	44	3780	1.4	<2	3.72	<0.5	7	10	73	4.06
S313126D		<0.02	0.044		0.6	7.96	46	3820	1.5	<2	3.79	<0.5	9	11	78	4.22
S313127		5.90	0.120		0.5	7.78	43	3790	1.2	<2	3.83	<0.5	5	3	181	3.69
S313128		5.96	0.116		0.9	8.41	79	1760	1.4	<2	2.69	<0.5	6	3	197	3.54
S313129		5.97	0.035		<0.5	8.07	35	3580	1.2	<2	4.42	<0.5	5	4	201	3.97
S313130		0.13	5.62		78.4	6.22	286	560	1.0	<2	1.97	21.8	10	22	113	4.78
S313131		5.74	0.029		<0.5	7.38	37	3160	1.1	<2	4.34	0.9	4	4	67	3.36
S313132		6.12	0.084		0.7	8.04	76	2810	1.3	3	3.83	<0.5	4	3	110	4.14
S313133		6.35	0.139		1.9	8.07	80	3550	1.2	<2	4.37	<0.5	7	3	477	4.32
S313134		6.00	0.043		1.0	7.61	107	2680	1.2	<2	5.64	<0.5	5	4	330	4.17
S313135		5.78	0.084		1.7	7.77	53	3580	1.3	<2	4.01	<0.5	9	3	553	4.22
S313136		6.63	0.053		1.2	7.94	64	3020	1.1	<2	3.86	<0.5	20	3	287	4.15
S313137		5.62	0.074		0.9	7.76	84	3710	1.2	<2	3.83	<0.5	6	3	266	4.17
S313138		6.42	0.122		1.9	7.52	113	2940	1.3	<2	3.60	<0.5	9	3	587	4.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313101		20	4.42	10	0.74	1075	1	1.82	<1	1310	4	0.92	6	9	537	<20
S313102		20	3.47	10	0.85	1295	2	2.28	2	1360	6	0.65	6	9	572	<20
S313103		20	4.43	10	0.78	1045	1	1.96	<1	1370	4	0.57	<5	9	603	<20
S313104		20	3.14	10	0.73	1200	<1	2.46	<1	1330	3	0.20	7	9	940	<20
S313105		20	3.63	10	0.74	1130	<1	2.23	1	1230	6	0.18	5	9	986	<20
S313106		20	4.39	10	0.70	1140	3	1.91	<1	1100	7	0.89	<5	9	462	<20
S313106D		10	4.30	10	0.71	1150	3	1.85	<1	1090	4	0.85	<5	10	454	<20
S313107		20	3.57	10	0.68	980	1	2.79	<1	1190	<2	0.28	<5	9	784	<20
S313108		20	3.75	10	0.75	988	2	2.54	<1	1180	5	0.51	<5	9	865	<20
S313109		20	4.32	10	0.79	833	9	2.15	<1	1200	<2	0.98	<5	10	559	<20
S313110		10	3.74	10	0.49	1395	8	0.16	20	830	246	3.07	57	10	200	<20
S313111		20	4.02	10	0.71	969	2	2.25	<1	1150	4	0.37	<5	10	716	<20
S313112		20	4.32	10	0.79	995	1	2.11	1	1220	2	0.62	<5	10	529	<20
S313113		20	3.87	10	0.73	1035	2	2.59	<1	1190	<2	0.42	<5	9	760	<20
S313114		20	3.59	10	0.68	844	2	2.71	<1	1190	<2	0.72	<5	10	737	<20
S313115		20	4.25	10	0.80	888	2	2.38	<1	1250	2	0.86	<5	11	713	<20
S313116		20	3.87	10	0.86	946	2	2.35	<1	1230	2	0.75	<5	11	888	<20
S313117		20	4.18	10	0.71	841	2	1.87	<1	1170	7	1.43	<5	10	527	<20
S313118		20	4.77	10	0.67	423	1	0.99	<1	1180	11	3.80	8	11	153	<20
S313119		20	4.93	10	0.84	609	1	1.32	<1	1220	4	2.12	<5	11	242	<20
S313120		<10	0.02	<10	1.47	36	1	0.01	<1	40	<2	0.09	<5	<1	5460	<20
S313121		20	5.10	10	0.75	835	2	1.91	<1	1200	3	0.78	<5	10	447	<20
S313122		20	4.28	10	0.82	957	2	2.30	<1	1250	6	0.56	<5	10	841	<20
S313123		20	4.18	10	0.88	940	2	2.54	<1	1240	7	0.65	<5	10	890	<20
S313124		20	3.97	10	0.88	962	1	2.72	<1	1310	<2	0.76	5	10	742	<20
S313125		20	3.43	10	0.65	1110	17	2.70	<1	1180	4	0.72	7	9	820	<20
S313126		20	4.08	20	1.00	965	2	2.25	2	1760	4	0.84	5	10	551	<20
S313126D		20	4.12	20	1.05	991	4	2.33	4	1800	5	0.87	8	10	564	<20
S313127		20	4.58	10	0.79	950	2	2.06	<1	1330	5	0.96	<5	9	523	<20
S313128		20	5.01	10	0.91	862	2	1.41	<1	1320	12	1.73	<5	11	287	<20
S313129		20	4.02	10	0.90	1130	3	2.42	<1	1350	8	0.33	5	10	717	<20
S313130		10	3.74	10	0.48	1200	10	0.23	14	930	8770	3.00	72	12	144	<20
S313131		20	3.38	10	0.86	1125	2	2.98	1	1330	28	0.25	<5	9	622	<20
S313132		20	4.44	10	0.85	987	2	2.29	<1	1390	23	1.53	<5	10	583	<20
S313133		20	4.61	10	0.93	1060	2	1.74	<1	1370	9	1.17	6	10	512	<20
S313134		20	2.83	10	0.79	1110	6	2.55	<1	1330	10	0.78	9	10	1075	<20
S313135		20	4.08	10	0.90	1065	5	2.58	2	1400	9	0.86	<5	10	626	<20
S313136		10	3.46	10	0.90	1030	12	2.92	<1	1380	12	0.90	<5	11	661	<20
S313137		20	3.92	10	1.00	1025	3	2.43	<1	1410	14	0.71	8	10	754	<20
S313138		20	4.51	10	0.78	876	32	1.92	1	1310	11	1.34	<5	10	561	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313101		0.28	<10	<10	147	<10	47	
S313102		0.28	<10	10	146	<10	51	
S313103		0.29	<10	<10	153	<10	53	
S313104		0.28	<10	<10	156	<10	57	
S313105		0.26	<10	<10	150	<10	51	
S313106		0.23	<10	<10	138	<10	40	
S313106D		0.23	<10	<10	135	<10	38	
S313107		0.25	<10	<10	139	<10	43	
S313108		0.24	<10	<10	150	<10	46	
S313109		0.24	<10	<10	151	<10	45	
S313110		0.24	<10	<10	98	<10	500	144
S313111		0.24	<10	<10	154	<10	48	
S313112		0.27	<10	<10	150	<10	48	
S313113		0.24	<10	<10	147	<10	45	
S313114		0.25	<10	<10	142	<10	38	
S313115		0.26	<10	<10	153	<10	40	
S313116		0.25	<10	<10	153	<10	43	
S313117		0.23	<10	<10	140	<10	37	
S313118		0.23	<10	<10	133	<10	39	
S313119		0.25	<10	<10	144	<10	41	
S313120		<0.01	<10	<10	<1	<10	<2	
S313121		0.26	<10	<10	143	<10	48	
S313122		0.25	<10	<10	153	<10	49	
S313123		0.26	<10	<10	152	<10	41	
S313124		0.27	<10	<10	156	<10	43	
S313125		0.24	<10	<10	147	<10	29	
S313126		0.43	<10	10	141	<10	61	
S313126D		0.45	<10	<10	145	<10	65	
S313127		0.29	<10	<10	150	<10	40	
S313128		0.29	<10	<10	145	<10	54	
S313129		0.29	<10	<10	156	<10	49	
S313130		0.26	<10	<10	121	<10	1835	
S313131		0.28	<10	<10	149	<10	108	
S313132		0.29	<10	<10	156	<10	46	
S313133		0.28	<10	<10	160	<10	44	
S313134		0.29	<10	<10	155	<10	39	
S313135		0.29	<10	10	158	<10	50	
S313136		0.30	<10	10	156	<10	63	
S313137		0.29	<10	<10	162	<10	58	
S313138		0.28	<10	<10	150	<10	53	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313139		6.47	0.035		0.6	7.97	86	4340	1.3	<2	3.81	<0.5	6	3	80	3.95
S313140		0.44	<0.005		<0.5	0.03	<5	10	<0.5	3	34.9	<0.5	<1	<1	<1	0.04
S313141		7.26	0.147		0.9	8.42	596	4350	1.5	<2	2.86	0.9	8	3	174	4.36
S313142		5.45	0.272		1.9	8.30	175	3230	1.4	<2	2.83	<0.5	8	3	449	4.71
S313143		5.49	0.939		2.7	7.26	1140	2690	1.0	<2	4.96	1.7	4	3	203	3.83
S313144		6.79	0.187		1.9	7.86	133	3940	1.3	<2	3.37	<0.5	5	3	276	3.83
S313145		6.38	0.073		0.9	7.94	107	950	1.2	<2	2.79	<0.5	4	4	92	3.64
S313146		5.78	0.055		0.8	8.59	100	1460	1.3	<2	2.80	<0.5	8	3	274	3.84
S313146D		<0.02	0.058		0.7	8.53	101	1500	1.3	<2	2.75	<0.5	8	4	278	3.84
S313147		5.20	0.011		<0.5	8.16	72	4180	1.1	<2	4.44	<0.5	9	4	196	3.77
S313148		6.36	0.017		<0.5	8.19	66	4930	1.3	<2	3.45	<0.5	11	3	124	3.50
S313149		6.95	0.026		0.5	7.43	87	4010	1.1	<2	5.41	<0.5	8	3	105	3.42
S313150		0.12	>10.0	19.40	18.0	7.09	786	1260	1.4	<2	2.83	2.1	20	101	137	5.08
S313151		6.41	0.096		2.5	8.16	109	1190	1.1	2	2.99	<0.5	11	3	699	4.65
S313152		4.79	0.054		1.7	8.29	103	2110	1.0	<2	3.09	<0.5	10	3	535	4.55
S313153		4.18	0.031		<0.5	7.81	60	4090	1.1	<2	3.71	<0.5	12	2	162	3.85
S313154		6.23	0.100		1.8	8.03	178	1420	1.3	<2	2.89	<0.5	10	4	396	4.28
S313155		4.77	0.006		<0.5	7.82	109	2100	2.0	<2	4.13	1.1	18	37	25	5.34
S313156		4.14	<0.005		<0.5	7.88	92	1990	2.0	<2	4.00	<0.5	17	34	17	5.32
S313157		5.50	0.147		1.7	8.05	129	3880	1.3	<2	3.92	0.6	8	4	674	4.31
S313158		6.33	<0.005		<0.5	8.11	140	2190	2.0	2	3.87	<0.5	16	34	44	5.34
S313159		6.06	0.269		2.4	8.23	99	880	1.2	2	3.81	1.2	10	6	1105	4.65
S313160		0.95	<0.005		<0.5	0.05	<5	20	<0.5	<2	36.3	<0.5	<1	<1	<1	0.03
S313161		6.19	0.110		2.0	8.30	66	2490	1.3	<2	3.92	0.5	14	4	1055	4.32
S313162		6.21	0.052		<0.5	8.51	46	3940	1.3	<2	4.31	<0.5	9	4	126	4.24
S313163		6.26	0.188		2.4	8.08	123	1220	1.3	<2	3.68	0.5	11	3	406	4.16
S313164		6.03	1.035		1.2	7.72	61	2340	1.2	<2	4.25	<0.5	8	4	372	4.16
S313165		5.89	0.197		1.6	8.63	96	720	1.3	<2	3.29	<0.5	9	3	396	4.49
S313166		5.64	0.043		0.5	8.12	105	3670	1.2	<2	4.62	<0.5	7	4	148	4.13
S313166D		<0.02	0.043		0.5	8.48	112	3780	1.3	<2	5.00	<0.5	7	5	152	4.26
S313167		5.71	0.093		0.8	8.32	112	3850	1.4	<2	3.64	<0.5	10	4	263	4.22
S313168		5.91	0.029		<0.5	8.49	68	4240	1.3	<2	3.54	<0.5	15	3	134	4.04
S313169		5.87	0.057		<0.5	8.55	75	3680	1.3	<2	4.32	<0.5	8	4	234	4.32
S313170		0.13	0.971		12.9	6.26	319	830	1.0	<2	3.68	4.3	11	27	88	4.16
S313171		5.80	0.026		<0.5	8.16	50	3830	1.3	<2	3.90	<0.5	11	4	191	4.22
S313172		5.95	0.085		1.1	7.96	57	3600	1.3	<2	3.98	<0.5	11	6	662	4.01
S313173		6.28	0.048		<0.5	8.32	56	4030	1.2	2	3.74	<0.5	7	4	151	3.99
S313174		6.09	0.215		0.9	7.83	82	3630	1.3	<2	4.49	<0.5	14	4	552	4.01
S313175		6.11	0.169		1.1	8.23	199	650	1.5	<2	2.94	0.8	9	4	131	4.12
S313176		5.76	0.034		<0.5	8.22	90	5000	1.3	<2	3.54	<0.5	13	6	120	3.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313139		20	4.81	10	0.88	1020	2	1.86	<1	1440	9	0.82	<5	11	613	<20
S313140		<10	0.01	<10	1.80	22	1	0.01	<1	40	3	0.05	<5	<1	5030	<20
S313141		20	4.89	10	1.18	1100	20	2.17	<1	1430	22	1.11	<5	12	385	<20
S313142		20	4.76	10	1.23	1110	34	2.00	1	1470	11	1.33	<5	11	411	<20
S313143		20	3.20	10	0.65	951	1	2.40	<1	1260	88	0.46	6	9	970	<20
S313144		20	4.76	10	0.82	886	6	1.99	<1	1320	23	1.03	6	10	548	<20
S313145		20	4.89	10	0.71	732	2	1.51	<1	1170	4	2.00	<5	10	293	<20
S313146		20	4.65	10	0.86	804	3	2.15	5	1310	12	1.71	<5	11	497	<20
S313146D		20	4.61	10	0.85	784	2	2.16	1	1320	9	1.74	5	11	495	<20
S313147		20	4.10	10	0.84	1095	6	2.52	<1	1410	12	0.35	<5	11	911	<20
S313148		20	4.57	10	0.87	1025	25	2.28	1	1230	5	0.53	<5	11	675	<20
S313149		20	3.51	10	0.72	1270	4	2.63	<1	1160	10	0.82	<5	10	795	<20
S313150		20	3.05	20	0.74	1020	8	0.17	69	1730	59	4.28	12	20	195	<20
S313151		20	4.45	10	0.90	1005	3	1.87	<1	1250	10	2.01	<5	11	547	<20
S313152		20	4.51	10	0.94	1075	6	2.16	<1	1270	7	1.40	<5	11	444	<20
S313153		20	4.78	10	0.75	906	3	1.82	<1	1280	5	0.72	<5	11	521	<20
S313154		20	4.57	10	1.03	749	3	1.16	1	1370	15	1.82	<5	12	224	<20
S313155		20	2.47	40	1.78	982	3	2.65	11	3200	80	0.22	12	11	836	<20
S313156		20	2.35	40	1.73	931	3	2.84	10	3120	22	0.16	12	11	841	<20
S313157		20	3.68	10	1.01	1040	4	2.34	1	1550	25	1.12	6	11	951	<20
S313158		20	2.51	40	1.76	870	4	2.85	10	3190	8	0.23	8	12	871	<20
S313159		20	3.82	10	0.95	946	37	2.45	2	1560	17	2.01	<5	11	761	<20
S313160		<10	0.01	<10	1.82	23	1	0.01	<1	40	<2	0.05	<5	<1	5550	<20
S313161		20	3.76	10	0.99	992	8	2.49	2	1490	11	1.35	<5	11	907	<20
S313162		20	4.01	10	0.98	1080	2	2.31	1	1490	15	0.60	<5	11	882	<20
S313163		20	4.23	10	0.94	995	37	1.86	1	1460	14	1.84	<5	11	518	<20
S313164		20	4.21	10	0.88	1145	3	2.00	2	1450	13	1.53	5	10	592	<20
S313165		20	4.64	10	0.99	1065	2	2.08	2	1580	12	2.32	<5	12	425	<20
S313166		20	3.64	10	0.85	1120	2	2.47	1	1490	3	0.64	<5	11	928	<20
S313166D		20	3.75	10	0.89	1175	2	2.56	<1	1580	8	0.66	<5	11	999	<20
S313167		20	4.37	10	0.98	953	6	2.15	2	1540	4	1.20	<5	11	654	<20
S313168		20	4.74	10	0.89	896	3	2.13	1	1500	2	0.79	<5	11	575	<20
S313169		20	4.08	10	1.00	1000	3	2.27	<1	1500	3	0.82	5	11	708	<20
S313170		10	3.93	10	0.58	1445	10	0.22	20	960	145	2.93	17	11	204	<20
S313171		20	4.14	10	1.01	979	2	2.42	1	1480	3	0.58	5	11	730	<20
S313172		20	4.12	10	0.98	976	21	2.31	1	1440	<2	0.98	<5	10	570	<20
S313173		20	4.36	10	0.96	947	5	2.19	1	1450	5	0.54	<5	11	683	<20
S313174		20	4.21	10	0.99	1020	15	1.94	1	1400	7	0.93	<5	10	567	<20
S313175		20	4.56	10	0.96	769	2	0.85	1	1350	12	2.29	5	11	200	<20
S313176		20	4.43	10	0.95	966	3	2.13	<1	1430	6	0.77	5	11	740	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313139		0.31	<10	<10	158	<10	57	
S313140		<0.01	<10	10	<1	<10	<2	
S313141		0.32	<10	<10	155	<10	94	
S313142		0.30	<10	<10	161	<10	68	
S313143		0.26	<10	<10	152	<10	111	
S313144		0.26	<10	<10	148	<10	60	
S313145		0.24	<10	<10	143	<10	32	
S313146		0.24	<10	<10	150	<10	47	
S313146D		0.24	<10	<10	148	<10	44	
S313147		0.25	<10	<10	154	<10	54	
S313148		0.24	<10	<10	141	<10	60	
S313149		0.22	<10	<10	141	<10	49	
S313150		0.35	<10	<10	182	<10	215	
S313151		0.22	<10	<10	155	<10	51	
S313152		0.24	<10	<10	164	<10	46	
S313153		0.24	<10	<10	155	<10	41	
S313154		0.27	<10	<10	150	<10	55	
S313155		0.87	<10	<10	129	<10	209	
S313156		0.85	<10	<10	127	<10	143	
S313157		0.29	<10	<10	167	<10	73	
S313158		0.86	<10	<10	128	<10	122	
S313159		0.31	10	<10	162	<10	62	
S313160		<0.01	<10	<10	1	<10	<2	
S313161		0.29	<10	<10	164	<10	70	
S313162		0.29	<10	<10	165	<10	70	
S313163		0.28	<10	<10	159	<10	58	
S313164		0.27	<10	<10	159	<10	61	
S313165		0.28	<10	<10	164	<10	52	
S313166		0.28	<10	<10	163	<10	39	
S313166D		0.30	<10	<10	174	<10	41	
S313167		0.29	<10	<10	165	<10	40	
S313168		0.29	<10	<10	166	<10	37	
S313169		0.29	<10	<10	163	<10	38	
S313170		0.25	<10	<10	108	<10	489	
S313171		0.29	<10	<10	164	<10	39	
S313172		0.28	<10	<10	157	<10	40	
S313173		0.28	<10	<10	160	<10	42	
S313174		0.27	<10	<10	149	<10	46	
S313175		0.26	<10	<10	148	<10	59	
S313176		0.27	<10	<10	158	<10	45	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313177		5.97	0.042		<0.5	7.52	87	3870	1.2	<2	3.97	<0.5	7	4	49	3.86
S313178		6.10	0.051		0.5	8.54	111	4620	1.4	<2	4.06	<0.5	8	4	234	4.08
S313179		5.76	0.071		<0.5	7.88	75	3830	1.3	<2	3.83	<0.5	13	4	226	4.22
S313180		0.85	<0.005		<0.5	0.04	<5	20	<0.5	3	35.0	<0.5	<1	1	3	0.03
S313181		5.70	0.083		0.6	8.23	98	1950	1.2	<2	3.25	<0.5	7	3	221	4.28
S313182		5.44	0.082		1.0	8.29	71	1190	1.3	<2	3.44	<0.5	12	4	394	4.44
S313183		6.43	0.022		<0.5	7.80	68	4470	1.2	2	4.10	<0.5	6	3	146	4.16
S313184		6.39	0.059		<0.5	7.26	130	6030	1.2	2	4.88	<0.5	9	4	113	3.70
S313185		6.19	0.018		0.5	7.86	77	3900	1.2	<2	4.25	<0.5	9	4	143	4.07
S313186		5.92	0.031		1.1	7.78	89	3780	1.3	<2	3.97	<0.5	9	4	323	4.08
S313186D		<0.02	0.054		0.9	8.02	87	3690	1.3	<2	4.01	<0.5	7	4	312	4.01
S313187		6.36	0.022		<0.5	7.66	142	4060	1.2	<2	3.85	<0.5	6	3	172	3.77
S313188		5.74	0.050		0.6	8.03	72	3460	1.3	<2	4.09	<0.5	8	3	230	4.32
S313189		5.82	0.046		0.5	8.16	51	3730	1.3	<2	4.14	<0.5	10	3	607	4.38
S313190		0.15	>10.0	10.70	>100	6.24	392	1080	1.0	2	3.96	4.5	13	32	156	4.14
S313191		6.69	0.118		1.1	8.00	232	1510	1.4	<2	3.58	<0.5	13	3	601	4.55
S313192		6.18	0.079		0.6	8.11	215	3050	1.3	3	3.50	<0.5	8	3	285	4.28
S313193		6.11	0.203		1.3	7.81	408	3530	1.3	<2	3.59	<0.5	13	3	714	4.17
S313194		5.86	0.060		0.8	7.90	393	3610	1.3	4	3.65	<0.5	24	3	545	4.44
S313195		6.20	0.048		0.6	8.46	428	3850	1.4	<2	3.57	<0.5	15	3	449	4.42
S313196		6.47	0.040		0.6	7.58	399	3710	1.3	3	3.78	<0.5	18	3	604	4.34
S313197		5.86	0.096		1.4	7.91	379	3930	1.3	2	3.73	<0.5	18	3	1040	4.41
S313198		6.30	0.029		<0.5	7.97	259	3180	1.2	<2	4.62	<0.5	8	4	319	4.16
S313199		5.75	0.041		<0.5	7.58	519	3630	1.2	<2	3.43	<0.5	8	3	231	3.93
S313200		0.62	<0.005		<0.5	0.05	<5	20	<0.5	4	34.4	<0.5	<1	1	1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313177		20	4.52	10	0.86	1175	2	1.79	1	1370	6	0.72	<5	10	592	<20
S313178		20	4.74	10	0.91	1015	3	1.98	<1	1500	5	0.91	<5	11	696	<20
S313179		20	4.56	10	1.02	1035	5	2.04	<1	1460	2	1.09	<5	11	542	<20
S313180		<10	0.01	<10	1.87	22	1	0.01	<1	30	2	0.05	<5	<1	4970	<20
S313181		20	5.52	10	0.85	857	2	1.82	1	1440	5	1.54	8	11	442	<20
S313182		20	5.21	10	0.99	880	12	1.83	1	1390	5	1.81	10	11	507	<20
S313183		20	4.42	10	0.81	951	3	2.34	1	1390	6	0.47	7	10	839	<20
S313184		20	3.55	10	0.92	1025	3	2.41	<1	1300	6	0.85	13	10	813	<20
S313185		20	4.30	10	0.93	1005	2	2.30	1	1390	3	0.36	6	10	688	<20
S313186		20	4.19	10	0.92	935	3	2.34	1	1430	4	0.39	5	10	672	<20
S313186D		20	4.25	10	0.94	942	2	2.30	1	1430	4	0.37	8	11	677	<20
S313187		20	4.84	10	0.96	1040	2	1.92	<1	1440	5	0.28	10	10	429	<20
S313188		20	4.42	10	1.03	1020	3	2.10	1	1460	8	0.82	11	11	475	<20
S313189		20	4.47	10	1.00	1035	4	2.35	<1	1500	5	0.47	7	11	455	<20
S313190		10	3.94	10	0.50	1430	10	0.18	23	890	259	3.20	66	11	213	<20
S313191		20	4.75	10	0.99	875	4	1.29	<1	1440	6	2.10	11	11	272	<20
S313192		20	4.57	10	1.01	876	2	1.92	<1	1430	8	1.51	11	11	317	<20
S313193		20	5.45	10	0.92	900	26	1.15	2	1450	7	1.20	13	10	334	<20
S313194		20	5.30	10	0.91	814	5	1.16	1	1400	6	1.21	12	11	404	<20
S313195		20	5.38	10	0.91	803	3	1.36	<1	1420	6	0.90	10	11	539	<20
S313196		20	5.05	10	0.80	790	3	1.53	<1	1380	7	0.94	12	10	591	<20
S313197		20	5.07	10	0.84	816	27	1.72	<1	1390	11	1.04	13	10	689	<20
S313198		20	4.15	10	0.79	885	10	1.96	2	1390	8	0.27	20	10	1020	<20
S313199		20	5.15	10	0.85	853	2	1.43	<1	1370	4	0.51	11	10	394	<20
S313200		<10	0.02	<10	2.03	22	1	0.01	<1	30	<2	0.13	<5	<1	5400	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313177		0.25	<10	<10	150	<10	45	
S313178		0.28	10	<10	171	<10	39	
S313179		0.27	<10	<10	159	<10	38	
S313180		<0.01	<10	<10	1	<10	<2	
S313181		0.28	<10	10	167	<10	37	
S313182		0.28	<10	<10	157	<10	38	
S313183		0.28	<10	<10	159	<10	37	
S313184		0.26	<10	<10	146	<10	35	
S313185		0.28	<10	<10	158	<10	40	
S313186		0.28	<10	<10	164	<10	41	
S313186D		0.29	<10	<10	161	<10	40	
S313187		0.28	<10	<10	162	10	39	
S313188		0.28	<10	<10	164	<10	44	
S313189		0.30	<10	10	171	<10	49	
S313190		0.25	10	<10	105	10	535	136
S313191		0.28	<10	10	161	<10	42	
S313192		0.29	<10	<10	159	<10	42	
S313193		0.28	<10	10	162	<10	52	
S313194		0.28	<10	<10	162	<10	47	
S313195		0.29	<10	10	162	<10	42	
S313196		0.28	<10	<10	158	<10	43	
S313197		0.27	<10	<10	160	<10	42	
S313198		0.28	<10	<10	158	<10	37	
S313199		0.28	<10	<10	156	<10	39	
S313200		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15137725

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

CERTIFICATE TR15138183

Project: Bowser Regional Exploration

P.O. No.: BOW-0078

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216251		5.39	<0.005		<0.5	7.87	5	990	1.2	<2	3.30	<0.5	8	4	12	3.76
S216252		6.14	<0.005		<0.5	8.27	10	780	1.4	<2	2.57	<0.5	9	4	9	4.03
S216253		6.29	<0.005		<0.5	8.35	7	840	1.3	<2	2.37	<0.5	9	7	10	3.77
S216254		6.33	<0.005		<0.5	8.48	11	660	1.2	<2	2.72	<0.5	8	8	18	3.61
S216255		6.48	<0.005		<0.5	8.39	12	660	1.2	<2	2.41	<0.5	7	3	27	3.47
S216256		5.14	<0.005		<0.5	8.63	9	1100	1.2	<2	2.60	<0.5	10	6	36	3.96
S216257		5.11	<0.005		<0.5	8.44	10	910	1.1	<2	2.98	<0.5	9	8	34	3.78
S216258		5.57	<0.005		<0.5	8.75	8	1120	1.4	<2	2.72	<0.5	11	8	22	3.91
S216259		5.32	<0.005		<0.5	8.83	9	1240	1.4	<2	2.63	<0.5	10	6	6	3.81
S216260		0.57	<0.005		<0.5	0.07	<5	20	<0.5	<2	35.2	<0.5	<1	3	<1	0.04
S216261		5.55	<0.005		<0.5	8.69	9	1300	1.3	<2	2.90	<0.5	9	3	6	3.65
S216262		6.22	<0.005		<0.5	8.27	11	1090	1.1	<2	2.88	<0.5	8	3	10	3.48
S216263		5.63	<0.005		<0.5	8.95	12	1090	1.3	<2	2.67	<0.5	9	3	7	3.61
S216264		5.93	<0.005		<0.5	8.03	6	1030	1.2	<2	3.81	<0.5	9	2	5	3.49
S216265		6.12	<0.005		<0.5	8.84	7	1130	1.3	2	2.41	<0.5	8	3	4	3.59
S216266		5.69	<0.005		<0.5	8.28	12	1890	1.0	<2	4.02	<0.5	8	3	12	3.62
S216266D		<0.02	<0.005		<0.5	8.31	10	2130	1.0	<2	4.20	<0.5	8	3	14	3.65
S216267		5.69	<0.005		<0.5	8.56	11	1100	1.1	<2	3.70	<0.5	8	3	7	3.82
S216268		5.98	<0.005		<0.5	7.85	12	1010	1.0	<2	4.33	0.5	8	3	6	3.46
S216269		5.77	<0.005		<0.5	8.22	8	1290	1.1	<2	3.47	<0.5	9	3	4	3.62
S216270		0.08	>10.0	18.80	20.7	7.06	817	1560	1.4	<2	2.76	2.1	20	115	139	5.10
S216271		6.06	<0.005		<0.5	9.25	8	1330	1.4	<2	3.03	<0.5	11	3	13	4.04
S216272		5.02	<0.005		<0.5	8.50	14	2270	1.3	2	4.34	<0.5	10	5	39	4.00
S216273		5.23	<0.005		<0.5	7.94	53	320	1.0	2	4.67	<0.5	36	54	20	8.92
S216274		5.02	<0.005		<0.5	7.69	51	200	0.8	<2	5.82	0.5	29	37	17	8.01
S216275		3.49	<0.005		<0.5	8.23	39	880	1.6	<2	1.98	<0.5	11	6	22	3.99
S216276		5.62	<0.005		<0.5	9.36	64	920	1.7	<2	1.28	<0.5	10	4	13	3.65
S216277		5.31	<0.005		<0.5	8.92	156	1320	1.5	<2	2.11	0.5	12	4	15	4.07
S216278		7.96	<0.005		<0.5	8.37	22	660	1.1	<2	2.40	<0.5	9	3	17	3.98
S216279		4.78	<0.005		<0.5	8.89	29	710	1.4	<2	1.96	<0.5	9	3	19	3.94
S216280		0.65	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.9	<0.5	<1	<1	7	0.03
S216281		6.36	<0.005		<0.5	7.98	74	500	1.3	<2	2.91	0.8	9	4	29	3.75
S216282		4.45	<0.005		<0.5	8.76	24	1430	1.4	<2	1.77	<0.5	8	6	17	4.04
S216283		6.25	<0.005		<0.5	8.28	225	860	1.4	<2	3.63	<0.5	9	3	17	3.86
S216284		6.10	<0.005		<0.5	8.53	30	2060	1.3	<2	2.14	<0.5	8	3	16	3.89
S216285		5.68	<0.005		<0.5	8.83	78	1390	1.3	<2	2.52	<0.5	11	3	18	3.84
S216286		3.75	<0.005		<0.5	8.19	15	880	1.1	<2	2.50	<0.5	9	4	13	3.87
S216286D		<0.02	<0.005		<0.5	7.97	17	870	1.1	<2	2.46	<0.5	8	3	13	3.78
S216287		7.74	<0.005		<0.5	7.94	14	810	1.3	<2	6.72	<0.5	8	3	18	3.46
S216288		5.85	<0.005		<0.5	8.70	9	900	1.2	<2	3.11	<0.5	9	3	15	3.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216251		20	0.40	20	0.77	1075	<1	3.31	<1	770	8	0.02	<5	8	873	<20
S216252		20	0.38	10	0.74	837	<1	4.02	<1	880	8	0.01	<5	9	807	<20
S216253		20	0.50	10	0.77	812	1	3.44	2	750	6	<0.01	<5	9	742	<20
S216254		20	0.37	10	0.53	703	1	3.93	1	830	7	0.01	<5	8	761	<20
S216255		20	0.43	10	0.54	649	1	3.96	1	760	7	<0.01	<5	9	695	<20
S216256		20	0.66	10	0.80	801	1	3.16	1	920	10	0.01	<5	9	752	<20
S216257		20	0.54	10	0.69	823	1	3.23	1	870	10	0.01	<5	9	841	<20
S216258		20	0.81	10	1.06	954	1	2.39	2	920	11	<0.01	<5	9	864	<20
S216259		20	0.95	10	1.07	919	<1	2.28	1	1010	8	<0.01	<5	8	861	<20
S216260		<10	0.01	<10	1.62	20	1	0.01	<1	40	<2	0.06	<5	<1	5270	<20
S216261		20	1.00	10	1.03	969	1	2.38	1	990	10	0.01	9	8	795	<20
S216262		20	0.76	10	0.97	936	1	2.17	<1	830	11	<0.01	<5	8	837	<20
S216263		20	0.79	10	1.19	965	<1	2.38	<1	920	8	<0.01	<5	8	848	<20
S216264		20	0.65	10	1.17	1435	1	2.36	<1	870	7	<0.01	<5	7	859	<20
S216265		20	0.86	10	1.15	903	1	2.30	1	920	7	<0.01	5	8	833	<20
S216266		20	0.66	10	0.97	1220	1	2.02	1	880	14	0.03	<5	7	996	<20
S216266D		20	0.66	10	0.98	1260	<1	2.06	1	910	15	0.03	<5	7	1040	<20
S216267		20	0.72	10	1.01	1130	<1	2.09	1	930	13	0.01	<5	8	987	<20
S216268		20	0.56	10	0.87	1195	<1	2.01	1	850	15	<0.01	5	7	986	<20
S216269		20	0.80	10	1.08	1165	1	2.29	1	850	4	0.01	<5	8	831	<20
S216270		20	2.98	20	0.72	1030	7	0.18	70	1680	58	4.20	21	20	195	<20
S216271		20	0.86	10	1.26	1235	1	2.42	<1	960	6	0.02	<5	8	869	<20
S216272		20	0.57	10	1.29	1345	1	1.70	1	960	7	0.01	<5	9	826	<20
S216273		20	0.08	10	4.24	3360	1	1.87	23	3700	<2	0.03	<5	19	523	<20
S216274		20	0.03	10	3.74	3070	1	1.74	16	3420	<2	0.03	8	24	456	<20
S216275		20	0.95	20	1.20	1155	1	2.22	2	130	8	0.01	<5	11	474	<20
S216276		20	0.95	10	0.99	860	1	3.42	1	660	10	0.02	<5	11	695	<20
S216277		20	0.93	10	1.15	977	1	2.71	<1	860	9	0.04	<5	10	657	<20
S216278		20	0.69	10	1.16	1050	1	2.63	1	840	12	0.01	<5	9	591	<20
S216279		20	0.67	10	1.11	1000	1	3.15	1	970	8	<0.01	<5	9	701	<20
S216280		<10	<0.01	<10	2.08	20	1	<0.01	<1	40	<2	0.06	<5	<1	5200	<20
S216281		20	0.35	10	0.81	1010	1	3.69	<1	760	13	0.01	<5	8	460	<20
S216282		20	0.35	10	0.76	820	4	4.11	1	750	10	0.02	<5	9	507	<20
S216283		20	0.37	10	0.74	1210	1	3.83	<1	970	9	0.05	6	9	568	<20
S216284		20	0.72	10	1.05	874	<1	2.81	<1	850	5	0.01	<5	9	655	<20
S216285		20	0.78	10	1.11	921	<1	2.82	1	950	8	0.01	<5	9	722	<20
S216286		20	0.54	10	0.95	918	1	2.76	1	790	23	0.01	<5	8	504	<20
S216286D		20	0.52	10	0.93	901	1	2.69	2	780	21	0.01	<5	8	498	<20
S216287		20	0.69	10	1.00	2190	<1	2.64	<1	890	14	<0.01	<5	7	663	<20
S216288		20	0.77	10	1.17	1050	<1	2.80	<1	950	10	<0.01	<5	8	673	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216251		0.30	<10	<10	105	<10	80	
S216252		0.34	<10	<10	117	<10	86	
S216253		0.30	<10	<10	101	<10	84	
S216254		0.31	<10	<10	106	<10	72	
S216255		0.32	<10	<10	105	<10	71	
S216256		0.33	<10	<10	110	<10	87	
S216257		0.33	10	<10	106	<10	74	
S216258		0.33	<10	<10	110	<10	90	
S216259		0.34	<10	<10	112	<10	85	
S216260		<0.01	<10	<10	1	<10	<2	
S216261		0.34	<10	<10	116	<10	79	
S216262		0.30	<10	<10	99	<10	73	
S216263		0.32	<10	<10	103	<10	79	
S216264		0.30	<10	<10	97	<10	77	
S216265		0.32	10	<10	105	<10	73	
S216266		0.30	<10	<10	96	<10	73	
S216266D		0.31	<10	<10	97	<10	75	
S216267		0.32	<10	<10	99	<10	77	
S216268		0.29	<10	<10	92	<10	66	
S216269		0.30	<10	<10	100	<10	78	
S216270		0.35	<10	<10	182	<10	220	
S216271		0.34	<10	<10	114	<10	86	
S216272		0.36	<10	<10	108	<10	84	
S216273		1.17	<10	<10	292	<10	138	
S216274		1.03	<10	<10	240	<10	121	
S216275		0.28	<10	<10	63	<10	92	
S216276		0.35	<10	<10	104	<10	80	
S216277		0.33	<10	<10	102	<10	91	
S216278		0.31	<10	<10	89	<10	81	
S216279		0.35	<10	<10	109	<10	83	
S216280		<0.01	<10	<10	1	<10	<2	
S216281		0.31	<10	<10	99	<10	80	
S216282		0.33	<10	<10	112	<10	82	
S216283		0.34	<10	<10	100	<10	78	
S216284		0.32	<10	<10	102	<10	79	
S216285		0.34	<10	<10	114	<10	83	
S216286		0.30	<10	<10	96	<10	80	
S216286D		0.30	<10	<10	95	<10	79	
S216287		0.31	<10	<10	103	<10	77	
S216288		0.33	<10	<10	111	<10	80	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216289		5.75	<0.005		<0.5	9.28	11	1120	1.4	<2	2.38	<0.5	8	3	15	3.74
S216290		0.11	0.977		13.2	5.94	316	520	1.0	<2	3.66	4.2	11	27	85	4.02
S216291		6.52	<0.005		<0.5	8.63	12	880	1.2	<2	2.42	<0.5	8	3	15	3.66
S216292		6.07	<0.005		<0.5	8.25	5	950	1.3	<2	3.77	<0.5	8	3	35	3.59
S216293		6.64	<0.005		<0.5	8.83	8	1360	1.2	<2	2.91	<0.5	9	4	8	3.59
S216294		5.55	<0.005		<0.5	7.93	7	1270	1.1	<2	3.22	<0.5	9	3	1	3.45
S216295		6.55	<0.005		<0.5	8.80	10	1510	1.4	<2	3.27	<0.5	9	3	4	3.96
S216296		6.46	<0.005		1.7	8.37	8	1340	1.2	<2	3.04	<0.5	9	3	376	3.80
S216297		2.19	<0.005		<0.5	7.75	7	1260	0.9	<2	4.09	<0.5	9	3	54	3.84
S216298		4.21	<0.005		<0.5	8.08	8	2160	1.2	<2	4.41	<0.5	10	5	11	3.87
S216299		1.68	<0.005		<0.5	8.13	10	2180	1.2	<2	4.39	<0.5	10	3	2	3.81
S216300		1.19	<0.005		<0.5	0.05	<5	10	<0.5	<2	36.1	<0.5	<1	<1	<1	0.04
S216301		8.56	<0.005		<0.5	8.95	6	1720	1.4	<2	2.94	<0.5	10	3	2	3.98
S216302		5.30	<0.005		<0.5	9.70	11	2570	1.7	<2	1.66	<0.5	11	3	2	4.13
S216303		2.70	<0.005		<0.5	8.97	36	3340	1.3	<2	2.32	<0.5	7	8	12	5.18
S216304		3.70	<0.005		<0.5	8.35	24	7760	1.3	<2	3.01	<0.5	8	3	3	4.34
S216305		4.55	<0.005		<0.5	7.96	5	1670	1.2	<2	4.47	<0.5	10	2	5	3.42
S216306		5.93	<0.005		<0.5	8.29	<5	1510	1.2	<2	4.39	<0.5	9	3	7	3.62
S216306D		<0.02	<0.005		<0.5	8.26	<5	1520	1.2	<2	4.37	<0.5	8	2	7	3.62
S216307		5.96	<0.005		<0.5	8.47	7	1310	1.3	<2	4.62	<0.5	10	3	7	3.65
S216308		5.65	<0.005		<0.5	8.66	<5	3090	1.2	<2	3.11	<0.5	9	3	10	3.55
S216309		5.81	<0.005		<0.5	8.51	7	1280	1.1	<2	3.14	<0.5	8	3	40	3.72
S216310		0.12	>10.0	10.25	>100	5.44	376	440	1.0	<2	3.77	4.5	10	31	147	3.74
S216311		5.27	<0.005		<0.5	8.95	10	1510	1.3	<2	2.33	<0.5	10	3	15	3.81
S216312		4.98	<0.005		<0.5	8.60	7	1250	1.2	<2	2.59	<0.5	10	3	11	3.82
S216313		5.36	<0.005		<0.5	8.99	12	1400	1.3	<2	2.91	<0.5	9	3	6	3.82
S216314		5.28	<0.005		<0.5	8.44	8	1380	1.3	<2	2.75	<0.5	8	3	7	3.60
S216315		6.47	<0.005		<0.5	8.11	11	1280	1.3	<2	3.71	<0.5	8	3	12	3.67
S216316		4.16	<0.005		<0.5	8.81	12	1240	1.3	<2	2.82	<0.5	8	3	6	3.65
S216317		5.73	<0.005		<0.5	9.16	9	1230	1.3	<2	2.53	<0.5	8	3	5	3.82
S216318		4.87	<0.005		<0.5	8.22	13	1200	1.1	<2	3.00	<0.5	7	3	27	3.59
S216319		5.22	<0.005		<0.5	8.97	12	1500	1.4	<2	2.33	<0.5	10	3	17	3.98
S216320		0.66	<0.005		<0.5	0.07	<5	20	<0.5	<2	35.2	<0.5	<1	<1	<1	0.05
S216321		5.44	<0.005		<0.5	8.16	11	1330	1.2	<2	2.85	<0.5	8	2	4	3.62
S216322		5.68	<0.005		<0.5	8.38	12	1340	1.2	<2	3.62	<0.5	8	3	9	3.61
S216323		5.70	<0.005		<0.5	9.46	11	2470	1.4	<2	2.90	<0.5	11	3	4	4.12
S216324		3.26	<0.005		<0.5	9.89	14	5360	1.4	<2	2.27	<0.5	13	3	8	4.52
S216325		4.32	<0.005		<0.5	10.40	8	5750	1.6	<2	1.70	<0.5	10	3	6	4.72
S216326		4.76	<0.005		0.6	11.10	39	3610	1.5	<2	2.60	<0.5	6	9	5	5.47
S216326D		<0.02	<0.005		0.5	11.05	42	3660	1.6	2	2.60	<0.5	6	9	6	5.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216289		20	0.87	10	1.25	882	<1	2.90	1	950	10	<0.01	<5	9	762	<20
S216290		10	3.94	10	0.55	1380	10	0.22	21	940	150	2.90	17	11	198	<20
S216291		20	0.80	10	1.18	838	<1	2.55	1	860	9	<0.01	<5	9	794	<20
S216292		20	0.85	10	1.35	1470	<1	2.51	1	870	7	<0.01	<5	7	746	<20
S216293		20	1.21	10	1.15	801	<1	2.23	1	910	7	<0.01	<5	8	842	<20
S216294		20	1.18	10	1.13	849	<1	2.07	1	830	8	<0.01	<5	7	820	<20
S216295		20	1.40	10	1.33	968	<1	1.95	<1	880	10	0.01	<5	8	834	<20
S216296		20	1.35	10	1.31	973	<1	1.16	2	780	9	0.02	<5	8	707	<20
S216297		20	0.69	10	1.37	1250	<1	1.75	1	850	9	0.02	<5	7	979	<20
S216298		20	1.35	10	0.92	1130	1	1.79	1	920	11	0.03	<5	8	996	<20
S216299		20	1.02	10	0.99	1140	<1	2.43	1	920	13	0.03	<5	8	828	<20
S216300		<10	<0.01	<10	1.91	19	<1	0.01	<1	30	<2	0.07	<5	<1	5070	<20
S216301		20	1.49	10	1.33	965	1	2.58	2	960	12	0.01	<5	8	724	<20
S216302		20	2.14	10	1.53	641	1	2.11	2	1180	6	0.01	<5	9	400	<20
S216303		20	2.66	20	1.22	686	<1	0.82	2	2380	15	0.01	<5	17	475	<20
S216304		20	2.28	10	1.50	1040	<1	0.66	1	620	10	0.14	<5	9	603	<20
S216305		20	1.01	10	1.08	1290	<1	1.52	1	880	6	0.02	<5	8	420	<20
S216306		20	0.97	10	1.06	1610	<1	2.58	1	960	<2	0.01	<5	8	590	<20
S216306D		20	0.96	10	1.07	1600	<1	2.55	1	950	3	0.01	<5	8	581	<20
S216307		20	0.97	10	1.06	1740	<1	2.88	1	1010	10	0.01	<5	8	705	<20
S216308		20	0.94	10	0.98	1170	<1	2.83	1	940	9	0.05	<5	9	869	<20
S216309		20	0.87	10	1.01	1220	1	2.65	2	810	14	0.01	<5	9	820	<20
S216310		10	3.67	10	0.44	1340	8	0.16	22	840	258	3.06	58	9	199	<20
S216311		20	1.14	10	1.13	997	1	2.60	1	860	10	0.01	<5	9	771	<20
S216312		20	1.02	10	1.25	1070	1	2.60	4	860	13	<0.01	<5	9	799	<20
S216313		20	1.10	10	1.38	1250	<1	2.51	<1	860	11	<0.01	<5	9	738	<20
S216314		20	1.13	10	1.18	1040	1	2.44	<1	870	13	<0.01	<5	8	821	<20
S216315		20	1.09	10	1.11	1290	<1	2.43	<1	850	11	<0.01	<5	7	882	<20
S216316		20	1.05	10	1.21	1020	<1	2.56	1	870	14	<0.01	<5	8	871	<20
S216317		20	1.05	10	1.45	1020	<1	2.59	1	910	11	<0.01	<5	9	805	<20
S216318		20	1.09	10	0.99	977	1	2.15	<1	800	15	<0.01	<5	9	780	<20
S216319		20	1.26	10	1.28	935	<1	2.79	1	880	12	<0.01	<5	8	747	<20
S216320		<10	0.01	<10	1.90	17	<1	0.01	<1	30	<2	0.11	<5	<1	5280	<20
S216321		20	1.09	10	1.28	1130	<1	2.65	1	840	9	<0.01	<5	8	646	<20
S216322		20	1.10	10	1.34	1340	<1	2.56	3	820	13	<0.01	<5	7	575	<20
S216323		20	1.71	10	1.61	1200	<1	2.10	<1	960	12	0.01	<5	9	499	<20
S216324		20	2.25	20	1.98	1210	<1	0.96	1	900	15	0.03	<5	10	561	<20
S216325		20	2.39	10	1.61	836	<1	1.31	3	940	9	0.06	<5	10	566	<20
S216326		30	3.23	20	1.07	853	1	0.87	1	840	14	<0.01	<5	19	706	<20
S216326D		30	3.30	20	1.08	853	<1	0.90	1	930	17	<0.01	<5	19	699	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216289		0.35	<10	<10	119	<10	82	
S216290		0.25	<10	<10	106	10	470	
S216291		0.32	<10	<10	107	<10	74	
S216292		0.32	<10	<10	111	<10	80	
S216293		0.32	<10	<10	107	<10	74	
S216294		0.30	<10	<10	99	<10	72	
S216295		0.33	<10	<10	111	<10	84	
S216296		0.32	<10	<10	107	<10	84	
S216297		0.31	<10	<10	112	<10	87	
S216298		0.34	<10	<10	119	<10	71	
S216299		0.33	<10	<10	103	<10	72	
S216300		<0.01	<10	<10	1	<10	<2	
S216301		0.35	<10	<10	114	<10	77	
S216302		0.39	<10	<10	125	<10	77	
S216303		0.47	<10	<10	118	<10	73	
S216304		0.34	<10	<10	102	<10	76	
S216305		0.32	<10	<10	103	<10	83	
S216306		0.34	<10	<10	108	<10	84	
S216306D		0.33	<10	<10	108	<10	85	
S216307		0.35	<10	<10	111	<10	83	
S216308		0.34	<10	<10	107	<10	72	
S216309		0.31	<10	<10	97	<10	73	
S216310		0.24	<10	<10	99	<10	491	135
S216311		0.33	<10	<10	102	<10	80	
S216312		0.32	<10	<10	102	<10	87	
S216313		0.32	<10	<10	103	<10	90	
S216314		0.32	<10	<10	102	<10	77	
S216315		0.32	<10	<10	104	<10	77	
S216316		0.32	<10	<10	106	<10	73	
S216317		0.33	<10	<10	104	<10	86	
S216318		0.30	<10	<10	94	<10	64	
S216319		0.35	<10	<10	111	<10	83	
S216320		<0.01	<10	<10	1	<10	<2	
S216321		0.32	<10	<10	109	<10	79	
S216322		0.32	<10	<10	108	<10	79	
S216323		0.37	<10	<10	124	<10	84	
S216324		0.37	<10	<10	134	<10	109	
S216325		0.36	<10	<10	133	<10	86	
S216326		0.63	<10	<10	180	<10	56	
S216326D		0.65	<10	<10	185	<10	56	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216327		4.16	<0.005		0.6	10.55	42	4710	1.6	<2	2.64	<0.5	7	5	7	5.97
S216328		4.14	<0.005		<0.5	11.05	43	4100	1.8	<2	2.51	<0.5	9	8	2	4.89
S216329		3.98	<0.005		<0.5	9.62	29	3930	1.4	<2	1.05	<0.5	7	4	2	4.23
S216330		0.12	5.82		84.8	6.46	303	1320	1.0	<2	2.04	23.2	11	23	122	4.86
S216331		4.29	<0.005		<0.5	10.00	39	8130	1.6	<2	3.36	<0.5	10	2	4	4.55
S216332		5.17	<0.005		<0.5	9.98	21	3390	1.5	<2	1.91	<0.5	11	2	1	3.98
S216333		5.39	<0.005		<0.5	9.86	22	2990	1.5	<2	2.19	<0.5	10	3	<1	4.09
S216334		5.10	<0.005		<0.5	9.49	30	2650	1.4	<2	2.24	<0.5	8	3	1	4.32
S216335		6.70	<0.005		<0.5	8.62	15	2090	1.2	<2	1.74	<0.5	7	2	3	3.63
S216336		4.53	<0.005		<0.5	6.90	<5	>10000	1.0	<2	5.40	<0.5	7	2	5	2.28
S216337		5.69	<0.005		<0.5	9.85	14	2930	1.5	<2	1.71	<0.5	10	3	5	3.93
S216338		6.58	<0.005		<0.5	9.43	10	2420	1.5	<2	1.59	<0.5	9	2	7	3.78
S216339		4.54	<0.005		<0.5	8.73	11	1930	1.4	<2	2.85	<0.5	8	2	3	3.76
S216340		0.67	<0.005		<0.5	0.05	<5	70	<0.5	<2	36.2	<0.5	<1	<1	<1	0.03
S216341		5.04	<0.005		<0.5	7.06	31	1080	0.8	<2	6.45	<0.5	4	5	6	2.62
S216342		3.47	<0.005		<0.5	7.90	15	2560	1.1	<2	3.47	<0.5	6	4	3	3.14
S216343		4.08	<0.005		<0.5	7.50	6	3280	1.2	<2	7.19	<0.5	8	2	15	2.49
S216344		4.64	<0.005		<0.5	7.06	<5	3870	0.9	<2	2.94	<0.5	6	5	56	3.28
S216345		5.96	<0.005		<0.5	8.74	5	3950	1.4	<2	2.54	<0.5	7	4	1	3.18
S216346		4.40	<0.005		<0.5	10.40	<5	3450	1.8	<2	2.46	<0.5	13	4	2	3.80
S216346D		<0.02	<0.005		<0.5	10.30	<5	3310	1.7	<2	2.41	<0.5	13	4	1	3.75
S216347		6.22	<0.005		0.5	11.95	6	3700	1.7	<2	0.54	<0.5	7	15	66	6.26
S216348		5.99	<0.005		<0.5	11.05	<5	3000	1.7	<2	0.79	<0.5	16	3	46	4.96
S216349		4.35	<0.005		<0.5	10.75	<5	2510	1.8	<2	2.52	<0.5	20	5	6	5.39
S216350		0.10	>10.0	18.60	20.3	6.94	815	430	1.4	<2	2.87	1.9	19	106	140	5.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216327		30	3.21	20	1.28	966	<1	0.56	1	1770	22	0.04	<5	11	654	<20
S216328		30	3.43	10	1.53	951	<1	0.67	3	930	18	0.02	<5	19	588	<20
S216329		20	2.85	20	1.67	739	<1	0.68	1	690	5	0.03	<5	11	300	<20
S216330		10	3.84	10	0.51	1310	10	0.24	15	1010	9180	3.15	71	13	156	<20
S216331		20	3.10	20	1.76	1320	<1	0.57	1	690	24	0.13	<5	9	804	<20
S216332		20	2.92	10	1.91	1170	<1	0.85	1	790	8	0.01	<5	9	315	<20
S216333		20	2.83	10	1.64	1030	<1	1.48	1	910	9	<0.01	<5	8	357	<20
S216334		20	2.50	20	1.55	1020	<1	1.74	1	740	6	0.01	<5	8	369	<20
S216335		20	1.89	20	1.92	1020	<1	1.35	<1	580	10	0.01	5	8	364	<20
S216336		20	2.07	10	1.62	1940	<1	0.70	<1	650	4	0.31	<5	6	464	<20
S216337		20	2.74	10	2.12	1140	1	1.01	<1	730	9	0.01	5	8	408	<20
S216338		20	2.29	10	1.88	1040	<1	1.78	1	840	11	0.01	<5	8	350	<20
S216339		20	2.06	10	1.38	1170	<1	2.34	<1	720	7	<0.01	<5	7	335	<20
S216340		<10	0.01	<10	1.93	33	<1	0.01	<1	30	<2	0.07	<5	<1	5280	<20
S216341		20	0.67	10	0.49	1330	<1	2.21	<1	700	22	0.02	<5	6	1065	<20
S216342		20	1.93	10	0.84	1090	<1	1.75	1	760	7	0.03	6	7	646	<20
S216343		20	1.97	20	1.06	3250	1	1.39	<1	710	8	0.05	<5	5	972	<20
S216344		10	1.95	10	0.57	1250	1	1.52	1	400	12	0.14	<5	8	2880	<20
S216345		20	3.13	10	0.37	1020	<1	0.89	<1	710	8	0.08	<5	8	1700	<20
S216346		20	3.10	10	0.59	1490	<1	1.32	5	900	10	0.03	<5	10	554	<20
S216346D		20	3.07	10	0.59	1600	<1	1.31	3	890	6	0.03	<5	10	548	<20
S216347		30	4.22	20	0.32	389	1	0.88	6	400	13	<0.01	<5	20	333	<20
S216348		20	3.38	20	0.64	787	<1	1.03	9	1280	8	0.03	<5	15	549	<20
S216349		30	3.05	10	0.91	1960	<1	1.17	16	1290	13	0.10	<5	13	437	<20
S216350		20	3.09	10	0.72	1380	7	0.17	72	1720	57	4.32	19	19	190	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216327		0.45	<10	<10	187	<10	72	
S216328		0.60	<10	<10	131	<10	78	
S216329		0.39	<10	<10	71	<10	69	
S216330		0.26	<10	<10	129	<10	1850	
S216331		0.38	<10	<10	102	<10	80	
S216332		0.35	<10	<10	106	<10	82	
S216333		0.36	<10	<10	114	<10	75	
S216334		0.34	<10	<10	109	<10	66	
S216335		0.29	<10	<10	111	<10	70	
S216336		0.26	<10	<10	106	<10	66	
S216337		0.36	<10	<10	132	<10	89	
S216338		0.32	<10	<10	148	<10	91	
S216339		0.30	<10	<10	143	<10	78	
S216340		<0.01	<10	<10	1	<10	<2	
S216341		0.25	<10	<10	88	<10	40	
S216342		0.27	<10	<10	96	<10	61	
S216343		0.26	<10	<10	149	<10	79	
S216344		0.29	<10	<10	114	<10	60	
S216345		0.30	<10	<10	89	<10	67	
S216346		0.36	<10	<10	113	<10	123	
S216346D		0.36	<10	<10	113	<10	122	
S216347		0.55	<10	<10	184	<10	52	
S216348		0.38	<10	<10	126	<10	110	
S216349		0.42	<10	<10	124	<10	169	
S216350		0.36	<10	<10	186	<10	219	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 29-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138183

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

CERTIFICATE TR15138186

Project: Bowser Regional Exploration

P.O. No.: BOW-0079

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211501		7.67	<0.005		<0.5	9.16	23	2600	1.3	3	2.05	<0.5	8	5	8	4.36
S211502		6.24	<0.005		<0.5	9.67	17	1560	1.4	4	2.51	<0.5	10	3	10	4.06
S211503		6.26	<0.005		<0.5	8.47	21	1050	1.1	<2	3.89	<0.5	7	3	9	3.69
S211504		3.31	<0.005		<0.5	8.54	25	1160	1.2	<2	4.67	<0.5	8	3	5	3.67
S211505		2.63	<0.005		<0.5	8.74	15	2060	1.3	6	2.64	<0.5	9	2	3	3.73
S211506		6.02	<0.005		<0.5	8.09	16	2490	1.1	3	2.79	<0.5	8	2	2	3.71
S211506D		<0.02	<0.005		<0.5	8.23	15	2500	1.1	<2	2.77	<0.5	8	2	2	3.70
S211507		5.70	<0.005		<0.5	8.40	16	3620	1.2	2	2.63	<0.5	7	2	2	3.80
S211508		5.61	<0.005		<0.5	8.78	22	3480	1.4	<2	2.76	<0.5	5	2	2	3.92
S211509		5.50	<0.005		<0.5	8.74	22	3400	1.3	<2	2.68	<0.5	7	3	2	3.64
S211510		0.12	>10.0	10.60	>100	5.99	369	1230	1.0	<2	3.78	4.4	11	32	148	3.93
S211511		5.85	<0.005		<0.5	7.93	25	3130	1.2	2	2.80	<0.5	8	2	2	3.54
S211512		5.67	<0.005		<0.5	9.19	26	3550	1.4	<2	2.21	<0.5	9	2	1	3.94
S211513		6.65	<0.005		<0.5	8.90	19	3200	1.3	<2	2.91	<0.5	8	2	5	3.71
S211514		2.95	<0.005		<0.5	9.99	12	2570	1.4	2	1.48	<0.5	6	2	2	3.89
S211515		5.29	<0.005		<0.5	6.85	12	1470	0.9	<2	3.23	<0.5	7	3	<1	2.92
S211516		6.21	<0.005		<0.5	6.41	15	980	0.8	<2	3.82	<0.5	5	2	<1	2.81
S211517		6.69	<0.005		<0.5	8.72	20	1650	1.1	<2	3.16	<0.5	6	3	<1	3.70
S211518		3.98	<0.005		<0.5	6.41	29	650	0.7	<2	7.20	<0.5	3	4	<1	2.85
S211519		7.24	<0.005		<0.5	9.25	17	3180	1.3	<2	1.78	<0.5	8	2	<1	3.57
S211520		0.55	<0.005		<0.5	0.03	<5	10	<0.5	<2	35.1	<0.5	<1	<1	<1	0.03
S211521		5.07	<0.005		<0.5	8.87	16	3050	1.3	<2	1.94	<0.5	7	2	<1	3.63
S211522		4.74	<0.005		<0.5	8.57	15	3200	1.2	<2	2.61	<0.5	7	2	<1	3.47
S211523		5.92	<0.005		<0.5	8.44	14	2800	1.2	<2	2.37	<0.5	9	2	<1	3.56
S211524		5.31	<0.005		<0.5	7.39	13	2220	1.0	<2	2.72	<0.5	7	2	<1	3.03
S211525		5.47	<0.005		<0.5	8.81	17	2380	1.3	<2	2.68	<0.5	6	2	<1	3.63
S211526		5.55	<0.005		<0.5	8.90	20	2600	1.4	<2	1.70	<0.5	8	2	<1	3.75
S211526D		<0.02	<0.005		<0.5	9.00	18	2570	1.4	<2	1.72	<0.5	6	2	<1	3.69
S211527		6.05	<0.005		<0.5	9.33	13	2910	1.5	<2	2.18	<0.5	7	2	<1	3.75
S211528		4.78	<0.005		<0.5	8.82	20	2210	1.2	<2	2.35	<0.5	7	5	<1	3.60
S211529		4.97	<0.005		<0.5	8.66	16	1700	1.0	<2	2.62	<0.5	6	7	4	3.41
S211530		0.13	5.22		80.7	6.39	286	1030	1.0	<2	1.98	21.9	9	21	113	4.81
S211531		5.15	<0.005		<0.5	9.26	12	2010	1.3	<2	1.62	<0.5	8	3	3	3.68
S211532		5.38	<0.005		<0.5	8.05	20	2050	0.9	<2	3.70	<0.5	5	5	31	3.26
S211533		5.63	<0.005		<0.5	7.34	16	4440	0.9	4	4.07	<0.5	5	3	25	3.08
S211534		5.59	<0.005		<0.5	8.91	14	2080	1.1	3	2.08	<0.5	6	4	5	3.49
S211535		6.90	<0.005		<0.5	9.33	15	1980	1.4	<2	1.90	<0.5	9	3	1	3.68
S211536		5.07	<0.005		<0.5	9.24	20	2090	1.4	<2	2.26	<0.5	7	3	<1	3.71
S211537		6.12	<0.005		<0.5	9.51	21	2620	1.6	<2	2.17	<0.5	8	3	<1	3.74
S211538		5.77	<0.005		<0.5	8.72	25	1860	1.2	<2	2.06	<0.5	7	6	<1	3.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211501		20	1.83	20	1.23	652	1	1.92	2	790	13	0.01	5	11	550	<20
S211502		20	1.36	10	1.45	772	1	2.64	2	650	17	0.01	<5	9	807	<20
S211503		20	1.05	10	1.15	953	1	2.17	<1	780	21	<0.01	6	7	969	<20
S211504		20	1.09	10	1.29	1385	<1	1.80	<1	770	35	0.01	5	7	1235	<20
S211505		20	1.83	10	1.81	1180	<1	1.57	2	820	12	0.01	<5	7	593	<20
S211506		20	2.19	10	1.71	1260	<1	0.83	1	720	9	0.01	5	7	488	<20
S211506D		20	2.22	10	1.71	1250	1	0.82	<1	730	13	0.01	<5	7	491	<20
S211507		20	2.69	10	1.52	1080	<1	0.43	<1	720	11	0.02	<5	7	465	<20
S211508		20	3.05	20	1.49	1090	1	0.46	1	810	9	0.01	<5	8	364	<20
S211509		20	2.83	20	1.52	1075	<1	0.55	<1	770	10	0.01	<5	7	498	<20
S211510		10	3.73	10	0.48	1350	9	0.16	22	840	248	3.06	56	11	203	<20
S211511		20	2.56	10	1.53	1015	1	0.60	1	780	9	0.02	<5	7	472	<20
S211512		20	3.16	10	1.27	802	<1	0.58	1	920	11	0.01	<5	9	444	<20
S211513		20	3.08	10	1.48	959	1	0.45	5	840	14	0.01	<5	8	386	<20
S211514		20	3.27	20	1.03	493	<1	0.95	1	960	8	<0.01	<5	9	379	<20
S211515		10	1.47	10	1.26	848	<1	1.39	<1	640	10	0.01	<5	6	549	<20
S211516		10	1.10	10	1.30	960	<1	1.63	<1	610	8	<0.01	<5	5	603	<20
S211517		20	2.03	10	0.93	803	<1	1.64	<1	860	14	<0.01	<5	8	795	<20
S211518		20	0.21	10	0.62	1455	<1	0.82	<1	600	27	0.01	<5	6	1820	<20
S211519		20	3.53	10	1.27	636	<1	0.36	<1	840	7	<0.01	<5	8	299	<20
S211520		<10	0.01	<10	2.16	16	1	<0.01	<1	30	<2	0.07	<5	<1	5280	<20
S211521		20	3.47	10	1.24	621	1	0.37	<1	870	3	<0.01	<5	8	219	<20
S211522		20	3.26	10	1.20	765	<1	0.43	<1	800	6	0.01	<5	7	299	<20
S211523		20	3.27	10	1.30	803	<1	0.60	1	810	8	<0.01	<5	7	212	<20
S211524		10	2.54	10	1.01	812	1	0.88	<1	740	6	0.01	<5	6	290	<20
S211525		20	3.03	20	1.06	806	<1	1.03	<1	850	5	0.01	<5	8	325	<20
S211526		20	3.16	10	1.13	637	<1	0.81	<1	840	6	<0.01	<5	8	316	<20
S211526D		20	3.14	20	1.13	632	<1	0.79	<1	840	7	<0.01	<5	8	319	<20
S211527		20	3.48	20	1.15	703	1	0.57	1	830	4	<0.01	<5	8	333	<20
S211528		20	2.19	20	1.04	783	<1	1.89	<1	800	7	0.01	<5	8	499	<20
S211529		20	1.78	20	0.67	697	1	2.40	<1	770	12	<0.01	<5	7	652	<20
S211530		10	3.72	10	0.49	1190	9	0.23	15	940	8840	3.02	72	12	146	<20
S211531		20	2.24	20	0.91	660	1	2.45	<1	880	37	0.01	<5	8	462	<20
S211532		10	1.39	10	0.64	968	<1	2.04	<1	740	18	0.02	<5	7	993	<20
S211533		10	1.46	10	0.81	1530	1	2.33	<1	720	10	0.08	<5	6	715	<20
S211534		20	1.79	20	0.82	751	<1	2.83	<1	810	10	0.01	<5	8	604	<20
S211535		20	2.05	20	1.00	759	<1	2.95	<1	830	7	<0.01	<5	8	498	<20
S211536		20	2.09	20	1.07	871	<1	2.79	<1	830	4	<0.01	<5	8	518	<20
S211537		20	2.43	20	0.97	871	<1	2.69	<1	920	9	<0.01	<5	8	560	<20
S211538		10	1.18	10	0.74	774	<1	4.03	<1	860	8	0.02	<5	9	560	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211501		0.36	<10	<10	93	<10	78	
S211502		0.35	<10	<10	104	<10	74	
S211503		0.30	<10	10	93	<10	67	
S211504		0.30	<10	<10	97	<10	77	
S211505		0.31	<10	<10	117	<10	94	
S211506		0.29	<10	<10	119	<10	80	
S211506D		0.29	<10	10	118	<10	80	
S211507		0.30	<10	<10	97	<10	74	
S211508		0.33	<10	<10	98	<10	75	
S211509		0.30	<10	<10	93	<10	79	
S211510		0.24	<10	<10	100	10	517	138
S211511		0.30	<10	<10	94	<10	83	
S211512		0.35	<10	<10	110	<10	68	
S211513		0.33	<10	<10	98	<10	79	
S211514		0.35	<10	<10	105	<10	64	
S211515		0.24	<10	<10	63	<10	77	
S211516		0.23	<10	<10	55	<10	76	
S211517		0.32	<10	<10	80	<10	59	
S211518		0.23	<10	<10	71	<10	51	
S211519		0.33	<10	10	115	<10	69	
S211520		<0.01	<10	10	<1	<10	<2	
S211521		0.34	<10	<10	111	<10	64	
S211522		0.31	<10	10	99	<10	63	
S211523		0.31	<10	<10	84	<10	72	
S211524		0.28	<10	<10	74	<10	60	
S211525		0.33	<10	10	85	<10	65	
S211526		0.32	<10	<10	83	<10	69	
S211526D		0.33	<10	<10	83	<10	69	
S211527		0.33	<10	<10	84	<10	71	
S211528		0.31	<10	<10	74	<10	70	
S211529		0.29	<10	<10	72	<10	54	
S211530		0.26	<10	<10	123	<10	1840	
S211531		0.33	<10	<10	94	<10	72	
S211532		0.28	<10	<10	74	<10	53	
S211533		0.27	<10	<10	72	<10	66	
S211534		0.31	<10	<10	80	<10	63	
S211535		0.32	<10	<10	83	<10	73	
S211536		0.33	<10	10	74	<10	82	
S211537		0.35	<10	<10	80	<10	70	
S211538		0.32	<10	<10	89	<10	72	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211539		2.32	<0.005		<0.5	9.50	32	2240	1.5	<2	1.57	<0.5	7	3	<1	3.89
S211540		0.51	<0.005		<0.5	0.03	<5	10	<0.5	3	35.5	<0.5	<1	<1	<1	0.03
S211541		5.39	<0.005		<0.5	9.30	30	1800	1.5	<2	1.48	<0.5	8	5	1	3.92
S211542		5.32	<0.005		<0.5	8.81	30	1590	1.4	<2	1.39	<0.5	8	4	<1	3.66
S211543		5.48	<0.005		<0.5	9.34	34	1680	1.5	2	1.35	<0.5	11	8	<1	3.96
S211544		5.27	<0.005		<0.5	9.04	33	1680	1.4	<2	1.29	<0.5	8	4	<1	3.58
S211545		5.38	<0.005		<0.5	9.13	32	1710	1.2	<2	1.53	<0.5	8	6	<1	3.74
S211546		6.15	<0.005		<0.5	9.59	23	2020	1.4	<2	1.44	<0.5	9	3	<1	3.83
S211546D		<0.02	<0.005		<0.5	9.66	24	2010	1.4	<2	1.51	<0.5	10	3	<1	3.87
S211547		5.94	<0.005		<0.5	9.57	24	2440	1.4	<2	1.54	<0.5	7	4	1	3.96
S211548		6.77	<0.005		<0.5	9.24	23	3380	1.4	<2	2.95	<0.5	9	3	1	4.11
S211549		4.56	<0.005		<0.5	9.36	16	3970	1.4	<2	2.97	<0.5	7	3	1	4.01
S211550		0.11	>10.0	19.20	19.0	6.87	752	770	1.4	<2	2.88	1.8	16	115	135	5.04
S211551		8.62	<0.005		<0.5	9.29	25	2240	1.4	<2	2.06	<0.5	6	5	8	3.90
S211552		3.72	<0.005		<0.5	8.98	6	2730	1.4	<2	1.44	<0.5	7	3	67	3.82
S211553		5.64	<0.005		<0.5	6.82	9	2890	0.9	<2	2.48	<0.5	10	7	74	2.82
S211554		5.48	<0.005		0.7	10.00	<5	3330	1.8	<2	1.11	<0.5	12	5	147	3.50
S211555		6.42	<0.005		0.6	9.42	<5	3580	1.3	<2	0.94	<0.5	10	8	123	4.43
S211556		2.44	0.006		<0.5	5.95	17	>10000	0.7	<2	4.39	<0.5	12	9	7	3.63
S211557		3.59	<0.005		<0.5	8.36	9	600	0.5	<2	6.13	0.5	37	37	<1	9.22
S211558		6.13	<0.005		<0.5	8.01	5	390	0.5	<2	5.51	<0.5	30	38	27	8.75
S211559		6.10	<0.005		<0.5	8.30	8	2660	1.3	<2	3.28	<0.5	20	26	24	5.33
S211560		0.80	<0.005		<0.5	0.10	<5	30	<0.5	<2	35.9	<0.5	<1	<1	<1	0.05
S211561		7.70	<0.005		0.5	8.71	8	1120	0.9	<2	3.49	<0.5	30	36	102	7.48
S211562		6.88	<0.005		<0.5	7.69	7	6890	<0.5	2	7.46	0.6	28	34	40	8.15
S211563		3.01	<0.005		<0.5	8.36	6	290	0.5	<2	6.15	<0.5	35	40	21	8.74
S211564		3.77	<0.005		<0.5	7.82	<5	2450	1.6	<2	2.25	<0.5	7	3	45	3.29
S211565		6.43	<0.005		<0.5	8.89	<5	4000	1.7	<2	1.27	<0.5	4	3	43	2.28
S211566		7.35	<0.005		<0.5	6.40	<5	2170	1.6	<2	2.83	<0.5	4	2	29	1.93
S211566D		<0.02	<0.005		<0.5	6.46	5	2130	1.6	<2	2.84	<0.5	2	2	28	1.92
S211567		5.67	<0.005		<0.5	6.78	6	3040	1.5	<2	3.12	<0.5	5	1	37	2.33
S211568		7.07	<0.005		<0.5	7.87	<5	2750	1.4	<2	1.51	<0.5	5	2	6	1.98
S211569		1.76	<0.005		<0.5	8.35	6	2520	1.2	<2	1.25	<0.5	8	10	60	2.23
S211570		0.12	0.901		11.9	5.92	296	620	1.0	<2	3.60	4.0	8	27	84	4.01
S211571		3.62	<0.005		<0.5	7.48	11	4230	1.2	<2	1.17	<0.5	6	3	13	2.25
S211572		6.03	<0.005		<0.5	10.05	6	3360	1.8	<2	0.55	<0.5	14	34	3	5.99
S211573		6.26	<0.005		<0.5	10.85	7	3310	2.4	<2	0.46	<0.5	13	35	3	6.94
S211574		6.53	<0.005		<0.5	10.70	6	3520	1.8	<2	0.81	<0.5	15	8	2	5.35
S211575		6.01	<0.005		<0.5	10.95	6	3910	1.7	<2	0.76	<0.5	7	6	4	4.76
S211576		5.88	<0.005		<0.5	9.50	5	2970	1.5	<2	0.38	<0.5	10	4	3	3.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211539		20	1.86	20	0.74	634	<1	3.61	<1	920	13	0.01	<5	9	490	<20
S211540		<10	0.01	<10	1.50	19	1	0.01	<1	40	<2	0.07	<5	<1	5240	<20
S211541		20	1.63	20	0.75	615	<1	3.85	<1	860	7	<0.01	<5	9	469	<20
S211542		20	1.31	10	0.79	644	<1	3.97	<1	800	9	0.01	<5	8	440	<20
S211543		20	1.54	20	0.88	643	<1	4.07	2	860	9	<0.01	<5	9	425	<20
S211544		20	1.51	10	0.91	609	<1	3.75	1	810	6	<0.01	<5	8	411	<20
S211545		20	1.56	10	0.87	674	1	3.73	<1	830	10	<0.01	<5	9	449	<20
S211546		20	1.84	10	0.98	658	<1	3.70	<1	910	6	0.01	<5	9	446	<20
S211546D		20	1.81	20	1.00	672	<1	3.73	1	930	9	0.01	<5	9	448	<20
S211547		20	2.55	20	0.91	637	<1	2.63	2	960	10	<0.01	<5	9	416	<20
S211548		20	3.28	10	0.89	896	<1	1.38	2	980	16	0.01	<5	8	588	<20
S211549		20	2.97	10	0.90	901	<1	1.87	3	930	13	0.03	<5	8	603	<20
S211550		10	3.05	20	0.74	1015	7	0.19	68	1640	65	4.13	18	19	191	<20
S211551		20	2.32	10	0.89	787	<1	2.55	2	930	14	0.08	<5	9	572	<20
S211552		20	2.63	20	1.04	937	<1	1.83	<1	860	14	0.01	<5	9	368	<20
S211553		10	1.47	10	1.50	1645	<1	1.58	2	690	5	0.04	<5	7	290	<20
S211554		20	3.85	20	1.17	983	<1	1.08	4	920	6	0.01	<5	9	184	<20
S211555		20	4.14	20	0.64	520	1	0.31	4	470	10	0.01	<5	12	112	<20
S211556		10	2.07	10	0.41	2110	3	0.32	2	440	5	0.25	<5	11	563	<20
S211557		20	1.12	20	3.71	4420	<1	0.86	15	3630	5	0.01	<5	28	244	<20
S211558		20	0.66	20	3.73	4760	3	1.29	15	3480	6	<0.01	<5	26	343	<20
S211559		20	2.05	10	1.98	2700	<1	0.87	7	1420	7	0.03	<5	18	275	<20
S211560		<10	0.03	<10	1.57	29	<1	0.01	<1	50	<2	0.06	<5	<1	5160	<20
S211561		20	1.19	10	2.95	3710	1	1.63	11	2680	9	0.01	<5	22	304	<20
S211562		20	0.08	20	3.41	5050	<1	1.92	14	3330	10	0.17	<5	26	450	<20
S211563		20	0.11	20	3.40	5050	<1	2.33	15	3420	12	<0.01	<5	26	226	<20
S211564		20	2.20	10	0.99	2130	<1	0.64	2	740	4	0.01	<5	11	214	<20
S211565		20	2.98	20	0.69	1230	<1	0.58	3	540	7	0.03	<5	9	232	<20
S211566		10	1.89	10	0.61	1645	<1	0.56	<1	400	5	0.01	<5	5	219	<20
S211566D		10	1.89	10	0.61	1610	<1	0.56	<1	390	4	0.01	<5	5	219	<20
S211567		20	2.39	10	0.68	1855	<1	0.49	1	610	5	0.02	<5	5	197	<20
S211568		20	2.91	20	0.51	1030	<1	0.43	1	770	3	<0.01	<5	7	148	<20
S211569		20	2.96	10	0.60	827	<1	0.43	5	790	6	<0.01	<5	9	139	<20
S211570		10	3.86	10	0.56	1415	8	0.22	20	920	141	2.78	20	10	187	<20
S211571		20	2.85	10	0.37	824	2	0.40	4	330	5	0.07	<5	5	173	<20
S211572		20	3.47	20	0.69	728	<1	0.68	7	250	20	0.01	<5	13	208	<20
S211573		20	3.81	10	0.61	553	<1	0.87	5	110	25	<0.01	<5	15	252	<20
S211574		20	3.62	20	0.95	1055	<1	0.74	6	780	11	<0.01	<5	17	218	<20
S211575		30	4.22	20	0.57	644	1	0.67	3	570	12	<0.01	<5	18	194	<20
S211576		20	3.24	20	0.64	717	<1	0.61	4	380	7	<0.01	<5	10	184	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211539		0.36	<10	<10	104	<10	68	
S211540		<0.01	<10	<10	<1	<10	<2	
S211541		0.34	<10	<10	94	<10	72	
S211542		0.32	<10	<10	92	<10	75	
S211543		0.35	<10	<10	99	<10	74	
S211544		0.34	<10	<10	90	<10	72	
S211545		0.33	<10	<10	102	<10	72	
S211546		0.34	<10	<10	115	<10	80	
S211546D		0.35	<10	<10	115	<10	81	
S211547		0.36	<10	<10	124	<10	78	
S211548		0.37	<10	<10	146	<10	87	
S211549		0.35	<10	<10	167	<10	87	
S211550		0.36	<10	<10	179	<10	221	
S211551		0.34	<10	<10	115	<10	80	
S211552		0.32	<10	<10	126	<10	92	
S211553		0.30	<10	<10	80	<10	135	
S211554		0.34	<10	<10	104	<10	113	
S211555		0.33	<10	<10	96	<10	69	
S211556		0.35	<10	<10	130	<10	113	
S211557		1.15	<10	<10	242	<10	405	
S211558		1.11	<10	<10	235	<10	256	
S211559		0.71	<10	<10	182	<10	162	
S211560		<0.01	<10	<10	2	<10	<2	
S211561		1.00	<10	<10	242	<10	165	
S211562		1.06	<10	<10	221	<10	140	
S211563		1.11	<10	<10	228	<10	165	
S211564		0.31	<10	<10	115	<10	53	
S211565		0.26	<10	<10	76	<10	35	
S211566		0.18	<10	<10	52	<10	34	
S211566D		0.17	<10	<10	50	<10	33	
S211567		0.22	<10	<10	54	<10	45	
S211568		0.24	<10	<10	63	<10	37	
S211569		0.35	<10	<10	86	<10	54	
S211570		0.26	<10	<10	105	10	494	
S211571		0.17	<10	<10	46	<10	53	
S211572		0.51	<10	<10	164	<10	92	
S211573		0.55	<10	<10	193	<10	82	
S211574		0.42	<10	<10	140	<10	128	
S211575		0.42	<10	<10	131	<10	68	
S211576		0.30	<10	<10	82	<10	72	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211577		5.98	<0.005		0.8	10.40	5	3530	1.5	<2	0.55	<0.5	7	7	9	3.77
S211578		3.79	<0.005		<0.5	10.05	<5	3030	1.5	<2	0.54	<0.5	7	5	5	3.06
S211579		3.02	<0.005		<0.5	8.05	5	650	0.6	<2	8.30	0.5	32	34	11	8.51
S211580		0.41	<0.005		<0.5	0.05	<5	10	<0.5	<2	36.8	<0.5	<1	<1	<1	0.05
S211581		6.17	<0.005		0.9	6.41	6	350	0.5	<2	8.98	0.6	25	33	196	7.03
S211582		4.99	<0.005		<0.5	7.55	5	1040	0.8	2	4.70	0.5	21	19	127	5.69
S211583		3.85	0.005		<0.5	8.71	5	2660	1.5	<2	2.80	<0.5	8	4	3	3.79
S211584		5.36	<0.005		<0.5	8.94	6	2780	1.6	4	1.93	<0.5	7	4	1	3.17
S211585		6.03	<0.005		<0.5	7.33	5	2410	1.2	3	2.78	<0.5	6	6	70	2.74
S211586		5.94	<0.005		<0.5	4.06	5	1040	0.6	<2	2.77	<0.5	4	10	1	1.84
S211586D		<0.02	<0.005		<0.5	4.14	5	1090	0.6	<2	2.96	<0.5	3	10	1	1.81
S211587		5.97	<0.005		<0.5	5.99	<5	1570	0.8	<2	3.91	<0.5	7	7	1	2.58
S211588		5.52	0.006		<0.5	7.68	6	1780	1.2	<2	2.17	<0.5	9	7	4	2.63
S211589		5.98	<0.005		<0.5	7.15	5	1320	1.2	<2	2.74	<0.5	10	5	5	2.34
S211590		0.12	>10.0	10.80	>100	6.01	381	1040	1.0	3	3.82	4.5	10	33	150	3.97
S211591		4.54	0.005		<0.5	8.05	7	1670	1.4	<2	2.79	<0.5	9	6	46	2.30
S211592		7.06	0.011		<0.5	8.55	9	4830	1.3	<2	1.75	<0.5	8	8	7	4.55
S211593		6.05	<0.005		<0.5	8.28	5	2270	1.2	3	3.02	<0.5	13	5	1	4.39
S211594		5.84	<0.005		<0.5	9.12	8	2290	1.3	<2	1.97	<0.5	10	6	2	4.46
S211595		5.73	<0.005		<0.5	8.41	6	1980	1.1	<2	2.41	<0.5	11	6	4	4.17
S211596		6.00	<0.005		<0.5	7.66	11	1980	1.1	3	3.79	<0.5	10	6	2	4.30
S211597		5.35	<0.005		<0.5	8.37	8	2280	1.2	<2	3.45	<0.5	10	6	1	4.42
S211598		6.15	<0.005		<0.5	8.08	6	2240	1.1	<2	2.91	<0.5	10	7	3	4.17
S211599		5.76	<0.005		<0.5	8.40	8	2370	1.1	<2	3.08	<0.5	11	6	3	4.28
S211600		0.48	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.5	<0.5	<1	1	<1	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211577		20	4.06	20	0.64	769	1	0.62	9	590	15	<0.01	<5	13	158	<20
S211578		20	3.54	20	0.77	995	<1	0.63	5	680	10	<0.01	<5	12	179	<20
S211579		20	0.82	10	2.80	4760	1	0.63	15	2920	6	<0.01	<5	24	171	<20
S211580		<10	0.01	<10	2.00	32	<1	0.01	<1	50	<2	0.07	<5	<1	5270	<20
S211581		20	0.43	20	2.32	4540	2	0.55	11	2900	2	0.01	<5	22	239	<20
S211582		20	1.34	20	1.55	3070	65	0.68	10	1420	5	0.01	<5	19	205	<20
S211583		20	2.90	10	0.44	1140	1	1.17	2	670	8	0.25	<5	9	396	<20
S211584		20	2.66	20	0.81	1070	<1	1.72	1	900	8	0.01	<5	9	252	<20
S211585		10	1.66	10	1.04	1480	1	1.76	2	700	5	0.03	<5	7	276	<20
S211586		10	1.00	10	0.45	983	1	0.61	2	330	7	0.01	<5	4	176	<20
S211586D		10	1.05	10	0.45	1030	<1	0.61	1	330	6	0.01	<5	4	179	<20
S211587		10	1.76	40	0.50	1315	1	0.56	4	590	7	0.01	<5	6	212	<20
S211588		10	2.01	20	0.91	1230	1	1.51	1	760	4	<0.01	<5	7	238	<20
S211589		10	1.60	10	0.90	1425	1	1.38	1	680	3	<0.01	<5	6	237	<20
S211590		10	3.78	10	0.49	1380	9	0.16	22	850	250	3.09	65	11	206	<20
S211591		20	1.97	10	0.81	1395	<1	1.65	<1	700	3	<0.01	6	7	292	<20
S211592		20	2.92	20	0.51	812	<1	0.83	3	590	10	0.06	5	11	306	<20
S211593		20	2.53	10	0.70	1390	<1	1.40	2	960	9	0.01	<5	10	256	<20
S211594		20	2.69	20	0.55	851	<1	1.75	2	1030	10	<0.01	<5	11	259	<20
S211595		20	2.25	10	0.64	1030	1	1.98	2	970	9	0.01	5	10	263	<20
S211596		20	2.43	10	0.49	1310	1	1.60	<1	1010	12	<0.01	5	9	265	<20
S211597		20	2.79	10	0.43	1160	<1	1.52	1	1060	11	<0.01	5	10	262	<20
S211598		20	2.45	10	0.52	1145	1	1.66	1	1010	8	0.01	<5	10	271	<20
S211599		20	2.39	10	0.54	1235	1	2.36	2	1080	7	0.02	5	10	320	<20
S211600		<10	0.01	<10	2.07	19	1	0.01	<1	30	<2	0.07	<5	<1	5270	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211577		0.32	<10	<10	89	<10	62	
S211578		0.33	<10	<10	93	<10	60	
S211579		0.97	<10	<10	187	<10	193	
S211580		<0.01	<10	10	1	<10	<2	
S211581		0.91	<10	<10	190	<10	151	
S211582		0.64	<10	<10	173	<10	125	
S211583		0.30	<10	<10	98	<10	79	
S211584		0.28	<10	10	99	<10	74	
S211585		0.23	<10	<10	73	<10	76	
S211586		0.11	<10	<10	41	<10	41	
S211586D		0.11	<10	<10	43	<10	42	
S211587		0.20	<10	10	63	<10	59	
S211588		0.23	<10	<10	70	<10	85	
S211589		0.21	<10	<10	82	<10	96	
S211590		0.24	<10	<10	102	10	523	138
S211591		0.27	<10	<10	132	<10	87	
S211592		0.34	<10	<10	131	<10	65	
S211593		0.37	<10	<10	123	<10	105	
S211594		0.37	<10	<10	124	<10	80	
S211595		0.35	<10	<10	115	<10	94	
S211596		0.36	<10	<10	122	<10	80	
S211597		0.39	<10	<10	133	<10	70	
S211598		0.37	<10	<10	123	<10	77	
S211599		0.37	<10	<10	122	<10	83	
S211600		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138186

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

CERTIFICATE TR15138187

Project: Bowser Regional Exploration

P.O. No.: BOW-0080

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313201		6.13	0.085		0.9	7.90	296	2720	1.1	<2	5.60	<0.5	12	3	302	3.96
S313202		6.12	0.010		0.7	8.35	72	3830	1.2	<2	4.38	<0.5	9	3	170	3.97
S313203		5.81	0.057		0.6	8.07	160	3180	1.3	<2	5.64	<0.5	7	3	150	4.07
S313204		5.71	0.015		<0.5	7.58	56	3540	1.2	<2	4.35	<0.5	8	3	145	4.00
S313205		6.48	0.014		<0.5	7.63	66	3360	1.2	3	3.88	<0.5	10	3	157	3.91
S313206		6.74	<0.005		<0.5	7.32	78	3350	1.2	<2	4.07	<0.5	8	4	65	3.82
S313206D		<0.02	<0.005		0.5	7.36	75	3370	1.2	2	4.10	<0.5	7	3	70	3.82
S313207		5.91	0.027		<0.5	7.05	72	3280	1.1	<2	5.06	<0.5	7	3	113	3.75
S313208		6.19	0.013		0.6	7.17	55	3490	1.2	<2	3.96	<0.5	8	4	277	3.63
S313209		5.99	0.035		1.6	7.08	62	2720	1.3	<2	3.76	<0.5	8	3	787	3.14
S313210		0.12	5.33		78.0	6.27	283	1310	0.9	<2	1.94	21.5	11	22	116	4.79
S313211		5.85	0.020		1.4	6.87	41	3070	1.2	<2	4.89	<0.5	10	2	628	2.89
S313212		6.31	0.035		1.6	7.05	55	2690	1.2	<2	4.72	<0.5	11	3	665	3.77
S313213		6.15	0.026		1.8	7.73	61	2390	1.2	<2	3.99	<0.5	13	3	575	4.05
S313214		6.05	0.087		0.6	7.83	790	3230	1.4	<2	2.51	<0.5	8	3	147	3.44
S313215		6.19	0.010		<0.5	7.17	54	3590	1.3	3	4.04	<0.5	7	3	98	3.65
S313216		6.32	0.019		<0.5	7.81	75	3210	1.3	<2	4.20	<0.5	9	3	125	4.04
S313217		6.32	0.036		0.5	7.61	76	2960	1.2	<2	4.90	<0.5	8	3	229	4.10
S313218		6.45	0.009		<0.5	7.73	58	2720	1.2	<2	4.15	<0.5	6	4	166	4.01
S313219		6.33	0.014		<0.5	7.18	39	2810	1.2	<2	4.16	<0.5	15	4	299	3.67
S313220		0.87	<0.005		<0.5	0.03	<5	10	<0.5	2	34.1	<0.5	2	<1	1	0.03
S313221		6.32	0.061		0.6	7.23	95	1890	1.5	<2	3.94	<0.5	15	3	416	4.09
S313222		5.98	0.032		0.7	7.34	39	2430	1.3	<2	3.81	<0.5	6	3	501	3.70
S313223		6.16	0.031		1.1	7.13	53	2520	1.3	<2	5.62	<0.5	9	3	459	3.72
S313224		6.24	0.069		1.2	6.88	106	2200	1.3	<2	4.77	<0.5	7	3	436	4.07
S313225		6.56	0.018		<0.5	7.86	44	2680	1.3	<2	4.07	<0.5	8	4	295	4.15
S313226		6.13	0.033		<0.5	7.48	57	2590	1.2	<2	4.56	<0.5	7	4	475	4.09
S313226D		<0.02	0.034		0.5	7.80	59	2550	1.3	<2	5.04	<0.5	7	3	497	4.15
S313227		6.42	0.020		<0.5	7.59	53	2650	1.3	2	4.51	<0.5	6	4	335	4.29
S313228		6.57	0.039		<0.5	7.77	85	2080	1.3	<2	5.07	<0.5	11	4	346	4.36
S313229		6.10	0.051		0.7	7.69	53	2390	1.3	<2	4.64	<0.5	8	3	837	4.38
S313230		0.10	>10.0	18.90	21.8	6.76	778	790	1.3	2	2.71	1.4	18	115	133	5.05
S313231		6.52	0.025		<0.5	7.32	49	2720	1.2	<2	4.05	<0.5	6	3	245	3.86
S313232		6.56	0.026		0.8	7.31	91	2740	1.2	<2	3.47	<0.5	8	3	306	3.87
S313233		5.78	0.049		0.9	7.84	364	2730	1.2	<2	2.19	<0.5	8	3	236	4.21
S313234		5.98	0.064		0.9	8.14	253	3050	1.2	<2	2.70	<0.5	19	3	389	3.98
S313235		6.52	0.013		0.9	7.87	26	3160	1.2	<2	3.98	<0.5	8	2	295	3.54
S313236		2.89	0.070		2.3	7.48	72	2650	1.4	2	3.21	<0.5	17	3	705	4.21
S313237		4.27	<0.005		<0.5	7.89	77	1840	1.5	<2	5.96	<0.5	32	67	90	6.93
S313238		4.85	0.027		0.7	7.48	264	2530	1.2	<2	5.06	<0.5	15	18	109	4.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313201		20	4.47	10	0.97	1220	2	1.47	1	1260	2	1.03	12	11	576	<20
S313202		20	4.46	10	0.89	1010	2	2.46	<1	1450	3	0.22	8	11	836	<20
S313203		20	4.60	10	0.98	1280	2	1.57	1	1360	3	0.64	9	11	476	<20
S313204		20	4.77	10	0.82	1050	1	1.97	<1	1380	<2	0.40	<5	10	494	<20
S313205		20	4.02	10	0.79	1005	4	2.33	4	1350	8	0.30	6	10	712	<20
S313206		20	3.83	10	0.79	1025	1	2.41	2	1350	5	0.20	<5	9	706	<20
S313206D		20	3.86	10	0.79	1035	<1	2.43	3	1370	2	0.20	<5	9	710	<20
S313207		20	4.21	10	0.73	1145	1	2.09	3	1310	6	0.39	<5	9	677	<20
S313208		20	4.19	10	0.73	999	2	2.11	<1	1260	7	0.14	6	9	799	<20
S313209		20	3.72	10	0.84	1080	17	2.38	3	990	8	0.37	<5	11	536	<20
S313210		10	3.60	10	0.47	1195	9	0.22	17	930	8660	2.98	74	12	147	<20
S313211		20	4.20	10	0.78	1285	14	2.11	5	1240	10	0.29	5	9	455	<20
S313212		20	3.99	10	1.04	1340	63	2.08	3	1360	8	0.58	10	9	376	<20
S313213		20	3.91	10	1.21	1285	3	2.14	5	1360	4	0.65	<5	10	321	<20
S313214		20	5.63	10	0.80	834	1	0.86	2	1290	11	1.24	15	11	184	<20
S313215		20	4.48	10	0.73	1060	<1	1.90	1	1280	6	0.21	7	9	606	<20
S313216		20	4.22	10	0.82	1040	1	1.90	4	1450	11	0.42	16	10	798	<20
S313217		20	3.40	10	0.86	1150	2	2.57	2	1400	6	0.35	10	10	921	<20
S313218		20	3.17	10	0.90	1065	<1	2.99	2	1390	8	0.17	10	10	870	<20
S313219		20	3.45	10	0.81	955	1	2.53	2	1330	7	0.33	5	9	906	<20
S313220		<10	<0.01	<10	1.99	19	<1	<0.01	1	40	4	0.06	<5	<1	5320	<20
S313221		20	4.17	10	0.93	862	2	1.15	5	1290	7	1.77	9	9	252	<20
S313222		20	4.11	10	0.94	953	3	1.79	4	1370	5	0.40	8	9	370	<20
S313223		20	3.89	10	0.89	1355	3	1.76	5	1260	5	0.66	<5	9	432	<20
S313224		20	3.85	10	0.86	1080	1	1.43	4	1250	9	1.49	<5	8	335	<20
S313225		20	3.49	10	0.86	842	1	2.64	3	1390	3	0.31	<5	10	761	<20
S313226		20	3.56	10	0.92	895	1	2.46	3	1420	3	0.42	6	10	731	<20
S313226D		20	3.55	10	0.92	927	2	2.47	4	1420	<2	0.41	9	10	818	<20
S313227		20	3.47	10	0.94	952	2	2.66	3	1500	8	0.23	10	10	838	<20
S313228		20	2.76	10	1.06	994	5	2.67	3	1490	10	0.49	8	11	1035	<20
S313229		20	3.22	10	1.11	1000	7	2.65	3	1490	8	0.38	5	11	997	<20
S313230		20	2.92	10	0.71	1020	6	0.15	70	1610	59	4.13	21	19	184	<20
S313231		20	3.57	10	0.89	844	4	2.52	4	1400	7	0.26	6	9	849	<20
S313232		20	4.17	10	0.91	849	2	2.13	3	1410	6	0.54	8	9	500	<20
S313233		20	4.44	10	1.15	816	1	1.67	3	1310	<2	0.88	11	10	251	<20
S313234		20	4.53	10	1.00	806	3	2.15	5	1410	2	0.77	<5	10	354	<20
S313235		20	4.20	10	0.91	876	2	2.31	3	1400	2	0.21	<5	9	707	<20
S313236		20	4.45	10	1.27	1000	21	1.23	6	1240	4	1.09	5	9	234	<20
S313237		20	3.18	10	3.28	2030	<1	0.95	50	1300	<2	0.31	<5	33	286	<20
S313238		20	3.86	10	1.62	1460	1	1.56	14	1270	7	0.89	7	14	242	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313201		0.25	<10	<10	140	<10	32	
S313202		0.28	<10	<10	160	<10	35	
S313203		0.27	<10	<10	150	<10	35	
S313204		0.27	<10	<10	154	<10	36	
S313205		0.28	<10	<10	147	<10	40	
S313206		0.28	10	<10	150	<10	41	
S313206D		0.28	<10	<10	151	<10	38	
S313207		0.28	<10	<10	145	<10	39	
S313208		0.27	<10	<10	146	<10	37	
S313209		0.26	<10	<10	117	<10	49	
S313210		0.25	10	<10	118	<10	1780	
S313211		0.26	<10	<10	126	<10	34	
S313212		0.26	<10	<10	146	<10	37	
S313213		0.27	<10	<10	148	<10	35	
S313214		0.26	<10	<10	159	<10	46	
S313215		0.26	<10	<10	152	<10	42	
S313216		0.29	<10	<10	164	10	37	
S313217		0.28	<10	<10	152	10	38	
S313218		0.29	10	<10	154	<10	41	
S313219		0.27	<10	<10	142	<10	47	
S313220		<0.01	<10	<10	1	<10	<2	
S313221		0.27	10	<10	137	<10	33	
S313222		0.28	10	<10	144	<10	37	
S313223		0.27	<10	<10	142	<10	34	
S313224		0.25	<10	<10	133	<10	31	
S313225		0.28	<10	<10	152	<10	37	
S313226		0.28	10	<10	156	<10	38	
S313226D		0.28	<10	<10	158	<10	37	
S313227		0.29	<10	<10	166	<10	39	
S313228		0.29	<10	<10	160	<10	39	
S313229		0.29	<10	<10	160	<10	41	
S313230		0.36	<10	<10	176	<10	203	
S313231		0.27	<10	<10	150	<10	34	
S313232		0.28	<10	<10	151	<10	32	
S313233		0.27	<10	<10	144	<10	32	
S313234		0.29	<10	<10	155	<10	31	
S313235		0.28	<10	<10	145	<10	29	
S313236		0.25	<10	<10	132	<10	30	
S313237		0.53	<10	<10	287	10	67	
S313238		0.34	10	<10	176	<10	42	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313239		6.37	0.146		0.9	6.93	867	2030	1.3	<2	4.51	<0.5	7	3	185	3.31
S313240		0.45	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.8	<0.5	<1	<1	<1	0.04
S313241		5.85	0.027		1.3	7.39	40	2730	1.1	<2	4.61	<0.5	10	3	362	3.69
S313242		5.61	0.089		1.4	7.38	44	2660	1.1	<2	4.68	<0.5	9	3	442	4.00
S313243		6.39	0.022		1.1	7.53	36	3040	1.1	<2	3.79	<0.5	12	3	570	3.56
S313244		6.33	0.015		0.7	7.06	27	3020	1.2	<2	3.54	<0.5	8	3	346	3.64
S313245		3.56	0.016		0.9	6.93	51	3020	1.1	<2	3.82	<0.5	10	3	246	3.76
S313246		3.16	0.020		<0.5	6.71	539	1460	1.1	<2	5.83	<0.5	25	7	67	7.67
S313246D		<0.02	0.020		<0.5	6.63	594	1390	1.1	<2	5.91	<0.5	24	7	69	7.55
S313247		6.99	0.156		1.6	7.40	47	2360	1.2	<2	4.10	<0.5	14	7	1820	4.42
S313248		6.40	0.066		0.6	7.43	29	3090	1.2	<2	3.85	<0.5	9	3	772	4.13
S313249		5.83	0.065		0.6	7.42	66	2580	1.3	<2	3.21	<0.5	7	3	484	4.25
S313250		0.50	<0.005		<0.5	0.06	<5	20	<0.5	2	35.6	<0.5	<1	<1	1	0.04
S313251		6.25	0.094		1.0	7.45	30	2820	1.2	<2	3.19	<0.5	10	4	1100	4.00
S313252		4.85	0.061		0.9	7.33	47	2760	1.2	<2	3.99	<0.5	9	3	600	4.25
S313253		5.76	0.034		0.5	7.50	45	3040	1.2	<2	3.51	<0.5	7	3	277	4.24
S313254		6.17	0.199		3.5	6.98	546	1980	1.2	<2	5.70	<0.5	14	2	1240	4.96
S313255		6.05	0.176		2.3	7.04	460	1980	1.4	<2	4.60	<0.5	8	2	773	4.11
S313256		6.63	0.097		2.3	7.11	101	2350	1.2	<2	3.64	3.1	9	4	537	3.94
S313257		3.52	0.025		0.5	7.58	70	2040	1.5	<2	5.97	<0.5	18	29	194	5.14
S313258		5.90	0.024		<0.5	7.58	78	2020	1.4	<2	6.68	<0.5	27	51	115	6.01
S313259		6.99	0.125		6.2	7.47	101	2240	1.3	<2	5.78	0.5	15	10	1990	5.05
S313260		0.46	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.0	<0.5	<1	<1	1	0.04
S313261		5.65	0.047		1.1	7.26	56	2660	1.2	<2	4.08	<0.5	9	6	461	4.33
S313262		3.42	0.060		1.8	7.20	85	2330	1.2	<2	5.15	<0.5	19	32	904	4.79
S313301		2.68	0.037		<0.5	7.70	15	3870	1.4	<2	1.95	<0.5	11	6	22	4.80
S313302		4.64	0.071		<0.5	7.42	21	3380	1.2	<2	3.23	<0.5	9	6	37	3.81
S313303		6.79	0.106		<0.5	7.00	44	3190	1.2	<2	4.01	<0.5	11	5	50	4.65
S313304		6.42	0.112		0.5	6.76	36	2270	1.2	<2	3.46	<0.5	10	6	14	3.54
S313305		7.31	0.134		0.9	6.72	85	2220	1.3	<2	3.45	<0.5	13	6	48	4.11
S313306		5.88	0.024		<0.5	6.71	31	3710	1.2	<2	3.11	<0.5	10	6	81	3.15
S313306D		<0.02	0.022		<0.5	6.73	31	3650	1.2	<2	3.09	<0.5	11	6	80	3.08
S313307		6.31	0.033		<0.5	8.42	41	3930	1.4	<2	1.20	<0.5	10	6	75	3.66
S313308		5.47	0.131		<0.5	7.64	15	3980	1.2	<2	2.09	<0.5	7	6	31	2.76
S313309		5.24	0.021		<0.5	8.10	24	3610	1.4	<2	2.22	<0.5	10	6	33	4.47
S313310		0.13	1.030		11.6	5.71	296	830	0.9	<2	3.39	4.3	10	26	81	3.84
S313311		7.50	0.041		<0.5	7.51	34	4020	1.3	<2	5.26	<0.5	13	6	113	4.29
S313312		4.75	0.044		<0.5	8.33	22	3540	1.4	<2	3.47	<0.5	13	6	46	5.28
S313313		6.21	0.075		<0.5	8.12	22	4080	1.3	<2	2.89	<0.5	10	6	85	3.54
S313314		5.31	0.052		<0.5	8.25	23	3860	1.4	<2	2.78	<0.5	11	6	42	4.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313239		20	3.94	10	0.87	968	2	1.11	3	1180	4	0.80	8	8	254	<20
S313240		<10	0.01	<10	2.38	23	<1	0.01	<1	30	<2	0.05	6	<1	4950	<20
S313241		20	4.13	10	1.02	1170	1	2.12	1	1300	5	0.41	<5	9	297	<20
S313242		20	4.10	10	1.13	1235	1	1.91	2	1270	7	0.37	5	9	318	<20
S313243		20	3.99	10	0.86	872	16	2.52	1	1340	<2	0.41	<5	9	674	<20
S313244		20	3.99	10	0.79	833	13	2.27	1	1320	5	0.28	<5	8	629	<20
S313245		20	4.30	10	0.86	942	5	2.06	1	1260	7	0.34	<5	8	355	<20
S313246		20	2.03	10	1.94	2010	3	1.47	1	1220	7	0.50	6	32	200	<20
S313246D		20	1.93	10	1.93	2020	3	1.49	<1	1200	5	0.46	8	32	202	<20
S313247		20	3.73	10	1.07	1010	54	1.68	4	1280	11	0.92	<5	11	388	<20
S313248		20	4.21	10	0.78	859	5	2.16	2	1370	10	0.45	<5	9	520	<20
S313249		20	3.90	10	1.08	894	16	2.12	1	1340	7	0.92	5	9	309	<20
S313250		<10	0.01	<10	1.33	19	<1	0.01	<1	50	3	0.06	<5	<1	4730	<20
S313251		20	4.04	10	1.04	857	14	2.06	3	1360	9	0.82	<5	9	321	<20
S313252		20	3.77	10	1.02	985	14	2.34	1	1480	7	0.85	<5	10	548	<20
S313253		20	4.19	10	1.11	972	6	2.14	3	1540	6	0.59	5	11	430	<20
S313254		20	3.82	10	1.26	1435	4	0.74	3	1290	11	1.76	8	12	252	<20
S313255		20	4.13	10	1.12	1090	5	0.26	<1	1240	8	1.56	9	8	137	<20
S313256		20	4.33	10	1.09	889	4	0.95	2	1210	72	1.40	8	9	170	<20
S313257		20	4.11	10	2.17	1390	2	0.42	21	1420	6	0.57	<5	21	208	<20
S313258		10	3.38	10	3.15	1750	1	0.66	35	1240	5	0.41	8	29	363	<20
S313259		20	4.10	10	1.63	1350	16	0.66	4	1270	7	1.54	8	13	214	<20
S313260		<10	0.01	<10	1.73	17	<1	0.01	<1	40	2	0.07	<5	<1	5140	<20
S313261		20	4.49	10	1.26	1060	8	1.23	1	1480	6	0.72	6	11	265	<20
S313262		20	5.65	10	1.41	1200	7	0.69	12	1700	20	1.78	9	23	327	<20
S313301		20	3.41	10	1.15	1205	<1	2.37	3	1350	7	0.13	10	14	521	<20
S313302		20	3.20	10	0.99	1035	<1	2.61	2	1290	8	0.30	<5	13	472	<20
S313303		20	3.51	10	1.01	1150	<1	1.59	1	1240	9	1.00	6	13	400	<20
S313304		20	3.06	10	0.97	946	<1	2.29	2	1350	11	1.03	5	13	571	<20
S313305		20	3.59	10	1.01	950	1	1.14	2	1490	21	1.51	<5	14	485	<20
S313306		20	3.84	10	0.83	990	1	1.88	3	1240	9	0.54	<5	12	385	<20
S313306D		20	3.76	10	0.82	978	<1	1.84	2	1240	5	0.53	<5	13	376	<20
S313307		20	4.35	10	0.86	854	<1	1.82	3	1430	6	0.34	<5	16	217	<20
S313308		20	4.22	10	0.89	820	<1	2.25	2	1370	6	0.21	5	15	366	<20
S313309		20	4.22	10	0.99	875	<1	1.50	2	1340	4	0.65	9	15	246	<20
S313310		10	3.62	10	0.52	1330	9	0.20	19	890	146	2.68	18	10	183	<20
S313311		20	3.80	10	0.98	1260	2	1.81	6	1350	6	0.69	<5	14	380	<20
S313312		20	3.28	10	1.15	1255	1	2.49	3	1460	2	0.55	<5	16	508	<20
S313313		20	3.80	10	1.08	1095	1	2.82	4	1450	3	0.50	<5	15	565	<20
S313314		20	3.48	10	1.14	1215	1	2.54	4	1430	5	0.29	<5	15	627	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313239		0.24	10	<10	129	<10	28	
S313240		<0.01	<10	<10	1	<10	<2	
S313241		0.26	<10	<10	139	10	31	
S313242		0.25	10	<10	137	<10	32	
S313243		0.27	10	<10	144	<10	30	
S313244		0.27	<10	<10	145	<10	59	
S313245		0.26	<10	<10	144	<10	34	
S313246		0.73	10	<10	272	10	88	
S313246D		0.72	<10	<10	268	10	89	
S313247		0.27	<10	<10	150	<10	46	
S313248		0.27	<10	<10	152	<10	45	
S313249		0.27	10	<10	145	<10	45	
S313250		<0.01	<10	<10	1	<10	<2	
S313251		0.27	<10	<10	148	<10	45	
S313252		0.30	<10	<10	165	<10	47	
S313253		0.31	<10	<10	172	<10	46	
S313254		0.27	<10	<10	166	10	56	
S313255		0.26	10	<10	136	10	47	
S313256		0.25	<10	<10	134	<10	167	
S313257		0.39	<10	<10	216	10	78	
S313258		0.46	<10	<10	245	10	70	
S313259		0.29	<10	<10	154	<10	42	
S313260		<0.01	<10	<10	1	<10	<2	
S313261		0.30	<10	<10	170	10	48	
S313262		0.40	<10	<10	257	<10	62	
S313301		0.36	<10	<10	174	<10	82	
S313302		0.34	10	<10	165	<10	64	
S313303		0.32	<10	<10	157	<10	61	
S313304		0.33	<10	<10	154	<10	57	
S313305		0.37	10	<10	164	<10	62	
S313306		0.33	<10	<10	158	<10	58	
S313306D		0.32	10	<10	158	<10	63	
S313307		0.37	<10	<10	179	<10	64	
S313308		0.36	<10	<10	169	<10	49	
S313309		0.35	<10	<10	170	<10	56	
S313310		0.24	<10	<10	99	10	465	
S313311		0.36	<10	<10	175	<10	62	
S313312		0.37	<10	<10	181	<10	72	
S313313		0.37	10	<10	178	<10	58	
S313314		0.37	<10	<10	178	<10	81	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313315		5.99	0.084		<0.5	8.18	31	4350	1.4	<2	3.22	<0.5	13	6	80	4.26
S313316		5.82	0.092		<0.5	8.31	35	3460	1.4	<2	2.58	<0.5	13	6	58	4.13
S313317		5.60	0.169		0.8	8.59	46	3190	1.5	2	1.87	0.8	16	7	122	3.91
S313318		6.49	0.067		<0.5	8.00	35	4220	1.3	<2	2.83	<0.5	13	6	70	3.85
S313319		6.27	0.079		<0.5	8.06	27	4110	1.3	<2	3.00	<0.5	12	5	37	4.18
S313320		0.62	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.8	<0.5	<1	<1	<1	0.03
S313321		5.46	0.122		<0.5	8.47	45	3600	1.2	2	1.31	<0.5	14	5	35	4.27
S313322		5.25	0.047		<0.5	8.91	32	3730	1.4	2	1.54	<0.5	11	6	19	4.41
S313323		4.64	0.049		<0.5	8.93	31	3430	1.4	<2	2.06	0.5	10	9	11	4.54
S313324		5.24	0.081		<0.5	8.01	32	3430	1.4	<2	3.09	<0.5	12	6	13	4.53
S313325		5.45	0.156		<0.5	8.11	31	3660	1.3	<2	3.02	<0.5	10	6	8	4.49
S313326		5.36	0.160		<0.5	8.70	39	3790	1.5	<2	2.80	<0.5	13	6	25	4.51
S313326D		<0.02	0.163		<0.5	8.03	40	3490	1.4	2	2.57	<0.5	12	6	23	4.18
S313327		6.22	0.130		<0.5	8.27	31	3710	1.3	<2	2.14	<0.5	12	5	29	4.43
S313328		6.17	0.066		<0.5	7.37	20	2810	1.2	<2	3.46	<0.5	12	5	50	3.82
S313329		7.04	0.063		<0.5	7.99	22	3370	1.3	<2	3.30	<0.5	11	6	52	4.15
S313330		0.13	>10.0	10.15	>100	5.61	382	510	1.0	<2	3.69	4.5	11	30	152	3.73
S313331		6.39	0.079		<0.5	7.82	23	3650	1.3	<2	3.59	<0.5	13	5	54	4.28
S313332		5.99	0.069		0.5	8.76	32	4040	1.3	3	2.99	<0.5	18	6	166	3.98
S313333		6.81	0.058		<0.5	8.74	18	4380	1.4	<2	3.38	<0.5	15	6	119	4.32
S313334		5.71	0.112		<0.5	8.55	24	4610	1.3	<2	3.49	<0.5	12	6	104	4.00
S313335		6.22	0.083		<0.5	8.37	19	4860	1.4	<2	2.96	<0.5	10	6	83	3.81
S313336		6.67	0.053		<0.5	8.29	17	3870	1.2	<2	3.52	<0.5	10	6	90	3.99
S313337		6.29	0.075		<0.5	8.17	30	4260	1.3	<2	3.41	<0.5	12	6	103	4.37
S313338		5.86	0.115		0.7	8.43	42	4160	1.4	<2	2.85	0.6	14	7	154	4.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313315		20	3.85	10	1.07	1160	1	2.37	1	1450	3	0.49	<5	15	477	<20
S313316		20	3.43	10	1.08	1100	1	2.43	3	1470	3	0.60	<5	16	476	<20
S313317		20	3.46	10	1.04	955	1	2.33	3	1440	10	0.97	5	16	514	<20
S313318		20	3.48	10	1.21	1075	1	3.00	1	1390	5	0.55	<5	15	686	<20
S313319		20	3.73	10	1.05	1135	1	2.26	2	1410	5	0.43	6	15	522	<20
S313320		<10	0.01	<10	2.17	20	1	0.01	<1	40	<2	0.07	<5	<1	4560	<20
S313321		20	3.87	10	1.05	881	2	2.36	3	1430	2	0.55	<5	16	311	<20
S313322		20	3.73	10	1.09	1115	1	2.56	3	1470	2	0.22	<5	17	457	<20
S313323		20	3.54	10	1.15	1180	1	2.72	4	1500	3	0.46	7	17	363	<20
S313324		20	3.43	10	1.09	1165	1	2.59	3	1430	2	0.57	6	15	472	<20
S313325		20	3.54	10	1.09	1130	1	2.75	1	1430	3	0.68	<5	15	482	<20
S313326		20	3.35	10	1.03	1080	1	2.63	1	1470	5	0.85	7	16	657	<20
S313326D		20	3.21	10	0.94	1000	1	2.46	2	1340	7	0.79	7	15	621	<20
S313327		20	3.09	10	1.09	1015	1	3.01	1	1410	<2	0.41	5	15	566	<20
S313328		20	2.71	10	1.04	1065	1	3.05	1	1320	3	0.69	<5	13	721	<20
S313329		20	2.98	10	1.16	1030	1	3.17	1	1380	4	0.73	<5	14	656	<20
S313330		10	3.60	10	0.44	1400	9	0.16	22	850	240	3.03	62	10	201	<20
S313331		20	3.03	10	1.25	1145	1	3.01	2	1370	5	0.48	<5	14	648	<20
S313332		20	3.68	10	1.17	916	<1	3.30	2	1490	5	1.06	<5	16	638	<20
S313333		20	3.47	10	1.38	1115	<1	3.42	1	1490	2	0.72	<5	16	737	<20
S313334		20	3.38	10	1.25	1055	1	3.42	1	1490	<2	0.71	5	16	805	<20
S313335		20	3.60	10	1.21	1055	1	3.16	2	1440	5	0.52	<5	15	730	<20
S313336		20	2.82	10	1.16	1080	1	3.39	2	1400	3	0.60	6	15	736	<20
S313337		20	3.07	10	1.13	1110	1	3.10	2	1420	6	0.87	<5	15	790	<20
S313338		20	3.34	10	1.13	1025	2	2.72	1	1390	19	1.16	<5	16	650	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313315		0.37	<10	<10	178	<10	66	
S313316		0.37	<10	<10	181	<10	70	
S313317		0.36	<10	<10	179	<10	96	
S313318		0.36	<10	<10	173	<10	60	
S313319		0.36	<10	<10	175	<10	69	
S313320		<0.01	<10	<10	1	<10	<2	
S313321		0.36	10	<10	177	<10	75	
S313322		0.37	<10	<10	180	<10	92	
S313323		0.38	<10	<10	186	<10	95	
S313324		0.36	<10	<10	178	<10	71	
S313325		0.36	<10	<10	177	<10	66	
S313326		0.37	<10	<10	185	<10	78	
S313326D		0.34	<10	<10	172	<10	70	
S313327		0.35	<10	<10	175	<10	75	
S313328		0.33	<10	<10	164	<10	58	
S313329		0.35	<10	<10	171	<10	67	
S313330		0.23	<10	<10	100	<10	504	131
S313331		0.35	<10	<10	169	<10	65	
S313332		0.37	<10	<10	181	<10	55	
S313333		0.38	<10	<10	180	<10	58	
S313334		0.37	<10	<10	180	<10	54	
S313335		0.36	<10	<10	174	<10	62	
S313336		0.36	<10	<10	174	<10	57	
S313337		0.36	<10	<10	175	<10	56	
S313338		0.37	<10	<10	178	<10	80	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138187

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

CERTIFICATE TR15138190

Project: Bowser Regional Exploration

P.O. No.: BOW-0083

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 11-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211601		5.98	<0.005		<0.5	8.35	6	1910	1.1	<2	2.44	<0.5	11	6	3	4.25
S211602		6.63	<0.005		<0.5	7.55	6	1720	1.0	<2	3.13	<0.5	11	6	3	3.74
S211603		6.28	<0.005		<0.5	8.61	7	1880	1.1	<2	2.52	<0.5	12	5	4	4.36
S211604		6.45	<0.005		<0.5	8.57	5	1900	1.1	<2	2.47	<0.5	11	5	3	4.18
S211605		5.32	<0.005		<0.5	7.98	5	2430	1.0	<2	2.13	<0.5	9	4	2	3.62
S211606		5.43	<0.005		<0.5	7.45	7	1570	1.0	<2	3.18	<0.5	11	5	5	3.85
S211606D		<0.02	<0.005		<0.5	8.08	<5	1650	1.0	<2	3.38	<0.5	10	5	8	4.22
S211607		6.34	<0.005		<0.5	8.25	<5	1890	1.1	<2	2.93	<0.5	10	5	8	3.91
S211608		5.31	<0.005		<0.5	8.42	<5	1830	1.1	<2	2.83	<0.5	8	4	9	3.75
S211609		5.28	<0.005		<0.5	7.92	<5	1730	1.0	2	2.78	<0.5	10	4	8	4.25
S211610		0.12	5.87		79.6	6.04	289	1140	0.9	<2	1.92	21.8	11	23	114	4.81
S211611		6.53	<0.005		<0.5	7.98	7	1680	1.0	<2	2.59	<0.5	9	4	7	4.19
S211612		6.49	<0.005		<0.5	8.02	<5	1770	1.1	<2	2.77	<0.5	9	5	8	4.38
S211613		6.30	<0.005		<0.5	8.32	<5	1900	1.2	<2	2.14	<0.5	8	5	8	4.38
S211614		4.95	<0.005		<0.5	8.52	<5	2250	1.2	<2	2.22	<0.5	10	9	54	4.57
S211615		6.11	<0.005		<0.5	11.50	<5	2820	1.6	<2	0.62	<0.5	14	12	39	5.41
S211616		5.78	<0.005		<0.5	10.45	<5	2350	1.4	2	0.44	<0.5	10	20	50	5.10
S211617		5.40	<0.005		<0.5	10.35	<5	2180	1.3	<2	0.83	<0.5	11	20	32	5.44
S211618		6.24	<0.005		0.6	10.05	7	1910	1.6	<2	1.31	<0.5	19	21	27	3.81
S211619		4.97	<0.005		<0.5	10.15	11	1400	1.5	<2	2.06	<0.5	20	16	20	5.15
S211620		0.53	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.3	<0.5	<1	<1	<1	0.03
S211621		5.33	<0.005		<0.5	8.34	<5	1160	1.1	<2	2.24	<0.5	9	14	17	4.27
S211622		6.21	0.005		<0.5	8.98	<5	1300	1.1	3	2.35	<0.5	10	28	16	4.76
S211623		6.32	<0.005		<0.5	8.91	<5	1360	1.1	2	2.38	<0.5	6	24	15	4.76
S211624		6.33	0.010		<0.5	8.25	11	1300	1.1	<2	2.55	<0.5	15	28	19	4.20
S211625		6.52	0.006		<0.5	9.10	<5	1460	1.2	<2	1.39	<0.5	10	9	13	3.37
S211626		5.91	<0.005		<0.5	8.58	<5	1130	1.0	<2	2.09	<0.5	9	4	14	4.81
S211626D		<0.02	<0.005		<0.5	8.69	<5	1140	1.1	<2	2.07	<0.5	9	4	14	4.85
S211627		6.42	<0.005		<0.5	9.71	<5	1370	1.4	<2	1.85	<0.5	12	27	16	4.26
S211628		5.95	<0.005		<0.5	8.71	<5	1380	1.3	<2	3.33	<0.5	9	36	17	4.01
S211629		5.34	<0.005		<0.5	8.42	<5	1120	1.0	<2	2.48	<0.5	7	6	11	5.19
S211630		0.10	>10.0	19.55	22.1	6.74	800	340	1.3	<2	2.83	1.8	20	110	133	5.08
S211631		5.40	0.007		<0.5	8.27	<5	1230	0.9	<2	2.28	<0.5	9	3	14	5.00
S211632		6.15	<0.005		<0.5	7.97	<5	1050	0.9	<2	2.53	<0.5	11	2	24	4.94
S211633		5.55	<0.005		<0.5	8.23	<5	1070	1.1	<2	3.05	<0.5	17	7	20	4.92
S211634		7.44	<0.005		<0.5	9.35	<5	1720	1.4	<2	1.66	<0.5	23	16	33	4.06
S211635		6.10	<0.005		<0.5	8.01	<5	1710	1.2	<2	3.11	<0.5	11	25	23	3.95
S211636		6.60	<0.005		<0.5	9.65	<5	1710	1.5	<2	1.57	<0.5	8	36	35	4.51
S211637		5.93	<0.005		<0.5	9.82	<5	1220	1.5	<2	1.29	<0.5	13	39	20	5.94
S211638		5.64	<0.005		<0.5	9.53	21	1190	1.4	<2	0.85	<0.5	15	37	20	6.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211601		20	2.23	10	0.58	885	1	1.74	1	1090	4	<0.01	<5	10	287	<20
S211602		20	2.02	10	0.53	1065	<1	1.80	<1	990	3	<0.01	<5	9	286	<20
S211603		20	2.24	10	0.60	894	1	1.86	1	1110	6	<0.01	<5	10	304	<20
S211604		20	2.16	10	0.57	879	1	1.93	1	1070	5	0.01	<5	10	319	<20
S211605		20	1.97	10	0.43	684	1	1.79	1	1000	6	0.02	<5	9	290	<20
S211606		20	1.89	10	0.54	1070	<1	1.86	<1	990	6	<0.01	<5	8	319	<20
S211606D		20	2.05	10	0.61	1105	1	1.99	4	1060	8	<0.01	<5	9	334	<20
S211607		20	2.23	10	0.61	1020	<1	1.90	3	1080	7	0.01	<5	10	359	<20
S211608		20	2.23	10	0.58	951	1	1.75	1	1040	4	0.02	<5	10	340	<20
S211609		20	2.17	10	0.54	970	<1	1.67	3	1040	4	0.02	5	9	315	<20
S211610		10	3.60	10	0.48	1155	9	0.23	15	940	8510	2.98	71	12	145	<20
S211611		20	2.18	10	0.44	835	<1	1.70	2	1040	9	0.01	<5	9	305	<20
S211612		20	2.29	10	0.37	845	<1	1.59	1	1040	7	<0.01	<5	9	312	<20
S211613		20	2.50	10	0.31	696	<1	1.39	3	1090	6	<0.01	6	10	308	<20
S211614		20	2.89	10	0.30	735	<1	0.99	2	790	4	0.03	<5	9	422	<20
S211615		20	3.47	20	0.57	856	1	1.01	7	580	2	0.05	<5	13	311	<20
S211616		20	2.94	20	0.70	1125	<1	0.84	7	200	<2	0.22	<5	13	281	<20
S211617		20	2.73	20	0.72	1290	3	0.83	8	380	<2	0.26	<5	16	292	<20
S211618		20	2.57	20	0.44	945	4	1.23	11	810	66	0.54	<5	14	384	<20
S211619		20	1.95	10	0.54	1210	3	1.71	9	1030	77	1.33	<5	14	408	<20
S211620		<10	0.01	<10	1.69	16	<1	0.01	<1	30	<2	0.06	<5	<1	5330	<20
S211621		20	1.58	10	0.38	960	4	1.68	5	1130	32	1.41	<5	11	358	<20
S211622		20	1.72	10	0.54	1315	3	1.58	7	1240	7	0.44	<5	12	369	<20
S211623		20	1.80	10	0.57	1275	1	1.40	5	1230	<2	0.07	<5	12	354	<20
S211624		20	1.71	10	0.41	1160	30	1.48	14	1100	8	0.58	<5	11	378	<20
S211625		20	1.99	10	0.39	822	18	1.34	7	540	11	0.17	<5	12	381	<20
S211626		20	1.55	10	0.57	1250	9	1.55	3	980	9	0.20	<5	11	344	<20
S211626D		20	1.56	10	0.57	1245	9	1.58	4	970	7	0.20	<5	11	345	<20
S211627		20	1.96	10	0.46	986	8	1.90	6	1340	9	0.48	5	12	419	<20
S211628		20	1.91	10	0.43	1205	4	1.91	4	1380	3	0.01	<5	11	420	<20
S211629		20	1.50	10	0.62	1350	1	1.78	3	1140	<2	0.12	<5	11	340	<20
S211630		10	3.05	10	0.71	1015	7	0.16	68	1670	59	4.22	16	19	184	<20
S211631		20	1.57	10	0.58	1225	3	1.62	4	1030	3	0.16	<5	11	346	<20
S211632		20	1.43	10	0.56	1245	8	1.67	4	1080	<2	0.10	<5	11	304	<20
S211633		20	1.62	10	0.51	1350	6	1.78	6	1030	3	0.53	<5	10	340	<20
S211634		20	2.46	10	0.38	807	2	1.41	13	720	3	1.14	<5	13	341	<20
S211635		20	1.91	10	0.38	1205	<1	1.27	7	740	5	0.41	<5	12	586	<20
S211636		20	2.42	10	0.56	1015	<1	1.27	8	1050	2	0.15	<5	13	380	<20
S211637		20	1.87	10	0.89	1335	2	1.39	11	860	<2	0.17	<5	12	331	<20
S211638		20	1.76	10	0.91	1190	2	1.47	16	980	3	0.79	<5	12	323	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211601		0.37	<10	<10	119	<10	81	
S211602		0.34	<10	<10	111	<10	73	
S211603		0.37	<10	<10	120	<10	82	
S211604		0.37	<10	<10	122	<10	81	
S211605		0.34	<10	<10	111	<10	67	
S211606		0.35	<10	<10	117	<10	84	
S211606D		0.37	<10	<10	123	<10	90	
S211607		0.39	<10	<10	121	<10	82	
S211608		0.37	<10	<10	115	<10	77	
S211609		0.37	<10	<10	118	<10	83	
S211610		0.25	<10	<10	119	10	1785	
S211611		0.36	<10	<10	115	<10	78	
S211612		0.36	<10	<10	114	<10	79	
S211613		0.37	<10	<10	111	<10	70	
S211614		0.38	<10	<10	120	<10	77	
S211615		0.47	10	<10	133	<10	117	
S211616		0.50	<10	<10	141	<10	122	
S211617		0.50	<10	<10	138	<10	129	
S211618		0.47	10	<10	140	<10	77	
S211619		0.45	<10	<10	146	<10	90	
S211620		<0.01	<10	<10	1	<10	<2	
S211621		0.38	<10	<10	127	<10	67	
S211622		0.42	<10	<10	136	<10	97	
S211623		0.42	<10	<10	129	<10	99	
S211624		0.39	<10	<10	131	<10	83	
S211625		0.42	<10	<10	142	<10	64	
S211626		0.39	<10	<10	126	<10	97	
S211626D		0.40	<10	<10	127	<10	97	
S211627		0.46	<10	<10	146	<10	80	
S211628		0.46	10	<10	145	<10	93	
S211629		0.39	<10	<10	128	<10	119	
S211630		0.36	<10	<10	181	10	211	
S211631		0.38	<10	<10	138	<10	105	
S211632		0.36	<10	<10	106	<10	98	
S211633		0.40	<10	<10	110	10	99	
S211634		0.42	<10	<10	137	<10	64	
S211635		0.39	<10	<10	123	10	82	
S211636		0.46	<10	<10	145	<10	90	
S211637		0.42	<10	<10	141	10	127	
S211638		0.41	<10	<10	138	10	129	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211639		4.68	<0.005		<0.5	9.43	7	1580	1.1	<2	0.38	<0.5	13	13	16	6.08
S211640		0.54	<0.005		<0.5	0.08	<5	10	<0.5	<2	33.8	<0.5	<1	<1	<1	0.07
S211641		6.04	<0.005		<0.5	10.05	24	1170	1.4	<2	0.61	<0.5	19	10	26	4.11
S211642		5.62	<0.005		<0.5	9.36	28	170	1.3	<2	1.33	<0.5	14	11	23	5.28
S211643		5.91	<0.005		<0.5	10.45	22	1100	1.5	<2	0.91	<0.5	10	2	14	4.04
S211644		5.60	<0.005		<0.5	9.88	22	690	1.3	<2	2.15	<0.5	7	2	15	5.42
S211645		5.91	<0.005		<0.5	10.60	14	960	1.6	<2	1.45	<0.5	13	2	19	5.10
S211646		6.38	<0.005		0.9	9.46	<5	1420	1.3	3	1.74	<0.5	11	2	28	3.94
S211646D		<0.02	<0.005		<0.5	9.27	6	1410	1.3	<2	1.70	<0.5	11	2	25	3.95
S211647		3.29	<0.005		<0.5	6.67	6	1750	0.7	<2	6.78	<0.5	11	1	87	4.92
S211648		2.96	<0.005		<0.5	7.88	<5	1830	1.1	<2	3.08	<0.5	9	2	4	4.93
S211649		6.75	<0.005		<0.5	7.34	7	1980	1.2	<2	3.07	<0.5	10	1	3	4.49
S211650		0.13	1.035		12.5	6.26	306	690	1.0	<2	3.58	4.2	10	27	84	4.06
S211651		6.98	<0.005		<0.5	7.75	5	1830	1.1	<2	3.76	<0.5	9	1	1	4.56
S211652		6.10	<0.005		<0.5	8.80	9	2140	1.2	<2	2.14	<0.5	11	2	8	4.17
S211653		1.65	<0.005		<0.5	9.26	7	2110	1.3	<2	1.55	<0.5	11	3	7	4.42
S211654		3.56	<0.005		<0.5	7.43	<5	1650	1.0	<2	3.16	<0.5	11	2	5	4.07
S211655		5.84	<0.005		<0.5	8.30	<5	1810	1.1	<2	3.27	<0.5	9	1	2	4.46
S211656		5.86	<0.005		<0.5	7.85	7	1780	1.1	<2	3.19	<0.5	11	1	2	4.45
S211657		5.78	<0.005		<0.5	7.46	7	2130	1.3	<2	3.82	<0.5	11	1	3	4.53
S211658		6.13	<0.005		<0.5	8.23	5	2080	1.4	<2	3.23	<0.5	12	1	2	4.74
S211659		5.57	<0.005		<0.5	7.42	7	1590	1.0	<2	3.96	<0.5	11	1	2	4.17
S211660		0.49	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.1	<0.5	<1	<1	<1	0.04
S211661		6.57	<0.005		<0.5	7.47	<5	1520	1.0	<2	4.44	<0.5	11	1	3	4.06
S211662		5.77	<0.005		<0.5	7.52	5	1340	0.9	<2	4.34	<0.5	10	1	5	4.03
S211663		6.56	<0.005		<0.5	8.03	5	1590	1.0	<2	4.45	<0.5	10	1	5	4.19
S211664		6.34	<0.005		<0.5	7.56	<5	1720	1.0	<2	4.36	<0.5	10	1	3	4.39
S211665		5.88	<0.005		<0.5	7.07	<5	1230	0.9	<2	5.31	<0.5	11	1	5	4.02
S211666		6.59	<0.005		<0.5	7.69	6	1350	1.0	2	4.94	<0.5	12	1	4	4.19
S211666D		<0.02	<0.005		<0.5	7.51	<5	1360	0.9	<2	4.90	<0.5	12	1	3	4.12
S211667		6.31	<0.005		<0.5	6.99	<5	1200	0.8	<2	5.22	<0.5	12	1	2	3.93
S211668		6.41	<0.005		<0.5	7.47	<5	1570	1.0	<2	4.33	<0.5	10	1	2	3.93
S211669		4.95	<0.005		<0.5	7.59	5	1660	1.1	<2	4.22	<0.5	10	2	2	4.18
S211670		0.12	>10.0	11.00	>100	5.88	355	1080	0.9	<2	3.60	4.2	12	31	140	3.70
S211671		5.89	<0.005		<0.5	7.27	<5	1450	1.0	<2	4.85	<0.5	9	1	2	3.96
S211672		6.71	<0.005		<0.5	7.61	<5	1460	1.0	<2	4.63	<0.5	9	1	1	3.94
S211673		6.14	<0.005		<0.5	7.19	<5	1380	1.0	<2	5.22	<0.5	10	1	4	4.28
S211674		5.85	<0.005		<0.5	6.95	5	1300	0.9	<2	6.06	<0.5	8	1	14	3.76
S211675		5.84	<0.005		<0.5	7.48	6	1430	1.0	<2	5.80	<0.5	10	1	5	3.88
S211676		5.11	<0.005		<0.5	7.68	<5	1640	1.0	<2	5.32	<0.5	10	1	4	4.14

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211639		20	2.25	10	0.98	1190	1	0.72	8	330	<2	0.42	<5	12	219	<20
S211640		<10	0.01	<10	1.89	24	<1	0.01	<1	30	3	0.06	<5	<1	5120	<20
S211641		20	3.20	30	0.29	311	1	0.98	6	650	30	2.92	<5	14	302	<20
S211642		20	2.75	10	0.12	214	4	1.03	5	270	41	5.58	5	14	340	<20
S211643		20	2.49	10	0.29	356	8	2.04	2	1250	25	3.18	5	13	421	<20
S211644		20	1.95	20	0.48	848	15	2.00	2	1160	30	3.65	<5	13	423	<20
S211645		20	2.18	20	0.50	777	4	2.11	2	1450	27	3.28	<5	13	419	<20
S211646		20	2.06	10	0.70	1195	5	1.55	2	1400	10	0.49	<5	12	329	<20
S211646D		20	2.05	10	0.69	1185	5	1.53	2	1410	6	0.50	<5	12	325	<20
S211647		20	1.26	30	1.05	2930	3	0.68	2	940	4	0.89	<5	9	1015	<20
S211648		20	2.34	10	0.47	1495	1	1.07	2	1180	3	0.06	<5	10	300	<20
S211649		20	2.56	10	0.29	1360	2	1.25	2	1130	5	0.01	<5	9	293	<20
S211650		20	3.79	10	0.56	1450	9	0.21	21	940	150	2.88	18	11	199	<20
S211651		20	2.47	10	0.38	1765	<1	1.44	2	1160	9	0.01	<5	10	311	<20
S211652		20	2.66	10	0.48	1115	1	1.40	1	1300	11	0.02	<5	11	289	<20
S211653		20	2.85	10	0.54	930	<1	1.20	2	1300	7	0.02	7	13	263	<20
S211654		20	2.16	10	0.50	1575	2	1.71	1	1130	5	0.03	<5	9	296	<20
S211655		20	2.42	10	0.49	1605	2	1.71	2	1240	6	0.02	<5	11	323	<20
S211656		20	2.21	10	0.53	1620	1	1.44	2	1160	12	0.01	<5	10	308	<20
S211657		20	2.50	10	0.54	1980	2	0.95	4	1130	9	0.01	<5	9	358	<20
S211658		20	2.38	10	0.61	1645	1	1.49	3	1220	8	0.02	<5	11	344	<20
S211659		20	1.92	10	0.56	1815	<1	2.19	1	1110	6	0.02	<5	9	330	<20
S211660		<10	0.01	<10	1.73	20	<1	0.01	1	40	2	0.08	<5	<1	4950	<20
S211661		20	1.82	10	0.61	1910	1	2.15	2	1110	8	<0.01	<5	10	344	<20
S211662		20	1.61	10	0.71	1870	1	2.12	1	1020	8	0.01	<5	10	328	<20
S211663		20	1.87	10	0.63	1810	<1	2.26	2	1160	8	0.02	<5	10	369	<20
S211664		20	1.91	10	0.63	1750	1	2.22	1	1160	11	0.03	<5	10	367	<20
S211665		20	1.36	10	0.87	2080	<1	2.23	2	1000	13	0.07	7	9	373	<20
S211666		20	1.55	10	1.04	2000	<1	2.15	2	1080	7	0.05	<5	10	375	<20
S211666D		20	1.51	10	1.03	1980	<1	2.12	1	1040	8	0.05	<5	10	366	<20
S211667		20	1.35	10	1.23	2280	<1	1.91	2	1030	5	0.04	<5	9	363	<20
S211668		20	1.82	10	0.97	1850	<1	1.81	1	1140	6	0.02	5	10	338	<20
S211669		20	1.88	10	0.76	1590	<1	1.94	1	1220	9	0.02	<5	10	370	<20
S211670		10	3.49	10	0.46	1375	7	0.15	22	800	236	2.95	60	10	200	<20
S211671		20	1.67	10	0.86	1695	<1	1.85	3	1120	10	0.02	<5	10	364	<20
S211672		20	1.69	10	0.89	1525	<1	1.82	1	1090	7	0.01	5	10	359	<20
S211673		20	1.59	10	0.96	1690	<1	1.74	1	1050	8	0.01	5	10	373	<20
S211674		20	1.45	10	0.61	1670	<1	1.94	1	970	5	0.03	<5	10	389	<20
S211675		20	1.66	10	0.69	1655	<1	1.97	<1	1070	4	0.02	<5	11	395	<20
S211676		20	1.85	10	0.71	1530	<1	1.97	<1	1170	3	0.01	<5	11	379	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211639		0.48	<10	<10	172	10	181	
S211640		<0.01	<10	<10	2	<10	2	
S211641		0.50	10	<10	150	10	68	
S211642		0.43	<10	<10	129	10	32	
S211643		0.48	10	10	232	<10	91	
S211644		0.45	10	<10	208	<10	122	
S211645		0.47	<10	<10	135	<10	88	
S211646		0.46	<10	<10	139	10	106	
S211646D		0.44	<10	<10	136	10	105	
S211647		0.29	<10	<10	90	<10	130	
S211648		0.38	<10	<10	131	<10	92	
S211649		0.37	<10	<10	126	<10	76	
S211650		0.26	10	<10	107	<10	480	
S211651		0.38	10	<10	137	<10	80	
S211652		0.40	10	<10	121	10	84	
S211653		0.40	<10	<10	122	<10	85	
S211654		0.36	<10	<10	119	<10	90	
S211655		0.39	<10	<10	127	<10	87	
S211656		0.36	10	<10	143	<10	90	
S211657		0.36	<10	<10	127	<10	84	
S211658		0.38	<10	<10	121	10	89	
S211659		0.35	10	<10	116	<10	89	
S211660		<0.01	<10	<10	1	<10	<2	
S211661		0.34	<10	<10	113	<10	90	
S211662		0.32	<10	<10	104	<10	94	
S211663		0.36	<10	<10	119	<10	83	
S211664		0.37	<10	<10	121	<10	79	
S211665		0.31	10	<10	101	<10	91	
S211666		0.33	<10	<10	112	<10	96	
S211666D		0.33	<10	<10	112	<10	96	
S211667		0.32	10	<10	104	<10	107	
S211668		0.36	<10	<10	118	<10	86	
S211669		0.39	<10	<10	126	<10	75	
S211670		0.23	10	<10	94	<10	487	143
S211671		0.36	<10	<10	116	<10	77	
S211672		0.36	<10	<10	112	<10	82	
S211673		0.36	<10	<10	112	<10	97	
S211674		0.33	<10	<10	105	<10	68	
S211675		0.35	<10	<10	113	<10	84	
S211676		0.38	<10	<10	124	<10	88	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211677		5.94	<0.005		<0.5	7.09	<5	1430	0.9	<2	4.96	<0.5	10	1	4	3.95
S211678		5.76	<0.005		<0.5	6.84	<5	1350	0.9	4	4.34	<0.5	10	1	7	3.78
S211679		6.34	<0.005		<0.5	7.04	<5	1410	0.9	<2	4.77	<0.5	10	1	10	3.86
S211680		0.79	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.3	<0.5	<1	<1	<1	0.03
S211681		6.50	<0.005		<0.5	7.68	<5	2110	1.2	4	4.28	<0.5	9	1	3	4.39
S211682		5.14	<0.005		<0.5	6.85	<5	1610	1.0	<2	4.76	<0.5	9	1	9	4.44
S211683		5.82	<0.005		<0.5	6.59	8	1510	1.0	<2	4.95	<0.5	8	1	11	3.79
S211684		5.33	<0.005		<0.5	7.15	<5	1730	1.0	<2	6.08	<0.5	12	1	3	4.36
S211685		5.54	<0.005		<0.5	7.70	<5	1670	1.1	<2	5.73	<0.5	11	1	5	4.40
S211686		6.13	<0.005		<0.5	7.78	<5	2140	1.1	<2	5.28	<0.5	11	1	3	4.92
S211686D		<0.02	<0.005		<0.5	7.64	<5	2110	1.0	<2	5.21	<0.5	11	1	3	4.86
S211687		6.31	<0.005		<0.5	7.36	<5	1950	1.0	<2	5.34	<0.5	10	1	2	4.45
S211688		6.41	<0.005		<0.5	7.05	<5	1900	0.9	<2	5.66	<0.5	11	1	1	4.22
S211689		5.61	0.018		<0.5	7.52	<5	1830	1.0	<2	4.98	<0.5	10	1	3	4.43
S211690		0.14	5.55		84.8	6.45	302	320	1.0	2	2.04	23.5	12	23	123	5.06
S211691		6.26	0.006		<0.5	8.83	<5	2010	1.1	2	2.52	<0.5	9	1	35	4.62
S211692		6.37	<0.005		<0.5	8.92	<5	1420	1.2	3	2.89	<0.5	11	2	27	4.83
S211693		5.94	<0.005		<0.5	8.57	<5	1390	1.2	<2	3.75	<0.5	14	1	14	5.20
S211694		4.00	<0.005		<0.5	10.05	8	1880	1.6	<2	1.07	<0.5	16	2	20	3.98
S211695		2.06	<0.005		<0.5	11.65	24	2250	1.9	2	0.12	<0.5	16	36	52	5.00
S211696		6.15	<0.005		<0.5	11.55	7	2450	1.7	<2	0.51	<0.5	11	11	36	4.60
S211697		5.82	<0.005		<0.5	11.10	9	2530	1.4	3	0.12	<0.5	18	8	18	4.85
S211698		6.51	<0.005		<0.5	9.38	6	1680	1.4	<2	0.40	<0.5	10	3	9	4.54
S211699		5.15	<0.005		<0.5	8.16	5	1120	1.2	<2	1.75	<0.5	8	3	9	4.05
S211700		0.73	<0.005		<0.5	0.21	<5	20	<0.5	2	34.2	<0.5	<1	<1	1	0.13

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211677		20	1.63	10	0.69	1365	<1	2.00	<1	1080	8	<0.01	<5	10	354	<20
S211678		20	1.54	10	0.67	1215	<1	1.86	<1	1030	<2	<0.01	<5	9	322	<20
S211679		10	1.59	10	0.74	1325	<1	1.77	<1	1050	5	<0.01	<5	10	336	<20
S211680		<10	<0.01	<10	1.67	19	<1	0.01	<1	40	<2	0.05	<5	<1	5300	<20
S211681		20	2.30	10	0.60	1175	<1	1.67	<1	1280	3	<0.01	<5	11	356	<20
S211682		20	1.75	10	0.60	1200	<1	1.78	<1	1050	4	0.01	<5	9	378	<20
S211683		10	1.61	10	0.59	1175	<1	1.80	<1	1030	5	0.02	<5	9	399	<20
S211684		20	1.86	10	0.80	1575	<1	1.55	<1	1130	4	0.01	<5	10	397	<20
S211685		20	1.84	10	0.85	1465	<1	1.70	<1	1170	4	0.01	<5	11	408	<20
S211686		20	2.29	10	0.81	1360	<1	1.40	<1	1250	3	0.01	<5	11	345	<20
S211686D		20	2.27	10	0.80	1355	<1	1.38	<1	1240	2	0.01	<5	11	343	<20
S211687		20	2.07	10	0.70	1320	<1	1.49	<1	1200	3	0.01	6	11	361	<20
S211688		20	1.99	10	0.67	1405	<1	1.44	<1	1130	4	0.01	<5	10	325	<20
S211689		20	1.90	10	0.57	1240	<1	1.49	<1	1110	<2	0.03	<5	11	360	<20
S211690		10	3.84	10	0.50	1255	10	0.25	15	1020	9320	3.15	76	12	156	<20
S211691		20	1.94	10	0.76	1090	7	1.66	<1	1300	7	0.19	<5	13	475	<20
S211692		20	1.56	10	0.82	1370	2	1.99	<1	1370	4	0.01	<5	13	362	<20
S211693		20	1.30	10	0.84	1655	1	1.63	<1	1220	29	0.25	<5	12	434	<20
S211694		20	2.31	10	0.65	815	1	1.74	1	1610	45	0.10	<5	15	373	<20
S211695		30	2.73	<10	0.65	689	6	1.31	7	210	13	0.25	<5	20	453	<20
S211696		30	3.02	10	0.54	635	1	1.27	3	310	7	0.57	<5	16	414	<20
S211697		20	3.06	10	0.51	521	8	1.05	4	360	41	1.22	<5	16	340	<20
S211698		20	1.99	20	0.51	599	3	1.52	1	670	26	1.09	<5	12	334	<20
S211699		20	1.30	10	0.45	921	1	1.82	<1	980	20	1.09	<5	10	383	<20
S211700		<10	0.03	<10	1.96	42	<1	0.08	<1	50	<2	0.06	<5	1	4760	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211677		0.35	<10	<10	116	<10	85	
S211678		0.32	<10	<10	112	<10	81	
S211679		0.32	<10	<10	113	<10	85	
S211680		<0.01	<10	<10	1	<10	<2	
S211681		0.39	<10	<10	146	<10	75	
S211682		0.33	<10	<10	125	<10	73	
S211683		0.32	10	<10	114	<10	68	
S211684		0.35	<10	<10	129	<10	90	
S211685		0.36	<10	<10	128	<10	91	
S211686		0.39	10	<10	152	<10	95	
S211686D		0.39	<10	<10	150	<10	94	
S211687		0.37	<10	<10	135	<10	87	
S211688		0.37	<10	<10	128	<10	95	
S211689		0.34	<10	<10	128	<10	81	
S211690		0.26	<10	<10	130	<10	1935	
S211691		0.42	<10	<10	151	<10	85	
S211692		0.45	<10	<10	153	<10	94	
S211693		0.40	<10	<10	137	<10	106	
S211694		0.54	<10	<10	190	<10	85	
S211695		0.76	<10	<10	285	<10	91	
S211696		0.56	<10	<10	199	<10	81	
S211697		0.49	<10	<10	169	<10	82	
S211698		0.38	<10	<10	123	<10	85	
S211699		0.33	<10	<10	109	<10	75	
S211700		0.01	<10	<10	3	<10	2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 25-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138190

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

CERTIFICATE TR15138632

Project: Bowser Regional Exploration

P.O. No.: BOW-0081

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 11-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313339		5.75	0.299		0.8	8.40	76	1520	1.5	5	3.17	<0.5	17	8	181	5.43
S313340		0.77	<0.005		<0.5	0.05	<5	10	<0.5	3	35.0	<0.5	<1	1	<1	0.05
S313341		6.00	0.073		<0.5	7.91	57	3820	1.4	3	3.49	<0.5	12	8	89	4.89
S313342		4.63	0.168		<0.5	8.16	41	3840	1.4	4	3.02	<0.5	11	9	89	5.10
S313343		6.51	0.040		<0.5	8.30	33	3830	1.3	2	2.65	<0.5	16	10	161	5.54
S313344		6.31	0.183		<0.5	8.23	29	3570	1.4	2	3.16	<0.5	9	8	42	4.53
S313345		5.67	0.115		<0.5	8.23	24	4250	1.4	<2	3.12	<0.5	11	9	100	4.59
S313346		6.75	0.237		<0.5	8.13	25	3950	1.3	2	3.15	<0.5	10	9	51	4.44
S313346D		<0.02	0.272		<0.5	7.93	24	3900	1.3	3	3.13	<0.5	9	10	50	4.39
S313347		4.92	0.063		<0.5	8.37	22	3690	1.4	<2	1.70	<0.5	8	8	41	4.21
S313348		6.71	0.106		<0.5	8.40	30	3590	1.4	<2	2.47	<0.5	11	11	118	4.43
S313349		3.90	0.087		<0.5	8.09	29	3090	1.2	2	2.02	<0.5	12	9	153	4.25
S313350		0.13	>10.0	10.75	>100	5.66	377	490	1.0	3	3.70	4.2	11	31	146	3.84
S313351		3.51	0.048		0.6	8.27	27	3970	1.3	<2	1.64	<0.5	9	7	154	3.55
S313352		5.44	0.052		<0.5	7.47	31	3830	1.3	4	3.11	<0.5	11	6	152	3.80
S313353		5.87	0.072		<0.5	7.80	42	3580	1.3	<2	3.45	0.5	13	6	129	4.24
S313354		7.32	0.115		0.5	8.14	33	2540	1.3	<2	4.28	0.7	12	6	56	4.14
S313355		6.54	0.206		0.6	7.29	44	2020	1.2	<2	4.28	0.6	12	6	54	4.01
S313356		8.10	0.207		1.3	7.47	58	1940	1.2	<2	4.54	1.6	17	6	108	4.17
S313357		4.95	0.183		0.7	8.10	42	2360	1.4	<2	4.33	1.6	12	6	48	4.04
S313358		7.33	0.097		<0.5	7.49	28	2750	1.2	<2	4.15	<0.5	13	6	52	4.07
S313359		6.87	0.092		0.5	7.74	37	2200	1.3	<2	4.51	0.6	13	6	77	4.21
S313360		0.53	<0.005		<0.5	0.06	<5	20	<0.5	2	34.2	<0.5	<1	1	<1	0.04
S313361		6.38	0.134		<0.5	7.36	49	2680	1.1	<2	3.93	<0.5	10	6	17	4.41
S313362		6.79	0.082		<0.5	7.85	43	3430	1.1	<2	4.08	<0.5	11	6	35	4.78
S313363		5.78	0.155		1.4	7.73	84	1200	1.1	<2	5.55	<0.5	14	8	28	4.89
S313364		5.15	0.085		<0.5	7.66	62	2050	1.1	<2	3.70	<0.5	10	7	81	4.79
S313365		6.22	>10.0	32.9	2.4	6.67	97	470	0.7	<2	5.06	0.5	75	22	404	6.65
S313366		3.42	4.22		0.6	6.77	154	450	0.7	<2	4.68	<0.5	37	30	114	5.04
S313366D		<0.02	4.76		0.6	6.83	127	420	0.6	<2	4.37	<0.5	36	30	117	5.00
S313367		5.43	0.246		0.9	7.02	117	960	0.5	<2	3.30	<0.5	146	29	347	3.68
S313368		6.43	0.158		1.3	7.55	99	690	0.9	<2	4.20	1.1	25	25	125	4.03
S313369		5.57	0.176		1.7	6.72	178	620	0.7	<2	6.55	0.7	35	21	143	3.72
S313370		0.11	>10.0	18.35	24.7	6.87	790	600	1.4	<2	2.79	1.8	21	113	132	5.01
S313371		5.28	0.300		1.7	7.36	210	410	0.8	<2	5.78	0.8	86	21	274	5.67
S313372		6.06	0.204		1.1	7.50	114	2090	1.1	<2	4.17	0.6	20	13	303	5.74
S313373		5.48	0.352		0.7	7.76	64	2410	0.8	<2	5.35	<0.5	19	14	173	5.58
S313374		5.87	0.382		<0.5	7.97	44	940	1.0	<2	6.78	<0.5	22	16	35	5.06
S313375		5.74	0.362		1.0	7.73	52	1510	0.9	<2	6.05	0.6	28	22	638	5.24
S313376		7.41	0.213		<0.5	6.93	61	3320	0.5	<2	3.82	<0.5	48	39	96	3.49

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313339		20	3.57	10	0.99	889	<1	2.65	1	1460	21	2.39	9	16	552	<20
S313340		<10	0.01	<10	1.75	30	1	0.01	<1	30	2	0.10	<5	<1	5460	<20
S313341		20	3.45	10	0.97	1125	<1	2.58	2	1380	6	0.99	9	15	577	<20
S313342		20	3.38	10	0.97	1070	<1	2.50	3	1380	4	0.94	8	15	576	<20
S313343		20	3.29	10	1.21	1030	<1	2.80	2	1370	4	1.08	<5	15	678	<20
S313344		20	3.32	10	1.06	1020	1	2.79	<1	1390	10	0.82	5	15	603	<20
S313345		20	3.48	10	1.21	1050	<1	2.83	1	1380	9	0.76	7	15	612	<20
S313346		20	3.18	10	1.14	1060	<1	3.07	2	1360	8	0.41	10	15	792	<20
S313346D		20	3.10	10	1.12	1045	<1	3.04	2	1360	4	0.42	11	14	784	<20
S313347		20	3.35	10	1.23	984	<1	2.96	2	1410	5	0.34	9	16	547	<20
S313348		20	3.15	10	1.30	1015	<1	3.22	3	1360	9	0.44	7	16	686	<20
S313349		20	2.63	10	1.30	1095	<1	3.47	1	1380	10	0.46	8	15	645	<20
S313350		10	3.67	10	0.45	1325	9	0.16	22	820	242	3.00	58	10	196	<20
S313351		20	4.07	10	1.04	1090	1	2.74	2	1360	22	0.38	5	15	465	<20
S313352		20	3.89	10	0.93	1155	<1	2.32	1	1330	28	0.52	<5	14	428	<20
S313353		20	3.42	10	1.10	1415	<1	2.59	2	1380	22	0.72	7	14	458	<20
S313354		20	3.46	10	1.15	1675	<1	1.94	2	1330	80	1.13	6	16	324	<20
S313355		20	3.22	10	0.96	1525	<1	1.66	3	1310	33	1.40	10	14	242	<20
S313356		20	3.40	10	0.97	1710	<1	1.75	3	1320	122	1.74	8	14	261	<20
S313357		20	3.64	10	1.05	1610	<1	1.65	2	1370	111	1.58	12	16	283	<20
S313358		20	3.38	10	1.01	1560	<1	2.05	3	1330	15	0.96	5	14	315	<20
S313359		20	3.22	10	0.93	1640	<1	2.10	4	1390	46	1.54	5	15	291	<20
S313360		<10	0.01	<10	1.89	20	<1	0.01	<1	40	2	0.06	<5	<1	5390	<20
S313361		20	3.00	10	1.08	1495	<1	2.68	2	1270	15	1.40	<5	14	278	<20
S313362		20	3.50	10	1.09	1465	<1	2.79	1	1350	8	1.15	6	14	316	<20
S313363		20	3.52	10	1.05	1765	<1	2.60	3	1300	23	1.88	11	15	328	<20
S313364		20	5.06	10	0.99	1370	<1	2.33	3	1350	10	1.43	7	14	390	<20
S313365		10	4.70	10	1.22	1435	60	1.52	12	1590	16	4.61	<5	13	297	<20
S313366		20	5.73	10	1.06	1265	2	1.15	12	1360	10	3.16	12	10	309	<20
S313366D		20	5.80	<10	1.03	1185	2	1.09	10	1370	13	3.17	14	11	319	<20
S313367		10	5.71	10	0.88	940	3	1.14	21	1420	8	1.97	12	10	301	<20
S313368		20	4.42	10	1.00	1170	1	2.73	12	1790	56	2.45	12	13	304	<20
S313369		10	5.21	10	0.82	1490	1	1.34	13	1480	47	2.50	9	12	250	<20
S313370		10	3.02	10	0.72	1035	6	0.16	68	1690	60	4.21	25	19	186	<20
S313371		20	5.29	10	1.20	1615	12	1.12	15	1520	53	3.53	17	14	247	<20
S313372		20	4.41	10	1.72	1700	1	1.36	10	1860	35	1.96	14	23	298	<20
S313373		20	3.85	10	1.85	1850	<1	1.75	8	2010	27	1.52	9	27	629	<20
S313374		20	1.96	30	2.24	1890	2	2.77	10	2190	22	1.71	12	36	616	<20
S313375		20	2.81	10	1.66	1695	25	2.49	11	1900	18	1.79	15	26	651	<20
S313376		20	6.07	10	1.35	1155	1	1.00	20	1430	14	1.22	5	13	411	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313339		0.37	<10	<10	185	<10	92	
S313340		<0.01	<10	<10	1	<10	<2	
S313341		0.37	<10	<10	178	<10	76	
S313342		0.36	<10	<10	174	<10	94	
S313343		0.36	<10	<10	173	<10	77	
S313344		0.36	<10	<10	176	<10	83	
S313345		0.36	<10	<10	177	<10	76	
S313346		0.36	<10	<10	173	<10	73	
S313346D		0.35	<10	<10	170	<10	73	
S313347		0.36	<10	<10	176	<10	86	
S313348		0.35	<10	<10	170	<10	82	
S313349		0.36	<10	<10	175	<10	76	
S313350		0.23	<10	<10	98	<10	500	135
S313351		0.36	<10	<10	174	<10	98	
S313352		0.35	<10	10	170	<10	74	
S313353		0.36	<10	<10	170	<10	73	
S313354		0.35	10	<10	169	10	145	
S313355		0.35	<10	<10	165	10	108	
S313356		0.35	<10	<10	167	<10	217	
S313357		0.36	<10	<10	167	10	222	
S313358		0.35	<10	<10	167	<10	61	
S313359		0.36	<10	<10	170	<10	108	
S313360		<0.01	<10	<10	2	<10	<2	
S313361		0.33	<10	<10	158	10	61	
S313362		0.36	<10	<10	169	10	56	
S313363		0.34	10	<10	159	<10	72	
S313364		0.36	<10	<10	169	10	57	
S313365		0.31	<10	<10	189	10	71	
S313366		0.30	<10	<10	144	10	49	
S313366D		0.30	<10	<10	146	10	47	
S313367		0.31	10	<10	136	10	40	
S313368		0.37	<10	<10	186	10	143	
S313369		0.31	<10	<10	150	<10	106	
S313370		0.36	10	<10	179	<10	216	
S313371		0.33	10	<10	175	<10	140	
S313372		0.41	<10	<10	274	<10	122	
S313373		0.43	<10	<10	323	<10	117	
S313374		0.44	<10	<10	327	<10	83	
S313375		0.41	10	<10	286	10	80	
S313376		0.34	<10	<10	171	<10	56	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313377		6.89	0.462		<0.5	7.99	57	3260	1.2	<2	4.69	<0.5	38	15	47	4.49
S313378		6.81	1.095		<0.5	7.90	47	3680	1.0	<2	4.03	<0.5	16	24	93	4.02
S313379		6.54	0.237		0.7	7.13	119	2430	0.6	<2	3.25	<0.5	62	46	240	3.74
S313380		0.85	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.6	<0.5	1	<1	<1	0.04
S313381		7.35	0.948		1.2	7.00	601	1450	0.6	<2	3.17	0.7	192	30	335	4.01
S313382		6.27	2.88		1.1	7.03	3240	2770	0.7	<2	4.02	<0.5	647	21	235	4.42
S313383		6.58	0.567		1.4	7.50	227	900	0.9	<2	4.65	<0.5	203	13	423	6.84
S313384		7.54	0.286		0.5	7.64	69	3610	0.8	<2	4.39	<0.5	33	14	122	5.01
S313385		5.65	0.236		<0.5	8.20	40	3400	1.0	<2	4.07	<0.5	21	30	67	3.64
S313386		6.66	0.134		1.0	6.95	132	1470	0.7	<2	3.79	<0.5	76	41	159	3.74
S313386D		<0.02	0.150		1.2	7.08	135	1330	0.7	<2	3.86	<0.5	77	39	161	3.79
S313387		7.97	0.113		<0.5	7.16	51	3820	0.7	<2	3.07	<0.5	15	41	79	3.36
S313388		9.13	0.047		<0.5	7.21	27	3930	0.7	<2	3.31	<0.5	12	34	55	2.99
S313389		6.50	0.297		0.7	7.60	258	1850	0.9	<2	3.63	0.5	46	19	342	6.92
S313390		0.13	1.000		12.6	5.86	302	450	1.0	<2	3.54	4.4	11	28	85	3.98
S313391		7.23	0.115		<0.5	7.81	73	3590	1.0	<2	3.25	<0.5	16	12	137	6.92
S313392		7.24	0.303		0.6	7.74	502	960	0.8	<2	2.91	<0.5	54	13	413	9.06
S313393		6.21	0.167		<0.5	7.65	81	4420	0.5	<2	3.03	<0.5	25	24	166	4.76
S313394		6.39	0.273		0.5	7.15	74	2440	0.8	2	3.31	<0.5	37	24	204	5.11
S313395		3.44	0.166		<0.5	6.66	105	2680	0.7	<2	4.34	1.0	13	28	128	4.48
S313396		6.94	0.539		0.9	7.24	427	1020	0.9	<2	3.57	0.8	38	18	416	7.67
S313397		6.45	0.186		1.3	6.96	541	2180	0.8	<2	4.27	5.4	28	38	285	5.24
S313398		6.55	0.083		1.4	6.74	62	2390	0.8	<2	4.23	0.5	17	29	116	4.24
S313399		6.19	0.240		2.0	6.68	309	1470	0.8	<2	4.04	1.4	21	23	335	5.49
S313400		0.67	0.008		<0.5	0.05	<5	10	<0.5	<2	36.1	<0.5	<1	<1	<1	0.05
S313401		5.43	0.100		0.8	7.44	162	3490	0.6	<2	3.51	0.5	10	30	182	4.03
S313402		6.32	0.147		0.7	6.70	115	1640	0.5	<2	4.49	<0.5	21	46	197	3.78
S313403		5.22	0.216		0.6	6.88	44	2490	0.8	<2	3.88	<0.5	9	33	128	3.50
S313404		6.02	0.085		0.6	6.73	90	3110	0.6	<2	6.65	0.5	13	30	167	3.23
S313405		5.22	0.107		<0.5	7.73	64	2140	0.8	<2	6.55	<0.5	14	17	172	5.02
S313406		7.58	0.100		0.7	7.70	64	820	1.1	<2	7.31	0.7	9	9	125	4.69
S313406D		<0.02	0.101		0.7	8.11	64	840	1.1	<2	7.40	1.0	9	9	121	4.78
S313407		6.72	0.095		0.5	7.77	62	420	1.2	<2	7.65	0.6	13	9	63	4.56
S313408		6.76	0.086		1.6	8.08	59	600	1.2	4	8.92	0.5	14	10	190	4.34
S313409		6.48	0.104		1.1	7.72	77	750	1.1	<2	8.57	0.5	16	9	345	4.71
S313410		0.13	>10.0	10.90	>100	5.59	364	460	1.0	<2	3.73	4.5	12	31	142	3.77
S313411		6.82	0.253		3.3	7.36	126	940	1.2	<2	6.61	0.6	20	23	205	3.74
S313412		6.42	0.129		1.6	6.95	91	1410	1.1	<2	5.50	1.4	10	34	144	3.71
S313413		5.34	0.049		<0.5	6.89	44	2570	0.8	<2	3.66	0.6	10	61	125	3.05
S313414		6.87	0.120		2.0	6.18	75	980	0.8	<2	5.51	0.7	18	40	308	4.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313377		20	5.14	10	1.76	1345	<1	1.87	12	1670	14	0.85	10	17	718	<20
S313378		20	6.57	10	1.45	1270	<1	1.10	12	1600	15	0.81	<5	18	523	<20
S313379		10	5.34	10	0.79	1235	4	0.93	29	1300	30	1.62	5	12	297	<20
S313380		<10	0.02	<10	1.98	22	<1	0.01	1	30	<2	0.07	<5	<1	4610	<20
S313381		20	4.78	<10	0.68	1220	1	0.78	17	1220	47	2.10	11	10	248	<20
S313382		10	5.62	10	0.91	1280	4	1.03	12	1620	9	1.54	9	12	413	<20
S313383		20	4.03	20	1.30	1480	2	2.00	6	2010	14	2.73	<5	19	593	<20
S313384		20	5.51	10	1.60	1460	<1	1.52	7	2030	4	0.81	6	18	552	<20
S313385		20	6.13	10	1.33	1270	<1	1.61	13	1610	12	0.46	<5	15	470	<20
S313386		20	5.33	10	0.92	1130	9	0.67	24	1230	31	1.79	10	10	369	<20
S313386D		20	5.73	10	0.92	1130	8	0.66	27	1220	35	1.92	16	10	370	<20
S313387		20	4.74	10	0.98	1060	2	0.98	24	1420	25	0.97	<5	10	375	<20
S313388		20	4.98	10	0.99	893	2	0.89	16	1440	3	0.49	<5	9	369	<20
S313389		20	4.15	10	1.45	1110	2	1.94	12	1940	6	2.43	5	15	541	<20
S313390		10	3.81	10	0.54	1395	10	0.21	20	920	149	2.84	18	11	195	<20
S313391		20	5.29	10	2.00	1255	1	1.22	6	2210	2	0.94	<5	23	575	<20
S313392		20	4.86	10	1.84	1275	2	0.99	13	2190	3	2.73	<5	28	516	<20
S313393		20	5.12	10	1.21	878	2	1.19	10	1780	2	1.27	<5	13	499	<20
S313394		20	4.23	<10	1.37	947	2	1.84	13	1820	3	1.70	7	12	471	<20
S313395		20	5.04	10	1.16	1080	2	0.78	11	1580	29	0.98	7	13	498	<20
S313396		20	5.16	10	1.35	1155	1	0.93	8	1820	24	3.25	10	18	449	<20
S313397		20	4.83	10	1.14	1250	2	0.73	17	1280	132	2.05	12	11	476	<20
S313398		20	4.87	10	1.15	1160	3	0.65	19	1390	101	1.35	5	9	465	<20
S313399		20	4.63	10	1.05	1200	2	1.08	10	1510	72	2.37	17	14	419	<20
S313400		<10	0.01	<10	1.86	24	1	<0.01	<1	40	<2	0.10	<5	<1	4880	<20
S313401		20	5.50	10	1.01	1030	1	0.86	15	1320	14	1.08	6	12	366	<20
S313402		10	4.60	10	0.79	967	3	0.47	23	1260	6	1.96	6	10	301	<20
S313403		20	4.77	10	1.01	978	3	0.97	18	1400	10	0.90	<5	10	265	<20
S313404		10	4.89	10	0.82	1305	4	0.66	16	1300	4	1.19	<5	9	274	<20
S313405		20	4.15	10	1.35	1585	2	1.75	8	1830	10	1.79	<5	15	360	<20
S313406		20	2.83	10	1.36	1495	2	2.25	6	2010	28	2.85	5	22	331	<20
S313406D		20	2.89	10	1.41	1530	2	2.29	4	2050	26	2.89	<5	23	336	<20
S313407		20	2.07	10	1.71	1760	5	2.42	3	2040	30	2.75	<5	26	278	<20
S313408		20	2.44	10	1.19	1680	4	2.51	3	2340	23	3.09	9	30	491	<20
S313409		20	2.81	10	1.43	1800	7	1.74	5	2260	18	3.09	<5	27	504	<20
S313410		10	3.54	10	0.46	1375	10	0.16	21	840	254	3.00	58	10	197	<20
S313411		20	3.31	<10	1.29	1520	3	1.43	12	1950	36	2.30	<5	20	272	<20
S313412		20	4.69	10	1.04	1255	3	1.20	18	1660	20	2.42	<5	16	346	<20
S313413		20	4.56	10	0.88	946	2	1.07	33	1340	11	1.52	<5	11	358	<20
S313414		20	4.34	10	0.91	1195	3	0.53	22	1400	31	2.78	5	11	260	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313377		0.36	10	<10	203	<10	64	
S313378		0.36	10	<10	202	<10	71	
S313379		0.32	10	<10	149	<10	73	
S313380		<0.01	<10	<10	2	<10	<2	
S313381		0.28	<10	<10	127	10	104	
S313382		0.34	<10	<10	181	<10	69	
S313383		0.41	<10	<10	260	<10	74	
S313384		0.42	10	<10	269	<10	70	
S313385		0.38	10	<10	198	10	75	
S313386		0.31	<10	<10	136	10	63	
S313386D		0.31	<10	<10	135	<10	65	
S313387		0.33	<10	<10	144	<10	57	
S313388		0.31	<10	<10	140	<10	42	
S313389		0.39	<10	<10	227	<10	85	
S313390		0.25	<10	<10	105	10	474	
S313391		0.44	<10	<10	287	<10	75	
S313392		0.44	<10	<10	302	<10	83	
S313393		0.34	<10	<10	174	<10	49	
S313394		0.36	<10	<10	196	<10	58	
S313395		0.33	<10	<10	181	<10	95	
S313396		0.38	<10	<10	241	<10	86	
S313397		0.30	<10	<10	145	10	413	
S313398		0.27	<10	<10	124	10	58	
S313399		0.31	<10	<10	174	10	123	
S313400		<0.01	<10	<10	1	<10	<2	
S313401		0.32	<10	<10	159	<10	104	
S313402		0.29	<10	<10	125	<10	51	
S313403		0.32	<10	<10	142	<10	56	
S313404		0.29	<10	<10	127	10	57	
S313405		0.36	<10	<10	204	<10	69	
S313406		0.38	<10	<10	242	<10	92	
S313406D		0.39	<10	<10	246	<10	97	
S313407		0.38	<10	<10	264	<10	90	
S313408		0.43	<10	<10	301	<10	68	
S313409		0.41	<10	<10	289	<10	68	
S313410		0.23	<10	<10	96	<10	495	137
S313411		0.39	<10	<10	238	<10	106	
S313412		0.34	10	<10	189	<10	163	
S313413		0.33	<10	<10	146	10	78	
S313414		0.29	<10	<10	168	10	83	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313415		6.30	0.072		1.3	6.94	61	890	0.9	<2	4.48	<0.5	13	41	76	3.90
S313416		6.22	0.049		<0.5	6.80	58	2130	0.8	2	4.15	<0.5	13	21	98	3.24
S313417		7.07	0.093		<0.5	7.07	44	2410	0.9	<2	3.47	<0.5	11	27	87	2.82
S313418		6.73	0.092		<0.5	7.03	77	700	0.8	<2	3.43	<0.5	22	48	40	4.07
S313419		6.48	0.102		0.5	6.37	75	400	0.7	<2	4.04	<0.5	28	28	243	4.33
S313420		0.71	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.1	<0.5	<1	<1	<1	0.04
S313421		7.64	0.069		1.8	6.25	84	140	1.2	<2	6.05	0.6	26	14	863	6.90
S313422		6.87	0.141		3.7	6.51	117	130	0.9	<2	3.41	1.2	20	25	1435	8.47
S313423		6.80	0.152		2.5	6.39	97	180	0.7	<2	3.38	0.5	20	49	805	5.47
S313424		6.61	0.230		1.3	7.00	93	350	0.9	<2	5.06	<0.5	24	48	229	4.53
S313425		6.20	0.178		1.7	6.49	132	220	0.9	3	7.04	1.3	40	49	63	5.21
S313426		6.58	0.140		1.1	6.70	108	310	1.0	<2	5.35	2.9	17	36	39	4.61
S313426D		<0.02	0.148		0.9	6.89	104	390	1.1	4	5.66	3.1	17	38	38	4.51
S313427		6.93	0.115		0.8	6.46	97	440	0.9	<2	4.36	1.0	20	47	86	4.22
S313428		6.29	0.046		0.5	7.45	41	2200	1.1	4	3.67	<0.5	12	36	164	3.48
S313429		6.12	0.069		0.6	7.29	38	2080	1.0	<2	3.62	<0.5	14	55	218	3.34
S313430		0.16	5.79		79.5	6.13	288	480	1.0	<2	1.92	22.3	11	22	116	4.79
S313431		7.21	0.040		<0.5	7.77	30	2800	1.3	2	3.32	<0.5	10	31	75	2.65
S313432		6.19	0.059		<0.5	7.70	26	3220	1.3	2	2.71	<0.5	9	31	62	2.13
S313433		7.29	0.038		<0.5	7.22	27	2390	1.1	2	4.85	<0.5	7	33	72	2.39
S313434		5.82	0.054		0.6	7.57	46	2550	0.8	<2	4.06	<0.5	18	48	199	3.28
S313435		6.51	0.051		<0.5	7.34	30	2560	1.0	<2	4.37	<0.5	14	38	108	2.68
S313436		7.44	0.058		0.6	8.34	43	2480	1.2	<2	3.80	<0.5	19	43	268	3.51
S313437		4.91	0.045		<0.5	8.41	39	3250	1.3	2	4.44	<0.5	22	35	234	3.32
S313438		5.31	0.089		<0.5	7.22	42	1500	1.0	<2	4.39	<0.5	37	55	262	3.76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313415		20	4.48	10	1.04	1095	4	0.66	20	1560	24	2.50	5	14	245	<20
S313416		20	4.44	10	1.01	1020	2	1.59	12	1410	8	1.81	<5	11	334	<20
S313417		20	4.54	10	0.97	926	2	2.09	14	1550	4	1.29	<5	11	351	<20
S313418		20	4.64	10	1.02	888	4	0.87	25	1460	15	2.73	<5	13	260	<20
S313419		10	4.71	10	0.87	943	3	0.46	17	1320	13	3.08	<5	11	275	<20
S313420		<10	0.01	<10	2.05	25	1	0.01	<1	40	<2	0.08	<5	<1	5130	<20
S313421		20	3.64	<10	0.93	1295	3	1.72	13	1680	15	5.20	7	17	538	<20
S313422		20	4.95	<10	0.59	1105	5	1.03	30	1750	21	6.10	13	19	277	<20
S313423		20	5.05	10	0.36	868	4	1.16	33	1410	25	4.78	8	10	270	<20
S313424		20	5.24	10	0.70	1375	2	1.23	32	1480	55	3.83	10	13	267	<20
S313425		10	4.28	10	0.67	2080	2	0.82	30	1440	127	4.84	<5	12	219	<20
S313426		20	4.52	<10	0.82	1880	4	0.52	22	1560	165	3.88	6	13	171	<20
S313426D		10	4.47	10	0.84	1965	3	0.52	21	1560	173	3.82	<5	14	179	<20
S313427		10	4.50	<10	0.93	1410	2	0.97	29	1510	78	3.12	<5	12	191	<20
S313428		20	4.84	10	1.03	947	<1	1.87	18	1530	5	1.78	<5	13	329	<20
S313429		20	4.73	10	0.96	789	3	2.33	28	1450	5	1.60	<5	12	402	<20
S313430		10	3.56	10	0.48	1175	10	0.23	15	970	8760	2.96	71	12	146	<20
S313431		20	5.25	10	1.07	739	<1	2.45	13	1540	5	0.49	9	13	546	<20
S313432		20	4.57	10	1.00	578	1	1.92	15	1250	3	0.35	<5	11	494	<20
S313433		10	4.48	<10	0.86	833	1	2.83	12	1620	<2	0.87	<5	13	522	<20
S313434		20	5.04	10	0.78	808	1	1.75	23	1610	5	1.71	<5	14	485	<20
S313435		10	5.00	<10	0.96	937	<1	2.57	18	1720	3	0.90	6	14	552	<20
S313436		20	5.02	<10	1.35	801	1	1.84	24	1640	2	1.67	<5	16	692	<20
S313437		20	5.14	<10	1.39	909	1	2.03	18	1930	<2	1.38	5	17	792	<20
S313438		20	4.47	<10	1.30	906	2	1.35	35	1660	12	1.73	6	12	707	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313415		0.32	<10	<10	176	10	64	
S313416		0.29	<10	<10	152	10	36	
S313417		0.31	<10	<10	155	<10	32	
S313418		0.34	<10	<10	175	10	37	
S313419		0.28	<10	<10	144	<10	38	
S313420		<0.01	<10	<10	1	<10	<2	
S313421		0.31	<10	<10	214	<10	63	
S313422		0.36	<10	<10	242	<10	117	
S313423		0.31	<10	<10	154	<10	66	
S313424		0.35	<10	<10	183	<10	61	
S313425		0.31	<10	<10	150	<10	117	
S313426		0.32	<10	<10	169	<10	298	
S313426D		0.31	<10	<10	168	<10	327	
S313427		0.32	<10	<10	151	<10	122	
S313428		0.32	<10	<10	169	<10	31	
S313429		0.33	<10	<10	155	<10	30	
S313430		0.25	<10	<10	123	<10	1815	
S313431		0.32	<10	<10	172	<10	34	
S313432		0.30	<10	<10	157	<10	32	
S313433		0.32	<10	<10	189	<10	27	
S313434		0.33	<10	<10	183	<10	37	
S313435		0.34	<10	<10	195	<10	36	
S313436		0.34	<10	<10	197	<10	41	
S313437		0.37	<10	<10	233	<10	51	
S313438		0.33	<10	<10	179	<10	56	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138632

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

CERTIFICATE TR15138668

Project: Bowser Regional Exploration

P.O. No.: BOW-0082

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216351		6.88	<0.005		0.5	9.57	<5	2530	1.3	<2	1.58	<0.5	15	8	76	4.28
S216352		5.46	<0.005		0.5	10.00	<5	2300	1.0	<2	0.62	<0.5	12	13	82	5.69
S216353		6.52	<0.005		<0.5	10.50	<5	1910	1.4	4	0.81	<0.5	16	11	69	5.91
S216354		5.66	<0.005		<0.5	10.15	<5	1680	1.7	<2	0.87	<0.5	12	3	43	3.94
S216355		7.31	<0.005		0.8	9.65	<5	1490	1.8	<2	2.36	<0.5	15	9	82	4.45
S216356		4.25	0.006		<0.5	8.12	<5	1440	2.0	<2	7.05	<0.5	17	4	9	4.73
S216357		5.02	<0.005		<0.5	11.30	<5	3210	1.7	<2	1.36	<0.5	7	9	2	4.51
S216358		6.48	<0.005		<0.5	9.71	<5	2650	1.2	<2	1.31	<0.5	19	8	3	4.85
S216359		6.28	<0.005		<0.5	9.04	<5	2180	1.4	<2	2.68	<0.5	18	4	4	4.99
S216360		0.52	<0.005		<0.5	0.07	<5	20	<0.5	<2	35.2	<0.5	<1	1	7	0.04
S216361		5.74	<0.005		<0.5	8.16	<5	2040	1.3	<2	3.49	<0.5	18	4	1	4.44
S216362		7.06	<0.005		<0.5	7.75	6	1940	1.3	<2	3.65	<0.5	13	5	2	4.13
S216363		3.16	<0.005		<0.5	7.63	5	1820	1.3	<2	3.06	<0.5	10	5	2	4.09
S216364		2.64	<0.005		<0.5	7.87	6	1950	1.3	<2	3.93	<0.5	11	6	3	4.53
S216365		5.50	<0.005		<0.5	7.70	<5	1850	1.2	<2	4.14	0.5	12	5	3	4.33
S216366		5.80	<0.005		<0.5	7.89	<5	2120	1.2	<2	3.36	<0.5	12	5	4	3.63
S216366D		<0.02	<0.005		<0.5	7.81	5	2100	1.2	<2	3.35	<0.5	11	4	3	3.57
S216367		5.37	<0.005		<0.5	7.81	<5	1900	1.2	<2	2.60	<0.5	10	5	5	3.80
S216368		5.67	<0.005		<0.5	8.39	<5	1940	1.2	<2	2.25	<0.5	10	5	17	4.12
S216369		5.37	<0.005		<0.5	7.10	<5	1730	1.0	<2	5.24	<0.5	13	4	6	4.07
S216370		0.12	6.10		81.3	6.15	285	1040	1.0	<2	1.95	22.4	12	22	117	4.81
S216371		5.74	<0.005		<0.5	7.47	<5	1790	1.1	<2	4.03	<0.5	11	5	5	4.21
S216372		6.31	<0.005		<0.5	7.31	<5	1770	1.1	<2	4.09	<0.5	11	5	18	4.03
S216373		5.91	<0.005		<0.5	7.09	<5	1700	1.1	<2	4.39	<0.5	11	5	16	4.05
S216374		4.95	<0.005		<0.5	7.13	<5	1720	1.0	<2	4.58	<0.5	11	5	10	4.02
S216375		5.53	<0.005		<0.5	7.23	<5	1720	1.1	<2	4.28	<0.5	12	4	10	4.10
S216376		5.36	<0.005		<0.5	7.76	5	1690	1.1	<2	3.03	<0.5	12	4	13	4.09
S216377		5.79	<0.005		<0.5	7.55	6	1700	1.0	<2	3.80	<0.5	11	5	14	3.93
S216378		5.98	<0.005		<0.5	7.39	<5	1740	1.0	<2	4.67	<0.5	12	5	21	4.09
S216379		6.08	<0.005		<0.5	8.08	<5	2120	1.2	<2	3.06	<0.5	11	4	10	4.03
S216380		0.81	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.2	<0.5	<1	<1	<1	0.04
S216381		6.44	<0.005		<0.5	7.59	5	1880	1.1	<2	3.58	<0.5	12	5	8	4.08
S216382		5.69	<0.005		<0.5	7.75	6	1810	1.1	<2	3.41	<0.5	13	5	6	4.04
S216383		5.42	<0.005		<0.5	8.96	8	2320	1.2	<2	2.65	<0.5	13	6	6	4.29
S216384		5.87	0.005		<0.5	7.97	<5	1990	1.1	<2	2.79	<0.5	12	5	3	4.35
S216385		6.38	<0.005		<0.5	8.24	<5	2160	1.1	<2	3.13	<0.5	12	5	4	4.78
S216386		6.09	<0.005		<0.5	8.78	5	2250	1.2	<2	2.01	<0.5	11	5	4	4.80
S216386D		<0.02	<0.005		<0.5	8.71	<5	2240	1.2	<2	1.98	<0.5	10	6	4	4.79
S216387		5.90	<0.005		<0.5	9.23	6	2470	1.4	<2	1.26	<0.5	8	6	4	5.12
S216388		6.46	<0.005		<0.5	7.25	<5	3160	1.1	<2	2.88	<0.5	11	5	5	4.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216351		20	2.53	20	0.97	1960	2	0.94	28	890	26	0.19	<5	12	390	<20
S216352		20	2.61	20	1.14	2010	<1	0.69	5	410	7	0.41	<5	19	265	<20
S216353		20	2.33	10	1.21	2100	<1	0.98	6	590	7	0.51	<5	17	422	<20
S216354		20	2.16	20	0.93	1665	13	1.14	9	1060	9	0.07	<5	12	414	<20
S216355		20	1.94	10	1.08	2380	16	1.26	10	1240	8	0.09	<5	17	432	<20
S216356		20	1.70	10	1.04	3050	<1	0.90	5	620	2	2.24	<5	12	756	<20
S216357		30	4.17	10	0.30	616	<1	1.03	3	330	18	0.02	7	14	359	<20
S216358		20	3.36	30	0.62	1075	<1	0.76	5	440	12	<0.01	<5	11	275	<20
S216359		20	2.73	10	0.58	1570	<1	0.92	5	610	16	<0.01	5	11	378	<20
S216360		<10	0.01	<10	1.55	20	3	0.01	6	30	6	0.04	<5	<1	4930	<20
S216361		20	2.52	10	0.62	2000	3	0.86	5	820	10	<0.01	<5	10	347	<20
S216362		20	2.37	10	0.45	1820	3	0.99	3	970	8	<0.01	<5	9	395	<20
S216363		20	2.23	10	0.36	1410	2	1.01	3	950	16	<0.01	<5	9	376	<20
S216364		20	2.36	10	0.42	1875	2	1.18	2	1090	12	<0.01	<5	10	390	<20
S216365		20	2.19	10	0.47	1945	3	1.15	3	1010	10	<0.01	<5	9	382	<20
S216366		20	2.31	10	0.45	1590	2	1.06	4	1030	9	0.01	<5	10	363	<20
S216366D		20	2.28	10	0.44	1595	3	1.04	3	1010	9	0.01	<5	10	358	<20
S216367		20	2.28	10	0.39	1255	3	1.04	3	990	10	<0.01	<5	9	353	<20
S216368		20	2.33	10	0.44	1040	3	1.05	3	1030	11	0.01	<5	10	383	<20
S216369		20	2.08	10	0.50	2220	3	1.17	2	970	10	<0.01	<5	9	332	<20
S216370		10	3.57	10	0.48	1205	12	0.23	16	970	9050	3.02	74	12	147	<20
S216371		20	2.15	10	0.49	1755	3	1.14	1	1010	15	0.01	<5	9	330	<20
S216372		20	2.14	10	0.51	1790	3	1.14	2	980	10	<0.01	5	9	310	<20
S216373		20	2.05	10	0.52	1900	3	1.23	<1	1000	7	<0.01	<5	9	310	<20
S216374		20	2.07	10	0.53	1950	3	1.27	1	990	8	<0.01	<5	8	298	<20
S216375		20	2.04	10	0.58	1910	2	1.30	2	1020	4	<0.01	<5	9	321	<20
S216376		20	2.05	10	0.60	1435	2	1.21	2	970	10	<0.01	<5	9	285	<20
S216377		20	2.03	10	0.59	1665	3	1.35	1	970	9	<0.01	5	9	286	<20
S216378		20	2.05	10	0.62	2050	2	1.53	2	1030	11	<0.01	<5	9	293	<20
S216379		20	2.25	10	0.58	1370	3	1.40	1	1070	8	0.01	<5	10	310	<20
S216380		<10	0.01	<10	1.83	20	1	0.01	<1	30	<2	0.06	<5	<1	5040	<20
S216381		20	2.18	10	0.60	1565	3	1.53	2	1040	7	<0.01	<5	9	298	<20
S216382		20	2.12	10	0.61	1470	2	1.59	2	1010	6	<0.01	<5	9	297	<20
S216383		20	2.66	10	0.50	1115	2	1.63	3	1200	9	<0.01	<5	11	302	<20
S216384		20	2.31	10	0.55	1210	2	1.39	4	980	8	<0.01	<5	9	278	<20
S216385		20	2.49	10	0.52	1275	3	1.34	3	1010	10	<0.01	<5	10	282	<20
S216386		20	2.61	10	0.55	896	3	1.20	4	1040	9	<0.01	<5	11	278	<20
S216386D		20	2.61	10	0.54	881	3	1.20	3	1020	9	<0.01	<5	11	278	<20
S216387		20	2.87	10	0.47	572	4	1.26	4	1140	12	<0.01	<5	11	282	<20
S216388		20	2.13	10	0.52	1170	2	1.23	3	860	10	0.04	<5	8	333	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216351		0.36	<10	<10	115	<10	158	
S216352		0.49	<10	<10	172	<10	124	
S216353		0.47	<10	<10	134	<10	154	
S216354		0.31	<10	<10	109	<10	108	
S216355		0.50	<10	<10	161	<10	120	
S216356		0.36	10	<10	133	<10	146	
S216357		0.43	10	<10	124	10	48	
S216358		0.42	<10	<10	123	<10	136	
S216359		0.41	<10	<10	140	<10	136	
S216360		<0.01	<10	<10	1	<10	8	
S216361		0.39	10	<10	117	<10	134	
S216362		0.38	<10	<10	120	<10	96	
S216363		0.36	<10	<10	117	<10	70	
S216364		0.40	<10	<10	136	<10	87	
S216365		0.37	<10	<10	122	<10	93	
S216366		0.38	<10	<10	115	<10	85	
S216366D		0.38	<10	<10	114	<10	83	
S216367		0.36	<10	<10	116	<10	71	
S216368		0.37	<10	<10	119	<10	71	
S216369		0.35	<10	<10	113	<10	92	
S216370		0.25	<10	<10	121	<10	1855	
S216371		0.36	<10	<10	115	<10	87	
S216372		0.35	10	<10	110	<10	84	
S216373		0.36	<10	<10	111	<10	84	
S216374		0.35	<10	<10	109	<10	78	
S216375		0.36	<10	<10	113	<10	86	
S216376		0.34	<10	<10	109	<10	80	
S216377		0.34	<10	<10	109	<10	79	
S216378		0.35	<10	<10	112	<10	86	
S216379		0.37	<10	<10	118	<10	77	
S216380		<0.01	<10	<10	1	<10	<2	
S216381		0.36	<10	<10	115	<10	85	
S216382		0.36	<10	<10	114	<10	87	
S216383		0.42	<10	<10	130	<10	70	
S216384		0.35	<10	<10	127	<10	77	
S216385		0.36	<10	<10	131	<10	75	
S216386		0.38	<10	<10	136	<10	73	
S216386D		0.38	<10	<10	136	<10	72	
S216387		0.40	10	<10	149	<10	58	
S216388		0.32	<10	<10	109	<10	71	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216389		6.38	<0.005		<0.5	8.50	<5	2080	1.2	<2	2.66	<0.5	13	5	4	4.60
S216390		0.12	>10.0	11.10	>100	5.49	363	400	1.0	<2	3.61	4.3	12	29	145	3.67
S216391		6.40	0.005		<0.5	8.81	<5	2140	1.2	<2	2.48	<0.5	12	6	4	4.73
S216392		5.99	<0.005		<0.5	7.94	<5	1960	1.1	<2	3.21	<0.5	12	5	3	4.04
S216393		5.56	<0.005		<0.5	8.56	<5	2090	1.2	<2	2.78	<0.5	10	5	4	4.02
S216394		6.28	<0.005		<0.5	8.23	5	1900	1.1	<2	2.90	<0.5	11	4	10	4.08
S216395		6.05	<0.005		<0.5	7.90	6	1760	1.1	<2	3.28	<0.5	12	5	5	4.12
S216396		5.93	<0.005		<0.5	7.96	<5	1680	1.1	2	2.92	<0.5	10	4	6	4.02
S216397		5.85	<0.005		<0.5	7.57	<5	1680	1.0	<2	3.67	<0.5	11	6	6	3.78
S216398		5.87	<0.005		<0.5	8.00	<5	1760	1.1	<2	2.93	<0.5	12	4	12	3.82
S216399		6.35	<0.005		<0.5	8.33	5	1760	1.1	<2	2.83	<0.5	11	4	22	4.14
S216400		0.88	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.6	<0.5	<1	<1	<1	0.04
S216401		5.53	<0.005		<0.5	8.25	<5	1720	1.1	<2	2.41	<0.5	10	4	16	4.14
S216402		6.29	<0.005		<0.5	8.39	<5	1800	1.2	<2	2.15	<0.5	9	4	18	4.04
S216403		5.79	<0.005		<0.5	7.78	<5	1440	1.0	<2	3.64	<0.5	11	4	15	3.98
S216404		5.97	<0.005		<0.5	7.75	6	1400	1.0	<2	3.67	<0.5	12	4	23	4.03
S216405		5.36	<0.005		<0.5	8.66	<5	1700	1.2	<2	2.78	<0.5	11	5	40	4.30
S216406		6.60	<0.005		<0.5	7.62	<5	1470	1.1	<2	3.83	<0.5	12	4	11	3.97
S216406D		<0.02	<0.005		<0.5	8.03	<5	1480	1.1	<2	3.88	<0.5	12	4	12	4.03
S216407		6.05	<0.005		<0.5	8.54	6	1550	1.3	<2	3.71	<0.5	16	5	23	4.78
S216408		6.10	<0.005		<0.5	9.30	<5	2360	1.5	<2	2.38	<0.5	12	5	32	3.88
S216409		5.96	<0.005		<0.5	9.79	8	2690	1.5	<2	2.51	<0.5	11	11	14	4.50
S216410		0.17	5.58		83.9	6.25	288	1070	1.0	<2	1.92	22.0	12	22	121	4.84
S216411		5.85	0.005		<0.5	9.84	6	2600	1.5	<2	1.85	<0.5	16	13	4	4.89
S216412		6.40	<0.005		<0.5	8.30	5	2250	1.4	<2	3.50	<0.5	17	14	9	4.80
S216413		7.96	<0.005		<0.5	8.39	<5	2130	1.5	<2	3.83	<0.5	12	19	6	4.69
S216414		8.06	<0.005		<0.5	8.27	<5	1840	1.4	<2	3.70	<0.5	11	21	7	4.58
S216415		8.31	<0.005		<0.5	7.62	<5	1560	1.3	<2	3.17	<0.5	9	4	8	4.30
S216416		7.75	<0.005		<0.5	8.12	<5	1780	1.3	<2	4.65	<0.5	11	44	9	4.99
S216417		6.47	<0.005		<0.5	9.07	<5	1640	1.2	<2	4.90	<0.5	21	46	6	4.29
S216418		6.01	<0.005		<0.5	9.24	<5	1920	1.3	<2	3.84	<0.5	16	56	7	4.52
S216419		6.21	<0.005		<0.5	8.04	5	1770	1.0	<2	3.15	<0.5	11	38	7	4.20
S216420		0.97	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.6	<0.5	<1	<1	<1	0.04
S216421		6.13	<0.005		<0.5	7.98	7	1480	1.3	<2	3.80	<0.5	13	35	5	4.20
S216422		6.22	<0.005		<0.5	8.75	<5	1650	1.5	<2	3.86	<0.5	12	57	6	4.27
S216423		5.86	<0.005		<0.5	7.91	<5	1400	1.3	<2	4.21	<0.5	15	31	8	5.12
S216424		6.39	<0.005		<0.5	8.47	5	1860	1.2	<2	3.22	<0.5	17	26	8	4.68
S216425		6.38	<0.005		<0.5	10.80	8	2740	1.5	<2	0.76	<0.5	10	18	12	5.91
S216426		6.04	<0.005		<0.5	12.10	8	3040	1.7	<2	0.62	<0.5	11	11	19	5.44
S216426D		<0.02	<0.005		<0.5	11.65	9	2960	1.7	<2	0.60	<0.5	11	11	17	5.24

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216389		20	2.43	10	0.65	1175	3	1.42	1	1050	9	<0.01	<5	10	277	<20
S216390		10	3.52	10	0.44	1345	10	0.16	23	820	248	2.98	57	10	195	<20
S216391		20	2.47	10	0.62	1115	3	1.50	2	1110	10	<0.01	<5	10	281	<20
S216392		20	2.21	10	0.60	1360	3	1.49	2	950	6	<0.01	<5	10	273	<20
S216393		20	2.27	10	0.56	1160	3	2.08	2	1100	7	<0.01	<5	10	311	<20
S216394		20	2.01	10	0.66	1270	4	2.18	7	1060	10	<0.01	<5	10	304	<20
S216395		20	1.84	10	0.72	1465	3	2.13	2	980	6	<0.01	<5	9	295	<20
S216396		20	1.78	20	0.72	1325	3	2.12	1	1000	7	<0.01	<5	10	294	<20
S216397		20	1.67	10	0.70	1530	3	2.19	2	970	6	<0.01	<5	9	303	<20
S216398		20	1.82	10	0.73	1345	3	2.24	1	1030	6	<0.01	<5	9	303	<20
S216399		20	1.81	10	0.75	1310	3	2.31	2	1080	7	<0.01	<5	10	313	<20
S216400		<10	0.01	<10	2.03	19	2	0.01	<1	30	<2	0.07	<5	<1	5000	<20
S216401		20	1.81	10	0.72	1150	3	2.21	3	1060	8	<0.01	<5	10	309	<20
S216402		20	1.91	10	0.66	1015	3	2.17	2	1110	9	0.01	<5	10	321	<20
S216403		20	1.60	10	0.74	1600	3	2.30	<1	990	9	<0.01	6	9	313	<20
S216404		20	1.55	10	0.76	1645	3	2.24	2	990	6	<0.01	<5	9	321	<20
S216405		20	1.99	10	0.66	1320	3	2.06	3	1150	6	<0.01	<5	10	342	<20
S216406		20	1.67	10	0.75	1735	3	2.03	2	1050	7	0.01	<5	9	348	<20
S216406D		20	1.69	10	0.78	1745	3	2.04	3	1060	4	<0.01	<5	10	352	<20
S216407		20	2.00	10	0.88	1950	3	1.69	<1	1110	9	<0.01	<5	10	352	<20
S216408		20	2.98	10	0.58	1095	4	1.00	3	890	8	0.01	<5	9	350	<20
S216409		20	3.52	20	0.57	1255	4	0.96	4	540	13	<0.01	<5	11	338	<20
S216410		10	3.67	10	0.48	1195	12	0.23	16	960	9090	3.03	72	12	149	<20
S216411		20	3.46	20	0.63	1055	3	0.80	10	170	21	0.01	<5	10	290	<20
S216412		20	2.80	10	0.61	1650	4	0.98	14	690	10	0.07	<5	11	430	<20
S216413		20	2.70	10	0.51	1605	3	1.15	12	1160	12	0.01	<5	11	402	<20
S216414		20	2.46	10	0.49	1570	3	1.39	8	1300	5	0.01	<5	11	375	<20
S216415		20	2.09	10	0.37	1275	4	1.51	4	1140	9	0.02	<5	10	365	<20
S216416		20	2.38	10	0.51	1870	4	1.70	9	1320	8	0.01	<5	12	375	<20
S216417		20	2.29	10	1.05	2380	3	2.29	13	1490	8	0.01	<5	10	418	<20
S216418		20	2.59	10	0.77	1915	3	2.15	14	1430	11	0.01	<5	12	422	<20
S216419		20	2.32	10	0.59	1455	3	1.32	17	820	5	0.01	<5	12	294	<20
S216420		<10	0.01	<10	1.94	22	2	0.01	<1	30	<2	0.05	<5	<1	5170	<20
S216421		20	1.89	10	0.62	1760	3	2.06	11	1320	7	0.01	<5	9	411	<20
S216422		20	2.14	10	0.60	1745	3	2.16	15	1440	6	0.01	<5	11	412	<20
S216423		20	1.86	20	0.81	2070	4	1.73	24	1110	9	<0.01	<5	10	337	<20
S216424		20	2.38	10	0.82	1795	10	1.61	19	1020	8	0.01	<5	10	352	<20
S216425		20	3.68	30	0.48	411	7	0.86	6	380	15	<0.01	<5	13	307	<20
S216426		30	4.17	30	0.49	393	4	0.98	5	520	18	<0.01	<5	16	354	<20
S216426D		30	4.03	30	0.47	379	4	0.95	5	500	20	<0.01	<5	15	341	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216389		0.37	<10	<10	121	<10	86	
S216390		0.23	<10	<10	95	<10	490	135
S216391		0.39	<10	<10	122	<10	82	
S216392		0.36	<10	<10	117	<10	82	
S216393		0.39	<10	<10	119	<10	71	
S216394		0.38	<10	<10	111	<10	83	
S216395		0.35	10	<10	111	<10	88	
S216396		0.35	<10	<10	108	<10	79	
S216397		0.35	<10	<10	103	<10	81	
S216398		0.36	<10	<10	109	<10	84	
S216399		0.37	<10	<10	111	<10	82	
S216400		<0.01	<10	<10	1	<10	<2	
S216401		0.37	<10	<10	111	<10	77	
S216402		0.37	<10	<10	116	<10	70	
S216403		0.34	<10	<10	104	<10	82	
S216404		0.34	<10	<10	103	<10	87	
S216405		0.39	<10	<10	117	<10	79	
S216406		0.35	<10	<10	100	<10	91	
S216406D		0.35	<10	<10	101	<10	91	
S216407		0.38	<10	<10	128	<10	119	
S216408		0.39	<10	<10	104	<10	91	
S216409		0.44	<10	<10	110	<10	105	
S216410		0.26	<10	<10	122	<10	1845	
S216411		0.42	10	<10	105	<10	122	
S216412		0.41	10	<10	118	<10	134	
S216413		0.41	<10	<10	130	<10	102	
S216414		0.39	<10	<10	130	<10	88	
S216415		0.31	<10	<10	121	<10	58	
S216416		0.39	<10	<10	144	<10	89	
S216417		0.45	<10	<10	127	<10	156	
S216418		0.46	<10	<10	138	<10	99	
S216419		0.34	<10	<10	118	<10	69	
S216420		<0.01	<10	<10	1	<10	<2	
S216421		0.40	10	<10	123	<10	88	
S216422		0.43	<10	<10	129	10	82	
S216423		0.36	<10	<10	132	10	110	
S216424		0.40	<10	<10	139	20	127	
S216425		0.56	10	<10	173	10	70	
S216426		0.51	<10	<10	144	10	74	
S216426D		0.49	<10	<10	137	10	72	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216427		5.87	<0.005		<0.5	9.90	7	2030	1.6	<2	1.70	<0.5	15	2	104	4.82
S216428		6.10	<0.005		<0.5	8.84	5	1560	1.3	<2	3.07	<0.5	16	2	14	5.06
S216429		6.36	<0.005		<0.5	9.89	<5	1850	1.5	<2	2.35	<0.5	12	2	13	4.74
S216430		0.10	>10.0	18.30	20.1	6.90	794	200	1.4	<2	2.92	1.9	20	115	137	5.24
S216431		5.54	0.006		<0.5	9.65	8	2060	1.4	<2	2.08	<0.5	11	2	7	4.78
S216432		6.44	<0.005		<0.5	8.76	7	1910	1.3	<2	2.31	<0.5	10	3	2	4.63
S216433		8.50	<0.005		<0.5	7.97	5	1840	1.1	<2	1.57	<0.5	10	2	2	3.89
S216434		8.19	<0.005		<0.5	7.67	5	1800	1.2	<2	5.21	<0.5	11	2	18	4.15
S216435		6.96	<0.005		<0.5	8.32	8	1900	1.3	<2	3.20	<0.5	10	2	1	4.35
S216436		5.65	<0.005		<0.5	8.98	10	2040	1.3	<2	2.53	<0.5	10	2	1	4.32
S216437		5.91	<0.005		<0.5	8.41	7	1750	1.2	<2	2.35	<0.5	11	2	2	4.34
S216438		6.12	<0.005		<0.5	7.41	7	1780	1.1	<2	4.25	<0.5	10	2	1	3.97
S216439		5.93	<0.005		<0.5	7.82	7	1840	1.1	<2	3.40	<0.5	10	2	3	2.98
S216440		0.74	<0.005		<0.5	0.06	<5	10	<0.5	<2	36.1	<0.5	<1	<1	<1	0.04
S216441		6.14	<0.005		<0.5	7.81	7	1660	1.0	<2	3.40	<0.5	10	2	2	4.04
S216442		5.84	<0.005		<0.5	8.03	7	1660	1.1	<2	3.43	<0.5	10	2	2	4.07
S216443		5.52	<0.005		<0.5	8.89	<5	1850	1.2	<2	2.21	<0.5	10	2	1	4.74
S216444		6.24	<0.005		<0.5	8.15	10	1660	1.1	<2	3.03	<0.5	10	3	2	4.35
S216445		5.22	<0.005		<0.5	8.40	<5	1740	1.2	<2	2.65	<0.5	9	2	2	3.84
S216446		5.55	<0.005		<0.5	7.63	5	6800	1.2	<2	4.94	<0.5	10	2	4	4.47
S216446D		<0.02	<0.005		<0.5	7.63	6	6430	1.2	<2	4.86	<0.5	9	2	4	4.38
S216447		5.44	0.005		<0.5	8.28	6	1710	1.2	<2	3.18	<0.5	10	2	5	4.53
S216448		5.22	0.005		<0.5	7.10	<5	1430	1.0	2	4.40	<0.5	12	1	17	4.09
S216449		5.35	0.006		<0.5	7.15	5	>10000	1.0	<2	4.82	<0.5	9	2	22	3.89
S216450		0.12	0.940		12.1	5.71	292	360	1.0	<2	3.56	4.2	11	26	82	4.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216427		20	2.75	10	0.72	1040	3	1.69	3	1220	11	0.01	<5	13	408	<20
S216428		20	2.16	10	0.87	1650	<1	2.08	1	1280	12	0.01	<5	11	400	<20
S216429		20	2.56	10	0.62	1100	1	2.13	<1	1420	13	0.01	<5	12	440	<20
S216430		20	3.13	10	0.73	1075	7	0.17	71	1720	64	4.30	16	19	188	<20
S216431		20	2.79	10	0.58	919	2	1.58	<1	1220	12	0.02	<5	12	359	<20
S216432		20	2.53	10	0.55	906	3	1.44	<1	1120	13	0.01	<5	11	359	<20
S216433		20	2.33	20	0.52	619	3	1.05	<1	1020	12	0.02	<5	10	318	<20
S216434		20	2.26	10	0.53	1680	3	1.69	<1	1170	15	0.02	<5	10	396	<20
S216435		20	2.48	10	0.53	1070	4	1.62	<1	1250	9	0.01	<5	10	368	<20
S216436		20	2.70	10	0.48	868	4	1.78	<1	1310	12	0.01	<5	10	371	<20
S216437		20	2.24	10	0.55	835	5	1.84	<1	1200	10	0.01	<5	10	338	<20
S216438		20	2.24	10	0.52	1455	5	1.71	<1	1160	10	0.01	<5	9	352	<20
S216439		20	2.17	10	0.55	1200	2	1.87	<1	1140	9	0.04	<5	9	365	<20
S216440		<10	0.01	<10	1.93	20	<1	0.01	<1	30	<2	0.07	<5	<1	4820	<20
S216441		20	1.93	10	0.59	1190	2	2.16	<1	1140	10	0.05	<5	10	378	<20
S216442		20	2.00	10	0.65	1440	2	2.17	<1	1080	11	0.02	<5	9	366	<20
S216443		20	2.22	10	0.69	1010	2	2.24	<1	1310	12	0.02	<5	11	336	<20
S216444		20	1.95	10	0.68	1250	1	2.25	<1	1150	6	0.03	<5	10	348	<20
S216445		20	2.02	10	0.56	1080	1	2.42	<1	1230	11	0.06	<5	11	373	<20
S216446		20	2.08	10	0.51	1730	1	2.13	<1	1210	14	0.52	<5	10	662	<20
S216446D		20	2.06	10	0.51	1725	1	2.10	<1	1200	8	0.51	<5	10	643	<20
S216447		20	1.97	10	0.55	1360	1	2.51	<1	1240	6	0.03	<5	11	394	<20
S216448		20	1.57	10	0.63	1845	1	2.46	<1	1070	9	0.04	<5	9	410	<20
S216449		20	1.63	10	0.56	1830	1	2.34	<1	1090	10	0.53	<5	9	790	<20
S216450		10	3.80	10	0.54	1400	9	0.21	18	910	151	2.76	22	10	189	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216427		0.43	<10	<10	139	<10	114	
S216428		0.39	<10	<10	124	<10	137	
S216429		0.42	10	<10	133	<10	97	
S216430		0.37	<10	<10	186	<10	226	
S216431		0.39	<10	<10	131	<10	93	
S216432		0.37	<10	<10	125	<10	84	
S216433		0.31	<10	<10	114	<10	84	
S216434		0.37	<10	<10	118	<10	95	
S216435		0.38	<10	<10	124	<10	89	
S216436		0.39	<10	<10	135	<10	81	
S216437		0.36	<10	<10	123	10	90	
S216438		0.35	<10	<10	117	10	93	
S216439		0.35	<10	<10	99	<10	90	
S216440		<0.01	<10	<10	1	<10	<2	
S216441		0.35	<10	<10	116	<10	93	
S216442		0.33	<10	<10	102	<10	91	
S216443		0.38	<10	<10	118	<10	88	
S216444		0.35	10	<10	118	<10	94	
S216445		0.38	<10	<10	117	<10	82	
S216446		0.37	<10	<10	133	<10	84	
S216446D		0.36	<10	<10	129	<10	82	
S216447		0.36	<10	<10	129	<10	86	
S216448		0.31	<10	<10	115	<10	95	
S216449		0.32	<10	<10	117	<10	83	
S216450		0.24	10	<10	103	<10	467	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15138668

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

CERTIFICATE TR15139612

Project: Bowser Regional Exploration

P.O. No.: BOW-0084

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211701		5.77	<0.005		0.5	8.57	8	1240	1.2	<2	2.09	<0.5	9	3	8	3.67
S211702		5.82	<0.005		<0.5	8.27	6	1130	1.1	<2	1.87	<0.5	7	3	5	3.84
S211703		6.21	<0.005		<0.5	9.79	<5	1730	1.3	<2	1.61	<0.5	7	3	10	4.22
S211704		6.52	<0.005		<0.5	8.37	6	1280	1.1	<2	2.98	<0.5	6	4	13	4.34
S211705		5.67	<0.005		<0.5	8.24	<5	1390	1.1	<2	2.67	<0.5	6	3	12	3.85
S211706		5.64	<0.005		<0.5	8.49	<5	2000	1.1	<2	2.39	<0.5	8	5	22	4.29
S211706D		<0.02	<0.005		<0.5	8.40	<5	2140	1.0	<2	2.52	<0.5	10	5	21	4.48
S211707		6.26	<0.005		<0.5	7.87	<5	2360	1.0	<2	2.64	<0.5	8	6	11	4.10
S211708		6.12	<0.005		<0.5	8.24	6	2330	1.2	<2	2.82	<0.5	7	6	4	4.27
S211709		5.47	<0.005		<0.5	7.90	<5	1850	1.2	<2	2.76	<0.5	7	3	4	3.98
S211710		0.09	>10.0	18.70	29.6	6.90	741	900	1.4	<2	2.74	1.9	17	104	127	4.98
S211711		5.84	<0.005		<0.5	8.60	<5	1960	1.3	<2	2.74	<0.5	7	3	4	4.09
S211712		5.83	<0.005		<0.5	7.90	<5	1890	1.2	<2	3.07	<0.5	9	2	9	4.07
S211713		5.39	<0.005		<0.5	8.37	8	2060	1.2	<2	2.41	<0.5	5	2	2	3.93
S211714		6.04	<0.005		<0.5	7.78	5	1880	1.3	<2	3.09	<0.5	8	3	4	4.07
S211715		6.30	<0.005		<0.5	8.80	6	1960	1.4	<2	2.70	<0.5	9	3	3	4.32
S211716		5.89	<0.005		<0.5	9.58	<5	2460	1.4	<2	1.83	<0.5	8	3	1	4.20
S211717		6.21	<0.005		<0.5	10.60	13	3480	1.6	<2	1.64	<0.5	9	3	3	5.21
S211718		5.56	<0.005		<0.5	8.48	<5	1720	1.3	<2	2.76	<0.5	12	2	4	4.40
S211719		5.93	<0.005		<0.5	8.79	<5	1560	1.3	<2	3.39	<0.5	11	2	32	3.97
S211720		0.78	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.4	<0.5	<1	<1	<1	0.04
S211721		6.09	<0.005		<0.5	8.34	<5	1340	1.1	<2	3.33	<0.5	11	2	90	3.68
S211722		5.86	<0.005		<0.5	8.05	<5	1670	1.1	<2	2.90	<0.5	8	1	23	4.37
S211723		5.77	<0.005		<0.5	8.19	<5	1670	1.1	<2	4.05	<0.5	10	1	3	4.40
S211724		6.78	<0.005		<0.5	7.07	5	1610	1.1	<2	5.26	<0.5	9	1	12	3.81
S211725		6.20	<0.005		<0.5	7.01	<5	1780	1.0	<2	5.14	<0.5	10	1	7	3.84
S211726		5.90	<0.005		<0.5	7.04	5	2050	1.0	<2	5.77	<0.5	10	1	5	3.83
S211726D		<0.02	<0.005		<0.5	6.69	<5	2020	1.0	<2	5.63	<0.5	8	1	4	3.75
S211727		6.18	<0.005		<0.5	6.50	<5	2190	1.1	<2	3.13	<0.5	7	1	3	3.73
S211728		6.08	<0.005		<0.5	6.60	9	1990	1.1	<2	3.53	<0.5	8	2	5	3.78
S211729		6.10	<0.005		<0.5	6.88	6	2050	1.2	<2	4.89	<0.5	9	1	3	4.12
S211730		0.17	0.944		12.4	5.84	304	430	1.0	<2	3.49	4.2	9	26	81	3.96
S211731		6.31	<0.005		<0.5	6.87	<5	1940	1.1	<2	2.75	<0.5	7	2	4	4.37
S211732		6.72	<0.005		<0.5	7.15	<5	2090	1.2	<2	5.09	<0.5	9	1	4	4.57
S211733		6.34	<0.005		<0.5	6.73	<5	1880	1.1	<2	4.71	<0.5	7	2	6	3.84
S211734		2.31	<0.005		<0.5	7.48	<5	2020	1.2	<2	3.79	<0.5	6	1	13	4.61
S211735		6.91	<0.005		<0.5	6.96	<5	1930	1.0	<2	4.45	<0.5	10	2	11	4.01
S211736		6.32	<0.005		<0.5	6.38	6	1760	1.0	<2	4.95	<0.5	8	1	11	3.51
S211737		6.43	<0.005		<0.5	7.16	5	1950	1.1	<2	3.30	<0.5	9	2	16	3.45
S211738		6.38	<0.005		<0.5	7.46	5	1840	1.1	2	3.32	<0.5	7	2	6	3.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211701		20	1.43	20	0.39	868	3	1.85	<1	1020	26	1.11	<5	10	413	<20
S211702		20	1.30	10	0.51	1010	<1	1.76	1	970	26	0.25	<5	10	372	<20
S211703		20	1.98	20	0.59	1055	<1	1.63	2	510	8	0.12	<5	11	410	<20
S211704		20	1.41	10	0.57	1385	<1	1.79	<1	990	3	0.20	<5	10	365	<20
S211705		20	1.55	10	0.55	1250	1	1.65	2	990	<2	<0.01	<5	9	342	<20
S211706		20	1.75	10	0.63	1315	5	1.49	2	1030	<2	0.06	<5	9	432	<20
S211706D		20	1.66	10	0.68	1405	5	1.43	<1	990	<2	0.06	<5	9	460	<20
S211707		20	2.00	10	0.53	1290	<1	1.23	<1	990	<2	0.08	<5	10	432	<20
S211708		20	2.31	10	0.33	984	<1	1.48	<1	1070	6	0.06	<5	10	457	<20
S211709		20	1.98	10	0.31	852	<1	1.56	1	990	5	0.02	<5	9	364	<20
S211710		10	2.95	20	0.71	997	6	0.16	66	1610	57	4.14	18	19	182	<20
S211711		20	2.13	10	0.32	791	<1	1.55	<1	1030	5	0.01	<5	10	380	<20
S211712		20	2.08	10	0.39	988	<1	1.37	<1	1000	<2	<0.01	<5	9	367	<20
S211713		20	2.22	10	0.31	762	<1	1.42	<1	1040	2	0.01	<5	9	383	<20
S211714		20	2.13	10	0.34	1075	<1	1.45	1	1040	<2	<0.01	<5	8	387	<20
S211715		20	2.23	10	0.41	1025	<1	1.55	<1	1130	3	<0.01	<5	10	413	<20
S211716		20	2.84	20	0.33	791	<1	1.13	<1	710	6	<0.01	<5	11	350	<20
S211717		20	3.34	20	0.32	737	<1	1.11	2	570	8	0.05	6	13	426	<20
S211718		20	1.91	10	0.51	1360	<1	1.65	<1	1180	5	0.01	<5	11	421	<20
S211719		20	1.75	10	0.80	1910	<1	1.68	<1	1190	3	0.05	<5	12	421	<20
S211720		<10	0.01	<10	1.81	21	<1	0.01	<1	40	<2	0.06	<5	<1	5050	<20
S211721		20	1.40	10	0.97	2180	<1	1.61	<1	1170	3	0.08	<5	11	446	<20
S211722		20	1.88	10	0.55	1430	<1	1.41	<1	1060	4	0.03	<5	9	390	<20
S211723		20	2.01	10	0.66	1665	<1	1.39	1	1150	4	0.01	<5	10	397	<20
S211724		20	1.97	10	0.45	1765	<1	1.18	<1	1000	8	<0.01	<5	8	394	<20
S211725		20	2.23	10	0.40	1515	<1	1.03	<1	1030	2	<0.01	<5	8	361	<20
S211726		20	2.41	10	0.36	1595	<1	0.84	<1	1020	5	0.03	<5	8	406	<20
S211726D		20	2.37	10	0.34	1565	<1	0.83	2	990	7	0.03	<5	7	399	<20
S211727		20	2.59	10	0.20	841	<1	0.72	2	950	6	0.01	<5	7	374	<20
S211728		20	2.53	10	0.23	889	1	0.69	<1	990	5	<0.01	<5	7	309	<20
S211729		20	2.67	10	0.28	1260	1	0.74	<1	1030	7	<0.01	<5	7	332	<20
S211730		10	3.75	10	0.52	1375	8	0.21	20	890	139	2.79	19	10	186	<20
S211731		10	2.55	10	0.24	700	<1	0.67	<1	1000	4	<0.01	<5	7	284	<20
S211732		20	2.79	10	0.30	1425	<1	0.71	<1	1110	6	<0.01	<5	8	335	<20
S211733		20	2.49	10	0.32	1260	<1	0.67	<1	1000	5	<0.01	<5	7	323	<20
S211734		20	2.68	10	0.34	977	<1	0.70	<1	1060	7	<0.01	<5	8	317	<20
S211735		20	2.42	10	0.39	1185	2	0.65	1	1010	11	0.01	<5	8	336	<20
S211736		20	2.32	10	0.35	1255	1	0.62	<1	930	9	<0.01	<5	7	304	<20
S211737		20	2.67	10	0.34	859	1	0.68	<1	1070	7	<0.01	<5	8	291	<20
S211738		20	2.50	10	0.36	793	1	0.66	<1	1010	9	0.01	<5	8	290	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211701		0.35	<10	<10	111	<10	76	
S211702		0.34	<10	<10	107	<10	77	
S211703		0.38	<10	<10	123	<10	85	
S211704		0.35	<10	<10	104	<10	89	
S211705		0.33	<10	<10	105	<10	80	
S211706		0.35	<10	<10	120	<10	96	
S211706D		0.34	<10	<10	114	<10	100	
S211707		0.34	<10	<10	111	<10	89	
S211708		0.36	<10	<10	118	<10	78	
S211709		0.33	<10	<10	105	<10	70	
S211710		0.36	<10	<10	176	<10	214	
S211711		0.35	<10	<10	108	<10	71	
S211712		0.32	<10	<10	102	<10	90	
S211713		0.34	<10	<10	108	<10	66	
S211714		0.33	<10	<10	107	<10	81	
S211715		0.37	<10	<10	117	<10	95	
S211716		0.38	<10	<10	134	<10	74	
S211717		0.44	<10	<10	153	<10	71	
S211718		0.37	<10	<10	127	<10	104	
S211719		0.39	<10	<10	135	<10	100	
S211720		<0.01	<10	<10	<1	<10	<2	
S211721		0.36	<10	<10	121	<10	105	
S211722		0.34	<10	<10	117	<10	84	
S211723		0.37	<10	<10	128	<10	116	
S211724		0.33	<10	<10	124	<10	91	
S211725		0.33	<10	<10	121	<10	90	
S211726		0.34	<10	<10	120	<10	85	
S211726D		0.33	<10	<10	117	<10	83	
S211727		0.31	<10	<10	116	<10	58	
S211728		0.33	<10	<10	117	<10	66	
S211729		0.34	<10	<10	122	<10	85	
S211730		0.26	<10	<10	102	10	477	
S211731		0.32	<10	<10	123	<10	61	
S211732		0.36	<10	<10	133	<10	79	
S211733		0.32	<10	<10	114	<10	77	
S211734		0.34	<10	<10	132	<10	72	
S211735		0.30	<10	<10	113	<10	76	
S211736		0.30	<10	<10	107	<10	67	
S211737		0.33	<10	<10	115	<10	73	
S211738		0.30	<10	<10	114	<10	78	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211739		6.75	<0.005		<0.5	6.91	5	1910	1.1	2	3.74	<0.5	8	2	4	4.21
S211740		0.76	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.7	<0.5	<1	<1	<1	0.04
S211741		6.63	<0.005		<0.5	6.80	8	1810	1.0	<2	4.09	<0.5	9	2	9	3.87
S211742		6.56	<0.005		<0.5	7.06	7	1820	1.1	<2	3.57	<0.5	9	2	5	3.48
S211743		6.21	<0.005		<0.5	7.51	5	1850	1.0	2	3.55	<0.5	8	2	9	4.07
S211744		6.64	<0.005		<0.5	7.05	6	1890	1.1	<2	3.73	<0.5	8	2	4	4.11
S211745		6.53	<0.005		<0.5	7.21	<5	1900	1.1	<2	2.93	<0.5	8	3	4	4.00
S211746		6.05	<0.005		<0.5	7.70	6	1960	1.1	2	2.75	<0.5	8	2	4	3.68
S211746D		<0.02	<0.005		<0.5	7.85	<5	1970	1.1	<2	2.78	<0.5	8	2	5	3.69
S211747		6.87	<0.005		<0.5	7.34	<5	2230	1.0	<2	3.32	<0.5	9	2	11	4.20
S211748		6.97	<0.005		<0.5	7.05	<5	1950	0.9	<2	4.66	<0.5	10	2	42	3.35
S211749		6.47	<0.005		<0.5	6.96	<5	1760	0.9	<2	5.11	<0.5	10	2	28	3.30
S211750		0.12	>10.0	10.70	>100	5.73	357	490	1.0	<2	3.74	4.5	11	32	150	3.77
S211751		6.83	<0.005		<0.5	6.59	5	1720	0.9	2	4.98	<0.5	8	2	23	3.10
S211752		7.12	<0.005		<0.5	6.62	<5	1790	0.9	<2	4.79	<0.5	9	2	36	3.20
S211753		6.82	<0.005		<0.5	6.90	5	1920	0.9	<2	3.63	<0.5	8	2	10	3.28
S211754		6.95	<0.005		<0.5	7.30	5	1790	0.9	<2	3.33	<0.5	9	2	3	3.53
S211755		6.67	<0.005		<0.5	7.30	6	1750	1.0	2	3.25	<0.5	9	1	2	3.64
S211756		5.64	<0.005		<0.5	7.51	<5	1680	1.0	<2	3.68	<0.5	10	1	3	3.36
S211757		6.39	<0.005		<0.5	8.19	<5	2010	1.2	<2	2.90	<0.5	9	1	3	3.90
S211758		6.75	<0.005		<0.5	8.05	<5	1840	1.1	<2	3.39	<0.5	9	1	2	3.42
S211759		6.31	<0.005		<0.5	6.63	5	1540	1.0	<2	3.99	<0.5	10	2	3	3.38
S211760		0.81	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.5	<0.5	<1	<1	<1	0.03
S211761		6.87	<0.005		<0.5	6.77	<5	1770	1.0	<2	4.81	<0.5	9	1	3	3.40
S211762		7.11	<0.005		<0.5	6.61	5	1800	0.9	<2	5.30	<0.5	9	2	3	3.32
S211763		6.29	<0.005		<0.5	6.43	<5	1820	0.9	<2	5.25	<0.5	7	1	3	2.98
S211764		6.43	0.011		<0.5	7.13	5	1860	1.0	2	5.03	<0.5	9	2	2	3.24
S211765		6.11	<0.005		<0.5	7.77	5	1870	1.1	<2	2.89	<0.5	9	2	4	3.59
S211766		6.07	<0.005		<0.5	8.45	5	2310	1.3	<2	3.07	<0.5	8	1	8	4.31
S211766D		<0.02	<0.005		<0.5	8.14	5	2310	1.3	<2	3.10	<0.5	8	2	7	4.32
S211767		6.04	<0.005		<0.5	7.68	<5	1910	1.2	2	2.69	<0.5	8	2	4	4.02
S211768		6.45	<0.005		<0.5	7.36	6	2030	1.1	<2	2.99	<0.5	10	2	4	3.79
S211769		6.63	<0.005		<0.5	6.80	<5	1920	1.0	<2	4.21	<0.5	10	1	7	3.66
S211770		0.12	5.54		78.8	6.04	277	920	0.9	<2	1.89	21.5	10	22	116	4.67
S211771		6.68	<0.005		<0.5	6.67	<5	1930	1.0	<2	5.02	<0.5	10	2	3	3.62
S211772		6.59	<0.005		<0.5	6.96	<5	2100	1.0	4	4.04	<0.5	9	1	3	3.89
S211773		4.46	<0.005		<0.5	7.05	5	2000	1.1	<2	4.45	<0.5	11	1	3	4.10
S211774		3.46	<0.005		<0.5	6.76	7	2210	1.0	<2	3.87	<0.5	9	2	2	3.81
S211775		3.61	<0.005		<0.5	6.85	6	1900	1.0	4	5.09	<0.5	9	2	3	3.81
S211776		2.84	<0.005		<0.5	6.92	<5	1850	1.0	<2	4.90	<0.5	10	1	3	3.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211739		20	2.60	10	0.33	920	1	0.65	1	1020	2	<0.01	<5	7	299	<20
S211740		<10	0.01	<10	1.79	18	<1	0.01	<1	30	<2	0.06	<5	<1	5370	<20
S211741		20	2.48	10	0.36	1035	1	0.65	<1	990	11	<0.01	<5	8	306	<20
S211742		20	2.45	10	0.38	958	<1	0.67	<1	990	4	0.01	<5	8	291	<20
S211743		20	2.45	10	0.38	811	1	0.66	<1	1010	4	<0.01	<5	9	312	<20
S211744		20	2.54	10	0.35	821	1	0.68	<1	1030	5	<0.01	<5	8	325	<20
S211745		20	2.50	10	0.36	717	1	0.67	<1	1030	5	<0.01	<5	8	300	<20
S211746		20	2.60	10	0.44	759	1	0.65	<1	1060	7	<0.01	<5	9	290	<20
S211746D		20	2.59	10	0.46	757	<1	0.65	<1	1080	7	<0.01	<5	9	292	<20
S211747		20	2.37	10	0.46	864	1	0.67	<1	1000	6	0.02	<5	8	429	<20
S211748		20	2.33	10	0.56	1260	1	0.65	<1	990	8	0.01	<5	8	372	<20
S211749		20	2.33	10	0.60	1325	1	0.66	<1	970	5	<0.01	<5	8	354	<20
S211750		10	3.65	10	0.46	1405	9	0.17	20	840	254	3.08	59	10	203	<20
S211751		20	2.23	10	0.53	1265	1	0.63	<1	950	5	0.01	<5	8	334	<20
S211752		20	2.30	10	0.52	1260	1	0.62	<1	980	7	<0.01	<5	8	329	<20
S211753		20	2.25	10	0.54	1060	1	0.62	<1	990	4	0.01	<5	8	328	<20
S211754		20	2.12	10	0.68	898	<1	0.62	<1	950	6	0.01	<5	8	335	<20
S211755		20	2.19	10	0.67	1085	<1	0.62	<1	1000	3	<0.01	<5	8	293	<20
S211756		20	2.14	10	0.74	1525	1	0.65	<1	990	4	<0.01	<5	9	280	<20
S211757		20	2.56	10	0.62	1175	1	0.71	<1	1110	5	<0.01	<5	10	289	<20
S211758		20	2.29	10	0.73	1320	<1	0.66	<1	1070	3	<0.01	<5	9	279	<20
S211759		20	1.86	10	0.79	1310	<1	0.60	<1	910	4	<0.01	<5	8	287	<20
S211760		<10	0.01	<10	2.06	20	<1	<0.01	<1	40	<2	0.07	<5	<1	4730	<20
S211761		20	2.10	10	0.70	1395	1	0.61	<1	960	4	<0.01	<5	8	286	<20
S211762		20	2.08	10	0.70	1420	1	0.58	<1	950	3	<0.01	<5	8	279	<20
S211763		10	2.11	10	0.60	1310	1	0.60	<1	950	2	<0.01	<5	7	292	<20
S211764		10	2.11	10	0.68	1330	<1	0.62	<1	980	<2	<0.01	<5	8	303	<20
S211765		20	2.18	10	0.62	784	<1	0.69	<1	1020	6	<0.01	<5	9	313	<20
S211766		20	2.69	10	0.45	647	1	0.79	<1	1180	7	<0.01	<5	10	333	<20
S211766D		20	2.69	10	0.43	663	1	0.79	<1	1170	4	<0.01	<5	9	334	<20
S211767		20	2.24	10	0.43	586	<1	0.73	<1	1060	<2	<0.01	<5	9	294	<20
S211768		20	2.30	10	0.50	692	<1	0.70	<1	1090	6	<0.01	<5	9	292	<20
S211769		20	2.14	10	0.53	952	<1	0.70	<1	1030	7	<0.01	6	8	311	<20
S211770		10	3.54	10	0.47	1170	8	0.23	17	930	8640	2.95	73	12	144	<20
S211771		20	2.13	10	0.57	1175	<1	0.69	1	1030	15	<0.01	6	8	319	<20
S211772		20	2.21	10	0.49	895	<1	0.71	<1	1050	8	<0.01	6	8	336	<20
S211773		20	2.22	10	0.58	1025	<1	0.73	1	1090	9	<0.01	5	8	332	<20
S211774		20	2.09	10	0.54	934	<1	0.64	<1	980	6	0.02	5	8	336	<20
S211775		20	2.16	10	0.54	1155	<1	0.66	<1	990	7	<0.01	11	8	322	<20
S211776		20	2.08	10	0.66	1165	<1	0.63	<1	990	6	<0.01	6	8	297	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211739		0.31	<10	<10	124	<10	64	
S211740		<0.01	<10	<10	1	<10	<2	
S211741		0.30	<10	<10	118	<10	67	
S211742		0.31	<10	<10	110	<10	70	
S211743		0.30	<10	<10	118	<10	61	
S211744		0.31	<10	<10	120	<10	60	
S211745		0.31	<10	<10	120	<10	59	
S211746		0.32	<10	<10	119	<10	69	
S211746D		0.32	<10	<10	117	<10	71	
S211747		0.31	<10	<10	118	<10	69	
S211748		0.30	<10	<10	103	<10	81	
S211749		0.31	<10	<10	106	<10	84	
S211750		0.23	<10	<10	97	<10	513	133
S211751		0.29	<10	<10	104	<10	76	
S211752		0.30	<10	<10	104	<10	74	
S211753		0.30	<10	<10	105	<10	71	
S211754		0.29	<10	<10	105	<10	80	
S211755		0.30	<10	<10	109	<10	82	
S211756		0.30	<10	<10	104	<10	90	
S211757		0.34	<10	<10	130	<10	75	
S211758		0.32	<10	<10	111	<10	81	
S211759		0.27	<10	<10	102	<10	88	
S211760		<0.01	<10	<10	1	<10	<2	
S211761		0.30	<10	<10	106	<10	78	
S211762		0.29	<10	<10	103	<10	79	
S211763		0.29	<10	<10	100	<10	72	
S211764		0.29	<10	<10	102	<10	77	
S211765		0.31	<10	<10	113	<10	72	
S211766		0.36	<10	<10	125	<10	60	
S211766D		0.36	<10	<10	129	<10	60	
S211767		0.32	<10	<10	124	<10	57	
S211768		0.33	<10	<10	124	<10	73	
S211769		0.32	<10	<10	112	<10	82	
S211770		0.25	<10	<10	119	<10	1795	
S211771		0.33	<10	<10	109	<10	89	
S211772		0.33	<10	<10	118	<10	74	
S211773		0.34	<10	<10	120	<10	93	
S211774		0.31	<10	<10	115	<10	72	
S211775		0.31	<10	<10	111	<10	75	
S211776		0.30	<10	<10	107	<10	91	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211777		3.61	<0.005		<0.5	6.89	<5	2020	1.0	4	4.36	<0.5	9	1	5	3.65
S211778		3.71	<0.005		<0.5	6.76	5	1970	1.0	<2	5.00	<0.5	9	1	5	3.73
S211779		3.97	<0.005		<0.5	7.15	<5	1910	0.9	<2	4.78	<0.5	9	2	3	3.75
S211780		0.51	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.4	<0.5	<1	<1	<1	0.04
S211781		3.81	<0.005		<0.5	6.92	5	1870	0.9	<2	4.92	<0.5	9	2	4	3.79
S211782		3.23	<0.005		<0.5	7.41	<5	2020	1.0	2	4.57	<0.5	9	1	3	3.80
S211783		3.10	<0.005		<0.5	7.18	<5	2020	1.0	2	4.18	<0.5	10	1	3	3.82
S211784		2.92	<0.005		<0.5	7.28	<5	2190	1.0	3	3.97	<0.5	9	1	2	3.66
S211785		3.09	<0.005		<0.5	6.90	5	2090	1.0	<2	4.72	<0.5	9	1	2	3.74
S211786		3.47	<0.005		<0.5	6.93	5	2070	1.1	<2	4.53	<0.5	7	1	1	3.59
S211786D		<0.02	<0.005		<0.5	6.65	<5	2030	1.1	3	4.38	<0.5	8	1	1	3.46
S211787		3.59	<0.005		<0.5	9.27	6	2300	1.4	2	2.51	<0.5	13	1	<1	5.09
S211788		3.20	<0.005		<0.5	8.73	7	2640	1.2	3	2.81	<0.5	11	3	<1	4.01
S211789		3.86	<0.005		<0.5	10.60	5	3620	1.5	2	1.42	<0.5	12	4	<1	6.01
S211790		0.12	5.39		81.3	6.20	285	830	1.0	4	1.94	22.5	11	23	119	4.79
S211791		3.03	<0.005		<0.5	10.50	7	2680	1.8	2	0.68	<0.5	13	3	<1	4.88
S211792		3.13	<0.005		<0.5	9.01	9	2710	1.4	<2	3.37	<0.5	12	3	<1	3.87
S211793		2.68	<0.005		<0.5	10.15	7	2660	1.3	<2	1.53	<0.5	13	4	<1	4.59
S211794		2.70	<0.005		<0.5	10.05	<5	3050	1.0	<2	0.45	<0.5	8	5	<1	5.35
S211795		3.64	<0.005		<0.5	10.45	<5	3570	1.1	<2	0.48	<0.5	11	4	2	4.65
S211796		3.65	<0.005		<0.5	10.05	<5	2120	1.3	<2	1.33	<0.5	14	4	<1	6.28
S211797		4.21	<0.005		<0.5	9.89	5	2840	1.2	2	0.49	<0.5	9	11	<1	4.75
S211798		2.92	<0.005		<0.5	10.50	5	2350	1.5	<2	0.48	<0.5	13	4	<1	6.10
S211799		2.71	<0.005		<0.5	10.25	13	2830	1.5	<2	0.41	<0.5	7	5	1	3.77
S211800		0.98	<0.005		<0.5	0.06	<5	10	<0.5	2	34.1	<0.5	<1	<1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211777		20	2.08	10	0.62	986	<1	0.66	<1	990	8	0.01	11	8	313	<20
S211778		20	2.12	10	0.67	1185	<1	0.63	1	1010	6	<0.01	6	8	308	<20
S211779		20	2.06	10	0.79	1160	<1	0.63	<1	1040	7	<0.01	9	9	287	<20
S211780		<10	0.01	<10	2.13	23	<1	<0.01	<1	40	<2	0.08	5	<1	4860	<20
S211781		20	2.00	10	0.81	1220	<1	0.64	<1	1020	4	<0.01	10	8	294	<20
S211782		20	2.14	10	0.80	1135	<1	0.67	<1	1040	5	<0.01	8	9	294	<20
S211783		20	2.11	10	0.82	1090	<1	0.65	<1	1080	3	<0.01	7	9	282	<20
S211784		20	2.23	10	0.73	988	<1	0.66	<1	1070	6	<0.01	8	9	286	<20
S211785		20	2.06	10	0.67	1170	<1	0.67	<1	1050	7	<0.01	9	8	332	<20
S211786		20	2.03	10	0.47	1035	<1	0.77	<1	970	10	<0.01	<5	8	361	<20
S211786D		20	1.94	10	0.45	993	<1	0.74	<1	970	9	<0.01	7	8	355	<20
S211787		20	2.29	10	0.80	792	<1	0.89	1	1230	9	<0.01	<5	11	352	<20
S211788		20	2.46	<10	0.83	1215	<1	0.72	1	680	6	0.07	7	11	294	<20
S211789		20	3.41	10	0.70	622	<1	0.79	2	570	11	0.01	7	15	279	<20
S211790		10	3.66	10	0.49	1210	9	0.23	16	960	8830	3.04	80	12	148	<20
S211791		20	2.73	10	0.81	343	<1	0.96	1	1160	24	0.01	<5	12	292	<20
S211792		20	2.30	<10	0.92	1495	<1	0.84	2	1150	7	0.16	5	11	377	<20
S211793		20	2.67	<10	1.16	802	<1	0.79	1	1040	3	0.31	5	12	284	<20
S211794		20	2.77	20	1.01	701	<1	0.54	2	320	3	0.10	11	15	199	<20
S211795		20	3.25	10	1.11	655	<1	0.60	4	210	7	0.15	6	14	170	<20
S211796		20	1.98	10	1.62	1155	<1	0.82	3	1010	8	0.06	7	13	264	<20
S211797		20	2.42	10	1.15	748	<1	0.76	2	710	7	0.16	9	15	263	<20
S211798		20	1.94	10	1.57	918	<1	1.00	4	1420	6	0.16	<5	16	310	<20
S211799		20	2.46	10	1.01	594	<1	1.06	2	870	5	0.07	5	9	302	<20
S211800		<10	0.01	<10	1.96	19	<1	0.01	<1	30	<2	0.06	<5	<1	4930	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211777		0.32	<10	<10	114	<10	82	
S211778		0.32	<10	<10	116	<10	82	
S211779		0.32	<10	<10	111	<10	82	
S211780		<0.01	<10	<10	1	<10	<2	
S211781		0.32	<10	<10	108	<10	81	
S211782		0.34	<10	<10	115	<10	77	
S211783		0.33	<10	<10	115	<10	86	
S211784		0.34	<10	<10	116	<10	84	
S211785		0.32	<10	<10	116	<10	86	
S211786		0.31	<10	<10	115	<10	65	
S211786D		0.30	<10	<10	113	<10	63	
S211787		0.38	<10	<10	151	<10	102	
S211788		0.36	<10	<10	127	<10	102	
S211789		0.45	<10	<10	152	<10	86	
S211790		0.26	<10	<10	122	<10	1865	
S211791		0.35	<10	<10	139	<10	103	
S211792		0.36	<10	<10	135	<10	118	
S211793		0.41	<10	<10	160	<10	137	
S211794		0.45	<10	<10	147	<10	126	
S211795		0.44	<10	<10	152	<10	136	
S211796		0.38	<10	<10	155	<10	194	
S211797		0.49	<10	<10	164	<10	145	
S211798		0.46	10	<10	156	<10	209	
S211799		0.32	<10	<10	97	<10	138	
S211800		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139612

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

CERTIFICATE TR15139613

Project: Bowser Regional Exploration

P.O. No.: BOW-0085

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216451		5.77	<0.005		<0.5	6.91	<5	1260	0.9	2	5.11	<0.5	10	1	6	3.72
S216452		4.93	<0.005		<0.5	7.09	<5	2010	1.0	<2	4.25	<0.5	9	2	15	4.22
S216453		5.47	<0.005		<0.5	7.09	<5	1380	1.0	2	3.92	<0.5	9	2	41	3.92
S216454		5.41	<0.005		<0.5	8.32	5	1670	1.1	<2	3.25	<0.5	7	2	69	4.08
S216455		5.38	<0.005		<0.5	7.25	5	1310	1.0	<2	3.53	<0.5	9	2	54	3.68
S216456		5.89	<0.005		<0.5	7.30	<5	1260	0.9	2	3.54	<0.5	8	2	39	3.66
S216457		6.07	<0.005		<0.5	7.17	7	1200	0.9	<2	4.66	<0.5	9	1	21	3.81
S216458		5.86	<0.005		<0.5	7.10	7	1240	0.9	<2	4.42	<0.5	8	1	4	3.74
S216459		5.69	0.005		<0.5	7.35	<5	1280	1.0	<2	4.32	<0.5	9	2	6	3.89
S216460		0.83	<0.005		<0.5	0.11	<5	20	<0.5	<2	33.7	<0.5	<1	<1	<1	0.05
S216461		5.69	<0.005		<0.5	7.32	<5	1250	0.9	<2	3.44	<0.5	9	2	48	4.00
S216462		5.29	<0.005		<0.5	6.39	5	1170	0.8	<2	4.50	<0.5	8	2	11	3.67
S216463		5.82	<0.005		<0.5	8.89	<5	1710	1.3	<2	2.33	<0.5	10	3	14	4.80
S216464		5.47	<0.005		<0.5	8.66	<5	1550	1.2	<2	2.58	<0.5	10	2	3	4.67
S216465		5.80	<0.005		<0.5	8.09	7	1470	1.0	<2	3.00	<0.5	12	2	1	4.71
S216466		5.98	<0.005		<0.5	7.46	<5	1490	1.1	2	4.87	<0.5	9	2	3	4.26
S216466D		<0.02	<0.005		<0.5	7.31	<5	1490	1.0	2	4.84	<0.5	9	2	2	4.37
S216467		5.97	<0.005		<0.5	6.48	<5	1100	0.8	<2	4.45	<0.5	9	2	6	3.81
S216468		6.11	<0.005		<0.5	8.17	<5	1680	1.2	<2	3.32	<0.5	8	2	12	4.63
S216469		5.81	<0.005		<0.5	6.39	<5	1230	0.8	<2	3.79	<0.5	9	2	12	4.21
S216470		0.12	>10.0	10.50	>100	5.97	376	920	1.0	<2	3.83	4.6	11	32	149	3.82
S216471		5.52	<0.005		<0.5	5.77	5	1700	0.7	<2	4.32	<0.5	8	3	9	4.07
S216472		5.98	<0.005		<0.5	6.29	<5	1400	0.9	<2	4.12	<0.5	9	3	31	4.14
S216473		6.11	<0.005		<0.5	8.60	<5	1930	1.3	<2	2.72	<0.5	7	3	49	4.68
S216474		5.91	0.009		<0.5	8.81	7	2060	1.4	<2	3.40	<0.5	8	2	22	4.75
S216475		5.96	<0.005		<0.5	7.79	<5	1700	1.1	<2	4.19	<0.5	9	2	3	4.27
S216476		6.79	<0.005		<0.5	6.87	<5	1320	1.0	<2	5.01	<0.5	11	2	6	3.94
S216477		6.19	<0.005		<0.5	7.24	<5	1540	1.1	<2	4.17	<0.5	11	2	4	4.32
S216478		5.63	<0.005		<0.5	7.49	<5	1670	1.1	<2	4.38	<0.5	10	2	5	4.49
S216479		6.17	0.005		<0.5	7.49	<5	1690	1.1	<2	4.64	<0.5	11	2	4	4.51
S216480		0.58	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.3	<0.5	<1	<1	<1	0.04
S216481		5.57	<0.005		<0.5	7.64	<5	1660	1.1	<2	4.80	<0.5	10	2	4	4.52
S216482		6.44	<0.005		<0.5	7.06	<5	1670	1.0	2	5.30	<0.5	10	2	4	4.29
S216483		5.50	<0.005		<0.5	7.14	5	1650	1.1	2	4.48	<0.5	8	2	2	4.34
S216484		6.72	<0.005		<0.5	7.44	<5	1780	1.1	<2	4.20	<0.5	9	2	7	4.50
S216485		5.85	<0.005		<0.5	7.08	<5	1660	0.9	<2	7.33	0.5	9	2	4	4.55
S216486		4.94	<0.005		<0.5	7.25	<5	4300	0.8	<2	5.60	<0.5	8	1	52	3.98
S216486D		<0.02	<0.005		<0.5	7.32	<5	4350	0.8	3	5.33	<0.5	8	2	43	4.17
S216487		4.25	<0.005		<0.5	9.25	5	2070	1.2	<2	2.13	<0.5	10	2	38	3.51
S216488		5.08	<0.005		<0.5	8.30	<5	1560	1.0	3	3.42	<0.5	13	2	28	5.06

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216451		20	1.37	10	0.68	2110	<1	2.44	1	1020	7	0.04	<5	9	392	<20
S216452		20	1.67	10	0.59	1770	<1	2.30	<1	1090	7	0.06	<5	9	396	<20
S216453		20	1.59	10	0.64	1710	<1	2.45	5	1120	16	0.02	<5	9	379	<20
S216454		20	2.01	10	0.60	1340	<1	2.47	1	1290	7	0.01	<5	11	370	<20
S216455		20	1.60	10	0.68	1390	<1	2.29	<1	1100	7	0.01	5	9	361	<20
S216456		20	1.55	10	0.71	1325	<1	2.28	<1	1070	7	0.01	<5	9	345	<20
S216457		20	1.52	10	0.80	1635	<1	2.22	<1	1040	7	0.01	<5	9	367	<20
S216458		20	1.53	10	0.74	1475	<1	2.26	<1	1080	8	0.02	7	9	380	<20
S216459		20	1.68	10	0.72	1405	<1	2.14	<1	1110	5	0.01	5	10	359	<20
S216460		<10	0.01	<10	1.55	25	<1	0.02	<1	30	<2	0.06	<5	<1	4340	<20
S216461		20	1.68	10	0.56	1090	<1	2.12	<1	1040	7	0.01	<5	9	329	<20
S216462		10	1.56	10	0.45	1175	<1	2.08	<1	980	9	<0.01	<5	8	351	<20
S216463		20	2.29	10	0.63	804	<1	2.05	<1	1310	10	<0.01	8	12	357	<20
S216464		20	2.18	10	0.71	855	<1	1.88	<1	1230	6	<0.01	<5	11	336	<20
S216465		20	2.01	10	0.91	1085	<1	1.73	<1	1130	11	<0.01	<5	11	295	<20
S216466		20	2.06	10	0.68	1315	<1	1.75	<1	1190	7	0.01	<5	10	369	<20
S216466D		20	2.05	10	0.68	1340	<1	1.76	<1	1160	8	0.01	<5	10	368	<20
S216467		10	1.43	10	0.68	1270	<1	1.84	<1	930	4	0.01	6	9	320	<20
S216468		20	2.18	10	0.54	1035	<1	1.93	<1	1220	9	0.01	<5	12	352	<20
S216469		10	1.52	10	0.61	1075	<1	1.50	<1	850	7	0.05	<5	9	280	<20
S216470		10	3.67	10	0.49	1415	7	0.17	23	850	252	3.12	61	11	208	<20
S216471		10	1.53	10	0.46	1030	<1	1.15	2	780	15	0.24	<5	9	372	<20
S216472		20	1.61	10	0.53	1100	<1	1.60	<1	960	7	0.08	<5	9	344	<20
S216473		20	2.45	10	0.44	768	<1	1.99	<1	1360	10	<0.01	7	12	356	<20
S216474		20	2.71	10	0.46	912	<1	2.06	<1	1450	9	<0.01	7	13	379	<20
S216475		20	2.25	10	0.57	1230	<1	1.81	1	1240	10	<0.01	8	11	340	<20
S216476		20	1.68	10	0.62	1340	<1	1.73	<1	1010	9	0.01	5	10	356	<20
S216477		20	1.98	10	0.61	1190	<1	1.70	<1	1120	7	<0.01	5	10	332	<20
S216478		20	2.05	10	0.61	1180	<1	1.68	<1	1200	5	<0.01	<5	11	352	<20
S216479		20	2.07	10	0.60	1260	<1	1.67	<1	1190	5	<0.01	9	11	360	<20
S216480		<10	0.01	<10	1.95	21	<1	0.01	<1	40	<2	0.05	5	<1	5000	<20
S216481		20	2.03	10	0.64	1295	<1	1.64	<1	1160	<2	<0.01	<5	11	351	<20
S216482		20	1.99	10	0.59	1350	<1	1.48	1	1140	8	<0.01	<5	10	358	<20
S216483		20	2.06	10	0.50	1175	<1	1.49	<1	1150	<2	<0.01	6	10	333	<20
S216484		20	2.10	10	0.43	1095	<1	1.43	<1	1110	2	<0.01	10	11	346	<20
S216485		20	1.83	10	0.58	1865	<1	1.00	<1	990	8	0.03	6	11	362	<20
S216486		20	1.50	10	0.76	1875	<1	1.08	<1	1030	3	0.29	7	10	517	<20
S216486D		20	1.45	10	0.78	1835	<1	1.11	<1	1030	6	0.26	5	10	518	<20
S216487		20	2.21	10	0.61	1045	8	1.72	<1	1500	<2	0.03	<5	14	361	<20
S216488		20	1.44	10	0.82	1540	1	1.48	<1	1190	<2	0.02	<5	12	354	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216451		0.32	<10	<10	107	<10	94	
S216452		0.34	<10	<10	120	<10	84	
S216453		0.35	<10	<10	120	<10	93	
S216454		0.40	<10	<10	127	<10	73	
S216455		0.34	<10	<10	104	<10	79	
S216456		0.33	<10	<10	106	<10	75	
S216457		0.33	<10	<10	101	<10	84	
S216458		0.34	<10	<10	103	<10	81	
S216459		0.35	<10	<10	107	<10	89	
S216460		<0.01	<10	<10	2	<10	<2	
S216461		0.32	<10	<10	109	<10	85	
S216462		0.30	<10	<10	99	<10	75	
S216463		0.40	<10	<10	134	<10	88	
S216464		0.38	<10	<10	129	<10	82	
S216465		0.36	<10	<10	126	<10	100	
S216466		0.39	<10	<10	122	<10	79	
S216466D		0.39	<10	<10	121	<10	80	
S216467		0.31	<10	<10	98	<10	78	
S216468		0.41	<10	<10	127	<10	66	
S216469		0.29	<10	<10	106	<10	78	
S216470		0.24	<10	<10	100	<10	520	137
S216471		0.27	<10	<10	114	<10	63	
S216472		0.32	<10	<10	115	<10	79	
S216473		0.44	<10	<10	147	<10	60	
S216474		0.48	<10	<10	163	<10	65	
S216475		0.41	<10	<10	139	<10	82	
S216476		0.34	<10	<10	118	<10	90	
S216477		0.39	<10	<10	139	<10	88	
S216478		0.40	<10	<10	139	<10	85	
S216479		0.41	<10	<10	137	<10	86	
S216480		<0.01	<10	<10	1	<10	<2	
S216481		0.39	<10	<10	134	<10	91	
S216482		0.38	<10	<10	131	<10	87	
S216483		0.39	<10	<10	133	<10	79	
S216484		0.38	<10	<10	136	<10	74	
S216485		0.35	<10	<10	118	<10	80	
S216486		0.34	<10	<10	115	<10	83	
S216486D		0.34	<10	<10	114	<10	85	
S216487		0.50	<10	<10	176	<10	78	
S216488		0.39	<10	<10	142	<10	111	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216489		8.17	<0.005		<0.5	7.72	<5	2280	1.0	<2	4.44	<0.5	9	2	8	4.00
S216490		0.12	5.58		77.9	6.10	261	1000	0.9	2	1.92	21.9	11	23	115	4.66
S216491		4.85	<0.005		<0.5	7.40	<5	850	0.9	<2	4.25	<0.5	10	2	15	4.49
S216492		7.30	<0.005		<0.5	8.87	<5	820	1.0	<2	1.80	<0.5	17	2	18	6.19
S216493		5.39	0.009		0.7	11.45	5	1380	1.6	3	0.53	<0.5	26	26	21	5.89
S216494		7.18	<0.005		<0.5	8.71	<5	980	1.1	5	2.11	<0.5	22	30	26	5.42
S216495		6.98	<0.005		<0.5	10.60	<5	9320	1.4	<2	1.04	<0.5	31	35	13	6.84
S216496		5.74	<0.005		<0.5	8.16	<5	810	1.0	2	1.50	<0.5	11	4	72	5.38
S216497		6.56	<0.005		<0.5	8.28	<5	1020	1.2	<2	1.47	<0.5	8	3	306	4.48
S216498		6.23	<0.005		<0.5	7.79	6	1150	1.1	<2	2.98	<0.5	8	3	262	4.16
S216499		6.54	0.026		<0.5	8.19	<5	1310	1.0	<2	2.81	<0.5	9	3	50	4.57
S216500		0.67	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.0	<0.5	<1	<1	<1	0.04
S216501		5.90	<0.005		<0.5	7.04	<5	1260	0.9	<2	3.94	<0.5	8	3	11	3.65
S216502		4.96	<0.005		<0.5	8.46	<5	1190	1.1	<2	1.87	<0.5	13	2	27	4.36
S216503		2.46	<0.005		<0.5	9.79	5	1580	1.5	2	1.89	<0.5	12	3	9	4.28
S216504		5.74	<0.005		<0.5	7.15	<5	1290	1.0	<2	5.39	<0.5	10	2	12	3.57
S216505		10.64	<0.005		<0.5	8.76	<5	1390	1.2	<2	2.44	<0.5	16	2	13	5.97
S216506		6.81	<0.005		<0.5	8.37	5	1330	1.3	3	3.12	<0.5	9	2	17	3.52
S216506D		<0.02	<0.005		<0.5	8.65	6	1340	1.3	<2	3.13	<0.5	8	2	15	3.45
S216507		6.61	<0.005		<0.5	8.63	<5	1390	1.2	<2	3.25	<0.5	10	3	16	3.47
S216508		6.76	<0.005		<0.5	8.49	<5	1390	1.1	<2	3.30	<0.5	10	2	34	3.84
S216509		4.25	0.006		<0.5	8.50	6	1690	1.1	2	3.31	<0.5	11	2	54	4.29
S216510		0.10	>10.0	18.00	20.1	7.01	764	1330	1.4	<2	2.83	1.9	19	110	140	5.09
S216511		6.18	0.007		<0.5	7.50	<5	1820	1.0	<2	3.02	<0.5	9	2	18	3.91
S216512		6.11	<0.005		<0.5	7.06	<5	2090	1.0	<2	3.31	<0.5	8	2	<1	4.01
S216513		5.46	<0.005		<0.5	6.66	6	2160	1.0	<2	2.90	<0.5	7	1	1	3.83
S216514		6.57	<0.005		<0.5	6.05	<5	1950	1.0	<2	4.08	<0.5	9	1	1	3.77
S216515		6.42	<0.005		<0.5	5.68	8	1840	0.9	<2	4.91	<0.5	9	1	2	3.83
S216516		6.37	<0.005		<0.5	6.33	7	1810	1.1	<2	3.84	<0.5	12	2	1	4.30
S216517		6.46	<0.005		<0.5	6.93	<5	1930	1.1	<2	2.23	<0.5	8	2	2	3.72
S216518		6.60	<0.005		<0.5	6.98	<5	1970	1.2	<2	2.50	<0.5	9	2	2	4.32
S216519		6.63	<0.005		<0.5	6.65	<5	2000	1.2	2	3.28	<0.5	12	1	2	4.46
S216520		1.00	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.0	<0.5	<1	<1	<1	0.05
S216521		7.41	<0.005		<0.5	6.72	<5	2020	1.2	<2	2.83	<0.5	10	2	8	4.12
S216522		6.17	0.005		<0.5	6.52	<5	1910	1.2	<2	3.76	<0.5	8	2	5	4.09
S216523		6.35	<0.005		<0.5	6.13	<5	1930	1.1	<2	4.65	<0.5	10	2	2	4.08
S216524		6.37	<0.005		<0.5	6.71	9	1870	1.1	<2	4.34	<0.5	12	1	2	3.99
S216525		6.12	<0.005		<0.5	6.67	<5	1960	1.1	<2	3.02	<0.5	8	2	2	4.16
S216526		5.69	<0.005		<0.5	7.41	5	2070	1.1	<2	2.68	<0.5	7	2	3	4.45
S216526D		<0.02	<0.005		<0.5	6.95	<5	2060	1.1	<2	2.63	<0.5	8	2	5	4.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216489		20	1.33	10	0.62	1710	1	1.52	<1	1190	<2	0.16	<5	11	506	<20
S216490		10	3.57	10	0.48	1175	9	0.23	15	950	8820	2.97	66	12	146	<20
S216491		20	0.98	10	0.70	1825	1	1.61	<1	1080	22	0.01	<5	11	369	<20
S216492		20	1.12	10	0.94	1530	7	1.74	<1	1360	29	0.01	<5	13	330	<20
S216493		30	2.01	10	0.83	980	37	1.48	5	810	88	0.11	<5	19	414	<20
S216494		20	1.44	<10	0.76	1405	22	0.95	4	230	106	0.10	<5	15	344	<20
S216495		20	1.86	20	0.89	1275	1	1.15	9	740	36	0.29	<5	18	1215	<20
S216496		20	1.14	10	0.75	1265	2	1.26	1	900	20	0.02	<5	11	267	<20
S216497		20	1.31	10	0.61	1050	2	1.37	<1	950	24	0.23	<5	10	302	<20
S216498		20	1.37	10	0.55	1410	2	1.35	<1	970	13	0.24	<5	10	341	<20
S216499		20	1.56	10	0.65	1480	2	1.23	<1	1040	5	0.02	<5	10	315	<20
S216500		<10	0.01	<10	1.67	25	<1	0.01	<1	30	<2	0.09	<5	<1	4930	<20
S216501		20	1.47	10	0.48	1585	1	1.05	<1	890	3	0.22	<5	8	359	<20
S216502		20	1.57	10	0.66	1285	2	1.28	<1	1060	3	0.02	<5	9	307	<20
S216503		20	1.79	10	0.65	1385	1	1.65	<1	1430	4	0.07	<5	12	504	<20
S216504		20	1.45	10	0.49	2040	<1	1.07	<1	1040	3	0.32	<5	10	412	<20
S216505		20	1.48	10	0.92	2410	6	1.10	<1	1260	35	0.07	<5	12	437	<20
S216506		20	1.54	10	0.53	2140	3	1.60	<1	1270	2	0.01	<5	11	433	<20
S216506D		20	1.57	10	0.55	2120	4	1.59	<1	1280	3	0.01	<5	11	422	<20
S216507		20	1.52	10	0.57	2120	10	1.59	<1	1260	3	0.04	<5	11	567	<20
S216508		20	1.47	10	0.70	2270	5	1.52	<1	1190	4	0.09	<5	11	610	<20
S216509		20	1.55	10	0.85	2370	<1	1.32	<1	1230	6	0.15	<5	11	886	<20
S216510		10	3.01	20	0.74	1035	7	0.16	67	1680	57	4.22	12	19	189	<20
S216511		20	1.87	10	0.54	1780	1	1.05	<1	1060	5	0.10	<5	9	549	<20
S216512		20	2.49	10	0.23	1375	1	0.90	<1	1060	8	0.03	<5	8	384	<20
S216513		20	2.73	<10	0.14	1050	<1	0.84	<1	1010	6	0.01	<5	7	302	<20
S216514		20	2.48	10	0.18	1450	<1	0.75	<1	950	6	0.01	<5	6	324	<20
S216515		10	2.27	10	0.18	1835	1	0.62	<1	860	9	0.02	<5	6	361	<20
S216516		20	2.30	10	0.29	1585	1	0.62	<1	920	5	0.01	<5	7	310	<20
S216517		20	2.52	10	0.18	874	1	0.64	<1	960	4	0.01	<5	7	279	<20
S216518		20	2.73	10	0.20	1025	1	0.62	<1	1010	5	<0.01	<5	8	248	<20
S216519		20	2.73	10	0.23	1540	1	0.61	<1	1050	8	<0.01	<5	7	259	<20
S216520		<10	0.01	<10	1.88	18	<1	<0.01	<1	40	<2	0.07	<5	<1	4810	<20
S216521		20	2.70	10	0.21	1425	1	0.62	<1	1010	5	0.01	<5	7	272	<20
S216522		20	2.72	10	0.20	1920	1	0.62	<1	1010	11	0.01	<5	7	267	<20
S216523		20	2.55	10	0.22	2490	1	0.59	1	970	8	0.02	<5	7	317	<20
S216524		20	2.72	10	0.25	2350	<1	0.63	<1	1020	7	<0.01	<5	7	299	<20
S216525		20	2.82	10	0.20	1525	1	0.62	<1	1020	5	<0.01	<5	7	265	<20
S216526		20	2.88	10	0.20	1185	<1	0.63	<1	1070	4	0.01	<5	8	279	<20
S216526D		20	2.87	10	0.19	1170	1	0.63	<1	1030	7	0.01	<5	8	275	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216489		0.38	<10	<10	132	<10	81	
S216490		0.25	<10	<10	119	10	1820	
S216491		0.35	<10	<10	119	<10	98	
S216492		0.42	<10	<10	146	<10	131	
S216493		0.66	<10	<10	245	<10	124	
S216494		0.54	<10	<10	201	<10	116	
S216495		0.66	<10	<10	239	<10	143	
S216496		0.32	<10	<10	111	<10	115	
S216497		0.32	<10	<10	108	<10	95	
S216498		0.32	<10	<10	110	<10	90	
S216499		0.34	<10	<10	117	<10	102	
S216500		<0.01	<10	<10	1	<10	<2	
S216501		0.29	<10	<10	100	<10	83	
S216502		0.32	<10	<10	103	<10	100	
S216503		0.44	<10	<10	151	<10	107	
S216504		0.32	<10	<10	118	<10	85	
S216505		0.39	<10	<10	145	<10	122	
S216506		0.39	<10	<10	135	<10	83	
S216506D		0.39	<10	10	134	10	83	
S216507		0.38	<10	10	151	<10	90	
S216508		0.36	<10	<10	134	<10	102	
S216509		0.38	<10	<10	139	<10	109	
S216510		0.35	<10	<10	179	<10	215	
S216511		0.33	<10	<10	123	<10	85	
S216512		0.33	<10	<10	120	<10	63	
S216513		0.33	<10	<10	123	<10	53	
S216514		0.30	<10	<10	109	<10	61	
S216515		0.28	<10	<10	103	<10	55	
S216516		0.29	<10	<10	108	<10	87	
S216517		0.29	<10	<10	106	<10	53	
S216518		0.31	10	<10	113	<10	66	
S216519		0.32	10	<10	130	<10	83	
S216520		<0.01	<10	<10	1	<10	<2	
S216521		0.31	<10	<10	157	<10	73	
S216522		0.33	<10	<10	118	<10	79	
S216523		0.31	<10	<10	109	<10	84	
S216524		0.33	<10	<10	111	<10	88	
S216525		0.33	<10	<10	142	<10	73	
S216526		0.33	<10	<10	146	<10	66	
S216526D		0.33	<10	<10	147	<10	67	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
S216527		6.24	<0.005		<0.5	6.67	<5	1790	1.1	<2	2.89	<0.5	8	2	5	3.98
S216528		6.26	<0.005		<0.5	7.08	<5	1930	1.2	<2	2.71	<0.5	7	2	3	4.05
S216529		6.24	<0.005		<0.5	9.02	<5	2120	1.2	<2	1.46	<0.5	5	2	4	4.23
S216530		0.12	0.927		13.3	6.05	309	460	1.0	<2	3.63	4.3	9	27	86	4.10
S216531		6.77	<0.005		<0.5	7.80	6	1920	1.2	<2	2.24	<0.5	9	3	5	4.41
S216532		6.91	<0.005		<0.5	8.63	6	1920	1.1	<2	1.55	<0.5	7	2	6	4.27
S216533		6.04	<0.005		<0.5	8.83	<5	2040	1.2	2	2.07	<0.5	8	2	1	4.50
S216534		6.29	<0.005		<0.5	7.00	5	1810	1.1	<2	5.14	<0.5	10	1	3	3.36
S216535		6.50	<0.005		<0.5	6.80	<5	1790	1.1	<2	4.10	<0.5	10	2	2	3.82
S216536		5.84	<0.005		<0.5	7.03	9	1830	1.1	<2	3.72	<0.5	10	1	3	4.17
S216537		7.02	<0.005		<0.5	6.69	6	1850	1.0	<2	8.59	<0.5	6	2	7	3.90
S216538		6.52	<0.005		<0.5	7.36	7	1950	1.1	<2	2.59	<0.5	8	2	4	4.27
S216539		5.33	<0.005		<0.5	7.50	7	1780	1.2	<2	2.36	<0.5	9	2	4	4.26
S216540		0.41	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.7	<0.5	<1	<1	<1	0.05
S216541		5.40	<0.005		<0.5	7.25	9	1770	1.1	<2	3.20	<0.5	10	2	3	4.38
S216542		5.70	<0.005		<0.5	8.87	<5	2070	1.3	<2	2.30	<0.5	9	2	3	4.70
S216543		6.40	<0.005		<0.5	6.66	<5	2020	1.2	<2	4.62	<0.5	9	2	3	3.96
S216544		6.29	<0.005		<0.5	8.33	<5	2170	1.3	<2	2.62	<0.5	8	2	1	4.61
S216545		6.24	<0.005		<0.5	8.11	9	2060	1.2	<2	2.70	<0.5	9	2	1	4.60
S216546		6.30	<0.005		<0.5	6.58	9	2600	1.1	<2	4.07	<0.5	7	2	3	4.07
S216546D		<0.02	<0.005		<0.5	6.72	7	2670	1.1	<2	4.15	<0.5	9	2	3	4.24
S216547		6.42	<0.005		<0.5	7.08	8	2620	1.1	<2	3.96	<0.5	7	2	3	4.22
S216548		6.57	<0.005		<0.5	8.55	<5	1980	1.2	<2	2.49	<0.5	9	2	2	4.65
S216549		6.41	<0.005		<0.5	7.22	7	1870	1.1	<2	3.14	<0.5	8	2	2	4.36
S216550		0.12	>10.0	10.50	>100	5.73	367	700	0.9	<2	3.60	4.4	9	31	140	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216527		20	2.65	10	0.19	1095	1	0.63	1	970	4	<0.01	<5	7	265	<20
S216528		20	2.77	10	0.19	984	<1	0.66	<1	1000	6	<0.01	<5	8	287	<20
S216529		20	3.13	20	0.22	522	1	0.68	<1	1190	4	0.01	<5	10	272	<20
S216530		10	3.89	10	0.54	1435	9	0.21	22	920	140	2.90	16	11	193	<20
S216531		20	2.87	10	0.24	791	1	0.66	1	1080	4	0.01	<5	9	281	<20
S216532		20	2.87	10	0.25	527	<1	0.64	<1	1140	4	<0.01	<5	10	252	<20
S216533		20	3.12	10	0.30	764	<1	0.68	1	1210	4	<0.01	<5	10	263	<20
S216534		20	2.73	10	0.39	2120	<1	0.60	<1	1050	5	<0.01	<5	8	315	<20
S216535		20	2.71	10	0.35	1645	1	0.60	<1	1040	5	<0.01	<5	7	284	<20
S216536		20	2.75	10	0.34	1430	<1	0.62	<1	1060	4	<0.01	<5	8	260	<20
S216537		10	2.22	10	0.34	1705	<1	0.48	<1	890	5	0.05	<5	8	590	<20
S216538		20	2.87	10	0.26	736	<1	0.60	<1	1080	3	<0.01	<5	9	265	<20
S216539		20	2.71	10	0.29	779	<1	0.63	<1	1060	5	<0.01	<5	8	251	<20
S216540		<10	0.01	<10	1.92	25	<1	0.01	<1	50	<2	0.12	<5	<1	5430	<20
S216541		20	2.62	10	0.36	1045	1	0.61	1	1030	4	<0.01	<5	8	266	<20
S216542		20	3.10	10	0.34	711	1	0.68	<1	1230	8	<0.01	<5	10	276	<20
S216543		20	2.60	10	0.31	1245	<1	0.62	<1	1000	5	0.01	<5	7	329	<20
S216544		20	3.07	10	0.33	827	<1	0.70	<1	1220	6	<0.01	<5	9	286	<20
S216545		20	2.82	10	0.35	866	<1	0.68	2	1130	4	<0.01	<5	9	305	<20
S216546		20	2.45	10	0.33	1440	1	0.60	1	1000	6	0.04	<5	7	411	<20
S216546D		20	2.53	10	0.34	1470	<1	0.61	<1	1010	6	0.04	<5	8	417	<20
S216547		20	2.65	10	0.35	1485	<1	0.63	<1	1090	5	0.04	<5	8	471	<20
S216548		20	2.72	10	0.49	995	<1	0.66	<1	1100	3	<0.01	<5	10	269	<20
S216549		20	2.52	10	0.41	1110	<1	0.62	1	1060	5	<0.01	<5	8	285	<20
S216550		10	3.52	10	0.45	1340	7	0.16	22	790	236	2.98	51	10	195	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216527		0.32	<10	<10	112	<10	69	
S216528		0.32	<10	<10	115	<10	67	
S216529		0.36	<10	<10	126	<10	57	
S216530		0.27	<10	<10	106	10	492	
S216531		0.33	<10	<10	123	<10	76	
S216532		0.33	<10	<10	125	<10	67	
S216533		0.38	<10	<10	135	<10	81	
S216534		0.35	<10	<10	118	<10	121	
S216535		0.34	<10	<10	122	<10	95	
S216536		0.34	<10	<10	126	<10	90	
S216537		0.28	<10	<10	100	<10	67	
S216538		0.33	<10	<10	128	<10	66	
S216539		0.34	10	<10	124	<10	73	
S216540		<0.01	<10	<10	1	<10	<2	
S216541		0.33	<10	<10	118	<10	88	
S216542		0.38	<10	<10	135	<10	72	
S216543		0.33	<10	<10	117	<10	77	
S216544		0.38	<10	<10	139	<10	73	
S216545		0.36	<10	<10	140	<10	71	
S216546		0.32	<10	<10	116	<10	72	
S216546D		0.32	<10	<10	119	<10	73	
S216547		0.33	<10	<10	128	<10	70	
S216548		0.35	<10	<10	138	<10	82	
S216549		0.33	<10	<10	127	<10	74	
S216550		0.23	<10	<10	95	<10	485	135

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139613

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

CERTIFICATE TR15139616

Project: Bowser Regional Exploration

P.O. No.: BOW-0086

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 13-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313439		5.61	0.037		<0.5	7.62	18	3550	1.1	<2	3.86	<0.5	9	45	48	2.52
S313440		0.74	<0.005		<0.5	0.04	<5	10	<0.5	6	35.4	<0.5	<1	<1	<1	0.04
S313441		6.07	0.531		0.5	8.03	19	2830	1.2	<2	5.39	<0.5	5	37	182	3.25
S313442		6.07	4.28		1.1	7.91	21	1080	1.2	<2	6.93	<0.5	9	23	180	4.05
S313443		6.98	1.220		<0.5	7.64	18	3040	1.2	3	5.11	<0.5	11	23	194	2.36
S313444		6.24	0.299		<0.5	7.26	41	2300	0.9	<2	4.37	<0.5	24	47	139	3.02
S313445		6.28	2.64		0.9	7.02	46	2260	0.9	<2	5.22	<0.5	19	51	202	3.12
S313446		5.99	0.324		1.3	6.67	181	1600	1.3	2	4.87	0.7	43	40	713	6.97
S313446D		<0.02	0.369		1.4	6.82	196	470	1.3	2	4.91	0.7	41	42	722	6.97
S313447		6.51	0.221		0.5	7.15	191	2020	0.9	<2	3.17	<0.5	18	63	246	3.55
S313448		4.45	0.138		1.2	6.87	149	1000	0.6	<2	2.77	0.5	21	65	313	4.34
S313449		5.18	0.526		0.9	6.71	159	1510	0.5	<2	2.26	<0.5	17	70	213	3.25
S313450		0.10	>10.0	17.90	23.9	6.80	799	460	1.4	<2	2.84	1.9	19	108	135	5.07
S313451		5.74	0.808		1.1	6.26	380	1070	0.7	3	2.55	<0.5	13	53	246	4.18
S313452		6.30	0.451		0.9	6.91	418	1450	0.9	<2	2.14	0.7	15	69	275	4.12
S313453		5.50	0.131		0.5	7.01	184	2470	0.9	<2	2.57	<0.5	16	87	181	3.44
S313454		5.65	0.277		0.6	7.71	128	2120	1.0	<2	2.57	<0.5	14	68	171	3.73
S313455		6.58	0.066		<0.5	7.71	84	2900	1.1	<2	2.77	<0.5	15	62	149	3.61
S313456		6.27	0.048		<0.5	7.90	58	3380	1.2	3	3.05	<0.5	11	68	71	2.80
S313457		6.72	0.078		<0.5	7.05	57	2820	1.1	<2	3.89	<0.5	11	70	102	3.06
S313458		5.57	0.104		<0.5	7.25	52	1960	1.1	2	4.42	<0.5	10	126	77	3.04
S313459		5.70	0.104		<0.5	7.16	49	2000	1.2	<2	4.05	<0.5	11	72	102	3.42
S313460		0.71	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.0	<0.5	<1	<1	<1	0.03
S313461		5.40	0.130		0.5	7.26	48	1510	1.5	3	4.68	<0.5	13	75	111	4.35
S313462		6.96	0.141		0.9	7.27	102	2470	0.8	<2	2.99	<0.5	20	66	222	3.79
S313463		5.77	0.360		0.6	7.27	71	2790	0.8	<2	4.20	<0.5	17	71	169	3.73
S313464		6.14	0.427		<0.5	6.96	185	2200	1.0	<2	2.66	<0.5	48	56	148	3.62
S313465		5.74	0.710		0.5	6.88	122	1510	0.9	<2	2.94	<0.5	28	80	131	4.37
S313466		6.41	0.417		<0.5	7.54	231	1840	1.4	<2	2.08	<0.5	19	48	109	3.29
S313466D		<0.02	0.407		<0.5	7.46	191	1800	1.3	<2	1.92	<0.5	16	48	96	3.09
S313467		6.42	0.357		<0.5	6.85	121	1980	1.0	<2	2.66	<0.5	12	68	86	4.13
S313468		6.16	0.141		<0.5	7.07	71	2210	1.1	<2	2.85	<0.5	17	77	68	3.37
S313469		6.54	0.073		<0.5	7.60	40	2700	1.1	<2	2.82	<0.5	9	63	66	3.38
S313470		0.12	1.030		13.4	5.71	313	460	1.0	2	3.60	4.4	10	27	85	3.90
S313471		5.63	0.079		<0.5	7.80	55	2610	1.2	<2	2.41	<0.5	13	66	111	3.59
S313472		5.90	0.114		<0.5	7.99	42	2510	1.4	<2	2.57	<0.5	11	50	55	3.35
S313473		6.02	0.030		<0.5	7.74	44	2530	1.1	<2	2.76	<0.5	12	82	49	3.45
S313474		6.50	0.019		<0.5	7.77	41	2500	1.2	<2	2.74	<0.5	11	71	38	3.47
S313475		6.61	0.029		<0.5	7.65	47	2230	1.3	<2	3.02	<0.5	11	108	54	3.90
S313476		5.91	0.078		<0.5	7.21	70	2790	1.1	<2	2.89	<0.5	14	100	183	4.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313439		20	5.64	10	1.37	849	1	1.82	25	1550	<2	0.57	<5	12	774	<20
S313440		<10	0.01	<10	1.85	21	<1	0.01	<1	50	<2	0.10	<5	<1	5440	<20
S313441		20	3.98	<10	1.53	1030	<1	3.04	19	1770	4	0.85	7	19	905	<20
S313442		20	1.81	<10	2.29	1295	<1	3.35	9	1980	5	0.99	7	28	925	<20
S313443		20	5.09	<10	1.33	861	2	2.38	14	1770	5	0.75	6	14	668	<20
S313444		20	5.53	10	0.99	854	3	1.40	24	1510	8	1.69	<5	13	478	<20
S313445		10	5.28	<10	0.90	1010	1	1.19	17	1410	6	1.72	<5	15	375	<20
S313446		10	5.45	<10	1.71	1500	3	0.58	46	1090	10	4.04	7	12	353	<20
S313446D		10	5.68	<10	1.64	1490	3	0.61	46	1170	8	4.07	<5	12	361	<20
S313447		20	5.43	10	1.02	938	2	0.86	33	1280	8	1.75	<5	11	380	<20
S313448		20	5.41	10	1.15	1130	1	0.79	34	1420	10	2.33	6	11	328	<20
S313449		10	5.20	10	0.78	745	1	0.39	28	1410	8	1.68	<5	11	301	<20
S313450		10	2.99	10	0.72	1040	7	0.16	67	1680	63	4.23	16	19	182	<20
S313451		10	4.71	10	1.06	779	1	0.54	32	1170	12	2.11	10	10	264	<20
S313452		20	4.87	10	1.14	697	1	0.80	42	1210	20	2.04	<5	11	295	<20
S313453		20	5.27	10	1.14	644	1	0.94	43	1100	9	1.61	<5	10	342	<20
S313454		20	5.64	10	1.09	623	2	1.05	36	1350	8	1.91	<5	12	353	<20
S313455		20	6.21	10	1.56	636	2	1.06	37	1440	6	1.58	<5	11	428	<20
S313456		20	6.41	10	1.86	698	1	1.22	34	1540	4	0.67	<5	13	478	<20
S313457		20	5.95	10	1.46	943	1	1.46	43	1490	9	1.24	<5	12	515	<20
S313458		20	4.53	10	1.42	1035	1	1.59	44	1390	23	1.08	<5	13	343	<20
S313459		20	5.00	10	1.44	1030	1	1.28	51	1400	13	1.42	<5	14	381	<20
S313460		<10	0.01	<10	1.94	19	<1	0.01	<1	40	<2	0.06	<5	<1	4940	<20
S313461		20	4.63	<10	1.35	1150	1	1.74	38	1390	15	2.60	5	11	416	<20
S313462		20	5.35	10	1.10	866	1	1.33	31	1470	<2	1.65	<5	13	430	<20
S313463		20	5.42	10	1.22	1205	3	1.35	29	1440	7	1.36	5	13	438	<20
S313464		20	5.01	10	1.02	910	1	1.33	29	1260	10	1.50	<5	10	373	<20
S313465		10	4.99	10	1.11	1060	2	1.66	42	1270	6	2.00	<5	11	483	<20
S313466		20	4.80	10	1.07	605	2	1.89	31	1030	4	1.38	<5	9	446	<20
S313466D		20	4.67	10	1.06	595	2	1.89	28	1020	3	1.16	<5	9	434	<20
S313467		20	5.52	10	1.46	901	2	1.31	43	1410	5	1.89	<5	10	426	<20
S313468		20	4.72	10	1.28	813	1	1.84	43	1280	2	1.19	<5	10	491	<20
S313469		20	5.39	10	1.70	896	1	1.69	35	1390	10	0.75	5	11	443	<20
S313470		10	3.77	10	0.53	1420	9	0.21	19	930	151	2.82	19	10	191	<20
S313471		20	5.17	10	1.47	929	2	2.19	40	1430	<2	1.01	<5	12	464	<20
S313472		20	5.36	10	1.60	877	1	1.94	25	1510	5	0.77	<5	12	497	<20
S313473		20	5.11	10	1.67	988	1	2.16	37	1540	<2	0.43	<5	12	589	<20
S313474		20	5.51	10	1.90	866	1	1.70	38	1470	3	0.41	<5	12	488	<20
S313475		20	4.62	10	1.94	993	1	2.19	56	1470	4	0.55	6	14	527	<20
S313476		20	5.77	10	1.53	957	1	1.64	55	1420	4	1.49	<5	11	496	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	1	0.001
S313439		0.33	<10	<10	180	<10	38		
S313440		<0.01	<10	<10	<1	<10	<2		
S313441		0.36	<10	<10	221	<10	46		
S313442		0.35	<10	<10	271	<10	45		
S313443		0.34	<10	<10	204	<10	41		
S313444		0.32	<10	<10	166	<10	30		
S313445		0.31	<10	<10	181	<10	43		
S313446		0.24	<10	<10	155	<10	89		
S313446D		0.25	<10	<10	161	<10	94		
S313447		0.31	<10	<10	155	<10	47		
S313448		0.31	<10	<10	162	<10	79		
S313449		0.29	<10	<10	157	<10	42		
S313450		0.36	<10	<10	181	<10	231		
S313451		0.25	<10	<10	131	<10	60		
S313452		0.30	<10	<10	142	<10	90		
S313453		0.27	<10	<10	124	<10	40		
S313454		0.31	<10	<10	150	<10	34		
S313455		0.32	<10	<10	153	<10	39		
S313456		0.35	<10	<10	175	<10	41		
S313457		0.35	<10	<10	177	<10	52		
S313458		0.32	<10	<10	165	<10	79		
S313459		0.38	<10	<10	184	<10	66		
S313460		<0.01	<10	<10	1	<10	<2		
S313461		0.32	10	<10	158	<10	75		
S313462		0.34	10	<10	171	10	43		
S313463		0.31	<10	<10	165	<10	52		
S313464		0.27	<10	<10	138	<10	47		
S313465		0.31	<10	<10	149	<10	46		
S313466		0.26	<10	<10	109	<10	38		
S313466D		0.25	<10	<10	106	<10	32		
S313467		0.29	<10	<10	149	<10	32		
S313468		0.30	<10	<10	148	<10	31		
S313469		0.31	<10	<10	152	<10	43		
S313470		0.25	<10	<10	103	10	487		
S313471		0.32	<10	<10	160	<10	38		
S313472		0.32	<10	<10	164	<10	44		
S313473		0.34	<10	<10	164	<10	40		
S313474		0.34	<10	<10	169	<10	43		
S313475		0.37	<10	<10	185	<10	48		
S313476		0.32	<10	<10	159	<10	42		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313477		5.03	0.128		0.7	7.06	87	1480	1.2	<2	3.50	<0.5	22	85	242	4.90
S313478		6.50	0.056		0.5	7.68	49	2710	1.2	<2	3.40	<0.5	8	68	96	3.68
S313479		5.87	0.187		0.5	7.35	276	2910	1.1	<2	3.79	0.7	12	79	89	3.69
S313480		0.91	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.9	<0.5	<1	1	<1	0.04
S313481		6.06	0.113		0.8	6.96	65	2850	1.1	<2	4.48	0.9	11	79	195	3.62
S313482		6.47	0.071		0.7	7.28	39	2820	1.2	<2	4.95	0.5	13	57	251	3.37
S313483		5.45	0.073		0.7	7.18	59	1800	1.6	<2	5.62	<0.5	12	68	238	3.59
S313484		6.05	0.137		0.7	6.85	35	1200	1.3	<2	4.85	<0.5	8	66	70	3.61
S313485		6.11	0.509		2.8	6.43	42	800	0.9	2	4.95	<0.5	10	63	32	4.21
S313486		6.40	0.406		1.2	6.64	41	540	1.2	<2	4.42	<0.5	17	73	169	4.07
S313486D		<0.02	0.394		1.3	6.98	44	470	1.3	<2	4.50	<0.5	19	77	175	4.23
S313487		4.76	2.73		2.6	7.61	39	2900	1.1	<2	4.08	<0.5	18	78	82	3.35
S313488		7.04	7.23		40.7	7.16	89	1940	1.0	<2	4.18	0.5	16	93	165	3.71
S313489		4.85	4.77		>100	6.48	680	1800	0.9	<2	1.95	0.8	12	59	183	3.33
S313490		0.12	>10.0	10.30	>100	5.68	385	460	1.0	<2	3.87	4.6	12	35	148	3.74
S313491		3.14	5.54		12.0	6.32	99	1000	1.7	2	1.63	3.3	4	14	66	2.25
S313492		5.34	7.38		98.9	6.12	833	300	0.8	3	3.84	608	19	60	582	3.77
S313493		5.62	0.803		16.6	7.41	329	1780	1.1	<2	4.31	33.3	10	69	137	3.73
S313494		5.45	0.340		1.5	6.41	18	1110	1.4	<2	2.39	1.9	4	22	32	1.79
S313495		5.53	1.365		2.2	7.52	103	1980	1.2	<2	2.95	1.5	12	69	172	3.47
S313496		6.53	1.895		2.9	6.68	181	610	0.7	3	1.99	0.6	27	88	283	3.90
S313497		5.93	0.861		1.9	6.86	129	1340	0.7	<2	3.01	<0.5	34	78	132	3.13
S313498		5.94	0.186		2.0	7.06	82	430	0.9	<2	3.06	<0.5	9	42	99	4.00
S313499		6.09	0.137		1.2	7.18	41	820	1.0	<2	4.08	0.9	11	59	168	3.81
S313500		0.81	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.0	<0.5	<1	1	<1	0.04
S313501		6.93	3.07		6.8	7.15	91	510	1.1	12	4.41	0.6	12	31	196	5.31
S313502		5.39	4.48		5.4	6.31	75	290	0.9	<2	4.51	0.7	26	46	1330	5.19
S313503		6.21	0.133		1.4	7.31	94	860	1.0	<2	4.37	0.5	39	77	370	3.86
S313504		5.84	0.289		1.2	7.19	224	370	1.1	<2	2.94	<0.5	31	63	407	4.74
S313505		7.00	0.254		1.7	6.42	97	340	0.9	<2	3.69	0.6	41	80	534	5.27
S313506		6.16	0.424		0.9	7.92	204	1100	1.2	<2	2.36	0.8	34	75	367	4.64
S313506D		<0.02	0.461		0.9	7.66	207	930	1.1	<2	2.31	0.7	33	77	366	4.60
S313507		6.22	0.149		1.3	7.20	73	730	1.1	<2	3.35	0.7	23	119	310	4.83
S313508		5.85	0.058		1.0	8.13	60	1960	1.3	<2	3.02	<0.5	19	127	303	4.69
S313509		5.59	0.035		0.6	7.68	51	2820	1.2	<2	3.61	0.5	19	114	183	4.19
S313510		0.12	5.86		83.4	6.32	293	1090	1.0	<2	2.02	22.8	11	25	116	4.81
S313511		5.78	0.027		0.5	7.48	65	2520	1.3	<2	3.47	<0.5	14	120	107	4.00
S313512		6.39	0.045		0.5	7.57	66	2390	1.2	<2	3.52	0.5	15	101	208	3.99
S313513		6.26	0.029		<0.5	7.85	49	2570	1.4	<2	3.90	<0.5	15	112	49	3.99
S313514		6.93	0.033		<0.5	7.57	75	2340	1.6	<2	3.80	1.0	15	119	121	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313477		20	4.88	10	1.76	1105	2	1.57	61	1530	4	1.92	8	11	491	<20
S313478		20	5.58	10	1.39	950	1	2.28	32	1520	2	1.13	6	12	513	<20
S313479		20	5.44	10	1.39	1085	<1	1.84	29	1560	4	1.33	<5	12	482	<20
S313480		<10	0.01	<10	2.19	21	<1	0.01	<1	30	<2	0.10	<5	<1	5210	<20
S313481		20	5.90	10	1.29	1270	1	1.40	35	1510	2	1.44	<5	11	528	<20
S313482		20	5.36	10	1.39	1310	1	1.71	33	1530	<2	1.43	9	12	568	<20
S313483		20	4.01	10	1.38	1315	1	2.32	53	1460	2	1.89	11	12	547	<20
S313484		20	4.27	10	1.27	1315	2	2.28	39	1460	7	2.37	<5	12	450	<20
S313485		10	4.97	10	1.29	1310	1	1.15	40	1290	19	3.64	7	12	292	<20
S313486		20	4.74	10	1.33	1090	1	1.65	57	1430	11	2.97	<5	12	423	<20
S313486D		20	5.10	10	1.39	1105	1	1.77	59	1480	14	3.12	6	12	433	<20
S313487		20	5.76	10	1.50	1190	1	1.53	39	1420	19	1.30	5	13	480	<20
S313488		20	5.06	10	1.10	1130	1	1.85	53	1410	188	1.98	65	13	516	<20
S313489		20	4.54	10	1.03	849	1	1.37	33	1080	934	1.57	515	10	224	<20
S313490		10	3.76	10	0.47	1410	8	0.17	23	850	261	3.12	61	10	202	<20
S313491		20	4.06	30	1.10	794	<1	0.67	7	260	19	0.65	57	8	170	<20
S313492		20	5.12	10	0.94	1670	1	0.93	42	1120	8540	4.28	415	10	283	<20
S313493		20	5.37	10	1.20	1845	2	1.18	44	1280	436	1.95	54	13	290	<20
S313494		20	4.38	20	1.02	939	1	0.80	11	350	47	0.38	17	10	214	<20
S313495		20	5.40	10	1.05	958	1	1.36	40	1200	52	2.10	12	12	346	<20
S313496		10	4.68	10	0.66	643	1	0.62	49	1250	13	2.55	11	12	216	<20
S313497		10	5.24	10	0.87	659	2	0.45	44	1330	12	2.09	6	12	237	<20
S313498		20	5.74	<10	1.01	722	1	1.00	28	1600	21	3.41	11	11	266	<20
S313499		20	5.55	<10	1.34	1180	1	1.66	30	1490	16	2.71	<5	14	483	<20
S313500		<10	0.01	<10	1.86	20	<1	<0.01	<1	30	<2	0.07	<5	<1	5260	<20
S313501		20	3.92	<10	1.67	1280	6	2.27	17	1490	44	4.41	8	17	364	<20
S313502		10	5.08	10	1.39	1255	1	0.90	24	1440	9	3.67	6	17	325	<20
S313503		20	5.50	10	1.17	1055	2	0.70	58	1450	4	2.72	<5	14	433	<20
S313504		20	5.31	<10	1.13	795	1	0.78	36	1360	7	3.84	5	15	374	<20
S313505		10	5.02	<10	1.50	926	1	1.06	46	1370	3	3.72	<5	13	400	<20
S313506		20	5.06	10	1.53	774	1	2.01	46	1590	4	2.36	8	15	553	<20
S313506D		20	4.93	10	1.48	754	1	1.94	48	1540	6	2.36	5	14	543	<20
S313507		20	5.11	10	1.76	973	1	1.87	75	1490	17	2.56	7	13	531	<20
S313508		20	5.29	10	1.77	1005	2	2.61	65	1580	4	2.02	5	15	644	<20
S313509		20	5.23	10	1.99	1010	1	2.09	61	1540	6	1.04	5	15	717	<20
S313510		10	3.77	10	0.50	1225	10	0.24	17	990	9210	3.10	78	12	150	<20
S313511		20	5.06	10	1.84	1120	1	2.38	95	1510	10	0.76	7	14	587	<20
S313512		20	4.73	10	1.85	1070	1	2.58	69	1440	16	0.89	<5	14	674	<20
S313513		20	5.50	10	1.96	1280	1	2.15	83	1490	4	0.53	<5	14	583	<20
S313514		20	4.67	10	1.90	1095	1	2.39	91	1470	17	0.66	<5	14	588	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	1	0.001
S313477		0.34	<10	<10	171	<10	48		
S313478		0.35	<10	<10	171	<10	43		
S313479		0.36	<10	<10	181	<10	68		
S313480		<0.01	<10	<10	1	<10	<2		
S313481		0.34	<10	<10	172	<10	76		
S313482		0.34	<10	<10	169	<10	52		
S313483		0.36	<10	<10	174	<10	33		
S313484		0.35	<10	<10	172	<10	41		
S313485		0.30	<10	<10	145	<10	49		
S313486		0.35	<10	<10	172	<10	39		
S313486D		0.37	<10	<10	180	<10	41		
S313487		0.36	<10	<10	170	<10	47		
S313488		0.36	<10	<10	172	10	47		
S313489		0.29	<10	<10	116	10	52	1150	
S313490		0.24	<10	<10	101	<10	496	133	
S313491		0.18	<10	<10	23	<10	141		
S313492		0.28	<10	<10	130	10	>10000		4.65
S313493		0.32	<10	<10	144	<10	3400		
S313494		0.19	<10	<10	38	<10	159		
S313495		0.31	<10	<10	128	<10	156		
S313496		0.27	<10	<10	141	<10	71		
S313497		0.29	<10	<10	145	<10	51		
S313498		0.30	<10	<10	157	<10	39		
S313499		0.33	<10	<10	196	10	125		
S313500		<0.01	<10	<10	1	<10	<2		
S313501		0.30	<10	<10	216	10	73		
S313502		0.28	<10	<10	210	<10	58		
S313503		0.33	<10	<10	182	<10	42		
S313504		0.30	10	<10	177	10	44		
S313505		0.30	10	<10	171	<10	60		
S313506		0.32	<10	<10	178	<10	74		
S313506D		0.31	<10	<10	172	<10	78		
S313507		0.37	<10	<10	182	<10	73		
S313508		0.40	10	<10	193	<10	49		
S313509		0.39	<10	<10	186	<10	50		
S313510		0.26	<10	<10	125	<10	1830		
S313511		0.37	<10	<10	181	<10	56		
S313512		0.35	<10	<10	173	<10	50		
S313513		0.37	<10	<10	181	<10	48		
S313514		0.36	<10	<10	172	<10	78		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313515		5.84	0.056		0.5	7.62	52	2300	1.4	<2	3.75	<0.5	15	111	26	3.90
S313516		6.45	0.019		<0.5	7.42	30	2490	1.3	<2	3.90	<0.5	14	123	20	3.65
S313517		6.11	0.017		<0.5	7.42	24	2820	1.3	<2	3.52	<0.5	11	104	10	3.55
S313518		5.81	0.018		<0.5	7.17	39	2350	1.4	<2	4.00	<0.5	18	120	30	3.30
S313519		5.77	0.020		<0.5	7.43	29	2640	1.4	<2	3.65	<0.5	10	110	81	3.53
S313520		0.78	<0.005		<0.5	0.06	<5	20	<0.5	<2	35.8	<0.5	<1	1	<1	0.04
S313521		6.57	0.023		<0.5	7.59	37	3230	1.3	2	4.39	<0.5	11	144	63	3.93
S313522		5.39	0.033		0.7	7.50	50	3190	1.3	<2	3.67	0.6	18	144	279	4.28
S313523		4.77	0.366		2.4	3.46	257	590	0.9	<2	6.01	0.7	51	75	180	4.07
S313524		6.20	0.783		1.9	5.98	352	720	1.1	<2	2.93	0.7	61	81	591	6.14
S313525		6.77	0.038		<0.5	7.80	60	2640	1.7	<2	4.02	<0.5	22	133	83	4.32
S313526		5.90	0.065		0.6	7.88	40	2090	1.3	<2	4.63	<0.5	13	138	55	4.41
S313526D		<0.02	0.061		0.6	7.55	41	2050	1.3	<2	4.61	<0.5	15	132	51	4.32
S313527		5.56	0.015		<0.5	7.78	33	1810	1.5	<2	3.65	<0.5	15	109	45	4.22
S313528		6.02	0.024		<0.5	7.61	23	2230	1.4	<2	4.20	0.5	13	149	31	4.38
S313529		6.53	0.028		<0.5	7.49	17	1940	1.3	<2	4.53	<0.5	12	132	42	4.53
S313530		0.10	>10.0	19.50	20.6	6.77	767	420	1.4	<2	2.79	2.0	19	109	129	4.92
S313531		6.13	0.036		<0.5	7.76	20	1870	1.4	<2	4.42	<0.5	13	132	35	3.87
S313532		6.49	0.041		<0.5	7.68	19	2130	1.2	<2	4.68	<0.5	11	130	18	4.43
S313533		5.12	0.039		0.5	7.75	27	1920	1.2	<2	5.25	0.5	12	134	31	4.33
S313534		7.26	0.024		0.7	8.08	38	2240	1.6	<2	4.28	0.5	29	130	205	5.52
S313535		6.54	0.024		<0.5	7.76	35	2440	1.5	<2	3.78	0.5	16	105	36	3.88
S313536		5.12	0.041		<0.5	7.66	60	2870	1.4	<2	4.33	<0.5	25	125	34	3.95
S313537		5.94	0.090		0.7	7.84	52	1810	1.5	3	4.65	<0.5	16	108	65	4.41
S313538		6.43	0.063		0.7	8.10	69	2780	1.4	<2	4.13	<0.5	27	108	85	4.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313515		20	5.00	10	1.90	1140	<1	2.42	76	1450	3	0.74	8	14	593	<20
S313516		20	5.07	10	1.94	1080	<1	2.18	70	1350	6	0.61	6	14	620	<20
S313517		20	5.26	10	1.96	1065	1	2.32	51	1400	<2	0.46	<5	13	673	<20
S313518		20	4.63	10	1.66	1085	1	1.68	63	1230	4	0.36	6	12	725	<20
S313519		20	5.23	10	1.80	1130	1	1.68	53	1340	9	0.60	6	14	552	<20
S313520		<10	0.01	<10	1.77	19	<1	0.01	<1	40	2	0.06	5	<1	5420	<20
S313521		20	6.15	10	2.27	1285	2	1.20	90	1480	6	0.51	14	14	647	<20
S313522		20	5.81	10	2.02	1165	1	1.30	88	1410	9	1.27	8	15	553	<20
S313523		10	2.08	10	1.03	1405	1	0.45	43	550	19	2.43	13	7	234	<20
S313524		20	3.72	10	1.35	1070	1	0.81	65	1170	18	3.37	8	14	352	<20
S313525		20	5.37	10	2.19	1345	<1	1.66	74	1500	8	0.44	6	14	514	<20
S313526		20	4.55	10	2.19	1435	2	1.88	85	1450	10	0.48	11	15	618	<20
S313526D		20	4.43	10	2.12	1435	1	1.82	84	1430	13	0.49	11	14	603	<20
S313527		20	4.13	10	2.11	1235	1	2.22	69	1510	2	0.40	<5	14	502	<20
S313528		20	4.96	10	2.12	1240	1	2.13	81	1400	8	0.45	<5	15	501	<20
S313529		20	4.31	10	2.16	1445	1	2.29	72	1440	<2	0.64	5	13	523	<20
S313530		20	2.99	10	0.72	1005	6	0.16	66	1640	57	4.18	18	19	181	<20
S313531		20	3.98	10	1.82	1260	1	2.55	73	1400	3	0.78	5	15	545	<20
S313532		20	4.57	10	2.06	1395	2	2.31	77	1530	3	0.55	<5	14	510	<20
S313533		20	3.96	10	1.73	1445	1	2.33	85	1460	31	0.85	7	15	495	<20
S313534		20	4.68	10	2.32	1385	4	2.16	88	1550	2	1.11	<5	15	570	<20
S313535		20	4.85	10	2.00	1065	1	2.21	51	1430	5	0.50	<5	14	509	<20
S313536		20	5.57	10	1.98	1180	<1	1.63	76	1510	7	0.32	5	15	459	<20
S313537		20	3.90	10	2.14	1350	<1	2.39	107	1510	5	0.94	6	16	575	<20
S313538		20	5.32	20	1.98	1190	1	2.23	66	1450	3	0.67	<5	14	520	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Zn-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	1	0.001
S313515		0.36	<10	<10	170	<10	45		
S313516		0.35	10	<10	161	<10	48		
S313517		0.35	<10	<10	160	<10	37		
S313518		0.33	<10	<10	149	<10	44		
S313519		0.35	<10	<10	171	<10	58		
S313520		<0.01	<10	<10	1	<10	<2		
S313521		0.37	10	<10	198	<10	54		
S313522		0.36	<10	<10	183	<10	60		
S313523		0.15	<10	<10	83	<10	59		
S313524		0.26	10	<10	151	<10	81		
S313525		0.37	10	<10	184	<10	65		
S313526		0.36	<10	<10	174	<10	81		
S313526D		0.36	<10	<10	170	<10	62		
S313527		0.35	<10	<10	164	<10	54		
S313528		0.38	<10	<10	178	<10	52		
S313529		0.37	<10	<10	172	<10	50		
S313530		0.35	<10	<10	178	<10	210		
S313531		0.38	<10	<10	179	<10	44		
S313532		0.38	<10	<10	181	<10	51		
S313533		0.37	<10	<10	177	<10	61		
S313534		0.37	<10	<10	183	<10	61		
S313535		0.33	<10	<10	173	<10	55		
S313536		0.37	<10	<10	181	<10	48		
S313537		0.35	<10	<10	177	<10	57		
S313538		0.36	<10	<10	173	<10	47		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 1-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15139616

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62	Zn-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

CERTIFICATE TR15140234

Project: Bowser Regional Exploration

P.O. No.: BOW-0088

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211801		3.02	<0.005		<0.5	8.70	8	2180	1.4	<2	2.60	<0.5	7	3	4	3.22
S211802		3.77	<0.005		<0.5	9.43	5	2700	1.4	<2	1.01	<0.5	11	3	21	3.11
S211803		3.67	<0.005		<0.5	9.64	11	3370	1.4	<2	1.22	<0.5	10	5	20	3.69
S211804		4.23	<0.005		<0.5	10.35	14	2990	1.3	<2	1.06	<0.5	5	8	6	3.44
S211805		2.92	<0.005		0.6	8.83	87	380	1.5	<2	1.36	<0.5	13	3	24	4.23
S211806		3.66	<0.005		<0.5	7.73	25	440	1.2	<2	1.90	0.5	8	2	19	3.35
S211806D		<0.02	<0.005		<0.5	7.54	27	420	1.2	<2	1.84	<0.5	7	3	19	3.32
S211807		2.30	<0.005		<0.5	7.18	9	540	1.1	<2	2.56	<0.5	5	2	13	2.59
S211808		3.23	<0.005		<0.5	8.17	9	570	1.2	<2	2.99	<0.5	8	2	18	2.74
S211809		3.08	<0.005		<0.5	7.67	5	1850	1.0	<2	3.27	<0.5	7	2	15	3.24
S211810		0.09	>10.0	18.55	19.6	7.02	761	1150	1.3	<2	2.85	2.0	20	115	140	5.02
S211811		3.22	<0.005		<0.5	7.30	7	1340	0.9	<2	3.19	<0.5	9	2	16	3.08
S211812		3.83	<0.005		<0.5	8.32	<5	2940	0.9	<2	2.59	<0.5	4	2	19	3.87
S211813		3.68	<0.005		<0.5	8.28	<5	2570	0.9	2	2.62	<0.5	7	2	25	4.12
S211814		3.72	<0.005		<0.5	8.03	<5	2650	0.8	<2	2.15	<0.5	7	2	3	4.36
S211815		3.07	<0.005		<0.5	8.35	9	3000	0.8	<2	3.53	<0.5	7	2	<1	4.72
S211816		3.19	<0.005		<0.5	8.03	6	3540	0.9	<2	2.80	<0.5	6	3	3	4.24
S211817		3.50	<0.005		<0.5	7.75	6	3660	1.0	<2	2.93	<0.5	7	2	2	4.23
S211818		3.28	<0.005		<0.5	7.23	<5	3420	1.1	<2	3.99	<0.5	8	2	4	4.48
S211819		3.19	<0.005		<0.5	8.00	7	3340	1.1	<2	2.89	<0.5	8	2	1	4.58
S211820		0.77	<0.005		<0.5	0.04	<5	10	<0.5	<2	36.0	<0.5	<1	1	<1	0.04
S211821		1.89	<0.005		<0.5	7.70	7	3110	0.9	<2	2.90	<0.5	7	2	<1	3.91
S211822		1.39	<0.005		<0.5	8.32	13	4360	1.1	<2	2.22	<0.5	8	2	26	4.51
S211823		3.91	<0.005		<0.5	8.32	9	1840	1.1	<2	1.89	<0.5	10	2	19	3.64
S211824		5.62	<0.005		<0.5	8.52	6	1900	1.1	<2	1.82	<0.5	12	2	33	4.12
S211825		1.99	<0.005		<0.5	7.55	10	5790	1.0	<2	4.66	<0.5	9	2	44	3.98
S211826		2.95	<0.005		<0.5	8.16	11	2350	1.0	<2	3.25	<0.5	9	3	24	4.03
S211826D		<0.02	<0.005		<0.5	8.15	10	2390	1.0	<2	3.32	<0.5	10	2	25	4.11
S211827		3.50	<0.005		<0.5	7.42	6	3200	0.8	<2	4.52	<0.5	10	2	<1	4.05
S211828		3.33	<0.005		<0.5	7.05	7	3220	1.0	<2	4.95	<0.5	8	2	<1	3.97
S211829		3.44	<0.005		<0.5	7.14	6	3140	1.0	<2	5.26	<0.5	9	2	<1	4.02
S211830		0.12	0.962		12.9	6.13	308	600	1.0	<2	3.69	4.5	11	29	88	3.97
S211831		3.73	<0.005		<0.5	7.92	<5	3450	0.9	2	5.03	<0.5	10	2	<1	4.08
S211832		5.42	<0.005		<0.5	8.35	10	2870	1.0	<2	2.52	<0.5	12	5	8	3.99
S211833		3.82	<0.005		<0.5	7.50	9	3860	1.0	<2	4.08	<0.5	10	1	1	3.33
S211834		2.85	<0.005		<0.5	7.50	5	6630	1.0	<2	3.37	<0.5	8	4	50	3.83
S211835		2.58	<0.005		<0.5	10.05	5	3260	1.3	<2	0.09	<0.5	7	5	29	2.54
S211836		3.62	<0.005		<0.5	9.35	18	2260	1.2	<2	0.53	<0.5	17	4	23	5.29
S211837		3.72	<0.005		<0.5	9.09	18	2280	1.1	<2	1.50	<0.5	15	6	11	4.99
S211838		3.43	<0.005		<0.5	8.89	9	2220	1.0	<2	0.73	<0.5	12	4	10	4.82

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211801		20	2.07	10	0.86	808	1	1.01	1	470	7	0.98	<5	9	417	<20
S211802		20	2.46	10	0.70	648	<1	1.03	3	880	13	0.81	<5	10	340	<20
S211803		20	2.24	10	0.92	790	<1	1.10	4	930	17	0.69	<5	11	483	<20
S211804		20	2.75	10	0.86	710	<1	0.94	3	670	11	0.45	<5	12	316	<20
S211805		20	1.96	10	0.33	445	129	1.22	2	1170	59	3.79	<5	10	400	<20
S211806		20	1.83	10	0.22	428	9	0.96	1	1100	37	3.02	<5	9	342	<20
S211806D		10	1.75	10	0.20	421	13	0.93	2	1030	39	2.90	<5	9	333	<20
S211807		10	1.86	10	0.17	550	<1	0.83	1	1010	19	2.09	6	8	330	<20
S211808		20	2.17	10	0.21	651	<1	0.96	2	1190	22	2.20	<5	9	402	<20
S211809		10	1.91	10	0.44	991	<1	0.78	2	1110	16	1.53	5	9	332	<20
S211810		10	3.09	20	0.73	1015	5	0.16	69	1670	60	4.15	11	19	187	<20
S211811		10	1.85	10	0.47	969	<1	0.67	2	1080	14	1.31	<5	9	398	<20
S211812		20	2.02	10	0.84	1000	<1	0.70	3	1250	3	0.26	<5	10	372	<20
S211813		20	2.01	10	0.90	1075	<1	0.67	2	1190	2	0.17	<5	10	338	<20
S211814		20	1.94	10	0.94	998	<1	0.53	2	1150	6	0.24	<5	9	302	<20
S211815		20	2.36	10	0.90	1300	<1	0.46	2	1280	5	0.21	<5	10	251	<20
S211816		20	2.22	10	0.76	1000	<1	0.47	2	1190	5	0.21	<5	10	304	<20
S211817		20	2.58	10	0.45	811	<1	0.49	2	1130	9	0.08	<5	9	293	<20
S211818		20	2.60	10	0.43	1045	<1	0.50	2	1080	8	0.09	<5	9	304	<20
S211819		20	2.74	10	0.47	796	<1	0.50	3	1170	9	0.05	<5	10	247	<20
S211820		<10	0.01	<10	1.78	23	<1	<0.01	<1	30	<2	0.06	5	<1	4930	<20
S211821		20	2.53	10	0.64	1070	<1	0.44	3	1140	4	0.12	<5	9	272	<20
S211822		20	1.75	10	0.94	1095	<1	0.74	2	1170	9	0.78	<5	10	448	<20
S211823		20	1.90	10	0.89	949	<1	0.69	1	1140	14	0.30	<5	10	254	<20
S211824		20	1.88	10	1.05	1010	<1	0.68	3	1210	5	0.04	<5	11	251	<20
S211825		20	1.68	10	1.01	1730	<1	0.58	<1	1090	5	0.27	<5	9	519	<20
S211826		20	2.00	10	1.14	1305	<1	0.52	3	1170	6	0.14	<5	10	245	<20
S211826D		20	2.03	10	1.15	1355	<1	0.55	3	1190	6	0.17	<5	10	256	<20
S211827		10	2.39	10	0.77	1360	<1	0.41	1	1080	5	0.07	<5	9	255	<20
S211828		20	2.81	10	0.34	1125	<1	0.47	1	1080	6	<0.01	<5	7	241	<20
S211829		10	2.70	10	0.47	1260	<1	0.46	<1	1060	9	0.01	<5	8	289	<20
S211830		10	3.93	10	0.56	1425	8	0.21	19	940	147	2.88	20	11	197	<20
S211831		20	2.46	10	1.09	1680	<1	0.43	1	1230	7	0.02	<5	9	342	<20
S211832		20	2.05	10	1.29	1310	<1	0.48	1	910	5	0.04	<5	11	682	<20
S211833		20	1.90	10	1.07	1700	<1	0.50	2	1060	6	0.06	<5	9	584	<20
S211834		20	1.83	10	1.25	1855	<1	0.51	3	1100	3	0.20	10	9	2510	<20
S211835		20	3.20	<10	0.75	459	1	0.65	2	290	5	0.13	<5	16	188	<20
S211836		20	2.29	10	1.51	1045	<1	0.60	5	1170	15	1.05	<5	15	188	<20
S211837		20	2.23	10	1.50	1210	<1	0.54	3	1020	9	0.99	<5	15	195	<20
S211838		20	2.20	10	1.54	1160	<1	0.50	2	780	13	0.95	<5	15	166	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211801		0.33	<10	<10	105	<10	122	
S211802		0.32	10	<10	103	<10	88	
S211803		0.32	<10	<10	103	<10	126	
S211804		0.38	<10	<10	128	<10	147	
S211805		0.37	<10	10	158	10	60	
S211806		0.33	<10	<10	131	<10	45	
S211806D		0.31	<10	<10	130	<10	41	
S211807		0.30	<10	<10	91	<10	36	
S211808		0.35	<10	<10	110	<10	42	
S211809		0.33	<10	<10	103	10	79	
S211810		0.36	<10	<10	182	<10	224	
S211811		0.31	<10	<10	103	<10	68	
S211812		0.36	<10	<10	117	<10	101	
S211813		0.36	<10	<10	109	<10	95	
S211814		0.34	<10	<10	105	<10	78	
S211815		0.36	<10	<10	118	<10	73	
S211816		0.35	<10	<10	109	<10	60	
S211817		0.34	<10	<10	108	<10	54	
S211818		0.34	<10	<10	107	<10	65	
S211819		0.35	<10	<10	112	<10	66	
S211820		<0.01	<10	<10	1	<10	<2	
S211821		0.35	<10	<10	110	<10	78	
S211822		0.36	<10	<10	128	<10	117	
S211823		0.36	<10	<10	131	<10	90	
S211824		0.38	<10	<10	120	<10	91	
S211825		0.34	<10	<10	104	<10	91	
S211826		0.35	<10	<10	120	<10	87	
S211826D		0.37	<10	<10	124	<10	92	
S211827		0.32	<10	<10	107	<10	70	
S211828		0.32	<10	<10	109	<10	53	
S211829		0.32	<10	<10	106	<10	65	
S211830		0.25	<10	<10	108	10	491	
S211831		0.36	<10	<10	119	<10	94	
S211832		0.37	<10	<10	140	10	89	
S211833		0.32	<10	<10	106	<10	78	
S211834		0.34	10	<10	115	<10	86	
S211835		0.51	10	<10	180	<10	50	
S211836		0.51	<10	<10	202	<10	100	
S211837		0.50	<10	<10	198	<10	100	
S211838		0.48	<10	<10	219	<10	103	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211839		3.61	<0.005		<0.5	9.04	14	2370	1.1	<2	0.85	<0.5	12	4	11	4.08
S211840		0.81	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.1	<0.5	<1	1	<1	0.04
S211841		4.02	<0.005		<0.5	9.09	23	290	1.2	<2	0.66	<0.5	17	4	22	4.56
S211842		3.88	<0.005		<0.5	9.35	24	210	1.2	<2	0.29	<0.5	16	5	14	4.50
S211843		4.04	0.007		0.5	8.74	25	180	1.2	<2	0.61	<0.5	14	5	21	4.63
S211844		3.14	<0.005		<0.5	9.28	13	130	1.3	<2	0.68	<0.5	11	5	16	5.66
S211845		3.64	0.021		0.6	9.11	33	190	1.1	<2	0.22	0.8	16	10	26	4.26
S211846		4.58	0.047		0.8	9.35	51	200	1.1	<2	0.15	<0.5	18	10	40	4.81
S211846D		<0.02	0.041		1.0	9.25	50	190	1.1	<2	0.15	<0.5	18	10	42	4.73
S211847		2.24	0.008		<0.5	9.42	25	210	1.0	<2	0.16	<0.5	13	7	21	6.40
S211848		4.28	<0.005		<0.5	9.23	9	260	1.2	<2	0.20	<0.5	10	5	15	3.29
S211849		3.95	0.010		<0.5	9.53	28	220	1.2	<2	0.15	<0.5	11	6	28	4.46
S211850		0.13	>10.0	10.75	>100	5.59	361	920	0.9	<2	3.57	4.2	11	29	148	3.48
S211851		3.67	0.011		<0.5	10.05	27	180	1.2	<2	0.15	<0.5	11	10	26	5.14
S211852		3.35	0.010		<0.5	8.70	44	240	0.8	<2	0.14	<0.5	15	13	21	3.95
S211853		3.29	0.015		<0.5	9.35	57	170	0.9	<2	0.09	<0.5	13	8	13	5.80
S211854		4.51	0.020		<0.5	8.95	82	150	0.9	<2	0.10	<0.5	6	7	17	5.10
S211855		2.41	0.021		<0.5	8.97	50	520	1.2	<2	0.09	<0.5	1	7	9	2.86
S211856		3.00	0.053		<0.5	8.31	61	150	1.0	<2	0.17	<0.5	3	6	12	5.27
S211857		3.63	0.100		<0.5	8.14	114	110	1.0	<2	0.34	<0.5	2	8	7	5.67
S211858		3.57	0.184		<0.5	8.10	104	200	0.9	<2	0.23	<0.5	<1	7	10	3.44
S211859		3.60	0.057		<0.5	8.04	17	1730	0.9	4	0.16	<0.5	<1	6	11	1.50
S211860		0.45	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.1	<0.5	<1	1	<1	0.06
S211861		3.00	0.068		<0.5	8.17	16	2020	0.9	2	0.13	<0.5	<1	6	15	1.48
S211862		2.83	0.067		<0.5	8.69	35	920	0.9	<2	0.58	<0.5	3	8	28	2.14
S211863		3.42	0.046		0.5	9.82	43	480	1.0	2	0.49	<0.5	2	6	44	3.36
S211864		3.93	0.073		0.6	10.40	105	280	1.0	<2	0.22	<0.5	1	7	34	4.97
S211865		3.80	0.060		0.9	11.05	138	1090	1.0	<2	0.39	<0.5	<1	7	30	2.81
S211866		1.92	0.032		0.5	10.85	42	2780	1.0	<2	0.13	<0.5	2	6	16	1.14
S211866D		<0.02	0.024		<0.5	11.35	35	2870	1.0	<2	0.13	<0.5	2	6	10	0.78
S211867		4.32	0.039		1.0	9.97	142	2190	0.9	<2	0.12	<0.5	6	6	37	2.04
S211868		3.74	0.010		1.6	9.92	112	2450	0.9	<2	0.09	<0.5	14	6	102	1.71
S211869		4.09	0.006		1.2	10.25	55	2000	1.0	<2	0.08	1.0	24	6	48	2.21
S211870		0.12	5.80		78.0	6.17	282	950	0.9	3	1.94	22.4	11	23	118	4.68
S211871		3.31	0.008		0.5	10.00	55	1040	1.1	<2	0.07	4.4	22	6	16	2.42
S211872		2.68	0.033		1.6	10.10	92	600	1.2	<2	0.08	2.4	24	6	16	3.19
S211873		3.07	0.038		2.2	8.64	101	200	1.0	<2	0.11	0.7	23	6	22	4.62
S211874		2.34	0.101		4.5	10.85	111	150	1.4	<2	0.20	0.6	34	7	22	5.89
S211875		3.33	0.063		6.2	8.24	148	180	1.3	<2	0.26	<0.5	19	6	19	4.57
S211876		3.36	0.177		10.0	8.93	59	130	1.4	7	0.30	<0.5	12	8	11	5.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211839		20	2.36	10	1.26	1005	<1	0.61	4	760	13	1.16	<5	15	213	<20
S211840		<10	0.01	<10	1.94	19	<1	<0.01	<1	40	2	0.06	<5	<1	4350	<20
S211841		20	2.73	10	0.81	637	1	0.70	5	1150	15	3.37	7	15	219	<20
S211842		20	3.00	10	0.36	221	8	0.79	5	1090	16	4.64	<5	16	253	<20
S211843		20	2.38	10	0.64	559	11	0.83	4	720	27	4.54	<5	14	249	<20
S211844		20	2.55	10	0.64	492	9	0.90	3	1140	16	5.85	<5	14	266	<20
S211845		20	2.83	10	0.54	275	2	0.82	4	510	19	4.44	<5	15	247	<20
S211846		20	2.66	10	0.79	396	<1	0.78	5	600	21	4.47	<5	16	222	<20
S211846D		20	2.69	10	0.77	376	<1	0.77	7	600	25	4.51	<5	16	219	<20
S211847		20	2.73	10	0.42	175	<1	0.82	3	610	17	6.92	6	16	240	<20
S211848		20	2.81	10	0.16	46	<1	0.96	3	770	11	3.88	<5	15	276	<20
S211849		20	3.00	10	0.10	46	<1	0.94	3	510	22	5.14	<5	16	271	<20
S211850		10	3.52	10	0.45	1300	8	0.15	29	800	238	2.83	56	10	191	<20
S211851		20	3.12	10	0.11	29	1	0.98	7	560	29	6.01	<5	16	281	<20
S211852		20	3.00	10	0.09	32	<1	0.63	4	560	22	4.46	<5	13	187	<20
S211853		20	3.25	10	0.10	22	<1	0.66	4	320	25	6.62	5	15	180	<20
S211854		20	2.99	10	0.12	53	2	0.68	4	230	34	5.74	<5	13	184	<20
S211855		20	2.88	10	0.15	51	1	0.71	1	220	34	3.11	<5	13	211	<20
S211856		20	2.65	10	0.17	68	1	0.60	1	390	36	5.93	6	11	179	<20
S211857		20	2.73	10	0.21	81	1	0.55	3	1360	35	6.22	11	12	170	<20
S211858		20	2.79	10	0.17	59	1	0.50	1	770	25	3.83	11	11	162	<20
S211859		20	2.77	10	0.18	77	<1	0.47	1	360	20	1.43	12	11	155	<20
S211860		<10	0.01	<10	1.78	23	<1	<0.01	<1	50	<2	0.09	<5	<1	5380	<20
S211861		20	2.84	10	0.17	55	1	0.46	2	340	25	1.47	<5	11	156	<20
S211862		20	3.06	20	0.18	168	1	0.47	1	690	28	2.26	11	13	161	<20
S211863		20	3.42	10	0.14	90	1	0.56	<1	1510	48	3.78	12	15	184	<20
S211864		20	3.62	10	0.15	55	<1	0.61	2	760	66	5.46	9	12	188	<20
S211865		20	4.01	10	0.14	74	<1	0.68	1	1390	74	3.21	<5	12	208	<20
S211866		20	4.37	10	0.13	36	1	0.69	2	490	13	1.13	10	10	194	<20
S211866D		20	4.43	10	0.13	28	1	0.71	2	460	12	0.74	7	11	200	<20
S211867		20	3.75	10	0.12	39	3	0.60	4	440	46	2.22	13	11	175	<20
S211868		20	3.93	10	0.13	37	2	0.59	3	220	41	2.00	46	9	163	<20
S211869		20	3.99	10	0.15	47	1	0.56	8	180	25	2.45	26	14	157	<20
S211870		10	3.72	10	0.48	1190	9	0.23	16	980	8840	2.94	72	12	148	<20
S211871		20	3.71	20	0.16	39	1	0.51	9	190	40	2.71	<5	21	151	<20
S211872		20	3.79	20	0.19	63	2	0.50	10	120	48	3.52	<5	19	153	<20
S211873		20	3.07	10	0.39	93	1	0.36	8	90	113	5.16	5	13	104	<20
S211874		20	3.95	10	0.72	192	2	0.43	9	300	100	6.61	6	16	212	<20
S211875		20	3.11	10	0.29	109	1	0.33	6	830	37	5.11	16	11	110	<20
S211876		20	3.60	10	0.39	142	1	0.33	5	1000	88	5.57	8	12	99	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211839		0.49	<10	<10	225	<10	89	
S211840		<0.01	<10	<10	1	<10	<2	
S211841		0.52	<10	<10	199	<10	68	
S211842		0.53	<10	<10	200	<10	31	
S211843		0.36	<10	<10	120	<10	68	
S211844		0.51	<10	<10	179	<10	70	
S211845		0.45	<10	<10	147	<10	162	
S211846		0.49	<10	<10	153	<10	127	
S211846D		0.48	<10	<10	149	10	118	
S211847		0.59	<10	<10	139	<10	150	
S211848		0.54	<10	<10	117	<10	63	
S211849		0.50	<10	<10	129	<10	67	
S211850		0.22	<10	<10	93	<10	490	137
S211851		0.47	<10	<10	151	<10	93	
S211852		0.45	<10	<10	153	<10	84	
S211853		0.38	<10	<10	119	<10	47	
S211854		0.40	<10	<10	149	<10	59	
S211855		0.36	<10	<10	144	<10	20	
S211856		0.33	<10	<10	120	<10	24	
S211857		0.38	<10	<10	127	<10	36	
S211858		0.35	10	<10	109	<10	8	
S211859		0.36	<10	<10	102	<10	11	
S211860		<0.01	<10	<10	1	<10	<2	
S211861		0.36	<10	<10	105	<10	5	
S211862		0.33	<10	<10	102	<10	11	
S211863		0.40	<10	<10	106	<10	10	
S211864		0.37	<10	<10	99	<10	13	
S211865		0.38	<10	<10	99	<10	20	
S211866		0.37	<10	<10	148	<10	5	
S211866D		0.38	<10	<10	149	<10	5	
S211867		0.35	<10	<10	148	<10	9	
S211868		0.36	<10	<10	100	<10	23	
S211869		0.37	<10	<10	115	<10	60	
S211870		0.25	10	<10	122	<10	1870	
S211871		0.37	<10	<10	157	<10	422	
S211872		0.40	<10	<10	140	<10	1130	
S211873		0.33	<10	<10	105	<10	725	
S211874		0.46	<10	<10	138	<10	752	
S211875		0.31	<10	<10	100	<10	228	
S211876		0.33	<10	<10	118	<10	24	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211877		4.22	0.129		11.3	11.10	34	200	2.0	4	0.39	<0.5	13	8	6	5.01
S211878		3.86	0.060		6.2	7.73	28	240	1.4	3	0.24	<0.5	6	8	9	3.32
S211879		4.11	0.117		7.5	7.89	40	220	1.4	5	0.25	<0.5	9	7	16	3.73
S211880		0.47	<0.005		<0.5	0.06	<5	20	<0.5	<2	34.0	<0.5	<1	1	<1	0.04
S211881		3.11	0.058		2.9	7.65	29	190	1.4	<2	0.26	<0.5	8	7	8	3.48
S211882		3.29	0.055		4.3	8.07	46	190	1.4	<2	0.40	<0.5	9	7	15	4.63
S211883		2.92	0.025		2.5	7.61	56	170	1.3	2	0.49	<0.5	7	7	7	4.01
S211884		4.46	0.011		2.8	8.04	32	170	1.4	<2	0.67	<0.5	9	7	14	4.17
S211885		3.78	0.010		2.5	7.93	36	180	1.3	<2	1.41	<0.5	11	7	17	4.78
S211886		3.98	0.009		6.2	8.27	51	190	1.4	6	1.43	<0.5	13	7	18	3.92
S211886D		<0.02	0.011		6.6	8.16	47	160	1.3	7	1.35	<0.5	11	6	17	3.95
S211887		3.98	0.017		6.2	8.41	56	160	1.3	3	1.18	<0.5	11	15	18	4.02
S211888		4.23	0.009		2.1	8.42	47	210	1.5	2	1.64	<0.5	5	6	10	3.56
S211889		3.56	0.013		2.8	8.72	55	200	1.4	<2	1.47	<0.5	10	8	13	4.03
S211890		0.09	>10.0	18.95	20.1	6.62	763	230	1.3	<2	2.75	1.6	20	107	130	4.87
S211891		2.75	0.011		3.4	8.06	29	200	1.2	<2	1.67	<0.5	8	5	20	3.77
S211892		3.37	0.009		2.5	7.72	38	240	1.3	<2	1.62	<0.5	7	7	15	3.42
S211893		3.24	0.013		3.4	8.07	35	150	1.5	<2	1.21	<0.5	17	6	20	3.70
S211894		3.25	0.011		5.6	8.48	29	150	1.4	<2	0.64	<0.5	8	8	25	4.01
S211895		2.99	0.011		4.8	8.47	30	150	1.4	<2	0.94	<0.5	10	6	18	3.86
S211896		3.56	0.046		5.0	7.83	29	190	1.3	3	0.54	<0.5	9	13	11	3.67
S211897		4.37	0.034		18.3	8.89	39	160	1.5	3	0.47	<0.5	7	7	42	4.37
S211898		3.36	0.034		15.0	8.22	33	160	1.4	<2	0.62	1.8	14	9	22	4.26
S211899		4.27	0.028		11.2	8.98	30	290	1.5	2	0.51	<0.5	8	7	17	3.47
S211900		0.47	<0.005		<0.5	0.32	<5	10	<0.5	<2	35.4	<0.5	<1	2	<1	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211877		20	4.47	10	0.41	137	2	0.45	4	1270	76	5.77	<5	14	140	<20
S211878		20	2.95	10	0.33	109	<1	0.28	2	880	26	3.53	5	10	95	<20
S211879		20	3.00	10	0.38	109	1	0.29	2	930	25	4.11	13	10	94	<20
S211880		<10	0.02	<10	1.66	21	<1	<0.01	<1	40	<2	0.07	<5	<1	5190	<20
S211881		20	2.96	10	0.33	102	1	0.28	4	890	11	3.83	<5	10	100	<20
S211882		20	3.10	10	0.40	167	<1	0.28	5	1050	12	5.03	10	10	119	<20
S211883		20	2.98	10	0.43	251	1	0.24	4	1000	17	4.41	5	10	79	<20
S211884		20	3.13	10	0.45	372	<1	0.26	3	960	8	4.48	7	11	83	<20
S211885		20	3.08	10	0.47	784	1	0.25	6	870	15	5.23	<5	10	90	<20
S211886		20	3.30	10	0.42	776	1	0.26	4	1160	26	4.15	8	11	97	<20
S211886D		20	3.24	10	0.42	722	<1	0.26	2	1050	28	4.31	11	11	95	<20
S211887		20	3.43	10	0.45	597	1	0.26	3	1570	30	4.30	10	11	91	<20
S211888		20	3.29	10	0.67	930	1	0.25	3	940	12	3.84	9	11	98	<20
S211889		20	3.44	10	0.76	859	<1	0.25	4	950	12	4.29	<5	12	90	<20
S211890		10	3.04	10	0.67	999	7	0.16	67	1660	57	3.98	11	18	178	<20
S211891		20	3.14	10	0.66	915	<1	0.23	4	850	15	4.07	10	11	87	<20
S211892		20	3.01	10	0.69	898	1	0.22	3	840	16	3.58	<5	11	86	<20
S211893		20	3.28	10	0.50	592	1	0.24	4	880	13	4.04	8	11	85	<20
S211894		20	3.61	10	0.49	341	1	0.25	5	950	17	4.33	8	11	78	<20
S211895		20	3.49	10	0.50	476	1	0.25	4	960	21	4.25	7	11	89	<20
S211896		20	3.28	10	0.42	253	1	0.25	7	940	22	3.92	9	12	85	<20
S211897		20	3.90	10	0.45	188	1	0.26	4	1040	17	4.94	26	11	81	<20
S211898		20	3.48	10	0.45	271	1	0.23	3	930	22	4.60	12	11	78	<20
S211899		20	3.96	10	0.42	203	1	0.27	4	1030	23	3.87	10	12	85	<20
S211900		<10	0.04	<10	1.97	55	<1	0.07	<1	60	<2	0.06	<5	1	4500	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211877		0.43	<10	<10	144	10	14	
S211878		0.29	<10	<10	96	<10	11	
S211879		0.28	10	<10	96	<10	13	
S211880		<0.01	<10	<10	1	<10	<2	
S211881		0.28	<10	<10	93	<10	12	
S211882		0.28	<10	<10	101	<10	14	
S211883		0.28	<10	<10	94	<10	16	
S211884		0.30	<10	<10	101	<10	14	
S211885		0.28	10	<10	97	<10	25	
S211886		0.28	<10	<10	98	<10	43	
S211886D		0.27	<10	<10	96	<10	30	
S211887		0.29	<10	<10	106	<10	37	
S211888		0.31	<10	<10	105	<10	26	
S211889		0.33	<10	<10	110	<10	39	
S211890		0.35	<10	<10	176	<10	218	
S211891		0.29	<10	<10	101	<10	31	
S211892		0.28	10	<10	96	<10	39	
S211893		0.29	<10	<10	102	<10	24	
S211894		0.29	<10	<10	109	<10	32	
S211895		0.30	<10	<10	105	<10	78	
S211896		0.34	<10	<10	113	<10	41	
S211897		0.29	<10	<10	114	<10	41	
S211898		0.30	<10	<10	100	<10	464	
S211899		0.33	10	<10	113	<10	43	
S211900		0.03	<10	<10	10	<10	22	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140234

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

CERTIFICATE TR15140791

Project: Bowser Regional Exploration

P.O. No.: BOW-0087

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216551		7.16	<0.005		<0.5	5.72	<5	2130	0.9	<2	4.67	<0.5	7	3	57	4.37
S216552		6.41	<0.005		<0.5	7.61	<5	1880	1.1	<2	3.98	<0.5	10	2	3	3.67
S216553		6.12	<0.005		<0.5	7.06	<5	1960	1.0	<2	4.66	<0.5	10	2	3	3.32
S216554		5.81	<0.005		<0.5	6.50	7	1850	1.0	<2	5.48	<0.5	9	2	2	3.09
S216555		7.01	<0.005		<0.5	6.64	5	1830	1.0	<2	5.32	<0.5	9	2	5	4.08
S216556		6.57	<0.005		<0.5	7.70	5	1980	1.2	<2	3.31	<0.5	9	2	5	4.12
S216557		6.85	<0.005		<0.5	7.62	<5	1910	1.1	<2	3.23	<0.5	9	2	4	4.04
S216558		6.80	<0.005		<0.5	7.10	<5	2440	1.0	<2	3.88	<0.5	9	2	16	3.67
S216559		6.59	<0.005		<0.5	7.06	<5	1970	1.0	<2	5.06	<0.5	10	2	17	3.64
S216560		0.63	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.1	<0.5	<1	1	<1	0.04
S216561		6.84	<0.005		<0.5	7.57	6	2270	1.1	<2	3.58	<0.5	8	2	5	3.60
S216562		6.76	<0.005		<0.5	7.62	6	2050	1.1	2	3.38	<0.5	10	3	5	4.02
S216563		7.29	<0.005		<0.5	8.04	<5	2180	1.2	<2	3.82	<0.5	10	2	3	4.28
S216564		6.90	<0.005		<0.5	8.11	<5	2180	1.1	<2	2.83	<0.5	8	3	4	4.13
S216565		6.64	<0.005		<0.5	7.32	<5	2340	1.0	<2	3.60	<0.5	8	2	4	3.81
S216566		6.78	<0.005		<0.5	7.56	<5	2360	1.0	<2	3.80	<0.5	7	2	6	4.11
S216566D		<0.02	<0.005		<0.5	7.47	6	2330	1.0	<2	3.72	<0.5	9	2	8	4.10
S216567		6.80	<0.005		<0.5	7.24	5	2270	0.9	2	5.53	<0.5	10	2	10	3.72
S216568		7.19	<0.005		<0.5	7.61	6	2380	0.9	<2	5.25	<0.5	10	2	3	3.94
S216569		6.01	<0.005		<0.5	7.94	5	2440	1.0	<2	4.23	<0.5	10	2	3	4.03
S216570		0.12	5.60		82.4	6.31	279	530	1.0	<2	1.99	23.3	11	22	119	4.76
S216571		6.33	<0.005		<0.5	7.33	8	2470	1.0	<2	4.47	<0.5	9	2	4	3.92
S216572		5.63	0.006		<0.5	7.57	7	2540	1.0	2	4.43	<0.5	10	2	3	4.02
S216573		5.75	<0.005		<0.5	7.28	<5	2670	1.0	<2	4.22	<0.5	10	2	2	3.75
S216574		6.08	<0.005		<0.5	7.43	5	2420	1.0	<2	4.27	<0.5	12	1	3	4.08
S216575		5.56	<0.005		<0.5	7.65	<5	2730	1.1	<2	4.19	<0.5	9	2	3	4.20
S216576		3.82	<0.005		<0.5	7.82	5	2710	1.1	<2	3.90	<0.5	10	2	1	4.07
S216577		3.13	<0.005		<0.5	7.46	<5	2450	1.1	<2	3.69	<0.5	11	2	2	4.12
S216578		3.61	<0.005		<0.5	7.89	<5	2900	1.2	<2	3.24	<0.5	9	2	2	4.11
S216579		2.58	<0.005		<0.5	8.18	5	2640	1.1	2	2.23	<0.5	8	2	2	3.98
S216580		0.39	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.6	<0.5	<1	1	<1	0.05
S216581		2.99	<0.005		<0.5	8.15	6	2210	0.9	<2	2.96	<0.5	10	3	18	4.92
S216582		3.12	<0.005		<0.5	7.71	<5	1760	1.1	<2	3.64	<0.5	9	3	24	4.34
S216583		3.06	<0.005		<0.5	8.12	<5	1920	1.3	<2	2.00	<0.5	9	3	16	3.68
S216584		3.46	<0.005		<0.5	8.24	6	1970	1.1	2	2.33	<0.5	10	2	28	4.88
S216585		3.31	<0.005		<0.5	8.55	<5	3230	1.2	<2	0.79	<0.5	8	3	28	4.14
S216586		3.79	<0.005		<0.5	8.63	11	2190	1.2	<2	2.48	<0.5	9	4	43	3.77
S216586D		<0.02	<0.005		<0.5	8.89	8	2260	1.3	<2	2.53	<0.5	9	4	40	3.90
S216587		3.57	<0.005		<0.5	8.72	<5	2700	1.2	<2	2.35	<0.5	10	2	14	4.31
S216588		3.37	<0.005		<0.5	7.91	<5	2010	1.0	<2	2.95	<0.5	11	2	6	4.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216551		10	1.92	10	0.33	1310	1	0.47	<1	880	11	0.10	11	7	603	<20
S216552		20	2.53	10	0.58	1525	1	0.61	<1	1050	4	<0.01	8	9	299	<20
S216553		20	2.47	10	0.58	1580	<1	0.59	<1	1030	9	<0.01	5	8	281	<20
S216554		20	2.26	10	0.54	1650	<1	0.55	<1	950	6	0.01	5	8	331	<20
S216555		20	2.16	10	0.54	1790	<1	0.57	1	980	10	0.01	9	8	348	<20
S216556		20	2.46	10	0.57	1140	<1	0.62	2	1080	7	0.01	10	9	279	<20
S216557		20	2.26	10	0.59	1100	<1	0.61	1	1040	6	0.01	<5	9	293	<20
S216558		20	2.42	10	0.52	1205	<1	0.58	<1	1050	7	0.02	5	8	373	<20
S216559		20	2.36	10	0.62	1640	<1	0.59	1	1040	6	<0.01	11	8	298	<20
S216560		<10	0.01	<10	2.14	24	<1	0.01	<1	40	<2	0.06	<5	<1	4760	<20
S216561		20	2.45	10	0.49	1005	<1	0.63	1	1080	8	0.01	9	9	345	<20
S216562		20	2.44	10	0.49	973	<1	0.66	<1	1110	6	<0.01	8	9	301	<20
S216563		20	2.50	10	0.55	1185	1	0.68	<1	1130	9	0.01	10	10	327	<20
S216564		20	2.49	10	0.52	850	1	0.67	<1	1110	8	<0.01	5	10	301	<20
S216565		20	2.47	10	0.43	1000	<1	0.61	<1	1100	8	0.01	8	9	298	<20
S216566		20	2.56	10	0.47	1070	<1	0.58	<1	1070	4	<0.01	9	9	270	<20
S216566D		20	2.53	10	0.46	1065	1	0.58	1	1070	6	<0.01	9	9	261	<20
S216567		20	2.29	10	0.58	1545	<1	0.55	<1	1010	6	0.01	11	9	310	<20
S216568		20	2.33	10	0.66	1555	<1	0.57	<1	1040	7	0.01	10	9	324	<20
S216569		20	2.45	10	0.63	1305	<1	0.61	<1	1080	8	0.01	9	10	288	<20
S216570		10	3.79	10	0.49	1205	9	0.23	17	970	8900	3.08	77	12	149	<20
S216571		20	2.33	10	0.57	1355	<1	0.61	<1	1050	10	0.01	12	9	311	<20
S216572		20	2.32	10	0.62	1375	<1	0.63	<1	1090	9	0.01	11	9	317	<20
S216573		20	2.18	10	0.64	1390	<1	0.61	1	1060	6	0.05	9	9	357	<20
S216574		20	2.26	10	0.62	1410	<1	0.61	<1	1080	7	0.01	10	9	281	<20
S216575		20	2.39	10	0.57	1385	<1	0.63	1	1110	7	0.02	12	9	306	<20
S216576		20	2.34	10	0.65	1380	<1	0.66	1	1090	5	0.02	12	9	332	<20
S216577		20	2.13	10	0.66	1345	<1	0.57	<1	1030	8	0.01	9	9	279	<20
S216578		20	2.44	10	0.53	1195	<1	0.61	1	1180	8	0.02	8	10	281	<20
S216579		20	2.33	10	0.66	1045	<1	0.50	1	1070	7	0.05	10	10	218	<20
S216580		<10	0.01	<10	1.67	22	<1	<0.01	<1	30	<2	0.04	<5	<1	5030	<20
S216581		20	1.71	10	1.43	1895	<1	0.46	<1	1120	4	0.14	7	10	256	<20
S216582		20	1.48	10	1.34	1990	<1	0.56	<1	1050	5	0.24	<5	10	294	<20
S216583		20	1.59	10	1.22	1430	2	0.73	<1	1030	2	0.20	9	10	320	<20
S216584		20	1.47	10	1.70	1985	1	0.59	2	1120	3	0.13	9	10	410	<20
S216585		20	1.60	10	1.37	1250	<1	0.67	1	1030	5	0.34	9	10	390	<20
S216586		20	1.91	10	0.93	1590	1	0.78	1	910	10	0.97	6	11	312	<20
S216586D		20	1.93	10	0.99	1635	1	0.78	1	950	10	0.94	6	11	325	<20
S216587		20	1.89	10	1.39	1770	1	0.63	<1	1230	4	0.26	8	11	296	<20
S216588		20	1.52	10	1.49	1915	2	0.57	2	1080	4	0.20	8	10	280	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216551		0.24	<10	<10	113	<10	53	
S216552		0.33	10	<10	115	<10	90	
S216553		0.33	<10	<10	113	<10	92	
S216554		0.30	<10	<10	103	<10	81	
S216555		0.30	<10	<10	113	<10	73	
S216556		0.32	<10	<10	123	<10	74	
S216557		0.31	<10	<10	115	<10	74	
S216558		0.32	<10	<10	117	<10	72	
S216559		0.33	<10	<10	114	<10	92	
S216560		<0.01	<10	<10	1	<10	<2	
S216561		0.33	<10	<10	122	<10	72	
S216562		0.34	<10	<10	130	<10	75	
S216563		0.35	<10	<10	133	<10	89	
S216564		0.35	<10	<10	138	<10	79	
S216565		0.34	<10	<10	133	<10	70	
S216566		0.33	<10	<10	129	<10	71	
S216566D		0.33	<10	<10	127	<10	71	
S216567		0.32	<10	<10	112	<10	82	
S216568		0.33	<10	<10	114	<10	91	
S216569		0.34	<10	<10	121	<10	87	
S216570		0.26	<10	<10	125	<10	1870	
S216571		0.33	<10	<10	118	<10	82	
S216572		0.34	<10	<10	118	<10	85	
S216573		0.33	<10	<10	115	<10	87	
S216574		0.34	<10	<10	122	<10	84	
S216575		0.34	<10	<10	137	<10	81	
S216576		0.35	<10	<10	120	<10	91	
S216577		0.32	<10	<10	112	<10	90	
S216578		0.35	<10	<10	142	<10	72	
S216579		0.33	<10	<10	123	<10	67	
S216580		<0.01	<10	<10	1	<10	<2	
S216581		0.35	<10	<10	121	<10	114	
S216582		0.32	<10	<10	106	<10	98	
S216583		0.35	<10	<10	113	<10	90	
S216584		0.36	<10	<10	119	<10	158	
S216585		0.34	<10	<10	113	<10	189	
S216586		0.33	<10	<10	115	<10	74	
S216586D		0.33	<10	<10	119	<10	77	
S216587		0.37	<10	<10	149	<10	100	
S216588		0.33	<10	<10	129	<10	118	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216589		3.83	<0.005		<0.5	8.22	6	2820	1.1	<2	2.36	<0.5	10	2	16	3.80
S216590		0.09	>10.0	19.25	22.8	7.06	750	250	1.4	<2	2.85	2.1	19	111	137	5.01
S216591		3.59	<0.005		<0.5	9.14	7	3160	1.3	<2	0.85	<0.5	11	2	34	4.08
S216592		3.45	<0.005		<0.5	8.61	<5	2020	1.2	<2	0.28	<0.5	11	2	16	4.23
S216593		2.57	<0.005		<0.5	9.06	<5	2220	1.3	<2	0.33	<0.5	9	2	22	4.36
S216594		3.02	<0.005		<0.5	9.93	8	2090	1.3	<2	0.30	<0.5	12	2	5	5.22
S216595		2.56	<0.005		<0.5	8.43	20	270	1.1	2	2.38	<0.5	13	8	25	3.80
S216596		3.33	<0.005		<0.5	9.03	42	460	1.2	<2	0.19	<0.5	12	4	11	2.69
S216597		3.55	<0.005		<0.5	8.61	29	200	1.4	<2	3.71	<0.5	12	3	20	4.10
S216598		3.10	<0.005		<0.5	7.85	17	280	1.1	3	2.79	<0.5	20	4	23	3.00
S216599		3.85	<0.005		<0.5	7.42	26	460	1.2	<2	4.12	0.6	31	3	19	2.62
S216600		0.54	<0.005		<0.5	0.04	<5	10	<0.5	<2	32.5	<0.5	<1	1	<1	0.04
S216601		3.47	<0.005		<0.5	8.34	11	1050	1.2	<2	3.51	<0.5	10	3	17	2.03
S216602		3.35	<0.005		<0.5	7.66	11	970	1.0	<2	3.35	<0.5	5	3	18	2.29
S216603		3.48	<0.005		<0.5	8.60	12	1090	1.2	<2	3.27	<0.5	6	3	24	2.88
S216604		3.20	<0.005		<0.5	8.98	16	930	1.2	2	3.22	<0.5	7	3	28	2.75
S216605		3.58	<0.005		<0.5	8.72	10	2020	1.2	<2	2.97	<0.5	7	3	21	2.05
S216606		3.36	<0.005		<0.5	9.14	14	2190	1.3	<2	2.43	<0.5	12	2	22	1.88
S216606D		<0.02	<0.005		<0.5	9.31	13	2230	1.3	<2	2.43	<0.5	13	3	22	1.96
S216607		2.38	<0.005		<0.5	9.02	13	1350	1.2	<2	3.21	<0.5	13	3	18	2.35
S216608		4.32	<0.005		<0.5	8.26	10	1270	1.1	<2	3.14	<0.5	6	3	18	2.21
S216609		3.30	<0.005		<0.5	7.79	8	1580	1.1	<2	3.47	<0.5	6	3	13	1.92
S216610		0.12	0.927		12.7	6.07	301	310	1.0	3	3.61	4.7	10	27	86	3.89
S216611		3.77	<0.005		<0.5	8.32	14	970	1.1	<2	3.06	<0.5	10	3	24	2.78
S216612		2.88	<0.005		<0.5	7.38	8	1230	1.0	<2	3.58	<0.5	10	3	22	3.25
S216613		3.97	<0.005		<0.5	7.72	8	1360	1.0	<2	3.23	<0.5	10	2	19	2.98
S216614		3.63	<0.005		<0.5	9.70	16	230	1.3	2	1.20	<0.5	12	2	31	5.06
S216615		3.92	<0.005		<0.5	9.12	12	550	1.4	<2	1.97	<0.5	7	3	27	3.59
S216616		3.05	<0.005		<0.5	8.76	14	1890	1.4	<2	1.19	<0.5	11	3	19	2.42
S216617		3.59	<0.005		<0.5	7.95	11	1960	1.1	<2	2.88	<0.5	20	3	13	2.56
S216618		2.87	<0.005		<0.5	7.89	7	1260	1.0	<2	2.63	<0.5	9	2	5	3.14
S216619		4.27	<0.005		<0.5	9.92	48	2310	1.5	<2	0.79	<0.5	22	3	13	2.28
S216620		0.48	<0.005		<0.5	0.04	<5	10	<0.5	4	34.0	<0.5	<1	2	2	0.03
S216621		2.76	<0.005		<0.5	8.32	29	330	1.1	2	0.61	<0.5	5	4	23	3.42
S216622		3.08	<0.005		<0.5	10.35	11	170	1.5	<2	0.47	<0.5	12	4	18	5.47
S216623		3.65	<0.005		<0.5	10.15	19	190	1.2	3	0.36	<0.5	19	6	19	5.48
S216624		3.61	<0.005		<0.5	9.51	9	190	1.1	<2	0.12	<0.5	8	5	11	4.36
S216625		4.15	<0.005		<0.5	9.82	14	220	1.0	<2	0.15	<0.5	9	7	13	5.27
S216626		4.42	<0.005		<0.5	10.75	16	180	1.1	3	0.26	<0.5	11	5	15	5.06
S216626D		<0.02	<0.005		<0.5	10.45	15	160	1.1	<2	0.24	<0.5	10	5	15	4.92

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216589		20	1.83	10	1.30	1620	<1	0.63	1	1120	4	0.11	<5	10	316	<20
S216590		20	3.11	20	0.72	1025	6	0.16	69	1680	61	4.18	22	19	185	<20
S216591		20	2.06	20	1.40	1220	<1	0.71	2	1120	3	0.07	6	11	297	<20
S216592		20	1.65	10	1.43	1005	1	0.67	2	1120	3	0.01	8	11	218	<20
S216593		20	1.82	10	1.32	956	<1	0.78	<1	1200	3	0.13	<5	11	252	<20
S216594		20	1.88	10	1.41	994	2	0.89	<1	1310	5	0.41	11	12	246	<20
S216595		20	1.92	10	0.30	755	18	0.95	<1	180	21	3.01	9	9	1055	<20
S216596		20	2.10	10	0.12	85	16	1.11	3	350	23	2.68	12	10	344	<20
S216597		20	2.31	10	0.11	800	9	1.43	1	1300	36	4.38	9	9	539	<20
S216598		20	1.94	10	0.14	753	3	0.99	3	820	28	3.00	12	10	379	<20
S216599		20	1.94	10	0.24	1005	15	1.09	4	1220	23	2.27	11	8	423	<20
S216600		<10	0.01	<10	1.70	22	<1	<0.01	<1	40	<2	0.08	<5	<1	4950	<20
S216601		20	1.96	10	0.20	864	3	1.15	1	1280	12	1.71	8	10	455	<20
S216602		20	1.69	20	0.29	1010	2	0.98	1	1100	9	1.73	7	9	399	<20
S216603		20	1.92	10	0.44	955	2	1.11	<1	1290	13	2.20	9	10	451	<20
S216604		20	2.06	10	0.43	1035	1	1.10	<1	1360	10	2.10	<5	11	423	<20
S216605		20	1.95	10	0.42	955	3	1.12	2	1330	9	1.30	9	10	442	<20
S216606		20	2.04	10	0.41	775	2	1.18	3	1380	10	1.24	6	11	449	<20
S216606D		20	2.08	10	0.41	776	2	1.20	2	1410	13	1.29	7	11	456	<20
S216607		20	1.88	20	0.42	995	2	1.16	2	1290	13	1.73	7	11	466	<20
S216608		20	1.90	10	0.37	994	2	1.05	<1	1240	12	1.68	5	10	414	<20
S216609		20	1.61	10	0.50	1215	1	0.96	<1	1130	8	1.04	9	10	367	<20
S216610		10	3.83	10	0.56	1390	9	0.21	21	940	147	2.82	22	11	191	<20
S216611		20	1.75	10	0.59	1215	2	1.00	1	1240	11	1.91	7	10	393	<20
S216612		20	1.46	10	0.76	1580	2	0.89	1	1120	8	2.09	7	9	357	<20
S216613		20	1.47	10	0.79	1440	2	0.88	<1	1090	9	1.77	9	9	353	<20
S216614		20	2.17	20	0.93	806	2	1.06	1	1430	17	4.40	13	12	311	<20
S216615		20	1.83	20	0.69	982	1	1.11	4	1300	15	2.87	7	11	370	<20
S216616		20	1.89	20	0.59	688	1	1.13	2	1410	9	1.77	10	11	354	<20
S216617		20	1.49	10	0.99	1790	2	0.86	3	1250	9	0.88	14	9	352	<20
S216618		20	1.21	10	1.88	2290	2	0.73	2	1170	2	0.13	<5	9	273	<20
S216619		20	2.18	20	1.05	720	5	1.13	1	1570	10	1.21	12	12	323	<20
S216620		<10	<0.01	<10	1.73	18	1	<0.01	2	40	2	0.04	<5	<1	5090	<20
S216621		20	1.65	10	0.64	339	<1	0.94	2	1210	4	3.10	<5	10	282	<20
S216622		20	2.15	10	0.20	64	<1	1.43	4	1440	9	6.08	<5	12	388	<20
S216623		20	2.34	10	0.07	62	<1	1.30	4	1180	12	6.04	<5	16	340	<20
S216624		20	1.95	10	0.05	36	1	1.39	3	330	5	4.78	<5	14	381	<20
S216625		20	2.02	10	0.04	38	<1	1.36	1	410	13	5.82	<5	15	360	<20
S216626		20	2.11	10	0.04	35	<1	1.64	2	940	13	5.63	<5	17	409	<20
S216626D		20	2.10	10	0.04	34	<1	1.63	3	890	13	5.49	<5	17	399	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216589		0.35	<10	<10	125	<10	110	
S216590		0.34	<10	<10	182	<10	223	
S216591		0.39	<10	<10	181	<10	111	
S216592		0.35	<10	<10	178	<10	116	
S216593		0.38	<10	<10	146	<10	129	
S216594		0.41	<10	<10	142	<10	177	
S216595		0.27	<10	20	316	<10	59	
S216596		0.34	<10	10	159	<10	29	
S216597		0.44	<10	<10	139	<10	34	
S216598		0.38	<10	10	342	<10	42	
S216599		0.37	<10	20	465	<10	100	
S216600		<0.01	<10	<10	1	<10	<2	
S216601		0.39	<10	<10	142	<10	60	
S216602		0.33	<10	<10	114	<10	83	
S216603		0.39	<10	<10	143	<10	118	
S216604		0.41	<10	<10	135	<10	106	
S216605		0.39	<10	<10	130	<10	101	
S216606		0.41	<10	<10	176	<10	90	
S216606D		0.41	<10	<10	178	<10	91	
S216607		0.38	<10	10	133	<10	90	
S216608		0.38	<10	<10	122	<10	75	
S216609		0.34	<10	<10	101	<10	91	
S216610		0.24	<10	<10	105	<10	483	
S216611		0.36	<10	<10	119	<10	102	
S216612		0.34	<10	<10	111	<10	112	
S216613		0.33	<10	<10	113	<10	108	
S216614		0.43	<10	<10	138	<10	102	
S216615		0.39	<10	<10	132	<10	72	
S216616		0.40	<10	<10	137	<10	57	
S216617		0.34	<10	10	105	<10	108	
S216618		0.34	<10	10	105	<10	216	
S216619		0.45	<10	<10	142	<10	140	
S216620		<0.01	<10	<10	1	<10	<2	
S216621		0.34	<10	<10	100	<10	104	
S216622		0.43	<10	<10	129	<10	44	
S216623		0.51	<10	<10	132	<10	87	
S216624		0.47	<10	<10	130	<10	58	
S216625		0.41	<10	<10	139	<10	91	
S216626		0.45	<10	<10	141	<10	43	
S216626D		0.45	<10	<10	139	<10	47	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216627		2.91	<0.005		<0.5	10.75	14	150	1.2	<2	0.32	<0.5	9	5	15	5.33
S216628		3.72	<0.005		<0.5	10.30	14	140	1.1	<2	0.21	<0.5	9	5	16	5.32
S216629		3.27	0.005		<0.5	10.85	27	140	1.0	<2	0.29	<0.5	8	8	19	6.41
S216630		0.12	>10.0	10.20	>100	5.85	381	830	1.0	<2	3.77	4.3	11	30	147	3.76
S216631		3.65	0.005		<0.5	10.85	24	890	0.9	<2	0.36	<0.5	9	4	14	1.99
S216632		4.03	0.006		<0.5	13.25	30	840	1.1	2	0.23	<0.5	12	9	18	3.15
S216633		3.63	0.005		<0.5	11.40	49	300	0.9	<2	0.13	<0.5	21	9	24	5.27
S216634		5.04	<0.005		<0.5	11.75	38	280	1.0	<2	0.18	<0.5	17	7	20	5.69
S216635		4.02	<0.005		<0.5	12.90	34	410	1.2	<2	0.12	<0.5	13	6	22	4.89
S216636		4.11	0.006		<0.5	9.61	25	170	0.9	<2	0.10	<0.5	13	13	19	4.69
S216637		3.49	<0.005		<0.5	8.53	19	230	1.0	<2	0.09	0.6	10	7	13	4.14
S216638		4.41	<0.005		<0.5	8.79	20	270	1.1	<2	0.29	<0.5	8	5	10	4.04
S216639		2.68	<0.005		<0.5	9.83	29	280	1.4	<2	0.29	0.6	8	6	9	3.67
S216640		0.60	<0.005		<0.5	0.05	<5	10	<0.5	4	31.9	<0.5	<1	1	<1	0.04
S216641		3.53	<0.005		<0.5	8.18	20	250	1.1	<2	0.33	<0.5	8	6	6	4.16
S216642		3.75	0.011		<0.5	9.41	21	200	1.4	2	0.40	<0.5	8	6	7	4.40
S216643		2.49	<0.005		<0.5	9.22	18	140	1.4	<2	1.11	<0.5	5	4	8	4.94
S216644		3.28	<0.005		<0.5	9.35	33	140	1.4	<2	0.92	<0.5	7	4	7	4.56
S216645		4.16	<0.005		<0.5	8.08	5	1950	1.0	<2	2.36	<0.5	5	4	2	3.17
S216646		3.45	<0.005		<0.5	7.55	5	1750	1.0	<2	3.31	<0.5	9	4	4	3.97
S216646D		<0.02	<0.005		<0.5	7.30	<5	1740	0.9	<2	3.34	<0.5	9	4	4	3.82
S216647		2.81	<0.005		<0.5	7.88	<5	1960	1.1	<2	3.64	<0.5	9	4	4	3.26
S216648		3.49	<0.005		<0.5	7.74	5	1920	1.0	<2	3.82	<0.5	8	4	7	3.32
S216649		3.67	<0.005		<0.5	7.33	5	1820	1.0	<2	3.52	<0.5	6	4	7	3.42
S216650		0.12	5.69		75.8	6.07	293	910	1.0	2	1.95	21.6	10	22	116	4.62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216627		20	1.63	10	0.04	33	1	2.03	<1	1180	9	6.21	<5	19	495	<20
S216628		20	1.59	10	0.04	29	<1	1.75	2	680	8	6.10	<5	16	434	<20
S216629		20	1.54	10	0.04	46	<1	1.89	4	940	11	7.25	<5	15	423	<20
S216630		10	3.68	10	0.48	1345	8	0.16	22	820	241	3.01	58	10	197	<20
S216631		20	1.26	20	0.02	19	3	2.17	1	1310	15	2.29	<5	9	523	<20
S216632		20	1.31	10	0.03	39	2	2.72	5	290	17	3.51	<5	10	623	<20
S216633		20	1.06	<10	0.02	15	1	2.32	8	150	20	6.22	<5	12	516	<20
S216634		20	1.15	20	0.02	26	8	2.39	6	460	17	6.59	<5	11	544	<20
S216635		20	1.67	10	0.03	21	5	2.61	4	130	12	5.81	<5	8	594	<20
S216636		20	1.64	10	0.03	48	1	1.54	3	90	10	5.13	<5	11	370	<20
S216637		20	1.32	10	0.04	28	<1	1.36	2	180	10	4.67	<5	11	333	<20
S216638		20	1.65	10	0.06	82	<1	1.17	3	420	13	4.41	<5	11	302	<20
S216639		20	2.08	10	0.14	48	1	1.25	1	850	10	3.99	<5	12	314	<20
S216640		<10	<0.01	<10	1.75	18	<1	0.01	<1	30	<2	0.08	<5	<1	4690	<20
S216641		20	1.69	10	0.50	130	1	0.87	2	950	7	4.41	<5	10	232	<20
S216642		20	2.13	10	0.60	204	<1	0.98	1	1150	11	4.54	<5	11	246	<20
S216643		20	2.22	10	0.46	561	<1	0.93	1	860	6	5.31	<5	11	259	<20
S216644		20	2.42	10	0.56	521	2	0.89	1	1090	4	4.77	<5	11	252	<20
S216645		20	1.75	10	1.56	2120	<1	0.64	<1	1200	<2	0.58	<5	9	244	<20
S216646		20	1.60	10	1.42	2360	<1	0.59	1	1060	<2	1.57	<5	9	267	<20
S216646D		20	1.58	10	1.39	2380	<1	0.58	1	1060	3	1.49	<5	8	263	<20
S216647		20	1.84	10	1.23	2240	<1	0.67	3	1170	3	0.80	<5	9	290	<20
S216648		20	1.78	10	1.26	2380	<1	0.63	1	1120	<2	0.89	<5	9	260	<20
S216649		20	1.65	10	1.32	2400	<1	0.60	<1	1100	<2	0.60	<5	9	249	<20
S216650		10	3.70	10	0.49	1175	9	0.23	16	930	8600	2.97	68	12	144	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216627		0.49	<10	<10	122	<10	21	
S216628		0.49	<10	<10	122	<10	19	
S216629		0.48	<10	<10	127	<10	41	
S216630		0.24	<10	<10	98	<10	508	136
S216631		0.39	<10	<10	149	<10	22	
S216632		0.46	<10	<10	178	<10	20	
S216633		0.48	<10	<10	129	<10	11	
S216634		0.39	<10	<10	131	<10	7	
S216635		0.50	<10	<10	162	<10	6	
S216636		0.44	<10	<10	143	<10	90	
S216637		0.34	<10	<10	94	<10	210	
S216638		0.34	<10	<10	87	<10	130	
S216639		0.40	<10	<10	106	<10	210	
S216640		<0.01	<10	<10	1	<10	<2	
S216641		0.31	<10	<10	103	<10	108	
S216642		0.40	<10	<10	124	<10	101	
S216643		0.41	<10	<10	131	<10	64	
S216644		0.41	<10	<10	129	<10	73	
S216645		0.36	<10	<10	112	<10	223	
S216646		0.33	<10	<10	107	<10	142	
S216646D		0.32	<10	<10	106	<10	140	
S216647		0.36	<10	<10	112	<10	109	
S216648		0.35	<10	<10	98	<10	102	
S216649		0.34	<10	<10	94	<10	107	
S216650		0.25	<10	<10	121	<10	1860	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140791

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

CERTIFICATE TR15140793

Project: Bowser Regional Exploration

P.O. No.: BOW-0092

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211901		3.18	0.005		3.6	8.06	34	400	1.4	2	2.22	<0.5	10	6	13	2.40
S211902		3.32	<0.005		3.5	8.01	30	240	1.3	<2	0.94	<0.5	14	6	14	3.51
S211903		3.64	0.005		4.4	8.07	32	170	1.3	2	0.95	<0.5	10	6	18	3.81
S211904		4.30	0.009		3.9	7.35	35	150	1.2	<2	1.83	<0.5	8	6	14	3.92
S211905		3.86	0.014		4.0	8.12	46	180	1.3	<2	1.05	<0.5	8	7	15	3.92
S211906		3.25	0.006		3.1	8.00	43	150	1.2	<2	0.74	<0.5	8	6	17	3.91
S211906D		<0.02	0.006		2.9	7.87	46	150	1.2	3	0.73	<0.5	7	6	15	3.79
S211907		2.98	<0.005		2.7	8.15	49	200	1.3	<2	2.52	<0.5	7	8	24	4.21
S211908		3.23	<0.005		1.8	7.24	50	190	1.2	<2	3.86	<0.5	5	5	13	3.48
S211909		3.78	<0.005		1.2	6.76	39	210	1.2	<2	3.94	<0.5	7	5	10	3.20
S211910		0.13	0.982		13.2	5.92	313	320	1.0	<2	3.58	4.3	10	26	82	3.99
S211911		3.92	<0.005		2.5	7.28	37	140	1.2	<2	4.28	<0.5	13	5	23	4.04
S211912		3.97	<0.005		2.4	7.35	35	240	1.2	2	4.10	<0.5	9	6	27	3.96
S211913		3.10	0.007		3.1	7.19	46	150	1.2	<2	3.63	<0.5	41	5	26	5.81
S211914		2.97	<0.005		1.9	7.66	35	300	1.3	<2	3.67	<0.5	10	6	19	3.37
S211915		3.35	<0.005		2.1	7.54	38	210	1.2	<2	3.18	<0.5	5	6	16	3.46
S211916		2.88	0.005		3.1	8.29	44	210	1.3	2	2.40	<0.5	10	6	23	3.98
S211917		3.01	0.009		3.0	7.42	33	140	1.1	<2	1.74	<0.5	8	6	16	4.11
S211918		3.20	0.005		4.2	6.82	30	190	1.1	<2	0.66	<0.5	8	7	12	2.86
S211919		5.64	0.016		7.3	7.76	37	90	1.3	2	0.50	<0.5	9	12	16	3.82
S211920		0.72	<0.005		<0.5	0.13	<5	40	<0.5	2	33.9	<0.5	<1	1	<1	0.08
S211921		4.24	0.025		7.0	7.56	32	740	1.2	<2	1.17	<0.5	10	6	26	3.75
S211922		3.68	0.028		5.2	8.24	40	210	1.3	3	1.13	<0.5	9	6	21	3.71
S211923		3.13	0.007		3.5	7.71	43	300	1.3	2	3.37	<0.5	7	6	16	3.17
S211924		3.42	0.012		4.0	7.32	46	180	1.2	4	3.40	<0.5	14	6	13	3.93
S211925		3.08	0.029		5.6	7.85	40	160	1.2	2	1.22	<0.5	11	7	19	3.84
S211926		3.13	0.095		8.8	7.63	44	170	1.3	2	0.49	<0.5	8	6	14	3.73
S211926D		<0.02	0.095		9.2	7.61	43	160	1.3	2	0.49	<0.5	7	6	13	3.73
S211927		3.24	0.010		1.3	7.97	48	140	1.3	<2	1.47	<0.5	8	6	11	4.13
S211928		3.33	0.007		1.9	7.60	55	120	1.3	3	3.01	<0.5	9	6	14	4.20
S211929		3.73	0.015		2.8	7.60	47	250	1.4	<2	2.77	<0.5	7	7	20	3.28
S211930		0.12	>10.0	10.60	>100	5.83	376	760	1.0	<2	3.70	4.3	11	30	141	3.72
S211931		3.97	0.005		1.2	7.70	38	280	1.4	<2	2.53	<0.5	7	7	10	3.17
S211932		3.75	0.019		3.5	7.56	37	180	1.3	2	1.22	<0.5	8	6	11	3.48
S211933		3.00	0.013		5.4	7.63	29	250	1.3	2	1.22	<0.5	9	7	11	3.35
S211934		2.89	0.027		4.7	7.10	31	190	1.3	<2	0.30	<0.5	5	8	9	3.23
S211935		3.49	0.063		7.9	7.13	48	100	1.2	4	0.46	<0.5	16	7	10	4.26
S211936		4.13	0.022		6.6	7.65	32	130	1.3	2	0.38	<0.5	14	7	8	4.08
S211937		3.92	0.013		4.4	7.86	44	170	1.2	3	0.31	<0.5	13	8	3	2.89
S211938		3.57	0.045		2.2	5.86	31	850	0.9	<2	0.77	<0.5	6	9	2	1.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211901		20	3.47	10	0.45	928	1	0.26	9	950	17	2.54	7	10	112	<20
S211902		20	3.21	10	0.43	385	1	0.24	6	870	22	3.69	8	10	84	<20
S211903		20	3.38	10	0.38	305	<1	0.24	4	880	22	4.10	8	10	81	<20
S211904		20	3.17	10	0.34	587	1	0.23	3	820	16	4.13	7	10	89	<20
S211905		20	3.29	10	0.39	331	2	0.24	3	910	18	4.17	10	11	88	<20
S211906		20	3.26	10	0.55	315	1	0.23	5	890	15	4.05	7	10	71	<20
S211906D		20	3.17	10	0.55	304	<1	0.22	4	850	14	3.99	8	10	70	<20
S211907		20	3.44	10	0.52	929	<1	0.23	4	890	14	4.45	9	12	97	<20
S211908		20	3.22	10	0.50	1225	<1	0.22	2	860	12	3.70	<5	10	112	<20
S211909		20	3.04	10	0.71	1155	<1	0.21	<1	820	7	3.22	<5	9	116	<20
S211910		10	3.83	10	0.54	1380	9	0.21	20	910	141	2.81	20	11	189	<20
S211911		20	3.46	10	0.49	1260	1	0.23	2	900	9	4.41	9	9	117	<20
S211912		20	3.04	10	0.72	1095	<1	0.20	2	840	6	4.07	11	10	122	<20
S211913		20	3.07	<10	0.63	959	3	0.20	3	820	19	6.41	9	10	100	<20
S211914		20	3.34	10	0.57	850	1	0.21	1	870	5	3.47	10	10	112	<20
S211915		20	3.23	10	0.64	846	<1	0.21	3	920	8	3.53	9	10	105	<20
S211916		20	3.39	10	0.68	598	1	0.21	2	940	11	4.06	13	11	94	<20
S211917		20	3.20	10	0.36	438	1	0.20	3	820	12	4.38	6	10	70	<20
S211918		10	2.90	10	0.31	172	3	0.19	2	760	16	2.95	11	9	248	<20
S211919		20	3.34	10	0.36	123	2	0.22	5	910	26	4.12	9	12	154	<20
S211920		<10	0.04	<10	1.66	24	<1	0.01	<1	50	<2	0.11	<5	<1	5110	<20
S211921		20	3.09	10	0.39	231	2	0.20	3	800	20	4.00	14	10	215	<20
S211922		20	3.40	10	0.41	236	2	0.22	4	890	22	3.84	9	11	74	<20
S211923		20	3.38	10	0.44	606	1	0.22	2	890	25	3.40	7	10	110	<20
S211924		20	3.33	10	0.39	706	2	0.20	5	880	44	4.13	5	10	91	<20
S211925		20	3.34	10	0.42	262	1	0.21	4	890	40	4.04	6	11	60	<20
S211926		20	3.31	10	0.45	148	3	0.21	2	850	26	3.85	11	10	52	<20
S211926D		20	3.30	10	0.45	140	2	0.21	3	860	26	3.98	7	10	51	<20
S211927		20	3.36	10	0.46	385	1	0.21	2	870	13	4.26	<5	11	67	<20
S211928		20	3.57	10	0.61	813	1	0.22	2	910	20	4.46	6	10	86	<20
S211929		20	3.27	10	0.64	729	1	0.21	3	880	7	3.25	9	10	88	<20
S211930		10	3.60	10	0.46	1345	8	0.16	21	810	234	2.98	59	10	199	<20
S211931		20	3.36	10	0.49	534	1	0.21	1	870	6	3.32	7	10	81	<20
S211932		20	3.18	10	0.41	253	1	0.19	3	850	18	3.54	7	10	67	<20
S211933		20	3.22	10	0.41	240	1	0.19	3	810	34	3.50	7	10	72	<20
S211934		10	3.05	10	0.37	95	<1	0.19	3	790	32	3.36	6	10	57	<20
S211935		10	3.06	10	0.38	115	3	0.18	4	780	47	4.53	6	9	51	<20
S211936		10	3.25	10	0.37	107	1	0.20	4	850	35	4.24	8	10	89	<20
S211937		20	3.44	<10	0.34	80	1	0.19	4	870	20	3.04	6	11	114	<20
S211938		10	2.46	<10	0.28	182	2	0.14	4	790	8	1.49	6	8	49	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211901		0.33	<10	<10	79	<10	22	
S211902		0.31	<10	<10	96	<10	20	
S211903		0.31	<10	<10	99	<10	18	
S211904		0.29	<10	<10	93	<10	15	
S211905		0.32	<10	<10	95	<10	26	
S211906		0.31	<10	<10	98	<10	35	
S211906D		0.30	<10	<10	96	<10	33	
S211907		0.37	<10	<10	115	<10	25	
S211908		0.31	10	<10	100	<10	24	
S211909		0.30	<10	<10	97	<10	35	
S211910		0.26	<10	<10	102	<10	476	
S211911		0.33	<10	<10	103	<10	23	
S211912		0.30	<10	<10	89	<10	32	
S211913		0.30	<10	<10	89	<10	30	
S211914		0.32	<10	<10	98	<10	28	
S211915		0.32	<10	<10	96	<10	37	
S211916		0.33	<10	<10	108	<10	39	
S211917		0.28	<10	<10	103	<10	18	
S211918		0.26	<10	<10	80	<10	73	
S211919		0.31	<10	<10	100	<10	16	
S211920		0.01	<10	<10	2	<10	<2	
S211921		0.29	<10	<10	85	<10	21	
S211922		0.32	<10	<10	93	<10	18	
S211923		0.32	<10	<10	93	<10	22	
S211924		0.31	<10	<10	88	<10	44	
S211925		0.32	<10	<10	88	<10	31	
S211926		0.31	<10	<10	94	<10	55	
S211926D		0.31	<10	<10	95	<10	56	
S211927		0.31	<10	<10	98	<10	53	
S211928		0.34	<10	<10	99	<10	88	
S211929		0.31	<10	<10	98	<10	46	
S211930		0.24	10	<10	96	<10	492	134
S211931		0.30	<10	<10	96	<10	28	
S211932		0.29	<10	<10	90	<10	28	
S211933		0.29	<10	<10	91	<10	27	
S211934		0.29	<10	<10	91	<10	18	
S211935		0.27	<10	<10	80	<10	20	
S211936		0.30	<10	<10	98	<10	23	
S211937		0.30	<10	<10	93	<10	9	
S211938		0.29	<10	<10	64	<10	8	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211939		3.57	0.013		5.7	8.47	17	120	1.6	8	0.50	<0.5	10	7	8	4.26
S211940		0.51	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.4	<0.5	<1	1	<1	0.04
S211941		2.94	0.056		7.3	7.82	30	140	1.5	5	0.54	<0.5	8	7	8	3.57
S211942		3.98	0.028		8.2	7.77	30	110	1.3	6	0.29	<0.5	7	7	4	4.39
S211943		3.98	0.026		7.0	7.34	31	100	1.2	9	0.38	<0.5	8	7	4	4.01
S211944		4.06	0.033		5.1	6.58	23	170	1.1	3	0.57	<0.5	6	8	3	3.41
S211945		3.45	0.041		8.7	7.13	38	1150	1.0	2	1.03	<0.5	7	8	6	4.32
S211946		3.07	0.019		6.6	6.83	27	250	1.0	5	0.88	<0.5	6	7	3	3.40
S211946D		<0.02	0.019		7.0	7.11	27	250	1.0	3	0.93	<0.5	7	8	4	3.45
S211947		2.83	0.014		9.0	8.91	26	140	1.5	12	0.37	<0.5	12	7	5	4.06
S211948		3.51	0.025		9.6	8.27	20	120	1.4	7	0.37	0.8	9	7	5	4.20
S211949		2.89	0.095		16.5	8.24	25	130	1.4	7	0.33	<0.5	6	7	8	4.35
S211950		0.12	5.32		84.4	6.45	296	550	1.0	<2	2.03	23.4	10	22	119	4.98
S211951		3.18	0.026		7.4	8.71	29	110	1.5	4	0.29	<0.5	13	6	7	4.23
S211952		3.81	0.011		5.1	8.63	33	120	1.4	8	0.40	1.1	14	7	8	4.30
S211953		2.86	0.005		2.6	8.81	36	180	1.4	<2	1.53	<0.5	8	6	4	3.55
S211954		3.31	<0.005		3.1	8.42	33	140	1.3	4	2.16	<0.5	8	6	7	3.89
S211955		3.94	<0.005		1.9	8.94	34	160	1.4	6	1.50	<0.5	9	7	12	3.84
S211956		3.78	<0.005		1.9	8.08	38	190	1.3	6	3.93	<0.5	9	6	17	3.59
S211957		3.52	<0.005		2.4	8.22	39	190	1.2	9	3.25	<0.5	11	6	14	4.12
S211958		3.18	<0.005		2.3	7.96	42	180	1.2	4	3.69	<0.5	10	6	19	4.53
S211959		2.87	<0.005		2.3	8.79	38	90	1.3	4	1.04	<0.5	10	6	20	5.29
S211960		0.47	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.1	<0.5	<1	1	<1	0.03
S211961		3.28	<0.005		1.2	8.42	39	200	1.3	<2	2.63	<0.5	9	6	19	4.16
S211962		3.27	<0.005		0.6	8.62	76	440	1.3	<2	2.29	<0.5	6	6	36	4.05
S211963		3.31	<0.005		0.5	7.68	47	130	1.3	<2	4.28	<0.5	7	5	26	4.03
S211964		3.46	<0.005		<0.5	7.71	56	170	1.3	<2	4.34	<0.5	6	6	22	3.35
S211965		3.75	<0.005		0.5	8.23	84	230	1.3	<2	3.26	<0.5	5	6	30	3.40
S211966		3.88	<0.005		0.5	8.77	68	190	1.4	4	2.37	<0.5	7	7	16	3.36
S211966D		<0.02	<0.005		<0.5	8.66	68	200	1.4	<2	2.23	<0.5	6	7	15	3.38
S211967		3.24	<0.005		0.5	8.96	98	170	1.5	<2	1.23	<0.5	8	7	26	3.52
S211968		3.41	0.005		0.5	9.04	127	170	1.5	<2	1.83	<0.5	7	7	27	3.79
S211969		3.19	<0.005		<0.5	8.12	39	210	1.4	<2	0.64	<0.5	6	6	14	2.99
S211970		0.10	>10.0	19.15	19.1	6.93	770	940	1.3	<2	2.79	1.9	20	102	127	5.00
S211971		3.13	0.006		0.6	8.36	42	230	1.3	<2	2.44	1.0	16	6	11	5.54
S211972		3.15	0.075		2.3	8.77	94	180	1.4	2	1.60	<0.5	8	6	20	3.75
S211973		3.15	0.018		<0.5	8.58	82	150	1.5	<2	0.65	<0.5	7	7	22	3.99
S211974		3.16	0.006		<0.5	8.51	119	120	1.4	<2	0.98	<0.5	8	6	22	4.00
S211975		3.17	0.005		0.8	8.43	57	200	1.2	<2	1.95	<0.5	6	6	15	3.71
S211976		3.18	0.007		<0.5	8.24	49	230	1.1	<2	1.56	<0.5	12	6	17	3.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211939		20	3.67	10	0.40	121	1	0.25	5	910	35	4.58	7	11	74	<20
S211940		<10	0.01	<10	1.62	20	<1	<0.01	<1	40	2	0.08	<5	<1	4970	<20
S211941		20	3.38	10	0.38	133	1	0.22	3	840	29	3.77	8	10	142	<20
S211942		20	3.45	10	0.40	117	3	0.20	3	860	36	4.63	<5	10	66	<20
S211943		10	3.19	10	0.36	113	2	0.20	3	800	33	4.31	<5	10	78	<20
S211944		10	2.84	<10	0.33	146	1	0.17	2	750	27	3.51	<5	9	270	<20
S211945		10	3.06	<10	0.34	193	2	0.16	2	820	29	4.59	10	9	277	<20
S211946		10	2.96	<10	0.37	187	1	0.15	3	740	40	3.48	6	9	321	<20
S211946D		10	3.07	<10	0.38	187	1	0.16	2	770	39	3.60	7	10	342	<20
S211947		20	4.07	10	0.42	80	1	0.22	2	1050	95	4.29	6	12	78	<20
S211948		20	3.66	10	0.42	85	1	0.22	4	930	105	4.42	<5	11	71	<20
S211949		20	3.61	10	0.43	102	1	0.20	1	890	117	4.55	<5	11	67	<20
S211950		10	3.83	10	0.50	1235	9	0.24	15	990	8700	3.09	81	12	152	<20
S211951		20	3.91	<10	0.57	108	1	0.23	3	1020	101	4.54	<5	12	69	<20
S211952		20	3.78	<10	0.73	173	1	0.22	4	990	74	4.49	<5	12	66	<20
S211953		20	3.78	<10	0.59	323	1	0.20	2	1010	35	3.67	6	12	75	<20
S211954		20	3.66	10	0.59	431	1	0.20	2	950	25	3.97	<5	11	96	<20
S211955		20	3.64	10	0.94	394	1	0.23	3	970	16	3.74	5	12	86	<20
S211956		20	3.37	10	0.98	750	1	0.21	1	930	21	3.56	6	11	117	<20
S211957		20	3.41	10	0.85	615	1	0.20	1	940	19	4.09	5	12	104	<20
S211958		20	3.33	10	0.84	668	1	0.20	3	900	16	4.57	5	11	116	<20
S211959		20	3.81	10	0.72	274	1	0.22	4	970	20	5.46	<5	12	77	<20
S211960		<10	0.01	<10	1.81	18	<1	<0.01	<1	30	3	0.10	<5	<1	5800	<20
S211961		20	3.59	10	0.67	493	<1	0.21	3	920	11	4.09	5	11	136	<20
S211962		20	3.60	10	0.77	446	1	0.20	1	920	20	4.00	<5	11	105	<20
S211963		20	3.41	10	0.61	758	1	0.20	2	870	14	3.96	<5	10	132	<20
S211964		20	3.41	10	0.60	756	1	0.20	1	900	11	3.26	<5	10	134	<20
S211965		20	3.48	10	0.69	623	1	0.20	1	890	12	3.17	8	11	110	<20
S211966		20	3.71	10	0.80	501	1	0.21	3	950	8	3.13	6	12	105	<20
S211966D		20	3.61	10	0.82	500	1	0.20	2	940	7	3.02	5	12	103	<20
S211967		20	3.81	10	0.74	284	1	0.21	3	960	17	3.41	5	12	91	<20
S211968		20	3.78	10	0.85	435	1	0.21	3	970	17	3.43	6	12	101	<20
S211969		20	3.49	10	0.78	227	2	0.19	3	880	10	2.83	<5	11	114	<20
S211970		10	2.98	20	0.71	997	6	0.16	70	1650	55	4.07	18	19	187	<20
S211971		20	3.44	10	0.93	601	1	0.25	3	910	9	5.46	<5	11	95	<20
S211972		20	3.59	10	0.96	477	2	0.26	2	940	25	3.40	<5	12	86	<20
S211973		20	3.73	10	0.82	270	1	0.20	2	940	23	3.63	7	11	62	<20
S211974		20	3.48	<10	0.97	374	2	0.35	2	940	19	3.64	6	11	234	<20
S211975		20	3.09	10	1.02	580	1	0.88	2	910	10	3.04	<5	11	216	<20
S211976		20	2.79	10	1.11	586	2	1.03	1	860	6	2.99	<5	11	265	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211939		0.33	<10	<10	106	<10	10	
S211940		<0.01	<10	<10	1	<10	<2	
S211941		0.30	<10	<10	97	<10	12	
S211942		0.30	<10	<10	91	<10	7	
S211943		0.27	<10	<10	99	<10	13	
S211944		0.25	<10	<10	84	<10	21	
S211945		0.27	<10	<10	85	<10	10	
S211946		0.25	<10	<10	84	<10	17	
S211946D		0.26	<10	<10	87	<10	17	
S211947		0.36	<10	<10	118	<10	11	
S211948		0.33	<10	<10	106	<10	53	
S211949		0.31	<10	<10	103	<10	33	
S211950		0.27	<10	<10	127	<10	1890	
S211951		0.34	<10	<10	115	<10	54	
S211952		0.34	<10	<10	112	<10	165	
S211953		0.32	<10	<10	107	<10	33	
S211954		0.32	<10	<10	106	<10	22	
S211955		0.34	<10	<10	113	<10	34	
S211956		0.33	<10	<10	107	<10	37	
S211957		0.34	<10	10	105	<10	32	
S211958		0.33	<10	<10	105	<10	39	
S211959		0.35	<10	<10	116	<10	36	
S211960		<0.01	<10	<10	1	<10	<2	
S211961		0.33	<10	<10	106	<10	38	
S211962		0.33	<10	<10	102	<10	52	
S211963		0.31	<10	<10	101	<10	45	
S211964		0.32	<10	<10	101	<10	59	
S211965		0.33	<10	<10	104	<10	111	
S211966		0.34	<10	<10	110	<10	88	
S211966D		0.34	<10	<10	107	<10	88	
S211967		0.35	<10	<10	110	<10	76	
S211968		0.36	<10	<10	112	<10	90	
S211969		0.32	<10	<10	100	<10	102	
S211970		0.36	<10	<10	177	<10	212	
S211971		0.32	<10	<10	103	<10	219	
S211972		0.34	<10	<10	106	<10	134	
S211973		0.35	<10	<10	108	<10	103	
S211974		0.34	<10	<10	107	<10	105	
S211975		0.33	<10	<10	103	<10	98	
S211976		0.32	<10	<10	98	<10	128	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S211977		3.22	<0.005		<0.5	8.22	36	290	1.0	<2	0.88	<0.5	9	7	22	3.91
S211978		3.75	<0.005		<0.5	8.50	22	500	0.9	<2	1.15	<0.5	8	6	21	3.90
S211979		3.41	<0.005		<0.5	8.53	22	2200	0.9	<2	1.14	<0.5	8	6	14	4.04
S211980		0.43	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.9	<0.5	<1	1	<1	0.04
S211981		3.30	<0.005		<0.5	8.53	22	2310	0.9	<2	0.89	<0.5	8	6	14	3.98
S211982		3.24	0.007		<0.5	8.69	59	600	1.0	<2	0.72	<0.5	8	6	16	3.63
S211983		3.08	0.017		0.5	8.66	65	190	1.0	<2	0.50	<0.5	10	6	23	4.70
S211984		3.80	<0.005		<0.5	8.42	45	490	0.9	<2	0.64	<0.5	8	6	16	4.09
S211985		3.71	0.016		1.2	8.59	54	80	1.2	2	0.83	<0.5	16	7	12	5.72
S211986		3.43	0.011		1.1	8.52	29	350	1.4	<2	2.15	<0.5	11	6	9	4.89
S211986D		<0.02	0.011		1.2	8.32	33	190	1.4	<2	2.21	<0.5	10	6	9	4.72
S211987		2.82	0.007		0.9	8.18	37	160	1.3	<2	2.35	<0.5	12	8	13	4.47
S211988		3.14	0.013		1.2	8.93	79	180	1.5	<2	1.41	7.9	8	7	15	3.91
S211989		2.93	0.017		1.4	8.71	75	240	1.5	<2	3.11	0.6	11	6	13	4.67
S211990		0.13	0.898		14.1	6.35	325	500	1.0	<2	3.75	4.5	10	27	85	4.16
S211991		3.99	0.016		1.0	7.95	64	180	1.4	<2	3.91	<0.5	11	6	14	4.70
S211992		3.56	<0.005		<0.5	8.11	44	230	1.3	<2	4.13	0.5	8	6	19	3.58
S211993		3.41	<0.005		<0.5	8.10	38	270	1.2	4	4.16	<0.5	6	6	20	3.79
S211994		2.96	<0.005		<0.5	7.58	29	200	1.1	<2	4.49	0.8	18	5	15	3.96
S211995		3.12	0.009		<0.5	7.39	42	200	1.0	3	3.54	1.1	18	5	15	5.20
S211996		3.36	0.019		<0.5	8.13	39	370	1.1	<2	2.50	0.7	9	5	14	3.77
S211997		3.12	0.024		<0.5	8.53	57	2120	1.1	<2	3.66	<0.5	7	7	16	3.95
S211998		3.02	0.024		<0.5	8.02	68	1960	1.1	<2	3.80	0.6	7	5	18	3.86
S211999		3.33	0.043		<0.5	7.73	71	1270	1.1	<2	3.92	<0.5	10	6	14	4.05
S212000		0.63	<0.005		<0.5	0.05	<5	10	<0.5	2	35.0	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S211977		20	2.52	10	1.50	630	1	1.55	3	920	9	2.59	<5	11	106	<20
S211978		20	2.39	10	1.60	787	1	1.83	3	940	8	2.27	<5	11	114	<20
S211979		20	2.16	10	2.04	1070	1	1.84	3	950	9	1.38	5	11	116	<20
S211980		<10	0.01	<10	1.57	22	<1	0.01	<1	40	<2	0.05	<5	<1	5100	<20
S211981		20	2.31	10	1.94	1035	1	1.76	3	940	5	1.28	<5	11	97	<20
S211982		20	2.77	10	1.33	629	1	1.69	4	970	7	2.15	5	11	90	<20
S211983		20	2.50	10	1.49	691	1	1.81	3	930	18	3.03	6	11	106	<20
S211984		20	2.49	10	1.71	806	1	1.64	1	930	13	2.25	<5	11	80	<20
S211985		20	3.18	10	0.82	378	1	1.19	2	930	17	5.45	<5	11	80	<20
S211986		20	3.66	10	0.59	474	1	0.20	2	890	22	4.77	5	11	84	<20
S211986D		20	3.68	10	0.57	495	<1	0.19	1	890	20	4.38	<5	11	85	<20
S211987		20	3.41	10	0.58	527	1	0.62	2	920	27	4.28	<5	11	98	<20
S211988		20	3.77	10	0.67	396	1	0.38	2	980	27	3.49	5	12	87	<20
S211989		20	3.82	10	0.66	686	1	0.20	3	1000	19	4.40	<5	12	111	<20
S211990		10	4.02	10	0.58	1440	9	0.22	19	950	142	2.93	21	11	199	<20
S211991		20	3.42	10	0.67	889	2	0.32	2	900	17	4.19	<5	11	128	<20
S211992		20	3.14	10	0.80	994	1	1.06	1	950	11	2.87	7	11	157	<20
S211993		20	3.08	10	0.82	1025	1	1.06	3	930	28	3.03	5	11	165	<20
S211994		20	2.84	10	0.83	1150	1	1.03	2	880	17	3.21	5	10	152	<20
S211995		20	2.58	10	0.74	965	<1	1.11	2	820	12	4.59	<5	10	146	<20
S211996		20	2.67	10	1.08	983	1	1.35	3	930	19	2.15	6	11	132	<20
S211997		20	2.56	10	1.36	1465	<1	1.48	2	970	7	1.39	<5	11	180	<20
S211998		20	2.49	10	1.25	1455	<1	1.41	3	940	10	1.40	5	10	181	<20
S211999		20	2.64	10	1.14	1465	<1	1.12	3	900	28	1.58	<5	10	172	<20
S212000		<10	0.01	<10	1.81	21	<1	0.01	<1	30	<2	0.05	<5	<1	4930	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S211977		0.34	<10	<10	106	<10	223	
S211978		0.34	<10	<10	110	<10	194	
S211979		0.35	<10	<10	109	<10	202	
S211980		<0.01	<10	<10	1	<10	<2	
S211981		0.34	<10	<10	110	<10	105	
S211982		0.36	<10	<10	112	<10	75	
S211983		0.34	<10	<10	110	<10	105	
S211984		0.34	<10	<10	110	<10	135	
S211985		0.34	<10	<10	113	<10	83	
S211986		0.33	10	<10	109	<10	57	
S211986D		0.33	<10	<10	110	<10	56	
S211987		0.32	<10	<10	105	<10	70	
S211988		0.36	<10	<10	116	<10	562	
S211989		0.35	<10	<10	113	<10	117	
S211990		0.27	<10	<10	109	<10	492	
S211991		0.33	<10	<10	108	<10	132	
S211992		0.34	<10	<10	107	<10	180	
S211993		0.33	<10	<10	102	<10	138	
S211994		0.32	<10	<10	98	<10	192	
S211995		0.29	<10	<10	93	<10	200	
S211996		0.33	<10	<10	104	<10	267	
S211997		0.35	<10	<10	106	<10	301	
S211998		0.33	<10	<10	103	<10	318	
S211999		0.33	<10	<10	100	<10	229	
S212000		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 30-SEP-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15140793

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

CERTIFICATE TR15141006

Project: Bowser Regional Exploration

P.O. No.: BOW-0089

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 16-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313539		4.08	0.055		0.8	7.27	43	2400	1.0	<2	3.62	0.7	15	124	51	3.70
S313540		0.75	<0.005		<0.5	0.03	<5	10	<0.5	<2	33.6	<0.5	<1	1	<1	0.03
S313541		3.71	0.198		6.3	5.86	121	190	1.0	17	4.10	5.2	18	83	37	6.20
S313542		6.45	0.070		0.7	7.36	49	2420	1.3	<2	3.64	<0.5	15	124	26	3.97
S313543		6.15	0.050		0.9	7.34	41	2330	1.4	<2	4.16	2.5	16	165	54	3.69
S313544		5.74	0.100		<0.5	7.39	47	2090	1.4	<2	3.72	<0.5	15	175	41	4.17
S313545		6.14	0.039		<0.5	7.51	50	2980	1.3	<2	3.57	<0.5	15	139	22	4.01
S313546		5.03	0.040		<0.5	7.80	51	3060	1.5	2	3.73	<0.5	17	101	34	4.41
S313546D		<0.02	0.031		<0.5	7.53	42	3070	1.4	2	3.45	<0.5	14	95	30	4.05
S313547		5.40	0.017		<0.5	7.69	34	2620	1.3	<2	3.56	<0.5	12	75	26	3.58
S313548		7.41	0.020		<0.5	7.52	57	2630	1.4	<2	3.97	0.9	16	108	58	4.22
S313551		5.14	0.122		<0.5	8.85	39	3540	1.5	<2	1.06	<0.5	12	9	83	2.90
S313552		3.07	0.113		0.5	8.74	43	3420	1.6	<2	0.96	0.6	9	9	46	2.93
S313553		6.35	0.057		0.5	8.77	24	4370	1.4	<2	1.13	<0.5	8	8	61	2.62
S313554		5.95	0.097		0.8	6.80	44	1290	1.3	<2	5.36	<0.5	10	6	35	3.27
S313555		6.70	0.061		0.5	8.10	49	2790	1.4	<2	5.26	<0.5	14	6	39	4.75
S313556		4.64	0.113		0.7	7.92	69	2280	1.3	<2	5.55	<0.5	13	6	28	4.58
S313557		6.07	0.106		<0.5	8.34	36	2750	1.3	<2	4.61	<0.5	7	6	22	3.20
S313558		6.31	0.048		<0.5	8.07	39	3370	1.3	<2	4.58	<0.5	12	6	33	4.65
S313559		7.22	0.074		<0.5	8.23	37	3060	1.3	<2	4.67	<0.5	11	7	32	4.48
S313560		0.67	<0.005		<0.5	0.05	<5	10	<0.5	2	36.0	<0.5	<1	<1	<1	0.04
S313561		6.17	0.090		<0.5	7.93	26	3390	1.3	<2	4.22	<0.5	11	6	54	4.86
S313562		5.46	0.041		<0.5	7.78	17	4200	1.3	<2	3.41	<0.5	10	8	24	4.80
S313563		6.26	0.052		<0.5	8.24	16	4160	1.3	<2	2.86	<0.5	10	7	20	4.91
S313564		5.94	0.088		<0.5	7.58	25	3480	1.3	<2	4.00	<0.5	10	7	24	4.28
S313565		7.78	0.083		<0.5	7.93	23	3800	1.3	<2	4.20	<0.5	11	7	20	5.18
S313566		6.49	0.079		<0.5	7.94	25	3260	1.3	<2	4.08	<0.5	10	6	29	4.65
S313566D		<0.02	0.079		<0.5	8.06	22	3230	1.3	<2	4.07	<0.5	11	6	29	4.59
S313567		5.67	0.064		<0.5	7.74	16	3440	1.3	<2	3.77	<0.5	10	7	48	4.16
S313568		6.44	0.069		<0.5	8.06	18	3650	1.4	<2	4.01	<0.5	10	6	84	3.55
S313569		5.53	0.072		0.5	7.43	25	2460	1.2	<2	5.20	<0.5	9	6	81	3.34
S313570		0.13	0.936		12.6	6.04	326	580	1.0	<2	3.72	4.5	11	27	84	4.05
S313571		8.85	0.062		<0.5	8.14	23	3300	1.3	<2	4.13	<0.5	11	6	46	4.31
S313572		3.94	0.052		<0.5	7.84	15	3620	1.3	<2	2.49	0.6	10	6	42	4.42
S313573		8.71	0.047		<0.5	8.02	32	3560	1.2	<2	3.45	<0.5	10	6	54	4.04
S313574		3.16	0.027		<0.5	7.99	26	3980	1.2	<2	3.40	<0.5	11	6	25	4.83
S313575		6.49	0.066		0.7	7.68	75	3190	1.3	<2	3.54	0.5	12	6	46	4.18
S313576		6.27	0.076		1.0	7.43	48	3330	1.2	<2	3.91	<0.5	10	6	37	3.88
S313577		6.56	0.064		0.8	7.60	51	680	1.1	<2	3.62	<0.5	19	6	42	5.12
S313578		6.51	0.054		<0.5	8.21	40	3310	1.3	5	3.84	<0.5	14	6	26	4.88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313539		20	4.63	20	1.73	1170	3	2.37	74	1360	11	0.49	5	13	437	<20
S313540		<10	0.01	<10	1.70	17	1	<0.01	<1	40	<2	0.08	<5	<1	5060	<20
S313541		10	3.53	10	1.23	1135	3	1.61	50	1080	179	4.80	<5	11	435	<20
S313542		20	4.37	10	2.00	1325	3	2.51	72	1390	23	0.53	<5	13	479	<20
S313543		20	4.50	10	2.10	1345	1	2.41	67	1400	263	0.32	<5	14	494	<20
S313544		20	3.90	10	2.09	1235	2	2.60	83	1340	14	0.48	<5	14	543	<20
S313545		20	5.51	10	2.16	1200	2	2.18	89	1490	12	0.32	7	14	575	<20
S313546		20	5.52	20	2.35	1200	1	2.19	73	1480	10	0.55	<5	15	562	<20
S313546D		20	5.47	10	2.20	1110	1	2.20	65	1470	8	0.48	10	14	555	<20
S313547		20	4.45	10	1.89	932	2	2.75	45	1430	7	0.34	<5	14	568	<20
S313548		20	4.61	10	2.06	1150	2	2.45	71	1510	11	0.65	7	14	529	<20
S313551		20	4.14	10	1.17	859	1	2.86	4	1460	8	0.23	5	18	420	<20
S313552		20	4.85	10	0.87	959	1	1.67	5	1470	15	0.66	5	18	213	<20
S313553		20	4.48	10	1.16	873	1	2.90	4	1520	6	0.30	5	17	418	<20
S313554		20	4.08	10	0.90	1100	3	0.92	2	1260	3	1.21	8	13	236	<20
S313555		20	3.81	10	1.20	1190	1	1.13	4	1370	5	1.24	6	16	202	<20
S313556		20	3.53	10	1.16	1250	1	1.20	1	1320	10	1.54	9	16	223	<20
S313557		20	3.74	10	1.15	1040	2	1.86	1	1400	9	0.87	7	16	219	<20
S313558		20	3.15	10	1.17	1260	1	2.57	3	1360	10	0.88	7	16	386	<20
S313559		20	3.45	10	1.12	1160	1	1.81	2	1330	10	0.99	5	16	352	<20
S313560		<10	0.01	<10	1.98	19	<1	0.01	<1	30	<2	0.09	6	<1	4740	<20
S313561		20	3.18	10	1.13	1170	<1	2.63	2	1370	6	0.59	<5	15	630	<20
S313562		20	3.55	10	1.10	1110	1	2.45	2	1370	5	0.35	9	15	710	<20
S313563		20	3.22	10	1.29	1220	1	2.64	2	1420	6	0.40	7	16	819	<20
S313564		20	3.25	10	1.15	1160	1	2.42	2	1330	9	0.81	<5	15	533	<20
S313565		20	2.70	10	1.24	1260	1	3.09	3	1410	9	0.86	13	15	891	<20
S313566		20	3.16	10	1.21	1110	1	2.71	3	1360	3	1.07	9	16	490	<20
S313566D		20	3.20	10	1.21	1100	<1	2.75	3	1360	7	1.08	10	16	489	<20
S313567		20	2.92	10	1.17	1040	<1	3.40	4	1360	3	1.22	8	15	583	<20
S313568		20	3.29	10	1.15	1030	2	3.31	2	1390	7	0.84	9	15	586	<20
S313569		20	3.64	10	0.96	1090	7	2.07	2	1280	7	1.00	12	14	413	<20
S313570		10	3.94	10	0.58	1430	10	0.22	20	960	149	2.91	23	11	195	<20
S313571		20	3.45	10	1.10	1080	2	2.87	3	1380	5	0.91	<5	16	500	<20
S313572		20	3.30	10	1.09	1020	2	2.61	3	1350	12	0.38	5	15	466	<20
S313573		20	3.60	10	1.20	1200	1	2.74	2	1350	8	0.57	<5	15	416	<20
S313574		20	3.81	10	1.29	1440	1	2.49	2	1400	5	0.56	<5	15	365	<20
S313575		20	3.96	10	0.85	1230	2	1.57	1	1320	18	0.86	11	15	256	<20
S313576		20	3.68	10	0.95	1160	3	1.44	3	1300	12	0.90	9	14	250	<20
S313577		20	3.34	10	1.16	1120	1	1.89	2	1340	10	2.30	6	15	243	<20
S313578		20	3.19	10	1.23	1180	<1	2.37	3	1350	10	1.11	8	16	435	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313539		0.34	<10	<10	167	<10	75	
S313540		<0.01	<10	<10	<1	<10	<2	
S313541		0.26	<10	<10	133	<10	477	
S313542		0.35	<10	<10	173	<10	53	
S313543		0.38	<10	<10	169	<10	276	
S313544		0.34	<10	<10	162	<10	53	
S313545		0.37	10	<10	185	<10	51	
S313546		0.35	10	<10	188	<10	52	
S313546D		0.35	<10	<10	180	<10	48	
S313547		0.33	<10	<10	163	<10	47	
S313548		0.36	<10	<10	174	<10	72	
S313551		0.38	<10	<10	180	<10	65	
S313552		0.38	<10	<10	196	<10	68	
S313553		0.39	<10	<10	187	<10	58	
S313554		0.33	<10	<10	167	<10	44	
S313555		0.36	<10	<10	175	<10	64	
S313556		0.34	<10	<10	165	<10	70	
S313557		0.36	10	<10	178	<10	56	
S313558		0.37	<10	<10	175	<10	64	
S313559		0.36	<10	<10	173	<10	63	
S313560		<0.01	<10	<10	1	<10	<2	
S313561		0.37	<10	<10	176	<10	68	
S313562		0.37	<10	<10	179	<10	65	
S313563		0.38	<10	<10	180	<10	75	
S313564		0.35	<10	<10	172	<10	62	
S313565		0.38	<10	<10	181	<10	73	
S313566		0.35	<10	<10	175	<10	63	
S313566D		0.35	10	<10	173	<10	64	
S313567		0.35	<10	<10	173	<10	50	
S313568		0.37	<10	<10	180	<10	51	
S313569		0.34	<10	<10	165	<10	60	
S313570		0.27	10	<10	110	<10	491	
S313571		0.37	<10	<10	177	<10	66	
S313572		0.35	<10	<10	168	<10	99	
S313573		0.36	<10	<10	172	<10	70	
S313574		0.37	<10	<10	179	<10	62	
S313575		0.35	<10	<10	166	<10	75	
S313576		0.34	<10	<10	165	<10	69	
S313577		0.35	<10	<10	170	<10	55	
S313578		0.36	<10	<10	170	<10	61	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313579		6.29	0.031		<0.5	8.37	28	3390	1.3	<2	4.09	<0.5	14	6	84	4.81
S313580		0.57	<0.005		<0.5	0.10	<5	20	<0.5	<2	35.6	<0.5	<1	<1	1	0.07
S313581		6.43	0.090		0.9	7.59	66	670	1.2	2	3.76	<0.5	13	6	102	3.96
S313582		3.74	0.141		1.2	7.25	77	590	1.2	2	4.23	<0.5	14	6	83	4.13
S313583		6.89	0.459		3.0	7.78	66	1630	1.2	5	4.20	<0.5	13	6	128	4.37
S313584		7.18	0.308		4.7	7.09	81	720	1.2	4	5.31	0.7	12	6	46	4.00
S313585		8.28	4.57		50.1	6.58	72	480	1.1	45	3.58	<0.5	13	8	17	3.84
S313586		5.29	3.70		42.1	7.07	60	1680	1.2	53	3.42	<0.5	14	6	24	3.24
S313586D		<0.02	3.59		43.1	7.29	60	1580	1.2	61	3.56	<0.5	13	7	24	3.49
S313587		6.55	0.683		9.2	6.38	83	580	1.1	6	4.85	0.7	13	6	29	3.53
S313588		6.50	0.785		8.8	6.51	87	590	1.2	8	5.00	<0.5	15	10	26	3.72
S313589		6.85	0.936		12.9	5.75	75	940	1.0	6	6.24	<0.5	14	5	20	3.84
S313590		0.12	>10.0	10.55	>100	5.82	383	650	1.0	<2	3.80	4.3	11	31	148	3.78
S313591		6.38	0.304		4.1	6.72	67	930	1.1	<2	4.35	<0.5	10	6	34	3.75
S313592		7.92	0.047		0.5	7.88	34	2730	1.3	<2	3.78	<0.5	8	6	25	4.14
S313593		6.51	0.024		<0.5	7.87	11	3060	1.4	<2	3.34	<0.5	12	8	13	4.31
S313594		6.45	0.020		<0.5	8.02	15	3310	1.3	2	4.08	<0.5	11	7	9	4.25
S313595		5.91	0.022		<0.5	7.94	13	4520	1.3	<2	3.98	<0.5	11	7	10	4.45
S313596		6.64	0.025		<0.5	7.94	13	4170	1.3	<2	4.18	<0.5	10	7	7	4.50
S313597		6.50	0.023		<0.5	7.27	15	4110	1.3	2	3.98	<0.5	12	7	11	4.25
S313598		6.47	0.102		0.8	7.84	19	4140	1.3	5	4.08	<0.5	8	7	7	4.31
S313599		6.48	0.020		<0.5	7.66	25	3100	1.1	4	5.92	<0.5	10	8	11	4.29
S313600		0.54	<0.005		<0.5	0.05	<5	10	<0.5	2	33.6	<0.5	<1	<1	<1	0.03
S313601		5.94	0.009		<0.5	7.47	13	3510	1.1	<2	4.02	<0.5	7	8	36	4.21
S313602		5.93	0.025		<0.5	7.89	28	3640	1.3	2	3.27	0.6	10	7	110	4.71
S313603		3.73	0.131		3.0	7.63	82	1080	1.3	4	4.85	0.7	12	7	217	3.81
S313604		5.02	0.279		3.1	7.72	122	1110	1.3	6	2.50	1.4	13	7	56	4.87
S313605		3.98	0.298		2.4	7.49	96	600	1.1	8	3.82	<0.5	16	10	71	4.99
S313606		5.90	0.037		0.6	7.50	43	2770	0.8	<2	4.00	<0.5	9	75	177	3.70
S313606D		<0.02	0.036		0.5	7.57	43	2700	0.8	2	4.00	<0.5	9	74	170	3.67
S313607		6.08	0.229		2.6	6.92	109	500	1.2	7	5.15	<0.5	14	7	57	4.37
S313608		5.17	0.011		<0.5	7.28	18	3230	1.3	<2	3.51	<0.5	9	6	46	3.90
S313609		8.07	0.005		<0.5	7.55	13	3830	1.3	2	3.91	<0.5	10	7	38	4.60
S313610		0.13	5.85		82.2	6.21	289	1380	1.0	3	1.98	22.3	11	23	120	4.79
S313611		3.91	0.017		<0.5	7.52	27	3850	1.2	<2	3.77	<0.5	10	6	96	3.49
S313612		7.09	0.018		<0.5	8.15	20	4340	1.3	<2	3.68	<0.5	12	7	83	4.30
S313613		6.09	0.014		<0.5	7.61	23	3310	1.2	<2	4.27	<0.5	12	7	25	4.47
S313614		5.69	0.049		<0.5	7.55	21	3950	1.3	2	3.56	<0.5	10	8	33	4.67
S313615		6.83	0.009		<0.5	8.40	14	3770	1.4	2	3.69	<0.5	8	6	22	4.52
S313616		6.03	0.009		<0.5	7.57	8	3830	1.4	<2	3.85	<0.5	9	7	24	4.47

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313579		20	3.10	10	1.22	1120	1	2.68	2	1360	7	0.97	8	16	547	<20
S313580		<10	0.02	<10	1.57	20	<1	0.02	<1	40	<2	0.08	<5	<1	4690	<20
S313581		20	3.85	10	0.91	1025	2	1.77	3	1330	69	2.60	<5	14	258	<20
S313582		20	3.42	10	1.00	1145	<1	1.72	2	1290	85	2.80	<5	14	288	<20
S313583		20	3.45	10	1.10	1270	<1	1.82	2	1320	32	2.06	5	15	298	<20
S313584		20	3.47	10	1.04	1510	1	1.15	2	1280	109	2.67	5	17	216	<20
S313585		20	3.19	10	0.80	981	1	0.69	2	1170	78	2.83	<5	12	162	<20
S313586		20	3.72	10	0.85	933	2	0.11	3	1100	137	2.64	<5	12	104	<20
S313586D		20	3.86	10	0.87	977	2	0.12	3	1130	142	2.71	6	13	107	<20
S313587		20	3.59	10	0.82	1175	1	0.34	2	1150	126	2.90	<5	13	135	<20
S313588		20	3.72	10	0.82	1235	1	0.28	2	1150	94	2.86	<5	13	146	<20
S313589		20	2.88	10	0.95	1545	1	0.03	2	930	45	2.88	6	12	169	<20
S313590		10	3.69	10	0.47	1370	9	0.16	22	840	239	3.08	60	10	202	<20
S313591		20	2.97	10	0.91	1145	1	0.81	2	1050	19	2.21	7	13	149	<20
S313592		20	2.68	10	1.05	1005	1	3.28	2	1390	4	1.20	5	15	580	<20
S313593		20	2.93	10	1.06	894	1	3.28	2	1350	5	1.19	<5	14	840	<20
S313594		20	2.73	10	1.07	953	<1	3.39	1	1330	6	1.07	<5	15	905	<20
S313595		20	3.32	10	1.13	993	1	2.86	4	1320	9	0.76	5	15	897	<20
S313596		20	3.39	10	1.17	1075	1	2.53	1	1320	6	0.70	7	14	779	<20
S313597		20	3.26	10	0.93	972	<1	2.62	2	1300	7	0.68	5	13	883	<20
S313598		20	2.96	10	1.14	958	<1	2.77	2	1350	8	0.88	5	14	930	<20
S313599		20	1.61	10	0.83	964	1	3.08	1	1290	12	0.92	8	14	1630	<20
S313600		<10	0.01	<10	1.76	17	1	0.01	1	40	<2	0.06	<5	<1	5030	<20
S313601		20	2.28	10	1.09	995	<1	3.07	4	1340	6	0.27	<5	14	1400	<20
S313602		20	3.18	10	1.19	1170	1	2.53	5	1350	22	0.85	6	14	753	<20
S313603		20	4.13	10	0.97	1260	1	0.27	5	1360	54	2.41	5	14	236	<20
S313604		20	3.83	10	1.28	1100	5	0.12	4	1250	67	2.79	7	15	83	<20
S313605		20	3.50	10	1.36	1370	2	0.33	4	1230	44	3.13	7	15	136	<20
S313606		20	5.75	10	1.42	1440	5	0.47	41	1300	14	1.34	5	12	284	<20
S313606D		20	5.73	10	1.44	1440	4	0.46	41	1300	13	1.36	6	12	282	<20
S313607		20	3.63	10	1.04	1325	1	0.37	3	1170	38	3.34	5	13	145	<20
S313608		20	3.82	10	1.16	1195	1	2.09	2	1280	5	0.45	5	14	291	<20
S313609		20	3.16	10	1.19	1110	1	2.74	3	1310	4	0.32	<5	14	630	<20
S313610		10	3.75	10	0.49	1195	11	0.23	16	960	8690	3.03	73	12	150	<20
S313611		20	3.58	10	1.02	885	<1	3.00	2	1300	23	0.73	<5	13	539	<20
S313612		20	3.07	10	1.07	974	1	3.13	3	1390	10	0.52	7	15	957	<20
S313613		20	2.64	10	1.06	977	<1	3.08	1	1310	13	0.80	5	14	1020	<20
S313614		20	3.16	10	1.16	955	<1	2.87	1	1330	8	0.39	5	13	763	<20
S313615		20	3.35	10	1.16	946	1	2.81	5	1330	12	0.20	<5	15	694	<20
S313616		20	3.36	10	1.14	924	<1	2.80	1	1320	6	0.29	6	13	796	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313579		0.37	10	<10	174	<10	52	
S313580		<0.01	10	<10	2	<10	<2	
S313581		0.35	<10	<10	163	<10	49	
S313582		0.33	<10	<10	169	10	54	
S313583		0.34	<10	<10	167	<10	55	
S313584		0.33	<10	<10	166	<10	124	
S313585		0.28	<10	<10	142	<10	42	
S313586		0.26	10	<10	136	<10	60	
S313586D		0.27	10	<10	139	<10	61	
S313587		0.28	<10	<10	144	<10	83	
S313588		0.29	<10	<10	142	10	55	
S313589		0.23	<10	<10	132	<10	46	
S313590		0.23	<10	<10	99	<10	513	138
S313591		0.27	10	<10	133	<10	37	
S313592		0.36	<10	<10	175	<10	51	
S313593		0.36	<10	<10	168	<10	50	
S313594		0.35	<10	<10	166	<10	47	
S313595		0.35	<10	<10	166	<10	57	
S313596		0.34	<10	<10	169	<10	50	
S313597		0.35	<10	<10	163	<10	55	
S313598		0.35	<10	<10	166	<10	56	
S313599		0.34	<10	<10	162	<10	42	
S313600		<0.01	<10	<10	1	<10	<2	
S313601		0.36	<10	<10	168	<10	91	
S313602		0.36	<10	<10	170	<10	140	
S313603		0.28	10	<10	156	<10	107	
S313604		0.29	<10	<10	168	10	144	
S313605		0.28	<10	<10	165	10	82	
S313606		0.36	<10	<10	205	<10	78	
S313606D		0.36	<10	<10	207	<10	79	
S313607		0.29	10	<10	154	10	55	
S313608		0.34	<10	<10	164	<10	76	
S313609		0.35	<10	<10	169	<10	72	
S313610		0.26	<10	<10	122	<10	1870	
S313611		0.34	<10	<10	158	<10	78	
S313612		0.37	<10	<10	171	<10	77	
S313613		0.34	<10	<10	166	<10	61	
S313614		0.35	<10	<10	170	<10	78	
S313615		0.35	<10	<10	162	<10	71	
S313616		0.36	<10	<10	165	<10	61	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313617		6.92	0.010		<0.5	7.61	15	3830	1.2	3	4.08	<0.5	8	6	12	4.37
S313618		7.00	0.022		0.5	8.07	15	3860	1.3	3	4.22	<0.5	11	7	48	4.77
S313619		6.46	0.023		<0.5	7.81	22	3780	1.3	2	3.62	<0.5	10	6	48	4.35
S313620		0.47	<0.005		<0.5	0.20	<5	10	<0.5	<2	33.7	<0.5	<1	1	<1	0.16
S313621		5.53	0.006		<0.5	7.80	16	3800	1.3	<2	3.53	<0.5	10	6	70	4.40
S313622		6.95	0.024		<0.5	7.60	19	2920	1.3	<2	3.40	<0.5	10	6	64	4.35
S313623		6.44	0.024		<0.5	7.70	31	2830	1.2	<2	3.30	<0.5	10	7	40	3.48
S313624		5.34	0.059		0.6	8.50	34	3190	1.2	<2	2.19	1.4	14	7	133	3.65
S313625		6.23	0.031		0.6	8.34	30	3930	1.3	3	3.22	2.0	14	7	118	3.68
S313626		5.69	0.033		0.5	7.59	6	3350	1.3	<2	3.30	1.7	4	8	67	1.88
S313626D		<0.02	0.034		0.5	7.87	11	3430	1.3	<2	3.42	1.8	5	7	69	1.91
S313627		6.00	0.081		1.1	8.37	15	3150	1.4	2	3.38	0.9	6	7	92	2.30
S313628		5.26	0.060		0.8	8.03	20	3200	1.4	2	3.40	0.5	8	6	146	3.03
S313629		5.80	0.113		1.2	8.00	34	1920	1.2	<2	3.85	<0.5	14	6	157	4.33
S313630		0.10	>10.0	18.95	21.6	6.89	770	1420	1.4	<2	2.78	1.9	20	110	133	5.01
S313631		6.64	0.058		1.1	7.70	54	2630	1.2	<2	5.63	<0.5	13	19	123	4.55
S313632		5.43	0.018		<0.5	6.73	63	1540	1.0	2	5.11	0.5	28	24	8	7.67
S313633		6.93	0.025		<0.5	6.68	53	1100	0.9	<2	7.79	<0.5	34	47	8	7.42
S313634		6.25	0.241		<0.5	7.38	27	1070	0.6	<2	5.21	0.5	34	31	3	8.07
S313635		7.49	0.077		<0.5	7.40	33	1360	0.7	3	5.29	0.5	33	34	6	8.00
S313636		5.32	0.138		1.5	6.82	58	2130	0.7	<2	5.31	0.5	13	66	188	3.65
S313637		5.89	0.383		2.0	7.15	76	460	0.9	3	3.73	<0.5	19	42	186	4.53
S313638		5.50	0.148		0.6	8.09	26	2340	1.3	2	3.27	<0.5	9	47	130	3.34
S313639		5.24	0.200		0.5	7.25	17	1870	1.1	<2	3.84	<0.5	9	58	63	2.95
S313640		0.56	<0.005		<0.5	0.05	<5	10	<0.5	2	34.4	<0.5	<1	<1	<1	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313617		20	3.25	10	1.10	928	<1	3.02	2	1310	8	0.39	5	13	928	<20
S313618		20	3.27	10	1.32	1025	<1	2.77	2	1390	9	0.63	<5	15	858	<20
S313619		20	3.45	10	1.17	1075	<1	2.78	3	1310	9	0.74	<5	14	602	<20
S313620		<10	0.01	<10	1.77	25	1	0.03	<1	50	<2	0.15	<5	1	4990	<20
S313621		20	3.34	10	1.18	1015	<1	2.87	2	1300	5	0.53	6	14	653	<20
S313622		20	2.67	10	1.21	1030	3	3.39	3	1330	8	0.45	<5	13	582	<20
S313623		20	2.71	10	0.86	803	2	3.54	3	1360	9	0.61	5	14	628	<20
S313624		20	2.74	10	1.08	790	1	4.04	2	1440	29	0.81	8	16	506	<20
S313625		20	3.27	10	1.13	895	18	3.44	3	1400	16	0.95	<5	15	611	<20
S313626		20	3.24	10	0.94	616	44	3.66	1	1340	8	0.63	<5	14	558	<20
S313626D		20	3.34	10	0.96	629	43	3.74	2	1350	9	0.66	<5	14	577	<20
S313627		20	3.32	10	1.08	792	8	3.69	3	1380	44	1.19	<5	16	593	<20
S313628		20	3.65	10	1.04	862	2	2.88	2	1360	6	1.03	8	15	481	<20
S313629		20	3.41	10	1.11	872	1	2.65	2	1340	7	1.72	<5	15	407	<20
S313630		10	2.99	20	0.71	984	8	0.16	67	1640	60	4.06	15	19	187	<20
S313631		20	3.73	10	1.37	1365	1	1.83	15	1250	8	1.09	6	16	263	<20
S313632		10	3.10	10	2.66	1580	2	0.76	2	810	4	1.33	8	34	146	<20
S313633		20	1.89	10	3.28	1985	2	0.95	34	790	4	0.62	9	35	291	<20
S313634		20	1.37	10	4.19	1590	2	1.32	3	840	5	0.32	16	40	401	<20
S313635		20	1.80	10	3.91	1630	3	1.50	6	810	4	0.59	10	39	401	<20
S313636		20	5.02	10	1.43	997	2	1.20	51	1220	19	1.56	<5	12	217	<20
S313637		20	4.56	10	1.17	721	3	2.12	34	1390	18	3.32	12	11	259	<20
S313638		20	4.44	10	1.63	864	1	2.69	33	1490	8	1.02	5	13	306	<20
S313639		10	4.08	10	1.33	852	1	2.36	16	1330	7	1.55	<5	12	300	<20
S313640		<10	0.01	<10	1.83	18	1	0.01	<1	40	<2	0.06	<5	<1	5000	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313617		0.34	10	<10	163	<10	64	
S313618		0.37	<10	<10	172	<10	67	
S313619		0.35	<10	<10	163	<10	80	
S313620		0.01	<10	<10	2	<10	<2	
S313621		0.34	10	<10	161	<10	70	
S313622		0.35	<10	<10	170	<10	77	
S313623		0.36	<10	<10	168	<10	72	
S313624		0.38	10	<10	172	<10	139	
S313625		0.37	<10	10	170	<10	152	
S313626		0.35	<10	<10	170	<10	182	
S313626D		0.36	<10	<10	173	<10	186	
S313627		0.37	<10	<10	177	<10	113	
S313628		0.36	<10	<10	174	<10	97	
S313629		0.35	<10	<10	170	<10	49	
S313630		0.35	<10	<10	178	<10	215	
S313631		0.34	<10	<10	166	<10	57	
S313632		0.58	<10	<10	274	10	113	
S313633		0.57	<10	<10	280	10	105	
S313634		0.63	<10	<10	314	<10	119	
S313635		0.63	<10	<10	312	<10	114	
S313636		0.29	<10	<10	143	10	62	
S313637		0.30	<10	<10	148	<10	48	
S313638		0.33	<10	<10	169	<10	52	
S313639		0.32	<10	<10	153	<10	39	
S313640		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141006

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-OCT-2015
This copy reported on
2-JUN-2016
Account: PRETRES

CERTIFICATE TR15157741

Project: PRETRES_TR15151528

This report is for 22 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA JOE OVSENEK	KEN MCNAUGHTON NATALIE SENGER	COLE MOONEY CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM**
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Re-analysis results for samples originally reported on certificate TR15151528***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151528

CERTIFICATE OF ANALYSIS TR15157741

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314325		3.38	0.276		9.6	8.06	208	1150	1.2	<2	1.19	4.0	21	7	34	4.41
S314326		3.58	0.253		6.6	6.93	149	1110	1.0	<2	3.32	2.3	13	6	27	4.17
S314327		3.57	0.357		8.7	6.88	119	1610	1.0	<2	1.58	1.8	8	7	25	3.28
S314328		3.42	0.212		4.2	8.24	113	330	1.2	<2	0.84	1.1	10	6	21	3.79
S314329		3.18	0.294		9.2	8.02	169	720	1.1	<2	1.53	1.3	8	8	17	3.70
S314330		0.13	5.51		80.9	6.11	277	1380	0.9	<2	1.88	21.4	9	23	114	4.59
S314331		3.50	0.293		17.3	8.35	156	430	1.2	<2	0.76	1.9	10	6	37	3.16
S314332		3.52	0.254		11.0	7.63	103	440	1.0	<2	1.00	1.5	8	6	36	3.14
S314333		3.98	0.281		13.1	7.67	126	510	1.0	<2	0.89	4.6	9	7	41	3.25
S314334		3.61	0.548		7.2	6.72	199	1040	0.9	<2	1.49	1.2	7	7	64	2.53
S314335		3.79	0.225		5.0	3.67	96	1690	0.5	<2	1.95	1.5	5	11	38	2.01
S314345		3.30	0.491		28.7	5.74	110	730	1.0	<2	0.38	1.3	8	13	51	3.09
S314346		3.22	0.329		38.5	6.78	90	490	1.2	<2	0.33	1.9	9	10	86	3.30
S314347		3.77	0.703		63.2	6.84	135	530	1.2	2	0.31	1.8	7	13	66	3.87
S314348		1.23	7.64		>100	6.21	202	1030	1.1	<2	0.19	9.7	7	13	206	2.54
S314349		0.52	<0.005		1.2	0.05	<5	10	<0.5	<2	34.9	<0.5	<1	1	<1	0.03
S314350		0.11	>10.0	20.9	25.1	7.03	769	1450	1.4	<2	2.78	1.9	19	107	131	4.99
S314351		3.90	0.499		98.8	6.59	164	610	1.2	<2	0.32	1.2	8	10	30	3.69
S314352		3.47	0.330		36.1	7.32	150	420	1.2	<2	0.39	1.5	9	8	27	4.18
S314353		3.31	0.509		19.2	7.78	190	390	1.3	<2	0.34	1.7	11	8	61	3.95
S314354		3.25	0.399		19.8	7.04	155	450	1.2	<2	0.35	3.2	7	9	63	3.92
S314355		3.48	0.422		8.8	7.45	106	330	1.2	<2	0.38	2.1	8	7	34	3.96

Comments: ***Re-analysis results for samples originally reported on certificate TR15151528***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151528

CERTIFICATE OF ANALYSIS TR15157741

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314325		20	3.78	20	0.53	537	12	0.08	7	1000	82	4.60	8	11	42	<20
S314326		20	3.27	10	0.53	1440	8	0.07	4	740	95	4.44	<5	9	69	<20
S314327		10	3.23	10	0.42	637	10	0.07	4	710	110	3.47	<5	9	63	<20
S314328		20	4.09	10	0.59	392	67	0.08	4	900	56	4.06	<5	11	37	<20
S314329		10	3.78	10	0.57	680	144	0.07	4	840	93	3.83	<5	11	86	<20
S314330		10	3.58	10	0.47	1170	8	0.22	16	930	8320	2.94	71	12	144	<20
S314331		20	4.21	10	0.60	352	24	0.08	4	890	103	3.40	5	11	46	<20
S314332		10	3.79	10	0.56	428	12	0.07	4	790	78	3.42	11	10	39	<20
S314333		20	3.70	10	0.54	386	10	0.07	5	830	81	3.30	14	10	39	<20
S314334		10	3.19	10	0.45	545	6	0.06	3	730	29	2.70	20	9	47	<20
S314335		10	1.73	10	0.25	715	13	0.03	2	380	24	1.93	13	5	91	<20
S314345		10	2.74	10	0.37	208	27	0.06	3	620	41	2.96	31	7	29	<20
S314346		10	3.23	10	0.45	165	22	0.07	3	680	54	3.47	51	9	28	<20
S314347		10	3.26	10	0.45	155	26	0.07	4	970	103	3.98	34	9	28	<20
S314348		10	2.97	10	0.39	105	23	0.06	5	620	1160	2.68	159	8	23	<20
S314349		<10	0.01	<10	1.56	17	<1	<0.01	1	30	<2	0.06	<5	<1	5200	<20
S314350		10	3.08	20	0.71	1020	7	0.16	69	1660	63	4.14	11	19	192	<20
S314351		10	3.15	10	0.45	162	13	0.07	2	730	86	3.77	17	9	26	<20
S314352		10	3.57	10	0.51	181	24	0.07	3	730	56	4.49	13	9	30	<20
S314353		20	3.82	10	0.52	163	8	0.08	3	800	47	4.21	30	10	35	<20
S314354		20	3.44	10	0.47	180	15	0.07	4	700	44	4.08	30	9	28	<20
S314355		20	3.74	10	0.52	178	17	0.07	2	750	37	4.18	11	10	31	<20

Comments: ***Re-analysis results for samples originally reported on certificate TR15151528***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 22-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151528

CERTIFICATE OF ANALYSIS TR15157741

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1	5
S314325		0.32	10	<10	91	<10	675		
S314326		0.27	10	<10	80	<10	380		
S314327		0.26	10	<10	77	<10	258		
S314328		0.33	10	<10	100	<10	174		
S314329		0.30	10	<10	90	<10	205		
S314330		0.25	10	<10	117	<10	1785		
S314331		0.33	10	<10	95	<10	267		
S314332		0.29	10	<10	89	10	210		
S314333		0.30	10	<10	89	10	510		
S314334		0.26	10	<10	74	<10	166		
S314335		0.14	<10	<10	38	<10	197		
S314345		0.22	10	<10	72	<10	167		
S314346		0.26	10	<10	79	<10	272		
S314347		0.25	<10	<10	84	<10	277		
S314348		0.22	10	<10	77	<10	1625	>1500	1595
S314349		<0.01	<10	<10	1	<10	2		
S314350		0.36	10	<10	175	<10	229		
S314351		0.24	<10	<10	78	<10	173		
S314352		0.27	10	<10	84	<10	242		
S314353		0.29	10	<10	91	<10	251		
S314354		0.26	10	<10	85	<10	400		
S314355		0.28	10	<10	91	<10	280		

Comments: ***Re-analysis results for samples originally reported on certificate TR15151528***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151528

CERTIFICATE OF ANALYSIS TR15157741

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Ag-GRA21	Ag-OG62	Au-AA23	Au-GRA21
FND-02	ME-ICP61	ME-OG62	WEI-21

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-OCT-2015
This copy reported on
2-JUN-2016
Account: PRETRES

CERTIFICATE TR15157733

Project: PRETRES_TR15151536

This report is for 3 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA JOE OVSENEK	KEN MCNAUGHTON NATALIE SENGER	COLE MOONEY CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **PRETIUM**
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Re-analysis results for samples originally reported on certificate TR15151536***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151536

CERTIFICATE OF ANALYSIS TR15157733

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
S314474		0.65	<0.005	<0.5	0.04	<5	10	<0.5	2	34.2	<0.5	<1	1	<1	0.03	<10
S314475		2.99	0.457	4.7	7.19	196	650	1.0	<2	0.44	1.0	7	9	66	2.91	10
S314486D		Not Recvd														

Comments: ***Re-analysis results for samples originally reported on certificate TR15151536***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151536

CERTIFICATE OF ANALYSIS TR15157733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
S314474		0.01	<10	1.91	17	<1	<0.01	<1	40	<2	0.05	<5	<1	5190	<20	<0.01
S314475		5.21	10	0.33	178	12	0.20	5	710	33	2.85	8	9	95	<20	0.27
S314486D																

Comments: ***Re-analysis results for samples originally reported on certificate TR15151536***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 18-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151536

CERTIFICATE OF ANALYSIS TR15157733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
S314474		<10	<10	<1	<10	<2
S314475		10	<10	80	<10	115
S314486D						

Comments: ***Re-analysis results for samples originally reported on certificate TR15151536***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-OCT-2015
Account: PRETRES

Project: PRETRES_TR15151536

CERTIFICATE OF ANALYSIS TR15157733

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA23	FND-02	ME-ICP61	WEI-21

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-OCT-2015
This copy reported on
2-JUN-2016
Account: PRETRES

CERTIFICATE TR15157730

Project: PRETRES_TR15150595

This report is for 10 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA JOE OVSENEK	KEN MCNAUGHTON NATALIE SENGER	COLE MOONEY CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM**
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Re-analysis results for samples originally reported on certificate TR15150595***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-OCT-2015
Account: PRETRES

Project: PRETRES_TR15150595

CERTIFICATE OF ANALYSIS TR15157730

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314426D		Not Recvd														
S314465		2.79	0.129		1.5	7.29	84	280	0.9	<2	2.31	1.7	7	7	47	3.45
S314466		3.24	0.111		1.6	7.34	69	250	1.1	2	2.64	1.0	7	7	80	3.80
S314467		3.53	0.316		2.1	7.08	166	350	1.2	<2	2.82	0.9	7	9	79	3.53
S314468		3.67	0.179		1.1	7.51	77	710	1.2	<2	2.84	1.1	8	10	68	3.49
S314469		3.26	0.372		1.2	7.42	85	450	1.1	<2	2.61	0.9	7	7	18	3.60
S314470		0.12	>10.0	10.70	>100	5.86	393	310	1.0	<2	3.77	4.5	10	32	163	3.80
S314471		3.24	0.381		2.5	7.47	132	300	1.0	<2	1.99	0.8	7	8	34	3.42
S314472		2.01	1.695		2.9	7.26	237	310	1.0	<2	2.28	1.0	7	8	38	3.35
S314473		1.01	0.525		51.8	5.28	1130	360	0.8	<2	6.36	1.1	3	9	30	3.04

Comments: ***Re-analysis results for samples originally reported on certificate TR15150595***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-OCT-2015
Account: PRETRES

Project: PRETRES_TR15150595

CERTIFICATE OF ANALYSIS TR15157730

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314426D																
S314465		20	4.21	10	0.78	1065	3	1.17	3	790	48	3.05	6	9	255	<20
S314466		20	4.48	10	0.80	1210	3	1.52	1	820	21	3.25	<5	9	328	<20
S314467		20	4.69	10	0.80	1090	12	0.82	2	790	14	2.93	9	9	289	<20
S314468		20	4.23	10	0.97	1255	98	1.66	1	810	19	2.29	7	9	390	<20
S314469		20	4.13	10	0.84	1165	8	1.23	<1	780	17	2.70	<5	9	338	<20
S314470		10	3.58	10	0.47	1380	7	0.16	22	840	237	3.03	57	10	196	<20
S314471		20	4.28	10	0.41	768	9	0.19	1	790	18	3.15	6	9	213	<20
S314472		20	4.15	10	0.37	911	13	0.19	1	830	15	3.06	8	9	223	<20
S314473		10	3.39	10	0.31	1915	3	0.10	<1	530	72	2.86	50	7	229	<20

Comments: ***Re-analysis results for samples originally reported on certificate TR15150595***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-OCT-2015
Account: PRETRES

Project: PRETRES_TR15150595

CERTIFICATE OF ANALYSIS TR15157730

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314426D								
S314465		0.30	<10	<10	93	<10	178	
S314466		0.30	<10	<10	95	<10	103	
S314467		0.30	<10	<10	92	<10	96	
S314468		0.31	<10	<10	93	<10	123	
S314469		0.30	<10	<10	90	<10	106	
S314470		0.23	<10	<10	98	<10	504	129
S314471		0.30	<10	<10	89	<10	98	
S314472		0.31	<10	<10	96	<10	117	
S314473		0.20	<10	<10	65	<10	137	

Comments: ***Re-analysis results for samples originally reported on certificate TR15150595***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 20-OCT-2015
Account: PRETRES

Project: PRETRES_TR15150595

CERTIFICATE OF ANALYSIS TR15157730

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Ag-OG62	Au-AA23	Au-GRA21	FND-02
ME-ICP61	ME-OG62	WEI-21	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-SEP-2015
This copy reported on
2-JUN-2016
Account: PRETRES

CERTIFICATE TR15142350

Project: PRETRES_TR15130374

This report is for 11 Drill Core samples submitted to our lab in Terrace, BC, Canada on 18-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KEN MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **PRETIUM**
ATTN: ALS MINERALS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Re-analysis results for samples originally reported on certificate TR15130374***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-SEP-2015
Account: PRETRES

Project: PRETRES_TR15130374

CERTIFICATE OF ANALYSIS TR15142350

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
S008515		5.33	<0.005	<0.5	7.75	11	1660	1.2	<2	3.05	<0.5	5	2	2	2.70	20
S008516		6.49	<0.005	<0.5	8.06	10	1770	1.1	<2	2.28	<0.5	9	3	1	3.08	20
S008517		5.83	<0.005	<0.5	10.05	6	2760	1.5	<2	1.01	<0.5	8	13	15	4.65	20
S008518		5.32	<0.005	<0.5	6.36	8	1570	1.2	3	5.34	<0.5	2	3	<1	2.38	10
S008519		6.51	<0.005	<0.5	7.27	10	1660	1.2	<2	4.08	<0.5	4	3	22	2.66	10
S008520		0.70	<0.005	<0.5	0.06	<5	20	<0.5	<2	35.9	<0.5	<1	<1	<1	0.04	<10
S008521		5.58	<0.005	<0.5	7.84	8	2900	1.1	<2	2.22	<0.5	6	6	1	3.18	10
S008522		5.82	<0.005	<0.5	9.59	8	2310	1.2	<2	1.67	<0.5	11	11	4	4.28	20
S008523		6.11	<0.005	<0.5	8.59	8	2860	1.1	5	2.49	<0.5	16	7	1	4.46	20
S008524		6.17	<0.005	<0.5	9.00	7	1750	1.1	<2	1.39	<0.5	16	6	2	4.15	20
S008525		6.50	<0.005	<0.5	9.06	<5	3970	1.1	2	1.58	<0.5	14	7	3	4.25	20

Comments: ***Re-analysis results for samples originally reported on certificate TR15130374***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-SEP-2015
Account: PRETRES

Project: PRETRES_TR15130374

CERTIFICATE OF ANALYSIS TR15142350

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
	Units	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
S008515		2.52	10	0.79	2060	<1	1.81	<1	680	21	<0.01	<5	5	483	<20	0.27
S008516		2.37	20	0.79	1810	<1	2.40	<1	650	12	0.01	5	6	304	<20	0.28
S008517		4.08	20	0.68	995	<1	1.61	4	890	15	0.01	6	14	187	<20	0.40
S008518		2.26	10	0.51	2300	<1	1.30	<1	640	14	0.01	7	4	600	<20	0.24
S008519		1.92	10	0.77	2250	<1	1.77	<1	670	16	0.01	5	5	755	<20	0.26
S008520		0.02	<10	1.61	24	<1	0.01	<1	40	<2	0.07	5	<1	5240	<20	<0.01
S008521		2.09	20	0.78	1815	<1	2.27	<1	830	15	0.04	6	7	492	<20	0.29
S008522		3.34	20	0.79	1800	<1	2.14	3	880	10	0.02	6	11	281	<20	0.37
S008523		2.31	10	0.66	2200	<1	3.00	<1	890	15	0.04	<5	10	417	<20	0.39
S008524		2.44	20	0.65	1480	<1	3.06	<1	910	15	0.01	8	10	341	<20	0.39
S008525		2.60	20	0.62	1560	<1	2.82	<1	1030	17	0.06	6	11	417	<20	0.40

Comments: ***Re-analysis results for samples originally reported on certificate TR15130374***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-SEP-2015
Account: PRETRES

Project: PRETRES_TR15130374

CERTIFICATE OF ANALYSIS TR15142350

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
S008515		10	<10	64	<10	71
S008516		10	<10	72	<10	97
S008517		<10	<10	133	<10	86
S008518		<10	<10	55	<10	57
S008519		<10	<10	60	<10	65
S008520		<10	<10	1	<10	<2
S008521		<10	<10	78	<10	88
S008522		<10	<10	121	<10	119
S008523		<10	<10	125	<10	93
S008524		<10	<10	119	<10	89
S008525		<10	<10	128	<10	92

Comments: ***Re-analysis results for samples originally reported on certificate TR15130374***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-SEP-2015
Account: PRETRES

Project: PRETRES_TR15130374

CERTIFICATE OF ANALYSIS TR15142350

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
Au-AA23	FND-02	ME-ICP61	WEI-21

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

CERTIFICATE TR15141008

Project: Bowser Regional Exploration

P.O. No.: BOW-0091

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 16-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216651		3.39	<0.005		<0.5	8.23	20	4020	1.0	2	4.75	<0.5	6	5	3	3.97
S216652		3.74	<0.005		<0.5	8.39	19	1930	1.1	<2	4.02	<0.5	7	4	4	3.91
S216653		3.53	<0.005		<0.5	7.70	32	1470	1.0	2	1.69	<0.5	12	4	21	7.48
S216654		3.89	<0.005		<0.5	9.84	23	1440	1.2	<2	0.66	<0.5	9	5	4	4.38
S216655		3.52	<0.005		<0.5	8.65	18	1900	0.9	<2	2.46	<0.5	6	4	2	3.85
S216656		2.84	<0.005		<0.5	8.82	20	2040	0.9	2	0.80	<0.5	5	5	<1	3.23
S216657		3.33	<0.005		<0.5	7.43	66	1170	0.9	<2	0.28	<0.5	13	4	9	5.42
S216658		3.93	<0.005		<0.5	10.00	47	340	1.2	<2	0.18	<0.5	15	4	9	4.74
S216659		3.09	<0.005		<0.5	8.38	44	1120	0.9	<2	0.46	<0.5	1	5	4	6.75
S216660		0.49	<0.005		<0.5	0.05	<5	10	<0.5	4	36.3	<0.5	<1	1	<1	0.04
S216661		3.71	<0.005		<0.5	8.80	41	420	0.9	<2	0.86	<0.5	<1	5	3	5.41
S216662		3.94	<0.005		<0.5	9.00	53	270	0.9	<2	0.71	<0.5	4	5	4	7.68
S216663		3.36	<0.005		<0.5	9.31	83	450	1.1	<2	0.14	<0.5	18	4	13	4.31
S216664		4.10	0.005		<0.5	9.76	86	630	1.2	<2	0.17	<0.5	24	4	24	4.95
S216665		3.89	0.005		<0.5	9.43	78	320	1.3	<2	0.12	1.2	18	4	7	4.41
S216666		3.29	0.007		<0.5	9.54	52	470	1.3	2	0.35	<0.5	10	5	6	5.09
S216666D		<0.02	0.006		<0.5	9.34	55	370	1.3	2	0.34	<0.5	11	5	6	5.09
S216667		3.71	0.013		<0.5	8.32	53	460	1.2	3	0.50	<0.5	8	5	4	4.05
S216668		3.40	0.022		<0.5	9.80	64	350	1.5	<2	0.36	<0.5	10	7	11	4.54
S216669		4.07	0.038		<0.5	8.17	53	1260	1.2	<2	1.04	<0.5	8	9	14	5.35
S216670		0.10	>10.0	18.85	24.5	7.04	734	1400	1.4	3	2.83	2.1	18	114	136	5.24
S216671		3.67	0.019		<0.5	9.05	41	590	1.4	<2	2.00	<0.5	8	4	9	4.10
S216672		3.77	0.018		<0.5	9.93	42	1040	1.7	<2	1.83	<0.5	9	4	8	4.42
S216673		3.69	0.024		<0.5	9.14	42	410	1.6	3	2.70	<0.5	8	4	7	4.30
S216674		3.78	0.023		<0.5	8.87	37	600	1.4	<2	2.38	<0.5	8	5	5	4.05
S216675		3.48	0.035		<0.5	7.97	48	1150	1.1	<2	1.82	<0.5	8	4	5	4.01
S216676		3.85	0.020		<0.5	9.20	20	570	1.5	2	0.90	<0.5	11	6	16	4.52
S216677		3.61	0.026		<0.5	8.86	29	600	1.4	3	0.61	<0.5	9	6	13	4.27
S216678		3.75	0.008		<0.5	7.86	25	570	1.0	<2	3.93	<0.5	9	6	15	4.05
S216679		3.46	0.009		<0.5	7.66	21	690	1.0	<2	4.07	<0.5	9	5	14	3.81
S216680		0.44	<0.005		<0.5	0.06	6	20	<0.5	<2	34.1	<0.5	<1	<1	<1	0.04
S216681		3.63	0.006		<0.5	8.39	29	1260	1.2	<2	4.00	<0.5	7	5	17	3.97
S216682		3.56	0.005		<0.5	7.71	26	1450	1.1	4	5.06	<0.5	7	4	15	3.62
S216683		3.56	0.008		<0.5	7.71	34	1260	1.1	2	3.79	<0.5	6	5	16	3.89
S216684		3.72	0.007		<0.5	8.46	33	1470	1.2	2	2.33	<0.5	8	5	22	4.01
S216685		3.55	0.009		<0.5	8.28	34	1290	1.1	3	3.14	<0.5	6	5	13	3.92
S216686		3.69	0.010		<0.5	7.83	38	1260	1.1	3	4.45	<0.5	6	4	13	3.46
S216686D		<0.02	0.015		<0.5	7.96	34	1330	1.1	<2	4.39	<0.5	6	4	13	3.55
S216687		3.71	0.016		<0.5	8.52	27	1680	1.2	<2	2.63	<0.5	8	5	13	3.97
S216688		3.54	0.022		<0.5	8.57	42	1550	1.1	<2	4.60	<0.5	6	5	14	3.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216651		20	1.68	10	1.45	3090	<1	0.62	1	1130	2	1.00	<5	10	356	<20
S216652		20	1.85	20	1.26	2590	<1	0.62	1	1120	7	1.39	<5	10	290	<20
S216653		20	1.62	20	1.25	1480	3	0.55	2	1280	8	6.19	<5	9	213	<20
S216654		20	2.44	20	1.37	1100	<1	0.72	1	1110	8	2.55	6	11	230	<20
S216655		20	1.70	20	1.94	2290	1	0.57	1	1160	6	1.59	8	10	248	<20
S216656		20	1.94	10	1.61	1140	<1	0.65	2	1320	6	1.54	5	11	214	<20
S216657		10	1.64	20	0.41	174	5	0.73	3	970	26	5.88	7	9	220	<20
S216658		20	2.63	20	0.25	81	3	1.16	4	590	20	5.28	<5	10	296	<20
S216659		20	1.97	10	0.07	31	3	0.97	<1	1920	10	7.63	6	10	286	<20
S216660		<10	0.01	<10	2.06	16	<1	0.01	<1	40	<2	0.09	<5	<1	5790	<20
S216661		20	2.02	10	0.09	84	4	1.09	1	3340	11	6.14	<5	10	297	<20
S216662		20	1.99	10	0.10	179	1	1.05	1	870	12	8.57	6	10	271	<20
S216663		20	2.08	20	0.07	37	2	1.25	3	450	14	4.90	7	10	320	<20
S216664		20	2.39	10	0.09	43	7	1.18	5	630	17	5.53	7	11	312	<20
S216665		20	2.52	10	0.21	65	6	1.03	4	270	14	5.04	6	10	268	<20
S216666		20	2.19	10	0.74	115	2	0.91	2	1340	15	5.55	6	11	258	<20
S216666D		20	2.20	10	0.72	99	2	0.92	2	1380	13	5.80	8	11	254	<20
S216667		20	1.75	10	1.01	234	1	0.68	3	1200	12	4.34	<5	10	209	<20
S216668		20	2.54	10	0.90	142	3	0.83	2	1320	16	5.17	6	12	243	<20
S216669		20	2.00	10	0.71	544	3	0.60	4	1020	19	5.94	8	10	214	<20
S216670		20	3.07	20	0.73	1010	6	0.16	69	1650	59	4.25	18	19	192	<20
S216671		20	1.91	20	1.16	1050	1	0.66	1	1410	17	4.47	5	11	260	<20
S216672		20	2.17	20	1.03	962	1	0.77	3	1670	19	4.75	5	12	300	<20
S216673		20	2.30	10	0.86	1390	1	0.71	1	1300	15	4.72	7	11	276	<20
S216674		20	1.98	10	1.09	1230	<1	0.62	<1	1550	16	4.31	6	11	246	<20
S216675		20	1.78	10	1.02	936	2	0.48	2	1440	16	4.34	6	10	187	<20
S216676		20	2.70	10	0.56	424	<1	0.67	3	1060	14	4.86	9	12	208	<20
S216677		20	2.57	10	0.57	270	1	0.63	2	1030	11	4.69	8	11	197	<20
S216678		20	2.05	10	1.02	1860	<1	0.48	2	1030	10	4.34	6	11	217	<20
S216679		20	1.95	10	0.99	1920	<1	0.45	1	920	11	4.17	8	10	216	<20
S216680		<10	0.02	<10	1.53	20	<1	<0.01	<1	30	<2	0.04	<5	<1	4570	<20
S216681		20	2.10	10	0.87	1665	<1	0.53	5	960	12	4.37	5	11	225	<20
S216682		10	2.01	10	0.73	1965	<1	0.47	1	860	8	4.08	8	10	226	<20
S216683		10	2.23	10	0.59	1415	1	0.47	2	860	16	4.26	5	10	204	<20
S216684		20	2.56	20	0.44	932	1	0.51	3	970	17	4.55	6	11	194	<20
S216685		20	2.14	10	0.94	1205	<1	0.44	3	930	9	4.28	5	11	180	<20
S216686		20	2.24	10	0.71	1620	<1	0.44	1	910	13	3.91	6	11	207	<20
S216686D		20	2.24	20	0.72	1610	<1	0.44	2	910	16	3.91	<5	11	205	<20
S216687		20	2.46	10	0.66	986	1	0.47	2	990	14	4.44	7	11	180	<20
S216688		20	2.26	10	0.90	1865	<1	0.47	4	1000	12	4.19	9	12	209	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216651		0.34	<10	<10	96	<10	97	
S216652		0.34	<10	<10	94	<10	87	
S216653		0.30	<10	<10	89	<10	101	
S216654		0.42	<10	<10	120	<10	130	
S216655		0.35	<10	<10	98	<10	204	
S216656		0.38	<10	<10	103	<10	205	
S216657		0.30	<10	<10	86	<10	79	
S216658		0.41	<10	<10	127	<10	36	
S216659		0.39	<10	<10	115	<10	18	
S216660		<0.01	<10	<10	1	<10	<2	
S216661		0.37	<10	<10	108	<10	11	
S216662		0.37	<10	<10	119	<10	13	
S216663		0.36	<10	<10	108	<10	6	
S216664		0.36	<10	<10	115	<10	16	
S216665		0.37	<10	<10	126	<10	344	
S216666		0.41	<10	<10	125	<10	90	
S216666D		0.42	<10	<10	124	<10	102	
S216667		0.37	<10	<10	110	<10	89	
S216668		0.43	<10	<10	126	<10	101	
S216669		0.33	<10	<10	95	<10	99	
S216670		0.36	<10	<10	177	<10	215	
S216671		0.40	<10	<10	104	<10	122	
S216672		0.42	<10	<10	112	<10	142	
S216673		0.41	<10	<10	107	<10	80	
S216674		0.38	<10	<10	101	<10	146	
S216675		0.33	<10	<10	89	<10	201	
S216676		0.37	<10	<10	112	<10	84	
S216677		0.36	<10	<10	107	<10	68	
S216678		0.33	<10	<10	101	<10	98	
S216679		0.33	<10	<10	95	<10	66	
S216680		<0.01	<10	<10	1	<10	<2	
S216681		0.34	10	<10	100	<10	69	
S216682		0.31	10	<10	91	<10	63	
S216683		0.31	<10	<10	92	<10	68	
S216684		0.34	<10	<10	99	<10	78	
S216685		0.33	<10	<10	97	<10	87	
S216686		0.32	10	<10	95	<10	83	
S216686D		0.32	<10	<10	94	<10	82	
S216687		0.34	10	<10	101	<10	94	
S216688		0.35	<10	<10	101	<10	78	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216689		3.40	0.027		<0.5	8.09	38	1330	1.1	2	4.39	<0.5	8	4	16	3.89
S216690		0.12	1.000		13.3	6.25	305	1480	1.0	6	3.62	4.3	10	28	84	4.12
S216691		3.67	0.013		<0.5	8.30	34	1040	1.1	<2	4.34	<0.5	8	5	13	4.08
S216692		3.93	<0.005		<0.5	7.87	44	1040	1.1	4	5.22	<0.5	7	5	12	3.83
S216693		3.49	0.006		<0.5	7.71	22	670	1.1	<2	3.86	<0.5	8	5	10	4.00
S216694		3.73	<0.005		<0.5	7.80	22	770	1.1	<2	4.43	<0.5	7	5	15	3.76
S216695		3.83	0.009		<0.5	7.89	19	810	1.1	4	3.94	<0.5	10	6	17	3.95
S216696		3.66	0.010		<0.5	8.09	20	850	1.2	<2	3.80	<0.5	5	5	15	3.79
S216697		3.88	0.008		<0.5	8.07	26	1440	1.1	2	4.87	<0.5	10	5	13	3.92
S216698		3.55	0.011		<0.5	8.52	30	1530	1.1	<2	4.55	<0.5	6	5	18	3.66
S216699		3.86	0.017		<0.5	8.99	29	640	1.3	<2	1.23	<0.5	12	7	16	4.20
S216700		0.47	<0.005		<0.5	0.07	<5	20	<0.5	<2	35.0	<0.5	<1	<1	<1	0.04
S216701		3.08	0.017		<0.5	8.79	26	800	1.2	<2	1.21	<0.5	8	6	15	4.17
S216702		3.00	0.014		<0.5	7.45	43	400	1.1	<2	3.80	<0.5	13	5	15	3.76
S216703		3.68	0.018		<0.5	6.81	36	620	1.0	2	5.47	<0.5	5	6	10	3.44
S216704		3.70	0.012		<0.5	7.36	47	780	1.0	<2	6.08	<0.5	5	4	12	3.42
S216705		3.93	0.040		<0.5	6.23	44	580	0.9	<2	7.52	<0.5	7	4	13	3.32
S216706		3.86	0.037		<0.5	7.97	48	650	1.1	<2	3.38	<0.5	7	6	14	3.89
S216706D		<0.02	0.034		<0.5	8.15	43	1030	1.1	4	3.40	<0.5	7	6	14	3.91
S216707		3.77	0.068		<0.5	7.91	49	530	1.2	<2	1.04	<0.5	8	7	7	3.78
S216708		3.77	0.053		<0.5	7.43	33	730	1.0	<2	3.32	<0.5	10	5	12	3.99
S216709		3.48	0.023		<0.5	7.49	31	980	1.0	2	5.57	<0.5	6	5	15	3.53
S216710		0.13	>10.0	10.45	>100	5.95	365	1100	1.0	<2	3.79	4.3	9	31	146	3.87
S216711		3.12	0.081		<0.5	8.12	22	1520	1.1	6	2.66	<0.5	10	7	10	4.22
S216712		2.87	0.087		<0.5	7.68	27	330	1.1	<2	2.73	<0.5	9	6	14	3.86
S216713		3.61	0.121		<0.5	7.62	35	740	1.1	3	2.46	<0.5	7	7	12	3.75
S216714		3.59	0.261		<0.5	7.76	33	1400	1.1	3	3.30	<0.5	8	6	19	3.56
S216715		3.83	0.284		<0.5	7.88	25	1260	1.1	<2	4.20	<0.5	10	7	20	4.44
S216716		3.10	0.168		<0.5	6.96	23	1250	1.0	<2	4.58	<0.5	8	6	17	3.43
S216717		3.18	0.176		<0.5	7.45	27	450	1.1	8	3.61	<0.5	8	6	19	4.00
S216718		3.37	0.032		<0.5	8.15	20	1120	1.1	<2	4.40	<0.5	6	6	16	3.97
S216719		3.75	0.028		<0.5	7.10	26	730	1.0	<2	4.57	<0.5	8	6	17	3.70
S216720		0.40	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.9	<0.5	<1	1	<1	0.04
S216721		3.46	0.021		<0.5	7.27	25	610	1.0	<2	5.13	<0.5	7	6	14	3.79
S216722		3.63	0.016		<0.5	8.08	15	1560	1.0	6	4.81	<0.5	7	6	15	3.90
S216723		3.08	0.013		<0.5	7.94	22	1510	1.0	<2	5.06	<0.5	7	6	18	3.63
S216724		3.24	0.009		<0.5	7.04	17	490	1.0	2	4.97	<0.5	7	5	16	3.49
S216725		3.39	0.024		<0.5	7.18	49	430	1.0	<2	4.68	<0.5	6	5	20	3.57
S216726		3.18	0.045		<0.5	7.81	42	570	0.9	<2	3.96	<0.5	7	5	23	3.60
S216726D		<0.02	0.070		<0.5	7.80	38	570	0.9	<2	3.81	<0.5	6	5	18	3.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216689		20	2.24	20	0.87	1735	1	0.42	1	950	21	4.34	15	11	189	<20
S216690		10	3.90	10	0.56	1415	9	0.22	18	940	148	2.96	16	11	196	<20
S216691		20	2.44	10	0.88	1760	1	0.44	2	990	13	4.48	7	11	195	<20
S216692		20	2.20	10	0.95	1995	<1	0.40	3	940	16	4.32	6	10	205	<20
S216693		20	2.40	10	0.81	1415	<1	0.40	1	960	31	4.41	<5	10	184	<20
S216694		20	2.39	10	0.77	1645	<1	0.42	<1	940	37	4.28	8	10	195	<20
S216695		20	2.50	10	0.76	1545	1	0.40	2	940	40	4.35	10	11	181	<20
S216696		20	2.68	10	0.62	1455	1	0.42	3	970	40	4.26	<5	11	188	<20
S216697		20	2.31	10	0.88	1925	<1	0.38	4	910	25	4.29	5	11	202	<20
S216698		20	2.67	10	0.74	1695	1	0.41	2	980	58	4.15	<5	11	200	<20
S216699		20	3.06	10	0.50	500	3	0.42	4	1010	42	4.71	7	12	151	<20
S216700		<10	0.02	<10	1.67	28	<1	0.01	<1	30	<2	0.07	<5	<1	4930	<20
S216701		20	2.90	10	0.62	502	1	0.39	2	1020	44	4.55	5	12	147	<20
S216702		20	2.73	10	0.63	1620	1	0.37	2	940	30	4.28	<5	10	171	<20
S216703		10	2.41	10	0.58	2200	1	0.31	2	820	8	3.75	7	9	196	<20
S216704		10	2.57	10	0.58	2460	<1	0.35	<1	870	4	3.87	8	10	209	<20
S216705		10	2.23	10	0.53	2870	1	0.28	1	770	10	3.64	<5	8	226	<20
S216706		20	2.83	10	0.65	1395	1	0.35	2	980	4	4.44	<5	11	172	<20
S216706D		20	2.81	10	0.67	1410	1	0.35	2	970	9	4.33	8	11	174	<20
S216707		20	2.92	10	0.32	437	1	0.34	2	930	21	4.25	<5	11	130	<20
S216708		10	2.72	10	0.56	1460	1	0.32	3	930	11	4.47	7	10	154	<20
S216709		10	2.63	10	0.65	2370	1	0.32	2	870	6	4.03	7	10	189	<20
S216710		10	3.67	10	0.47	1390	8	0.16	22	840	249	3.16	59	10	202	<20
S216711		10	2.78	10	0.66	1120	1	0.32	2	890	18	4.64	6	11	146	<20
S216712		20	2.96	10	0.65	1105	<1	0.33	2	990	17	4.50	7	11	154	<20
S216713		20	2.73	10	0.55	873	<1	0.32	4	870	17	4.06	8	10	154	<20
S216714		20	2.69	10	0.59	1235	1	0.32	7	880	62	3.98	5	10	165	<20
S216715		20	2.73	10	0.70	1555	<1	0.32	6	850	77	4.95	11	11	182	<20
S216716		10	2.49	10	0.49	1900	<1	0.29	3	790	52	3.84	8	9	176	<20
S216717		20	2.85	10	0.59	1500	<1	0.34	2	920	56	4.43	5	10	168	<20
S216718		20	2.81	10	0.77	1630	1	0.33	5	910	37	4.50	7	11	191	<20
S216719		10	2.46	10	0.75	1730	<1	0.37	3	820	21	4.07	10	9	182	<20
S216720		<10	0.01	<10	1.71	21	<1	<0.01	<1	40	<2	0.06	<5	<1	4730	<20
S216721		10	2.48	10	0.85	1870	<1	0.39	1	850	15	4.19	6	10	204	<20
S216722		20	2.56	10	0.97	1810	<1	0.47	2	880	24	4.38	<5	11	189	<20
S216723		20	2.48	10	0.94	1745	<1	0.51	2	850	28	3.95	8	11	201	<20
S216724		10	2.50	10	0.73	1815	<1	0.46	2	830	53	3.95	9	9	191	<20
S216725		20	2.49	10	0.83	1735	<1	0.54	3	870	59	3.86	5	10	185	<20
S216726		20	2.33	10	1.25	1655	1	0.98	3	900	24	3.77	5	10	205	<20
S216726D		20	2.37	10	1.27	1610	<1	0.98	1	900	22	3.39	5	10	203	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216689		0.34	10	<10	96	<10	67	
S216690		0.26	<10	<10	107	<10	485	
S216691		0.35	<10	<10	103	<10	53	
S216692		0.33	<10	<10	97	<10	68	
S216693		0.34	10	<10	100	<10	65	
S216694		0.33	<10	<10	97	<10	55	
S216695		0.34	<10	<10	100	<10	84	
S216696		0.34	<10	<10	102	<10	108	
S216697		0.32	<10	<10	95	<10	46	
S216698		0.35	10	<10	103	<10	67	
S216699		0.36	<10	<10	106	<10	109	
S216700		<0.01	<10	<10	1	<10	2	
S216701		0.36	<10	<10	106	<10	75	
S216702		0.34	<10	<10	103	<10	49	
S216703		0.29	<10	<10	87	<10	35	
S216704		0.32	10	<10	93	<10	59	
S216705		0.28	<10	<10	81	<10	41	
S216706		0.35	<10	<10	103	<10	55	
S216706D		0.34	<10	<10	101	<10	55	
S216707		0.33	<10	<10	96	<10	97	
S216708		0.33	10	<10	95	<10	53	
S216709		0.32	<10	<10	95	<10	48	
S216710		0.24	10	<10	97	10	515	134
S216711		0.32	<10	<10	99	<10	34	
S216712		0.36	10	<10	108	<10	32	
S216713		0.31	<10	<10	96	<10	61	
S216714		0.31	<10	<10	93	<10	69	
S216715		0.31	10	<10	97	<10	59	
S216716		0.28	<10	<10	86	<10	123	
S216717		0.33	<10	<10	101	<10	76	
S216718		0.33	<10	<10	101	<10	66	
S216719		0.30	<10	<10	92	<10	55	
S216720		<0.01	<10	<10	<1	<10	<2	
S216721		0.30	<10	<10	94	<10	48	
S216722		0.32	<10	<10	98	<10	43	
S216723		0.31	<10	<10	95	<10	51	
S216724		0.30	<10	<10	93	<10	92	
S216725		0.31	10	<10	94	<10	104	
S216726		0.32	<10	<10	95	<10	81	
S216726D		0.32	<10	<10	96	<10	81	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216727		3.50	0.013		<0.5	7.17	29	310	1.0	4	3.95	<0.5	10	5	13	3.95
S216728		3.44	0.008		<0.5	6.97	20	310	1.0	3	4.38	<0.5	8	5	14	3.83
S216729		3.16	0.006		<0.5	8.14	17	620	1.2	2	3.53	<0.5	8	5	14	4.05
S216730		0.12	5.80		84.8	6.30	202	1400	1.0	<2	1.93	22.1	10	23	116	4.78
S216731		3.54	0.008		<0.5	6.77	17	1430	0.9	<2	6.04	<0.5	5	5	12	3.35
S216732		3.26	0.006		<0.5	8.48	14	1930	1.2	3	3.91	<0.5	8	6	16	3.94
S216733		3.87	0.008		<0.5	6.76	13	400	1.1	<2	3.83	0.5	9	6	17	3.96
S216734		3.57	0.011		<0.5	6.63	23	400	1.0	<2	5.63	<0.5	8	5	18	3.74
S216735		3.85	0.022		<0.5	6.81	32	260	1.0	3	4.45	0.5	13	6	19	5.08
S216736		3.04	0.022		<0.5	6.20	35	1220	0.9	3	9.75	<0.5	6	4	15	2.92
S216737		3.37	0.015		<0.5	7.50	33	440	1.0	3	3.89	<0.5	11	6	22	4.27
S216738		3.27	0.010		<0.5	7.54	25	560	1.0	5	4.64	<0.5	8	5	14	3.82
S216739		4.02	0.016		<0.5	8.32	21	720	1.1	<2	3.20	<0.5	8	7	16	4.07
S216740		0.53	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.1	<0.5	<1	1	<1	0.04
S216741		3.69	0.023		<0.5	7.79	39	490	1.0	2	3.37	<0.5	9	6	22	4.30
S216742		3.73	0.039		<0.5	7.47	40	540	1.1	<2	4.42	<0.5	7	6	14	3.57
S216743		3.17	0.078		<0.5	7.13	59	490	1.1	3	4.68	1.0	7	6	23	3.54
S216744		3.67	0.008		<0.5	7.44	25	410	1.0	<2	3.77	<0.5	14	5	20	4.76
S216745		3.33	0.005		<0.5	7.57	15	1590	1.0	<2	3.99	<0.5	5	6	18	3.62
S216746		3.80	<0.005		<0.5	8.35	11	1160	1.0	<2	3.48	<0.5	10	6	20	3.87
S216746D		<0.02	<0.005		<0.5	8.12	8	1100	1.0	<2	3.49	<0.5	10	6	19	3.89
S216747		3.42	<0.005		<0.5	8.00	11	1590	0.9	<2	4.05	<0.5	8	6	14	3.72
S216748		3.75	0.006		<0.5	7.63	12	600	1.0	<2	3.69	<0.5	8	6	19	3.99
S216749		3.24	<0.005		<0.5	7.60	10	1910	0.9	<2	3.46	<0.5	7	5	14	3.57
S216750		0.10	>10.0	18.25	17.4	6.57	756	200	1.3	<2	2.78	1.8	18	112	139	4.95

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216727		20	2.41	10	1.03	1550	1	0.90	4	890	15	4.26	5	9	194	<20
S216728		20	2.42	10	0.97	1725	1	0.85	4	890	25	4.08	5	9	198	<20
S216729		20	2.85	10	0.92	1340	<1	0.47	4	950	48	4.49	<5	11	178	<20
S216730		10	3.71	10	0.48	1190	9	0.24	17	960	8620	3.13	75	12	148	<20
S216731		10	2.33	10	0.68	2110	1	0.26	1	770	35	3.59	<5	9	201	<20
S216732		20	2.85	10	0.85	1545	<1	0.35	3	940	37	4.40	<5	11	185	<20
S216733		20	2.81	10	0.49	1335	<1	0.30	2	840	45	4.40	6	9	177	<20
S216734		20	2.51	10	0.71	2150	1	0.31	2	800	52	4.18	<5	9	196	<20
S216735		20	2.56	10	0.70	1625	<1	0.56	3	840	106	5.66	7	9	182	<20
S216736		10	2.13	10	0.67	3100	<1	0.23	3	660	15	3.12	7	8	274	<20
S216737		20	2.41	10	0.91	1500	<1	0.87	4	860	17	4.50	<5	10	196	<20
S216738		20	2.43	10	1.04	1955	<1	0.79	4	860	9	3.77	<5	10	215	<20
S216739		20	2.61	10	1.05	1315	<1	0.93	3	920	7	3.87	<5	11	208	<20
S216740		<10	0.01	<10	1.63	20	<1	<0.01	<1	40	2	0.05	<5	<1	4950	<20
S216741		20	2.29	20	1.13	1460	<1	1.21	4	860	15	3.95	<5	10	213	<20
S216742		20	2.54	10	0.61	1460	1	1.01	3	870	13	3.61	5	10	200	<20
S216743		20	2.60	10	0.64	1700	<1	0.72	2	840	17	3.33	<5	10	193	<20
S216744		20	2.28	10	0.94	1620	<1	1.12	2	850	9	4.40	<5	10	233	<20
S216745		20	2.05	10	1.34	2040	<1	1.26	2	850	10	1.97	<5	10	284	<20
S216746		20	2.27	10	1.19	1765	1	1.37	2	880	6	2.30	<5	11	299	<20
S216746D		20	2.18	10	1.19	1755	<1	1.34	4	860	9	2.25	<5	11	298	<20
S216747		20	2.10	10	1.22	1975	<1	1.34	2	850	<2	1.97	<5	11	299	<20
S216748		20	2.15	10	1.11	1760	1	1.33	4	890	9	2.47	6	10	288	<20
S216749		20	1.89	10	1.58	2020	1	1.48	<1	900	9	1.57	5	10	287	<20
S216750		10	2.92	10	0.68	1005	7	0.16	68	1630	62	4.12	19	18	177	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216727		0.31	<10	<10	94	<10	67	
S216728		0.32	<10	<10	94	<10	65	
S216729		0.34	10	<10	101	<10	56	
S216730		0.25	10	<10	124	10	1830	
S216731		0.27	10	<10	78	<10	89	
S216732		0.32	10	<10	100	<10	193	
S216733		0.30	<10	<10	94	<10	146	
S216734		0.28	10	<10	89	<10	197	
S216735		0.30	<10	<10	94	<10	209	
S216736		0.24	<10	<10	73	<10	65	
S216737		0.31	<10	<10	97	<10	80	
S216738		0.31	<10	<10	96	<10	82	
S216739		0.33	<10	<10	103	<10	78	
S216740		<0.01	<10	<10	1	<10	<2	
S216741		0.31	10	<10	99	<10	93	
S216742		0.31	<10	<10	97	<10	68	
S216743		0.31	<10	<10	97	<10	113	
S216744		0.31	<10	<10	97	<10	86	
S216745		0.31	<10	<10	98	<10	119	
S216746		0.32	<10	<10	103	<10	98	
S216746D		0.31	<10	<10	101	<10	97	
S216747		0.31	<10	<10	98	<10	100	
S216748		0.31	<10	<10	98	<10	93	
S216749		0.31	<10	<10	96	<10	126	
S216750		0.35	<10	<10	177	<10	216	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15141008

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

CERTIFICATE TR15142000

Project: Bowser Regional Exploration

P.O. No.: BOW-0095

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212001		3.60	0.009		<0.5	7.69	30	2650	1.0	<2	4.38	<0.5	9	5	12	3.52
S212002		3.66	0.014		<0.5	7.97	19	2220	1.0	<2	3.53	<0.5	9	5	22	3.61
S212003		3.28	0.030		<0.5	7.83	16	2220	1.0	<2	3.83	<0.5	7	5	13	3.70
S212004		3.00	0.016		<0.5	8.30	14	2320	1.0	<2	4.04	<0.5	8	5	13	3.95
S212005		3.19	0.015		<0.5	7.85	16	2110	0.9	<2	3.83	<0.5	9	5	19	3.71
S212006		3.38	0.024		<0.5	8.32	19	2000	0.9	<2	3.65	<0.5	8	5	14	3.93
S212006D		<0.02	0.023		<0.5	8.18	22	2030	0.9	<2	3.67	<0.5	8	4	13	3.95
S212007		3.74	0.039		<0.5	8.32	30	2070	0.9	<2	2.90	<0.5	11	5	17	3.90
S212008		3.51	0.009		<0.5	8.25	13	2180	0.9	<2	2.63	<0.5	9	5	12	3.71
S212009		3.63	0.135		0.7	8.19	92	330	1.2	<2	1.73	0.6	8	6	20	3.99
S212010		0.13	>10.0	10.60	>100	6.07	383	340	1.0	<2	3.80	4.6	11	33	151	3.86
S212011		4.14	0.022		0.5	7.86	24	1700	0.9	<2	3.22	<0.5	9	7	19	3.69
S212012		3.46	<0.005		<0.5	8.14	11	1830	0.8	<2	3.77	<0.5	9	5	15	3.86
S212013		3.81	0.005		<0.5	8.34	11	1700	0.8	<2	3.93	<0.5	7	5	18	3.86
S212014		3.90	0.013		<0.5	8.32	25	2180	1.0	<2	3.81	<0.5	10	6	15	4.02
S212015		4.04	0.005		0.5	8.26	15	2080	1.0	<2	4.14	<0.5	9	5	16	3.86
S212016		3.36	0.014		0.5	8.23	30	1840	1.1	<2	3.86	0.9	12	6	16	4.25
S212017		3.55	0.009		<0.5	8.00	31	2090	1.0	<2	3.81	<0.5	10	9	19	3.90
S212018		3.69	0.055		<0.5	7.86	45	2160	1.1	<2	3.81	<0.5	8	5	15	3.67
S212019		3.33	0.061		<0.5	8.35	50	2250	1.0	<2	3.73	<0.5	8	5	20	3.63
S212020		0.42	<0.005		<0.5	0.07	<5	20	<0.5	<2	34.2	<0.5	<1	1	<1	0.05
S212021		3.57	0.047		<0.5	7.48	32	2210	1.0	<2	4.47	<0.5	8	5	15	3.41
S212022		3.78	0.024		0.8	8.32	39	430	1.1	<2	3.60	1.0	18	5	15	4.45
S212023		3.62	0.066		0.5	7.86	55	500	1.1	<2	3.30	<0.5	12	5	13	3.75
S212024		4.15	0.188		0.8	8.94	96	390	1.3	<2	2.66	<0.5	9	6	27	4.30
S212025		3.67	0.201		0.9	9.86	103	210	1.5	<2	1.50	<0.5	11	6	32	4.94
S212026		3.52	0.018		0.6	8.33	37	260	1.1	<2	3.51	<0.5	14	6	17	4.30
S212026D		<0.02	0.019		0.5	8.44	38	290	1.1	<2	3.51	<0.5	13	5	17	4.26
S212027		3.69	0.015		0.6	8.40	37	190	1.0	<2	2.65	<0.5	12	6	17	4.70
S212028		3.63	0.011		<0.5	8.07	29	470	1.0	<2	3.26	<0.5	9	5	20	3.49
S212029		2.14	0.006		<0.5	7.68	25	490	0.9	<2	3.30	0.5	8	6	28	3.60
S212030		0.13	5.69		83.1	6.48	303	370	1.0	<2	2.03	23.0	11	23	122	5.00
S212031		1.70	0.011		0.8	8.28	31	170	1.0	<2	2.73	0.5	10	6	28	4.41
S212032		3.67	0.010		0.9	8.31	22	160	1.0	<2	3.12	<0.5	10	6	13	4.43
S212033		3.81	0.008		0.8	7.81	15	160	1.0	<2	4.10	<0.5	8	6	12	3.90
S212034		3.50	0.010		1.0	8.00	15	100	1.3	<2	3.24	<0.5	9	6	8	4.09
S212035		3.64	0.030		1.3	6.14	18	250	1.1	<2	8.88	0.5	6	6	6	3.44
S212036		3.55	0.006		1.2	8.08	15	160	1.3	3	3.91	<0.5	9	6	25	3.94
S212037		3.56	0.009		0.5	8.38	22	260	1.0	<2	2.81	<0.5	9	6	17	3.95
S212038		3.24	0.017		<0.5	8.03	34	590	0.9	<2	2.40	<0.5	8	6	20	3.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212001		20	2.71	10	1.18	1670	<1	0.97	3	920	16	0.81	<5	10	175	<20
S212002		20	2.28	10	1.25	1530	<1	1.65	3	930	13	0.62	<5	11	189	<20
S212003		20	2.32	10	1.23	1640	<1	1.57	2	910	14	0.59	5	10	199	<20
S212004		20	2.32	10	1.32	1775	<1	1.58	4	950	11	0.59	<5	11	206	<20
S212005		20	2.24	10	1.28	1675	<1	1.58	4	900	13	0.49	7	10	187	<20
S212006		20	2.22	10	1.37	1740	<1	1.78	5	940	19	0.58	9	11	192	<20
S212006D		20	2.24	10	1.36	1745	<1	1.82	3	970	21	0.57	<5	11	195	<20
S212007		20	2.32	10	1.29	1530	<1	1.84	4	960	42	0.77	6	11	158	<20
S212008		20	2.42	10	1.29	1450	<1	1.61	4	920	27	0.64	6	11	130	<20
S212009		20	3.21	10	0.88	878	<1	0.62	3	900	42	2.29	10	11	151	<20
S212010		10	3.69	10	0.48	1380	7	0.17	22	860	248	3.15	59	11	204	<20
S212011		20	2.65	10	1.16	1250	<1	1.21	3	860	9	1.38	6	10	211	<20
S212012		20	2.31	10	1.21	1680	<1	2.07	3	940	8	0.68	6	10	239	<20
S212013		20	2.12	10	1.19	1760	<1	2.41	3	940	12	0.62	9	11	259	<20
S212014		20	2.58	10	1.21	1745	<1	1.76	4	960	43	0.93	5	11	260	<20
S212015		20	2.59	10	1.05	1725	<1	1.78	3	910	129	1.45	8	11	287	<20
S212016		20	2.77	10	1.14	1710	<1	1.45	4	920	183	1.67	12	11	219	<20
S212017		20	2.57	10	1.22	1735	<1	1.58	3	930	102	1.05	8	11	232	<20
S212018		20	2.82	10	1.12	1610	<1	1.19	4	900	60	1.09	9	10	184	<20
S212019		20	2.78	10	1.16	1545	<1	1.49	3	930	71	0.94	10	11	205	<20
S212020		<10	0.02	<10	1.64	21	<1	0.01	<1	30	2	0.06	<5	<1	5600	<20
S212021		20	2.66	10	1.07	1630	<1	1.35	2	880	74	0.97	9	10	210	<20
S212022		20	2.96	10	0.91	1250	<1	1.38	2	890	124	2.83	9	11	180	<20
S212023		20	3.07	10	0.80	1070	<1	1.11	4	890	58	2.28	7	10	151	<20
S212024		20	4.03	10	0.85	913	<1	0.68	5	1000	107	2.87	11	12	117	<20
S212025		20	4.62	10	0.84	606	<1	0.63	4	1030	167	4.00	13	13	94	<20
S212026		20	3.13	10	0.75	993	<1	1.63	2	930	96	3.44	7	11	189	<20
S212026D		20	3.04	10	0.76	975	<1	1.62	3	910	95	3.44	9	11	189	<20
S212027		20	3.07	10	0.81	873	<1	1.57	3	920	135	3.92	7	11	146	<20
S212028		20	2.82	10	0.88	1005	<1	1.72	3	910	51	2.56	8	11	174	<20
S212029		20	2.64	10	1.00	1100	<1	2.01	3	910	57	2.66	9	10	213	<20
S212030		20	3.79	10	0.50	1210	8	0.24	17	1020	8940	3.15	81	12	152	<20
S212031		20	2.94	10	1.12	931	<1	1.71	4	950	84	3.81	8	11	174	<20
S212032		20	3.19	10	1.01	941	<1	1.53	3	930	55	4.13	<5	11	149	<20
S212033		20	3.07	10	0.85	1075	<1	1.50	4	870	54	3.88	12	10	188	<20
S212034		20	3.88	10	0.73	829	<1	0.61	3	920	80	4.26	9	11	119	<20
S212035		10	3.25	10	0.49	1720	<1	0.07	3	740	69	3.69	8	8	196	<20
S212036		20	3.80	10	0.77	1035	<1	0.89	4	910	66	3.96	7	11	129	<20
S212037		20	3.11	10	1.05	924	<1	1.67	3	910	30	3.62	<5	11	150	<20
S212038		20	2.67	10	1.07	945	<1	2.06	2	900	21	2.68	7	11	174	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212001		0.32	<10	<10	100	<10	224	
S212002		0.33	<10	<10	104	<10	216	
S212003		0.33	10	<10	101	<10	272	
S212004		0.34	<10	<10	103	<10	217	
S212005		0.33	<10	<10	102	<10	226	
S212006		0.34	<10	<10	103	<10	206	
S212006D		0.34	<10	<10	103	<10	208	
S212007		0.34	<10	<10	107	<10	184	
S212008		0.34	<10	<10	102	<10	193	
S212009		0.32	10	<10	98	<10	171	
S212010		0.24	<10	<10	101	<10	521	136
S212011		0.31	10	<10	95	<10	79	
S212012		0.35	<10	<10	107	<10	48	
S212013		0.34	<10	<10	105	<10	46	
S212014		0.35	<10	<10	108	<10	81	
S212015		0.34	<10	<10	102	<10	135	
S212016		0.34	<10	<10	105	<10	243	
S212017		0.34	<10	<10	104	<10	222	
S212018		0.33	<10	<10	101	<10	190	
S212019		0.34	<10	<10	104	<10	165	
S212020		<0.01	<10	<10	1	<10	<2	
S212021		0.32	<10	<10	99	<10	151	
S212022		0.33	10	<10	99	<10	169	
S212023		0.32	<10	<10	97	<10	110	
S212024		0.35	<10	<10	113	<10	99	
S212025		0.37	<10	<10	120	<10	94	
S212026		0.34	<10	<10	101	<10	95	
S212026D		0.33	<10	<10	100	<10	94	
S212027		0.33	<10	<10	102	<10	112	
S212028		0.32	<10	<10	100	<10	140	
S212029		0.32	<10	<10	101	<10	174	
S212030		0.26	<10	<10	127	<10	1895	
S212031		0.33	<10	<10	103	<10	168	
S212032		0.33	<10	<10	104	<10	114	
S212033		0.31	<10	<10	97	<10	83	
S212034		0.33	<10	<10	104	<10	105	
S212035		0.26	10	<10	73	<10	171	
S212036		0.34	10	<10	105	<10	155	
S212037		0.32	<10	<10	105	<10	166	
S212038		0.32	<10	<10	102	<10	102	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212039		4.30	0.019		<0.5	8.24	32	620	0.8	<2	2.86	<0.5	9	5	15	3.78
S212040		0.40	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.05
S212041		3.02	<0.005		<0.5	8.40	16	1440	0.7	<2	2.95	<0.5	7	5	18	3.82
S212042		3.65	<0.005		<0.5	8.32	19	1910	0.8	<2	2.74	<0.5	8	6	20	3.57
S212043		3.97	0.049		0.6	7.19	63	160	0.9	<2	3.55	<0.5	8	5	21	3.41
S212044		3.72	0.008		0.5	8.20	44	1930	0.7	<2	2.66	<0.5	9	6	18	3.79
S212045		3.83	<0.005		0.5	8.67	15	2380	0.9	<2	1.69	<0.5	10	5	17	3.75
S212046		3.54	<0.005		<0.5	7.72	11	830	0.9	<2	5.92	<0.5	11	5	15	3.69
S212046D		<0.02	<0.005		<0.5	7.38	13	1140	0.9	<2	6.38	<0.5	11	5	14	3.64
S212047		3.86	0.008		<0.5	8.96	50	2810	0.9	<2	2.04	<0.5	9	6	19	4.02
S212048		4.19	0.015		<0.5	8.16	44	2140	0.9	<2	3.03	<0.5	8	5	19	3.69
S212049		3.35	<0.005		<0.5	8.19	13	1750	0.9	<2	2.85	<0.5	6	5	19	3.32
S212050		0.10	>10.0	18.45	18.0	6.89	773	120	1.4	<2	2.82	1.8	19	115	137	5.09
S212051		3.02	0.006		0.5	8.03	18	990	0.9	<2	3.60	<0.5	14	5	17	3.98
S212052		3.09	0.005		<0.5	8.18	15	1960	0.8	<2	3.71	<0.5	6	6	22	3.65
S212053		3.48	<0.005		0.5	8.26	18	1150	0.8	<2	2.73	<0.5	8	6	15	3.88
S212054		3.35	0.005		<0.5	8.20	23	1420	0.7	<2	2.12	<0.5	10	5	19	3.74
S212055		2.88	<0.005		<0.5	8.60	13	1490	0.8	<2	2.68	<0.5	7	5	23	3.69
S212056		3.38	0.005		<0.5	8.45	21	1580	0.8	<2	2.90	<0.5	7	5	25	3.76
S212057		3.72	0.011		<0.5	8.40	21	1480	0.9	<2	2.83	<0.5	11	6	20	3.72
S212058		3.47	0.006		<0.5	8.22	16	1770	1.0	<2	2.72	<0.5	11	5	25	3.69
S212059		3.53	0.006		<0.5	7.61	13	2100	0.9	<2	3.91	<0.5	7	6	18	3.58
S212060		0.44	<0.005		<0.5	0.06	<5	10	<0.5	4	34.5	<0.5	<1	1	<1	0.05
S212061		3.15	<0.005		<0.5	8.61	13	1970	0.9	<2	3.08	<0.5	10	5	28	3.99
S212062		3.14	<0.005		<0.5	8.30	8	1860	0.8	<2	3.03	<0.5	5	5	19	3.78
S212063		3.79	<0.005		<0.5	8.00	13	2650	0.9	<2	3.40	<0.5	3	5	27	3.41
S212064		4.20	<0.005		<0.5	8.03	11	2000	0.8	<2	3.24	<0.5	4	5	22	3.62
S212065		4.28	0.020		<0.5	7.87	47	2160	0.9	<2	3.24	<0.5	7	5	14	3.73
S212066		3.05	0.177		1.1	7.59	153	920	1.0	<2	3.40	<0.5	8	5	47	3.56
S212066D		<0.02	0.178		1.1	7.33	150	900	0.9	<2	3.35	<0.5	7	5	46	3.51
S212067		3.13	0.123		0.7	8.41	82	2080	0.9	<2	2.21	<0.5	6	5	19	3.62
S212068		3.25	0.007		<0.5	7.99	17	1850	0.9	<2	3.47	<0.5	8	5	13	3.51
S212069		4.05	<0.005		<0.5	7.84	17	1760	0.9	<2	3.19	<0.5	8	5	20	3.54
S212070		0.13	0.916		12.6	6.38	321	330	1.0	<2	3.71	4.5	11	28	89	4.15
S212071		3.85	0.007		<0.5	7.71	15	2070	0.9	<2	3.18	<0.5	7	5	18	3.51
S212072		3.38	0.005		<0.5	7.86	14	2220	1.0	<2	3.28	<0.5	7	5	17	3.75
S212073		2.84	0.006		<0.5	8.02	16	2230	1.0	<2	3.11	<0.5	7	5	20	3.67
S212074		2.99	0.005		0.6	8.42	16	1170	1.0	<2	3.45	<0.5	24	5	10	3.92
S212075		3.30	0.006		<0.5	7.99	15	1830	0.8	<2	3.70	<0.5	5	7	19	3.72
S212076		3.17	0.033		0.5	8.68	38	2310	1.0	<2	2.53	<0.5	7	5	28	3.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212039		20	2.49	10	1.16	1270	<1	2.32	4	920	11	2.12	7	11	213	<20
S212040		<10	0.01	<10	1.97	33	<1	0.01	2	40	2	0.06	5	<1	4510	<20
S212041		20	2.26	10	1.09	1325	<1	2.79	3	940	18	2.05	<5	11	186	<20
S212042		20	2.62	10	1.09	1270	<1	2.41	3	960	12	1.72	8	11	164	<20
S212043		20	2.68	10	0.78	1115	1	1.39	3	800	14	2.22	10	10	299	<20
S212044		20	2.15	10	1.16	1225	<1	2.82	2	920	14	1.41	7	10	191	<20
S212045		20	2.33	10	1.13	1005	<1	2.95	4	960	10	1.41	5	11	212	<20
S212046		20	2.84	10	0.98	1460	<1	1.82	4	870	16	1.93	7	11	327	<20
S212046D		20	2.85	10	0.94	1560	<1	1.79	3	870	12	1.91	<5	10	353	<20
S212047		20	2.72	10	1.43	1140	<1	2.70	3	1000	7	1.32	7	12	214	<20
S212048		20	2.18	10	1.19	1160	<1	2.83	4	930	10	1.26	6	11	270	<20
S212049		20	1.99	10	1.03	943	<1	3.23	2	930	8	1.65	5	11	288	<20
S212050		20	3.04	10	0.70	1005	5	0.17	70	1710	59	4.31	19	19	184	<20
S212051		20	1.84	10	0.98	1100	1	3.33	4	910	14	2.30	9	11	310	<20
S212052		20	1.85	10	1.12	1295	<1	3.37	4	920	9	1.45	<5	11	373	<20
S212053		20	1.83	10	0.95	943	<1	3.38	5	880	12	2.15	7	11	327	<20
S212054		20	1.36	10	1.08	984	<1	3.78	4	910	12	1.50	<5	10	332	<20
S212055		20	1.44	10	1.18	1230	<1	3.83	3	940	4	1.01	<5	11	385	<20
S212056		20	1.61	10	1.17	1255	<1	3.64	4	940	5	0.94	6	11	319	<20
S212057		20	1.55	10	1.16	1260	<1	3.66	4	960	6	0.69	<5	11	316	<20
S212058		20	1.81	10	1.20	1255	1	3.38	4	940	8	0.45	6	10	293	<20
S212059		20	2.09	10	1.07	1235	<1	2.73	4	870	5	0.97	6	10	411	<20
S212060		<10	0.01	<10	1.99	24	<1	0.01	<1	30	<2	0.08	<5	<1	5300	<20
S212061		20	2.12	10	1.23	1200	<1	3.09	4	950	10	0.77	9	11	316	<20
S212062		20	2.15	10	1.17	1080	<1	2.90	2	930	5	0.96	6	11	243	<20
S212063		20	2.65	10	1.04	1010	<1	2.23	4	890	12	1.23	10	11	256	<20
S212064		20	2.48	10	1.06	985	<1	2.34	4	910	12	1.08	8	10	250	<20
S212065		20	2.50	10	1.10	1080	<1	2.40	3	910	8	0.92	10	10	301	<20
S212066		20	2.96	10	0.91	845	<1	1.46	2	850	10	1.89	7	10	199	<20
S212066D		20	2.86	10	0.88	838	<1	1.44	4	830	8	1.86	10	10	195	<20
S212067		20	2.87	10	1.02	744	<1	2.08	3	920	7	1.64	9	11	206	<20
S212068		20	2.68	10	0.92	884	<1	2.35	3	910	11	1.51	<5	10	295	<20
S212069		20	2.44	10	0.94	824	<1	2.34	5	890	7	1.19	8	10	303	<20
S212070		10	3.94	10	0.58	1440	8	0.22	22	990	152	2.98	21	11	200	<20
S212071		20	2.72	10	1.04	934	<1	1.92	4	880	7	0.81	7	10	259	<20
S212072		20	2.73	10	1.10	1010	<1	2.09	4	910	9	0.76	7	10	280	<20
S212073		20	2.76	10	1.05	931	<1	1.92	3	900	7	0.79	5	11	255	<20
S212074		20	2.98	10	0.95	846	<1	2.01	4	930	18	1.89	8	11	272	<20
S212075		20	2.41	10	1.03	996	<1	2.30	5	890	7	0.68	<5	11	337	<20
S212076		20	3.07	10	0.99	711	<1	2.12	4	970	8	1.20	7	11	235	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212039		0.33	<10	<10	104	<10	53	
S212040		<0.01	<10	<10	2	<10	<2	
S212041		0.33	<10	<10	104	<10	42	
S212042		0.35	<10	<10	107	<10	45	
S212043		0.29	<10	<10	89	<10	30	
S212044		0.34	<10	<10	104	<10	58	
S212045		0.34	<10	<10	107	10	46	
S212046		0.32	<10	<10	97	10	52	
S212046D		0.32	<10	<10	97	<10	51	
S212047		0.37	<10	<10	114	<10	95	
S212048		0.33	<10	<10	103	<10	88	
S212049		0.33	<10	<10	100	20	44	
S212050		0.36	10	<10	180	<10	219	
S212051		0.32	<10	<10	98	30	42	
S212052		0.33	<10	<10	103	30	49	
S212053		0.32	<10	<10	91	30	38	
S212054		0.32	<10	<10	101	10	41	
S212055		0.34	<10	<10	105	10	38	
S212056		0.34	<10	<10	108	<10	39	
S212057		0.34	<10	<10	106	<10	39	
S212058		0.34	<10	<10	104	<10	40	
S212059		0.31	<10	<10	98	<10	53	
S212060		<0.01	<10	<10	1	<10	<2	
S212061		0.35	<10	<10	105	<10	50	
S212062		0.34	<10	<10	105	<10	36	
S212063		0.33	10	<10	101	<10	40	
S212064		0.33	<10	<10	103	<10	38	
S212065		0.33	<10	<10	103	<10	38	
S212066		0.31	10	<10	94	<10	29	
S212066D		0.30	<10	<10	92	<10	28	
S212067		0.33	<10	<10	105	<10	32	
S212068		0.33	<10	<10	102	<10	31	
S212069		0.32	<10	<10	99	<10	41	
S212070		0.27	<10	<10	107	10	497	
S212071		0.33	<10	<10	100	<10	42	
S212072		0.33	10	<10	102	<10	46	
S212073		0.33	<10	<10	101	<10	44	
S212074		0.33	<10	<10	103	<10	38	
S212075		0.32	<10	<10	98	<10	49	
S212076		0.35	<10	<10	108	<10	46	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212077		3.05	0.022		<0.5	6.82	37	1800	0.8	<2	9.29	<0.5	6	4	13	3.10
S212078		3.69	0.023		<0.5	8.33	23	2470	1.1	<2	2.71	<0.5	5	5	22	3.68
S212079		3.81	0.014		0.5	7.85	23	1790	1.0	<2	4.21	<0.5	3	5	30	3.76
S212080		0.41	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.7	<0.5	<1	1	<1	0.04
S212081		3.83	0.279		0.5	7.98	44	1040	1.1	<2	3.65	<0.5	7	7	20	3.35
S212082		3.96	0.012		<0.5	7.87	25	1300	1.1	<2	3.69	<0.5	7	5	17	3.52
S212083		3.67	0.007		0.6	8.38	17	2540	1.1	<2	3.56	<0.5	13	5	15	3.42
S212084		3.87	0.020		0.5	8.14	64	2060	1.1	<2	3.07	<0.5	4	5	15	3.91
S212085		2.45	0.022		<0.5	7.84	24	2150	1.0	<2	3.33	<0.5	7	5	21	3.87
S212086		4.24	0.100		2.9	7.97	81	470	1.2	<2	3.17	<0.5	7	6	16	3.65
S212086D		<0.02	0.106		2.7	7.75	76	470	1.2	<2	3.12	<0.5	7	5	15	3.60
S212087		2.86	0.006		0.7	8.23	17	1840	1.0	<2	2.92	<0.5	11	5	18	3.65
S212088		3.02	<0.005		<0.5	8.34	12	2160	1.0	<2	3.06	<0.5	9	6	9	3.68
S212089		3.45	<0.005		<0.5	7.47	10	2470	1.0	<2	2.69	<0.5	4	5	12	3.53
S212090		0.12	>10.0	10.65	>100	6.00	369	300	1.0	<2	3.80	4.5	11	32	147	3.83
S212091		2.87	<0.005		<0.5	8.05	12	2700	1.0	<2	2.95	<0.5	6	5	14	3.46
S212092		4.00	0.006		<0.5	7.94	17	2900	1.0	<2	3.32	<0.5	7	5	15	2.98
S212093		3.57	0.027		1.4	7.94	51	900	1.2	<2	3.13	<0.5	27	5	15	3.66
S212094		3.78	<0.005		<0.5	8.37	21	3050	1.1	<2	2.76	<0.5	24	5	10	3.91
S212095		3.61	<0.005		<0.5	8.08	15	1390	1.1	<2	2.64	<0.5	23	6	6	4.10
S212096		3.48	0.037		0.6	8.02	64	3230	1.1	<2	2.81	<0.5	6	5	20	3.44
S212097		3.14	0.016		0.5	8.62	46	3460	1.2	<2	2.15	<0.5	8	5	16	4.10
S212098		4.24	0.005		0.7	7.84	29	880	1.1	<2	3.38	<0.5	13	6	6	3.87
S212099		3.84	<0.005		<0.5	8.00	10	3200	1.1	<2	2.90	<0.5	5	6	20	3.29
S212100		0.37	<0.005		<0.5	0.07	<5	30	<0.5	<2	35.8	<0.5	<1	1	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212077		20	2.39	10	0.81	1680	<1	1.49	3	700	10	1.25	5	9	672	<20
S212078		20	3.21	10	1.10	867	<1	1.63	3	940	12	1.18	6	11	205	<20
S212079		20	3.26	10	1.11	986	<1	1.18	4	880	17	1.55	7	11	266	<20
S212080		<10	0.01	<10	2.25	21	<1	0.01	2	30	<2	0.06	6	<1	4730	<20
S212081		20	3.45	10	0.89	716	<1	1.42	4	970	13	2.07	5	10	196	<20
S212082		20	3.20	10	0.94	788	<1	1.83	5	940	12	1.94	8	10	255	<20
S212083		20	3.23	10	1.09	836	<1	2.11	3	980	12	1.26	6	11	314	<20
S212084		20	2.63	10	1.00	840	<1	2.61	3	1020	12	1.32	6	11	329	<20
S212085		20	2.75	10	0.95	940	<1	2.54	4	920	8	1.47	7	10	359	<20
S212086		20	3.92	10	0.85	755	<1	1.03	3	900	16	2.65	13	11	213	<20
S212086D		20	3.84	10	0.83	750	<1	1.02	3	900	18	2.62	14	11	209	<20
S212087		20	3.30	10	1.07	792	<1	2.18	3	960	9	1.86	10	11	265	<20
S212088		20	2.72	10	0.99	818	<1	2.87	4	940	13	1.07	5	11	369	<20
S212089		20	2.43	10	1.02	757	<1	2.70	2	870	4	0.67	5	10	367	<20
S212090		10	3.69	10	0.48	1395	7	0.17	21	850	248	3.10	62	10	201	<20
S212091		20	2.48	10	1.00	746	<1	3.53	3	920	4	0.80	6	10	451	<20
S212092		20	2.85	10	0.95	704	<1	3.39	3	960	7	0.80	8	10	452	<20
S212093		20	3.75	10	0.89	595	<1	2.29	5	950	13	2.17	7	10	370	<20
S212094		20	3.46	10	1.04	697	<1	2.87	3	980	10	1.42	5	11	424	<20
S212095		20	3.20	10	0.97	668	<1	2.98	5	930	12	1.80	6	11	417	<20
S212096		20	3.30	10	1.07	704	<1	2.72	3	950	4	0.98	8	10	393	<20
S212097		20	3.46	10	1.27	743	<1	2.41	3	990	5	0.78	6	11	334	<20
S212098		20	3.47	10	0.98	679	<1	2.28	4	920	12	2.02	9	10	403	<20
S212099		20	3.38	10	1.16	802	<1	2.52	3	960	4	0.52	7	10	357	<20
S212100		<10	0.02	<10	1.69	18	<1	0.01	<1	40	2	0.11	5	<1	5330	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212077		0.25	<10	<10	81	<10	45	
S212078		0.34	10	<10	105	<10	78	
S212079		0.32	<10	<10	101	<10	47	
S212080		<0.01	<10	<10	1	<10	<2	
S212081		0.34	<10	<10	103	<10	30	
S212082		0.34	<10	<10	103	<10	26	
S212083		0.35	<10	<10	107	<10	32	
S212084		0.34	<10	<10	105	<10	41	
S212085		0.33	<10	<10	102	<10	48	
S212086		0.32	<10	<10	100	<10	55	
S212086D		0.32	<10	<10	99	<10	53	
S212087		0.33	<10	<10	103	<10	44	
S212088		0.35	<10	<10	104	<10	42	
S212089		0.31	10	<10	97	<10	39	
S212090		0.24	10	<10	99	<10	515	138
S212091		0.34	<10	<10	102	<10	30	
S212092		0.34	10	<10	102	<10	27	
S212093		0.34	<10	<10	106	<10	23	
S212094		0.35	<10	<10	110	<10	30	
S212095		0.34	<10	<10	106	<10	29	
S212096		0.34	<10	<10	107	<10	31	
S212097		0.35	<10	<10	110	<10	34	
S212098		0.33	10	<10	103	<10	27	
S212099		0.35	10	<10	106	<10	33	
S212100		<0.01	<10	<10	2	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142000

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

CERTIFICATE TR15142641

Project: Bowser Regional Exploration

P.O. No.: BOW-0093

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 18-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216751		3.93	<0.005		<0.5	7.58	13	1720	0.9	2	3.43	<0.5	8	5	20	3.45
S216752		3.47	0.034		<0.5	8.05	19	710	1.1	<2	3.76	<0.5	7	7	20	3.46
S216753		4.05	0.020		<0.5	8.27	27	980	1.2	<2	2.96	<0.5	15	6	18	4.68
S216754		3.51	<0.005		<0.5	7.90	16	1870	0.9	<2	3.33	<0.5	11	5	18	3.65
S216755		3.88	<0.005		<0.5	7.28	17	570	0.9	2	3.83	<0.5	8	5	14	3.58
S216756		4.08	0.013		<0.5	8.34	11	1510	1.0	<2	2.79	<0.5	8	6	14	3.59
S216757		3.80	<0.005		<0.5	8.00	12	480	1.0	<2	2.59	<0.5	11	6	18	4.28
S216758		3.50	<0.005		<0.5	7.64	14	660	1.0	2	4.80	<0.5	12	5	17	4.09
S216759		3.72	0.008		<0.5	7.31	19	430	1.0	<2	4.90	<0.5	11	5	17	3.84
S216760		0.46	<0.005		<0.5	0.09	6	20	<0.5	<2	34.5	<0.5	<1	<1	<1	0.05
S216761		3.74	0.005		<0.5	7.88	14	400	1.1	<2	3.84	<0.5	9	5	15	3.71
S216762		3.89	0.008		0.5	8.19	18	540	1.2	<2	4.05	<0.5	9	6	18	3.95
S216763		3.45	0.015		<0.5	7.27	20	360	1.1	<2	4.80	<0.5	8	6	18	3.68
S216764		4.67	0.019		0.8	7.09	34	440	1.1	<2	5.01	0.5	13	6	18	3.87
S216765		3.08	0.015		0.5	8.70	33	680	1.2	<2	3.02	<0.5	8	6	19	3.86
S216766		4.26	0.030		1.0	7.55	54	480	1.2	<2	5.36	<0.5	11	7	15	4.00
S216766D		<0.02	0.040		1.0	8.01	50	460	1.2	3	3.87	<0.5	13	6	16	4.00
S216767		2.83	2.19		2.3	7.16	47	1570	0.9	<2	5.29	<0.5	6	10	13	3.50
S216768		3.69	0.028		0.8	8.17	51	690	1.2	<2	3.53	<0.5	10	14	31	3.80
S216769		3.62	0.007		<0.5	8.03	26	1130	1.1	<2	3.59	<0.5	7	6	14	3.63
S216770		0.12	0.995		13.1	6.07	305	1430	1.0	<2	3.49	4.2	11	27	82	3.89
S216771		3.58	0.006		<0.5	7.91	22	2210	1.0	<2	3.60	<0.5	7	5	16	3.51
S216772		3.62	<0.005		<0.5	7.89	18	2270	1.0	<2	3.72	<0.5	7	6	18	3.57
S216773		3.34	<0.005		<0.5	8.27	11	2270	1.0	<2	3.38	<0.5	9	5	19	3.74
S216774		3.46	<0.005		<0.5	7.95	10	1940	0.9	<2	2.61	<0.5	8	6	18	3.69
S216775		3.55	<0.005		<0.5	8.02	23	1030	1.1	<2	3.46	<0.5	17	5	20	4.19
S216776		3.64	<0.005		<0.5	7.96	13	1920	0.9	<2	3.33	<0.5	12	8	17	3.83
S216777		3.67	<0.005		<0.5	8.01	8	4300	0.9	<2	3.27	<0.5	10	6	16	3.67
S216778		3.65	<0.005		<0.5	7.53	8	4240	0.9	<2	3.84	<0.5	7	5	17	3.58
S216779		3.46	<0.005		<0.5	8.16	13	2100	1.0	<2	3.86	<0.5	10	5	17	3.85
S216780		0.43	<0.005		<0.5	0.09	<5	10	<0.5	<2	35.9	<0.5	<1	<1	<1	0.05
S216781		3.33	0.008		<0.5	7.45	14	1920	0.9	<2	4.10	<0.5	9	6	16	3.55
S216782		3.88	0.008		<0.5	8.54	14	2300	1.0	<2	3.10	<0.5	7	14	15	3.65
S216783		3.42	0.006		<0.5	7.68	14	2250	1.0	<2	3.56	<0.5	9	5	18	3.70
S216784		3.83	<0.005		<0.5	7.95	18	2270	0.9	<2	2.82	<0.5	9	6	16	3.72
S216785		3.11	<0.005		<0.5	7.81	5	1800	1.0	<2	3.59	<0.5	6	5	12	3.59
S216786		3.72	<0.005		<0.5	7.59	8	1470	1.0	2	3.31	<0.5	12	6	18	3.66
S216786D		<0.02	<0.005		<0.5	7.98	9	1500	1.0	2	3.36	<0.5	12	6	19	3.67
S216787		3.39	<0.005		<0.5	7.73	12	1790	1.1	<2	3.65	<0.5	9	6	16	3.44
S216788		4.06	<0.005		<0.5	8.10	15	1830	1.1	<2	3.68	<0.5	9	5	17	3.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216751		20	2.04	10	1.47	1930	<1	1.41	5	880	8	1.90	6	10	288	<20
S216752		20	2.71	10	0.85	1480	<1	1.01	3	930	16	2.85	<5	11	197	<20
S216753		20	3.00	10	0.77	1165	<1	0.55	4	920	15	4.45	<5	11	184	<20
S216754		20	1.87	10	1.61	1830	<1	1.71	<1	910	6	1.91	<5	10	307	<20
S216755		20	2.17	10	0.99	1460	<1	1.45	3	840	6	2.72	<5	10	239	<20
S216756		20	2.28	10	1.50	1465	<1	1.49	4	950	7	2.06	<5	11	267	<20
S216757		20	2.44	10	1.26	1230	<1	1.29	4	930	7	3.42	<5	11	253	<20
S216758		20	2.44	10	1.09	1565	<1	1.13	3	860	30	3.67	<5	10	251	<20
S216759		20	2.55	10	1.09	1580	<1	1.07	2	870	18	3.67	<5	10	234	<20
S216760		<10	0.02	<10	1.76	25	<1	0.01	<1	50	<2	0.09	<5	<1	5090	<20
S216761		20	2.63	10	1.02	1275	<1	1.25	3	890	25	3.69	<5	11	251	<20
S216762		20	3.32	10	0.54	1085	<1	0.60	3	920	40	4.15	<5	11	178	<20
S216763		20	3.05	10	0.57	1390	<1	0.84	4	920	30	3.95	7	10	174	<20
S216764		20	2.85	10	0.47	1265	<1	0.59	3	820	29	4.04	<5	9	172	<20
S216765		20	2.87	10	1.59	1075	<1	0.93	2	1010	13	2.77	<5	12	191	<20
S216766		20	2.87	10	0.78	1040	<1	0.78	3	890	13	3.64	6	10	224	<20
S216766D		20	2.89	10	0.82	879	<1	0.91	4	900	18	3.71	<5	11	192	<20
S216767		10	2.47	10	0.71	1155	<1	0.83	3	770	13	2.89	<5	10	203	<20
S216768		20	3.02	10	1.13	864	<1	1.00	4	950	6	2.81	<5	11	197	<20
S216769		20	2.33	10	1.18	911	<1	1.47	2	900	5	2.23	<5	11	245	<20
S216770		10	3.80	10	0.56	1380	8	0.21	19	920	147	2.84	16	11	196	<20
S216771		20	2.05	10	1.29	945	<1	1.77	3	910	4	1.29	<5	10	296	<20
S216772		20	2.04	10	1.14	904	<1	1.94	2	930	3	1.00	<5	10	331	<20
S216773		20	1.91	10	1.20	858	<1	2.21	4	940	<2	0.68	<5	11	344	<20
S216774		20	1.77	10	1.12	723	<1	2.37	3	910	2	0.74	<5	10	283	<20
S216775		20	2.17	10	0.84	616	<1	2.10	2	940	6	2.38	<5	11	309	<20
S216776		20	1.77	10	1.10	698	<1	2.26	1	900	7	1.04	<5	11	332	<20
S216777		20	1.80	10	1.08	683	<1	2.29	3	880	3	0.88	<5	10	357	<20
S216778		20	1.75	10	1.01	712	<1	2.18	4	870	<2	0.77	<5	10	341	<20
S216779		20	1.80	10	1.09	717	<1	2.38	3	900	4	0.91	<5	11	339	<20
S216780		<10	0.01	<10	1.65	19	<1	0.01	<1	40	<2	0.10	<5	<1	5510	<20
S216781		20	1.83	10	1.09	795	<1	2.01	3	860	<2	0.60	<5	10	312	<20
S216782		20	2.10	10	1.09	629	<1	2.18	5	910	<2	0.84	<5	11	312	<20
S216783		20	2.01	10	1.06	724	<1	2.15	2	890	2	0.64	<5	10	318	<20
S216784		20	1.82	10	1.07	659	<1	2.59	2	910	<2	0.64	<5	10	260	<20
S216785		20	1.77	10	1.19	790	<1	2.61	1	900	<2	0.27	<5	10	295	<20
S216786		20	1.41	10	1.09	715	1	2.95	6	860	5	0.65	<5	10	351	<20
S216786D		20	1.44	10	1.13	725	<1	3.01	4	890	3	0.64	<5	11	357	<20
S216787		20	1.73	10	1.06	753	1	2.59	4	880	4	0.39	6	10	289	<20
S216788		20	1.82	10	1.14	759	<1	2.51	4	920	7	0.47	<5	11	315	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216751		0.33	<10	<10	100	<10	131	
S216752		0.33	<10	<10	100	<10	94	
S216753		0.33	<10	<10	104	<10	78	
S216754		0.33	<10	<10	99	<10	109	
S216755		0.31	<10	<10	93	<10	63	
S216756		0.35	10	<10	104	<10	83	
S216757		0.34	<10	<10	105	<10	73	
S216758		0.31	<10	<10	95	<10	74	
S216759		0.33	<10	<10	98	<10	74	
S216760		<0.01	<10	<10	2	<10	<2	
S216761		0.33	<10	<10	101	<10	68	
S216762		0.34	10	<10	104	<10	38	
S216763		0.34	<10	<10	101	<10	46	
S216764		0.29	<10	<10	91	<10	73	
S216765		0.36	<10	<10	113	<10	91	
S216766		0.33	<10	<10	103	<10	46	
S216766D		0.34	<10	<10	103	<10	48	
S216767		0.28	<10	<10	87	<10	42	
S216768		0.34	<10	<10	109	<10	57	
S216769		0.33	<10	<10	99	<10	54	
S216770		0.25	<10	<10	101	10	471	
S216771		0.34	<10	<10	102	<10	50	
S216772		0.33	<10	<10	106	<10	42	
S216773		0.34	<10	<10	109	<10	45	
S216774		0.33	<10	<10	102	<10	46	
S216775		0.33	<10	<10	105	<10	39	
S216776		0.32	<10	<10	104	<10	53	
S216777		0.33	<10	<10	101	<10	48	
S216778		0.32	<10	<10	98	<10	50	
S216779		0.34	<10	<10	104	<10	49	
S216780		<0.01	<10	<10	1	<10	<2	
S216781		0.32	<10	<10	99	<10	58	
S216782		0.34	<10	<10	104	<10	55	
S216783		0.34	<10	<10	107	<10	51	
S216784		0.34	10	<10	102	<10	52	
S216785		0.34	<10	<10	105	<10	56	
S216786		0.31	<10	<10	100	<10	55	
S216786D		0.31	<10	<10	102	<10	55	
S216787		0.31	<10	<10	103	<10	59	
S216788		0.32	<10	<10	103	<10	64	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216789		3.92	<0.005		<0.5	7.72	10	1840	1.0	<2	3.67	<0.5	8	6	19	3.40
S216790		0.16	>10.0	11.00	>100	5.65	354	340	0.9	<2	3.61	4.2	11	30	143	3.50
S216791		3.79	<0.005		<0.5	7.77	9	1930	1.0	<2	3.90	<0.5	8	5	17	3.32
S216792		3.11	<0.005		<0.5	7.68	18	1950	1.1	<2	3.33	<0.5	10	5	15	3.55
S216793		3.42	<0.005		<0.5	7.89	7	1680	1.0	<2	3.32	<0.5	12	5	16	3.72
S216794		3.95	<0.005		<0.5	8.01	8	1390	1.0	<2	3.10	<0.5	9	6	17	3.62
S216795		4.91	0.010		<0.5	7.74	23	1460	0.9	<2	2.91	<0.5	9	6	18	3.21
S216796		2.80	0.021		<0.5	7.64	36	1440	1.0	<2	2.42	<0.5	14	7	11	3.37
S216797		4.20	0.023		<0.5	8.86	31	270	1.1	<2	1.14	<0.5	15	7	34	4.58
S216798		3.20	0.055		<0.5	8.78	42	1010	1.2	<2	0.62	<0.5	10	7	11	3.63
S216799		3.58	0.143		0.6	6.83	86	240	1.1	<2	3.04	<0.5	11	12	17	3.26
S216800		0.49	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.7	<0.5	<1	1	<1	0.03
S216801		2.84	0.025		0.7	7.82	32	770	1.1	<2	4.61	<0.5	14	7	14	3.60
S216802		3.43	<0.005		<0.5	7.53	12	1710	1.1	<2	4.72	<0.5	5	6	10	2.86
S216803		3.40	<0.005		<0.5	7.58	10	2040	1.0	<2	3.68	<0.5	5	6	14	3.05
S216804		3.53	<0.005		<0.5	7.97	10	1590	0.9	<2	3.23	<0.5	7	6	19	3.54
S216805		3.53	<0.005		<0.5	7.90	11	1600	0.9	<2	3.03	<0.5	9	6	15	3.38
S216806		3.71	<0.005		<0.5	8.02	15	1810	1.0	<2	3.56	<0.5	10	6	16	3.62
S216806D		<0.02	<0.005		<0.5	7.96	16	1730	1.0	<2	3.36	<0.5	10	6	16	3.65
S216807		3.59	0.008		<0.5	8.30	15	2130	1.1	<2	2.77	<0.5	9	5	18	3.77
S216808		3.30	<0.005		<0.5	8.14	12	1320	1.1	<2	2.69	<0.5	14	6	12	3.66
S216809		3.10	<0.005		<0.5	8.60	10	1810	1.1	<2	2.55	<0.5	10	6	17	3.71
S216810		0.12	5.78		78.7	6.17	282	310	1.0	2	1.93	22.3	11	23	119	4.62
S216811		3.63	0.008		<0.5	8.81	15	1020	1.3	<2	1.93	<0.5	9	9	18	3.92
S216812		3.69	0.005		<0.5	8.06	16	1750	1.0	<2	2.90	<0.5	8	6	19	3.70
S216813		3.68	<0.005		<0.5	8.29	20	2190	1.0	<2	2.97	<0.5	7	5	22	3.61
S216814		3.31	0.008		<0.5	7.83	17	1650	1.0	<2	2.85	<0.5	8	6	13	3.61
S216815		3.32	<0.005		<0.5	8.15	15	2480	1.1	<2	2.91	<0.5	5	6	18	3.34
S216816		2.95	0.006		<0.5	7.88	12	1400	1.1	<2	3.12	<0.5	12	5	20	4.06
S216817		3.11	0.006		<0.5	8.02	14	520	1.1	<2	3.22	<0.5	14	6	15	4.62
S216818		3.39	<0.005		<0.5	7.79	8	1970	1.0	<2	3.35	<0.5	8	6	12	3.29
S216819		3.37	0.020		<0.5	8.21	24	2200	1.0	<2	3.51	<0.5	9	6	20	3.60
S216820		0.43	<0.005		<0.5	0.03	<5	10	<0.5	4	34.1	<0.5	<1	1	2	0.04
S216821		3.19	0.006		<0.5	7.63	18	1720	0.9	<2	3.72	<0.5	12	6	18	4.02
S216822		2.96	0.017		<0.5	8.07	41	2390	1.1	2	3.14	<0.5	7	7	20	3.28
S216823		3.30	0.142		1.4	7.17	104	280	1.2	<2	3.97	<0.5	9	6	22	3.32
S216824		3.99	0.133		1.9	7.64	71	360	1.2	<2	3.62	<0.5	9	6	22	3.51
S216825		3.94	1.255		9.7	9.05	184	190	1.4	<2	2.07	0.9	15	8	30	4.30
S216826		3.94	0.058		1.5	7.69	76	650	1.2	<2	4.29	<0.5	9	6	25	3.35
S216826D		<0.02	0.057		1.7	7.72	74	640	1.1	<2	4.32	<0.5	10	11	26	3.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216789		20	1.78	10	1.02	740	<1	2.42	3	850	8	0.52	<5	10	275	<20
S216790		10	3.57	10	0.44	1290	7	0.15	22	800	239	2.93	55	10	193	<20
S216791		20	1.90	10	1.01	743	<1	2.25	3	860	5	0.62	<5	10	279	<20
S216792		20	1.96	10	0.98	690	<1	2.29	4	880	9	1.02	<5	10	293	<20
S216793		20	1.71	10	1.05	736	<1	2.79	2	890	7	0.86	<5	10	319	<20
S216794		20	1.50	10	1.05	709	<1	3.15	3	900	4	0.60	5	10	338	<20
S216795		20	1.85	10	0.93	621	<1	2.71	4	890	7	0.82	<5	10	301	<20
S216796		20	2.46	10	0.76	462	<1	1.80	3	870	5	1.99	<5	10	225	<20
S216797		20	2.72	10	0.76	294	<1	1.91	4	940	25	3.69	<5	12	239	<20
S216798		20	3.20	10	0.90	310	1	1.37	4	980	13	2.26	<5	12	122	<20
S216799		20	3.27	10	0.32	374	<1	0.25	2	750	22	3.00	<5	9	115	<20
S216800		<10	0.01	<10	1.62	15	<1	0.01	<1	40	<2	0.07	<5	<1	5460	<20
S216801		20	2.91	10	0.76	648	<1	1.22	3	890	18	2.41	5	10	193	<20
S216802		20	2.50	10	0.74	579	<1	1.65	3	870	10	1.61	5	10	232	<20
S216803		20	2.04	10	1.00	572	<1	2.07	3	870	6	1.17	<5	10	230	<20
S216804		20	1.82	10	1.14	593	<1	2.66	2	910	9	1.47	<5	11	288	<20
S216805		20	2.03	10	0.96	507	<1	2.62	1	890	8	1.75	<5	10	261	<20
S216806		20	1.86	10	1.08	599	<1	2.84	1	900	8	1.70	<5	11	342	<20
S216806D		20	1.88	10	1.06	581	<1	2.83	3	900	8	1.74	<5	10	333	<20
S216807		20	2.20	10	1.14	595	<1	2.59	3	930	6	1.61	<5	11	360	<20
S216808		20	1.97	10	0.84	488	<1	3.15	3	910	16	2.31	<5	11	419	<20
S216809		20	2.05	10	1.06	552	<1	3.09	4	910	10	1.92	<5	11	389	<20
S216810		10	3.75	10	0.46	1160	8	0.23	17	950	8770	3.01	70	12	146	<20
S216811		20	3.00	10	1.07	512	<1	2.31	5	1050	29	2.15	<5	12	276	<20
S216812		20	2.01	10	1.02	623	<1	2.89	2	900	22	1.91	<5	11	371	<20
S216813		20	1.89	10	1.16	714	1	3.04	3	910	39	1.51	<5	11	409	<20
S216814		20	2.10	10	0.89	608	<1	2.87	3	900	16	2.09	<5	10	339	<20
S216815		20	2.10	10	1.17	699	<1	2.79	3	910	9	1.27	<5	11	337	<20
S216816		20	2.11	10	1.11	686	<1	2.55	3	880	9	2.10	6	10	318	<20
S216817		20	2.25	10	0.96	655	<1	2.41	2	890	8	2.98	<5	11	254	<20
S216818		20	2.20	10	0.96	691	<1	2.48	2	900	9	1.36	<5	10	248	<20
S216819		20	2.57	10	0.99	753	1	1.84	3	910	7	1.52	6	11	251	<20
S216820		<10	0.01	<10	1.95	17	<1	0.01	<1	40	3	0.07	<5	<1	5100	<20
S216821		20	2.30	10	0.99	885	<1	1.90	3	860	7	1.85	<5	10	254	<20
S216822		20	2.84	10	0.97	882	<1	1.43	3	900	8	1.20	<5	11	201	<20
S216823		20	3.89	10	0.38	695	<1	0.09	2	830	23	3.23	<5	10	122	<20
S216824		20	3.83	10	0.61	801	<1	0.21	2	900	16	3.17	<5	10	114	<20
S216825		20	4.56	10	0.51	427	<1	0.10	2	950	37	4.33	11	12	73	<20
S216826		20	3.45	10	0.74	880	<1	0.53	2	880	20	2.31	<5	10	155	<20
S216826D		20	3.43	10	0.75	878	<1	0.53	3	880	20	2.32	<5	10	155	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216789		0.31	10	<10	96	<10	65	
S216790		0.22	10	<10	94	<10	481	133
S216791		0.31	<10	<10	98	<10	70	
S216792		0.31	<10	<10	100	<10	60	
S216793		0.32	<10	<10	103	<10	66	
S216794		0.31	<10	<10	102	<10	64	
S216795		0.31	<10	<10	103	<10	55	
S216796		0.30	<10	<10	104	<10	40	
S216797		0.32	<10	<10	110	<10	64	
S216798		0.34	<10	<10	112	<10	94	
S216799		0.26	<10	<10	88	<10	19	
S216800		<0.01	<10	<10	1	<10	<2	
S216801		0.32	<10	<10	103	<10	67	
S216802		0.31	<10	<10	97	<10	54	
S216803		0.30	<10	<10	99	<10	69	
S216804		0.31	10	<10	103	<10	71	
S216805		0.31	<10	<10	100	<10	61	
S216806		0.31	<10	<10	102	<10	68	
S216806D		0.31	<10	<10	101	<10	66	
S216807		0.32	<10	<10	105	<10	71	
S216808		0.32	10	<10	101	<10	59	
S216809		0.33	10	<10	106	10	62	
S216810		0.25	<10	<10	121	10	1825	
S216811		0.37	<10	<10	123	<10	62	
S216812		0.32	<10	<10	103	<10	58	
S216813		0.32	<10	<10	103	<10	85	
S216814		0.31	<10	<10	103	<10	49	
S216815		0.32	<10	<10	106	<10	49	
S216816		0.31	10	<10	102	<10	44	
S216817		0.32	<10	<10	102	<10	44	
S216818		0.32	<10	<10	103	<10	37	
S216819		0.32	10	<10	104	<10	44	
S216820		<0.01	10	<10	1	<10	<2	
S216821		0.30	<10	<10	99	<10	59	
S216822		0.33	<10	<10	104	10	66	
S216823		0.30	<10	<10	95	<10	28	
S216824		0.32	<10	<10	99	<10	69	
S216825		0.35	<10	<10	103	10	133	
S216826		0.31	10	<10	101	<10	97	
S216826D		0.31	<10	<10	102	<10	97	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216827		3.30	0.037		1.1	7.37	70	110	1.1	<2	4.09	<0.5	19	5	22	5.29
S216828		3.06	0.014		<0.5	8.20	14	2640	1.0	<2	3.88	<0.5	6	5	10	3.66
S216829		3.25	0.005		<0.5	7.93	12	2830	1.0	<2	3.97	<0.5	7	5	10	3.82
S216830		0.11	>10.0	18.40	24.3	6.79	739	170	1.3	<2	2.73	1.8	20	110	133	4.83
S216831		4.14	0.073		0.5	8.42	46	890	1.1	<2	2.18	<0.5	12	7	19	3.58
S216832		3.89	0.012		0.5	8.46	16	900	1.0	<2	2.27	1.0	8	6	20	3.75
S216833		3.60	0.011		<0.5	8.05	17	2090	1.0	<2	3.48	<0.5	12	6	18	3.71
S216834		3.00	0.005		<0.5	8.23	16	1140	1.1	<2	3.49	<0.5	13	5	17	3.70
S216835		3.24	0.053		<0.5	7.91	41	1750	1.0	<2	4.49	<0.5	8	6	15	3.50
S216836		3.54	<0.005		<0.5	8.05	10	1410	0.9	<2	3.48	<0.5	7	5	20	3.83
S216837		4.05	0.008		<0.5	8.15	17	1980	0.9	<2	3.05	<0.5	6	6	14	3.58
S216838		3.55	0.037		<0.5	7.67	33	1070	0.9	2	3.94	<0.5	11	5	12	3.86
S216839		3.53	0.059		<0.5	7.58	23	820	1.0	<2	3.24	<0.5	12	7	14	3.58
S216840		0.38	0.013		<0.5	0.06	<5	20	<0.5	<2	34.8	<0.5	<1	1	<1	0.05
S216841		1.16	>10.0	112.5	35.7	8.28	59	260	1.3	<2	1.80	<0.5	10	7	17	3.96
S216842		0.40	0.099		<0.5	0.04	<5	20	<0.5	<2	35.2	<0.5	<1	1	<1	0.03
S216843		3.42	0.434		0.5	7.49	42	2840	1.0	<2	5.71	<0.5	8	5	14	3.51
S216844		2.91	0.014		<0.5	8.16	11	2340	0.9	<2	3.92	<0.5	10	6	20	3.74
S216845		3.88	0.029		<0.5	7.69	13	2530	1.0	<2	3.88	<0.5	5	5	13	3.75
S216846		4.02	0.016		<0.5	7.98	12	2880	1.1	<2	3.97	<0.5	10	6	15	3.75
S216846D		<0.02	0.024		<0.5	7.78	15	2890	1.0	<2	4.00	<0.5	12	6	15	3.76
S216847		4.24	0.025		<0.5	7.34	24	3120	1.1	<2	3.87	<0.5	15	5	18	3.73
S216848		2.55	0.022		<0.5	8.25	29	3190	1.3	<2	2.03	<0.5	8	6	15	3.79
S216849		3.21	0.013		<0.5	7.52	13	3440	1.1	<2	3.53	<0.5	11	5	21	3.61
S216850		0.13	0.940		12.9	6.06	299	310	1.0	<2	3.55	4.5	10	27	85	3.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216827		20	3.14	10	0.72	949	1	0.72	4	860	66	4.45	<5	10	164	<20
S216828		20	3.04	10	1.22	1150	<1	0.87	3	940	9	0.69	<5	11	185	<20
S216829		20	3.24	10	1.21	1130	<1	0.63	3	910	13	0.75	<5	10	186	<20
S216830		20	3.02	20	0.68	967	6	0.16	65	1630	57	4.07	17	19	179	<20
S216831		20	3.22	10	0.96	704	<1	1.10	2	920	41	1.56	<5	11	231	<20
S216832		20	2.88	10	0.92	657	<1	1.62	5	940	44	2.03	<5	11	204	<20
S216833		20	2.78	10	0.99	826	<1	1.56	3	920	30	1.71	<5	11	232	<20
S216834		20	2.81	10	0.93	745	<1	1.62	4	960	30	2.06	7	11	244	<20
S216835		20	2.81	10	1.02	875	<1	1.35	3	910	141	1.68	8	11	236	<20
S216836		20	2.54	10	1.03	805	2	2.14	3	920	48	2.18	<5	11	221	<20
S216837		20	2.40	10	1.09	806	<1	2.40	4	940	21	1.45	<5	11	224	<20
S216838		20	2.66	10	0.96	821	<1	1.80	2	900	42	2.27	<5	10	206	<20
S216839		20	3.02	10	0.83	708	1	1.23	3	870	32	2.19	<5	10	188	<20
S216840		<10	0.02	<10	1.93	22	<1	0.01	<1	30	<2	0.06	<5	<1	4920	<20
S216841		20	3.88	10	0.75	447	7	0.36	4	930	145	2.92	5	11	103	<20
S216842		<10	0.01	<10	1.92	19	<1	<0.01	<1	40	<2	0.18	<5	<1	5580	<20
S216843		20	2.85	10	1.04	1040	1	0.90	3	840	13	1.05	<5	10	207	<20
S216844		20	2.34	10	1.16	1020	1	2.27	2	940	9	0.62	<5	11	277	<20
S216845		20	2.44	10	1.05	962	1	2.20	3	930	10	0.66	<5	10	330	<20
S216846		20	2.57	10	1.16	964	1	1.96	4	950	18	0.48	<5	11	394	<20
S216846D		20	2.56	10	1.14	959	<1	1.95	2	950	17	0.50	<5	10	394	<20
S216847		20	2.64	10	1.12	1010	1	1.75	3	880	67	0.77	<5	10	290	<20
S216848		20	3.05	10	1.06	700	1	1.75	4	960	60	1.42	<5	11	182	<20
S216849		20	2.70	10	1.14	957	<1	1.84	3	890	16	0.63	<5	10	278	<20
S216850		10	3.80	10	0.54	1360	9	0.21	20	920	153	2.81	15	11	194	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216827		0.29	<10	<10	97	<10	86	
S216828		0.33	10	<10	105	<10	141	
S216829		0.31	<10	<10	102	<10	105	
S216830		0.34	<10	<10	176	<10	203	
S216831		0.32	<10	<10	105	<10	157	
S216832		0.33	<10	<10	105	<10	116	
S216833		0.33	<10	<10	105	<10	72	
S216834		0.33	<10	<10	104	<10	55	
S216835		0.31	10	<10	103	<10	104	
S216836		0.32	<10	<10	102	<10	75	
S216837		0.33	<10	<10	106	<10	47	
S216838		0.31	<10	<10	99	<10	64	
S216839		0.31	10	<10	99	<10	68	
S216840		<0.01	<10	<10	1	<10	<2	
S216841		0.32	<10	<10	102	<10	67	
S216842		<0.01	10	<10	1	<10	<2	
S216843		0.29	<10	<10	96	<10	53	
S216844		0.33	<10	<10	106	<10	39	
S216845		0.32	10	<10	104	<10	48	
S216846		0.31	10	<10	106	<10	35	
S216846D		0.31	<10	<10	104	<10	34	
S216847		0.31	<10	<10	100	<10	91	
S216848		0.33	<10	<10	106	10	147	
S216849		0.32	<10	<10	101	<10	69	
S216850		0.25	<10	<10	102	<10	473	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142641

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

CERTIFICATE TR15142643

Project: Bowser Regional Exploration

P.O. No.: BOW-0094

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 18-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313641		5.45	0.285		<0.5	8.14	43	1780	1.2	4	2.34	<0.5	12	59	173	3.68
S313642		5.98	0.566		1.0	7.59	32	1310	0.9	8	2.40	<0.5	13	70	159	3.64
S313643		5.62	0.541		<0.5	8.64	23	1360	1.3	3	2.36	<0.5	13	65	207	4.44
S313644		6.55	0.396		<0.5	7.49	17	1590	1.2	<2	2.33	<0.5	12	59	126	3.68
S313645		5.46	0.217		<0.5	7.22	32	2050	1.2	<2	2.45	<0.5	29	62	169	4.05
S313646		6.71	0.336		0.6	7.11	44	920	1.0	<2	3.93	<0.5	32	71	316	4.14
S313646D		<0.02	0.345		0.7	7.22	42	1110	1.0	<2	3.65	<0.5	31	73	331	4.03
S313647		5.11	0.067		<0.5	7.70	38	2470	1.2	<2	2.50	<0.5	15	47	101	3.12
S313648		4.57	0.196		<0.5	7.29	57	2650	1.1	<2	2.50	0.6	26	33	144	3.63
S313649		6.03	0.311		1.8	6.38	108	580	1.3	<2	5.28	2.6	13	37	278	3.78
S313650		0.19	0.985		12.5	5.88	309	380	1.0	2	3.52	4.2	11	26	85	3.83
S313651		5.86	0.115		<0.5	7.28	21	1770	1.2	<2	2.88	<0.5	16	57	81	2.13
S313652		4.82	0.302		<0.5	7.65	22	1650	1.2	<2	3.23	1.3	13	52	138	3.64
S313653		5.97	0.246		<0.5	7.47	20	940	1.2	2	2.99	0.5	16	32	146	3.87
S313654		7.83	0.187		<0.5	7.55	13	1650	1.3	<2	2.65	<0.5	20	31	95	3.12
S313655		4.62	0.282		<0.5	7.49	14	1240	1.2	<2	2.86	<0.5	15	48	181	4.34
S313656		5.28	0.232		<0.5	7.93	10	1540	1.2	<2	3.01	<0.5	14	42	177	4.06
S313657		7.49	0.456		<0.5	8.08	17	620	1.2	4	3.10	<0.5	15	35	212	4.58
S313658		6.27	0.185		<0.5	7.31	8	2080	0.9	<2	2.55	<0.5	14	41	136	3.57
S313659		5.82	0.117		<0.5	7.39	11	1420	0.9	3	3.44	<0.5	12	35	148	4.06
S313660		0.46	<0.005		<0.5	0.05	<5	10	<0.5	<2	32.7	<0.5	1	1	<1	0.04
S313661		6.17	0.122		<0.5	7.32	11	810	1.0	2	3.10	<0.5	16	38	221	4.49
S313662		6.55	0.125		<0.5	7.19	13	730	1.0	<2	3.48	<0.5	16	43	202	5.01
S313663		6.70	0.182		<0.5	7.73	8	1070	1.3	<2	3.59	<0.5	16	25	173	5.15
S313664		6.54	0.135		<0.5	7.94	64	1360	1.1	<2	3.13	<0.5	12	43	141	4.08
S313665		6.45	0.060		<0.5	7.36	10	2300	0.8	<2	3.60	<0.5	18	54	85	5.02
S313666		7.04	0.123		<0.5	7.54	11	1580	1.0	<2	2.96	<0.5	12	47	126	4.35
S313666D		<0.02	0.114		<0.5	7.38	9	1530	1.0	2	2.85	<0.5	12	42	114	4.06
S313667		5.37	0.093		<0.5	7.38	14	1590	1.0	<2	3.04	<0.5	18	42	164	5.10
S313668		7.63	0.254		<0.5	7.91	13	1260	1.0	<2	3.56	<0.5	20	28	204	5.75
S313669		6.16	0.186		<0.5	6.94	11	440	1.0	<2	4.52	<0.5	20	25	295	6.15
S313670		0.12	>10.0	10.90	>100	5.62	377	270	0.9	<2	3.69	4.1	13	29	146	3.61
S313671		7.03	0.122		<0.5	7.76	11	1040	1.0	<2	3.66	<0.5	15	33	146	4.84
S313672		6.35	0.147		<0.5	7.31	16	1100	0.9	<2	3.57	<0.5	13	28	154	4.48
S313673		6.50	0.117		<0.5	7.20	9	1580	0.9	<2	2.81	<0.5	13	56	131	3.75
S313674		6.43	0.101		<0.5	6.69	10	1150	0.8	<2	3.82	<0.5	14	53	155	3.82
S313675		6.52	0.142		0.5	7.39	8	810	1.0	<2	3.43	<0.5	20	38	228	5.09
S313676		5.70	0.119		<0.5	6.81	16	1250	0.7	<2	2.88	<0.5	18	56	182	4.16
S313677		5.74	0.070		1.1	7.23	57	1310	1.0	<2	2.11	<0.5	18	62	163	4.04
S313678		6.27	0.083		<0.5	7.82	12	1650	1.0	<2	2.48	<0.5	17	57	127	4.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313641		20	4.47	10	1.48	576	1	2.88	28	1570	5	2.08	6	13	355	<20
S313642		20	4.23	10	1.43	519	1	1.81	33	1580	11	2.18	5	13	299	<20
S313643		20	4.06	10	1.65	514	1	3.56	42	1570	10	2.62	6	14	348	<20
S313644		20	4.19	10	1.42	441	1	2.83	27	1490	4	2.18	<5	13	334	<20
S313645		20	4.04	10	1.64	586	<1	2.75	43	1410	3	1.65	<5	12	323	<20
S313646		10	3.90	10	1.12	492	<1	2.80	48	1320	15	2.50	6	12	344	<20
S313646D		20	4.13	10	1.13	481	1	2.92	48	1340	16	2.46	<5	12	349	<20
S313647		20	4.68	10	1.48	576	1	2.47	18	1480	11	0.62	<5	13	354	<20
S313648		20	4.21	10	1.46	647	<1	1.59	21	1360	41	1.39	6	11	279	<20
S313649		20	2.85	10	1.34	861	2	1.08	23	1160	108	2.58	25	10	152	<20
S313650		10	3.70	10	0.54	1365	9	0.21	19	910	138	2.79	20	10	186	<20
S313651		20	4.18	10	1.12	529	<1	2.13	20	1320	10	0.95	5	11	276	<20
S313652		20	4.02	10	1.57	658	<1	2.34	20	1360	45	2.04	7	13	399	<20
S313653		20	4.02	10	1.29	470	<1	1.82	17	1470	18	2.60	<5	12	437	<20
S313654		10	3.98	10	1.46	519	1	2.40	15	1030	60	1.89	7	11	359	<20
S313655		20	3.74	10	1.61	534	2	2.95	31	1580	<2	2.40	<5	13	411	<20
S313656		20	4.11	10	1.60	483	<1	2.98	17	1680	15	2.37	5	16	391	<20
S313657		20	4.26	10	1.63	460	1	2.60	19	1770	4	3.44	<5	14	380	<20
S313658		20	4.06	10	1.36	429	1	2.00	21	1470	<2	1.81	<5	13	362	<20
S313659		20	4.25	10	1.44	492	<1	2.02	14	1580	3	2.17	<5	13	355	<20
S313660		<10	0.01	<10	1.99	18	1	0.01	<1	30	<2	0.04	<5	<1	5250	<20
S313661		20	3.74	10	1.42	458	4	2.92	28	1500	<2	2.60	<5	13	420	<20
S313662		20	3.62	10	1.58	557	<1	2.50	26	1700	<2	2.83	6	16	459	<20
S313663		20	2.71	10	1.49	527	1	3.48	14	2020	<2	3.06	<5	16	450	<20
S313664		20	2.62	10	1.54	502	7	3.94	22	1610	14	2.21	<5	12	397	<20
S313665		20	4.43	10	1.97	751	1	2.16	20	1450	3	1.55	<5	18	401	<20
S313666		20	3.26	10	1.66	557	1	3.53	26	1430	<2	1.99	5	12	416	<20
S313666D		20	3.11	10	1.61	537	2	3.56	23	1420	<2	1.77	<5	11	412	<20
S313667		20	3.49	10	1.52	627	2	3.06	21	1890	4	2.05	5	21	447	<20
S313668		20	2.77	10	1.75	639	1	3.34	13	1840	<2	2.76	<5	23	549	<20
S313669		20	3.32	10	1.73	698	<1	2.49	14	1990	3	3.30	<5	23	477	<20
S313670		10	3.51	10	0.45	1330	8	0.16	19	810	235	2.98	59	10	189	<20
S313671		20	3.83	10	1.53	545	1	2.72	16	1880	4	2.88	<5	17	420	<20
S313672		20	4.26	10	1.32	541	<1	1.95	20	1570	9	2.70	<5	11	383	<20
S313673		20	4.32	10	1.37	534	1	2.38	31	1370	3	2.11	6	12	355	<20
S313674		10	3.90	10	0.96	434	<1	2.20	23	1250	<2	2.46	8	11	322	<20
S313675		20	2.90	10	1.42	554	1	3.41	19	1550	<2	3.20	<5	19	473	<20
S313676		10	3.34	10	1.37	493	2	2.73	28	1290	4	2.16	5	12	329	<20
S313677		20	3.52	10	1.39	430	3	3.01	38	1290	13	2.47	21	12	267	<20
S313678		20	3.87	10	1.62	511	1	2.93	34	1440	5	2.16	<5	15	370	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313641		0.35	<10	<10	165	<10	38	
S313642		0.37	<10	<10	179	<10	30	
S313643		0.38	10	<10	181	<10	34	
S313644		0.34	<10	<10	174	<10	30	
S313645		0.33	<10	<10	177	<10	41	
S313646		0.33	<10	<10	145	<10	40	
S313646D		0.34	<10	<10	147	<10	36	
S313647		0.34	<10	<10	170	<10	41	
S313648		0.32	<10	<10	159	<10	65	
S313649		0.28	<10	<10	127	10	164	
S313650		0.25	<10	<10	102	<10	475	
S313651		0.34	<10	<10	143	<10	36	
S313652		0.33	<10	<10	167	<10	159	
S313653		0.31	<10	<10	166	<10	86	
S313654		0.29	<10	<10	114	<10	53	
S313655		0.32	<10	<10	186	<10	33	
S313656		0.34	<10	<10	201	<10	62	
S313657		0.36	<10	<10	204	<10	37	
S313658		0.33	<10	<10	171	<10	28	
S313659		0.33	<10	<10	182	<10	34	
S313660		<0.01	<10	<10	1	<10	<2	
S313661		0.34	<10	<10	182	<10	29	
S313662		0.33	<10	<10	209	<10	32	
S313663		0.37	<10	<10	227	<10	34	
S313664		0.34	10	<10	171	<10	37	
S313665		0.41	<10	<10	212	<10	51	
S313666		0.33	<10	<10	166	<10	37	
S313666D		0.32	<10	<10	165	<10	37	
S313667		0.36	<10	<10	238	<10	36	
S313668		0.34	<10	<10	247	<10	34	
S313669		0.37	<10	<10	276	<10	36	
S313670		0.23	<10	<10	96	<10	499	131
S313671		0.34	<10	<10	206	<10	32	
S313672		0.32	<10	<10	166	<10	43	
S313673		0.33	<10	<10	161	<10	35	
S313674		0.29	<10	<10	133	<10	26	
S313675		0.33	<10	<10	200	<10	33	
S313676		0.30	<10	<10	157	<10	30	
S313677		0.34	<10	<10	170	<10	41	
S313678		0.34	<10	<10	170	<10	33	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313679		6.52	0.117		<0.5	7.13	15	980	1.0	<2	3.43	<0.5	20	47	178	4.73
S313680		0.40	<0.005		<0.5	0.41	<5	60	<0.5	<2	31.1	<0.5	<1	1	<1	0.15
S313681		6.27	0.092		<0.5	7.67	13	730	1.1	<2	3.66	<0.5	21	38	132	5.40
S313682		7.42	0.070		<0.5	7.74	17	1020	1.0	<2	2.81	0.5	16	60	155	4.24
S313683		6.47	0.061		<0.5	7.86	13	1320	0.9	<2	2.58	<0.5	17	63	123	4.11
S313684		6.53	0.058		<0.5	8.38	10	1250	1.1	<2	2.44	<0.5	13	46	100	4.04
S313685		6.44	0.066		<0.5	8.00	20	1430	0.8	<2	2.32	<0.5	18	52	165	4.97
S313686		6.90	0.090		<0.5	7.98	14	1330	1.0	<2	2.65	<0.5	16	56	136	4.47
S313686D		<0.02	0.095		<0.5	8.03	14	1350	1.0	<2	2.68	<0.5	15	58	134	4.42
S313687		6.10	0.080		<0.5	8.39	14	1920	1.1	<2	2.49	<0.5	22	45	190	5.40
S313688		7.49	0.058		<0.5	8.31	24	1840	0.9	<2	2.82	<0.5	17	70	137	4.17
S313689		6.24	0.106		<0.5	7.70	20	1260	1.0	<2	2.46	<0.5	23	57	159	4.33
S313690		0.12	5.78		79.2	5.88	254	280	0.9	<2	1.91	21.3	12	22	115	4.52
S313691		7.10	0.083		<0.5	7.46	17	1680	1.1	<2	2.47	<0.5	17	56	113	3.66
S313692		6.15	0.059		<0.5	8.09	34	1520	1.1	<2	2.29	<0.5	21	73	175	4.84
S313693		6.24	0.165		<0.5	6.88	59	350	1.1	<2	2.82	12.2	17	52	164	5.72
S313694		6.51	0.057		<0.5	7.28	61	1190	1.2	<2	3.09	0.5	14	65	218	4.92
S313695		6.69	0.079		<0.5	7.67	36	1350	1.5	<2	3.06	0.9	15	71	205	5.13
S313696		6.68	0.112		<0.5	6.32	44	450	0.9	2	3.11	0.5	11	72	246	4.90
S313697		6.81	0.194		<0.5	6.60	43	290	1.1	<2	2.89	<0.5	15	63	316	5.75
S313698		7.35	0.112		<0.5	7.35	48	470	1.1	<2	2.25	<0.5	15	76	236	5.38
S313699		6.31	0.208		<0.5	6.91	71	160	1.1	<2	2.32	<0.5	24	68	345	6.72
S313700		0.42	0.005		<0.5	0.03	<5	10	<0.5	<2	31.6	<0.5	<1	1	<1	0.04
S313701		6.65	0.233		0.5	7.36	45	500	1.1	<2	2.58	<0.5	18	95	319	5.16
S313702		6.77	0.054		<0.5	7.78	24	1370	1.2	2	2.81	<0.5	16	88	166	4.54
S313703		6.75	0.045		<0.5	7.04	18	1150	1.0	<2	3.61	<0.5	13	85	102	3.88
S313704		5.75	0.033		<0.5	7.51	20	1720	1.2	<2	2.80	<0.5	10	71	60	3.87
S313705		5.82	0.083		<0.5	7.10	15	1080	1.7	<2	1.68	<0.5	5	52	33	2.51
S313706		5.74	0.118		1.9	5.90	64	560	1.7	<2	1.39	0.6	7	19	104	2.88
S313706D		<0.02	0.121		1.6	6.08	59	580	1.8	<2	1.42	0.7	9	19	108	2.90
S313707		6.12	0.079		<0.5	7.31	27	1260	1.2	<2	2.84	<0.5	18	102	171	4.15
S313708		7.67	0.085		<0.5	7.28	28	1660	1.2	<2	2.47	<0.5	18	88	190	4.00
S313709		6.38	0.143		<0.5	7.41	10	1550	1.2	<2	2.76	<0.5	13	89	118	3.19
S313710		0.09	>10.0	19.20	28.1	6.57	663	400	1.3	2	2.68	1.6	18	107	131	4.75
S313711		5.74	1.050		1.8	5.91	28	120	1.2	<2	4.13	0.8	28	68	424	6.31
S313712		4.68	0.129		0.6	6.89	13	1170	1.4	2	3.21	<0.5	11	67	110	3.06
S313713		8.92	0.340		<0.5	7.41	17	600	1.3	4	3.37	<0.5	16	99	180	4.06
S313714		7.06	0.097		<0.5	7.81	15	940	1.4	<2	3.07	<0.5	19	94	218	4.60
S313715		4.95	0.085		<0.5	8.31	19	1270	1.1	<2	2.02	<0.5	21	110	256	5.60
S313716		6.67	0.169		<0.5	8.00	22	1020	1.3	3	2.77	<0.5	21	94	283	4.93

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313679		20	3.68	10	1.55	625	1	2.64	23	1660	3	2.88	<5	16	488	<20
S313680		<10	0.12	<10	1.84	50	<1	0.18	<1	60	<2	0.04	<5	1	4680	<20
S313681		20	3.41	10	1.91	651	<1	2.35	19	1840	6	3.40	7	18	463	<20
S313682		20	3.68	10	1.66	571	1	2.83	28	1420	24	2.66	<5	14	373	<20
S313683		20	3.44	10	1.71	546	1	3.35	30	1470	5	2.50	<5	16	377	<20
S313684		20	3.25	10	1.75	512	1	3.58	23	1570	2	2.54	<5	15	401	<20
S313685		20	3.81	10	1.83	528	1	2.73	33	1580	<2	2.44	11	16	383	<20
S313686		20	3.34	10	1.88	650	<1	3.16	26	1690	3	1.68	9	16	418	<20
S313686D		20	3.39	10	1.89	656	<1	3.20	25	1700	3	1.67	<5	17	417	<20
S313687		20	4.77	10	1.82	609	14	2.21	21	1610	6	1.98	<5	14	462	<20
S313688		20	4.48	10	1.77	723	2	2.60	31	1530	4	1.51	8	14	389	<20
S313689		20	4.17	10	1.35	602	4	2.37	33	1370	2	2.50	<5	11	345	<20
S313690		10	3.46	10	0.46	1135	9	0.22	13	920	8490	2.89	77	11	140	<20
S313691		20	4.19	10	1.31	581	3	1.95	32	1290	7	1.98	<5	11	355	<20
S313692		20	4.23	10	1.60	806	6	2.38	44	1370	8	2.27	7	13	387	<20
S313693		20	4.25	10	1.04	1165	12	1.67	36	1110	40	3.85	6	11	393	<20
S313694		20	4.34	10	1.09	1140	5	1.79	37	1430	25	2.49	<5	12	383	<20
S313695		20	4.25	10	1.34	1130	23	1.99	33	1490	27	2.55	7	12	455	<20
S313696		10	4.02	10	1.12	703	5	1.72	34	1330	11	3.11	7	11	305	<20
S313697		20	4.46	10	1.23	634	10	1.15	36	1330	4	3.91	<5	11	325	<20
S313698		20	4.61	10	1.29	564	2	2.06	40	1430	6	3.15	9	13	317	<20
S313699		20	4.22	10	1.31	524	11	1.76	39	1380	6	4.74	<5	12	314	<20
S313700		<10	0.01	<10	1.57	20	<1	0.01	<1	40	<2	0.06	<5	<1	4760	<20
S313701		20	3.90	20	1.33	519	5	2.24	45	1390	3	2.98	5	14	552	<20
S313702		20	3.26	20	1.54	551	4	3.02	43	1440	2	2.06	5	14	566	<20
S313703		20	2.63	10	1.46	521	9	2.48	45	1230	<2	1.43	6	13	760	<20
S313704		20	3.49	10	1.65	534	6	2.86	35	1340	4	1.30	10	12	432	<20
S313705		20	2.89	20	1.28	318	5	2.54	22	780	<2	0.82	<5	12	282	<20
S313706		20	2.37	30	0.93	240	3	1.85	8	340	28	1.79	38	9	153	<20
S313706D		20	2.46	30	0.96	238	3	1.89	9	350	33	1.87	32	10	158	<20
S313707		20	4.00	10	1.38	426	4	2.57	51	1410	3	2.18	<5	12	410	<20
S313708		20	3.44	10	1.60	428	6	2.95	54	1440	2	1.87	<5	12	378	<20
S313709		20	3.41	10	1.55	388	9	3.23	46	1440	<2	1.61	<5	13	395	<20
S313710		10	2.88	20	0.69	958	6	0.15	63	1580	55	3.92	15	18	173	<20
S313711		20	3.70	10	1.28	453	3	1.17	44	1130	30	5.43	31	11	265	<20
S313712		20	3.33	10	1.32	407	14	2.47	40	1000	20	2.21	10	11	312	<20
S313713		20	3.66	10	1.48	394	16	3.16	43	1480	8	3.34	14	13	391	<20
S313714		20	3.20	10	1.50	393	6	3.53	49	1450	5	3.00	11	14	413	<20
S313715		20	4.80	10	1.63	492	13	2.65	45	1540	5	2.50	7	15	372	<20
S313716		20	4.24	10	1.37	395	11	3.07	53	1570	<2	2.94	12	14	455	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313679		0.33	<10	<10	216	<10	37	
S313680		0.01	<10	<10	2	<10	2	
S313681		0.36	<10	<10	224	<10	36	
S313682		0.32	<10	<10	165	<10	71	
S313683		0.34	<10	<10	185	<10	35	
S313684		0.33	<10	<10	179	<10	32	
S313685		0.34	<10	<10	190	<10	34	
S313686		0.34	<10	<10	210	<10	45	
S313686D		0.35	<10	<10	212	<10	46	
S313687		0.34	<10	<10	194	<10	47	
S313688		0.34	<10	<10	169	<10	55	
S313689		0.33	<10	<10	149	<10	42	
S313690		0.24	<10	<10	116	<10	1785	
S313691		0.32	<10	<10	147	<10	45	
S313692		0.34	<10	<10	162	<10	54	
S313693		0.29	<10	<10	146	<10	1085	
S313694		0.33	<10	<10	168	<10	80	
S313695		0.35	<10	<10	170	<10	111	
S313696		0.32	10	<10	157	<10	52	
S313697		0.31	<10	<10	151	<10	47	
S313698		0.35	<10	<10	167	<10	42	
S313699		0.33	<10	<10	160	<10	41	
S313700		<0.01	<10	<10	<1	<10	<2	
S313701		0.36	<10	<10	168	<10	31	
S313702		0.37	<10	<10	162	<10	30	
S313703		0.33	<10	<10	150	<10	25	
S313704		0.33	<10	<10	152	<10	31	
S313705		0.26	<10	<10	87	<10	26	
S313706		0.17	<10	<10	35	<10	47	
S313706D		0.18	<10	<10	38	<10	48	
S313707		0.34	<10	<10	145	<10	28	
S313708		0.34	<10	<10	152	<10	28	
S313709		0.34	<10	<10	164	<10	24	
S313710		0.34	10	<10	167	<10	214	
S313711		0.27	<10	<10	130	<10	59	
S313712		0.28	<10	<10	114	<10	38	
S313713		0.35	<10	<10	174	<10	28	
S313714		0.35	<10	<10	175	<10	23	
S313715		0.37	<10	<10	175	<10	29	
S313716		0.37	<10	<10	179	<10	22	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313717		6.27	0.084		<0.5	8.12	17	1740	1.4	<2	2.35	<0.5	16	101	209	4.06
S313718		6.63	0.131		<0.5	8.23	24	650	1.3	<2	2.69	<0.5	24	69	346	5.88
S313719		5.73	0.090		<0.5	8.44	18	1660	1.3	2	2.70	<0.5	18	49	226	4.48
S313720		0.47	<0.005		<0.5	0.03	<5	10	<0.5	<2	32.4	<0.5	<1	1	<1	0.03
S313721		6.23	0.117		<0.5	8.28	20	1320	1.0	3	1.93	<0.5	21	50	197	4.55
S313722		6.11	0.090		<0.5	8.38	16	1410	1.1	2	3.19	<0.5	12	55	82	3.98
S313723		6.27	0.237		<0.5	8.08	33	1460	1.0	3	3.64	<0.5	18	44	192	4.71
S313724		6.50	0.126		<0.5	8.67	18	2260	1.2	3	3.56	<0.5	14	37	113	4.50
S313725		6.74	0.216		<0.5	8.73	15	2490	1.0	<2	4.32	<0.5	15	32	99	4.70
S313726		6.03	0.158		<0.5	8.06	14	1510	0.8	2	3.02	<0.5	13	52	81	4.28
S313726D		<0.02	0.165		<0.5	8.11	12	1500	0.8	<2	2.98	<0.5	13	52	79	4.21
S313727		6.75	0.597		0.9	7.55	36	460	1.0	<2	4.26	<0.5	19	36	146	6.57
S313728		6.84	0.337		0.5	8.19	49	1070	1.3	2	2.24	<0.5	21	39	246	6.21
S313729		5.83	0.049		<0.5	8.33	32	640	0.9	4	4.31	<0.5	15	41	205	6.43
S313730		0.07	1.040		12.3	5.83	297	350	1.0	3	3.52	4.1	11	27	83	3.84
S313731		6.78	0.037		<0.5	8.37	21	810	1.1	3	3.01	0.5	20	32	216	7.03
S313732		6.34	0.037		0.5	8.66	44	1280	1.2	<2	3.18	<0.5	25	41	259	7.12
S313733		6.09	0.048		<0.5	7.50	78	950	1.0	2	3.52	<0.5	19	85	216	5.24
S313734		6.17	0.042		<0.5	7.85	73	1990	1.0	<2	3.65	<0.5	12	91	255	5.02
S313735		6.99	0.189		<0.5	8.33	128	1610	1.2	3	5.32	<0.5	18	54	190	6.03
S313736		6.51	0.052		<0.5	8.11	84	1320	1.2	<2	3.14	<0.5	30	62	229	6.17
S313737		6.07	0.053		0.6	7.97	83	2360	1.1	<2	3.70	<0.5	18	63	138	4.09
S313738		3.71	0.112		0.5	8.07	83	1660	1.2	3	4.34	0.6	15	99	157	4.40
S313739		6.29	0.022		<0.5	7.08	31	3180	1.1	3	4.33	<0.5	9	7	17	3.50
S313740		0.47	<0.005		<0.5	0.05	<5	10	<0.5	2	34.3	<0.5	<1	1	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S313717		20	3.94	10	1.64	367	11	3.33	45	1510	3	2.15	5	15	389	<20
S313718		20	3.73	10	1.85	378	12	2.89	48	1580	2	3.40	9	14	445	<20
S313719		20	3.54	10	2.07	364	6	3.22	40	1690	<2	2.24	<5	14	417	<20
S313720		<10	0.01	<10	1.94	21	1	0.01	<1	40	2	0.05	<5	<1	5020	<20
S313721		20	2.89	10	1.80	385	13	3.81	29	1920	<2	2.43	10	14	350	<20
S313722		20	3.14	10	2.04	513	6	3.82	24	1930	2	1.53	8	15	518	<20
S313723		20	3.27	10	1.96	587	3	3.63	25	1680	3	2.41	7	14	484	<20
S313724		20	4.47	10	2.06	665	1	2.37	19	1660	3	1.27	10	17	559	<20
S313725		20	4.23	10	2.24	639	2	1.87	14	1530	3	1.10	<5	18	814	<20
S313726		20	3.02	10	2.66	565	2	3.27	28	1530	4	1.29	10	17	430	<20
S313726D		10	3.00	10	2.66	561	2	3.20	27	1510	2	1.29	9	18	423	<20
S313727		20	3.59	10	2.34	786	13	2.50	22	1560	4	4.04	8	16	467	<20
S313728		20	3.65	10	2.55	767	11	2.64	19	1660	4	3.22	12	20	395	<20
S313729		20	1.62	10	2.25	891	3	3.78	19	1670	5	2.50	12	26	436	<20
S313730		10	3.74	10	0.53	1375	9	0.21	19	920	145	2.76	23	10	187	<20
S313731		20	1.57	10	2.34	837	4	3.93	16	1860	7	2.56	13	27	469	<20
S313732		20	3.12	10	1.94	775	12	3.41	26	1880	9	3.04	20	24	447	<20
S313733		10	4.17	10	1.44	661	11	2.75	38	1600	5	2.64	10	12	338	<20
S313734		20	4.15	10	1.70	659	21	2.78	45	1610	7	2.01	16	14	310	<20
S313735		20	3.44	10	2.35	917	8	2.92	21	1810	11	2.89	13	23	521	<20
S313736		20	3.03	10	2.06	856	17	3.38	31	1770	8	2.69	11	20	529	<20
S313737		20	3.52	10	1.49	724	27	3.09	33	1710	5	1.56	14	13	405	<20
S313738		20	2.42	10	1.56	877	13	3.53	44	1630	15	1.49	17	14	414	<20
S313739		20	2.85	10	0.88	1015	4	2.15	2	1070	11	0.85	10	7	312	<20
S313740		<10	0.01	<10	1.71	18	<1	0.01	<1	40	<2	0.07	<5	<1	5470	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S313717		0.37	<10	<10	172	<10	24	
S313718		0.35	<10	<10	182	<10	24	
S313719		0.34	<10	<10	186	<10	21	
S313720		<0.01	<10	<10	1	<10	<2	
S313721		0.33	<10	<10	169	<10	24	
S313722		0.36	<10	<10	200	<10	26	
S313723		0.33	<10	<10	184	<10	43	
S313724		0.35	<10	<10	199	<10	34	
S313725		0.32	<10	<10	220	<10	35	
S313726		0.33	10	<10	212	<10	31	
S313726D		0.33	<10	<10	209	<10	32	
S313727		0.31	<10	<10	207	10	41	
S313728		0.36	<10	<10	250	<10	43	
S313729		0.34	<10	<10	250	<10	41	
S313730		0.25	10	<10	103	<10	465	
S313731		0.37	<10	<10	293	<10	42	
S313732		0.37	<10	<10	254	<10	38	
S313733		0.35	<10	<10	183	<10	33	
S313734		0.37	<10	<10	205	<10	35	
S313735		0.36	<10	<10	241	<10	41	
S313736		0.37	10	<10	234	<10	38	
S313737		0.34	10	<10	184	<10	33	
S313738		0.36	<10	<10	197	<10	62	
S313739		0.31	<10	<10	104	<10	51	
S313740		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15142643

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

CERTIFICATE TR15143408

Project: Bowser Regional Exploration

P.O. No.: BOW-0096

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 20-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216851		3.34	0.005		<0.5	8.13	12	3110	1.1	<2	3.16	<0.5	9	5	19	3.72
S216852		3.83	0.008		<0.5	7.28	8	3500	1.1	<2	4.28	<0.5	7	5	13	2.92
S216853		3.27	<0.005		<0.5	8.42	15	3450	1.2	<2	3.43	<0.5	18	5	18	3.78
S216854		3.73	<0.005		<0.5	8.41	13	2850	1.1	<2	2.30	<0.5	7	6	22	3.67
S216855		3.49	<0.005		<0.5	8.06	8	2520	1.1	<2	2.52	<0.5	9	5	15	3.95
S216856		3.87	<0.005		<0.5	8.35	8	2140	1.1	<2	2.43	<0.5	7	5	17	3.57
S216857		3.43	0.008		<0.5	8.42	13	2780	1.1	<2	2.27	<0.5	13	6	16	3.94
S216858		3.51	0.008		<0.5	8.32	10	3490	1.1	<2	2.33	<0.5	9	9	11	4.05
S216859		3.36	<0.005		<0.5	8.52	9	2990	1.1	2	1.84	<0.5	6	6	16	3.40
S216860		0.37	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.04
S216861		3.77	0.005		<0.5	8.55	19	2240	1.3	2	3.00	<0.5	11	6	15	4.36
S216862		3.11	0.005		<0.5	8.58	15	1520	1.1	<2	2.65	<0.5	7	6	10	3.69
S216863		3.68	<0.005		<0.5	8.89	9	2590	1.2	<2	1.90	<0.5	12	7	17	3.85
S216864		3.71	<0.005		<0.5	9.21	14	3080	1.1	<2	2.38	<0.5	15	6	11	4.43
S216865		3.62	<0.005		<0.5	8.63	13	1550	1.0	<2	2.50	<0.5	9	7	15	3.92
S216866		2.76	0.011		<0.5	7.91	11	2450	1.1	<2	3.48	<0.5	8	6	16	3.78
S216866D		<0.02	0.012		<0.5	8.02	13	2460	1.1	2	3.46	<0.5	8	6	16	3.75
S216867		3.58	<0.005		<0.5	7.67	11	2270	1.0	<2	3.78	<0.5	7	5	15	3.50
S216868		3.36	0.018		<0.5	8.22	29	2130	1.1	<2	4.16	<0.5	8	6	15	3.65
S216869		3.59	0.010		<0.5	8.28	15	1710	1.0	<2	3.65	<0.5	6	6	14	3.60
S216870		0.14	>10.0	9.84	>100	6.42	405	1370	1.1	<2	4.01	4.7	11	33	157	4.06
S216871		3.42	0.047		<0.5	8.34	18	1830	0.9	<2	3.68	<0.5	6	6	16	3.58
S216872		3.56	0.025		<0.5	8.13	29	2370	1.0	<2	3.87	<0.5	7	5	17	3.72
S216873		3.28	0.040		0.8	8.07	56	2330	1.2	2	3.76	<0.5	8	5	17	3.94
S216874		3.49	0.086		1.5	8.06	107	700	1.3	2	4.12	<0.5	9	6	16	3.88
S216875		3.93	0.105		1.0	7.50	104	2400	1.1	2	4.35	<0.5	7	5	16	3.62
S216876		3.52	0.056		1.1	7.82	78	2710	1.0	<2	3.86	<0.5	8	5	19	3.78
S216877		3.18	0.149		4.7	8.28	190	730	1.3	<2	2.97	<0.5	9	8	21	3.72
S216878		3.82	0.240		5.5	6.45	159	2780	1.0	<2	0.90	0.8	6	8	19	2.84
S216879		3.09	0.190		3.2	8.66	143	750	1.1	<2	0.70	<0.5	9	7	14	3.22
S216880		0.48	<0.005		<0.5	0.04	<5	20	<0.5	<2	33.9	<0.5	<1	1	<1	0.04
S216881		3.70	0.311		6.7	7.04	118	1080	1.0	<2	0.52	1.2	5	11	32	2.72
S216882		3.21	0.215		4.7	8.55	118	810	1.2	<2	0.64	0.9	10	8	14	3.58
S216883		3.78	0.046		1.1	8.77	52	1070	1.2	4	1.50	<0.5	7	7	18	3.21
S216884		3.44	0.109		1.5	8.95	68	1030	1.0	<2	1.40	<0.5	6	7	17	3.69
S216885		3.82	0.157		2.8	8.24	106	1170	0.9	<2	1.70	<0.5	6	8	55	3.77
S216886		3.55	0.070		<0.5	8.14	94	3600	0.9	2	1.37	<0.5	8	6	13	3.39
S216886D		<0.02	0.217		0.5	8.05	99	3390	0.9	<2	1.40	<0.5	7	6	14	3.36
S216887		3.90	0.485		2.1	7.43	198	620	0.9	<2	2.14	<0.5	8	8	14	3.49
S216888		3.66	0.481		2.6	6.92	201	540	0.8	<2	0.99	<0.5	11	9	17	3.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216851		20	2.42	10	1.18	883	<1	2.49	<1	900	5	0.27	<5	11	431	<20
S216852		20	2.77	10	0.96	862	<1	2.06	<1	870	5	0.33	7	9	379	<20
S216853		20	2.62	10	1.15	850	<1	2.49	<1	930	24	0.92	6	11	412	<20
S216854		20	2.20	10	1.18	735	<1	3.03	<1	940	7	0.49	6	11	424	<20
S216855		20	1.93	10	1.15	737	<1	3.08	<1	880	9	0.56	5	10	481	<20
S216856		20	1.57	10	1.02	629	<1	4.11	<1	930	6	0.91	7	11	508	<20
S216857		20	1.86	10	1.06	627	<1	4.06	<1	930	16	1.18	7	11	492	<20
S216858		20	2.27	10	1.14	657	1	3.65	<1	910	6	0.95	8	11	490	<20
S216859		20	2.02	10	1.17	606	<1	4.09	<1	950	3	0.57	5	11	460	<20
S216860		<10	0.01	<10	1.80	19	<1	0.01	<1	40	<2	0.05	<5	<1	4800	<20
S216861		20	1.74	10	1.21	694	<1	3.75	<1	1190	16	1.59	12	12	598	<20
S216862		20	1.15	10	1.12	641	<1	4.26	<1	920	2	0.62	8	11	527	<20
S216863		20	1.63	10	1.18	600	<1	4.24	<1	970	6	0.72	8	12	463	<20
S216864		20	1.67	10	1.14	623	<1	4.67	<1	980	13	1.14	7	12	539	<20
S216865		20	1.17	10	1.16	596	<1	4.32	<1	940	6	0.84	10	11	538	<20
S216866		20	2.29	10	1.08	623	1	2.66	<1	860	2	1.01	7	10	438	<20
S216866D		20	2.31	10	1.08	641	1	2.80	<1	900	6	0.90	7	10	445	<20
S216867		20	2.15	10	1.08	657	1	2.85	<1	860	3	0.60	10	10	491	<20
S216868		20	2.31	10	1.06	648	1	2.70	<1	890	3	0.88	7	11	431	<20
S216869		20	2.16	10	1.12	745	1	3.04	<1	920	3	0.41	<5	11	340	<20
S216870		10	3.94	10	0.51	1460	9	0.17	23	880	271	3.30	68	11	216	<20
S216871		20	2.39	10	1.07	785	1	2.64	<1	940	2	0.67	<5	11	310	<20
S216872		20	2.93	10	1.06	715	1	2.02	<1	940	2	1.14	9	11	270	<20
S216873		20	3.68	10	0.99	657	<1	0.99	<1	940	5	1.68	6	11	202	<20
S216874		20	4.32	10	0.74	634	<1	0.21	<1	930	15	2.61	12	11	181	<20
S216875		20	3.71	10	0.88	896	<1	0.61	<1	880	7	1.62	9	10	209	<20
S216876		20	3.62	10	1.02	1110	<1	1.21	2	930	6	1.39	11	10	261	<20
S216877		20	4.74	10	0.65	749	<1	0.06	<1	930	26	3.26	19	11	133	<20
S216878		10	3.49	10	0.47	218	2	0.03	<1	670	28	2.47	13	8	169	<20
S216879		20	4.76	10	0.56	220	<1	0.12	<1	940	8	2.50	9	12	76	<20
S216880		<10	0.01	<10	2.04	16	<1	<0.01	<1	40	<2	0.07	5	<1	4520	<20
S216881		10	4.54	10	0.40	152	2	0.23	<1	740	27	2.50	17	9	105	<20
S216882		20	5.73	10	0.51	162	4	0.36	<1	970	33	3.52	9	11	218	<20
S216883		20	5.92	10	0.72	416	<1	0.25	<1	970	5	2.36	8	12	169	<20
S216884		20	5.75	10	0.89	451	1	0.56	<1	970	9	2.27	16	12	232	<20
S216885		20	5.02	10	0.92	578	<1	1.15	<1	910	18	1.94	9	11	243	<20
S216886		20	4.55	10	1.04	608	<1	1.48	<1	940	4	1.18	5	11	227	<20
S216886D		20	4.51	10	1.03	603	<1	1.45	<1	910	4	1.23	<5	11	223	<20
S216887		10	5.26	10	0.75	551	1	0.44	<1	820	3	1.99	9	10	243	<20
S216888		10	4.66	10	0.51	238	1	0.29	1	730	8	1.95	13	9	200	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216851		0.33	<10	<10	101	<10	36	
S216852		0.32	<10	<10	101	<10	45	
S216853		0.34	10	<10	107	<10	50	
S216854		0.35	<10	<10	105	<10	61	
S216855		0.33	<10	<10	103	<10	51	
S216856		0.34	<10	<10	104	10	45	
S216857		0.33	<10	<10	103	<10	60	
S216858		0.34	<10	<10	105	<10	49	
S216859		0.34	10	<10	107	<10	49	
S216860		<0.01	<10	<10	1	<10	<2	
S216861		0.35	10	<10	113	<10	46	
S216862		0.34	<10	<10	104	<10	41	
S216863		0.36	<10	<10	111	<10	41	
S216864		0.36	<10	<10	113	<10	31	
S216865		0.35	<10	<10	104	<10	29	
S216866		0.32	<10	<10	98	<10	37	
S216866D		0.33	<10	<10	101	<10	38	
S216867		0.32	<10	<10	99	<10	26	
S216868		0.33	<10	<10	103	<10	23	
S216869		0.34	<10	<10	105	<10	33	
S216870		0.26	10	<10	105	10	533	131
S216871		0.34	<10	<10	103	<10	55	
S216872		0.35	<10	<10	105	<10	40	
S216873		0.35	<10	<10	106	<10	34	
S216874		0.34	10	<10	104	<10	28	
S216875		0.32	<10	<10	100	<10	29	
S216876		0.35	<10	<10	105	<10	39	
S216877		0.35	<10	<10	107	10	33	
S216878		0.24	<10	<10	79	<10	82	
S216879		0.35	<10	<10	107	<10	47	
S216880		<0.01	<10	<10	1	<10	<2	
S216881		0.27	10	<10	88	<10	139	
S216882		0.35	<10	<10	110	<10	110	
S216883		0.35	<10	<10	108	10	27	
S216884		0.36	10	<10	110	10	46	
S216885		0.34	10	<10	100	10	38	
S216886		0.33	<10	<10	107	<10	28	
S216886D		0.32	<10	<10	105	<10	27	
S216887		0.28	<10	<10	89	<10	20	
S216888		0.26	<10	<10	77	<10	30	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216889		4.37	0.172		0.6	8.03	84	3230	0.9	<2	1.38	<0.5	9	7	22	3.09
S216890		0.12	5.66		82.0	6.19	274	550	1.0	<2	1.94	22.4	11	22	120	4.70
S216891		3.26	0.649		1.3	7.35	101	1860	1.0	<2	2.07	<0.5	7	6	19	3.25
S216892		3.39	0.177		0.7	7.57	34	2720	0.9	<2	2.54	<0.5	12	6	17	3.37
S216893		3.25	0.110		1.6	8.22	65	800	1.0	2	1.15	<0.5	11	6	29	3.23
S216894		4.16	0.212		2.5	7.57	72	460	0.8	<2	0.90	<0.5	8	8	8	2.44
S216895		3.59	0.231		2.1	6.99	95	330	0.7	<2	0.58	<0.5	9	9	20	2.63
S216896		4.20	0.160		1.1	6.97	66	570	0.8	<2	2.27	1.2	7	6	31	2.64
S216897		3.31	0.204		1.4	6.60	78	720	0.7	<2	2.34	<0.5	5	6	18	2.70
S216898		3.44	0.350		2.5	8.03	152	510	1.0	<2	0.91	<0.5	6	6	20	3.43
S216899		3.11	0.447		3.3	6.41	110	280	0.8	<2	2.46	1.5	5	8	46	3.26
S216900		0.52	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.04
S216901		4.09	0.323		3.2	7.91	161	430	1.0	2	0.90	<0.5	7	8	28	2.97
S216902		3.78	0.384		1.9	7.97	143	520	1.0	<2	0.64	<0.5	12	8	18	3.04
S216903		3.97	0.154		1.1	8.50	76	2690	1.0	2	0.82	<0.5	6	7	34	3.38
S216904		3.11	0.095		0.5	8.02	66	3500	1.0	<2	1.70	<0.5	7	6	20	3.58
S216905		3.09	0.587		1.5	7.39	99	1240	0.8	<2	2.40	<0.5	6	6	58	3.99
S216906		2.95	0.049		0.5	8.12	29	3480	1.0	<2	1.65	<0.5	12	5	23	4.09
S216906D		<0.02	0.047		0.5	8.42	33	3530	1.0	<2	1.65	<0.5	13	6	22	4.20
S216907		3.27	0.171		0.6	7.81	48	2660	0.7	<2	2.58	<0.5	11	6	22	3.74
S216908		3.10	0.092		0.5	7.59	43	3010	0.7	<2	2.31	<0.5	9	6	17	3.79
S216909		3.12	0.158		<0.5	7.97	86	2510	0.9	2	2.13	<0.5	9	6	19	3.64
S216910		0.09	>10.0	19.30	19.2	6.40	735	140	1.3	<2	2.72	1.9	20	109	131	4.83
S216911		3.32	0.375		1.9	8.03	153	850	1.0	3	1.54	<0.5	9	6	23	3.97
S216912		3.41	0.363		1.0	7.66	85	3020	0.8	3	2.81	<0.5	9	5	19	3.81
S216913		2.98	0.338		1.5	7.53	143	2390	0.7	<2	2.86	<0.5	9	6	24	3.64
S216914		3.32	0.216		0.9	7.90	51	3570	0.9	2	3.27	<0.5	8	6	20	3.69
S216915		3.05	0.829		3.5	6.85	157	570	0.9	2	3.08	<0.5	27	5	45	3.78
S216916		3.37	0.405		3.5	7.10	121	2200	0.9	2	2.73	<0.5	11	6	48	3.63
S216917		2.55	0.343		3.8	7.41	191	530	1.1	<2	1.10	<0.5	10	7	24	3.11
S216918		3.47	0.248		1.6	7.71	178	870	1.1	<2	0.83	<0.5	10	6	14	3.10
S216919		3.07	0.212		0.6	7.71	105	3680	0.9	<2	2.13	<0.5	13	6	21	3.36
S216920		0.48	<0.005		<0.5	0.06	<5	20	<0.5	5	32.9	<0.5	<1	<1	<1	0.04
S216921		3.19	0.281		0.8	6.27	135	1290	0.6	2	3.86	<0.5	6	6	25	3.23
S216922		2.85	0.525		0.6	6.01	167	730	0.6	<2	2.10	<0.5	6	11	18	3.17
S216923		3.45	0.417		0.7	6.24	141	1750	0.7	<2	4.69	<0.5	5	7	15	2.83
S216924		3.10	0.259		0.9	7.73	89	1000	0.9	<2	1.59	<0.5	8	6	19	3.53
S216925		3.60	0.314		0.7	7.06	119	1100	0.8	<2	1.71	<0.5	6	6	15	2.89
S216926		3.29	0.243		1.3	6.01	100	600	0.6	3	2.19	<0.5	12	7	20	2.87
S216926D		<0.02	0.233		1.2	6.39	99	720	0.7	<2	2.30	<0.5	9	8	21	2.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216889		20	4.85	10	0.73	413	<1	1.06	1	950	3	1.30	8	11	164	<20
S216890		10	3.66	10	0.48	1185	8	0.23	14	960	8580	2.96	74	12	146	<20
S216891		20	5.16	10	0.76	525	1	0.80	1	900	11	1.59	9	10	243	<20
S216892		20	3.69	10	0.96	685	<1	2.04	2	890	6	1.23	9	10	315	<20
S216893		20	4.67	10	0.68	394	<1	0.61	1	940	15	2.08	<5	11	185	<20
S216894		10	4.49	10	0.39	209	3	0.25	1	870	17	2.34	7	10	142	<20
S216895		10	4.56	10	0.36	181	2	0.23	2	750	8	2.46	10	9	131	<20
S216896		10	4.82	10	0.45	607	1	0.13	1	830	16	2.10	5	9	234	<20
S216897		20	4.94	10	0.45	716	<1	0.10	<1	790	7	1.96	11	9	212	<20
S216898		20	4.71	10	0.59	392	<1	0.13	2	950	9	2.55	8	11	133	<20
S216899		10	4.67	10	0.49	729	1	0.18	1	760	76	2.28	15	9	259	<20
S216900		<10	0.01	<10	1.62	22	1	<0.01	<1	20	<2	0.05	<5	<1	5110	<20
S216901		20	4.96	10	0.48	226	1	0.09	<1	900	9	2.31	7	11	136	<20
S216902		20	4.62	10	0.51	197	1	0.10	2	900	8	2.22	<5	11	139	<20
S216903		20	5.02	10	0.72	376	<1	0.88	2	970	11	1.47	5	11	103	<20
S216904		20	4.83	10	0.82	588	<1	0.84	1	930	6	1.07	5	10	168	<20
S216905		20	4.10	10	0.79	701	<1	1.55	1	880	14	1.75	7	10	264	<20
S216906		20	4.71	10	1.07	710	<1	1.19	1	950	11	1.10	<5	10	225	<20
S216906D		20	4.83	10	1.10	702	<1	1.19	2	980	8	1.20	10	11	224	<20
S216907		20	3.87	10	0.88	724	<1	2.00	1	890	9	1.28	11	10	394	<20
S216908		20	4.04	10	0.94	707	<1	1.78	3	920	9	1.09	<5	10	339	<20
S216909		20	4.95	10	0.85	675	<1	0.87	<1	870	9	1.31	7	10	230	<20
S216910		20	2.95	10	0.66	986	6	0.15	64	1610	58	3.96	16	17	175	<20
S216911		20	5.24	10	0.76	615	2	0.73	2	920	18	2.15	<5	11	163	<20
S216912		20	4.26	10	0.97	880	<1	1.78	<1	900	8	1.25	<5	10	332	<20
S216913		20	4.45	10	0.82	930	<1	1.63	1	890	9	1.43	5	10	276	<20
S216914		20	4.62	10	0.94	1030	<1	1.43	<1	920	13	0.90	6	10	293	<20
S216915		20	5.17	10	0.60	823	2	0.19	1	830	25	2.53	10	9	215	<20
S216916		20	4.90	10	0.74	916	<1	0.57	1	870	34	1.64	10	9	239	<20
S216917		10	4.45	10	0.56	348	1	0.07	1	830	16	2.42	8	9	146	<20
S216918		20	4.73	10	0.59	343	1	0.35	2	870	17	1.96	<5	10	127	<20
S216919		20	5.13	10	0.85	716	<1	0.83	1	890	6	1.13	6	10	254	<20
S216920		<10	0.02	<10	1.86	20	<1	0.01	<1	40	4	0.05	<5	<1	4400	<20
S216921		10	4.63	10	0.78	766	1	0.92	<1	750	8	1.38	6	8	275	<20
S216922		10	4.43	10	0.69	598	1	0.72	<1	680	7	1.59	6	8	205	<20
S216923		10	4.98	10	0.58	1055	<1	0.50	1	730	10	1.32	7	8	397	<20
S216924		20	4.56	10	0.62	550	<1	1.04	2	870	11	1.71	<5	10	210	<20
S216925		20	4.66	10	0.52	539	<1	0.36	1	770	7	1.37	8	9	202	<20
S216926		10	4.24	10	0.50	611	<1	0.64	1	710	11	1.77	<5	8	248	<20
S216926D		10	4.90	10	0.54	632	<1	0.66	1	720	9	1.70	<5	9	261	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216889		0.33	<10	<10	105	<10	30	
S216890		0.24	<10	<10	124	<10	1800	
S216891		0.31	<10	<10	103	<10	23	
S216892		0.32	<10	<10	102	<10	26	
S216893		0.33	<10	<10	108	<10	25	
S216894		0.30	<10	<10	99	<10	41	
S216895		0.26	<10	<10	86	<10	20	
S216896		0.30	10	<10	95	<10	166	
S216897		0.28	<10	<10	90	<10	19	
S216898		0.32	<10	<10	107	<10	17	
S216899		0.27	<10	<10	89	<10	204	
S216900		<0.01	<10	<10	<1	<10	<2	
S216901		0.30	<10	<10	99	<10	21	
S216902		0.31	10	<10	99	<10	19	
S216903		0.34	<10	<10	110	<10	26	
S216904		0.33	10	<10	107	<10	26	
S216905		0.30	<10	<10	99	<10	25	
S216906		0.33	10	<10	108	<10	34	
S216906D		0.33	<10	<10	110	<10	34	
S216907		0.31	<10	<10	100	<10	24	
S216908		0.31	<10	<10	102	<10	29	
S216909		0.31	<10	<10	101	<10	36	
S216910		0.34	10	<10	179	<10	208	
S216911		0.32	<10	<10	109	<10	42	
S216912		0.31	<10	<10	97	<10	28	
S216913		0.31	<10	<10	97	<10	29	
S216914		0.33	<10	<10	104	<10	33	
S216915		0.30	<10	<10	95	<10	29	
S216916		0.30	10	<10	98	<10	66	
S216917		0.28	<10	<10	90	<10	29	
S216918		0.30	<10	<10	98	<10	29	
S216919		0.30	<10	<10	98	<10	26	
S216920		<0.01	<10	<10	<1	<10	<2	
S216921		0.27	<10	<10	81	<10	20	
S216922		0.24	<10	<10	69	<10	26	
S216923		0.26	<10	<10	76	<10	32	
S216924		0.31	<10	<10	96	<10	36	
S216925		0.27	<10	<10	84	<10	39	
S216926		0.25	<10	<10	74	<10	31	
S216926D		0.25	<10	<10	76	<10	32	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216927		3.14	0.512		3.7	5.28	169	740	0.7	<2	1.37	<0.5	4	10	21	2.27
S216928		3.19	0.283		3.1	3.46	95	750	<0.5	<2	2.18	<0.5	4	18	10	1.83
S216929		3.49	0.345		2.1	6.88	112	890	0.8	<2	0.59	<0.5	8	8	12	2.27
S216930		0.12	1.030		12.4	5.83	313	350	1.0	<2	3.64	4.2	12	27	83	3.96
S216931		3.03	0.454		1.9	6.86	204	520	0.7	<2	0.35	<0.5	8	13	16	2.47
S216932		3.31	0.173		1.8	8.50	103	1210	1.3	<2	0.46	<0.5	8	8	13	2.81
S216933		3.14	0.224		1.9	6.78	145	720	0.8	<2	0.38	<0.5	5	10	13	2.10
S216934		3.57	0.212		2.5	6.27	100	770	0.7	<2	0.42	<0.5	5	17	17	1.82
S216935		3.85	0.193		1.5	5.81	114	670	0.8	<2	1.50	<0.5	7	10	10	2.15
S216936		3.50	0.325		1.3	7.16	155	830	0.7	<2	0.35	<0.5	7	8	15	1.90
S216937		3.08	0.347		2.0	7.14	160	450	0.7	<2	0.27	<0.5	10	10	20	2.70
S216938		3.41	0.306		2.3	6.36	170	450	<0.5	<2	0.40	<0.5	4	16	17	2.59
S216939		3.42	0.581		2.3	6.40	73	290	0.9	<2	1.54	5.5	11	9	49	3.20
S216940		0.37	<0.005		<0.5	0.04	<5	20	<0.5	3	32.6	<0.5	<1	1	<1	0.03
S216941		3.43	0.025		0.5	8.42	18	3710	1.1	<2	1.70	<0.5	8	8	20	3.17
S216942		3.17	0.581		3.2	7.04	76	690	1.0	<2	1.74	<0.5	7	7	60	3.02
S216943		3.69	0.168		1.7	7.62	14	1900	0.9	2	3.20	<0.5	12	5	18	3.79
S216944		3.57	0.070		<0.5	7.74	14	2220	1.0	<2	2.75	<0.5	8	5	22	3.68
S216945		3.49	0.037		<0.5	7.50	33	2510	0.8	<2	3.73	<0.5	7	6	16	3.47
S216946		3.40	0.010		0.5	7.23	13	2330	1.0	<2	3.66	<0.5	12	5	13	3.65
S216946D		<0.02	0.009		0.5	7.39	15	2520	1.1	3	3.92	<0.5	13	5	14	3.92
S216947		3.44	0.053		<0.5	7.18	27	2290	1.0	<2	3.52	<0.5	7	6	17	3.47
S216948		3.52	0.139		<0.5	7.51	27	2340	0.9	<2	2.80	<0.5	6	6	29	3.43
S216949		3.59	0.030		<0.5	7.24	23	2460	0.9	<2	3.10	<0.5	8	6	12	3.47
S216950		0.12	>10.0	10.40	>100	5.41	371	300	0.9	<2	3.72	4.3	11	30	143	3.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216927		10	4.45	10	0.29	373	1	0.08	<1	570	14	1.75	7	7	182	<20
S216928		10	2.99	10	0.18	602	1	0.13	1	350	22	1.17	7	5	158	<20
S216929		10	4.26	10	0.35	190	1	0.10	1	780	9	1.38	5	9	123	<20
S216930		10	3.92	10	0.53	1395	9	0.21	19	920	153	2.87	24	10	189	<20
S216931		10	4.41	10	0.31	131	1	0.09	3	760	11	1.72	<5	9	107	<20
S216932		20	4.28	10	0.55	179	1	0.07	2	990	9	1.58	<5	12	101	<20
S216933		10	4.55	10	0.32	115	1	0.08	2	790	21	1.44	6	9	102	<20
S216934		10	4.31	10	0.23	113	1	0.08	2	710	15	1.37	6	8	102	<20
S216935		10	4.11	10	0.25	434	1	0.12	2	790	25	1.69	<5	8	166	<20
S216936		10	4.67	10	0.24	103	1	0.10	3	830	18	1.48	7	9	127	<20
S216937		10	4.36	10	0.25	110	1	0.15	2	820	13	2.28	<5	9	123	<20
S216938		10	5.15	10	0.15	120	1	0.13	<1	670	10	2.29	<5	7	148	<20
S216939		10	4.56	10	0.34	532	1	0.27	1	780	61	2.39	6	9	405	<20
S216940		<10	0.01	<10	1.77	16	<1	<0.01	<1	30	3	0.08	5	<1	5190	<20
S216941		20	5.25	10	0.63	720	2	1.34	2	1030	7	1.17	<5	11	192	<20
S216942		20	4.83	10	0.45	558	1	0.10	1	850	17	2.01	<5	10	147	<20
S216943		20	3.83	10	0.80	1050	1	2.25	<1	900	11	1.65	<5	10	338	<20
S216944		20	3.55	10	0.95	1065	1	2.24	2	900	7	0.66	<5	10	284	<20
S216945		20	3.57	10	0.95	1115	1	2.34	2	860	5	0.60	<5	10	395	<20
S216946		20	3.67	10	0.93	1060	1	1.62	2	850	15	0.91	<5	9	307	<20
S216946D		20	3.89	10	0.96	1145	1	1.74	2	900	18	0.95	<5	10	329	<20
S216947		20	3.70	10	0.93	1075	1	1.61	3	860	8	0.57	<5	9	278	<20
S216948		20	3.69	10	0.94	947	1	2.20	2	880	4	0.84	5	10	251	<20
S216949		20	3.36	10	0.91	904	1	2.43	<1	860	9	0.84	5	9	328	<20
S216950		10	3.57	10	0.44	1350	8	0.16	21	800	252	3.03	62	9	193	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216927		0.20	<10	<10	65	<10	24	
S216928		0.13	<10	10	38	<10	15	
S216929		0.26	10	<10	82	<10	22	
S216930		0.25	10	10	105	<10	479	
S216931		0.27	10	<10	77	<10	18	
S216932		0.35	<10	<10	115	<10	31	
S216933		0.28	<10	<10	80	<10	20	
S216934		0.25	<10	<10	72	10	17	
S216935		0.27	10	<10	84	<10	13	
S216936		0.29	10	<10	80	10	13	
S216937		0.29	<10	<10	80	<10	22	
S216938		0.23	10	<10	52	<10	16	
S216939		0.30	<10	<10	82	<10	360	
S216940		<0.01	<10	<10	<1	<10	<2	
S216941		0.35	10	10	114	<10	38	
S216942		0.31	<10	<10	97	<10	40	
S216943		0.31	<10	<10	100	<10	36	
S216944		0.32	<10	<10	101	<10	40	
S216945		0.31	<10	<10	94	<10	38	
S216946		0.30	<10	10	95	<10	35	
S216946D		0.32	<10	<10	101	<10	38	
S216947		0.31	10	<10	98	<10	38	
S216948		0.31	<10	10	100	<10	35	
S216949		0.30	<10	<10	96	<10	30	
S216950		0.22	<10	<10	94	<10	496	135

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143408

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15143409

Project: Bowser Regional Exploration

P.O. No.: BOW-0098

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 20-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313741		5.71	0.006		<0.5	7.33	<5	1660	1.1	<2	4.22	<0.5	7	2	8	3.46
S313742		7.49	0.006		<0.5	7.41	<5	2510	1.1	<2	3.46	<0.5	7	2	8	3.32
S313743		6.60	0.006		<0.5	7.61	5	4340	1.1	<2	3.19	<0.5	7	3	8	3.43
S313744		6.72	<0.005		<0.5	7.97	<5	3440	1.1	2	3.18	<0.5	6	3	9	3.47
S313745		7.27	<0.005		<0.5	8.09	<5	3600	1.2	2	2.82	<0.5	8	5	5	3.51
S313746		6.47	<0.005		<0.5	7.65	<5	2820	1.1	<2	3.17	<0.5	7	3	9	3.38
S313746D		<0.02	<0.005		<0.5	7.73	<5	2880	1.2	<2	3.20	<0.5	7	3	9	3.46
S313747		6.88	0.006		<0.5	7.82	<5	2500	1.2	<2	3.41	<0.5	7	2	14	3.55
S313748		7.14	0.006		<0.5	7.25	<5	2380	1.1	<2	3.80	<0.5	8	3	9	3.33
S313749		5.66	0.007		<0.5	7.60	8	1830	1.2	<2	3.69	<0.5	6	3	10	3.33
S313750		0.13	>10.0	10.50	>100	5.98	396	400	1.0	<2	3.89	4.6	12	31	152	3.82
S313751		7.37	0.008		<0.5	7.35	<5	2150	1.2	<2	3.84	<0.5	6	3	7	3.38
S313752		6.21	0.005		<0.5	7.38	<5	1850	1.1	<2	3.75	<0.5	7	3	7	3.42
S313753		6.71	0.007		<0.5	7.22	<5	2490	1.1	<2	4.77	<0.5	6	3	6	3.32
S313754		6.69	0.006		<0.5	7.95	7	2460	1.2	<2	3.26	<0.5	7	3	7	3.35
S313755		6.63	0.010		<0.5	7.99	6	3140	1.2	<2	3.48	<0.5	7	3	10	3.46
S313756		6.42	0.038		<0.5	6.97	<5	2580	1.1	<2	3.93	<0.5	6	3	11	3.17
S313757		7.03	0.005		<0.5	7.65	<5	2980	1.2	<2	3.02	<0.5	8	3	8	3.40
S313758		7.24	0.016		<0.5	7.68	5	2960	1.1	<2	3.33	<0.5	6	3	9	3.28
S313759		7.07	0.075		<0.5	7.49	<5	2850	1.1	<2	3.35	<0.5	5	3	11	3.43
S313760		0.42	0.006		<0.5	0.28	<5	20	<0.5	<2	34.8	<0.5	<1	1	<1	0.26
S313761		6.59	0.005		<0.5	7.34	<5	2330	1.1	<2	4.26	<0.5	7	4	6	3.27
S313762		6.95	0.005		<0.5	7.52	7	2120	1.1	<2	3.28	<0.5	7	3	13	3.32
S313763		6.60	0.005		<0.5	7.78	5	2530	1.1	<2	3.33	<0.5	7	3	13	3.47
S313764		6.65	<0.005		<0.5	7.69	<5	1790	1.2	<2	3.57	<0.5	8	2	13	3.53
S313765		6.29	0.006		<0.5	7.75	<5	1730	1.3	<2	3.54	<0.5	7	3	15	3.60
S313766		7.00	0.059		0.5	7.41	148	2090	1.1	<2	5.24	<0.5	21	87	235	5.35
S313766D		<0.02	0.050		<0.5	7.51	138	2120	1.1	<2	5.02	<0.5	21	94	235	5.34
S313767		1.97	0.078		0.6	7.31	224	1600	0.8	<2	2.85	<0.5	20	113	288	5.04
S313801		6.41	<0.005		<0.5	8.87	6	2780	1.1	<2	2.57	<0.5	11	2	5	4.44
S313802		5.31	<0.005		<0.5	8.98	6	3710	1.1	<2	2.60	<0.5	10	2	5	4.38
S313803		6.58	<0.005		<0.5	7.82	10	2640	1.1	<2	4.32	<0.5	9	2	7	4.06
S313804		6.05	1.480		<0.5	7.77	5	2770	1.1	<2	5.42	<0.5	10	2	6	3.93
S313805		6.92	<0.005		<0.5	7.28	6	2810	1.0	2	4.62	<0.5	9	2	6	3.64
S313806		5.87	<0.005		<0.5	8.65	7	3090	1.2	<2	3.47	<0.5	11	1	5	4.69
S313806D		<0.02	<0.005		<0.5	8.65	8	2980	1.1	<2	3.31	0.5	12	2	6	4.62
S313807		4.41	<0.005		<0.5	8.89	9	3080	1.2	<2	2.56	<0.5	10	2	5	4.73
S313808		6.90	<0.005		<0.5	8.66	6	2890	1.2	<2	3.03	<0.5	11	2	5	4.78
S313809		6.52	<0.005		<0.5	8.13	<5	2650	1.1	<2	3.91	<0.5	11	2	4	4.34
S313810		0.13	1.030		13.3	6.57	340	900	1.0	<2	3.83	4.6	12	27	90	4.19

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313741		20	3.02	10	0.78	1125	2	2.11	1	1050	<2	0.18	<5	7	410	<10
S313742		20	3.12	10	0.75	1060	2	2.35	1	1010	3	0.11	<5	7	526	<10
S313743		20	3.27	10	0.80	1115	2	2.69	1	1000	3	0.07	<5	7	724	<10
S313744		20	3.07	10	0.83	1145	2	3.14	<1	1020	5	0.02	<5	7	795	<10
S313745		20	3.29	10	0.89	1125	1	3.17	1	980	5	0.01	<5	8	855	<10
S313746		20	3.13	10	0.81	1150	2	3.07	<1	990	11	0.03	<5	7	691	<10
S313746D		20	3.15	10	0.82	1170	1	3.10	1	990	8	0.03	<5	7	697	<10
S313747		20	3.37	10	0.84	1120	1	2.30	1	1010	5	0.02	<5	8	455	<10
S313748		20	3.18	10	0.72	1115	1	2.28	1	950	10	0.03	<5	6	474	<10
S313749		20	3.29	10	0.76	1085	3	1.81	<1	980	9	0.25	<5	7	338	<10
S313750		10	3.76	10	0.48	1440	9	0.17	23	860	253	3.10	56	10	204	<10
S313751		20	3.21	10	0.72	1070	2	2.14	<1	980	9	0.05	<5	7	392	<10
S313752		20	2.63	10	0.75	1180	1	2.64	<1	960	9	0.05	<5	6	519	<10
S313753		20	2.60	10	0.78	1250	1	2.46	<1	920	17	0.04	7	6	516	<10
S313754		20	3.02	10	0.75	1045	2	2.65	<1	970	7	0.08	<5	7	457	<10
S313755		20	3.01	10	0.80	1175	2	2.74	<1	990	12	0.11	5	7	700	<10
S313756		20	2.62	10	0.67	1155	2	2.77	2	930	11	0.03	8	6	640	<10
S313757		20	3.04	10	0.76	1105	2	2.74	1	990	7	0.06	<5	7	517	<10
S313758		20	2.83	10	0.78	1105	2	2.81	1	980	4	0.03	7	7	570	<10
S313759		20	2.72	10	0.76	1140	3	2.75	2	970	15	0.05	<5	7	769	<10
S313760		<10	0.01	<10	1.58	27	1	0.06	<1	70	<2	0.25	<5	1	4810	<10
S313761		20	2.38	10	0.74	1130	2	2.71	1	960	8	0.07	<5	7	721	10
S313762		20	2.53	10	0.79	1075	2	2.74	<1	1010	6	0.14	<5	7	577	<10
S313763		20	2.84	10	0.83	1140	3	2.73	2	1010	5	0.09	8	7	589	10
S313764		20	2.94	10	0.84	1105	2	2.36	1	1080	4	0.17	<5	7	444	<10
S313765		20	3.20	10	0.89	1085	1	2.02	<1	1080	5	0.42	<5	7	366	<10
S313766		20	2.67	20	1.59	993	3	2.24	52	1190	23	1.48	<5	13	371	<10
S313766D		20	2.69	20	1.63	1010	3	2.44	55	1240	20	1.34	<5	13	386	<10
S313767		20	4.10	10	1.62	710	13	1.92	48	1120	14	1.48	<5	13	332	<10
S313801		20	2.84	10	0.82	1360	1	0.69	1	1240	7	<0.01	<5	11	267	<10
S313802		20	2.95	10	0.77	1245	2	0.71	4	1260	6	0.02	<5	11	312	<10
S313803		20	2.61	10	0.79	2140	2	0.66	2	1160	8	0.01	<5	10	286	<10
S313804		20	2.60	10	0.74	2380	1	0.66	2	1150	5	0.01	<5	10	305	<10
S313805		20	2.48	10	0.68	2040	1	0.61	3	1100	7	0.01	<5	9	287	<10
S313806		20	2.80	10	0.91	1855	1	0.76	3	1300	12	0.01	<5	11	311	<10
S313806D		20	2.69	10	0.90	1765	2	0.72	4	1250	8	0.01	<5	12	299	<10
S313807		20	2.90	10	0.91	1580	1	0.76	2	1330	11	0.01	<5	12	277	<10
S313808		20	2.75	10	1.01	1840	2	0.86	2	1310	10	0.01	<5	12	278	<10
S313809		20	2.42	10	1.04	2240	2	0.82	2	1180	9	0.01	<5	11	280	<10
S313810		10	4.09	10	0.60	1505	10	0.22	21	970	151	3.02	17	12	207	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313741		<20	0.31	10	<10	101	<10	69	
S313742		<20	0.28	<10	<10	93	<10	69	
S313743		<20	0.28	<10	<10	92	<10	66	
S313744		<20	0.30	<10	<10	95	10	72	
S313745		<20	0.31	<10	<10	95	<10	78	
S313746		<20	0.31	<10	<10	92	<10	79	
S313746D		<20	0.31	<10	<10	93	<10	80	
S313747		<20	0.31	<10	<10	102	<10	77	
S313748		<20	0.28	<10	<10	90	<10	74	
S313749		<20	0.27	<10	<10	92	<10	95	
S313750		<20	0.24	<10	<10	103	<10	532	130
S313751		<20	0.28	10	<10	91	<10	73	
S313752		<20	0.27	<10	<10	88	<10	81	
S313753		<20	0.26	10	<10	87	<10	85	
S313754		<20	0.27	<10	<10	90	<10	81	
S313755		<20	0.28	<10	<10	94	<10	82	
S313756		<20	0.26	<10	<10	90	<10	85	
S313757		<20	0.27	<10	<10	92	<10	89	
S313758		<20	0.27	<10	<10	91	<10	85	
S313759		<20	0.27	<10	<10	97	<10	83	
S313760		<20	0.03	<10	<10	9	<10	<2	
S313761		<20	0.27	<10	<10	92	<10	77	
S313762		<20	0.28	<10	<10	89	<10	86	
S313763		<20	0.30	<10	<10	87	<10	89	
S313764		<20	0.32	<10	<10	97	<10	103	
S313765		<20	0.32	<10	<10	98	<10	111	
S313766		<20	0.33	<10	<10	143	<10	75	
S313766D		<20	0.33	<10	<10	147	<10	76	
S313767		<20	0.32	<10	<10	139	<10	49	
S313801		<20	0.35	<10	<10	132	<10	99	
S313802		<20	0.37	10	<10	135	<10	85	
S313803		<20	0.34	<10	<10	127	<10	92	
S313804		<20	0.33	<10	<10	118	<10	85	
S313805		<20	0.33	<10	<10	105	<10	80	
S313806		<20	0.39	<10	<10	143	<10	98	
S313806D		<20	0.38	10	<10	138	<10	95	
S313807		<20	0.41	<10	<10	143	<10	94	
S313808		<20	0.41	10	<10	139	<10	98	
S313809		<20	0.37	<10	<10	128	<10	101	
S313810		<20	0.26	<10	<10	114	<10	513	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313811		7.50	<0.005		<0.5	8.61	11	2680	1.1	<2	3.43	<0.5	11	2	5	4.79
S313812		7.03	<0.005		<0.5	8.48	8	2780	1.2	<2	3.95	<0.5	12	2	4	4.92
S313813		7.44	<0.005		<0.5	9.50	6	3030	1.3	2	2.49	<0.5	10	2	8	4.87
S313814		6.11	<0.005		<0.5	9.66	9	2860	1.2	<2	1.85	<0.5	12	2	5	5.04
S313815		6.35	<0.005		<0.5	8.55	8	2660	1.2	<2	3.85	<0.5	11	2	3	4.70
S313816		5.86	<0.005		<0.5	8.62	7	2510	1.1	<2	3.59	<0.5	12	2	5	4.48
S313817		5.76	<0.005		<0.5	8.72	9	2820	1.2	<2	3.75	0.6	11	2	7	5.02
S313818		5.46	<0.005		<0.5	8.36	8	2590	1.1	<2	4.12	<0.5	10	2	7	4.72
S313819		5.61	<0.005		<0.5	8.08	5	2670	1.0	<2	3.77	<0.5	10	2	7	4.62
S313820		0.47	<0.005		<0.5	0.06	<5	20	<0.5	<2	36.9	<0.5	<1	1	<1	0.05
S313821		5.49	<0.005		<0.5	8.73	8	2840	1.2	<2	4.04	<0.5	9	2	6	4.73
S313822		5.66	<0.005		<0.5	8.95	6	2650	1.2	<2	3.56	<0.5	10	2	8	4.91
S313823		6.25	<0.005		<0.5	9.16	10	3310	1.2	<2	3.55	<0.5	13	2	8	4.97
S313824		5.11	<0.005		<0.5	8.68	7	2760	1.1	<2	3.45	<0.5	9	2	5	4.56
S313825		6.08	<0.005		<0.5	9.15	10	2680	1.2	<2	2.91	<0.5	11	2	7	4.83
S313826		5.32	<0.005		<0.5	8.63	7	2610	1.1	<2	3.65	<0.5	14	2	5	5.08
S313826D		<0.02	<0.005		<0.5	8.59	5	2550	1.1	<2	3.54	<0.5	14	2	4	5.03
S313827		5.86	<0.005		<0.5	8.63	6	2570	1.1	<2	3.45	<0.5	13	3	6	4.64
S313828		5.58	<0.005		<0.5	9.13	7	2530	1.2	<2	2.69	<0.5	14	2	6	5.29
S313829		6.31	<0.005		<0.5	7.73	8	2140	1.1	<2	5.22	<0.5	14	2	5	4.80
S313830		0.12	>10.0	10.40	>100	6.36	411	890	1.0	<2	4.01	4.5	11	33	156	3.96
S313831		5.44	<0.005		<0.5	8.70	8	2260	1.2	<2	2.60	<0.5	12	2	7	4.90
S313832		5.84	0.005		<0.5	7.96	10	2380	1.3	2	3.81	<0.5	11	2	8	5.11
S313833		5.53	<0.005		<0.5	8.55	8	2160	1.2	<2	3.99	<0.5	13	3	6	5.10
S313834		5.45	<0.005		<0.5	7.57	7	1940	1.0	3	3.67	0.6	13	3	7	4.47
S313835		5.32	<0.005		<0.5	7.70	7	2040	1.1	2	3.63	<0.5	11	4	7	4.58
S313836		6.26	<0.005		<0.5	7.50	<5	2160	1.1	2	4.10	0.5	10	4	7	4.62
S313837		5.84	<0.005		<0.5	7.57	7	2070	1.1	<2	4.05	<0.5	11	4	7	4.53
S313838		6.12	<0.005		<0.5	7.38	5	2250	1.0	<2	4.09	<0.5	12	4	5	5.30
S313839		5.60	<0.005		<0.5	7.38	7	2290	1.1	<2	4.00	<0.5	12	4	4	4.53
S313840		0.45	<0.005		<0.5	0.05	<5	20	<0.5	<2	35.3	<0.5	<1	2	<1	0.05
S313841		5.79	<0.005		<0.5	7.98	7	3860	1.1	<2	3.59	0.5	13	4	4	4.58
S313842		3.88	<0.005		<0.5	6.96	10	3820	1.0	<2	5.46	0.5	12	4	6	4.66
S313843		5.26	<0.005		<0.5	6.22	10	2570	1.2	3	4.46	<0.5	9	5	3	4.57
S313844		6.10	0.005		<0.5	6.75	11	2960	1.2	<2	4.58	0.6	10	4	5	4.58
S313845		5.84	<0.005		<0.5	8.13	10	2020	1.3	4	2.63	<0.5	10	3	6	4.61
S313846		6.33	<0.005		<0.5	8.73	7	2110	1.3	<2	2.34	<0.5	13	5	6	5.50
S313846D		<0.02	<0.005		<0.5	8.74	8	2110	1.3	2	2.39	<0.5	14	4	6	5.56
S313847		5.75	<0.005		<0.5	8.88	8	2000	1.3	2	2.77	<0.5	14	7	4	5.30
S313848		5.71	<0.005		<0.5	8.57	8	2050	1.1	<2	2.36	<0.5	12	3	3	4.74

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313811		20	2.59	10	1.09	1990	1	0.94	4	1260	10	0.01	<5	12	280	<10
S313812		20	2.58	10	1.18	2200	1	0.90	4	1280	11	0.01	<5	11	297	<10
S313813		20	2.99	10	0.96	1450	2	0.90	3	1410	6	0.01	<5	13	304	<10
S313814		20	3.04	20	1.04	1290	2	0.79	4	1380	11	<0.01	<5	13	282	<10
S313815		20	2.88	10	0.80	1855	1	0.72	4	1280	10	<0.01	<5	11	302	<10
S313816		20	2.77	20	0.91	1790	1	0.64	3	1250	6	<0.01	<5	11	287	<10
S313817		20	3.15	10	0.75	1975	1	0.80	4	1370	10	<0.01	<5	12	306	<10
S313818		20	2.95	10	0.69	2090	1	0.76	3	1260	7	<0.01	<5	11	308	<10
S313819		20	2.89	10	0.66	1800	1	0.75	3	1220	9	0.01	<5	11	314	10
S313820		<10	0.02	<10	2.21	24	<1	0.01	<1	40	<2	0.08	<5	<1	5640	<10
S313821		20	3.03	10	0.63	1825	2	0.81	3	1330	7	0.01	<5	12	351	<10
S313822		20	2.97	10	0.77	1720	1	0.79	2	1320	9	<0.01	5	12	336	<10
S313823		20	3.04	10	0.82	1785	1	0.84	3	1370	8	0.02	<5	13	342	<10
S313824		20	2.94	10	0.65	1755	1	0.79	3	1280	8	0.01	<5	12	332	<10
S313825		20	2.96	10	0.71	1565	1	0.93	2	1310	7	0.01	<5	13	340	<10
S313826		20	2.77	10	0.79	2100	2	1.06	2	1340	8	<0.01	<5	12	339	<10
S313826D		20	2.68	10	0.79	2040	1	1.03	3	1300	11	<0.01	<5	12	327	<10
S313827		20	2.51	10	0.93	1980	2	1.22	3	1280	8	0.01	<5	12	335	<10
S313828		20	2.75	10	0.85	1630	1	1.18	4	1410	9	<0.01	<5	13	332	<10
S313829		20	2.28	10	0.82	3090	2	1.12	4	1180	9	<0.01	<5	11	324	<10
S313830		10	3.87	10	0.51	1475	10	0.17	23	890	266	3.20	64	11	213	<10
S313831		20	2.56	10	0.77	1385	2	1.06	4	1270	14	<0.01	<5	13	314	<10
S313832		20	2.58	10	0.63	1970	2	1.13	4	1310	10	<0.01	<5	11	335	<10
S313833		20	2.31	10	0.86	2050	1	1.36	3	1310	9	<0.01	<5	12	341	<10
S313834		20	2.05	10	0.76	2000	1	1.57	3	1180	9	<0.01	<5	11	350	10
S313835		20	2.19	10	0.76	1955	<1	1.48	2	1220	8	<0.01	<5	11	342	10
S313836		20	2.27	10	0.67	2100	1	1.27	2	1190	8	<0.01	<5	11	331	10
S313837		20	2.14	10	0.81	2390	1	1.28	2	1200	8	<0.01	<5	11	320	<10
S313838		20	2.04	10	0.83	2340	1	1.23	3	1150	11	0.01	<5	11	305	<10
S313839		20	2.25	10	0.81	2280	<1	1.14	2	1200	9	<0.01	<5	11	299	10
S313840		<10	0.01	<10	1.78	24	<1	<0.01	<1	30	2	0.07	<5	<1	4830	10
S313841		20	2.30	10	0.80	1860	<1	1.24	2	1230	9	0.04	<5	12	366	10
S313842		20	2.24	10	0.56	2660	<1	0.86	2	1160	9	0.04	<5	10	353	10
S313843		20	2.41	10	0.24	2240	2	0.79	<1	1130	11	0.01	<5	8	382	10
S313844		20	2.31	10	0.44	2470	1	0.88	2	1210	12	0.03	<5	10	393	10
S313845		20	2.40	10	0.51	1420	2	0.92	3	1270	10	<0.01	<5	12	372	10
S313846		20	2.47	10	0.78	1505	<1	0.94	1	1320	12	<0.01	<5	13	376	10
S313846D		20	2.47	10	0.79	1520	1	0.94	2	1320	13	<0.01	<5	13	375	10
S313847		20	2.42	10	0.78	1865	1	1.16	2	1350	12	<0.01	<5	13	402	10
S313848		20	2.38	10	0.67	1390	<1	1.14	2	1280	9	<0.01	<5	12	365	10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313811		<20	0.39	<10	<10	135	<10	103	
S313812		<20	0.39	10	<10	137	<10	114	
S313813		<20	0.43	<10	<10	144	<10	96	
S313814		<20	0.38	<10	<10	137	<10	111	
S313815		<20	0.39	<10	<10	133	<10	97	
S313816		<20	0.37	<10	<10	126	<10	114	
S313817		<20	0.42	<10	<10	142	<10	104	
S313818		<20	0.39	<10	<10	132	<10	98	
S313819		<20	0.37	<10	<10	128	<10	93	
S313820		<20	<0.01	<10	<10	1	<10	2	
S313821		<20	0.41	10	<10	137	<10	87	
S313822		<20	0.42	<10	<10	138	<10	95	
S313823		<20	0.43	<10	<10	141	<10	102	
S313824		<20	0.39	<10	<10	134	<10	84	
S313825		<20	0.40	10	<10	146	<10	109	
S313826		<20	0.41	<10	<10	150	<10	105	
S313826D		<20	0.40	<10	<10	147	<10	102	
S313827		<20	0.40	<10	<10	139	<10	110	
S313828		<20	0.42	<10	<10	151	<10	100	
S313829		<20	0.37	<10	<10	124	<10	102	
S313830		<20	0.25	10	<10	105	10	547	130
S313831		<20	0.40	<10	<10	148	10	93	
S313832		<20	0.41	<10	<10	146	10	87	
S313833		<20	0.41	<10	<10	143	<10	113	
S313834		<20	0.38	<10	<10	131	<10	106	
S313835		<20	0.39	<10	<10	138	<10	102	
S313836		<20	0.39	<10	<10	133	<10	86	
S313837		<20	0.38	<10	<10	133	<10	99	
S313838		<20	0.36	<10	<10	136	<10	97	
S313839		<20	0.38	<10	<10	137	<10	96	
S313840		<20	<0.01	<10	<10	1	<10	<2	
S313841		<20	0.39	<10	<10	136	<10	105	
S313842		<20	0.37	10	<10	131	<10	119	
S313843		<20	0.37	<10	<10	137	<10	76	
S313844		<20	0.39	<10	10	138	<10	70	
S313845		<20	0.40	<10	<10	141	<10	74	
S313846		<20	0.40	<10	<10	173	<10	98	
S313846D		<20	0.41	<10	<10	174	<10	99	
S313847		<20	0.41	<10	<10	140	<10	104	
S313848		<20	0.40	<10	<10	136	<10	88	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313849		4.83	<0.005		<0.5	7.03	7	4720	1.1	3	4.68	<0.5	10	4	3	3.98
S313850		0.12	5.67		82.5	6.31	287	1220	1.0	5	2.00	22.9	12	25	122	4.84
S313851		5.39	<0.005		<0.5	8.20	8	2300	1.3	<2	4.37	0.6	12	4	5	4.65
S313852		6.20	<0.005		<0.5	7.73	8	1990	1.2	2	4.36	0.5	13	4	5	4.48
S313853		6.38	<0.005		<0.5	8.08	8	1840	1.2	<2	4.23	0.6	13	3	7	4.43
S313854		6.25	<0.005		<0.5	7.61	6	1610	1.1	2	3.88	<0.5	11	3	6	4.34
S313855		6.52	<0.005		<0.5	8.27	5	1870	1.2	3	3.40	<0.5	11	4	6	4.81
S313856		6.39	<0.005		<0.5	7.90	6	1810	1.1	2	4.19	<0.5	13	4	4	4.82
S313857		5.76	<0.005		<0.5	8.50	6	1790	1.3	4	3.61	<0.5	10	3	5	4.91
S313858		6.48	<0.005		<0.5	7.87	6	1790	1.1	2	3.55	<0.5	10	3	6	4.48
S313859		6.18	<0.005		<0.5	7.45	5	1700	1.0	2	3.85	<0.5	10	3	6	4.34
S313860		0.56	<0.005		<0.5	0.04	<5	10	<0.5	<2	36.0	<0.5	<1	1	<1	0.03
S313861		5.89	<0.005		<0.5	7.16	7	1660	1.0	<2	4.07	0.5	10	3	5	4.22
S313862		5.69	<0.005		<0.5	7.48	6	1960	1.1	<2	4.29	<0.5	10	3	4	4.27
S313863		6.06	<0.005		<0.5	7.33	5	1720	1.0	2	4.21	<0.5	11	3	4	4.24
S313864		5.70	<0.005		<0.5	7.43	6	1750	1.1	2	3.27	<0.5	11	3	5	4.12
S313865		6.58	<0.005		<0.5	7.69	7	1870	1.1	<2	3.62	0.6	12	4	6	4.25
S313866		6.76	<0.005		<0.5	8.32	5	2110	1.3	4	3.00	0.5	11	3	6	4.73
S313866D		<0.02	<0.005		<0.5	8.51	5	2120	1.2	2	3.07	<0.5	10	3	6	4.81
S313867		6.50	<0.005		<0.5	7.79	9	2080	1.2	<2	3.42	0.5	9	3	5	5.23
S313868		6.69	<0.005		<0.5	8.05	7	2020	1.2	<2	3.49	<0.5	10	3	9	4.73
S313869		7.21	<0.005		<0.5	7.45	7	1880	1.0	<2	4.70	<0.5	11	2	14	4.61
S313870		0.10	>10.0	18.50	27.6	6.95	821	270	1.4	2	2.88	2.0	18	109	136	5.08
S313871		5.33	<0.005		<0.5	8.13	5	1950	1.1	<2	5.00	<0.5	11	5	25	4.26
S313872		6.81	<0.005		<0.5	7.58	<5	1790	1.1	<2	5.27	<0.5	11	3	23	5.09
S313873		6.08	0.005		<0.5	8.75	8	2570	1.3	<2	4.14	<0.5	8	3	7	4.75

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313849		20	2.18	10	0.60	2730	1	0.82	1	1180	10	0.07	<5	10	424	10
S313850		10	3.76	10	0.49	1230	9	0.23	17	990	9060	3.03	74	12	152	<10
S313851		20	2.41	10	0.87	2240	1	0.97	2	1310	12	0.01	<5	12	398	<10
S313852		20	2.26	10	0.88	2160	<1	1.20	<1	1270	9	<0.01	<5	11	399	<10
S313853		20	2.13	10	0.98	2130	<1	1.67	1	1310	9	<0.01	<5	12	391	<10
S313854		20	1.77	10	1.00	2000	<1	1.82	<1	1220	7	<0.01	<5	11	359	<10
S313855		20	2.01	10	1.09	1850	<1	1.78	<1	1340	7	<0.01	<5	12	391	10
S313856		20	1.83	10	1.15	2250	<1	1.67	<1	1270	10	0.01	<5	12	404	<10
S313857		20	2.08	10	1.03	1810	<1	1.69	<1	1330	6	<0.01	<5	12	430	10
S313858		20	1.99	10	0.89	1680	<1	1.58	<1	1230	9	<0.01	<5	11	370	<10
S313859		20	1.86	10	0.88	1775	1	1.49	1	1150	7	<0.01	<5	11	344	10
S313860		<10	0.01	<10	1.82	18	<1	<0.01	<1	30	<2	0.05	<5	<1	5010	<10
S313861		20	1.81	10	0.81	1690	<1	1.54	<1	1090	6	<0.01	5	10	347	10
S313862		20	2.01	10	0.81	1770	<1	1.59	<1	1190	7	<0.01	<5	11	356	10
S313863		20	1.87	10	0.90	1825	<1	1.51	<1	1170	8	<0.01	<5	11	357	10
S313864		20	1.91	10	0.78	1440	<1	1.46	<1	1170	5	<0.01	<5	11	347	<10
S313865		20	2.02	10	0.81	1495	<1	1.42	2	1240	9	<0.01	<5	11	358	<10
S313866		20	2.38	10	0.75	1250	<1	1.34	1	1360	9	<0.01	<5	12	375	<10
S313866D		20	2.41	10	0.76	1280	<1	1.35	1	1360	9	<0.01	5	12	383	10
S313867		20	2.30	10	0.61	1365	<1	1.12	<1	1280	10	<0.01	<5	11	369	<10
S313868		20	2.28	10	0.63	1270	<1	1.27	<1	1290	5	<0.01	<5	11	388	<10
S313869		20	2.06	10	0.81	1750	<1	0.98	<1	1160	5	<0.01	8	11	355	<10
S313870		20	3.20	10	0.69	1030	7	0.17	69	1700	58	4.23	19	19	185	<10
S313871		20	2.16	10	0.85	1790	<1	1.29	<1	1220	2	<0.01	<5	12	372	<10
S313872		20	1.87	10	0.78	1760	<1	1.30	<1	1140	8	<0.01	<5	11	370	<10
S313873		20	2.73	10	0.51	1240	<1	1.42	<1	1380	5	<0.01	7	13	398	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313849		<20	0.37	<10	<10	120	<10	74	
S313850		<20	0.25	<10	<10	124	<10	1925	
S313851		<20	0.41	<10	<10	136	<10	102	
S313852		<20	0.42	<10	<10	138	<10	101	
S313853		<20	0.43	10	10	139	<10	106	
S313854		<20	0.39	<10	<10	132	<10	100	
S313855		<20	0.42	10	<10	146	<10	105	
S313856		<20	0.40	10	<10	139	<10	107	
S313857		<20	0.43	<10	<10	147	<10	97	
S313858		<20	0.39	<10	<10	135	<10	92	
S313859		<20	0.37	<10	<10	132	<10	97	
S313860		<20	<0.01	10	<10	1	<10	<2	
S313861		<20	0.37	<10	<10	127	<10	94	
S313862		<20	0.39	<10	<10	133	<10	94	
S313863		<20	0.38	<10	<10	126	<10	106	
S313864		<20	0.37	<10	<10	128	<10	96	
S313865		<20	0.39	<10	<10	130	<10	101	
S313866		<20	0.41	<10	<10	148	<10	94	
S313866D		<20	0.41	<10	<10	151	<10	96	
S313867		<20	0.38	<10	<10	147	<10	81	
S313868		<20	0.40	<10	<10	139	<10	89	
S313869		<20	0.37	<10	<10	134	<10	100	
S313870		<20	0.36	<10	<10	186	10	222	
S313871		<20	0.41	<10	<10	150	<10	96	
S313872		<20	0.36	<10	<10	128	<10	95	
S313873		<20	0.46	<10	10	173	<10	66	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 10-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143409

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

CERTIFICATE TR15143951

Project: Bowser Regional Exploration

P.O. No.: BOW-0097

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 21-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212101		3.88	0.077		0.6	7.98	23	2820	1.1	<2	2.49	<0.5	10	6	19	3.88
S212102		2.96	0.078		1.1	7.97	80	2230	1.2	<2	2.19	<0.5	11	6	27	3.36
S212103		3.15	0.232		1.8	7.30	75	1420	0.9	2	3.16	<0.5	7	6	27	2.88
S212104		2.89	0.063		1.4	7.81	63	1920	1.0	<2	3.96	<0.5	8	6	20	3.34
S212105		3.31	0.019		<0.5	7.90	32	2580	1.1	<2	3.38	<0.5	9	6	21	2.92
S212106		3.45	0.008		<0.5	7.65	18	1650	0.9	<2	3.62	<0.5	9	6	18	3.15
S212106D		<0.02	0.009		<0.5	7.84	14	1730	1.0	<2	3.80	<0.5	11	6	20	3.36
S212107		3.99	0.007		<0.5	7.99	21	1710	1.0	<2	3.40	0.9	12	7	20	3.80
S212108		3.34	0.085		<0.5	7.66	28	2390	1.0	<2	3.55	<0.5	7	6	15	3.67
S212109		3.77	0.019		<0.5	6.91	18	1950	1.1	<2	4.10	0.9	6	5	17	2.87
S212110		0.12	5.56		77.4	5.99	285	540	0.9	<2	1.95	21.8	11	24	115	4.68
S212111		2.15	0.008		<0.5	8.20	8	2590	1.0	<2	2.79	<0.5	5	7	13	3.69
S212112		0.98	0.035		1.6	7.76	12	2180	1.1	<2	2.06	<0.5	6	5	124	3.13
S212113		3.54	0.349		6.3	7.42	14	1850	1.0	<2	2.08	<0.5	7	6	2050	3.63
S212114		1.47	0.007		<0.5	7.98	9	2050	0.9	<2	2.15	<0.5	7	8	17	3.77
S212115		2.00	<0.005		<0.5	8.73	5	2640	0.9	<2	2.33	<0.5	8	6	27	3.83
S212116		4.00	0.010		<0.5	7.88	8	2640	1.0	<2	2.78	<0.5	7	12	24	3.71
S212117		3.47	0.179		<0.5	7.42	34	2940	1.0	<2	3.28	<0.5	3	6	19	3.19
S212118		3.84	0.006		<0.5	7.53	20	1700	1.0	<2	3.09	<0.5	8	7	18	3.48
S212119		3.65	0.006		<0.5	6.86	11	2750	1.1	<2	3.93	<0.5	9	7	15	3.30
S212120		0.42	<0.005		<0.5	0.06	<5	20	<0.5	2	32.0	<0.5	<1	2	<1	0.03
S212121		3.86	0.005		<0.5	8.29	13	2510	1.3	<2	2.97	<0.5	8	7	14	3.33
S212122		3.33	0.005		<0.5	8.15	10	3270	1.1	<2	2.50	<0.5	12	7	15	3.82
S212123		3.78	0.038		0.5	7.31	37	2930	1.0	<2	3.25	<0.5	7	7	21	3.37
S212124		3.34	0.040		<0.5	7.98	8	2940	1.0	<2	2.46	<0.5	10	7	16	3.86
S212125		3.80	<0.005		0.5	8.32	10	3100	1.1	<2	2.81	<0.5	13	7	15	3.62
S212126		3.33	0.091		1.0	7.64	41	1430	1.0	2	3.85	<0.5	17	7	12	3.80
S212126D		<0.02	0.042		0.7	7.25	40	1330	0.9	<2	3.83	<0.5	17	5	10	3.69
S212127		3.66	0.020		0.5	7.92	17	2900	0.8	<2	2.17	<0.5	4	5	34	3.53
S212128		3.58	<0.005		<0.5	7.63	9	2640	0.9	<2	2.20	<0.5	7	6	20	3.26
S212129		3.64	<0.005		<0.5	7.58	5	2680	1.0	<2	4.65	<0.5	6	7	15	3.41
S212130		0.10	>10.0	19.10	18.1	6.42	758	170	1.3	<2	2.78	1.9	18	111	132	4.93
S212131		3.60	0.005		<0.5	7.68	9	2860	0.9	2	2.40	<0.5	11	6	17	3.74
S212132		3.96	<0.005		<0.5	7.79	8	2630	1.0	<2	3.36	<0.5	8	7	17	3.66
S212133		3.50	<0.005		<0.5	7.65	9	2880	1.1	<2	3.22	<0.5	9	6	16	3.73
S212134		3.47	<0.005		<0.5	7.42	11	2580	1.0	<2	3.51	<0.5	9	6	16	3.64
S212135		3.86	0.008		<0.5	7.96	14	2000	1.0	<2	2.17	<0.5	6	7	11	3.73
S212136		3.56	<0.005		<0.5	7.54	7	2320	1.0	<2	2.62	<0.5	8	8	13	3.60
S212137		3.91	0.006		<0.5	7.50	5	2420	0.9	3	2.62	<0.5	7	6	21	3.50
S212138		3.97	0.051		0.6	7.31	18	1750	1.0	<2	3.95	1.3	13	5	8	3.87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212101		20	3.61	10	0.98	760	<1	2.27	1	910	12	1.28	<5	10	285	<20
S212102		20	4.47	10	0.83	586	1	1.65	1	930	13	1.61	<5	10	244	<20
S212103		10	3.64	10	0.74	744	1	2.22	6	860	11	1.70	5	10	275	<20
S212104		20	3.80	10	0.97	1030	1	1.96	1	900	11	1.52	<5	10	292	<20
S212105		20	3.75	10	1.00	888	1	1.83	<1	930	9	0.96	<5	10	259	<20
S212106		20	3.03	10	0.91	813	<1	2.09	3	890	13	1.39	<5	10	255	<20
S212106D		20	3.14	10	0.95	844	1	2.18	1	930	14	1.57	6	10	267	<20
S212107		20	3.18	10	0.97	896	2	1.99	2	930	13	1.70	<5	11	253	<20
S212108		20	3.53	10	1.00	1020	1	1.86	1	930	13	1.26	5	10	312	<20
S212109		20	3.49	10	0.83	844	1	1.47	1	870	8	0.75	<5	9	280	<20
S212110		10	3.69	10	0.48	1165	9	0.23	14	940	8810	2.97	73	12	143	<20
S212111		20	3.44	10	1.08	934	1	2.27	3	940	13	0.48	6	10	357	<20
S212112		20	3.64	10	0.94	588	<1	1.55	1	880	8	0.78	<5	10	215	<20
S212113		20	2.83	10	0.90	668	<1	2.42	1	840	7	1.07	<5	10	287	<20
S212114		20	2.71	10	1.00	739	1	3.10	2	870	7	0.70	<5	10	379	<20
S212115		20	2.64	10	1.06	826	1	4.03	3	960	8	0.50	<5	11	455	<20
S212116		20	2.82	10	1.04	847	1	2.98	3	890	7	0.51	<5	11	458	<20
S212117		20	3.60	10	1.04	915	1	2.22	2	860	9	0.70	<5	10	332	<20
S212118		20	3.39	10	0.89	758	1	2.23	2	830	8	1.56	6	10	378	<20
S212119		20	3.73	10	0.89	941	1	1.34	2	840	6	1.12	6	9	474	<20
S212120		<10	0.02	<10	1.69	17	<1	0.01	<1	30	<2	0.12	<5	<1	5110	<20
S212121		20	3.91	10	1.02	668	1	1.87	4	930	6	1.29	<5	11	325	<20
S212122		20	3.80	10	1.02	671	1	2.37	2	920	13	1.14	5	11	357	<20
S212123		20	3.46	10	0.95	836	1	2.31	1	860	8	0.91	<5	10	434	<20
S212124		20	3.17	10	1.04	772	1	2.98	2	900	11	0.96	<5	10	389	<20
S212125		20	3.50	10	1.00	777	1	2.84	<1	920	23	1.07	<5	11	394	<20
S212126		20	4.12	10	0.92	1070	1	1.84	<1	850	28	1.81	<5	10	388	<20
S212126D		20	3.95	10	0.89	1045	1	1.81	1	840	26	1.78	5	10	380	<20
S212127		20	3.89	10	1.08	915	1	2.38	1	900	9	0.74	5	10	230	<20
S212128		20	3.11	10	0.99	857	1	2.75	2	860	8	0.58	<5	10	339	<20
S212129		20	3.01	10	1.11	1390	<1	2.55	1	840	9	0.41	5	10	528	<20
S212130		20	3.05	10	0.67	998	6	0.16	67	1630	61	4.05	19	18	178	<20
S212131		20	3.02	10	1.21	945	1	2.98	<1	890	13	0.59	<5	10	356	<20
S212132		20	3.19	10	1.20	1110	1	2.50	1	890	6	0.44	<5	10	400	<20
S212133		20	3.73	10	1.19	1020	1	1.88	2	900	9	0.54	<5	10	319	<20
S212134		20	3.16	10	1.17	1155	1	2.48	1	870	10	0.43	<5	10	370	<20
S212135		20	3.39	10	1.22	968	1	2.21	2	920	4	0.66	<5	10	206	<20
S212136		20	3.45	10	1.18	1020	1	1.99	2	890	9	0.58	6	10	259	<20
S212137		20	2.98	10	1.09	955	<1	2.34	3	870	5	0.59	6	10	307	<20
S212138		20	3.66	10	0.94	1145	1	1.38	1	850	29	1.91	7	10	251	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212101		0.32	<10	10	102	<10	32	
S212102		0.33	<10	<10	106	<10	25	
S212103		0.31	<10	10	94	<10	28	
S212104		0.31	<10	<10	96	<10	30	
S212105		0.32	<10	10	101	<10	33	
S212106		0.31	<10	10	95	<10	34	
S212106D		0.33	<10	10	98	<10	36	
S212107		0.33	<10	<10	99	<10	195	
S212108		0.32	<10	<10	100	<10	71	
S212109		0.31	<10	<10	98	<10	287	
S212110		0.24	<10	<10	119	<10	1795	
S212111		0.32	10	10	101	<10	60	
S212112		0.32	<10	<10	106	<10	41	
S212113		0.29	<10	<10	98	<10	42	
S212114		0.30	10	10	96	<10	51	
S212115		0.33	<10	<10	105	<10	44	
S212116		0.31	<10	10	100	<10	29	
S212117		0.30	<10	<10	95	<10	44	
S212118		0.30	<10	10	94	<10	37	
S212119		0.30	<10	<10	97	<10	28	
S212120		<0.01	<10	<10	<1	<10	<2	
S212121		0.33	<10	<10	105	<10	34	
S212122		0.33	<10	<10	103	<10	25	
S212123		0.30	<10	<10	98	<10	27	
S212124		0.32	<10	<10	102	<10	39	
S212125		0.33	<10	10	104	<10	37	
S212126		0.30	<10	<10	98	<10	42	
S212126D		0.30	<10	<10	97	<10	42	
S212127		0.32	<10	<10	101	<10	105	
S212128		0.30	<10	<10	94	<10	133	
S212129		0.30	<10	10	93	<10	154	
S212130		0.35	<10	<10	173	<10	214	
S212131		0.31	10	<10	100	<10	144	
S212132		0.32	<10	<10	98	<10	99	
S212133		0.31	10	<10	101	<10	88	
S212134		0.30	<10	<10	98	<10	115	
S212135		0.32	<10	<10	101	<10	99	
S212136		0.31	10	10	97	<10	92	
S212137		0.31	<10	<10	96	<10	92	
S212138		0.31	<10	<10	96	<10	285	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212139		3.58	0.062		<0.5	7.53	13	2060	0.8	<2	2.85	<0.5	6	5	19	3.42
S212140		0.43	<0.005		<0.5	0.06	<5	10	<0.5	2	32.5	<0.5	<1	1	<1	0.05
S212141		3.62	0.009		<0.5	7.72	12	2280	0.8	<2	2.03	<0.5	7	5	16	3.61
S212142		3.41	0.072		0.8	7.70	24	2480	0.9	<2	2.34	<0.5	16	6	28	3.91
S212143		2.42	0.065		0.7	8.70	34	2720	1.3	<2	1.36	<0.5	10	6	23	3.75
S212144		2.28	0.030		0.7	8.77	36	2510	1.3	<2	1.36	<0.5	12	6	19	3.56
S212145		2.49	<0.005		<0.5	7.80	8	2180	0.9	4	2.52	<0.5	8	5	16	3.58
S212146		2.56	0.011		0.7	6.45	13	1860	1.0	2	4.02	0.5	6	6	14	3.59
S212146D		<0.02	0.011		0.6	6.91	16	1860	1.0	<2	4.14	0.5	7	5	14	3.64
S212147		1.80	<0.005		<0.5	7.67	8	2260	1.0	<2	3.51	<0.5	7	6	18	3.54
S212148		2.46	0.009		<0.5	7.42	10	2720	1.0	<2	4.18	<0.5	8	5	19	3.39
S212149		3.34	0.030		<0.5	7.93	9	2780	1.1	<2	2.98	<0.5	5	6	18	3.46
S212150		0.11	1.035		12.4	6.07	295	680	1.0	2	3.49	4.0	9	26	83	3.79
S212151		2.36	0.083		1.1	7.25	19	590	1.0	<2	3.91	<0.5	22	5	12	3.76
S212152		2.01	0.021		2.3	7.23	22	170	1.1	3	3.51	<0.5	14	5	8	5.04
S212153		2.56	0.005		<0.5	7.73	9	2780	1.1	<2	3.20	<0.5	7	6	20	3.83
S212154		4.23	0.014		<0.5	7.93	14	2770	1.0	<2	3.19	<0.5	9	6	16	3.84
S212155		2.62	0.015		1.0	7.74	29	2790	1.1	<2	2.38	0.7	11	5	13	3.76
S212156		3.10	<0.005		<0.5	7.57	11	2860	0.9	<2	2.40	<0.5	9	5	20	3.67
S212157		2.07	0.012		<0.5	7.76	18	2790	1.0	<2	2.69	<0.5	4	6	34	3.85
S212158		3.75	0.092		1.3	8.07	16	2800	1.0	3	2.72	<0.5	6	6	22	3.83
S212159		3.29	0.029		0.5	7.75	16	3080	1.1	<2	2.94	0.5	4	6	16	3.67
S212160		0.55	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.5	<0.5	<1	1	<1	0.05
S212161		2.22	0.009		0.6	8.15	22	2770	1.1	<2	2.83	<0.5	10	6	10	3.78
S212162		2.44	0.113		1.2	8.01	79	1380	1.2	<2	2.91	0.8	6	5	69	3.86
S212163		2.40	0.029		0.6	7.24	26	2570	1.0	<2	3.91	0.6	8	5	21	3.68
S212164		3.21	0.046		1.4	8.26	51	480	1.1	<2	1.60	4.4	5	6	23	3.49
S212165		3.43	0.063		2.8	7.05	46	300	1.3	4	3.26	2.0	7	5	14	3.49
S212166		3.58	0.053		3.4	7.00	43	320	1.4	<2	3.69	1.2	12	5	12	3.61
S212166D		<0.02	0.051		3.4	7.43	41	360	1.4	2	3.63	1.2	13	5	11	3.68
S212167		3.78	0.050		3.2	7.20	33	130	1.3	<2	2.28	5.8	10	5	9	4.75
S212168		3.72	0.065		2.6	7.87	45	280	1.4	<2	1.83	<0.5	9	5	11	3.52
S212169		3.11	0.105		2.2	7.45	58	270	1.2	2	1.62	<0.5	9	6	9	3.84
S212170		0.12	>10.0	10.75	>100	5.59	363	390	0.9	<2	3.64	4.2	10	31	145	3.65
S212171		3.26	0.037		1.3	8.26	157	560	1.3	<2	2.35	<0.5	9	5	27	3.89
S212172		2.96	0.088		3.4	6.85	139	420	1.3	<2	4.98	0.8	8	6	16	3.95
S212173		2.17	0.073		1.5	8.00	94	1410	1.3	<2	3.27	<0.5	8	5	15	3.13
S212174		2.24	0.076		1.4	7.52	94	940	1.1	<2	3.78	<0.5	10	5	19	3.96
S212175		1.61	0.022		0.9	7.28	30	2330	1.0	<2	3.51	<0.5	9	5	47	3.70
S212176		2.71	0.058		2.8	7.32	42	420	1.3	<2	3.77	0.6	7	6	10	3.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212139		20	3.18	10	1.01	861	<1	1.83	2	840	8	0.85	<5	10	176	<20
S212140		<10	0.01	<10	1.60	31	<1	0.01	<1	40	4	0.07	<5	<1	4900	<20
S212141		20	3.12	10	0.97	829	<1	2.33	<1	880	9	0.77	8	10	191	<20
S212142		20	3.54	10	0.92	815	<1	1.90	2	870	28	1.36	5	10	201	<20
S212143		20	4.16	10	1.07	723	<1	1.40	3	940	19	0.84	6	11	137	<20
S212144		20	4.25	10	0.92	665	<1	1.37	1	980	12	1.16	<5	11	117	<20
S212145		20	3.41	10	1.03	1160	<1	2.16	2	910	6	0.56	6	10	241	<20
S212146		20	3.33	10	1.14	1525	<1	1.33	1	800	19	1.23	8	8	287	<20
S212146D		20	3.44	10	1.19	1545	<1	1.34	1	810	19	1.29	<5	9	292	<20
S212147		20	3.36	10	1.18	1160	<1	2.11	<1	900	5	0.80	6	10	330	<20
S212148		20	3.71	10	1.01	1125	1	1.72	1	860	10	0.93	<5	9	349	<20
S212149		20	3.97	10	1.09	1075	<1	1.35	1	890	4	1.02	<5	10	247	<20
S212150		10	3.79	10	0.54	1360	8	0.21	18	910	142	2.81	18	11	191	<20
S212151		20	3.56	10	0.75	915	<1	1.35	2	850	16	3.07	<5	10	221	<20
S212152		20	4.19	10	0.83	917	<1	0.92	1	910	28	4.68	<5	9	216	<20
S212153		20	3.88	10	1.14	1155	1	1.53	2	910	11	0.79	5	10	281	<20
S212154		20	3.32	10	1.07	996	1	2.27	2	890	8	0.69	<5	10	329	<20
S212155		20	3.61	10	0.97	822	1	1.98	2	900	19	1.33	<5	10	261	<20
S212156		20	2.86	10	0.94	907	1	2.92	2	890	6	0.72	6	10	395	<20
S212157		20	3.20	10	1.11	1115	1	2.72	2	950	5	0.58	<5	9	336	<20
S212158		20	3.17	10	1.15	1145	1	2.53	<1	910	17	0.56	<5	11	321	<20
S212159		20	3.40	10	1.12	1210	1	2.06	2	890	11	0.57	5	10	320	<20
S212160		<10	0.01	<10	1.70	24	<1	0.01	<1	30	2	0.06	9	<1	5290	<20
S212161		20	3.51	10	1.18	1340	1	2.22	2	950	46	0.67	<5	10	300	<20
S212162		20	4.42	10	1.03	1075	1	1.19	2	900	21	1.74	<5	10	264	<20
S212163		20	3.59	10	1.08	1410	<1	1.47	1	890	11	0.81	5	9	369	<20
S212164		20	4.78	10	1.05	680	1	0.48	2	940	12	2.53	<5	11	129	<20
S212165		20	4.26	10	0.62	911	<1	0.33	2	840	37	3.61	5	9	138	<20
S212166		20	3.97	10	0.62	723	1	0.45	1	860	46	3.77	8	10	138	<20
S212166D		20	4.11	10	0.66	748	<1	0.46	3	870	47	3.86	8	10	144	<20
S212167		20	4.08	10	0.70	664	1	0.38	1	830	340	4.96	7	10	110	<20
S212168		20	4.35	10	0.71	486	<1	0.32	1	860	26	3.54	6	11	108	<20
S212169		20	4.37	10	0.72	519	1	0.14	2	810	20	3.65	<5	10	101	<20
S212170		10	3.48	10	0.44	1320	7	0.15	21	810	238	2.94	58	10	192	<20
S212171		20	4.52	10	0.99	773	2	0.20	8	970	24	3.01	<5	11	137	<20
S212172		20	4.52	10	0.66	1330	2	0.09	3	870	44	3.81	5	9	255	<20
S212173		20	4.72	10	0.85	1145	1	0.12	1	970	9	2.12	<5	11	174	<20
S212174		20	4.40	10	0.96	1355	1	0.76	1	910	14	2.54	8	10	236	<20
S212175		20	3.63	10	1.30	1885	1	1.63	2	910	16	1.12	<5	9	273	<20
S212176		20	4.44	10	0.84	1405	1	0.80	<1	910	39	3.76	7	10	223	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212139		0.31	<10	<10	97	10	42	
S212140		<0.01	<10	<10	1	<10	<2	
S212141		0.33	<10	<10	99	10	40	
S212142		0.32	<10	<10	99	10	53	
S212143		0.35	<10	<10	109	30	64	
S212144		0.35	10	<10	109	20	63	
S212145		0.33	<10	<10	102	10	88	
S212146		0.30	<10	<10	93	<10	215	
S212146D		0.31	<10	<10	94	<10	228	
S212147		0.32	<10	<10	100	<10	83	
S212148		0.31	<10	10	97	<10	81	
S212149		0.32	<10	<10	102	<10	140	
S212150		0.25	<10	10	103	<10	468	
S212151		0.30	<10	<10	95	<10	31	
S212152		0.32	10	10	97	<10	38	
S212153		0.33	<10	<10	101	<10	94	
S212154		0.32	<10	<10	99	<10	162	
S212155		0.32	<10	<10	99	<10	244	
S212156		0.32	<10	<10	96	<10	154	
S212157		0.34	<10	<10	101	<10	149	
S212158		0.33	10	<10	100	<10	194	
S212159		0.32	<10	<10	98	<10	236	
S212160		<0.01	<10	<10	1	<10	<2	
S212161		0.34	<10	<10	105	<10	180	
S212162		0.33	<10	<10	93	<10	242	
S212163		0.32	10	10	100	<10	220	
S212164		0.33	<10	<10	102	<10	1620	
S212165		0.31	<10	<10	91	<10	553	
S212166		0.31	<10	<10	90	<10	349	
S212166D		0.32	<10	<10	93	<10	337	
S212167		0.30	<10	<10	96	<10	1085	
S212168		0.32	<10	<10	101	<10	119	
S212169		0.30	<10	<10	99	<10	121	
S212170		0.23	<10	<10	94	<10	492	133
S212171		0.34	<10	<10	107	<10	97	
S212172		0.31	<10	<10	98	<10	175	
S212173		0.33	<10	10	105	<10	151	
S212174		0.32	<10	10	102	<10	164	
S212175		0.32	10	<10	102	<10	169	
S212176		0.31	<10	<10	101	<10	101	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212177		3.52	0.010		<0.5	6.90	23	370	1.1	<2	3.44	<0.5	7	5	10	3.55
S212178		3.63	0.017		<0.5	7.52	37	370	1.1	<2	3.26	<0.5	9	5	11	3.93
S212179		3.48	0.011		0.7	7.64	20	400	1.1	<2	3.53	<0.5	8	5	10	3.84
S212180		0.50	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.2	<0.5	<1	<1	<1	0.03
S212181		3.40	0.020		1.1	7.55	21	190	1.2	<2	2.67	<0.5	9	5	13	4.02
S212182		3.43	0.021		1.3	6.83	25	200	1.0	<2	3.25	<0.5	9	6	11	4.03
S212183		3.51	0.017		1.7	6.97	30	160	1.0	3	3.52	<0.5	8	6	11	3.80
S212184		3.40	0.021		2.7	7.34	33	140	1.1	<2	3.26	<0.5	9	7	15	4.19
S212185		3.45	0.043		3.0	6.80	44	290	1.0	3	4.97	<0.5	8	7	9	4.01
S212186		3.61	0.019		1.7	6.85	45	140	1.0	<2	3.37	<0.5	9	6	8	3.94
S212186D		<0.02	0.019		1.9	7.40	49	290	1.1	<2	3.39	<0.5	9	6	7	3.91
S212187		3.80	0.020		1.6	7.35	30	210	1.0	2	2.88	<0.5	8	6	10	3.68
S212188		3.38	0.018		1.5	7.74	29	290	1.1	<2	2.35	<0.5	10	6	8	3.60
S212189		3.65	0.013		1.6	7.62	29	280	1.1	<2	2.74	<0.5	10	6	8	3.84
S212190		0.13	5.92		83.0	6.28	288	450	1.0	3	2.09	23.4	10	24	119	4.94
S212191		5.03	0.022		2.6	7.47	37	180	1.0	<2	2.90	<0.5	7	6	6	3.69
S212192		2.42	0.021		1.9	7.06	38	190	1.0	<2	3.26	<0.5	7	6	6	3.65
S212193		3.58	0.036		3.8	7.00	48	160	0.8	<2	3.10	<0.5	10	6	12	3.80
S212194		3.74	0.542		54.6	7.23	81	190	1.0	<2	3.37	5.2	7	7	151	4.18
S212195		3.49	0.046		3.1	7.27	33	250	1.0	<2	3.38	<0.5	9	5	16	4.01
S212196		3.58	0.040		1.7	7.34	35	210	1.0	<2	2.95	<0.5	10	6	12	3.96
S212197		3.64	0.012		1.9	6.95	30	560	1.0	<2	3.29	<0.5	9	6	56	3.20
S212198		3.41	0.024		1.0	7.36	26	190	1.0	<2	2.45	<0.5	11	6	9	4.45
S212199		2.97	0.058		0.9	7.29	28	480	1.1	<2	3.27	<0.5	9	6	13	3.72
S212200		0.52	<0.005		<0.5	0.06	<5	20	<0.5	3	33.3	<0.5	<1	<1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212177		20	4.27	10	0.84	1215	1	0.77	<1	860	7	3.57	7	9	193	<20
S212178		20	4.23	10	0.86	1250	1	1.09	<1	870	9	3.94	6	10	219	<20
S212179		20	4.51	10	0.80	1295	1	1.25	3	930	12	4.09	<5	10	228	<20
S212180		<10	0.01	10	1.85	18	<1	0.01	<1	30	<2	0.05	<5	<1	5180	<20
S212181		20	4.30	10	0.66	938	1	1.40	2	910	15	4.30	<5	10	187	<20
S212182		20	3.83	10	0.46	999	2	1.71	1	840	20	4.33	6	9	196	<20
S212183		20	4.25	10	0.48	1080	1	1.81	<1	880	22	4.17	<5	9	219	<20
S212184		20	4.09	10	0.58	871	1	1.91	<1	950	23	4.51	<5	10	222	<20
S212185		20	4.55	10	0.56	1250	3	1.14	1	850	29	4.47	<5	10	213	<20
S212186		20	4.02	10	0.55	888	1	1.71	2	900	27	4.23	<5	9	202	<20
S212186D		20	4.20	10	0.59	880	1	1.73	2	910	29	4.31	<5	10	204	<20
S212187		20	4.18	10	0.50	798	1	1.75	<1	870	23	3.95	<5	10	185	<20
S212188		20	4.59	10	0.55	663	1	1.06	<1	880	24	3.86	<5	10	149	<20
S212189		20	4.59	10	0.71	758	1	1.15	<1	920	17	4.15	<5	10	162	<20
S212190		10	3.90	10	0.51	1250	9	0.24	17	1010	9210	3.13	79	12	150	<20
S212191		20	4.36	10	0.57	964	<1	1.55	3	910	30	4.05	<5	10	218	<20
S212192		20	4.38	10	0.54	1150	<1	1.39	2	900	22	3.95	6	9	244	<20
S212193		20	4.50	10	0.41	1240	1	1.19	2	890	25	4.17	6	9	218	<20
S212194		20	4.86	10	0.41	1580	4	0.35	2	970	372	4.59	49	10	186	<20
S212195		20	4.29	10	0.62	1305	1	1.78	2	900	26	4.41	5	10	268	<20
S212196		20	4.50	10	0.76	1115	<1	1.35	1	920	21	4.08	<5	10	228	<20
S212197		20	4.09	10	0.78	1135	1	1.57	2	880	7	3.26	11	9	287	<20
S212198		20	4.20	10	0.71	885	<1	1.35	2	880	13	4.46	<5	10	220	<20
S212199		20	4.33	10	0.71	1285	2	1.03	<1	860	11	3.68	6	10	216	<20
S212200		<10	0.02	10	1.87	22	<1	0.01	<1	40	<2	0.08	5	<1	4990	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212177		0.30	10	<10	96	<10	205	
S212178		0.30	10	<10	95	<10	87	
S212179		0.32	<10	<10	105	<10	37	
S212180		<0.01	<10	<10	<1	<10	<2	
S212181		0.32	<10	<10	104	<10	34	
S212182		0.30	10	<10	98	<10	39	
S212183		0.31	<10	<10	102	<10	48	
S212184		0.33	<10	10	110	<10	29	
S212185		0.34	10	<10	104	<10	22	
S212186		0.32	<10	<10	103	<10	23	
S212186D		0.32	<10	<10	103	<10	23	
S212187		0.31	<10	<10	102	<10	32	
S212188		0.31	<10	10	100	<10	48	
S212189		0.32	<10	<10	105	<10	28	
S212190		0.26	10	<10	127	<10	1935	
S212191		0.32	<10	<10	104	<10	28	
S212192		0.32	10	<10	105	<10	33	
S212193		0.32	<10	<10	100	<10	39	
S212194		0.35	<10	<10	113	<10	774	
S212195		0.32	<10	<10	103	<10	42	
S212196		0.33	<10	<10	106	<10	42	
S212197		0.31	<10	<10	101	<10	85	
S212198		0.31	<10	<10	100	<10	28	
S212199		0.30	<10	<10	97	<10	22	
S212200		<0.01	<10	<10	<1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 4-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15143951

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15144707

Project: Bowser Regional Exploration

P.O. No.: BOW-0100

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313874		6.53	0.005		<0.5	7.45	<5	1760	0.9	3	4.46	<0.5	11	4	16	3.37
S313875		5.60	<0.005		<0.5	7.57	7	1960	1.0	3	4.45	0.5	11	5	6	4.66
S313876		6.02	<0.005		<0.5	7.13	7	2080	1.0	6	4.92	0.5	10	2	3	4.31
S313877		6.00	<0.005		<0.5	7.55	<5	2050	1.0	<2	4.98	<0.5	10	4	5	4.44
S313878		8.58	0.005		<0.5	6.93	6	2080	1.0	<2	4.92	0.6	6	6	4	4.41
S313879		6.13	0.006		<0.5	7.68	<5	2340	1.2	3	4.33	<0.5	8	6	6	4.42
S313880		0.60	<0.005		<0.5	0.05	<5	10	<0.5	<2	36.2	<0.5	<1	4	<1	0.03
S313881		5.16	<0.005		<0.5	7.44	<5	2290	1.1	3	4.49	0.7	8	5	7	4.32
S313882		5.85	0.008		<0.5	6.92	7	2350	1.1	3	4.23	<0.5	8	2	3	4.85
S313883		6.94	<0.005		<0.5	7.24	8	2320	1.3	3	4.37	<0.5	9	5	4	5.13
S313884		5.93	<0.005		<0.5	7.29	7	2400	1.4	<2	3.84	0.5	8	4	3	4.84
S313885		6.45	<0.005		<0.5	7.60	7	2190	1.2	2	3.57	<0.5	8	2	42	5.12
S313886		4.82	<0.005		<0.5	7.89	5	1230	1.0	2	4.67	<0.5	14	4	22	4.27
S313886D		<0.02	<0.005		<0.5	8.16	<5	1240	1.0	2	4.69	<0.5	14	2	22	4.29
S313887		8.09	<0.005		<0.5	7.99	<5	1250	1.0	4	5.25	0.7	11	2	16	4.20
S313888		6.35	<0.005		<0.5	7.56	5	1300	1.0	<2	5.34	0.5	5	3	6	3.98
S313889		6.48	<0.005		<0.5	8.18	5	1480	1.1	2	6.00	0.6	6	2	2	4.13
S313890		0.13	1.030		12.3	6.12	315	590	1.0	3	3.53	4.6	11	27	83	3.84
S313891		5.99	<0.005		<0.5	7.87	<5	1700	1.1	2	5.16	0.5	6	2	3	4.16
S313892		6.00	<0.005		<0.5	7.80	<5	1470	1.0	2	4.94	0.5	6	4	3	5.09
S313893		6.42	0.006		<0.5	8.25	<5	1850	1.1	<2	3.81	0.5	5	5	3	4.79
S313894		6.53	<0.005		<0.5	7.82	<5	1640	1.0	5	4.12	<0.5	5	3	3	4.57
S313895		5.47	<0.005		<0.5	8.22	<5	1710	1.0	2	5.46	<0.5	6	4	1	4.60
S313896		6.86	<0.005		<0.5	7.74	5	1720	1.1	4	4.90	0.5	7	3	3	5.08
S313897		5.91	<0.005		<0.5	8.15	7	1580	1.0	5	5.47	0.5	7	3	2	5.39
S313898		6.55	<0.005		<0.5	7.99	5	1690	1.1	<2	5.66	0.5	8	3	3	5.69
S313899		5.83	<0.005		<0.5	8.86	7	1950	1.3	2	2.80	<0.5	9	3	2	5.36
S313900		0.51	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.8	<0.5	<1	1	<1	0.03
S313901		5.76	0.005		<0.5	7.67	5	1650	1.1	2	3.98	<0.5	14	3	15	4.20
S313902		6.28	<0.005		<0.5	7.66	<5	1560	1.0	<2	4.58	<0.5	14	3	16	3.84
S313903		6.55	<0.005		<0.5	8.16	5	1350	0.9	2	4.15	<0.5	12	3	2	5.25
S313904		6.27	<0.005		<0.5	7.97	5	1620	1.0	<2	4.34	<0.5	9	3	2	5.26
S313905		5.98	<0.005		<0.5	8.12	<5	1660	1.0	3	5.74	<0.5	8	3	2	5.19
S313906		6.19	<0.005		<0.5	8.46	<5	1360	1.1	<2	4.48	0.5	8	2	5	5.22
S313906D		<0.02	<0.005		<0.5	7.78	<5	1340	1.0	3	4.43	<0.5	8	3	5	5.16
S313907		5.99	<0.005		<0.5	8.40	38	1040	1.3	2	3.10	<0.5	21	11	37	4.05
S313908		6.47	<0.005		<0.5	8.32	8	2230	1.0	2	3.43	<0.5	11	4	15	4.79
S313909		6.58	<0.005		<0.5	7.05	<5	2160	1.1	2	2.92	<0.5	8	5	3	3.94
S313910		0.13	>10.0	9.90	>100	6.00	364	390	1.0	2	3.80	4.9	12	31	151	3.74
S313911		6.07	<0.005		<0.5	6.41	9	1940	1.0	2	5.36	0.5	9	3	2	3.34

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313874		20	1.83	10	0.87	1590	<1	1.30	<1	1120	11	0.01	<5	11	337	<10
S313875		20	2.02	10	0.74	1510	<1	1.28	<1	1150	13	0.01	<5	11	335	10
S313876		20	2.17	10	0.60	1530	<1	1.24	<1	1170	12	<0.01	<5	10	338	<10
S313877		20	2.17	10	0.55	1390	<1	1.20	<1	1190	15	<0.01	<5	11	338	<10
S313878		20	2.23	10	0.35	1220	<1	0.96	<1	1090	11	<0.01	<5	10	321	<10
S313879		20	2.55	10	0.38	1050	<1	1.03	<1	1220	15	<0.01	<5	11	352	<10
S313880		<10	0.01	<10	1.87	19	<1	<0.01	<1	30	<2	0.02	<5	<1	4860	<10
S313881		20	2.56	10	0.35	1070	<1	1.01	1	1180	16	<0.01	<5	10	354	<10
S313882		20	2.60	10	0.26	1070	<1	0.98	<1	1200	15	<0.01	<5	9	347	<10
S313883		20	2.59	10	0.28	1050	<1	0.92	1	1230	18	<0.01	<5	9	378	<10
S313884		20	2.67	10	0.27	889	<1	0.83	1	1470	13	<0.01	<5	10	366	<10
S313885		20	2.32	10	0.40	1020	<1	1.00	<1	1240	14	0.01	<5	10	362	10
S313886		20	1.41	10	1.03	1690	<1	1.10	<1	1170	12	<0.01	<5	12	373	10
S313886D		20	1.42	10	1.06	1710	<1	1.11	<1	1160	8	<0.01	<5	12	379	<10
S313887		20	1.42	20	0.98	1690	<1	1.07	<1	1140	23	<0.01	<5	12	373	<10
S313888		20	1.45	20	0.80	1580	<1	1.09	<1	1090	11	<0.01	<5	11	362	<10
S313889		10	1.63	10	0.82	1670	<1	1.09	<1	1190	9	<0.01	<5	12	394	10
S313890		10	3.79	10	0.55	1370	8	0.21	20	930	154	2.76	18	11	193	<10
S313891		20	1.83	10	0.71	1470	<1	1.05	<1	1230	7	0.01	<5	11	371	<10
S313892		20	1.60	10	0.87	1570	<1	0.86	<1	1160	8	<0.01	<5	11	316	<10
S313893		20	1.93	10	0.79	1330	<1	0.70	<1	1220	6	<0.01	<5	12	309	<10
S313894		20	1.77	10	0.75	1330	<1	0.84	2	1180	10	<0.01	<5	11	309	<10
S313895		20	1.75	20	0.77	1550	<1	0.93	<1	1210	11	<0.01	<5	12	364	10
S313896		20	1.77	10	0.74	1680	<1	0.75	1	1220	3	<0.01	<5	11	347	10
S313897		20	1.78	10	0.81	1750	<1	0.68	<1	1240	11	<0.01	<5	12	336	10
S313898		20	1.76	20	0.79	1870	<1	0.60	1	1380	10	<0.01	<5	12	328	<10
S313899		20	2.17	10	0.71	1190	<1	0.66	2	1580	5	<0.01	<5	13	291	<10
S313900		<10	0.01	<10	1.85	20	<1	<0.01	<1	20	2	0.06	<5	<1	5100	<10
S313901		20	1.90	10	0.61	1300	<1	0.69	<1	1250	8	0.15	<5	11	319	<10
S313902		20	1.91	10	0.56	1290	<1	0.79	<1	1180	10	0.39	<5	11	375	<10
S313903		20	1.65	10	0.90	1530	<1	0.68	<1	1210	7	<0.01	<5	11	316	10
S313904		20	1.70	10	0.81	1460	<1	0.69	<1	1220	8	0.04	<5	11	347	<10
S313905		20	1.80	10	0.81	1790	<1	0.63	<1	1190	6	0.02	<5	12	388	<10
S313906		20	1.73	10	0.82	1600	<1	0.75	<1	1280	8	0.06	<5	12	399	<10
S313906D		20	1.67	10	0.75	1610	<1	0.75	1	1250	10	0.05	<5	11	394	<10
S313907		20	1.45	20	0.64	1030	14	0.93	3	920	61	0.16	<5	13	398	10
S313908		20	2.31	10	0.55	1190	<1	0.57	3	630	11	0.01	<5	11	266	10
S313909		20	2.65	10	0.24	807	<1	0.65	1	830	10	<0.01	<5	8	273	10
S313910		10	3.63	10	0.48	1380	7	0.16	22	850	254	3.03	60	10	202	<10
S313911		20	2.26	10	0.40	1340	<1	0.56	<1	930	11	<0.01	<5	7	310	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313874		<20	0.36	<10	<10	125	<10	103	
S313875		<20	0.38	<10	<10	142	<10	98	
S313876		<20	0.37	<10	<10	132	<10	95	
S313877		<20	0.37	<10	<10	137	<10	98	
S313878		<20	0.35	<10	<10	125	<10	70	
S313879		<20	0.40	<10	<10	148	<10	89	
S313880		<20	<0.01	10	<10	<1	<10	<2	
S313881		<20	0.39	<10	<10	140	<10	88	
S313882		<20	0.38	<10	<10	146	<10	77	
S313883		<20	0.38	10	<10	137	<10	83	
S313884		<20	0.38	<10	<10	133	<10	77	
S313885		<20	0.37	<10	10	139	<10	63	
S313886		<20	0.37	10	<10	129	<10	96	
S313886D		<20	0.38	<10	<10	130	<10	97	
S313887		<20	0.37	<10	<10	126	<10	87	
S313888		<20	0.35	<10	<10	132	<10	73	
S313889		<20	0.38	10	<10	132	<10	74	
S313890		<20	0.25	<10	<10	106	<10	476	
S313891		<20	0.40	<10	<10	138	<10	75	
S313892		<20	0.37	10	<10	111	<10	85	
S313893		<20	0.39	<10	<10	120	<10	77	
S313894		<20	0.37	<10	<10	117	<10	77	
S313895		<20	0.37	10	<10	132	<10	78	
S313896		<20	0.38	<10	<10	124	<10	84	
S313897		<20	0.37	<10	<10	123	<10	92	
S313898		<20	0.37	<10	<10	120	<10	97	
S313899		<20	0.42	<10	<10	118	<10	86	
S313900		<20	<0.01	<10	<10	1	<10	<2	
S313901		<20	0.37	<10	<10	131	<10	88	
S313902		<20	0.38	<10	10	135	<10	86	
S313903		<20	0.37	<10	<10	128	60	115	
S313904		<20	0.38	<10	<10	131	<10	101	
S313905		<20	0.39	<10	<10	146	<10	93	
S313906		<20	0.40	10	<10	146	<10	104	
S313906D		<20	0.39	<10	<10	145	<10	105	
S313907		<20	0.43	<10	<10	163	<10	86	
S313908		<20	0.33	<10	<10	127	<10	85	
S313909		<20	0.33	<10	<10	120	<10	59	
S313910		<20	0.23	10	<10	98	<10	516	141
S313911		<20	0.30	<10	<10	109	<10	78	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313912		5.93	<0.005		<0.5	6.95	<5	1940	1.1	3	4.29	<0.5	10	3	2	3.37
S313913		6.26	<0.005		<0.5	6.50	<5	2560	1.0	<2	5.32	0.5	9	6	6	3.83
S313914		6.85	<0.005		<0.5	7.97	<5	3380	1.3	4	3.90	<0.5	7	7	2	5.11
S313915		5.95	<0.005		<0.5	8.32	<5	2920	1.3	6	3.32	<0.5	6	3	2	4.10
S313916		6.22	<0.005		<0.5	8.03	<5	2520	1.2	5	3.06	<0.5	8	3	1	3.44
S313917		6.35	<0.005		<0.5	6.95	<5	2120	1.0	<2	3.55	<0.5	9	3	1	3.47
S313918		6.47	<0.005		<0.5	8.57	6	2630	1.2	<2	3.28	<0.5	6	3	4	2.83
S313919		6.36	<0.005		<0.5	7.33	<5	1390	1.0	3	4.18	<0.5	12	4	53	4.04
S313920		0.50	<0.005		<0.5	0.06	<5	10	<0.5	<2	36.4	<0.5	<1	1	<1	0.04
S313921		6.30	<0.005		<0.5	7.91	<5	1670	1.2	<2	3.49	<0.5	12	3	20	3.74
S313922		6.50	<0.005		<0.5	7.51	<5	1720	1.2	3	3.66	0.5	9	9	19	3.30
S313923		6.51	<0.005		<0.5	7.45	<5	1610	1.1	4	3.59	<0.5	9	3	18	3.52
S313924		5.93	<0.005		<0.5	7.21	<5	1670	1.0	4	4.06	<0.5	8	3	14	3.61
S313925		6.38	<0.005		<0.5	6.83	<5	2220	1.0	<2	4.48	<0.5	8	4	5	3.55
S313926		6.26	<0.005		<0.5	8.74	<5	1910	1.2	4	3.32	<0.5	7	4	21	3.55
S313926D		<0.02	<0.005		<0.5	8.15	5	1880	1.2	2	3.32	<0.5	10	4	25	3.56
S313927		5.72	<0.005		<0.5	7.70	<5	2140	1.1	3	4.16	<0.5	10	4	42	3.79
S313928		6.42	<0.005		<0.5	8.21	<5	2250	1.2	2	3.28	<0.5	9	4	10	3.61
S313929		6.25	<0.005		<0.5	7.78	<5	1860	1.0	5	3.77	<0.5	9	4	7	4.05
S313930		0.13	6.03		84.9	6.38	287	520	1.0	5	2.00	23.0	11	23	121	4.84
S313931		5.91	0.014		<0.5	7.77	10	1760	1.1	6	4.12	<0.5	11	4	32	3.65
S313932		6.79	<0.005		<0.5	6.69	<5	4950	0.9	3	4.43	0.5	8	5	2	3.49
S313933		6.41	<0.005		<0.5	6.77	<5	1860	0.7	2	4.09	<0.5	8	3	<1	4.41
S313934		5.92	<0.005		<0.5	7.55	5	2180	1.1	3	3.59	<0.5	6	4	1	3.87
S313935		6.27	<0.005		<0.5	7.39	<5	1990	1.1	2	3.93	<0.5	7	4	15	3.78
S313936		7.31	<0.005		<0.5	7.44	<5	1830	1.1	2	3.95	<0.5	8	3	24	3.86
S313937		5.60	<0.005		<0.5	7.79	<5	1430	1.1	3	4.42	0.6	9	3	5	4.65
S313938		5.85	<0.005		<0.5	7.94	<5	1690	1.2	2	2.91	<0.5	7	4	10	4.04
S313939		5.50	0.006		0.5	9.13	15	1550	1.4	<2	3.04	<0.5	13	3	13	5.26
S313940		0.57	<0.005		<0.5	0.27	<5	10	<0.5	<2	35.1	<0.5	<1	4	<1	0.18
S313941		6.89	<0.005		<0.5	9.36	5	270	1.4	3	2.01	<0.5	16	6	18	5.80
S313942		5.09	<0.005		<0.5	9.08	8	160	1.5	3	2.25	<0.5	18	5	20	6.92
S313943		5.86	<0.005		<0.5	7.30	13	250	1.0	3	3.09	<0.5	12	4	19	4.24
S313944		6.32	<0.005		<0.5	9.76	9	220	1.6	<2	2.03	0.5	25	6	23	5.75
S313945		5.69	<0.005		0.6	10.25	19	210	1.5	<2	1.60	<0.5	23	7	28	5.76
S313946		5.83	<0.005		0.8	9.08	19	430	1.0	3	1.59	0.9	24	7	38	5.61
S313946D		<0.02	<0.005		0.9	8.91	15	330	1.0	3	1.57	1.0	26	7	39	5.79
S313947		6.57	<0.005		<0.5	9.96	<5	2570	1.3	<2	1.82	<0.5	13	3	24	6.21
S313948		4.50	<0.005		<0.5	9.54	<5	2230	1.2	<2	1.50	<0.5	9	4	17	4.18
S313949		5.62	<0.005		<0.5	9.56	<5	2460	1.5	<2	1.85	<0.5	7	2	23	3.46

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313912		20	2.24	10	0.45	1070	<1	0.55	<1	840	9	<0.01	<5	8	290	<10
S313913		20	2.45	10	0.34	1430	<1	0.55	1	600	9	0.01	<5	9	335	<10
S313914		20	2.76	10	0.37	979	<1	0.68	1	1330	17	0.03	<5	11	459	<10
S313915		20	3.07	10	0.34	819	<1	0.72	<1	1210	11	0.01	<5	9	340	10
S313916		20	2.83	10	0.34	774	<1	0.66	<1	1140	10	<0.01	<5	9	309	<10
S313917		20	2.37	10	0.38	932	<1	0.59	<1	970	7	0.02	<5	7	336	<10
S313918		20	2.89	10	0.39	912	<1	0.73	<1	1220	11	0.11	<5	9	346	10
S313919		20	1.60	10	0.71	1400	<1	0.65	1	970	9	0.14	<5	8	337	10
S313920		<10	0.01	<10	1.83	22	<1	0.01	<1	30	<2	0.10	<5	<1	5450	<10
S313921		20	1.93	10	0.61	1280	<1	0.80	<1	1100	13	0.10	<5	9	365	<10
S313922		20	1.91	10	0.50	1240	<1	0.79	2	1050	10	0.13	<5	8	362	<10
S313923		20	1.85	10	0.54	1270	<1	0.74	<1	1020	8	0.11	<5	8	334	<10
S313924		20	1.85	10	0.56	1440	<1	0.60	<1	950	11	0.12	<5	8	300	<10
S313925		20	2.14	10	0.42	1520	<1	0.58	<1	970	7	0.08	<5	7	325	10
S313926		20	2.14	10	0.57	1260	<1	0.73	<1	1120	11	0.09	<5	10	327	<10
S313926D		20	2.07	10	0.54	1270	1	0.73	<1	1130	11	0.09	<5	9	326	<10
S313927		20	2.06	10	0.56	1530	<1	0.64	<1	1130	9	0.24	<5	9	463	<10
S313928		20	2.30	10	0.52	1330	<1	0.70	<1	1140	12	0.10	<5	9	325	10
S313929		20	1.96	10	0.64	1520	<1	0.61	<1	1080	9	0.13	<5	9	299	10
S313930		10	3.71	10	0.49	1210	8	0.24	16	1010	9150	3.04	71	12	151	10
S313931		20	1.89	10	0.58	1490	<1	0.64	<1	990	17	0.19	<5	9	306	<10
S313932		20	1.98	10	0.46	1590	<1	0.53	<1	960	9	0.29	<5	7	509	10
S313933		10	1.83	10	0.65	1660	<1	0.38	<1	870	10	0.13	<5	7	193	<10
S313934		20	2.14	10	0.58	1530	<1	0.55	<1	1110	13	0.12	<5	8	264	<10
S313935		20	1.94	10	0.60	1710	<1	0.60	<1	1020	9	0.12	<5	8	303	10
S313936		20	1.76	10	0.68	1760	<1	0.60	<1	1050	8	0.11	<5	8	321	<10
S313937		20	1.42	20	0.94	2090	<1	0.58	<1	960	10	0.18	<5	9	330	<10
S313938		20	1.64	10	0.81	1490	<1	0.68	<1	1070	8	0.13	<5	9	322	<10
S313939		20	1.60	10	1.07	1690	2	0.75	<1	1150	14	0.47	<5	11	358	<10
S313940		<10	0.02	<10	1.97	53	<1	0.11	<1	60	2	0.05	<5	1	4660	<10
S313941		20	2.13	20	0.48	888	1	0.85	1	730	28	4.08	<5	13	355	<10
S313942		20	1.83	20	0.43	913	<1	1.00	3	1120	31	5.64	<5	12	408	<10
S313943		20	2.03	10	0.37	1135	2	0.64	<1	850	22	2.78	<5	9	340	<10
S313944		20	2.29	10	0.46	897	3	0.96	2	970	30	4.24	<5	12	384	<10
S313945		20	2.66	10	0.51	820	3	0.90	1	930	30	4.17	<5	13	337	<10
S313946		20	2.42	20	0.78	1035	4	0.54	3	470	37	2.64	<5	12	255	<10
S313946D		20	2.34	20	0.78	1045	4	0.53	5	460	35	2.79	<5	12	248	<10
S313947		20	1.82	10	1.50	1810	<1	0.74	1	770	4	0.20	5	14	416	<10
S313948		20	2.13	20	1.03	1210	<1	0.67	<1	730	5	0.23	5	14	360	<10
S313949		20	2.21	10	0.88	1170	2	0.80	<1	1350	5	0.12	<5	13	422	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313912		<20	0.30	<10	<10	99	<10	93	
S313913		<20	0.33	10	<10	108	<10	82	
S313914		<20	0.41	<10	<10	161	<10	86	
S313915		<20	0.36	10	<10	141	<10	72	
S313916		<20	0.35	<10	<10	125	<10	67	
S313917		<20	0.30	<10	<10	105	<10	74	
S313918		<20	0.37	<10	<10	133	<10	68	
S313919		<20	0.29	<10	<10	98	<10	103	
S313920		<20	<0.01	<10	<10	1	<10	3	
S313921		<20	0.34	<10	<10	116	<10	96	
S313922		<20	0.32	<10	<10	108	<10	86	
S313923		<20	0.32	<10	<10	105	<10	89	
S313924		<20	0.29	<10	<10	97	<10	86	
S313925		<20	0.30	10	<10	100	<10	74	
S313926		<20	0.35	<10	10	116	<10	80	
S313926D		<20	0.34	<10	<10	116	<10	82	
S313927		<20	0.34	<10	<10	115	<10	86	
S313928		<20	0.35	<10	<10	121	<10	81	
S313929		<20	0.32	<10	<10	111	<10	93	
S313930		<20	0.25	<10	<10	125	<10	1890	
S313931		<20	0.30	<10	<10	109	<10	85	
S313932		<20	0.29	<10	<10	96	<10	71	
S313933		<20	0.26	<10	<10	92	<10	82	
S313934		<20	0.31	<10	<10	106	<10	77	
S313935		<20	0.31	<10	<10	102	<10	79	
S313936		<20	0.30	10	<10	99	<10	84	
S313937		<20	0.28	<10	<10	92	<10	109	
S313938		<20	0.31	<10	<10	103	<10	107	
S313939		<20	0.33	<10	<10	114	<10	148	
S313940		<20	0.02	<10	<10	5	<10	2	
S313941		<20	0.39	<10	<10	127	<10	68	
S313942		<20	0.42	<10	<10	137	<10	67	
S313943		<20	0.31	<10	10	103	<10	62	
S313944		<20	0.39	<10	<10	129	<10	72	
S313945		<20	0.42	<10	<10	137	<10	77	
S313946		<20	0.36	<10	<10	116	<10	115	
S313946D		<20	0.35	<10	<10	112	<10	115	
S313947		<20	0.42	10	<10	124	<10	217	
S313948		<20	0.37	<10	<10	105	<10	134	
S313949		<20	0.42	<10	10	136	<10	105	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313950		0.11	>10.0	19.50	20.6	7.08	788	340	1.4	2	2.85	2.3	19	113	143	5.15
S313951		5.56	0.006		<0.5	9.20	<5	2150	1.4	<2	3.03	0.5	8	2	48	4.43
S313952		6.05	<0.005		<0.5	7.26	<5	1670	0.8	<2	4.16	0.6	6	3	51	3.98
S313953		5.52	<0.005		<0.5	7.00	7	1820	1.0	<2	4.86	0.5	6	2	3	4.47
S313954		6.01	<0.005		<0.5	7.46	6	2500	1.3	<2	3.68	<0.5	6	2	2	4.57
S313955		5.92	<0.005		<0.5	8.79	6	2180	1.4	<2	1.86	<0.5	5	3	3	4.67
S313956		6.33	<0.005		<0.5	6.81	5	1770	1.1	<2	3.55	<0.5	8	3	6	4.25
S313957		6.13	<0.005		<0.5	6.99	6	1850	1.2	<2	3.84	0.5	7	2	6	3.92
S313958		6.16	<0.005		<0.5	9.34	6	2420	1.3	<2	1.58	<0.5	7	3	7	4.79
S313959		6.14	<0.005		<0.5	8.91	5	2380	1.3	2	1.69	<0.5	9	3	4	4.62
S313960		0.50	<0.005		<0.5	0.05	<5	10	<0.5	4	36.1	<0.5	<1	1	<1	0.04
S313961		6.33	<0.005		<0.5	9.30	5	2530	1.3	<2	1.42	<0.5	7	2	3	4.81
S313962		5.91	<0.005		<0.5	9.54	9	2410	1.4	<2	1.53	<0.5	9	3	2	4.92
S313963		6.20	<0.005		<0.5	10.15	<5	2720	1.4	<2	1.05	<0.5	7	2	<1	4.92
S313964		5.82	<0.005		<0.5	8.45	7	2910	1.4	<2	3.41	<0.5	8	2	1	4.74
S313965		5.38	<0.005		<0.5	8.11	7	2500	1.4	<2	3.73	<0.5	10	2	2	4.57
S313966		5.86	<0.005		<0.5	8.30	7	2090	1.3	<2	5.56	0.5	10	2	4	4.52
S313966D		<0.02	<0.005		<0.5	7.56	<5	2070	1.3	<2	5.37	<0.5	9	2	5	4.42
S313967		5.64	<0.005		<0.5	7.23	<5	2070	1.2	<2	5.65	0.6	8	2	4	4.23
S313968		5.46	<0.005		<0.5	8.31	6	2180	1.3	<2	4.12	0.5	7	2	5	4.58
S313969		5.39	<0.005		<0.5	7.19	<5	2240	1.2	2	4.72	0.5	8	2	3	3.98
S313970		0.13	1.090		12.6	5.93	300	350	1.0	<2	3.62	4.5	10	28	86	3.98
S313971		6.05	<0.005		<0.5	7.00	<5	1860	1.2	<2	4.59	0.5	6	2	2	3.92
S313972		5.26	<0.005		<0.5	7.73	<5	1720	1.1	<2	4.58	<0.5	9	2	2	4.07
S313973		5.96	<0.005		<0.5	7.41	<5	1430	1.0	3	5.56	0.6	9	2	<1	4.13

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313950		20	3.13	20	0.74	1055	7	0.16	65	1700	68	4.17	22	19	187	<10
S313951		20	2.13	10	1.12	1650	2	0.70	2	1400	8	0.31	<5	12	311	<10
S313952		20	1.69	10	1.06	1975	<1	0.36	<1	960	5	0.17	<5	9	216	<10
S313953		20	1.78	10	0.70	1875	<1	0.48	<1	980	7	0.13	<5	9	289	<10
S313954		20	2.46	10	0.35	1335	<1	0.67	<1	1130	11	0.05	<5	9	326	<10
S313955		20	2.44	10	0.34	712	<1	0.73	<1	1200	11	0.03	<5	11	291	<10
S313956		20	1.97	10	0.38	1335	1	0.64	<1	1060	11	0.07	5	8	303	<10
S313957		20	2.04	10	0.36	1520	<1	0.67	1	1100	10	0.08	<5	9	331	<10
S313958		20	2.63	10	0.40	690	1	0.75	2	1330	9	0.02	6	12	306	<10
S313959		20	2.42	10	0.45	712	1	0.70	1	1260	9	0.03	<5	11	309	<10
S313960		<10	0.01	<10	1.66	21	1	0.01	<1	30	2	0.08	<5	<1	5260	<10
S313961		20	2.65	10	0.41	601	<1	0.73	<1	1330	10	0.02	<5	12	310	<10
S313962		20	2.59	20	0.51	796	<1	0.73	<1	1360	10	0.02	<5	12	304	<10
S313963		20	2.80	10	0.52	489	1	0.75	<1	1430	10	0.02	<5	13	292	<10
S313964		20	2.67	10	0.42	1695	1	0.76	<1	1320	10	0.03	<5	10	326	<10
S313965		20	2.37	10	0.46	1985	1	0.78	<1	1290	10	0.01	7	9	358	10
S313966		20	2.18	10	0.54	2650	1	0.73	<1	1230	11	0.02	6	10	351	<10
S313966D		20	2.12	10	0.49	2590	<1	0.73	<1	1210	10	0.02	<5	9	344	<10
S313967		20	2.24	10	0.42	2360	1	0.71	<1	1180	9	<0.01	<5	9	309	<10
S313968		20	2.32	10	0.53	1890	1	0.72	<1	1280	11	<0.01	6	10	306	<10
S313969		20	2.25	10	0.45	2140	<1	0.65	1	1200	12	<0.01	<5	8	302	<10
S313970		10	3.85	10	0.54	1425	10	0.22	20	920	155	2.81	17	11	193	<10
S313971		20	2.02	10	0.47	2140	<1	0.67	<1	1130	8	<0.01	5	9	322	<10
S313972		20	1.78	10	0.72	2180	1	0.63	<1	1110	6	0.01	<5	10	309	<10
S313973		20	1.57	10	0.84	2670	1	0.58	<1	1050	8	<0.01	5	10	286	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313950		<20	0.37	<10	<10	183	<10	232	
S313951		<20	0.43	<10	<10	172	<10	129	
S313952		<20	0.30	<10	<10	111	<10	111	
S313953		<20	0.31	<10	<10	91	10	94	
S313954		<20	0.36	<10	<10	109	<10	65	
S313955		<20	0.37	<10	<10	89	<10	53	
S313956		<20	0.33	<10	<10	95	<10	73	
S313957		<20	0.34	<10	<10	105	<10	68	
S313958		<20	0.39	<10	<10	148	<10	64	
S313959		<20	0.38	<10	<10	151	<10	75	
S313960		<20	<0.01	<10	<10	2	<10	<2	
S313961		<20	0.39	<10	<10	152	<10	65	
S313962		<20	0.41	<10	<10	135	<10	78	
S313963		<20	0.42	<10	<10	152	<10	74	
S313964		<20	0.40	10	<10	161	<10	78	
S313965		<20	0.39	<10	<10	133	<10	82	
S313966		<20	0.38	<10	<10	127	<10	84	
S313966D		<20	0.37	<10	<10	126	<10	83	
S313967		<20	0.38	<10	<10	124	<10	71	
S313968		<20	0.39	<10	<10	125	<10	80	
S313969		<20	0.37	<10	<10	129	<10	83	
S313970		<20	0.26	<10	<10	105	<10	498	
S313971		<20	0.35	<10	10	115	<10	72	
S313972		<20	0.33	<10	<10	113	<10	89	
S313973		<20	0.32	<10	<10	103	<10	100	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144707

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

CERTIFICATE TR15144713

Project: Bowser Regional Exploration

P.O. No.: BOW-0103

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 22-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212201		3.43	0.102		2.9	7.53	28	540	1.0	<2	2.29	0.5	8	5	15	3.50
S212202		3.47	0.115		1.4	7.75	59	690	1.1	3	2.27	0.5	8	4	24	3.39
S212203		3.97	0.105		1.1	7.98	76	1040	0.9	4	2.60	<0.5	7	4	42	3.67
S212204		3.35	0.078		0.8	8.05	80	640	1.0	2	2.61	<0.5	8	3	19	3.94
S212205		3.39	0.061		1.5	7.30	50	550	1.0	5	3.24	<0.5	8	4	15	3.75
S212206		3.46	0.092		0.9	7.20	86	1520	0.9	<2	2.95	0.6	8	3	18	3.59
S212206D		<0.02	0.096		0.8	7.33	78	1560	0.9	2	2.79	0.7	9	3	17	3.66
S212207		3.44	0.150		1.3	7.95	86	1670	0.9	4	2.42	<0.5	8	3	28	3.57
S212208		3.42	0.587		1.4	7.27	150	1540	0.8	4	2.95	0.5	9	3	30	3.51
S212209		3.75	0.079		1.3	7.44	88	180	0.9	3	2.64	<0.5	18	4	8	4.92
S212210		0.10	>10.0	18.65	23.9	6.89	798	320	1.4	2	2.98	1.9	20	117	137	5.08
S212211		3.12	0.104		1.1	8.68	85	1970	1.0	<2	1.86	<0.5	7	4	26	2.70
S212212		3.54	0.286		2.0	8.22	141	630	0.8	<2	2.41	<0.5	9	4	33	3.77
S212213		3.23	0.105		3.2	8.38	84	660	0.8	<2	1.28	<0.5	7	4	26	3.76
S212214		3.57	0.172		3.5	8.08	118	970	0.9	3	2.01	<0.5	9	4	37	3.44
S212215		3.04	0.314		3.5	8.13	135	410	0.8	4	1.94	<0.5	9	4	13	3.82
S212216		3.46	0.238		2.3	7.81	138	360	0.8	<2	1.75	<0.5	10	5	18	3.95
S212217		3.69	0.087		2.9	5.72	69	330	0.6	2	3.50	0.6	9	7	15	3.25
S212218		3.56	0.051		1.8	7.15	57	620	0.7	2	0.91	<0.5	9	7	6	3.08
S212219		3.39	0.069		1.8	7.20	49	430	1.2	3	2.40	<0.5	6	5	39	3.23
S212220		0.53	<0.005		<0.5	0.04	<5	10	<0.5	<2	36.6	<0.5	<1	<1	<1	0.04
S212221		3.59	0.048		4.0	8.46	61	470	1.3	2	1.66	3.4	12	4	24	3.77
S212222		4.01	0.087		5.0	6.15	45	460	1.0	<2	2.75	2.3	8	8	20	3.23
S212223		1.36	0.070		2.0	7.79	37	440	1.3	4	2.26	1.1	8	3	24	3.83
S212224		2.41	0.048		1.5	7.64	46	390	1.2	<2	2.13	<0.5	10	4	14	3.94
S212225		2.52	0.051		1.6	7.66	51	440	1.1	<2	2.20	0.8	8	4	11	3.76
S212226		2.35	0.153		3.7	7.17	83	490	1.0	<2	3.39	3.5	6	6	22	3.58
S212226D		<0.02	0.130		2.5	7.56	89	480	1.0	3	2.37	1.7	7	4	18	3.68
S212227		2.45	0.098		4.2	7.83	74	710	1.0	3	1.82	0.7	7	4	36	3.17
S212228		2.09	0.159		3.5	6.76	135	770	0.8	5	3.28	0.5	10	3	15	3.09
S212229		2.78	0.324		2.0	7.26	216	1610	1.1	2	2.93	<0.5	10	4	42	3.12
S212230		0.12	0.944		12.8	6.15	317	540	1.0	<2	3.86	4.6	10	27	84	4.00
S212231		2.04	0.329		1.9	7.03	329	1160	1.1	3	3.42	<0.5	11	4	18	3.75
S212232		2.27	0.191		2.0	7.72	130	1530	1.1	3	3.16	<0.5	12	4	20	3.46
S212233		2.40	0.165		3.5	7.23	129	1550	1.0	<2	3.91	<0.5	8	4	24	3.34
S212234		2.42	0.272		9.1	7.57	87	570	1.2	2	2.64	<0.5	7	6	11	3.35
S212235		2.27	0.797		10.2	5.53	109	480	0.8	4	2.99	0.5	8	7	18	2.71
S212236		2.40	0.973		6.0	7.16	100	630	1.0	<2	2.39	1.0	9	6	38	3.23
S212237		2.22	0.785		10.3	5.30	163	770	0.8	2	3.09	1.4	7	8	102	2.39
S212238		2.13	0.612		3.8	4.50	106	1250	0.5	<2	11.25	3.6	4	4	40	2.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212201		20	4.18	10	0.77	1050	<1	1.29	4	860	16	3.25	<5	10	199	<20
S212202		20	4.25	10	0.87	982	1	1.29	1	890	14	2.95	7	10	183	<20
S212203		20	3.63	10	1.13	1220	<1	1.97	3	920	4	2.57	<5	11	254	<20
S212204		20	3.85	10	1.08	1080	<1	1.61	1	920	5	3.29	<5	11	226	<20
S212205		20	4.41	10	0.82	1045	<1	1.29	2	910	10	3.53	<5	10	203	<20
S212206		20	3.26	10	1.14	1355	<1	1.99	<1	920	4	2.18	<5	9	269	<20
S212206D		20	3.28	10	1.15	1310	<1	1.99	2	920	4	2.28	<5	10	267	<20
S212207		20	3.90	10	1.06	1165	<1	1.80	2	930	7	2.36	<5	11	201	<20
S212208		20	3.76	10	0.98	1260	<1	1.75	2	910	7	2.39	7	10	212	<20
S212209		20	4.21	10	0.57	879	<1	1.59	2	880	16	5.01	5	10	196	<20
S212210		20	3.08	10	0.74	1075	7	0.17	67	1720	58	4.25	14	19	185	<20
S212211		20	4.62	10	0.74	724	<1	1.77	1	1000	8	2.06	5	12	185	<20
S212212		20	4.42	10	0.72	997	<1	1.98	2	970	10	3.24	8	11	199	<20
S212213		20	4.54	10	0.77	768	<1	1.78	1	910	13	3.23	6	11	158	<20
S212214		20	4.85	10	0.80	1190	<1	1.42	1	900	61	2.79	<5	11	166	<20
S212215		20	4.85	10	0.56	922	<1	1.30	1	910	16	3.71	<5	11	170	<20
S212216		20	4.77	10	0.53	726	<1	0.77	2	860	13	3.80	6	10	170	<20
S212217		10	5.07	10	0.21	1080	3	0.19	1	750	35	3.59	5	8	292	<20
S212218		10	4.39	10	0.33	319	1	0.09	2	760	20	3.13	<5	9	132	<20
S212219		20	4.92	10	0.60	870	1	0.19	2	840	32	3.35	7	10	173	<20
S212220		<10	0.01	<10	2.06	22	<1	<0.01	<1	30	2	0.04	<5	<1	5200	<20
S212221		20	4.86	10	0.95	1010	<1	0.57	1	940	47	3.72	7	11	181	<20
S212222		10	4.37	10	0.54	1060	1	0.23	<1	720	79	3.22	7	8	224	<20
S212223		20	5.38	10	0.98	1530	<1	0.08	1	900	48	3.76	<5	10	185	<20
S212224		20	5.03	10	1.08	1595	<1	0.69	1	930	26	3.76	<5	10	206	<20
S212225		20	5.17	10	1.06	1575	<1	0.72	1	920	27	3.51	6	10	192	<20
S212226		20	5.28	10	0.75	1910	1	0.09	<1	880	45	3.54	8	10	225	<20
S212226D		20	5.24	10	0.78	1410	<1	0.09	1	920	40	3.65	5	11	186	<20
S212227		20	4.51	10	0.72	1030	1	0.09	1	900	36	3.03	7	11	164	<20
S212228		10	4.85	10	0.77	1590	1	0.08	<1	790	30	2.88	10	9	169	<20
S212229		20	4.15	10	1.07	1585	<1	0.75	<1	850	24	1.78	<5	10	149	<20
S212230		10	3.98	10	0.58	1510	8	0.22	17	960	151	2.90	21	11	197	<20
S212231		20	4.19	10	1.00	1770	<1	1.15	<1	900	28	2.50	5	9	188	<20
S212232		20	4.41	10	0.98	1530	<1	1.21	1	890	23	2.32	<5	10	179	<20
S212233		20	4.51	10	0.98	1785	<1	1.01	<1	910	27	2.26	7	10	198	<20
S212234		20	4.68	10	0.69	1125	<1	0.08	1	890	50	3.12	5	10	118	<20
S212235		10	4.49	10	0.37	1035	1	0.07	8	670	85	2.73	5	8	111	<20
S212236		10	4.70	10	0.54	1010	<1	0.08	4	820	95	3.15	<5	9	163	<20
S212237		10	4.27	10	0.31	1150	<1	0.08	4	670	88	2.39	13	7	171	<20
S212238		10	3.97	10	0.25	3060	2	0.10	<1	460	359	1.95	<5	6	253	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212201		0.31	<10	10	100	<10	86	
S212202		0.31	<10	<10	100	<10	74	
S212203		0.33	<10	<10	101	<10	117	
S212204		0.34	<10	<10	102	<10	99	
S212205		0.33	10	10	102	<10	101	
S212206		0.32	10	<10	100	<10	176	
S212206D		0.33	<10	<10	100	<10	180	
S212207		0.33	<10	<10	104	<10	102	
S212208		0.32	<10	<10	102	<10	102	
S212209		0.31	<10	<10	97	<10	41	
S212210		0.37	<10	<10	182	<10	207	
S212211		0.33	<10	<10	111	<10	30	
S212212		0.33	<10	<10	104	<10	35	
S212213		0.32	<10	<10	101	<10	37	
S212214		0.32	<10	<10	103	<10	29	
S212215		0.32	<10	<10	95	<10	20	
S212216		0.30	10	<10	91	<10	19	
S212217		0.27	<10	10	72	<10	100	
S212218		0.27	<10	<10	76	<10	38	
S212219		0.31	<10	<10	97	<10	49	
S212220		<0.01	<10	<10	1	<10	<2	
S212221		0.33	<10	10	109	<10	539	
S212222		0.26	<10	<10	79	<10	266	
S212223		0.33	10	<10	103	<10	147	
S212224		0.33	<10	<10	105	<10	74	
S212225		0.33	<10	<10	105	<10	141	
S212226		0.33	<10	<10	106	<10	489	
S212226D		0.34	<10	<10	107	<10	257	
S212227		0.32	10	<10	104	<10	127	
S212228		0.29	10	10	88	<10	85	
S212229		0.31	<10	<10	94	<10	94	
S212230		0.27	<10	<10	106	<10	476	
S212231		0.31	<10	<10	98	<10	85	
S212232		0.32	<10	10	101	<10	56	
S212233		0.32	<10	10	104	<10	89	
S212234		0.30	<10	<10	105	<10	57	
S212235		0.25	<10	10	87	<10	85	
S212236		0.30	<10	10	99	<10	166	
S212237		0.25	<10	<10	74	<10	175	
S212238		0.17	<10	<10	54	<10	409	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212239		2.34	0.389		3.8	6.73	128	1230	0.6	<2	1.22	<0.5	8	9	48	2.51
S212240		0.45	<0.005		<0.5	0.03	<5	10	<0.5	<2	33.3	<0.5	<1	1	<1	0.04
S212241		2.43	0.501		3.7	6.99	94	670	1.0	4	1.05	<0.5	6	8	46	2.78
S212242		2.40	0.435		4.0	7.11	44	440	1.1	2	0.62	<0.5	9	8	19	3.19
S212243		2.40	0.396		5.3	7.42	71	420	1.1	2	0.90	<0.5	13	8	25	3.53
S212244		2.49	0.355		6.0	7.47	107	820	1.0	<2	1.53	<0.5	9	8	31	3.11
S212245		2.25	0.498		4.4	7.86	223	700	1.1	<2	1.00	<0.5	9	9	36	3.59
S212246		2.38	0.257		4.2	6.82	97	790	0.8	5	2.72	<0.5	12	8	52	3.22
S212246D		<0.02	0.228		4.5	6.57	95	670	0.8	2	2.70	<0.5	11	8	52	3.14
S212247		2.33	0.455		5.6	6.05	125	730	0.7	2	2.52	0.5	8	9	13	2.79
S212248		2.27	0.415		5.9	4.42	75	2110	<0.5	<2	3.91	1.8	7	13	23	1.80
S212249		2.24	0.554		9.7	2.17	78	860	0.5	<2	7.69	0.9	1	15	12	1.18
S212250		0.12	>10.0	10.70	>100	5.61	369	460	0.9	4	3.77	4.3	12	32	148	3.70
S212251		2.25	0.354		4.6	2.59	57	1500	0.5	4	12.25	0.7	3	5	10	1.19
S212252		2.26	0.103		2.7	5.36	17	860	0.8	<2	0.92	0.9	7	13	5	2.70
S212253		2.38	0.167		4.0	4.33	52	760	0.5	<2	4.56	0.8	5	9	8	1.93
S212254		2.31	0.109		2.7	5.88	38	1000	0.6	3	0.98	0.5	7	12	5	2.95
S212255		2.04	0.106		2.3	7.08	50	430	0.8	2	2.22	<0.5	11	10	14	3.83
S212256		2.17	0.293		3.1	6.65	43	1160	0.8	<2	1.52	<0.5	8	11	13	2.85
S212257		3.25	0.131		3.0	6.03	51	620	0.6	4	3.58	<0.5	7	8	15	3.09
S212258		1.53	0.164		2.2	7.29	54	370	0.9	2	1.57	<0.5	10	8	12	3.58
S212259		2.34	0.177		2.3	6.75	99	670	0.8	2	1.78	<0.5	8	9	26	3.09
S212260		0.39	<0.005		<0.5	0.08	<5	10	<0.5	3	34.5	<0.5	<1	1	<1	0.04
S212261		2.28	0.114		1.5	7.30	112	440	0.8	<2	1.53	<0.5	9	13	10	3.75
S212262		2.18	0.183		1.3	6.76	104	600	0.7	2	1.73	<0.5	9	6	8	3.22
S212263		2.41	0.792		2.1	5.54	61	460	0.6	4	4.85	<0.5	6	7	9	2.96
S212264		2.21	0.209		13.9	6.68	67	400	0.5	<2	2.45	<0.5	9	7	17	3.53
S212265		2.34	0.083		2.7	7.59	92	440	0.7	4	1.88	<0.5	10	6	10	3.88
S212266		2.32	0.483		13.1	6.71	156	500	0.7	2	1.70	<0.5	7	8	10	3.36
S212266D		<0.02	0.478		10.4	7.17	140	380	0.8	2	1.55	0.6	8	7	12	3.68
S212267		2.27	0.049		5.0	7.02	42	330	1.0	4	2.06	<0.5	9	6	17	3.72
S212268		2.20	0.040		2.8	7.28	66	750	0.8	4	1.92	<0.5	7	6	34	3.00
S212269		2.44	0.042		2.5	7.77	74	650	0.9	<2	1.65	<0.5	10	6	21	3.38
S212270		0.12	5.45		83.2	6.13	292	1110	1.0	<2	2.01	22.8	12	22	117	4.82
S212271		2.01	0.108		4.0	5.24	55	1000	0.8	<2	9.94	<0.5	7	5	5	2.55
S212272		2.24	0.051		2.6	7.00	48	480	0.9	<2	2.74	0.5	10	7	4	3.81
S212273		2.27	0.099		8.4	7.18	25	420	1.1	<2	3.53	<0.5	9	6	6	3.85
S212274		2.43	0.200		33.3	4.30	34	800	0.9	4	16.7	0.6	3	3	9	2.09
S212275		3.44	0.032		5.0	8.22	19	510	1.5	<2	2.85	<0.5	10	6	4	3.51
S212276		3.45	0.019		2.3	8.06	42	370	1.2	<2	2.68	<0.5	8	5	7	4.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212239		10	4.72	10	0.48	641	<1	0.29	4	710	26	2.19	<5	9	122	<20
S212240		<10	0.01	<10	1.73	21	<1	<0.01	<1	30	3	0.10	<5	<1	5260	<20
S212241		10	4.46	10	0.50	564	<1	0.08	4	740	48	2.67	<5	9	91	<20
S212242		20	3.94	10	0.45	399	<1	0.08	5	760	67	3.26	<5	10	70	<20
S212243		20	4.82	10	0.53	606	<1	0.10	3	770	31	3.62	<5	10	77	<20
S212244		10	4.96	10	0.66	1000	<1	0.11	4	770	25	2.86	<5	10	129	<20
S212245		20	4.48	10	0.85	862	<1	0.21	4	840	22	3.14	<5	11	91	<20
S212246		10	5.05	10	0.70	2040	<1	0.39	4	780	28	2.66	9	9	252	<20
S212246D		10	4.72	10	0.67	2030	<1	0.39	2	780	29	2.61	<5	9	252	<20
S212247		10	4.38	10	0.51	1480	<1	0.21	3	680	46	2.52	<5	8	177	<20
S212248		10	4.04	10	0.44	1585	21	0.07	<1	410	61	1.33	<5	5	208	<20
S212249		<10	1.80	<10	0.18	2420	<1	0.05	<1	220	15	0.99	8	3	265	<20
S212250		10	3.71	10	0.44	1385	8	0.16	23	810	247	3.05	57	10	195	<20
S212251		<10	2.14	10	0.31	3990	<1	0.11	<1	280	25	1.03	<5	3	602	<20
S212252		10	3.92	10	0.35	459	<1	0.05	2	540	50	2.81	<5	7	69	<20
S212253		10	4.09	10	0.26	1565	<1	0.05	1	480	39	1.98	<5	6	186	<20
S212254		10	4.94	10	0.39	561	<1	0.07	3	600	38	3.01	<5	8	106	<20
S212255		10	5.16	10	0.81	1345	<1	0.09	4	1040	29	3.77	<5	10	165	<20
S212256		10	4.74	10	0.68	1180	<1	0.08	2	690	28	2.72	<5	9	159	<20
S212257		10	5.05	10	0.53	2080	<1	0.15	3	690	28	3.12	<5	8	239	<20
S212258		10	4.93	10	0.82	1095	1	0.36	4	810	25	3.33	<5	10	177	<20
S212259		10	4.68	10	0.81	1095	<1	0.25	3	730	28	2.67	<5	9	172	<20
S212260		<10	0.02	<10	1.77	20	<1	<0.01	<1	30	<2	0.05	<5	<1	4970	<20
S212261		20	4.52	10	1.05	1105	<1	0.58	3	840	23	3.08	<5	10	194	<20
S212262		10	4.52	10	0.96	1115	<1	0.27	4	730	34	2.64	<5	9	187	<20
S212263		10	4.48	10	0.76	2480	<1	0.09	2	610	38	2.64	<5	7	300	<20
S212264		10	4.56	10	0.71	1850	<1	0.18	3	770	38	3.28	<5	9	204	<20
S212265		20	4.90	10	0.93	1735	<1	0.47	3	860	28	3.55	<5	10	253	<20
S212266		10	4.42	10	0.68	1205	<1	0.11	4	730	45	3.20	<5	9	159	<20
S212266D		10	4.50	10	0.73	1110	<1	0.12	4	780	52	3.58	<5	9	146	<20
S212267		10	4.65	10	0.84	1620	<1	0.21	3	820	46	3.71	<5	9	180	<20
S212268		10	4.80	10	1.06	2070	1	0.13	2	840	33	2.66	<5	9	200	<20
S212269		20	5.37	10	1.07	1830	<1	0.13	2	840	31	3.00	<5	11	175	<20
S212270		10	3.72	10	0.49	1220	9	0.24	14	940	8790	3.10	71	12	150	<20
S212271		10	4.98	10	0.45	4820	1	0.09	<1	570	51	2.66	5	7	313	<20
S212272		20	6.70	10	0.67	2020	2	0.12	<1	780	52	3.91	<5	10	252	<20
S212273		20	6.37	10	0.69	1975	1	0.11	<1	810	57	4.08	<5	10	235	<20
S212274		10	2.86	10	0.38	5060	1	0.11	<1	430	63	2.20	5	5	495	<20
S212275		20	5.30	10	0.69	1470	1	0.19	<1	900	43	3.74	<5	11	136	<20
S212276		20	5.47	10	0.86	1675	1	0.09	1	880	30	4.14	<5	11	130	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212239		0.25	<10	<10	76	<10	46	
S212240		<0.01	<10	<10	<1	<10	<2	
S212241		0.27	<10	<10	88	<10	53	
S212242		0.28	<10	<10	94	<10	63	
S212243		0.28	<10	<10	90	<10	48	
S212244		0.28	<10	<10	89	10	72	
S212245		0.31	<10	<10	102	<10	32	
S212246		0.28	10	<10	90	10	35	
S212246D		0.28	<10	<10	88	10	35	
S212247		0.25	<10	<10	78	<10	49	
S212248		0.15	<10	<10	45	<10	129	
S212249		0.08	<10	<10	22	<10	60	
S212250		0.24	<10	10	100	10	503	132
S212251		0.10	<10	<10	27	<10	76	
S212252		0.20	<10	<10	68	<10	155	
S212253		0.17	<10	<10	49	<10	134	
S212254		0.22	<10	<10	68	<10	86	
S212255		0.30	<10	10	91	10	83	
S212256		0.25	10	<10	79	<10	52	
S212257		0.25	<10	<10	69	<10	97	
S212258		0.29	<10	<10	92	10	45	
S212259		0.26	<10	<10	87	<10	49	
S212260		<0.01	<10	<10	1	<10	<2	
S212261		0.31	<10	<10	100	<10	46	
S212262		0.26	<10	<10	86	<10	59	
S212263		0.22	<10	<10	72	<10	52	
S212264		0.28	10	<10	84	10	49	
S212265		0.32	<10	<10	102	<10	39	
S212266		0.26	10	<10	76	<10	75	
S212266D		0.29	<10	<10	83	10	129	
S212267		0.30	<10	<10	95	10	40	
S212268		0.31	<10	<10	101	10	60	
S212269		0.31	<10	<10	101	<10	37	
S212270		0.25	10	<10	125	10	1870	
S212271		0.20	10	<10	67	<10	37	
S212272		0.27	10	<10	93	<10	49	
S212273		0.28	10	<10	98	<10	37	
S212274		0.15	<10	<10	57	<10	38	
S212275		0.32	<10	10	110	<10	19	
S212276		0.31	<10	<10	104	<10	28	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212277		3.24	0.024		2.2	7.68	41	370	1.1	<2	2.59	<0.5	10	9	11	3.88
S212278		3.49	0.023		1.1	8.57	67	1460	1.1	<2	2.16	<0.5	12	5	17	3.78
S212279		3.46	0.029		1.3	8.50	29	390	1.1	2	2.49	<0.5	13	5	22	4.08
S212280		0.56	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.4	<0.5	<1	1	<1	0.04
S212281		3.64	0.032		2.6	8.14	24	320	1.2	<2	2.37	<0.5	10	5	20	3.98
S212282		3.45	0.051		2.7	7.55	69	350	0.8	3	2.74	<0.5	9	5	5	3.93
S212283		2.90	0.048		2.5	7.74	63	420	1.0	<2	2.18	<0.5	9	6	34	3.59
S212284		2.85	0.040		2.1	7.66	61	330	1.0	2	2.19	0.6	10	6	17	3.92
S212285		3.57	0.109		5.2	8.31	87	410	1.3	<2	1.97	1.0	11	6	28	4.22
S212286		3.49	0.028		1.0	7.70	56	330	1.0	<2	2.25	<0.5	10	5	7	3.94
S212286D		<0.02	0.026		1.2	8.17	56	540	1.1	<2	2.33	0.5	10	5	7	3.88
S212287		3.13	0.037		1.0	8.30	27	400	1.1	<2	2.56	<0.5	10	5	13	4.07
S212288		3.33	0.064		1.4	8.76	95	390	1.1	<2	1.52	<0.5	12	6	15	4.15
S212289		3.42	0.111		2.1	8.35	127	720	1.1	<2	2.42	<0.5	8	5	8	3.46
S212290		0.09	>10.0	18.80	23.1	7.15	824	1190	1.4	<2	2.98	1.9	21	107	139	5.27
S212291		3.65	0.110		1.8	8.34	146	1320	1.0	<2	2.47	<0.5	10	5	26	4.23
S212292		3.46	0.125		1.5	7.76	119	550	1.2	<2	3.67	<0.5	10	5	20	3.59
S212293		3.22	0.177		7.2	7.79	82	300	1.5	<2	2.83	0.6	10	5	31	3.96
S212294		3.21	0.063		2.1	8.78	54	560	1.5	<2	2.70	0.5	8	5	43	3.56
S212295		3.03	0.089		3.6	7.02	36	1550	1.1	<2	4.10	0.6	9	5	25	3.40
S212296		3.38	0.057		1.7	7.43	73	380	1.3	<2	3.38	<0.5	10	5	15	3.92
S212297		3.28	0.051		0.8	8.06	97	470	1.3	<2	2.93	0.6	10	5	23	3.79
S212298		3.35	0.100		0.9	8.20	133	490	1.2	<2	2.56	0.8	13	5	28	4.61
S212299		3.12	0.161		2.9	8.19	54	360	1.3	<2	2.38	0.5	10	6	23	4.19
S212300		0.55	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.0	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212277		20	5.41	10	0.91	1590	1	0.07	2	880	35	4.05	<5	11	121	<20
S212278		20	6.36	10	1.37	2010	1	0.09	1	910	17	3.46	<5	12	162	<20
S212279		20	6.33	10	1.10	1800	1	0.10	1	960	32	4.16	<5	12	156	<20
S212280		<10	0.02	<10	1.92	23	1	<0.01	<1	50	2	0.09	<5	<1	5260	<20
S212281		20	6.52	10	0.87	1900	1	0.11	3	950	29	4.17	<5	11	162	<20
S212282		20	6.66	10	1.16	2470	1	0.39	1	880	23	3.61	<5	10	212	<20
S212283		20	6.39	10	1.06	2330	1	0.62	2	890	34	3.40	<5	11	222	<20
S212284		20	6.44	10	1.20	2670	<1	0.48	1	850	35	3.66	<5	10	194	<20
S212285		20	6.40	10	1.16	2190	<1	0.21	1	950	65	4.02	<5	12	198	<20
S212286		20	6.15	10	1.23	2520	1	0.46	1	890	33	3.58	<5	10	209	<20
S212286D		20	6.51	10	1.29	2540	1	0.46	3	890	29	3.50	<5	11	214	<20
S212287		20	6.03	10	1.22	2470	1	0.54	2	930	35	3.87	<5	12	202	<20
S212288		20	6.09	10	1.11	1850	<1	0.30	2	970	33	3.73	<5	12	139	<20
S212289		20	6.22	10	1.19	2070	1	0.10	1	930	20	2.74	<5	11	150	<20
S212290		20	3.17	20	0.75	1075	8	0.17	69	1700	61	4.40	9	20	196	<20
S212291		20	5.80	10	1.10	1715	2	0.11	2	900	21	3.76	<5	11	138	<20
S212292		20	5.93	10	1.09	2010	1	0.10	<1	910	18	3.14	<5	11	202	<20
S212293		20	4.95	10	0.76	1380	1	0.07	1	900	63	4.10	<5	11	113	<20
S212294		20	5.60	10	0.87	1375	1	0.08	1	950	32	3.56	<5	12	124	<20
S212295		20	4.62	10	0.67	1880	10	0.07	1	710	31	3.53	<5	9	155	<20
S212296		20	4.87	10	0.82	1870	1	0.09	<1	820	27	3.88	<5	10	152	<20
S212297		20	5.22	10	1.08	2140	1	0.19	2	900	23	3.38	<5	11	148	<20
S212298		20	5.45	10	1.30	2330	2	0.22	2	890	27	4.19	<5	11	137	<20
S212299		20	5.44	10	0.95	1630	1	0.09	2	900	39	4.16	<5	11	111	<20
S212300		<10	0.02	<10	1.95	24	<1	<0.01	<1	30	<2	0.10	<5	<1	5220	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212277		0.31	<10	<10	102	<10	29	
S212278		0.33	10	<10	106	<10	34	
S212279		0.34	<10	<10	109	<10	49	
S212280		<0.01	<10	<10	1	<10	<2	
S212281		0.34	10	<10	108	<10	35	
S212282		0.31	10	<10	100	<10	50	
S212283		0.31	<10	<10	111	<10	54	
S212284		0.31	10	<10	104	<10	69	
S212285		0.34	<10	<10	109	<10	107	
S212286		0.32	10	<10	103	<10	45	
S212286D		0.32	<10	<10	104	<10	45	
S212287		0.35	10	<10	112	<10	54	
S212288		0.34	<10	<10	111	<10	66	
S212289		0.33	10	<10	108	<10	44	
S212290		0.36	<10	<10	190	<10	225	
S212291		0.32	10	<10	103	<10	45	
S212292		0.33	<10	<10	100	<10	66	
S212293		0.32	<10	<10	103	<10	156	
S212294		0.35	<10	<10	112	<10	111	
S212295		0.27	<10	<10	84	<10	140	
S212296		0.29	<10	<10	95	<10	82	
S212297		0.32	<10	<10	108	10	143	
S212298		0.32	<10	<10	109	<10	209	
S212299		0.33	<10	<10	106	<10	135	
S212300		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144713

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

BAG-01	CRU-31	CRU-QC	LOG-22
PUL-32m	PUL-QC	SPL-21	SPL-21d
WEI-21			

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

CERTIFICATE TR15144898

Project: Bowser Regional Exploration

P.O. No.: BOW-0099

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN JOE OVSENEK	SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216951		3.51	0.028		<0.5	7.47	8	2610	1.1	<2	3.26	<0.5	7	5	16	3.55
S216952		3.63	0.058		<0.5	7.04	28	2950	1.0	<2	3.12	<0.5	11	5	17	3.59
S216953		3.25	0.080		<0.5	8.08	27	3020	1.1	<2	3.08	<0.5	11	5	19	3.90
S216954		3.09	0.138		<0.5	7.22	36	2600	1.0	<2	3.25	<0.5	10	6	11	3.55
S216955		3.52	0.167		0.7	7.27	55	2510	0.9	3	3.26	<0.5	7	6	15	3.42
S216956		3.34	0.031		<0.5	8.14	41	3250	1.1	<2	2.75	<0.5	8	6	17	3.75
S216957		3.26	0.078		<0.5	7.64	16	3540	1.0	<2	2.83	<0.5	9	6	18	3.61
S216958		3.45	0.152		0.5	7.79	31	3090	1.0	<2	2.82	<0.5	8	8	19	3.68
S216959		2.60	0.011		<0.5	7.45	6	2320	0.8	<2	3.00	<0.5	8	5	16	3.57
S216960		0.57	<0.005		<0.5	0.07	<5	20	<0.5	3	35.4	<0.5	<1	1	<1	0.04
S216961		3.28	0.007		<0.5	7.82	12	2330	1.0	2	2.52	<0.5	5	5	14	3.59
S216962		3.52	<0.005		<0.5	8.06	7	2470	1.0	<2	2.52	<0.5	7	6	16	3.79
S216963		3.50	0.010		<0.5	7.63	6	2130	0.8	2	3.56	<0.5	6	5	27	4.25
S216964		3.28	0.016		<0.5	7.76	15	2520	1.0	2	3.73	<0.5	10	5	7	3.54
S216965		3.67	0.024		0.5	8.01	10	2580	0.9	2	2.50	<0.5	10	5	9	3.52
S216966		3.26	0.014		<0.5	8.21	16	2550	1.0	<2	2.04	0.5	8	6	7	3.62
S216966D		<0.02	0.014		<0.5	8.35	16	2570	1.0	3	2.12	0.7	9	6	7	3.62
S216967		3.64	0.071		0.7	7.75	30	2040	1.0	<2	5.99	<0.5	6	6	28	3.44
S216968		3.28	0.086		1.5	7.38	49	1920	1.0	<2	4.81	<0.5	12	6	9	3.89
S216969		3.76	0.011		1.2	7.99	21	2150	1.1	<2	3.55	<0.5	8	7	20	3.79
S216970		0.13	5.46		83.8	6.36	299	1410	1.0	<2	1.97	22.2	10	23	119	4.88
S216971		3.46	0.047		0.7	7.81	26	1940	1.1	3	3.81	<0.5	8	5	18	3.69
S216972		3.76	0.087		1.5	8.38	108	1900	1.2	<2	2.29	<0.5	9	5	12	4.02
S216973		3.24	0.163		1.6	8.52	96	1740	1.3	<2	1.71	<0.5	9	5	16	4.04
S216974		3.22	0.012		<0.5	8.42	17	2070	0.9	<2	2.39	<0.5	8	6	16	4.03
S216975		3.06	0.125		0.8	8.65	47	2510	1.1	<2	2.24	<0.5	9	6	19	4.04
S216976		3.19	0.022		0.5	8.08	26	3190	1.1	2	2.63	<0.5	8	6	17	3.86
S216977		2.48	0.029		<0.5	8.11	24	3490	1.1	<2	2.67	<0.5	8	6	17	3.78
S216978		3.24	0.038		<0.5	8.15	11	2810	1.0	<2	3.19	<0.5	9	6	16	3.83
S216979		3.44	0.008		<0.5	8.27	6	2900	1.0	<2	2.79	<0.5	8	6	16	3.96
S216980		0.50	0.005		<0.5	0.03	<5	10	<0.5	<2	34.0	<0.5	<1	1	<1	0.03
S216981		2.95	0.117		1.4	7.81	32	2860	1.1	<2	2.81	<0.5	8	6	15	3.56
S216982		3.06	0.025		<0.5	7.75	12	2760	1.0	<2	3.01	<0.5	7	6	12	3.63
S216983		3.62	0.112		1.5	7.60	38	2080	1.0	<2	3.24	<0.5	12	6	18	3.81
S216984		3.09	0.157		2.3	7.56	58	2180	1.0	<2	3.60	<0.5	8	6	13	3.67
S216985		3.28	0.014		0.5	8.23	25	2590	1.1	<2	2.93	<0.5	9	6	17	3.80
S216986		3.38	0.315		0.9	8.17	31	2320	1.0	<2	2.21	<0.5	10	6	18	3.79
S216986D		<0.02	0.274		1.1	8.22	28	2280	1.0	2	2.16	<0.5	8	6	17	3.76
S216987		3.11	0.038		1.3	8.61	41	2410	1.0	<2	2.51	<0.5	8	5	18	3.75
S216988		3.42	0.078		0.8	7.87	33	2540	1.0	<2	2.58	<0.5	9	6	21	3.71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216951		20	3.91	10	1.02	906	1	1.65	2	890	3	0.53	<5	10	264	<20
S216952		20	3.56	10	0.92	845	1	2.43	3	880	7	0.67	7	9	375	<20
S216953		20	3.77	10	0.97	856	<1	2.62	<1	940	8	1.09	<5	11	412	<20
S216954		20	3.88	10	0.94	885	1	2.33	1	930	3	0.90	<5	9	358	<20
S216955		20	3.52	10	0.94	958	1	2.08	<1	840	3	0.72	6	9	359	<20
S216956		20	3.51	10	1.02	712	<1	2.63	<1	920	4	0.71	6	11	398	<20
S216957		20	3.26	10	1.00	728	<1	2.98	<1	890	5	0.56	7	10	417	<20
S216958		20	3.52	10	0.95	832	<1	2.85	<1	890	2	0.77	6	10	405	<20
S216959		20	2.79	10	0.98	891	<1	3.23	<1	890	3	0.17	<5	9	358	<20
S216960		<10	0.01	<10	1.58	24	<1	0.02	<1	50	2	0.04	<5	<1	5750	<20
S216961		20	2.67	10	0.99	859	<1	3.27	<1	890	<2	0.15	<5	10	369	<20
S216962		20	3.10	10	1.06	972	<1	3.14	<1	950	<2	0.12	5	10	357	<20
S216963		20	2.90	10	1.27	1355	<1	2.96	2	830	<2	0.18	8	9	423	<20
S216964		20	3.40	10	0.94	983	<1	2.58	<1	900	10	0.91	<5	10	453	<20
S216965		20	3.23	10	0.94	823	<1	3.16	<1	890	14	1.09	<5	11	390	<20
S216966		20	3.24	10	1.01	775	<1	3.15	<1	930	7	0.72	9	11	346	<20
S216966D		20	3.23	10	1.02	780	<1	3.07	<1	950	6	0.72	6	11	353	<20
S216967		20	3.47	10	1.06	1775	<1	1.89	<1	870	4	0.55	7	11	633	<20
S216968		20	4.29	10	0.91	1610	1	0.09	<1	820	7	1.61	11	10	420	<20
S216969		20	4.07	10	1.09	1025	2	1.34	<1	910	6	0.85	8	11	298	<20
S216970		10	3.70	10	0.49	1190	9	0.23	14	970	8950	3.09	75	12	150	<20
S216971		20	3.89	10	1.02	932	2	1.17	<1	900	13	1.06	14	10	222	<20
S216972		20	4.19	10	0.90	646	1	1.01	1	940	11	2.06	13	11	151	<20
S216973		20	4.57	10	0.98	583	<1	0.92	<1	970	8	2.10	11	11	166	<20
S216974		20	2.91	10	0.99	871	<1	3.05	1	1000	8	0.88	<5	11	307	<20
S216975		20	3.59	10	0.97	697	<1	2.24	<1	980	18	1.42	10	11	226	<20
S216976		20	3.66	10	1.09	897	1	2.46	<1	950	5	0.83	10	11	386	<20
S216977		20	3.24	10	1.12	944	1	3.10	<1	950	5	0.53	6	11	421	<20
S216978		20	2.47	10	1.05	1000	<1	3.56	<1	920	4	0.28	10	11	505	<20
S216979		20	2.69	10	1.18	968	<1	3.57	<1	960	4	0.11	13	11	437	<20
S216980		<10	<0.01	<10	2.08	17	<1	0.01	<1	20	<2	0.07	7	<1	5000	<20
S216981		20	3.49	10	1.01	783	<1	2.05	<1	880	8	0.64	10	10	330	<20
S216982		20	3.05	10	0.98	906	<1	2.78	<1	900	3	0.30	9	10	430	<20
S216983		20	2.84	10	0.83	887	1	2.85	<1	900	12	1.63	6	10	341	<20
S216984		20	3.06	10	0.90	963	<1	2.38	1	860	7	1.47	6	10	368	<20
S216985		20	3.41	10	1.08	1035	<1	2.32	<1	950	2	0.81	9	11	360	<20
S216986		20	3.20	10	1.09	871	<1	2.41	<1	920	4	0.69	6	10	259	<20
S216986D		20	3.14	10	1.09	857	1	2.41	<1	930	<2	0.65	8	11	255	<20
S216987		20	3.35	10	1.08	1025	1	2.55	<1	960	3	0.81	9	11	330	<20
S216988		20	3.31	10	1.06	1025	1	2.51	<1	940	3	0.78	8	10	313	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216951		0.30	<10	<10	98	<10	37	
S216952		0.30	10	<10	98	<10	41	
S216953		0.33	<10	<10	110	<10	48	
S216954		0.31	<10	<10	102	<10	55	
S216955		0.30	<10	<10	90	10	54	
S216956		0.33	<10	<10	101	<10	38	
S216957		0.31	<10	<10	99	<10	37	
S216958		0.33	<10	<10	104	10	50	
S216959		0.31	<10	<10	97	<10	50	
S216960		<0.01	<10	<10	1	<10	<2	
S216961		0.31	<10	<10	101	<10	63	
S216962		0.32	<10	<10	102	10	69	
S216963		0.28	<10	<10	93	10	76	
S216964		0.31	<10	<10	98	<10	37	
S216965		0.31	<10	<10	93	<10	43	
S216966		0.32	<10	<10	103	<10	79	
S216966D		0.33	<10	<10	102	10	91	
S216967		0.32	<10	<10	98	10	69	
S216968		0.31	<10	<10	92	<10	62	
S216969		0.34	<10	<10	102	<10	38	
S216970		0.26	<10	<10	124	10	1810	
S216971		0.33	<10	<10	102	<10	36	
S216972		0.34	<10	<10	105	<10	30	
S216973		0.36	<10	<10	107	<10	29	
S216974		0.35	<10	<10	108	<10	35	
S216975		0.35	<10	<10	108	10	35	
S216976		0.34	<10	<10	106	<10	43	
S216977		0.34	<10	<10	105	10	41	
S216978		0.33	<10	<10	101	<10	42	
S216979		0.35	10	<10	108	<10	43	
S216980		<0.01	<10	<10	1	<10	<2	
S216981		0.33	<10	<10	100	<10	38	
S216982		0.33	<10	<10	102	<10	43	
S216983		0.33	<10	<10	100	<10	36	
S216984		0.32	<10	<10	98	<10	35	
S216985		0.34	<10	<10	106	10	41	
S216986		0.34	10	<10	104	<10	37	
S216986D		0.33	<10	<10	103	<10	37	
S216987		0.34	<10	<10	104	10	50	
S216988		0.33	<10	<10	102	10	37	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S216989		3.55	0.032		<0.5	7.79	23	2360	1.0	<2	2.87	<0.5	9	6	17	3.76
S216990		0.10	>10.0	18.35	19.3	6.50	759	180	1.3	3	2.72	1.6	17	112	137	4.86
S216991		4.09	0.087		<0.5	7.71	36	2450	1.0	<2	3.00	<0.5	8	6	18	3.68
S216992		4.15	0.037		<0.5	7.37	26	2020	0.9	<2	3.14	<0.5	8	6	17	3.61
S216993		3.96	0.055		1.0	6.41	23	1860	0.9	2	3.70	<0.5	6	7	12	3.39
S216994		3.12	0.343		0.7	7.42	30	2220	0.9	2	2.63	<0.5	10	5	14	3.53
S216995		3.01	0.060		<0.5	7.44	27	2150	0.9	<2	3.00	<0.5	7	5	13	3.62
S216996		3.06	0.238		2.1	7.59	71	2500	1.0	<2	2.84	<0.5	8	5	11	3.59
S216997		3.18	0.052		1.2	7.49	22	2190	0.9	<2	3.17	<0.5	6	5	13	3.42
S216998		3.38	0.231		4.4	6.94	91	1350	1.0	<2	3.26	<0.5	10	6	20	3.64
S216999		3.09	0.100		0.6	6.90	33	2340	0.9	<2	3.80	<0.5	7	5	13	3.18
S217000		0.61	<0.005		<0.5	0.04	<5	10	<0.5	<2	33.6	<0.5	<1	1	<1	0.04
S217001		3.05	0.071		1.0	7.69	42	2390	1.0	<2	2.53	<0.5	8	6	18	3.76
S217002		3.50	0.224		5.9	8.19	69	2400	1.1	<2	2.56	<0.5	7	6	16	3.73
S217003		2.98	0.103		0.9	7.71	57	2490	1.0	<2	2.65	<0.5	7	6	15	3.72
S217004		3.13	0.070		0.5	7.66	25	2280	0.9	<2	3.10	<0.5	7	5	12	3.62
S217005		2.83	0.079		0.8	7.50	29	2420	1.0	<2	3.19	<0.5	7	6	16	3.64
S217006		3.43	0.075		<0.5	7.16	21	2410	0.9	<2	3.29	<0.5	8	6	12	3.52
S217006D		<0.02	0.129		<0.5	7.14	23	2310	0.9	<2	3.20	<0.5	9	6	12	3.50
S217007		2.81	0.086		0.6	7.50	51	2230	0.9	<2	2.81	<0.5	8	5	15	3.56
S217008		3.46	0.039		0.7	7.83	55	2250	0.9	<2	2.92	<0.5	7	6	19	3.75
S217009		3.10	0.120		1.1	7.35	56	1950	0.9	<2	2.64	<0.5	8	5	16	3.51
S217010		0.12	0.965		12.3	5.53	302	440	1.0	<2	3.49	4.0	9	27	82	3.84
S217011		3.45	0.153		2.3	7.35	155	880	1.0	<2	0.79	<0.5	7	6	15	3.38
S217012		3.43	0.056		1.4	7.68	62	2090	0.8	<2	1.83	<0.5	8	6	22	3.55
S217013		3.24	0.124		1.8	8.02	89	2190	1.0	<2	2.02	<0.5	9	6	19	3.80
S217014		3.17	0.084		2.2	7.44	105	1910	1.0	<2	2.28	<0.5	8	5	16	3.42
S217015		3.45	0.032		1.1	8.09	44	2390	0.8	<2	1.60	<0.5	8	6	21	3.69
S217016		2.69	0.039		1.2	7.75	52	2200	1.0	<2	1.89	<0.5	9	6	18	3.63
S217017		3.73	0.021		<0.5	7.64	37	2220	1.1	<2	2.71	<0.5	8	5	16	3.79
S217018		3.46	0.010		0.5	7.42	28	2020	1.0	<2	3.55	<0.5	7	5	15	3.50
S217019		3.35	0.019		1.3	7.27	44	2100	1.0	<2	2.99	<0.5	8	5	16	3.67
S217020		0.54	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.03
S217021		3.31	0.141		1.9	7.03	51	1640	1.0	<2	2.97	<0.5	10	5	13	3.92
S217022		3.58	1.540		4.1	7.80	93	960	1.2	<2	2.00	<0.5	9	5	83	4.02
S217023		2.87	0.040		2.5	7.41	69	230	1.0	<2	2.64	<0.5	12	6	14	4.58
S217024		3.02	0.063		1.5	6.43	46	1480	0.8	<2	4.31	<0.5	7	6	25	3.08
S217025		3.39	0.072		1.8	7.77	73	1510	1.0	<2	2.19	<0.5	8	5	18	3.96
S217026		3.35	0.266		4.8	8.09	63	1720	0.9	<2	1.83	<0.5	7	6	60	3.63
S217026D		<0.02	0.466		4.7	8.02	66	1560	0.9	<2	1.84	<0.5	7	6	59	3.68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S216989		20	2.99	10	1.04	1040	<1	2.54	3	900	5	0.73	<5	10	321	<20
S216990		20	2.94	10	0.67	980	6	0.15	68	1610	61	4.09	20	18	174	<20
S216991		20	3.14	10	1.01	1010	<1	2.49	2	880	4	0.90	<5	10	324	<20
S216992		20	2.80	10	1.05	1035	<1	2.63	2	870	3	0.61	6	10	338	<20
S216993		20	2.91	10	0.98	1315	1	1.93	1	760	6	0.74	<5	9	355	<20
S216994		20	3.14	10	0.98	1070	<1	2.36	2	880	5	0.91	<5	10	294	<20
S216995		20	2.81	10	1.08	1120	<1	2.61	1	900	3	0.62	<5	10	318	<20
S216996		20	3.79	10	0.92	952	<1	1.76	3	900	8	1.53	11	10	259	<20
S216997		20	3.19	10	0.96	1075	1	2.29	2	900	3	1.27	<5	10	247	<20
S216998		20	3.83	10	0.78	1005	1	1.48	1	860	16	2.24	8	9	193	<20
S216999		20	3.19	10	0.87	1235	1	2.28	2	850	6	0.92	6	9	337	<20
S217000		<10	0.01	<10	1.71	17	<1	0.01	<1	40	6	0.06	5	<1	5110	<20
S217001		20	3.48	10	1.00	962	<1	2.40	2	930	6	1.21	7	10	263	<20
S217002		20	3.93	10	0.89	830	<1	2.21	1	960	4	1.65	9	11	235	<20
S217003		20	3.77	10	1.02	941	<1	1.90	2	950	9	1.11	6	10	215	<20
S217004		20	2.97	10	0.97	1150	<1	2.74	3	910	3	0.87	<5	10	299	<20
S217005		20	3.16	10	0.96	1115	<1	2.67	2	910	4	0.87	9	10	319	<20
S217006		20	3.23	10	0.91	1140	1	2.54	2	900	5	1.22	5	9	315	<20
S217006D		20	3.17	10	0.89	1115	<1	2.41	1	860	7	1.27	8	9	306	<20
S217007		20	3.40	10	0.94	1150	<1	2.29	2	900	6	1.42	6	10	247	<20
S217008		20	3.49	10	1.02	1470	<1	2.54	2	960	5	1.18	7	10	248	<20
S217009		20	3.70	10	0.98	1510	1	1.79	1	890	13	1.10	<5	10	241	<20
S217010		10	3.66	10	0.50	1355	9	0.20	20	910	138	2.75	24	10	183	<20
S217011		20	3.91	10	0.63	491	2	0.72	2	820	12	2.31	7	10	121	<20
S217012		20	4.04	10	0.88	1015	<1	1.89	2	900	16	1.51	9	10	233	<20
S217013		20	4.62	10	0.89	953	<1	1.47	2	920	18	1.74	8	11	221	<20
S217014		20	4.07	10	0.79	887	<1	1.58	1	880	14	1.83	<5	10	241	<20
S217015		20	3.64	10	1.06	929	1	2.40	1	890	6	0.95	6	10	222	<20
S217016		20	3.52	10	1.01	918	<1	2.16	2	890	4	1.01	8	10	218	<20
S217017		20	3.25	10	1.07	1110	<1	2.27	1	920	<2	0.64	5	10	289	<20
S217018		20	2.92	10	1.07	1195	<1	2.39	1	890	5	0.49	<5	10	352	<20
S217019		20	3.64	10	0.98	1290	<1	1.87	1	880	8	1.63	<5	10	268	<20
S217020		<10	0.01	<10	2.17	18	<1	0.01	<1	40	<2	0.07	9	<1	4860	<20
S217021		20	3.49	10	0.91	1060	1	1.62	3	870	16	2.02	8	9	238	<20
S217022		20	4.38	10	1.00	1050	<1	1.45	2	940	11	2.51	12	10	191	<20
S217023		20	4.38	10	0.76	1070	3	1.61	2	910	11	3.99	<5	10	265	<20
S217024		20	3.40	10	0.84	1815	<1	2.08	2	780	6	1.84	5	9	545	<20
S217025		20	4.18	10	1.13	1350	<1	1.83	2	960	10	2.12	<5	11	294	<20
S217026		20	4.55	10	1.10	1575	<1	1.76	<1	930	5	1.92	7	11	240	<20
S217026D		20	4.53	10	1.09	1575	1	1.77	2	930	8	1.95	8	11	244	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S216989		0.33	<10	<10	102	<10	35	
S216990		0.35	<10	<10	174	<10	206	
S216991		0.32	<10	<10	100	<10	39	
S216992		0.32	<10	<10	101	<10	43	
S216993		0.28	<10	<10	90	<10	50	
S216994		0.32	<10	<10	100	<10	45	
S216995		0.32	<10	<10	102	<10	44	
S216996		0.32	<10	10	101	<10	37	
S216997		0.32	<10	<10	99	<10	41	
S216998		0.32	<10	<10	98	<10	37	
S216999		0.31	<10	<10	95	<10	39	
S217000		<0.01	<10	<10	1	<10	<2	
S217001		0.33	<10	<10	104	<10	46	
S217002		0.35	<10	<10	107	<10	40	
S217003		0.34	<10	<10	106	<10	51	
S217004		0.32	<10	<10	100	<10	44	
S217005		0.32	<10	10	101	<10	43	
S217006		0.32	<10	<10	100	<10	40	
S217006D		0.32	<10	<10	96	<10	38	
S217007		0.32	<10	<10	99	<10	40	
S217008		0.35	<10	<10	108	<10	46	
S217009		0.33	10	<10	100	<10	49	
S217010		0.25	<10	<10	103	<10	459	
S217011		0.29	<10	<10	94	<10	26	
S217012		0.32	<10	<10	99	<10	50	
S217013		0.34	<10	10	107	<10	41	
S217014		0.32	<10	<10	105	10	34	
S217015		0.33	<10	<10	105	10	45	
S217016		0.32	<10	<10	102	10	43	
S217017		0.34	<10	<10	108	<10	49	
S217018		0.31	<10	<10	99	<10	57	
S217019		0.32	<10	<10	102	<10	52	
S217020		<0.01	<10	10	1	<10	3	
S217021		0.31	<10	<10	100	<10	68	
S217022		0.34	<10	<10	105	<10	40	
S217023		0.32	<10	<10	103	<10	30	
S217024		0.28	<10	<10	87	<10	39	
S217025		0.35	<10	<10	107	<10	61	
S217026		0.34	<10	<10	102	<10	49	
S217026D		0.33	<10	<10	103	<10	49	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S217027		3.10	0.078		1.8	7.70	58	1640	0.9	<2	2.61	<0.5	9	5	18	3.99
S217028		3.40	0.106		2.9	7.60	98	940	0.9	<2	2.60	<0.5	9	6	16	3.89
S217029		3.25	0.190		6.3	7.53	138	380	0.8	<2	2.43	<0.5	8	7	10	3.54
S217030		0.12	>10.0	10.95	>100	5.79	373	420	1.0	2	3.83	4.3	10	34	148	3.78
S217031		3.20	0.230		5.9	5.37	51	280	0.6	<2	2.05	<0.5	6	8	16	3.04
S217032		2.91	0.299		6.4	7.10	62	710	0.5	<2	3.18	<0.5	5	7	19	3.25
S217033		3.21	0.308		4.8	7.40	51	520	0.6	<2	1.99	<0.5	5	8	20	3.53
S217034		3.25	0.295		9.2	7.64	46	480	0.7	<2	2.18	<0.5	11	6	18	3.61
S217035		3.05	0.166		7.4	7.64	23	430	0.8	2	1.94	<0.5	10	7	16	3.50
S217036		2.78	0.096		1.6	7.64	26	1670	0.8	<2	2.92	<0.5	12	6	26	3.64
S217037		3.48	0.187		6.1	7.40	19	1500	0.8	<2	2.60	<0.5	10	10	17	3.65
S217038		3.52	0.125		3.1	7.93	31	820	0.9	<2	2.24	1.2	11	8	23	3.81
S217039		3.45	0.082		1.7	8.11	20	1080	0.8	<2	1.99	<0.5	7	8	15	4.08
S217040		0.51	<0.005		<0.5	0.06	<5	10	<0.5	3	34.7	<0.5	<1	1	<1	0.05
S217041		3.24	0.293		7.2	7.35	33	1520	0.7	<2	2.35	0.5	8	7	16	3.72
S217042		3.28	0.119		2.0	7.82	45	580	0.8	<2	1.78	<0.5	9	7	15	3.79
S217043		3.54	0.294		8.6	8.11	39	420	0.9	3	1.14	<0.5	8	8	11	3.77
S217044		3.72	0.139		1.8	8.07	25	570	0.7	<2	1.08	<0.5	9	7	10	3.43
S217045		3.54	0.051		1.0	7.92	52	850	0.8	<2	1.87	<0.5	8	9	19	3.09
S217046		2.87	0.227		1.6	8.11	234	2700	0.7	<2	1.88	<0.5	9	6	22	3.92
S217046D		<0.02	0.363		1.6	8.04	298	2630	0.7	<2	1.81	<0.5	8	7	21	3.88
S217047		3.32	0.145		1.5	8.13	105	1460	0.8	<2	2.36	<0.5	8	7	21	3.68
S217048		3.63	0.211		1.1	7.76	104	1050	0.7	<2	1.93	<0.5	9	6	16	3.70
S217049		3.55	0.154		2.2	7.82	72	460	0.8	<2	2.15	1.7	8	7	18	3.85
S217050		0.13	5.63		78.6	5.95	288	350	1.0	<2	1.95	22.5	11	23	116	4.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S217027		20	4.03	10	1.17	1850	<1	2.03	1	930	5	1.93	<5	10	297	<20
S217028		20	4.40	10	1.02	1705	<1	1.81	1	910	6	2.35	6	10	263	<20
S217029		20	4.15	10	0.50	1195	1	0.80	2	890	30	3.24	5	10	259	<20
S217030		10	3.58	10	0.47	1380	7	0.16	22	840	244	3.02	66	10	198	<20
S217031		10	4.23	10	0.25	635	3	0.09	2	640	45	3.05	6	7	151	<20
S217032		20	4.37	10	0.62	1645	<1	1.05	2	840	17	2.54	6	9	305	<20
S217033		20	4.17	10	0.84	1205	<1	1.24	1	850	16	2.69	<5	10	244	<20
S217034		20	4.26	10	0.71	1240	<1	1.90	1	860	30	2.89	6	10	279	<20
S217035		20	4.08	10	0.66	923	1	1.14	1	900	36	3.21	9	10	229	<20
S217036		20	4.58	10	0.93	1515	<1	2.22	2	910	11	1.89	7	10	358	<20
S217037		20	4.76	10	0.96	1485	<1	1.87	2	870	19	1.88	<5	10	309	<20
S217038		20	4.18	10	0.98	1330	1	2.09	1	930	16	2.41	8	11	311	<20
S217039		20	4.75	10	1.18	1515	<1	2.20	1	940	16	2.07	6	11	294	<20
S217040		<10	0.01	<10	1.77	26	<1	0.01	<1	20	3	0.08	5	<1	5250	<20
S217041		20	4.32	10	1.08	1725	<1	1.69	2	860	26	1.93	7	10	296	<20
S217042		20	4.22	10	0.98	1410	1	1.33	1	870	19	2.78	5	10	257	<20
S217043		20	4.56	10	0.90	886	4	1.34	1	900	29	3.16	<5	11	204	<20
S217044		20	4.06	10	0.96	826	2	1.68	1	890	20	2.66	6	10	237	<20
S217045		20	4.77	10	0.71	844	1	1.29	2	870	8	2.11	5	11	203	<20
S217046		20	4.89	10	1.13	1365	1	2.05	1	970	15	1.47	<5	11	279	<20
S217046D		20	4.77	10	1.11	1325	<1	1.98	2	960	13	1.45	6	11	269	<20
S217047		20	4.65	10	0.95	1285	<1	1.07	2	960	17	2.01	6	11	263	<20
S217048		20	4.99	10	0.94	1255	1	0.69	2	890	17	2.17	<5	10	244	<20
S217049		20	4.78	10	0.76	917	1	0.45	2	950	43	3.23	6	11	242	<20
S217050		10	3.56	10	0.47	1165	9	0.22	15	940	8560	2.93	77	11	140	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S217027		0.33	<10	<10	103	<10	66	
S217028		0.33	<10	<10	102	<10	53	
S217029		0.32	<10	<10	92	<10	57	
S217030		0.24	<10	<10	97	10	518	134
S217031		0.24	<10	<10	70	<10	53	
S217032		0.31	<10	<10	88	<10	36	
S217033		0.31	<10	<10	93	10	41	
S217034		0.32	<10	<10	93	<10	40	
S217035		0.32	<10	<10	98	<10	28	
S217036		0.32	<10	<10	103	<10	43	
S217037		0.32	<10	<10	95	<10	48	
S217038		0.34	10	<10	102	<10	127	
S217039		0.34	<10	<10	105	<10	62	
S217040		<0.01	<10	10	1	<10	3	
S217041		0.31	<10	<10	97	<10	99	
S217042		0.31	<10	<10	99	<10	47	
S217043		0.32	<10	<10	96	<10	48	
S217044		0.32	<10	<10	99	<10	46	
S217045		0.31	<10	<10	91	<10	41	
S217046		0.34	<10	<10	106	10	69	
S217046D		0.34	<10	<10	103	<10	69	
S217047		0.34	<10	<10	103	<10	69	
S217048		0.32	10	<10	95	<10	82	
S217049		0.35	<10	<10	98	10	173	
S217050		0.25	<10	10	120	<10	1845	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 3-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15144898

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15146114

Project: Bowser Regional Exploration

P.O. No.: BOW-0101

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 25-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S313974		5.59	<0.005		<0.5	8.46	7	2000	1.2	<2	2.52	<0.5	9	2	3	4.54
S313975		5.63	<0.005		<0.5	8.83	<5	2040	1.2	<2	2.25	<0.5	10	3	1	4.71
S313976		5.98	<0.005		<0.5	9.06	12	1990	1.2	<2	2.18	<0.5	13	3	4	5.06
S313977		5.89	<0.005		<0.5	7.49	<5	2140	1.2	2	4.83	<0.5	7	2	4	4.30
S313978		6.52	<0.005		<0.5	6.79	6	1980	1.1	<2	5.52	<0.5	8	1	5	3.86
S313979		5.47	<0.005		<0.5	7.50	<5	2040	1.1	<2	5.52	<0.5	9	2	4	4.12
S313980		0.61	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.2	<0.5	<1	1	<1	0.04
S313981		5.75	<0.005		<0.5	7.03	<5	1580	1.0	<2	5.22	<0.5	12	1	3	3.64
S313982		5.98	<0.005		<0.5	7.35	5	1710	1.0	<2	4.19	<0.5	11	2	2	3.71
S313983		5.90	<0.005		<0.5	7.64	5	1610	1.1	<2	3.92	<0.5	9	2	13	4.23
S313984		5.76	<0.005		<0.5	7.52	7	1770	1.1	2	4.72	<0.5	9	2	5	3.85
S313985		5.85	<0.005		<0.5	6.18	<5	1870	0.9	2	6.23	<0.5	9	1	2	2.69
S313986		5.60	<0.005		<0.5	7.01	8	1720	0.9	<2	5.06	<0.5	10	2	7	3.52
S313986D		<0.02	<0.005		<0.5	6.97	6	1720	0.9	<2	5.10	<0.5	7	2	6	3.48
S313987		6.08	<0.005		<0.5	8.53	10	1830	1.2	<2	2.49	<0.5	9	2	6	4.83
S313988		5.58	<0.005		<0.5	8.42	8	2150	1.2	2	2.47	<0.5	8	2	3	4.57
S313989		5.61	<0.005		<0.5	6.61	8	1720	1.1	<2	5.97	<0.5	9	1	7	3.82
S313990		0.12	>10.0	10.90	>100	5.95	393	450	1.0	<2	3.80	4.5	11	32	151	3.81
S313991		5.99	0.005		<0.5	8.13	9	1910	1.2	<2	3.21	<0.5	9	2	5	4.47
S313992		5.61	<0.005		<0.5	7.29	10	1970	1.1	<2	4.74	<0.5	9	2	4	4.08
S313993		5.64	<0.005		<0.5	7.24	8	1600	1.1	<2	5.33	<0.5	11	2	4	4.25
S313994		5.75	<0.005		<0.5	7.71	7	1880	1.2	<2	3.81	<0.5	9	2	5	4.39
S313995		5.55	<0.005		<0.5	7.73	9	2040	1.2	<2	3.94	<0.5	8	2	3	4.41
S313996		5.89	<0.005		<0.5	7.35	<5	1780	1.0	<2	6.17	<0.5	11	1	4	4.12
S313997		5.67	<0.005		<0.5	6.91	6	1490	0.8	<2	6.39	<0.5	10	2	7	3.47
S313998		5.27	<0.005		<0.5	6.94	<5	1570	1.0	2	6.40	<0.5	9	2	14	3.88
S313999		5.51	<0.005		<0.5	7.85	7	2350	1.2	<2	3.92	<0.5	7	2	4	4.37
S314000		0.48	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.5	<0.5	<1	1	<1	0.04
S314001		5.46	<0.005		<0.5	7.29	7	1430	1.1	<2	4.63	<0.5	9	2	5	4.14
S314002		5.75	<0.005		<0.5	7.71	6	1700	1.1	<2	4.49	<0.5	9	2	8	3.98
S314003		7.52	<0.005		<0.5	7.67	<5	1440	1.2	<2	2.89	<0.5	9	4	6	4.37
S314004		6.20	<0.005		<0.5	6.85	<5	1480	1.1	<2	5.85	<0.5	9	2	9	4.25
S314005		6.22	<0.005		<0.5	9.43	9	2590	1.5	<2	2.66	<0.5	8	2	2	5.35
S314006		6.60	<0.005		<0.5	7.75	6	2030	1.1	<2	5.14	<0.5	10	2	4	4.79
S314006D		<0.02	<0.005		<0.5	7.76	7	2050	1.1	2	5.04	<0.5	10	2	4	4.70
S314007		6.40	<0.005		<0.5	7.80	6	1950	1.1	2	5.60	<0.5	11	2	5	4.84
S314008		6.43	<0.005		<0.5	10.35	10	2870	1.5	3	2.01	<0.5	8	2	2	5.62
S314009		6.23	<0.005		<0.5	8.39	8	2190	1.2	2	4.80	<0.5	11	2	2	5.08
S314010		0.12	5.33		85.0	6.33	302	480	1.0	3	2.02	22.9	11	27	119	4.88
S314011		6.24	<0.005		<0.5	7.99	10	2290	1.1	2	5.60	<0.5	9	2	4	5.02

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S313974		20	2.09	10	0.67	1010	2	0.67	2	1250	10	0.01	9	11	283	10
S313975		20	2.02	10	0.73	991	2	0.68	1	1310	10	0.01	5	12	313	10
S313976		20	2.04	10	0.85	874	3	0.67	4	1180	8	0.01	12	12	295	10
S313977		20	2.22	10	0.51	1905	2	0.67	2	1210	10	<0.01	<5	9	332	10
S313978		20	1.95	10	0.55	2080	2	0.60	1	1110	9	0.01	6	9	336	10
S313979		20	1.93	10	0.67	1995	2	0.63	2	1160	11	0.03	7	10	363	10
S313980		<10	0.01	<10	1.72	22	1	<0.01	<1	40	<2	0.05	<5	<1	5450	10
S313981		20	1.64	10	0.86	1825	2	0.54	2	1080	6	0.02	8	9	310	10
S313982		20	1.76	10	0.81	1455	2	0.58	2	1140	7	0.02	6	10	278	10
S313983		20	1.73	10	0.70	1365	3	0.61	1	1070	9	0.01	7	10	299	10
S313984		20	1.83	10	0.75	1625	2	0.62	2	1170	5	0.01	7	10	314	10
S313985		20	1.73	10	0.68	1990	1	0.54	2	1050	4	0.03	10	8	342	10
S313986		20	1.55	10	0.66	1470	2	0.57	2	980	6	0.07	<5	9	393	<10
S313986D		20	1.54	10	0.67	1495	2	0.57	2	990	4	0.08	8	9	397	10
S313987		20	2.01	10	0.60	757	1	0.71	<1	1120	13	0.01	9	11	329	<10
S313988		20	2.23	10	0.49	776	2	0.73	1	1160	9	0.01	5	11	318	10
S313989		20	1.83	10	0.55	1905	1	0.62	1	1060	8	<0.01	7	8	320	10
S313990		10	3.69	10	0.47	1410	7	0.17	23	860	249	3.12	61	10	204	<10
S313991		20	2.08	10	0.58	1065	<1	0.70	<1	1100	8	0.01	<5	10	315	<10
S313992		20	2.06	10	0.53	1460	<1	0.67	1	1140	6	<0.01	6	9	318	<10
S313993		20	1.77	10	0.68	1620	<1	0.62	<1	1100	8	<0.01	<5	10	306	<10
S313994		20	2.05	10	0.56	1180	<1	0.69	<1	1180	8	0.02	<5	10	314	<10
S313995		20	2.15	10	0.51	1205	<1	0.72	1	1210	6	<0.01	5	10	325	<10
S313996		20	1.79	10	0.79	1895	<1	0.61	<1	1150	6	<0.01	<5	10	325	<10
S313997		20	1.46	10	0.95	1880	2	0.49	3	1010	6	0.01	10	9	309	<10
S313998		20	1.62	10	0.76	1790	1	0.56	2	1050	5	0.02	7	9	317	10
S313999		20	2.27	10	0.59	1120	1	0.70	2	1270	8	<0.01	7	10	326	10
S314000		<10	0.01	<10	2.00	19	1	<0.01	1	40	<2	0.05	<5	<1	4940	10
S314001		20	1.55	10	0.68	1225	2	0.62	3	1040	8	0.01	9	9	316	10
S314002		20	1.56	10	0.73	1200	2	0.69	3	1100	7	0.04	7	10	370	10
S314003		20	1.51	10	0.65	771	2	0.73	2	1150	9	0.02	9	11	334	10
S314004		20	1.53	10	0.58	1465	1	0.69	2	1030	9	<0.01	<5	11	358	<10
S314005		20	2.49	10	0.57	719	1	0.95	2	1510	8	<0.01	<5	13	388	10
S314006		20	1.90	10	0.68	1350	1	0.73	1	1280	10	0.01	9	11	370	10
S314006D		20	1.91	10	0.67	1320	1	0.73	1	1240	7	<0.01	7	11	374	<10
S314007		20	1.85	10	0.72	1370	1	0.68	2	1230	10	<0.01	10	12	359	10
S314008		20	2.67	10	0.61	471	1	0.87	2	1620	11	0.01	7	15	356	10
S314009		20	2.06	10	0.75	1200	1	0.73	2	1330	9	<0.01	<5	12	378	10
S314010		10	3.74	10	0.50	1205	11	0.24	18	980	8830	3.05	78	12	148	10
S314011		20	2.08	10	0.69	1355	1	0.66	3	1270	20	0.01	<5	12	393	10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S313974		<20	0.34	<10	<10	128	<10	81	
S313975		<20	0.37	<10	10	145	10	85	
S313976		<20	0.36	<10	<10	145	10	103	
S313977		<20	0.39	<10	<10	127	<10	72	
S313978		<20	0.36	<10	<10	120	<10	76	
S313979		<20	0.37	<10	<10	119	<10	87	
S313980		<20	<0.01	<10	<10	1	<10	<2	
S313981		<20	0.34	<10	<10	108	<10	109	
S313982		<20	0.36	10	<10	119	<10	104	
S313983		<20	0.33	<10	<10	126	<10	91	
S313984		<20	0.36	<10	<10	122	<10	101	
S313985		<20	0.33	<10	<10	107	<10	90	
S313986		<20	0.31	<10	<10	107	<10	86	
S313986D		<20	0.31	<10	<10	108	<10	86	
S313987		<20	0.37	10	<10	127	<10	77	
S313988		<20	0.39	<10	<10	139	<10	67	
S313989		<20	0.33	10	<10	129	<10	77	
S313990		<20	0.24	<10	<10	100	<10	532	143
S313991		<20	0.38	<10	<10	136	<10	84	
S313992		<20	0.37	<10	<10	133	<10	78	
S313993		<20	0.36	<10	<10	125	<10	92	
S313994		<20	0.37	<10	<10	133	<10	78	
S313995		<20	0.38	<10	<10	135	<10	73	
S313996		<20	0.37	<10	<10	124	<10	101	
S313997		<20	0.32	10	<10	103	<10	109	
S313998		<20	0.33	<10	<10	114	<10	91	
S313999		<20	0.39	<10	<10	141	<10	80	
S314000		<20	<0.01	<10	<10	1	<10	<2	
S314001		<20	0.32	10	<10	115	<10	81	
S314002		<20	0.33	<10	<10	116	<10	85	
S314003		<20	0.36	<10	<10	122	<10	79	
S314004		<20	0.35	<10	<10	121	<10	75	
S314005		<20	0.49	10	<10	175	<10	75	
S314006		<20	0.41	<10	<10	159	<10	90	
S314006D		<20	0.40	<10	<10	158	<10	89	
S314007		<20	0.41	<10	<10	150	<10	94	
S314008		<20	0.50	10	<10	182	<10	71	
S314009		<20	0.43	<10	<10	159	<10	103	
S314010		<20	0.26	<10	<10	124	10	1840	
S314011		<20	0.42	<10	<10	153	<10	101	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314012		6.11	<0.005		<0.5	6.75	6	1990	1.0	<2	7.25	<0.5	10	2	2	4.48
S314013		6.39	<0.005		<0.5	6.43	<5	1960	1.0	<2	6.40	<0.5	9	2	2	4.19
S314014		5.96	<0.005		<0.5	7.12	<5	2550	1.1	3	4.66	<0.5	8	2	2	4.37
S314015		6.65	<0.005		<0.5	7.61	<5	1740	0.9	<2	5.87	<0.5	10	2	1	5.13
S314016		6.29	<0.005		<0.5	8.49	8	1800	1.0	<2	4.51	<0.5	11	2	13	5.10
S314017		6.21	<0.005		<0.5	9.95	<5	3540	1.6	<2	3.28	<0.5	8	3	71	3.25
S314018		5.92	<0.005		<0.5	9.49	7	1870	1.4	<2	3.63	<0.5	7	3	21	3.76
S314019		6.04	0.008		<0.5	9.31	10	1730	1.3	3	3.05	<0.5	19	5	18	3.91
S314020		0.71	0.006		<0.5	0.05	<5	10	<0.5	3	35.3	<0.5	<1	1	<1	0.04
S314021		6.28	0.010		<0.5	8.94	<5	1830	1.3	<2	4.63	<0.5	10	3	15	4.29
S314022		5.85	<0.005		<0.5	8.84	<5	1960	1.5	<2	4.40	<0.5	10	2	19	3.21
S314023		6.28	<0.005		<0.5	8.58	6	1610	1.3	<2	3.29	<0.5	9	3	9	4.06
S314024		6.44	<0.005		<0.5	9.81	20	2170	1.5	<2	2.65	<0.5	14	3	13	3.81
S314025		6.41	<0.005		<0.5	8.04	12	1080	1.3	<2	3.18	<0.5	10	2	12	4.16
S314026		6.29	<0.005		<0.5	9.28	22	1380	1.5	<2	2.40	<0.5	15	2	14	4.83
S314026D		<0.02	<0.005		<0.5	9.56	24	1420	1.5	<2	2.54	<0.5	14	2	15	4.94
S314027		6.14	<0.005		<0.5	8.48	22	1200	1.5	<2	3.83	<0.5	8	4	20	3.32
S314028		6.78	<0.005		<0.5	8.89	7	1380	1.2	5	0.87	<0.5	5	4	15	3.80
S314029		4.83	<0.005		<0.5	8.56	8	4350	1.3	<2	3.64	<0.5	4	5	15	3.81
S314030		0.09	>10.0	18.55	19.2	6.83	781	210	1.4	3	2.82	1.8	18	111	132	5.00
S314031		6.29	0.006		<0.5	9.07	27	130	1.3	3	0.35	<0.5	17	8	31	6.71
S314032		8.02	<0.005		<0.5	9.45	10	2350	1.2	2	1.11	<0.5	10	5	8	3.71
S314033		5.03	<0.005		<0.5	8.50	7	3500	1.1	<2	3.28	<0.5	13	3	9	3.45
S314034		6.42	<0.005		<0.5	8.67	8	2040	1.1	3	4.05	<0.5	5	3	4	3.83
S314035		5.15	<0.005		<0.5	10.20	6	2020	1.3	4	0.98	<0.5	3	3	2	4.49
S314036		6.14	<0.005		<0.5	9.08	7	1770	1.2	2	1.92	<0.5	7	4	3	4.41
S314037		5.71	<0.005		<0.5	9.73	8	1730	1.3	<2	1.77	<0.5	5	3	6	4.63
S314038		6.31	<0.005		<0.5	8.33	6	1610	1.1	<2	4.35	<0.5	8	3	8	4.02
S314039		6.31	<0.005		<0.5	10.60	7	2600	1.5	2	1.89	<0.5	11	4	11	3.67
S314040		0.49	<0.005		<0.5	0.09	<5	20	<0.5	<2	34.2	<0.5	<1	1	<1	0.05
S314041		5.55	<0.005		<0.5	10.30	10	2670	1.4	<2	1.68	<0.5	16	3	16	3.96
S314042		6.32	<0.005		<0.5	9.87	8	1470	1.4	2	1.14	<0.5	16	4	14	5.00
S314043		6.21	<0.005		<0.5	10.05	15	410	1.3	<2	2.35	<0.5	15	5	15	7.37
S314044		6.45	<0.005		<0.5	11.50	5	2470	1.8	<2	0.79	<0.5	10	9	17	3.18
S314045		6.78	<0.005		<0.5	9.80	18	1140	1.3	<2	1.49	<0.5	16	4	18	6.03
S314046		6.08	<0.005		<0.5	8.30	34	1400	1.0	<2	1.44	<0.5	10	4	10	3.63
S314046D		<0.02	<0.005		<0.5	8.35	31	1340	1.0	<2	1.46	<0.5	9	5	10	3.64
S314047		5.76	<0.005		<0.5	7.59	40	1380	1.1	<2	3.96	<0.5	10	4	10	2.63
S314048		5.99	<0.005		<0.5	10.25	74	420	1.3	<2	1.76	<0.5	20	4	15	4.42
S314049		5.08	<0.005		<0.5	9.89	57	390	1.2	<2	0.55	<0.5	21	4	14	4.16

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314012		20	1.73	10	0.59	1730	1	0.58	2	1100	9	0.02	7	10	364	10
S314013		20	1.70	10	0.46	1410	1	0.60	2	1040	8	0.02	5	10	337	<10
S314014		20	2.20	10	0.35	1040	1	0.67	2	1190	7	0.02	5	10	352	10
S314015		20	1.54	10	0.97	1650	1	0.52	1	1110	7	0.10	<5	11	331	10
S314016		20	1.39	20	1.22	1535	2	0.66	1	1290	6	0.25	10	13	416	10
S314017		30	2.47	10	0.69	1050	2	1.12	1	1760	5	0.08	6	14	576	<10
S314018		20	1.78	10	0.91	1230	6	0.94	3	1350	5	<0.01	6	13	436	10
S314019		20	1.62	10	0.86	1080	5	0.90	3	1280	6	0.50	<5	13	398	10
S314020		<10	<0.01	<10	1.90	20	1	<0.01	2	40	2	0.05	7	<1	4750	10
S314021		20	1.70	10	0.93	1710	2	0.84	3	1290	7	0.07	<5	13	438	10
S314022		20	1.81	10	0.62	1695	2	1.01	3	1400	16	0.15	<5	13	498	<10
S314023		20	1.52	10	0.81	1265	2	0.87	3	1260	21	0.16	8	13	398	10
S314024		20	2.04	10	0.72	930	2	1.01	4	1500	37	0.51	7	14	429	10
S314025		20	1.12	10	0.83	1220	2	0.82	3	1110	35	0.23	7	12	361	10
S314026		20	1.39	10	0.91	1045	7	0.95	2	1320	27	0.46	<5	14	402	10
S314026D		20	1.46	10	0.90	1100	7	0.98	3	1360	26	0.47	<5	14	420	<10
S314027		20	1.32	10	0.50	1125	9	1.08	3	970	12	0.33	<5	12	382	10
S314028		20	1.42	20	0.70	650	4	0.82	2	580	7	0.06	<5	11	306	10
S314029		20	1.58	10	0.59	1315	9	0.86	3	760	3	0.27	<5	11	417	<10
S314030		20	2.99	10	0.72	1005	7	0.16	70	1650	59	4.10	24	19	181	<10
S314031		20	1.86	10	0.38	263	8	0.89	9	1000	20	5.39	<5	12	288	<10
S314032		20	2.13	10	0.68	678	11	0.75	4	1120	9	0.52	6	12	281	10
S314033		20	1.84	10	0.51	1300	8	0.74	4	1050	6	1.07	<5	9	343	10
S314034		20	1.57	10	0.74	1505	1	0.66	4	1120	7	0.26	<5	10	284	10
S314035		20	1.89	10	1.02	746	2	0.71	2	1250	4	0.08	9	12	268	<10
S314036		20	1.62	10	1.01	1025	1	0.71	3	1110	4	0.17	7	10	312	<10
S314037		20	1.65	10	1.10	1020	2	0.73	2	1150	4	0.14	6	11	301	10
S314038		20	1.38	10	0.90	1590	2	0.69	3	990	8	0.59	6	10	321	<10
S314039		20	2.35	10	0.86	848	4	0.94	3	1290	7	0.67	5	13	355	<10
S314040		<10	0.01	<10	2.06	24	1	0.01	1	30	3	0.06	5	<1	4790	10
S314041		20	2.36	10	0.81	849	5	0.89	4	1240	9	1.40	<5	12	342	10
S314042		20	1.93	10	0.96	798	7	0.85	1	1180	11	2.14	<5	12	454	<10
S314043		20	1.38	10	1.39	1415	11	0.87	4	1250	15	3.39	10	13	436	10
S314044		20	2.28	30	0.82	505	4	1.23	2	1520	6	0.93	9	13	434	<10
S314045		20	1.50	10	1.34	1055	7	0.81	2	1160	9	2.63	<5	12	365	10
S314046		20	1.37	10	0.98	710	3	0.67	1	760	12	1.96	8	10	270	10
S314046D		20	1.40	10	1.00	729	3	0.67	3	770	14	1.96	6	10	269	10
S314047		20	1.32	10	0.67	1450	3	0.78	2	870	8	1.71	13	9	339	<10
S314048		20	2.01	20	0.60	541	3	0.84	3	1240	17	3.99	7	13	326	10
S314049		20	2.15	10	0.81	170	2	0.74	3	1310	15	3.88	10	12	241	10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314012		<20	0.36	<10	<10	129	<10	90	
S314013		<20	0.34	<10	<10	126	<10	74	
S314014		<20	0.40	10	<10	151	<10	58	
S314015		<20	0.37	<10	<10	135	<10	99	
S314016		<20	0.42	10	<10	150	<10	123	
S314017		<20	0.60	<10	<10	221	<10	82	
S314018		<20	0.49	<10	<10	167	<10	97	
S314019		<20	0.45	<10	<10	185	<10	94	
S314020		<20	<0.01	<10	<10	2	<10	<2	
S314021		<20	0.45	<10	<10	190	<10	114	
S314022		<20	0.47	<10	<10	181	<10	82	
S314023		<20	0.44	<10	<10	196	<10	100	
S314024		<20	0.51	<10	10	188	<10	83	
S314025		<20	0.39	10	10	135	<10	91	
S314026		<20	0.46	<10	10	157	<10	98	
S314026D		<20	0.46	<10	10	163	<10	100	
S314027		<20	0.42	<10	<10	140	<10	65	
S314028		<20	0.34	<10	<10	114	<10	94	
S314029		<20	0.38	<10	<10	128	<10	105	
S314030		<20	0.36	<10	<10	178	<10	221	
S314031		<20	0.37	<10	<10	123	<10	60	
S314032		<20	0.40	<10	<10	124	<10	105	
S314033		<20	0.36	<10	<10	116	<10	83	
S314034		<20	0.36	<10	<10	127	<10	108	
S314035		<20	0.40	<10	<10	140	<10	130	
S314036		<20	0.36	<10	<10	120	<10	131	
S314037		<20	0.38	<10	<10	128	<10	142	
S314038		<20	0.33	<10	<10	110	<10	106	
S314039		<20	0.43	<10	<10	151	<10	93	
S314040		<20	<0.01	<10	<10	2	<10	<2	
S314041		<20	0.41	<10	<10	145	<10	88	
S314042		<20	0.39	<10	<10	134	<10	108	
S314043		<20	0.41	<10	<10	131	<10	164	
S314044		<20	0.51	<10	<10	162	<10	100	
S314045		<20	0.39	<10	<10	115	<10	193	
S314046		<20	0.33	<10	<10	136	<10	133	
S314046D		<20	0.33	<10	<10	137	<10	135	
S314047		<20	0.32	<10	<10	203	<10	102	
S314048		<20	0.41	<10	10	412	<10	85	
S314049		<20	0.40	<10	<10	291	<10	110	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314050		0.11	0.974		13.0	6.28	311	520	1.0	<2	3.71	4.2	11	27	83	4.03
S314051		5.92	<0.005		<0.5	9.84	90	400	1.2	<2	0.52	<0.5	18	4	14	3.91
S314052		5.94	<0.005		<0.5	10.45	73	590	1.2	3	0.45	0.6	18	4	13	3.61
S314053		5.33	<0.005		<0.5	10.45	263	190	1.2	<2	1.18	1.0	42	3	20	5.54
S314054		6.88	<0.005		<0.5	10.05	84	380	1.3	<2	0.83	1.8	19	3	11	3.63
S314055		5.55	<0.005		<0.5	9.14	70	230	1.3	<2	0.64	0.8	7	3	9	4.07
S314056		6.89	<0.005		<0.5	7.42	100	160	1.2	<2	1.66	1.1	7	3	12	4.23
S314057		5.99	<0.005		<0.5	7.28	168	130	1.1	2	1.46	0.5	8	3	15	5.50
S314058		5.90	0.005		<0.5	6.95	78	130	1.0	2	2.42	<0.5	10	3	13	4.93
S314059		6.11	<0.005		<0.5	10.45	27	510	1.4	2	0.93	<0.5	10	3	11	3.44
S314060		0.56	<0.005		<0.5	0.06	<5	10	<0.5	3	33.4	<0.5	<1	1	<1	0.04
S314061		5.54	<0.005		<0.5	10.10	35	790	1.4	<2	0.69	<0.5	7	3	13	2.96
S314062		6.56	<0.005		<0.5	7.97	42	430	1.2	<2	1.35	<0.5	6	4	10	2.97
S314063		6.68	<0.005		<0.5	7.19	61	320	1.0	<2	1.52	<0.5	5	4	10	2.91
S314064		6.41	<0.005		<0.5	8.18	92	410	1.2	5	1.82	<0.5	6	3	8	3.02
S314065		6.26	<0.005		<0.5	8.63	31	750	1.2	<2	2.11	<0.5	6	3	6	2.73
S314066		6.56	<0.005		<0.5	6.81	247	120	1.0	<2	2.80	0.9	14	3	14	5.30
S314066D		<0.02	<0.005		<0.5	6.90	262	130	1.0	<2	3.01	0.9	15	3	12	5.52
S314067		6.59	<0.005		<0.5	7.62	72	250	1.1	<2	1.47	<0.5	7	3	6	3.03
S314068		7.10	<0.005		<0.5	7.07	146	160	1.0	<2	1.49	<0.5	7	3	7	3.90
S314069		6.41	<0.005		<0.5	8.14	202	110	1.1	<2	1.33	<0.5	13	3	10	4.67
S314070		0.12	>10.0	10.35	>100	5.86	370	360	1.0	<2	3.84	4.8	12	32	147	3.78
S314071		5.98	<0.005		<0.5	8.37	16	2110	1.2	4	1.95	<0.5	5	2	4	2.16
S314072		6.11	<0.005		<0.5	7.91	334	80	1.0	<2	1.20	0.5	20	3	12	5.42
S314073		6.70	<0.005		<0.5	6.82	131	150	0.9	<2	1.63	0.8	26	4	12	5.08

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314050		20	3.94	10	0.58	1410	10	0.21	22	950	150	2.87	24	11	195	10
S314051		20	2.40	10	0.67	120	2	0.79	2	1230	11	3.91	8	11	257	<10
S314052		20	2.56	10	0.68	105	3	0.83	4	1320	16	3.53	8	12	278	<10
S314053		20	2.07	10	0.80	292	17	0.69	5	1330	33	5.81	8	12	244	10
S314054		20	2.30	10	0.59	194	4	0.78	1	1260	24	3.71	7	12	332	<10
S314055		20	2.22	10	0.27	122	3	0.81	2	1210	12	4.22	<5	12	414	<10
S314056		20	1.84	10	0.10	387	4	0.76	2	1080	14	4.47	5	9	447	<10
S314057		20	1.83	10	0.11	365	10	0.68	2	1080	18	5.94	9	9	313	10
S314058		20	1.82	10	0.32	793	3	0.59	3	1010	14	4.71	8	9	292	<10
S314059		20	3.23	20	0.40	320	2	0.79	1	1640	11	3.02	<5	12	358	<10
S314060		<10	0.01	<10	1.80	16	1	0.01	1	30	<2	0.11	5	<1	4880	10
S314061		20	2.94	10	0.30	197	2	0.79	3	1470	8	2.60	<5	12	341	10
S314062		20	2.01	10	0.29	467	2	0.68	2	1030	9	2.52	7	9	289	10
S314063		10	1.85	10	0.24	496	2	0.60	1	1080	7	2.60	8	8	259	10
S314064		20	2.19	10	0.29	668	3	0.67	1	1190	15	2.58	7	10	292	10
S314065		20	2.31	10	0.44	825	1	0.67	2	1170	3	2.00	8	10	280	10
S314066		10	2.08	10	0.26	832	17	0.59	1	1130	19	5.57	14	8	321	<10
S314066D		20	2.14	10	0.27	910	17	0.62	<1	1180	18	5.73	13	8	324	<10
S314067		20	2.01	10	0.28	519	4	0.66	<1	1040	10	2.85	<5	9	254	<10
S314068		20	1.79	10	0.25	521	21	0.62	<1	990	13	3.85	7	8	255	<10
S314069		20	2.27	10	0.27	467	24	0.67	<1	1070	16	4.72	14	9	267	<10
S314070		10	3.72	10	0.48	1395	8	0.16	21	830	249	3.06	62	10	198	<10
S314071		20	2.43	10	0.49	891	<1	0.67	<1	1160	4	1.35	<5	10	269	<10
S314072		20	2.26	10	0.23	396	87	0.62	1	1050	21	5.73	24	9	253	<10
S314073		10	1.94	10	0.21	525	12	0.53	<1	830	24	5.24	17	8	221	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314050		<20	0.26	<10	<10	108	10	466	
S314051		<20	0.41	10	10	290	<10	88	
S314052		<20	0.43	<10	10	155	<10	90	
S314053		<20	0.45	<10	40	238	<10	125	
S314054		<20	0.41	10	10	143	10	120	
S314055		<20	0.38	<10	<10	135	<10	51	
S314056		<20	0.31	<10	<10	107	<10	25	
S314057		<20	0.29	<10	<10	112	<10	25	
S314058		<20	0.29	<10	<10	111	<10	66	
S314059		<20	0.49	<10	<10	158	<10	70	
S314060		<20	<0.01	<10	<10	1	<10	<2	
S314061		<20	0.44	10	<10	144	<10	47	
S314062		<20	0.31	<10	<10	109	<10	47	
S314063		<20	0.28	<10	<10	103	<10	41	
S314064		<20	0.33	<10	<10	117	<10	49	
S314065		<20	0.36	<10	<10	122	<10	85	
S314066		<20	0.31	<10	10	117	<10	58	
S314066D		<20	0.32	<10	10	123	<10	56	
S314067		<20	0.31	<10	<10	104	<10	57	
S314068		<20	0.28	10	<10	96	<10	54	
S314069		<20	0.33	<10	<10	118	<10	59	
S314070		<20	0.24	<10	<10	98	<10	516	136
S314071		<20	0.37	<10	<10	124	<10	134	
S314072		<20	0.33	10	10	137	<10	61	
S314073		<20	0.27	<10	10	124	<10	62	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15146114

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15147228

Project: Bowser Regional Exploration

P.O. No.: BOW-0106

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314074		6.80	<0.005		<0.5	6.74	69	1460	1.0	3	1.37	<0.5	6	4	9	2.88
S314075		6.16	<0.005		<0.5	7.15	346	1630	1.0	2	0.70	0.6	14	4	15	6.59
S314076		6.59	<0.005		<0.5	8.57	141	340	1.2	5	0.42	<0.5	7	4	9	4.09
S314077		6.23	<0.005		<0.5	7.87	541	720	1.0	3	0.45	0.5	10	4	18	5.52
S314078		6.55	<0.005		<0.5	8.32	278	480	1.1	<2	0.48	<0.5	11	4	13	5.67
S314079		6.32	<0.005		<0.5	8.41	125	320	1.1	<2	0.45	<0.5	10	5	9	4.27
S314080		0.58	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.9	<0.5	<1	1	1	0.04
S314081		6.60	<0.005		<0.5	8.22	158	520	1.1	<2	0.71	0.7	12	6	12	5.41
S314082		6.30	<0.005		<0.5	8.29	99	380	1.1	2	0.49	<0.5	15	4	10	4.50
S314083		6.62	<0.005		<0.5	9.06	157	340	1.2	<2	0.41	<0.5	12	3	12	4.52
S314084		6.28	<0.005		<0.5	7.17	52	610	1.1	<2	0.48	<0.5	8	4	6	2.81
S314085		6.34	<0.005		<0.5	7.21	67	520	1.1	3	0.83	<0.5	7	3	7	2.78
S314086		5.77	<0.005		<0.5	11.80	111	2890	1.1	2	1.24	0.5	11	4	10	4.43
S314086D		<0.02	<0.005		<0.5	11.05	115	1210	1.2	<2	1.09	0.5	12	4	10	4.42
S314087		7.27	<0.005		<0.5	10.40	71	2130	1.3	<2	0.50	<0.5	10	2	8	2.08
S314088		6.54	<0.005		<0.5	8.18	178	690	1.0	<2	0.35	1.0	12	4	10	2.63
S314089		7.35	<0.005		<0.5	8.84	89	580	1.1	4	0.85	0.8	19	5	11	2.74
S314090		0.13	5.44		79.7	6.09	273	1380	1.0	2	1.90	22.1	11	22	116	4.67
S314091		5.57	<0.005		<0.5	9.48	66	790	1.2	2	0.36	0.5	17	2	12	2.71
S314092		6.88	<0.005		<0.5	7.72	54	720	1.0	<2	0.30	<0.5	10	4	13	2.65
S314093		5.87	<0.005		<0.5	8.72	132	370	1.1	3	0.49	<0.5	27	3	18	5.92
S314094		7.71	<0.005		<0.5	9.24	188	450	1.1	<2	0.31	<0.5	15	3	17	5.97
S314095		6.50	<0.005		<0.5	9.04	125	420	1.1	3	0.32	<0.5	12	3	13	3.77
S314096		7.06	<0.005		<0.5	8.60	86	360	1.1	4	0.34	<0.5	11	3	10	3.89
S314097		5.66	<0.005		<0.5	7.17	42	1220	0.8	<2	2.70	<0.5	5	5	5	2.64
S314098		7.70	<0.005		<0.5	8.00	99	530	0.9	<2	1.74	0.5	12	5	10	3.55
S314099		5.61	<0.005		<0.5	9.76	88	1300	1.3	5	0.43	<0.5	12	3	11	2.21
S314100		0.58	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.2	<0.5	<1	1	<1	0.03
S314101		8.17	<0.005		<0.5	10.30	59	2650	1.5	3	1.21	<0.5	11	4	11	1.98
S314102		6.44	<0.005		<0.5	9.51	44	2330	1.4	<2	0.76	<0.5	9	3	10	1.85
S314103		6.34	<0.005		<0.5	9.69	81	1900	1.5	<2	0.41	<0.5	10	2	11	2.29
S314104		5.28	<0.005		<0.5	9.63	73	1210	1.6	2	0.39	<0.5	8	3	10	2.72
S314105		6.14	<0.005		<0.5	9.75	155	800	1.5	4	0.59	<0.5	7	3	12	2.98
S314106		5.81	<0.005		<0.5	9.74	67	2050	1.6	<2	0.32	<0.5	7	3	8	1.81
S314106D		<0.02	<0.005		<0.5	9.69	67	2010	1.6	<2	0.32	<0.5	8	3	8	1.80
S314107		6.17	<0.005		<0.5	10.65	95	2190	1.7	5	0.43	<0.5	12	3	12	2.00
S314108		5.74	<0.005		<0.5	7.88	125	320	1.0	<2	0.82	0.7	15	3	15	4.28
S314109		6.32	<0.005		<0.5	8.88	76	550	1.3	2	0.28	0.5	12	4	12	3.45
S314110		0.11	>10.0	18.40	23.1	6.98	712	1590	1.4	3	2.76	1.9	19	113	133	5.02
S314111		5.93	<0.005		<0.5	10.05	79	1340	1.5	<2	0.33	<0.5	18	3	9	2.33

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314074		10	1.57	10	0.23	478	3	0.60	1	840	10	2.66	7	8	273	<10
S314075		20	1.77	10	0.24	201	18	0.59	1	840	19	7.01	16	9	284	<10
S314076		20	2.38	10	0.20	118	1	0.72	1	1060	10	4.15	7	10	252	<10
S314077		20	2.07	10	0.19	125	3	0.66	<1	960	21	6.03	30	9	265	<10
S314078		20	2.14	10	0.22	123	3	0.72	<1	1030	21	5.91	8	10	284	<10
S314079		20	2.17	10	0.20	103	1	0.74	1	1070	12	4.39	6	10	285	<10
S314080		<10	<0.01	<10	1.55	20	<1	<0.01	<1	40	<2	0.06	5	<1	5010	10
S314081		20	2.10	20	0.20	220	2	0.71	2	1040	24	5.72	12	10	361	<10
S314082		20	2.08	10	0.27	122	4	0.72	<1	1060	17	4.69	<5	9	316	<10
S314083		20	2.52	10	0.27	107	3	0.76	<1	1180	14	4.72	6	11	282	<10
S314084		20	1.68	10	0.30	199	1	0.67	1	920	7	2.41	<5	8	449	<10
S314085		20	1.62	10	0.30	306	1	0.67	<1	930	6	2.53	<5	8	276	<10
S314086		20	2.14	20	0.24	288	36	0.86	<1	1270	13	4.47	10	15	325	<10
S314086D		30	2.24	10	0.24	280	39	0.88	1	1350	14	4.69	<5	14	290	<10
S314087		20	2.26	10	0.20	66	26	1.02	<1	1360	4	2.13	<5	12	331	<10
S314088		20	1.71	10	0.20	93	137	0.88	1	940	13	2.54	9	10	292	<10
S314089		20	2.05	10	0.23	264	15	0.94	<1	1070	13	2.75	<5	11	290	<10
S314090		10	3.60	10	0.48	1175	8	0.22	14	940	8620	2.95	76	12	144	<10
S314091		20	2.10	10	0.28	65	16	1.03	<1	1200	19	2.85	5	11	321	<10
S314092		20	1.16	<10	0.65	84	5	0.78	3	1000	15	2.41	8	10	249	<10
S314093		20	1.85	10	0.17	85	14	0.82	1	1060	26	6.51	7	10	249	<10
S314094		20	2.16	10	0.08	39	61	0.91	1	1140	24	6.65	9	11	273	<10
S314095		20	2.16	10	0.07	39	4	0.89	1	1140	16	4.06	9	10	286	<10
S314096		20	2.03	10	0.11	60	7	0.80	1	1090	14	4.09	<5	10	257	<10
S314097		20	1.19	10	0.38	1045	6	0.50	1	870	8	2.32	5	9	199	<10
S314098		20	1.67	10	0.21	612	81	0.62	<1	890	9	3.41	11	10	214	<10
S314099		20	2.77	10	0.17	124	54	0.94	<1	1230	10	2.20	13	12	270	<10
S314100		<10	0.01	<10	1.46	15	<1	<0.01	<1	40	<2	0.09	5	<1	5030	10
S314101		20	2.49	10	0.18	467	29	1.03	1	1230	13	1.78	12	14	316	<10
S314102		20	2.13	10	0.27	268	19	1.03	<1	1160	14	1.53	13	12	294	<10
S314103		20	1.98	10	0.39	84	11	1.06	<1	1230	8	2.13	10	13	311	<10
S314104		20	1.87	10	0.31	78	11	1.11	<1	1310	10	2.64	12	12	317	<10
S314105		20	2.02	10	0.23	87	4	1.04	<1	1260	8	2.97	<5	12	322	<10
S314106		20	1.90	10	0.10	39	8	1.24	<1	1180	7	1.76	<5	11	401	<10
S314106D		20	1.86	10	0.10	47	6	1.23	<1	1170	7	1.66	<5	11	397	<10
S314107		20	2.25	10	0.07	95	21	1.22	<1	1210	10	2.00	5	13	380	<10
S314108		20	1.39	<10	0.07	144	23	0.72	2	800	17	4.66	6	10	227	<10
S314109		20	1.69	10	0.06	44	22	1.10	<1	950	12	3.65	<5	11	348	<10
S314110		20	3.01	20	0.72	1000	7	0.16	69	1620	58	4.16	19	19	187	<10
S314111		20	2.37	<10	0.06	32	11	1.27	<1	1340	14	2.47	<5	12	385	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314074		<20	0.26	<10	<10	90	<10	65	
S314075		<20	0.29	<10	10	117	<10	68	
S314076		<20	0.35	<10	<10	123	<10	58	
S314077		<20	0.33	10	10	110	<10	57	
S314078		<20	0.34	<10	<10	117	<10	64	
S314079		<20	0.35	<10	<10	120	<10	57	
S314080		<20	<0.01	<10	<10	1	<10	<2	
S314081		<20	0.34	<10	<10	118	<10	56	
S314082		<20	0.33	<10	<10	117	<10	66	
S314083		<20	0.38	<10	<10	135	<10	60	
S314084		<20	0.29	<10	<10	99	<10	72	
S314085		<20	0.30	10	<10	105	<10	76	
S314086		<20	0.44	<10	<10	164	<10	47	
S314086D		<20	0.47	<10	<10	176	<10	50	
S314087		<20	0.44	<10	<10	178	<10	43	
S314088		<20	0.33	<10	10	160	<10	46	
S314089		<20	0.38	<10	10	238	<10	48	
S314090		<20	0.25	10	<10	120	10	1860	
S314091		<20	0.40	<10	10	228	<10	52	
S314092		<20	0.32	<10	<10	154	<10	113	
S314093		<20	0.36	<10	<10	162	<10	34	
S314094		<20	0.39	<10	<10	155	<10	13	
S314095		<20	0.38	10	<10	131	<10	13	
S314096		<20	0.35	<10	<10	123	<10	28	
S314097		<20	0.27	<10	<10	99	<10	58	
S314098		<20	0.33	<10	10	135	<10	49	
S314099		<20	0.44	<10	<10	185	<10	34	
S314100		<20	<0.01	<10	<10	1	<10	<2	
S314101		<20	0.45	<10	10	175	<10	30	
S314102		<20	0.41	<10	<10	137	<10	61	
S314103		<20	0.43	<10	<10	151	<10	84	
S314104		<20	0.45	<10	10	134	<10	75	
S314105		<20	0.42	<10	<10	130	<10	55	
S314106		<20	0.40	<10	<10	125	<10	21	
S314106D		<20	0.40	<10	<10	122	<10	21	
S314107		<20	0.45	<10	10	221	<10	11	
S314108		<20	0.33	<10	10	169	<10	34	
S314109		<20	0.37	<10	10	126	<10	26	
S314110		<20	0.36	<10	<10	177	<10	221	
S314111		<20	0.44	<10	10	212	<10	11	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314112		6.05	<0.005		<0.5	8.28	148	320	1.1	<2	0.30	0.8	31	3	21	5.80
S314113		6.56	<0.005		<0.5	8.73	136	340	1.2	4	0.32	<0.5	25	4	16	5.95
S314114		6.96	<0.005		0.9	7.35	225	460	0.9	4	0.26	<0.5	30	5	28	9.75
S314115		6.22	<0.005		0.5	8.45	148	430	1.1	<2	0.44	<0.5	12	4	12	3.90
S314116		5.62	<0.005		<0.5	8.64	103	760	1.2	<2	0.34	<0.5	9	5	11	3.04
S314117		6.54	<0.005		0.6	9.38	116	460	1.5	4	0.50	<0.5	13	4	41	4.30
S314118		5.86	<0.005		<0.5	10.10	7	2770	1.7	<2	1.54	<0.5	11	4	67	3.64
S314119		5.69	<0.005		<0.5	9.87	6	2910	1.6	2	2.30	<0.5	9	3	<1	3.83
S314120		0.65	<0.005		<0.5	0.06	<5	20	<0.5	3	33.7	<0.5	<1	1	<1	0.04
S314121		7.62	<0.005		<0.5	8.29	5	2040	1.3	<2	2.50	<0.5	11	2	4	4.32
S314122		6.15	<0.005		<0.5	8.28	<5	2380	1.4	5	3.18	<0.5	9	6	3	4.47
S314123		6.01	<0.005		<0.5	10.00	7	2040	1.5	4	1.40	<0.5	14	2	1	4.66
S314124		6.28	<0.005		<0.5	9.71	8	2100	1.4	2	2.15	<0.5	15	2	2	4.48
S314125		6.13	<0.005		<0.5	9.46	7	2010	1.6	2	3.13	<0.5	12	2	2	4.35
S314126		5.80	<0.005		<0.5	9.04	5	1980	1.5	3	3.07	<0.5	14	2	4	4.16
S314126D		<0.02	<0.005		<0.5	8.71	<5	1930	1.4	2	2.99	<0.5	13	2	3	3.95
S314127		6.34	<0.005		<0.5	8.27	<5	1810	1.4	<2	2.59	<0.5	13	2	1	3.92
S314128		6.33	<0.005		<0.5	7.61	7	2020	1.6	<2	2.99	<0.5	8	3	1	3.96
S314129		5.62	<0.005		<0.5	6.99	<5	1960	1.5	<2	3.75	<0.5	9	3	<1	3.86
S314130		0.13	1.035		11.9	5.94	280	480	1.0	<2	3.46	4.1	9	26	80	3.81
S314131		6.07	<0.005		<0.5	6.93	5	1900	1.5	<2	3.74	<0.5	10	3	1	3.73
S314132		6.22	<0.005		<0.5	7.20	8	2130	1.6	<2	3.50	<0.5	10	2	1	3.93
S314133		5.77	<0.005		<0.5	6.15	6	1860	1.3	3	4.07	<0.5	10	4	1	3.43
S314134		5.96	<0.005		<0.5	7.08	5	2080	1.6	<2	3.51	<0.5	10	3	1	3.50
S314135		5.97	<0.005		<0.5	7.91	9	2510	1.9	<2	2.89	<0.5	12	3	1	4.16
S314136		6.51	<0.005		<0.5	6.16	26	1920	1.5	<2	4.08	<0.5	9	4	1	3.54
S314137		5.97	<0.005		<0.5	8.51	30	2980	2.1	<2	3.33	<0.5	25	2	2	4.60
S314138		6.43	<0.005		<0.5	8.59	27	2470	2.4	<2	4.18	<0.5	18	3	3	4.60
S314139		6.63	<0.005		<0.5	9.59	27	2570	2.5	<2	3.36	<0.5	27	3	2	5.00
S314140		0.43	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.6	<0.5	<1	1	<1	0.04
S314141		6.41	<0.005		<0.5	8.22	30	2480	2.4	<2	4.17	<0.5	21	3	6	4.24
S314142		6.11	<0.005		<0.5	8.90	24	2710	2.8	4	3.66	<0.5	16	3	2	4.47
S314143		6.43	<0.005		<0.5	8.94	24	2690	2.6	<2	3.35	<0.5	25	3	2	4.62
S314144		5.83	<0.005		<0.5	9.35	37	2940	2.8	<2	2.69	<0.5	25	3	1	4.63
S314145		6.15	<0.005		<0.5	9.22	35	2540	2.4	<2	2.28	<0.5	33	3	1	4.51
S314146		6.23	<0.005		<0.5	8.80	31	2460	2.3	<2	2.42	<0.5	34	3	2	4.44
S314146D		<0.02	<0.005		<0.5	9.18	32	2470	2.3	2	2.44	<0.5	34	2	1	4.43
S314147		6.51	<0.005		<0.5	8.58	28	2550	2.2	<2	2.25	<0.5	26	3	1	4.25
S314148		6.43	<0.005		<0.5	8.67	25	2380	2.0	<2	1.82	<0.5	27	3	1	4.11
S314149		6.29	<0.005		<0.5	9.30	36	3250	2.3	<2	1.60	<0.5	19	2	2	4.42

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314112		20	1.44	<10	0.04	38	14	1.06	1	990	21	6.41	<5	9	333	<10
S314113		20	1.52	<10	0.04	49	13	1.11	1	1090	23	6.47	<5	10	359	<10
S314114		10	1.21	10	0.03	51	36	0.92	2	810	49	>10.0	8	9	309	<10
S314115		20	1.31	10	0.04	94	21	1.12	1	1030	22	4.22	7	10	369	<10
S314116		20	1.20	<10	0.03	46	3	1.25	1	1070	14	3.19	<5	10	423	<10
S314117		20	1.19	<10	0.06	137	8	1.32	<1	1150	15	4.58	<5	11	453	<10
S314118		20	1.88	10	1.11	1680	<1	1.00	1	970	2	0.17	6	11	438	<10
S314119		20	2.16	10	0.96	1775	<1	0.83	2	1110	4	0.16	7	12	475	<10
S314120		<10	0.01	<10	1.48	25	<1	0.01	<1	30	<2	0.05	5	<1	5150	<10
S314121		20	1.62	10	0.95	1445	<1	0.63	2	1060	6	0.02	<5	10	252	<10
S314122		20	1.69	10	0.93	1660	<1	0.67	<1	1290	6	0.04	<5	9	302	<10
S314123		20	1.69	10	1.77	857	<1	0.66	3	1530	5	0.01	<5	11	251	<10
S314124		20	1.42	10	1.85	1400	<1	0.60	<1	1360	6	0.02	<5	11	276	<10
S314125		20	1.71	10	1.53	1610	<1	0.69	1	1360	11	<0.01	<5	11	285	<10
S314126		20	1.56	10	1.56	1525	<1	0.62	<1	1360	5	0.01	7	10	276	<10
S314126D		20	1.53	10	1.51	1480	<1	0.59	1	1330	12	0.01	17	10	267	<10
S314127		20	1.45	10	1.37	1520	<1	0.54	<1	1190	10	0.01	8	10	239	10
S314128		20	1.71	10	0.72	1625	<1	0.61	1	1120	9	<0.01	8	9	278	<10
S314129		20	1.60	10	0.67	2190	<1	0.59	<1	1070	10	0.01	9	8	286	<10
S314130		10	3.75	10	0.54	1345	8	0.20	20	890	143	2.72	23	11	187	<10
S314131		20	1.63	10	0.63	2300	<1	0.58	1	1040	11	0.01	8	8	276	<10
S314132		20	1.76	10	0.62	2310	<1	0.59	<1	1270	13	0.01	10	8	270	<10
S314133		10	1.35	10	0.66	3120	<1	0.45	1	1830	7	0.03	11	7	289	10
S314134		20	1.74	10	0.57	2550	<1	0.56	<1	1840	7	0.01	8	8	272	<10
S314135		20	1.97	10	0.58	2270	<1	0.65	<1	1680	9	0.01	10	9	310	<10
S314136		10	1.42	10	0.51	2950	<1	0.50	1	3670	8	0.03	8	7	331	<10
S314137		20	1.92	10	1.17	2390	<1	0.68	3	3190	13	0.04	12	10	372	<10
S314138		20	2.08	10	0.78	2830	<1	0.77	1	3190	12	0.01	17	10	365	10
S314139		20	2.06	10	1.20	2540	<1	0.74	4	2480	10	0.02	19	11	352	<10
S314140		<10	0.01	<10	1.37	20	<1	<0.01	<1	30	3	0.07	5	<1	5460	10
S314141		20	1.88	10	0.90	2780	<1	0.68	3	4640	12	0.02	8	10	340	10
S314142		20	2.25	10	0.62	2670	<1	0.82	2	1430	9	0.01	17	10	363	<10
S314143		20	2.17	10	0.98	3110	<1	0.70	2	2000	12	0.01	16	10	338	<10
S314144		20	2.34	10	0.91	2590	<1	0.81	1	1760	15	<0.01	15	11	356	<10
S314145		20	1.99	10	1.36	2350	<1	0.65	4	1570	11	0.01	13	11	300	<10
S314146		20	1.88	10	1.36	2730	<1	0.60	2	1950	6	0.01	18	10	286	<10
S314146D		20	1.89	10	1.38	2710	<1	0.60	3	1990	10	0.01	16	11	288	<10
S314147		20	1.92	10	1.19	2320	<1	0.57	3	2000	9	0.01	17	10	284	10
S314148		20	1.75	10	1.32	1940	<1	0.54	1	1800	8	0.02	14	11	272	<10
S314149		20	2.28	20	0.95	1575	<1	0.66	1	2560	10	0.02	16	11	326	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314112		<20	0.34	<10	10	152	<10	23	
S314113		<20	0.37	<10	<10	143	<10	11	
S314114		<20	0.29	<10	<10	116	<10	14	
S314115		<20	0.36	<10	<10	143	<10	8	
S314116		<20	0.36	<10	<10	129	<10	4	
S314117		<20	0.39	<10	10	146	<10	6	
S314118		<20	0.40	<10	<10	120	<10	106	
S314119		<20	0.43	<10	<10	136	<10	83	
S314120		<20	<0.01	<10	<10	1	<10	<2	
S314121		<20	0.35	<10	<10	114	<10	80	
S314122		<20	0.37	<10	<10	120	<10	85	
S314123		<20	0.45	<10	<10	140	<10	135	
S314124		<20	0.42	<10	<10	128	<10	141	
S314125		<20	0.43	<10	<10	129	<10	134	
S314126		<20	0.40	<10	<10	129	<10	142	
S314126D		<20	0.39	<10	<10	123	<10	134	
S314127		<20	0.35	<10	<10	172	<10	134	
S314128		<20	0.33	<10	<10	211	<10	92	
S314129		<20	0.32	<10	<10	176	<10	94	
S314130		<20	0.24	<10	<10	100	<10	466	
S314131		<20	0.30	<10	<10	170	<10	96	
S314132		<20	0.31	<10	<10	179	<10	101	
S314133		<20	0.25	<10	10	135	<10	106	
S314134		<20	0.29	<10	<10	123	<10	103	
S314135		<20	0.34	<10	<10	112	<10	117	
S314136		<20	0.25	<10	<10	62	<10	104	
S314137		<20	0.39	<10	<10	68	<10	236	
S314138		<20	0.39	<10	<10	57	10	170	
S314139		<20	0.43	<10	<10	57	<10	242	
S314140		<20	<0.01	<10	<10	1	<10	<2	
S314141		<20	0.36	<10	10	45	10	187	
S314142		<20	0.40	<10	<10	44	10	140	
S314143		<20	0.41	<10	<10	46	<10	208	
S314144		<20	0.42	<10	<10	50	10	188	
S314145		<20	0.40	<10	<10	55	<10	248	
S314146		<20	0.39	<10	<10	55	10	244	
S314146D		<20	0.39	<10	<10	54	10	243	
S314147		<20	0.37	<10	<10	47	<10	201	
S314148		<20	0.36	<10	<10	41	10	206	
S314149		<20	0.39	<10	<10	38	<10	145	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314150		0.13	>10.0	10.70	>100	6.05	347	350	1.0	<2	3.79	4.5	10	32	149	3.76
S314151		6.03	<0.005		<0.5	9.31	31	3090	2.3	4	1.34	<0.5	18	4	2	4.45
S314152		6.52	<0.005		<0.5	8.77	22	3130	2.2	<2	1.93	<0.5	13	4	2	4.18
S314153		6.65	<0.005		<0.5	9.24	18	3750	2.5	3	1.28	<0.5	5	3	2	4.29
S314154		6.97	<0.005		<0.5	8.92	19	3800	2.2	<2	1.69	<0.5	7	4	2	4.21
S314155		6.18	<0.005		<0.5	8.41	12	3850	1.9	2	1.57	<0.5	13	2	2	3.96
S314156		6.04	<0.005		<0.5	9.05	11	2780	2.0	<2	1.34	<0.5	13	2	1	4.19
S314157		5.61	<0.005		<0.5	9.16	12	3120	2.2	<2	1.80	<0.5	8	3	2	4.30
S314158		6.79	<0.005		<0.5	8.02	12	2760	1.7	<2	2.21	<0.5	11	3	1	3.88
S314159		6.51	<0.005		<0.5	7.83	12	2950	1.6	<2	3.22	<0.5	10	3	1	3.79
S314160		0.60	<0.005		<0.5	0.08	<5	20	<0.5	<2	33.4	<0.5	<1	1	<1	0.04
S314161		6.42	<0.005		<0.5	8.23	13	3140	1.7	2	3.24	<0.5	11	4	2	4.04
S314162		6.02	<0.005		<0.5	7.09	14	3040	1.5	3	4.32	<0.5	9	3	2	3.66
S314163		6.36	<0.005		<0.5	7.01	18	2750	1.4	2	3.78	<0.5	9	5	2	3.73
S314164		6.49	<0.005		<0.5	7.47	18	2180	1.2	3	4.00	<0.5	9	4	1	3.62
S314165		6.20	<0.005		<0.5	7.75	24	2410	1.3	3	4.30	<0.5	10	3	1	3.95
S314166		6.09	<0.005		<0.5	7.67	13	3160	1.3	2	3.32	<0.5	9	4	1	4.05
S314166D		<0.02	<0.005		<0.5	7.96	17	3150	1.3	6	3.33	<0.5	10	4	1	3.97
S314167		6.28	<0.005		<0.5	7.34	14	2680	1.3	3	3.76	<0.5	9	4	2	3.76
S314168		6.61	<0.005		<0.5	7.83	11	2670	1.4	<2	3.43	<0.5	7	6	1	3.96
S314169		6.56	<0.005		<0.5	7.82	14	2520	1.2	3	3.91	<0.5	8	4	1	3.78
S314170		0.12	5.93		79.4	6.20	280	490	1.0	2	1.90	21.6	11	24	112	4.65
S314171		5.25	<0.005		<0.5	7.24	11	2210	1.1	<2	4.41	<0.5	9	4	1	3.47
S314172		3.45	<0.005		<0.5	7.18	12	2580	1.3	8	4.07	<0.5	7	4	1	3.92
S314173		3.28	0.007		<0.5	6.83	5	2520	1.3	<2	4.96	<0.5	7	4	1	3.62

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314150		10	3.78	10	0.48	1380	8	0.16	23	860	245	3.03	68	10	201	10
S314151		20	2.29	20	1.02	1460	<1	0.67	3	1840	10	0.02	16	11	315	<10
S314152		20	2.22	10	0.91	2000	<1	0.66	2	1530	11	0.02	18	10	342	10
S314153		20	2.82	10	0.29	1335	<1	0.78	1	1390	8	0.02	15	10	349	<10
S314154		20	2.63	10	0.42	1615	<1	0.68	1	1280	9	0.03	17	10	365	<10
S314155		20	2.00	10	1.06	1470	<1	0.54	1	1290	6	0.07	13	10	430	10
S314156		20	2.14	10	1.06	1265	<1	0.55	2	1540	9	0.01	13	11	271	<10
S314157		20	2.48	10	0.70	1420	<1	0.67	1	1400	11	0.01	17	10	300	<10
S314158		20	2.00	10	0.93	1575	<1	0.48	<1	1540	9	0.01	12	9	251	<10
S314159		20	2.02	10	0.97	2150	<1	0.41	<1	1340	8	0.03	15	9	263	<10
S314160		<10	0.02	<10	1.45	20	<1	<0.01	<1	40	3	0.07	<5	<1	5260	10
S314161		20	2.12	10	0.90	2150	<1	0.47	2	1380	12	0.02	9	9	350	
S314162		20	2.12	10	0.76	2690	<1	0.39	<1	1120	5	0.02	11	8	270	
S314163		20	1.83	10	0.98	2500	<1	0.35	2	1080	5	0.02	11	8	243	
S314164		20	1.60	10	1.33	2550	<1	0.31	1	1080	7	0.01	13	8	197	
S314165		20	1.73	10	1.47	2710	<1	0.33	2	1190	6	0.01	15	9	217	
S314166		20	1.73	10	1.35	2110	<1	0.33	<1	1230	8	0.04	7	9	275	
S314166D		20	1.74	10	1.37	2090	<1	0.33	<1	1270	7	0.03	12	9	273	
S314167		20	1.79	10	1.16	2150	<1	0.37	1	1230	2	0.02	10	8	256	
S314168		20	1.92	10	1.07	1930	<1	0.40	2	1160	6	0.01	8	9	252	
S314169		20	1.90	10	1.15	2100	<1	0.35	2	1100	7	0.01	12	9	238	
S314170		10	3.45	10	0.48	1175	8	0.23	16	920	8730	2.93	71	12	140	
S314171		20	1.75	10	1.11	2220	<1	0.32	<1	1000	17	0.01	6	8	211	
S314172		20	2.10	10	0.87	2040	<1	0.39	<1	1100	6	0.01	9	8	239	
S314173		20	2.05	10	0.79	2180	<1	0.39	<1	1120	3	0.01	11	8	246	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314150		<20	0.23	<10	<10	100	<10	504	134
S314151		<20	0.38	<10	<10	38	<10	143	
S314152		<20	0.37	<10	<10	39	<10	126	
S314153		<20	0.39	<10	<10	43	<10	53	
S314154		<20	0.38	<10	<10	49	<10	61	
S314155		<20	0.35	<10	<10	41	<10	111	
S314156		<20	0.36	<10	<10	40	<10	104	
S314157		<20	0.38	10	<10	39	<10	77	
S314158		<20	0.34	<10	<10	33	<10	86	
S314159		<20	0.34	<10	<10	34	<10	83	
S314160		<20	<0.01	<10	<10	1	<10	<2	
S314161		<20	0.36	<10	<10	36	<10	75	
S314162		<20	0.33	<10	<10	35	<10	61	
S314163		<20	0.32	<10	<10	29	<10	70	
S314164		<20	0.32	<10	<10	26	<10	76	
S314165		<20	0.34	<10	<10	30	<10	82	
S314166		<20	0.35	<10	<10	27	<10	78	
S314166D		<20	0.35	<10	<10	27	<10	77	
S314167		<20	0.33	<10	<10	27	<10	73	
S314168		<20	0.35	<10	<10	27	<10	71	
S314169		<20	0.34	<10	<10	27	<10	74	
S314170		<20	0.25	<10	<10	121	<10	1800	
S314171		<20	0.31	<10	<10	26	<10	73	
S314172		<20	0.33	<10	<10	27	<10	69	
S314173		<20	0.33	<10	<10	26	<10	65	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 14-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147228

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

CERTIFICATE TR15147232

Project: Bowser Regional Exploration

P.O. No.: BOW-0104

This report is for 95 Drill Core samples submitted to our lab in Terrace, BC, Canada on 27-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212301		3.32	0.156		3.4	7.04	37	340	1.3	<2	4.50	1.2	8	5	20	3.68
S212302		3.19	0.093		3.6	7.60	82	350	1.4	<2	3.25	1.5	9	5	20	3.73
S212303		2.94	0.140		1.4	7.67	103	620	1.0	<2	2.97	3.6	7	5	37	3.40
S212304		2.75	0.078		1.8	8.27	62	420	1.1	<2	2.35	0.8	11	5	15	4.09
S212305		2.92	0.065		1.2	8.47	63	480	1.1	3	2.28	<0.5	9	5	12	3.88
S212306		3.22	0.026		1.5	8.16	53	360	1.2	3	2.27	0.9	9	6	19	3.94
S212306D		<0.02	0.029		1.5	8.46	56	370	1.2	<2	2.34	0.7	10	6	20	4.00
S212307		3.41	0.070		4.4	7.59	36	420	1.3	<2	2.72	<0.5	8	6	12	3.80
S212308		3.61	0.034		1.6	8.25	27	400	1.3	<2	2.29	<0.5	10	6	7	3.92
S212309		2.21	0.053		2.9	7.97	24	630	1.4	<2	2.80	<0.5	9	5	2	3.95
S212310		0.12	1.075		13.4	6.26	329	1050	1.0	<2	3.81	4.5	11	27	86	4.10
S212311		3.62	0.114		5.8	6.42	26	850	1.1	3	13.20	0.6	6	5	8	2.97
S212312		3.59	0.055		2.6	7.26	40	480	1.0	<2	3.20	0.6	9	6	31	3.28
S212313		3.21	0.096		5.5	6.74	60	380	0.6	<2	4.59	<0.5	9	6	26	3.49
S212314		3.22	1.110		46.4	6.54	43	1730	0.5	<2	5.78	<0.5	7	6	36	3.23
S212315		1.29	3.08		>100	3.79	50	720	<0.5	<2	6.98	23.0	5	8	445	2.68
S212316		2.65	0.140		2.3	8.03	65	400	0.7	<2	2.22	0.6	10	6	14	3.85
S212317		3.46	0.068		1.3	8.33	92	300	0.9	3	2.40	1.2	12	6	16	4.08
S212318		3.37	0.048		4.2	7.73	96	510	1.0	<2	2.98	<0.5	12	6	17	3.69
S212319		3.33	0.054		2.2	8.12	51	350	1.0	<2	2.21	1.7	9	6	31	3.72
S212320		0.54	<0.005		<0.5	0.06	<5	20	<0.5	4	35.9	<0.5	<1	1	<1	0.05
S212321		3.19	0.663		51.7	6.37	46	770	0.8	<2	3.40	2.0	5	8	26	3.14
S212322		3.18	0.131		8.6	7.54	45	390	0.9	<2	3.55	3.2	8	6	31	3.63
S212323		3.48	0.057		2.1	7.25	35	270	0.8	<2	4.86	2.4	10	5	17	3.82
S212324		3.06	0.080		1.5	7.47	61	390	0.8	2	3.90	2.1	10	5	17	3.97
S212325		3.42	0.054		1.4	8.66	46	850	1.0	<2	1.92	2.1	7	5	16	4.03
S212326		3.92	0.118		1.5	7.92	56	590	0.8	<2	2.46	0.9	11	6	20	4.17
S212326D		<0.02	0.137		1.3	7.93	60	630	0.8	<2	2.48	0.9	11	6	19	4.11
S212327		3.68	0.148		1.2	7.91	89	730	0.9	<2	1.82	0.8	10	5	20	4.02
S212328		3.75	0.187		0.7	7.87	71	1240	0.9	<2	2.19	1.5	8	6	14	3.75
S212329		1.53	0.137		1.4	6.18	79	690	0.7	2	10.95	<0.5	9	4	10	4.70
S212330		0.13	>10.0	11.15	>100	6.14	402	930	1.0	<2	4.06	4.4	13	32	155	3.96
S212331		3.26	0.055		1.3	9.19	92	300	1.3	<2	2.02	0.6	10	6	16	4.20
S212332		4.15	0.014		1.4	9.38	63	400	1.4	<2	1.42	0.9	13	6	22	4.26
S212333		3.32	0.018		1.1	8.42	49	660	1.3	<2	2.68	0.7	10	6	18	3.46
S212334		3.89	0.037		0.9	9.09	78	360	1.4	2	1.66	0.7	11	6	19	4.02
S212335		3.99	0.012		<0.5	8.68	90	1780	1.2	<2	1.85	<0.5	8	6	10	3.78
S212336		3.34	0.064		0.5	8.24	154	1420	1.0	<2	2.56	0.8	10	6	16	3.94
S212337		3.13	0.037		0.5	7.42	49	2260	1.1	<2	3.33	0.5	9	5	14	3.67
S212338		2.43	0.093		0.5	7.11	29	2320	1.1	2	3.24	0.6	9	5	10	3.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212301		20	4.91	10	0.73	2070	1	0.08	<1	800	49	3.81	<5	9	160	<20
S212302		20	5.21	10	0.91	2130	1	0.07	2	850	38	3.60	<5	10	131	<20
S212303		20	4.60	10	1.26	2500	1	0.69	3	850	52	2.66	<5	10	145	<20
S212304		20	4.74	10	1.21	2170	2	0.86	2	870	28	3.61	<5	11	139	<20
S212305		20	5.28	10	1.16	2050	2	0.77	<1	910	22	3.56	<5	12	143	<20
S212306		20	5.16	10	1.05	1585	2	0.44	1	930	17	3.73	<5	11	106	<20
S212306D		20	5.47	10	1.09	1605	1	0.44	3	930	21	3.85	<5	12	109	<20
S212307		20	4.95	10	0.72	1355	1	0.11	1	840	41	3.81	<5	10	111	<20
S212308		20	5.65	10	0.66	1175	1	0.13	1	910	22	4.15	<5	11	102	<20
S212309		20	4.78	10	0.67	1360	1	0.16	<1	870	32	4.11	<5	11	101	<20
S212310		10	3.89	10	0.58	1475	9	0.22	18	940	155	3.01	14	11	203	<20
S212311		10	4.07	10	0.59	3700	6	0.12	<1	710	69	3.10	<5	9	349	<20
S212312		20	5.41	10	0.69	1925	1	0.09	<1	910	18	3.25	<5	10	155	<20
S212313		20	5.88	10	0.78	2860	1	0.13	2	810	25	3.30	<5	9	196	<20
S212314		10	6.10	10	0.65	3930	1	0.13	<1	720	146	3.13	6	9	282	<20
S212315		10	2.91	10	0.45	3580	6	0.43	<1	410	624	2.74	45	5	229	<20
S212316		20	4.87	10	0.98	2280	1	1.89	2	880	27	3.32	<5	11	222	<20
S212317		20	5.47	10	0.97	2220	1	1.31	2	940	31	3.50	<5	11	184	<20
S212318		20	4.64	10	1.03	2060	1	1.36	2	910	20	2.95	<5	10	185	<20
S212319		20	5.25	10	1.00	1660	1	0.91	1	900	119	3.36	<5	11	171	<20
S212320		<10	0.02	<10	1.83	26	<1	0.01	<1	40	<2	0.07	<5	<1	5190	<20
S212321		10	4.85	10	0.69	1620	2	0.44	<1	660	95	2.86	<5	8	216	<20
S212322		20	5.25	10	0.92	2550	1	1.25	<1	870	160	3.00	<5	10	291	<20
S212323		20	5.01	10	0.69	2540	1	1.32	<1	860	101	3.69	<5	10	253	<20
S212324		20	5.06	10	1.09	2460	2	0.76	<1	870	77	2.90	<5	10	177	<20
S212325		20	5.30	10	1.37	2110	1	1.23	3	990	129	2.40	<5	12	184	<20
S212326		20	4.94	10	1.11	1965	1	1.89	1	920	78	2.69	<5	11	272	<20
S212326D		20	5.00	10	1.11	1955	1	1.88	1	920	79	2.71	<5	11	272	<20
S212327		20	4.75	10	1.25	1485	2	1.44	<1	880	35	2.39	<5	11	225	<20
S212328		20	4.66	10	1.12	1345	1	0.84	1	880	34	2.27	<5	10	291	<20
S212329		10	3.58	10	0.63	2590	4	0.08	<1	750	47	4.37	<5	9	1560	<20
S212330		10	3.79	10	0.50	1470	9	0.17	23	870	254	3.25	57	11	211	<20
S212331		20	5.84	10	0.75	630	2	0.07	<1	1040	31	3.99	8	13	142	<20
S212332		20	5.97	10	0.95	643	2	0.07	2	1040	83	3.59	<5	13	131	<20
S212333		20	5.51	10	0.95	1055	<1	0.07	1	1010	33	2.79	<5	11	209	<20
S212334		20	5.50	10	0.88	627	2	0.14	2	1020	35	3.45	<5	12	103	<20
S212335		20	5.37	10	1.22	1075	<1	0.76	2	1030	28	1.89	<5	12	143	<20
S212336		20	4.50	10	1.16	1570	1	1.49	1	970	43	1.99	<5	11	213	<20
S212337		20	4.36	10	1.12	1905	<1	1.07	<1	890	35	1.73	<5	10	256	<20
S212338		20	4.38	10	1.07	1845	1	0.74	<1	900	49	1.51	<5	10	198	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1	5
S212301		0.28	<10	<10	95	<10	217		
S212302		0.31	10	<10	102	<10	298		
S212303		0.31	<10	<10	98	<10	686		
S212304		0.32	<10	<10	106	<10	197		
S212305		0.33	10	<10	106	<10	87		
S212306		0.32	<10	<10	104	<10	253		
S212306D		0.34	10	<10	108	<10	241		
S212307		0.30	10	<10	97	<10	44		
S212308		0.33	<10	<10	106	<10	27		
S212309		0.31	<10	<10	102	<10	37		
S212310		0.26	<10	<10	113	<10	493		
S212311		0.25	<10	<10	79	<10	95		
S212312		0.33	<10	<10	105	<10	89		
S212313		0.29	<10	<10	89	<10	69		
S212314		0.26	<10	<10	79	<10	46		
S212315		0.15	<10	<10	45	<10	3640	213	
S212316		0.31	10	<10	102	<10	125		
S212317		0.34	10	<10	110	<10	235		
S212318		0.32	10	<10	105	<10	51		
S212319		0.32	<10	<10	105	<10	369		
S212320		<0.01	<10	<10	1	<10	<2		
S212321		0.24	<10	<10	76	<10	454		
S212322		0.32	10	<10	103	<10	749		
S212323		0.31	<10	<10	101	<10	361		
S212324		0.32	10	<10	103	<10	442		
S212325		0.35	10	<10	114	<10	507		
S212326		0.33	<10	<10	109	<10	276		
S212326D		0.34	<10	<10	110	<10	268		
S212327		0.31	<10	<10	103	<10	243		
S212328		0.30	<10	<10	102	<10	206		
S212329		0.24	10	<10	77	10	35		
S212330		0.24	<10	<10	104	<10	530	140	
S212331		0.36	<10	<10	115	<10	94		
S212332		0.37	<10	<10	117	<10	115		
S212333		0.36	10	<10	113	<10	118		
S212334		0.36	<10	<10	115	<10	86		
S212335		0.36	10	<10	117	<10	106		
S212336		0.34	<10	<10	110	<10	177		
S212337		0.33	<10	<10	100	<10	139		
S212338		0.33	10	<10	104	<10	173		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212339		3.28	0.087		0.5	7.73	72	2350	1.1	2	2.63	0.9	8	5	16	3.83
S212340		0.47	<0.005		<0.5	0.04	<5	10	<0.5	2	33.4	<0.5	<1	1	<1	0.04
S212341		3.16	0.124		0.5	7.52	139	2360	1.1	<2	2.79	<0.5	7	5	13	3.81
S212342		3.40	0.096		<0.5	7.25	41	2540	1.1	<2	2.86	<0.5	5	5	7	3.84
S212343		3.20	0.141		1.0	7.78	188	710	1.1	<2	2.40	0.6	9	5	18	3.99
S212344		3.32	0.064		0.5	7.09	86	1070	1.0	<2	3.01	<0.5	5	5	7	3.83
S212345		3.29	0.081		1.2	7.06	93	410	1.1	<2	2.80	1.0	9	5	15	3.59
S212346		2.99	0.969		1.7	7.71	162	290	1.3	3	2.05	2.3	10	6	19	4.24
S212346D		<0.02	1.110		1.7	7.70	156	290	1.3	<2	1.95	2.1	9	5	18	4.06
S212347		3.90	0.185		4.1	6.96	116	380	1.1	2	2.71	1.0	12	9	24	3.71
S212348		3.28	0.119		1.2	7.65	114	490	1.0	2	2.48	1.3	10	5	25	3.78
S212349		3.44	0.058		1.1	7.70	95	400	1.0	<2	2.56	0.6	12	6	24	3.81
S212350		0.13	5.57		80.6	6.00	280	1190	0.9	<2	1.97	22.0	10	22	114	4.65
S212351		3.23	0.051		0.8	7.47	92	570	1.1	<2	2.49	0.5	10	5	24	3.71
S212352		3.16	0.066		1.3	8.11	79	520	1.0	<2	2.37	0.9	10	5	17	4.02
S212353		3.24	0.140		1.2	7.41	159	690	1.1	<2	2.98	1.1	8	5	20	3.81
S212354		3.01	0.123		2.0	7.41	104	490	1.1	2	2.28	1.8	8	5	30	3.68
S212355		3.59	0.112		1.1	7.72	63	780	0.9	<2	1.59	1.1	10	5	16	4.00
S212356		3.21	0.052		1.5	7.67	71	680	1.0	2	1.97	0.9	12	5	18	3.88
S212357		3.13	0.146		2.3	7.65	125	430	0.9	<2	2.40	2.6	9	10	23	3.89
S212358		3.04	0.103		1.1	7.74	101	390	0.9	<2	2.14	1.5	10	6	15	3.75
S212359		2.94	0.076		1.2	8.30	81	530	0.9	4	1.62	3.3	7	6	14	3.71
S212360		0.60	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.8	<0.5	<1	1	<1	0.04
S212361		2.56	0.053		1.2	8.09	74	470	1.2	2	1.92	2.1	8	6	14	3.93
S212362		3.33	0.037		0.7	7.88	58	530	0.9	<2	1.94	1.1	8	6	14	3.68
S212363		3.08	0.022		0.6	7.80	46	920	1.0	<2	2.16	1.0	8	6	16	3.93
S212364		3.20	0.103		0.8	7.16	109	990	0.9	<2	2.89	0.7	10	6	20	3.53
S212365		3.02	0.040		<0.5	7.75	47	1640	0.9	<2	2.38	0.8	9	6	18	3.77
S212366		3.06	0.030		0.5	7.16	47	920	1.1	<2	2.93	<0.5	9	6	17	3.51
S212366D		<0.02	0.033		<0.5	7.26	52	920	1.1	<2	3.07	0.6	9	6	19	3.72
S212367		3.07	0.018		0.6	7.51	48	1010	1.0	<2	2.94	<0.5	12	6	26	3.86
S212368		3.04	0.016		<0.5	6.87	58	1720	0.9	<2	4.20	0.7	8	6	20	3.74
S212369		3.02	0.028		0.8	7.35	80	1050	1.0	<2	2.65	<0.5	11	6	21	3.80
S212370		0.12	>10.0	18.60	17.0	7.06	801	1420	1.4	<2	2.97	2.0	21	111	138	5.24
S212371		2.97	0.032		0.6	7.86	62	570	1.0	<2	2.34	<0.5	14	6	24	4.08
S212372		3.24	0.044		0.6	7.02	84	1170	0.9	2	3.05	<0.5	9	5	13	3.12
S212373		3.13	0.110		1.1	7.11	124	530	0.9	<2	2.80	<0.5	13	7	20	3.44
S212374		3.36	0.091		1.5	7.46	193	470	0.9	3	3.63	4.2	9	6	34	3.78
S212375		3.00	0.062		0.6	7.52	122	710	0.7	2	2.53	0.7	9	6	21	3.95
S212376		3.11	0.055		<0.5	7.48	84	1280	0.7	2	2.79	<0.5	8	7	15	3.55

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212339		20	4.35	10	1.08	1645	1	1.24	<1	950	32	1.79	<5	11	200	<20
S212340		<10	0.01	<10	1.82	21	<1	0.01	<1	40	<2	0.07	<5	<1	5260	<20
S212341		20	4.25	10	1.14	1845	1	1.22	1	930	37	1.53	<5	10	230	<20
S212342		20	4.43	10	1.26	2110	1	0.99	2	920	52	1.46	<5	10	229	<20
S212343		20	4.77	10	1.07	1540	1	0.94	2	930	70	2.80	<5	10	174	<20
S212344		20	4.44	10	1.14	2180	<1	1.15	<1	920	73	2.29	<5	10	237	<20
S212345		20	4.66	10	0.76	1280	1	0.68	2	880	191	3.42	<5	10	169	<20
S212346		20	5.23	10	0.77	1075	1	0.40	1	900	81	4.15	<5	11	124	<20
S212346D		20	5.07	10	0.78	1020	1	0.40	1	890	82	4.00	<5	11	122	<20
S212347		20	4.75	10	0.77	1300	1	0.63	<1	820	87	3.48	<5	10	166	<20
S212348		20	4.22	10	1.04	1400	1	1.37	<1	870	42	3.15	<5	10	226	<20
S212349		20	4.59	10	0.93	1125	1	1.61	1	940	39	3.36	<5	11	224	<20
S212350		10	3.66	10	0.47	1175	9	0.23	13	920	8520	3.02	65	12	147	<20
S212351		20	4.48	10	1.13	1350	1	1.49	1	920	50	2.89	<5	10	275	<20
S212352		20	4.83	10	0.81	1455	1	1.87	<1	960	67	3.21	<5	11	294	<20
S212353		20	4.82	10	0.91	1795	2	1.27	1	930	73	2.73	<5	10	274	<20
S212354		20	5.12	10	0.80	1245	1	0.86	<1	850	110	3.23	<5	10	183	<20
S212355		20	5.09	10	1.16	1665	1	1.25	1	890	77	2.63	<5	10	189	<20
S212356		20	5.14	10	1.08	1940	1	1.02	2	890	72	2.66	<5	11	177	<20
S212357		20	4.62	10	0.88	2040	<1	1.68	2	890	133	3.13	<5	11	249	<20
S212358		20	4.29	10	0.80	1675	1	2.09	<1	890	84	3.23	<5	10	258	<20
S212359		20	4.66	10	0.99	1350	1	2.05	1	900	156	3.21	<5	11	232	<20
S212360		<10	0.02	<10	1.65	20	<1	0.01	<1	40	2	0.05	<5	<1	5080	<20
S212361		20	4.62	10	0.96	1180	1	1.52	<1	920	123	3.50	<5	11	195	<20
S212362		20	3.85	10	1.05	1270	1	2.47	1	900	50	2.68	<5	11	261	<20
S212363		20	3.72	10	1.17	1305	<1	2.30	1	920	22	2.43	<5	11	273	<20
S212364		20	3.83	10	1.03	1465	<1	1.99	1	860	23	2.25	<5	10	291	<20
S212365		20	3.83	10	1.10	1390	1	2.00	<1	880	13	2.11	<5	10	228	<20
S212366		20	4.63	10	0.88	1480	<1	1.22	2	890	9	2.27	<5	10	193	<20
S212366D		20	4.75	10	0.89	1550	1	1.24	1	910	9	2.41	<5	10	199	<20
S212367		20	4.39	10	1.01	1295	1	1.61	1	890	12	2.29	8	11	283	<20
S212368		20	3.98	10	1.03	1505	1	1.76	<1	840	7	1.93	<5	9	321	<20
S212369		20	4.43	10	1.08	1195	<1	1.50	1	870	13	2.20	<5	10	239	<20
S212370		20	3.11	20	0.74	1065	6	0.17	67	1670	57	4.37	16	20	197	<20
S212371		20	4.62	10	0.89	1005	1	1.41	10	880	20	2.97	<5	11	199	<20
S212372		20	4.69	10	0.69	1120	1	1.38	7	830	260	2.03	<5	10	222	<20
S212373		20	4.99	10	0.57	902	4	0.86	4	830	267	2.78	<5	10	183	<20
S212374		20	5.47	10	0.65	1130	1	0.47	3	860	799	3.29	6	10	213	<20
S212375		20	4.05	10	0.74	910	<1	2.05	4	850	96	2.79	<5	10	230	<20
S212376		20	3.80	10	1.04	1130	<1	2.27	5	840	11	1.95	<5	10	282	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1	5
S212339		0.34	<10	<10	106	<10	195		
S212340		<0.01	<10	<10	1	<10	<2		
S212341		0.33	10	<10	104	<10	101		
S212342		0.33	<10	<10	103	<10	124		
S212343		0.34	10	<10	107	<10	149		
S212344		0.33	<10	<10	103	<10	85		
S212345		0.31	10	<10	99	<10	160		
S212346		0.33	<10	<10	105	<10	417		
S212346D		0.32	10	<10	103	<10	404		
S212347		0.29	<10	<10	94	<10	193		
S212348		0.31	<10	<10	99	<10	265		
S212349		0.33	<10	<10	106	<10	129		
S212350		0.25	<10	<10	122	<10	1800		
S212351		0.33	<10	<10	104	<10	121		
S212352		0.35	<10	<10	110	<10	184		
S212353		0.33	10	<10	106	<10	224		
S212354		0.31	<10	<10	98	<10	301		
S212355		0.32	<10	<10	101	<10	254		
S212356		0.33	10	<10	103	<10	204		
S212357		0.32	<10	<10	107	<10	379		
S212358		0.32	<10	<10	101	<10	330		
S212359		0.32	<10	<10	101	<10	680		
S212360		<0.01	10	<10	1	<10	<2		
S212361		0.32	<10	<10	105	<10	489		
S212362		0.32	<10	<10	103	<10	292		
S212363		0.33	<10	<10	104	<10	269		
S212364		0.31	<10	<10	97	10	217		
S212365		0.32	<10	<10	104	<10	263		
S212366		0.32	10	<10	104	<10	104		
S212366D		0.33	<10	<10	108	<10	112		
S212367		0.32	<10	<10	106	<10	152		
S212368		0.31	<10	<10	102	<10	207		
S212369		0.32	<10	<10	105	<10	127		
S212370		0.37	10	<10	187	<10	221		
S212371		0.32	<10	10	103	<10	135		
S212372		0.32	<10	<10	95	10	71		
S212373		0.31	10	<10	98	10	101		
S212374		0.32	<10	<10	101	10	540		
S212375		0.31	10	10	100	<10	163		
S212376		0.31	<10	<10	98	10	136		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212377		3.21	0.030		<0.5	7.35	58	2640	0.8	4	3.06	<0.5	8	6	9	3.50
S212378		3.32	0.060		2.3	7.34	58	2610	0.8	3	2.73	<0.5	7	6	12	3.40
S212379		1.06	>10.0	8030	>100	6.86	101	250	0.8	4	2.79	<0.5	15	7	25	4.52
S212380		0.57	0.036		0.5	0.04	<5	10	<0.5	2	32.5	<0.5	<1	<1	<1	0.04
S212381		3.43	2.71		2.2	6.49	68	1060	0.7	3	3.89	0.6	10	7	14	3.01
S212382		3.28	0.058		1.4	7.03	90	990	0.8	3	3.58	0.6	7	10	13	3.27
S212383		3.32	0.282		2.1	7.15	107	810	1.0	<2	3.80	<0.5	8	6	20	3.20
S212384		3.79	0.281		2.2	6.00	139	460	0.6	3	4.38	<0.5	8	6	15	3.05
S212385		3.27	0.239		1.7	5.23	112	580	<0.5	4	4.77	<0.5	7	7	9	2.58
S212386		3.37	0.203		2.5	6.24	120	840	0.6	2	2.83	<0.5	7	7	49	2.67
S212386D		<0.02	0.214		2.6	6.19	122	730	0.6	3	2.82	<0.5	7	8	50	2.75
S212387		1.36	0.047		0.9	7.52	75	1920	0.8	<2	2.19	<0.5	11	7	22	3.44
S212388		2.27	0.194		2.5	7.51	86	970	0.7	4	2.82	1.8	7	5	23	3.48
S212389		2.53	0.188		2.1	7.19	81	1500	0.9	2	3.29	1.1	8	6	15	3.56
S212390		0.14	0.932		11.5	6.05	299	880	0.9	<2	3.52	4.0	11	26	81	3.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212377		20	3.95	10	1.09	1320	<1	2.14	3	850	10	1.13	<5	9	348	<20
S212378		20	3.92	10	1.11	1230	<1	2.22	3	860	9	1.22	<5	10	358	<20
S212379		20	4.46	10	0.76	1265	2	1.25	4	790	40	3.94	<5	9	423	<20
S212380		<10	0.01	<10	1.64	40	<1	0.01	<1	30	<2	0.10	<5	<1	4240	<20
S212381		10	4.37	10	0.82	1240	<1	1.46	3	770	16	2.19	<5	9	370	<20
S212382		10	3.68	10	0.78	1235	<1	1.59	2	690	25	2.42	<5	8	410	<20
S212383		10	5.69	10	0.65	1600	<1	0.17	3	850	21	2.49	<5	10	325	<20
S212384		10	5.06	10	0.47	1805	<1	0.13	2	700	16	2.68	<5	8	324	<20
S212385		10	5.19	10	0.32	1970	<1	0.10	2	580	13	2.31	<5	7	331	<20
S212386		10	4.85	10	0.46	1385	<1	0.14	4	760	18	2.25	<5	9	231	<20
S212386D		10	4.64	10	0.46	1380	<1	0.14	3	750	18	2.30	<5	9	231	<20
S212387		20	5.01	10	1.04	1640	<1	1.20	4	860	8	2.11	<5	10	267	<20
S212388		20	5.37	10	1.05	1895	<1	1.18	2	830	74	2.20	6	10	355	<20
S212389		20	4.66	10	1.07	2080	<1	0.69	3	860	44	2.37	5	10	446	<20
S212390		10	3.83	10	0.54	1350	7	0.20	20	890	143	2.74	16	11	190	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1	5
S212377		0.32	<10	<10	100	<10	81		
S212378		0.32	<10	<10	101	<10	88		
S212379		0.30	<10	<10	91	10	131	>1500	4330
S212380		<0.01	<10	<10	1	<10	7		
S212381		0.29	<10	<10	91	10	150		
S212382		0.25	<10	<10	86	<10	95		
S212383		0.31	<10	<10	102	10	69		
S212384		0.26	<10	<10	78	10	39		
S212385		0.21	<10	<10	57	10	27		
S212386		0.27	<10	<10	86	10	38		
S212386D		0.28	<10	<10	87	10	33		
S212387		0.32	<10	<10	103	10	59		
S212388		0.31	<10	<10	97	10	212		
S212389		0.32	<10	<10	101	10	130		
S212390		0.25	<10	<10	103	<10	463		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 6-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147232

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-GRA21	Ag-OG62	Au-AA23	Au-GRA21
	ME-ICP61	ME-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

CERTIFICATE TR15147393

Project: Bowser Regional Exploration

P.O. No.: BOW-0105

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 28-SEP-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S217051		3.35	0.189		1.4	8.01	49	820	0.6	<2	1.49	<0.5	8	7	23	3.71
S217052		3.28	0.151		1.6	7.77	39	760	0.7	3	1.62	<0.5	8	6	14	3.56
S217053		3.63	0.098		2.6	7.49	30	580	0.8	3	1.64	<0.5	10	6	20	3.62
S217054		3.63	0.105		1.1	6.79	69	550	0.7	2	3.68	<0.5	9	6	16	3.37
S217055		3.37	0.126		1.9	7.19	56	630	0.7	5	2.59	<0.5	8	5	11	3.54
S217056		3.36	0.123		1.7	7.83	62	720	0.7	2	1.28	<0.5	10	6	13	3.61
S217057		3.74	0.553		5.6	7.22	80	440	1.1	5	1.56	20.5	7	6	25	3.79
S217058		3.59	0.639		8.2	7.20	65	420	1.4	5	0.57	0.8	6	7	22	3.54
S217059		3.62	0.689		15.5	8.05	49	390	1.6	5	0.39	<0.5	13	8	48	4.46
S217060		0.59	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.6	<0.5	<1	1	<1	0.04
S217061		3.60	0.673		21.0	11.85	90	450	2.6	6	2.09	<0.5	13	8	21	5.86
S217062		3.60	0.507		8.2	8.79	65	510	1.9	5	0.32	<0.5	11	7	17	4.49
S217063		3.97	0.480		7.9	7.39	43	400	1.7	3	0.31	<0.5	10	6	20	4.30
S217064		3.58	0.600		7.1	7.86	47	810	1.8	4	0.25	<0.5	9	7	22	3.54
S217065		3.65	0.973		42.5	8.48	46	590	1.9	4	0.25	2.1	9	7	32	3.96
S217066		3.16	0.489		5.6	9.44	45	720	2.1	7	0.25	<0.5	12	6	17	4.33
S217066D		<0.02	0.466		5.4	8.87	43	760	1.9	4	0.23	<0.5	12	6	15	4.12
S217067		3.58	0.567		6.0	10.00	53	1050	2.0	4	0.28	<0.5	11	7	23	4.13
S217068		3.12	0.673		7.9	8.82	78	280	1.8	6	0.75	<0.5	19	7	31	5.25
S217069		2.86	0.471		8.4	9.11	55	530	1.5	4	1.50	0.5	10	7	27	4.29
S217070		0.10	>10.0	18.65	20.4	6.62	761	230	1.3	<2	2.77	1.5	19	111	136	4.91
S217071		3.05	0.641		9.2	7.06	90	370	0.9	2	0.82	0.8	8	8	23	3.16
S217072		3.14	0.390		7.1	5.48	35	570	1.1	2	0.29	2.4	7	9	21	2.78
S217073		3.28	0.649		14.2	4.27	29	750	0.7	3	5.34	5.0	4	9	42	2.19
S217074		3.67	0.320		6.1	5.13	44	890	1.1	3	0.90	0.6	7	11	15	2.52
S217075		3.14	0.297		10.4	6.88	48	960	1.2	<2	1.07	3.8	9	16	19	3.14
S217076		3.19	0.953		28.5	6.27	47	1030	0.9	<2	1.01	4.4	7	13	19	3.55
S217077		3.50	0.671		39.3	7.39	66	310	0.9	4	1.05	13.5	9	8	32	3.63
S217078		3.53	0.208		4.0	7.22	129	570	0.8	<2	1.62	0.6	6	7	13	3.27
S217079		3.61	0.131		2.9	8.16	87	660	0.8	<2	1.47	<0.5	5	7	13	3.20
S217080		0.53	<0.005		<0.5	0.06	<5	20	<0.5	<2	33.2	<0.5	<1	1	<1	0.04
S217081		3.42	0.587		4.9	5.91	58	520	0.6	3	2.02	<0.5	6	11	12	2.81
S217082		3.08	0.215		4.5	7.39	54	530	0.6	<2	1.71	<0.5	9	6	15	3.67
S217083		3.33	0.397		4.8	7.75	67	350	0.7	2	1.37	0.5	8	6	26	4.38
S217084		3.10	0.132		2.9	8.07	67	1210	0.7	<2	1.36	<0.5	7	7	24	3.42
S217085		3.29	0.302		6.0	7.96	84	610	0.8	<2	1.37	0.5	9	8	30	3.95
S217086		3.22	0.479		6.7	7.31	79	580	0.8	2	2.06	<0.5	9	6	17	3.71
S217086D		<0.02	0.470		5.5	7.41	75	680	0.8	5	1.92	0.5	9	7	17	3.64
S217087		3.48	0.355		3.3	7.72	94	890	0.8	2	1.81	<0.5	10	7	40	3.40
S217088		2.43	0.451		3.6	7.82	83	1140	0.9	3	1.85	<0.5	9	7	25	3.44

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S217051		20	5.53	10	0.95	1215	<1	1.48	5	840	18	2.65	<5	10	239	<20
S217052		20	5.64	10	0.97	1165	2	0.98	3	860	35	2.55	<5	10	215	<20
S217053		20	5.16	10	0.89	943	2	1.20	4	820	26	3.11	<5	10	239	<20
S217054		10	5.30	10	0.71	1340	<1	0.47	3	790	10	2.97	<5	9	285	<20
S217055		10	4.64	10	0.73	1055	4	0.96	4	810	14	3.18	<5	9	269	<20
S217056		20	4.65	10	0.90	977	<1	0.79	3	860	18	3.00	<5	10	206	<20
S217057		20	5.26	10	0.63	757	21	0.07	3	750	54	3.96	<5	10	128	<20
S217058		20	4.55	10	0.56	342	15	0.04	3	750	39	3.60	<5	10	50	<20
S217059		20	4.90	10	0.56	232	3	0.04	4	850	44	4.74	<5	11	31	<20
S217060		<10	0.02	<10	1.68	17	<1	<0.01	<1	20	<2	0.06	<5	<1	4830	<20
S217061		30	7.43	10	0.81	243	8	0.05	6	1330	33	6.34	<5	14	228	<20
S217062		20	5.15	10	0.59	213	6	0.04	4	940	38	4.68	<5	11	28	<20
S217063		20	4.28	10	0.49	196	4	0.03	4	790	33	4.62	5	10	26	<20
S217064		20	4.63	10	0.52	184	10	0.04	2	870	25	3.75	<5	10	25	<20
S217065		20	4.37	10	0.53	172	4	0.04	5	950	212	4.34	<5	11	28	<20
S217066		20	5.50	10	0.56	177	3	0.04	5	1070	34	4.76	<5	12	22	<20
S217066D		20	5.15	10	0.53	161	3	0.04	4	1010	32	4.58	<5	12	20	<20
S217067		20	5.89	10	0.56	176	3	0.05	4	1050	31	4.55	<5	13	36	<20
S217068		20	4.98	10	0.57	382	119	0.04	4	900	21	5.77	<5	11	93	<20
S217069		20	4.94	10	0.52	548	11	0.06	3	1020	61	4.39	8	12	211	<20
S217070		10	3.09	10	0.66	1010	6	0.16	70	1600	61	4.08	17	18	178	<20
S217071		10	4.66	10	0.40	282	2	0.14	3	770	52	3.12	9	9	144	<20
S217072		10	3.18	10	0.38	159	5	0.03	3	530	136	2.67	<5	7	45	<20
S217073		10	3.06	10	0.28	1620	2	0.04	<1	410	127	2.11	22	7	188	<20
S217074		10	2.96	10	0.34	334	4	0.03	4	490	78	2.40	8	7	65	<20
S217075		10	4.40	10	0.43	394	6	0.04	4	690	114	3.23	6	9	84	<20
S217076		10	4.60	10	0.36	356	8	0.05	4	690	143	3.63	<5	9	131	<20
S217077		10	5.08	10	0.36	356	2	0.08	4	780	657	3.90	15	10	185	<20
S217078		10	4.76	10	0.51	640	1	0.41	4	820	92	2.94	<5	10	238	<20
S217079		20	5.25	10	0.63	602	<1	0.45	1	870	34	2.84	<5	11	235	<20
S217080		<10	0.03	<10	1.88	19	<1	0.01	<1	40	4	0.06	<5	<1	4960	<20
S217081		10	4.76	10	0.50	695	1	0.08	3	650	37	2.49	<5	8	254	<20
S217082		20	4.96	10	0.79	1000	<1	0.72	2	850	34	3.09	<5	9	283	<20
S217083		20	4.35	10	0.87	942	8	0.81	4	850	72	3.84	<5	10	209	<20
S217084		20	4.71	10	0.95	928	<1	1.49	3	890	49	2.36	<5	11	251	<20
S217085		20	4.87	10	1.05	1110	6	0.68	4	870	38	2.91	<5	10	226	<20
S217086		20	4.93	10	0.89	1280	11	0.20	2	840	38	2.87	<5	10	208	<20
S217086D		10	4.93	10	0.90	1220	9	0.20	2	840	37	2.81	<5	10	205	<20
S217087		20	5.23	10	0.94	1145	25	0.24	4	850	31	2.36	<5	10	269	<20
S217088		20	5.28	10	1.09	1035	1	0.27	2	900	33	2.26	<5	10	276	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S217051		0.31	<10	<10	96	<10	57	
S217052		0.31	<10	<10	92	10	78	
S217053		0.31	<10	<10	94	10	43	
S217054		0.29	<10	10	91	10	33	
S217055		0.30	<10	<10	94	10	32	
S217056		0.31	<10	<10	95	<10	33	
S217057		0.27	<10	<10	88	10	1075	
S217058		0.27	<10	<10	90	<10	102	
S217059		0.28	<10	<10	100	<10	65	
S217060		<0.01	<10	<10	1	<10	<2	
S217061		0.47	<10	<10	174	<10	70	
S217062		0.32	10	<10	112	<10	66	
S217063		0.27	<10	<10	95	<10	46	
S217064		0.29	<10	<10	101	<10	53	
S217065		0.31	<10	<10	111	10	364	
S217066		0.35	<10	<10	125	10	61	
S217066D		0.33	<10	<10	119	<10	59	
S217067		0.37	<10	<10	132	10	59	
S217068		0.33	<10	<10	123	10	38	
S217069		0.34	<10	10	117	10	99	
S217070		0.36	<10	<10	179	10	216	
S217071		0.26	<10	<10	85	<10	77	
S217072		0.19	<10	<10	73	<10	207	
S217073		0.16	<10	<10	56	<10	364	
S217074		0.18	<10	10	67	<10	61	
S217075		0.25	10	10	84	10	322	
S217076		0.22	<10	<10	80	10	402	
S217077		0.28	<10	<10	91	10	1705	
S217078		0.27	10	<10	94	<10	78	
S217079		0.31	<10	<10	101	<10	30	
S217080		<0.01	<10	<10	1	<10	<2	
S217081		0.23	<10	<10	73	<10	34	
S217082		0.28	<10	<10	93	10	43	
S217083		0.30	<10	<10	99	<10	73	
S217084		0.31	<10	<10	100	<10	46	
S217085		0.31	<10	10	98	<10	77	
S217086		0.30	<10	<10	98	10	83	
S217086D		0.30	<10	<10	98	<10	79	
S217087		0.30	<10	<10	97	<10	68	
S217088		0.31	<10	10	100	<10	63	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S217089		3.03	0.429		3.9	7.94	108	670	0.9	<2	1.09	0.6	14	7	22	3.76
S217090		0.13	1.005		12.5	5.81	308	360	1.0	2	3.61	4.1	10	27	84	3.86
S217091		3.11	0.274		2.3	8.12	107	1620	0.9	4	0.69	0.6	14	7	34	2.80
S217092		3.23	0.299		3.1	7.62	259	500	0.9	2	0.64	<0.5	17	7	35	3.91
S217093		2.39	0.338		3.2	6.52	171	1110	0.9	<2	1.25	<0.5	7	8	22	2.75
S217101		3.32	<0.005		<0.5	6.96	<5	1740	1.0	3	2.81	<0.5	9	2	9	3.71
S217102		3.01	<0.005		<0.5	7.88	<5	1790	1.0	2	2.39	<0.5	10	2	14	4.13
S217103		4.42	<0.005		<0.5	6.41	<5	1520	0.9	<2	4.07	<0.5	9	2	11	3.54
S217104		5.06	<0.005		<0.5	6.64	<5	1400	0.9	2	4.18	<0.5	10	2	3	3.89
S217105		6.17	<0.005		<0.5	6.65	<5	1440	0.8	2	5.54	<0.5	10	2	1	4.13
S217106		5.56	<0.005		<0.5	7.59	5	1500	1.0	<2	4.68	<0.5	11	2	8	4.22
S217106D		<0.02	<0.005		<0.5	7.13	5	1500	0.9	<2	4.51	<0.5	10	2	3	4.13
S217107		6.90	<0.005		<0.5	7.31	5	1610	1.0	<2	4.28	<0.5	10	2	2	4.33
S217108		6.23	<0.005		<0.5	6.88	5	1630	0.9	2	4.20	<0.5	9	2	11	3.96
S217109		6.04	<0.005		<0.5	7.78	<5	1450	1.0	<2	2.96	<0.5	10	2	18	4.12
S217110		0.13	1.070		12.6	5.71	303	380	1.0	<2	3.60	4.3	11	26	84	3.92
S217111		5.39	<0.005		<0.5	8.04	9	1500	0.9	<2	3.51	<0.5	10	4	29	4.56
S217112		6.88	<0.005		0.8	7.45	8	1640	0.9	3	3.22	<0.5	10	2	72	4.26
S217113		5.98	<0.005		0.7	7.72	7	2030	0.9	<2	3.22	<0.5	10	1	84	3.99
S217114		5.73	<0.005		<0.5	7.96	<5	1740	0.9	<2	2.99	<0.5	9	2	43	3.83
S217115		5.99	<0.005		<0.5	8.10	5	1710	0.9	<2	2.75	<0.5	9	2	57	4.33
S217116		7.92	<0.005		<0.5	8.46	<5	1450	0.9	<2	3.75	<0.5	11	2	17	4.88
S217117		4.74	<0.005		<0.5	8.36	<5	1840	0.9	<2	3.18	<0.5	10	2	2	4.43
S217118		4.49	0.007		<0.5	8.43	<5	1840	1.1	<2	2.02	<0.5	12	2	6	4.30
S217119		5.24	0.008		<0.5	7.19	<5	2490	1.1	<2	4.07	<0.5	10	3	7	4.14
S217120		0.61	<0.005		<0.5	0.07	<5	10	<0.5	2	33.6	<0.5	<1	1	<1	0.05
S217121		6.24	<0.005		<0.5	6.30	<5	1900	0.9	<2	4.03	<0.5	8	2	4	3.99
S217122		5.04	<0.005		<0.5	6.33	5	1810	0.9	3	5.75	<0.5	8	2	3	3.93
S217123		6.11	<0.005		<0.5	6.69	6	1750	0.9	<2	4.60	<0.5	7	2	4	4.31
S217124		5.99	<0.005		<0.5	6.91	<5	1710	0.9	<2	4.96	<0.5	8	2	3	4.19
S217125		5.75	<0.005		<0.5	6.34	5	1650	0.8	2	5.06	<0.5	9	2	3	4.09
S217126		5.95	<0.005		<0.5	6.19	9	2350	0.8	<2	5.50	<0.5	9	2	3	4.02
S217126D		<0.02	<0.005		<0.5	6.19	<5	2270	0.8	<2	5.30	<0.5	9	4	3	3.97
S217127		5.97	<0.005		<0.5	5.97	8	1750	0.8	<2	4.71	<0.5	8	9	3	3.91
S217128		6.36	<0.005		<0.5	6.41	7	1520	0.8	<2	4.77	<0.5	8	2	3	4.05
S217129		6.52	<0.005		<0.5	6.60	<5	1560	0.8	<2	4.61	<0.5	9	3	3	4.08
S217130		0.13	>10.0	10.60	>100	5.71	387	400	1.0	3	3.95	4.6	11	32	154	3.85
S217131		6.54	<0.005		<0.5	6.16	<5	1560	0.8	<2	5.38	<0.5	8	2	4	4.18
S217132		6.25	<0.005		<0.5	6.79	8	1670	0.9	<2	5.54	<0.5	9	2	4	4.28
S217133		6.08	<0.005		<0.5	6.98	8	2010	0.9	<2	4.41	<0.5	9	3	4	4.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S217089		20	5.09	10	1.03	860	1	0.09	3	900	39	2.75	<5	10	238	<20
S217090		10	3.85	10	0.52	1410	9	0.21	22	910	147	2.82	9	10	189	<20
S217091		20	4.59	10	0.95	739	2	0.08	4	880	59	1.91	<5	11	166	<20
S217092		20	4.41	10	0.78	698	9	0.08	3	830	46	3.22	6	10	135	<20
S217093		10	4.74	10	0.58	578	2	0.05	2	680	33	2.34	<5	9	120	<20
S217101		20	2.92	10	0.56	1385	<1	0.23	2	1090	2	0.02	<5	8	103	<20
S217102		20	3.07	10	0.72	1350	<1	0.24	4	1160	4	0.02	<5	9	106	<20
S217103		10	2.71	10	0.57	1620	<1	0.20	2	1010	4	0.01	<5	7	120	<20
S217104		20	2.79	10	0.64	1805	<1	0.20	2	1080	4	0.01	<5	7	125	<20
S217105		20	2.65	10	0.71	2070	<1	0.18	<1	1100	6	0.01	<5	7	141	<20
S217106		20	3.01	10	0.80	1720	1	0.21	7	1160	8	0.01	<5	9	141	<20
S217106D		20	2.93	10	0.74	1640	<1	0.21	3	1140	5	0.01	<5	8	136	<20
S217107		20	2.97	10	0.79	1665	<1	0.22	1	1170	2	0.01	<5	8	134	<20
S217108		20	2.82	10	0.75	1565	<1	0.21	2	1060	3	0.01	<5	8	134	<20
S217109		20	2.93	10	0.87	1190	<1	0.22	<1	1130	<2	0.01	<5	9	115	<20
S217110		10	3.83	10	0.53	1385	9	0.21	20	880	143	2.81	13	10	187	<20
S217111		20	2.70	20	1.07	1395	<1	0.19	1	1080	3	0.01	<5	9	129	<20
S217112		20	2.85	10	0.96	1315	<1	0.22	<1	1130	4	0.01	<5	8	125	<20
S217113		20	2.88	10	0.98	1185	<1	0.22	2	1100	3	0.02	<5	9	135	<20
S217114		20	2.99	10	0.99	1125	<1	0.22	<1	1110	4	0.01	<5	9	124	<20
S217115		20	2.95	10	1.09	1240	<1	0.23	1	1170	3	0.01	<5	9	121	<20
S217116		20	2.93	10	1.19	1505	<1	0.34	2	1230	2	0.01	<5	10	137	<20
S217117		20	3.12	10	1.02	1185	<1	0.46	1	1250	2	0.01	<5	9	137	<20
S217118		20	3.43	10	0.71	779	<1	0.47	2	1270	2	0.01	<5	9	127	<20
S217119		20	3.86	10	0.25	1090	<1	0.64	2	1250	4	0.02	<5	8	186	<20
S217120		<10	0.02	<10	1.75	23	<1	0.01	<1	50	3	0.09	<5	<1	4600	<20
S217121		20	3.23	10	0.23	1015	<1	0.74	<1	1060	4	0.01	<5	7	179	<20
S217122		20	3.41	10	0.21	1295	<1	0.98	2	1090	2	0.01	<5	7	218	<20
S217123		20	3.37	10	0.21	1095	<1	1.04	<1	1120	3	0.01	<5	7	197	<20
S217124		20	3.50	10	0.22	1180	<1	1.02	1	1130	4	<0.01	<5	7	199	<20
S217125		20	3.22	10	0.22	1225	<1	1.01	2	1060	5	0.01	<5	7	208	<20
S217126		10	3.04	10	0.23	1250	<1	1.07	1	1000	5	0.02	<5	7	251	<20
S217126D		20	3.05	10	0.23	1225	<1	1.03	1	1010	8	0.02	<5	7	241	<20
S217127		10	2.87	10	0.20	1105	<1	1.36	3	990	7	0.01	<5	6	242	<20
S217128		20	3.16	10	0.22	1135	<1	1.13	1	1040	5	<0.01	<5	7	214	<20
S217129		20	3.04	10	0.23	1155	<1	1.24	1	1050	4	0.01	<5	7	222	<20
S217130		10	3.86	10	0.46	1425	8	0.17	21	830	250	3.13	60	10	201	<20
S217131		10	3.16	10	0.21	1305	<1	1.16	<1	1060	7	0.01	6	7	233	<20
S217132		20	3.36	10	0.23	1385	<1	1.22	1	1130	4	<0.01	<5	7	244	<20
S217133		20	3.50	10	0.22	1315	<1	1.19	<1	1130	4	0.01	<5	7	239	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S217089		0.31	<10	<10	101	<10	73	
S217090		0.26	10	<10	107	10	483	
S217091		0.31	<10	<10	105	10	84	
S217092		0.29	<10	<10	93	<10	65	
S217093		0.25	<10	<10	82	<10	27	
S217101		0.33	10	<10	104	<10	80	
S217102		0.35	<10	<10	116	<10	85	
S217103		0.31	<10	<10	92	<10	68	
S217104		0.33	<10	<10	73	10	75	
S217105		0.33	<10	<10	73	<10	79	
S217106		0.35	<10	<10	91	<10	85	
S217106D		0.35	<10	<10	91	<10	80	
S217107		0.36	<10	<10	94	<10	85	
S217108		0.33	<10	<10	93	<10	79	
S217109		0.35	<10	<10	100	<10	81	
S217110		0.25	<10	<10	102	10	469	
S217111		0.32	<10	<10	71	<10	93	
S217112		0.35	10	<10	62	<10	93	
S217113		0.34	<10	<10	65	<10	90	
S217114		0.34	<10	<10	79	<10	88	
S217115		0.35	<10	<10	79	<10	98	
S217116		0.37	10	<10	66	<10	110	
S217117		0.37	<10	<10	65	<10	108	
S217118		0.36	10	<10	59	<10	108	
S217119		0.39	<10	<10	114	<10	63	
S217120		<0.01	<10	<10	1	<10	<2	
S217121		0.33	10	<10	75	<10	62	
S217122		0.35	<10	<10	82	<10	60	
S217123		0.35	<10	<10	61	<10	66	
S217124		0.36	<10	<10	96	<10	63	
S217125		0.33	<10	<10	98	<10	65	
S217126		0.32	<10	<10	86	<10	68	
S217126D		0.32	10	<10	86	<10	67	
S217127		0.31	10	<10	78	<10	62	
S217128		0.34	<10	<10	86	<10	63	
S217129		0.33	<10	<10	66	<10	65	
S217130		0.24	<10	<10	101	<10	515	140
S217131		0.34	<10	<10	49	<10	63	
S217132		0.36	<10	<10	44	<10	66	
S217133		0.36	<10	<10	63	<10	68	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S217134		5.84	<0.005		<0.5	6.60	10	2080	0.9	<2	4.01	<0.5	9	2	3	4.30
S217135		5.98	<0.005		<0.5	6.89	8	1750	0.9	<2	4.85	<0.5	8	2	3	4.32
S217136		6.59	<0.005		<0.5	7.37	10	2540	1.0	<2	4.08	<0.5	9	2	3	4.49
S217137		5.26	<0.005		<0.5	6.29	10	2510	0.8	<2	4.15	<0.5	10	3	3	4.04
S217138		6.09	<0.005		<0.5	7.48	6	1670	1.0	2	2.78	<0.5	9	2	4	4.25
S217139		5.75	<0.005		<0.5	6.91	7	2120	1.0	<2	3.85	<0.5	9	4	5	4.19
S217140		0.58	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.04
S217141		6.26	<0.005		<0.5	7.38	<5	1670	1.1	2	3.91	<0.5	10	2	4	4.56
S217142		6.37	<0.005		<0.5	8.54	5	1750	1.1	<2	3.26	<0.5	9	2	5	4.89
S217143		5.91	<0.005		<0.5	7.50	9	1700	1.0	<2	3.42	<0.5	10	3	5	4.64
S217144		6.05	<0.005		<0.5	6.14	6	1750	0.9	<2	5.02	<0.5	10	3	4	3.92
S217145		6.16	<0.005		<0.5	8.27	9	2210	1.1	<2	2.95	<0.5	9	2	4	4.72
S217146		5.72	<0.005		<0.5	7.78	9	1920	1.0	<2	3.19	<0.5	10	2	3	4.51
S217146D		<0.02	<0.005		<0.5	7.57	5	1840	1.0	<2	3.10	<0.5	9	2	2	4.34
S217147		6.15	<0.005		<0.5	7.06	8	1920	0.9	3	3.33	<0.5	9	2	3	4.16
S217148		8.23	<0.005		<0.5	6.81	9	2260	0.9	<2	3.47	<0.5	8	4	1	4.09
S217149		4.32	0.008		<0.5	6.72	8	2620	0.9	<2	4.20	<0.5	7	2	2	3.99
S217150		0.13	5.21		86.7	6.21	291	640	1.0	<2	2.01	23.1	11	23	121	4.88
S217151		5.41	<0.005		<0.5	8.12	7	1960	1.0	5	2.99	<0.5	10	2	4	4.59
S217152		5.82	<0.005		<0.5	8.06	8	2010	1.0	<2	2.75	<0.5	10	2	4	4.55
S217153		6.16	<0.005		<0.5	8.47	8	2100	1.0	<2	2.73	<0.5	11	3	3	4.36
S217154		6.22	<0.005		<0.5	7.60	7	2150	1.0	<2	3.01	<0.5	9	3	3	4.21
S217155		6.24	<0.005		<0.5	7.61	5	1890	1.0	<2	3.20	<0.5	10	2	3	4.38
S217156		6.36	<0.005		<0.5	7.24	10	1950	0.9	<2	3.15	<0.5	11	2	4	4.12
S217157		3.95	<0.005		<0.5	7.01	7	2370	0.9	<2	3.41	<0.5	11	2	3	4.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S217134		20	3.21	10	0.23	1150	<1	1.23	1	1090	4	0.02	<5	7	240	<20
S217135		20	3.29	10	0.23	1235	<1	1.30	<1	1110	6	0.01	<5	7	238	<20
S217136		20	3.34	10	0.23	1190	<1	1.55	2	1200	5	0.03	5	8	288	<20
S217137		10	2.79	10	0.27	1200	<1	1.38	1	1040	6	0.03	<5	7	276	<20
S217138		20	3.31	10	0.26	990	1	1.18	<1	1150	5	<0.01	<5	8	210	<20
S217139		20	3.41	10	0.27	1395	<1	0.83	1	1110	5	0.02	<5	8	220	<20
S217140		<10	0.01	<10	1.61	20	<1	0.01	<1	40	<2	0.08	<5	<1	4940	<20
S217141		20	3.52	10	0.30	1500	<1	1.13	<1	1230	4	<0.01	<5	8	231	<20
S217142		20	3.66	10	0.26	1260	<1	1.83	1	1360	6	<0.01	<5	10	268	<20
S217143		20	3.42	10	0.27	1310	<1	1.52	1	1230	5	<0.01	5	8	259	<20
S217144		10	2.94	10	0.29	1810	<1	0.99	<1	1040	4	0.01	6	7	241	<20
S217145		20	3.50	10	0.28	943	<1	1.58	2	1270	3	0.01	<5	9	279	<20
S217146		20	3.40	10	0.29	947	<1	1.41	1	1210	5	0.01	<5	9	268	<20
S217146D		20	3.23	10	0.29	908	<1	1.34	2	1160	4	0.01	<5	9	257	<20
S217147		20	3.08	10	0.29	923	<1	1.34	1	1140	5	0.01	<5	8	259	<20
S217148		20	3.10	10	0.24	866	<1	1.39	1	1170	7	0.02	<5	7	283	<20
S217149		20	3.06	10	0.23	1015	<1	1.47	1	1120	5	0.03	<5	7	305	<20
S217150		10	3.73	10	0.49	1200	9	0.24	15	950	8750	3.03	70	12	148	<20
S217151		20	3.46	10	0.28	839	<1	1.37	<1	1240	8	0.01	<5	9	273	<20
S217152		20	3.32	10	0.28	821	<1	1.60	1	1230	8	0.01	6	9	284	<20
S217153		20	3.44	10	0.28	754	<1	1.68	1	1290	6	0.01	<5	10	301	<20
S217154		20	3.00	10	0.26	786	<1	1.78	<1	1180	5	0.01	<5	8	316	<20
S217155		20	2.98	10	0.27	843	<1	1.98	1	1170	6	0.01	<5	8	319	<20
S217156		20	2.84	10	0.28	880	<1	1.92	1	1130	8	0.01	<5	8	321	<20
S217157		10	2.52	10	0.29	925	<1	2.05	1	1060	6	0.02	<5	8	338	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S217134		0.35	10	<10	43	<10	68	
S217135		0.36	<10	<10	44	<10	64	
S217136		0.37	<10	<10	55	<10	65	
S217137		0.33	<10	<10	35	<10	77	
S217138		0.36	<10	<10	38	<10	68	
S217139		0.35	<10	<10	34	<10	70	
S217140		<0.01	<10	<10	1	<10	<2	
S217141		0.38	<10	<10	32	<10	80	
S217142		0.42	<10	<10	39	<10	71	
S217143		0.38	10	<10	33	<10	78	
S217144		0.32	<10	<10	27	<10	76	
S217145		0.40	10	<10	51	<10	76	
S217146		0.38	<10	<10	47	<10	80	
S217146D		0.36	<10	<10	45	<10	77	
S217147		0.35	<10	<10	50	<10	81	
S217148		0.34	<10	<10	160	<10	71	
S217149		0.34	<10	<10	137	<10	67	
S217150		0.25	<10	<10	122	<10	1850	
S217151		0.39	<10	<10	46	<10	82	
S217152		0.39	<10	<10	40	<10	82	
S217153		0.40	<10	<10	53	<10	78	
S217154		0.36	<10	<10	52	<10	74	
S217155		0.37	<10	<10	55	<10	79	
S217156		0.36	<10	<10	47	<10	82	
S217157		0.33	<10	<10	45	<10	77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 5-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15147393

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15149055

Project: Bowser Regional Exploration

P.O. No.: BOW-0108

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314174		3.50	<0.005		<0.5	7.24	5	2310	1.2	2	4.48	<0.5	7	3	2	3.52
S314175		3.40	<0.005		<0.5	8.13	<5	2440	1.3	<2	3.68	<0.5	8	3	1	3.87
S314176		3.18	<0.005		<0.5	7.33	5	2600	1.3	3	7.02	<0.5	14	51	9	4.72
S314177		3.60	0.038		<0.5	7.01	5	2200	1.0	6	5.13	<0.5	8	2	1	3.40
S314178		3.29	0.006		<0.5	7.01	7	2360	1.0	<2	4.47	<0.5	9	3	17	3.43
S314179		3.25	<0.005		<0.5	6.63	<5	3150	1.0	<2	5.39	0.5	7	2	8	3.34
S314180		0.53	<0.005		<0.5	0.05	<5	10	<0.5	2	33.1	<0.5	<1	1	<1	0.04
S314181		3.14	<0.005		<0.5	6.58	5	2730	1.1	3	4.98	<0.5	7	2	8	3.64
S314182		3.27	<0.005		<0.5	6.44	<5	2260	0.9	<2	5.81	<0.5	6	3	4	3.18
S314183		3.19	0.039		<0.5	7.27	<5	3150	1.2	2	4.14	<0.5	7	3	<1	3.22
S314184		3.27	<0.005		<0.5	6.92	<5	2530	1.0	2	4.84	<0.5	8	3	<1	2.98
S314185		3.33	<0.005		<0.5	6.72	<5	2180	1.0	3	5.88	<0.5	7	3	2	3.48
S314186		3.32	<0.005		<0.5	7.91	<5	2860	1.1	4	4.61	<0.5	8	3	2	3.82
S314186D		<0.02	<0.005		<0.5	7.65	<5	2810	1.2	4	4.66	<0.5	8	3	3	3.84
S314187		3.38	0.005		<0.5	6.34	<5	2440	1.0	2	4.95	<0.5	8	3	3	3.28
S314188		3.29	<0.005		<0.5	7.10	<5	2550	1.1	3	4.43	<0.5	7	3	6	3.48
S314189		3.22	<0.005		<0.5	7.50	<5	3020	1.1	3	3.51	<0.5	9	3	2	3.49
S314190		0.10	>10.0	19.15	19.5	6.64	693	170	1.3	3	2.72	2.0	18	107	130	4.84
S314191		3.33	<0.005		<0.5	7.18	<5	2300	0.9	<2	4.07	<0.5	8	3	6	3.06
S314192		2.92	<0.005		<0.5	7.07	<5	2270	1.0	2	3.65	<0.5	7	3	4	3.06
S314193		3.17	<0.005		<0.5	7.31	<5	2530	1.1	2	3.87	<0.5	8	3	89	3.60
S314194		3.09	0.046		1.0	7.52	<5	1890	0.9	4	3.83	<0.5	10	3	153	3.33
S314195		3.37	<0.005		0.8	7.87	5	1830	0.9	<2	4.30	<0.5	10	3	120	3.66
S314196		3.20	0.005		0.8	7.68	<5	2080	1.0	2	3.83	<0.5	11	2	86	3.40
S314197		3.20	<0.005		0.7	7.60	<5	2200	1.0	2	3.86	<0.5	9	2	59	2.81
S314198		3.16	<0.005		<0.5	7.33	<5	2180	0.9	<2	4.71	<0.5	9	1	17	3.46
S314199		3.38	<0.005		<0.5	7.57	<5	2800	0.9	<2	4.64	<0.5	8	1	10	3.77
S314200		0.45	0.053		<0.5	0.05	<5	10	<0.5	<2	34.0	<0.5	<1	<1	2	0.04
S314201		3.25	<0.005		<0.5	7.56	<5	2570	0.9	<2	4.55	<0.5	7	1	1	3.89
S314202		3.33	<0.005		<0.5	7.49	<5	2850	0.9	<2	4.53	<0.5	7	1	<1	3.96
S314203		3.39	<0.005		<0.5	7.71	<5	3560	1.0	<2	5.07	<0.5	7	1	5	3.38
S314204		3.43	<0.005		<0.5	7.58	<5	3110	0.8	<2	5.75	<0.5	8	1	56	4.07
S314205		3.37	<0.005		<0.5	8.05	<5	3550	1.0	<2	5.18	<0.5	10	1	38	4.33
S314206		3.34	<0.005		<0.5	7.38	<5	2880	0.8	<2	5.82	<0.5	9	1	44	4.00
S314206D		<0.02	<0.005		<0.5	7.27	<5	2910	0.9	<2	5.79	<0.5	10	1	43	3.93
S314207		3.59	<0.005		<0.5	7.58	<5	2280	1.0	<2	2.60	<0.5	9	2	123	4.54
S314208		3.24	<0.005		<0.5	9.42	<5	3810	1.4	<2	1.38	<0.5	12	3	130	4.65
S314209		3.09	<0.005		<0.5	7.92	<5	2150	1.0	<2	1.44	<0.5	9	3	77	3.80
S314210		0.13	1.040		12.5	6.05	296	770	1.0	<2	3.62	4.4	10	27	82	3.90
S314211		3.08	<0.005		<0.5	8.90	5	2100	1.2	<2	1.13	<0.5	9	3	17	5.16

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314174		20	1.98	10	0.88	1930	<1	0.36	<1	1100	<2	0.02	7	8	329	<10
S314175		20	2.32	10	0.83	1760	<1	0.42	1	1250	<2	0.01	6	9	238	<10
S314176		20	1.47	30	1.69	2480	<1	0.28	22	1950	7	0.09	6	13	725	<10
S314177		20	1.71	20	0.94	2270	<1	0.27	2	1020	4	0.02	10	8	329	<10
S314178		20	1.55	10	1.16	1985	<1	0.24	1	1030	<2	0.05	<5	8	393	10
S314179		20	1.87	10	0.90	2150	<1	0.28	<1	1020	2	0.07	5	7	586	<10
S314180		<10	0.01	<10	1.89	20	<1	<0.01	<1	40	<2	0.07	<5	<1	4450	<10
S314181		20	2.34	10	0.56	1805	<1	0.36	<1	1080	<2	0.01	<5	7	231	<10
S314182		20	1.99	10	0.62	2030	<1	0.29	<1	930	5	0.01	5	7	207	<10
S314183		20	2.41	10	0.72	1465	<1	0.36	<1	1170	<2	0.02	<5	8	236	<10
S314184		20	1.89	10	0.99	1640	<1	0.29	<1	1110	<2	0.03	6	9	507	<10
S314185		20	1.77	10	0.99	1870	<1	0.27	<1	1060	<2	0.03	<5	9	470	<10
S314186		20	2.39	10	0.87	1340	<1	0.32	1	1190	<2	0.01	<5	9	380	<10
S314186D		20	2.38	10	0.86	1360	<1	0.32	<1	1170	2	0.01	6	9	374	<10
S314187		20	1.89	10	0.88	1335	<1	0.27	<1	1010	<2	0.03	<5	7	608	<10
S314188		20	2.15	10	0.89	1315	<1	0.30	1	1110	<2	0.03	<5	8	682	<10
S314189		20	2.19	10	0.99	1000	<1	0.29	1	1120	<2	0.02	6	8	222	<10
S314190		20	2.98	10	0.68	993	4	0.15	66	1670	53	4.10	17	18	181	<10
S314191		20	1.78	10	1.22	1155	<1	0.25	<1	1060	<2	0.02	8	8	181	10
S314192		20	2.08	10	0.79	1125	<1	0.29	<1	1070	<2	0.01	<5	8	168	<10
S314193		20	2.07	10	0.93	1310	<1	0.30	<1	1110	<2	0.03	6	8	582	<10
S314194		20	1.52	10	1.76	1520	<1	0.25	<1	1080	<2	0.07	<5	9	366	<10
S314195		20	1.67	20	1.76	1630	<1	0.27	<1	1130	<2	0.06	5	9	301	10
S314196		20	1.83	10	1.56	1465	<1	0.32	<1	1190	<2	0.02	<5	9	206	<10
S314197		20	1.91	10	1.26	1430	<1	0.34	<1	1140	<2	0.09	<5	9	321	<10
S314198		20	1.72	10	1.47	1780	<1	0.28	2	1050	7	0.09	11	9	372	<10
S314199		20	1.79	20	1.48	1785	<1	0.31	<1	1070	6	0.17	6	9	335	<10
S314200		<10	0.01	<10	1.63	22	<1	<0.01	<1	30	2	0.05	<5	<1	4820	10
S314201		20	1.82	10	1.42	1655	<1	0.27	<1	1070	4	0.18	11	9	255	<10
S314202		20	1.97	10	1.33	1685	<1	0.29	1	1100	8	0.18	9	9	243	<10
S314203		20	2.25	10	1.15	1700	<1	0.35	<1	1190	4	0.31	8	9	338	10
S314204		20	1.70	10	1.55	1910	<1	0.27	1	1010	6	0.32	14	9	455	10
S314205		20	1.97	10	1.61	1915	<1	0.32	<1	1160	5	0.14	10	9	534	<10
S314206		20	1.86	10	1.43	2140	<1	0.28	<1	1070	7	0.03	7	9	454	10
S314206D		20	1.86	10	1.41	2100	<1	0.28	<1	1060	8	0.04	9	8	476	<10
S314207		20	1.86	10	1.57	1520	<1	0.29	1	1030	3	0.02	7	12	187	<10
S314208		20	2.42	10	1.58	1115	<1	0.45	3	1340	4	0.04	15	16	256	10
S314209		20	1.80	10	1.18	938	<1	0.32	1	990	4	0.01	10	13	164	10
S314210		10	3.80	10	0.56	1395	9	0.20	18	900	146	2.78	21	11	192	10
S314211		20	1.78	10	1.29	1120	3	0.43	<1	1070	3	0.03	10	14	218	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314174		<20	0.30	<10	<10	25	<10	66	
S314175		<20	0.35	<10	10	28	<10	67	
S314176		<20	0.58	<10	<10	86	<10	96	
S314177		<20	0.29	<10	10	21	10	72	
S314178		<20	0.30	<10	<10	41	10	83	
S314179		<20	0.29	<10	<10	50	<10	65	
S314180		<20	<0.01	<10	<10	1	<10	<2	
S314181		<20	0.31	<10	<10	91	<10	59	
S314182		<20	0.27	<10	10	72	<10	51	
S314183		<20	0.33	<10	10	116	<10	59	
S314184		<20	0.31	<10	10	134	<10	68	
S314185		<20	0.29	<10	10	148	<10	66	
S314186		<20	0.33	<10	<10	153	<10	60	
S314186D		<20	0.32	10	10	152	<10	60	
S314187		<20	0.27	<10	10	105	<10	60	
S314188		<20	0.30	<10	<10	99	<10	59	
S314189		<20	0.31	<10	<10	102	<10	61	
S314190		<20	0.34	<10	<10	177	<10	223	
S314191		<20	0.29	<10	<10	97	<10	69	
S314192		<20	0.29	<10	<10	84	<10	58	
S314193		<20	0.32	<10	10	71	<10	72	
S314194		<20	0.30	<10	<10	58	<10	88	
S314195		<20	0.32	<10	<10	45	<10	89	
S314196		<20	0.33	<10	<10	52	<10	83	
S314197		<20	0.32	<10	<10	60	<10	61	
S314198		<20	0.33	<10	<10	63	<10	83	
S314199		<20	0.34	<10	<10	65	<10	74	
S314200		<20	<0.01	<10	<10	1	<10	<2	
S314201		<20	0.34	<10	<10	66	<10	71	
S314202		<20	0.34	<10	<10	83	<10	70	
S314203		<20	0.37	10	<10	132	<10	62	
S314204		<20	0.31	<10	10	158	<10	79	
S314205		<20	0.37	<10	<10	182	<10	88	
S314206		<20	0.33	<10	<10	166	<10	80	
S314206D		<20	0.33	10	10	168	<10	79	
S314207		<20	0.46	<10	<10	258	<10	96	
S314208		<20	0.57	<10	<10	166	<10	97	
S314209		<20	0.41	<10	<10	148	<10	73	
S314210		<20	0.26	<10	<10	104	<10	467	
S314211		<20	0.47	<10	<10	129	<10	100	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314212		2.93	0.035		0.6	8.44	10	2080	1.2	<2	0.92	<0.5	16	5	27	4.50
S314213		3.33	0.013		<0.5	8.99	<5	2420	1.2	<2	0.64	<0.5	7	2	23	5.93
S314214		2.64	0.006		<0.5	8.31	<5	2550	1.2	<2	2.02	<0.5	8	2	12	5.58
S314215		3.46	0.050		<0.5	9.01	<5	3100	1.3	<2	0.91	<0.5	9	4	5	4.99
S314216		3.49	<0.005		<0.5	9.60	<5	2640	1.3	<2	0.59	<0.5	10	3	2	6.20
S314217		3.27	<0.005		<0.5	9.03	<5	2530	1.2	<2	1.95	<0.5	9	3	3	5.44
S314218		3.28	0.017		<0.5	9.73	32	2320	1.2	<2	0.37	<0.5	30	4	25	5.49
S314219		3.39	<0.005		<0.5	10.20	11	1890	1.1	<2	0.35	<0.5	11	4	14	7.29
S314220		0.45	<0.005		<0.5	0.05	<5	10	<0.5	4	34.9	<0.5	<1	<1	1	0.05
S314221		3.72	<0.005		<0.5	9.97	13	1960	0.9	<2	0.34	<0.5	11	4	18	6.80
S314222		3.49	0.094		<0.5	13.00	34	2860	1.4	<2	0.18	<0.5	10	16	36	2.84
S314223		3.57	0.018		<0.5	16.20	7	2700	1.3	<2	0.44	<0.5	4	16	19	1.23
S314224		4.07	0.078		1.3	8.66	93	430	0.8	<2	0.31	<0.5	30	28	42	3.26
S314225		3.50	0.022		<0.5	8.21	29	1390	0.9	<2	0.30	<0.5	9	24	14	1.25
S314226		3.87	0.017		<0.5	13.30	25	3200	1.5	<2	0.42	<0.5	11	15	17	1.13
S314226D		<0.02	0.015		<0.5	11.85	25	3160	1.4	<2	0.39	<0.5	11	15	17	1.08
S314227		4.08	0.028		0.5	9.56	62	880	1.0	<2	0.39	<0.5	19	22	36	2.54
S314228		2.98	0.006		<0.5	0.76	121	120	<0.5	<2	0.27	<0.5	1	24	19	0.87
S314229		3.22	0.007		<0.5	6.61	448	1230	0.8	<2	0.28	<0.5	5	21	30	1.09
S314230		0.13	>10.0	10.40	>100	5.75	351	900	0.9	<2	3.65	4.2	10	29	137	3.57
S314231		6.56	0.011		<0.5	5.45	90	1150	0.5	<2	0.26	<0.5	6	17	42	2.69
S314232		2.78	0.006		<0.5	11.60	87	2130	0.9	5	0.16	<0.5	8	9	15	2.03
S314233		3.39	0.012		1.6	11.15	203	180	0.9	5	0.11	<0.5	47	14	44	5.84
S314234		1.67	0.012		1.1	12.05	115	130	1.2	2	0.10	<0.5	41	9	60	6.06
S314235		2.74	<0.005		<0.5	13.00	26	3090	1.2	<2	0.13	<0.5	13	7	16	2.94
S314236		3.55	<0.005		<0.5	10.90	15	2400	1.0	<2	0.10	<0.5	7	6	25	3.81
S314237		1.00	<0.005		<0.5	12.65	11	2590	1.3	<2	0.18	<0.5	4	6	22	5.69
S314238		3.45	<0.005		<0.5	11.75	9	2550	1.1	2	0.04	<0.5	11	6	27	6.03
S314239		3.13	<0.005		<0.5	12.65	13	2910	1.3	2	0.11	<0.5	13	5	21	5.77
S314240		0.50	<0.005		<0.5	0.08	<5	20	<0.5	<2	35.9	<0.5	<1	<1	<1	0.05
S314241		3.08	0.007		<0.5	11.95	12	3060	1.6	2	0.20	<0.5	28	6	91	5.13
S314242		3.44	0.006		<0.5	11.95	10	3140	1.8	<2	0.18	<0.5	16	9	22	3.52
S314243		3.30	0.032		<0.5	11.85	14	2980	1.8	3	0.16	<0.5	14	10	31	4.34
S314244		3.36	0.059		<0.5	10.10	15	2350	1.4	2	0.10	<0.5	20	17	24	6.16
S314245		3.52	0.024		<0.5	10.95	17	2540	1.5	4	0.22	<0.5	13	8	17	6.90
S314246		3.21	0.034		<0.5	11.15	15	2940	1.4	<2	0.18	<0.5	9	19	30	4.81
S314246D		<0.02	0.041		<0.5	10.90	13	2940	1.5	4	0.18	<0.5	10	17	31	4.96
S314247		3.37	0.033		<0.5	10.85	10	2660	1.3	3	0.09	<0.5	11	24	21	5.89
S314248		3.40	0.043		<0.5	10.40	9	2870	1.2	3	0.15	<0.5	8	9	19	5.19
S314249		3.28	0.043		<0.5	11.40	23	3350	1.5	4	0.20	<0.5	15	11	20	5.90

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314212		20	1.85	10	1.10	981	2	0.39	2	900	13	0.01	7	13	180	<10
S314213		20	1.92	10	1.42	1265	<1	0.38	<1	1280	10	0.01	10	14	176	10
S314214		20	1.87	10	1.22	1615	<1	0.36	<1	1300	15	0.02	8	13	203	<10
S314215		20	2.34	10	1.00	1155	<1	0.45	<1	1370	25	0.50	7	14	195	<10
S314216		20	2.14	10	1.13	1150	<1	0.43	1	1520	31	0.28	8	14	191	<10
S314217		20	2.10	10	0.85	1590	<1	0.48	<1	1500	14	0.25	5	14	236	<10
S314218		20	2.06	10	0.71	689	1	0.62	1	1530	9	0.18	10	15	266	10
S314219		20	1.91	10	0.84	869	<1	0.65	<1	1350	37	0.41	8	15	271	10
S314220		<10	0.01	<10	1.78	22	<1	<0.01	1	40	<2	0.11	6	<1	4630	10
S314221		30	2.02	10	0.68	793	<1	0.71	<1	1350	8	0.40	7	15	259	<10
S314222		50	3.45	10	0.24	265	<1	1.35	6	310	14	1.00	13	20	471	<10
S314223		50	3.40	30	0.08	49	<1	1.67	1	1140	10	0.94	14	26	677	10
S314224		40	1.90	30	0.03	43	3	0.99	10	900	38	3.54	15	10	460	<10
S314225		60	1.26	30	0.03	67	3	1.03	4	680	14	0.84	7	8	438	<10
S314226		100	3.28	10	0.05	6	3	1.82	4	1230	16	1.34	11	12	607	10
S314226D		100	3.33	10	0.05	6	4	1.82	5	1280	14	1.35	7	10	555	<10
S314227		70	1.91	20	0.03	31	19	1.17	5	1250	36	2.79	11	9	480	<10
S314228		10	0.11	60	0.01	96	<1	0.08	<1	1210	7	0.21	5	5	67	<10
S314229		60	1.17	20	0.03	57	1	0.77	3	880	9	0.69	9	8	287	<10
S314230		10	3.45	10	0.46	1325	7	0.14	18	780	242	2.88	59	10	192	<10
S314231		50	0.79	20	0.12	222	2	0.55	2	810	35	1.11	<5	9	207	<10
S314232		50	2.64	<10	0.09	144	3	0.79	4	410	17	1.23	9	13	220	<10
S314233		50	2.63	10	0.05	62	28	0.82	9	260	64	6.34	21	7	245	<10
S314234		30	3.23	<10	0.06	41	9	1.08	8	140	50	6.91	16	17	289	<10
S314235		30	3.72	10	0.18	193	<1	0.98	4	430	14	0.99	5	24	295	<10
S314236		20	2.85	10	0.26	301	<1	0.68	3	330	7	0.38	<5	16	214	<10
S314237		20	3.04	10	0.40	489	<1	0.78	3	750	2	0.08	5	17	234	<10
S314238		20	2.94	10	0.42	498	<1	0.64	3	110	5	0.35	7	15	192	<10
S314239		20	3.34	10	0.42	488	<1	0.68	4	410	<2	0.45	7	17	192	<10
S314240		<10	0.02	<10	1.58	17	<1	0.01	<1	20	<2	0.07	<5	<1	4890	<10
S314241		20	3.52	10	0.46	530	<1	0.69	7	710	9	1.31	<5	12	189	<10
S314242		20	3.56	10	0.36	386	<1	0.70	2	690	4	0.49	<5	10	207	<10
S314243		20	3.25	10	0.40	464	<1	0.67	4	570	6	0.41	8	15	209	<10
S314244		20	2.53	10	0.53	598	<1	0.47	4	320	8	1.19	<5	18	155	<10
S314245		20	2.67	10	0.64	750	<1	0.49	2	780	9	0.54	6	15	167	<10
S314246		20	3.04	10	0.49	565	<1	0.50	5	640	<2	0.10	6	20	157	<10
S314246D		20	3.06	10	0.49	588	<1	0.50	5	670	7	0.10	8	19	155	<10
S314247		20	2.80	10	0.60	681	<1	0.46	5	290	4	0.13	<5	18	151	<10
S314248		20	2.92	10	0.52	616	<1	0.42	3	540	6	0.11	<5	14	142	<10
S314249		20	3.31	<10	0.54	615	<1	0.48	5	840	8	0.60	<5	16	162	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314212		<20	0.40	10	<10	126	<10	90	
S314213		<20	0.51	10	<10	117	<10	123	
S314214		<20	0.50	<10	<10	112	<10	109	
S314215		<20	0.47	<10	<10	135	<10	91	
S314216		<20	0.49	<10	<10	145	<10	121	
S314217		<20	0.49	10	<10	136	<10	114	
S314218		<20	0.50	10	<10	142	<10	115	
S314219		<20	0.53	10	<10	136	<10	148	
S314220		<20	<0.01	<10	<10	1	<10	<2	
S314221		<20	0.53	<10	<10	142	<10	127	
S314222		<20	0.63	<10	<10	205	<10	41	
S314223		<20	0.66	<10	<10	202	<10	8	
S314224		20	0.96	<10	<10	115	<10	19	
S314225		<20	0.98	<10	<10	113	<10	4	
S314226		<20	0.65	10	<10	168	<10	6	
S314226D		<20	0.66	<10	<10	171	<10	6	
S314227		<20	0.67	<10	<10	151	<10	7	
S314228		30	0.61	<10	<10	38	<10	8	
S314229		<20	0.86	<10	<10	103	<10	8	
S314230		<20	0.23	<10	10	94	<10	468	132
S314231		20	1.02	<10	20	83	<10	38	
S314232		<20	0.28	<10	<10	104	<10	23	
S314233		<20	0.45	<10	<10	134	<10	25	
S314234		<20	0.39	<10	<10	198	<10	26	
S314235		<20	0.46	<10	<10	172	<10	52	
S314236		<20	0.40	<10	<10	130	<10	77	
S314237		<20	0.52	<10	<10	148	<10	125	
S314238		<20	0.43	<10	<10	133	<10	128	
S314239		<20	0.46	<10	<10	165	<10	118	
S314240		<20	<0.01	<10	<10	1	<10	<2	
S314241		<20	0.42	<10	<10	134	<10	98	
S314242		<20	0.30	<10	<10	86	<10	74	
S314243		<20	0.38	<10	<10	125	<10	91	
S314244		<20	0.42	<10	<10	134	<10	116	
S314245		<20	0.41	<10	<10	141	<10	140	
S314246		<20	0.43	<10	<10	135	<10	106	
S314246D		<20	0.43	<10	<10	136	<10	110	
S314247		<20	0.44	<10	<10	143	<10	125	
S314248		<20	0.41	<10	<10	120	<10	102	
S314249		<20	0.47	<10	<10	147	<10	104	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314250		0.14	5.72		84.9	6.53	300	1070	1.0	<2	2.03	23.3	13	23	122	4.91
S314251		3.03	0.019		<0.5	9.33	14	2690	0.9	<2	0.10	<0.5	10	10	18	5.31
S314252		3.72	0.023		<0.5	10.35	18	2870	1.0	3	0.25	<0.5	17	8	20	6.85
S314253		3.38	0.063		<0.5	11.25	17	3370	1.3	<2	0.25	<0.5	16	7	23	4.98
S314254		3.17	0.046		<0.5	9.61	33	3090	1.1	4	0.15	<0.5	27	8	47	3.59
S314255		3.25	0.012		<0.5	9.89	18	2870	0.9	<2	0.26	<0.5	11	10	16	4.88
S314256		3.65	0.092		0.9	9.13	13	2700	1.0	<2	0.14	<0.5	6	6	13	3.75
S314257		3.00	0.121		0.9	11.20	21	3210	1.3	3	0.15	<0.5	10	15	27	4.33
S314258		3.24	0.282		0.5	10.45	14	2720	1.1	2	0.12	<0.5	9	7	25	5.36
S314259		3.09	0.227		1.2	11.05	15	2790	1.2	3	0.10	<0.5	9	7	19	5.49
S314260		0.55	<0.005		<0.5	0.16	<5	10	<0.5	<2	35.4	<0.5	<1	<1	<1	0.13
S314261		3.16	5.52		6.8	9.27	<5	2330	0.9	<2	0.13	<0.5	2	6	19	3.86
S314262		3.01	0.124		1.3	10.30	13	2510	1.0	2	0.22	<0.5	4	10	23	4.40
S314263		3.56	0.109		1.3	9.29	16	2020	0.9	5	0.17	<0.5	2	6	21	5.20
S314264		3.74	0.566		1.8	9.41	20	980	0.9	5	0.24	<0.5	2	7	25	4.35
S314265		2.33	0.341		1.7	10.40	45	910	1.2	4	0.40	1.0	6	8	28	2.80
S314266		3.81	<0.005		<0.5	6.94	7	2990	1.7	4	6.03	0.5	29	136	33	7.74
S314266D		<0.02	<0.005		<0.5	7.09	9	3070	1.7	2	6.17	0.7	31	133	29	7.87
S314267		4.49	<0.005		<0.5	6.96	11	3010	1.7	<2	6.06	0.7	33	133	27	7.92
S314268		3.30	0.112		2.2	9.23	84	290	1.1	7	0.26	<0.5	4	7	27	5.59
S314269		3.54	0.075		0.9	9.40	40	270	1.0	2	0.12	<0.5	6	8	28	4.18
S314270		0.11	>10.0	19.00	21.1	7.12	796	1360	1.4	3	2.80	2.0	17	101	136	4.96
S314271		3.25	0.083		0.7	9.10	40	260	0.9	4	0.06	<0.5	3	7	27	4.26
S314272		3.31	0.131		0.5	9.11	24	210	1.0	<2	0.11	0.6	5	7	35	4.20
S314273		3.22	0.231		0.5	9.39	36	200	1.0	4	0.32	1.2	4	7	41	5.48

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314250		10	3.84	10	0.50	1230	10	0.24	14	1010	8910	3.16	75	13	150	<10
S314251		20	2.55	10	0.55	628	<1	0.31	4	380	12	0.21	<5	13	113	<10
S314252		20	2.72	10	0.68	756	<1	0.35	4	1080	18	0.57	<5	14	125	<10
S314253		20	3.40	10	0.53	534	<1	0.43	3	1050	30	0.71	5	16	140	<10
S314254		20	3.14	10	0.35	365	2	0.35	4	630	125	1.10	<5	13	114	<10
S314255		20	2.98	10	0.62	751	<1	0.28	4	760	83	0.07	<5	14	93	<10
S314256		20	2.88	10	0.48	428	<1	0.29	2	580	45	0.54	7	12	97	<10
S314257		20	3.68	10	0.50	440	<1	0.38	4	620	28	1.03	6	17	134	<10
S314258		20	3.20	10	0.62	560	<1	0.30	4	450	13	1.15	8	18	113	<10
S314259		20	3.42	10	0.73	641	<1	0.33	4	350	11	0.79	9	15	113	<10
S314260		<10	0.01	<10	2.12	20	<1	<0.01	<1	30	3	0.09	<5	<1	4370	10
S314261		20	3.04	10	0.61	470	<1	0.25	1	420	48	0.76	5	13	85	<10
S314262		20	3.60	10	0.65	457	<1	0.27	1	890	42	1.68	5	15	180	<10
S314263		20	2.95	10	0.83	615	<1	0.22	1	690	29	1.74	8	13	76	<10
S314264		20	3.22	10	0.78	520	<1	0.23	<1	1000	65	1.90	<5	14	99	<10
S314265		20	4.30	10	0.45	188	3	0.29	4	470	77	2.46	10	15	133	<10
S314266		20	1.90	60	3.74	1175	2	2.21	68	3550	23	0.16	13	21	1260	<10
S314266D		20	1.95	60	3.82	1195	2	2.27	66	3640	18	0.16	10	22	1300	<10
S314267		20	1.88	60	3.84	1200	2	2.25	68	3620	21	0.20	9	22	1300	<10
S314268		20	3.80	10	0.34	104	3	0.21	1	960	212	6.30	10	11	71	<10
S314269		20	3.92	10	0.29	89	2	0.23	2	470	103	4.65	5	12	63	<10
S314270		10	3.06	20	0.72	1015	7	0.16	68	1700	58	4.22	22	20	192	10
S314271		20	3.70	10	0.27	78	1	0.22	1	220	69	4.80	6	11	53	<10
S314272		20	3.69	10	0.26	81	5	0.22	1	480	39	4.75	11	11	53	<10
S314273		20	3.88	10	0.26	69	6	0.22	1	1520	51	6.34	7	12	57	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314250		<20	0.26	<10	<10	129	<10	1950	
S314251		<20	0.35	<10	<10	110	<10	98	
S314252		<20	0.39	<10	<10	127	<10	122	
S314253		<20	0.44	<10	<10	159	<10	86	
S314254		<20	0.37	<10	<10	154	<10	57	
S314255		<20	0.39	<10	<10	155	<10	106	
S314256		<20	0.34	<10	<10	134	<10	75	
S314257		<20	0.49	<10	<10	156	<10	90	
S314258		<20	0.40	<10	<10	123	10	113	
S314259		<20	0.42	<10	<10	126	<10	106	
S314260		<20	0.01	<10	<10	1	<10	<2	
S314261		<20	0.34	<10	<10	128	<10	73	
S314262		<20	0.44	<10	<10	147	<10	56	
S314263		<20	0.35	<10	<10	125	<10	71	
S314264		<20	0.37	<10	<10	126	<10	58	
S314265		<20	0.42	<10	<10	152	<10	135	
S314266		20	1.12	<10	<10	196	<10	167	
S314266D		20	1.14	<10	<10	200	<10	163	
S314267		20	1.13	<10	<10	198	<10	159	
S314268		<20	0.33	<10	<10	112	<10	159	
S314269		<20	0.33	<10	<10	97	10	145	
S314270		<20	0.35	<10	<10	183	10	232	
S314271		<20	0.32	<10	<10	117	10	109	
S314272		<20	0.33	<10	<10	107	<10	106	
S314273		<20	0.35	<10	<10	115	<10	98	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149055

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

CERTIFICATE TR15149056

Project: Bowser Regional Exploration

P.O. No.: BOW-0109

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 30-SEP-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212401		2.58	0.014		<0.5	9.33	1630	2180	1.2	<2	0.73	<0.5	10	4	26	2.19
S212402		6.44	0.056		<0.5	9.07	2370	1750	1.2	2	1.59	<0.5	7	3	11	1.98
S212403		4.60	0.008		<0.5	9.78	238	1850	1.4	2	1.56	<0.5	7	4	27	2.39
S212404		6.25	0.052		2.0	8.85	204	590	1.2	4	3.40	<0.5	7	4	28	3.61
S212405		5.54	0.019		<0.5	8.37	171	650	1.2	4	4.06	<0.5	6	3	12	2.72
S212406		6.82	0.057		0.5	8.97	136	350	1.3	<2	2.89	1.1	7	3	17	3.03
S212406D		<0.02	0.059		0.5	8.69	139	340	1.3	<2	2.72	1.3	7	4	18	3.09
S212407		6.32	0.175		0.7	7.84	158	380	1.2	3	4.52	<0.5	8	5	16	3.25
S212408		7.08	0.012		0.5	8.38	82	2050	1.1	<2	3.97	<0.5	7	5	15	3.02
S212409		6.10	0.006		<0.5	8.73	77	2690	1.0	3	4.02	<0.5	10	5	19	3.41
S212410		0.13	0.954		12.5	6.44	328	1130	1.0	<2	3.71	4.6	10	28	86	4.01
S212411		6.26	0.007		<0.5	8.35	58	2440	1.0	3	3.05	<0.5	7	5	21	3.42
S212412		6.42	0.009		<0.5	8.82	62	2750	1.0	4	1.34	<0.5	8	5	22	3.49
S212413		7.37	0.030		0.5	8.88	98	1830	1.1	2	2.95	<0.5	9	6	24	3.35
S212414		6.70	0.081		0.5	8.36	139	590	1.3	<2	4.57	<0.5	6	3	19	2.63
S212415		6.04	0.043		<0.5	8.06	110	460	1.2	<2	4.22	<0.5	7	3	18	3.27
S212416		6.08	0.012		<0.5	8.70	68	1130	1.2	2	4.26	<0.5	6	3	15	3.05
S212417		5.68	0.009		<0.5	8.95	63	2560	1.2	3	3.93	<0.5	5	3	13	2.92
S212418		4.92	0.012		<0.5	8.58	83	1870	1.2	2	4.74	<0.5	4	3	15	2.82
S212419		6.11	0.013		<0.5	8.74	68	1560	1.2	3	4.44	<0.5	7	4	17	3.01
S212420		0.57	<0.005		<0.5	0.09	<5	30	<0.5	<2	35.3	<0.5	<1	1	<1	0.06
S212421		5.48	0.018		<0.5	9.27	59	1870	1.3	<2	3.95	<0.5	6	3	19	3.45
S212422		6.66	0.055		1.1	8.07	69	360	1.3	2	4.57	<0.5	5	3	19	3.81
S212423		5.65	0.025		<0.5	5.35	70	950	0.7	2	20.4	<0.5	3	2	10	2.37
S212424		5.53	0.039		0.5	8.04	93	810	1.1	3	5.04	<0.5	8	5	13	3.19
S212425		6.38	0.098		0.9	7.94	163	420	1.2	<2	5.84	<0.5	8	4	12	3.73
S212426		6.14	0.047		<0.5	6.90	95	460	1.2	<2	3.94	<0.5	6	3	17	3.04
S212426D		<0.02	0.041		<0.5	7.15	94	450	1.2	<2	4.05	<0.5	6	3	16	3.04
S212427		6.83	0.017		<0.5	7.98	63	1210	1.2	3	4.02	<0.5	8	6	16	3.25
S212428		6.77	<0.005		<0.5	8.17	50	2570	1.0	<2	3.82	<0.5	9	5	17	3.41
S212429		6.72	0.006		<0.5	8.28	32	2410	1.1	4	4.91	<0.5	7	8	23	3.43
S212430		0.13	>10.0	10.70	>100	5.68	365	850	0.9	3	3.59	4.2	10	30	141	3.52
S212431		6.89	0.006		<0.5	7.72	25	2360	1.0	2	4.56	<0.5	6	8	16	2.82
S212432		7.08	0.008		<0.5	7.89	46	2280	1.0	4	3.53	<0.5	7	5	21	3.28
S212433		6.66	0.007		<0.5	7.48	34	2320	1.0	<2	4.38	<0.5	7	5	18	3.01
S212434		6.56	0.008		<0.5	8.03	49	2530	1.1	<2	4.20	<0.5	8	7	18	3.38
S212435		6.58	0.050		<0.5	7.76	103	890	1.1	<2	3.53	<0.5	7	6	12	2.70
S212436		6.34	0.053		<0.5	7.65	95	2200	0.9	<2	4.74	<0.5	8	5	11	2.68
S212437		5.81	0.005		<0.5	8.49	42	2180	1.1	<2	3.49	<0.5	6	4	14	3.59
S212438		6.28	0.012		<0.5	7.07	57	1470	1.0	<2	7.53	<0.5	7	4	13	2.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212401		20	3.90	10	0.59	636	1	0.19	3	920	6	1.40	13	9	81	<20
S212402		20	3.75	<10	0.53	357	2	0.20	1	920	<2	1.68	21	9	101	<20
S212403		20	3.75	20	0.87	460	1	0.26	<1	1000	2	1.78	21	9	120	<20
S212404		20	3.43	10	0.77	725	2	0.21	<1	900	17	3.09	19	9	137	<20
S212405		20	3.28	10	0.80	841	<1	0.19	<1	860	8	2.33	16	8	152	<20
S212406		20	3.86	10	0.36	734	<1	0.22	<1	970	15	3.28	22	9	126	<20
S212406D		20	3.73	10	0.35	700	1	0.22	1	930	15	3.26	19	9	122	<20
S212407		20	3.24	10	0.75	866	1	0.22	2	870	40	3.06	16	10	200	<20
S212408		20	2.87	10	1.31	973	<1	0.20	3	830	72	1.70	13	11	184	<20
S212409		20	2.72	10	1.74	1185	1	0.19	2	880	29	0.94	12	11	180	<20
S212410		10	3.97	10	0.58	1445	9	0.21	21	980	158	2.97	23	12	205	<20
S212411		20	2.65	20	1.48	1015	1	0.21	3	840	24	1.29	12	11	147	<20
S212412		20	2.69	10	1.68	918	1	0.30	3	890	15	0.81	12	11	122	<20
S212413		20	3.17	20	1.16	856	<1	0.20	3	870	42	2.15	16	11	156	<20
S212414		20	3.51	10	0.78	846	1	0.22	<1	930	28	2.18	18	8	199	<20
S212415		20	3.26	10	0.81	772	1	0.21	<1	860	19	2.76	15	8	180	<20
S212416		20	3.20	10	1.01	864	<1	0.32	<1	890	12	1.80	11	8	209	<20
S212417		20	3.08	10	1.13	924	1	0.34	<1	870	7	1.11	9	9	191	<20
S212418		20	3.18	10	0.98	941	1	0.22	1	890	8	1.60	15	8	226	<20
S212419		20	3.13	10	1.04	861	1	0.22	<1	890	10	1.71	14	8	197	<20
S212420		<10	0.03	<10	1.81	41	<1	<0.01	<1	40	<2	0.08	<5	<1	4950	<20
S212421		20	3.22	20	1.14	806	1	0.22	<1	920	9	2.04	19	9	187	<20
S212422		20	3.49	10	0.44	638	1	0.23	<1	870	30	3.89	17	8	185	<20
S212423		10	2.09	10	0.41	2100	<1	0.13	<1	540	8	2.23	9	6	826	<20
S212424		20	3.09	10	1.00	940	1	0.20	1	890	9	2.03	14	10	222	<20
S212425		20	3.27	10	0.76	1010	1	0.21	<1	870	13	3.19	13	9	251	<20
S212426		20	3.10	10	0.47	629	1	0.21	1	800	11	2.67	14	7	182	<20
S212426D		20	3.25	10	0.48	645	1	0.22	<1	840	9	2.75	11	7	187	<20
S212427		20	2.92	10	0.95	803	2	0.20	2	870	6	1.87	15	9	196	<20
S212428		20	2.66	10	1.27	901	<1	0.32	3	840	6	1.09	14	10	201	<20
S212429		20	2.73	10	1.20	962	<1	0.35	2	850	6	1.51	15	11	222	<20
S212430		10	3.52	10	0.45	1315	8	0.15	21	820	238	2.97	60	10	196	<20
S212431		20	2.47	10	1.13	924	<1	0.64	2	810	3	0.78	15	10	214	<20
S212432		20	2.51	10	1.16	871	<1	0.66	2	850	44	1.38	8	10	201	<20
S212433		20	2.44	10	1.15	962	<1	0.70	1	840	7	1.12	7	10	220	<20
S212434		20	2.70	10	1.39	991	1	0.22	1	850	5	1.23	8	10	196	<20
S212435		20	3.14	10	0.69	648	1	0.19	2	840	13	1.97	12	10	177	<20
S212436		20	2.76	10	0.98	876	1	0.19	1	780	4	1.27	10	10	192	<20
S212437		20	2.77	10	1.46	1015	<1	0.23	<1	850	<2	0.78	14	10	179	<20
S212438		10	2.71	10	0.82	1110	1	0.18	2	740	8	1.78	13	8	231	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212401		0.29	<10	<10	79	<10	19	
S212402		0.29	<10	<10	80	<10	14	
S212403		0.33	<10	<10	85	<10	29	
S212404		0.31	<10	10	79	<10	28	
S212405		0.29	<10	<10	73	<10	33	
S212406		0.32	10	<10	83	<10	83	
S212406D		0.31	<10	<10	80	<10	98	
S212407		0.30	<10	<10	101	<10	96	
S212408		0.30	<10	10	99	<10	155	
S212409		0.31	<10	<10	103	<10	78	
S212410		0.26	<10	<10	112	10	497	
S212411		0.28	<10	<10	98	<10	62	
S212412		0.30	<10	<10	104	<10	88	
S212413		0.29	<10	<10	102	<10	65	
S212414		0.30	<10	<10	79	<10	43	
S212415		0.26	<10	<10	73	<10	35	
S212416		0.30	10	10	77	<10	35	
S212417		0.30	<10	<10	76	<10	30	
S212418		0.31	<10	10	79	<10	25	
S212419		0.30	<10	<10	76	<10	26	
S212420		<0.01	<10	<10	1	<10	39	
S212421		0.32	<10	<10	79	<10	38	
S212422		0.30	<10	10	76	<10	29	
S212423		0.19	<10	<10	46	<10	14	
S212424		0.32	<10	10	104	<10	27	
S212425		0.31	<10	<10	94	<10	28	
S212426		0.27	<10	<10	69	<10	25	
S212426D		0.28	<10	<10	71	<10	24	
S212427		0.30	<10	<10	90	<10	44	
S212428		0.29	<10	<10	96	<10	27	
S212429		0.28	<10	<10	95	10	26	
S212430		0.23	<10	<10	96	10	492	135
S212431		0.28	<10	10	94	<10	30	
S212432		0.30	<10	<10	96	<10	43	
S212433		0.30	<10	<10	98	<10	50	
S212434		0.30	10	<10	98	<10	33	
S212435		0.30	<10	10	100	<10	23	
S212436		0.27	<10	<10	87	<10	19	
S212437		0.30	<10	10	85	<10	29	
S212438		0.27	<10	10	81	<10	15	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212439		5.96	0.013		<0.5	8.16	56	2170	1.0	<2	4.16	<0.5	7	5	17	3.11
S212440		0.51	<0.005		<0.5	0.04	<5	10	<0.5	<2	33.4	<0.5	<1	<1	<1	0.03
S212441		6.05	0.012		<0.5	8.02	133	720	1.1	5	3.62	<0.5	8	5	21	3.17
S212442		6.04	0.015		<0.5	7.78	107	1200	1.0	<2	3.82	<0.5	7	6	16	2.84
S212443		5.84	0.061		<0.5	8.09	195	630	1.1	<2	4.53	<0.5	9	6	28	3.59
S212444		5.73	0.040		<0.5	6.81	424	580	1.0	<2	4.96	<0.5	6	5	18	2.79
S212445		5.86	0.006		<0.5	8.27	852	2100	1.0	<2	4.27	<0.5	7	5	16	3.07
S212446		5.99	0.037		<0.5	7.64	1950	1350	1.1	3	3.68	<0.5	9	5	22	2.67
S212446D		<0.02	0.035		<0.5	7.57	1880	1240	1.0	2	3.62	<0.5	9	5	24	2.72
S212447		4.64	0.023		0.5	7.26	219	2070	1.1	<2	6.81	<0.5	6	4	23	2.75
S212448		6.67	0.010		<0.5	8.07	253	1940	1.0	<2	4.54	<0.5	10	5	21	3.14
S212449		5.94	<0.005		<0.5	8.07	331	1530	1.1	<2	4.58	<0.5	11	4	29	3.80
S212450		0.13	5.55		86.3	6.48	300	1510	1.0	<2	2.01	23.4	10	23	124	4.80
S212451		6.11	0.006		<0.5	8.10	37	1910	1.1	2	4.84	<0.5	5	3	15	2.96
S212452		6.98	0.005		<0.5	8.22	37	1970	1.2	<2	4.11	<0.5	7	3	17	3.42
S212453		6.39	0.006		<0.5	7.90	34	1920	1.1	<2	3.64	<0.5	6	2	12	2.86
S212454		5.90	0.020		<0.5	7.00	88	2230	1.2	<2	5.06	<0.5	5	3	15	2.28
S212455		7.04	0.005		<0.5	7.84	27	1840	1.0	<2	4.12	<0.5	5	3	7	3.35
S212456		6.02	0.012		<0.5	8.03	51	2270	1.1	<2	5.08	<0.5	7	12	22	3.33
S212457		6.22	0.009		<0.5	8.36	54	1350	1.1	<2	4.05	<0.5	8	6	14	3.49
S212458		6.22	0.012		<0.5	8.42	106	2240	1.0	<2	4.51	<0.5	6	5	19	3.51
S212459		6.33	0.032		<0.5	7.26	243	1360	1.0	3	4.58	<0.5	11	5	10	2.48
S212460		0.48	<0.005		<0.5	0.35	<5	10	<0.5	<2	33.1	<0.5	<1	1	4	0.27
S212461		6.21	0.026		<0.5	7.78	402	990	1.0	<2	3.28	<0.5	11	5	10	2.64
S212462		6.12	0.048		0.5	7.87	172	820	1.0	<2	3.77	<0.5	8	5	14	3.25
S212463		6.06	0.143		<0.5	7.21	591	420	1.0	<2	3.98	<0.5	8	5	15	3.99
S212464		5.77	0.035		<0.5	7.50	274	1530	1.0	<2	6.15	<0.5	9	4	20	3.69
S212465		5.77	0.007		<0.5	7.40	61	1870	1.0	<2	4.74	<0.5	8	5	16	2.97
S212466		6.55	0.028		0.7	7.16	152	1580	1.1	<2	4.33	<0.5	8	5	19	3.11
S212466D		<0.02	0.030		0.6	7.39	144	1790	1.0	<2	4.84	<0.5	7	5	18	3.19
S212467		5.89	0.018		<0.5	7.53	119	2090	1.1	3	3.86	<0.5	8	5	18	3.11
S212468		6.11	0.129		1.5	6.32	296	280	1.1	<2	5.31	<0.5	8	4	24	3.85
S212469		6.10	0.099		1.0	7.03	285	450	1.1	<2	3.84	<0.5	8	5	23	3.67
S212470		0.11	>10.0	19.25	17.4	6.73	769	1080	1.3	3	2.70	2.0	17	103	128	4.75
S212471		6.42	0.011		<0.5	7.83	84	2050	1.0	3	3.28	<0.5	10	5	22	3.42
S212472		6.00	0.032		0.6	8.57	115	2350	1.1	<2	4.03	<0.5	7	5	18	3.54
S212473		5.65	0.717		1.7	7.57	784	550	1.2	<2	3.47	<0.5	9	6	20	3.26
S212474		6.97	0.211		1.4	8.48	606	1160	1.3	4	3.01	<0.5	7	5	19	3.69
S212475		6.40	0.005		<0.5	7.75	18	1900	1.0	2	3.76	<0.5	8	5	15	3.50
S212476		6.37	0.005		<0.5	7.64	21	1770	1.0	<2	3.96	0.8	8	5	19	3.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212439		20	2.70	10	1.28	732	<1	0.22	2	820	3	1.56	10	10	197	<20
S212440		<10	0.01	<10	1.81	16	<1	<0.01	<1	40	<2	0.08	<5	<1	4880	<20
S212441		20	2.97	10	1.01	550	1	0.23	2	830	5	2.44	8	10	192	<20
S212442		20	2.97	10	1.14	598	1	0.22	2	860	9	1.97	11	12	192	<20
S212443		20	3.23	10	0.79	655	<1	0.22	3	870	5	3.31	18	11	211	<20
S212444		20	2.87	10	0.64	713	<1	0.19	1	770	3	2.34	17	9	206	<20
S212445		20	2.79	10	1.42	815	<1	0.19	1	820	3	1.08	5	10	195	<20
S212446		20	3.13	10	0.82	577	1	0.21	2	840	6	1.98	10	10	176	<20
S212446D		20	3.10	10	0.81	563	1	0.21	2	850	5	2.01	16	10	174	<20
S212447		20	2.62	10	1.05	1180	1	0.30	2	810	6	1.21	17	9	249	<20
S212448		20	2.82	10	1.11	936	1	0.56	1	870	<2	0.74	15	10	207	<20
S212449		20	2.24	10	1.23	997	<1	1.39	1	870	17	0.87	15	10	323	<20
S212450		10	3.82	10	0.50	1240	9	0.23	17	1000	9150	3.14	83	13	155	<20
S212451		20	2.75	10	0.92	942	1	0.86	<1	850	13	0.72	10	8	229	<20
S212452		20	2.78	10	1.08	1110	1	0.73	<1	880	4	0.61	10	9	219	<20
S212453		20	2.58	10	1.00	974	1	0.97	<1	850	5	0.60	14	7	221	<20
S212454		20	3.18	10	0.60	884	<1	0.22	1	840	4	1.42	12	6	220	<20
S212455		20	2.49	10	1.01	1235	1	1.18	<1	860	3	0.66	10	7	221	<20
S212456		20	2.77	10	1.08	1265	<1	0.45	5	840	10	1.34	10	10	227	<20
S212457		20	3.07	10	1.03	980	1	0.17	1	870	9	2.11	13	11	182	<20
S212458		20	2.88	10	1.32	1115	1	0.17	<1	850	6	1.60	13	11	189	<20
S212459		20	3.18	10	0.82	834	1	0.17	2	850	7	2.02	17	9	171	<20
S212460		<10	0.02	<10	2.24	55	<1	0.08	<1	80	<2	0.15	5	1	5110	<20
S212461		20	3.24	10	0.89	687	<1	0.16	2	850	5	2.07	9	10	149	<20
S212462		10	3.13	10	1.00	835	<1	0.15	1	820	15	2.55	8	10	145	<20
S212463		20	3.07	10	0.88	891	1	0.13	2	830	9	3.25	12	9	142	<20
S212464		10	2.88	10	1.12	1545	1	0.14	1	780	10	2.05	15	9	174	<20
S212465		20	3.00	10	1.18	1345	1	0.29	1	860	5	0.99	14	9	180	<20
S212466		20	3.20	10	0.96	1165	<1	0.15	1	830	9	1.87	5	9	152	<20
S212466D		10	3.11	10	1.01	1250	1	0.15	3	810	8	1.88	15	9	164	<20
S212467		20	3.28	10	1.20	1270	1	0.13	2	840	8	1.34	11	9	135	<20
S212468		10	3.27	10	0.46	1075	1	0.12	2	760	18	3.94	27	8	172	<20
S212469		20	3.41	10	0.72	1065	1	0.15	1	820	35	3.03	19	9	155	<20
S212470		10	2.91	20	0.69	970	6	0.15	64	1620	59	4.05	22	19	181	<20
S212471		20	3.04	10	1.20	1250	1	0.50	1	840	9	1.44	13	10	147	<20
S212472		20	3.18	10	1.33	1240	1	0.27	1	860	7	1.61	9	11	173	<20
S212473		20	3.42	10	0.81	886	<1	0.12	3	850	16	2.47	19	10	168	<20
S212474		20	3.21	10	1.12	1075	1	0.37	3	870	12	1.94	18	11	153	<20
S212475		20	2.13	10	1.29	1410	1	1.55	1	850	4	0.17	10	10	339	<20
S212476		20	1.76	10	1.10	1340	1	2.27	2	840	15	0.77	12	10	412	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212439		0.29	<10	<10	95	<10	17	
S212440		<0.01	<10	<10	1	<10	<2	
S212441		0.29	<10	10	98	<10	13	
S212442		0.32	<10	<10	111	<10	16	
S212443		0.32	<10	10	104	<10	15	
S212444		0.28	10	<10	93	<10	11	
S212445		0.29	<10	10	96	<10	18	
S212446		0.30	<10	10	101	<10	11	
S212446D		0.30	<10	<10	101	<10	10	
S212447		0.28	<10	<10	89	10	22	
S212448		0.32	<10	10	94	<10	33	
S212449		0.31	<10	<10	94	<10	39	
S212450		0.27	<10	<10	128	10	1925	
S212451		0.31	<10	<10	75	<10	27	
S212452		0.32	<10	<10	83	<10	29	
S212453		0.30	<10	10	71	<10	25	
S212454		0.30	<10	<10	71	<10	16	
S212455		0.30	<10	<10	72	<10	30	
S212456		0.36	<10	10	96	<10	31	
S212457		0.31	<10	10	98	<10	29	
S212458		0.30	<10	<10	98	<10	29	
S212459		0.30	<10	10	95	<10	13	
S212460		0.04	<10	<10	13	<10	5	
S212461		0.30	<10	<10	98	<10	12	
S212462		0.28	<10	<10	94	<10	34	
S212463		0.29	<10	<10	94	<10	21	
S212464		0.28	<10	<10	90	<10	29	
S212465		0.30	<10	<10	97	<10	35	
S212466		0.30	<10	10	97	<10	28	
S212466D		0.29	<10	<10	94	<10	28	
S212467		0.30	<10	<10	99	<10	39	
S212468		0.28	<10	10	91	<10	22	
S212469		0.29	<10	10	96	10	35	
S212470		0.35	10	<10	176	<10	211	
S212471		0.30	<10	<10	99	<10	35	
S212472		0.32	<10	10	100	<10	39	
S212473		0.32	<10	<10	100	<10	58	
S212474		0.32	<10	10	101	<10	91	
S212475		0.31	<10	<10	100	<10	69	
S212476		0.30	<10	<10	98	<10	169	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212477		5.60	0.006		<0.5	7.51	62	1730	1.0	<2	4.12	<0.5	8	4	16	3.27
S212478		5.65	<0.005		<0.5	7.92	25	2070	1.1	<2	3.13	<0.5	7	5	19	3.61
S212479		6.18	0.016		0.6	8.15	104	2070	1.2	3	2.70	<0.5	8	5	20	3.42
S212480		0.43	<0.005		<0.5	0.08	<5	20	<0.5	<2	35.1	<0.5	<1	1	<1	0.05
S212481		6.72	0.030		0.7	8.41	138	1240	1.2	<2	3.46	<0.5	7	5	25	3.48
S212482		7.00	0.010		<0.5	7.83	42	2260	1.1	2	3.74	<0.5	7	5	19	3.25
S212483		6.69	<0.005		<0.5	7.60	33	1890	1.0	<2	3.37	<0.5	8	6	22	3.43
S212484		6.48	<0.005		<0.5	7.83	162	1400	1.0	3	3.41	<0.5	10	7	23	3.72
S212485		6.58	<0.005		<0.5	7.38	149	2080	0.9	<2	3.40	<0.5	9	5	17	3.18
S212486		6.15	<0.005		<0.5	7.86	43	1870	1.0	2	3.04	0.6	10	5	24	3.63
S212486D		<0.02	<0.005		<0.5	7.61	32	1780	0.9	<2	3.03	<0.5	10	5	21	3.42
S212487		5.44	<0.005		<0.5	7.75	62	1950	1.0	<2	3.14	<0.5	7	54	24	3.29
S212488		6.39	<0.005		<0.5	7.63	69	800	1.1	<2	3.31	<0.5	7	5	17	3.51
S212489		5.41	<0.005		<0.5	7.82	141	1640	1.1	3	3.20	<0.5	9	55	28	3.31
S212490		0.13	0.919		13.9	6.00	308	740	1.0	<2	3.52	4.3	10	27	84	3.79
S212491		5.77	<0.005		<0.5	7.84	28	2420	1.1	3	4.02	<0.5	7	6	24	2.59
S212492		4.75	<0.005		<0.5	7.66	253	2570	1.1	<2	3.96	<0.5	6	56	13	2.22
S212493		6.33	<0.005		0.7	7.44	173	320	1.2	<2	4.18	<0.5	9	6	15	4.05
S212494		6.95	<0.005		<0.5	7.64	32	1850	1.0	<2	3.10	<0.5	7	48	20	3.40
S212495		6.59	<0.005		<0.5	7.41	29	1680	1.0	<2	3.08	<0.5	9	6	21	3.61
S212496		5.65	0.128		<0.5	7.49	74	1860	1.0	<2	3.37	<0.5	9	53	22	3.39
S212497		6.99	<0.005		<0.5	7.62	518	1840	1.0	<2	3.36	<0.5	6	5	9	3.47
S212498		5.15	<0.005		<0.5	8.06	39	1630	1.0	<2	3.53	<0.5	9	71	19	3.73
S212499		6.74	<0.005		<0.5	8.01	70	1750	1.0	<2	2.96	<0.5	8	6	18	3.57
S212500		0.52	<0.005		<0.5	0.05	<5	10	<0.5	<2	32.9	<0.5	<1	7	1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212477		20	1.79	10	1.09	1390	1	2.02	2	820	6	0.44	9	10	426	<20
S212478		20	2.13	10	1.16	1235	1	1.74	2	860	14	0.41	11	10	332	<20
S212479		20	3.04	10	1.19	1045	1	0.55	2	840	19	1.45	8	10	148	<20
S212480		<10	0.02	<10	1.80	26	<1	0.01	<1	30	<2	0.06	<5	<1	5070	<20
S212481		20	3.22	10	1.12	1010	1	0.45	1	880	15	1.97	16	11	166	<20
S212482		20	2.68	10	1.24	1085	1	0.92	1	890	11	0.97	7	10	194	<20
S212483		20	2.25	10	1.17	944	1	1.58	3	820	9	1.31	14	10	224	<20
S212484		20	2.29	10	1.13	824	1	1.70	3	870	12	2.00	12	10	217	<20
S212485		20	2.07	10	1.06	865	1	1.84	<1	830	8	1.29	13	9	204	<20
S212486		20	2.13	10	1.16	794	1	1.93	2	840	8	1.49	9	10	250	<20
S212486D		20	2.01	10	1.16	789	1	1.92	2	840	6	1.28	11	10	255	<20
S212487		20	2.22	10	1.14	752	1	1.57	2	830	8	1.21	13	10	206	<20
S212488		20	2.67	10	0.95	634	1	0.84	1	810	12	2.17	13	10	165	<20
S212489		20	2.85	10	1.08	652	1	0.57	2	810	10	1.67	11	10	154	<20
S212490		10	3.71	10	0.54	1380	9	0.20	19	920	143	2.81	27	11	193	<20
S212491		20	3.00	10	1.25	839	1	0.23	1	840	2	0.53	14	10	155	<20
S212492		20	3.19	10	0.98	734	<1	0.17	<1	850	2	0.84	10	10	175	<20
S212493		20	3.53	10	0.64	739	1	0.22	1	880	23	3.49	20	10	158	<20
S212494		20	2.56	10	1.21	910	1	1.09	4	810	7	1.05	5	10	187	<20
S212495		20	2.30	10	1.15	898	1	1.54	2	790	12	1.35	<5	9	197	<20
S212496		20	2.52	10	1.06	875	1	1.19	3	770	22	1.37	<5	9	186	<20
S212497		20	2.62	10	1.01	899	1	1.35	4	800	8	1.10	<5	8	217	<20
S212498		20	2.29	10	1.11	940	2	1.90	4	810	7	1.59	7	10	237	<20
S212499		20	2.47	10	1.20	930	2	1.52	1	790	7	1.43	<5	10	191	<20
S212500		<10	0.01	<10	1.62	20	<1	<0.01	1	30	2	0.06	<5	<1	4740	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212477		0.30	<10	<10	95	<10	36	
S212478		0.32	<10	<10	101	<10	72	
S212479		0.31	<10	10	100	<10	69	
S212480		<0.01	<10	<10	1	<10	<2	
S212481		0.32	<10	<10	102	<10	46	
S212482		0.32	<10	<10	102	<10	43	
S212483		0.31	<10	<10	99	<10	42	
S212484		0.32	<10	<10	100	<10	51	
S212485		0.30	<10	<10	96	<10	50	
S212486		0.31	<10	<10	101	<10	95	
S212486D		0.32	<10	10	97	<10	82	
S212487		0.31	<10	<10	98	<10	75	
S212488		0.30	<10	<10	95	<10	27	
S212489		0.30	<10	<10	96	<10	28	
S212490		0.26	<10	<10	102	10	474	
S212491		0.31	<10	<10	99	<10	29	
S212492		0.32	10	<10	100	<10	24	
S212493		0.34	<10	<10	109	<10	27	
S212494		0.31	<10	<10	95	<10	58	
S212495		0.31	<10	<10	95	<10	56	
S212496		0.31	<10	<10	94	<10	67	
S212497		0.31	<10	<10	84	<10	37	
S212498		0.32	<10	<10	98	<10	80	
S212499		0.32	<10	<10	98	<10	70	
S212500		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 16-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149056

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

CERTIFICATE TR15149617

Project: Bowser Regional Exploration

P.O. No.: BOW-0112

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212501		6.17	0.010		<0.5	7.76	174	1130	1.1	2	3.28	<0.5	9	6	20	3.91
S212502		6.67	0.006		0.5	7.63	101	610	1.1	<2	3.52	<0.5	9	6	25	4.03
S212503		6.66	0.023		<0.5	7.43	235	360	1.0	<2	3.73	<0.5	10	5	25	4.07
S212504		6.90	0.016		<0.5	7.12	116	300	1.0	<2	3.86	<0.5	7	5	27	3.94
S212505		7.31	0.098		0.7	7.21	1005	320	1.0	2	3.93	<0.5	8	5	15	3.44
S212506		7.00	1.130		3.4	7.79	3930	260	1.2	<2	2.31	<0.5	8	6	23	3.67
S212506D		<0.02	0.889		3.2	6.87	3610	300	1.1	<2	3.63	<0.5	7	5	20	3.24
S212507		6.94	0.147		0.8	7.76	617	370	1.2	<2	3.10	<0.5	7	4	20	3.54
S212508		6.81	0.061		<0.5	7.74	184	1980	1.1	<2	4.02	<0.5	6	4	19	3.11
S212509		5.81	0.028		1.3	7.56	71	1770	1.1	<2	6.99	<0.5	8	12	23	3.58
S212510		0.12	>10.0	10.30	>100	5.61	376	350	1.0	<2	3.72	4.2	11	31	144	3.68
S212511		3.63	0.019		2.1	7.44	109	1200	0.9	<2	6.95	<0.5	32	71	53	7.68
S212512		5.84	0.023		<0.5	7.70	264	2320	1.4	<2	4.71	<0.5	6	3	15	3.32
S212513		5.82	0.086		0.8	7.96	523	1650	1.3	<2	3.40	<0.5	7	4	20	3.39
S212514		5.76	<0.005		<0.5	8.48	27	1720	1.2	<2	3.56	<0.5	6	3	11	3.35
S212515		6.11	0.014		<0.5	7.73	51	1800	1.1	<2	3.68	<0.5	6	4	20	3.31
S212516		6.07	0.017		<0.5	7.72	68	1780	1.1	<2	3.79	<0.5	5	4	16	3.09
S212517		6.01	0.008		<0.5	8.51	61	1990	1.1	<2	3.04	<0.5	7	4	19	3.55
S212518		5.66	0.105		<0.5	8.52	146	2460	1.3	<2	2.52	<0.5	7	4	13	3.88
S212519		5.63	0.005		<0.5	8.43	87	1730	1.1	<2	3.56	0.5	7	5	21	3.69
S212520		0.55	<0.005		<0.5	0.06	<5	10	<0.5	4	34.4	<0.5	<1	1	<1	0.04
S212521		5.91	<0.005		<0.5	7.94	38	1630	1.1	<2	3.26	<0.5	4	3	10	3.41
S212522		6.21	0.014		<0.5	7.79	308	1680	1.1	<2	3.87	0.5	6	4	20	3.26
S212523		6.17	0.006		<0.5	8.10	72	1760	1.2	<2	3.05	<0.5	8	3	18	3.48
S212524		5.54	0.038		0.7	7.84	140	1920	1.1	<2	4.04	<0.5	5	4	14	3.18
S212525		7.28	1.150		16.5	8.58	765	340	1.4	<2	2.23	<0.5	5	5	42	3.73
S212526		2.23	0.022		0.9	8.05	169	1620	1.2	<2	4.79	<0.5	7	4	10	3.14
S212526D		<0.02	0.023		0.8	7.72	180	1480	1.2	<2	4.93	<0.5	6	4	11	3.18
S212527		7.19	0.014		0.5	7.89	192	1180	1.2	<2	3.82	<0.5	5	5	11	3.60
S212528		4.82	0.045		0.6	7.36	476	370	1.1	<2	5.95	<0.5	6	6	18	3.87
S212529		4.86	0.015		<0.5	8.63	409	550	1.2	<2	2.68	<0.5	6	6	24	3.74
S212530		0.12	5.56		83.3	6.20	292	700	1.0	<2	1.95	21.7	10	23	116	4.71
S212531		4.10	0.013		<0.5	6.88	114	1430	1.0	<2	5.39	<0.5	5	5	14	2.86
S212532		4.57	0.079		0.5	7.26	5180	1060	1.0	<2	3.68	<0.5	5	9	11	2.44
S212533		4.65	0.049		<0.5	7.99	7870	1080	1.4	<2	3.53	<0.5	8	5	19	2.85
S212534		6.63	0.009		<0.5	8.08	373	520	1.2	<2	4.72	<0.5	8	6	18	3.39
S212535		6.17	<0.005		<0.5	8.36	109	1150	1.0	<2	2.77	<0.5	6	5	24	3.84
S212536		5.45	<0.005		<0.5	8.69	103	1860	1.1	<2	2.76	<0.5	6	6	17	3.76
S212537		5.96	<0.005		<0.5	8.27	130	1790	1.1	<2	3.07	<0.5	5	5	20	3.85
S212538		6.06	0.014		<0.5	7.86	1570	1700	1.1	<2	3.19	<0.5	6	5	18	2.80

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212501		20	2.88	10	1.14	912	3	0.58	2	820	18	1.96	8	10	153	<20
S212502		20	3.07	10	1.17	940	4	0.22	1	840	22	2.11	8	10	134	<20
S212503		20	3.15	10	0.98	866	<1	0.12	2	790	21	2.83	<5	9	139	<20
S212504		10	3.06	10	0.97	879	<1	0.11	2	760	39	2.96	6	9	128	<20
S212505		20	3.36	10	0.76	816	<1	0.11	2	810	10	2.91	9	9	137	<20
S212506		20	3.99	10	0.34	390	<1	0.12	<1	830	16	3.73	25	9	112	<20
S212506D		20	3.59	10	0.36	619	<1	0.11	<1	770	14	3.23	20	8	155	<20
S212507		20	3.61	10	0.68	728	<1	0.24	<1	810	18	2.96	16	8	128	<20
S212508		20	2.94	10	0.88	1015	<1	1.09	<1	840	18	1.61	5	7	198	<20
S212509		20	2.49	20	1.12	1545	<1	0.96	2	1150	13	1.47	7	9	317	<20
S212510		10	3.64	10	0.45	1370	7	0.16	22	820	239	2.99	59	10	194	<20
S212511		20	1.51	30	3.17	1925	<1	0.11	23	3560	9	0.33	6	23	262	<20
S212512		20	3.07	10	0.87	1050	<1	0.78	<1	840	14	1.33	5	7	198	<20
S212513		20	3.38	10	0.83	1020	<1	0.66	2	870	36	1.84	8	7	163	<20
S212514		20	2.26	10	1.00	1390	<1	2.30	<1	890	6	0.38	<5	8	367	<20
S212515		20	2.37	10	0.86	1250	<1	1.87	1	830	25	0.98	<5	7	274	<20
S212516		20	2.61	10	0.78	1105	<1	1.66	<1	840	77	1.63	6	7	206	<20
S212517		20	2.46	10	1.09	1230	<1	1.94	<1	880	46	1.17	<5	8	212	<20
S212518		20	3.08	10	1.02	1140	<1	1.15	1	920	55	1.40	11	9	159	<20
S212519		20	2.27	10	1.13	1400	<1	1.97	1	890	113	0.88	<5	9	269	<20
S212520		<10	0.01	<10	1.74	24	<1	0.01	<1	30	<2	0.06	<5	<1	4150	<20
S212521		20	2.16	10	0.95	1210	<1	2.14	<1	840	10	0.66	<5	7	300	<20
S212522		20	2.40	10	0.96	1200	<1	1.65	3	850	27	0.90	<5	8	223	<20
S212523		20	2.53	10	0.99	1105	<1	1.53	<1	850	13	1.26	7	8	187	<20
S212524		20	2.82	10	0.94	1215	<1	0.95	<1	830	15	1.44	6	8	175	<20
S212525		20	3.91	10	0.61	637	<1	0.19	2	890	29	3.26	35	9	110	<20
S212526		20	3.37	10	1.02	1225	<1	0.17	<1	850	15	1.88	<5	9	162	<20
S212526D		20	3.32	10	0.99	1265	<1	0.18	1	840	12	1.88	6	9	164	<20
S212527		20	3.27	10	1.07	1125	<1	0.41	<1	890	12	2.04	5	9	157	<20
S212528		20	3.28	10	0.67	1470	<1	0.17	1	800	14	3.14	9	8	230	<20
S212529		20	3.38	10	1.01	774	<1	0.49	1	900	17	2.55	<5	10	124	<20
S212530		10	3.70	10	0.48	1195	7	0.23	15	950	8520	2.95	72	12	145	<20
S212531		20	2.95	10	0.84	1080	<1	0.15	1	770	18	1.70	<5	7	178	<20
S212532		10	3.01	10	0.54	612	<1	0.20	3	740	23	1.68	<5	8	169	<20
S212533		20	3.73	10	0.70	691	<1	0.21	2	910	15	1.95	6	9	148	<20
S212534		20	3.06	10	1.01	862	<1	0.50	1	840	8	2.30	8	9	179	<20
S212535		20	2.27	10	1.25	722	<1	1.74	2	850	8	2.08	7	9	219	<20
S212536		20	2.35	10	1.20	755	<1	1.79	1	880	3	1.71	5	10	237	<20
S212537		20	2.28	10	1.19	795	<1	1.80	2	860	6	1.45	<5	9	227	<20
S212538		20	2.45	10	0.86	592	<1	1.77	1	820	7	1.60	6	8	202	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212501		0.31	<10	<10	99	<10	46	
S212502		0.31	<10	<10	99	<10	68	
S212503		0.30	<10	<10	93	<10	56	
S212504		0.29	<10	<10	91	<10	72	
S212505		0.29	<10	<10	96	<10	29	
S212506		0.31	<10	<10	86	<10	21	
S212506D		0.29	<10	<10	82	<10	19	
S212507		0.29	<10	<10	79	<10	39	
S212508		0.27	<10	<10	71	<10	59	
S212509		0.35	<10	<10	93	<10	56	
S212510		0.23	<10	<10	98	<10	510	137
S212511		0.96	<10	<10	270	<10	119	
S212512		0.30	<10	<10	72	<10	41	
S212513		0.31	<10	<10	76	<10	60	
S212514		0.31	<10	<10	76	<10	49	
S212515		0.29	<10	<10	70	<10	60	
S212516		0.30	<10	<10	73	<10	106	
S212517		0.32	<10	<10	79	<10	112	
S212518		0.34	<10	<10	87	<10	88	
S212519		0.32	<10	<10	86	<10	133	
S212520		<0.01	<10	<10	1	<10	<2	
S212521		0.30	<10	<10	74	<10	41	
S212522		0.31	<10	<10	84	<10	74	
S212523		0.31	<10	<10	73	<10	34	
S212524		0.31	<10	<10	74	<10	43	
S212525		0.33	<10	<10	92	<10	41	
S212526		0.31	<10	<10	88	<10	34	
S212526D		0.31	<10	<10	89	<10	35	
S212527		0.32	<10	<10	93	<10	36	
S212528		0.30	<10	<10	83	<10	39	
S212529		0.33	<10	<10	92	<10	42	
S212530		0.25	<10	<10	121	10	1855	
S212531		0.28	<10	<10	74	<10	40	
S212532		0.27	<10	<10	71	<10	27	
S212533		0.33	<10	<10	99	<10	25	
S212534		0.32	<10	<10	88	<10	27	
S212535		0.32	<10	<10	90	<10	29	
S212536		0.32	<10	<10	93	<10	29	
S212537		0.32	<10	<10	87	<10	43	
S212538		0.30	<10	<10	82	<10	26	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212539		5.73	0.014		0.5	8.66	1265	2030	1.2	<2	2.71	<0.5	8	4	15	2.85
S212540		0.57	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.4	<0.5	<1	1	<1	0.03
S212541		6.32	0.007		<0.5	8.32	296	1460	1.1	<2	2.63	<0.5	5	6	17	3.45
S212542		6.01	0.005		<0.5	8.51	236	1700	1.1	<2	2.95	<0.5	6	4	15	3.70
S212543		5.92	0.009		<0.5	8.35	299	1810	1.2	<2	2.44	<0.5	8	5	18	3.74
S212544		5.84	0.009		<0.5	7.98	603	2190	1.2	<2	2.94	<0.5	8	5	18	3.12
S212545		5.94	<0.005		<0.5	8.57	205	1700	1.1	<2	3.02	<0.5	6	5	19	3.87
S212546		6.06	0.028		<0.5	8.13	1385	610	1.1	<2	2.88	<0.5	7	5	23	3.82
S212546D		<0.02	0.029		<0.5	8.58	1515	550	1.2	<2	3.03	<0.5	7	5	23	4.00
S212547		6.36	0.063		<0.5	8.10	2530	240	1.1	4	3.32	<0.5	5	5	34	4.61
S212548		6.27	0.019		<0.5	8.60	448	470	1.1	<2	2.78	<0.5	6	4	29	4.12
S212549		7.11	0.028		0.5	7.94	648	350	1.1	<2	3.72	<0.5	6	5	26	4.09
S212550		0.10	>10.0	18.90	19.8	7.18	783	520	1.4	<2	2.84	1.7	18	111	135	5.11
S212551		6.54	0.023		<0.5	8.22	70	630	1.0	<2	2.88	<0.5	7	5	23	4.07
S212552		5.91	0.015		<0.5	7.47	64	1560	1.1	2	4.11	<0.5	7	5	24	2.86
S212553		6.34	0.035		<0.5	7.44	144	420	1.1	<2	8.02	<0.5	6	3	27	2.93
S212554		6.19	0.095		1.8	8.88	155	270	1.2	7	2.80	4.6	8	5	49	3.86
S212555		6.59	0.034		<0.5	7.57	91	350	1.2	<2	3.79	0.5	6	4	21	3.16
S212556		6.69	0.058		1.4	7.48	154	200	1.1	<2	4.33	0.8	7	4	41	4.03
S212557		6.16	0.060		2.7	7.75	171	200	1.2	15	3.15	6.7	9	5	44	3.88
S212558		6.20	0.024		0.9	8.55	81	580	1.2	<2	3.30	5.2	5	4	18	3.22
S212559		6.13	0.077		1.2	8.25	115	460	1.2	<2	3.55	2.2	6	5	25	3.41
S212560		0.51	<0.005		<0.5	0.08	<5	20	<0.5	2	35.9	<0.5	<1	1	<1	0.05
S212561		6.29	<0.005		0.6	7.94	115	2080	1.2	<2	4.21	<0.5	4	6	35	2.61
S212562		6.17	<0.005		<0.5	8.00	123	1060	1.1	<2	3.64	2.1	6	4	16	3.39
S212563		6.48	<0.005		<0.5	7.73	160	600	1.2	<2	4.16	0.5	5	4	19	3.35
S212564		6.15	0.007		<0.5	7.49	92	340	1.2	<2	3.86	<0.5	6	4	18	3.19
S212565		6.33	0.028		<0.5	7.97	446	360	1.2	<2	3.96	<0.5	6	4	16	3.17
S212566		6.40	0.299		0.5	8.08	428	340	1.3	<2	2.94	0.5	6	5	17	3.24
S212566D		<0.02	0.248		0.6	7.29	401	230	1.2	2	2.98	<0.5	5	5	17	3.14
S212567		6.15	0.079		<0.5	7.56	90	240	1.1	<2	6.14	<0.5	5	4	16	3.33
S212568		6.44	0.010		<0.5	8.07	66	480	1.2	<2	4.53	<0.5	6	4	17	3.10
S212569		6.41	0.018		<0.5	8.40	102	490	1.2	<2	4.30	<0.5	5	4	18	3.28
S212570		0.13	0.984		12.7	5.98	309	400	1.0	<2	3.61	4.2	10	27	83	3.92
S212571		6.24	0.005		<0.5	8.67	55	1620	1.2	<2	4.27	<0.5	6	4	14	3.19
S212572		5.82	<0.005		<0.5	8.46	41	1070	1.2	<2	3.74	<0.5	6	3	19	3.07
S212573		6.38	<0.005		<0.5	8.80	63	1720	1.2	<2	4.27	0.5	7	4	19	3.29
S212574		8.08	0.023		<0.5	8.43	84	1070	1.3	<2	4.29	0.5	8	4	28	3.75
S212575		7.18	0.064		<0.5	8.49	164	1490	1.2	3	5.88	0.6	13	21	32	4.44
S212576		5.37	0.016		0.5	8.36	110	1650	0.9	2	7.59	0.7	26	59	48	6.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212539		20	2.48	10	1.01	608	<1	1.94	<1	880	94	1.41	<5	9	227	<20
S212540		<10	0.01	<10	1.64	18	<1	0.01	1	30	<2	0.08	<5	<1	5040	<20
S212541		20	2.06	10	0.92	587	<1	2.33	<1	810	7	1.86	<5	9	257	<20
S212542		20	1.84	10	1.05	762	<1	2.67	<1	860	10	1.46	<5	9	288	<20
S212543		20	2.11	10	1.09	740	<1	2.11	2	860	14	1.53	<5	9	242	<20
S212544		20	2.62	10	0.88	683	<1	1.42	2	850	19	1.37	5	8	196	<20
S212545		20	2.70	10	1.16	990	<1	0.96	2	880	27	1.64	7	9	166	<20
S212546		20	2.89	10	1.00	1030	<1	0.55	1	850	33	2.14	10	9	155	<20
S212546D		20	2.99	10	1.05	1070	<1	0.58	1	860	34	2.27	5	9	160	<20
S212547		20	3.06	10	0.84	1015	<1	0.19	<1	820	46	3.66	11	9	136	<20
S212548		20	2.95	10	1.19	1130	<1	0.52	2	870	46	2.37	12	9	153	<20
S212549		20	2.92	10	1.00	1105	1	0.21	1	800	83	2.71	6	8	146	<20
S212550		10	3.10	20	0.74	1015	5	0.16	68	1670	53	4.17	13	19	185	<20
S212551		20	2.72	10	1.14	1020	<1	0.92	1	850	61	2.33	5	9	160	<20
S212552		20	2.98	10	0.91	961	<1	0.35	1	820	70	1.65	9	8	171	<20
S212553		20	2.87	10	0.79	1430	<1	0.19	<1	760	48	2.29	9	8	239	<20
S212554		20	3.66	10	0.69	748	<1	0.23	1	900	71	3.69	10	10	143	<20
S212555		20	3.52	10	0.57	995	<1	0.20	2	820	81	3.15	6	7	145	<20
S212556		20	3.47	10	0.49	1190	<1	0.19	<1	800	110	4.27	6	7	149	<20
S212557		20	3.70	10	0.39	900	<1	0.19	<1	850	176	4.07	19	7	132	<20
S212558		20	3.21	10	0.92	1060	<1	0.58	1	860	162	2.47	<5	8	173	<20
S212559		20	3.15	10	0.79	1065	<1	0.59	1	810	161	2.70	7	8	148	<20
S212560		<10	0.02	<10	1.77	26	<1	0.01	<1	30	<2	0.07	<5	<1	5110	<20
S212561		20	2.85	10	1.06	1325	<1	0.67	<1	850	74	1.03	7	7	167	<20
S212562		20	2.93	10	0.96	1145	<1	0.92	<1	870	172	2.27	6	7	178	<20
S212563		20	2.99	10	0.87	1130	<1	0.59	<1	830	94	2.43	7	7	159	<20
S212564		20	3.24	10	0.71	983	<1	0.20	<1	830	81	2.66	<5	7	138	<20
S212565		20	3.28	10	0.72	994	<1	0.19	1	830	47	2.71	7	8	137	<20
S212566		20	3.47	10	0.45	648	<1	0.19	<1	820	75	3.18	9	8	117	<20
S212566D		20	3.41	10	0.40	662	1	0.19	1	800	69	3.07	8	7	114	<20
S212567		20	3.24	10	0.43	1315	<1	0.17	<1	770	39	3.36	<5	7	184	<20
S212568		20	3.17	10	0.96	1240	<1	0.18	<1	820	41	2.27	<5	8	152	<20
S212569		20	3.25	10	1.02	1210	<1	0.19	<1	820	83	2.26	8	8	148	<20
S212570		10	3.85	10	0.54	1400	8	0.22	19	930	146	2.79	18	10	188	<20
S212571		20	3.29	10	1.12	1215	1	0.33	2	860	39	1.98	<5	8	165	<20
S212572		20	3.36	10	1.06	1045	1	0.31	3	870	100	1.86	<5	8	150	<20
S212573		20	3.41	20	1.14	1050	1	0.19	1	850	69	2.11	<5	8	162	<20
S212574		20	3.51	10	0.72	842	2	0.19	2	830	55	3.44	6	8	159	<20
S212575		20	3.33	20	1.03	1320	1	0.15	7	1580	31	2.92	<5	12	181	<20
S212576		20	2.28	30	2.44	2370	<1	0.10	21	3400	13	0.67	11	22	215	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212539		0.31	<10	<10	84	<10	58	
S212540		<0.01	<10	<10	1	<10	<2	
S212541		0.31	<10	<10	83	<10	28	
S212542		0.31	<10	<10	83	<10	39	
S212543		0.31	<10	<10	85	<10	48	
S212544		0.32	<10	<10	86	<10	51	
S212545		0.31	<10	<10	86	<10	80	
S212546		0.29	<10	<10	83	<10	72	
S212546D		0.30	<10	<10	86	<10	73	
S212547		0.28	<10	<10	79	<10	49	
S212548		0.29	<10	<10	86	<10	98	
S212549		0.28	<10	<10	78	<10	77	
S212550		0.36	<10	<10	181	<10	214	
S212551		0.31	<10	<10	84	<10	77	
S212552		0.30	<10	<10	80	<10	67	
S212553		0.27	<10	<10	70	<10	68	
S212554		0.32	<10	<10	88	<10	835	
S212555		0.30	<10	<10	75	<10	76	
S212556		0.29	<10	<10	70	<10	133	
S212557		0.29	<10	<10	71	<10	1170	
S212558		0.31	<10	<10	71	<10	673	
S212559		0.30	<10	<10	71	<10	309	
S212560		<0.01	<10	<10	1	<10	10	
S212561		0.31	<10	<10	71	<10	78	
S212562		0.31	<10	<10	74	<10	222	
S212563		0.30	<10	<10	70	<10	95	
S212564		0.30	<10	<10	73	<10	43	
S212565		0.30	<10	<10	69	<10	55	
S212566		0.28	<10	10	71	<10	74	
S212566D		0.28	<10	<10	69	<10	72	
S212567		0.27	<10	<10	63	<10	81	
S212568		0.30	<10	<10	68	<10	47	
S212569		0.30	<10	10	69	<10	64	
S212570		0.26	<10	<10	103	<10	478	
S212571		0.30	<10	<10	72	<10	74	
S212572		0.30	<10	<10	73	<10	101	
S212573		0.31	<10	<10	71	<10	90	
S212574		0.27	10	<10	68	<10	58	
S212575		0.47	<10	<10	125	<10	73	
S212576		0.93	<10	<10	251	<10	126	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212577		5.29	0.018		<0.5	8.59	58	1610	1.3	<2	4.33	<0.5	6	4	19	3.53
S212578		5.70	0.075		0.5	8.44	141	440	1.4	<2	2.39	<0.5	9	10	19	3.34
S212579		7.37	0.035		0.6	8.78	171	2090	1.1	4	10.15	0.6	28	65	44	4.77
S212580		0.46	<0.005		<0.5	0.09	<5	20	<0.5	3	35.2	<0.5	<1	1	<1	0.06
S212581		2.87	0.005		<0.5	7.80	227	1830	1.1	3	4.44	<0.5	8	5	20	3.52
S212582		6.31	0.006		<0.5	8.40	71	1320	1.1	<2	4.08	<0.5	8	5	20	3.78
S212583		6.79	0.009		<0.5	8.41	78	1700	1.2	<2	4.01	<0.5	8	6	18	4.03
S212584		6.34	0.014		<0.5	8.59	44	1570	1.2	<2	4.66	0.8	9	5	21	3.69
S212585		6.40	0.045		<0.5	8.77	57	1680	1.2	<2	3.58	0.6	8	7	29	4.01
S212586		6.18	<0.005		<0.5	8.50	53	1620	1.1	<2	3.52	<0.5	9	6	25	3.59
S212586D		<0.02	<0.005		<0.5	8.54	53	1640	1.1	<2	3.53	<0.5	10	7	25	3.69
S212587		5.44	0.013		<0.5	8.08	54	480	1.1	2	3.61	<0.5	9	6	19	4.00
S212588		5.06	<0.005		<0.5	6.88	14	3450	1.7	3	5.54	0.6	33	135	28	7.96
S212589		6.26	<0.005		<0.5	6.87	13	2370	1.6	2	6.29	0.5	31	125	27	7.91
S212590		0.12	>10.0	10.45	>100	6.15	390	1230	1.0	2	3.89	4.4	11	31	153	3.86
S212591		6.24	<0.005		<0.5	7.15	7	2320	1.7	4	5.76	0.7	35	127	28	8.41
S212592		3.98	<0.005		<0.5	7.24	12	2490	1.7	3	5.48	<0.5	33	126	27	8.21
S212593		6.20	<0.005		<0.5	7.26	24	3990	1.6	<2	5.50	0.6	31	122	28	7.85
S212594		4.87	0.053		0.5	8.03	94	340	1.3	<2	3.64	<0.5	10	8	25	4.07
S212595		5.67	0.037		<0.5	7.94	62	1380	1.3	3	4.56	<0.5	17	48	21	5.07
S212596		5.97	0.018		0.5	8.61	55	600	1.2	2	3.48	1.7	8	6	33	3.74
S212597		6.66	0.044		0.8	8.46	115	550	1.1	<2	3.04	1.0	9	6	29	4.11
S212598		5.15	0.044		1.0	7.01	81	360	1.0	<2	5.92	3.3	8	7	24	3.39
S212599		6.08	0.018		0.7	8.38	63	820	1.1	<2	3.66	2.9	8	5	23	3.84
S212600		0.51	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.3	<0.5	<1	1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212577		20	3.54	10	0.76	831	1	0.18	<1	840	36	3.06	<5	8	156	<20
S212578		20	3.72	10	0.61	528	1	0.24	4	990	27	2.87	8	9	144	<20
S212579		20	2.95	30	2.06	2730	1	0.13	23	3890	17	1.10	13	25	241	<20
S212580		<10	0.03	<10	1.97	37	<1	<0.01	<1	50	2	0.09	<5	<1	4910	<20
S212581		20	2.80	10	1.43	1465	1	0.43	4	830	14	1.60	<5	10	171	<20
S212582		20	3.17	10	1.23	1225	1	0.36	3	850	15	2.73	<5	11	157	<20
S212583		20	3.50	10	0.84	1010	1	0.17	3	860	23	3.79	<5	11	152	<20
S212584		20	3.52	10	0.97	1220	1	0.17	3	830	47	3.31	7	11	160	<20
S212585		20	3.51	10	1.10	1125	1	0.18	3	870	30	3.36	<5	11	139	<20
S212586		20	3.11	10	1.50	1265	2	0.26	3	840	18	2.15	<5	11	145	<20
S212586D		20	3.16	10	1.50	1270	2	0.26	4	840	15	2.25	<5	11	146	<20
S212587		20	3.15	10	1.16	1015	2	0.71	3	850	40	2.97	7	10	204	<20
S212588		20	2.37	60	3.81	1245	1	2.41	67	3540	22	0.40	<5	21	1060	20
S212589		20	2.14	70	3.77	1320	1	2.53	66	3630	23	0.18	<5	21	1150	20
S212590		10	3.83	10	0.50	1440	8	0.17	23	870	257	3.19	59	11	213	<20
S212591		20	2.18	70	4.09	1385	2	2.65	71	3910	20	0.16	<5	22	1115	20
S212592		20	2.40	70	3.96	1335	2	2.58	69	3720	23	0.17	<5	21	1190	<20
S212593		20	2.75	60	3.55	1240	1	2.15	59	3350	23	0.81	<5	20	941	20
S212594		20	3.47	10	0.91	958	2	0.71	3	870	21	3.21	8	10	203	<20
S212595		20	3.12	30	1.59	1135	2	1.12	23	1650	25	2.65	6	14	321	<20
S212596		20	3.73	10	1.00	1150	2	0.34	4	870	38	3.46	<5	11	144	<20
S212597		20	3.79	10	0.92	1025	2	0.20	3	850	99	3.84	10	11	136	<20
S212598		20	3.44	10	0.67	1850	2	0.11	2	890	176	3.21	5	9	162	<20
S212599		20	3.72	10	1.06	1445	2	0.15	3	870	113	3.24	9	10	120	<20
S212600		<10	0.01	<10	1.83	23	<1	<0.01	<1	40	<2	0.07	<5	<1	4580	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212577		0.30	<10	10	71	<10	42	
S212578		0.31	10	<10	78	<10	38	
S212579		1.06	10	<10	291	10	99	
S212580		0.01	<10	<10	2	<10	<2	
S212581		0.30	<10	<10	96	<10	45	
S212582		0.31	10	<10	97	<10	35	
S212583		0.30	<10	<10	97	<10	53	
S212584		0.30	<10	<10	98	<10	119	
S212585		0.31	10	<10	100	<10	105	
S212586		0.31	<10	<10	100	<10	65	
S212586D		0.31	10	<10	101	<10	65	
S212587		0.28	<10	<10	94	<10	53	
S212588		1.12	<10	<10	192	<10	156	
S212589		1.12	<10	<10	190	<10	153	
S212590		0.25	<10	<10	101	<10	528	132
S212591		1.19	<10	<10	201	<10	161	
S212592		1.16	<10	<10	195	<10	158	
S212593		1.08	10	<10	186	<10	148	
S212594		0.29	<10	<10	100	<10	45	
S212595		0.54	10	<10	126	<10	74	
S212596		0.30	<10	<10	102	<10	366	
S212597		0.29	10	<10	101	<10	197	
S212598		0.31	10	<10	97	<10	441	
S212599		0.31	10	<10	92	<10	407	
S212600		<0.01	<10	<10	<1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149617

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

CERTIFICATE TR15149619

Project: Bowser Regional Exploration

P.O. No.: BOW-0113

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 1-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212601		6.79	0.024		0.5	7.69	53	440	1.1	4	2.92	0.8	7	5	23	3.27
S212602		6.29	0.009		<0.5	7.65	45	1190	1.1	<2	2.91	<0.5	6	4	15	3.10
S212603		6.28	0.009		<0.5	8.09	39	590	1.1	2	3.31	<0.5	8	4	13	3.64
S212604		6.09	0.010		<0.5	8.05	48	1100	1.2	<2	2.80	<0.5	6	3	11	3.18
S212605		6.43	0.023		2.1	7.43	45	610	1.1	3	3.91	5.9	6	4	42	3.64
S212606		7.08	0.028		1.0	8.36	40	390	1.2	<2	2.45	5.8	7	4	24	3.81
S212606D		<0.02	0.029		0.8	8.09	41	370	1.2	<2	2.42	5.4	9	4	23	3.78
S212607		7.00	0.050		1.7	7.27	50	310	1.1	<2	3.10	<0.5	8	8	22	3.67
S212608		6.26	0.030		0.8	7.43	29	310	1.1	4	3.07	0.6	8	6	14	3.81
S212609		6.63	0.031		0.6	7.34	44	300	1.0	<2	4.08	<0.5	9	7	16	3.66
S212610		0.12	5.81		77.0	5.83	265	300	0.9	2	1.88	21.1	11	22	114	4.65
S212611		6.86	0.037		0.8	6.75	58	430	1.0	<2	4.49	<0.5	9	13	15	3.57
S212612		6.38	0.048		0.6	7.01	59	390	1.0	3	4.98	<0.5	7	6	11	3.51
S212613		6.87	0.040		0.6	7.09	46	370	1.0	<2	3.99	<0.5	7	6	12	3.84
S212614		5.30	0.069		0.7	7.31	70	460	1.1	4	5.22	0.7	12	7	23	3.95
S212615		4.11	0.027		1.0	8.05	53	1850	1.2	<2	6.55	0.7	19	34	61	5.24
S212616		5.82	0.026		1.0	6.23	45	760	1.0	3	6.48	0.5	7	5	13	3.32
S212617		6.09	0.028		1.2	7.90	37	450	1.1	<2	2.64	<0.5	8	5	16	3.78
S212618		6.67	0.055		1.1	8.43	38	490	1.3	2	1.85	<0.5	7	5	19	3.56
S212619		6.78	0.046		1.2	8.38	36	440	1.3	<2	1.23	<0.5	8	6	18	3.90
S212620		0.66	<0.005		<0.5	0.04	<5	10	<0.5	5	33.3	<0.5	<1	1	<1	0.03
S212621		6.32	0.287		2.1	8.49	62	240	1.3	<2	1.10	<0.5	9	11	24	4.30
S212622		5.65	0.149		1.4	8.29	54	420	1.3	<2	0.88	<0.5	10	7	18	3.77
S212623		6.54	0.021		1.6	8.30	33	460	1.1	2	1.62	<0.5	10	7	29	3.92
S212624		6.32	0.037		1.4	8.05	40	360	1.0	<2	1.70	<0.5	10	7	19	3.73
S212625		5.53	0.016		1.8	7.55	23	460	0.9	2	2.52	<0.5	8	6	16	3.71
S212626		6.00	0.929		79.4	7.52	68	320	1.0	3	0.63	2.0	8	7	136	3.49
S212626D		<0.02	1.095		59.5	7.72	62	340	1.0	<2	0.64	1.2	8	7	89	3.69
S212627		7.20	0.028		2.3	8.07	55	840	1.0	<2	0.69	0.6	7	4	22	3.18
S212628		6.81	0.015		2.2	8.20	27	740	0.9	<2	1.58	<0.5	8	5	19	3.54
S212629		5.98	0.022		1.5	7.36	39	620	0.9	2	2.67	<0.5	6	6	14	3.18
S212630		0.10	>10.0	19.80	22.3	6.46	726	190	1.3	3	2.68	1.8	18	105	129	4.88
S212631		6.13	0.040		1.3	7.49	31	640	0.9	2	3.52	<0.5	8	8	19	3.53
S212632		6.13	0.030		<0.5	7.35	38	630	1.0	4	3.80	<0.5	7	6	7	3.45
S212633		6.16	0.089		0.8	7.63	76	400	1.2	5	1.39	<0.5	7	8	8	3.71
S212634		6.13	0.037		1.5	7.33	50	430	1.2	<2	0.62	<0.5	8	7	11	3.27
S212635		4.52	0.098		1.8	7.45	98	340	1.3	3	0.65	<0.5	8	7	11	3.68
S212636		4.14	0.058		1.2	7.16	64	370	1.4	<2	1.38	<0.5	8	7	6	3.29
S212637		5.70	0.035		1.2	7.41	219	2380	1.6	3	7.47	<0.5	20	33	56	4.80
S212638		4.76	0.040		0.5	6.82	53	470	1.4	3	3.56	0.5	7	5	7	3.42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212601		20	3.44	10	0.82	1315	5	0.26	5	830	68	2.45	<5	8	115	<20
S212602		20	3.25	10	1.05	1540	3	0.42	2	820	21	1.93	<5	8	118	<20
S212603		20	3.26	10	0.96	1635	3	0.71	2	840	28	2.57	5	8	138	<20
S212604		20	3.44	10	1.00	1695	2	0.56	<1	840	42	2.10	<5	8	119	<20
S212605		20	3.34	10	0.89	2190	3	0.42	<1	810	327	2.72	9	7	128	<20
S212606		20	3.87	10	0.87	1625	3	0.17	1	870	180	3.16	6	8	90	<20
S212606D		20	3.69	10	0.84	1605	3	0.17	<1	830	170	3.08	7	8	87	<20
S212607		20	3.45	10	0.81	1815	4	0.09	4	760	60	3.23	9	10	93	<20
S212608		20	3.46	10	0.94	1835	3	0.10	2	890	114	3.24	<5	10	98	<20
S212609		20	3.37	10	1.03	2140	3	0.18	2	800	107	3.03	7	10	138	<20
S212610		10	3.47	10	0.45	1155	12	0.22	15	920	8380	2.84	71	11	138	<20
S212611		10	3.12	10	1.03	2100	3	0.22	4	770	110	2.83	5	9	131	<20
S212612		10	3.23	10	0.96	2190	3	0.11	2	750	94	2.88	5	9	138	<20
S212613		20	3.18	10	1.06	1955	5	0.29	3	760	105	2.95	<5	9	117	<20
S212614		20	2.99	20	1.08	2290	4	0.43	5	940	124	2.72	9	10	151	<20
S212615		20	3.27	30	2.00	3620	1	0.06	19	4700	22	0.88	15	18	204	<20
S212616		10	2.80	10	0.84	2410	3	0.31	1	670	90	2.45	<5	8	199	<20
S212617		20	3.44	10	1.10	1580	3	0.65	2	840	88	2.89	7	9	112	<20
S212618		20	3.84	10	0.99	1145	3	0.46	1	860	86	2.92	7	8	94	<20
S212619		20	3.84	10	1.14	1040	3	0.23	2	850	123	3.13	10	9	71	<20
S212620		<10	0.01	<10	1.98	22	2	<0.01	<1	30	<2	0.06	<5	<1	4710	<20
S212621		20	4.05	10	0.85	692	3	0.09	4	860	131	3.86	8	11	80	<20
S212622		20	4.03	10	0.81	521	4	0.16	2	850	38	3.48	8	11	64	<20
S212623		20	3.53	10	1.30	1135	4	0.51	3	830	27	2.79	9	11	88	<20
S212624		20	3.55	10	0.99	919	3	0.58	2	800	25	2.97	<5	11	87	<20
S212625		20	3.19	10	1.14	1315	3	0.89	2	800	23	2.44	<5	10	135	<20
S212626		20	3.39	10	0.68	401	3	0.77	3	760	132	3.07	86	9	72	<20
S212626D		20	3.49	10	0.71	425	4	0.80	3	790	100	3.15	56	9	75	<20
S212627		20	3.58	10	0.85	580	3	1.00	3	850	29	2.21	<5	8	82	<20
S212628		20	3.05	10	0.90	848	3	1.69	2	850	31	2.50	<5	9	156	<20
S212629		20	2.88	10	1.02	1220	4	1.29	1	790	35	2.36	8	10	134	<20
S212630		10	2.85	10	0.67	977	8	0.15	66	1560	59	3.87	14	18	173	<20
S212631		20	2.96	10	1.22	1575	4	1.25	2	790	57	2.47	7	10	164	<20
S212632		20	3.09	10	1.21	1590	5	0.99	2	800	53	2.55	<5	10	155	<20
S212633		20	3.62	10	0.93	689	7	0.12	2	760	57	3.04	9	10	116	<20
S212634		20	3.58	10	0.97	527	5	0.10	1	750	48	2.48	8	9	54	<20
S212635		20	3.73	10	0.78	416	5	0.08	1	810	37	3.06	7	10	51	<20
S212636		20	3.49	20	0.70	544	5	0.09	4	740	50	2.54	5	10	65	<20
S212637		20	3.54	30	1.31	2840	2	0.08	17	4480	17	0.50	6	16	265	<20
S212638		10	3.17	10	0.83	1400	4	0.55	2	750	69	2.48	8	9	129	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212601		0.30	<10	<10	73	<10	149	
S212602		0.29	<10	<10	71	<10	77	
S212603		0.31	10	10	72	10	63	
S212604		0.31	<10	<10	75	10	95	
S212605		0.29	10	<10	70	10	910	
S212606		0.31	<10	<10	75	<10	508	
S212606D		0.29	<10	<10	72	<10	470	
S212607		0.28	<10	<10	92	<10	102	
S212608		0.29	<10	<10	94	<10	148	
S212609		0.29	<10	<10	94	<10	114	
S212610		0.24	<10	<10	115	10	1775	
S212611		0.28	<10	<10	91	<10	101	
S212612		0.27	<10	<10	87	<10	91	
S212613		0.28	<10	<10	91	<10	89	
S212614		0.29	10	<10	97	<10	90	
S212615		0.67	10	<10	210	10	149	
S212616		0.25	10	<10	80	<10	89	
S212617		0.29	<10	<10	85	<10	106	
S212618		0.30	10	<10	73	<10	80	
S212619		0.30	<10	<10	85	<10	89	
S212620		<0.01	<10	<10	1	<10	<2	
S212621		0.31	<10	<10	106	10	108	
S212622		0.31	<10	<10	102	<10	63	
S212623		0.30	<10	<10	100	<10	72	
S212624		0.28	<10	<10	96	<10	58	
S212625		0.29	<10	<10	94	<10	72	
S212626		0.28	<10	<10	85	10	365	
S212626D		0.29	<10	<10	88	<10	270	
S212627		0.29	<10	<10	71	10	118	
S212628		0.29	<10	<10	76	10	53	
S212629		0.28	<10	<10	93	<10	62	
S212630		0.33	<10	<10	169	10	213	
S212631		0.29	10	<10	93	<10	76	
S212632		0.29	<10	<10	94	<10	68	
S212633		0.28	10	<10	91	<10	63	
S212634		0.27	<10	<10	89	<10	76	
S212635		0.28	<10	<10	91	<10	53	
S212636		0.27	<10	<10	88	10	64	
S212637		0.63	<10	<10	202	10	111	
S212638		0.28	<10	<10	87	<10	92	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212639		6.65	0.038		0.8	7.09	35	460	1.1	4	3.89	0.6	8	6	7	3.51
S212640		0.49	<0.005		<0.5	0.04	<5	10	<0.5	6	33.1	<0.5	<1	1	<1	0.03
S212641		6.34	0.048		1.4	7.43	56	400	1.0	<2	3.05	2.8	9	6	7	3.52
S212642		6.79	0.202		2.9	7.49	120	300	0.9	<2	1.72	<0.5	7	6	9	3.54
S212643		6.06	0.188		1.7	7.13	94	400	0.8	3	2.30	<0.5	7	6	8	2.95
S212644		5.74	0.067		3.1	7.20	88	290	0.8	2	3.09	0.9	8	6	16	3.48
S212645		6.37	0.030		3.9	7.10	68	470	0.8	<2	3.30	3.0	8	7	25	3.33
S212646		6.51	0.020		1.0	7.28	43	760	0.8	2	3.57	1.2	8	5	7	3.13
S212646D		<0.02	0.021		0.8	7.42	48	700	0.9	<2	3.69	1.4	8	6	7	3.31
S212647		6.52	0.043		1.1	7.56	42	350	1.1	<2	2.73	1.2	8	6	5	3.61
S212648		6.42	0.089		1.3	8.09	70	270	1.4	2	1.39	1.4	7	7	7	3.62
S212649		5.88	0.029		0.9	7.67	57	410	1.1	3	2.75	<0.5	8	6	13	3.51
S212650		0.13	0.756		12.9	5.73	310	360	1.0	<2	3.63	4.3	11	27	87	4.01
S212651		6.10	0.046		0.8	7.14	52	350	1.0	<2	3.97	1.2	8	6	10	3.55
S212652		6.53	0.017		<0.5	7.51	173	680	1.0	<2	3.28	<0.5	8	5	19	3.45
S212653		6.38	0.022		1.0	7.75	53	320	1.0	<2	2.44	2.0	9	6	11	3.71
S212654		6.30	0.100		3.2	7.99	394	240	1.3	2	1.91	1.9	9	7	28	3.56
S212655		3.97	0.021		0.9	7.48	62	330	1.0	<2	2.83	3.3	8	5	30	3.78
S212656		6.43	0.009		<0.5	7.04	125	350	0.9	3	3.64	1.5	8	6	13	3.93
S212657		6.53	<0.005		<0.5	7.55	41	710	0.9	3	3.40	0.5	8	7	14	3.46
S212658		6.66	0.005		<0.5	7.32	22	740	1.0	<2	3.39	<0.5	8	6	13	3.53
S212659		6.83	0.015		0.5	7.19	31	570	1.0	2	3.23	<0.5	8	6	21	3.49
S212660		0.54	<0.005		<0.5	0.07	<5	20	<0.5	<2	33.7	<0.5	<1	1	<1	0.05
S212661		5.97	0.029		0.5	7.85	51	540	1.0	4	3.29	1.8	8	6	18	3.63
S212662		6.50	0.012		1.6	7.98	48	750	1.0	2	2.53	3.1	9	6	22	3.77
S212663		6.05	0.013		0.9	7.60	39	540	1.0	4	2.42	1.3	9	5	27	3.62
S212664		5.86	0.015		<0.5	7.90	58	1140	1.1	<2	2.18	0.6	7	6	24	3.60
S212665		7.11	0.007		<0.5	7.70	48	1690	1.1	<2	2.41	<0.5	8	6	15	3.43
S212666		6.50	<0.005		<0.5	8.13	79	1840	1.1	2	2.16	<0.5	7	5	17	3.49
S212666D		<0.02	<0.005		<0.5	7.83	72	1770	1.1	<2	2.09	<0.5	6	4	16	3.33
S212667		6.65	0.005		<0.5	7.91	48	1400	1.1	<2	2.24	<0.5	6	5	17	3.26
S212668		6.00	0.007		<0.5	7.82	49	1060	1.1	3	2.61	<0.5	7	4	17	3.43
S212669		6.40	0.011		<0.5	7.86	55	350	1.1	3	2.59	<0.5	7	6	23	3.84
S212670		0.13	>10.0	10.55	>100	5.68	378	340	1.0	3	3.81	4.3	11	32	151	3.84
S212671		6.56	0.032		1.1	7.79	65	240	1.2	<2	2.82	1.1	9	6	19	3.97
S212672		6.16	0.120		0.9	8.06	135	190	1.4	<2	1.86	0.9	9	7	25	3.80
S212673		6.33	0.015		<0.5	7.26	56	300	1.2	<2	3.72	<0.5	9	6	18	3.66
S212674		6.37	0.036		1.3	7.60	86	250	1.1	4	3.38	1.7	9	7	28	3.80
S212675		6.27	0.015		<0.5	7.43	70	260	1.0	<2	3.14	<0.5	9	7	23	3.71
S212676		6.31	0.015		<0.5	6.95	58	270	1.0	2	3.44	<0.5	9	6	23	3.65

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212639		20	3.14	10	0.92	1580	4	0.95	1	790	84	2.72	<5	9	154	<20
S212640		<10	0.01	<10	2.29	21	2	<0.01	<1	30	<2	0.05	<5	<1	4360	<20
S212641		10	3.64	10	0.86	1285	5	0.44	2	790	132	2.94	<5	10	111	<20
S212642		10	3.61	10	0.61	724	4	0.59	2	770	44	3.37	7	10	82	<20
S212643		10	3.18	10	0.58	828	4	1.12	2	750	39	2.59	<5	9	110	<20
S212644		20	3.21	10	0.71	1235	5	1.31	2	790	127	3.18	12	9	147	<20
S212645		10	2.95	10	1.01	1540	4	1.43	3	780	218	2.66	12	9	157	<20
S212646		20	2.95	10	1.09	1665	4	1.50	1	790	138	2.35	<5	9	179	<20
S212646D		20	3.00	10	1.09	1670	4	1.50	1	810	146	2.46	8	10	180	<20
S212647		20	3.57	10	0.93	1220	5	0.53	1	770	140	3.09	8	10	106	<20
S212648		20	3.73	10	0.79	629	4	0.08	2	850	150	3.20	9	10	53	<20
S212649		20	3.61	10	1.01	1120	3	0.60	2	810	78	2.80	6	10	118	<20
S212650		10	3.84	10	0.53	1450	12	0.21	19	920	151	2.79	16	10	191	<20
S212651		20	3.02	10	0.93	1520	4	1.32	1	790	69	2.77	8	9	188	<20
S212652		20	2.70	10	1.03	1375	3	1.86	2	800	41	2.29	<5	10	258	<20
S212653		20	3.16	10	0.93	1080	4	1.58	<1	820	141	2.91	<5	10	168	<20
S212654		20	3.93	10	0.77	787	4	0.60	1	820	146	3.06	11	10	112	<20
S212655		20	3.09	10	1.00	1210	4	1.54	<1	790	102	2.88	<5	9	229	<20
S212656		20	2.65	10	1.03	1440	4	2.03	1	800	89	2.82	<5	9	281	<20
S212657		20	2.16	10	1.03	1315	7	2.67	2	840	37	2.21	<5	10	375	<20
S212658		20	2.28	10	1.00	1275	3	2.49	2	790	25	2.12	<5	9	353	<20
S212659		20	2.30	10	0.98	1185	3	2.45	3	780	70	2.22	<5	9	342	<20
S212660		<10	0.02	<10	1.90	24	1	0.01	<1	40	<2	0.13	<5	<1	5930	<20
S212661		20	2.33	10	1.07	1200	3	2.72	3	820	157	2.24	<5	10	373	<20
S212662		20	2.20	10	1.14	1160	3	2.95	<1	830	774	2.23	7	10	399	<20
S212663		20	2.56	10	1.05	1130	3	2.48	1	800	250	2.41	6	9	317	<20
S212664		20	2.32	10	0.93	1005	3	2.90	2	840	66	2.01	<5	9	385	<20
S212665		20	1.95	10	0.92	1085	3	3.25	2	810	26	1.75	<5	9	465	<20
S212666		20	1.77	10	0.93	1090	3	3.79	<1	830	21	1.62	<5	8	465	<20
S212666D		20	1.70	10	0.91	1055	3	3.65	2	810	22	1.55	<5	8	448	<20
S212667		20	2.00	10	0.81	895	3	3.40	1	810	24	1.94	<5	8	419	<20
S212668		20	2.13	10	0.87	928	2	3.27	<1	840	22	2.22	<5	8	441	<20
S212669		20	2.97	10	1.06	1015	3	2.06	6	810	44	2.65	<5	10	280	<20
S212670		10	3.66	10	0.46	1410	10	0.16	23	820	255	3.01	53	10	199	<20
S212671		20	3.63	10	1.04	1110	3	1.34	3	850	49	2.97	7	10	178	<20
S212672		20	4.28	10	0.71	590	3	0.18	2	810	33	3.23	8	10	94	<20
S212673		20	3.89	10	0.93	1320	3	0.71	2	810	26	2.93	<5	9	182	<20
S212674		20	3.70	10	0.99	1200	4	0.80	1	810	64	3.21	8	10	140	<20
S212675		20	3.44	10	1.09	1265	3	1.18	2	810	43	3.18	<5	10	157	<20
S212676		20	3.38	10	0.99	1385	4	1.14	3	780	54	3.21	5	9	174	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212639		0.29	<10	<10	92	<10	125	
S212640		<0.01	<10	<10	1	<10	<2	
S212641		0.29	<10	<10	93	<10	411	
S212642		0.28	<10	<10	90	<10	70	
S212643		0.28	<10	<10	89	10	74	
S212644		0.29	<10	10	93	10	138	
S212645		0.29	<10	10	93	10	373	
S212646		0.29	<10	<10	94	<10	180	
S212646D		0.30	10	<10	96	<10	198	
S212647		0.29	<10	<10	92	<10	162	
S212648		0.30	<10	<10	96	<10	178	
S212649		0.30	10	<10	94	<10	66	
S212650		0.26	10	<10	106	10	491	
S212651		0.28	<10	<10	91	<10	122	
S212652		0.29	<10	<10	93	<10	70	
S212653		0.29	<10	<10	94	<10	217	
S212654		0.30	<10	<10	93	10	240	
S212655		0.30	<10	<10	90	<10	292	
S212656		0.29	<10	<10	94	<10	170	
S212657		0.28	<10	<10	95	<10	92	
S212658		0.29	<10	<10	92	<10	52	
S212659		0.28	<10	<10	91	<10	65	
S212660		<0.01	<10	<10	1	<10	<2	
S212661		0.30	<10	<10	96	<10	139	
S212662		0.30	10	<10	96	<10	234	
S212663		0.29	<10	<10	92	10	151	
S212664		0.30	<10	<10	83	10	98	
S212665		0.29	<10	<10	83	10	68	
S212666		0.29	<10	<10	75	10	74	
S212666D		0.29	<10	<10	73	10	71	
S212667		0.29	<10	<10	70	10	37	
S212668		0.30	<10	<10	78	10	42	
S212669		0.30	<10	<10	95	<10	54	
S212670		0.23	<10	<10	98	10	527	132
S212671		0.32	<10	<10	103	<10	154	
S212672		0.30	<10	<10	90	<10	121	
S212673		0.30	<10	<10	94	<10	74	
S212674		0.30	<10	10	94	<10	204	
S212675		0.30	<10	<10	96	<10	92	
S212676		0.29	<10	<10	93	<10	54	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212677		6.47	0.049		1.0	7.82	74	230	1.3	3	3.40	0.5	9	7	13	3.72
S212678		6.12	0.053		7.6	7.74	86	150	1.2	<2	1.86	4.8	8	7	41	4.42
S212679		6.35	0.038		3.1	7.45	83	170	1.0	3	2.92	1.3	8	7	25	3.86
S212680		0.48	<0.005		<0.5	0.08	<5	30	<0.5	5	36.3	<0.5	<1	1	<1	0.05
S212681		6.00	0.074		1.9	7.82	87	190	1.1	<2	2.70	0.5	8	7	18	3.95
S212682		6.85	0.025		0.9	7.75	69	240	1.1	2	2.62	<0.5	9	6	17	3.88
S212683		6.82	0.053		0.9	8.15	60	200	1.1	2	2.38	0.6	8	7	24	4.09
S212684		5.73	0.029		1.2	7.47	64	130	1.0	3	2.30	0.6	9	7	22	3.72
S212685		6.14	0.020		1.6	7.31	52	210	1.0	<2	2.63	1.0	8	7	21	3.83
S212686		6.17	0.017		0.8	7.71	52	220	0.9	3	2.77	<0.5	8	7	21	4.00
S212686D		<0.02	0.011		0.8	7.88	40	240	0.9	<2	2.69	<0.5	8	7	21	3.53
S212687		6.06	0.023		0.8	7.65	48	240	0.9	<2	2.55	<0.5	9	7	21	3.75
S212688		6.38	0.028		0.9	7.73	45	210	0.9	3	2.59	<0.5	8	7	22	3.86
S212689		6.09	0.029		0.9	7.52	45	180	1.0	2	2.65	1.5	9	8	24	3.85
S212690		0.13	5.45		84.6	6.21	295	280	1.0	3	1.98	22.6	10	23	121	4.92
S212691		6.08	0.025		0.9	7.68	45	250	0.9	<2	3.03	0.8	10	7	27	4.00
S212692		6.75	0.007		0.7	7.50	29	180	1.0	2	2.89	1.7	8	7	23	3.77
S212693		6.47	<0.005		<0.5	7.27	31	320	1.0	<2	3.29	1.1	9	6	17	3.89
S212694		5.78	<0.005		<0.5	7.60	33	330	0.9	4	2.92	0.8	8	7	20	3.75
S212695		6.28	0.005		<0.5	7.54	28	270	0.9	3	2.85	1.1	8	7	21	3.64
S212696		6.08	0.020		0.6	7.63	34	270	1.0	<2	3.16	2.8	9	6	25	3.66
S212697		6.59	0.008		<0.5	7.58	33	260	1.1	<2	3.91	1.4	9	6	14	3.73
S212698		6.30	0.008		0.5	7.20	29	290	1.0	<2	3.46	<0.5	7	6	10	3.77
S212699		6.38	0.005		<0.5	7.01	19	240	0.9	3	3.62	<0.5	9	6	8	3.65
S212700		0.49	<0.005		<0.5	0.06	<5	10	<0.5	5	35.6	<0.5	<1	1	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212677		20	4.21	10	0.81	1315	3	0.28	1	810	116	3.57	7	10	138	<20
S212678		20	4.16	10	0.66	730	5	0.12	1	800	191	4.22	20	10	87	<20
S212679		20	3.69	10	0.77	1230	4	1.30	4	820	161	3.65	9	10	182	<20
S212680		<10	0.02	<10	1.62	25	2	0.01	<1	40	<2	0.14	<5	<1	5260	<20
S212681		20	3.60	10	0.82	1135	3	1.28	2	800	93	3.59	6	10	193	<20
S212682		20	3.16	10	0.98	1175	3	1.98	3	830	48	3.43	5	10	240	<20
S212683		20	3.15	10	0.90	1010	5	2.18	2	860	55	3.69	5	10	211	<20
S212684		20	3.23	10	0.90	969	3	1.48	2	770	74	3.51	7	10	200	<20
S212685		20	2.97	10	0.93	1100	4	2.06	2	810	82	3.53	10	9	222	<20
S212686		20	2.67	10	0.92	1040	4	2.55	2	810	53	3.73	5	10	264	<20
S212686D		20	2.66	10	0.90	1020	4	2.61	3	800	41	3.12	5	10	270	<20
S212687		20	2.75	10	0.88	973	4	2.44	2	830	37	3.56	<5	10	222	<20
S212688		20	2.79	10	0.83	999	3	2.27	2	790	46	3.63	7	10	220	<20
S212689		20	3.07	10	0.89	1040	4	1.93	3	810	80	3.67	5	10	187	<20
S212690		10	3.76	10	0.48	1225	11	0.24	15	960	8860	3.02	74	12	148	<20
S212691		20	2.86	10	1.03	1215	3	2.12	2	810	78	3.53	5	10	222	<20
S212692		20	2.67	10	1.10	1260	4	2.37	4	820	97	3.25	5	9	260	<20
S212693		20	2.64	10	1.04	1370	3	2.31	3	790	88	3.30	<5	9	257	<20
S212694		20	2.66	10	1.06	1280	3	2.46	1	810	62	3.21	<5	10	249	<20
S212695		20	2.67	10	1.02	1185	3	2.26	3	790	66	3.11	<5	10	240	<20
S212696		20	2.87	10	1.03	1265	3	2.08	2	790	129	3.30	6	10	233	<20
S212697		20	3.06	10	1.02	1370	3	1.91	1	830	97	3.26	<5	10	255	<20
S212698		20	2.79	10	1.06	1300	3	2.11	2	810	52	3.32	<5	9	262	<20
S212699		20	2.79	10	0.95	1270	3	2.23	2	790	24	3.22	<5	9	273	<20
S212700		<10	0.01	<10	1.59	26	1	0.01	<1	40	2	0.08	<5	<1	4720	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212677		0.30	<10	10	95	<10	63	
S212678		0.29	<10	<10	95	10	398	
S212679		0.30	<10	<10	97	<10	133	
S212680		<0.01	<10	<10	1	<10	<2	
S212681		0.30	<10	<10	96	<10	70	
S212682		0.31	<10	<10	98	10	62	
S212683		0.32	<10	<10	100	<10	77	
S212684		0.29	<10	<10	92	<10	91	
S212685		0.30	<10	<10	95	<10	117	
S212686		0.30	<10	<10	94	<10	52	
S212686D		0.30	<10	<10	94	<10	55	
S212687		0.30	<10	<10	96	<10	41	
S212688		0.30	<10	<10	92	<10	41	
S212689		0.30	<10	<10	97	<10	165	
S212690		0.26	<10	<10	124	10	1920	
S212691		0.30	<10	<10	93	<10	116	
S212692		0.29	<10	<10	95	<10	178	
S212693		0.29	<10	<10	93	<10	118	
S212694		0.30	10	<10	95	10	90	
S212695		0.29	<10	<10	91	<10	110	
S212696		0.30	<10	<10	93	<10	290	
S212697		0.30	<10	<10	95	<10	136	
S212698		0.29	<10	<10	93	<10	63	
S212699		0.29	<10	<10	93	<10	48	
S212700		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15149619

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15150595

Project: Bowser Regional Exploration

P.O. No.: BOW-0114

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 2-OCT-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
COLE MOONEY	JOE OVSENEK	NATALIE SENGER
CAROLINE VALLAT		

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314374		3.30	0.273		6.1	7.58	152	280	1.1	<2	0.65	1.0	11	6	24	3.41
S314375		1.96	0.264		4.5	7.82	151	250	1.2	<2	0.62	0.6	10	7	19	4.32
S314376		1.02	0.937		>100	6.46	216	1400	0.8	2	1.74	2.4	5	7	637	3.63
S314377		0.42	<0.005		<0.5	0.05	<5	10	<0.5	2	35.8	<0.5	<1	1	1	0.05
S314378		0.97	1.390		>100	4.58	261	1270	0.5	2	2.02	4.0	4	8	968	2.92
S314379		3.15	0.272		21.9	7.65	107	280	1.1	<2	0.81	0.5	9	7	45	3.53
S314380		0.34	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.4	<0.5	<1	1	1	0.05
S314381		3.12	0.278		11.1	7.27	192	270	1.1	3	0.68	2.9	16	8	22	4.74
S314382		3.04	0.947		88.5	8.66	165	270	1.2	<2	1.01	3.7	7	7	22	4.31
S314383		1.12	1.425		>100	5.94	118	1900	0.8	<2	1.66	1.9	6	10	53	3.90
S314384		0.41	<0.005		<0.5	0.05	<5	20	<0.5	4	35.6	<0.5	<1	1	<1	0.04
S314385		1.00	1.260		90.7	6.43	150	1480	0.7	<2	1.86	<0.5	8	8	41	3.87
S314386		1.33	0.466		51.5	7.97	109	390	0.8	<2	1.33	0.5	6	7	46	3.55
S314386D		<0.02	0.451		53.5	8.24	115	290	0.9	<2	1.38	0.5	8	8	50	3.75
S314387		1.10	0.782		95.5	6.63	131	2150	0.7	<2	2.99	1.1	4	9	27	3.48
S314388		0.92	0.495		31.7	6.58	129	1260	0.9	<2	1.08	<0.5	6	10	10	3.51
S314389		1.46	0.853		>100	7.48	136	440	0.9	<2	1.40	<0.5	6	8	21	3.72
S314390		0.13	>10.0	10.50	>100	5.92	371	1190	1.0	<2	3.77	4.2	11	31	146	3.75
S314391		1.03	0.334		11.8	6.16	155	1060	0.9	<2	1.19	1.0	7	8	15	3.50
S314392		3.87	0.245		34.5	7.63	159	290	1.2	3	0.48	1.5	11	7	62	3.66
S314393		3.54	0.306		17.7	7.42	150	270	1.2	2	0.55	1.5	11	9	17	3.57
S314394		2.36	0.279		13.8	7.58	147	250	1.3	<2	0.54	1.3	10	7	20	3.72
S314395		2.42	0.275		14.7	7.51	136	280	1.2	<2	0.61	1.9	9	8	27	4.04
S314396		1.50	0.156		13.3	5.67	76	1060	0.9	<2	2.21	<0.5	7	9	33	2.69
S314397		3.05	0.192		9.5	7.32	123	630	1.2	<2	1.94	1.1	8	7	15	3.84
S314398		2.28	0.326		76.1	7.05	129	1570	1.2	<2	2.10	2.3	6	9	156	3.92
S314399		3.42	0.214		15.9	8.45	208	430	1.4	3	1.90	2.8	9	7	84	3.62
S314400		0.48	<0.005		<0.5	0.07	<5	20	<0.5	2	35.9	<0.5	<1	1	<1	0.04
S314401		3.41	0.114		6.4	7.90	130	430	1.3	2	2.20	0.9	9	7	53	3.70
S314402		2.81	0.105		6.2	7.27	100	950	1.1	<2	2.65	2.0	9	7	31	4.00
S314403		2.10	0.171		8.1	8.47	97	280	1.4	<2	0.55	1.5	9	7	43	4.76
S314404		2.77	0.170		6.3	5.88	89	340	0.9	<2	2.61	2.3	5	7	20	5.72
S314405		2.30	0.144		4.3	6.53	47	1190	0.9	<2	1.17	0.6	8	10	18	3.91
S314406		3.59	0.435		5.4	9.51	153	150	1.7	<2	0.34	3.4	10	8	28	6.73
S314406D		<0.02	0.282		5.7	9.81	150	150	1.8	2	0.35	3.8	11	8	32	6.88
S314407		3.47	0.359		9.3	7.51	101	290	1.3	<2	0.33	0.6	9	7	45	3.22
S314408		2.30	0.662		20.2	8.36	167	210	1.5	<2	0.64	0.7	14	7	50	3.77
S314409		1.19	0.587		38.0	6.10	137	220	1.0	<2	0.25	1.9	10	8	68	2.91
S314410		0.12	5.49		78.2	6.00	268	1190	0.9	<2	1.84	20.7	10	21	114	4.51
S314411		1.16	2.29		>100	3.60	127	510	0.6	<2	0.27	1.5	6	11	142	2.45

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314374		20	4.09	10	0.56	221	4	0.07	5	790	37	3.62	6	9	51	<10
S314375		20	4.23	10	0.57	223	12	0.08	5	820	69	4.54	<5	10	40	<10
S314376		10	3.32	10	0.41	498	4	0.06	5	590	109	3.78	247	7	71	<10
S314377		<10	0.01	<10	1.80	20	<1	<0.01	<1	30	2	0.07	<5	<1	5320	<10
S314378		10	2.31	10	0.25	519	4	0.04	2	380	110	2.99	410	4	100	<10
S314379		20	4.09	10	0.51	267	25	0.07	5	800	42	3.71	24	9	44	10
S314380		<10	0.02	<10	2.05	25	<1	<0.01	1	30	<2	0.11	<5	<1	4800	<10
S314381		20	3.81	10	0.50	266	33	0.07	5	940	62	5.04	9	9	45	<10
S314382		20	4.62	10	0.59	335	52	0.08	5	790	334	4.65	11	9	78	<10
S314383		10	3.09	10	0.42	513	21	0.05	3	580	230	3.85	36	7	124	<10
S314384		<10	0.01	<10	1.95	20	<1	<0.01	<1	30	<2	0.11	<5	<1	5400	<10
S314385		10	3.32	10	0.40	541	8	0.06	3	610	149	3.93	25	8	90	<10
S314386		10	4.14	<10	0.51	431	6	0.09	5	620	116	3.72	36	8	73	<10
S314386D		10	4.37	<10	0.53	454	7	0.09	4	660	121	3.89	34	8	76	<10
S314387		10	3.45	<10	0.45	820	9	0.05	3	520	169	3.61	15	6	259	<10
S314388		10	3.42	10	0.47	364	4	0.06	4	560	43	3.48	5	7	60	<10
S314389		10	3.97	10	0.52	425	19	0.07	5	640	96	3.87	14	7	84	<10
S314390		10	3.74	10	0.48	1400	8	0.16	22	840	247	3.10	60	10	204	<10
S314391		10	3.18	10	0.45	383	7	0.06	4	640	48	3.53	7	8	53	<10
S314392		20	4.12	10	0.56	195	3	0.07	5	850	36	3.88	41	10	37	<10
S314393		20	3.91	10	0.54	226	18	0.08	4	830	58	3.69	10	10	37	<10
S314394		20	4.07	10	0.56	209	42	0.07	5	830	63	3.97	5	10	35	<10
S314395		20	3.99	10	0.55	237	9	0.07	5	790	68	4.23	7	10	37	<10
S314396		10	2.90	10	0.42	698	7	0.05	4	570	46	2.64	14	7	81	<10
S314397		20	3.81	10	0.54	637	27	0.07	5	750	61	3.96	9	9	75	<10
S314398		20	3.67	20	0.54	797	9	0.06	5	700	47	4.12	102	9	77	<10
S314399		20	4.55	10	0.67	493	17	0.08	4	940	58	3.71	29	11	74	<10
S314400		<10	0.02	<10	1.36	15	<1	<0.01	<1	30	<2	0.09	<5	<1	4780	<10
S314401		20	4.40	10	0.66	540	23	0.07	4	840	39	3.80	9	10	93	10
S314402		20	3.87	10	0.59	892	29	0.08	4	760	53	4.16	5	9	93	<10
S314403		20	4.72	<10	0.67	222	18	0.07	5	870	90	5.05	8	11	49	<10
S314404		10	3.42	<10	0.42	730	36	0.04	4	550	72	6.08	5	7	131	10
S314405		10	3.35	<10	0.41	394	4	0.04	4	580	22	3.96	5	8	55	<10
S314406		20	5.48	10	0.73	175	11	0.07	6	1010	61	7.32	5	13	42	10
S314406D		20	5.64	10	0.75	181	13	0.07	6	1010	63	7.39	6	13	44	10
S314407		20	4.00	10	0.56	166	13	0.06	3	770	19	3.40	15	9	34	<10
S314408		20	4.52	10	0.59	197	31	0.07	4	940	23	4.01	28	11	54	<10
S314409		10	3.16	10	0.45	136	17	0.05	3	630	18	2.97	43	8	32	<10
S314410		10	3.51	10	0.46	1135	9	0.22	15	920	8660	2.90	68	12	143	<10
S314411		10	1.80	10	0.26	163	5	0.03	2	350	35	2.14	141	5	26	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314374		<20	0.30	<10	<10	91	<10	158	
S314375		<20	0.31	<10	<10	94	<10	129	
S314376		<20	0.23	<10	<10	67	<10	377	134
S314377		<20	<0.01	<10	<10	1	<10	<2	
S314378		<20	0.14	<10	<10	34	<10	654	222
S314379		<20	0.30	10	<10	87	<10	103	
S314380		<20	<0.01	<10	<10	1	<10	<2	
S314381		<20	0.29	<10	<10	86	<10	534	
S314382		<20	0.31	<10	<10	96	<10	653	
S314383		<20	0.23	<10	<10	64	<10	302	140
S314384		<20	<0.01	<10	<10	1	<10	<2	
S314385		<20	0.24	<10	<10	60	<10	87	
S314386		<20	0.23	<10	<10	64	<10	91	
S314386D		<20	0.25	<10	<10	67	<10	91	
S314387		<20	0.19	<10	<10	49	<10	193	
S314388		<20	0.21	<10	<10	61	<10	32	
S314389		<20	0.24	<10	<10	63	<10	57	110
S314390		<20	0.24	<10	<10	98	<10	519	136
S314391		<20	0.24	<10	<10	66	<10	124	
S314392		<20	0.32	<10	<10	92	<10	174	
S314393		<20	0.30	10	<10	92	<10	202	
S314394		<20	0.30	<10	<10	95	<10	192	
S314395		<20	0.30	<10	<10	90	<10	256	
S314396		<20	0.22	<10	<10	59	<10	64	
S314397		<20	0.29	<10	<10	86	<10	139	
S314398		<20	0.26	<10	<10	84	<10	198	
S314399		<20	0.34	<10	<10	102	<10	316	
S314400		<20	<0.01	<10	<10	1	<10	<2	
S314401		<20	0.31	<10	<10	96	<10	118	
S314402		<20	0.29	<10	<10	82	<10	230	
S314403		<20	0.33	<10	<10	105	<10	181	
S314404		<20	0.21	<10	<10	71	<10	228	
S314405		<20	0.24	<10	<10	77	<10	80	
S314406		<20	0.37	<10	<10	127	<10	379	
S314406D		<20	0.38	<10	<10	129	<10	429	
S314407		<20	0.29	<10	<10	90	<10	66	
S314408		<20	0.33	10	<10	106	<10	82	
S314409		<20	0.24	<10	<10	76	<10	228	
S314410		<20	0.25	<10	<10	114	<10	1790	
S314411		<20	0.14	<10	<10	43	<10	154	621

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314412		0.83	<0.005		0.5	0.04	<5	10	<0.5	2	34.0	<0.5	<1	1	<1	0.04
S314413		1.64	0.423		49.2	4.87	97	560	0.9	<2	0.23	0.9	6	11	64	2.42
S314414		1.19	1.170		>100	5.04	102	480	0.9	<2	0.26	1.1	7	8	62	2.39
S314415		0.41	<0.005		<0.5	0.08	<5	10	<0.5	5	34.4	<0.5	<1	<1	<1	0.04
S314416		0.92	0.591		34.5	6.47	118	440	1.1	<2	0.19	1.4	7	6	65	2.71
S314417		0.99	0.591		76.0	5.79	124	720	1.0	<2	0.15	2.0	8	7	133	2.15
S314418		1.29	0.319		31.8	5.36	89	810	1.0	<2	0.14	1.1	6	7	57	1.83
S314419		0.75	0.430		28.3	6.21	112	430	1.1	<2	0.16	2.5	10	6	66	2.60
S314420		0.68	<0.005		<0.5	0.04	<5	10	<0.5	4	32.9	<0.5	<1	<1	<1	0.03
S314421		1.32	0.745		37.0	7.03	151	180	1.2	<2	0.18	1.4	11	6	89	3.90
S314422		1.02	0.821		55.0	7.03	169	510	1.2	<2	0.15	1.0	12	9	97	2.63
S314423		1.30	0.755		43.6	6.79	150	530	1.2	<2	0.12	0.8	13	6	82	2.41
S314424		0.43	<0.005		<0.5	0.06	<5	10	<0.5	5	33.1	<0.5	<1	<1	2	0.05
S314425		1.76	0.582		13.5	5.01	93	220	0.9	<2	0.16	1.1	7	6	23	3.84
S314426		1.16	0.938		>100	2.87	74	430	0.7	<2	0.16	3.1	2	12	149	2.04
S314426D		Not Recvd														
S314427		1.01	1.245		>100	3.20	70	520	0.7	<2	0.22	3.9	3	10	62	2.47
S314428		0.50	<0.005		<0.5	0.03	<5	10	<0.5	4	34.2	<0.5	<1	<1	<1	0.03
S314429		1.58	0.257		7.4	5.55	95	310	1.1	<2	0.30	0.5	6	8	9	3.67
S314430		0.10	>10.0	19.00	18.5	6.46	721	330	1.3	2	2.62	1.6	18	102	133	4.74
S314431		1.30	0.388		4.8	5.99	115	210	1.2	<2	0.28	0.5	6	8	14	3.86
S314432		1.09	0.340		13.9	3.34	101	560	0.6	<2	0.38	1.3	4	17	38	2.37
S314433		1.21	0.225		10.3	5.16	118	300	0.8	<2	0.29	2.2	6	7	37	2.74
S314434		3.12	0.483		2.6	6.39	61	320	0.9	2	0.41	0.6	5	10	13	5.37
S314435		1.91	0.253		17.5	6.40	89	450	1.0	2	1.18	1.6	7	6	57	3.04
S314436		2.72	0.245		2.1	7.25	127	730	0.9	<2	2.05	0.7	7	5	55	3.44
S314437		3.39	0.474		1.6	7.28	125	1320	0.8	<2	2.29	0.5	8	5	52	3.27
S314438		2.94	0.340		1.5	6.86	199	600	0.8	<2	2.98	1.2	7	5	61	3.36
S314439		3.91	0.244		1.4	7.23	214	510	1.0	<2	2.76	0.9	8	5	35	2.91
S314440		0.35	<0.005		<0.5	0.05	5	10	<0.5	2	32.5	<0.5	<1	<1	<1	0.04
S314441		3.72	0.318		2.1	6.93	105	440	1.1	<2	2.34	1.7	9	5	60	2.97
S314442		3.95	0.301		4.3	7.27	146	440	1.2	<2	2.52	1.1	7	5	104	3.38
S314443		3.55	0.376		6.8	6.78	78	1540	0.9	<2	2.39	1.1	7	4	68	3.10
S314444		3.20	0.158		2.6	6.82	79	440	0.9	<2	2.94	1.4	10	4	38	3.48
S314445		3.29	0.177		1.6	7.24	78	600	0.8	<2	1.90	0.7	9	4	82	3.09
S314446		2.53	0.250		8.1	7.50	125	400	0.9	<2	0.69	0.6	10	5	39	3.00
S314446D		<0.02	0.215		7.3	7.87	119	450	0.9	<2	0.59	0.6	11	5	35	2.90
S314447		1.38	1.300		>100	2.62	390	790	0.7	<2	0.73	9.6	2	11	114	1.52
S314448		0.91	<0.005		<0.5	0.04	<5	10	<0.5	5	32.7	<0.5	<1	<1	1	0.03
S314449		1.72	0.254		9.5	6.94	210	1660	0.9	<2	1.31	1.4	8	6	51	2.34

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314412		<10	0.01	<10	1.89	20	1	<0.01	1	30	<2	0.05	<5	<1	4760	<10
S314413		10	2.50	10	0.36	123	5	0.04	4	500	16	2.30	51	6	28	<10
S314414		10	2.59	10	0.37	129	14	0.04	2	510	24	2.31	57	6	27	<10
S314415		<10	0.01	<10	1.43	14	<1	<0.01	1	30	<2	0.10	<5	<1	5640	<10
S314416		10	3.43	10	0.47	104	4	0.05	2	670	38	2.81	47	8	27	<10
S314417		10	3.03	10	0.46	111	101	0.04	3	590	27	2.11	103	7	21	<10
S314418		10	2.79	10	0.41	102	284	0.04	3	550	32	1.75	41	6	21	<10
S314419		10	3.24	10	0.45	108	19	0.05	4	640	21	2.58	46	8	22	<10
S314420		<10	0.01	<10	1.78	16	<1	<0.01	<1	40	<2	0.03	<5	<1	4790	<10
S314421		20	3.63	10	0.50	110	7	0.05	3	660	24	4.13	58	9	26	<10
S314422		20	3.68	10	0.51	121	4	0.16	3	330	21	2.76	68	9	50	<10
S314423		20	3.49	10	0.49	127	4	0.09	3	340	19	2.39	57	8	33	<10
S314424		<10	0.01	<10	1.66	20	1	<0.01	<1	30	<2	0.05	<5	<1	4350	<10
S314425		10	2.59	10	0.36	108	5	0.04	3	470	31	3.99	13	7	23	<10
S314426		10	1.40	<10	0.20	100	6	0.03	1	270	276	1.94	131	4	37	<10
S314426D																
S314427		10	1.57	10	0.22	125	11	0.03	3	320	483	2.32	59	4	23	<10
S314428		<10	<0.01	<10	1.63	18	<1	<0.01	1	40	2	0.05	<5	<1	4790	<10
S314429		10	2.84	10	0.40	137	13	0.09	2	560	48	3.77	<5	7	59	<10
S314430		10	2.86	10	0.65	953	7	0.15	68	1600	59	3.97	14	18	176	<10
S314431		10	3.08	<10	0.43	121	8	0.07	3	630	30	4.11	<5	8	38	<10
S314432		10	1.67	<10	0.23	183	18	0.08	2	300	39	2.17	25	4	42	<10
S314433		10	2.63	<10	0.34	140	11	0.06	2	520	49	2.82	19	6	32	<10
S314434		10	3.16	<10	0.37	188	6	0.09	5	610	35	5.89	<5	7	43	<10
S314435		10	3.26	10	0.42	390	7	0.13	3	640	22	3.05	27	8	101	<10
S314436		20	3.46	10	0.77	1150	18	1.00	4	750	13	2.13	5	9	270	<10
S314437		10	3.43	10	0.78	1195	16	1.25	4	760	11	1.50	<5	9	335	<10
S314438		10	4.02	10	0.54	1245	7	1.18	2	760	17	1.97	<5	9	384	<10
S314439		20	4.33	10	0.55	1160	16	0.46	2	770	19	2.21	<5	9	256	<10
S314440		<10	0.01	<10	2.14	19	<1	<0.01	<1	30	<2	0.07	<5	<1	4720	<10
S314441		10	3.94	10	0.57	931	12	0.18	3	700	32	2.72	<5	9	175	<10
S314442		20	3.99	10	0.80	1120	16	0.50	3	750	17	2.63	<5	9	238	<10
S314443		20	3.59	10	0.95	1210	6	1.22	4	740	16	1.79	<5	8	354	<10
S314444		20	3.95	10	0.83	1155	8	1.42	3	740	27	2.85	<5	8	464	<10
S314445		10	4.39	10	0.84	908	9	1.17	3	750	21	2.40	<5	9	320	<10
S314446		10	4.48	10	0.54	407	11	0.25	3	760	31	2.79	<5	9	152	<10
S314446D		20	5.12	10	0.58	374	16	0.27	3	800	29	2.68	5	10	147	<10
S314447		10	1.52	10	0.21	351	2	0.05	1	240	406	1.02	124	3	89	<10
S314448		<10	0.01	<10	1.68	17	<1	<0.01	1	30	<2	0.03	<5	<1	4560	<10
S314449		10	4.67	10	0.51	612	5	0.14	3	670	41	1.98	13	9	220	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314412		<20	<0.01	<10	<10	1	<10	<2	
S314413		<20	0.19	<10	<10	59	<10	86	
S314414		<20	0.19	<10	<10	62	<10	91	167
S314415		<20	<0.01	<10	<10	1	<10	<2	
S314416		<20	0.25	10	<10	80	<10	160	
S314417		<20	0.22	10	<10	74	<10	227	
S314418		<20	0.20	<10	<10	57	<10	119	
S314419		<20	0.23	<10	<10	72	<10	330	
S314420		<20	<0.01	<10	<10	1	<10	<2	
S314421		<20	0.27	<10	<10	86	<10	183	
S314422		<20	0.26	<10	<10	77	<10	114	
S314423		<20	0.26	10	<10	82	<10	105	
S314424		<20	<0.01	<10	<10	1	<10	9	
S314425		<20	0.19	<10	<10	62	<10	133	
S314426		<20	0.10	<10	<10	36	<10	390	163
S314426D									
S314427		<20	0.12	<10	<10	41	<10	564	240
S314428		<20	<0.01	<10	<10	1	<10	<2	
S314429		<20	0.21	10	<10	71	<10	52	
S314430		<20	0.34	10	<10	170	<10	206	
S314431		<20	0.23	<10	<10	73	<10	54	
S314432		<20	0.12	<10	<10	42	<10	115	
S314433		<20	0.19	<10	<10	59	<10	254	
S314434		<20	0.24	<10	<10	70	<10	77	
S314435		<20	0.23	<10	<10	71	<10	155	
S314436		<20	0.28	10	<10	86	<10	91	
S314437		<20	0.28	<10	<10	84	<10	76	
S314438		<20	0.28	10	<10	86	<10	142	
S314439		<20	0.29	<10	<10	87	<10	106	
S314440		<20	<0.01	10	<10	1	<10	<2	
S314441		<20	0.27	10	<10	83	<10	185	
S314442		<20	0.28	10	<10	85	<10	122	
S314443		<20	0.28	<10	<10	84	<10	124	
S314444		<20	0.29	<10	<10	86	<10	131	
S314445		<20	0.28	<10	<10	88	<10	79	
S314446		<20	0.29	10	<10	87	<10	71	
S314446D		<20	0.30	10	<10	91	<10	71	
S314447		<20	0.09	<10	<10	31	<10	1370	123
S314448		<20	<0.01	<10	<10	1	<10	<2	
S314449		<20	0.26	<10	<10	77	<10	158	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314450		0.13	1.015		12.3	5.94	284	860	1.0	<2	3.34	4.2	10	23	83	3.74
S314451		3.36	0.258		4.3	7.85	118	760	0.9	<2	0.94	9.7	8	5	101	2.62
S314452		1.11	0.895		94.9	2.48	228	1320	<0.5	<2	0.86	11.1	2	13	91	1.42
S314453		1.06	1.855		>100	3.09	171	1170	<0.5	<2	1.00	12.3	3	9	110	1.58
S314454		3.55	0.196		9.9	7.82	125	400	1.0	<2	0.69	0.9	9	5	94	3.26
S314455		3.79	0.115		6.4	7.95	102	400	1.1	<2	1.24	3.0	9	5	68	3.59
S314456		3.65	0.156		2.0	6.63	86	260	0.9	<2	2.89	1.2	9	4	36	3.68
S314457		3.70	0.179		1.8	7.52	134	400	1.0	<2	1.67	0.9	9	5	24	3.63
S314458		2.99	0.174		2.1	6.79	87	300	0.9	<2	2.32	1.1	7	4	83	3.62
S314459		2.85	0.227		5.2	7.07	54	290	0.8	2	2.37	0.9	9	4	31	3.64
S314460		0.60	<0.005		<0.5	0.04	<5	10	<0.5	3	33.1	<0.5	<1	<1	<1	0.03
S314461		3.26	0.209		2.0	7.38	72	380	1.0	<2	1.73	1.6	8	6	40	3.20
S314462		3.82	0.184		2.0	6.98	66	270	1.0	<2	2.11	1.3	7	5	14	3.57
S314463		3.53	0.137		1.4	7.67	59	390	1.0	<2	1.93	2.1	7	4	16	3.28
S314464		3.36	0.163		1.6	7.10	81	420	1.0	<2	2.94	1.0	7	4	39	3.12
S314465		2.79	0.130		1.6	7.20	73	300	0.9	<2	2.13	1.7	8	4	43	3.27
S314466		3.24	0.113		1.6	7.32	58	290	1.0	<2	2.44	0.8	9	4	79	3.55
S314466D		<0.02	0.117		1.6	7.22	59	290	1.0	<2	2.45	0.9	8	4	79	3.50
S314467		3.53	0.326		2.5	6.69	154	340	1.1	<2	2.56	0.8	8	4	77	3.29
S314468		3.67	0.177		1.1	6.91	66	710	1.1	2	2.51	1.1	6	4	67	3.19
S314469		3.26	0.365		1.3	6.86	72	560	1.0	<2	2.40	0.9	9	4	13	3.30
S314470		0.12	>10.0	11.55	>100	5.64	350	1110	0.9	<2	3.44	4.1	10	27	140	3.49
S314471		3.24	0.366		2.5	6.99	120	490	0.9	<2	1.82	0.9	7	4	32	3.14
S314472		2.01	1.020		2.7	6.75	231	390	1.0	2	2.10	0.9	8	5	36	3.14
S314473		1.01	0.522		42.3	4.85	1005	1180	0.8	<2	5.70	1.2	4	5	27	2.71

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314450		10	3.73	10	0.52	1320	9	0.20	21	880	136	2.71	14	10	191	<10
S314451		20	4.55	10	0.61	589	16	0.31	3	780	110	2.13	<5	10	207	<10
S314452		10	1.84	<10	0.14	374	4	0.09	1	230	281	1.01	73	3	120	<10
S314453		<10	2.54	<10	0.16	435	2	0.13	2	250	742	1.37	115	3	142	<10
S314454		10	5.00	10	0.59	443	12	0.17	3	790	24	3.05	5	10	140	<10
S314455		20	5.00	10	0.80	768	7	0.22	2	820	26	3.30	7	10	164	<10
S314456		10	4.99	10	0.68	1400	14	0.30	2	720	30	3.41	<5	8	315	<10
S314457		20	5.00	10	0.79	1000	42	0.54	4	770	32	3.24	<5	9	223	<10
S314458		10	4.73	10	0.73	1235	8	0.99	3	730	33	3.08	<5	8	317	<10
S314459		20	4.50	10	0.65	1120	5	1.57	4	760	37	3.34	<5	9	342	<10
S314460		<10	0.01	<10	1.54	18	<1	<0.01	1	30	<2	0.08	<5	<1	5140	<10
S314461		20	4.40	10	0.60	734	70	0.90	2	750	101	3.08	<5	9	216	<10
S314462		20	4.25	10	0.48	772	21	0.56	3	720	74	3.56	<5	8	224	<10
S314463		20	3.66	10	0.78	818	12	1.36	3	770	43	3.04	6	9	208	<10
S314464		20	3.78	10	0.74	1185	9	1.37	3	730	43	2.85	<5	9	321	<10
S314465		20	4.19	10	0.72	1005	4	1.18	3	760	51	3.01	<5	9	265	<10
S314466		20	4.40	10	0.74	1135	4	1.53	1	770	24	3.17	<5	9	339	<10
S314466D		20	4.36	10	0.74	1165	5	1.57	3	780	22	3.16	<5	9	347	<10
S314467		20	4.71	10	0.70	1010	14	0.82	2	740	17	2.88	<5	8	293	<10
S314468		20	4.09	10	0.84	1165	91	1.63	3	730	23	2.19	<5	8	376	<10
S314469		10	4.37	10	0.73	1080	10	1.20	3	730	23	2.62	<5	9	335	<10
S314470		10	3.44	10	0.44	1285	8	0.15	22	770	238	2.88	52	10	196	<10
S314471		10	4.67	10	0.36	714	9	0.18	1	730	24	3.02	<5	9	213	<10
S314472		20	4.74	10	0.32	868	14	0.19	3	800	20	2.98	<5	9	230	<10
S314473		10	3.13	10	0.28	1720	5	0.09	2	470	70	2.67	41	7	222	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1
S314450		<20	0.24	<10	<10	99	<10	466	
S314451		<20	0.29	10	<10	88	<10	851	
S314452		<20	0.09	<10	<10	27	<10	1580	
S314453		<20	0.09	<10	<10	22	<10	1880	187
S314454		<20	0.30	10	<10	90	<10	125	
S314455		<20	0.31	10	<10	95	<10	344	
S314456		<20	0.27	<10	<10	83	<10	145	
S314457		<20	0.28	<10	<10	89	<10	108	
S314458		<20	0.28	<10	<10	82	<10	129	
S314459		<20	0.28	10	<10	85	<10	109	
S314460		<20	<0.01	<10	<10	1	<10	<2	
S314461		<20	0.28	<10	<10	83	<10	177	
S314462		<20	0.27	<10	<10	79	<10	129	
S314463		<20	0.29	10	<10	87	<10	225	
S314464		<20	0.28	10	<10	86	<10	125	
S314465		<20	0.28	<10	<10	87	<10	176	
S314466		<20	0.29	<10	<10	89	<10	101	
S314466D		<20	0.29	10	<10	89	<10	105	
S314467		<20	0.27	<10	<10	85	<10	90	
S314468		<20	0.28	<10	<10	84	<10	116	
S314469		<20	0.28	10	<10	83	<10	100	
S314470		<20	0.22	<10	<10	90	<10	491	136
S314471		<20	0.28	10	<10	82	<10	94	
S314472		<20	0.29	10	<10	90	<10	116	
S314473		<20	0.18	10	<10	58	<10	130	

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15150595

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
This copy reported on
29-OCT-2015
Account: PRETRES

CERTIFICATE TR15151528

Project: Bowser Regional Exploration

P.O. No.: BOW-0111

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 3-OCT-2015.

The following have access to data associated with this certificate:

AUDREY CHEN COLE MOONEY CAROLINE VALLAT	SUSAN FLASHA JOE OVSENEK	KENNETH MCNAUGHTON NATALIE SENGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314274		3.47	0.423		0.8	9.31	70	700	0.9	3	0.19	1.5	9	6	98	4.80
S314275		3.65	0.573		0.8	9.01	102	750	0.9	5	0.09	2.9	10	8	179	4.33
S314276		2.97	0.218		1.0	9.35	48	520	1.0	4	0.07	10.6	15	6	90	3.75
S314277		3.22	0.164		0.9	9.69	49	560	1.1	2	0.16	13.1	20	6	99	3.57
S314278		3.46	0.294		0.9	9.77	99	430	1.1	3	0.06	9.6	20	8	97	3.80
S314279		3.38	0.185		0.7	9.24	76	760	1.0	4	0.08	7.4	19	7	44	3.74
S314280		0.50	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.1	<0.5	<1	1	1	0.04
S314281		3.16	0.222		0.6	8.83	126	460	1.1	3	0.12	5.3	17	7	30	4.33
S314282		3.69	0.208		0.7	9.04	78	780	1.1	2	0.23	6.9	15	6	39	3.71
S314283		3.18	0.118		0.6	9.62	59	1090	1.2	3	0.32	13.6	18	6	29	4.58
S314284		3.26	0.112		0.5	8.46	54	500	1.1	5	0.60	8.7	12	8	21	3.77
S314285		3.30	0.155		0.6	8.92	54	740	1.2	<2	0.76	10.1	10	6	17	4.05
S314286		3.12	0.260		1.1	8.74	74	620	1.2	4	1.02	8.2	10	6	54	3.95
S314286D		<0.02	0.270		1.1	8.53	76	710	1.2	3	1.02	8.7	9	6	51	3.88
S314287		3.18	0.328		1.0	8.54	65	1620	1.1	4	1.65	5.3	11	6	63	4.02
S314288		3.22	0.376		0.8	8.74	76	1580	1.2	2	1.49	3.6	11	6	50	3.86
S314289		2.76	0.328		0.7	8.67	62	1530	1.2	<2	2.05	2.5	12	6	60	3.73
S314290		0.13	0.969		12.8	6.26	312	1580	1.0	3	3.60	4.3	11	27	85	4.00
S314291		3.26	0.404		0.6	8.53	71	1510	1.2	2	1.85	2.8	12	6	35	4.27
S314292		3.67	0.315		0.5	8.82	70	1490	1.2	5	1.34	1.7	12	5	32	4.12
S314293		3.06	0.167		0.5	8.63	60	1190	1.2	5	1.02	1.9	11	6	28	4.38
S314294		3.41	0.176		0.7	8.89	73	1300	1.2	2	3.02	2.4	16	5	31	4.72
S314295		3.15	0.162		1.1	8.46	70	600	1.2	5	0.79	2.0	17	7	66	4.04
S314296		3.26	0.218		1.0	8.59	118	400	1.4	<2	0.89	3.9	18	7	39	4.61
S314297		3.36	0.392		1.7	8.86	150	510	1.5	2	0.64	3.3	23	7	53	4.79
S314298		3.63	0.150		1.2	8.32	89	880	1.4	2	0.81	1.9	14	6	62	4.01
S314299		3.38	0.197		1.4	9.33	106	660	1.6	<2	1.29	4.1	19	7	66	4.06
S314300		0.59	<0.005		<0.5	0.07	<5	20	<0.5	2	33.6	<0.5	<1	1	1	0.04
S314301		2.90	0.131		0.5	8.94	61	570	1.5	<2	1.13	1.0	13	5	20	4.24
S314302		3.28	0.205		0.7	8.28	79	770	1.4	<2	0.74	2.1	13	7	24	3.85
S314303		3.12	0.178		1.3	8.14	66	920	1.3	7	1.07	2.0	13	6	42	3.88
S314304		3.12	0.158		1.5	9.52	55	1710	1.5	2	2.43	1.6	11	7	49	3.86
S314305		3.65	0.212		1.9	10.50	101	240	1.8	2	1.66	2.5	17	8	19	5.18
S314306		2.99	0.234		2.3	10.90	136	3220	1.5	4	5.97	1.2	14	6	25	4.26
S314306D		<0.02	0.243		2.3	10.50	138	2370	1.5	5	5.70	1.4	12	6	26	4.26
S314307		3.15	0.175		2.0	8.77	91	1490	1.3	2	1.55	0.6	10	6	24	4.00
S314308		3.23	0.167		4.8	8.01	79	250	1.2	<2	1.16	0.7	11	7	23	3.87
S314309		3.37	0.193		6.5	8.18	70	210	1.2	5	1.35	0.5	10	6	23	3.77
S314310		0.13	>10.0	10.40	>100	5.94	359	420	1.0	3	3.63	4.3	12	31	146	3.73
S314311		3.12	0.111		3.4	7.50	75	370	1.2	3	3.34	1.6	8	10	29	3.41

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314274		20	3.88	10	0.30	72	84	0.20	<1	830	73	5.40	22	12	51	<10
S314275		20	3.71	10	0.31	97	22	0.19	1	300	70	4.69	47	12	48	<10
S314276		20	3.78	40	0.39	88	27	0.20	3	250	51	4.22	28	11	54	<10
S314277		20	4.09	40	0.37	99	26	0.20	5	670	62	4.01	31	11	60	<10
S314278		20	4.26	10	0.43	118	11	0.20	4	130	58	4.17	33	12	59	<10
S314279		20	3.46	10	0.83	178	6	0.16	4	130	59	4.07	10	11	53	<10
S314280		<10	0.01	<10	1.79	17	<1	<0.01	<1	40	<2	0.04	6	<1	4730	10
S314281		20	3.70	10	0.65	195	8	0.16	5	240	68	4.68	5	12	54	<10
S314282		20	3.76	20	0.59	209	23	0.16	6	730	68	4.07	8	11	50	<10
S314283		20	3.67	10	1.14	504	2	0.16	4	1110	47	4.72	<5	13	59	<10
S314284		20	3.75	20	0.69	591	46	0.13	4	920	77	3.94	<5	10	45	<10
S314285		20	3.80	10	0.69	741	11	0.14	4	780	82	4.33	<5	11	55	<10
S314286		20	3.65	20	0.69	922	10	0.14	3	970	55	4.21	15	11	54	<10
S314286D		20	3.63	20	0.67	940	9	0.13	4	940	54	4.06	11	11	54	<10
S314287		20	3.59	20	0.73	1475	12	0.12	3	840	47	4.27	17	11	58	<10
S314288		20	3.54	10	0.89	1380	20	0.12	5	860	40	3.98	16	11	52	<10
S314289		20	3.55	10	0.93	1860	26	0.12	5	920	39	3.73	17	11	58	<10
S314290		10	3.92	10	0.57	1415	9	0.21	21	920	146	2.88	20	11	197	<10
S314291		20	3.46	10	0.92	1680	11	0.11	4	1030	42	4.43	5	11	56	<10
S314292		20	3.64	10	1.04	1325	9	0.11	4	950	41	4.24	<5	11	50	<10
S314293		20	3.48	10	1.15	1150	10	0.11	4	910	39	4.30	6	11	44	<10
S314294		20	3.79	10	0.95	2500	10	0.11	4	970	45	4.90	5	11	71	<10
S314295		20	3.50	10	1.16	1080	8	0.11	4	920	28	3.93	19	11	40	<10
S314296		20	3.70	10	0.91	983	5	0.12	6	1000	52	4.68	9	11	52	<10
S314297		20	4.04	10	0.50	455	12	0.13	7	1230	79	5.28	15	12	51	<10
S314298		20	3.64	10	0.54	595	16	0.11	5	970	41	4.31	21	11	49	<10
S314299		20	4.14	10	0.68	1045	5	0.12	7	1030	41	4.20	19	12	60	<10
S314300		<10	0.02	<10	2.12	24	<1	<0.01	<1	40	<2	0.05	<5	<1	4620	10
S314301		20	3.86	10	1.00	1075	6	0.12	4	1190	24	4.30	6	11	52	<10
S314302		20	3.61	10	0.76	662	10	0.11	3	920	23	3.90	5	11	43	<10
S314303		20	3.49	10	0.86	964	13	0.10	1	870	35	3.90	10	11	52	<10
S314304		20	4.18	20	0.77	1675	12	0.11	3	970	21	3.95	12	12	64	<10
S314305		30	5.16	10	0.59	1025	13	0.13	4	1230	55	5.77	<5	14	58	<10
S314306		20	4.62	20	0.68	3250	13	0.12	5	1030	56	4.56	6	15	142	<10
S314306D		20	4.64	20	0.65	3090	12	0.10	3	1040	59	4.60	9	14	132	<10
S314307		20	3.92	10	0.62	860	9	0.09	2	880	45	4.20	6	12	47	<10
S314308		20	3.54	10	0.54	671	11	0.09	5	830	45	4.02	11	10	41	10
S314309		20	3.62	10	0.52	745	11	0.09	3	840	32	3.94	14	10	43	10
S314310		10	3.59	10	0.47	1340	8	0.16	23	830	238	3.00	62	10	199	<10
S314311		20	3.49	10	0.83	1700	14	0.09	4	850	29	3.24	10	10	73	10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1	5
S314274		<20	0.33	10	<10	115	10	61		
S314275		<20	0.33	<10	<10	98	<10	67		
S314276		<20	0.34	<10	<10	112	10	145		
S314277		<20	0.32	10	<10	94	<10	162		
S314278		<20	0.36	<10	<10	103	<10	134		
S314279		<20	0.33	<10	<10	104	<10	478		
S314280		<20	<0.01	10	<10	1	<10	4		
S314281		<20	0.33	<10	<10	105	10	553		
S314282		<20	0.31	<10	<10	95	10	408		
S314283		<20	0.38	<10	<10	118	<10	893		
S314284		<20	0.31	<10	<10	105	10	333		
S314285		<20	0.33	<10	<10	105	<10	431		
S314286		<20	0.32	10	<10	101	<10	263		
S314286D		<20	0.31	<10	<10	96	<10	274		
S314287		<20	0.31	<10	<10	98	<10	271		
S314288		<20	0.32	<10	<10	99	<10	303		
S314289		<20	0.33	10	<10	99	<10	249		
S314290		<20	0.26	<10	<10	105	10	494		
S314291		<20	0.32	<10	<10	98	<10	332		
S314292		<20	0.33	<10	<10	103	<10	250		
S314293		<20	0.32	<10	<10	100	<10	333		
S314294		<20	0.33	<10	<10	104	<10	408		
S314295		<20	0.32	<10	<10	106	<10	310		
S314296		<20	0.33	10	<10	106	10	608		
S314297		<20	0.34	10	<10	106	10	718		
S314298		<20	0.31	<10	10	97	<10	421		
S314299		<20	0.35	10	<10	110	<10	622		
S314300		<20	<0.01	<10	<10	2	<10	5		
S314301		<20	0.33	<10	<10	109	<10	208		
S314302		<20	0.32	<10	<10	102	<10	386		
S314303		<20	0.30	<10	<10	97	<10	358		
S314304		<20	0.35	<10	<10	108	<10	197		
S314305		<20	0.44	<10	<10	140	<10	375		
S314306		<20	0.34	<10	<10	114	<10	164		
S314306D		<20	0.35	<10	<10	118	<10	184		
S314307		<20	0.31	10	<10	101	<10	126		
S314308		<20	0.31	<10	<10	96	<10	111		
S314309		<20	0.30	10	<10	99	<10	97		
S314310		<20	0.23	<10	<10	99	<10	500	135	
S314311		<20	0.32	<10	<10	96	<10	233		

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314312		3.32	0.119		2.4	7.81	83	300	1.2	<2	2.70	0.7	8	6	33	3.56
S314313		3.30	0.113		1.5	7.88	88	400	1.2	<2	3.42	0.7	9	6	48	3.40
S314314		3.32	0.141		0.9	7.41	117	340	1.1	<2	3.57	2.7	9	6	28	3.66
S314315		3.10	0.098		0.7	7.34	83	310	1.3	<2	3.27	2.2	8	5	28	3.39
S314316		3.04	0.141		1.0	8.25	73	260	1.3	<2	2.77	0.5	10	7	31	3.93
S314317		3.61	0.255		1.3	6.70	140	230	1.1	2	3.21	0.9	10	7	22	3.32
S314318		3.50	0.133		1.4	7.18	118	180	1.2	<2	2.60	0.5	11	6	23	3.69
S314319		3.56	0.163		1.2	7.27	125	260	1.2	<2	3.63	<0.5	10	6	18	3.87
S314320		0.53	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.2	<0.5	<1	1	<1	0.06
S314321		3.53	0.117		1.4	7.35	95	320	1.3	<2	3.43	0.8	9	6	33	3.33
S314322		3.57	0.142		1.5	7.46	85	300	1.2	2	3.71	1.2	10	6	29	3.89
S314323		3.35	0.296		1.2	8.10	150	380	1.2	<2	4.05	<0.5	10	6	22	3.74
S314324		3.38	0.418		3.8	8.91	189	240	1.3	<2	2.34	1.4	12	6	42	4.35
S314325		3.38	0.251		10.4	8.49	203	250	1.3	<2	1.26	4.3	24	7	36	4.67
S314326		3.58	0.246		7.2	7.01	156	180	1.1	2	3.50	2.6	13	7	29	4.43
S314326D		<0.02	0.244		7.1	7.18	143	220	1.1	<2	2.63	2.4	13	5	28	4.08
S314327		3.57	0.349		8.4	6.92	120	240	1.0	<2	1.61	2.1	8	7	26	3.38
S314328		3.42	0.216		4.3	8.68	117	200	1.3	<2	0.90	1.5	11	7	22	3.93
S314329		3.18	0.282		10.2	8.43	173	300	1.2	<2	1.61	1.5	11	8	18	3.90
S314330		0.13	5.74		84.6	6.40	294	310	1.0	<2	1.97	23.1	12	24	123	4.82
S314331		3.50	0.271		17.1	8.74	157	250	1.3	<2	0.80	1.9	10	7	39	3.28
S314332		3.52	0.242		11.5	8.00	103	250	1.1	<2	1.04	1.5	8	6	37	3.32
S314333		3.98	0.285		12.9	7.70	124	290	1.0	<2	0.87	4.4	9	7	38	3.22
S314334		3.61	0.569		6.8	6.72	203	380	0.9	<2	1.45	1.2	8	8	66	2.62
S314335		3.79	0.228		5.2	3.83	95	360	0.6	<2	1.95	1.6	5	10	41	2.06
S314336		2.75	0.187		2.9	7.02	122	330	1.1	<2	0.47	1.7	9	8	32	3.33
S314337		3.55	0.277		4.6	8.34	162	300	1.3	<2	0.41	7.2	12	7	37	3.49
S314338		3.21	0.365		4.2	8.28	169	190	1.4	<2	0.35	24.4	11	7	36	4.02
S314339		3.36	0.572		4.4	9.29	239	210	1.6	<2	0.39	4.1	14	9	39	4.74
S314340		0.58	<0.005		<0.5	0.07	<5	20	<0.5	<2	34.2	<0.5	<1	1	<1	0.06
S314341		3.56	0.365		11.8	7.58	142	440	1.1	<2	2.47	6.9	8	10	46	3.74
S314342		3.25	0.778		6.8	8.42	199	200	1.4	<2	0.30	2.7	10	8	32	4.49
S314343		3.61	1.240		12.6	10.05	250	180	1.7	<2	0.33	4.8	13	8	47	4.95
S314344		3.25	0.561		25.6	7.59	152	210	1.3	<2	0.40	1.8	9	12	59	3.51
S314345		3.30	0.491		29.8	5.88	108	210	1.0	<2	0.39	1.3	9	13	54	3.14
S314346		3.22	0.335		39.4	7.19	94	150	1.3	<2	0.35	2.2	10	10	89	3.53
S314346D		<0.02	0.357		38.4	7.01	96	190	1.2	<2	0.34	2.1	10	10	87	3.41
S314347		3.77	0.610		64.4	6.77	130	140	1.2	<2	0.30	2.0	8	10	65	3.79
S314348		1.23	6.77		>100	6.33	200	350	1.1	4	0.19	10.4	8	11	216	2.62
S314349		0.52	<0.005		1.8	0.04	<5	10	<0.5	2	34.9	<0.5	<1	1	<1	0.03

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314312		20	3.56	10	0.72	1440	4	0.09	3	840	25	3.55	13	10	70	<10
S314313		20	3.42	10	0.94	1585	5	0.09	3	820	20	3.26	14	10	81	10
S314314		20	3.34	10	1.04	1800	3	0.08	3	810	17	3.35	11	10	82	10
S314315		20	3.57	10	0.77	1430	7	0.09	2	850	18	3.36	6	9	82	10
S314316		20	3.63	10	0.94	1285	23	0.09	4	890	35	3.66	9	11	73	10
S314317		20	3.28	10	0.58	1415	7	0.08	3	1230	45	3.32	12	9	67	<10
S314318		20	3.54	10	0.63	1120	3	0.08	4	820	45	3.75	7	9	62	10
S314319		20	3.51	10	0.85	1560	10	0.08	5	830	26	3.69	10	10	81	<10
S314320		<10	0.01	<10	1.90	23	<1	<0.01	2	40	<2	0.07	10	<1	5090	10
S314321		20	3.84	10	0.60	1460	6	0.09	4	860	24	3.41	6	9	78	<10
S314322		20	3.65	10	0.86	1570	4	0.09	4	840	31	3.71	6	10	82	10
S314323		20	3.62	10	1.18	1755	4	0.08	4	850	39	3.47	10	11	95	10
S314324		20	3.98	10	1.03	1160	29	0.09	5	960	44	4.28	16	12	67	<10
S314325		20	3.87	20	0.56	553	13	0.08	8	1060	78	4.83	19	11	43	10
S314326		20	3.38	10	0.53	1505	8	0.07	4	810	95	4.73	15	9	70	<10
S314326D		20	3.40	10	0.54	1120	8	0.07	2	820	89	4.36	13	10	60	10
S314327		20	3.26	10	0.42	635	9	0.07	3	740	109	3.52	13	9	63	<10
S314328		20	4.21	10	0.62	412	71	0.08	4	970	53	4.15	7	12	39	<10
S314329		20	3.98	10	0.61	699	134	0.08	3	880	95	3.98	8	11	92	<10
S314330		10	3.79	10	0.49	1205	10	0.24	17	1000	8960	3.04	84	12	151	<10
S314331		20	4.24	10	0.62	361	20	0.08	3	920	98	3.46	15	11	48	<10
S314332		20	3.80	10	0.59	431	12	0.07	3	840	79	3.51	23	10	41	<10
S314333		20	3.67	10	0.54	371	11	0.07	4	830	73	3.25	23	10	38	<10
S314334		10	3.15	10	0.45	521	6	0.06	5	740	30	2.75	33	9	45	<10
S314335		10	1.76	10	0.26	713	12	0.04	2	390	21	1.92	20	5	92	<10
S314336		20	3.35	10	0.48	229	9	0.07	4	760	38	3.37	10	10	30	<10
S314337		20	4.08	10	0.57	189	15	0.08	4	950	116	3.76	16	11	30	<10
S314338		20	4.01	10	0.56	166	25	0.08	5	920	285	4.48	12	11	31	10
S314339		20	4.76	10	0.60	181	11	0.09	3	1140	157	5.10	18	12	36	<10
S314340		<10	0.02	<10	1.89	29	<1	<0.01	1	30	3	0.10	5	<1	4970	10
S314341		20	3.49	10	1.01	1020	16	0.07	3	770	253	3.70	30	9	85	10
S314342		20	4.07	10	0.53	150	22	0.08	4	950	71	4.79	18	11	31	10
S314343		20	5.04	10	0.59	127	38	0.10	6	1250	74	5.50	26	13	36	<10
S314344		20	3.64	10	0.48	201	36	0.08	3	750	57	3.71	34	10	30	10
S314345		10	2.77	10	0.38	208	29	0.06	2	650	38	2.98	38	8	28	<10
S314346		20	3.37	10	0.48	174	23	0.08	3	750	49	3.67	60	9	29	<10
S314346D		20	3.24	10	0.46	166	23	0.07	4	730	47	3.56	55	9	29	10
S314347		10	3.14	10	0.45	152	27	0.07	2	980	95	3.85	45	9	27	<10
S314348		10	3.02	10	0.40	107	23	0.06	3	630	1195	2.70	167	8	23	10
S314349		<10	0.01	<10	1.57	17	<1	<0.01	<1	30	3	0.06	10	<1	5200	10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1	5
S314312		<20	0.32	<10	<10	98	<10	104		
S314313		<20	0.31	10	<10	98	<10	131		
S314314		<20	0.31	<10	<10	97	<10	476		
S314315		<20	0.32	10	<10	99	<10	392		
S314316		<20	0.33	<10	<10	105	<10	106		
S314317		<20	0.29	10	<10	90	<10	151		
S314318		<20	0.30	<10	<10	93	<10	102		
S314319		<20	0.31	10	<10	99	<10	82		
S314320		<20	<0.01	<10	<10	1	<10	<2		
S314321		<20	0.33	<10	<10	102	<10	123		
S314322		<20	0.32	<10	<10	98	<10	164		
S314323		<20	0.33	<10	<10	101	<10	87		
S314324		<20	0.35	<10	<10	108	<10	215		
S314325		<20	0.35	10	<10	98	<10	705		
S314326		<20	0.28	<10	<10	89	<10	409		
S314326D		<20	0.27	<10	<10	89	<10	380		
S314327		<20	0.26	<10	<10	82	<10	265		
S314328		<20	0.35	<10	<10	108	<10	188		
S314329		<20	0.32	<10	<10	97	<10	216		
S314330		<20	0.26	<10	<10	129	10	1865		
S314331		<20	0.35	<10	<10	101	<10	278		
S314332		<20	0.31	<10	<10	96	<10	194		
S314333		<20	0.30	<10	<10	92	<10	490		
S314334		<20	0.27	<10	<10	78	<10	162		
S314335		<20	0.14	<10	<10	41	<10	200		
S314336		<20	0.27	<10	<10	92	<10	242		
S314337		<20	0.32	10	<10	108	<10	825		
S314338		<20	0.32	<10	<10	103	10	2200		
S314339		<20	0.39	<10	<10	121	<10	420		
S314340		<20	<0.01	<10	<10	1	<10	3		
S314341		<20	0.27	<10	<10	90	<10	718		
S314342		<20	0.33	10	<10	102	<10	316		
S314343		<20	0.39	<10	<10	128	<10	582		
S314344		<20	0.28	<10	<10	98	<10	208		
S314345		<20	0.21	<10	<10	77	<10	175		
S314346		<20	0.27	<10	<10	87	<10	286		
S314346D		<20	0.26	<10	<10	84	<10	276		
S314347		<20	0.25	<10	<10	86	<10	268		
S314348		<20	0.23	<10	<10	82	10	1700	>1500	1600
S314349		<20	<0.01	<10	<10	1	<10	3		

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314350		0.11	>10.0	19.10	15.8	7.19	740	450	1.4	<2	2.80	1.9	19	105	135	5.12
S314351		3.90	0.496		>100	6.86	165	130	1.2	<2	0.33	1.3	9	9	32	3.85
S314352		3.47	0.330		37.1	7.58	148	140	1.3	<2	0.41	1.5	10	8	28	4.31
S314353		3.31	0.484		19.0	7.80	188	160	1.3	<2	0.34	2.0	11	8	61	3.94
S314354		3.25	0.356		21.1	7.42	161	120	1.2	<2	0.37	3.5	8	9	70	4.11
S314355		3.48	0.405		9.2	7.59	108	130	1.3	<2	0.39	2.2	9	8	35	4.01
S314356		3.30	0.226		17.0	8.39	93	230	1.4	<2	0.28	1.8	9	8	50	3.15
S314357		3.31	0.297		9.9	6.42	114	150	1.1	3	0.30	1.5	9	9	28	3.40
S314358		3.23	0.428		7.7	9.14	233	150	1.6	<2	0.33	2.3	12	9	31	4.22
S314359		3.86	0.289		14.1	7.68	171	270	1.3	<2	0.36	2.3	6	7	57	3.01
S314360		0.57	<0.005		<0.5	0.04	<5	10	<0.5	2	33.6	<0.5	<1	1	<1	0.03
S314361		3.25	0.349		16.4	7.69	148	270	1.3	2	0.35	18.9	9	7	71	2.86
S314362		3.01	0.293		4.8	7.43	131	130	1.2	<2	0.53	1.1	9	7	28	3.57
S314363		3.22	0.242		8.1	8.10	137	190	1.3	<2	0.60	3.2	10	8	32	3.47
S314364		3.75	0.209		13.9	7.00	125	370	1.1	<2	1.19	1.5	10	9	44	3.13
S314365		3.66	0.321		7.3	6.37	145	370	1.0	<2	0.90	1.5	8	8	35	2.72
S314366		2.77	0.243		8.1	7.52	106	190	1.2	<2	0.58	1.4	9	7	28	2.87
S314366D		<0.02	0.233		8.0	7.60	120	170	1.2	2	0.61	1.4	9	9	29	3.10
S314367		2.02	0.218		4.3	8.66	128	120	1.4	2	0.65	0.5	11	7	18	4.08
S314368		1.97	0.159		15.7	9.75	163	230	1.8	<2	0.33	1.2	11	7	54	3.80
S314369		2.32	0.238		40.5	3.95	137	150	0.7	<2	0.67	0.9	9	20	91	2.65
S314370		0.13	0.966		12.4	5.97	301	290	1.0	<2	3.50	4.2	10	26	83	3.85
S314371		3.92	0.235		23.4	7.12	118	150	1.2	<2	0.44	2.1	8	6	35	3.62
S314372		3.80	0.178		7.0	7.35	151	120	1.2	<2	0.56	0.9	10	8	18	4.04
S314373		3.50	0.233		3.1	8.17	226	160	1.3	3	0.73	0.9	8	8	10	3.85

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Te
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	10
S314350		20	3.03	20	0.74	1005	7	0.16	69	1690	56	4.20	23	20	186	10
S314351		20	3.24	10	0.47	165	12	0.07	3	770	83	3.89	27	9	28	10
S314352		20	3.61	10	0.53	185	21	0.08	2	770	53	4.59	20	9	32	10
S314353		20	3.68	10	0.53	161	13	0.08	2	810	46	4.18	37	10	33	<10
S314354		20	3.53	10	0.50	185	19	0.07	2	770	39	4.22	43	10	29	10
S314355		20	3.65	10	0.53	181	19	0.07	3	760	35	4.19	21	10	31	10
S314356		20	4.07	10	0.57	139	15	0.08	4	850	23	3.28	31	11	32	10
S314357		10	3.03	10	0.41	155	6	0.06	3	670	30	3.33	20	8	26	<10
S314358		20	4.50	10	0.58	141	9	0.09	5	950	35	4.61	18	12	36	<10
S314359		20	3.73	10	0.52	170	3	0.07	3	790	32	3.08	34	10	36	10
S314360		<10	0.01	<10	1.57	18	<1	<0.01	<1	40	<2	0.07	<5	<1	4820	10
S314361		20	3.75	10	0.54	167	13	0.07	3	780	96	2.95	40	10	31	<10
S314362		20	3.61	10	0.54	219	10	0.07	2	750	40	3.66	17	9	38	<10
S314363		20	3.95	10	0.59	255	6	0.07	3	810	45	3.61	21	10	36	<10
S314364		10	3.39	10	0.51	408	10	0.06	3	730	37	3.12	28	9	47	10
S314365		10	3.00	10	0.43	305	5	0.06	3	690	16	2.67	24	8	44	<10
S314366		20	3.63	10	0.50	201	4	0.07	3	780	30	2.99	18	10	35	<10
S314366D		20	3.68	10	0.51	231	5	0.07	4	780	28	3.03	18	10	36	<10
S314367		20	4.37	<10	0.55	205	27	0.08	2	1000	41	4.54	17	11	36	10
S314368		20	5.05	10	0.67	133	15	0.09	2	1030	28	4.13	40	12	34	<10
S314369		10	1.88	<10	0.27	244	8	0.04	3	460	27	2.40	64	5	85	10
S314370		10	3.68	10	0.54	1340	9	0.20	19	920	140	2.74	23	11	186	10
S314371		20	3.56	10	0.50	165	12	0.06	3	770	94	3.80	17	9	29	10
S314372		20	3.69	10	0.53	207	8	0.07	3	780	59	4.28	9	9	43	10
S314373		20	4.17	10	0.60	258	8	0.07	4	830	32	3.88	8	11	43	<10

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62	Ag-GRA21
	Analyte	Th	Ti	Tl	U	V	W	Zn	Ag	Ag
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	20	0.01	10	10	1	10	2	1	5
S314350		<20	0.35	<10	<10	186	<10	220		
S314351		<20	0.25	<10	<10	84	<10	186	98	
S314352		<20	0.27	10	<10	90	<10	258		
S314353		<20	0.28	<10	<10	95	<10	254		
S314354		<20	0.27	10	<10	92	<10	423		
S314355		<20	0.28	10	<10	96	<10	292		
S314356		<20	0.31	<10	<10	112	<10	240		
S314357		<20	0.24	<10	<10	80	<10	200		
S314358		<20	0.32	<10	<10	114	<10	297		
S314359		<20	0.28	<10	<10	92	<10	294		
S314360		<20	<0.01	<10	<10	1	<10	<2		
S314361		<20	0.29	<10	<10	93	10	2140		
S314362		<20	0.27	<10	<10	88	<10	137		
S314363		<20	0.29	<10	<10	98	<10	369		
S314364		<20	0.25	<10	<10	82	<10	216		
S314365		<20	0.23	10	<10	77	<10	177		
S314366		<20	0.27	<10	<10	92	<10	171		
S314366D		<20	0.28	<10	<10	93	<10	179		
S314367		<20	0.32	10	<10	115	<10	74		
S314368		<20	0.34	<10	<10	120	<10	140		
S314369		<20	0.13	<10	<10	50	<10	122		
S314370		<20	0.24	10	<10	104	<10	468		
S314371		<20	0.27	<10	<10	86	<10	292		
S314372		<20	0.28	<10	<10	89	<10	135		
S314373		<20	0.31	<10	<10	100	<10	124		

Comments: ***Corrected copy with "Te" reported from ME-ICP61***

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151528

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-GRA21	Ag-OG62	Au-AA23	Au-GRA21
	ME-ICP61	ME-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

CERTIFICATE TR15151536

Project: Bowser Regional Exploration

P.O. No.: BOW-0116

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 3-OCT-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314474		0.65	<0.005		<0.5	0.05	<5	10	<0.5	3	32.2	<0.5	<1	2	2	0.05
S314475		2.99	0.434		4.6	6.90	181	380	1.0	<2	0.44	1.2	7	8	67	2.81
S314476		3.02	0.335		4.7	7.23	287	560	0.9	<2	0.37	1.4	7	11	18	2.67
S314477		3.27	0.338		4.3	6.79	172	530	0.9	4	0.56	3.1	5	10	23	2.56
S314478		3.37	0.356		10.8	6.12	103	370	0.9	<2	2.05	2.5	7	9	56	2.96
S314479		3.01	0.485		3.5	6.64	115	440	1.0	3	2.02	0.8	7	8	41	2.88
S314480		0.71	<0.005		<0.5	0.05	<5	10	<0.5	3	32.7	<0.5	<1	2	<1	0.04
S314481		2.94	0.605		1.4	7.31	126	780	1.0	<2	1.19	2.7	8	7	46	2.99
S314482		2.90	0.438		1.7	7.30	111	650	0.8	2	0.89	2.4	7	10	23	2.49
S314483		3.33	0.497		5.4	6.60	110	340	0.9	2	0.45	1.5	7	9	15	2.93
S314484		2.08	0.606		27.9	6.09	118	470	1.0	<2	0.52	1.5	10	8	40	2.88
S314485		1.44	0.687		20.9	5.52	104	520	0.7	2	0.30	1.5	8	13	37	2.37
S314486		1.19	1.205		>100	1.33	178	930	<0.5	<2	1.55	4.2	2	22	554	1.31
S314486D		Not Recvd														
S314487		1.07	3.28		>100	1.06	129	690	<0.5	2	0.61	7.4	<1	23	461	1.24
S314488		0.57	<0.005		<0.5	0.03	<5	<10	<0.5	3	34.0	<0.5	<1	2	<1	0.03
S314489		1.08	1.780		71.7	4.05	100	570	0.8	<2	0.39	2.9	3	14	152	1.94
S314490		0.12	6.07		81.7	6.12	283	640	1.0	<2	1.91	21.9	11	21	113	4.70
S314491		1.26	0.856		83.0	4.76	73	410	0.5	<2	0.48	3.8	5	14	124	2.24
S314492		0.93	1.525		68.4	6.27	76	410	0.7	<2	0.25	3.0	5	11	76	2.42
S314493		1.00	1.125		50.6	6.33	86	310	0.7	<2	0.37	2.5	6	10	44	2.57
S314494		0.88	1.710		64.5	5.62	87	470	0.6	3	0.56	4.2	4	11	47	2.47
S314495		1.02	6.95		>100	2.70	91	510	<0.5	<2	1.08	11.0	2	19	97	1.98
S314496		1.04	6.29		>100	3.58	95	640	0.5	<2	0.27	12.7	5	14	115	2.10
S314497		0.65	<0.005		0.6	0.03	<5	10	<0.5	<2	33.9	<0.5	<1	1	<1	0.03
S314498		2.02	0.356		14.9	7.33	108	640	1.0	<2	0.45	0.8	7	7	51	2.45
S314499		1.02	0.803		58.5	6.59	107	510	1.1	<2	0.43	1.1	6	9	63	2.71
S314500		0.61	<0.005		<0.5	0.27	<5	20	<0.5	5	33.2	<0.5	<1	2	<1	0.20
S314501		1.91	0.614		6.3	7.62	118	410	1.3	<2	0.53	0.8	6	7	19	2.82
S314502		2.01	1.275		7.0	7.30	134	310	1.0	<2	0.45	1.2	9	7	32	3.21
S314503		2.04	1.530		9.3	7.48	148	570	0.9	<2	0.40	1.6	8	9	110	2.56
S314504		3.00	0.971		18.1	7.26	133	300	0.9	<2	0.36	1.1	8	9	106	3.04
S314505		1.14	0.602		40.2	5.01	148	540	0.6	<2	0.49	1.2	7	11	129	2.43
S314506		0.67	<0.005		<0.5	0.05	<5	10	<0.5	3	33.8	<0.5	<1	1	<1	0.03
S314506D		<0.02	<0.005		<0.5	0.04	<5	10	<0.5	5	34.4	<0.5	<1	1	<1	0.03
S314507		3.37	0.474		7.4	7.51	86	740	1.0	<2	1.37	0.8	9	7	33	3.17
S314508		3.32	0.670		4.3	6.54	124	540	0.8	<2	1.02	1.7	8	12	21	3.32
S314509		3.33	0.417		8.0	6.60	101	260	0.8	<2	0.43	1.6	8	12	32	3.18
S314510		0.10	>10.0	19.15	18.0	7.11	779	860	1.4	<2	2.82	1.9	20	101	134	5.11
S314511		3.12	0.709		7.6	7.55	104	680	1.0	2	1.35	1.2	8	8	79	2.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314474		<10	0.01	<10	1.84	18	4	0.01	<1	40	<2	0.04	<5	<1	4860	<20
S314475		20	4.77	10	0.33	176	13	0.20	1	710	32	2.71	10	8	93	<20
S314476		20	4.62	10	0.32	149	38	0.17	1	730	28	2.61	11	8	102	<20
S314477		20	4.41	10	0.36	212	12	0.20	2	670	69	2.57	10	8	74	<20
S314478		20	4.06	10	0.34	673	4	0.13	2	630	42	2.93	25	8	117	<20
S314479		20	4.70	10	0.40	641	90	0.19	<1	650	18	2.79	7	9	163	<20
S314480		<10	0.01	<10	1.88	18	1	<0.01	<1	40	2	0.07	<5	<1	4810	<20
S314481		20	4.75	10	0.54	459	8	0.13	1	740	13	2.55	<5	10	144	<20
S314482		20	4.75	10	0.34	281	9	0.14	3	710	17	2.33	<5	9	142	<20
S314483		20	4.52	10	0.36	197	16	0.11	1	660	30	2.82	<5	8	90	<20
S314484		10	4.12	10	0.35	222	17	0.09	3	620	103	2.91	25	8	72	<20
S314485		10	4.54	10	0.23	138	7	0.15	2	540	37	2.21	22	6	93	<20
S314486		<10	1.15	<10	0.05	569	2	0.04	3	110	208	1.02	293	1	115	<20
S314486D																
S314487		<10	0.97	<10	0.04	217	<1	0.04	1	60	305	0.86	254	1	72	<20
S314488		<10	<0.01	<10	1.79	13	<1	<0.01	<1	30	<2	0.06	6	<1	4840	<20
S314489		10	2.84	10	0.22	154	3	0.06	2	370	108	1.75	84	5	55	<20
S314490		10	3.59	10	0.47	1160	9	0.23	14	930	8560	2.94	72	12	144	<20
S314491		10	4.38	10	0.16	159	8	0.12	3	490	164	2.13	84	5	115	<20
S314492		10	4.79	10	0.24	131	16	0.20	1	620	176	2.24	42	7	113	<20
S314493		10	4.59	10	0.26	155	23	0.13	3	620	136	2.51	29	8	114	<20
S314494		10	4.80	10	0.23	220	38	0.11	2	540	196	2.18	35	7	126	<20
S314495		10	2.12	<10	0.12	348	5	0.12	3	260	512	1.76	81	3	118	<20
S314496		10	2.27	10	0.20	159	10	0.08	3	360	487	1.82	97	5	44	<20
S314497		<10	<0.01	<10	1.66	16	<1	<0.01	<1	30	3	0.08	6	<1	4750	<20
S314498		20	4.68	10	0.41	179	59	0.21	2	730	26	2.36	29	9	74	<20
S314499		10	3.85	10	0.45	207	9	0.10	3	680	28	2.62	53	9	54	<20
S314500		<10	0.03	<10	1.84	21	<1	<0.01	1	40	2	0.29	7	<1	5810	<20
S314501		20	4.62	10	0.56	240	66	0.08	2	770	16	2.88	9	10	56	<20
S314502		10	4.86	10	0.42	192	79	0.11	1	740	28	3.24	17	9	72	<20
S314503		20	5.01	10	0.35	155	42	0.18	5	750	35	2.49	33	10	77	<20
S314504		20	5.14	10	0.35	145	93	0.16	3	720	18	3.04	42	9	83	<20
S314505		10	3.63	10	0.25	173	20	0.11	2	520	22	2.30	76	6	72	<20
S314506		<10	0.01	<10	1.70	20	<1	<0.01	1	30	<2	0.07	<5	<1	4990	<20
S314506D		<10	0.01	<10	1.70	19	<1	<0.01	<1	20	<2	0.06	6	<1	4980	<20
S314507		10	4.91	10	0.47	395	13	0.13	4	760	13	3.30	16	10	77	<20
S314508		10	4.37	10	0.38	301	27	0.16	2	610	23	3.46	5	8	79	<20
S314509		10	4.61	10	0.33	159	13	0.17	3	650	19	3.24	15	8	84	<20
S314510		20	3.09	20	0.73	1015	6	0.16	68	1660	53	4.19	18	20	187	<20
S314511		20	4.82	10	0.43	448	20	0.27	2	750	13	2.72	27	10	116	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314474		<0.01	<10	<10	2	<10	<2	
S314475		0.26	<10	<10	77	<10	115	
S314476		0.27	<10	<10	79	<10	139	
S314477		0.25	<10	<10	79	<10	266	
S314478		0.24	<10	<10	76	<10	232	
S314479		0.25	<10	<10	79	<10	77	
S314480		<0.01	<10	<10	1	<10	<2	
S314481		0.27	<10	<10	84	<10	223	
S314482		0.27	10	<10	84	<10	192	
S314483		0.25	<10	<10	75	<10	124	
S314484		0.23	<10	<10	70	<10	147	
S314485		0.20	<10	<10	58	<10	155	
S314486		0.04	<10	<10	12	<10	406	247
S314486D								
S314487		0.02	<10	<10	8	<10	942	218
S314488		<0.01	<10	<10	1	<10	<2	
S314489		0.14	<10	<10	48	<10	407	
S314490		0.25	<10	<10	120	10	1810	
S314491		0.16	<10	<10	47	10	527	
S314492		0.23	<10	<10	63	10	416	
S314493		0.24	<10	<10	69	10	348	
S314494		0.20	<10	<10	59	10	547	
S314495		0.10	<10	<10	28	<10	1610	598
S314496		0.14	<10	<10	43	<10	1760	328
S314497		<0.01	<10	<10	1	<10	3	
S314498		0.28	<10	<10	84	<10	73	
S314499		0.26	<10	<10	83	<10	108	
S314500		0.01	<10	<10	3	<10	<2	
S314501		0.29	<10	<10	91	<10	92	
S314502		0.28	<10	<10	89	10	110	
S314503		0.28	10	<10	87	<10	127	
S314504		0.27	10	<10	82	10	91	
S314505		0.18	10	<10	54	<10	86	
S314506		<0.01	<10	<10	1	<10	<2	
S314506D		<0.01	<10	<10	1	<10	<2	
S314507		0.29	<10	<10	86	<10	80	
S314508		0.24	<10	<10	77	<10	158	
S314509		0.25	10	<10	76	<10	140	
S314510		0.36	<10	<10	182	<10	226	
S314511		0.29	<10	<10	87	10	128	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314512		2.84	0.452		8.5	5.87	105	480	0.9	2	2.06	0.8	8	8	20	3.59
S314513		2.94	0.524		14.1	6.83	131	460	1.2	<2	1.31	0.9	9	8	59	3.59
S314514		2.25	0.544		10.7	7.72	107	300	1.1	2	2.16	1.0	8	6	83	3.41
S314515		1.18	0.502		>100	7.18	129	420	1.2	<2	0.68	2.1	8	6	253	3.25
S314516		0.64	<0.005		<0.5	0.05	<5	10	<0.5	<2	35.3	<0.5	<1	1	1	0.04
S314517		3.66	0.478		14.4	6.35	173	480	1.2	3	0.77	0.9	7	8	64	3.20
S314518		3.42	0.615		9.5	7.79	131	590	1.3	<2	1.57	1.3	8	6	53	4.10
S314519		3.56	0.536		16.4	7.55	116	210	1.0	<2	1.50	1.1	11	6	97	3.81
S314520		0.73	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.9	<0.5	<1	1	1	0.04
S314521		3.60	0.590		8.4	7.29	89	240	0.9	3	0.78	1.8	7	7	45	3.84
S314522		3.14	0.497		9.4	6.89	120	190	1.0	<2	0.41	1.2	9	7	46	3.52
S314523		2.75	0.536		7.7	7.40	119	220	0.9	<2	0.66	1.1	10	6	38	3.85
S314524		3.03	0.392		10.0	7.43	97	400	1.1	<2	0.63	1.3	8	10	57	3.09
S314525		3.39	0.351		6.4	7.46	114	290	1.1	<2	0.91	1.4	7	7	25	3.37
S314526		3.47	0.275		6.5	6.06	104	290	1.2	<2	0.44	0.7	9	9	18	3.15
S314526D		<0.02	0.236		5.6	5.46	76	370	1.1	<2	0.46	0.6	7	7	15	2.93
S314527		3.26	0.235		3.0	7.33	79	250	1.1	<2	0.98	0.9	8	6	9	3.62
S314528		3.13	0.196		2.2	7.66	137	320	1.1	<2	2.03	1.7	8	6	12	3.56
S314529		3.03	0.374		2.7	7.92	144	260	1.0	<2	1.48	0.8	9	6	17	3.84
S314530		0.13	1.010		12.0	5.66	274	490	0.9	<2	3.28	4.1	10	25	76	3.61
S314531		3.66	0.559		3.6	7.69	143	300	0.9	<2	0.69	1.6	9	7	27	4.10
S314532		2.54	0.342		7.5	6.37	138	540	0.9	<2	7.72	1.0	4	5	34	3.38
S314533		3.66	0.439		6.5	7.02	151	490	0.9	<2	3.35	1.9	8	6	49	3.68
S314534		3.37	0.435		5.3	7.45	112	320	0.9	<2	1.96	3.3	6	8	45	3.51
S314535		2.72	1.655		14.2	5.88	169	140	0.7	<2	2.43	1.9	9	7	87	3.75
S314536		2.67	1.660		2.2	7.26	114	450	0.9	3	2.85	1.1	5	6	86	2.99
S314537		3.33	2.32		4.2	6.97	75	430	0.8	<2	2.47	1.2	8	12	101	2.54
S314538		2.81	0.885		14.0	7.05	357	330	0.9	<2	0.63	1.8	8	8	72	2.79
S314539		3.21	0.695		3.8	6.74	154	230	1.1	<2	2.87	1.6	7	6	25	3.72
S314540		0.80	<0.005		<0.5	0.04	<5	10	<0.5	2	33.5	<0.5	<1	1	<1	0.04
S314541		3.63	1.020		7.8	6.84	91	320	0.8	<2	3.27	4.6	9	6	68	3.31
S314542		3.35	0.771		12.1	6.29	88	310	0.7	<2	3.53	2.5	7	7	92	3.18
S314543		3.28	0.987		7.6	7.89	102	350	0.9	2	1.98	1.3	6	7	80	3.25
S314544		3.49	1.660		9.9	7.66	128	200	0.9	<2	1.71	4.0	13	6	85	4.53
S314545		3.54	1.130		10.4	8.29	175	310	1.0	<2	0.78	1.0	9	7	55	3.50
S314546		3.78	0.563		17.6	7.26	122	290	0.9	2	2.53	1.5	7	8	60	3.32
S314546D		<0.02	0.598		17.2	6.76	119	290	0.9	<2	2.46	1.5	7	7	60	3.19
S314547		3.58	0.581		23.8	5.53	86	460	0.8	3	4.49	1.1	4	7	42	2.73
S314548		2.71	0.343		11.1	6.96	90	510	1.1	<2	4.09	0.9	4	7	38	3.21
S314549		3.05	0.428		8.2	6.75	108	450	1.0	<2	2.92	1.5	4	7	37	3.15

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314512		10	3.67	10	0.39	538	8	0.23	3	580	19	3.76	12	7	155	<20
S314513		20	3.91	10	0.53	398	10	0.09	4	700	15	3.73	35	9	90	<20
S314514		20	4.79	10	0.58	665	7	0.26	2	780	10	3.69	34	10	149	<20
S314515		20	4.16	10	0.53	258	7	0.07	1	710	28	3.47	173	9	51	<20
S314516		<10	0.01	<10	1.56	21	<1	<0.01	<1	30	<2	0.07	5	<1	4940	<20
S314517		10	3.41	10	0.51	272	8	0.07	2	630	36	3.45	29	8	56	<20
S314518		20	4.53	10	0.61	536	11	0.17	3	810	20	4.42	21	10	118	<20
S314519		20	4.40	10	0.57	489	5	0.23	5	770	17	4.03	35	10	132	<20
S314520		<10	0.01	<10	1.69	21	<1	<0.01	<1	20	<2	0.08	5	<1	4330	<20
S314521		20	4.95	10	0.51	263	10	0.13	1	730	27	4.09	18	9	86	<20
S314522		10	4.37	10	0.48	182	7	0.09	1	700	19	3.74	21	9	49	<20
S314523		10	5.04	10	0.57	269	5	0.12	2	740	14	4.06	18	9	84	<20
S314524		20	4.37	10	0.67	281	4	0.10	2	810	9	3.24	24	10	58	<20
S314525		20	4.44	10	0.61	362	9	0.07	1	750	17	3.57	8	10	68	<20
S314526		10	3.34	10	0.44	175	7	0.04	2	620	28	3.35	11	6	34	<20
S314526D		10	2.92	10	0.41	174	6	0.04	1	570	26	3.11	11	6	36	<20
S314527		20	4.26	10	0.58	317	3	0.12	3	750	20	3.86	<5	9	62	<20
S314528		20	4.25	10	0.79	575	3	0.42	3	770	15	3.72	<5	10	111	<20
S314529		20	4.18	10	0.88	487	10	0.74	3	800	28	3.91	<5	10	112	<20
S314530		10	3.56	10	0.51	1280	7	0.20	17	840	135	2.58	16	10	178	<20
S314531		20	4.46	10	0.86	337	15	0.48	2	800	50	4.20	7	10	70	<20
S314532		10	3.55	10	0.81	2110	3	0.44	1	660	17	3.23	11	8	462	<20
S314533		20	3.95	10	0.91	1160	15	0.91	3	770	24	3.71	9	9	280	<20
S314534		20	4.38	10	0.87	761	10	0.34	3	770	29	3.47	11	10	143	<20
S314535		20	4.57	<10	0.33	936	13	0.09	4	700	57	3.87	22	7	157	<20
S314536		20	4.48	10	0.49	964	11	0.84	2	870	12	2.87	<5	9	182	<20
S314537		20	4.10	10	0.40	810	21	1.00	1	740	19	2.55	10	9	167	<20
S314538		20	4.84	10	0.45	247	33	0.09	3	700	10	2.72	38	9	70	<20
S314539		10	4.07	10	0.51	854	33	0.22	3	720	24	4.00	<5	9	115	<20
S314540		<10	0.01	<10	1.75	19	<1	<0.01	1	40	<2	0.08	<5	<1	5070	<20
S314541		20	4.10	10	0.47	1215	28	0.80	1	720	21	3.48	19	9	175	<20
S314542		20	5.04	10	0.45	1590	23	0.24	3	680	19	3.22	24	8	173	<20
S314543		20	5.45	10	0.42	801	15	0.14	3	810	19	3.28	24	10	133	<20
S314544		20	5.38	10	0.41	606	17	0.15	2	780	33	4.73	26	10	114	<20
S314545		20	4.52	10	0.43	326	28	0.13	3	840	23	3.60	20	11	86	<20
S314546		20	5.03	10	0.37	941	8	0.22	2	780	36	3.36	35	9	155	<20
S314546D		20	4.72	10	0.35	908	8	0.22	2	780	35	3.34	29	9	149	<20
S314547		10	3.68	10	0.38	1425	6	0.12	2	600	70	2.70	27	7	169	<20
S314548		20	3.99	10	0.55	1115	28	0.08	1	740	23	3.41	17	9	220	<20
S314549		20	3.80	10	0.52	706	24	0.06	1	680	21	3.24	18	9	119	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314512		0.22	<10	<10	66	<10	59	
S314513		0.26	<10	<10	82	<10	87	
S314514		0.30	10	<10	86	<10	104	
S314515		0.26	<10	<10	80	<10	179	122
S314516		<0.01	<10	<10	1	<10	<2	
S314517		0.24	10	<10	76	<10	86	
S314518		0.29	<10	10	91	<10	121	
S314519		0.29	10	<10	86	<10	105	
S314520		<0.01	<10	<10	1	<10	<2	
S314521		0.28	<10	<10	84	<10	163	
S314522		0.27	10	<10	80	<10	117	
S314523		0.28	<10	<10	82	<10	114	
S314524		0.30	10	<10	91	<10	129	
S314525		0.29	10	<10	89	<10	145	
S314526		0.23	<10	<10	56	<10	69	
S314526D		0.21	<10	<10	52	<10	66	
S314527		0.28	10	<10	85	<10	92	
S314528		0.30	10	<10	94	<10	194	
S314529		0.30	<10	<10	91	<10	112	
S314530		0.24	10	<10	95	10	443	
S314531		0.30	<10	<10	94	<10	175	
S314532		0.25	10	<10	72	<10	121	
S314533		0.30	<10	<10	91	<10	233	
S314534		0.30	<10	<10	91	<10	351	
S314535		0.26	<10	<10	74	10	239	
S314536		0.33	10	<10	92	10	120	
S314537		0.28	10	10	85	10	136	
S314538		0.26	10	<10	76	<10	185	
S314539		0.27	<10	<10	69	10	186	
S314540		<0.01	<10	<10	1	<10	<2	
S314541		0.27	<10	10	78	10	609	
S314542		0.25	<10	<10	71	10	319	
S314543		0.30	<10	<10	87	10	173	
S314544		0.29	<10	<10	88	10	536	
S314545		0.32	<10	<10	100	10	148	
S314546		0.30	<10	<10	95	10	218	
S314546D		0.30	<10	<10	92	<10	213	
S314547		0.22	<10	<10	70	<10	119	
S314548		0.28	<10	<10	85	<10	89	
S314549		0.26	<10	10	79	<10	154	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314550		0.13	>10.0	10.70	>100	5.91	365	650	1.0	<2	3.73	4.3	11	32	144	3.70
S314551		3.59	0.289		10.7	6.67	88	370	1.1	<2	3.96	0.9	6	6	37	3.20
S314552		3.76	0.303		5.1	7.28	129	360	1.1	<2	2.93	0.9	8	7	40	3.26
S314553		3.60	0.342		3.0	7.33	120	390	1.1	<2	0.50	1.6	8	7	21	3.36
S314554		2.82	0.349		2.7	8.56	140	290	1.2	<2	1.78	1.1	9	7	29	3.96
S314555		2.99	0.357		4.1	7.84	166	240	1.2	<2	2.68	3.0	12	6	49	4.10
S314556		2.80	0.424		7.1	7.37	127	460	1.1	<2	2.06	1.6	8	7	37	3.52
S314557		2.91	0.497		5.8	7.90	100	380	1.1	<2	2.05	4.0	9	7	40	3.95
S314558		3.04	0.267		3.2	7.31	122	260	1.1	<2	2.97	1.9	8	7	36	3.88
S314559		3.07	0.355		3.4	6.71	99	290	0.9	<2	2.76	1.6	7	7	34	3.71
S314560		0.64	<0.005		<0.5	0.03	<5	10	<0.5	<2	33.8	<0.5	<1	1	1	0.03
S314561		3.89	0.296		4.0	6.66	105	360	0.9	<2	3.30	1.5	6	6	42	3.00
S314562		3.69	0.306		6.6	6.69	134	290	1.0	<2	3.38	2.5	7	7	40	3.26
S314563		3.57	0.167		8.1	6.57	95	430	1.0	<2	4.80	2.6	8	6	40	2.75
S314564		3.65	0.232		4.8	7.37	91	320	1.1	<2	2.74	2.2	9	6	24	3.28
S314565		3.72	0.219		4.8	6.38	91	420	1.0	<2	3.37	2.1	5	8	23	3.01
S314566		3.67	0.276		7.5	7.39	123	410	1.0	<2	3.12	3.9	8	10	40	3.06
S314566D		<0.02	0.289		7.0	7.02	129	340	1.0	<2	3.09	3.7	8	6	39	3.05
S314567		3.84	0.298		3.7	6.96	104	300	1.1	<2	3.24	1.7	11	6	22	3.33
S314568		3.68	0.241		11.7	6.60	71	480	1.1	<2	3.80	2.2	8	6	28	2.89
S314569		3.93	0.521		3.9	7.05	120	470	1.0	<2	3.74	1.4	9	6	25	3.11
S314570		0.12	5.93		80.8	6.20	291	980	1.0	<2	1.92	22.3	11	22	116	4.71
S314571		3.93	1.710		3.3	6.78	148	300	1.1	<2	3.78	1.9	7	6	20	3.58
S314572		3.83	0.363		2.8	7.74	162	290	1.1	<2	3.09	3.1	9	6	26	3.82
S314573		3.86	0.310		2.9	7.39	104	180	0.9	<2	2.92	2.1	11	6	26	4.61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314550		10	3.67	10	0.47	1370	7	0.16	22	810	237	3.00	63	10	199	<20
S314551		20	4.00	10	0.51	1295	6	0.16	1	720	23	3.45	17	9	133	<20
S314552		20	4.02	10	0.53	683	12	0.38	3	760	16	3.44	14	9	123	<20
S314553		20	4.22	10	0.58	234	10	0.06	4	780	19	3.57	7	10	32	<20
S314554		20	4.47	10	0.61	538	6	0.69	4	890	32	4.19	10	11	89	<20
S314555		20	4.22	10	0.57	801	10	0.70	3	900	54	4.47	9	10	119	<20
S314556		20	4.14	10	0.55	610	13	0.08	1	790	36	3.66	13	9	79	<20
S314557		20	4.54	10	0.58	580	17	0.09	3	810	42	4.27	16	10	84	<20
S314558		20	4.65	10	0.53	898	7	0.10	1	840	28	4.11	12	10	97	<20
S314559		20	4.60	10	0.43	787	11	0.12	3	740	27	4.03	11	9	106	<20
S314560		<10	<0.01	<10	1.81	19	2	<0.01	<1	30	<2	0.08	<5	<1	5170	<20
S314561		20	4.88	10	0.44	1120	15	0.12	3	790	26	3.27	13	9	130	<20
S314562		20	4.48	10	0.48	872	13	0.10	4	780	24	3.58	17	9	117	<20
S314563		20	4.50	10	0.48	1170	10	0.10	3	780	18	2.96	15	9	151	<20
S314564		20	4.69	10	0.51	772	4	0.08	3	810	22	3.60	9	9	93	<20
S314565		20	3.92	10	0.48	989	5	0.06	3	700	19	3.23	13	8	107	<20
S314566		20	4.64	10	0.52	776	5	0.08	3	820	22	3.30	13	10	91	<20
S314566D		20	4.60	10	0.50	776	6	0.08	3	820	21	3.34	14	9	91	<20
S314567		20	4.30	10	0.50	795	3	0.24	4	820	25	3.66	8	9	93	<20
S314568		20	3.99	10	0.49	940	6	0.21	4	790	23	3.13	13	9	96	<20
S314569		20	4.01	10	0.54	909	10	0.30	2	800	23	3.35	12	9	110	<20
S314570		10	3.59	10	0.48	1185	11	0.23	15	970	8690	2.99	74	12	144	<20
S314571		20	3.95	10	0.55	952	6	0.06	2	760	31	3.95	6	9	100	<20
S314572		20	4.37	10	0.59	783	9	0.31	3	860	27	4.17	10	10	98	<20
S314573		20	4.12	10	0.46	778	8	1.00	2	830	22	5.11	9	9	129	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314550		0.23	<10	10	96	<10	504	136
S314551		0.27	<10	<10	85	<10	107	
S314552		0.30	<10	<10	93	<10	104	
S314553		0.28	<10	<10	86	10	171	
S314554		0.31	<10	<10	95	<10	114	
S314555		0.32	<10	<10	98	10	284	
S314556		0.27	<10	<10	84	<10	143	
S314557		0.30	10	<10	95	10	338	
S314558		0.30	10	<10	96	10	198	
S314559		0.27	10	<10	87	10	154	
S314560		<0.01	<10	<10	1	<10	<2	
S314561		0.29	10	<10	87	10	141	
S314562		0.29	<10	10	90	<10	231	
S314563		0.30	<10	<10	93	<10	218	
S314564		0.30	<10	<10	92	<10	189	
S314565		0.25	<10	<10	79	<10	205	
S314566		0.30	<10	<10	94	10	420	
S314566D		0.30	10	<10	94	10	404	
S314567		0.30	<10	<10	93	<10	190	
S314568		0.28	<10	<10	88	<10	218	
S314569		0.29	10	<10	93	10	174	
S314570		0.25	<10	<10	122	10	1845	
S314571		0.28	<10	<10	90	<10	202	
S314572		0.30	<10	<10	96	10	368	
S314573		0.30	10	<10	100	<10	223	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151536

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

CERTIFICATE TR15151548

Project: Bowser Regional Exploration

P.O. No.: BOW-0115

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 4-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212701		6.03	0.013		0.6	6.98	19	260	0.9	3	4.98	<0.5	7	6	17	3.34
S212702		6.46	0.013		0.7	7.00	28	320	1.0	<2	3.75	1.2	9	6	17	3.63
S212703		6.61	0.010		0.7	7.76	21	390	1.0	<2	3.35	<0.5	8	6	10	3.57
S212704		5.52	0.012		0.9	7.33	29	360	1.0	<2	3.39	<0.5	9	7	20	3.61
S212705		5.60	0.008		0.6	7.63	25	370	1.0	2	2.90	<0.5	8	6	14	3.52
S212706		6.65	0.014		0.8	7.07	26	280	0.9	2	3.37	<0.5	9	6	13	3.46
S212706D		<0.02	0.014		0.6	7.43	26	280	1.0	<2	3.39	<0.5	9	6	12	3.53
S212707		5.91	0.016		0.8	6.88	36	410	1.0	<2	3.28	<0.5	9	6	22	3.34
S212708		4.26	0.027		1.2	7.13	51	350	1.0	<2	2.93	0.5	8	6	21	3.40
S212709		6.13	0.027		1.9	7.73	62	250	1.2	<2	2.48	15.8	8	7	31	3.58
S212710		0.09	>10.0	18.50	22.9	6.48	735	170	1.3	3	2.72	1.5	18	112	134	4.84
S212711		6.41	0.036		2.2	7.84	53	330	1.3	<2	0.49	<0.5	10	8	20	3.63
S212712		6.38	0.062		5.8	7.14	60	290	1.4	<2	0.21	<0.5	8	9	29	3.36
S212713		6.21	0.132		15.0	5.25	65	190	1.0	2	0.18	<0.5	8	13	56	2.60
S212714		5.72	0.165		5.6	4.46	56	570	0.9	<2	0.14	<0.5	4	10	15	2.25
S212715		6.05	0.069		2.5	8.11	78	210	1.3	2	0.53	<0.5	9	7	13	3.54
S212716		5.42	0.043		2.2	7.37	69	210	1.1	<2	3.03	<0.5	8	6	21	3.24
S212717		6.38	0.084		1.4	8.21	444	250	1.2	3	2.00	<0.5	8	7	24	3.42
S212718		5.67	0.148		1.1	8.23	200	260	1.1	<2	1.52	<0.5	9	6	13	3.47
S212719		6.48	0.084		1.2	8.09	176	190	1.1	<2	1.16	<0.5	9	7	14	4.01
S212720		0.51	<0.005		<0.5	0.05	<5	10	<0.5	2	35.3	<0.5	<1	1	1	0.03
S212721		6.23	0.046		0.8	7.74	98	170	1.0	2	1.07	<0.5	10	6	11	3.77
S212722		6.09	0.034		0.8	8.82	56	250	1.0	2	1.71	<0.5	9	5	11	3.68
S212723		5.90	0.123		1.1	8.23	62	270	0.8	<2	1.20	<0.5	8	6	10	3.28
S212724		6.49	0.044		1.4	8.58	53	260	1.1	<2	1.58	<0.5	7	4	22	3.48
S212725		6.49	0.036		1.1	8.51	25	250	1.3	2	0.96	<0.5	6	4	10	3.48
S212726		6.29	0.020		6.0	8.10	22	400	1.3	<2	2.89	<0.5	6	3	33	3.16
S212726D		<0.02	0.020		6.3	8.33	26	370	1.3	<2	2.88	<0.5	7	3	35	3.28
S212727		5.83	0.048		2.4	7.22	27	390	1.3	<2	3.39	<0.5	6	4	15	3.07
S212728		5.25	0.028		1.6	7.87	31	410	1.3	<2	3.39	<0.5	8	3	10	3.25
S212729		5.77	0.227		17.3	7.19	74	180	1.1	5	0.37	4.7	8	8	59	4.03
S212730		0.13	0.999		12.5	5.86	297	420	1.0	<2	3.60	4.2	11	28	81	4.00
S212731		6.21	0.106		7.5	7.62	43	350	1.3	7	0.19	14.0	7	7	46	3.62
S212732		6.05	0.066		4.3	8.28	26	410	1.5	7	0.27	<0.5	9	7	22	3.79
S212733		6.75	0.043		2.5	8.01	23	370	1.5	5	2.76	0.5	8	5	18	3.83
S212734		5.40	0.036		3.3	6.30	60	190	1.3	<2	5.59	0.8	20	34	99	4.93
S212735		4.24	0.022		3.8	6.23	47	220	1.3	<2	4.41	0.9	17	59	90	4.48
S212736		4.53	0.060		6.3	6.51	43	160	1.3	4	3.71	1.2	21	52	68	5.54
S212737		5.62	0.022		2.2	7.55	47	390	1.4	<2	0.38	<0.5	8	7	18	3.45
S212738		6.73	0.054		12.7	7.52	46	480	1.2	6	1.13	1.2	8	8	114	3.83

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212701		10	2.51	10	1.03	1585	2	2.17	<1	750	45	3.02	<5	9	363	<20
S212702		20	2.85	10	1.09	1400	2	2.02	2	790	75	3.37	8	9	293	<20
S212703		20	2.81	10	1.03	1280	3	2.35	2	810	46	3.32	<5	10	285	<20
S212704		20	2.79	10	1.09	1300	2	2.12	2	790	39	3.36	7	10	282	<20
S212705		20	3.05	10	1.05	1155	1	2.01	2	790	31	3.33	6	10	243	<20
S212706		20	3.10	10	1.00	1385	3	1.85	2	800	29	3.38	7	9	248	<20
S212706D		20	3.17	10	1.02	1380	2	1.86	1	790	26	3.41	6	10	249	<20
S212707		20	3.29	10	1.11	1530	5	1.48	1	770	33	3.24	14	9	210	<20
S212708		20	3.60	10	1.00	1310	3	0.97	2	780	56	3.40	18	9	209	<20
S212709		20	4.04	10	0.73	974	2	0.28	2	800	416	3.81	53	10	173	<20
S212710		10	2.89	10	0.67	997	7	0.16	68	1610	57	3.98	18	18	178	<20
S212711		20	4.02	10	0.62	261	4	0.05	1	820	86	3.81	14	10	51	<20
S212712		10	3.44	10	0.46	136	5	0.04	3	720	46	3.59	25	9	34	<20
S212713		10	2.76	10	0.34	127	5	0.03	5	540	29	2.59	40	8	51	<20
S212714		10	2.31	10	0.29	101	3	0.03	3	430	15	2.24	14	6	23	<20
S212715		20	3.69	10	0.56	254	2	0.34	2	840	25	3.72	10	10	81	<20
S212716		10	3.77	10	0.61	914	3	0.70	3	780	25	3.36	16	9	209	<20
S212717		20	3.96	10	0.89	860	3	1.01	<1	850	26	3.41	15	11	206	<20
S212718		10	4.13	10	0.98	683	2	0.64	3	810	55	3.44	15	11	159	<20
S212719		20	3.67	10	0.98	517	2	0.37	3	830	51	4.04	12	10	132	<20
S212720		<10	0.01	<10	1.66	20	<1	<0.01	1	30	<2	0.08	<5	<1	5160	<20
S212721		20	4.24	10	0.86	464	1	0.96	3	830	45	4.06	5	10	156	<20
S212722		20	4.22	10	0.81	608	1	1.28	2	860	43	3.88	6	11	215	<20
S212723		20	3.50	10	0.55	378	1	1.41	3	800	48	3.51	9	9	163	<20
S212724		20	4.00	10	0.54	535	1	0.92	2	840	51	3.69	13	9	130	<20
S212725		20	4.51	10	0.63	368	1	0.07	2	850	30	3.79	<5	8	66	<20
S212726		20	4.52	10	0.61	1025	1	0.05	1	820	31	3.44	7	8	123	<20
S212726D		20	4.56	10	0.63	1010	1	0.05	1	830	33	3.59	11	8	121	<20
S212727		20	4.30	10	0.52	1100	4	0.04	3	800	118	3.42	6	7	127	<20
S212728		20	4.37	10	0.50	1110	1	0.04	<1	840	42	3.69	<5	8	132	<20
S212729		20	3.65	10	0.45	203	2	0.04	4	700	166	4.37	29	8	33	<20
S212730		10	4.00	10	0.54	1470	9	0.22	20	930	149	2.85	26	11	195	<20
S212731		20	4.22	10	0.56	158	1	0.04	2	780	198	4.09	23	8	33	<20
S212732		20	4.77	10	0.65	184	2	0.05	<1	840	113	4.20	14	9	45	<20
S212733		20	4.62	10	0.62	1215	1	0.04	<1	840	111	4.19	13	8	120	<20
S212734		20	4.07	10	0.55	2210	<1	0.04	39	1290	89	5.63	38	12	181	<20
S212735		20	4.19	10	0.55	1840	<1	0.04	54	1100	101	5.06	37	12	179	<20
S212736		20	3.99	10	0.60	1575	<1	0.04	62	1210	98	6.24	30	14	126	<20
S212737		20	4.23	10	0.62	217	1	0.04	<1	770	59	3.69	18	8	56	<20
S212738		20	4.11	10	0.58	502	2	0.05	2	730	132	4.12	56	9	99	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212701		0.28	10	<10	88	<10	67	
S212702		0.29	<10	<10	95	<10	140	
S212703		0.30	<10	<10	97	<10	85	
S212704		0.30	10	<10	95	<10	74	
S212705		0.30	10	<10	94	<10	50	
S212706		0.30	<10	<10	94	<10	49	
S212706D		0.30	<10	<10	94	<10	49	
S212707		0.29	10	<10	94	<10	52	
S212708		0.29	10	<10	93	<10	79	
S212709		0.30	<10	<10	95	<10	1440	
S212710		0.35	10	<10	178	<10	209	
S212711		0.30	10	<10	95	<10	58	
S212712		0.27	10	<10	86	<10	61	
S212713		0.22	<10	<10	73	<10	51	
S212714		0.16	<10	<10	57	<10	21	
S212715		0.30	<10	<10	100	<10	47	
S212716		0.28	<10	<10	89	<10	44	
S212717		0.31	<10	<10	99	10	51	
S212718		0.29	<10	<10	98	10	92	
S212719		0.29	10	<10	98	10	71	
S212720		<0.01	<10	<10	1	<10	2	
S212721		0.31	<10	<10	93	<10	63	
S212722		0.32	10	<10	95	<10	43	
S212723		0.29	10	<10	82	<10	36	
S212724		0.30	<10	<10	75	<10	33	
S212725		0.30	<10	<10	70	<10	29	
S212726		0.30	10	<10	69	10	38	
S212726D		0.30	<10	<10	70	20	40	
S212727		0.29	10	<10	70	<10	41	
S212728		0.30	<10	<10	72	<10	45	
S212729		0.24	<10	<10	70	<10	722	
S212730		0.27	<10	<10	106	<10	491	
S212731		0.29	10	<10	78	10	2150	
S212732		0.32	<10	<10	85	<10	73	
S212733		0.32	10	<10	75	<10	84	
S212734		0.34	<10	<10	132	<10	87	
S212735		0.35	<10	<10	144	<10	103	
S212736		0.35	10	<10	117	<10	171	
S212737		0.28	10	<10	72	<10	62	
S212738		0.28	<10	<10	85	10	133	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212739		5.72	0.032		1.9	7.23	25	360	1.3	<2	2.92	0.7	8	6	17	3.44
S212740		0.65	<0.005		<0.5	0.07	<5	10	<0.5	<2	35.8	<0.5	<1	1	<1	0.05
S212741		4.36	0.052		1.7	8.13	34	330	1.3	<2	2.21	0.8	7	6	12	3.58
S212742		3.62	0.045		1.2	7.61	34	300	1.5	<2	3.29	0.5	8	6	14	3.63
S212743		6.88	0.016		<0.5	8.04	23	1040	1.9	<2	4.41	<0.5	26	27	16	7.07
S212744		6.15	0.045		0.5	8.22	21	960	2.0	2	4.60	<0.5	28	27	26	7.31
S212745		6.24	0.051		0.8	7.94	18	720	1.8	<2	4.46	<0.5	26	25	33	6.85
S212746		5.94	0.050		0.6	8.21	18	670	1.9	<2	5.20	<0.5	26	26	23	7.30
S212746D		<0.02	0.050		0.6	7.93	21	650	1.9	<2	4.96	<0.5	26	26	23	7.10
S212747		6.15	0.033		<0.5	8.25	13	880	2.0	<2	4.52	<0.5	29	29	22	7.49
S212748		6.64	0.010		<0.5	8.24	12	860	2.0	<2	4.52	<0.5	29	27	25	7.42
S212749		6.22	0.035		<0.5	8.25	17	800	2.0	<2	4.56	<0.5	28	27	20	7.39
S212750		0.13	>10.0	10.50	>100	5.63	372	370	1.0	<2	3.77	4.6	13	32	149	3.84
S212751		6.46	0.036		0.7	7.95	21	640	1.7	<2	4.77	<0.5	26	23	29	6.94
S212752		6.81	0.008		<0.5	7.99	17	660	1.7	<2	4.80	<0.5	27	25	25	7.03
S212753		6.68	0.010		<0.5	8.08	19	780	1.8	<2	4.59	<0.5	26	25	24	6.90
S212754		3.42	0.019		<0.5	7.97	51	590	1.6	<2	4.28	<0.5	25	27	25	6.70
S212755		4.41	0.037		0.5	8.04	62	920	1.6	<2	4.66	<0.5	23	24	26	6.08
S212756		6.07	0.070		32.8	7.02	119	80	1.2	<2	2.14	0.9	18	61	228	5.33
S212757		6.18	0.029		1.1	8.18	39	1310	1.8	<2	3.96	<0.5	25	30	28	6.59
S212758		6.70	0.005		0.5	8.31	31	1310	1.9	2	4.16	<0.5	25	27	23	6.85
S212759		5.88	<0.005		<0.5	8.13	27	1600	1.7	<2	4.42	<0.5	24	26	15	6.71
S212760		0.71	<0.005		<0.5	0.05	<5	10	<0.5	3	34.8	<0.5	<1	1	<1	0.05
S212761		6.10	<0.005		<0.5	7.79	26	1210	1.7	<2	4.26	<0.5	25	24	17	6.67
S212762		2.09	0.006		<0.5	8.40	21	1420	1.9	<2	4.40	<0.5	27	28	19	7.22
S212763		8.58	0.008		0.6	7.72	22	1350	1.8	<2	3.85	<0.5	26	25	20	6.68
S212764		4.62	0.237		31.4	6.43	43	250	1.0	<2	0.73	0.8	12	40	65	3.43
S212765		4.24	0.015		2.3	6.30	24	670	0.9	<2	0.37	<0.5	7	30	1	2.21
S212766		6.66	0.023		3.5	6.79	23	560	1.1	<2	0.30	<0.5	9	47	25	2.74
S212766D		<0.02	0.026		3.5	6.86	20	380	1.1	<2	0.30	<0.5	8	48	26	2.80
S212767		3.99	0.025		0.6	8.04	41	910	1.8	<2	4.20	<0.5	26	24	22	6.69
S212768		2.19	0.021		3.1	7.86	439	560	1.6	<2	1.47	0.5	22	51	81	4.70
S212769		6.21	0.046		0.5	7.83	23	1110	1.9	<2	4.08	<0.5	28	25	21	6.86
S212770		0.12	5.56		79.2	6.25	281	950	1.0	2	2.00	22.4	11	23	115	4.85
S212771		6.59	0.010		0.5	7.76	25	1410	1.9	<2	3.88	<0.5	25	23	20	6.81
S212772		6.34	0.011		<0.5	8.21	36	1760	2.0	<2	4.10	<0.5	28	25	23	7.24
S212773		6.23	0.010		<0.5	7.82	34	1560	1.9	2	3.92	<0.5	27	26	22	7.11
S212774		6.37	0.016		<0.5	7.85	33	1330	1.9	2	3.98	<0.5	26	24	23	6.93
S212775		6.09	0.014		<0.5	8.27	26	1380	1.9	<2	3.91	<0.5	27	25	32	7.24
S212776		2.82	0.034		<0.5	7.88	27	1620	1.9	3	4.23	<0.5	26	23	32	6.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212739		20	4.68	10	0.57	1260	1	0.14	<1	800	81	3.76	14	8	124	<20
S212740		<10	0.03	<10	1.91	26	<1	<0.01	<1	50	<2	0.09	11	<1	5320	<20
S212741		20	4.68	10	0.57	922	1	0.10	<1	800	116	3.82	8	8	137	<20
S212742		20	5.03	10	0.61	1230	1	0.31	1	870	65	3.68	13	8	225	<20
S212743		20	1.17	30	2.10	1125	<1	3.50	20	3240	4	0.16	15	9	1040	<20
S212744		20	1.20	30	2.17	1115	1	3.51	19	3290	3	0.16	12	9	1130	<20
S212745		20	1.04	30	2.06	1105	1	3.50	20	3100	<2	0.27	22	8	1045	<20
S212746		20	0.95	30	2.07	1120	1	3.31	20	3350	5	0.18	22	9	1660	<20
S212746D		20	0.93	30	2.02	1095	1	3.23	19	3270	4	0.17	18	9	1570	<20
S212747		20	1.23	40	2.28	1100	1	3.53	23	3310	<2	0.15	10	9	1085	<20
S212748		20	1.26	30	2.26	1115	<1	3.59	21	3350	<2	0.14	13	9	1060	<20
S212749		20	1.27	30	2.20	1115	1	3.51	19	3350	<2	0.22	19	9	1060	<20
S212750		10	3.83	10	0.46	1450	7	0.17	20	840	252	3.06	69	10	203	<20
S212751		20	1.11	30	2.02	1080	<1	3.49	16	3310	<2	0.25	19	8	1030	<20
S212752		20	1.12	30	2.09	1105	1	3.48	18	3260	<2	0.18	26	8	1015	<20
S212753		20	1.28	30	2.05	1095	1	3.46	19	3200	<2	0.16	23	8	902	<20
S212754		20	1.72	30	1.89	1285	1	2.98	21	3250	2	0.53	7	9	530	<20
S212755		20	1.86	40	1.76	1325	1	3.08	21	3080	10	0.57	11	8	567	<20
S212756		20	3.78	10	0.82	524	<1	0.11	59	1150	51	5.27	53	13	115	<20
S212757		20	1.67	30	1.89	1130	1	3.44	25	2970	7	0.53	29	9	776	<20
S212758		20	1.58	30	2.02	1050	2	3.65	21	3140	8	0.12	29	8	906	<20
S212759		20	1.44	40	2.00	1105	2	3.44	19	3050	4	0.14	20	8	863	<20
S212760		<10	0.01	<10	1.79	21	<1	0.01	<1	40	<2	0.05	<5	<1	4720	<20
S212761		20	1.39	30	2.04	1050	1	3.20	19	3080	9	0.09	9	8	921	<20
S212762		20	1.59	40	2.22	1090	<1	3.38	24	3180	4	0.12	18	9	1070	<20
S212763		20	1.54	30	2.02	1140	1	3.35	21	3030	3	0.30	17	8	913	<20
S212764		10	3.90	10	0.63	203	1	0.15	31	1090	20	3.48	18	11	226	<20
S212765		10	3.08	10	0.36	110	<1	0.98	10	440	9	2.35	<5	7	107	<20
S212766		20	3.85	10	0.41	127	<1	0.15	9	520	21	2.86	5	8	86	<20
S212766D		20	3.94	10	0.41	130	<1	0.15	12	530	23	2.96	10	8	87	<20
S212767		20	1.35	30	1.93	1115	2	3.64	20	3140	4	0.42	30	9	1320	<20
S212768		20	5.51	10	1.00	721	<1	0.69	58	2130	30	2.62	7	16	374	<20
S212769		20	1.47	30	1.99	1030	1	3.81	17	3170	<2	0.29	20	8	890	<20
S212770		10	3.79	10	0.49	1250	9	0.24	17	960	8910	3.03	79	12	150	<20
S212771		20	1.71	30	1.96	962	1	3.72	15	3120	6	0.16	18	8	909	<20
S212772		20	1.81	30	2.13	1015	1	3.78	19	3330	<2	0.15	18	8	1005	<20
S212773		20	1.73	30	2.15	970	1	3.55	20	3210	3	0.12	13	9	990	<20
S212774		20	1.64	30	2.04	984	1	3.57	19	3190	<2	0.14	19	8	973	<20
S212775		20	1.78	30	2.10	1000	1	3.85	18	3310	<2	0.20	22	9	866	<20
S212776		20	1.69	30	2.01	976	3	3.73	18	3160	<2	0.21	20	8	832	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212739		0.31	<10	<10	86	<10	117	
S212740		<0.01	<10	<10	2	<10	<2	
S212741		0.30	10	<10	77	<10	103	
S212742		0.31	<10	<10	85	<10	61	
S212743		1.24	<10	<10	118	<10	150	
S212744		1.29	<10	<10	122	<10	145	
S212745		1.21	<10	<10	114	<10	139	
S212746		1.28	10	<10	122	<10	138	
S212746D		1.25	<10	<10	119	<10	135	
S212747		1.33	<10	<10	127	<10	148	
S212748		1.32	<10	<10	125	<10	145	
S212749		1.30	10	<10	124	<10	147	
S212750		0.25	<10	<10	101	10	525	133
S212751		1.24	<10	<10	113	<10	126	
S212752		1.25	<10	<10	117	<10	129	
S212753		1.25	<10	<10	115	<10	131	
S212754		1.27	<10	<10	122	<10	172	
S212755		1.17	<10	<10	111	<10	128	
S212756		0.32	<10	<10	121	<10	119	
S212757		1.12	<10	<10	114	<10	137	
S212758		1.19	<10	<10	113	<10	145	
S212759		1.16	<10	<10	111	<10	144	
S212760		<0.01	<10	<10	1	<10	<2	
S212761		1.16	<10	<10	112	<10	148	
S212762		1.25	<10	<10	122	<10	153	
S212763		1.18	<10	<10	113	<10	145	
S212764		0.27	<10	<10	99	10	51	
S212765		0.20	<10	<10	74	10	12	
S212766		0.26	<10	<10	118	<10	12	
S212766D		0.26	<10	<10	122	<10	13	
S212767		1.21	<10	<10	115	<10	119	
S212768		0.38	<10	<10	139	<10	62	
S212769		1.22	<10	<10	115	<10	135	
S212770		0.27	<10	<10	125	10	1910	
S212771		1.21	10	<10	112	<10	136	
S212772		1.28	<10	<10	119	<10	144	
S212773		1.27	<10	<10	120	<10	142	
S212774		1.24	<10	<10	115	<10	138	
S212775		1.28	<10	<10	119	<10	143	
S212776		1.23	<10	<10	113	<10	140	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212777		3.76	0.015		<0.5	7.94	27	1640	1.9	<2	3.88	<0.5	28	24	25	6.96
S212778		1.79	0.007		<0.5	7.99	28	1400	1.9	<2	3.66	<0.5	26	25	19	7.02
S212779		1.67	0.110		7.7	7.33	86	1070	1.4	2	0.69	<0.5	10	9	18	3.45
S212780		0.63	<0.005		<0.5	0.06	<5	10	<0.5	<2	35.3	<0.5	<1	<1	<1	0.05
S212781		1.39	0.114		30.1	7.24	61	650	1.4	<2	0.85	5.6	13	12	107	4.23
S212782		1.31	0.021		1.8	7.76	47	1810	1.8	<2	2.93	<0.5	23	21	18	6.12
S212783		2.68	0.129		7.0	7.14	38	410	1.3	<2	0.40	2.0	8	8	12	3.52
S212784		2.88	0.411		11.8	6.43	108	280	1.2	2	0.22	3.1	7	8	37	3.61
S212785		2.61	0.607		25.4	5.66	55	490	1.1	<2	0.19	12.1	7	9	46	2.79
S212786		2.56	0.022		0.8	8.27	45	1120	1.9	<2	4.25	<0.5	27	27	24	6.81
S212786D		<0.02	0.021		0.6	8.00	39	1110	1.9	<2	4.02	<0.5	25	25	24	6.73
S212787		3.28	0.048		0.5	7.78	31	1240	1.9	2	4.18	<0.5	30	28	28	7.28
S212788		3.45	0.079		0.7	7.96	28	1200	1.9	<2	4.20	<0.5	29	30	32	7.45
S212789		3.27	0.068		0.5	7.64	26	1120	1.8	<2	3.93	<0.5	25	24	24	6.78
S212790		0.10	>10.0	18.40	21.6	6.47	730	230	1.3	2	2.74	2.0	19	111	130	4.94
S212791		3.19	0.029		0.7	8.04	24	1130	1.9	<2	4.03	<0.5	26	24	24	6.90
S212792		2.17	0.010		<0.5	8.18	30	1190	1.9	3	3.82	<0.5	26	24	23	6.87
S212793		2.67	0.079		1.7	7.74	53	1630	1.7	<2	2.46	<0.5	21	20	39	5.94
S212794		3.69	0.247		2.6	8.12	103	290	1.2	<2	0.99	0.9	13	8	95	4.51
S212795		3.33	0.222		2.2	7.95	64	450	1.4	<2	0.52	0.5	10	7	40	3.69
S212796		2.89	0.488		3.3	7.69	61	330	1.1	<2	0.71	0.5	9	7	87	3.41
S212797		2.08	0.373		3.5	8.08	74	450	1.4	<2	0.47	<0.5	10	8	89	3.72
S212798		1.56	0.414		5.2	5.98	80	1120	1.2	<2	0.91	0.9	9	15	61	3.37
S212799		2.68	0.007		<0.5	7.72	33	1180	1.9	2	3.64	<0.5	25	24	23	6.50
S212800		0.52	<0.005		<0.5	0.04	<5	10	<0.5	5	35.4	<0.5	<1	2	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212777		20	1.76	30	2.05	959	2	3.76	17	3190	2	0.15	16	8	854	<20
S212778		20	1.68	30	2.05	980	<1	3.81	18	3180	<2	0.20	20	8	826	<20
S212779		20	4.07	10	0.72	279	1	0.57	4	1130	44	2.07	6	10	170	<20
S212780		<10	0.01	<10	1.81	26	<1	0.01	<1	50	<2	0.09	5	<1	4690	<20
S212781		20	3.46	20	0.92	367	1	1.06	5	1430	97	2.37	11	9	280	<20
S212782		20	2.46	30	1.70	792	1	2.82	16	2660	21	1.03	11	9	675	<20
S212783		20	4.30	10	0.52	129	2	0.07	2	840	76	3.71	7	10	50	<20
S212784		10	3.67	10	0.43	102	1	0.06	1	770	85	3.82	19	9	34	<20
S212785		10	3.08	10	0.40	93	1	0.04	1	660	344	2.91	24	8	23	<20
S212786		20	1.45	30	2.04	956	<1	3.61	20	3280	<2	0.27	37	9	1155	<20
S212786D		20	1.44	30	2.00	931	<1	3.64	20	3220	2	0.27	29	8	1035	<20
S212787		20	1.65	30	2.24	988	<1	3.35	21	3150	<2	0.15	15	9	1015	<20
S212788		20	1.72	30	2.29	1025	1	3.26	22	3180	5	0.17	20	9	1025	<20
S212789		20	1.60	30	1.99	961	<1	3.43	18	3090	<2	0.16	21	8	918	<20
S212790		20	2.99	10	0.69	1040	6	0.16	66	1630	53	4.03	19	18	181	<20
S212791		20	1.59	30	2.07	1010	<1	3.53	18	3100	<2	0.21	22	8	922	<20
S212792		20	1.49	30	2.12	972	<1	3.75	18	3190	<2	0.41	12	8	792	<20
S212793		20	2.53	20	1.62	711	4	2.51	13	2370	7	1.47	11	9	603	<20
S212794		20	4.81	10	0.87	364	8	0.45	4	1320	9	3.64	14	11	179	<20
S212795		20	5.23	10	0.68	217	18	0.17	<1	980	24	3.25	8	11	91	<20
S212796		20	4.86	10	0.67	276	47	0.11	1	880	7	3.15	5	10	101	<20
S212797		20	5.06	10	0.69	205	46	0.11	3	900	17	3.35	5	10	82	<20
S212798		10	3.09	10	0.71	350	35	0.67	5	940	16	1.78	<5	8	230	<20
S212799		20	1.43	30	1.89	942	1	3.55	18	2990	<2	0.38	12	8	833	<20
S212800		<10	0.01	<10	1.72	24	<1	<0.01	<1	40	<2	0.10	<5	<1	5200	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212777		1.24	<10	<10	114	<10	142	
S212778		1.25	<10	<10	117	<10	148	
S212779		0.38	10	<10	103	<10	58	
S212780		<0.01	<10	<10	2	<10	<2	
S212781		0.50	<10	<10	99	<10	420	
S212782		1.01	<10	<10	110	<10	136	
S212783		0.27	<10	<10	99	10	193	
S212784		0.22	<10	<10	86	<10	318	
S212785		0.18	<10	<10	74	<10	869	
S212786		1.27	<10	<10	118	<10	140	
S212786D		1.26	10	<10	114	<10	138	
S212787		1.30	<10	<10	129	<10	149	
S212788		1.30	10	<10	130	<10	149	
S212789		1.20	<10	<10	113	10	138	
S212790		0.36	<10	<10	179	10	221	
S212791		1.19	<10	<10	114	<10	146	
S212792		1.25	<10	<10	118	10	154	
S212793		0.91	<10	<10	110	10	114	
S212794		0.38	<10	<10	105	<10	73	
S212795		0.30	<10	<10	101	<10	53	
S212796		0.27	<10	<10	97	<10	42	
S212797		0.28	<10	<10	99	<10	44	
S212798		0.32	<10	<10	78	<10	90	
S212799		1.14	<10	<10	109	<10	140	
S212800		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 27-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15151548

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

CERTIFICATE TR15152388

Project: Bowser Regional Exploration

P.O. No.: BOW-0118

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212801		3.52	0.022		<0.5	7.81	24	980	1.9	3	4.20	<0.5	25	25	27	7.01
S212802		3.39	0.010		<0.5	7.80	21	970	1.9	7	4.27	<0.5	26	25	27	7.04
S212803		3.39	0.007		<0.5	7.89	21	1020	1.9	9	4.23	<0.5	27	24	21	6.97
S212804		3.17	<0.005		<0.5	7.70	21	1040	1.9	2	4.10	<0.5	26	24	24	6.89
S212805		3.38	<0.005		<0.5	7.78	18	1090	1.9	2	4.06	<0.5	25	24	12	6.93
S212806		3.35	0.005		<0.5	7.80	23	1130	1.9	7	4.13	<0.5	27	26	24	7.00
S212806D		<0.02	<0.005		<0.5	7.61	22	1130	1.9	3	4.12	<0.5	26	25	21	6.98
S212807		3.22	0.010		<0.5	8.05	20	1110	1.9	5	4.33	<0.5	26	24	26	6.94
S212808		2.15	0.007		0.5	7.76	23	1480	1.8	2	4.16	<0.5	25	24	26	6.65
S212809		2.91	0.008		0.8	7.86	30	1880	1.8	4	3.86	<0.5	26	23	31	6.75
S212810		0.14	0.934		13.0	5.84	317	360	1.0	2	3.56	4.3	10	27	85	3.92
S212811		2.90	0.424		9.2	6.02	77	300	1.3	<2	0.55	<0.5	8	9	110	3.79
S212812		3.55	0.409		4.2	7.44	58	310	1.3	<2	0.31	0.6	6	7	145	3.27
S212813		2.98	0.345		2.7	8.10	41	380	1.3	<2	0.29	0.5	8	8	130	3.16
S212814		3.94	0.327		3.7	7.15	45	210	1.2	<2	0.38	0.8	8	9	179	3.26
S212815		3.32	0.363		7.2	7.55	203	1130	1.3	<2	1.07	0.6	8	7	219	3.86
S212816		2.28	0.362		11.3	7.38	58	210	1.2	<2	0.39	<0.5	10	8	195	3.64
S212817		3.80	0.529		15.2	7.29	87	200	1.1	<2	0.37	1.0	12	9	244	3.79
S212818		4.23	0.385		3.7	8.24	96	370	1.3	<2	0.49	0.6	11	7	233	3.85
S212819		1.58	0.013		0.5	8.18	29	1660	2.0	<2	3.54	<0.5	24	24	127	6.83
S212820		0.57	<0.005		<0.5	0.07	<5	20	<0.5	3	34.8	<0.5	<1	1	<1	0.05
S212821		3.53	0.008		<0.5	7.94	29	1660	1.9	4	4.44	<0.5	26	24	23	6.91
S212822		2.31	<0.005		<0.5	7.87	29	1740	1.9	<2	3.74	<0.5	26	24	19	6.74
S212823		2.91	0.046		0.9	7.42	44	2450	1.7	3	2.88	<0.5	21	24	50	5.93
S212824		2.50	0.346		3.2	6.74	36	190	1.2	3	0.27	<0.5	8	8	79	3.21
S212825		3.26	0.249		2.7	7.58	140	410	1.3	4	0.41	0.6	7	9	113	2.99
S212826		3.44	0.259		1.9	7.46	290	310	1.2	3	0.96	0.9	9	7	61	3.57
S212826D		<0.02	0.264		1.8	7.40	300	360	1.2	2	0.92	1.0	9	8	60	3.62
S212827		3.35	0.476		6.4	6.31	89	190	1.1	<2	0.44	0.5	6	8	173	3.04
S212828		3.24	0.536		6.3	7.03	39	210	1.1	<2	0.27	0.9	9	8	206	3.53
S212829		3.16	0.378		2.9	7.21	53	200	1.2	<2	0.35	0.9	9	13	202	3.25
S212830		0.11	>10.0	10.45	>100	5.91	378	780	1.0	<2	3.71	4.2	12	30	144	3.69
S212831		3.07	0.318		3.2	7.49	50	210	1.2	<2	0.46	0.6	8	8	186	3.42
S212832		3.59	0.561		2.9	7.83	49	310	1.3	2	0.77	1.5	7	7	178	3.29
S212833		3.35	0.761		4.9	7.40	80	280	1.3	<2	0.41	0.7	9	10	194	3.34
S212834		3.90	0.669		4.3	7.42	69	190	1.3	<2	0.46	0.7	7	9	169	3.85
S212835		3.46	0.413		2.3	7.30	121	220	1.2	2	0.29	<0.5	8	7	141	3.69
S212836		3.24	0.519		3.2	7.60	51	500	1.3	<2	0.37	0.8	14	7	206	3.14
S212837		3.26	0.849		2.2	7.93	59	440	1.3	<2	0.36	<0.5	12	7	208	3.66
S212838		3.17	1.170		3.7	7.13	86	220	1.2	3	0.23	0.5	8	8	197	3.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212801		20	1.55	30	2.01	989	1	3.55	21	3180	7	0.16	12	8	1005	<20
S212802		20	1.52	30	2.01	1015	1	3.55	20	3160	6	0.17	14	8	1020	<20
S212803		20	1.56	30	2.00	974	2	3.63	21	3190	4	0.19	9	8	969	<20
S212804		20	1.52	30	2.00	944	1	3.50	21	3110	6	0.12	5	8	926	<20
S212805		20	1.52	30	2.03	932	1	3.50	19	3140	3	0.07	8	8	921	<20
S212806		20	1.51	30	2.08	927	1	3.37	23	3150	5	0.11	<5	8	990	<20
S212806D		20	1.50	30	2.06	939	1	3.39	22	3130	6	0.10	5	8	979	<20
S212807		20	1.44	30	2.05	961	1	3.50	20	3200	8	0.15	13	8	934	<20
S212808		20	1.44	30	2.01	933	1	3.40	21	3060	3	0.16	11	8	768	<20
S212809		20	1.66	30	2.09	924	1	3.43	19	3100	7	0.34	6	8	718	<20
S212810		10	3.84	10	0.54	1385	8	0.22	21	920	149	2.82	18	10	191	<20
S212811		10	3.13	10	0.53	145	89	0.27	5	820	14	3.35	9	7	94	<20
S212812		20	4.21	10	0.56	116	74	0.05	2	800	14	3.36	<5	10	74	<20
S212813		10	4.63	10	0.63	127	55	0.06	3	880	20	3.32	<5	10	56	<20
S212814		10	4.17	10	0.56	156	111	0.07	1	760	21	3.29	<5	9	124	<20
S212815		10	4.46	10	0.65	409	45	0.11	3	790	16	3.70	8	10	326	<20
S212816		10	4.28	10	0.62	181	146	0.07	4	800	15	3.73	5	10	68	<20
S212817		20	4.22	10	0.57	190	61	0.07	2	780	38	3.77	<5	10	214	<20
S212818		20	4.90	10	0.84	267	50	0.11	3	900	13	3.05	6	11	129	<20
S212819		20	1.64	30	2.00	999	1	3.64	21	3180	5	0.48	9	8	824	<20
S212820		<10	<0.01	<10	1.61	15	<1	0.01	1	50	<2	0.08	<5	<1	5070	<20
S212821		20	1.56	30	1.98	944	1	3.43	20	3140	4	0.13	14	8	1005	<20
S212822		20	1.64	30	1.99	935	1	3.67	20	3090	4	0.12	14	8	794	<20
S212823		20	1.88	30	1.71	843	7	2.91	18	2600	6	0.65	9	8	722	<20
S212824		10	3.82	<10	0.47	108	37	0.06	3	700	19	3.11	<5	9	364	<20
S212825		10	4.28	10	0.63	219	108	0.08	3	810	27	3.05	6	10	98	<20
S212826		10	4.17	10	0.59	386	127	0.14	3	790	56	3.57	<5	10	112	<20
S212826D		10	4.21	10	0.58	392	123	0.14	3	780	55	3.50	<5	10	109	<20
S212827		10	3.36	<10	0.46	171	101	0.06	4	690	39	3.12	12	8	202	<20
S212828		10	3.83	10	0.50	131	98	0.05	3	750	64	3.68	9	9	53	<20
S212829		10	4.03	10	0.54	158	127	0.05	5	760	34	3.32	21	9	230	<20
S212830		10	3.63	10	0.47	1350	8	0.16	21	810	240	3.00	57	10	199	<20
S212831		10	4.36	10	0.61	204	107	0.07	4	800	21	3.52	8	10	89	<20
S212832		20	4.69	10	0.70	371	94	0.13	4	820	32	3.19	<5	10	109	<20
S212833		10	4.11	10	0.59	219	79	0.06	5	810	29	3.25	11	10	68	<20
S212834		10	4.17	10	0.63	219	140	0.06	3	800	30	3.96	11	10	62	<20
S212835		10	4.06	10	0.60	154	80	0.05	3	800	26	3.74	10	9	55	<20
S212836		10	4.28	10	0.73	238	89	0.05	2	820	18	2.78	9	10	93	<20
S212837		20	4.35	10	0.98	355	69	0.05	3	870	11	3.19	<5	11	53	<20
S212838		10	3.88	10	0.58	124	122	0.05	2	770	22	3.40	15	9	81	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212801		1.22	10	<10	114	<10	140	
S212802		1.22	<10	<10	115	<10	135	
S212803		1.20	<10	<10	114	<10	132	
S212804		1.20	<10	<10	113	<10	136	
S212805		1.20	<10	<10	112	<10	135	
S212806		1.23	<10	<10	117	<10	134	
S212806D		1.21	<10	<10	117	<10	134	
S212807		1.22	<10	<10	114	<10	136	
S212808		1.16	<10	<10	109	<10	137	
S212809		1.19	<10	<10	113	<10	151	
S212810		0.26	10	10	105	<10	476	
S212811		0.27	<10	<10	72	<10	52	
S212812		0.27	10	<10	93	<10	70	
S212813		0.29	10	10	101	<10	64	
S212814		0.24	10	<10	89	<10	52	
S212815		0.25	<10	10	89	<10	48	
S212816		0.22	<10	<10	93	<10	42	
S212817		0.23	10	<10	92	<10	89	
S212818		0.31	<10	<10	101	<10	60	
S212819		1.20	10	<10	114	<10	146	
S212820		<0.01	<10	<10	1	<10	<2	
S212821		1.19	<10	<10	111	<10	135	
S212822		1.17	10	<10	110	<10	130	
S212823		0.97	<10	<10	104	<10	118	
S212824		0.20	10	<10	82	<10	42	
S212825		0.24	<10	<10	91	<10	62	
S212826		0.21	<10	<10	81	<10	83	
S212826D		0.21	10	<10	81	<10	90	
S212827		0.18	<10	<10	81	<10	43	
S212828		0.21	<10	<10	86	<10	80	
S212829		0.24	<10	10	85	<10	82	
S212830		0.23	10	<10	97	<10	497	133
S212831		0.26	<10	<10	88	<10	54	
S212832		0.30	10	<10	95	10	140	
S212833		0.26	<10	<10	91	<10	84	
S212834		0.27	10	<10	92	<10	66	
S212835		0.25	10	<10	88	<10	48	
S212836		0.27	<10	<10	92	<10	86	
S212837		0.27	<10	<10	100	<10	84	
S212838		0.20	10	<10	86	<10	59	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212839		3.24	0.612		6.8	6.45	100	210	1.1	2	0.20	0.7	10	10	166	3.49
S212840		0.55	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.7	<0.5	<1	1	<1	0.05
S212841		3.43	0.644		9.6	7.50	111	300	1.3	<2	0.24	0.7	9	9	280	3.52
S212842		3.25	0.684		7.4	7.19	74	180	1.2	<2	0.24	0.8	10	8	189	4.43
S212843		4.37	0.583		3.6	7.57	37	330	1.3	<2	0.34	0.5	7	8	101	3.43
S212844		3.41	0.083		0.7	7.63	28	2480	1.8	2	2.89	<0.5	16	20	26	5.17
S212845		3.08	0.022		<0.5	8.15	25	2670	1.9	3	3.66	<0.5	21	24	18	6.16
S212846		3.67	0.047		0.6	8.11	27	1580	1.9	<2	3.91	<0.5	20	24	16	6.27
S212846D		<0.02	0.043		<0.5	8.08	25	1570	1.9	3	3.89	<0.5	21	25	15	6.21
S212847		3.23	0.033		<0.5	7.93	20	1680	1.7	2	3.89	<0.5	21	24	21	6.19
S212848		2.97	0.025		<0.5	8.08	18	1270	1.7	3	4.17	<0.5	20	24	9	6.09
S212849		3.41	<0.005		<0.5	8.23	31	1420	1.9	2	3.89	<0.5	21	25	14	6.31
S212850		0.13	5.31		80.1	6.18	283	570	0.9	<2	1.96	22.2	10	23	117	4.70
S212851		3.03	<0.005		<0.5	8.04	36	1320	1.9	<2	4.03	<0.5	20	25	14	6.22
S212852		2.86	0.013		<0.5	7.84	29	1270	1.8	5	4.09	<0.5	20	24	12	6.17
S212853		4.12	<0.005		<0.5	8.13	34	1110	1.8	4	4.07	<0.5	20	23	14	6.24
S212854		2.68	<0.005		<0.5	8.19	36	1160	1.9	3	4.67	<0.5	21	24	21	6.40
S212855		3.26	<0.005		<0.5	8.29	34	1240	1.9	<2	4.10	<0.5	21	25	20	6.59
S212856		2.64	<0.005		<0.5	8.35	35	1250	2.0	4	4.14	<0.5	22	27	13	6.71
S212857		3.49	<0.005		<0.5	8.50	28	1230	1.9	<2	4.21	<0.5	23	25	22	6.58
S212858		3.13	<0.005		<0.5	8.08	24	1110	1.9	2	4.07	<0.5	21	26	13	6.44
S212859		3.28	<0.005		<0.5	8.17	33	1530	2.1	3	4.07	<0.5	25	28	16	6.91
S212860		1.05	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.8	<0.5	<1	1	<1	0.04
S212861		2.97	<0.005		<0.5	7.87	27	1130	1.8	3	4.06	<0.5	24	25	11	6.43
S212862		3.46	<0.005		<0.5	7.63	29	1080	1.9	6	3.97	<0.5	24	26	10	6.48
S212863		3.90	<0.005		<0.5	7.85	31	1210	1.9	3	3.98	<0.5	23	26	19	6.51
S212864		3.01	<0.005		<0.5	8.01	40	1150	1.9	5	3.88	<0.5	22	26	7	6.51
S212865		2.86	<0.005		<0.5	7.99	42	1150	1.9	2	3.79	<0.5	22	25	26	6.55
S212866		3.41	<0.005		<0.5	8.14	36	1180	1.9	4	4.16	<0.5	23	26	22	6.65
S212866D		<0.02	<0.005		<0.5	8.02	38	1200	1.9	3	4.33	<0.5	24	26	23	6.56
S212867		3.20	<0.005		<0.5	8.10	43	1260	1.9	4	3.84	<0.5	21	27	25	6.57
S212868		3.04	<0.005		<0.5	7.86	50	1500	1.8	4	4.13	<0.5	22	23	24	6.32
S212869		3.37	<0.005		<0.5	7.95	47	990	2.0	<2	4.20	<0.5	23	29	25	6.78
S212870		0.11	>10.0	18.70	17.6	6.73	734	1300	1.3	<2	2.66	1.7	15	106	132	4.86
S212871		3.52	<0.005		<0.5	7.60	28	1140	1.9	3	4.24	<0.5	20	26	12	6.35
S212872		3.31	<0.005		<0.5	7.65	45	1140	1.8	<2	3.81	<0.5	18	23	35	6.09
S212873		3.37	<0.005		<0.5	7.40	51	1140	1.9	<2	3.82	<0.5	23	29	17	6.58
S212874		3.24	<0.005		<0.5	7.28	62	1120	1.9	<2	3.62	<0.5	20	25	24	6.30
S212875		3.38	<0.005		<0.5	7.66	44	1070	1.8	<2	3.81	<0.5	21	24	26	6.36
S212876		3.23	<0.005		<0.5	7.56	30	1110	1.8	<2	3.79	<0.5	19	25	7	6.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212839		10	3.40	10	0.48	114	85	0.05	3	690	31	3.43	34	8	100	<20
S212840		<10	0.01	<10	1.95	21	<1	<0.01	<1	40	<2	0.07	<5	<1	4890	<20
S212841		10	4.06	10	0.57	99	85	0.05	2	800	32	3.71	44	9	47	<20
S212842		10	3.88	10	0.56	111	72	0.05	3	780	39	4.60	19	9	53	<20
S212843		10	4.21	10	0.61	112	71	0.06	3	810	21	3.61	9	10	61	<20
S212844		20	2.29	30	1.53	716	16	2.70	11	2710	8	0.89	6	8	573	<20
S212845		20	1.92	40	1.76	888	1	3.61	16	3360	5	0.19	15	8	814	<20
S212846		20	1.94	40	1.80	923	2	3.37	15	3390	5	0.12	21	8	893	<20
S212846D		20	1.89	40	1.79	914	1	3.33	16	3330	4	0.12	24	8	878	<20
S212847		20	1.79	40	1.75	868	2	3.36	15	3330	7	0.18	<5	8	606	<20
S212848		20	1.77	40	1.84	901	2	3.24	16	3330	6	0.07	5	9	672	<20
S212849		20	1.68	40	1.85	881	1	3.54	17	3440	5	0.10	11	9	919	<20
S212850		10	3.71	10	0.48	1175	9	0.23	16	970	8740	2.97	65	12	147	<20
S212851		20	1.67	40	1.78	880	1	3.13	16	3300	11	0.09	<5	8	1075	<20
S212852		20	1.68	30	1.79	851	1	3.18	16	3260	6	0.09	6	8	989	<20
S212853		20	1.51	40	1.80	883	1	3.36	17	3360	7	0.06	5	8	1095	<20
S212854		20	1.54	40	1.84	886	1	3.22	16	3350	3	0.07	<5	8	1125	<20
S212855		20	1.64	30	1.95	913	1	3.45	17	3460	5	0.08	5	8	1035	<20
S212856		20	1.62	40	1.97	922	1	3.38	19	3480	4	0.06	<5	9	1010	<20
S212857		20	1.63	40	1.92	911	1	3.49	18	3480	7	0.08	<5	9	976	<20
S212858		20	1.63	40	1.87	872	1	3.32	19	3360	6	0.04	<5	8	828	<20
S212859		20	1.90	40	2.06	906	1	3.05	21	3630	8	0.07	<5	9	900	<20
S212860		<10	0.01	<10	1.51	17	<1	0.01	<1	40	<2	0.07	<5	<1	5230	<20
S212861		20	1.50	40	1.85	826	<1	3.32	20	3300	5	0.04	<5	8	730	<20
S212862		20	1.64	30	1.82	842	1	3.25	19	3210	5	0.04	<5	7	802	<20
S212863		20	1.58	30	1.92	862	1	3.26	19	3360	3	0.05	<5	8	934	<20
S212864		20	1.63	30	1.96	838	<1	3.40	19	3370	3	0.03	<5	8	824	<20
S212865		20	1.64	30	1.88	890	1	3.43	19	3290	6	0.06	<5	8	920	<20
S212866		20	1.65	30	1.95	914	2	3.42	19	3370	6	0.06	<5	8	964	<20
S212866D		20	1.62	30	1.94	936	2	3.39	19	3380	8	0.07	<5	8	957	<20
S212867		20	1.76	40	1.95	884	1	3.33	19	3400	6	0.07	<5	8	970	<20
S212868		20	1.52	30	1.93	892	1	3.30	18	3260	6	0.07	<5	8	924	<20
S212869		20	1.51	40	2.09	890	3	3.27	24	3400	13	0.05	<5	8	844	<20
S212870		10	2.90	20	0.69	962	9	0.16	63	1590	55	4.02	15	18	181	<20
S212871		20	1.53	30	1.88	859	2	3.09	18	3360	6	0.04	<5	8	870	<20
S212872		20	1.47	30	1.81	826	4	3.22	14	3190	5	0.05	<5	7	980	<20
S212873		20	1.50	30	1.99	874	2	3.18	20	3360	9	0.04	<5	8	896	<20
S212874		20	1.43	30	1.79	808	2	3.22	20	3110	7	0.04	<5	7	831	<20
S212875		20	1.49	30	1.86	846	2	3.33	15	3250	5	0.05	<5	7	891	<20
S212876		20	1.51	30	1.86	820	2	3.22	15	3230	4	0.03	<5	8	797	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212839		0.18	10	<10	77	<10	65	
S212840		<0.01	<10	<10	1	<10	<2	
S212841		0.18	10	<10	88	<10	64	
S212842		0.18	<10	<10	89	<10	58	
S212843		0.22	<10	<10	94	<10	48	
S212844		0.89	<10	<10	95	<10	106	
S212845		1.11	10	<10	98	<10	128	
S212846		1.12	<10	<10	99	<10	145	
S212846D		1.10	<10	<10	98	<10	143	
S212847		1.07	<10	<10	95	<10	131	
S212848		1.08	<10	<10	96	<10	147	
S212849		1.13	<10	<10	101	<10	144	
S212850		0.25	10	<10	120	<10	1810	
S212851		1.10	<10	<10	96	<10	142	
S212852		1.11	<10	<10	95	<10	140	
S212853		1.12	<10	<10	95	<10	139	
S212854		1.15	10	<10	96	<10	140	
S212855		1.18	<10	<10	101	<10	148	
S212856		1.19	<10	<10	102	<10	144	
S212857		1.18	10	<10	100	<10	142	
S212858		1.15	<10	<10	99	<10	138	
S212859		1.25	<10	<10	109	<10	146	
S212860		<0.01	<10	<10	1	<10	<2	
S212861		1.15	<10	<10	97	<10	135	
S212862		1.15	<10	<10	95	<10	135	
S212863		1.18	<10	<10	101	<10	142	
S212864		1.17	10	<10	100	<10	142	
S212865		1.15	<10	<10	96	<10	141	
S212866		1.18	<10	<10	100	<10	143	
S212866D		1.18	<10	<10	100	<10	143	
S212867		1.17	<10	<10	101	<10	141	
S212868		1.15	<10	<10	95	<10	137	
S212869		1.25	<10	<10	107	<10	153	
S212870		0.33	10	<10	172	<10	207	
S212871		1.17	<10	<10	102	<10	141	
S212872		1.12	<10	<10	91	<10	140	
S212873		1.22	<10	<10	107	<10	142	
S212874		1.13	<10	<10	94	<10	134	
S212875		1.16	<10	<10	96	<10	137	
S212876		1.13	<10	<10	97	<10	136	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212877		3.10	<0.005		<0.5	7.65	31	1610	1.7	<2	4.31	<0.5	19	24	11	6.26
S212878		3.59	<0.005		0.5	7.73	29	1100	2.0	<2	3.74	<0.5	21	27	32	6.66
S212879		3.33	<0.005		0.8	7.93	22	1130	1.7	<2	3.95	<0.5	20	24	61	6.31
S212880		0.73	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.4	<0.5	<1	<1	<1	0.09
S212881		3.13	<0.005		<0.5	7.64	18	1160	1.5	<2	4.09	<0.5	19	24	46	6.17
S212882		3.49	<0.005		<0.5	7.46	14	960	1.7	<2	3.47	<0.5	20	24	29	6.17
S212883		3.35	<0.005		<0.5	7.49	18	1070	1.7	<2	3.63	<0.5	19	27	13	6.29
S212884		3.25	<0.005		<0.5	7.38	25	1060	1.6	<2	3.70	<0.5	20	26	43	6.21
S212885		3.26	<0.005		<0.5	7.75	25	1000	1.7	<2	3.12	<0.5	22	22	27	6.32
S212886		3.01	0.050		1.6	7.35	33	1370	1.6	<2	4.36	<0.5	15	21	53	5.45
S212886D		<0.02	0.075		2.5	7.75	38	1550	1.7	<2	3.97	<0.5	16	23	42	5.52
S212887		3.40	0.507		13.8	6.20	81	910	1.2	<2	1.31	<0.5	7	7	180	4.03
S212888		3.36	0.573		15.7	6.69	164	260	1.2	<2	0.22	0.8	7	9	365	3.90
S212889		3.18	0.911		6.7	7.51	140	360	1.4	<2	0.20	<0.5	8	7	196	3.75
S212890		0.14	0.892		12.0	5.98	304	1280	1.0	<2	3.42	4.1	7	26	82	3.92
S212891		3.56	1.315		6.7	7.17	176	400	1.2	<2	0.33	<0.5	7	7	352	3.55
S212892		3.54	1.115		3.4	7.29	134	320	1.1	<2	0.43	<0.5	8	7	157	3.64
S212893		3.57	0.625		5.5	6.68	109	420	1.1	<2	0.20	0.9	9	7	191	3.39
S212894		3.27	0.540		7.3	6.66	107	440	1.0	<2	0.16	1.4	6	9	212	3.17
S212895		2.06	0.599		5.6	7.20	161	440	1.2	<2	0.23	1.2	8	8	288	3.68
S212896		4.09	0.740		9.3	6.75	109	580	1.2	<2	0.21	0.7	8	7	193	3.20
S212897		3.29	0.687		13.4	7.18	96	460	1.3	<2	0.23	1.1	9	8	149	3.41
S212898		3.13	1.055		7.1	7.66	112	390	1.3	<2	0.30	0.6	7	8	188	3.69
S212899		2.48	0.723		4.6	6.93	92	250	1.2	<2	0.35	<0.5	8	7	137	3.98
S212900		0.78	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.5	<0.5	<1	<1	<1	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212877		20	1.51	30	1.87	885	2	3.17	15	3210	3	0.04	<5	8	848	<20
S212878		20	1.57	30	1.96	838	4	3.26	14	3520	5	0.10	<5	8	877	<20
S212879		20	1.63	30	1.84	881	4	3.44	15	3270	6	0.13	6	8	602	<20
S212880		<10	0.01	<10	1.53	32	1	0.01	<1	40	2	0.07	<5	<1	4990	<20
S212881		20	1.58	30	1.87	833	3	3.37	16	3240	7	0.10	<5	7	606	<20
S212882		20	1.54	30	1.82	819	2	3.26	17	3260	5	0.05	6	7	652	<20
S212883		20	1.56	30	1.89	831	2	3.23	16	3270	<2	0.03	<5	8	600	<20
S212884		20	1.43	30	1.89	810	2	3.23	16	3190	7	0.10	<5	7	602	<20
S212885		20	1.52	30	1.83	796	2	3.35	16	3260	6	0.09	<5	7	576	<20
S212886		20	1.70	30	1.46	819	5	2.75	10	2960	6	0.30	<5	7	477	<20
S212886D		20	2.02	30	1.48	796	5	2.70	12	3130	8	0.43	<5	8	487	<20
S212887		10	3.11	10	0.52	251	98	0.07	3	730	10	3.66	18	8	84	<20
S212888		10	3.44	10	0.49	100	77	0.05	2	760	20	4.00	82	9	26	<20
S212889		20	3.91	10	0.57	91	66	0.06	4	810	12	3.94	35	10	22	<20
S212890		10	3.75	10	0.53	1335	11	0.21	19	890	142	2.75	18	11	189	<20
S212891		10	3.80	10	0.55	115	120	0.05	1	1000	13	3.68	51	9	23	<20
S212892		20	3.90	10	0.57	183	113	0.05	2	820	9	3.51	27	10	27	<20
S212893		10	3.40	10	0.49	103	127	0.05	2	730	46	3.53	41	8	23	<20
S212894		10	3.43	20	0.43	104	66	0.07	2	700	68	3.26	42	7	21	<20
S212895		20	3.76	10	0.55	133	126	0.06	3	790	34	3.74	51	9	20	<20
S212896		20	3.45	10	0.49	92	53	0.05	2	940	32	3.30	38	9	18	<20
S212897		20	3.75	10	0.52	99	106	0.05	2	810	35	3.55	35	9	21	<20
S212898		20	4.14	10	0.62	125	120	0.06	3	850	18	3.82	39	10	30	<20
S212899		10	3.68	10	0.58	145	42	0.05	2	760	21	4.25	30	9	31	<20
S212900		<10	0.01	<10	1.67	19	2	<0.01	<1	30	<2	0.06	<5	<1	4860	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212877		1.12	<10	<10	96	<10	133	
S212878		1.23	<10	<10	105	<10	147	
S212879		1.12	<10	<10	96	<10	137	
S212880		0.01	<10	<10	<1	<10	<2	
S212881		1.10	<10	<10	95	<10	132	
S212882		1.11	<10	<10	95	<10	135	
S212883		1.12	<10	<10	99	<10	134	
S212884		1.11	<10	<10	98	<10	132	
S212885		1.13	<10	<10	92	<10	147	
S212886		0.99	<10	<10	87	<10	140	
S212886D		1.05	<10	<10	95	<10	139	
S212887		0.22	10	<10	85	<10	39	
S212888		0.18	<10	<10	80	<10	101	
S212889		0.23	<10	<10	88	<10	55	
S212890		0.25	10	<10	102	<10	455	
S212891		0.22	<10	<10	87	<10	51	
S212892		0.27	10	<10	93	<10	41	
S212893		0.19	<10	<10	77	<10	94	
S212894		0.18	10	<10	73	<10	123	
S212895		0.20	<10	<10	89	<10	95	
S212896		0.18	10	<10	79	<10	73	
S212897		0.22	<10	<10	86	<10	96	
S212898		0.25	<10	<10	94	<10	50	
S212899		0.21	<10	<10	83	<10	51	
S212900		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 21-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15152388

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

CERTIFICATE TR15153088

Project: Bowser Regional Exploration

P.O. No.: BOW-0131

This report is for 39 Drill Core samples submitted to our lab in Terrace, BC, Canada on 7-OCT-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153088

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314674		3.28	0.262		2.0	6.63	18	310	0.8	<2	3.16	0.8	13	4	29	3.30
S314675		3.50	0.280		2.5	6.89	35	280	0.8	<2	2.31	0.6	11	5	9	3.45
S314676		3.61	0.662		1.1	7.25	41	320	0.8	<2	2.17	0.7	11	5	12	3.35
S314677		3.45	0.841		2.7	6.92	60	460	0.7	<2	2.54	0.7	6	4	11	3.17
S314678		3.43	0.431		2.1	6.71	22	410	0.8	<2	2.63	1.3	3	4	38	3.53
S314679		3.31	0.360		2.3	7.17	19	460	0.8	<2	2.44	2.5	7	4	57	3.42
S314680		0.78	<0.005		<0.5	0.04	<5	10	<0.5	3	33.4	<0.5	<1	<1	<1	0.04
S314681		3.26	0.311		2.9	7.58	35	430	0.9	<2	1.90	0.6	9	5	67	3.38
S314682		3.86	0.296		1.1	6.22	28	770	0.7	<2	4.18	0.6	6	4	14	2.66
S314683		2.97	0.551		1.6	7.05	24	430	0.8	<2	2.47	0.7	4	4	39	3.51
S314684		3.57	0.505		1.4	6.98	13	420	0.7	<2	2.55	0.6	9	4	29	3.53
S314685		3.54	0.859		2.3	6.61	35	370	0.7	<2	2.44	0.7	10	6	14	3.30
S314686		3.54	0.744		1.7	7.72	43	420	0.8	<2	2.03	0.9	11	4	14	3.64
S314686D		<0.02	0.655		1.4	7.46	48	360	0.8	<2	1.83	0.8	12	4	13	3.54
S314687		3.57	0.685		1.5	7.61	37	260	0.7	<2	2.05	1.1	7	4	27	4.09
S314688		3.72	0.550		1.3	7.22	21	360	0.7	<2	2.49	1.0	8	4	21	3.58
S314689		3.61	0.340		2.5	6.40	45	440	0.6	<2	3.13	2.7	8	5	15	3.03
S314690		0.14	0.909		11.8	5.73	288	490	0.9	<2	3.28	4.0	10	24	81	3.70
S314691		3.53	0.139		1.8	7.23	24	310	0.7	2	1.50	1.0	10	5	14	3.85
S314692		3.54	0.181		1.9	5.63	30	550	0.6	2	3.04	1.6	7	5	19	2.72
S314693		3.60	0.266		5.5	6.52	93	600	0.9	<2	2.46	1.0	8	6	17	2.79
S314694		3.39	0.643		20.6	5.23	29	900	0.9	<2	2.94	1.0	6	8	47	2.39
S314695		3.67	0.141		3.4	6.08	49	370	0.9	<2	4.30	1.3	11	4	49	3.47
S314696		3.30	0.365		2.0	6.49	100	760	0.8	<2	3.04	1.0	9	4	95	2.77
S314697		3.45	0.337		1.3	6.92	23	620	0.8	<2	2.61	1.7	5	4	34	2.95
S314698		4.03	0.419		2.2	6.82	17	450	0.8	<2	3.02	0.6	8	4	36	3.46
S314699		3.33	6.24		>100	2.48	45	740	0.6	<2	11.15	2.1	<1	4	72	1.16
S314700		0.83	<0.005		<0.5	0.04	<5	10	<0.5	2	33.3	<0.5	<1	<1	<1	0.03
S314701		3.69	1.385		69.0	7.00	80	560	1.0	<2	1.98	1.5	11	5	101	2.96
S314702		3.50	0.276		4.8	5.65	31	1210	0.7	<2	5.10	0.7	8	7	36	2.35
S314703		3.09	0.281		2.0	6.95	43	260	0.9	<2	2.38	0.9	5	6	50	3.76
S314704		3.54	0.206		2.3	6.88	27	290	0.9	<2	2.91	0.8	3	4	30	3.65
S314705		3.60	0.196		1.7	5.99	22	310	0.8	<2	4.03	0.5	6	5	34	3.41
S314706		3.64	0.584		2.4	6.60	57	210	0.8	3	3.32	1.0	10	4	45	4.29
S314706D		<0.02	0.508		2.3	6.66	48	240	0.8	<2	2.82	1.0	9	4	39	3.91
S314707		3.30	0.417		1.1	6.64	62	370	0.8	<2	3.18	1.0	11	4	23	3.62
S314708		2.81	0.267		1.2	6.89	55	370	0.8	<2	2.56	1.9	9	4	47	3.37
S314709		2.97	0.523		1.3	7.06	42	310	0.8	<2	2.39	1.5	8	4	51	3.78
S314710		0.12	>10.0	10.60	>100	5.51	349	740	0.9	<2	3.44	4.1	11	27	138	3.43

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314674		20	3.76	10	0.94	1250	13	1.69	3	810	20	3.09	<5	9	248	<20
S314675		10	4.48	10	0.96	899	12	1.18	3	800	25	3.35	<5	9	162	<20
S314676		20	4.13	10	0.92	954	14	1.47	3	840	21	3.14	<5	9	154	<20
S314677		20	3.83	10	0.96	1065	9	1.75	4	800	24	2.88	<5	9	199	<20
S314678		20	3.75	10	0.97	1080	7	1.66	4	810	25	2.88	<5	9	178	<20
S314679		20	3.91	10	1.03	1125	8	1.57	1	820	33	2.77	<5	10	165	<20
S314680		<10	0.01	<10	1.51	19	<1	0.01	2	30	2	0.06	<5	<1	4990	<20
S314681		20	4.16	10	1.01	893	4	1.10	5	850	15	2.95	6	10	119	<20
S314682		10	3.49	10	0.87	1570	13	1.53	2	760	14	2.27	<5	8	223	<20
S314683		20	3.75	10	0.98	1070	8	1.62	3	1070	13	2.93	<5	9	157	<20
S314684		20	3.72	10	0.97	1115	28	1.68	2	820	17	2.84	<5	9	216	<20
S314685		10	3.98	10	0.89	950	9	1.11	2	750	19	2.93	<5	9	181	<20
S314686		20	3.85	10	1.09	949	3	1.71	3	870	22	3.26	<5	10	148	<20
S314686D		20	3.80	10	1.06	864	4	1.64	3	870	25	3.27	<5	10	137	<20
S314687		20	4.33	10	1.06	1020	4	1.74	3	880	33	3.55	<5	10	166	<20
S314688		20	4.14	10	0.98	1110	5	1.79	4	850	18	3.15	<5	9	199	<20
S314689		10	4.12	10	0.83	1145	3	1.25	4	760	67	2.65	<5	9	151	<20
S314690		10	3.62	10	0.51	1300	9	0.21	21	860	148	2.68	17	10	185	<20
S314691		10	3.36	10	0.94	739	8	1.90	3	790	48	3.70	<5	9	134	<20
S314692		10	3.44	10	0.72	1310	6	1.03	3	660	33	2.47	<5	7	169	<20
S314693		10	3.88	10	0.70	1030	5	0.37	2	720	32	2.72	10	9	112	<20
S314694		10	3.12	10	0.51	1065	47	0.14	1	560	33	2.29	32	7	113	<20
S314695		20	3.78	10	0.80	1855	30	0.54	2	1140	25	3.49	<5	8	178	<20
S314696		20	3.40	10	0.95	1400	60	1.63	4	790	20	2.27	<5	9	182	<20
S314697		20	3.74	10	1.05	1330	35	1.56	3	830	28	2.46	<5	9	162	<20
S314698		20	4.03	10	1.10	1570	14	1.50	4	840	17	2.95	<5	9	173	<20
S314699		10	1.68	10	0.50	5020	3	0.05	1	120	129	0.81	60	1	376	<20
S314700		<10	0.01	<10	1.59	24	<1	<0.01	<1	30	<2	0.08	<5	<1	4470	<20
S314701		20	4.83	10	1.09	1240	10	0.61	4	800	33	2.57	26	9	135	<20
S314702		10	3.79	10	0.76	1840	9	0.29	4	610	21	1.99	8	8	181	<20
S314703		20	4.64	10	1.00	1325	32	0.94	4	810	39	3.64	<5	9	135	<20
S314704		20	4.01	10	0.96	1305	4	1.05	3	790	21	3.62	<5	9	156	<20
S314705		20	3.84	10	0.89	1470	6	1.01	3	750	21	3.30	<5	8	180	<20
S314706		10	3.64	10	0.92	1255	15	1.43	3	800	41	4.04	<5	9	187	<20
S314706D		20	3.76	10	0.92	1140	11	1.43	3	810	35	3.63	<5	9	176	<20
S314707		20	3.58	10	0.98	1335	6	1.57	3	810	27	2.99	<5	9	168	<20
S314708		20	3.71	10	0.99	1190	14	1.74	2	790	38	2.93	<5	9	210	<20
S314709		20	3.55	10	1.01	1115	7	1.72	3	800	35	3.40	<5	9	184	<20
S314710		10	3.35	10	0.43	1270	8	0.15	22	780	232	2.84	51	10	188	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153088

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314674		0.28	10	<10	93	<10	86	
S314675		0.28	<10	<10	87	<10	78	
S314676		0.28	<10	<10	92	<10	79	
S314677		0.28	10	<10	92	<10	85	
S314678		0.28	<10	<10	91	<10	117	
S314679		0.29	<10	<10	94	<10	182	
S314680		<0.01	<10	<10	1	<10	<2	
S314681		0.30	10	<10	96	<10	93	
S314682		0.28	10	<10	87	<10	75	
S314683		0.34	10	<10	92	<10	87	
S314684		0.28	10	<10	88	<10	90	
S314685		0.26	10	<10	82	<10	91	
S314686		0.29	10	<10	95	<10	114	
S314686D		0.29	<10	<10	92	<10	105	
S314687		0.30	<10	<10	92	<10	123	
S314688		0.30	<10	<10	93	<10	110	
S314689		0.27	10	<10	79	<10	194	
S314690		0.24	<10	<10	96	<10	462	
S314691		0.27	10	<10	84	<10	104	
S314692		0.23	<10	<10	70	<10	131	
S314693		0.25	10	<10	76	<10	103	
S314694		0.20	<10	<10	60	<10	90	
S314695		0.36	<10	<10	85	<10	146	
S314696		0.28	10	<10	88	<10	103	
S314697		0.29	10	<10	91	<10	167	
S314698		0.29	<10	<10	90	<10	85	
S314699		0.04	10	<10	31	<10	293	498
S314700		<0.01	<10	<10	1	<10	<2	
S314701		0.28	<10	<10	88	<10	177	
S314702		0.22	10	<10	66	<10	76	
S314703		0.29	10	<10	89	<10	118	
S314704		0.28	<10	<10	86	<10	84	
S314705		0.27	<10	<10	82	<10	71	
S314706		0.28	<10	<10	85	<10	100	
S314706D		0.28	10	<10	86	<10	98	
S314707		0.28	<10	<10	89	<10	113	
S314708		0.28	10	<10	89	<10	171	
S314709		0.28	10	<10	89	<10	144	
S314710		0.22	10	<10	89	<10	483	140

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 13-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153088

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

CERTIFICATE TR15153114

Project: Bowser Regional Exploration

P.O. No.: BOW-0122

This report is for 104 Drill Core samples submitted to our lab in Terrace, BC, Canada on 7-OCT-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314574		2.89	0.286		3.0	7.14	89	220	0.9	<2	2.92	1.2	8	7	18	3.69
S314575		2.98	0.255		3.5	6.63	75	300	0.9	<2	3.67	1.2	7	7	13	3.34
S314576		3.25	0.312		3.5	7.43	138	270	1.0	<2	2.56	2.5	10	7	19	3.54
S314577		3.24	0.319		2.5	7.19	75	430	1.0	<2	3.40	1.5	7	8	11	3.00
S314578		2.50	0.615		8.7	6.46	92	310	1.0	<2	3.36	1.1	8	7	32	3.42
S314579		3.30	0.425		2.3	5.81	124	480	0.9	<2	5.73	1.1	6	6	17	2.87
S314580		0.74	<0.005		<0.5	0.06	<5	10	<0.5	<2	32.3	<0.5	<1	8	1	0.05
S314581		3.96	0.390		2.2	6.46	94	240	0.9	<2	3.35	1.0	8	8	13	3.64
S314582		3.21	0.331		1.9	7.51	111	280	0.9	<2	2.22	0.8	7	8	9	3.44
S314583		3.07	0.297		1.9	8.29	106	280	1.0	<2	1.49	0.8	8	7	9	3.74
S314584		3.09	0.228		1.9	7.84	96	480	0.9	2	2.26	0.8	6	7	8	3.16
S314585		3.60	0.167		1.5	7.24	99	550	1.0	<2	2.68	0.9	6	7	7	2.68
S314586		3.30	0.202		1.7	6.87	120	700	1.0	<2	2.98	1.0	10	7	7	2.79
S314586D		<0.02	0.207		1.5	7.28	126	590	1.1	<2	3.22	1.0	11	7	8	2.94
S314587		3.48	0.310		1.5	7.34	128	380	1.0	<2	2.45	1.0	10	7	5	3.41
S314588		3.56	0.311		1.5	7.83	133	430	1.1	<2	2.24	0.9	8	7	5	3.36
S314589		3.47	0.280		1.7	7.21	107	160	0.9	<2	2.69	1.1	11	7	11	4.41
S314590		0.10	>10.0	19.10	20.8	6.50	757	290	1.3	<2	2.70	1.8	18	109	131	4.82
S314591		3.52	0.298		1.7	7.37	103	460	1.1	<2	2.06	0.9	5	8	8	2.94
S314592		3.93	0.246		2.0	8.19	108	300	1.0	<2	1.79	0.8	9	8	5	3.52
S314593		3.58	0.440		17.3	6.04	134	450	0.8	<2	3.87	1.7	10	6	13	2.74
S314594		3.61	0.208		3.0	7.99	96	340	0.9	<2	1.59	0.9	6	7	9	3.43
S314595		3.67	0.290		2.9	7.05	61	300	0.9	<2	2.47	2.1	5	7	11	3.36
S314596		3.43	0.505		2.2	7.45	44	770	1.0	<2	2.33	1.4	6	7	60	2.81
S314597		3.33	0.135		1.9	7.22	56	410	1.1	<2	2.43	1.8	6	6	18	3.15
S314598		3.60	0.247		2.0	7.79	77	390	1.1	<2	1.77	2.5	8	7	16	3.57
S314599		3.58	0.367		2.2	7.38	115	370	1.1	<2	2.16	1.7	9	12	31	3.51
S314600		0.67	<0.005		<0.5	0.05	<5	20	<0.5	<2	33.8	<0.5	<1	2	<1	0.04
S314601		3.24	0.289		2.3	7.33	92	560	1.0	<2	2.44	1.5	6	7	33	3.00
S314602		3.63	0.340		4.8	6.97	108	210	1.0	<2	2.77	1.3	10	7	110	4.29
S314603		3.71	0.551		10.9	7.25	170	310	1.2	<2	1.93	3.4	7	7	101	3.69
S314604		3.55	0.517		4.5	7.46	90	530	0.9	<2	1.21	1.7	10	7	64	3.41
S314605		3.63	0.567		1.5	7.49	87	540	1.0	<2	2.06	1.3	4	7	23	3.04
S314606		4.14	0.398		3.7	7.20	106	540	1.1	<2	1.61	1.3	8	8	19	3.02
S314606D		<0.02	0.414		4.2	7.20	117	580	1.1	<2	1.70	1.3	7	8	19	3.04
S314607		1.04	1.485		>100	6.56	198	1120	0.9	<2	1.75	3.3	6	10	435	3.40
S314608		0.81	<0.005		<0.5	0.05	<5	10	<0.5	<2	33.3	<0.5	<1	2	1	0.04
S314609		2.91	0.404		5.4	7.15	105	480	1.0	<2	2.61	1.9	5	7	54	3.30
S314610		0.13	1.055		11.9	6.10	305	1070	1.0	<2	3.50	4.3	11	27	82	3.86
S314611		3.12	0.959		3.6	7.22	109	480	0.9	<2	2.42	0.8	9	7	37	3.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314574		20	4.34	10	0.44	782	9	0.84	2	800	23	3.91	8	9	134	<20
S314575		20	4.35	10	0.44	949	8	0.09	2	740	27	3.56	6	8	127	<20
S314576		20	4.52	10	0.49	756	14	0.63	3	820	25	3.73	9	9	119	<20
S314577		20	4.58	10	0.54	945	25	0.20	3	870	24	3.13	<5	9	125	<20
S314578		20	3.97	10	0.50	908	42	0.08	4	770	21	3.51	15	8	103	<20
S314579		20	3.56	10	0.51	1725	74	0.06	3	660	23	2.96	6	7	169	<20
S314580		<10	0.02	<10	2.10	24	2	<0.01	1	40	5	0.05	6	<1	4700	<20
S314581		20	4.32	10	0.49	1090	37	0.27	2	760	17	3.79	<5	9	157	<20
S314582		20	4.30	10	0.52	844	18	1.22	3	800	20	3.48	8	10	156	<20
S314583		20	4.57	20	0.69	589	8	1.33	4	870	23	3.87	6	10	122	<20
S314584		20	4.11	10	0.74	943	4	1.65	1	830	19	3.18	6	10	197	<20
S314585		20	4.23	10	0.73	1050	3	1.39	4	840	11	2.69	<5	9	179	<20
S314586		20	3.91	10	0.77	993	4	0.97	3	790	14	2.79	7	9	146	<20
S314586D		20	4.24	10	0.82	1065	4	1.05	2	850	13	3.01	6	9	158	<20
S314587		20	4.02	10	0.79	868	3	1.27	3	820	20	3.54	5	9	166	<20
S314588		20	4.12	10	0.80	686	6	1.15	3	840	20	3.51	7	10	128	<20
S314589		20	4.27	10	0.64	907	7	1.25	3	810	20	4.70	<5	9	169	<20
S314590		20	2.88	10	0.66	983	8	0.16	67	1650	53	4.04	15	18	176	<20
S314591		20	3.90	10	0.63	631	6	0.56	2	770	23	3.00	5	9	91	<20
S314592		20	4.24	10	0.65	623	6	1.12	3	860	14	3.62	9	10	108	<20
S314593		20	4.51	10	0.64	1725	6	0.49	2	720	47	2.76	8	7	159	<20
S314594		20	4.36	10	0.98	959	5	1.68	3	840	13	3.31	<5	10	182	<20
S314595		20	4.19	10	0.88	1245	7	1.57	3	790	15	3.33	<5	9	230	<20
S314596		20	3.75	10	0.96	1305	4	2.07	3	860	11	2.51	5	9	221	<20
S314597		20	4.13	10	0.94	1300	3	1.68	3	810	14	3.01	8	9	238	<20
S314598		20	4.94	10	0.99	951	21	1.08	3	830	18	3.46	<5	10	162	<20
S314599		20	4.56	10	0.85	806	8	0.61	3	800	20	3.68	10	9	104	<20
S314600		<10	0.02	<10	1.48	21	1	<0.01	1	30	<2	0.10	<5	<1	5160	<20
S314601		20	4.15	10	0.97	947	5	1.28	2	810	25	3.07	11	9	156	<20
S314602		20	4.09	10	0.86	988	6	1.17	3	790	24	4.58	23	9	158	<20
S314603		20	4.34	10	0.85	682	21	0.38	2	760	118	3.91	32	9	81	<20
S314604		20	4.72	10	0.99	672	12	0.66	2	790	23	3.33	7	10	90	<20
S314605		20	4.57	10	1.04	915	6	0.70	2	810	19	2.93	6	10	108	<20
S314606		20	4.34	10	0.83	652	19	0.11	3	780	27	2.93	9	9	68	<20
S314606D		20	4.46	10	0.82	673	18	0.10	2	770	26	3.04	6	9	70	<20
S314607		20	4.08	10	0.73	673	12	0.05	<1	690	65	3.20	282	8	78	<20
S314608		<10	0.01	<10	1.50	16	2	<0.01	<1	40	2	0.07	<5	<1	4750	<20
S314609		20	4.15	10	1.00	994	13	0.72	3	780	14	3.18	10	9	124	<20
S314610		10	3.75	10	0.55	1375	11	0.21	21	910	147	2.80	19	11	193	<20
S314611		20	4.07	10	1.04	875	32	0.99	3	770	18	3.06	7	9	156	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314574		0.29	<10	<10	99	<10	115	
S314575		0.27	<10	<10	83	<10	107	
S314576		0.29	10	<10	86	10	258	
S314577		0.31	<10	<10	93	10	162	
S314578		0.27	<10	<10	88	<10	102	
S314579		0.24	<10	<10	80	<10	98	
S314580		<0.01	<10	<10	1	<10	<2	
S314581		0.26	10	<10	89	<10	86	
S314582		0.29	10	<10	95	<10	87	
S314583		0.30	<10	<10	98	<10	81	
S314584		0.30	<10	<10	98	<10	87	
S314585		0.30	<10	<10	93	<10	88	
S314586		0.28	10	<10	91	<10	93	
S314586D		0.30	<10	<10	98	<10	100	
S314587		0.29	<10	<10	91	10	95	
S314588		0.31	<10	<10	103	<10	96	
S314589		0.29	<10	<10	91	<10	91	
S314590		0.35	10	<10	175	<10	206	
S314591		0.27	<10	<10	92	<10	101	
S314592		0.30	<10	<10	98	10	87	
S314593		0.26	<10	<10	78	10	182	
S314594		0.30	<10	<10	95	10	123	
S314595		0.28	10	<10	88	10	238	
S314596		0.30	<10	<10	94	<10	198	
S314597		0.30	10	<10	93	<10	248	
S314598		0.29	<10	<10	96	<10	293	
S314599		0.28	<10	<10	90	<10	201	
S314600		<0.01	<10	<10	1	<10	<2	
S314601		0.30	<10	<10	93	<10	175	
S314602		0.29	<10	<10	90	<10	133	
S314603		0.27	<10	<10	89	10	346	
S314604		0.29	<10	<10	88	10	183	
S314605		0.29	<10	<10	93	10	161	
S314606		0.27	10	<10	86	<10	143	
S314606D		0.28	10	<10	85	<10	142	
S314607		0.24	<10	<10	77	<10	288	310
S314608		<0.01	<10	<10	1	<10	<2	
S314609		0.28	<10	<10	90	<10	216	
S314610		0.25	<10	<10	101	<10	469	
S314611		0.28	<10	<10	90	<10	111	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314612		1.12	1.665		56.6	6.23	52	1120	0.8	<2	4.70	0.6	6	9	63	2.46
S314613		0.47	<0.005		<0.5	0.03	<5	10	<0.5	<2	32.8	<0.5	<1	1	1	0.03
S314614		1.07	0.810		32.9	6.89	31	410	0.9	<2	2.96	5.7	10	8	67	3.60
S314615		0.63	<0.005		<0.5	0.03	<5	10	<0.5	2	34.4	<0.5	<1	1	<1	0.03
S314616		2.64	0.255		6.8	7.71	42	1170	1.0	<2	1.88	2.3	9	7	27	3.33
S314617		3.40	0.203		4.4	7.42	26	530	0.9	<2	2.45	3.2	8	7	15	3.23
S314618		2.12	0.286		3.5	6.71	75	320	0.8	<2	2.76	3.4	7	7	12	3.62
S314619		1.10	0.363		10.5	3.34	79	890	<0.5	<2	14.8	0.6	2	5	12	1.93
S314620		0.62	<0.005		<0.5	0.04	<5	10	<0.5	<2	34.7	<0.5	<1	1	<1	0.03
S314621		3.50	0.475		4.3	6.11	101	480	0.8	<2	4.07	1.0	7	7	16	3.04
S314622		3.34	0.717		6.0	7.14	123	470	1.1	<2	2.35	1.2	8	8	27	3.07
S314623		3.29	0.441		7.7	6.88	67	500	1.1	2	2.97	1.2	7	9	47	2.97
S314624		3.32	1.025		41.6	4.63	48	950	0.7	<2	2.00	1.1	5	20	44	2.36
S314625		3.49	0.377		8.4	6.48	41	520	0.9	<2	1.96	1.1	5	7	50	3.17
S314626		3.66	0.373		3.8	7.49	39	200	0.8	<2	2.03	1.8	6	7	60	3.92
S314626D		<0.02	0.391		4.3	7.72	41	210	0.9	<2	2.05	1.8	4	7	67	4.10
S314627		3.45	0.494		2.7	7.06	57	170	0.8	<2	2.20	3.0	4	7	44	4.43
S314628		3.73	0.621		3.5	7.41	70	180	0.9	<2	2.25	1.3	9	8	30	4.74
S314629		3.63	0.545		1.5	7.57	120	310	0.9	<2	2.34	1.0	10	7	22	3.50
S314630		0.13	>10.0	10.90	>100	6.03	373	1000	1.0	<2	3.82	4.4	11	31	150	3.74
S314631		3.37	0.354		1.5	6.58	88	250	0.8	<2	2.83	1.7	8	8	16	3.43
S314632		3.56	0.469		1.4	7.64	124	300	0.9	<2	2.48	1.2	8	7	12	3.65
S314633		3.31	0.420		1.2	6.91	143	290	0.9	<2	3.84	2.2	2	7	20	4.05
S314634		3.45	0.356		1.6	7.29	55	270	1.1	<2	2.84	2.0	8	7	19	3.79
S314635		3.47	0.545		1.1	7.16	34	490	0.9	<2	2.85	2.7	7	7	32	3.24
S314636		3.10	0.351		1.4	7.36	320	390	0.9	<2	2.59	1.4	9	7	39	3.49
S314637		3.30	0.358		2.6	7.34	242	280	1.0	<2	2.92	1.6	3	7	29	3.81
S314638		3.45	0.477		3.4	7.22	79	290	1.0	<2	2.97	1.2	8	7	42	3.83
S314639		3.36	0.339		3.5	7.24	92	230	0.9	<2	2.97	1.0	21	8	17	4.18
S314640		0.63	<0.005		<0.5	0.04	<5	10	<0.5	<2	32.7	<0.5	<1	1	<1	0.04
S314641		3.36	0.843		3.5	7.51	47	320	0.9	<2	1.86	1.1	2	6	25	3.96
S314642		3.35	0.520		2.3	7.10	102	400	0.9	<2	2.91	0.9	7	6	15	3.13
S314643		3.19	1.120		5.6	6.87	93	300	0.9	<2	2.31	1.5	8	7	19	3.60
S314644		3.42	0.724		2.5	6.92	103	340	0.8	<2	2.48	1.2	10	6	8	3.40
S314645		3.35	1.870		7.5	7.09	37	340	0.8	<2	2.45	1.1	7	7	37	3.64
S314646		1.18	>10.0	15.70	>100	4.29	66	900	0.6	<2	6.21	1.3	2	7	268	2.69
S314647		0.87	<0.005		<0.5	0.14	<5	10	<0.5	<2	34.0	<0.5	<1	1	<1	0.08
S314648		1.35	8.26		27.9	6.46	38	750	0.8	<2	2.19	0.8	10	8	70	3.61
S314649		0.76	<0.005		<0.5	0.03	<5	10	<0.5	5	34.5	<0.5	<1	1	1	0.05
S314650		0.12	5.45		81.1	6.20	274	730	1.0	2	1.95	21.9	10	21	118	4.70

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314612		20	3.76	10	0.86	1235	46	0.81	1	710	19	2.32	24	8	230	<20
S314613		<10	0.01	<10	1.83	18	2	<0.01	3	30	2	0.03	<5	<1	4720	<20
S314614		20	3.76	10	0.93	840	6	1.28	3	830	15	3.60	18	9	148	<20
S314615		<10	<0.01	<10	1.72	17	1	<0.01	1	30	2	0.08	7	<1	5220	<20
S314616		20	4.97	10	0.93	623	6	0.19	1	830	21	3.37	15	10	92	<20
S314617		20	5.19	10	0.86	740	5	0.12	2	800	18	3.40	10	10	102	<20
S314618		20	4.57	10	0.74	919	10	0.39	<1	790	22	3.81	<5	9	119	<20
S314619		10	2.27	10	0.35	3910	3	0.23	<1	360	24	1.93	11	4	527	<20
S314620		<10	0.01	<10	2.10	23	2	<0.01	<1	30	<2	0.07	<5	<1	4380	<20
S314621		20	4.20	10	0.68	1170	7	0.18	2	690	21	3.21	6	8	130	<20
S314622		20	4.45	10	0.72	787	7	0.25	3	800	25	3.13	10	9	90	<20
S314623		20	4.45	10	0.59	934	21	0.37	4	820	20	3.19	19	9	117	<20
S314624		10	3.00	10	0.34	593	10	0.08	2	460	40	2.14	31	5	83	<20
S314625		20	4.11	10	0.60	647	24	0.56	1	720	21	3.32	26	9	109	<20
S314626		20	4.36	10	0.87	917	36	1.68	2	840	28	4.10	13	10	170	<20
S314626D		20	4.44	10	0.91	938	36	1.71	2	870	33	4.42	19	10	170	<20
S314627		20	4.20	10	0.83	1115	38	1.60	2	810	36	4.81	5	9	173	<20
S314628		20	4.45	10	0.87	1040	30	1.21	3	840	34	5.05	13	10	152	<20
S314629		20	3.97	10	0.90	1050	23	1.62	3	870	28	3.77	7	10	139	<20
S314630		20	3.64	10	0.48	1385	10	0.16	22	850	255	3.06	62	11	208	<20
S314631		20	4.68	10	0.65	1055	31	0.63	4	800	20	3.56	5	9	137	<20
S314632		20	4.61	10	0.99	1110	40	1.29	3	900	24	3.62	10	10	155	<20
S314633		20	3.82	10	0.99	1340	7	1.42	1	830	26	3.92	9	9	192	<20
S314634		20	4.54	10	1.04	1085	11	0.72	4	870	22	3.78	6	10	138	<20
S314635		20	3.99	10	1.04	1370	11	1.51	2	860	41	2.79	5	9	172	<20
S314636		20	4.05	10	0.92	1190	26	1.47	3	890	14	3.08	10	10	158	<20
S314637		20	4.83	10	0.71	1155	5	0.66	3	890	25	3.73	<5	10	142	<20
S314638		20	4.57	10	0.87	1130	11	0.59	3	860	25	3.83	9	10	146	<20
S314639		20	4.68	10	0.96	1240	18	0.68	4	960	25	4.11	8	10	153	<20
S314640		<10	0.01	<10	1.90	19	2	<0.01	<1	30	<2	0.06	<5	<1	4700	<20
S314641		20	4.20	10	0.99	953	9	0.88	4	890	35	3.71	7	10	110	<20
S314642		20	4.32	10	0.79	1180	19	1.08	1	860	30	3.04	8	9	145	<20
S314643		20	4.91	10	0.55	986	23	0.22	3	870	28	3.64	16	9	115	<20
S314644		20	4.97	10	0.71	1105	21	0.59	3	830	36	3.40	5	9	148	<20
S314645		20	4.16	10	0.89	1220	39	1.15	3	840	21	3.36	15	9	161	<20
S314646		10	2.89	10	0.36	1135	23	0.05	2	470	23	2.69	230	5	188	<20
S314647		<10	0.01	<10	1.96	23	2	<0.01	<1	50	<2	0.07	<5	<1	5100	<20
S314648		20	4.39	10	0.65	778	286	0.11	1	700	21	3.64	43	9	108	<20
S314649		<10	0.01	<10	1.73	18	1	<0.01	<1	40	<2	0.10	<5	<1	5280	<20
S314650		10	3.66	10	0.48	1185	9	0.23	13	960	8750	2.93	77	12	147	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314612		0.25	<10	<10	77	<10	80	
S314613		<0.01	<10	<10	1	<10	<2	
S314614		0.29	<10	<10	92	10	607	
S314615		<0.01	<10	<10	1	<10	<2	
S314616		0.28	10	<10	88	<10	250	
S314617		0.28	10	<10	89	<10	346	
S314618		0.26	<10	<10	81	10	371	
S314619		0.12	<10	<10	32	<10	59	
S314620		<0.01	<10	<10	1	<10	<2	
S314621		0.24	<10	<10	75	<10	90	
S314622		0.28	10	<10	86	10	111	
S314623		0.28	10	<10	87	10	107	
S314624		0.16	10	<10	45	<10	101	
S314625		0.24	10	<10	74	<10	95	
S314626		0.30	<10	<10	88	<10	182	
S314626D		0.31	10	<10	91	10	194	
S314627		0.28	<10	<10	86	10	324	
S314628		0.30	<10	<10	93	<10	114	
S314629		0.30	<10	<10	93	<10	117	
S314630		0.23	<10	<10	98	<10	515	136
S314631		0.28	<10	<10	84	<10	156	
S314632		0.31	10	<10	96	<10	121	
S314633		0.30	<10	<10	88	<10	211	
S314634		0.31	<10	<10	94	10	183	
S314635		0.30	<10	<10	90	10	257	
S314636		0.30	10	<10	95	10	164	
S314637		0.31	10	<10	94	10	165	
S314638		0.30	10	<10	93	10	151	
S314639		0.34	<10	<10	97	<10	125	
S314640		<0.01	<10	<10	1	<10	<2	
S314641		0.30	<10	<10	90	10	115	
S314642		0.30	<10	<10	93	<10	124	
S314643		0.29	10	<10	86	<10	207	
S314644		0.28	<10	<10	89	10	156	
S314645		0.29	<10	<10	91	<10	144	
S314646		0.15	<10	<10	77	<10	116	224
S314647		0.01	<10	<10	1	<10	<2	
S314648		0.24	<10	<10	81	<10	106	
S314649		<0.01	<10	<10	1	<10	<2	
S314650		0.25	<10	<10	122	10	1810	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314651		1.18	9.17		47.2	6.86	49	530	0.9	<2	1.73	1.0	7	7	117	3.44
S314652		0.61	<0.005		<0.5	0.03	<5	10	<0.5	5	34.4	<0.5	<1	1	<1	0.03
S314653		4.12	>10.0	15.80	40.6	5.24	67	440	0.7	<2	2.28	1.2	5	12	41	3.37
S314654		2.90	5.42		77.5	3.18	46	680	0.6	<2	2.67	1.3	2	17	91	2.13
S314655		4.14	1.795		81.2	5.72	38	740	0.7	<2	2.03	1.2	7	11	116	3.59
S314656		1.08	5.65		83.4	4.68	43	520	0.6	2	0.65	1.0	5	10	126	2.39
S314657		0.70	<0.005		<0.5	0.03	<5	10	<0.5	6	34.1	<0.5	<1	1	1	0.04
S314658		2.11	>10.0	11.95	>100	4.98	61	250	0.5	<2	1.70	1.2	6	10	131	3.13
S314659		1.14	>10.0	29.1	>100	2.68	62	760	<0.5	3	2.10	1.8	<1	14	329	1.59
S314660		0.62	<0.005		<0.5	0.03	<5	10	<0.5	2	34.1	<0.5	<1	1	<1	0.03
S314661		3.18	0.796		14.9	7.27	68	750	0.9	<2	1.86	1.2	6	6	61	4.03
S314662		3.43	0.525		9.9	7.27	34	600	0.7	<2	1.81	0.9	8	6	56	2.78
S314663		3.45	0.617		35.1	7.21	35	270	0.9	<2	1.98	0.9	2	7	53	3.57
S314664		3.35	0.661		40.4	6.99	65	910	0.7	<2	2.16	1.6	4	8	82	3.65
S314665		3.56	0.282		7.9	7.52	64	920	0.8	<2	1.57	1.1	10	7	47	2.96
S314666		3.60	0.714		4.3	6.82	129	200	0.6	<2	1.87	0.8	14	7	27	4.12
S314666D		<0.02	0.676		4.7	6.98	126	190	0.7	<2	1.91	0.8	13	6	29	4.20
S314667		3.39	0.442		5.9	7.82	36	390	0.8	<2	2.02	0.8	4	5	95	2.90
S314668		3.79	0.583		9.8	7.42	47	330	0.8	<2	2.60	1.1	12	6	38	3.18
S314669		3.50	0.500		3.5	7.65	55	460	0.9	<2	2.04	0.9	9	6	17	3.09
S314670		0.10	>10.0	18.70	24.4	6.94	772	680	1.3	<2	2.75	1.9	19	102	135	4.97
S314671		3.44	0.568		2.1	7.85	30	240	1.0	<2	2.13	0.7	8	5	25	3.81
S314672		3.62	0.413		2.0	7.20	42	240	0.9	<2	2.86	0.8	5	6	7	3.76
S314673		3.58	0.285		0.9	7.69	26	230	0.8	3	2.39	0.8	16	6	24	3.51

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314651		20	4.31	10	0.79	658	137	0.09	<1	730	43	3.42	78	9	88	<20
S314652		<10	0.01	<10	1.85	19	1	<0.01	<1	20	5	0.07	<5	<1	5090	<20
S314653		10	3.37	10	0.48	726	74	0.10	1	560	58	3.22	29	7	119	<20
S314654		10	1.86	10	0.26	664	34	0.04	<1	460	40	2.01	85	4	100	<20
S314655		20	4.05	10	0.52	701	47	0.08	1	680	40	3.54	100	8	108	<20
S314656		10	3.65	10	0.47	342	24	0.06	<1	580	15	2.12	103	6	58	<20
S314657		<10	0.01	<10	1.78	21	<1	<0.01	<1	40	3	0.07	<5	<1	5060	<20
S314658		10	4.37	10	0.38	673	55	0.08	2	690	47	3.08	105	7	159	<20
S314659		10	1.71	10	0.26	614	2	0.04	<1	520	46	1.27	289	3	149	<20
S314660		<10	0.01	<10	1.92	18	<1	<0.01	<1	40	3	0.05	<5	<1	4790	<20
S314661		20	4.89	10	0.80	701	42	0.23	1	790	24	4.25	32	10	112	<20
S314662		20	5.27	10	0.86	765	58	0.16	<1	790	13	2.73	20	10	127	<20
S314663		20	4.63	10	0.91	774	20	0.11	1	760	21	3.61	25	10	123	<20
S314664		20	5.05	10	0.80	875	29	0.11	1	750	35	3.76	38	9	165	<20
S314665		20	5.10	10	1.02	752	117	0.14	1	870	23	2.89	20	10	131	<20
S314666		10	4.63	10	0.74	661	73	0.69	1	680	27	4.36	10	9	136	<20
S314666D		10	4.69	<10	0.75	666	87	0.72	1	690	29	4.39	8	9	141	<20
S314667		20	4.63	10	1.09	854	20	1.26	2	850	19	2.80	16	10	167	<20
S314668		20	4.57	10	0.96	858	10	1.04	1	810	23	3.14	14	10	166	<20
S314669		20	4.55	10	1.07	767	29	1.14	2	830	25	2.98	8	10	156	<20
S314670		20	3.03	20	0.71	1005	7	0.16	64	1610	58	4.06	18	19	182	<20
S314671		20	3.91	10	1.12	867	8	1.65	2	860	17	3.80	6	11	154	<20
S314672		20	4.20	10	0.99	935	4	1.22	2	850	27	3.85	7	10	189	<20
S314673		20	3.57	10	1.15	1030	6	2.26	2	850	20	3.24	6	11	213	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314651		0.25	<10	<10	84	<10	106	
S314652		<0.01	<10	<10	1	<10	<2	
S314653		0.19	<10	<10	64	<10	100	
S314654		0.12	<10	<10	47	<10	102	
S314655		0.22	10	<10	71	<10	105	
S314656		0.17	<10	<10	59	<10	100	
S314657		<0.01	<10	<10	1	<10	<2	
S314658		0.18	<10	<10	65	<10	105	108
S314659		0.09	<10	<10	37	<10	133	300
S314660		<0.01	<10	<10	1	<10	<2	
S314661		0.27	<10	<10	85	<10	110	
S314662		0.27	10	<10	88	<10	101	
S314663		0.28	<10	<10	92	<10	105	
S314664		0.26	<10	<10	82	<10	145	
S314665		0.29	<10	<10	92	<10	107	
S314666		0.26	10	<10	78	<10	66	
S314666D		0.26	<10	10	79	<10	67	
S314667		0.30	10	<10	94	<10	89	
S314668		0.28	<10	<10	88	<10	83	
S314669		0.29	<10	<10	93	<10	81	
S314670		0.35	<10	<10	176	<10	211	
S314671		0.31	<10	<10	98	<10	78	
S314672		0.28	<10	<10	89	<10	72	
S314673		0.28	10	<10	97	<10	95	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 12-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153114

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

CERTIFICATE TR15153659

Project: Bowser Regional Exploration

P.O. No.: BOW-0121

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 8-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212901		3.83	0.976		4.0	7.83	101	1090	1.3	<2	0.26	<0.5	9	5	141	3.71
S212902		3.43	0.686		9.9	7.69	117	890	1.3	<2	0.21	<0.5	5	5	155	3.08
S212903		2.86	0.954		14.5	7.19	136	770	1.2	<2	0.18	0.7	8	6	209	3.27
S212904		3.08	0.421		5.1	6.36	96	840	1.0	<2	0.16	<0.5	9	8	150	3.20
S212905		2.99	0.386		6.8	6.77	98	760	1.1	<2	0.17	1.9	6	7	180	2.93
S212906		3.76	0.439		8.2	7.64	106	760	1.2	<2	0.20	0.6	8	7	207	3.52
S212906D		<0.02	0.446		8.1	7.63	102	1050	1.2	<2	0.20	0.5	8	6	206	3.52
S212907		3.37	0.624		12.4	7.56	169	940	1.2	<2	0.20	0.5	10	6	226	3.88
S212908		3.82	0.748		11.0	6.90	190	1110	1.2	<2	0.18	0.7	7	7	174	4.06
S212909		3.36	0.583		10.1	7.23	91	870	1.2	<2	0.18	<0.5	9	5	124	3.59
S212910		0.12	>10.0	10.80	>100	6.09	390	1360	1.0	<2	3.88	4.6	10	31	147	3.83
S212911		2.98	0.475		4.9	7.51	60	1030	1.2	<2	0.19	<0.5	7	5	73	4.16
S212912		2.84	0.298		11.2	7.47	48	1120	1.2	<2	0.19	<0.5	7	6	77	3.70
S212913		3.84	0.702		14.3	4.99	51	920	1.0	<2	0.18	0.5	5	9	66	2.82
S212914		2.92	0.678		10.9	4.68	47	920	0.9	<2	0.22	0.7	3	9	79	1.99
S212915		1.14	1.920		>100	4.80	73	860	0.9	<2	0.31	4.8	4	12	119	2.35
S212916		0.66	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.0	<0.5	<1	<1	1	0.03
S212917		1.09	0.646		44.6	4.92	51	1180	0.9	<2	0.65	5.2	3	9	78	2.07
S212918		3.22	0.328		5.2	6.85	43	800	1.2	<2	0.23	1.4	7	6	84	3.00
S212919		3.58	0.315		4.3	7.49	69	870	1.3	<2	0.40	<0.5	7	6	82	3.60
S212920		0.67	<0.005		<0.5	0.04	<5	10	<0.5	<2	35.6	<0.5	<1	<1	1	0.03
S212921		3.23	0.276		3.3	7.57	61	470	1.3	<2	0.25	<0.5	8	6	85	3.26
S212922		3.29	0.299		3.4	7.97	76	540	1.4	<2	0.23	<0.5	7	6	120	3.13
S212923		3.48	0.404		5.2	6.75	59	550	1.1	<2	0.22	0.5	7	6	113	3.01
S212924		3.84	0.362		5.1	7.67	59	660	1.3	<2	0.21	0.5	8	6	118	2.86
S212925		3.15	0.666		6.1	7.58	86	850	1.3	<2	0.21	0.8	7	6	150	2.88
S212926		3.50	0.411		9.0	6.65	58	870	1.1	<2	0.20	0.7	7	7	72	3.11
S212926D		<0.02	0.460		11.2	6.64	58	1040	1.1	<2	0.20	0.7	6	11	85	3.13
S212927		2.74	0.746		11.2	6.95	90	840	1.1	<2	0.26	0.8	8	6	84	3.67
S212928		3.41	0.606		11.4	7.35	87	560	1.2	<2	0.29	1.4	6	6	127	3.19
S212929		3.37	0.551		10.8	7.73	87	560	1.3	<2	0.27	1.1	6	6	106	3.64
S212930		0.12	5.72		81.5	5.95	280	1350	0.9	<2	1.87	21.1	9	20	111	4.57
S212931		3.33	0.477		9.0	7.99	81	510	1.4	<2	0.30	1.2	7	13	98	3.75
S212932		3.38	0.550		6.2	7.78	62	850	1.4	<2	0.32	0.9	9	7	110	2.79
S212933		4.61	0.458		4.9	7.67	74	780	1.3	<2	0.49	1.1	8	6	126	3.19
S212934		3.02	0.009		0.5	7.79	56	690	1.6	<2	5.14	<0.5	23	20	28	6.36
S212935		3.39	<0.005		<0.5	7.90	85	1180	1.8	<2	3.81	<0.5	23	22	20	6.46
S212936		2.97	0.058		2.4	7.53	231	1710	1.6	<2	3.38	<0.5	16	14	90	5.11
S212937		2.85	0.561		7.6	7.19	70	520	1.2	<2	0.30	1.2	9	7	175	3.56
S212938		3.41	1.265		23.1	6.20	182	1760	1.0	5	0.31	25.1	8	8	532	5.75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212901		20	4.05	10	0.63	116	73	0.05	3	820	19	4.09	30	10	24	<20
S212902		20	3.98	10	0.62	105	62	0.06	1	850	13	3.31	47	10	23	<20
S212903		10	3.70	10	0.57	101	117	0.05	<1	750	10	3.52	61	10	20	<20
S212904		10	3.20	10	0.50	96	76	0.05	<1	670	19	3.41	43	8	20	<20
S212905		10	3.45	10	0.52	93	47	0.06	2	730	54	3.09	51	9	19	<20
S212906		20	3.91	10	0.60	103	115	0.07	1	870	20	3.81	56	10	21	<20
S212906D		20	3.83	10	0.59	102	127	0.06	<1	850	21	3.81	57	10	22	<20
S212907		20	3.81	10	0.60	114	40	0.06	<1	850	20	4.20	72	10	29	<20
S212908		20	3.41	10	0.52	103	53	0.05	<1	740	26	4.41	56	9	22	<20
S212909		20	3.62	10	0.59	111	52	0.07	<1	780	20	3.92	41	9	31	<20
S212910		10	3.79	10	0.49	1420	9	0.16	19	850	248	3.15	62	11	208	<20
S212911		20	3.60	10	0.59	108	35	0.07	<1	800	13	4.55	29	10	24	<20
S212912		10	3.65	10	0.52	78	64	0.09	<1	850	16	4.10	33	10	53	<20
S212913		10	2.44	10	0.35	71	45	0.05	<1	760	29	3.02	37	6	24	<20
S212914		10	2.23	10	0.35	74	85	0.05	<1	950	22	2.06	39	6	20	<20
S212915		10	2.32	10	0.36	102	52	0.05	<1	1370	311	2.33	77	6	20	<20
S212916		<10	0.01	<10	1.77	21	<1	<0.01	<1	30	<2	0.05	<5	<1	4340	<20
S212917		10	2.30	10	0.31	72	47	0.06	<1	2830	78	2.17	45	5	34	<20
S212918		10	3.33	10	0.48	96	69	0.08	1	1000	26	3.23	32	9	29	<20
S212919		10	3.66	10	0.54	118	17	0.08	<1	1790	23	3.88	31	9	33	<20
S212920		<10	0.01	<10	1.76	18	<1	<0.01	<1	40	<2	0.05	<5	<1	4850	<20
S212921		20	3.82	10	0.57	113	69	0.08	1	1020	12	3.54	31	10	36	<20
S212922		20	3.98	10	0.62	118	30	0.09	1	1000	14	3.36	41	10	39	<20
S212923		10	3.31	10	0.53	102	71	0.07	1	960	12	3.23	40	9	27	<20
S212924		20	3.77	10	0.57	105	76	0.09	1	900	16	3.07	39	10	33	<20
S212925		20	3.74	10	0.59	110	80	0.09	<1	930	14	3.11	51	10	31	<20
S212926		10	3.20	10	0.54	113	86	0.07	<1	830	27	3.32	32	9	38	<20
S212926D		10	3.14	10	0.54	106	106	0.07	<1	850	25	3.39	33	9	43	<20
S212927		10	3.34	10	0.57	121	84	0.08	1	900	28	3.97	37	9	29	<20
S212928		20	3.65	10	0.64	129	34	0.08	<1	930	35	3.50	51	10	49	<20
S212929		20	3.77	10	0.65	122	53	0.08	<1	980	43	4.01	42	10	42	<20
S212930		10	3.53	10	0.47	1135	8	0.22	13	920	8210	2.92	70	12	142	<20
S212931		20	3.94	10	0.74	145	39	0.09	2	910	45	4.12	42	11	40	<20
S212932		20	3.88	10	0.68	139	78	0.09	2	910	27	3.02	42	11	38	<20
S212933		20	3.74	10	0.69	159	129	0.19	1	970	28	3.26	45	10	69	<20
S212934		20	0.61	40	2.04	907	7	3.71	15	2950	5	0.24	11	8	685	<20
S212935		20	1.34	30	1.94	897	2	3.26	14	2940	10	0.18	9	8	941	<20
S212936		20	2.23	20	1.28	519	34	1.93	6	2200	24	1.30	11	9	658	<20
S212937		20	3.64	10	0.53	99	29	0.11	<1	1000	48	3.80	38	10	51	<20
S212938		10	3.00	10	0.46	100	58	0.08	<1	1190	707	6.50	166	9	57	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212901		0.24	<10	<10	92	10	51	
S212902		0.26	10	<10	94	<10	62	
S212903		0.24	<10	<10	89	<10	69	
S212904		0.19	<10	<10	77	<10	36	
S212905		0.18	10	<10	84	<10	170	
S212906		0.22	10	<10	95	<10	59	
S212906D		0.22	<10	<10	95	<10	53	
S212907		0.22	<10	<10	93	10	57	
S212908		0.21	10	<10	87	<10	70	
S212909		0.19	<10	<10	90	<10	48	
S212910		0.24	<10	<10	102	10	518	131
S212911		0.20	10	<10	91	<10	38	
S212912		0.21	<10	<10	91	10	35	
S212913		0.13	<10	<10	62	<10	41	
S212914		0.13	<10	<10	57	<10	59	
S212915		0.12	<10	<10	54	<10	682	276
S212916		<0.01	<10	<10	1	<10	<2	
S212917		0.10	<10	<10	47	<10	734	
S212918		0.17	<10	<10	81	<10	149	
S212919		0.18	10	<10	89	<10	63	
S212920		<0.01	<10	<10	1	<10	2	
S212921		0.19	10	<10	91	<10	38	
S212922		0.22	10	<10	98	<10	45	
S212923		0.14	10	<10	79	<10	52	
S212924		0.22	<10	<10	93	<10	56	
S212925		0.21	10	<10	92	<10	63	
S212926		0.19	10	<10	85	<10	78	
S212926D		0.18	<10	<10	83	<10	81	
S212927		0.18	10	<10	83	<10	91	
S212928		0.22	10	<10	95	<10	107	
S212929		0.22	<10	<10	93	<10	92	
S212930		0.24	10	<10	119	10	1745	
S212931		0.22	<10	<10	100	<10	91	
S212932		0.25	10	<10	93	<10	76	
S212933		0.25	10	<10	95	<10	72	
S212934		1.11	<10	<10	106	<10	140	
S212935		1.12	<10	<10	107	<10	138	
S212936		0.69	<10	<10	96	<10	84	
S212937		0.18	10	<10	89	<10	72	
S212938		0.14	10	<10	79	<10	1035	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212939		3.29	0.785		50.1	7.10	98	630	1.2	<2	0.27	6.3	7	6	230	3.82
S212940		0.77	<0.005		<0.5	0.23	<5	30	<0.5	3	34.7	<0.5	<1	<1	1	0.14
S212941		3.55	0.730		6.9	7.68	76	490	1.3	2	0.32	2.4	9	6	135	3.76
S212942		2.29	0.622		9.4	7.33	83	580	1.3	<2	0.48	3.4	8	6	146	3.59
S212943		2.41	0.110		2.3	7.69	101	1490	1.7	<2	2.63	0.6	20	21	44	5.70
S212944		2.62	0.008		0.8	7.98	94	880	1.9	<2	3.93	<0.5	24	23	24	6.73
S212945		3.00	0.513		4.2	7.48	74	1040	1.2	3	0.29	1.5	10	7	110	4.39
S212946		3.38	0.647		4.7	7.42	93	720	1.3	<2	0.21	3.7	8	6	163	4.30
S212946D		<0.02	0.656		4.3	7.13	86	840	1.2	<2	0.20	3.5	8	7	154	4.16
S212947		3.26	0.674		7.1	7.66	107	480	1.4	<2	0.21	1.2	6	6	164	3.69
S212948		3.26	0.650		20.3	6.28	89	550	1.1	<2	0.19	1.7	7	9	137	3.28
S212949		3.88	0.646		15.2	7.21	94	570	1.3	<2	0.22	1.5	9	7	120	3.99
S212950		0.09	>10.0	18.85	22.0	7.24	806	1480	1.4	<2	2.88	1.7	19	112	135	5.06
S212951		3.45	0.519		41.7	5.26	88	1100	0.9	<2	0.17	1.8	4	11	200	2.39
S212952		3.87	0.591		65.9	6.21	61	760	1.1	<2	0.21	5.2	6	9	114	2.99
S212953		3.60	0.646		22.9	6.63	79	560	1.1	<2	0.21	3.5	7	6	187	3.13
S212954		3.30	0.423		4.9	7.41	54	840	1.1	<2	0.24	1.6	9	6	95	4.24
S212955		3.35	0.855		5.2	7.61	83	690	1.3	<2	0.26	1.6	7	5	157	3.61
S212956		3.84	0.826		6.6	8.17	102	750	1.4	<2	0.40	4.5	7	6	206	3.74
S212957		3.20	0.522		5.9	7.95	78	390	1.4	<2	0.29	2.0	7	7	155	3.49
S212958		3.54	0.745		8.8	6.93	107	1300	1.0	<2	0.30	2.2	8	7	235	3.95
S212959		3.37	0.444		6.3	7.36	80	740	1.0	3	0.37	3.5	10	7	181	4.52
S212960		0.60	<0.005		<0.5	0.05	<5	20	<0.5	6	32.8	<0.5	<1	<1	1	0.04
S212961		3.81	0.502		5.6	7.60	123	920	1.1	<2	0.68	1.7	10	6	299	4.79
S212962		3.57	0.432		3.3	7.82	78	400	1.3	<2	0.34	1.3	8	6	173	3.64
S212963		3.59	0.655		2.9	7.83	75	830	1.4	<2	0.37	0.7	10	6	163	3.53
S212964		3.90	0.820		3.8	8.00	111	410	1.4	<2	0.33	1.0	7	6	238	3.26
S212965		3.25	0.487		3.0	8.07	58	560	1.4	<2	0.26	0.8	7	6	105	3.47
S212966		3.87	0.372		3.2	7.66	68	430	1.2	<2	0.33	2.4	7	6	117	4.17
S212966D		<0.02	0.389		3.4	7.67	70	460	1.2	<2	0.32	2.4	7	6	120	3.95
S212967		3.78	0.500		3.3	7.95	85	760	1.4	<2	0.32	5.2	9	7	183	3.93
S212968		3.34	0.561		4.4	7.76	108	560	1.2	<2	0.34	2.5	10	7	222	4.01
S212969		3.74	0.496		3.6	8.11	102	440	1.4	<2	0.38	2.2	9	5	205	3.89
S212970		0.11	1.000		12.6	6.11	320	1470	1.0	<2	3.58	4.1	9	26	84	3.92
S212971		3.25	0.435		2.5	8.01	81	580	1.4	<2	0.30	1.3	8	6	129	3.77
S212972		4.02	0.469		4.5	7.02	59	1140	1.3	<2	0.66	1.0	9	7	97	3.75
S212973		3.18	0.529		7.5	7.67	69	760	1.4	<2	0.40	0.9	8	7	117	3.59
S212974		2.22	0.443		8.8	7.60	83	560	1.5	<2	0.29	0.8	9	6	156	3.51
S212975		2.61	0.449		7.6	7.43	88	800	1.4	<2	0.34	0.9	8	5	148	3.92
S212976		3.01	0.858		11.4	6.23	83	1350	1.2	<2	0.64	1.4	7	8	120	4.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212939		20	3.47	10	0.54	99	29	0.09	<1	1120	85	4.13	90	9	42	<20
S212940		<10	0.06	<10	1.82	30	<1	0.02	<1	100	2	0.06	<5	1	4740	<20
S212941		20	3.83	10	0.57	102	54	0.10	<1	1270	61	4.10	46	10	45	<20
S212942		20	3.69	10	0.54	98	23	0.09	<1	2060	44	3.92	32	10	48	<20
S212943		20	2.01	30	1.58	704	10	2.48	12	2400	28	0.90	6	9	641	<20
S212944		20	1.11	30	1.98	923	2	3.51	19	3080	16	0.13	14	8	910	<20
S212945		20	3.63	10	0.57	126	55	0.09	<1	850	75	4.75	34	10	63	<20
S212946		20	3.50	10	0.56	121	88	0.09	<1	810	74	4.70	50	10	42	<20
S212946D		20	3.39	10	0.53	121	85	0.09	<1	770	72	4.52	46	9	41	<20
S212947		20	3.69	10	0.55	111	81	0.10	2	820	30	4.02	56	10	39	<20
S212948		10	3.02	10	0.45	107	35	0.08	<1	690	33	3.46	55	8	35	<20
S212949		20	3.48	10	0.55	112	127	0.09	1	850	39	4.30	44	10	47	<20
S212950		10	3.16	20	0.74	1035	7	0.16	67	1700	62	4.26	18	20	196	<20
S212951		10	2.46	10	0.46	121	25	0.07	1	610	42	2.43	84	7	27	<20
S212952		10	2.95	10	0.46	110	49	0.08	<1	600	89	3.19	66	8	27	<20
S212953		20	3.20	10	0.50	114	89	0.08	1	790	69	3.37	73	9	56	<20
S212954		20	3.47	10	0.53	112	125	0.09	1	900	60	4.64	31	9	47	<20
S212955		20	3.67	10	0.55	124	137	0.09	1	830	45	3.94	47	10	46	<20
S212956		20	3.91	10	0.69	202	83	0.10	2	940	55	4.02	60	11	109	<20
S212957		20	3.84	10	0.69	172	46	0.10	2	900	49	3.73	44	10	40	<20
S212958		20	3.38	<10	0.47	130	87	0.08	<1	800	53	4.28	61	9	312	<20
S212959		20	3.55	10	0.48	132	143	0.09	1	1040	75	4.93	55	9	29	<20
S212960		<10	0.01	<10	1.93	16	<1	<0.01	<1	30	3	0.08	<5	<1	4980	<20
S212961		20	3.58	10	0.57	217	94	0.09	1	960	54	5.28	79	10	45	<20
S212962		20	3.91	10	0.61	159	42	0.10	1	1030	34	3.90	52	10	37	<20
S212963		20	3.84	10	0.60	152	50	0.09	<1	960	19	3.89	49	10	108	<20
S212964		20	3.95	10	0.58	126	98	0.10	<1	1040	19	3.55	69	10	33	<20
S212965		20	3.92	10	0.56	108	21	0.10	<1	1030	29	3.82	37	10	32	<20
S212966		20	3.75	10	0.54	131	82	0.09	<1	1120	58	4.47	38	10	30	<20
S212966D		20	3.81	10	0.54	122	83	0.09	2	1120	55	4.32	39	10	29	<20
S212967		20	3.78	10	0.63	129	109	0.09	<1	1260	48	4.28	48	10	33	<20
S212968		20	3.82	10	0.54	116	96	0.09	<1	1150	56	4.38	61	10	32	<20
S212969		20	3.97	10	0.59	123	29	0.10	2	1440	44	4.18	50	10	31	<20
S212970		10	3.85	10	0.56	1400	9	0.21	18	930	143	2.85	16	11	194	<20
S212971		20	3.96	10	0.68	136	24	0.09	<1	1190	42	4.08	36	10	33	<20
S212972		10	3.29	10	0.63	205	79	0.08	1	1170	35	4.00	29	9	34	<20
S212973		20	3.67	10	0.59	135	80	0.09	1	1230	26	3.94	36	10	32	<20
S212974		20	3.65	10	0.62	125	60	0.09	1	1130	19	3.79	47	10	32	<20
S212975		20	3.57	10	0.59	128	41	0.08	1	1160	24	4.28	40	10	33	<20
S212976		10	2.90	10	0.59	180	27	0.07	<1	1690	30	4.43	37	8	32	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212939		0.14	10	<10	85	<10	361	
S212940		0.02	<10	<10	1	<10	<2	
S212941		0.17	10	<10	93	<10	152	
S212942		0.21	<10	<10	93	<10	227	
S212943		0.88	<10	<10	105	<10	123	
S212944		1.18	<10	<10	113	<10	149	
S212945		0.22	10	<10	89	<10	94	
S212946		0.22	<10	<10	87	<10	194	
S212946D		0.22	10	<10	84	<10	189	
S212947		0.25	10	<10	92	<10	86	
S212948		0.20	10	<10	80	<10	128	
S212949		0.20	<10	<10	91	<10	110	
S212950		0.36	<10	<10	183	<10	225	
S212951		0.18	<10	<10	68	<10	137	
S212952		0.19	<10	<10	84	<10	331	
S212953		0.20	<10	<10	83	<10	208	
S212954		0.18	<10	<10	84	<10	109	
S212955		0.19	<10	<10	90	<10	109	
S212956		0.24	<10	<10	99	<10	274	
S212957		0.23	10	<10	95	<10	164	
S212958		0.17	<10	<10	85	<10	170	
S212959		0.18	<10	<10	88	<10	317	
S212960		<0.01	<10	<10	1	<10	2	
S212961		0.16	<10	<10	90	<10	126	
S212962		0.20	<10	<10	96	<10	104	
S212963		0.22	10	<10	94	<10	71	
S212964		0.19	10	<10	96	<10	79	
S212965		0.16	<10	<10	91	<10	73	
S212966		0.16	10	<10	85	<10	177	
S212966D		0.16	<10	<10	86	<10	170	
S212967		0.21	<10	<10	92	<10	324	
S212968		0.19	<10	<10	97	<10	163	
S212969		0.19	<10	<10	96	<10	132	
S212970		0.26	10	<10	105	<10	479	
S212971		0.19	<10	<10	93	<10	99	
S212972		0.19	<10	<10	81	<10	81	
S212973		0.23	10	<10	89	<10	84	
S212974		0.23	<10	<10	89	<10	76	
S212975		0.18	10	<10	89	<10	85	
S212976		0.15	10	<10	72	<10	127	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S212977		2.50	0.918		7.1	3.93	121	1150	1.0	<2	3.06	1.1	4	9	64	4.37
S212978		3.89	0.577		11.4	6.16	74	3560	1.1	<2	0.22	2.6	7	6	133	2.86
S212979		3.95	0.583		8.3	6.82	71	1080	1.1	<2	0.21	4.2	9	8	130	3.72
S212980		0.68	<0.005		<0.5	0.25	<5	90	<0.5	3	33.5	<0.5	<1	1	3	0.17
S212981		3.43	0.588		5.0	7.63	84	600	1.3	<2	0.21	1.3	7	6	163	3.47
S212982		3.54	0.461		4.0	7.17	71	1170	1.1	<2	0.27	3.5	10	9	127	3.30
S212983		3.62	0.812		2.8	7.39	59	1100	1.2	<2	0.34	3.2	10	6	93	3.86
S212984		3.14	0.770		5.3	6.96	95	3000	1.1	<2	0.30	3.3	11	7	136	4.82
S212985		2.52	0.578		2.3	7.98	61	740	1.2	<2	0.33	2.7	7	5	159	3.88
S212986		3.62	0.407		1.1	7.91	57	700	1.6	2	1.72	1.4	13	11	79	4.86
S212986D		<0.02	0.369		1.1	7.85	60	970	1.6	<2	1.69	1.1	13	11	76	4.76
S212987		3.16	1.200		2.6	7.74	69	660	1.3	<2	0.30	3.2	7	5	157	3.53
S212988		3.47	0.690		2.6	7.84	72	540	1.4	<2	0.37	5.7	7	5	120	3.04
S212989		3.37	0.650		4.8	7.92	76	550	1.4	<2	0.27	3.1	8	5	160	3.17
S212990		0.12	>10.0	10.85	>100	5.99	388	1330	1.0	<2	3.77	4.3	10	28	145	3.77
S212991		3.44	0.716		5.3	7.87	87	600	1.4	<2	0.33	3.7	8	5	189	3.15
S212992		2.57	1.390		4.1	7.38	75	620	1.3	<2	0.37	4.8	9	5	150	2.99
S212993		4.10	0.453		2.6	7.49	38	740	1.3	<2	0.49	9.5	7	6	89	2.87
S212994		1.84	0.008		<0.5	7.85	57	1150	1.9	<2	3.79	<0.5	26	21	25	6.68
S212995		3.78	<0.005		<0.5	8.03	59	1070	1.9	<2	4.18	<0.5	26	23	22	6.74
S212996		3.22	<0.005		<0.5	7.95	58	1280	1.9	4	3.78	<0.5	25	23	19	6.72
S212997		3.74	0.334		3.1	6.53	49	1020	1.0	<2	0.70	4.5	6	7	74	2.59
S212998		3.73	0.288		2.2	6.66	39	740	1.1	<2	0.58	5.1	8	6	59	2.76
S212999		3.53	0.308		1.3	7.68	35	600	1.3	<2	0.26	3.9	9	6	37	3.00
S213000		0.71	<0.005		<0.5	0.04	<5	10	<0.5	2	34.4	<0.5	<1	<1	1	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S212977		10	1.81	10	0.42	187	25	0.04	<1	>10000	70	4.77	33	5	92	<20
S212978		10	2.92	<10	0.45	98	59	0.06	<1	820	60	3.18	40	8	280	<20
S212979		20	3.26	10	0.54	101	146	0.08	<1	790	98	4.09	36	9	37	<20
S212980		<10	0.02	<10	1.73	45	1	0.03	<1	40	2	0.09	<5	1	4520	<20
S212981		20	3.71	10	0.57	91	113	0.09	1	830	43	3.84	37	10	32	<20
S212982		20	3.42	10	0.51	103	69	0.08	<1	790	111	3.61	34	9	53	<20
S212983		20	3.57	10	0.51	112	178	0.09	<1	780	106	4.31	21	10	41	<20
S212984		10	3.35	<10	0.50	111	160	0.08	1	710	176	5.32	30	9	84	<20
S212985		20	3.90	10	0.61	123	23	0.10	2	910	100	4.22	15	10	39	<20
S212986		20	2.89	20	1.13	479	18	1.25	6	1620	42	2.99	5	10	319	<20
S212986D		20	2.73	20	1.19	500	20	1.37	8	1680	39	2.74	8	9	336	<20
S212987		20	3.75	10	0.58	120	49	0.10	<1	820	147	3.87	38	10	45	<20
S212988		20	3.86	10	0.68	142	35	0.10	1	830	106	3.33	31	10	48	<20
S212989		20	3.94	10	0.62	119	48	0.09	<1	930	90	3.47	40	10	36	<20
S212990		10	3.72	10	0.48	1380	8	0.16	19	830	243	3.12	55	10	205	<20
S212991		20	3.86	10	0.63	113	32	0.10	1	1070	78	3.52	52	10	41	<20
S212992		20	3.65	10	0.65	133	49	0.09	<1	1160	106	3.27	39	10	42	<20
S212993		10	3.58	10	0.69	157	61	0.29	1	980	135	2.71	14	9	84	<20
S212994		20	1.29	30	1.91	896	2	3.65	15	3060	5	0.13	10	8	855	<20
S212995		20	1.25	30	1.98	906	1	3.47	15	3110	9	0.07	5	8	968	<20
S212996		20	1.38	30	1.91	905	<1	3.61	18	3060	5	0.10	9	8	873	<20
S212997		10	3.14	10	0.48	149	188	0.09	<1	1020	87	2.80	21	9	39	<20
S212998		10	3.21	10	0.51	131	107	0.08	<1	1570	67	3.00	16	8	33	<20
S212999		20	3.84	10	0.59	107	49	0.09	<1	910	47	3.33	12	10	33	<20
S213000		<10	0.01	<10	1.99	20	<1	<0.01	<1	30	2	0.05	<5	<1	4740	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S212977		0.11	10	<10	47	<10	104	
S212978		0.17	<10	<10	73	<10	225	
S212979		0.17	<10	<10	84	<10	374	
S212980		0.01	<10	<10	6	<10	4	
S212981		0.17	<10	<10	88	<10	115	
S212982		0.17	<10	<10	83	<10	273	
S212983		0.17	<10	<10	88	<10	232	
S212984		0.13	<10	<10	79	<10	285	
S212985		0.16	<10	<10	90	<10	199	
S212986		0.51	<10	<10	98	<10	147	
S212986D		0.55	<10	<10	96	<10	147	
S212987		0.14	<10	<10	85	<10	228	
S212988		0.17	<10	<10	90	<10	353	
S212989		0.17	<10	<10	89	<10	201	
S212990		0.24	<10	<10	97	<10	507	133
S212991		0.18	<10	<10	86	<10	214	
S212992		0.16	<10	<10	83	<10	245	
S212993		0.22	<10	<10	83	<10	365	
S212994		1.16	<10	<10	109	<10	141	
S212995		1.20	<10	<10	112	<10	137	
S212996		1.18	<10	<10	112	<10	140	
S212997		0.17	10	<10	76	<10	162	
S212998		0.18	<10	<10	77	<10	219	
S212999		0.18	10	<10	85	<10	197	
S213000		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15153659

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

CERTIFICATE TR15154552

Project: Bowser Regional Exploration

P.O. No.: BOW-0124

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 9-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213001		3.53	0.344		3.7	7.21	67	240	1.2	<2	0.47	1.8	8	7	145	3.29
S213002		3.34	0.474		3.3	7.32	61	350	1.3	<2	0.35	2.2	7	7	121	3.10
S213003		3.77	0.264		2.0	7.42	37	480	1.4	<2	0.20	1.9	5	7	53	2.72
S213004		3.60	0.301		3.2	7.11	34	350	1.3	<2	0.29	2.7	8	7	75	3.10
S213005		3.29	0.146		2.1	8.05	68	1430	1.6	4	2.55	3.7	19	21	48	5.54
S213006		3.10	0.008		0.6	8.50	45	1570	2.0	3	3.75	0.6	25	25	22	6.45
S213006D		<0.02	0.006		0.5	8.51	45	1550	2.0	<2	3.73	<0.5	23	25	22	6.50
S213007		3.35	<0.005		<0.5	8.36	45	1090	1.9	3	4.12	<0.5	27	26	27	6.75
S213008		2.59	<0.005		<0.5	8.51	44	1150	2.0	<2	4.37	0.7	23	27	13	6.87
S213009		2.50	0.101		1.2	8.10	55	1800	1.8	<2	2.84	<0.5	18	20	50	5.58
S213010		0.13	5.31		77.2	5.84	272	620	0.9	<2	1.86	20.7	9	21	115	4.43
S213011		2.92	0.503		3.3	7.67	47	360	1.4	2	0.37	0.8	8	8	93	4.38
S213012		3.63	0.677		6.2	7.59	89	380	1.3	<2	0.27	1.2	9	7	138	4.42
S213013		2.85	0.650		4.1	7.40	108	460	1.2	<2	0.24	1.2	9	8	123	5.05
S213014		3.67	0.748		3.6	7.72	123	280	1.4	<2	0.23	0.8	11	7	126	4.08
S213015		3.63	0.550		4.8	8.06	110	310	1.5	<2	0.26	1.2	8	8	120	4.44
S213016		3.12	0.694		5.6	7.81	108	360	1.4	<2	0.30	2.4	8	7	138	4.60
S213017		3.40	0.909		4.1	7.61	106	280	1.4	<2	0.25	1.4	13	8	127	5.06
S213018		3.12	1.150		4.1	8.15	126	260	1.5	3	0.26	2.6	9	7	160	4.53
S213019		3.14	1.330		4.3	8.25	122	350	1.5	2	0.27	1.8	12	8	180	4.21
S213020		0.78	<0.005		<0.5	0.04	<5	10	<0.5	<2	33.8	<0.5	<1	1	<1	0.04
S213021		3.63	0.662		4.9	7.60	83	440	1.2	<2	0.32	3.6	10	8	144	5.07
S213022		2.98	0.479		10.3	7.93	87	310	1.4	<2	0.35	1.6	9	7	159	4.06
S213023		3.54	0.616		9.0	7.54	73	260	1.3	<2	0.27	1.3	10	10	120	4.42
S213024		3.39	0.532		9.5	7.72	88	330	1.4	<2	0.22	1.3	9	8	108	3.89
S213025		3.80	0.410		19.8	6.93	75	320	1.3	<2	0.24	0.9	8	9	116	3.58
S213026		3.40	0.677		19.1	7.50	93	440	1.4	<2	0.20	1.2	10	7	162	4.84
S213026D		<0.02	0.674		20.8	7.48	101	460	1.4	<2	0.19	1.2	11	8	178	4.87
S213027		3.47	0.604		20.6	6.87	89	280	1.3	<2	0.25	1.9	8	9	129	3.88
S213028		3.86	0.602		14.2	6.58	92	700	1.2	<2	0.23	5.1	9	11	145	4.97
S213029		2.65	0.588		11.8	7.44	77	310	1.3	<2	0.23	2.2	8	7	176	3.54
S213030		0.10	>10.0	18.85	21.7	7.20	815	1480	1.4	<2	2.83	1.9	20	115	132	5.05
S213031		3.32	0.523		8.6	7.10	66	460	1.2	2	0.18	9.5	8	8	103	4.33
S213032		3.37	0.505		6.3	7.60	58	340	1.3	<2	0.20	3.6	9	8	80	3.60
S213033		3.84	0.474		4.6	7.55	66	280	1.3	<2	0.22	7.6	9	7	80	3.82
S213034		2.93	0.595		65.8	7.27	236	260	1.3	<2	0.27	7.2	7	8	748	3.33
S213035		2.66	0.417		3.5	7.85	50	300	1.3	<2	0.27	1.4	8	7	98	3.65
S213036		3.20	0.462		5.8	7.02	67	310	1.2	<2	0.25	3.5	10	8	136	3.42
S213037		3.27	0.700		8.2	7.07	75	360	1.2	<2	0.26	3.4	8	8	151	3.87
S213038		3.26	0.466		3.2	7.14	52	280	1.3	<2	0.40	2.8	8	8	72	3.46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213001		20	3.49	10	0.61	148	50	0.09	<1	1130	58	3.54	34	9	33	<20
S213002		20	3.52	10	0.64	148	73	0.09	1	920	29	3.23	32	9	35	<20
S213003		20	3.58	10	0.62	111	68	0.09	<1	790	34	2.92	15	9	31	<20
S213004		20	3.40	10	0.55	115	30	0.10	1	1050	30	3.13	12	9	34	<20
S213005		20	1.80	30	1.46	657	18	2.62	13	3060	21	1.30	8	9	653	<20
S213006		20	1.61	40	1.91	867	7	3.52	16	3580	9	0.29	7	9	950	<20
S213006D		20	1.60	40	1.92	872	7	3.52	17	3570	12	0.28	9	9	950	<20
S213007		20	1.49	30	2.01	934	1	3.66	18	3570	6	0.13	<5	8	989	<20
S213008		20	1.62	40	2.03	963	1	3.58	19	3670	13	0.08	<5	9	1065	<20
S213009		20	2.30	30	1.42	627	17	2.49	14	2700	17	1.24	<5	9	670	<20
S213010		10	3.43	10	0.45	1115	10	0.22	16	920	8100	2.85	73	11	137	<20
S213011		20	3.60	10	0.59	130	33	0.16	3	1250	20	4.53	17	10	52	<20
S213012		20	3.60	10	0.55	104	26	0.09	3	1200	20	4.79	45	10	30	<20
S213013		20	3.44	10	0.53	123	22	0.09	2	1040	41	5.38	47	9	28	<20
S213014		20	3.62	10	0.57	110	15	0.09	3	1020	29	4.42	43	10	31	<20
S213015		20	3.76	10	0.67	146	72	0.09	2	1110	37	4.70	42	10	34	<20
S213016		20	3.63	10	0.53	119	119	0.09	2	1160	72	5.03	49	10	29	<20
S213017		20	3.53	10	0.61	136	81	0.09	2	1130	50	5.46	40	10	31	<20
S213018		20	3.79	10	0.62	130	90	0.10	3	1160	96	4.92	51	10	32	<20
S213019		20	3.88	10	0.64	146	70	0.10	3	1100	45	4.43	55	11	34	<20
S213020		<10	0.01	<10	1.91	22	<1	<0.01	<1	40	<2	0.07	5	<1	4810	<20
S213021		20	3.58	10	0.57	133	97	0.09	3	1230	108	5.47	47	10	31	<20
S213022		20	3.72	10	0.63	119	108	0.09	2	1150	68	4.46	53	10	39	<20
S213023		20	3.56	10	0.58	132	103	0.09	4	1050	56	4.72	43	10	29	<20
S213024		20	3.60	10	0.62	120	47	0.09	3	930	40	4.21	39	10	28	<20
S213025		20	3.23	10	0.57	143	28	0.08	3	810	35	3.64	46	9	27	<20
S213026		20	3.54	10	0.56	111	129	0.09	4	690	46	5.28	68	10	34	<20
S213026D		20	3.47	10	0.55	116	99	0.09	4	660	44	5.23	64	10	35	<20
S213027		20	3.19	10	0.54	122	76	0.08	2	840	40	4.16	60	9	26	<20
S213028		10	2.97	10	0.54	145	56	0.08	3	740	71	5.24	45	8	26	<20
S213029		20	3.43	10	0.61	123	114	0.09	2	960	47	3.84	63	9	30	<20
S213030		20	3.05	20	0.74	1020	7	0.16	72	1700	60	4.18	16	20	196	<20
S213031		20	3.30	10	0.51	120	82	0.09	3	710	91	4.64	38	9	27	<20
S213032		20	3.56	10	0.58	117	14	0.09	3	800	45	3.90	27	10	30	<20
S213033		20	3.56	10	0.59	122	51	0.09	3	980	40	4.09	27	10	31	<20
S213034		20	3.55	10	0.62	124	210	0.09	2	900	68	3.71	258	9	29	<20
S213035		20	3.69	10	0.59	113	39	0.09	4	1100	28	3.89	31	10	29	<20
S213036		20	3.25	10	0.46	96	212	0.11	3	1090	46	3.74	41	8	38	<20
S213037		20	3.27	10	0.43	100	84	0.10	1	1150	47	4.15	50	9	31	<20
S213038		20	3.34	10	0.56	120	123	0.09	2	1730	51	3.70	27	9	28	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213001		0.14	10	<10	81	<10	110	
S213002		0.14	10	<10	79	<10	150	
S213003		0.13	10	<10	77	<10	149	
S213004		0.14	10	<10	77	<10	173	
S213005		0.90	<10	<10	100	<10	275	
S213006		1.19	<10	<10	105	<10	153	
S213006D		1.19	<10	<10	104	<10	153	
S213007		1.24	<10	<10	105	<10	160	
S213008		1.24	<10	<10	107	<10	162	
S213009		0.87	10	<10	101	<10	109	
S213010		0.24	<10	<10	114	<10	1780	
S213011		0.18	10	<10	94	<10	71	
S213012		0.16	<10	<10	92	<10	100	
S213013		0.15	<10	<10	88	<10	89	
S213014		0.18	<10	<10	94	<10	68	
S213015		0.20	<10	<10	96	<10	92	
S213016		0.17	<10	<10	94	<10	159	
S213017		0.16	<10	<10	88	<10	102	
S213018		0.18	<10	<10	96	<10	147	
S213019		0.20	<10	<10	97	<10	127	
S213020		<0.01	<10	<10	1	<10	<2	
S213021		0.17	<10	<10	92	<10	238	
S213022		0.19	10	<10	93	<10	92	
S213023		0.19	<10	<10	91	<10	100	
S213024		0.20	10	<10	99	<10	95	
S213025		0.17	<10	<10	84	<10	72	
S213026		0.18	<10	<10	91	<10	95	
S213026D		0.18	<10	<10	90	<10	99	
S213027		0.17	10	<10	82	<10	124	
S213028		0.17	<10	<10	78	<10	303	
S213029		0.21	<10	<10	90	<10	108	
S213030		0.35	<10	<10	185	<10	224	
S213031		0.20	<10	<10	84	<10	451	
S213032		0.20	<10	<10	90	<10	165	
S213033		0.19	<10	<10	93	<10	358	
S213034		0.19	<10	<10	86	<10	285	
S213035		0.19	10	<10	95	<10	86	
S213036		0.19	<10	<10	80	<10	150	
S213037		0.18	<10	<10	84	<10	161	
S213038		0.18	<10	<10	87	<10	144	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213039		2.87	0.549		1.7	7.22	43	470	1.3	<2	0.80	2.7	6	8	64	3.68
S213040		0.62	<0.005		<0.5	0.05	<5	10	<0.5	2	33.0	<0.5	<1	1	2	0.03
S213041		3.28	0.833		3.3	7.52	66	400	1.3	<2	0.31	3.0	9	11	127	4.36
S213042		3.24	0.395		3.0	7.13	58	400	1.2	<2	0.30	3.2	10	8	85	3.56
S213043		3.45	0.437		9.6	7.86	64	480	1.2	<2	0.24	3.6	10	8	151	3.83
S213044		3.01	0.488		12.9	6.88	62	530	1.1	<2	0.32	6.5	6	8	141	3.67
S213045		3.16	0.576		3.4	7.13	46	360	1.1	2	0.28	6.0	8	9	55	3.75
S213046		4.12	1.090		5.1	7.31	90	350	1.1	<2	0.28	3.9	9	7	136	5.25
S213046D		<0.02	1.095		4.4	7.35	85	450	1.1	<2	0.30	3.9	10	10	111	5.62
S213047		3.56	0.666		6.5	7.15	77	540	1.3	<2	0.53	2.1	10	8	138	3.93
S213048		1.13	0.101		1.6	7.82	41	990	1.6	<2	3.32	<0.5	17	23	33	5.64
S213049		3.68	0.321		4.6	7.72	56	480	1.4	<2	0.43	2.0	8	7	83	3.51
S213050		0.14	0.944		12.4	6.18	316	1500	1.0	<2	3.74	4.6	9	27	84	4.05
S213051		3.46	0.242		5.8	7.50	47	500	1.4	<2	0.48	1.1	9	8	78	3.51
S213052		3.18	0.444		8.3	7.98	52	430	1.5	<2	0.39	1.1	9	7	91	3.63
S213053		3.14	0.286		14.0	7.78	56	440	1.4	<2	0.54	1.9	8	7	104	3.42
S213054		2.98	0.507		10.8	7.19	41	620	1.4	<2	0.32	2.8	8	9	98	3.14
S213055		3.59	0.380		7.5	6.85	38	600	1.2	<2	0.28	2.3	10	13	62	3.47
S213056		3.28	0.382		10.7	7.72	61	770	1.5	<2	0.28	5.3	8	9	98	3.48
S213057		2.43	0.376		12.6	5.30	43	1010	0.9	<2	0.97	5.5	7	13	71	2.97
S213058		1.90	0.189		2.8	7.49	33	1440	1.4	<2	2.49	2.2	15	19	41	5.01
S213059		3.44	0.898		24.0	7.42	79	300	1.3	4	0.47	3.9	7	6	161	3.97
S213060		0.86	<0.005		<0.5	0.07	<5	10	<0.5	2	35.9	<0.5	<1	2	2	0.04
S213061		3.20	0.482		4.1	8.20	33	610	1.5	<2	0.37	2.9	12	7	57	3.56
S213062		3.08	0.390		4.9	8.03	70	390	1.4	<2	0.61	1.4	9	9	81	4.06
S213063		2.92	0.381		6.7	8.10	82	1120	1.4	<2	1.13	4.3	9	8	128	4.92
S213064		3.86	0.488		3.7	8.61	62	550	1.6	<2	0.82	1.8	9	9	68	4.29
S213065		3.30	0.515		8.2	8.19	94	540	1.6	<2	0.66	2.1	10	8	173	4.21
S213066		3.09	0.372		10.6	8.02	73	790	1.6	<2	0.43	5.3	9	11	163	3.58
S213066D		<0.02	0.349		10.4	7.58	71	850	1.5	<2	0.43	5.1	7	8	150	3.20
S213067		3.16	0.506		12.9	7.44	67	460	1.4	<2	0.49	1.7	8	9	142	4.07
S213068		3.14	0.507		32.0	7.67	82	510	1.4	<2	0.52	4.9	8	9	237	3.41
S213069		3.53	0.367		10.6	8.19	72	410	1.6	<2	0.34	1.8	9	8	145	4.08
S213070		0.13	>10.0	11.05	>100	5.84	401	590	1.0	<2	4.00	4.7	11	31	154	3.93
S213071		3.38	0.458		14.5	6.58	88	1080	1.1	<2	1.41	3.6	9	10	156	4.30
S213072		2.96	0.391		17.7	6.86	81	840	1.3	<2	0.80	5.8	6	11	140	3.77
S213073		3.57	0.255		5.1	3.95	32	650	0.7	<2	1.54	5.9	4	20	47	2.09
S213074		1.88	0.217		4.4	3.59	29	1110	0.7	<2	2.24	5.2	3	17	39	1.93
S213075		3.78	0.373		12.5	7.18	66	500	1.3	<2	0.47	2.8	8	9	111	3.74
S213076		3.80	0.402		8.3	6.94	80	320	1.0	<2	0.58	2.5	10	10	80	4.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213039		20	3.38	10	0.55	153	39	0.09	6	1810	43	3.78	20	9	32	<20
S213040		<10	0.01	<10	1.59	13	<1	<0.01	1	30	2	0.06	<5	<1	5030	<20
S213041		20	3.56	10	0.60	119	73	0.09	4	1240	48	4.56	44	10	30	<20
S213042		20	3.40	10	0.61	120	119	0.09	3	840	40	3.77	31	9	35	<20
S213043		20	3.82	10	0.58	119	66	0.10	4	890	60	3.96	57	10	31	<20
S213044		20	3.28	10	0.53	112	49	0.08	2	820	64	3.86	59	9	28	<20
S213045		10	3.42	10	0.58	120	88	0.09	3	980	83	3.90	29	9	25	<20
S213046		20	3.48	10	0.58	108	61	0.09	4	1150	81	5.80	66	10	26	<20
S213046D		20	3.51	10	0.57	109	63	0.09	4	1240	81	6.18	55	10	25	<20
S213047		20	3.15	10	0.66	162	68	0.23	4	1250	67	3.85	58	9	54	<20
S213048		20	1.09	30	1.81	897	5	2.72	15	3090	17	0.55	6	8	435	<20
S213049		20	3.72	10	0.60	127	42	0.10	4	820	39	3.74	21	10	40	<20
S213050		20	3.83	10	0.59	1415	9	0.21	19	930	151	2.87	20	11	196	<20
S213051		20	3.55	10	0.68	178	67	0.09	2	810	25	3.67	29	10	36	<20
S213052		20	3.88	10	0.64	138	30	0.10	3	900	22	3.88	36	11	37	<20
S213053		20	3.76	10	0.64	188	28	0.09	2	890	41	3.54	45	10	38	<20
S213054		20	3.38	10	0.64	140	175	0.09	2	810	30	3.31	36	9	33	<20
S213055		20	3.17	10	0.63	133	99	0.14	3	770	35	3.58	23	9	37	<20
S213056		20	3.68	10	0.69	139	41	0.09	2	850	52	3.63	33	10	36	<20
S213057		10	1.97	10	0.60	288	16	0.48	3	970	45	2.09	25	7	100	<20
S213058		20	1.68	30	1.40	741	3	1.94	11	2190	42	1.50	8	9	386	<20
S213059		20	3.60	10	0.51	149	141	0.11	3	860	57	4.41	56	11	39	<20
S213060		<10	0.01	<10	1.84	16	<1	<0.01	1	20	2	0.08	5	<1	5090	<20
S213061		20	3.97	10	0.63	132	44	0.10	2	940	41	3.82	15	12	40	<20
S213062		20	3.87	10	0.65	177	65	0.10	4	1350	47	4.23	24	10	46	<20
S213063		20	3.76	10	0.64	276	53	0.09	3	2040	79	5.23	48	10	39	<20
S213064		20	4.01	10	0.74	215	41	0.10	3	2520	47	4.45	29	11	41	<20
S213065		20	3.80	10	0.79	245	65	0.10	4	1430	42	4.45	69	10	38	<20
S213066		20	3.73	10	0.71	189	79	0.10	2	1140	40	3.64	63	10	39	<20
S213066D		20	3.54	10	0.69	181	72	0.10	4	1040	47	3.34	63	10	39	<20
S213067		20	3.53	10	0.61	192	61	0.09	3	1020	49	4.23	54	10	34	<20
S213068		20	3.63	10	0.62	207	56	0.10	3	820	57	3.57	100	10	33	<20
S213069		20	3.89	10	0.71	188	102	0.11	4	890	52	4.27	56	11	35	<20
S213070		10	3.71	10	0.48	1410	9	0.17	23	870	260	3.15	67	10	203	<20
S213071		20	3.01	10	0.59	443	58	0.08	2	780	76	4.48	65	9	37	<20
S213072		20	3.09	10	0.52	245	54	0.08	2	1510	77	3.82	60	9	35	<20
S213073		10	1.74	10	0.31	422	30	0.05	2	1240	63	2.01	24	5	35	<20
S213074		10	1.57	10	0.28	589	25	0.05	3	1180	57	1.77	19	4	59	<20
S213075		20	3.34	10	0.50	174	34	0.09	4	810	56	4.04	48	9	32	<20
S213076		20	3.24	10	0.51	166	33	0.09	3	1560	77	5.16	33	9	29	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213039		0.18	<10	<10	84	<10	158	
S213040		<0.01	<10	<10	1	<10	<2	
S213041		0.20	<10	<10	90	<10	163	
S213042		0.20	<10	<10	84	<10	177	
S213043		0.21	<10	<10	92	<10	156	
S213044		0.19	10	<10	83	<10	287	
S213045		0.18	<10	<10	83	<10	307	
S213046		0.16	<10	<10	89	<10	228	
S213046D		0.16	<10	<10	90	<10	234	
S213047		0.23	<10	<10	86	<10	137	
S213048		0.99	<10	<10	94	<10	165	
S213049		0.24	<10	<10	92	<10	109	
S213050		0.26	<10	<10	106	<10	511	
S213051		0.26	10	<10	91	<10	86	
S213052		0.26	10	<10	99	<10	75	
S213053		0.23	<10	<10	93	<10	102	
S213054		0.21	10	<10	85	<10	136	
S213055		0.21	<10	<10	81	<10	138	
S213056		0.25	<10	<10	93	<10	474	
S213057		0.28	<10	<10	67	<10	478	
S213058		0.74	<10	<10	95	<10	260	
S213059		0.23	<10	<10	100	<10	229	
S213060		<0.01	<10	<10	1	<10	<2	
S213061		0.31	<10	<10	112	<10	370	
S213062		0.19	<10	<10	93	<10	120	
S213063		0.19	<10	<10	95	<10	301	
S213064		0.20	<10	<10	100	<10	139	
S213065		0.19	<10	10	93	<10	166	
S213066		0.24	<10	<10	94	<10	398	
S213066D		0.22	<10	<10	90	<10	386	
S213067		0.21	<10	<10	87	<10	137	
S213068		0.18	<10	<10	90	<10	299	
S213069		0.22	10	<10	95	<10	143	
S213070		0.24	10	<10	101	<10	547	133
S213071		0.16	<10	<10	78	<10	224	
S213072		0.19	<10	<10	81	<10	398	
S213073		0.10	<10	<10	45	<10	488	
S213074		0.10	<10	<10	41	<10	436	
S213075		0.20	10	<10	83	<10	180	
S213076		0.15	<10	<10	84	<10	167	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213077		3.32	0.309		5.0	6.91	61	530	1.2	<2	0.48	2.5	10	8	64	3.60
S213078		3.63	1.040		9.1	6.15	222	790	1.1	<2	1.02	2.8	6	11	81	4.65
S213079		3.19	0.461		10.8	7.70	70	580	1.4	<2	0.25	1.6	8	8	166	3.37
S213080		0.73	<0.005		<0.5	0.05	<5	10	<0.5	5	33.4	<0.5	<1	1	2	0.04
S213081		2.38	0.450		5.1	6.98	51	650	1.3	<2	0.46	1.7	8	10	77	3.75
S213082		3.43	0.563		12.9	6.13	81	890	1.1	<2	1.08	5.6	10	10	115	3.90
S213083		2.68	0.289		4.7	7.58	43	650	1.3	<2	0.60	1.4	9	8	66	3.48
S213084		3.78	0.440		12.1	7.98	60	480	1.5	<2	0.32	1.8	11	9	121	3.99
S213085		3.59	0.281		22.1	7.34	59	630	1.3	<2	0.48	1.1	11	8	125	3.78
S213086		4.09	0.386		18.6	7.16	65	520	1.1	<2	0.26	1.4	11	12	88	3.87
S213086D		<0.02	0.431		16.6	7.01	69	570	1.0	<2	0.27	1.5	11	12	88	4.01
S213087		3.63	0.545		14.0	7.52	86	620	1.3	<2	0.25	1.0	11	8	119	3.60
S213088		3.56	0.510		10.8	7.44	88	480	1.4	<2	0.35	0.9	9	8	100	3.68
S213089		3.75	0.512		14.5	7.78	166	520	1.4	<2	0.28	1.1	11	8	157	5.59
S213090		0.13	5.51		77.6	6.28	302	1460	1.0	<2	1.99	22.3	12	23	116	4.87
S213091		3.35	0.560		17.0	6.77	117	800	1.2	<2	0.25	1.3	9	8	232	5.30
S213092		4.42	0.484		21.7	6.24	121	620	1.1	<2	0.42	1.1	10	10	109	3.62
S213093		2.84	0.478		10.7	5.11	85	800	0.9	<2	0.40	1.1	8	12	56	2.61
S213094		3.47	1.165		46.9	6.37	140	520	1.2	<2	0.29	0.8	8	10	117	3.74
S213095		3.51	0.525		14.6	7.54	105	450	1.4	<2	0.22	0.6	10	8	130	3.96
S213096		3.32	1.625		12.9	7.14	76	780	1.4	<2	0.26	0.5	10	8	74	3.33
S213097		3.25	0.828		12.0	6.55	68	640	1.2	<2	0.28	0.9	12	9	88	3.06
S213098		3.45	0.442		12.7	7.16	62	500	1.2	<2	0.22	2.6	12	7	93	3.54
S213099		3.76	0.494		12.3	7.51	106	470	1.3	<2	0.23	0.5	8	8	80	3.66
S213100		0.85	<0.005		<0.5	0.04	<5	10	<0.5	2	33.2	<0.5	<1	1	1	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213077		10	3.22	10	0.58	192	60	0.09	3	890	50	3.85	29	9	30	<20
S213078		10	2.81	10	0.47	209	85	0.08	3	2850	79	4.93	61	8	36	<20
S213079		20	3.61	10	0.62	131	40	0.10	4	810	22	3.63	59	10	32	<20
S213080		<10	0.01	<10	1.50	17	<1	<0.01	1	30	2	0.07	8	<1	5030	<20
S213081		10	3.22	10	0.54	182	32	0.09	3	790	40	3.88	30	9	34	<20
S213082		20	2.80	10	0.41	188	34	0.08	3	3500	50	4.10	67	9	35	<20
S213083		20	3.52	10	0.65	228	165	0.09	4	890	41	3.65	26	10	32	<20
S213084		20	3.75	10	0.86	232	45	0.10	4	840	38	4.13	47	10	34	<20
S213085		20	3.36	10	0.63	204	31	0.09	3	820	34	3.94	58	10	31	<20
S213086		20	3.35	10	0.51	110	24	0.09	3	990	62	4.13	42	9	26	<20
S213086D		10	3.24	10	0.50	128	38	0.09	3	1000	66	4.07	41	9	25	<20
S213087		20	3.52	10	0.61	132	51	0.10	3	820	45	3.79	53	10	32	<20
S213088		20	3.49	10	0.61	153	35	0.09	2	810	43	3.91	42	10	30	<20
S213089		20	3.58	10	0.65	152	21	0.09	3	1020	48	6.03	77	10	34	<20
S213090		10	3.63	10	0.49	1175	9	0.23	17	970	9030	3.07	75	12	149	<20
S213091		10	3.09	10	0.57	132	86	0.08	3	910	63	5.83	94	9	29	<20
S213092		10	2.83	10	0.52	182	23	0.08	3	890	46	3.80	57	8	35	<20
S213093		10	2.26	10	0.50	192	7	0.06	4	570	35	2.47	30	6	24	<20
S213094		10	2.87	10	0.65	164	19	0.08	3	810	30	3.86	60	8	32	<20
S213095		20	3.59	10	0.64	120	26	0.10	2	860	19	4.29	64	10	30	<20
S213096		20	3.31	10	0.64	143	34	0.09	3	830	24	3.44	41	9	31	<20
S213097		10	3.07	10	0.54	143	27	0.08	2	690	46	3.18	44	8	27	<20
S213098		20	3.40	10	0.51	110	29	0.09	4	900	75	3.83	33	9	26	<20
S213099		20	3.59	10	0.60	130	22	0.10	3	910	30	3.89	37	10	30	<20
S213100		<10	0.01	<10	1.65	18	<1	<0.01	<1	20	4	0.07	<5	<1	4570	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213077		0.19	<10	<10	81	<10	186	
S213078		0.17	10	<10	72	<10	180	
S213079		0.24	10	<10	92	<10	92	
S213080		<0.01	<10	<10	1	<10	<2	
S213081		0.20	<10	<10	82	<10	135	
S213082		0.15	10	<10	77	<10	377	
S213083		0.20	10	<10	91	<10	123	
S213084		0.25	<10	<10	95	<10	132	
S213085		0.21	<10	<10	86	<10	82	
S213086		0.20	<10	<10	84	<10	140	
S213086D		0.19	10	<10	81	<10	125	
S213087		0.23	<10	<10	91	<10	106	
S213088		0.21	10	<10	91	<10	107	
S213089		0.23	10	<10	96	<10	167	
S213090		0.26	10	<10	127	<10	1850	
S213091		0.19	10	<10	81	<10	236	
S213092		0.18	10	<10	74	<10	195	
S213093		0.14	<10	<10	59	<10	576	
S213094		0.17	<10	<10	77	<10	114	
S213095		0.24	10	<10	94	<10	76	
S213096		0.20	10	<10	85	<10	74	
S213097		0.19	10	<10	78	<10	103	
S213098		0.20	10	<10	82	<10	235	
S213099		0.22	10	<10	90	<10	61	
S213100		<0.01	<10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 23-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15154552

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

CERTIFICATE TR15156150

Project: Bowser Regional Exploration

P.O. No.: BOW-0125

This report is for 66 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA NATALIE SENGER	KENNETH MCNAUGHTON CAROLINE VALLAT	JOE OVSENEK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314751		3.12	<0.005		0.6	7.58	6	1990	0.8	2	4.22	<0.5	10	2	106	3.56
S314752		3.08	<0.005		<0.5	8.20	6	1980	1.0	4	4.50	<0.5	10	7	45	3.33
S314753		3.70	<0.005		<0.5	7.86	6	2080	1.1	4	4.11	<0.5	9	3	62	3.18
S314754		3.00	<0.005		<0.5	7.50	5	2000	0.9	2	5.37	<0.5	9	3	25	3.44
S314755		3.28	<0.005		<0.5	7.68	5	2670	0.9	<2	5.34	<0.5	9	1	16	3.84
S314756		3.29	<0.005		<0.5	7.80	5	2950	1.0	2	4.25	<0.5	10	2	2	3.94
S314757		2.81	<0.005		<0.5	7.88	5	4270	0.9	4	5.32	<0.5	8	2	2	3.61
S314758		3.03	<0.005		<0.5	7.65	5	4080	1.0	4	5.23	<0.5	8	1	6	3.40
S314759		3.19	<0.005		<0.5	8.07	6	4270	1.0	3	5.69	<0.5	10	1	35	4.40
S314760		0.66	<0.005		<0.5	0.05	<5	20	<0.5	<2	35.4	<0.5	<1	1	<1	0.03
S314761		3.51	<0.005		<0.5	7.58	5	3420	0.9	<2	6.66	<0.5	10	1	75	4.17
S314762		1.41	<0.005		<0.5	8.15	5	2810	0.9	4	5.77	<0.5	12	1	86	4.49
S314763		3.32	<0.005		<0.5	7.68	6	2650	0.9	4	5.22	<0.5	10	2	218	3.76
S314764		3.10	<0.005		<0.5	8.89	7	2360	1.1	5	1.65	<0.5	12	3	138	5.38
S314765		3.72	<0.005		<0.5	8.93	7	3860	1.2	2	1.96	<0.5	11	7	153	5.21
S314766		3.49	0.025		0.5	8.77	19	2180	1.2	2	1.18	<0.5	19	4	63	5.09
S314766D		<0.02	0.022		<0.5	8.53	20	2220	1.2	<2	1.28	<0.5	15	7	45	4.97
S314767		1.34	0.034		0.7	9.03	22	3010	1.5	5	0.29	<0.5	17	7	39	3.98
S314768		2.19	<0.005		<0.5	9.08	12	2410	1.2	2	0.85	<0.5	12	4	30	6.04
S314769		2.89	0.010		<0.5	9.48	6	2600	1.2	3	1.16	<0.5	12	3	15	6.96
S314770		0.12	0.905		12.9	5.86	308	710	1.0	2	3.55	4.3	10	28	83	3.96
S314771		2.33	<0.005		<0.5	9.20	<5	2950	1.3	3	1.32	<0.5	12	4	8	6.18
S314772		4.14	0.031		<0.5	9.35	8	3410	1.3	3	0.89	<0.5	8	4	3	5.41
S314773		3.37	<0.005		<0.5	8.48	6	2500	1.1	4	0.34	<0.5	8	4	4	5.38
S314774		3.50	<0.005		<0.5	9.39	10	2310	1.1	4	0.36	<0.5	12	3	10	7.08
S314775		2.90	0.020		<0.5	9.86	14	2160	1.3	3	0.39	<0.5	7	4	14	6.99
S314776		2.75	<0.005		<0.5	8.89	10	1680	0.9	3	0.35	<0.5	10	4	11	6.06
S314777		1.75	<0.005		<0.5	8.49	8	1480	0.7	3	0.25	<0.5	8	4	15	6.26
S314778		1.03	0.022		<0.5	10.50	30	2950	1.0	4	0.30	0.7	15	9	34	3.65
S314779		4.30	0.021		<0.5	11.45	37	2620	1.1	3	0.24	<0.5	10	16	27	1.58
S314780		0.61	<0.005		<0.5	0.05	<5	10	<0.5	2	35.2	<0.5	<1	2	1	0.04
S314781		2.40	0.029		<0.5	11.10	28	2310	1.0	6	0.27	<0.5	6	24	31	1.68
S314782		2.62	0.036		<0.5	0.55	15	100	<0.5	<2	0.08	<0.5	4	44	9	0.56
S314783		3.28	0.005		<0.5	0.45	21	80	<0.5	<2	0.07	<0.5	3	59	7	0.58
S314784		3.13	0.005		<0.5	0.51	30	230	<0.5	<2	0.06	<0.5	3	37	6	0.56
S314785		3.46	0.010		<0.5	0.97	2520	310	<0.5	<2	0.32	<0.5	9	45	32	1.96
S314786		3.40	0.008		<0.5	11.50	95	2640	1.0	<2	0.36	<0.5	12	15	25	1.17
S314786D		<0.02	0.007		<0.5	11.55	92	2660	1.0	4	0.37	<0.5	11	15	21	1.14
S314787		3.62	0.010		1.6	12.20	228	1810	0.9	2	0.17	<0.5	10	13	26	1.82
S314788		2.07	<0.005		<0.5	10.65	33	1840	0.7	3	0.15	<0.5	8	14	18	0.89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314751		20	1.61	10	1.69	1545	<1	0.26	2	1040	5	0.18	<5	9	411	<20
S314752		20	1.90	20	1.52	1610	1	0.33	3	1130	3	0.07	5	10	211	<20
S314753		20	1.97	10	1.43	1585	<1	0.35	1	1150	4	0.01	<5	9	227	<20
S314754		20	1.74	10	1.45	1925	<1	0.29	<1	1040	5	0.01	<5	9	222	<20
S314755		20	1.77	10	1.55	1935	<1	0.28	1	1060	3	0.19	5	9	320	<20
S314756		20	2.02	10	1.42	1735	<1	0.32	1	1190	2	0.23	<5	9	252	<20
S314757		20	2.03	20	1.31	1825	<1	0.28	<1	1100	<2	0.27	<5	9	391	<20
S314758		20	2.27	20	1.18	1720	<1	0.32	1	1200	<2	0.23	<5	9	371	<20
S314759		20	2.06	10	1.60	2030	<1	0.31	2	1240	2	0.19	5	9	468	<20
S314760		<10	0.01	<10	1.48	19	<1	<0.01	<1	30	<2	0.09	<5	<1	5150	<20
S314761		20	1.98	10	1.48	2280	<1	0.29	1	1160	4	0.06	5	9	454	<20
S314762		20	2.04	10	1.62	2210	<1	0.31	<1	1200	<2	0.06	<5	9	246	<20
S314763		20	2.00	10	1.31	2060	1	0.30	1	1090	2	0.03	<5	9	214	<20
S314764		20	1.90	10	1.90	1350	<1	0.32	2	1100	<2	0.02	<5	14	159	<20
S314765		20	1.89	10	1.62	1345	<1	0.39	3	1470	<2	0.06	<5	15	288	<20
S314766		20	1.91	10	1.20	1150	10	0.43	3	1050	26	0.02	7	13	198	<20
S314766D		20	1.92	10	1.17	1175	9	0.43	3	1120	25	0.02	5	13	202	<20
S314767		20	2.47	10	0.92	678	<1	0.52	4	1000	18	0.01	7	15	206	<20
S314768		20	1.92	10	1.36	1290	<1	0.42	2	1100	18	0.01	5	14	201	<20
S314769		20	1.93	10	1.56	1600	<1	0.41	1	1350	10	0.01	7	14	206	<20
S314770		10	3.80	10	0.54	1370	8	0.20	19	900	139	2.78	23	10	190	<20
S314771		20	2.10	10	1.25	1495	<1	0.44	<1	1320	20	0.27	<5	14	209	<20
S314772		20	2.32	10	1.05	1190	<1	0.45	3	1340	26	0.25	5	14	218	<20
S314773		20	1.94	10	0.91	865	<1	0.41	1	1270	6	0.26	<5	13	175	<20
S314774		20	1.96	<10	0.97	938	1	0.51	1	1550	5	0.25	<5	13	205	<20
S314775		20	1.99	<10	0.76	828	1	0.76	1	1790	2	0.01	<5	13	298	<20
S314776		20	1.59	<10	0.62	676	<1	0.65	2	1450	6	0.26	<5	13	266	<20
S314777		20	1.58	10	0.59	661	<1	0.55	1	980	5	0.26	<5	13	224	<20
S314778		30	2.83	10	0.29	313	1	0.87	4	1180	52	0.91	6	17	312	<20
S314779		50	3.23	10	0.12	118	2	1.39	6	670	11	0.82	7	16	470	<20
S314780		<10	0.01	<10	1.74	19	<1	<0.01	<1	30	<2	0.06	<5	<1	5170	<20
S314781		40	2.86	10	0.05	31	<1	1.30	4	690	10	1.73	7	13	455	<20
S314782		<10	0.07	10	0.01	48	2	0.07	3	140	5	0.18	<5	3	39	<20
S314783		<10	0.05	10	0.02	64	1	0.05	2	90	3	0.12	<5	2	32	<20
S314784		<10	0.07	10	0.01	46	1	0.06	1	210	4	0.19	<5	3	33	<20
S314785		10	0.07	20	0.07	165	2	0.08	3	1340	24	0.83	<5	8	53	20
S314786		80	3.02	10	0.04	29	1	1.12	10	1490	20	1.12	5	6	361	<20
S314786D		80	3.02	10	0.03	28	<1	1.13	8	1500	19	1.06	9	6	359	<20
S314787		60	2.72	<10	0.03	13	<1	0.90	7	610	25	2.14	10	3	255	<20
S314788		40	2.31	20	0.02	22	2	0.60	6	690	18	0.90	9	4	161	20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314751		0.31	<10	<10	43	<10	86	
S314752		0.33	<10	10	53	<10	76	
S314753		0.34	<10	<10	59	<10	69	
S314754		0.31	<10	<10	62	<10	73	
S314755		0.31	<10	<10	62	<10	80	
S314756		0.36	<10	<10	77	<10	79	
S314757		0.33	<10	<10	91	<10	67	
S314758		0.36	<10	<10	149	<10	66	
S314759		0.38	10	<10	177	<10	91	
S314760		<0.01	<10	<10	1	<10	<2	
S314761		0.34	<10	<10	173	<10	87	
S314762		0.36	<10	<10	181	<10	95	
S314763		0.33	<10	<10	184	<10	76	
S314764		0.49	<10	<10	290	<10	113	
S314765		0.49	<10	<10	232	<10	107	
S314766		0.42	<10	<10	125	<10	100	
S314766D		0.44	<10	<10	126	<10	100	
S314767		0.47	<10	<10	143	<10	81	
S314768		0.47	<10	<10	120	<10	120	
S314769		0.49	<10	<10	115	<10	142	
S314770		0.26	<10	<10	103	<10	485	
S314771		0.51	<10	<10	122	<10	118	
S314772		0.45	<10	<10	131	<10	103	
S314773		0.42	<10	<10	122	<10	107	
S314774		0.49	<10	<10	141	<10	150	
S314775		0.53	<10	<10	149	<10	147	
S314776		0.45	<10	<10	123	<10	117	
S314777		0.42	<10	<10	122	<10	115	
S314778		0.57	<10	<10	171	<10	103	
S314779		0.62	<10	<10	175	<10	21	
S314780		<0.01	<10	<10	1	<10	2	
S314781		0.94	<10	<10	137	10	11	
S314782		0.54	<10	<10	25	<10	4	
S314783		0.40	<10	<10	21	<10	2	
S314784		0.45	<10	<10	24	<10	12	
S314785		1.46	<10	20	84	10	16	
S314786		0.64	<10	10	139	<10	11	
S314786D		0.60	<10	10	139	<10	6	
S314787		0.28	<10	<10	99	<10	25	
S314788		0.44	<10	<10	93	<10	25	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314789		2.24	<0.005		<0.5	10.85	47	810	0.7	2	0.06	<0.5	14	13	25	2.71
S314790		0.12	>10.0	11.10	>100	5.97	379	1340	1.0	<2	3.84	4.6	11	32	145	3.80
S314791		4.32	0.005		0.7	11.65	78	2110	0.9	4	0.10	<0.5	16	8	32	2.26
S314792		1.08	<0.005		<0.5	2.87	12	600	<0.5	<2	0.04	<0.5	7	25	5	0.81
S314793		2.81	<0.005		<0.5	10.10	16	2420	0.8	3	0.30	<0.5	10	9	15	4.51
S314794		2.58	<0.005		<0.5	10.85	13	2540	0.9	2	0.07	<0.5	8	8	19	5.44
S314795		3.44	<0.005		<0.5	10.55	12	2410	0.9	4	0.14	<0.5	13	8	20	5.14
S314796		2.74	<0.005		<0.5	10.15	11	2300	0.8	<2	0.11	<0.5	10	7	17	5.40
S314797		1.88	<0.005		<0.5	11.65	20	2850	1.3	5	0.10	<0.5	11	8	29	5.03
S314798		2.82	0.009		<0.5	11.25	22	2550	1.7	4	0.16	<0.5	14	11	21	4.77
S314799		3.19	0.031		<0.5	10.55	18	2320	1.7	5	0.16	<0.5	9	21	22	5.71
S314800		0.75	<0.005		<0.5	0.07	<5	10	<0.5	<2	35.5	<0.5	<1	1	<1	0.04
S314801		2.38	0.028		<0.5	9.85	22	2090	1.4	4	0.19	<0.5	10	20	23	5.59
S314802		2.54	0.088		<0.5	9.45	26	2180	1.2	4	0.18	<0.5	14	10	23	6.02
S314803		2.90	0.025		<0.5	9.83	25	2330	1.3	5	0.22	<0.5	14	9	17	6.35
S314804		3.19	0.031		<0.5	9.86	46	210	1.5	3	0.17	0.6	15	8	23	5.64
S314805		2.91	1.360		1.1	9.14	23	280	1.5	3	0.07	<0.5	8	8	21	4.05
S314806		3.28	0.589		2.6	8.61	46	450	1.3	3	0.18	<0.5	2	8	12	3.68
S314806D		<0.02	0.548		2.2	8.43	47	480	1.3	3	0.15	<0.5	1	9	11	3.66
S314807		3.42	0.429		2.1	7.62	38	610	1.0	4	0.15	<0.5	1	18	9	3.92
S314808		3.37	0.169		1.9	8.05	75	380	1.0	5	0.31	<0.5	1	11	131	6.67
S314809		3.08	0.215		1.1	8.81	95	250	1.2	3	0.11	0.5	8	10	21	6.25
S314810		0.12	5.79		83.2	6.22	295	1370	1.0	4	1.98	22.4	11	24	118	4.85
S314811		2.76	0.009		<0.5	10.35	17	2940	1.2	3	0.14	<0.5	8	7	9	5.62
S314812		3.15	0.005		<0.5	9.34	16	2440	1.1	6	0.19	<0.5	11	5	11	5.93
S314813		3.25	0.015		<0.5	9.90	34	2580	1.0	3	0.28	<0.5	19	5	15	6.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314789		40	2.27	<10	0.02	10	8	0.63	5	120	24	3.28	8	8	158	<20
S314790		10	3.66	10	0.48	1365	8	0.16	20	840	248	3.04	61	10	204	<20
S314791		30	2.93	10	0.03	23	2	0.82	3	280	31	2.66	9	36	235	<20
S314792		10	0.73	10	0.04	75	2	0.19	1	110	5	0.16	<5	9	70	20
S314793		40	2.73	10	0.29	324	<1	0.59	3	1380	8	0.60	<5	14	189	<20
S314794		30	2.99	<10	0.33	415	<1	0.62	3	260	<2	0.33	<5	16	182	<20
S314795		20	2.86	10	0.32	410	<1	0.56	3	560	<2	0.32	<5	16	167	<20
S314796		20	2.67	10	0.33	417	<1	0.52	3	430	2	0.48	<5	16	162	<20
S314797		20	3.36	<10	0.32	406	<1	0.74	3	380	3	0.33	<5	17	195	<20
S314798		20	3.08	10	0.41	438	<1	0.72	6	630	11	0.76	5	12	192	<20
S314799		20	2.75	<10	0.49	528	<1	0.61	4	640	13	0.84	9	17	176	<20
S314800		<10	0.01	<10	1.77	19	<1	<0.01	<1	40	<2	0.06	<5	<1	5130	<20
S314801		20	2.53	10	0.51	570	<1	0.49	4	540	14	0.61	<5	16	139	<20
S314802		20	2.47	10	0.54	581	<1	0.40	4	620	8	0.62	<5	13	127	<20
S314803		20	2.59	10	0.53	553	<1	0.42	4	770	12	1.21	6	13	145	<20
S314804		20	3.54	10	0.14	127	1	0.50	2	740	32	5.21	8	14	148	<20
S314805		20	3.22	10	0.17	116	<1	0.50	3	230	55	3.62	7	14	160	<20
S314806		20	3.00	10	0.27	179	1	0.42	<1	780	129	2.75	8	12	141	<20
S314806D		20	2.87	20	0.27	192	<1	0.41	2	600	122	2.54	6	11	138	<20
S314807		20	2.35	10	0.35	314	8	0.31	<1	520	217	2.26	<5	10	104	<20
S314808		20	2.45	10	0.56	479	2	0.29	1	1370	183	3.85	6	11	101	<20
S314809		20	2.99	10	0.31	286	1	0.37	3	440	93	4.68	10	13	124	<20
S314810		10	3.68	10	0.49	1185	9	0.23	16	980	8670	3.01	77	12	147	<20
S314811		20	3.05	10	0.67	668	<1	0.39	3	630	16	0.58	5	12	140	<20
S314812		20	2.62	<10	0.63	636	<1	0.33	2	900	5	0.54	<5	11	114	<20
S314813		20	3.11	20	0.58	579	<1	0.30	4	1330	29	1.75	5	12	103	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S314789		0.26	<10	<10	116	<10	7	
S314790		0.24	<10	<10	98	10	514	142
S314791		0.43	<10	<10	236	<10	5	
S314792		0.42	<10	<10	43	<10	42	
S314793		0.36	<10	<10	179	<10	147	
S314794		0.49	<10	<10	142	<10	103	
S314795		0.43	<10	<10	126	<10	111	
S314796		0.44	<10	<10	141	<10	107	
S314797		0.49	<10	<10	195	<10	113	
S314798		0.36	10	<10	111	<10	99	
S314799		0.48	<10	<10	143	<10	130	
S314800		<0.01	<10	<10	1	<10	<2	
S314801		0.49	<10	<10	139	<10	122	
S314802		0.39	10	<10	129	<10	126	
S314803		0.38	<10	<10	125	<10	131	
S314804		0.42	<10	<10	124	<10	58	
S314805		0.40	<10	<10	109	<10	36	
S314806		0.38	<10	<10	134	<10	42	
S314806D		0.36	<10	<10	129	<10	39	
S314807		0.31	<10	<10	97	<10	55	
S314808		0.31	10	<10	118	<10	74	
S314809		0.37	<10	<10	111	<10	64	
S314810		0.26	10	<10	121	<10	1840	
S314811		0.40	<10	<10	113	<10	117	
S314812		0.35	<10	<10	101	<10	131	
S314813		0.38	<10	<10	115	<10	114	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 24-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156150

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

CERTIFICATE TR15156174

Project: Bowser Regional Exploration

P.O. No.: BOW-0128

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 12-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213101		3.60	0.371		16.6	6.44	71	450	1.0	<2	0.23	2.2	10	7	95	2.89
S213102		1.97	0.257		16.7	6.80	53	800	1.2	3	0.19	0.7	8	7	96	2.50
S213103		4.10	0.657		31.3	4.88	168	180	0.9	<2	0.43	0.9	6	10	120	3.91
S213104		3.59	0.335		14.7	6.96	74	500	1.3	2	0.25	1.2	10	9	90	3.15
S213105		2.41	0.457		14.7	6.84	115	640	1.3	<2	0.24	1.5	8	8	124	2.87
S213106		2.79	0.175		7.7	6.32	60	210	1.1	<2	0.64	2.0	6	7	105	2.69
S213106D		<0.02	0.183		7.2	6.42	61	250	1.1	<2	0.71	2.3	6	8	91	2.73
S213107		3.15	0.307		9.8	6.89	61	170	0.9	3	0.40	1.9	10	7	165	4.36
S213108		3.47	0.346		9.8	7.42	55	340	1.1	<2	0.76	3.1	9	8	160	3.53
S213109		3.75	0.314		12.1	7.23	85	240	1.2	2	0.67	2.6	9	7	259	3.55
S213110		0.11	>10.0	18.55	21.3	6.74	767	210	1.3	2	2.86	1.7	20	114	139	4.99
S213111		3.75	0.241		8.7	7.14	48	220	1.1	<2	0.35	4.1	8	8	146	3.44
S213112		3.66	0.245		7.2	6.63	50	180	1.1	2	0.32	2.0	9	10	127	3.98
S213113		3.53	0.255		15.0	6.85	57	310	1.2	<2	0.25	2.9	7	8	143	3.31
S213114		3.56	0.226		16.6	6.96	50	220	1.2	2	0.21	2.9	8	8	139	2.96
S213115		3.53	0.584		25.0	5.43	51	660	1.0	3	0.26	2.0	5	11	120	2.17
S213116		3.11	0.232		9.5	5.76	38	460	1.0	<2	0.27	1.9	8	11	88	2.72
S213117		3.68	0.182		15.3	5.81	56	400	1.0	<2	0.22	2.0	7	9	130	2.80
S213118		3.59	0.235		11.9	7.47	58	440	1.3	2	0.25	2.3	9	9	138	3.17
S213119		3.61	0.203		13.5	6.76	49	330	1.2	2	0.24	1.7	9	8	134	3.17
S213120		0.64	<0.005		<0.5	0.05	6	10	<0.5	<2	32.6	<0.5	<1	1	<1	0.03
S213121		4.68	0.291		27.2	7.13	70	390	1.3	2	0.46	2.2	8	9	180	3.12
S213122		3.91	0.260		13.0	6.94	45	330	1.2	<2	0.71	1.2	10	8	105	3.27
S213123		1.33	0.043		1.2	8.25	76	990	1.8	<2	3.89	<0.5	21	24	30	5.87
S213124		3.60	0.235		8.9	5.77	38	420	0.9	<2	0.42	1.4	7	11	72	3.10
S213125		3.38	0.226		2.4	6.83	22	310	1.0	<2	0.23	0.6	8	8	61	3.02
S213126		3.85	0.323		6.2	7.08	50	190	1.1	3	0.26	1.1	12	8	121	4.17
S213126D		<0.02	0.317		5.9	6.87	49	210	1.0	<2	0.24	1.0	12	8	114	4.30
S213127		3.72	0.301		9.2	6.88	54	200	1.1	3	0.29	0.7	10	9	130	3.69
S213128		3.46	0.655		36.7	5.53	59	280	0.7	<2	0.18	1.1	9	15	148	3.06
S213129		3.79	0.303		10.6	7.18	36	140	1.2	4	0.30	0.9	9	9	70	3.67
S213130		0.13	0.931		12.1	5.98	302	420	1.0	<2	3.62	4.4	11	27	85	3.86
S213131		3.73	0.437		11.3	7.05	46	140	1.3	<2	0.39	0.8	11	8	95	4.25
S213132		3.39	0.295		8.6	6.95	34	520	1.1	2	0.45	0.8	8	10	76	2.86
S213133		3.62	0.413		12.6	7.72	50	180	1.3	<2	0.35	0.5	11	8	89	4.02
S213134		3.60	0.397		14.3	7.15	38	240	1.2	<2	0.45	1.0	9	8	60	3.58
S213135		3.55	0.260		14.0	6.32	29	530	1.0	<2	0.90	1.0	5	13	61	2.28
S213136		3.53	0.404		20.1	7.58	42	200	1.3	<2	0.33	1.1	11	8	90	3.88
S213137		3.49	0.410		14.8	6.97	38	220	1.1	3	0.79	1.0	9	9	57	3.41
S213138		3.81	0.599		14.5	7.66	33	220	1.3	4	0.40	1.8	10	6	68	3.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213101		10	3.01	10	0.49	114	48	0.09	5	940	50	3.14	45	9	29	<20
S213102		10	3.28	10	0.57	124	38	0.09	4	740	25	2.81	46	8	28	<20
S213103		10	2.18	10	0.46	153	59	0.06	2	1360	43	4.38	100	6	34	<20
S213104		20	3.26	10	0.59	143	42	0.09	2	780	30	3.51	38	9	37	<20
S213105		10	3.19	10	0.61	135	33	0.09	3	780	35	3.22	52	9	32	<20
S213106		10	2.83	10	0.48	257	25	0.08	3	640	28	2.88	19	8	75	<20
S213106D		10	2.81	10	0.47	262	20	0.08	1	660	29	2.99	23	8	84	<20
S213107		20	3.29	10	0.47	165	43	0.09	3	750	39	4.96	48	9	31	<20
S213108		10	3.54	10	0.52	288	38	0.10	2	760	29	3.95	36	9	37	<20
S213109		10	3.40	10	0.73	301	78	0.09	3	760	35	4.04	66	9	37	<20
S213110		20	3.03	10	0.68	1040	7	0.16	70	1690	62	4.25	21	18	186	<20
S213111		20	3.43	10	0.56	162	56	0.10	2	780	35	3.93	39	9	33	<20
S213112		10	3.11	10	0.51	157	75	0.09	3	690	37	4.40	32	8	32	<20
S213113		10	3.21	10	0.53	129	114	0.09	2	710	35	3.69	43	9	32	<20
S213114		20	3.28	10	0.54	115	34	0.09	4	750	44	3.36	46	9	125	<20
S213115		10	2.51	10	0.48	142	53	0.07	2	650	55	2.23	46	7	33	<20
S213116		10	2.69	10	0.51	141	26	0.08	3	780	40	2.94	27	7	30	<20
S213117		10	2.74	10	0.47	114	40	0.08	1	620	41	3.09	40	8	28	<20
S213118		10	3.60	10	0.60	129	18	0.10	2	800	29	3.52	33	9	36	<20
S213119		20	3.24	10	0.55	120	55	0.09	2	750	27	3.55	36	9	31	<20
S213120		<10	0.01	<10	1.59	21	<1	<0.01	<1	40	2	0.08	<5	<1	5210	<20
S213121		20	3.41	10	0.51	164	221	0.10	2	730	33	3.45	46	9	58	<20
S213122		10	3.23	10	0.54	216	35	0.10	3	800	27	3.39	25	9	70	<20
S213123		20	1.00	40	1.79	872	7	3.13	15	3210	14	0.63	11	9	938	<20
S213124		10	2.61	10	0.45	150	63	0.18	2	760	48	3.14	24	7	58	<20
S213125		10	3.32	10	0.47	105	58	0.09	3	700	23	3.32	15	9	28	<20
S213126		20	3.39	10	0.49	103	47	0.10	2	830	21	4.73	30	9	32	<20
S213126D		10	3.24	10	0.45	104	43	0.09	4	780	24	4.80	30	9	30	<20
S213127		20	3.28	10	0.45	120	49	0.10	2	790	18	4.09	28	10	32	<20
S213128		10	2.60	10	0.32	80	78	0.08	2	640	22	3.35	42	7	22	<20
S213129		20	3.44	10	0.50	126	44	0.10	3	910	24	4.01	24	9	54	<20
S213130		10	3.75	10	0.54	1400	10	0.21	20	920	147	2.86	23	11	194	<20
S213131		20	3.33	10	0.51	148	42	0.10	2	910	23	4.74	24	9	41	<20
S213132		10	3.29	10	0.48	155	19	0.10	<1	900	25	3.16	24	9	35	<20
S213133		20	3.68	10	0.54	142	29	0.11	3	980	25	4.48	30	10	38	<20
S213134		20	3.40	10	0.48	153	52	0.10	2	890	26	3.98	18	9	38	<20
S213135		10	2.84	10	0.48	258	40	0.09	1	660	26	2.45	16	7	42	<20
S213136		20	3.56	10	0.57	150	40	0.10	1	930	20	4.28	34	10	38	<20
S213137		20	3.21	10	0.52	239	32	0.09	1	830	20	3.68	22	9	50	<20
S213138		20	3.56	10	0.56	164	57	0.10	2	970	35	4.20	25	11	39	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213101		0.16	10	<10	78	<10	202	
S213102		0.20	<10	<10	80	<10	67	
S213103		0.13	10	<10	57	<10	74	
S213104		0.23	10	<10	79	<10	136	
S213105		0.22	10	<10	81	10	135	
S213106		0.20	10	<10	77	<10	133	
S213106D		0.20	10	<10	79	<10	146	
S213107		0.21	10	<10	86	<10	77	
S213108		0.24	<10	<10	88	<10	107	
S213109		0.24	<10	<10	88	<10	107	
S213110		0.37	<10	<10	185	10	214	
S213111		0.23	<10	<10	86	<10	167	
S213112		0.24	10	<10	81	<10	95	
S213113		0.22	10	<10	81	<10	161	
S213114		0.22	10	<10	83	<10	167	
S213115		0.16	10	<10	61	<10	115	
S213116		0.19	10	<10	72	<10	124	
S213117		0.18	10	<10	74	<10	118	
S213118		0.24	10	<10	86	<10	112	
S213119		0.22	<10	<10	86	<10	92	
S213120		<0.01	<10	<10	1	<10	<2	
S213121		0.24	10	<10	88	<10	132	
S213122		0.23	10	<10	86	<10	62	
S213123		1.08	<10	<10	103	<10	133	
S213124		0.21	10	<10	71	<10	88	
S213125		0.21	<10	<10	85	<10	52	
S213126		0.23	<10	<10	90	<10	68	
S213126D		0.22	10	<10	87	<10	64	
S213127		0.24	<10	<10	98	<10	44	
S213128		0.17	10	<10	74	<10	55	
S213129		0.23	10	<10	91	<10	61	
S213130		0.25	10	<10	105	10	473	
S213131		0.24	10	<10	89	<10	47	
S213132		0.23	10	<10	87	<10	57	
S213133		0.27	<10	<10	102	<10	48	
S213134		0.26	10	<10	96	<10	74	
S213135		0.20	10	<10	77	<10	66	
S213136		0.29	10	<10	104	10	67	
S213137		0.26	10	<10	100	<10	74	
S213138		0.31	10	<10	116	<10	131	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213139		3.89	0.496		16.8	6.98	49	190	1.2	4	0.49	3.8	11	8	83	3.82
S213140		0.53	0.006		<0.5	0.07	<5	10	<0.5	<2	32.6	<0.5	<1	1	<1	0.05
S213141		3.50	0.360		16.1	7.33	61	160	1.3	<2	0.37	15.2	9	6	104	4.00
S213142		3.31	0.294		8.4	6.68	34	240	1.3	<2	0.31	1.6	11	11	31	3.20
S213143		2.99	0.434		30.6	5.66	65	240	1.0	2	0.60	2.1	7	13	127	3.05
S213144		2.94	0.520		14.8	7.65	55	180	1.3	<2	0.32	3.5	11	9	113	4.35
S213145		3.85	0.311		10.5	6.38	47	270	0.9	2	0.32	9.5	7	12	89	2.98
S213146		3.57	0.397		10.5	7.83	53	440	1.3	3	0.25	3.2	7	9	150	3.01
S213146D		<0.02	0.470		10.9	7.92	58	430	1.3	<2	0.25	3.8	8	9	156	3.17
S213147		3.27	0.362		7.0	7.31	47	320	1.1	2	0.38	7.4	12	9	105	3.27
S213148		3.75	0.295		5.2	7.71	49	300	1.3	<2	0.31	10.5	13	8	100	3.35
S213149		3.79	0.307		8.9	8.25	57	420	1.4	<2	0.32	4.0	7	8	142	3.41
S213150		0.12	>10.0	10.55	>100	5.50	368	430	0.9	<2	3.68	4.3	12	31	145	3.56
S213151		3.65	0.297		7.3	7.38	39	300	1.2	6	0.27	3.2	7	9	65	3.24
S213152		3.00	0.374		15.9	7.20	44	250	1.2	2	0.24	3.4	9	8	102	3.28
S213153		3.48	0.333		15.7	7.26	64	210	1.2	4	0.28	6.0	10	8	105	3.43
S213154		3.84	0.207		7.5	7.23	33	200	1.2	3	0.26	7.6	9	9	46	3.31
S213155		2.88	0.600		>100	6.21	74	240	1.0	<2	0.45	8.4	9	12	178	2.73
S213156		3.73	0.500		47.9	3.77	47	290	0.7	<2	0.62	3.0	5	17	77	2.24
S213157		3.31	0.471		12.3	4.72	64	540	0.7	<2	0.24	1.0	6	13	60	3.43
S213158		3.74	0.269		16.5	4.37	50	470	0.8	<2	0.36	1.0	8	11	94	2.62
S213159		3.73	0.471		20.1	5.05	66	270	1.0	<2	0.50	1.5	7	15	122	2.98
S213160		0.61	<0.005		<0.5	0.04	<5	20	<0.5	3	32.4	<0.5	<1	1	<1	0.04
S213161		3.50	0.418		14.9	7.25	52	260	1.3	<2	0.88	0.7	9	9	101	3.78
S213162		3.15	0.449		17.2	7.25	72	760	1.4	2	1.22	1.3	11	8	119	3.68
S213163		4.16	0.508		15.4	7.87	66	160	1.5	2	0.63	2.0	10	8	150	3.84
S213164		3.34	0.506		10.9	7.06	59	530	1.2	4	1.05	1.0	10	7	143	3.71
S213165		3.43	0.402		5.2	7.92	63	200	1.2	4	0.75	3.9	11	8	76	4.02
S213166		3.48	0.402		5.4	7.75	45	230	1.2	<2	0.84	2.4	10	8	76	3.64
S213166D		<0.02	0.371		5.0	7.48	44	280	1.2	6	0.91	2.0	10	7	72	3.44
S213167		3.61	0.402		2.4	7.47	36	950	1.1	<2	1.31	1.8	10	8	35	3.77
S213168		3.33	0.625		5.4	8.17	36	320	1.4	<2	1.15	0.8	10	7	69	4.30
S213169		3.42	0.471		4.6	6.67	32	770	1.1	3	1.05	1.1	9	8	55	3.05
S213170		0.13	5.61		78.9	6.15	288	750	0.9	5	1.94	22.4	11	23	118	4.58
S213171		3.33	0.327		6.6	6.76	52	400	1.2	<2	0.40	1.2	11	9	69	3.07
S213172		3.74	0.357		9.4	7.73	53	220	1.4	2	0.36	1.8	10	9	89	3.53
S213173		3.62	0.936		6.1	6.46	41	400	1.2	<2	0.66	0.8	7	11	51	2.43
S213174		2.96	0.181		3.5	5.77	29	480	1.1	3	0.57	1.5	7	11	26	2.51
S213175		1.99	0.193		4.4	6.57	29	280	1.2	<2	0.37	1.4	6	9	30	3.09
S213176		2.83	0.197		5.0	5.79	27	190	1.0	3	0.35	1.6	6	10	40	2.54

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213139		20	3.25	10	0.54	200	39	0.09	3	940	53	4.19	29	10	39	<20
S213140		<10	0.02	<10	1.66	20	<1	<0.01	<1	40	<2	0.07	<5	<1	4990	<20
S213141		20	3.36	10	0.62	166	45	0.10	2	950	61	4.59	41	10	47	<20
S213142		10	3.05	10	0.50	140	28	0.09	2	870	24	3.41	16	9	39	<20
S213143		10	2.59	10	0.40	187	14	0.08	1	700	33	3.25	50	8	32	<20
S213144		20	3.57	10	0.52	131	15	0.10	3	880	41	4.91	43	11	35	<20
S213145		10	3.00	10	0.42	151	87	0.08	2	900	49	3.17	29	9	28	<20
S213146		20	3.69	10	0.55	116	28	0.11	3	840	22	3.36	45	10	37	<20
S213146D		20	3.75	10	0.55	114	27	0.11	2	870	23	3.56	45	10	37	<20
S213147		20	3.40	10	0.47	157	349	0.10	5	780	38	3.55	30	10	34	<20
S213148		20	3.55	10	0.59	158	27	0.10	4	840	24	3.75	26	10	40	<20
S213149		20	3.87	10	0.61	144	56	0.11	4	980	23	3.86	40	11	42	<20
S213150		10	3.44	10	0.43	1360	9	0.16	21	820	240	2.98	60	10	196	<20
S213151		10	3.42	10	0.57	139	24	0.10	4	820	26	3.57	22	10	47	<20
S213152		10	3.38	10	0.51	119	20	0.10	3	770	18	3.64	43	10	35	<20
S213153		20	3.41	10	0.52	121	29	0.10	4	840	21	3.88	43	10	34	<20
S213154		20	3.40	10	0.44	113	13	0.10	3	770	28	3.67	17	9	53	<20
S213155		10	2.90	10	0.40	178	28	0.08	1	650	103	2.98	75	8	54	<20
S213156		10	1.56	<10	0.36	266	31	0.05	3	360	52	2.22	31	5	417	<20
S213157		10	2.15	<10	0.27	107	48	0.06	1	530	37	3.61	25	7	243	<20
S213158		10	1.97	<10	0.28	93	29	0.06	2	440	29	2.83	34	6	310	<20
S213159		10	2.30	<10	0.30	157	44	0.07	2	530	24	3.16	41	7	49	<20
S213160		<10	0.01	<10	1.84	19	1	<0.01	<1	30	<2	0.08	<5	<1	4680	<20
S213161		20	3.35	10	0.48	229	44	0.09	3	750	18	4.21	36	9	38	<20
S213162		20	3.29	10	0.57	338	34	0.09	<1	740	19	4.04	39	9	43	<20
S213163		20	3.64	10	0.63	214	54	0.10	3	840	28	4.26	47	10	41	<20
S213164		20	3.21	10	0.49	286	38	0.08	2	730	19	4.13	45	9	38	<20
S213165		20	3.75	10	0.51	237	76	0.10	3	790	33	4.46	20	11	36	<20
S213166		20	3.59	10	0.56	272	91	0.10	3	780	20	3.97	25	10	38	<20
S213166D		10	3.45	10	0.54	278	142	0.09	4	740	21	3.80	18	10	38	<20
S213167		10	3.43	10	0.46	363	71	0.09	2	760	27	4.10	14	10	41	<20
S213168		20	3.78	10	0.65	342	33	0.10	4	800	28	4.76	20	11	44	<20
S213169		10	3.04	10	0.46	282	34	0.08	3	700	17	3.37	17	8	39	<20
S213170		10	3.60	10	0.47	1180	10	0.22	16	970	8440	3.02	73	12	148	<20
S213171		10	3.14	10	0.48	151	146	0.09	2	790	25	3.34	24	9	31	<20
S213172		20	3.67	10	0.54	145	44	0.10	3	830	24	3.82	33	11	49	<20
S213173		10	3.03	10	0.57	242	43	0.09	2	690	19	2.61	19	9	39	<20
S213174		10	2.69	10	0.49	218	262	0.07	1	620	20	2.65	10	8	30	<20
S213175		10	3.18	10	0.45	145	58	0.09	3	700	21	3.35	11	9	31	<20
S213176		10	2.71	10	0.43	149	35	0.08	2	620	20	2.77	12	8	68	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213139		0.28	10	<10	106	<10	228	
S213140		<0.01	<10	<10	1	<10	<2	
S213141		0.29	10	<10	105	<10	1015	
S213142		0.27	<10	<10	92	<10	122	
S213143		0.21	<10	<10	79	<10	117	
S213144		0.27	10	<10	104	<10	212	
S213145		0.25	<10	<10	80	<10	617	
S213146		0.27	<10	<10	94	<10	244	
S213146D		0.27	10	<10	96	<10	265	
S213147		0.24	10	<10	91	<10	350	
S213148		0.25	<10	<10	93	<10	532	
S213149		0.29	10	<10	98	<10	157	
S213150		0.23	10	<10	96	<10	492	134
S213151		0.25	10	<10	91	<10	130	
S213152		0.24	10	<10	90	<10	135	
S213153		0.24	10	<10	93	<10	245	
S213154		0.24	10	<10	86	<10	417	
S213155		0.22	10	<10	78	<10	570	114
S213156		0.12	<10	<10	46	<10	204	
S213157		0.15	<10	<10	61	<10	59	
S213158		0.14	10	<10	51	<10	40	
S213159		0.18	10	<10	65	<10	98	
S213160		<0.01	<10	<10	1	<10	2	
S213161		0.23	10	<10	86	<10	58	
S213162		0.24	10	<10	86	<10	86	
S213163		0.26	<10	<10	93	<10	133	
S213164		0.22	<10	<10	80	<10	63	
S213165		0.26	10	<10	96	10	206	
S213166		0.25	<10	<10	92	<10	115	
S213166D		0.25	<10	<10	89	<10	117	
S213167		0.24	<10	<10	89	<10	104	
S213168		0.27	10	<10	97	<10	57	
S213169		0.22	<10	<10	77	<10	58	
S213170		0.25	10	<10	121	<10	1810	
S213171		0.23	10	<10	84	<10	70	
S213172		0.26	10	<10	95	<10	97	
S213173		0.23	10	<10	80	<10	50	
S213174		0.20	10	<10	72	<10	74	
S213175		0.22	10	<10	81	<10	106	
S213176		0.19	<10	<10	70	<10	75	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213177		3.58	0.345		6.9	7.34	43	430	1.3	2	0.23	6.8	9	9	60	3.07
S213178		3.07	0.306		9.7	6.95	38	390	1.0	3	0.26	6.2	8	9	62	3.09
S213179		3.17	0.328		9.4	6.66	39	280	1.0	<2	0.21	1.2	9	8	46	3.24
S213180		0.62	<0.005		<0.5	0.06	<5	10	<0.5	2	32.9	<0.5	<1	1	<1	0.04
S213181		3.00	0.301		8.0	6.74	35	300	0.9	4	0.37	1.3	11	9	54	3.65
S213182		3.40	0.350		5.4	7.23	32	240	1.0	<2	0.32	1.6	8	9	42	3.49
S213183		2.69	0.745		10.3	6.51	49	480	1.0	<2	0.41	1.4	8	9	102	2.89
S213184		3.07	0.363		43.1	6.85	47	280	1.2	<2	0.71	2.2	8	10	56	3.27
S213185		3.30	2.43		>100	5.86	76	220	1.1	<2	0.40	35.1	8	10	143	3.30
S213186		3.72	0.473		>100	4.27	66	240	0.8	<2	0.27	8.6	5	13	79	2.60
S213186D		<0.02	0.492		>100	3.80	61	430	0.7	2	0.27	7.7	5	14	81	2.35
S213187		3.93	0.449		19.1	5.93	51	190	1.1	2	0.62	1.6	6	8	86	2.98
S213188		1.96	0.249		10.2	7.96	43	340	1.5	2	0.50	1.8	8	5	60	3.97
S213189		3.12	0.370		6.2	5.36	43	480	0.9	5	0.82	1.2	5	9	44	3.04
S213190		0.10	>10.0	19.35	19.9	6.57	776	210	1.3	2	2.79	2.1	20	107	136	4.83
S213191		1.23	0.256		3.9	6.59	34	490	1.0	2	0.35	0.8	7	6	30	2.81
S213192		3.17	0.362		3.3	7.48	40	430	1.3	4	0.83	1.7	6	5	45	2.89
S213193		3.15	0.376		4.0	7.80	43	290	1.3	4	0.74	3.8	7	5	68	3.47
S213194		3.55	0.442		4.1	7.82	34	360	1.3	5	0.47	2.5	6	4	67	3.36
S213195		3.58	0.463		3.3	7.16	29	240	1.1	2	0.69	3.0	6	5	49	3.56
S213196		2.95	0.500		4.6	7.66	61	160	1.2	2	0.63	2.4	7	5	134	4.09
S213197		2.90	0.633		3.2	8.27	53	150	1.4	<2	0.67	1.7	7	5	106	4.78
S213198		3.03	0.511		2.1	8.59	43	240	1.3	2	1.40	2.9	9	4	91	4.08
S213199		3.16	0.586		2.8	8.17	52	240	1.3	6	1.62	2.0	9	5	122	4.46
S213200		0.56	<0.005		<0.5	0.05	<5	10	<0.5	3	32.8	<0.5	<1	1	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213177		10	3.51	10	0.51	117	34	0.10	3	800	20	3.44	19	10	33	<20
S213178		10	3.29	10	0.47	132	87	0.09	3	740	29	3.42	20	9	32	<20
S213179		10	3.16	10	0.42	89	46	0.09	3	710	24	3.62	19	9	29	<20
S213180		<10	0.01	<10	1.94	18	<1	<0.01	<1	50	2	0.05	<5	<1	4870	<20
S213181		10	3.16	10	0.43	148	37	0.09	3	700	28	3.98	17	9	30	<20
S213182		10	3.44	10	0.45	120	83	0.09	2	800	23	3.90	20	10	37	<20
S213183		10	3.09	10	0.41	163	131	0.09	2	680	16	3.16	30	9	36	<20
S213184		10	3.19	10	0.60	270	40	0.08	4	730	293	3.52	24	9	54	<20
S213185		20	2.69	10	0.44	160	70	0.07	4	690	1925	3.81	68	8	39	<20
S213186		10	1.87	10	0.35	141	23	0.05	1	480	478	2.74	43	6	30	<20
S213186D		10	1.67	10	0.31	138	21	0.05	3	430	468	2.40	39	5	24	<20
S213187		10	2.82	10	0.41	200	33	0.06	1	820	44	3.28	38	8	50	<20
S213188		20	3.79	10	0.63	186	28	0.08	1	1240	48	4.50	23	11	30	<20
S213189		10	2.50	10	0.35	253	36	0.06	3	870	36	3.30	19	7	34	<20
S213190		10	2.93	10	0.66	1000	7	0.16	67	1670	63	4.12	18	18	181	<20
S213191		10	3.01	10	0.31	111	116	0.13	<1	1030	23	3.14	12	7	35	<20
S213192		20	3.47	10	0.66	289	126	0.10	3	1130	39	3.15	19	9	41	<20
S213193		20	3.73	10	0.65	243	69	0.08	3	1220	48	3.88	21	11	51	<20
S213194		20	3.73	10	0.70	185	63	0.08	1	1260	33	3.83	24	11	48	<20
S213195		20	3.51	10	0.53	206	69	0.07	1	1110	28	3.94	8	10	45	<20
S213196		20	3.71	10	0.65	212	96	0.08	2	1260	43	4.66	35	10	87	<20
S213197		20	4.13	10	0.74	233	38	0.09	2	1370	43	5.53	30	11	93	<20
S213198		20	3.94	10	0.78	398	37	0.09	2	1390	27	4.51	31	12	164	<20
S213199		20	3.79	10	0.75	422	35	0.08	2	1290	34	4.98	35	11	196	<20
S213200		<10	0.01	<10	1.68	19	<1	<0.01	<1	40	<2	0.08	<5	<1	4750	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213177		0.25	10	<10	90	<10	369	
S213178		0.24	<10	<10	88	<10	371	
S213179		0.22	10	<10	83	<10	83	
S213180		<0.01	10	<10	1	<10	<2	
S213181		0.23	10	<10	83	<10	107	
S213182		0.23	10	<10	89	<10	106	
S213183		0.22	10	<10	80	<10	79	
S213184		0.24	10	<10	86	<10	192	
S213185		0.19	10	<10	75	<10	4250	635
S213186		0.15	10	<10	58	10	1010	119
S213186D		0.13	10	<10	52	<10	861	118
S213187		0.23	10	<10	77	<10	174	
S213188		0.32	10	<10	99	<10	156	
S213189		0.20	10	<10	66	10	104	
S213190		0.36	<10	<10	177	<10	217	
S213191		0.26	<10	<10	72	10	73	
S213192		0.30	<10	<10	83	<10	159	
S213193		0.30	10	<10	95	<10	314	
S213194		0.30	10	<10	96	<10	196	
S213195		0.27	<10	<10	84	<10	231	
S213196		0.31	10	<10	100	<10	196	
S213197		0.35	<10	<10	106	<10	139	
S213198		0.35	10	<10	110	10	203	
S213199		0.33	10	<10	104	<10	160	
S213200		<0.01	10	<10	1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 26-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15156174

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

CERTIFICATE TR15157076

Project: Bowser Regional Exploration

P.O. No.: BOW-0129

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 14-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
S213201		3.47	0.714		2.9	8.19	57	230	1.3	2	1.55	3.2	5	4	125	4.04
S213202		3.01	0.710		2.0	7.34	45	220	1.3	2	2.59	2.1	6	3	98	3.67
S213203		3.29	0.627		3.5	6.45	58	190	1.2	<2	3.44	1.8	6	3	143	3.65
S213204		3.34	0.576		3.2	7.47	55	170	1.3	3	2.55	1.5	5	3	93	4.12
S213205		3.57	0.474		3.6	7.88	39	180	1.4	<2	1.79	3.4	4	4	78	4.08
S213206		3.10	0.470		3.6	7.86	46	160	1.4	<2	1.48	1.3	6	4	49	4.27
S213206D		<0.02	0.488		3.4	8.18	41	170	1.5	<2	1.55	1.6	6	4	49	4.23
S213207		3.38	0.526		6.1	7.02	49	630	1.2	<2	1.28	1.7	7	5	63	3.79
S213208		3.40	0.386		4.2	7.31	54	160	1.4	<2	2.78	1.7	5	4	66	3.59
S213209		3.48	0.324		2.6	6.85	47	170	1.3	<2	3.67	1.6	5	4	41	3.80
S213210		0.12	1.015		12.6	5.84	319	420	1.0	<2	3.53	4.3	9	26	86	3.99
S213211		3.34	0.445		4.8	7.09	39	190	1.4	2	3.07	2.0	6	3	55	3.60
S213212		3.48	0.309		6.2	7.52	54	220	1.4	<2	2.01	3.3	6	4	67	3.47
S213213		3.01	0.324		6.3	7.60	51	230	1.3	<2	0.93	2.6	6	4	67	3.38
S213214		3.47	0.250		6.7	6.98	53	180	1.2	<2	2.58	2.5	4	6	63	3.71
S213215		3.52	0.258		4.8	6.81	38	210	1.2	2	3.22	2.2	6	4	44	3.44
S213216		3.10	0.710		9.0	7.31	69	180	1.2	3	3.00	4.4	7	4	59	4.73
S213217		3.11	0.445		9.5	7.85	46	170	1.3	3	2.58	5.6	6	4	79	3.64
S213218		3.56	0.663		5.0	7.58	28	190	1.3	<2	3.16	2.4	5	4	33	3.34
S213219		3.35	0.712		3.9	8.26	35	260	1.2	8	2.81	1.1	4	3	41	3.24
S213220		0.74	<0.005		<0.5	0.04	<5	10	<0.5	4	35.0	<0.5	<1	<1	<1	0.04
S213221		3.42	0.678		1.9	7.78	27	240	1.1	2	3.59	0.6	5	3	47	3.44
S213222		3.45	0.571		2.2	7.82	31	190	1.2	3	4.38	0.8	6	3	51	3.28
S213223		3.97	0.543		2.7	7.63	47	250	1.2	<2	4.49	2.4	4	2	58	3.57
S213224		2.79	0.094		0.7	7.63	109	2950	1.3	4	4.72	<0.5	15	19	25	5.20
S213225		3.33	0.390		2.9	7.55	53	230	1.3	<2	3.95	1.1	5	2	56	3.62
S213226		3.56	0.336		3.6	7.40	54	180	1.2	<2	3.98	3.0	6	2	76	3.34
S213226D		<0.02	0.336		3.2	7.00	50	180	1.2	<2	4.00	3.2	4	3	69	3.45
S213227		2.56	0.339		3.0	8.40	68	190	1.5	<2	2.85	2.3	6	3	70	3.50
S213228		1.37	0.111		0.6	8.03	72	1880	1.4	<2	3.57	<0.5	12	14	29	4.90
S213229		3.44	0.341		1.2	7.98	47	270	1.4	<2	3.30	2.0	4	3	22	3.22
S213230		0.12	>10.0	10.35	>100	5.70	385	420	1.0	2	3.71	4.4	10	31	153	3.81
S213231		3.27	0.312		5.6	6.57	61	640	1.1	2	1.74	2.1	3	6	70	2.66
S213232		3.10	0.349		5.1	5.33	54	380	1.0	3	6.09	2.6	4	3	54	2.31
S213233		3.25	0.316		6.2	5.71	53	1050	0.9	<2	2.55	2.6	3	5	63	2.39
S213234		3.37	0.325		12.4	7.51	49	230	1.2	2	1.87	2.3	5	3	79	3.01
S213235		3.20	0.327		3.2	7.94	60	310	1.4	<2	2.18	1.1	5	3	42	2.97
S213236		3.39	0.409		2.6	8.54	59	280	1.4	<2	0.90	1.9	6	3	44	3.55
S213237		3.12	0.427		3.9	7.27	62	280	1.2	<2	2.36	1.8	4	3	66	3.19
S213238		3.23	0.329		3.1	7.38	59	320	1.3	2	2.67	2.8	5	3	58	3.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213201		20	4.02	10	0.69	403	42	0.09	2	1290	33	4.44	33	11	77	<20
S213202		20	3.78	10	0.65	635	99	0.09	2	1210	39	3.97	27	10	122	<20
S213203		10	3.48	10	0.56	817	232	0.08	1	1090	60	3.98	44	8	157	<20
S213204		20	3.74	10	0.61	645	72	0.08	1	1070	38	4.59	28	9	92	<20
S213205		20	3.91	10	0.66	497	42	0.09	1	1130	74	4.44	18	9	100	<20
S213206		20	3.90	10	0.68	432	70	0.09	<1	1140	49	4.65	13	9	60	<20
S213206D		20	3.97	10	0.72	442	68	0.09	1	1180	45	4.61	15	9	61	<20
S213207		20	3.29	10	0.47	339	39	0.08	1	930	56	4.04	23	9	40	<20
S213208		20	3.91	10	0.54	744	16	0.09	2	1110	23	3.88	22	9	160	<20
S213209		20	3.79	10	0.53	954	19	0.09	1	1110	52	4.19	15	8	78	<20
S213210		10	3.96	10	0.52	1405	10	0.22	21	930	149	2.86	16	10	188	<20
S213211		20	3.97	10	0.48	778	15	0.10	1	1110	71	3.94	20	8	61	<20
S213212		20	3.74	10	0.53	541	55	0.09	3	1090	71	3.66	24	9	60	<20
S213213		20	3.67	10	0.48	257	22	0.09	2	1030	59	3.57	25	9	66	<20
S213214		10	3.50	10	0.53	650	52	0.09	3	1010	45	3.80	22	9	81	<20
S213215		20	3.72	10	0.54	823	11	0.09	<1	1090	45	3.59	16	8	72	<20
S213216		20	3.57	10	0.69	752	15	0.10	2	980	140	5.13	18	9	117	<20
S213217		20	3.96	10	0.61	608	38	0.10	2	1130	79	3.88	27	9	108	<20
S213218		20	3.83	10	0.67	712	34	0.10	2	1090	37	3.51	11	9	102	<20
S213219		20	3.99	10	1.04	753	14	0.09	1	1080	36	3.09	13	8	85	<20
S213220		<10	0.01	<10	1.88	24	1	<0.01	<1	40	<2	0.08	<5	<1	5100	<20
S213221		20	3.74	10	1.16	885	7	0.09	<1	1190	23	3.33	14	10	122	<20
S213222		20	3.73	10	0.84	809	47	0.10	1	1160	18	3.60	15	10	165	<20
S213223		20	3.74	10	1.05	971	14	0.09	1	1230	14	3.50	22	10	106	<20
S213224		20	0.94	30	1.99	1375	10	2.60	12	2860	3	0.58	13	8	730	<20
S213225		20	3.82	10	1.13	953	11	0.10	<1	1270	19	3.66	22	10	69	<20
S213226		10	3.69	10	0.69	798	36	0.10	<1	1060	43	3.65	28	8	100	<20
S213226D		10	3.59	10	0.64	807	58	0.09	<1	1040	42	3.69	25	8	102	<20
S213227		20	4.34	10	0.63	555	14	0.11	1	1060	44	3.81	27	8	61	<20
S213228		20	2.05	20	1.38	946	4	2.14	9	2310	9	1.68	18	8	465	<20
S213229		20	4.13	10	0.58	608	24	0.11	2	1000	59	3.53	12	7	80	<20
S213230		10	3.75	10	0.44	1380	9	0.17	20	820	242	3.09	59	10	195	<20
S213231		10	3.06	10	0.42	361	21	0.08	<1	750	35	2.72	29	6	63	<20
S213232		10	2.81	10	0.44	1360	9	0.08	<1	700	88	2.44	19	5	117	<20
S213233		10	2.67	10	0.49	596	45	0.07	1	660	46	2.41	25	5	68	<20
S213234		20	3.79	10	0.59	402	17	0.10	1	940	54	3.27	34	7	84	<20
S213235		20	4.05	10	0.72	500	18	0.11	<1	1030	25	3.22	16	8	78	<20
S213236		20	4.28	10	0.68	226	13	0.11	1	1060	46	3.84	18	8	35	<20
S213237		20	3.72	10	0.59	498	13	0.10	2	940	29	3.45	26	7	57	<20
S213238		20	3.77	10	0.58	547	9	0.10	<1	960	30	3.29	22	7	61	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213201		0.33	<10	<10	97	<10	253	
S213202		0.31	10	<10	94	<10	162	
S213203		0.29	10	<10	86	<10	133	
S213204		0.29	<10	<10	88	<10	133	
S213205		0.30	<10	<10	93	<10	284	
S213206		0.30	<10	<10	90	<10	146	
S213206D		0.32	10	<10	94	<10	153	
S213207		0.23	10	<10	81	<10	166	
S213208		0.29	<10	<10	95	<10	175	
S213209		0.30	10	<10	91	<10	157	
S213210		0.26	10	<10	105	<10	499	
S213211		0.30	<10	<10	95	<10	174	
S213212		0.30	<10	<10	91	<10	290	
S213213		0.29	10	<10	87	<10	210	
S213214		0.30	<10	<10	86	<10	213	
S213215		0.30	<10	<10	93	<10	191	
S213216		0.27	10	<10	93	<10	346	
S213217		0.30	<10	<10	99	<10	393	
S213218		0.30	<10	<10	96	<10	196	
S213219		0.30	<10	<10	86	<10	167	
S213220		<0.01	10	<10	<1	<10	2	
S213221		0.31	<10	<10	108	<10	153	
S213222		0.30	10	<10	104	<10	113	
S213223		0.32	10	<10	111	<10	227	
S213224		0.94	<10	<10	91	<10	190	
S213225		0.34	<10	<10	115	<10	148	
S213226		0.29	<10	<10	90	<10	235	
S213226D		0.29	<10	<10	87	<10	252	
S213227		0.32	<10	<10	88	<10	163	
S213228		0.75	<10	<10	91	<10	137	
S213229		0.31	<10	<10	81	<10	173	
S213230		0.23	10	<10	99	<10	517	129
S213231		0.22	<10	<10	61	<10	142	
S213232		0.22	<10	<10	57	<10	179	
S213233		0.20	<10	10	53	<10	174	
S213234		0.26	<10	<10	76	<10	138	
S213235		0.29	10	10	82	<10	82	
S213236		0.30	10	<10	88	<10	131	
S213237		0.27	10	<10	78	<10	105	
S213238		0.27	<10	<10	78	<10	190	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213239		3.11	0.247		2.9	7.42	72	320	1.4	5	2.61	1.4	7	4	78	3.10
S213240		0.62	<0.005		<0.5	0.04	<5	10	<0.5	2	34.9	<0.5	<1	1	<1	0.04
S213241		2.92	0.439		2.7	7.16	102	220	1.1	2	2.78	2.3	9	6	72	3.84
S213242		2.61	0.281		2.1	6.51	76	290	1.1	<2	3.68	1.7	7	5	41	3.06
S213243		3.72	0.321		6.1	6.86	62	320	1.1	<2	0.53	1.0	6	10	71	3.18
S213244		2.86	0.213		7.2	5.44	45	880	0.8	4	0.55	0.6	7	11	81	2.10
S213245		3.38	0.734		31.6	8.56	130	280	1.3	3	0.44	2.0	8	8	371	3.85
S213246		3.07	0.337		2.0	7.66	42	500	1.1	<2	2.27	1.3	6	6	81	2.79
S213246D		<0.02	0.349		2.0	7.47	42	460	1.1	2	2.26	1.2	5	7	81	2.76
S213247		3.11	0.436		2.4	6.75	109	370	1.0	<2	3.53	2.1	7	5	207	3.16
S213248		3.29	0.669		2.2	6.93	128	320	1.0	2	3.39	2.5	7	5	235	3.39
S213249		2.92	1.060		1.3	6.68	121	320	1.0	<2	3.76	1.6	7	5	176	3.30
S213250		0.12	5.76		78.7	5.44	276	390	0.9	<2	1.86	21.5	10	22	112	4.52
S213251		3.36	1.230		1.2	6.91	108	350	1.0	2	3.24	2.9	7	5	168	3.51
S213252		3.73	0.875		1.6	7.01	95	250	1.1	<2	3.38	2.3	9	6	180	3.49
S213253		3.06	0.503		2.1	7.32	96	430	1.2	<2	2.69	3.1	9	6	161	3.20
S213254		3.37	0.509		6.9	6.66	86	250	1.0	2	2.15	2.0	7	9	148	3.39
S213255		3.35	2.83		17.1	4.76	450	440	0.7	<2	4.74	2.3	13	7	1230	4.91
S213256		3.19	8.04		7.5	6.41	1870	150	0.9	2	3.38	3.3	10	6	5460	5.02
S213257		3.25	4.64		41.3	8.39	2500	100	1.2	5	1.52	6.0	19	7	7340	6.98
S213258		3.63	1.795		24.5	7.52	696	190	1.1	4	1.15	2.9	10	6	2000	4.59
S213259		2.86	0.238		11.1	4.61	35	180	0.8	2	0.53	0.6	7	11	42	2.25
S213260		0.60	<0.005		<0.5	0.06	<5	10	<0.5	<2	33.5	<0.5	<1	1	2	0.03
S213261		2.88	0.385		60.1	5.12	61	480	0.8	<2	0.37	1.7	5	10	109	2.92
S213262		3.28	0.374		19.1	6.84	114	290	1.2	3	0.36	2.3	8	7	275	3.82
S213263		3.03	0.525		21.1	6.36	155	290	1.1	<2	0.50	2.4	8	9	408	3.66
S213264		3.06	0.351		6.9	7.74	79	260	1.3	3	0.41	1.8	10	6	152	4.35
S213265		3.54	0.340		4.4	7.00	61	370	1.2	<2	0.65	2.8	9	8	86	3.36
S213266		3.26	0.280		3.1	6.86	49	470	1.2	4	3.60	1.3	8	8	76	3.18
S213266D		<0.02	0.278		2.7	6.56	46	370	1.2	2	3.50	1.0	7	8	73	3.16
S213267		3.01	0.327		2.7	6.96	68	260	1.0	<2	2.15	3.4	9	7	61	3.70
S213268		3.43	0.217		2.3	7.59	38	370	1.2	3	2.47	1.8	7	6	55	3.02
S213269		3.40	0.409		3.2	7.45	55	180	1.2	2	1.56	1.8	10	7	142	3.72
S213270		0.10	>10.0	19.15	23.1	6.48	777	220	1.3	4	2.73	1.9	19	104	131	4.94
S213271		3.15	0.538		6.7	6.97	66	270	1.1	4	2.05	1.7	8	7	146	3.66
S213272		3.33	0.897		53.7	7.74	264	310	1.3	2	1.79	3.4	11	7	753	3.62
S213273		3.20	0.742		22.9	7.48	200	230	1.3	2	2.03	4.5	9	7	502	3.90
S213274		3.57	0.655		27.4	5.88	162	280	1.0	2	0.60	1.9	5	9	373	3.26
S213275		3.02	0.649		45.8	7.16	311	250	1.3	<2	0.47	4.2	9	8	791	3.83
S213276		3.33	0.535		9.9	6.91	114	280	1.2	4	2.45	1.8	8	7	163	4.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213239		20	3.85	10	0.61	561	26	0.11	1	1000	27	3.36	30	8	53	<20
S213240		<10	0.01	<10	1.65	20	1	<0.01	<1	40	<2	0.05	<5	<1	5070	<20
S213241		20	3.65	10	0.62	606	36	0.10	1	860	45	4.15	20	9	57	<20
S213242		20	3.34	10	0.61	711	42	0.09	<1	890	35	3.32	13	9	96	<20
S213243		10	3.31	<10	0.46	150	18	0.10	1	850	23	3.27	27	9	34	<20
S213244		10	2.57	10	0.39	140	37	0.08	<1	690	12	2.10	31	6	26	<20
S213245		20	4.47	10	0.60	130	11	0.11	3	1060	33	4.18	129	12	39	<20
S213246		20	3.85	10	0.75	527	9	0.11	2	940	37	2.95	22	10	59	<20
S213246D		20	3.79	10	0.73	523	10	0.11	3	930	33	2.93	21	10	60	<20
S213247		20	3.32	10	0.76	693	26	0.13	2	860	35	3.29	59	9	76	<20
S213248		20	3.50	10	0.79	640	10	0.12	1	900	37	3.50	65	9	69	<20
S213249		20	3.15	10	0.94	710	25	0.12	3	800	30	3.29	51	9	72	<20
S213250		10	3.41	10	0.43	1130	10	0.22	14	900	8360	2.83	70	11	135	<20
S213251		20	3.35	10	0.98	673	21	0.11	3	860	49	3.56	46	9	68	<20
S213252		20	3.55	10	0.74	628	15	0.10	1	850	48	3.68	47	9	96	<20
S213253		20	3.72	10	0.71	624	22	0.10	3	850	39	3.37	41	10	55	<20
S213254		20	3.32	10	0.60	519	46	0.09	1	750	64	3.56	41	9	106	<20
S213255		10	2.24	10	0.51	1050	96	0.06	2	500	50	5.28	285	7	68	<20
S213256		10	3.26	10	0.62	826	56	0.09	2	710	28	5.63	1085	9	60	<20
S213257		20	4.39	10	0.64	428	44	0.11	4	850	41	7.91	1410	11	41	<20
S213258		20	3.72	10	0.69	353	44	0.09	3	810	40	4.96	433	10	56	<20
S213259		10	2.22	10	0.36	165	10	0.06	1	480	89	2.33	18	6	121	<20
S213260		<10	0.01	<10	1.76	17	<1	<0.01	<1	40	<2	0.05	<5	<1	4880	<20
S213261		10	2.48	10	0.44	143	22	0.06	3	570	219	3.13	42	7	21	<20
S213262		10	3.33	10	0.63	141	10	0.09	2	760	39	4.08	76	9	34	<20
S213263		10	3.07	10	0.64	203	18	0.08	2	670	32	3.96	106	9	24	<20
S213264		20	3.78	10	0.79	231	23	0.10	4	870	48	4.62	35	10	27	<20
S213265		20	3.45	10	0.61	268	33	0.09	2	760	35	3.59	20	9	34	<20
S213266		20	3.53	10	0.69	1010	11	0.09	2	800	27	3.37	21	9	83	<20
S213266D		20	3.50	10	0.66	974	8	0.09	2	800	29	3.41	18	9	80	<20
S213267		20	3.35	10	0.64	568	21	0.10	3	780	42	3.82	13	9	54	<20
S213268		20	3.76	10	0.66	581	14	0.10	3	860	35	3.22	8	10	62	<20
S213269		20	3.70	10	0.70	456	35	0.09	2	850	43	3.82	30	10	70	<20
S213270		10	2.90	10	0.68	973	7	0.16	67	1590	62	3.96	14	18	174	<20
S213271		10	3.41	10	0.58	592	19	0.09	1	780	52	3.82	35	9	54	<20
S213272		20	3.86	10	0.80	618	48	0.09	2	890	38	3.73	193	11	41	<20
S213273		20	3.84	10	0.75	659	30	0.09	2	860	75	4.05	117	10	42	<20
S213274		10	2.85	10	0.40	206	25	0.07	1	700	37	3.31	97	8	30	<20
S213275		20	3.55	10	0.65	235	41	0.08	3	810	34	4.03	205	10	26	<20
S213276		20	3.33	10	0.73	824	40	0.08	2	740	61	4.11	37	9	72	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213239		0.29	<10	<10	88	<10	96	
S213240		<0.01	<10	<10	1	<10	<2	
S213241		0.28	10	10	94	<10	153	
S213242		0.27	<10	<10	87	<10	134	
S213243		0.24	<10	<10	84	<10	78	
S213244		0.17	<10	<10	62	<10	49	
S213245		0.32	10	<10	114	<10	112	
S213246		0.29	<10	<10	98	<10	110	
S213246D		0.28	<10	<10	96	<10	108	
S213247		0.25	10	<10	89	<10	139	
S213248		0.25	<10	<10	91	10	171	
S213249		0.22	<10	<10	87	<10	129	
S213250		0.24	<10	<10	116	10	1810	
S213251		0.25	<10	<10	88	<10	231	
S213252		0.27	<10	<10	93	<10	168	
S213253		0.29	<10	<10	100	<10	231	
S213254		0.25	<10	<10	85	<10	151	
S213255		0.16	<10	<10	63	<10	172	
S213256		0.24	10	<10	94	<10	336	
S213257		0.31	<10	<10	111	<10	389	
S213258		0.27	<10	<10	94	<10	229	
S213259		0.15	<10	<10	60	<10	60	
S213260		<0.01	10	<10	1	<10	<2	
S213261		0.19	<10	<10	67	<10	209	
S213262		0.25	10	<10	88	<10	222	
S213263		0.23	<10	<10	81	<10	157	
S213264		0.30	<10	<10	100	<10	153	
S213265		0.27	<10	<10	89	<10	240	
S213266		0.27	<10	<10	90	<10	111	
S213266D		0.27	<10	<10	93	<10	99	
S213267		0.27	<10	<10	88	<10	255	
S213268		0.29	<10	<10	96	<10	141	
S213269		0.29	10	<10	97	<10	137	
S213270		0.33	<10	<10	173	<10	218	
S213271		0.26	<10	<10	89	<10	126	
S213272		0.31	<10	<10	104	<10	205	
S213273		0.30	10	<10	100	<10	350	
S213274		0.21	<10	<10	78	<10	115	
S213275		0.26	10	<10	95	<10	212	
S213276		0.26	10	<10	87	<10	159	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213277		3.20	0.420		6.9	6.90	69	400	1.3	<2	1.05	1.7	7	7	128	2.95
S213278		3.60	0.468		9.6	6.70	81	340	1.2	<2	0.39	2.5	8	7	135	3.40
S213279		3.15	0.522		10.0	6.25	83	280	1.1	<2	0.40	3.1	8	7	126	3.14
S213280		0.43	<0.005		<0.5	0.05	<5	10	<0.5	<2	34.2	<0.5	<1	1	1	0.03
S213281		2.72	0.621		12.8	5.91	66	300	1.0	4	0.51	2.0	7	9	102	3.19
S213282		3.27	0.543		10.2	6.64	58	190	1.2	<2	0.51	1.8	7	8	75	3.31
S213283		4.06	0.502		30.5	5.99	113	220	1.0	2	0.34	1.9	7	9	207	3.07
S213284		3.25	0.324		16.7	5.95	76	160	1.2	<2	0.24	3.0	6	7	78	2.85
S213285		1.89	0.387		24.7	4.80	48	240	0.9	2	0.14	0.6	5	13	80	2.56
S213286		2.88	0.485		70.6	4.51	96	430	0.8	<2	0.13	1.2	3	13	262	2.24
S213286D		<0.02	0.555		73.1	4.47	101	540	0.8	<2	0.13	1.4	3	13	272	2.14
S213287		1.83	0.310		23.8	2.83	50	630	0.5	<2	0.08	0.6	4	21	108	1.57
S213288		3.06	0.313		28.7	4.23	57	690	0.8	<2	0.11	0.9	5	11	98	1.97
S213289		3.18	0.232		33.2	3.23	51	570	0.7	<2	0.14	1.0	4	15	98	2.14
S213290		0.12	1.005		11.9	5.54	306	450	1.0	<2	3.51	4.1	9	26	82	3.80
S213291		2.71	0.367		>100	2.86	59	810	0.6	<2	0.25	7.6	3	16	138	1.52
S213292		1.98	0.143		15.6	7.24	189	1180	2.0	3	3.15	<0.5	17	4	41	2.04
S213293		2.65	0.543		48.5	3.51	103	210	0.7	4	0.30	1.6	5	14	101	2.06
S213294		3.35	0.418		66.3	4.20	88	180	0.8	<2	0.20	2.2	6	12	153	2.42
S213295		3.91	0.409		33.7	5.50	79	200	1.0	3	0.29	1.2	7	8	157	2.83
S213296		2.92	0.492		19.7	5.85	111	190	1.1	3	0.35	0.6	6	8	152	3.06
S213297		2.71	0.521		23.3	6.31	117	170	1.2	<2	0.63	0.7	10	6	189	3.47
S213298		2.27	0.210		18.6	3.61	63	570	0.7	2	0.38	0.5	4	12	101	2.06
S213299		1.81	0.281		26.6	5.75	84	200	1.0	2	0.23	1.6	6	9	172	3.06
S213300		0.55	<0.005		<0.5	0.03	<5	10	<0.5	2	33.1	<0.5	<1	1	1	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213277		10	3.35	10	0.62	412	10	0.08	2	760	38	3.01	31	9	31	<20
S213278		20	3.25	10	0.61	215	34	0.08	2	720	48	3.44	35	9	23	<20
S213279		10	3.12	10	0.55	207	58	0.07	1	690	41	3.26	38	8	28	<20
S213280		<10	0.01	<10	1.65	20	1	<0.01	<1	40	<2	0.08	<5	<1	5180	<20
S213281		10	2.91	10	0.48	231	40	0.07	1	650	52	3.30	34	8	27	<20
S213282		20	3.27	10	0.54	198	36	0.08	3	710	43	3.41	21	9	46	<20
S213283		10	2.87	10	0.50	177	46	0.07	2	670	39	3.16	70	8	30	<20
S213284		10	2.84	<10	0.51	146	18	0.07	2	620	30	2.91	35	8	343	<20
S213285		10	2.28	10	0.35	100	28	0.06	2	490	46	2.57	34	7	18	<20
S213286		10	2.15	10	0.34	112	14	0.05	2	460	31	2.10	119	6	22	<20
S213286D		10	2.16	10	0.34	103	17	0.05	2	470	30	2.09	123	6	20	<20
S213287		10	1.30	<10	0.16	68	23	0.04	1	290	17	1.34	50	3	11	<20
S213288		10	2.04	10	0.25	67	32	0.06	1	450	36	1.91	46	5	15	<20
S213289		10	1.51	10	0.23	91	14	0.04	2	420	79	1.99	53	4	11	<20
S213290		10	3.71	10	0.52	1360	10	0.20	18	870	142	2.68	16	10	183	<20
S213291		10	1.31	10	0.17	122	15	0.04	1	260	642	1.36	79	4	14	<20
S213292		20	4.34	10	0.49	899	8	0.08	<1	2550	22	1.60	15	14	55	<20
S213293		10	1.71	10	0.23	125	28	0.04	2	380	56	1.92	50	5	37	<20
S213294		10	2.06	<10	0.32	106	41	0.04	1	470	175	2.31	67	6	92	<20
S213295		10	2.71	10	0.41	108	50	0.06	2	580	31	2.85	54	7	17	<20
S213296		10	2.92	10	0.47	140	29	0.06	2	620	21	3.07	44	8	16	<20
S213297		10	3.12	10	0.55	222	66	0.06	2	870	20	3.49	45	9	19	<20
S213298		10	1.75	<10	0.31	164	34	0.04	1	390	22	1.82	24	5	12	<20
S213299		10	2.91	10	0.45	102	40	0.06	1	640	27	3.12	37	8	15	<20
S213300		<10	0.01	<10	1.76	16	1	<0.01	<1	30	2	0.04	<5	<1	4350	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213277		0.25	<10	<10	88	<10	139	
S213278		0.24	10	<10	89	<10	205	
S213279		0.24	<10	<10	89	<10	250	
S213280		<0.01	<10	<10	1	<10	<2	
S213281		0.23	10	<10	79	<10	168	
S213282		0.25	<10	<10	88	<10	159	
S213283		0.23	<10	<10	81	<10	143	
S213284		0.22	<10	<10	77	<10	354	
S213285		0.15	<10	<10	77	<10	74	
S213286		0.15	<10	<10	57	<10	99	
S213286D		0.15	<10	<10	57	<10	100	
S213287		0.09	<10	<10	33	<10	33	
S213288		0.15	<10	<10	58	<10	76	
S213289		0.11	<10	<10	51	<10	94	
S213290		0.24	<10	<10	101	10	467	
S213291		0.09	<10	<10	38	<10	958	109
S213292		0.95	<10	<10	237	60	118	
S213293		0.13	<10	<10	49	<10	216	
S213294		0.15	<10	<10	57	<10	256	
S213295		0.20	<10	<10	71	<10	91	
S213296		0.22	10	<10	77	<10	65	
S213297		0.29	10	<10	93	<10	77	
S213298		0.13	<10	<10	47	<10	49	
S213299		0.19	<10	<10	73	<10	145	
S213300		<0.01	<10	<10	<1	<10	<2	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 31-OCT-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15157076

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

CERTIFICATE TR15159625

Project: Bowser Regional Exploration

P.O. No.: BOW-0127

This report is for 68 Drill Core samples submitted to our lab in Terrace, BC, Canada on 17-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314814		1.99	0.093		1.2	6.51	69	400	0.6	<2	0.32	1.4	14	11	17	7.13
S314815		2.39	0.202		0.8	10.20	27	1540	1.3	2	0.19	<0.5	15	10	25	6.47
S314816		3.28	0.167		0.6	10.45	24	2920	1.2	2	0.08	<0.5	6	7	22	5.19
S314817		0.98	0.718		0.7	8.38	20	2590	1.2	<2	0.26	<0.5	2	4	7	3.02
S314818		3.40	<0.005		<0.5	6.42	11	1260	1.5	2	5.09	<0.5	30	124	24	7.56
S314819		2.20	0.013		<0.5	6.73	17	2750	1.7	2	5.62	<0.5	31	129	28	8.03
S314820		0.68	<0.005		<0.5	0.06	<5	10	<0.5	4	33.9	<0.5	<1	<1	1	0.05
S314821		3.00	0.180		1.9	8.49	34	700	0.9	2	0.40	<0.5	1	5	17	5.55
S314822		3.06	0.180		2.1	9.03	30	1030	0.9	2	0.19	2.2	1	6	25	4.30
S314823		3.49	0.231		1.5	10.00	54	3290	1.2	2	0.13	1.1	<1	6	24	1.41
S314824		3.29	0.267		0.7	9.81	102	410	1.0	<2	0.07	<0.5	2	6	34	3.50
S314825		3.16	0.164		0.5	9.97	43	2530	1.0	<2	0.09	<0.5	3	6	29	1.97
S314826		2.95	0.077		0.7	10.40	34	2840	1.0	<2	0.06	<0.5	4	6	27	1.80
S314826D		<0.02	0.079		0.6	10.30	33	2750	1.0	<2	0.06	<0.5	4	6	27	1.83
S314827		2.84	0.075		<0.5	9.08	35	2640	0.9	2	0.06	<0.5	3	5	24	1.49
S314828		3.08	0.048		0.8	8.75	36	100	0.8	3	0.16	0.7	3	7	31	5.66
S314829		2.42	0.049		0.5	10.35	27	2240	1.0	<2	0.09	0.6	6	6	25	2.35
S314830		0.11	>10.0	18.40	17.5	6.88	757	370	1.4	<2	2.76	2.1	18	102	131	5.01
S314831		2.51	0.067		0.5	8.96	45	70	0.9	<2	0.11	1.5	9	6	35	6.18
S314832		1.67	0.064		0.6	8.96	52	110	0.9	<2	0.14	1.2	8	6	33	5.23
S314833		2.05	0.091		<0.5	8.96	63	140	1.0	<2	0.12	0.5	3	6	21	4.78
S314834		3.60	0.163		0.8	8.77	76	440	1.0	<2	0.14	0.8	11	6	33	2.84
S314835		3.75	0.102		<0.5	8.90	55	190	1.2	<2	0.13	0.8	6	8	35	4.15
S314836		3.23	0.137		<0.5	8.74	99	160	1.1	<2	0.11	1.0	8	7	32	4.85
S314837		3.34	0.132		<0.5	9.36	58	260	1.3	3	0.13	1.3	9	7	25	4.09
S314838		3.32	0.251		<0.5	9.27	86	230	1.3	2	0.12	1.8	11	7	33	4.53
S314839		3.39	0.177		<0.5	9.22	62	260	1.4	<2	0.24	2.3	10	8	28	3.96
S314840		0.61	<0.005		<0.5	0.06	<5	<10	<0.5	<2	35.7	<0.5	<1	1	1	0.04
S314841		3.30	0.250		0.6	8.97	56	510	1.2	<2	0.27	4.0	7	8	33	3.23
S314842		3.54	0.227		1.7	9.38	122	230	1.4	2	0.22	13.4	23	7	93	4.74
S314843		3.59	0.178		0.7	8.56	70	210	1.2	<2	0.43	17.1	14	8	36	4.41
S314844		3.41	0.204		0.9	8.91	65	320	1.3	<2	0.41	8.8	12	8	39	4.08
S314845		3.38	0.158		1.8	8.70	44	360	1.2	<2	0.42	7.0	13	7	49	4.03
S314846		3.40	0.206		1.7	9.80	83	180	1.4	2	0.63	6.3	17	7	38	5.26
S314846D		<0.02	0.191		1.7	9.28	81	170	1.4	<2	0.57	6.2	16	7	36	4.91
S314847		3.63	0.251		1.7	9.47	97	260	1.5	<2	0.94	4.2	17	8	30	4.36
S314848		3.54	0.151		2.6	8.51	88	230	1.3	<2	0.53	6.0	16	7	58	4.38
S314849		3.20	0.321		4.5	10.05	119	220	1.7	<2	0.39	6.9	25	8	118	5.47
S314850		0.12	0.958		13.1	6.13	325	670	1.1	<2	3.77	4.4	9	29	86	4.02
S314851		3.58	0.279		2.0	8.23	187	390	1.3	<2	0.41	1.4	11	6	71	3.66

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314814		20	1.79	10	0.52	522	2	0.18	4	1380	251	4.28	<5	9	64	<20
S314815		20	3.16	10	0.60	544	1	0.36	6	870	47	2.53	<5	16	119	<20
S314816		20	3.20	10	0.62	526	1	0.33	4	290	27	1.34	<5	18	126	<20
S314817		20	2.89	10	0.62	236	4	0.28	1	1020	36	0.77	<5	11	125	<20
S314818		20	0.72	60	4.40	1250	2	2.03	61	3330	16	0.36	<5	19	662	<20
S314819		20	1.73	60	3.34	1205	2	2.10	63	3370	40	1.28	<5	20	1200	<20
S314820		<10	0.01	<10	1.88	24	<1	0.01	<1	60	<2	0.03	<5	<1	4640	<20
S314821		20	2.69	20	0.73	514	1	0.24	<1	1750	87	2.70	<5	11	100	<20
S314822		20	3.12	10	0.62	418	1	0.24	<1	710	116	2.25	<5	12	119	<20
S314823		20	4.21	10	0.26	73	4	0.31	<1	220	81	1.26	<5	14	109	<20
S314824		20	3.96	10	0.17	50	3	0.31	1	210	42	3.87	6	14	87	<20
S314825		20	4.09	10	0.15	35	5	0.34	2	290	27	2.16	5	13	95	<20
S314826		20	4.19	10	0.17	43	2	0.33	2	160	37	1.91	<5	13	93	<20
S314826D		20	4.08	10	0.17	42	2	0.32	3	140	37	1.95	<5	13	93	<20
S314827		20	3.67	10	0.20	48	3	0.26	2	130	29	1.55	<5	12	79	<20
S314828		20	3.56	10	0.22	64	<1	0.23	3	670	98	6.40	<5	12	59	<20
S314829		20	4.27	10	0.23	60	7	0.28	2	310	44	2.58	<5	14	76	<20
S314830		10	2.91	20	0.70	1000	7	0.16	64	1650	57	4.10	16	19	183	<20
S314831		20	3.60	10	0.19	58	3	0.26	4	460	46	7.11	<5	11	64	<20
S314832		20	3.60	10	0.25	80	7	0.22	3	590	66	5.86	<5	12	58	<20
S314833		20	3.67	10	0.24	69	9	0.23	<1	500	64	5.29	<5	12	57	<20
S314834		20	3.55	<10	0.30	91	46	0.20	<1	580	54	3.07	6	12	61	<20
S314835		20	3.86	<10	0.31	92	1	0.21	1	530	46	4.61	7	11	55	<20
S314836		20	3.73	10	0.34	102	1	0.19	2	390	102	5.37	14	12	49	<20
S314837		20	3.80	10	0.61	148	1	0.20	2	550	65	4.54	10	12	53	<20
S314838		20	3.84	10	0.48	148	2	0.18	2	460	71	4.97	11	11	51	<20
S314839		20	4.00	10	0.50	174	3	0.18	1	1020	47	4.38	11	11	54	<20
S314840		<10	0.02	<10	1.69	17	<1	<0.01	<1	30	2	0.09	<5	<1	5450	<20
S314841		20	3.59	20	0.77	268	1	0.16	3	930	42	3.47	15	12	54	<20
S314842		20	3.96	20	0.60	243	19	0.17	5	750	70	5.22	43	12	50	<20
S314843		20	3.57	10	0.84	456	10	0.15	5	1060	54	4.79	9	11	51	<20
S314844		20	3.79	10	0.86	550	10	0.15	4	960	62	4.36	11	11	47	<20
S314845		20	3.66	10	0.90	516	9	0.13	5	1190	62	4.30	19	11	43	<20
S314846		20	4.44	10	0.60	523	5	0.15	5	1140	86	5.89	7	13	50	<20
S314846D		20	4.25	10	0.57	485	6	0.15	4	1080	78	5.56	9	12	47	<20
S314847		20	4.18	10	0.60	787	6	0.16	4	1220	53	4.81	6	13	56	<20
S314848		20	3.64	10	0.77	567	5	0.13	6	1110	104	4.76	22	11	42	<20
S314849		20	4.47	10	0.81	460	11	0.16	8	1210	129	6.03	43	13	46	<20
S314850		10	3.85	10	0.57	1460	10	0.21	19	970	154	2.89	21	11	197	<20
S314851		20	3.45	10	1.13	869	23	0.12	4	930	51	3.63	26	11	35	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
S314814		0.22	<10	<10	100	<10	115
S314815		0.53	<10	<10	188	<10	117
S314816		0.40	<10	<10	114	<10	98
S314817		0.27	10	<10	102	<10	76
S314818		1.03	<10	<10	178	<10	142
S314819		1.03	<10	<10	183	<10	149
S314820		<0.01	<10	<10	2	<10	2
S314821		0.32	10	<10	115	<10	68
S314822		0.37	10	<10	121	<10	142
S314823		0.43	<10	<10	148	<10	66
S314824		0.38	<10	<10	126	<10	29
S314825		0.39	10	<10	120	<10	9
S314826		0.39	10	<10	112	<10	50
S314826D		0.39	10	<10	110	<10	51
S314827		0.34	10	<10	90	<10	65
S314828		0.33	10	<10	112	<10	157
S314829		0.41	10	<10	132	<10	124
S314830		0.35	<10	<10	174	<10	230
S314831		0.34	<10	<10	108	<10	270
S314832		0.36	<10	<10	115	<10	227
S314833		0.34	10	<10	105	<10	89
S314834		0.35	<10	<10	107	<10	101
S314835		0.37	10	<10	104	<10	113
S314836		0.33	10	<10	126	<10	111
S314837		0.36	10	<10	118	<10	118
S314838		0.33	10	<10	121	<10	123
S314839		0.33	<10	<10	108	<10	100
S314840		<0.01	<10	<10	1	<10	24
S314841		0.33	<10	<10	87	<10	104
S314842		0.34	<10	<10	160	10	166
S314843		0.34	<10	<10	118	<10	227
S314844		0.35	<10	<10	114	<10	240
S314845		0.33	<10	<10	109	<10	345
S314846		0.36	10	<10	127	<10	514
S314846D		0.35	10	<10	122	<10	499
S314847		0.36	10	<10	122	<10	492
S314848		0.33	10	<10	108	<10	760
S314849		0.38	<10	10	131	<10	1010
S314850		0.26	<10	<10	110	10	504
S314851		0.31	<10	<10	105	<10	233

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S314852		3.59	0.182		1.3	9.24	90	200	1.6	2	0.54	4.9	13	7	37	4.91
S314853		3.79	0.274		3.1	10.50	121	170	1.7	4	1.45	11.7	20	7	29	5.79
S314854		4.31	0.287		3.5	11.15	164	190	1.9	8	2.20	11.8	18	8	35	5.98
S314855		3.48	0.217		2.3	9.25	102	240	1.5	6	1.17	1.8	14	7	46	4.21
S314856		3.10	0.214		2.4	9.55	116	270	1.6	12	2.19	1.3	15	7	42	4.41
S314857		3.66	0.210		3.9	9.87	116	320	1.5	8	2.09	4.8	15	7	65	4.57
S314858		4.48	0.183		2.1	12.80	168	280	2.2	<2	0.62	2.9	17	9	62	5.64
S314859		4.03	0.250		2.0	12.05	236	190	1.9	<2	1.31	1.8	18	8	58	5.81
S314860		0.57	<0.005		<0.5	0.08	<5	<10	<0.5	<2	35.1	<0.5	1	1	1	0.05
S314861		3.73	0.321		2.9	11.95	184	220	1.8	<2	1.37	3.0	19	8	112	5.76
S314862		3.90	0.169		1.2	9.40	138	310	1.5	2	2.54	1.2	13	7	45	4.67
S314863		3.77	0.183		1.2	8.29	153	290	1.3	<2	2.42	1.7	12	6	40	4.12
S314864		3.74	0.246		1.5	10.95	143	200	1.9	<2	1.89	0.8	16	10	48	5.85
S314865		2.48	0.351		2.0	9.36	112	450	1.5	<2	3.45	2.1	10	7	44	3.66
S314866		3.36	0.244		2.8	8.03	104	390	1.3	<2	1.15	0.7	12	7	42	3.74
S314866D		<0.02	0.207		2.6	8.08	93	370	1.3	<2	0.92	0.7	13	7	39	3.62
S314867		1.82	0.221		2.7	8.20	103	430	1.5	<2	3.13	0.9	13	6	34	3.22
S314901		3.02	0.005		<0.5	8.73	8	2050	1.0	<2	0.32	<0.5	10	4	11	5.51
S314902		2.94	0.010		<0.5	9.32	7	2000	1.0	<2	0.32	<0.5	7	4	16	5.53
S314903		2.97	<0.005		<0.5	9.86	8	1740	1.0	<2	0.40	<0.5	13	4	18	6.56
S314904		2.87	0.013		<0.5	9.66	17	2270	0.8	<2	0.39	<0.5	12	8	26	4.92
S314905		2.23	0.032		0.5	12.20	55	3380	1.3	<2	0.17	<0.5	11	19	46	1.36
S314906		1.55	0.026		<0.5	12.35	29	2570	1.3	<2	0.22	<0.5	11	18	19	2.80
S314906D		<0.02	0.023		<0.5	12.45	30	2550	1.3	<2	0.22	<0.5	11	17	20	2.83
S314907		2.81	0.015		<0.5	0.99	23	360	<0.5	<2	0.10	<0.5	9	32	13	0.89
S314908		2.68	0.010		<0.5	0.49	72	340	<0.5	<2	0.03	<0.5	5	26	9	0.59
S314909		2.20	0.021		0.6	3.44	69	530	<0.5	<2	0.16	<0.5	16	38	24	2.35
S314910		0.10	>10.0	18.25	16.0	6.75	770	1410	1.3	6	2.77	1.9	20	110	134	4.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S314852		20	4.12	10	0.71	606	16	0.14	3	1040	72	5.39	6	12	39	<20
S314853		20	4.64	10	1.02	1370	16	0.15	3	1220	330	6.40	12	14	59	<20
S314854		20	4.96	10	0.97	1700	30	0.15	4	2180	412	6.59	11	14	77	<20
S314855		20	4.14	10	0.65	992	5	0.13	5	1080	96	4.63	12	12	53	<20
S314856		20	4.35	10	0.70	1790	7	0.14	3	1040	75	4.74	9	12	68	<20
S314857		20	4.32	10	0.91	1750	9	0.13	4	1070	93	4.86	19	13	60	<20
S314858		30	6.29	10	0.99	607	41	0.18	6	1520	68	6.35	15	16	46	<20
S314859		30	5.95	10	0.75	1020	15	0.17	6	1500	35	6.76	10	15	53	<20
S314860		<10	0.03	<10	1.82	25	<1	<0.01	<1	30	3	0.08	<5	<1	4890	<20
S314861		30	5.60	10	0.91	1140	14	0.15	3	1450	25	6.53	31	15	53	<20
S314862		20	4.66	10	0.85	1890	14	0.12	2	1070	45	5.06	15	12	69	<20
S314863		20	3.82	10	0.79	1800	7	0.10	4	930	45	4.34	8	11	58	<20
S314864		20	5.24	10	0.52	1130	48	0.15	3	1230	39	6.63	8	14	66	<20
S314865		20	4.46	10	0.68	2200	27	0.11	1	1070	46	3.87	12	12	67	<20
S314866		20	3.55	10	0.62	792	16	0.09	1	880	49	3.90	14	11	41	<20
S314866D		20	3.62	10	0.58	657	15	0.09	3	850	46	3.80	15	11	38	<20
S314867		20	4.02	10	0.60	1880	10	0.11	2	970	33	3.33	6	11	71	<20
S314901		20	1.80	10	0.75	716	<1	0.45	1	1240	5	0.28	<5	14	196	<20
S314902		20	1.87	10	0.69	690	<1	0.61	2	1310	12	0.06	<5	14	264	<20
S314903		20	1.76	10	0.68	739	<1	0.72	1	1620	13	0.37	5	15	292	<20
S314904		30	2.26	10	0.42	516	<1	0.71	2	1420	19	0.92	5	16	280	<20
S314905		50	4.15	10	0.07	45	<1	1.53	7	380	9	1.25	<5	17	490	<20
S314906		50	3.12	<10	0.24	280	12	1.46	6	520	10	0.77	<5	16	515	<20
S314906D		50	3.08	<10	0.24	273	13	1.42	7	530	7	0.87	5	17	519	<20
S314907		10	0.15	20	0.01	51	4	0.11	3	360	12	0.55	<5	4	63	<20
S314908		10	0.08	10	<0.01	46	3	0.06	<1	70	4	0.24	<5	2	36	<20
S314909		20	0.57	20	0.01	54	2	0.39	6	480	20	2.23	8	7	169	<20
S314910		20	3.00	20	0.71	998	6	0.16	66	1660	55	3.99	10	19	183	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
S314852		0.34	10	<10	116	<10	607
S314853		0.40	10	<10	140	<10	1370
S314854		0.42	10	10	148	<10	1470
S314855		0.34	<10	<10	112	<10	246
S314856		0.35	10	<10	121	<10	171
S314857		0.36	10	10	115	<10	564
S314858		0.52	<10	<10	177	<10	395
S314859		0.51	10	<10	171	10	251
S314860		<0.01	<10	<10	1	<10	2
S314861		0.47	10	10	164	<10	465
S314862		0.37	10	10	126	<10	207
S314863		0.32	10	<10	101	<10	307
S314864		0.43	10	<10	150	<10	167
S314865		0.37	10	10	130	10	335
S314866		0.30	<10	<10	99	<10	151
S314866D		0.30	10	<10	102	<10	129
S314867		0.31	10	<10	109	<10	171
S314901		0.40	<10	<10	124	<10	114
S314902		0.44	<10	<10	125	<10	118
S314903		0.49	<10	<10	138	<10	127
S314904		0.57	<10	<10	153	<10	87
S314905		0.68	10	<10	195	<10	9
S314906		0.68	10	<10	191	<10	47
S314906D		0.68	<10	<10	189	<10	46
S314907		0.65	<10	<10	37	<10	5
S314908		0.36	<10	<10	18	<10	8
S314909		0.68	<10	<10	88	<10	15
S314910		0.35	10	<10	176	<10	212

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 2-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15159625

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:			
	Au-AA23	Au-GRA21	ME-ICP61

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

CERTIFICATE TR15166127

Project: Bowser Regional Exploration

P.O. No.: BOW-0135

This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 28-OCT-2015.

The following have access to data associated with this certificate:

SUSAN FLASHA	KENNETH MCNAUGHTON	COLE MOONEY
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213301		2.34	0.365		38.7	5.36	83	180	0.9	<2	0.35	1.2	7	12	176	2.89
S213302		2.18	0.288		41.9	4.37	87	600	0.7	<2	0.21	1.0	4	13	197	2.15
S213303		2.73	0.546		32.0	5.68	111	230	0.9	<2	0.19	1.1	8	9	234	2.86
S213304		1.99	0.566		17.7	7.15	114	320	1.2	<2	0.52	0.8	8	7	213	3.19
S213305		1.78	0.243		13.9	3.90	67	930	0.6	<2	2.13	0.6	4	16	132	1.93
S213306		1.98	0.397		18.1	6.59	111	270	1.1	3	0.49	0.8	7	7	209	2.85
S213306D		<0.02	0.389		18.0	6.55	111	270	1.1	<2	0.50	0.7	6	9	209	3.02
S213307		3.26	0.455		15.7	6.41	103	730	1.0	<2	1.51	<0.5	7	8	195	2.70
S213308		3.46	0.334		11.0	7.18	94	230	1.2	<2	2.15	1.0	8	5	198	3.26
S213309		3.21	0.235		20.3	6.88	99	630	1.0	<2	1.21	0.7	8	7	196	2.77
S213310		0.11	>10.0	10.40	>100	5.91	369	890	1.0	2	3.72	4.6	12	31	141	3.69
S213311		2.30	0.399		4.9	7.86	113	440	1.0	<2	2.22	1.1	9	7	252	3.04
S213312		2.58	0.653		1.6	7.14	99	350	1.0	3	3.15	0.6	9	6	242	3.21
S213313		3.30	0.531		9.8	7.72	126	420	1.1	2	1.84	0.7	9	6	276	3.28
S213314		3.31	0.402		15.2	4.60	87	330	0.8	2	0.52	1.6	6	9	164	2.44
S213315		2.35	0.566		18.0	5.96	124	190	1.1	<2	0.24	1.1	9	7	253	2.78
S213316		2.39	0.526		18.5	6.54	113	360	1.2	<2	0.30	1.3	8	9	213	3.22
S213317		2.23	0.879		37.3	6.57	164	170	1.1	<2	0.19	3.5	10	10	352	3.66
S213318		4.33	0.993		12.9	6.79	103	250	1.3	2	0.26	0.8	7	8	182	3.14
S213319		1.08	0.367		28.5	5.66	105	470	1.1	<2	0.24	10.4	7	8	232	2.70
S213320		0.57	<0.005		<0.5	0.06	<5	10	<0.5	<2	34.3	<0.5	<1	1	<1	0.04
S213321		1.97	0.118		21.9	1.24	34	480	<0.5	<2	0.13	3.5	1	14	71	0.81
S213351		3.37	0.005		0.5	6.99	21	660	1.0	3	3.93	<0.5	9	5	14	3.30
S213352		4.02	<0.005		<0.5	6.68	<5	1230	0.9	<2	3.97	<0.5	6	3	5	3.65
S213353		5.46	<0.005		<0.5	7.88	<5	1460	1.1	<2	3.16	<0.5	10	2	10	4.02
S213354		5.98	<0.005		<0.5	7.36	<5	1580	1.4	<2	4.18	0.5	10	2	16	4.07
S213355		6.48	<0.005		<0.5	8.49	<5	1680	1.6	<2	3.73	<0.5	11	2	12	4.88
S213356		6.26	<0.005		<0.5	7.48	<5	1320	1.2	<2	5.23	<0.5	12	1	9	4.88
S213357		6.52	<0.005		<0.5	7.67	<5	2460	1.1	3	4.74	<0.5	13	2	15	5.13
S213358		5.74	<0.005		<0.5	8.32	<5	2270	1.5	3	2.50	<0.5	5	2	18	2.79
S213359		6.18	<0.005		<0.5	7.38	<5	2870	1.0	<2	6.18	<0.5	9	1	36	5.00
S213360		0.62	<0.005		<0.5	0.04	<5	10	<0.5	3	35.4	<0.5	<1	<1	<1	0.04
S213361		6.14	<0.005		<0.5	7.21	<5	1900	1.0	<2	5.03	<0.5	11	2	15	5.19
S213362		5.87	<0.005		<0.5	8.12	<5	2420	1.3	2	3.32	<0.5	8	3	4	4.47
S213363		6.62	<0.005		<0.5	8.72	6	2110	1.5	<2	2.77	<0.5	8	2	4	4.47
S213364		5.87	<0.005		<0.5	8.92	<5	2590	1.5	<2	3.06	<0.5	11	3	20	3.50
S213365		6.18	<0.005		<0.5	7.78	<5	1980	1.2	<2	4.47	<0.5	12	<1	17	3.41
S213366		6.25	<0.005		<0.5	7.54	<5	2480	1.2	<2	3.99	<0.5	13	<1	87	3.29
S213366D		<0.02	<0.005		<0.5	7.85	<5	2580	1.3	<2	4.09	<0.5	14	<1	84	3.45
S213367		5.12	<0.005		0.7	7.67	<5	1520	1.1	<2	3.11	<0.5	12	<1	108	3.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213301		10	2.64	10	0.46	144	20	0.06	3	560	28	2.97	45	7	19	<20
S213302		10	2.09	10	0.31	96	20	0.05	2	450	17	2.15	52	5	15	<20
S213303		10	2.81	10	0.43	72	76	0.06	3	620	18	3.16	54	8	16	<20
S213304		20	3.61	10	0.67	214	56	0.07	3	770	19	3.35	41	10	20	<20
S213305		10	1.85	10	0.37	450	89	0.04	3	410	21	1.81	28	5	31	<20
S213306		20	3.37	10	0.53	135	98	0.06	3	690	19	3.20	45	9	20	<20
S213306D		20	3.32	10	0.54	158	99	0.06	4	700	16	3.17	41	9	21	<20
S213307		10	3.21	10	0.47	312	66	0.05	4	680	16	2.85	29	9	32	<20
S213308		20	3.85	10	0.58	483	79	0.06	3	790	17	3.61	24	10	41	<20
S213309		20	3.49	10	0.55	305	32	0.05	3	740	21	2.84	27	9	30	<20
S213310		10	3.66	10	0.47	1355	8	0.16	22	820	248	3.04	62	10	202	<20
S213311		20	4.14	10	0.59	540	34	0.06	3	860	18	3.07	17	11	57	<20
S213312		20	3.99	10	0.68	747	62	0.06	2	870	14	3.14	14	10	58	<20
S213313		20	4.04	10	0.62	464	128	0.06	3	840	21	3.37	28	11	40	<20
S213314		10	2.27	10	0.34	162	54	0.04	3	510	60	2.50	32	6	53	<20
S213315		20	3.07	10	0.44	85	82	0.05	3	640	22	3.13	43	8	36	<20
S213316		20	3.33	10	0.54	136	92	0.06	3	710	43	3.45	46	9	20	<20
S213317		20	3.36	10	0.53	105	211	0.06	3	700	71	3.97	75	9	130	<20
S213318		20	3.52	10	0.60	125	30	0.06	4	750	29	3.54	42	9	19	<20
S213319		10	2.90	10	0.49	131	25	0.05	2	630	161	2.88	52	7	17	<20
S213320		<10	0.01	<10	2.04	17	1	<0.01	<1	30	2	0.11	<5	<1	4910	<20
S213321		10	0.60	<10	0.14	58	12	0.02	1	140	56	0.77	21	2	16	<20
S213351		20	3.06	10	1.00	1360	2	0.99	4	930	14	2.75	5	9	128	<20
S213352		20	1.98	10	0.59	3120	2	0.39	1	880	9	0.20	<5	8	199	<20
S213353		20	2.47	10	0.61	2390	2	0.47	<1	1120	14	0.33	5	9	199	<20
S213354		20	2.69	10	0.50	2580	1	0.56	2	1240	13	0.69	<5	8	245	<20
S213355		20	2.94	10	0.64	2370	1	0.64	3	1420	11	0.48	<5	9	261	<20
S213356		20	2.34	10	0.71	2760	3	0.48	1	1200	11	0.14	<5	8	229	<20
S213357		20	2.34	10	0.79	2770	3	0.46	1	1190	9	0.04	<5	8	254	<20
S213358		20	3.06	10	0.39	1255	1	0.57	1	1290	6	0.02	<5	9	240	<20
S213359		20	2.24	10	0.76	2850	<1	0.40	2	1080	9	0.04	<5	8	255	<20
S213360		<10	0.01	<10	1.73	26	1	<0.01	<1	30	6	0.07	<5	<1	5390	<20
S213361		20	2.33	10	0.75	2360	<1	0.37	3	1140	8	0.02	<5	8	207	<20
S213362		20	3.29	10	0.46	1370	1	0.46	<1	1390	8	0.02	<5	9	221	<20
S213363		20	3.75	10	0.33	974	1	0.52	1	1420	13	0.01	7	9	240	<20
S213364		20	3.82	20	0.39	1130	2	0.53	10	1480	14	0.02	<5	9	276	<20
S213365		20	2.92	20	0.51	1640	<1	0.42	4	1250	8	0.02	<5	8	253	<20
S213366		20	2.87	20	0.63	1635	<1	0.42	<1	1270	5	0.03	<5	8	253	<20
S213366D		20	3.02	20	0.65	1665	<1	0.44	1	1420	10	0.03	<5	8	264	<20
S213367		20	2.44	20	0.66	1295	1	0.39	1	1160	5	0.01	<5	8	187	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213301		0.17	<10	<10	69	<10	111	
S213302		0.14	<10	<10	53	<10	67	
S213303		0.18	<10	<10	72	<10	102	
S213304		0.25	<10	<10	86	<10	73	
S213305		0.13	<10	<10	51	<10	50	
S213306		0.23	<10	<10	83	<10	73	
S213306D		0.23	<10	<10	83	<10	75	
S213307		0.23	<10	<10	79	<10	60	
S213308		0.28	<10	<10	95	<10	102	
S213309		0.25	<10	<10	86	<10	78	
S213310		0.23	<10	<10	98	10	510	140
S213311		0.29	<10	<10	101	<10	77	
S213312		0.29	<10	<10	103	<10	97	
S213313		0.29	<10	<10	98	<10	76	
S213314		0.17	<10	<10	64	<10	100	
S213315		0.22	<10	<10	78	<10	68	
S213316		0.23	<10	<10	83	<10	88	
S213317		0.23	<10	<10	87	<10	238	
S213318		0.25	<10	<10	85	<10	76	
S213319		0.21	<10	<10	72	<10	748	
S213320		<0.01	<10	<10	1	<10	<2	
S213321		0.04	<10	<10	15	<10	257	
S213351		0.31	<10	<10	111	<10	85	
S213352		0.28	<10	<10	89	<10	157	
S213353		0.35	<10	<10	108	<10	121	
S213354		0.39	<10	<10	125	<10	94	
S213355		0.45	<10	<10	142	<10	109	
S213356		0.36	<10	<10	116	<10	117	
S213357		0.37	<10	<10	118	<10	119	
S213358		0.40	<10	<10	128	<10	57	
S213359		0.34	<10	<10	111	<10	113	
S213360		<0.01	<10	<10	1	<10	15	
S213361		0.35	<10	<10	113	<10	120	
S213362		0.43	<10	<10	135	<10	93	
S213363		0.44	<10	<10	149	<10	81	
S213364		0.45	<10	<10	144	<10	105	
S213365		0.38	10	<10	116	<10	118	
S213366		0.39	<10	<10	131	<10	104	
S213366D		0.42	<10	<10	139	<10	110	
S213367		0.35	<10	<10	110	<10	113	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S213368		4.97	<0.005		0.5	7.82	<5	1590	1.0	<2	3.81	<0.5	15	<1	60	4.16
S213369		5.60	<0.005		<0.5	7.58	<5	1640	1.1	<2	2.34	<0.5	7	<1	55	2.66
S213370		0.12	1.025		11.2	5.99	287	570	1.0	2	3.39	4.0	10	25	79	3.68
S213371		6.35	<0.005		<0.5	8.66	19	1720	1.3	<2	0.39	<0.5	10	<1	202	2.35
S213372		5.89	<0.005		<0.5	8.72	8	1300	1.3	2	2.21	<0.5	12	<1	43	4.19
S213373		6.89	<0.005		<0.5	7.76	<5	1300	1.1	<2	3.70	<0.5	9	<1	45	3.55
S213374		5.69	<0.005		<0.5	7.03	<5	1190	0.9	<2	2.99	<0.5	6	<1	9	3.35
S213375		6.05	<0.005		<0.5	7.75	<5	1290	0.8	<2	2.91	<0.5	8	<1	31	3.95
S213376		5.88	<0.005		<0.5	7.21	6	1590	0.9	2	3.19	<0.5	7	<1	3	3.70
S213377		5.98	<0.005		<0.5	7.23	5	1710	1.0	<2	2.52	<0.5	10	<1	2	3.59
S213378		5.53	<0.005		<0.5	7.60	<5	1630	1.1	<2	2.93	<0.5	8	<1	2	4.02
S213379		6.39	<0.005		<0.5	7.44	<5	1580	1.0	<2	3.28	<0.5	10	<1	1	4.13
S213380		0.62	<0.005		<0.5	0.06	<5	10	<0.5	2	33.1	<0.5	<1	<1	1	0.04
S213381		5.89	<0.005		<0.5	8.57	5	1950	1.2	<2	2.17	<0.5	8	<1	1	4.36
S213382		6.00	<0.005		<0.5	6.67	<5	1770	1.1	<2	2.75	<0.5	7	<1	1	4.00
S213383		5.23	<0.005		<0.5	7.57	<5	1810	1.1	<2	2.42	<0.5	7	<1	1	3.99
S213384		6.72	<0.005		<0.5	6.72	6	1610	1.1	<2	3.84	<0.5	9	<1	1	4.09
S213385		5.93	<0.005		<0.5	6.59	<5	1660	1.0	3	3.04	<0.5	5	<1	1	3.38
S213386		5.87	<0.005		<0.5	5.72	<5	1560	0.9	<2	3.36	<0.5	6	<1	1	3.52
S213386D		<0.02	<0.005		<0.5	7.43	<5	1700	1.0	<2	3.29	<0.5	7	<1	1	3.86
S213387		6.12	<0.005		<0.5	7.98	<5	1750	1.1	<2	2.85	<0.5	8	<1	3	3.90
S213388		5.07	<0.005		<0.5	6.85	<5	1450	1.0	3	4.14	<0.5	7	<1	28	3.72
S213389		5.43	<0.005		<0.5	8.28	5	1760	1.1	<2	2.77	<0.5	9	<1	74	4.32
S213390		0.12	>10.0	10.75	>100	5.58	348	460	0.9	<2	3.45	4.1	10	28	134	3.39
S213391		6.09	<0.005		<0.5	7.16	<5	1390	1.0	<2	3.06	<0.5	7	<1	90	3.59
S213392		5.98	<0.005		1.2	7.71	5	1670	1.1	<2	2.59	<0.5	8	<1	521	3.55
S213393		5.38	<0.005		<0.5	8.28	<5	2020	1.1	<2	3.34	<0.5	10	<1	32	4.07
S213394		5.80	<0.005		<0.5	6.97	<5	1670	0.9	<2	3.18	<0.5	8	<1	14	3.23
S213395		5.79	<0.005		<0.5	7.45	<5	1740	1.0	<2	2.31	<0.5	8	<1	13	3.55
S213396		5.48	<0.005		<0.5	7.70	<5	1190	1.0	<2	2.39	<0.5	12	<1	23	3.86
S213397		5.90	<0.005		<0.5	7.90	<5	1780	1.0	<2	3.33	<0.5	15	<1	12	3.99
S213398		5.70	<0.005		<0.5	8.06	<5	2350	1.1	<2	2.20	<0.5	11	<1	26	3.81
S213399		6.22	<0.005		<0.5	7.45	5	3050	1.0	<2	2.93	<0.5	6	<1	7	3.58
S213400		0.60	<0.005		<0.5	0.08	<5	30	<0.5	2	34.2	<0.5	<1	<1	2	0.05
S213401		5.69	<0.005		<0.5	7.64	<5	1880	1.1	<2	3.02	<0.5	8	<1	3	3.96
S213402		5.85	<0.005		<0.5	7.40	<5	1660	1.0	<2	2.85	<0.5	6	<1	3	3.83
S213403		5.99	<0.005		<0.5	7.56	8	1880	1.0	<2	2.88	<0.5	7	<1	5	3.70
S213404		6.01	<0.005		<0.5	7.21	<5	1650	1.0	<2	3.11	<0.5	6	<1	3	3.66
S213405		5.75	<0.005		<0.5	7.35	6	1690	1.1	<2	2.59	<0.5	8	<1	4	3.97
S213406		5.53	<0.005		<0.5	8.47	<5	2490	1.3	<2	3.42	<0.5	5	<1	2	4.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213368		20	2.24	20	0.85	1620	2	0.39	1	1090	4	0.01	<5	9	220	<20
S213369		20	2.49	20	0.53	1045	<1	0.39	<1	1100	5	0.01	<5	8	175	<20
S213370		10	3.57	20	0.53	1350	10	0.20	18	860	138	2.62	16	10	183	<20
S213371		20	2.71	20	0.43	328	7	0.50	1	1130	8	0.40	<5	10	186	<20
S213372		20	2.46	20	0.79	1145	6	0.49	2	1290	8	0.38	<5	10	221	<20
S213373		20	2.09	20	0.78	1500	3	0.41	1	1060	6	0.01	<5	9	235	<20
S213374		10	1.94	20	0.75	1210	<1	0.30	<1	920	3	0.01	<5	8	181	<20
S213375		10	2.22	20	0.86	1205	<1	0.28	<1	1050	3	<0.01	<5	9	168	<20
S213376		20	2.49	20	0.52	1110	<1	0.28	<1	990	5	0.01	<5	8	177	<20
S213377		20	2.76	20	0.41	884	<1	0.31	<1	1060	5	0.01	<5	8	164	<20
S213378		20	2.79	20	0.41	912	1	0.34	<1	1060	6	0.01	<5	9	196	<20
S213379		20	2.82	20	0.40	999	<1	0.33	<1	1070	5	<0.01	<5	8	198	<20
S213380		<10	0.01	10	1.76	24	<1	<0.01	<1	30	<2	0.09	<5	<1	4920	<20
S213381		20	3.38	20	0.33	673	<1	0.41	<1	1270	7	0.01	<5	9	210	<20
S213382		20	3.00	20	0.26	823	<1	0.35	<1	1050	6	0.01	<5	7	196	<20
S213383		20	3.12	20	0.25	719	<1	0.37	1	1120	5	0.01	<5	8	202	<20
S213384		20	2.96	20	0.31	1065	<1	0.36	1	1060	10	<0.01	<5	7	220	<20
S213385		20	2.79	20	0.20	836	<1	0.31	<1	950	5	0.01	<5	7	171	<20
S213386		20	2.81	20	0.20	937	<1	0.32	1	940	6	<0.01	<5	6	176	<20
S213386D		20	3.09	20	0.27	935	<1	0.34	<1	1060	2	0.01	<5	8	186	<20
S213387		20	2.97	20	0.36	898	<1	0.42	<1	1160	5	0.01	<5	9	224	<20
S213388		10	2.42	20	0.39	1100	<1	0.44	<1	940	4	0.01	<5	8	247	<20
S213389		20	2.82	20	0.59	941	<1	0.50	2	1190	4	0.01	<5	9	241	<20
S213390		10	3.25	20	0.43	1290	8	0.15	20	760	227	2.76	55	9	184	<20
S213391		10	2.30	20	0.57	980	<1	0.44	<1	980	6	0.01	<5	8	242	<20
S213392		20	2.67	20	0.62	853	<1	0.51	<1	1140	9	0.02	<5	9	241	<20
S213393		20	2.79	20	0.54	1010	<1	0.55	<1	1150	10	0.02	<5	9	288	<20
S213394		10	2.34	20	0.47	921	<1	0.47	<1	980	5	0.02	<5	8	254	<20
S213395		20	2.40	20	0.72	833	<1	0.53	<1	1080	6	0.02	<5	8	259	<20
S213396		10	2.00	20	1.51	1045	<1	0.41	2	1060	3	0.01	<5	9	226	<20
S213397		20	2.27	20	1.43	1305	<1	0.45	<1	1150	5	0.02	<5	9	275	<20
S213398		20	2.85	10	0.75	844	1	0.60	8	1260	9	0.03	<5	9	259	<20
S213399		20	2.83	10	0.28	826	<1	0.59	1	1130	8	0.04	<5	9	283	<20
S213400		<10	0.02	<10	1.61	23	<1	0.01	<1	80	3	0.08	<5	<1	4660	<20
S213401		20	2.99	10	0.24	818	<1	0.77	<1	1180	4	0.01	<5	9	284	<20
S213402		20	2.82	10	0.23	787	<1	0.86	<1	1150	5	<0.01	<5	8	264	<20
S213403		20	2.82	10	0.23	751	<1	0.86	2	1120	5	0.01	<5	9	264	<20
S213404		20	2.62	10	0.23	829	<1	0.96	<1	1090	4	<0.01	<5	8	267	<20
S213405		20	2.82	10	0.22	702	<1	0.98	1	1130	6	<0.01	5	8	263	<20
S213406		20	3.46	10	0.24	821	<1	1.04	<1	1350	7	0.01	<5	9	329	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213368		0.32	<10	<10	116	<10	125	
S213369		0.33	<10	<10	108	<10	70	
S213370		0.24	<10	<10	101	<10	452	
S213371		0.35	<10	<10	112	10	48	
S213372		0.37	<10	<10	120	<10	98	
S213373		0.32	<10	<10	97	<10	88	
S213374		0.28	<10	<10	88	<10	73	
S213375		0.32	<10	<10	92	<10	79	
S213376		0.30	<10	<10	88	<10	67	
S213377		0.31	<10	<10	94	<10	74	
S213378		0.32	<10	<10	91	<10	76	
S213379		0.33	10	<10	87	<10	74	
S213380		<0.01	<10	<10	1	<10	4	
S213381		0.38	<10	<10	108	<10	69	
S213382		0.33	<10	<10	94	<10	64	
S213383		0.34	<10	<10	100	<10	57	
S213384		0.32	<10	10	93	<10	69	
S213385		0.29	<10	<10	77	<10	47	
S213386		0.30	<10	<10	87	<10	50	
S213386D		0.32	<10	<10	94	<10	55	
S213387		0.33	<10	<10	98	<10	63	
S213388		0.29	<10	<10	88	<10	62	
S213389		0.35	<10	<10	108	<10	83	
S213390		0.21	10	<10	91	<10	475	144
S213391		0.30	<10	<10	91	<10	72	
S213392		0.33	<10	<10	113	<10	79	
S213393		0.34	<10	<10	113	<10	77	
S213394		0.29	<10	<10	75	<10	65	
S213395		0.32	<10	<10	82	<10	87	
S213396		0.32	<10	<10	91	<10	140	
S213397		0.34	<10	<10	108	<10	152	
S213398		0.37	<10	<10	89	<10	125	
S213399		0.34	<10	<10	88	<10	68	
S213400		<0.01	<10	<10	1	<10	2	
S213401		0.35	<10	<10	86	<10	70	
S213402		0.34	<10	<10	82	<10	63	
S213403		0.34	<10	<10	85	<10	64	
S213404		0.33	<10	<10	87	<10	62	
S213405		0.34	<10	<10	97	<10	61	
S213406		0.41	<10	<10	138	<10	61	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
S213406D		<0.02	<0.005		<0.5	8.37	<5	2450	1.3	<2	3.44	<0.5	4	<1	3	4.37
S213407		5.90	<0.005		<0.5	7.79	5	1640	1.0	<2	3.33	<0.5	8	<1	3	3.85
S213408		6.24	<0.005		<0.5	8.29	7	1560	1.1	<2	3.98	<0.5	12	<1	4	3.62
S213409		5.62	<0.005		<0.5	7.76	6	1630	1.0	<2	3.14	<0.5	8	<1	5	3.52
S213410		0.12	5.91		79.0	5.97	277	680	0.9	<2	1.88	21.2	10	19	115	4.52
S213411		6.14	<0.005		<0.5	7.96	9	1800	1.0	<2	2.77	<0.5	9	<1	5	3.85
S213412		5.89	<0.005		<0.5	8.85	7	1770	1.1	<2	2.61	<0.5	9	<1	6	4.11
S213413		6.25	<0.005		<0.5	8.54	8	1780	1.2	<2	2.23	<0.5	6	<1	3	4.22
S213414		5.71	<0.005		<0.5	6.81	<5	2180	1.0	<2	4.39	<0.5	8	<1	12	3.38
S213415		5.98	<0.005		<0.5	8.75	7	1720	1.2	2	2.78	<0.5	9	<1	6	4.21
S213416		5.93	<0.005		<0.5	8.38	<5	1690	1.1	<2	3.66	<0.5	13	<1	4	4.11
S213417		5.99	<0.005		<0.5	7.59	<5	1620	0.9	<2	2.73	<0.5	11	<1	3	3.76
S213418		5.93	<0.005		<0.5	8.98	5	1920	1.2	<2	2.31	<0.5	9	<1	2	4.16
S213419		5.99	<0.005		<0.5	9.16	10	1930	1.2	<2	2.55	<0.5	9	<1	2	4.24
S213420		0.77	<0.005		<0.5	0.08	<5	10	<0.5	<2	34.1	<0.5	<1	<1	<1	0.05
S213421		5.53	<0.005		<0.5	10.15	7	2280	1.4	<2	2.57	<0.5	9	<1	4	4.42
S213422		6.53	<0.005		<0.5	10.15	9	2320	1.4	<2	2.15	<0.5	11	<1	2	4.75
S213423		6.12	<0.005		<0.5	8.96	6	2270	1.2	<2	3.41	<0.5	12	<1	3	4.45
S213424		5.91	<0.005		<0.5	9.56	6	2400	1.4	<2	2.12	<0.5	8	<1	2	4.50
S213425		6.09	<0.005		<0.5	8.92	8	3010	1.2	<2	1.66	<0.5	9	<1	2	4.47
S213426		5.65	<0.005		<0.5	7.86	5	2210	1.0	2	1.85	<0.5	10	<1	2	3.89
S213426D		<0.02	<0.005		<0.5	8.08	6	2260	1.0	<2	1.87	<0.5	11	<1	2	3.99
S213427		5.73	<0.005		<0.5	8.40	<5	2030	1.0	<2	2.25	<0.5	9	<1	2	4.04
S213428		5.99	<0.005		<0.5	7.86	8	1780	1.0	<2	2.68	<0.5	10	<1	1	4.05
S213429		6.00	<0.005		<0.5	8.02	5	2030	1.0	<2	2.47	<0.5	10	<1	1	4.07
S213430		0.09	>10.0	18.15	17.6	6.68	761	180	1.3	<2	2.71	1.7	17	100	133	4.86

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S213406D		20	3.42	10	0.24	820	<1	1.03	1	1340	7	0.01	<5	9	329	<20
S213407		20	2.68	10	0.43	802	<1	1.14	<1	1170	8	<0.01	<5	9	279	<20
S213408		20	2.50	10	0.76	1185	<1	1.45	<1	1250	7	<0.01	<5	10	335	<20
S213409		20	2.32	10	0.70	856	<1	1.36	<1	1170	8	<0.01	<5	9	298	<20
S213410		10	3.46	10	0.46	1155	9	0.22	15	930	8350	2.85	68	11	141	<20
S213411		20	2.48	10	0.75	786	<1	1.30	1	1240	24	0.01	<5	9	288	<20
S213412		20	2.70	10	0.67	767	<1	1.48	<1	1300	11	<0.01	<5	10	304	<20
S213413		20	2.73	10	0.47	616	<1	1.47	<1	1300	7	<0.01	6	10	289	<20
S213414		20	2.29	10	0.50	1255	<1	1.30	<1	1080	10	0.02	<5	8	331	<20
S213415		20	2.50	10	0.61	689	1	1.65	<1	1310	13	<0.01	<5	10	329	<20
S213416		20	2.46	10	0.70	1005	<1	1.60	<1	1270	10	<0.01	<5	10	339	<20
S213417		20	2.15	10	0.60	654	<1	1.52	1	1130	7	<0.01	<5	9	285	<20
S213418		20	2.75	10	0.45	574	<1	1.81	<1	1330	8	<0.01	6	10	327	<20
S213419		20	2.73	10	0.49	591	<1	2.00	<1	1380	8	<0.01	<5	10	370	<20
S213420		<10	0.01	<10	1.85	21	<1	0.01	<1	40	3	0.04	<5	<1	4920	<20
S213421		20	3.22	10	0.46	635	<1	2.00	<1	1530	11	<0.01	<5	12	394	<20
S213422		20	3.22	20	0.57	525	<1	1.63	<1	1710	8	<0.01	<5	12	349	<20
S213423		20	2.77	10	0.59	1055	<1	1.70	<1	1320	7	0.01	<5	10	373	<20
S213424		20	3.08	10	0.44	455	<1	1.49	1	1430	8	0.01	6	11	362	<20
S213425		20	2.74	10	0.52	437	<1	1.41	<1	1450	6	0.03	6	10	346	<20
S213426		20	2.25	10	0.54	518	<1	1.41	<1	1290	5	0.02	<5	9	312	<20
S213426D		20	2.33	10	0.55	520	<1	1.42	1	1400	7	0.02	<5	9	317	<20
S213427		20	2.39	10	0.47	578	<1	1.70	1	1370	7	0.01	<5	10	333	<20
S213428		20	2.32	10	0.47	667	<1	1.71	<1	1300	9	<0.01	<5	9	342	<20
S213429		20	2.49	10	0.46	664	<1	1.48	<1	1300	6	<0.01	<5	9	316	<20
S213430		10	2.95	10	0.69	1015	6	0.16	65	1610	59	3.99	15	18	176	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S213406D		0.40	<10	<10	135	<10	62	
S213407		0.34	<10	<10	113	<10	82	
S213408		0.36	<10	<10	116	<10	121	
S213409		0.34	<10	<10	123	<10	99	
S213410		0.25	<10	<10	116	<10	1770	
S213411		0.36	<10	<10	136	<10	107	
S213412		0.38	<10	<10	132	<10	92	
S213413		0.37	<10	<10	131	<10	67	
S213414		0.32	<10	<10	106	<10	77	
S213415		0.37	<10	<10	131	<10	92	
S213416		0.36	<10	<10	130	<10	111	
S213417		0.32	<10	<10	115	<10	95	
S213418		0.38	<10	<10	138	<10	76	
S213419		0.39	<10	<10	146	<10	80	
S213420		<0.01	<10	<10	2	<10	2	
S213421		0.44	<10	<10	153	<10	79	
S213422		0.42	<10	<10	150	<10	91	
S213423		0.39	<10	<10	134	<10	103	
S213424		0.41	<10	<10	150	<10	83	
S213425		0.38	<10	<10	133	<10	89	
S213426		0.32	<10	<10	98	<10	89	
S213426D		0.34	<10	<10	103	<10	91	
S213427		0.34	<10	<10	91	<10	84	
S213428		0.34	<10	<10	100	<10	88	
S213429		0.34	<10	<10	101	<10	81	
S213430		0.34	<10	<10	172	<10	208	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 7-NOV-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS TR15166127

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.

Applies to Method:				
	BAG-01	CRU-31	CRU-QC	LOG-22
	PUL-32m	PUL-QC	SPL-21	SPL-21d
	WEI-21			

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:				
	Ag-OG62	Au-AA23	Au-GRA21	ME-ICP61
	ME-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

CERTIFICATE VA15121193

Project: Bowser Regional Exploration

P.O. No.: BOW-0033

This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 10-AUG-2015.

The following have access to data associated with this certificate:

AUDREY CHEN	SUSAN FLASHA	KENNETH MCNAUGHTON
JOE OVSENEK	NATALIE SENGER	CAROLINE VALLAT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SPL-21d	Split sample - duplicate
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
BAG-01	Bulk Master for Storage
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-23	Pulp Login - Rcvd with Barcode


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

To: **PRETIUM RESOURCES INC.**
ATTN: SUSAN FLASHA
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007758		4.64	<0.005		<0.5	10.75	10	2110	1.6	4	1.73	<0.5	8	66	15	3.69
S007759		3.28	0.037		<0.5	10.30	9	1970	1.3	2	1.21	<0.5	15	38	21	5.91
S007760		1.24	<0.005		<0.5	0.05	5	10	<0.5	<2	32.3	<0.5	<1	1	<1	0.04
S007761		8.42	<0.005		<0.5	10.65	6	2710	1.4	6	0.69	<0.5	11	18	8	5.04
S007762		4.50	<0.005		0.6	11.10	7	2480	1.4	6	0.55	<0.5	11	15	89	3.77
S007763		6.24	0.012		0.7	11.25	17	2530	1.3	<2	0.63	<0.5	28	31	47	3.87
S007764		6.06	<0.005		<0.5	10.00	14	1960	1.4	3	0.52	0.5	22	11	16	3.59
S007765		5.54	0.007		<0.5	10.30	6	1880	1.5	<2	1.33	<0.5	6	3	16	2.70
S007766		6.30	<0.005		<0.5	9.07	<5	1380	1.0	3	1.50	<0.5	6	3	21	4.15
S007766D		<0.02	0.006		<0.5	9.36	<5	1400	1.0	4	1.53	<0.5	7	5	20	4.22
S007767		6.84	<0.005		0.9	10.15	7	2080	1.2	3	1.36	<0.5	4	4	169	4.15
S007768		7.42	0.005		<0.5	7.30	<5	1750	1.0	3	3.14	<0.5	5	4	13	4.10
S007769		6.36	<0.005		<0.5	7.42	6	1860	1.1	<2	3.91	<0.5	6	2	9	3.98
S007770		0.14	>10.0	10.50	>100	5.71	365	1300	1.0	<2	3.57	4.3	9	30	143	3.65
S007771		7.44	0.006		<0.5	7.34	7	1910	1.1	<2	3.72	<0.5	8	2	5	3.48
S007772		6.12	<0.005		<0.5	7.15	7	1800	1.1	<2	4.72	<0.5	7	2	2	3.95
S007773		6.84	<0.005		<0.5	8.99	10	2210	1.4	3	3.38	<0.5	8	2	1	4.80
S007774		7.56	<0.005		<0.5	8.77	8	2120	1.3	<2	2.60	<0.5	7	2	<1	4.15
S007775		7.14	<0.005		<0.5	7.57	5	2080	1.1	<2	3.77	<0.5	8	4	1	3.78
S007776		7.06	<0.005		<0.5	9.17	6	2270	1.3	2	3.00	<0.5	7	2	1	4.59
S007777		7.52	<0.005		<0.5	7.86	7	2690	1.1	2	3.49	<0.5	8	3	1	4.02
S007778		5.98	<0.005		<0.5	7.05	7	4240	1.0	<2	4.62	<0.5	11	2	3	3.57
S007779		7.64	<0.005		<0.5	9.07	7	2040	1.5	<2	2.58	<0.5	9	2	1	4.50
S007780		1.30	<0.005		<0.5	0.06	<5	20	<0.5	<2	35.2	<0.5	<1	<1	<1	0.04
S007781		7.58	<0.005		<0.5	8.74	<5	2020	1.5	2	3.32	<0.5	9	2	1	4.54
S007782		7.26	<0.005		<0.5	8.06	9	1810	1.4	<2	4.17	<0.5	9	3	<1	4.29
S007783		7.52	<0.005		<0.5	8.84	11	2160	1.5	<2	3.48	<0.5	10	2	<1	4.77
S007784		5.74	<0.005		<0.5	9.15	<5	2470	1.5	<2	3.08	<0.5	9	2	1	4.51
S007785		8.08	<0.005		<0.5	8.44	6	1630	1.3	7	2.95	<0.5	9	2	1	4.42
S007786		7.04	<0.005		<0.5	7.27	8	1270	0.9	<2	3.94	<0.5	8	2	4	3.80
S007786D		<0.02	<0.005		<0.5	7.87	6	1300	1.0	3	4.04	<0.5	7	2	3	3.92
S007787		7.88	<0.005		<0.5	7.68	6	1280	1.0	<2	3.91	<0.5	8	2	5	3.91
S007788		7.28	<0.005		<0.5	7.90	6	1340	1.0	<2	4.20	<0.5	8	2	5	4.09
S007789		6.00	<0.005		<0.5	7.89	5	1350	1.0	<2	3.36	<0.5	9	2	8	4.17
S007790		0.14	5.71		83.8	6.23	284	1390	1.0	3	1.94	22.1	10	24	120	4.67
S007791		7.82	<0.005		<0.5	7.46	<5	1280	1.1	2	3.29	<0.5	8	2	8	3.96
S007792		7.56	<0.005		<0.5	8.21	6	1410	1.1	<2	3.87	<0.5	8	1	6	4.06
S007793		7.28	<0.005		<0.5	7.00	6	1180	0.9	<2	4.82	<0.5	7	1	7	3.68
S007794		7.14	<0.005		<0.5	7.77	<5	1410	1.1	5	4.43	<0.5	8	1	8	4.20
S007795		7.04	<0.005		<0.5	8.55	5	1580	1.2	4	3.52	<0.5	8	2	11	4.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007758		20	2.93	10	0.57	795	<1	2.68	12	1800	4	0.03	<5	13	329	<20
S007759		20	2.56	20	0.90	934	<1	2.33	10	1620	10	0.26	<5	11	334	<20
S007760		<10	0.01	<10	1.48	18	<1	0.01	<1	40	<2	0.09	<5	<1	5300	<20
S007761		20	3.64	30	0.61	549	<1	0.57	6	640	10	0.19	<5	14	246	<20
S007762		20	3.63	20	0.72	694	<1	0.61	6	780	5	0.14	<5	17	248	<20
S007763		20	3.93	10	0.60	550	5	0.67	10	570	55	1.21	<5	18	241	<20
S007764		20	3.31	20	0.33	248	19	1.01	2	780	63	2.65	<5	14	278	<20
S007765		20	2.66	10	0.63	789	2	2.00	<1	990	11	0.07	<5	12	359	<20
S007766		20	1.78	10	0.94	1165	5	2.06	<1	1080	4	0.28	<5	12	353	<20
S007766D		20	1.81	20	0.96	1185	5	2.09	<1	1110	4	0.29	<5	12	357	<20
S007767		20	2.54	10	0.92	1100	<1	1.71	<1	1350	7	0.18	<5	13	356	<20
S007768		20	2.30	10	0.36	931	<1	1.34	<1	1070	6	0.09	<5	9	277	<20
S007769		20	2.50	10	0.29	1105	1	1.50	<1	1100	7	0.02	<5	9	315	<20
S007770		10	3.51	10	0.45	1310	8	0.16	22	810	235	2.92	49	10	197	<20
S007771		10	2.42	10	0.31	1040	<1	1.51	<1	1110	6	0.03	<5	9	315	<20
S007772		20	2.42	10	0.31	1325	1	1.63	<1	1080	5	0.01	<5	9	323	<20
S007773		20	3.06	10	0.37	950	1	1.76	<1	1400	10	0.01	<5	12	340	<20
S007774		20	2.87	10	0.44	811	1	1.47	<1	1230	7	0.01	<5	11	302	<20
S007775		10	2.61	10	0.44	1130	1	1.10	<1	1050	7	0.04	<5	9	301	<20
S007776		20	3.08	10	0.48	955	1	1.54	<1	1360	11	0.02	<5	12	314	<20
S007777		20	2.43	10	0.52	1160	1	1.74	1	1180	8	0.10	<5	10	357	<20
S007778		10	2.08	10	0.68	1530	<1	1.30	<1	1030	7	0.23	<5	9	458	<20
S007779		20	2.79	10	0.76	1010	1	1.06	<1	1290	10	0.01	<5	12	312	<20
S007780		<10	0.01	<10	1.92	23	<1	0.01	<1	50	<2	0.07	<5	<1	5430	<20
S007781		20	2.80	10	0.77	1265	<1	1.14	<1	1290	12	0.01	<5	11	304	<20
S007782		20	2.52	10	0.75	1490	<1	1.28	<1	1240	10	<0.01	<5	10	300	<20
S007783		20	3.07	10	0.77	1315	<1	1.22	<1	1400	13	<0.01	<5	11	295	<20
S007784		20	2.96	10	0.72	1110	<1	1.17	<1	1340	10	0.02	<5	12	498	<20
S007785		20	2.23	10	0.72	1155	<1	1.79	<1	1210	12	0.01	<5	11	335	<20
S007786		10	1.65	10	0.69	1430	<1	2.38	<1	1080	8	0.04	<5	9	383	<20
S007786D		20	1.71	10	0.74	1475	<1	2.44	<1	1110	8	0.05	<5	10	394	<20
S007787		10	1.72	10	0.69	1400	<1	2.37	<1	1110	6	0.02	<5	10	399	<20
S007788		20	1.80	10	0.72	1490	<1	2.50	<1	1170	9	0.02	<5	10	419	<20
S007789		20	1.81	10	0.71	1265	<1	2.34	3	1160	10	0.01	<5	10	373	<20
S007790		10	3.72	10	0.48	1195	9	0.24	14	970	8650	2.99	73	12	151	<20
S007791		20	1.72	10	0.64	1235	<1	2.31	1	1110	18	0.01	<5	9	377	<20
S007792		20	1.96	10	0.70	1385	<1	2.35	1	1220	8	<0.01	<5	11	385	<20
S007793		20	1.62	10	0.67	1615	<1	2.21	<1	1080	9	<0.01	<5	9	379	<20
S007794		20	1.96	10	0.64	1470	<1	2.22	<1	1190	10	<0.01	<5	10	386	<20
S007795		20	2.22	10	0.64	1195	<1	2.15	<1	1270	10	0.01	<5	11	360	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007758		0.45	<10	<10	166	10	92	
S007759		0.41	<10	<10	138	10	163	
S007760		<0.01	<10	<10	1	<10	<2	
S007761		0.49	<10	<10	154	10	84	
S007762		0.49	<10	<10	140	10	85	
S007763		0.54	<10	<10	158	<10	84	
S007764		0.43	<10	<10	142	<10	62	
S007765		0.47	<10	<10	208	10	110	
S007766		0.38	<10	<10	137	<10	111	
S007766D		0.39	<10	<10	138	<10	113	
S007767		0.42	<10	<10	132	<10	92	
S007768		0.31	<10	<10	111	<10	69	
S007769		0.33	<10	<10	113	<10	76	
S007770		0.22	<10	<10	94	<10	485	128
S007771		0.33	<10	<10	105	<10	80	
S007772		0.33	<10	<10	90	<10	80	
S007773		0.41	<10	<10	149	10	79	
S007774		0.37	<10	<10	125	<10	81	
S007775		0.33	<10	<10	107	<10	77	
S007776		0.42	<10	<10	138	<10	74	
S007777		0.35	<10	<10	119	<10	83	
S007778		0.30	<10	<10	96	<10	101	
S007779		0.38	<10	<10	124	<10	94	
S007780		<0.01	<10	<10	1	<10	<2	
S007781		0.39	<10	<10	126	<10	98	
S007782		0.37	<10	<10	121	<10	94	
S007783		0.42	<10	<10	130	10	97	
S007784		0.41	<10	<10	121	10	82	
S007785		0.36	<10	<10	124	<10	88	
S007786		0.33	<10	<10	112	<10	92	
S007786D		0.33	<10	<10	116	<10	95	
S007787		0.32	<10	<10	116	<10	88	
S007788		0.34	<10	<10	122	<10	90	
S007789		0.34	<10	<10	114	<10	88	
S007790		0.26	<10	<10	122	<10	1850	
S007791		0.33	<10	<10	112	<10	83	
S007792		0.36	<10	<10	120	<10	87	
S007793		0.32	<10	<10	108	<10	90	
S007794		0.36	<10	<10	121	<10	85	
S007795		0.38	<10	<10	130	10	77	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007796		7.54	<0.005		<0.5	7.76	8	1270	1.1	<2	4.32	<0.5	8	1	5	4.08
S007797		7.36	<0.005		<0.5	7.46	<5	1080	1.0	<2	4.59	<0.5	8	2	4	4.02
S007798		7.90	<0.005		<0.5	7.75	6	1120	1.1	<2	5.29	<0.5	10	1	2	4.16
S007799		7.06	<0.005		<0.5	8.36	<5	1360	1.2	<2	4.56	<0.5	9	1	2	4.33
S007800		0.64	<0.005		<0.5	0.07	<5	20	<0.5	<2	33.5	<0.5	<1	<1	<1	0.04
S007801		7.48	<0.005		<0.5	7.70	5	1510	1.1	<2	4.70	<0.5	8	1	1	3.81
S007802		7.40	<0.005		<0.5	7.76	<5	1380	1.1	2	4.51	<0.5	9	2	6	4.27
S007803		7.80	<0.005		<0.5	8.04	9	1560	1.1	<2	3.96	<0.5	8	1	8	4.46
S007804		7.26	<0.005		<0.5	7.38	5	1210	0.9	2	5.82	<0.5	9	2	6	4.07
S007805		7.38	<0.005		<0.5	7.82	7	1300	1.1	<2	5.24	<0.5	8	1	4	4.29
S007806		6.92	<0.005		<0.5	7.29	7	1290	1.0	4	4.68	<0.5	9	2	5	4.14
S007806D		<0.02	<0.005		<0.5	7.25	8	1290	1.0	<2	4.68	<0.5	9	2	4	4.16
S007807		7.38	<0.005		<0.5	8.55	7	1530	1.2	3	2.34	<0.5	7	2	5	4.60
S007808		7.46	<0.005		<0.5	9.99	8	2050	1.5	2	1.66	<0.5	6	3	6	5.23
S007809		3.16	<0.005		<0.5	8.49	5	1760	1.2	<2	2.81	<0.5	7	2	3	4.54
S007810		0.12	>10.0	18.60	20.9	6.96	768	1450	1.4	<2	2.76	1.9	17	110	138	4.96
S007811		11.10	0.005		<0.5	6.96	6	1240	1.0	<2	5.00	<0.5	8	1	4	3.91
S007812		5.28	<0.005		<0.5	8.42	<5	1570	1.2	4	3.66	<0.5	6	2	4	4.61
S007813		9.66	<0.005		<0.5	7.56	7	1550	1.1	<2	4.83	<0.5	8	1	3	4.29
S007814		7.30	<0.005		<0.5	8.34	6	1730	1.2	<2	4.22	<0.5	6	1	2	4.44
S007815		7.42	<0.005		<0.5	7.47	9	1630	1.0	<2	4.72	<0.5	7	2	4	4.07
S007816		7.70	<0.005		<0.5	7.32	<5	1470	1.0	<2	3.48	<0.5	7	2	3	3.92
S007817		6.28	<0.005		<0.5	7.73	5	1920	1.1	<2	4.27	<0.5	7	2	1	4.22
S007818		8.58	<0.005		<0.5	7.85	5	2310	1.2	3	4.05	<0.5	9	1	5	4.69
S007819		7.62	<0.005		<0.5	7.80	7	2470	1.0	<2	3.75	<0.5	7	1	1	4.52
S007820		0.44	0.009		<0.5	0.07	<5	20	<0.5	<2	33.9	<0.5	<1	<1	<1	0.05
S007821		6.92	<0.005		<0.5	8.31	8	1800	0.8	2	3.34	<0.5	9	2	58	4.82
S007822		6.04	<0.005		<0.5	12.50	14	1990	1.6	3	0.83	<0.5	24	23	38	5.43
S007823		7.04	<0.005		<0.5	11.45	7	1970	1.4	5	0.28	<0.5	8	5	23	5.49
S007824		7.04	<0.005		<0.5	10.95	14	2340	1.2	4	0.12	<0.5	19	5	15	5.37
S007825		9.04	<0.005		<0.5	8.90	<5	1550	1.1	<2	1.74	<0.5	7	3	21	4.66
S007826		5.16	<0.005		<0.5	7.09	<5	2050	0.9	<2	2.83	<0.5	6	3	12	3.57
S007826D		<0.02	<0.005		<0.5	7.27	<5	2270	1.0	<2	3.21	<0.5	7	2	14	3.93
S007827		7.24	<0.005		<0.5	7.80	<5	2280	1.1	<2	2.81	<0.5	7	3	<1	4.32
S007828		6.80	<0.005		<0.5	8.53	<5	2440	1.2	4	2.61	<0.5	7	3	1	3.93
S007829		7.50	<0.005		<0.5	8.26	7	1860	1.2	<2	2.15	<0.5	10	4	13	4.10
S007830		0.14	1.030		12.9	5.83	287	1310	1.0	<2	3.40	4.0	10	26	83	3.80
S007831		7.04	<0.005		<0.5	8.04	7	2430	1.3	2	2.42	<0.5	6	3	3	3.91
S007832		8.62	<0.005		<0.5	8.38	<5	2160	1.3	<2	2.58	<0.5	6	2	4	3.79
S007833		6.38	<0.005		<0.5	8.00	7	2460	1.4	<2	2.80	<0.5	7	2	3	3.81

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007796		20	1.81	10	0.75	1500	<1	2.36	<1	1160	9	0.01	<5	10	376	<20
S007797		20	1.55	10	0.93	1575	<1	2.27	<1	1130	9	<0.01	<5	10	364	<20
S007798		20	1.60	10	1.10	1830	<1	2.28	<1	1140	7	<0.01	<5	10	395	<20
S007799		20	1.98	10	1.10	1565	<1	2.11	<1	1300	9	<0.01	<5	11	355	<20
S007800		<10	0.01	<10	1.81	27	<1	0.01	<1	50	2	0.06	<5	<1	5300	<20
S007801		20	2.03	10	0.77	1380	<1	1.77	<1	1200	8	0.01	<5	9	385	<20
S007802		20	2.01	10	0.73	1245	<1	1.77	<1	1180	10	0.01	<5	10	372	<20
S007803		20	2.07	10	0.60	1140	<1	2.17	<1	1230	8	0.01	<5	11	405	<20
S007804		10	1.53	10	0.74	1735	<1	2.29	<1	1100	7	0.03	<5	10	463	<20
S007805		20	1.66	10	0.79	1575	<1	2.35	<1	1200	11	0.01	<5	11	441	<20
S007806		10	1.50	10	0.78	1455	<1	2.25	<1	1100	10	0.02	<5	10	412	<20
S007806D		20	1.50	10	0.77	1445	<1	2.25	<1	1100	8	0.02	<5	10	413	<20
S007807		20	1.95	10	0.59	742	<1	2.26	<1	1260	9	<0.01	<5	12	344	<20
S007808		20	2.54	20	0.52	511	<1	2.35	<1	1490	12	<0.01	<5	14	360	<20
S007809		20	2.04	10	0.63	910	<1	2.28	<1	1330	12	<0.01	<5	12	382	<20
S007810		10	3.06	20	0.71	1010	6	0.16	69	1670	66	4.13	11	19	188	<20
S007811		20	1.48	10	0.78	1365	<1	1.97	<1	1070	9	<0.01	<5	10	395	<20
S007812		20	1.86	10	0.76	958	<1	2.11	<1	1270	13	0.01	<5	12	395	<20
S007813		20	1.80	10	0.84	1225	<1	1.83	<1	1210	9	<0.01	<5	11	406	<20
S007814		20	2.08	10	0.78	1070	<1	1.88	<1	1310	7	<0.01	<5	12	375	<20
S007815		20	1.60	10	0.83	1355	<1	1.73	<1	1080	8	0.01	<5	11	382	<20
S007816		20	1.69	10	0.67	965	<1	1.84	<1	1140	7	<0.01	<5	11	320	<20
S007817		20	2.17	10	0.52	1080	<1	1.86	<1	1280	10	<0.01	<5	11	335	<20
S007818		10	2.23	10	0.57	1025	<1	1.60	<1	1250	10	0.01	<5	11	382	<20
S007819		20	2.29	10	0.47	999	<1	1.47	<1	1220	10	0.02	<5	11	380	<20
S007820		<10	0.02	<10	1.80	23	<1	0.01	<1	30	2	0.06	<5	<1	4300	<20
S007821		20	1.57	10	1.17	1540	<1	1.34	<1	1200	4	0.04	<5	12	416	<20
S007822		30	2.54	10	0.63	773	2	1.47	8	310	29	0.19	<5	19	515	<20
S007823		20	2.48	20	0.63	701	<1	1.15	1	270	17	0.02	<5	17	324	<20
S007824		20	2.87	10	0.54	556	1	0.90	3	330	21	0.86	<5	15	258	<20
S007825		20	1.84	20	0.59	1045	1	1.45	2	790	5	0.04	<5	12	262	<20
S007826		20	1.67	10	0.43	1085	1	1.19	<1	880	3	0.02	<5	9	378	<20
S007826D		10	1.84	10	0.44	1245	1	1.32	<1	970	7	0.02	<5	9	413	<20
S007827		20	2.24	10	0.36	1025	<1	1.31	<1	1010	7	0.02	<5	9	292	<20
S007828		20	2.29	20	0.39	936	<1	1.40	1	1080	8	0.02	<5	10	366	<20
S007829		20	1.82	10	0.63	1080	<1	1.42	<1	990	5	0.01	<5	10	338	<20
S007830		10	3.74	10	0.52	1335	8	0.20	18	890	144	2.67	14	10	187	<20
S007831		20	2.17	10	0.32	702	<1	1.34	<1	1040	5	0.02	<5	9	397	<20
S007832		20	2.29	10	0.29	767	<1	1.41	<1	1070	8	0.01	<5	9	364	<20
S007833		20	2.33	10	0.24	847	<1	1.44	<1	1040	10	0.02	<5	9	564	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007796		0.34	<10	<10	121	<10	88	
S007797		0.33	<10	<10	114	<10	96	
S007798		0.34	<10	<10	118	<10	106	
S007799		0.38	<10	<10	130	<10	106	
S007800		<0.01	<10	<10	1	<10	<2	
S007801		0.35	<10	<10	119	<10	85	
S007802		0.36	<10	<10	125	<10	90	
S007803		0.39	<10	<10	136	<10	82	
S007804		0.36	<10	<10	126	<10	102	
S007805		0.39	<10	<10	129	<10	104	
S007806		0.35	<10	<10	116	<10	101	
S007806D		0.35	<10	<10	116	<10	101	
S007807		0.40	<10	<10	123	<10	70	
S007808		0.45	<10	<10	137	<10	58	
S007809		0.42	<10	<10	140	<10	74	
S007810		0.35	<10	<10	174	<10	221	
S007811		0.34	<10	<10	119	<10	85	
S007812		0.40	<10	<10	139	<10	77	
S007813		0.37	<10	<10	135	<10	85	
S007814		0.41	<10	<10	150	<10	73	
S007815		0.34	<10	<10	131	<10	81	
S007816		0.35	<10	<10	135	<10	74	
S007817		0.41	<10	<10	143	<10	77	
S007818		0.39	<10	<10	137	<10	93	
S007819		0.39	<10	<10	134	<10	76	
S007820		<0.01	10	<10	1	<10	<2	
S007821		0.41	<10	<10	142	<10	106	
S007822		0.63	<10	<10	216	<10	102	
S007823		0.42	<10	<10	133	<10	101	
S007824		0.42	<10	<10	123	<10	83	
S007825		0.35	<10	<10	115	<10	98	
S007826		0.30	<10	<10	99	<10	71	
S007826D		0.32	<10	<10	111	<10	80	
S007827		0.33	<10	<10	113	<10	83	
S007828		0.35	10	<10	117	<10	74	
S007829		0.33	<10	<10	112	<10	101	
S007830		0.24	<10	<10	99	10	463	
S007831		0.32	<10	<10	107	<10	66	
S007832		0.33	<10	<10	111	<10	66	
S007833		0.33	<10	<10	115	<10	61	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
S007834		7.86	<0.005		<0.5	6.97	5	2500	1.3	4	3.86	<0.5	9	2	2	3.79
S007835		5.88	<0.005		<0.5	7.42	6	3910	1.2	<2	4.13	<0.5	10	2	1	3.69
S007836		8.90	<0.005		<0.5	7.74	6	2540	1.4	2	3.91	<0.5	9	1	2	4.40
S007837		5.46	<0.005		<0.5	6.46	19	2740	0.9	<2	8.55	0.9	25	1	4	15.30
S007838		6.80	<0.005		<0.5	7.77	7	2930	1.3	<2	3.92	<0.5	11	2	2	4.52
S007839		6.98	<0.005		<0.5	8.33	<5	2130	1.2	3	2.46	<0.5	9	2	4	3.67
S007840		0.60	0.009		<0.5	0.06	<5	20	<0.5	<2	32.5	<0.5	<1	<1	<1	0.04
S007841		7.02	<0.005		<0.5	6.80	<5	3610	1.1	<2	4.47	<0.5	9	1	1	2.50
S007842		7.24	<0.005		<0.5	6.81	5	2300	1.1	<2	4.64	<0.5	9	1	1	3.84
S007843		7.30	<0.005		<0.5	9.45	7	3270	1.5	<2	2.01	<0.5	6	2	10	4.45
S007844		8.38	<0.005		<0.5	6.93	7	2320	1.2	<2	4.08	<0.5	7	1	2	4.01
S007845		5.86	<0.005		<0.5	6.81	6	2540	1.1	<2	5.05	<0.5	10	12	3	3.65
S007846		7.20	<0.005		<0.5	6.75	5	2400	1.1	<2	3.57	<0.5	7	1	1	3.35
S007846D		<0.02	<0.005		<0.5	6.95	9	2410	1.2	<2	3.60	<0.5	7	1	1	3.38
S007847		6.72	<0.005		<0.5	6.56	<5	2320	1.1	<2	4.13	<0.5	8	1	1	3.19
S007848		6.26	<0.005		<0.5	6.57	5	3120	1.1	<2	4.62	<0.5	7	1	<1	3.37
S007849		5.38	<0.005		<0.5	6.74	6	3300	1.1	<2	3.60	<0.5	8	1	<1	3.72
S007850		0.14	>10.0	11.30	>100	5.56	346	1240	0.9	<2	3.51	4.3	9	30	141	3.56
S007851		5.98	<0.005		<0.5	7.29	<5	2930	1.0	<2	3.15	<0.5	6	3	<1	3.08
S007852		6.42	<0.005		<0.5	7.88	<5	1970	1.0	<2	3.70	<0.5	7	1	<1	3.99
S007853		5.96	<0.005		<0.5	8.22	<5	1860	1.2	<2	1.59	<0.5	6	2	10	3.05
S007854		7.84	<0.005		<0.5	8.49	<5	1870	1.3	<2	2.23	<0.5	4	1	28	3.35
S007855		5.92	<0.005		<0.5	10.05	12	460	1.4	3	0.68	<0.5	16	8	28	5.67
S007856		7.06	<0.005		<0.5	9.48	8	3080	1.3	<2	1.22	<0.5	7	4	13	3.71
S007857		5.44	<0.005		<0.5	8.21	10	3630	1.2	4	2.54	<0.5	4	3	8	3.37

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	10	0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
S007834		20	2.01	10	0.27	2160	<1	1.45	<1	990	9	0.02	<5	7	398	<20
S007835		20	2.49	10	0.43	1775	<1	0.77	2	1060	10	0.07	<5	9	520	<20
S007836		20	2.38	10	0.46	1815	<1	1.09	1	1070	8	0.08	<5	10	494	<20
S007837		20	0.91	20	1.70	6110	<1	0.27	<1	450	23	0.15	<5	12	658	<20
S007838		20	2.22	10	0.56	1725	<1	1.15	1	880	10	0.37	<5	10	778	<20
S007839		20	2.31	10	0.37	843	<1	1.50	<1	1110	7	0.01	<5	10	308	<20
S007840		<10	0.02	<10	1.75	21	<1	0.01	<1	40	2	0.04	<5	<1	4540	<20
S007841		10	2.34	10	0.31	1125	<1	1.19	<1	1030	8	0.05	<5	8	522	<20
S007842		20	2.57	10	0.27	1030	<1	0.97	<1	1050	5	0.01	<5	8	320	<20
S007843		20	3.29	10	0.26	503	<1	0.85	<1	1270	7	0.01	<5	11	316	<20
S007844		20	2.63	10	0.33	1100	<1	0.61	<1	1030	9	0.01	<5	8	268	<20
S007845		10	2.31	10	0.55	1260	<1	0.68	4	1150	10	0.05	<5	9	372	<20
S007846		20	2.52	10	0.38	979	<1	0.57	<1	1000	5	0.02	<5	7	281	<20
S007846D		10	2.56	10	0.39	981	<1	0.58	<1	1000	6	0.02	<5	8	279	<20
S007847		10	2.41	10	0.42	1090	<1	0.54	<1	990	4	0.03	<5	8	272	<20
S007848		20	2.60	10	0.29	1445	<1	0.60	<1	1010	7	0.02	<5	7	343	<20
S007849		20	2.41	10	0.40	1285	<1	0.55	<1	1030	5	0.06	<5	8	378	<20
S007850		10	3.49	10	0.44	1300	7	0.15	21	800	229	2.82	52	10	192	<20
S007851		20	2.09	10	0.58	1110	<1	0.56	<1	1020	5	0.17	<5	8	411	<20
S007852		10	1.69	10	0.94	1505	<1	0.60	<1	990	6	0.10	<5	9	357	<20
S007853		20	1.81	10	0.73	738	<1	0.80	<1	1120	6	0.10	<5	10	445	<20
S007854		20	1.99	10	0.69	856	<1	0.94	<1	1180	6	0.27	<5	10	318	<20
S007855		20	2.83	20	0.49	442	2	0.90	3	650	47	3.84	<5	15	328	<20
S007856		20	2.97	20	0.54	560	<1	0.76	1	360	17	1.25	<5	9	262	<20
S007857		20	2.38	10	0.53	844	<1	0.69	<1	420	7	0.61	<5	9	368	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-OG62
	Analyte	Ti	Tl	U	V	W	Zn	Ag
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2	1
S007834		0.30	<10	<10	107	<10	63	
S007835		0.32	<10	<10	99	10	77	
S007836		0.34	<10	<10	137	10	75	
S007837		0.27	<10	<10	326	10	213	
S007838		0.35	<10	<10	148	<10	88	
S007839		0.34	<10	<10	118	<10	81	
S007840		<0.01	<10	<10	1	<10	<2	
S007841		0.32	<10	<10	104	<10	87	
S007842		0.32	<10	<10	121	<10	84	
S007843		0.37	<10	<10	143	<10	54	
S007844		0.31	<10	<10	118	<10	83	
S007845		0.35	<10	<10	107	<10	88	
S007846		0.31	<10	<10	113	<10	79	
S007846D		0.31	<10	<10	112	<10	79	
S007847		0.30	<10	<10	112	<10	85	
S007848		0.32	<10	<10	109	<10	62	
S007849		0.31	<10	<10	114	<10	64	
S007850		0.22	<10	<10	92	<10	480	131
S007851		0.31	<10	<10	106	<10	61	
S007852		0.30	<10	<10	106	<10	88	
S007853		0.33	<10	<10	119	<10	83	
S007854		0.36	<10	<10	140	<10	101	
S007855		0.47	<10	<10	157	<10	69	
S007856		0.28	<10	<10	74	<10	73	
S007857		0.28	<10	<10	88	<10	84	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **PRETIUM RESOURCES INC.**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Finalized Date: 17-AUG-2015
Account: PRETRES

Project: Bowser Regional Exploration

CERTIFICATE OF ANALYSIS VA15121193

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-AA23	Au-GRA21	BAG-01
CRU-31	CRU-QC	LOG-22	LOG-23
ME-ICP61	ME-OG62	PUL-32m	PUL-QC
SPL-21	SPL-21d	WEI-21	

Appendix V. Cost Statement

APPENDIX V
Cost Statement

Brucejack 2015 Exploration Off Mining Leases

SUMMARY

Personnel	**$177,700.00**
Food & Accommodation	**$59,850.00**
Assays	**$281,229.99**
Drilling	**$1,254,844.21**
Helicopter	**$755,715.60**
Sub-total	**$2,529,339.80**
PAC Withdrawal	**$432,908.33**
TOTAL COST	**$2,962,248.13**

Brucejack 2015 Exploration Off Mining Leases

Personnel

Name	Position	Rate	Date From	Date To	Days	Cost
Susan Flasha	Senior Geologist	$550	12-Jul-15	20-Jul-15	9	$4,950
Susan Flasha	Senior Geologist	$550	27-Jul-15	12-Aug-15	17	$9,350
Susan Flasha	Senior Geologist	$550	25-Aug-15	4-Sep-15	11	$6,050
Susan Flasha	Senior Geologist	$550	27-Sep-15	12-Oct-15	17	$9,350
Joel Ashburner	Senior Geologist	$550	8-Jul-15	12-Jul-15	5	$2,750
Joel Ashburner	Senior Geologist	$550	19-Jul-15	29-Jul-15	11	$6,050
Joel Ashburner	Senior Geologist	$550	13-Aug-15	26-Aug-15	14	$7,700
Joel Ashburner	Senior Geologist	$550	12-Sep-15	27-Sep-15	16	$8,800
Joel Ashburner	Senior Geologist	$550	12-Oct-15	16-Oct-15	5	$2,750
Christina Anstey	Geologist	$350	5-Sep-15	7-Sep-15	3	$1,050
Cole Mooney	Geologist	$450	9-Jul-15	20-Jul-15	12	$5,400
Duncan McLeish	Geologist	$450	21-Jul-15	30-Jul-15	10	$4,500
Emily Laycock	Geologist	$350	15-Oct-15	16-Oct-15	2	$700
Kelly Wynne	Geologist	$350	5-Sep-15	19-Sep-15	15	$5,250
Kelly Wynne	Geologist	$350	8-Oct-15	13-Oct-15	6	$2,100
Lani Howarth	Geologist	$350	1-Aug-15	20-Aug-15	20	$7,000
Lani Howarth	Geologist	$350	21-Aug-15	5-Sep-15	16	$5,600
Lani Howarth	Geologist	$350	26-Sep-15	12-Oct-15	17	$5,950
Lisa Fodor	Geologist	$350	6-Sep-15	22-Sep-15	17	$5,950
Octavia Bath	Geologist	$350	8-Sep-15	11-Sep-15	4	$1,400
Octavia Bath	Geologist	$350	13-Sep-15	4-Oct-15	22	$7,700
Robert Phillips	Geologist	$350	20-Sep-15	24-Sep-15	5	$1,750
Aaron Greene	Geotechnician	$250	9-Jul-15	22-Jul-15	14	$3,500
Aaron Greene	Geotechnician	$250	24-Sep-15	7-Oct-15	14	$3,500
Brooke Simpson	Geotechnician	$250	6-Aug-15	12-Aug-15	7	$1,750
Chad Wilson	Geotechnician	$250	5-Sep-15	16-Sep-15	12	$3,000
Jake Denny	Geotechnician	$250	10-Sep-15	23-Sep-15	14	$3,500
Konrad Howard	Geotechnician	$250	26-Aug-15	9-Sep-15	15	$3,750
Mitchell Turner	Geotechnician	$250	17-Sep-15	30-Sep-15	14	$3,500
Nicholas Stewart	Geotechnician	$250	23-Jul-15	5-Aug-15	14	$3,500
Nicholas Stewart	Geotechnician	$250	13-Aug-15	25-Aug-15	13	$3,250
Olivia Wolfenden	Geotechnician	$250	8-Oct-15	15-Oct-15	8	$2,000
Shandy Gibbs	Geotechnician	$250	17-Sep-15	24-Sep-15	8	$2,000
William Turner	Geotechnician	$250	8-Sep-15	16-Sep-15	9	$2,250
William Turner	Geotechnician	$250	1-Oct-15	4-Oct-15	4	$1,000
Lawrence Commodore	Core Cutter	$250	1-Oct-15	17-Oct-15	17	$4,250
Lucas Groves	Core Cutter	$250	9-Jul-15	22-Jul-15	14	$3,500
Lucas Groves	Core Cutter	$250	6-Aug-15	19-Aug-15	14	$3,500
Lucas Groves	Core Cutter	$250	3-Sep-15	16-Sep-15	14	$3,500
Rod McLean	Core Cutter	$250	23-Jul-15	5-Aug-15	14	$3,500
Rod McLean	Core Cutter	$250	20-Aug-15	2-Sep-15	14	$3,500
Rod McLean	Core Cutter	$250	17-Sep-15	30-Sep-15	14	$3,500
				Sub Totals	501	$173,850
Report Preparation:						
Susan T. Flasha	Author	$550	2-May-16	8-May-16	7	$3,850
				Total		**$177,700.00**

Camp Food and Accomodation costs

Geological Personnel	501 days @ $50 per person / day	$25,050.00
Drillers	696 days @ $50 per person / day	$34,800.00
	TOTAL	**$59,850.00**

Brucejack 2015 Exploration Off Mining Leases

Assays - ALS Canada Ltd.

Assay Certificates	# of Samples	Cost
TR15102767	104	$3,265.45
TR15104081	105	$3,307.21
TR15104888	106	$3,338.37
TR15105651	100	$3,202.25
TR15106194	100	$3,038.18
TR15106805	105	$3,174.97
TR15107427	105	$3,209.63
TR15108294	33	$1,708.64
TR15117133	105	$3,278.94
TR15117893	105	$3,332.63
TR15119483	105	$3,342.27
TR15120451	105	$3,206.62
TR15121668	47	$1,431.38
TR15129098	105	$3,303.10
TR15130374	105	$3,343.64
TR15131562	105	$3,322.43
TR15133107	105	$3,253.67
TR15134382	105	$3,157.14
TR15134584	105	$3,165.52
TR15135579	6	$182.51
TR15136927	105	$3,281.86
TR15136967	105	$3,232.19
TR15138183	105	$3,270.67
TR15138186	105	$3,311.55
TR15138190	105	$3,278.29
TR15138668	105	$3,290.81
TR15139612	105	$3,262.24
TR15139613	105	$3,317.04
TR15140234	105	$3,202.51
TR15140791	105	$3,226.10
TR15140793	105	$5,436.32
TR15141008	105	$5,457.80
TR15142000	105	$5,465.10
TR15142641	105	$5,455.49
TR15143408	105	$5,484.34
TR15143409	106	$3,354.25
TR15143951	105	$5,449.41
TR15144707	105	$3,293.98
TR15144713	105	$5,445.12
TR15144898	105	$5,454.07
TR15146114	105	$3,340.42
TR15147228	105	$3,323.97
TR15147232	95	$4,982.74

Brucejack 2015 Exploration Off Mining Leases

TR15147393	45	$5,527.43
TR15149055	105	$3,195.16
TR15149056	105	$3,296.16
TR15149617	105	$3,335.49
TR15149619	105	$3,299.84
TR15150595	105	$5,471.41
TR15151528	105	$5,486.91
TR15151536	105	$5,402.43
TR15151548	105	$3,279.91
TR15152388	105	$3,154.38
TR15153088	39	$1,217.70
TR15156150	66	$1,973.32
TR15156174	105	$3,212.62
TR15157076	105	$3,181.93
TR15157757	104	$1,176.24
TR15159625	68	$2,042.90
TR15162622	105	$1,187.55
TR15162627	105	$1,187.55
TR15166127	106	$3,326.63
VA15121193	105	$3,334.26
VA15157720	103	$64,759.35
TOTAL	**6,268**	**$281,229.99**

Brucejack 2015 Exploration Off Mining Leases

Diamond Drilling (Hy-Tech Drilling ltd.)

Drill Hole Number	Invoice #	Cost
SU-654	2945	**$109,891.00**
SU-657	2945	$2,261.00
SU-657	2966	$115,991.38
SU-657	total	**$118,252.38**
SU-661	2987	$81,352.20
SU-661	3004	$36,593.85
SU-661	total	**$117,946.05**
SU-666	3003	$122,797.80
SU-666	3019	$67,328.40
SU-666	total	**$190,126.20**
SU-667	3002	**$32,775.45**
SU-668	3004	$113,649.00
SU-668	3020	$58,536.90
SU-668	total	**$172,185.90**
SU-669	3002	**$35,846.89**
SU-670	3002	**$31,421.10**
SU-671	3018	$129,875.20
SU-671	3026	$41,163.50
SU-671	total	**$171,038.70**
SU-671-W1	3026	**$46,456.25**
SU-671-W2	3026	**$42,080.10**
SU-673	3019	$55,945.30
SU-673	3027	$130,878.89
SU-673	total	**$186,824.19**
	TOTAL	**$1,254,844.21**

Brucejack 2015 Exploration Off Mining Leases

Yellowhead Helicopters Ltd.

Flight ticket	Hrs	Dates	Cost
65012	2.6	7-Jul-15	$4,290.00
65013	3.1	8-Jul-15	$5,115.00
65014	5.0	9-Jul-15	$8,250.00
65016	4.2	10-Jul-15	$6,930.00
65017	3.9	11-Jul-15	$6,435.00
65019	4.0	12-Jul-15	$6,600.00
65021	3.8	13-Jul-15	$6,270.00
65023	5.5	14-Jul-15	$9,075.00
65025	3.1	15-Jul-15	$5,115.00
70277	3.8	16-Jul-15	$6,270.00
70279	3.2	17-Jul-15	$5,280.00
70281	3.8	18-Jul-15	$6,270.00
70283	4.3	19-Jul-15	$7,095.00
66444	5.3	20-Jul-15	$4,745.00
70213	8.9	31-Jul-15	$14,720.60
70215	4.3	1-Aug-15	$7,095.00
70218	6.2	2-Aug-15	$10,230.00
70220	3.3	3-Aug-15	$5,445.00
70222	5.5	4-Aug-15	$9,075.00
70223	3.8	5-Aug-15	$6,270.00
70176	3.2	6-Aug-15	$5,280.00
70177 & 70179	3.7	7-Aug-15	$2,475.00
70181	3.3	8-Aug-15	$3,630.00
70183	3.2	9-Aug-15	$5,445.00
69581	8.4	21-Aug-15	$13,860.00
69583	8.1	22-Aug-15	$13,365.00
69585 & 78804	6.6	23-Aug-15	$10,710.00
69587 & 78805	6.0	24-Aug-15	$9,660.00
69589 & 78807	5.8	25-Aug-15	$9,370.00
70189 & 78810	6.8	26-Aug-15	$10,940.00
70192 & 78812	4.8	27-Aug-15	$7,800.00
70193 & 78813	5.9	28-Aug-15	$9,455.00
70185 & 78815	6.4	29-Aug-15	$10,420.00
70198 & 78817	9.2	30-Aug-15	$14,940.00
70200 & 78819 & 78939	6.5	31-Aug-15	$10,090.00
69351	4.0	1-Sep-15	$6,600.00
69357 & 78948	11.7	4-Sep-15	$16,530.00
69359 & 78950	8.5	5-Sep-15	$10,155.00
69361 & 78101	6.1	6-Sep-15	$9,890.00
69363 & 78103	9.0	7-Sep-15	$16,395.00
69365 & 78106	6.4	8-Sep-15	$13,015.00
69367 & 78108	5.0	9-Sep-15	$8,090.00
69370 & 78110	7.7	10-Sep-15	$12,405.00

Brucejack 2015 Exploration Off Mining Leases

69371 & 78112	5.8	11-Sep-15	$9,390.00
69373 & 78114	8.8	12-Sep-15	$14,040.00
78326 & 78116	7.0	13-Sep-15	$11,230.00
78327 & 78118	9.5	14-Sep-15	$15,195.00
78329 & 78122	9.8	15-Sep-15	$15,590.00
78331	6.0	16-Sep-15	$9,900.00
78333	5.0	17-Sep-15	$8,250.00
78336 & 78952	5.1	18-Sep-15	$8,255.00
78338 & 78954	9.2	19-Sep-15	$14,300.00
69592 & 78340 & 78956	7.5	20-Sep-15	$12,075.00
69593 & 66811	8.1	21-Sep-15	$13,245.00
69595 & 66812	4.3	22-Sep-15	$7,015.00
69597 & 66814	5.6	23-Sep-15	$8,940.00
69598 & 66816	13.3	24-Sep-15	$21,285.00
69600 & 66818	12.6	25-Sep-15	$19,830.00
66977 & 66820	10.1	26-Sep-15	$16,045.00
66979 & 66822	11.1	27-Sep-15	$17,755.00
66980 & 66824	7.8	28-Sep-15	$12,510.00
66981 & 78726	10.8	29-Sep-15	$17,160.00
66982 & 78728	7.2	30-Sep-15	$11,500.00
66984	5.9	1-Oct-15	$9,735.00
66987	4.8	2-Oct-15	$7,920.00
66989	5.7	3-Oct-15	$9,405.00
66991	4.6	4-Oct-15	$7,590.00
66993	4.9	5-Oct-15	$8,085.00
66995	4.6	6-Oct-15	$7,590.00
66997	6.1	7-Oct-15	$10,065.00
66999	6.6	8-Oct-15	$10,890.00
78126	4.6	9-Oct-15	$7,590.00
78127	7.1	10-Oct-15	$11,715.00
78129	3.7	11-Oct-15	$6,105.00
78342	7.3	12-Oct-15	$12,045.00
78444	7.5	13-Oct-15	$12,375.00
Total Hrs.	471.9	**Total**	**$755,715.60**

Appendix VI. Statement of Qualifications

I, Susan Teresa Flasha, of 1906 Aspen Crescent, Revelstoke, British Columbia, Canada, hereby certify that:

1. I am a graduate of Queen's University with a M.Sc. (Geological Sciences, 2010) and Okanagan University with a B.Sc. (Earth & Environmental Sciences, 2003), and have practiced my profession continuously since 2004.

2. I have been employed in the geoscience industry for 12 years, and have explored for gold and base metals in Canada, the United States of America, Mexico, and Peru, for senior and junior mining companies.

3. I am not aware of any material fact or material change with respect to the subject matter of the technical report that is not reflected in the technical report, the omission to disclose which makes the technical report misleading.

4. I am an employee of Pretium Exploration Inc.

5. I worked on and supervised the exploration program reported on herein. I believe the geological drill logs by the project geologists to be of good quality. I have been continuously involved with exploration on behalf of Pretium Exploration Inc since 2011.

6. I am the author of the report entitled: "2015 Brucejack Off Mining Leases Exploration Program" dated June, 2016.

Dated at Vancouver, British Columbia, this 2nd day of June, 2016.

Respectfully submitted,



Susan Teresa Flasha, M.Sc.

Core Logging Geologist Credentials

Christina Anstey

Memorial University of Newfoundland, Earth Sciences, B.Sc, 2012

Cole Mooney

University of Alberta, Mining Engineering Geostatistics, M.Sc, 2015

University of British Columbia, Geological Sciences, B.Sc, 2010

Duncan McLeish

McGill University, Earth Sciences, Ph.D, in progress

University of Victoria, Earth and Ocean Sciences, M.Sc, 2013

Danhousie University, Earth Sciences, B.Sc Honours, 2008

Emily Laycock

University of Alberta, Geology, B.Sc., 2010

Kelly Wynne

University of British Columbia, Geological Sciences, B.Sc, 2009

Lani Howarth

University of Victoria, Geoscience, B.Sc Honours, 2012

Lisa Fodor

University of Victoria, Earth Science, B.Sc, 2012

Octavia Bath

University of Ottawa, Earth Science, M.Sc, 2015

Memorial University of Newfoundland, Earth Sciences, B.Sc Honours, 2010

Robert Phillips

University of Toronto, Geology, B.Sc Honours, 2015