


Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: GEOCHEMICAL SAMPLING REPORT



TOTAL COST: \$37,356.10

AUTHOR(S): Benjamin Eggers, P.Geo

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-8-265

YEAR OF WORK: 2016

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): Event 5628686 / Dec 8, 2016

PROPERTY NAME: Fandora

CLAIM NAME(S) (on which the work was done): 508912, 537994, 537995 & 606353

COMMODITIES SOUGHT: Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092F 041

MINING DIVISION: Alberni

NTS/BCGS: 92F/4E, 5E / 092F022

LATITUDE: 49 ° 14 ' 58 " LONGITUDE: 125 ° 40 ' 39 " (at centre of work)

OWNER(S):

1) Selkirk Metals Corp.

2) _____

MAILING ADDRESS:

200-580 Hornby Street

Vancouver, BC V6C 3B6

OPERATOR(S) [who paid for the work]:

1) Selkirk Metals Corp.

2) _____

MAILING ADDRESS:

200-580 Hornby Street

Vancouver, BC V6C 3B6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

The Fandora occurrence is underlain by andesitic tuff and breccia of the pre-Jurassic Westcoast Complex. The vein system is hosted by andesites and basalts of the Nitinat Formation of the Sicker Group Volcanics and has been altered to greenstone by Jurassic plutonism including a coarse gabrodiorite.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 26139, 29325, 31379, 32456, 34601, 35040

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: GEOCHEMICAL SAMPLING REPORT

TOTAL COST: \$37,356.10

AUTHOR(S): Benjamin Eggers, P.Geo SIGNATURE(S): _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-8-265 YEAR OF WORK: 2016

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): Event 5628686 / Dec 8, 2016

PROPERTY NAME: Fandora

CLAIM NAME(S) (on which the work was done): 508912, 537994, 537995 & 606353

COMMODITIES SOUGHT: Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092F 041

MINING DIVISION: Alberni NTS/BCGS: 92F/4E, 5E / 092F022

LATITUDE: 49 ° 14 ' 58 " LONGITUDE: 125 ° 40 ' 39 " (at centre of work)

OWNER(S):

1) Selkirk Metals Corp. 2) _____

MAILING ADDRESS:

200-580 Hornby Street

Vancouver, BC V6C 3B6

OPERATOR(S) [who paid for the work]:

1) Selkirk Metals Corp. 2) _____

MAILING ADDRESS:

200-580 Hornby Street

Vancouver, BC V6C 3B6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

The Fandora occurrence is underlain by andesitic tuff and breccia of the pre-Jurassic Westcoast Complex. The vein system is hosted by andesites and basalts of the Nitinat Formation of the Sicker Group Volcanics and has been altered to greenstone by Jurassic plutonism including a coarse gabbrodiorite.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 26139, 29325, 31379, 32456, 34601, 35040

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil 309 / 36 element ICP-MS / AQ201		508912, 537994, 537995 & 606353	\$28,069.69
Silt			
Rock 14 / 36 element ICP-MS / AQ201		508912, 537994, 537995 & 606353	\$1,271.77
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying 323 / Bureau Veritas Commodities		508912, 537994, 537995 & 606353	\$6,338.84
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other Report preparation, program administration		508912, 537994, 537995 & 606353	\$1675.80
TOTAL COST:			\$37,356.10

GEOCHEMICAL SAMPLING REPORT

on the

FANDORA GOLD PROPERTY

Tenure Nos. 508912, 537994, 537995 & 606353

Alberni Mining Division

NTS: 92E/4E, 5E

BCGS Map Sheets: 092F022

Latitude 49° 14' 58" N; Longitude 125° 40' 39" W

UTM (NAD 83 Zone 10N): 5 458 630 N; 305 150 E

Owner / Operator:



an Imperial Metals company

Selkirk Metals Corp.
200-580 Hornby Street, Vancouver, BC V6C 3B6

Author: Benjamin Eggers, P. Geo.
Blackbird Geoscience Ltd.

February 9, 2017

TABLE OF CONTENTS

Section	Title	Page	
A	Report	Introduction	2
		Property	2
		Location and Access	2
		Climate, Topography and Vegetation	3
		History	3
		Regional Geology	4
		Property Geology	5
		2016 Geochemical Sampling Program	5
		Conclusions	7
		Recommendations	8
		Statement of Qualifications	9
		References	10
B	Property	Schedule of Mineral Tenures	11
C	Expenditures	Statement of Expenditures	12
D	Analytical Reports	Bureau Veritas Commodities Canada:	13
		- Certificates of Analysis - 3	
		- Analytical Procedures - 1	
E	Sample Locations	Rock Chip Sample Locations and Descriptions	14
		Soil Sample Locations and Descriptions	
		Historic Workings Locations and Descriptions	
F	Illustrations		15
	Plan Number	Title	Scale
	FAN-16-1 (after p. 3)	BC Location Map	1:8,000,000
	FAN-16-2 (after p. 3)	General Location Map	1:250,000
	FAN-16-3 (after p. 3)	Claim Tenures	1:50,000
	FAN-16-4 (in pocket)	2016 Geochemical Survey: Soil and Rock Sample Locations	1:5 000
	FAN-16-5 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Au (ppb)	1:5 000
	FAN-16-6 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – As (ppm)	1:5 000
	FAN-16-7 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Cu (ppm)	1:5 000
	FAN-16-8 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Pb (ppm)	1:5 000

SECTION A: REPORT

INTRODUCTION

The Fandora Gold Property covers the historic Fandora development workings on shear-controlled, mesothermal, gold (Au)-bearing quartz veins. The Property is located on the west coast of Vancouver Island, 19 km northeast of Tofino, BC and is owned by Selkirk Metals Corp. of Vancouver, BC. Following the staking of the Fandora property in 1940 a series of substantial exploration drifts were established along quartz veins hosted within basalt and andesite of the Upper Devonian Sicker Group - Nitinat Formation.

The Fandora property had not until recently been subjected to modern exploration methods as previous exploration work was primarily trenching and drifting on the known vein system. Geochemical sampling programs conducted in 2009, 2011, 2013 and 2014 identified stream catchment areas with anomalous Au values in stream sediment and inferred the presence of Au bearing quartz veins through soil geochemistry well beyond the existing exploration drifts. Multiple Au in soil anomalous trends have been identified along strike and sub-parallel to the known vein system and have identified new areas for exploration. The 2016 program was designed to build on the results of 2009 - 2014 work by targeting the newly identified anomalous Au in soil trends. The soil geochemical sampling grid, established in 2013, was extended to the southwest and northeast, along strike from the old Fandora workings, testing a series of sub-parallel mineralized vein systems and now covers 4 km of strike length.

PROPERTY:

The Fandora Gold Property is 100% owned by Selkirk Metals Corp. (“Selkirk”), a wholly-owned subsidiary of Imperial Metals Corporation. Selkirk acquired its interest as a result of its acquisition in 2007 and subsequent amalgamation in 2009 with Doublestar Resources Ltd.

The property is located 19 km northeast of Tofino, BC near the head of Tranquil Inlet on the west side of Vancouver Island (Figures FAN-16-1 & FAN-16-2) and consists of 24 mineral tenures (5 Crown granted mineral claims and 19 cell claims / 239 cells) totaling 244 units and covering a gross area of 5,119.70 ha (Figure FAN-16-3).

The details of the mineral tenures that comprise the Property are set out in Section B of this report. The “good to” dates shown are based on the Statement of Exploration and Development Work registered on Mineral Titles Online on December 8, 2016 as Event #5628686 and assume that the work contained in this report will be accepted for assessment purposes.

LOCATION AND ACCESS:

The Fandora property covers the mountain range between Fortune Channel and Warn Bay on the west and the Tranquil Creek drainage on the east immediately to the north of Tranquil Inlet on west coast of Vancouver Island, southwestern British Columbia.

Access to the Fandora property is possible by boat, fixed-wing aircraft or helicopter. Boat access is gained either from Tofino or from a barge facility at Berryman Cove, which is accessed from Highway 4 (Port Alberni-Tofino) by the well maintained West Main and Deer Bay Main Forest Service Roads. From Berryman Cove it is approximately 4.5 km across Tofino Inlet to Rankin Cove, where a well-established dock and barge facility is maintained, or 6.5 km to the head of Tranquil Inlet. From Rankin Cove or



FANDORA PROPERTY ★



SELKIRK METALS CORP.

FANDORA PROPERTY
Alberni Mining Division

BC Location Map

Date: March 2017	Figure:
Scale: As Shown	Drawn By: MD
FAN-16-1	

280000

300000

320000

5480000

5480000

5460000

5460000

5440000

5440000



Great Central Lake

Catface Property

Fandora Property

Hecate Bay

Warn Bay

Vargas Island

Meares Island

Tranquil Inlet

Tofino


Tofino Inlet

Kennedy Lake

PACIFIC OCEAN



FANDORA PROPERTY
Alberni Mining Division
General Location Map




Date: March 2017	Projection: UTM Zone 10 - NAD83	Fig. FAN-16-2
Drawn By: MD	BCGS: 092F022	
Scale: 1:250,000	NTS: 092F04.05	

300000

305000

310000




546000


546000

5455000

5455000



Warn Bay



FANDORA PROPERTY
Alberni Mining Division
Mineral Tenures

Date: March 2017	Projection: UTM Zone 10 - NAD83	Fig.
Drawn By: MD	BCGS: 092F022	FAN-16-3
Scale: 1:50,000	NTS: 092F04,05	

Tranquil Inlet the Tranquil Creek Main Forest Service Road leads to and traverses the Pandora property. There are secondary deactivated and active forest access roads that can be used on the property. The main portal on the property, the 1500-level, was at one-time road accessible but the road has been deactivated. Helicopter flight time from the Tofino airport to the 1500-level portal is approximately 10 minutes each way and there are numerous other helicopter accessible landing sites across the property.

The property spans two NTS map sheets 92F/04E and 92F/05E and can be found on BCGS map 092F022. The approximate centre of the work area on the property lies at the 1500-level portal located at 49° 14' 58" North latitude and 125° 40' 39" West longitude with corresponding UTM coordinates being 5 458 630 N and 305 150 E (NAD 83, Zone 10).

CLIMATE, TOPOGRAPHY AND VEGETATION:

The climate of the region is classified as West Coast Marine, with mild but wet winter seasons and cool drier summers. Mean annual precipitation on the property is 3,808 mm as rain and 373 mm as snow with a mean annual temperature of 7.7°C. Summer temperatures average 14.1°C while winter temperature average 1.6°C (UBC, 2014). Temperatures are moderated by the proximity of the ocean so that prolonged periods of freezing weather are unusual, but due to the basin-like nature created by the high relief landscape colder winter periods and summer highs are amplified within the valley. Snowfall is highly variable but tends to be modest at the low elevations of the property (100 - 200 m) while higher elevations can receive substantial amounts of snow. Snow can persist on the property from November through May making it most easily worked from June through October.

The Pandora property is located in the Clayoquot Sound region of western Vancouver Island. This area is dominated by the Estevan Coastal Plain, a gently undulating terrain that has been broken into numerous islands and peninsulas by inlets and channels. Steep highly dissected rocky hills dominate much of the western edge of the Vancouver Island Mountains. The property covers an area containing steep mountainous ridges, some precipitous topography, and covers the lower reaches of the Tranquil River. Elevations range from sea level at the western and southern margins of the property to 1100 m on the northern limit and 1000 m on the eastern edge of the holdings.

The property is covered in a typical vegetation assemblage of the Coastal Western Hemlock biogeoclimatic zone consisting of thick stands of western hemlock, red cedar, amabilis fir and yellow cedar. Thick undergrowth of salal and salmonberry occurs throughout the area. Old growth vegetation still dominates the landscape but significant areas of forest land have been harvested by conventional methods at low to moderate elevations and a lesser amount of helicopter-assisted logging has been completed at higher elevations within the property boundaries and nearby areas.

HISTORY:

In the late 1800's and very early 1900's Vancouver Island and the Coastal Mainland of British Columbia saw extensive mineral exploration and mine development. The Pandora Mine and several lesser auriferous quartz veins in the Tranquil Creek and adjacent watersheds of the Clayoquot Sound were first discovered in the late 1930's. Initially, these discoveries were explored on surface by hand trenching and other limited exploration techniques. In 1940, the Pandora property was staked by E.G. Brown and P. Donahue to cover what is now defined as the Bell No 1-4 Crown Grants (Report of the Minister of Mines Report, 1947). The site was subsequently taken over by Privateer Mines, who in conjunction with Canamac Mining Company,

carried out most of the underground development on the Property. Four main adits on the 2100, 1900, 1700, and 1500 foot elevations were driven utilizing hand steel and wheelbarrows over the course of one year (Campbell, 1950). In 1947 three main properties (Goldflake, Tofino, and Fandora) were amalgamated and placed into the newly formed Tofino Gold Mining Company. For several years, the Property was heavily explored, chiefly by a series of open cuts along the strike of the high-grade zones of the Fandora vein structure. This exploration period culminated in the late 1950's with the driving of two additional exploration drifts on the 1265 and 1010 levels. As with the previous episode of mining, no substantial volumes of ore were removed for milling (H.W. Agnew, 1959).

Between 1957 and 1964 a new phase of development was initiated by a group organized by Moneta Porcupine Mines. A 35 tonne/day mill was constructed in conjunction with drift expansion on the 1500 and 1700 levels. Within these levels, several high-grade zones were stoped and connections were made by two raises from the 1500 to the 1700 levels. A full 20 man camp was constructed, as well as an access road, telegraph line, and tram line connecting the lower beach camp with the upper mining camp (Report of the Minister of Mines, 1960 and 1963).

This phase of development was the last major episode the Fandora Property saw. In the 1970's and 1980's several small conformational sampling and mapping projects were conducted but nothing more substantial. In 1998, Doublestar Resources Ltd. purchased the five Fandora Crown granted mineral claims from Phrygian Mining Corporation (formerly New Privateer Mine Limited) and in 1999 conducted a series of exploration programs which included rehabilitating the 1500 portal entrance, dewatering the 1500 level adit, the removal of 1,000 kg of Fandora quartz vein material, metallurgical testwork on the Fandora vein material and associated environmental and ARD lithological studies. Also a terrain stability program focused on re-opening the last kilometer of the Fandora access road (which had been deactivated the previous year) was conducted.

The Doublestar programs succeeded in highlighting the ease of recovery of the gold within the Fandora vein material and in initiating baseline environmental work on the Property.

Selkirk Metals Corp. acquired the property as a result of its acquisition in 2007 and subsequent amalgamation in 2009 with Doublestar Resources Ltd. Selkirk conducted silt and soil geochemical sampling programs during 2009, 2011, 2013 and 2014, the results of which are described in the Geochemical Sampling Reports dated February 23, 2010 (BC Assessment Report #31379), October 11, 2011 (BC Assessment Report #32456), February 26, 2014 (BC Assessment Report #34601) and November 22, 2014 (BC Assessment Report #35040).

REGIONAL GEOLOGY:

The West Coast of Vancouver Island is underlain by the Wrangellia Terrane, an exotic assemblage accreted to the North American Cordillera in the Mesozoic, and the West Coast Complex. The Paleozoic (Upper Devonian) Sicker Group is the oldest member of the Wrangellia Terrane and underlies all other lithologies. The Sicker Group is defined by two main assemblages of marine island-arc deposition: the Nitinat and the McLaughlin Ridge Formations.

The Nitinat Formation is dominated by pyroxene-feldspar-porphyrific basalts and basaltic andesites. These typically occur as agglomerates, breccias, lapilli tuffs and crystal tuffs that formed as pyroclastic flows, debris flows and lahars. Pyroxene-phyric, amygdaloidal, pillowed and massive flows are also developed. The Nitinat Formation passes upwards transitionally (over a thickness of about 150 m) into the McLaughlin Ridge Formation, a sequence of volcanoclastic sediments dominated by thickly bedded, massive tuffites and lithic tuffites, interbedded with thinly bedded tuffites and laminated tuffaceous

sandstone, siltstone and argillite (Massey, 1995). Carboniferous to Permian shallow marine deposited strata of bioclastic limestone, sandstone, and shale of the Buttle Lake Group conformably overlie the Sicker Group. The unconformable Middle Triassic Karmutsen Formation volcanics (basaltic pillow lavas, flows, and breccias) complete with a suite of hypabyssal sills and dykes, lie atop. A Late Triassic shallow marine sequence of Limestone (Quatsino Formation) overlies the Karmutsen, and is in turn overlain by thinly banded units of calcareous metasediments and argillites of the Parson's Bay Formation (Gunning, 1932).

All these lithologies are unconformably overlain by the thick Bonanza Volcanic sequence. These rocks consist chiefly of variably colored (red, green, and maroon) welded to massive dacitic tuffs and pyroclastic andesites. The Bonanza units trend prevalently northwesterly and are in turn intruded by the Lower Jurassic Island Intrusions; the cause of associated regional and contact metamorphism.

The West Coast Complex lies on the extreme western margin of Vancouver Island. The Complex is composed of a chaotic assemblage of lithologies defined by melanges of Lower Cretaceous mudstones, sandstones, and cherts overlying an older Volcanic Arc Complex. The northwest striking West Coast Fault separates this Mesozoic complex from the aforementioned Paleozoic and associated rocks of the rest of the Wrangellia Terrane on Vancouver Island (Brandon, M.T., 1985).

PROPERTY GEOLOGY:

The Pandora vein system is hosted by andesites and basalts of the Nitinat Formation. These lithologies have been altered to greenstone by Jurassic plutonism including a coarse gabbrodiorite, several stages of feldspar porphyry dykes and sills and andesitic dykes (particularly in the vicinity of the Pandora mine workings) (Seraphim, 1981). These intrusive rocks are known locally as the Island intrusions. Where the intrusives are in contact with Nitinat units widespread hornfelsation is common. Numerous steeply dipping fractures cut the greenstones, and trend north-northwest on average.

The Pandora vein system trends at approximately 075° and dips steeply (65°-70°) to the north. The vein pinches, swells and bifurcates, however it averages a width of 1-1.4 m. The Pandora vein system is predominantly comprised of two to three distinct veins separated by a highly sheared central andesite dyke. The vein is remarkably continuous with a strike length that has been developed (adits and opencuts) and traced on surface for over 2 km. The vein has been tested down dip for a minimum of 330 m, and it is reasonable to assume it has a far greater down dip extension. The Pandora Vein System is apparently controlled by a shear zone, and more or less parallels the described andesite dyke. However, little alteration of the country rock is evident greater than approximately 0.5 m from the vein-greenstone contact.

The auriferous Pandora vein system is dominated by quartz, is sheeted and thinly banded and contains varying amounts of brown-orange weathered carbonate (ankerite). Sulphide content ranges from 5% to 15% and includes both fine (disseminated to massive) sulphides on fracture and sheet boundaries, to coarser crystalline habits within the bull quartz of the vein itself. Observation and metallurgical testing indicates the gold in the vein system occurs chiefly as free gold contained within the quartz zones (Tse, 1999; Yee, 2006). Pyrite is the dominant sulphide present, however sphalerite, galena, chalcopyrite and arsenopyrite have been noted (Campbell, 1950).

2016 GEOCHEMICAL SAMPLING PROGRAM:

The 2016 Pandora exploration program was designed to build on the successful 2009 – 2014 campaigns utilizing soil geochemical sampling to identify additional Au targets on the property. The primary goal of the program was to continue to extend the geochemical grid to the northeast and southwest, testing for

strike extensions to the Pandora vein system. The anomalous Au in soil trends along strike and sub-parallel to the Pandora vein remained open in both directions following the 2014 program.

A team of Selkirk geologists and Ahousaht First Nation field crew visited the property between March and November 2016. A total of 8 days were spent expanding the soil geochemical grid, predominantly in June, with an additional 2 days spent prospecting the Au geochemical trends and relocating historic workings. The field team was based in Tofino for the duration of the program and accessed the claims by helicopter daily from the Tofino airport.

An additional 9 survey lines were added to the Tranquil River end of the existing grid. A control baseline (800 m at 240°) was flagged from the eastern edge of the Crown Granted claims out to the northeast at a bearing of 060°. Sampling lines were spaced 100 m apart and extended from the riverbank to the northwest (330°) for 300 – 600 m with samples of the soil B-horizon collected every 25 m. Several of the lines could not be completed to the planned 600 m length due to steep terrain with bluff sections and deeply incised drainages. The majority of these lines lie within relatively young second generation planted cut blocks with thick understory growth.

At the opposite end of the geochemical grid, sampling within the Virge Creek drainage amounted to 4 northwest (330°) oriented lines, 600 m long and spaced 100 m apart with samples collected every 25 m. Due to the steep topography and non-optimal positioning of the 2013 – 2014 baseline in this area of the property, a new baseline (240°) was flagged at the northwest end of the 2016 sampling lines to more easily target extensions to the Pandora vein at mid elevations within the Virge Creek basin.

One reconnaissance soil geochemical line was sampled from the northern edge of the Crown Granted claims 600 m northwest to the ridgeline above the Pandora mine. This was the first line completed in this part of the property to test for additional Au-bearing veins northwest of the Pandora vein system. The Report to the Minister of Mines 1946 (p. 188) notes that additional quartz veins have been found about 1400 ft (425 m) northwest and north of the Pandora workings.

Rock chip samples (14) of prospective quartz veins encountered throughout the course of the program were collected across the property. All rock and soil samples were submitted to Bureau Veritas for geochemical assay.

Geological reconnaissance and prospecting on the claims successfully relocated and surveyed the majority of the known adits developed as the Pandora and Gold Flake mines. The portals developed as the Pandora 2100, 1900, 1700, 1500 and 1265 levels were all relocated and surveyed using handheld GPS (Table 1). The 1400 or Lower Craig level and 1010 level portals were not re-located this season, but locations for both have been estimated from historic plans. An old cut trail still remains evident both above and below the 1500 level portal linking the historic workings. With the exception of the 1500 and 2100 levels, all adit entrances are caved and no longer accessible. As previous authors have noted, the upper Pandora workings are located within a shallow gully-like feature presumably resulting from preferential weathering of the Pandora shear zone. It is likely that this feature is recognizable elsewhere on the claims.

The Gold Flake adit is located in the upper reaches of Gold Flake Creek within a portion of the property characterized by tall bluff sections. This creek is dry during summer months and forks 100 m below the workings, which are located on the east side of the western fork. The adit remains open and the partially stoped vein structure is visible cross cutting the slope.

Table 1. Fandora and Gold Flake Mine workings

Working	Level	Easting NAD83_10	Northing NAD83_10	Elevation (m-GPS)	Elevation (ft-original)	Date Located	Comments
Fandora	2100' Level	304934	5458471	670	2121	23-Nov-16	Timbered entrance in narrow gully, remains open
Fandora	1900' Level	305022	5458529	614	1900	23-Nov-16	Timbered entrance in narrow gully, caved
Fandora	1700' Level	305081	5458578	577	1698	23-Nov-16	Caved entrance in narrow gully, rail tracks, ore cart
Fandora	1500' Level	305150	5458636	504	1533	23-Nov-16	Adit reamins open, terminus of upper access road, hell pad
Fandora	1400' Level/Lower Craig	305226	5458652	470	1404	-	Estimated location from historic plans
Fandora	1265' Level	305418	5458757	431	1265	23-Nov-16	Collapsed inclined adit, vein visible @ approx 065/75N
Fandora	1010' Level	305604	5458885	360	1010	-	Estimated location from historic plans
Goldflake	Goldflake Adit	304257	5458098	760		11-Oct-16	Goldflake Creek, on east side of upper western fork, adit remains open

Results from the 2016 soil geochemical sampling (Figures FAN-16-4, 5, 6, 7 & 8) identified anomalous Au in soil values within both the Tranquil River and Virge Creek grid extensions. Within the Tranquil River grid coverage spot highs were in general weaker than within the earlier grid coverage, but still appear to be correlated along linear trends. Assay results from the 2016 soil geochemical coverage of the Virge Creek area show isolated Au spot highs, but these do not correlate well with the interpreted Fandora vein trend. The soil geochemical line completed to the northwest of the Fandora workings returned only one sample with weakly elevated Au.

Rock chip sampling during 2016 identified low level Au anomalism (~230 ppb) in quartz veins at the northeast end of the Tranquil River sampling grid (1700N+325W). This veining was exposed in cliffs interpreted to lie approximately 75 m into the footwall of the Fandora vein structure. **Sampling of quartz vein material from the Gold Flake dump and within the gully immediately down slope returned values up to 68.1 g/t Au and 11.4 g/t Ag. The 4 mineralized samples collected averaged 30.4 g/t Au and 4.8 g/t Ag.** High grade Au-bearing samples from the Gold Flake workings were from a quartz vein up to 8 cm wide with epidote alteration, up to 2% disseminated pyrite and trace arsenopyrite hosted in andesite volcanics.

CONCLUSIONS:

The anomalous Au geochemistry in soils across the property continues to confirm that the Fandora vein system extends well beyond the historic workings. Along the anomalous Au trend interpreted to represent the Fandora vein, soil values range from 50 to almost 1700 ppb Au.

It appears that the 2016 program may have closed off the Fandora vein within the Virge Creek basin. The last 5 lines (500 m) at the southwest end of the grid show no sign of Au anomalism along the interpreted Fandora vein trend. This corresponds with a change in bedrock lithology to granodiorite and diorite as indicated by regional BCGS mapping and confirmed during sampling on the southern side of Virge Creek. It appears likely that the contact between these intrusive rocks, assigned to the Early to Mid Jurassic Island Intrusive Suite, and the Upper Devonian Nitinat Formation volcano-sedimentary rocks marks the southwest limited of the Fandora vein system. The linear Au anomalism interpreted to represent the Fandora vein has been traced 2,100 m southwest of the 1500 level portal.

The Fandora vein continues to remain open to the northeast within the Tranquil River valley. Not all lines completed in this area during 2016 were able to cross the interpreted location of the vein structure. The northernmost anomalous sample interpreted to lie on the Fandora trend occurs at 1500N+375W although an unusual incised gully occurs between 1700N+400W and +425W that is thought to be the weathered

surface expression of the Pandora vein structure. This incised gully lies 1,200 m along strike to the northeast of the 1500 level portal and no sampling has yet been completed beyond this point.

Sampling of vein material from the Gold Flake workings confirms that high Au grades are still evident within the Pandora vein system 1,000 m southwest of the 1500 level portal. It is not yet clear as to whether the mined Gold Flake vein occurs on the same structure as the Pandora vein, or if it is located (approximately 50 m southeast?) in the footwall of the Pandora structure.

There are several anomalous Au trends within the Pandora geochemical grid. While these do not appear to be as extensive as that of the Pandora vein trend, strongly anomalous Au values do occur on these sub-parallel geochemical trends. At least two auriferous veins were explored within the Pandora mine workings and it seems highly likely that there are additional Au-bearing veins on the property. Surface follow up of these geochemical anomalous trends is difficult due to the likely narrow (<0.5 m) veins, steep terrain and/or limited bedrock exposure. Drill testing will likely be the most effective method to locate these sub parallel mineralized veins.


RECOMMENDATIONS:

The auriferous Pandora vein structure has now been identified along 3,300 m of strike length and while an estimate of grade continuity cannot be made from soil geochemistry, this grid sampling method has proved very effective for locating the Pandora mineralized structure and other geochemically anomalous trends interpreted as additional Au-bearing veins.

Soil geochemical surveying will continue to be an effective tool for exploration on the Pandora property and should be used to continue to trace the Pandora vein structure to the northeast. Additional prospecting along this interpreted structure is still warranted in order to confirm the surface expression of the vein.

Drill testing of the Nitinat Formation host sequence should be undertaken, initially from the existing access road, to target the Pandora vein between the Gold Flake and Pandora mine workings. A minimum of 3 relatively flat diamond drill holes (600 – 800 m) should be completed along 700 m of strike length as a first pass program for a total of 2,400 m of drilling. It is highly likely that there are a series of stacked Au-bearing veins either side of the Pandora vein structure. The mine access road would require reactivation in some form prior to drilling to reduce the need for and cost of helicopter support.

Respectfully submitted,



The image shows a handwritten signature in black ink, which appears to be 'B. Eggers'. To the right of the signature is a circular professional stamp. The stamp contains the following text: 'PROFESSIONAL' at the top, 'PROVINCE OF' below it, 'B. K. EGGERS' in the center, '# 40384' below the name, 'BRITISH COLUMBIA' at the bottom, and 'GEO SCIENTIST' at the very bottom. The stamp has a decorative border.

**Benjamin Eggers, P.Geo.
Blackbird Geoscience Ltd.**

STATEMENT OF QUALIFICATIONS:


For: Benjamin Eggers of 321 Olsen Road, Tofino, British Columbia.

I am a Consulting Geologist and Director of Blackbird Geoscience Ltd. with offices at 321 Olsen Road, Tofino, British Columbia V0R 2Z0;

I graduated from the University of Otago, New Zealand with a Bachelor of Science Degree with Honours in Geology (2004) and have been practicing my profession as a geologist in mineral exploration and mining continuously since graduation;

I am a registered member in good standing as a Professional Geoscientist with the Association of Professional Engineers and Geoscientists of British Columbia (Licence #40384);

The observations, conclusions and recommendations contained in this report are based on supervision of the described program, field examinations and the evaluation of results of the exploration program completed by the operator of the property.



**Benjamin Eggers, P. Geo.
Blackbird Geoscience Ltd.**

REFERENCES:

- Agnew, H.W., **1959**: Report On Tofino Copper Claims, Tofino Inlet B.C., Alberni M.D.
- Brandon, M.T., **1985**: Mesozoic Melange of the Pacific Rim Complex, Western Vancouver Island. In, Field Guides to Geology and Mineral Deposits in the Southern Canadian Cordillera. GSA Cordilleran Section Meeting, Vancouver, B.C., May, 1985.
- Campbell, C.M., **1950**: Report on Tofino Gold Mine, Alberni Mining Division. Including Appendices by A.M. Richmond and H. Gunning.
- Dickson, M. P., **1998** and **1999**: Fandora Property Notes
- Eggers, B. **2014**: Geochemical Sampling Report on the Fandora Property for Selkirk Metals Corp., November 22, 2014, BC Assessment Report #35040.
- Gray, P. D., **2000**: Geological and Physical Assessment Report, Fandora Property, for Doublestar Resources Ltd., January 2000, BC Assessment Report #26139
- Gray, P. D., **2007**: Geological Technical Assessment Report, Fandora Property, for Doublestar Resources Ltd, September 28, 2007, BC Assessment Report #29325
- Gunning, H.C., **1932**: Annual Reports of the B.C. Department of Mines.
- Mason, E.E., **1954**: Report On the Production Possibilities of the Tofino Gold Mine, West Coast of Vancouver Island.
- Massey, N.W.D., **1995**: Paper 1992 - 2: Geology and Mineralization of the Alberni - Nanaimo Lakes Area (092F/01W , 02E), BC Geological Survey
- Miller-Tait, J, **2010**: Geochemical Sampling Report on the Fandora Property for Selkirk Metals Corp., February 23, 2010, BC Assessment Report #31379.
- Miller-Tait, J, **2011**: Geochemical Sampling Report on the Fandora Property for Selkirk Metals Corp., October 11, 2011, BC Assessment Report #32456.
- Muller, R.R., **1981**: Westmin Resources' Massive Sulphide Deposits, Vancouver Island. In; Field Guides to Geology and Mineral Deposits in the Southern Canadian Cordillera. GSA Cordilleran Section Meeting, Vancouver, B.C., May, 1985.
- Perry, D., **2014**: Geochemical Sampling Report on the Fandora Property for Selkirk Metals Corp., February 26, 2014, BC Assessment Report #34601.
- Seraphim, R.H., **1981**: Report on the Fandora Gold Property Tofino, B.C. for Devon Industries Inc.
- Sibbick, S.; **1999**: Final Report, Fandora Project ARD Review. Norecol, Dames, & Moore.
- Report Of the Minister of Mines (Fandora Related) **1947**, **1960**, and **1963**.
- University of British Columbia, **2014**: Climate BC Map, Fandora property climate data at 500 m elevation based on 1981 – 2010 climate record, http://www.climatewna.com/climateBC_Map.aspx

SECTION B: PROPERTY

SCHEDULE OF MINERAL TENURES:

The “good to” dates shown are based on the Statement of Exploration and Development Work registered on December 8, 2016 as Event #5628686 and assume that the work contained in this report will be accepted for assessment purposes.

FANDORA PROPERTY: MINERAL TENURES							Date:	Feb 09 2017
OWNER:	Selkirk Metals Corp.	100.0%	BC Client No.	231261	Tenures:	24		
ROYALTY:	nil				Cells/Units:	244		
					Area (ha):	5,119.70		
MINING DIVISION: Alberni		LAND DISTRICT: Clayoquot			LAND TITLE DISTRICT: Victoria			
LOCATION: 19 km northeast of Tofino near the head of Tranquil Inlet on the west side of Vancouver Island.								
MAP NO.	NTS:	092F/04E, 05E	GEOGRAPHIC COORDINATES:		49° 15.2' N;	125° 41.3' W		
	BCGS:	092F022	UTM COORDINATES (NAD 83, ZONE 10):		5 459 000 N	304 300 E		

MAP REFERENCE:

1:250 000	92F / Port Alberni
1:50 000	92F/4: Tofino; 92F/5: Bedwell River
1:20 000	92F022: Warn Bay

Crown Granted Mineral Claims:

Lot No.	Tenure Type	Claim Name	Map No.	Grant Date	Folio No.	Taxes Paid To	Units	Area (ha)	Tax Rate / ha	Taxes
L. 1901	Crown Grant MC	Bell	092F022	1948/jul/29	001988	2017/jul/02	1	19.62	\$1.25	\$24.53
L. 1902	Crown Grant MC	Bell No. 1	092F022	1948/jul/29	001988	2017/jul/02	1	19.62	\$1.25	\$24.53
L. 1903	Crown Grant MC	Bell No. 2	092F022	1948/jul/29	001988	2017/jul/02	1	17.49	\$1.25	\$21.86
L. 1904	Crown Grant MC	Bell No. 3	092F022	1948/jul/29	001988	2017/jul/02	1	20.85	\$1.25	\$26.06
L. 1905	Crown Grant MC	E.M. No. 3 Fr.	092F022	1948/jul/29	001988	2017/jul/02	1	1.85	\$1.25	\$2.31
Subtotal	5						5	79.43		\$99.29

Cell Claims:

Tenure No.	Tenure Type	Claim Name	Map No.	Record Date	Good To Date	Work Year	Cells	Area (ha)	Work Factor	Work**
508912	Claim		092F022	2005/mar/14	2018/apr/15	5	31	653.72	\$15.00	\$9,805.82
536689	Claim	Free Gold 2	092F022	2006/jul/07	2018/apr/15	5	13	274.11	\$15.00	\$4,111.58
536690	Claim	Free Gold 1	092F022	2006/jul/07	2018/apr/15	5	9	189.73	\$15.00	\$2,845.92
537994	Claim	Fandora	092F022	2006/jul/07	2018/apr/15	5	2	42.17	\$15.00	\$632.57
537995	Claim	Fandora	092F022	2006/jul/07	2018/apr/15	5	18	379.59	\$15.00	\$5,693.81
593801	Claim	F 6	092F022	2008/nov/03	2018/apr/15	6	21	442.70	\$15.00	\$6,640.52
606353	Claim	F 1	092F022	2009/jun/19	2018/apr/15	6	25	527.36	\$15.00	\$7,910.40
606354	Claim	F 2	092F022	2009/jun/19	2018/apr/15	6	25	527.33	\$15.00	\$7,909.95
606355	Claim		092F022	2009/jun/19	2018/apr/15	6	24	506.31	\$15.00	\$7,594.65
606356	Claim	F 3	092F022	2009/jun/19	2018/apr/15	6	24	506.00	\$15.00	\$7,590.00
606357	Claim	F 4	092F022	2009/jun/19	2018/apr/15	6	4	84.39	\$15.00	\$1,265.85
606358	Claim	F 5	092F022	2009/jun/19	2018/apr/15	6	9	189.81	\$15.00	\$2,847.15
606359	Claim	F 6	092F022	2009/jun/19	2018/apr/15	6	1	21.09	\$15.00	\$316.35
619023	Claim	F 8	092F022	2009/aug/14	2018/apr/15	6	5	105.39	\$15.00	\$1,580.85
706511	Claim	F 9	092F022	2010/feb/18	2018/apr/15	6	8	168.82	\$15.00	\$2,532.30

772164	Claim	F10	092F022	2010/may/12	2018/apr/15	6	11	231.95	\$15.00	\$3,479.25
854478	Claim	F11	092F022	2011/may/13	2018/apr/15	6	6	126.53	\$15.00	\$1,897.95
1020661	Claim	F12	092F022	2013/jun/30	2018/apr/15	5	1	21.09	\$15.00	\$316.35
1029330	Claim	FAN 14	092F022	2014/jul/01	2018/apr/15	3	2	42.19	\$10.00	\$421.90
Subtotal	19						239	5,040.27		\$75,393.15
TOTAL	24						244	5,119.70		\$75,492.43

** Based on Mineral Tenure Act Regulation Amendments effective July 1, 2012: Year 1 and 2 / \$5.00/ha; Year 3 and 4 / \$10.00/ha;
Year 5 and 6 / \$15.00/ha; Year 7 and beyond / \$20.00/ha

Good to Dates are based on a Statement of Exploration and Development Work registered on December 8, 2016 as Event #5628686

SECTION C: EXPENDITURES

FANDORA 2016 GEOCHEMICAL SAMPLING PROGRAM

SELKIRK METALS CORP.
FANDORA PROJECT

Statement of Expenditures: 2016 Geochemical / Geological Sampling Program

Feb 09 2017 v2

Item / Contractor	Work	Period	Quantity	Unit	Rate	Amount
Personnel:						
Jim Miller-Tait, P.Geo.	Exploration Manager, general supervision	Mar 29-Nov 23 2016	3.5	days	\$550.00	\$1,925.00
Ben Eggers	Geologist	Mar 30-Nov 23, 2016	13	days	\$450.00	\$5,850.00
Bill Fischer	Geologist	Jun 11-18, 2016	7	days	\$400.00	\$2,800.00
George Frank	Field assistant	Mar 30, Jun 11-17, Oct 11 & Nov 14 2016	9.75	days	\$300.00	\$2,925.00
Tom Balfour	Field assistant	Jun 11, Oct 11 2016	2	days	\$275.00	\$550.00
Christian Swan	Field assistant	Jun 14-17, 2016	4	days	\$200.00	\$800.00
Josh Bradford	Field assistant	June 12, 2016	1	days	\$300.00	\$300.00
Subtotal						\$15,150.00
Accommodation & Meals:						
Meals - Crew	Geochem program	Jun 10-18, 2016	18	person days		\$266.45
Meals - Exploration Manager	Geochem program	Mar 30-31, 2016	1	day		\$55.00
Marina West Motel	Crew	Jun 10-18, 2016	18	person days	\$148.05	\$2,664.90
Marina West Motel	Exploration Manager	Mar 30-31, 2016	1	person days	\$148.05	\$148.05
Subtotal						\$3,134.40
Transportation (Air):						
Atleo Air	Helicopter transport from Tofino to property	Mar 30, Jun 11-17, Oct 11, Nov 14 & Nov 23 2016	6.6	hours	\$1,300.00	\$8,580.00
Subtotal						\$8,580.00
Transportation (Ground/Water)						
Exploration Manager - Pickup	Vancouver-Tofino	Mar 29-30, 2016	300	km	\$0.40	\$120.00
Exploration Manager - Fuel	Vancouver-Tofino	Mar 29-30, 2016				\$45.00
Blackbird Geoscience Ltd - Pickup	Crew transport Tofino-Tofino Airport-Tofino	Mar 30, June 11-17, Oct 11 & Nov 14 2016	431	km	\$0.40	\$172.40
Blackbird Geoscience Ltd - Fuel	Crew transport Tofino-Tofino Airport-Tofino	Jun 11-17, 2016				\$64.39
Water Taxi Transport	Crew Ahousaht-Tofino-Ahousaht	Apr 25, Mar 30, Jun 11-17, Oct 11 & Nov 14 2016				\$530.00
Subtotal						\$931.79
Assaying:						
Bureau Veritas Mineral Laboratories	B Soil Samples: AQ201 analytical code	Jun 10-18, 2016	271	samples	\$19.75	\$5,353.24
Bureau Veritas Mineral Laboratories	Rock Samples: AQ201 analytical code	Jun 10-18, 2016	8	samples	\$23.61	\$188.90
Bureau Veritas Mineral Laboratories	B Soil Samples: AQ201 analytical code	Nov 14 2016	38	samples	\$17.46	\$663.48
Bureau Veritas Mineral Laboratories	Rock Samples: AQ201 analytical code	Nov 14 2016	6	samples	\$22.20	\$133.22
Subtotal			323			\$6,338.84

Freight:						
Greyhound Courier Express	Sample shipments: Tofino to Vancouver	Jun 24 & Nov 16, 2016	114	kg		\$203.20
Greyhound Courier Express	Field supplies shipping	May 29, 2016				\$74.66
Subtotal						\$203.20
Field Supplies:						
Deakin Equipment Ltd., Local sources	Sampling & engineering supplies	May 27, 2016				\$582.07
Blackbird Geoscience Ltd	2-Way Radio rental x 2	Mar 30, Jun 11-17, Oct 11 & Nov 14 2016	8	days	\$10.00	\$80.00
Blackbird Geoscience Ltd	inReach satellite communicator	Oct 11 & Nov 14, 2016	2	days	\$10.00	\$20.00
Globalstar	Satellite Phone rental	Jun 11-17, 2016	1	mo	\$60.00	\$60.00
Subtotal						\$742.07
Drafting:						
Melissa Darney	GIS work: drafting of report maps		2	days	\$300.00	\$600.00
Report Preparation:						
Ben Eggers	Data compilation, report preparation		3	days	\$450.00	\$1,350.00
Erik Andersen	Data preparation, report editing		6	hours	\$54.30	\$325.80
Subtotal						\$1,675.80
Total	Work Performed on Tenures: 508912, 537994, 537995 & 606353					\$37,356.10
					Maximum PAC Factor	1.4285
					Maximum Assessment	\$53,363.19

SECTION D: ANALYTICAL REPORTS

1. Analyses carried out by Bureau Veritas Commodities Canada Ltd. of Vancouver, B.C.

File Number	Date of Certificate	No. of Samples	Sample Type	Analytical Procedure
Mineral Analysis:				
VAN16001016	July 15 2016	271	Soil	AQ201
VAN16001017	July 5 2016	8	Rock	AQ201
VAN16002358	Dec 13 2016	38	Rock	AQ201
VAN16002357	Dec 17 2016	6	Rock	AQ201
Total		323		

2. Statement of Analytical Procedures: 1 data sheet
 - Bureau Veritas AQ300, AQ200; Multi-Element (36) Assay by ICP-ES/MS; Aqua Regia Digestion



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Vancouver
Received: June 23, 2016
Report Date: July 15, 2016
Page: 1 of 11

CERTIFICATE OF ANALYSIS

VAN16001016.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID: FAN2016-01
P.O. Number
Number of Samples: 271

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	271	Dry at 60C			VAN
SS80	271	Dry at 60C sieve 100g to -80 mesh			VAN
AQ201	269	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DRPLP	271	Warehouse handling / disposition of pulps			VAN
AQ200	2	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 2 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	0.01	0.001	1	
1000N+00E	Soil	0.5	6.7	8.9	9	<0.1	2.1	1.3	35	0.78	1.6	7.2	0.2	7	<0.1	0.4	0.2	95	0.12	0.026	2
1000N+25E	Soil	0.4	160.2	16.5	11	<0.1	3.6	3.3	121	1.92	2.1	16.3	0.3	10	<0.1	0.6	0.2	168	0.16	0.027	2
1000N+50E	Soil	0.6	22.3	7.5	19	<0.1	9.7	6.7	155	4.86	20.2	36.3	0.4	13	<0.1	0.7	0.1	190	0.27	0.025	2
1000N+75E	Soil	0.2	6.1	9.0	22	<0.1	2.1	1.3	123	0.52	1.1	3.2	<0.1	19	0.1	0.2	0.1	27	0.50	0.055	<1
1000N+100E	Soil	0.5	126.5	2.9	58	<0.1	20.6	18.1	679	4.02	15.5	8.4	0.8	28	0.1	0.3	<0.1	119	0.86	0.086	4
1000N+125E	Soil	0.3	8.3	14.0	22	0.1	2.8	1.5	65	0.50	0.7	15.2	<0.1	16	<0.1	0.2	0.1	32	0.29	0.065	<1
1000N+150E	Soil	0.8	18.2	7.9	15	0.1	10.0	6.0	202	6.34	86.5	130.5	0.6	14	<0.1	0.7	0.1	215	0.21	0.026	3
1000N+175E	Soil	1.1	41.8	7.6	35	0.2	10.5	47.9	1907	4.39	34.9	93.6	0.3	15	0.3	0.8	<0.1	117	0.41	0.051	3
1000N+200E	Soil	0.7	11.9	6.0	8	<0.1	3.7	3.2	71	4.92	7.7	5.5	0.5	11	<0.1	0.6	0.1	218	0.16	0.019	2
1000N+225E	Soil	0.9	21.8	6.3	14	0.2	4.5	4.1	126	7.98	2.7	2.7	0.7	9	0.1	0.3	0.1	156	0.15	0.042	2
1000N+250E	Soil	0.2	3.3	10.1	8	<0.1	1.3	0.9	47	0.47	0.8	2.0	0.2	11	0.2	0.3	0.2	45	0.11	0.033	2
1000N+275E	Soil	0.4	6.8	11.8	13	<0.1	1.5	2.7	150	1.99	<0.5	22.1	0.3	11	<0.1	0.3	<0.1	132	0.16	0.033	2
1000N+300E	Soil	0.6	72.2	5.2	50	<0.1	21.5	22.1	875	4.45	18.4	33.2	0.7	24	0.2	0.3	<0.1	133	0.76	0.068	3
1100N+00W	Soil	0.6	36.0	10.2	31	<0.1	18.3	11.5	393	4.12	36.6	76.5	0.2	17	<0.1	0.6	<0.1	123	0.31	0.052	2
1100N+25W	Soil	0.4	59.8	32.5	61	2.8	34.1	28.3	1118	3.75	430.3	17298.0	0.2	18	0.5	1.0	<0.1	84	0.43	0.072	4
1100N+50W	Soil	1.1	52.8	5.3	34	0.2	12.3	12.6	373	5.89	16.6	406.9	0.8	9	0.2	0.5	0.1	171	0.18	0.047	2
1100N+75W	Soil	1.8	38.9	14.0	72	0.1	24.6	62.9	3299	8.87	10.1	4.0	0.4	14	0.2	0.6	0.1	154	0.34	0.054	3
1100N+100W	Soil	0.3	12.5	19.7	19	<0.1	7.6	4.2	521	0.97	1.3	0.9	<0.1	20	0.1	0.2	0.2	60	0.46	0.058	2
1100N+125W	Soil	0.8	17.6	4.1	12	<0.1	5.8	5.5	100	2.95	2.2	7.8	0.4	13	<0.1	0.4	0.1	182	0.14	0.017	2
1100N+150W	Soil	0.7	63.2	9.0	54	<0.1	30.7	28.4	1496	4.19	8.4	0.8	0.3	81	0.2	0.4	<0.1	104	0.43	0.041	3
1100N+175W	Soil	0.7	97.5	5.2	68	<0.1	22.2	20.6	855	4.74	5.0	5.3	0.6	24	0.3	0.7	<0.1	147	0.78	0.042	4
1100N+25E	Soil	0.8	19.6	5.9	18	<0.1	9.3	7.6	145	5.69	15.3	34.9	0.5	13	<0.1	0.7	<0.1	188	0.20	0.025	3
1100N+50E	Soil	0.9	77.0	3.3	34	<0.1	14.5	10.3	225	4.88	37.3	21.1	1.0	11	<0.1	0.5	<0.1	148	0.20	0.047	3
1100N+75E	Soil	0.8	71.1	5.6	29	0.1	15.9	10.7	457	5.33	36.2	99.7	0.8	12	<0.1	0.7	<0.1	165	0.27	0.061	3
1100N+100E	Soil	0.9	63.3	4.8	36	0.1	21.1	16.5	473	5.81	49.3	38.9	0.6	15	<0.1	0.7	<0.1	155	0.26	0.046	4
1100N+125E	Soil	0.6	42.5	7.0	26	0.1	15.5	14.8	904	5.23	27.9	31.8	0.4	14	0.2	1.0	<0.1	168	0.29	0.051	3
1100N+150E	Soil	0.4	25.4	6.4	27	0.1	16.6	9.8	206	6.04	21.2	609.4	0.5	14	<0.1	0.8	<0.1	207	0.23	0.029	2
1100N+175E	Soil	0.6	80.1	4.9	22	<0.1	11.9	6.7	178	5.10	25.7	204.1	1.0	9	<0.1	0.4	<0.1	157	0.16	0.048	4
1100N+200E	Soil	0.5	71.3	4.8	34	0.3	19.7	10.7	268	5.54	36.7	624.0	1.0	13	0.1	0.4	<0.1	152	0.22	0.049	3
1100N+225E	Soil	0.6	32.8	5.7	22	0.1	14.8	9.9	254	5.60	24.9	179.8	0.4	14	<0.1	0.7	<0.1	172	0.21	0.036	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
1000N+00E	Soil	12	0.09	7	0.250	3	0.74	0.012	0.03	<0.1	0.17	1.9	<0.1	0.07	11	<0.5	<0.2			
1000N+25E	Soil	14	0.12	8	0.325	3	0.48	0.012	0.04	<0.1	0.12	1.8	<0.1	<0.05	8	<0.5	<0.2			
1000N+50E	Soil	39	0.40	7	0.342	3	1.39	0.013	0.03	<0.1	0.10	3.1	<0.1	<0.05	13	0.8	<0.2			
1000N+75E	Soil	3	0.10	13	0.080	8	0.14	0.017	0.06	<0.1	0.32	1.5	<0.1	0.11	<1	0.7	<0.2			
1000N+100E	Soil	34	1.30	18	0.171	4	2.75	0.040	0.03	0.1	0.05	6.5	<0.1	<0.05	8	<0.5	<0.2			
1000N+125E	Soil	4	0.13	7	0.080	5	0.21	0.023	0.07	<0.1	0.25	1.7	<0.1	0.11	1	0.7	<0.2			
1000N+150E	Soil	52	0.26	8	0.278	2	1.91	0.011	0.02	0.1	0.15	4.6	<0.1	<0.05	16	1.4	<0.2			
1000N+175E	Soil	36	0.35	13	0.214	4	2.57	0.013	0.03	0.1	0.25	5.3	<0.1	0.09	10	1.9	<0.2			
1000N+200E	Soil	23	0.14	5	0.448	2	1.05	0.008	0.02	<0.1	0.10	2.2	<0.1	<0.05	15	0.7	<0.2			
1000N+225E	Soil	32	0.18	8	0.264	2	2.20	0.011	0.02	<0.1	0.23	4.3	<0.1	0.07	15	2.4	<0.2			
1000N+250E	Soil	4	0.04	12	0.097	2	0.30	0.011	0.05	<0.1	0.12	0.9	<0.1	0.07	3	<0.5	<0.2			
1000N+275E	Soil	6	0.22	8	0.276	2	0.72	0.007	0.02	<0.1	0.09	2.8	<0.1	<0.05	10	<0.5	<0.2			
1000N+300E	Soil	45	1.11	15	0.201	4	2.77	0.027	0.03	0.2	0.21	6.6	<0.1	<0.05	9	<0.5	<0.2			
1100N+00W	Soil	42	0.71	15	0.168	4	2.13	0.014	0.03	0.7	0.23	4.5	<0.1	0.07	9	1.1	<0.2			
1100N+25W	Soil	47	1.07	24	0.098	4	2.12	0.013	0.04	5.6	0.49	5.3	<0.1	0.07	7	0.7	<0.2			
1100N+50W	Soil	53	0.47	16	0.204	3	4.30	0.008	0.03	0.1	0.29	6.3	<0.1	<0.05	14	2.4	<0.2			
1100N+75W	Soil	67	0.87	29	0.172	2	3.59	0.009	0.03	<0.1	0.18	6.6	<0.1	0.05	16	1.3	<0.2			
1100N+100W	Soil	15	0.31	27	0.145	6	0.54	0.013	0.03	<0.1	0.19	1.8	<0.1	0.12	4	0.7	<0.2			
1100N+125W	Soil	29	0.19	8	0.285	1	1.18	0.009	0.01	<0.1	0.07	2.3	<0.1	<0.05	13	0.5	<0.2			
1100N+150W	Soil	48	1.35	84	0.126	6	2.96	0.015	0.08	0.1	0.19	5.2	<0.1	<0.05	8	0.7	<0.2			
1100N+175W	Soil	50	0.90	40	0.176	4	3.47	0.014	0.03	<0.1	0.15	7.3	<0.1	<0.05	11	1.1	<0.2			
1100N+25E	Soil	37	0.40	15	0.247	2	2.05	0.010	0.02	<0.1	0.17	4.8	<0.1	<0.05	14	1.1	<0.2			
1100N+50E	Soil	63	0.58	14	0.212	4	6.54	0.011	0.01	<0.1	0.25	11.1	<0.1	0.06	10	2.0	<0.2			
1100N+75E	Soil	57	0.57	10	0.244	3	3.48	0.013	0.02	0.2	0.24	8.2	<0.1	<0.05	12	1.7	<0.2			
1100N+100E	Soil	66	0.84	11	0.285	4	3.70	0.013	0.02	0.3	0.32	7.5	<0.1	<0.05	12	2.0	<0.2			
1100N+125E	Soil	49	0.57	14	0.245	4	2.44	0.013	0.02	0.1	0.22	5.7	<0.1	<0.05	11	1.5	<0.2			
1100N+150E	Soil	56	0.69	16	0.295	3	2.02	0.013	0.02	<0.1	0.20	5.1	<0.1	<0.05	13	1.2	<0.2			
1100N+175E	Soil	80	0.35	8	0.244	2	5.78	0.012	0.01	0.5	0.32	14.1	<0.1	<0.05	11	2.6	<0.2			
1100N+200E	Soil	75	0.76	12	0.290	4	5.02	0.014	0.02	0.5	0.43	8.4	<0.1	<0.05	11	2.9	<0.2			
1100N+225E	Soil	52	0.53	8	0.278	3	2.08	0.013	0.02	<0.1	0.20	5.4	<0.1	<0.05	13	1.2	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 2 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
1000N+00E	Soil																					
1000N+25E	Soil																					
1000N+50E	Soil																					
1000N+75E	Soil																					
1000N+100E	Soil																					
1000N+125E	Soil																					
1000N+150E	Soil																					
1000N+175E	Soil																					
1000N+200E	Soil																					
1000N+225E	Soil																					
1000N+250E	Soil																					
1000N+275E	Soil																					
1000N+300E	Soil																					
1100N+00W	Soil																					
1100N+25W	Soil																					
1100N+50W	Soil																					
1100N+75W	Soil																					
1100N+100W	Soil																					
1100N+125W	Soil																					
1100N+150W	Soil																					
1100N+175W	Soil																					
1100N+25E	Soil																					
1100N+50E	Soil																					
1100N+75E	Soil																					
1100N+100E	Soil																					
1100N+125E	Soil																					
1100N+150E	Soil																					
1100N+175E	Soil																					
1100N+200E	Soil																					
1100N+225E	Soil																					



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 2 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1000N+00E	Soil												
1000N+25E	Soil												
1000N+50E	Soil												
1000N+75E	Soil												
1000N+100E	Soil												
1000N+125E	Soil												
1000N+150E	Soil												
1000N+175E	Soil												
1000N+200E	Soil												
1000N+225E	Soil												
1000N+250E	Soil												
1000N+275E	Soil												
1000N+300E	Soil												
1100N+00W	Soil												
1100N+25W	Soil												
1100N+50W	Soil												
1100N+75W	Soil												
1100N+100W	Soil												
1100N+125W	Soil												
1100N+150W	Soil												
1100N+175W	Soil												
1100N+25E	Soil												
1100N+50E	Soil												
1100N+75E	Soil												
1100N+100E	Soil												
1100N+125E	Soil												
1100N+150E	Soil												
1100N+175E	Soil												
1100N+200E	Soil												
1100N+225E	Soil												

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1100N+250E	Soil	1.0	47.4	7.6	44	0.2	13.9	17.7	965	4.65	43.5	265.0	0.4	17	0.2	0.7	<0.1	159	0.32	0.057	3
1100N+275E	Soil	1.6	57.1	6.8	36	0.2	15.9	23.1	948	5.63	61.7	208.9	0.6	14	0.2	0.9	<0.1	161	0.23	0.042	3
1100N+300E	Soil	0.6	28.5	7.2	20	0.1	10.9	8.8	296	4.82	27.8	46.2	0.4	14	<0.1	0.8	0.1	213	0.24	0.039	3
1200N+00W	Soil	0.3	81.1	35.9	88	1.4	45.9	28.4	1334	4.62	622.8	7383.0	0.4	21	0.7	1.3	<0.1	110	0.52	0.068	5
1200N+25W	Soil	1.3	137.8	3.1	55	<0.1	30.1	35.9	1415	3.90	86.8	29.1	0.4	18	0.2	1.0	<0.1	104	0.34	0.100	7
1200N+50W	Soil	1.4	172.0	5.4	67	0.2	20.3	26.1	2036	4.56	12.2	17.8	0.3	18	0.4	0.7	<0.1	139	0.38	0.075	7
1200N+75W	Soil	1.2	170.6	4.6	70	0.1	27.9	34.1	896	6.33	12.8	29.2	0.7	23	0.1	0.6	<0.1	171	0.40	0.051	5
1200N+100W	Soil	1.1	53.2	6.6	39	0.1	14.6	13.0	461	6.74	6.3	10.4	0.4	16	0.2	0.5	0.1	184	0.26	0.037	2
1200N+125W	Soil	0.6	52.6	6.0	46	0.1	20.0	14.4	474	6.21	6.8	12.2	0.4	23	0.2	0.4	<0.1	175	0.36	0.036	2
1200N+150W	Soil	1.0	78.1	7.1	40	0.1	15.0	68.2	2155	5.96	11.4	13.1	0.2	17	0.2	0.4	<0.1	117	0.25	0.052	2
1200N+175W	Soil	0.7	102.7	7.3	74	0.1	26.4	31.8	1363	4.80	5.6	84.0	0.5	24	0.3	0.7	0.1	134	0.57	0.049	3
1200N+200W	Soil	0.7	88.8	5.4	50	0.2	25.4	17.3	431	7.62	9.9	36.0	0.5	18	0.1	0.4	<0.1	194	0.28	0.027	2
1200N+225W	Soil	0.7	24.7	6.5	11	<0.1	5.0	6.4	100	6.84	2.0	9.3	0.4	12	<0.1	0.4	0.1	277	0.15	0.017	2
1200N+250W	Soil	2.3	45.6	6.5	32	0.1	5.7	4.6	264	3.28	7.9	16.9	0.2	12	0.1	0.3	<0.1	95	0.20	0.061	3
1200N+275W	Soil	1.7	29.1	8.4	24	<0.1	8.2	8.8	315	5.99	13.1	22.7	0.5	12	0.1	0.6	0.1	218	0.19	0.031	2
1200N+300W	Soil	1.8	91.7	6.6	40	0.1	12.6	13.6	564	5.15	6.9	3.9	0.5	11	0.3	0.4	<0.1	152	0.17	0.048	3
1200N+325W	Soil	0.9	18.8	7.3	13	<0.1	6.1	7.9	106	2.27	5.2	7.4	0.3	10	<0.1	0.5	<0.1	167	0.20	0.019	2
1200N+350W	Soil	2.0	35.3	8.3	55	<0.1	12.6	47.9	1111	3.10	21.8	60.8	0.3	16	0.4	0.4	<0.1	65	0.41	0.060	4
1200N+375W	Soil	6.5	29.0	7.1	28	<0.1	9.9	9.1	186	7.14	14.0	6.0	0.5	16	<0.1	1.4	0.1	229	0.31	0.019	1
1200N+400W	Soil	3.7	33.0	6.1	14	<0.1	5.5	5.8	82	9.57	7.4	96.1	0.4	12	<0.1	1.8	0.2	461	0.16	0.012	2
1200N+425W	Soil	0.6	18.1	5.8	10	<0.1	7.0	6.5	81	4.48	3.3	3.3	0.4	13	<0.1	1.3	0.1	242	0.17	0.015	2
1200N+450W	Soil	0.6	11.5	4.5	5	<0.1	2.0	3.6	66	3.88	1.8	16.1	0.4	13	<0.1	1.4	0.1	237	0.12	0.008	2
1200N+25E	Soil	0.3	19.0	5.8	24	0.1	9.5	5.8	157	3.88	10.5	2.8	0.2	21	<0.1	0.4	<0.1	103	0.27	0.037	2
1200N+50E	Soil	1.1	34.4	6.3	19	0.2	9.2	7.2	174	7.44	36.7	120.6	0.8	14	<0.1	0.8	0.1	217	0.17	0.034	2
1200N+75E	Soil	0.3	14.0	6.0	13	0.1	7.3	5.5	96	4.10	5.3	33.4	0.2	11	<0.1	0.5	<0.1	194	0.21	0.023	1
1200N+100E	Soil	0.7	46.2	6.0	21	0.1	9.7	7.3	193	5.99	19.1	28.9	0.7	13	<0.1	0.5	<0.1	169	0.16	0.045	3
1200N+125E	Soil	0.4	16.1	5.6	16	<0.1	8.0	6.2	129	2.96	12.8	20.6	0.3	16	0.1	0.4	<0.1	132	0.23	0.025	2
1200N+150E	Soil	0.6	67.1	5.0	58	<0.1	25.1	37.0	1887	4.38	59.1	154.0	0.3	25	0.2	0.5	<0.1	109	0.62	0.049	4
1200N+175E	Soil	0.8	66.2	8.8	56	0.2	21.7	22.7	1048	3.94	117.3	846.9	0.3	26	0.3	0.7	<0.1	109	0.74	0.052	4
1300N+00W	Soil	0.6	111.8	5.8	57	<0.1	18.8	21.9	1161	3.97	6.0	9.8	0.3	17	0.4	0.6	<0.1	111	0.34	0.062	5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 3 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	Zn
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1	1
1100N+250E	Soil	51	0.52	12	0.232	3	2.64	0.014	0.02	0.2	0.26	5.7	<0.1	<0.05	11	1.4	<0.2				
1100N+275E	Soil	64	0.55	9	0.247	3	3.58	0.011	0.01	0.2	0.30	6.7	<0.1	<0.05	12	2.4	<0.2				
1100N+300E	Soil	48	0.34	9	0.288	2	1.88	0.011	0.02	<0.1	0.18	4.4	<0.1	<0.05	13	1.3	<0.2				
1200N+00W	Soil	61	1.54	22	0.125	4	2.65	0.016	0.04	3.1	0.29	7.2	<0.1	<0.05	8	0.7	<0.2				
1200N+25W	Soil	63	0.95	24	0.123	4	6.80	0.014	0.03	<0.1	0.25	13.7	<0.1	<0.05	10	1.7	<0.2				
1200N+50W	Soil	65	0.75	31	0.141	4	4.33	0.012	0.02	<0.1	0.23	8.7	<0.1	0.07	10	2.4	<0.2				
1200N+75W	Soil	74	1.09	32	0.246	4	4.62	0.014	0.02	<0.1	0.20	10.3	<0.1	<0.05	13	1.6	<0.2				
1200N+100W	Soil	46	0.76	16	0.317	3	2.40	0.011	0.02	<0.1	0.18	4.9	<0.1	<0.05	15	1.2	<0.2				
1200N+125W	Soil	44	1.05	18	0.276	4	2.55	0.013	0.02	<0.1	0.17	4.9	<0.1	<0.05	12	1.0	<0.2				
1200N+150W	Soil	41	0.69	14	0.183	3	3.17	0.010	0.02	<0.1	0.40	4.0	<0.1	0.05	10	2.6	<0.2				
1200N+175W	Soil	53	1.02	32	0.169	3	3.42	0.014	0.03	<0.1	0.19	7.0	<0.1	<0.05	10	1.2	<0.2				
1200N+200W	Soil	59	1.16	21	0.323	3	3.27	0.011	0.02	<0.1	0.18	7.0	<0.1	<0.05	14	1.1	<0.2				
1200N+225W	Soil	28	0.13	5	0.495	1	1.17	0.009	0.01	<0.1	0.05	2.3	<0.1	<0.05	20	0.6	<0.2				
1200N+250W	Soil	24	0.15	31	0.124	3	2.90	0.009	0.04	<0.1	0.23	4.0	<0.1	0.08	8	1.6	<0.2				
1200N+275W	Soil	30	0.34	12	0.290	2	1.95	0.009	0.02	<0.1	0.13	4.5	<0.1	<0.05	16	1.2	<0.2				
1200N+300W	Soil	39	0.44	20	0.182	2	4.00	0.009	0.03	<0.1	0.27	6.2	<0.1	<0.05	11	2.0	<0.2				
1200N+325W	Soil	14	0.18	5	0.241	2	1.08	0.009	0.02	<0.1	0.11	3.0	<0.1	<0.05	11	<0.5	<0.2				
1200N+350W	Soil	30	0.16	20	0.091	4	4.68	0.009	0.02	<0.1	0.29	5.5	<0.1	0.07	8	1.9	<0.2				
1200N+375W	Soil	42	0.43	7	0.348	2	2.36	0.014	0.02	<0.1	0.08	3.5	<0.1	<0.05	22	1.1	<0.2				
1200N+400W	Soil	51	0.16	3	0.527	<1	1.50	0.007	0.01	<0.1	0.07	2.3	<0.1	<0.05	34	<0.5	<0.2				
1200N+425W	Soil	35	0.23	12	0.302	1	1.53	0.007	0.01	<0.1	0.07	2.9	<0.1	<0.05	16	<0.5	<0.2				
1200N+450W	Soil	8	0.08	5	0.321	1	0.84	0.007	<0.01	<0.1	0.03	1.8	<0.1	<0.05	17	<0.5	<0.2				
1200N+25E	Soil	26	0.45	16	0.210	2	1.27	0.017	0.02	<0.1	0.18	2.7	<0.1	<0.05	8	1.1	<0.2				
1200N+50E	Soil	55	0.37	9	0.276	2	2.68	0.008	0.02	<0.1	0.22	5.8	<0.1	<0.05	18	1.4	<0.2				
1200N+75E	Soil	27	0.25	5	0.327	1	1.11	0.013	0.02	<0.1	0.13	2.8	<0.1	<0.05	13	<0.5	<0.2				
1200N+100E	Soil	46	0.44	13	0.233	1	3.55	0.010	0.02	0.1	0.29	6.1	<0.1	0.05	13	1.9	<0.2				
1200N+125E	Soil	24	0.36	12	0.188	2	1.19	0.016	0.02	<0.1	0.18	3.2	<0.1	<0.05	9	0.8	<0.2				
1200N+150E	Soil	51	1.08	23	0.138	3	3.27	0.015	0.02	0.1	0.16	6.6	<0.1	<0.05	9	1.3	<0.2				
1200N+175E	Soil	44	0.75	19	0.182	3	3.03	0.017	0.02	0.5	0.19	5.9	<0.1	<0.05	9	1.3	<0.2				
1300N+00W	Soil	42	0.85	39	0.131	4	3.53	0.014	0.02	<0.1	0.19	6.9	<0.1	<0.05	9	1.5	<0.2				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 3 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1
1100N+250E	Soil																				
1100N+275E	Soil																				
1100N+300E	Soil																				
1200N+00W	Soil																				
1200N+25W	Soil																				
1200N+50W	Soil																				
1200N+75W	Soil																				
1200N+100W	Soil																				
1200N+125W	Soil																				
1200N+150W	Soil																				
1200N+175W	Soil																				
1200N+200W	Soil																				
1200N+225W	Soil																				
1200N+250W	Soil																				
1200N+275W	Soil																				
1200N+300W	Soil																				
1200N+325W	Soil																				
1200N+350W	Soil																				
1200N+375W	Soil																				
1200N+400W	Soil																				
1200N+425W	Soil																				
1200N+450W	Soil																				
1200N+25E	Soil																				
1200N+50E	Soil																				
1200N+75E	Soil																				
1200N+100E	Soil																				
1200N+125E	Soil																				
1200N+150E	Soil																				
1200N+175E	Soil																				
1300N+00W	Soil																				



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 3 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1100N+250E	Soil												
1100N+275E	Soil												
1100N+300E	Soil												
1200N+00W	Soil												
1200N+25W	Soil												
1200N+50W	Soil												
1200N+75W	Soil												
1200N+100W	Soil												
1200N+125W	Soil												
1200N+150W	Soil												
1200N+175W	Soil												
1200N+200W	Soil												
1200N+225W	Soil												
1200N+250W	Soil												
1200N+275W	Soil												
1200N+300W	Soil												
1200N+325W	Soil												
1200N+350W	Soil												
1200N+375W	Soil												
1200N+400W	Soil												
1200N+425W	Soil												
1200N+450W	Soil												
1200N+25E	Soil												
1200N+50E	Soil												
1200N+75E	Soil												
1200N+100E	Soil												
1200N+125E	Soil												
1200N+150E	Soil												
1200N+175E	Soil												
1300N+00W	Soil												



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 4 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1300N+25W	Soil	0.8	114.0	17.1	74	<0.1	16.0	21.9	1733	3.77	7.5	5.6	0.7	28	0.4	0.4	<0.1	107	0.74	0.095	5
1300N+50W	Soil	0.5	86.2	5.2	56	<0.1	19.6	16.8	1361	3.01	4.2	5.0	0.2	30	0.5	0.6	<0.1	77	1.14	0.063	4
1300N+75W	Soil	0.7	91.8	6.3	60	<0.1	21.8	19.3	430	5.15	7.3	44.5	0.8	21	0.2	0.6	<0.1	140	0.46	0.035	3
1300N+100W	Soil	0.6	104.6	14.8	68	0.1	23.2	24.1	1059	3.85	6.2	10.8	0.3	22	0.3	0.5	<0.1	101	0.51	0.064	4
1300N+125W	Soil	0.7	95.8	5.4	51	<0.1	19.0	19.8	644	4.63	7.3	60.7	0.5	17	0.2	0.6	<0.1	121	0.33	0.048	3
1300N+150W	Soil	0.5	31.2	6.8	35	0.1	17.3	14.9	618	4.37	6.9	17.0	0.3	29	<0.1	0.9	<0.1	131	0.43	0.036	2
1300N+175W	Soil	0.3	31.1	10.7	28	0.2	7.6	6.3	247	2.10	2.5	1.1	<0.1	18	0.3	0.2	<0.1	60	0.45	0.090	1
1300N+200W	Soil	0.2	25.0	4.9	19	0.2	9.1	6.5	143	2.01	1.6	1.4	0.1	22	0.2	0.2	<0.1	66	0.43	0.049	1
1300N+225W	Soil	0.6	35.7	7.2	36	0.1	15.5	10.6	396	4.46	3.7	3.1	0.2	25	<0.1	0.5	<0.1	119	0.62	0.061	2
1300N+250W	Soil	0.5	34.7	40.4	40	<0.1	20.7	14.4	516	4.63	5.8	16.9	0.3	30	<0.1	0.7	<0.1	124	0.53	0.045	2
1300N+300W	Soil	0.5	33.3	11.4	34	0.1	15.4	11.8	508	3.36	5.4	10.0	0.2	29	0.2	0.6	<0.1	97	0.59	0.049	2
1300N+325W	Soil	0.5	55.4	113.8	41	<0.1	18.1	19.1	668	3.56	6.6	9.1	0.2	30	<0.1	0.7	0.1	89	0.69	0.068	2
1300N+350W	Soil	2.6	27.1	8.1	39	<0.1	10.9	12.1	434	5.39	14.9	18.5	0.4	25	0.2	0.8	0.2	201	0.61	0.026	2
1300N+375W	Soil	3.7	21.6	8.3	22	<0.1	5.3	5.5	133	5.13	13.8	5.1	0.6	16	<0.1	0.8	0.2	194	0.26	0.018	2
1300N+400W	Soil	3.8	14.4	10.5	35	<0.1	3.9	11.9	285	3.71	7.0	8.8	0.4	15	0.2	0.9	0.2	137	0.30	0.033	4
1300N+425W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1300N+450W	Soil	2.5	22.1	9.0	28	0.1	5.5	4.5	161	4.17	15.6	2.9	0.2	33	0.5	0.9	0.2	108	1.61	0.056	7
1300N+475W	Soil	1.4	77.8	3.1	43	0.2	13.4	47.3	740	3.49	22.7	4.2	0.4	23	0.2	0.4	<0.1	78	1.00	0.065	7
1300N+500W	Soil	0.5	8.6	8.2	7	0.2	1.6	3.3	78	1.12	0.7	190.3	0.3	13	<0.1	0.4	0.2	186	0.17	0.009	2
1400N+00W	Soil	0.8	44.8	3.4	53	<0.1	17.8	15.8	513	4.33	10.7	3.9	0.8	27	<0.1	0.2	<0.1	124	0.60	0.019	3
1400N+25W	Soil	0.7	116.1	2.8	48	<0.1	11.5	13.8	560	3.69	6.6	3.8	1.7	32	0.2	<0.1	<0.1	107	0.51	0.057	5
1400N+50W	Soil	0.7	14.4	4.6	21	<0.1	5.4	6.4	251	5.12	5.7	0.9	0.7	14	<0.1	0.2	<0.1	165	0.27	0.036	3
1400N+75W	Soil	2.2	43.1	6.8	33	<0.1	9.0	13.0	430	5.26	18.6	73.8	0.5	32	0.1	1.7	0.1	210	0.54	0.040	3
1400N+100W	Soil	0.6	30.2	4.3	23	0.1	11.2	9.7	230	6.27	10.4	22.3	0.5	24	0.1	1.2	<0.1	181	0.25	0.041	2
1400N+125W	Soil	0.7	25.2	5.8	28	0.1	12.9	11.0	413	6.15	8.0	51.9	0.6	25	<0.1	1.7	<0.1	202	0.28	0.038	2
1400N+150W	Soil	0.7	47.9	4.8	38	<0.1	14.5	15.5	507	6.05	9.8	20.0	0.5	29	0.2	1.1	<0.1	176	0.38	0.043	2
1400N+175W	Soil	0.9	104.6	9.3	72	0.1	20.0	26.1	1795	3.49	10.0	11.6	0.1	26	0.4	0.7	<0.1	96	0.60	0.080	4
1400N+200W	Soil	0.6	50.4	6.0	46	<0.1	20.5	17.3	512	4.12	10.4	15.4	0.2	27	0.2	0.7	<0.1	115	0.65	0.049	2
1400N+225W	Soil	1.7	81.7	9.1	37	0.2	12.4	70.3	1988	4.06	8.1	5.7	0.1	18	0.3	0.7	0.1	122	0.56	0.067	3
1400N+250W	Soil	2.4	39.8	5.1	23	<0.1	7.1	7.4	266	6.27	23.3	9.2	0.7	13	0.1	1.0	0.1	199	0.20	0.038	2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 4 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	Zn
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1	1
1300N+25W	Soil	32	0.99	37	0.132	5	3.36	0.024	0.03	<0.1	0.20	6.6	<0.1	<0.05	8	1.2	<0.2				
1300N+50W	Soil	33	0.84	32	0.110	8	2.18	0.015	0.03	<0.1	0.16	4.9	<0.1	0.06	6	1.0	<0.2				
1300N+75W	Soil	49	1.04	32	0.187	3	3.99	0.014	0.02	<0.1	0.23	8.0	<0.1	<0.05	11	1.4	<0.2				
1300N+100W	Soil	39	0.96	32	0.138	5	3.42	0.015	0.04	<0.1	0.20	6.3	<0.1	<0.05	9	1.7	<0.2				
1300N+125W	Soil	49	0.92	20	0.156	4	3.60	0.012	0.02	<0.1	0.27	6.9	<0.1	<0.05	10	1.7	<0.2				
1300N+150W	Soil	31	0.94	14	0.291	3	2.09	0.016	0.02	<0.1	0.19	4.8	<0.1	<0.05	11	0.6	<0.2				
1300N+175W	Soil	14	0.34	11	0.114	5	1.04	0.017	0.06	<0.1	0.23	2.1	<0.1	0.08	5	0.9	<0.2				
1300N+200W	Soil	17	0.44	6	0.149	2	1.05	0.016	0.03	0.1	0.20	2.5	<0.1	<0.05	5	1.1	<0.2				
1300N+225W	Soil	27	0.73	12	0.177	4	1.87	0.014	0.05	<0.1	0.16	3.3	<0.1	0.05	10	0.6	<0.2				
1300N+250W	Soil	36	1.12	11	0.222	4	2.37	0.016	0.03	<0.1	0.16	4.8	<0.1	<0.05	10	0.8	<0.2				
1300N+300W	Soil	23	0.78	17	0.178	3	1.78	0.018	0.03	<0.1	0.21	4.0	<0.1	<0.05	8	<0.5	<0.2				
1300N+325W	Soil	26	0.99	16	0.167	7	2.38	0.016	0.04	<0.1	0.21	4.0	<0.1	<0.05	9	0.7	<0.2				
1300N+350W	Soil	32	0.53	29	0.281	4	1.86	0.014	0.02	0.1	0.12	3.6	<0.1	0.05	16	<0.5	<0.2				
1300N+375W	Soil	28	0.31	10	0.300	4	1.90	0.011	0.02	<0.1	0.10	3.7	<0.1	<0.05	18	<0.5	<0.2				
1300N+400W	Soil	16	0.18	24	0.221	3	1.53	0.015	0.04	0.1	0.19	3.3	<0.1	0.06	12	0.9	<0.2				
1300N+425W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	2.6	30.1	8.6	26
1300N+450W	Soil	33	0.14	20	0.150	9	2.43	0.016	0.03	0.3	0.28	3.4	<0.1	<0.05	10	4.5	<0.2				
1300N+475W	Soil	44	0.20	24	0.109	8	7.14	0.010	0.01	0.1	0.21	9.3	<0.1	0.08	8	4.5	<0.2				
1300N+500W	Soil	6	0.11	7	0.341	2	0.48	0.010	0.02	<0.1	0.05	1.6	<0.1	<0.05	8	<0.5	<0.2				
1400N+00W	Soil	36	1.19	23	0.174	5	2.52	0.016	0.02	0.1	0.08	5.8	<0.1	<0.05	8	<0.5	<0.2				
1400N+25W	Soil	28	0.92	38	0.151	4	5.62	0.024	0.02	0.2	0.15	8.5	<0.1	<0.05	8	1.7	<0.2				
1400N+50W	Soil	22	0.45	27	0.175	2	2.04	0.015	0.01	0.1	0.16	3.5	<0.1	<0.05	13	0.9	<0.2				
1400N+75W	Soil	31	0.37	23	0.250	3	2.12	0.013	0.02	<0.1	0.13	4.9	<0.1	<0.05	13	0.9	<0.2				
1400N+100W	Soil	39	0.57	9	0.311	3	2.45	0.012	0.02	<0.1	0.23	6.1	<0.1	<0.05	13	1.4	<0.2				
1400N+125W	Soil	47	0.74	10	0.354	2	2.19	0.012	0.02	<0.1	0.19	5.1	<0.1	<0.05	15	1.2	<0.2				
1400N+150W	Soil	41	0.67	15	0.303	4	3.03	0.013	0.01	<0.1	0.18	6.5	<0.1	<0.05	13	1.5	<0.2				
1400N+175W	Soil	35	0.81	32	0.132	5	3.57	0.017	0.02	<0.1	0.22	4.9	<0.1	<0.05	9	2.2	<0.2				
1400N+200W	Soil	39	1.02	18	0.177	4	2.45	0.017	0.03	0.2	0.16	4.5	<0.1	<0.05	9	0.9	<0.2				
1400N+225W	Soil	38	0.50	18	0.165	5	2.76	0.016	0.03	<0.1	0.25	4.0	<0.1	<0.05	11	2.0	<0.2				
1400N+250W	Soil	37	0.35	12	0.284	2	2.55	0.011	0.02	0.2	0.20	4.6	<0.1	<0.05	14	2.1	<0.2				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 4 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
1300N+25W	Soil																					
1300N+50W	Soil																					
1300N+75W	Soil																					
1300N+100W	Soil																					
1300N+125W	Soil																					
1300N+150W	Soil																					
1300N+175W	Soil																					
1300N+200W	Soil																					
1300N+225W	Soil																					
1300N+250W	Soil																					
1300N+300W	Soil																					
1300N+325W	Soil																					
1300N+350W	Soil																					
1300N+375W	Soil																					
1300N+400W	Soil																					
1300N+425W	Soil	0.1	5.4	33.3	1982	2.17	13.6	3.1	<0.1	17	0.6	0.5	0.2	39	0.67	0.108	5	22	0.14	18	0.033	
1300N+450W	Soil																					
1300N+475W	Soil																					
1300N+500W	Soil																					
1400N+00W	Soil																					
1400N+25W	Soil																					
1400N+50W	Soil																					
1400N+75W	Soil																					
1400N+100W	Soil																					
1400N+125W	Soil																					
1400N+150W	Soil																					
1400N+175W	Soil																					
1400N+200W	Soil																					
1400N+225W	Soil																					
1400N+250W	Soil																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 4 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1300N+25W	Soil												
1300N+50W	Soil												
1300N+75W	Soil												
1300N+100W	Soil												
1300N+125W	Soil												
1300N+150W	Soil												
1300N+175W	Soil												
1300N+200W	Soil												
1300N+225W	Soil												
1300N+250W	Soil												
1300N+300W	Soil												
1300N+325W	Soil												
1300N+350W	Soil												
1300N+375W	Soil												
1300N+400W	Soil												
1300N+425W	Soil	<20	2.30	0.016	0.04	0.2	0.39	2.0	<0.1	0.26	5	3.6	<0.2
1300N+450W	Soil												
1300N+475W	Soil												
1300N+500W	Soil												
1400N+00W	Soil												
1400N+25W	Soil												
1400N+50W	Soil												
1400N+75W	Soil												
1400N+100W	Soil												
1400N+125W	Soil												
1400N+150W	Soil												
1400N+175W	Soil												
1400N+200W	Soil												
1400N+225W	Soil												
1400N+250W	Soil												



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 5 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1400N+275W	Soil	2.3	35.8	27.3	42	0.1	11.6	41.4	1352	3.88	44.4	8.1	0.2	18	0.2	1.4	0.2	114	0.29	0.065	6
1400N+300W	Soil	3.2	62.6	10.9	35	0.2	11.6	13.4	475	3.55	69.8	16.6	0.7	12	0.2	1.6	0.1	112	0.26	0.040	10
1400N+350W	Soil	4.2	48.6	12.6	64	<0.1	12.5	32.0	1242	6.15	29.6	11.9	0.5	22	0.2	0.7	0.1	196	0.26	0.049	4
1400N+375W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1500N+00W	Soil	0.9	26.9	3.5	23	0.2	5.4	6.2	221	6.91	5.0	0.6	1.9	15	<0.1	0.1	0.2	197	0.23	0.024	2
1500N+25W	Soil	1.0	18.8	4.3	14	<0.1	3.2	4.0	111	5.70	5.1	1.2	1.8	11	<0.1	0.2	<0.1	213	0.15	0.033	2
1500N+50W	Soil	0.9	8.6	5.3	8	<0.1	1.8	3.5	93	6.22	3.4	<0.5	0.9	8	<0.1	0.4	0.1	252	0.10	0.019	2
1500N+100W	Soil	3.3	116.3	7.4	57	<0.1	20.7	14.9	390	6.98	18.5	14.6	0.7	28	0.2	0.8	0.1	252	0.57	0.026	4
1500N+125W	Soil	2.4	107.7	3.6	53	0.1	19.1	15.7	751	4.64	26.1	13.0	0.4	21	0.2	0.6	<0.1	140	0.66	0.051	4
1500N+150W	Soil	1.4	92.4	5.6	45	<0.1	13.0	10.9	407	4.22	11.3	12.7	0.1	33	0.1	0.4	<0.1	121	1.29	0.041	4
1500N+175W	Soil	0.9	171.9	4.7	39	0.2	11.4	12.8	1153	4.15	9.4	8.8	0.1	28	0.3	0.4	<0.1	121	1.10	0.069	8
1500N+200W	Soil	9.9	104.8	4.5	39	0.2	13.5	14.7	483	5.09	7.1	6.9	0.3	21	0.2	0.3	<0.1	166	0.48	0.041	3
1500N+225W	Soil	0.7	142.5	4.0	53	0.1	16.2	15.2	490	5.52	5.0	114.1	0.4	16	0.2	0.3	<0.1	163	0.31	0.061	3
1500N+250W	Soil	0.5	95.7	3.1	47	0.1	13.3	12.9	319	5.80	7.6	8.4	0.4	13	0.2	0.3	<0.1	164	0.30	0.039	3
1500N+275W	Soil	0.7	53.9	6.7	34	0.1	11.5	11.3	337	5.25	5.9	6.8	0.4	18	0.1	0.4	<0.1	179	0.37	0.028	2
1500N+300W	Soil	0.3	95.7	4.6	66	<0.1	25.4	24.7	779	5.71	9.0	14.4	0.3	21	0.2	0.3	<0.1	163	0.81	0.050	2
1500N+325W	Soil	0.4	81.7	3.3	42	<0.1	14.6	12.9	302	4.96	6.7	7.2	0.3	18	0.1	0.3	<0.1	162	0.39	0.053	2
1500N+350W	Soil	0.4	75.0	4.6	50	<0.1	17.0	14.0	387	6.02	7.4	16.4	0.2	17	0.2	0.3	<0.1	153	0.36	0.107	2
1500N+375W	Soil	0.6	62.1	9.1	40	<0.1	13.2	11.9	514	3.70	3.6	49.0	0.2	18	0.3	0.2	<0.1	106	0.46	0.059	1
1500N+400W	Soil	0.5	93.3	15.4	60	0.1	24.8	26.9	1181	4.56	9.3	19.0	0.2	26	0.2	0.4	0.1	126	0.64	0.055	3
1500N+425W	Soil	0.5	93.4	5.4	52	0.1	21.2	22.3	609	4.56	10.1	27.4	0.3	23	0.1	0.4	<0.1	118	0.59	0.035	3
1500N+450W	Soil	0.6	37.3	4.0	12	0.1	7.3	6.7	133	3.37	2.1	6.4	0.3	14	<0.1	0.2	<0.1	151	0.35	0.034	2
1500N+475W	Soil	0.6	119.6	4.2	52	0.1	20.9	18.2	442	6.34	4.0	6.4	0.4	24	0.2	0.3	<0.1	198	0.54	0.042	2
1500N+500W	Soil	0.6	46.8	9.7	32	<0.1	14.3	14.0	335	5.73	3.3	5.7	0.4	22	<0.1	0.5	0.1	215	0.40	0.026	2
1500N+525W	Soil	1.2	21.3	7.8	9	0.2	2.5	3.0	74	5.37	1.0	2.6	0.4	8	0.1	0.5	0.2	235	0.14	0.032	3
1500N+550W	Soil	1.2	16.6	7.2	12	<0.1	3.8	4.7	92	5.28	1.6	1.9	0.5	11	<0.1	0.3	0.2	230	0.22	0.012	2
1600N+00W	Soil	1.1	19.8	4.6	11	<0.1	3.3	3.2	89	7.15	4.3	1.1	1.6	8	<0.1	0.2	0.2	216	0.12	0.034	2
1600N+25W	Soil	1.0	27.3	3.8	23	<0.1	5.8	7.0	268	4.61	3.5	1.5	1.5	14	<0.1	0.2	<0.1	140	0.26	0.038	3
1600N+50W	Soil	1.7	11.7	4.8	8	<0.1	2.3	3.1	88	6.36	4.0	<0.5	0.9	12	<0.1	0.4	0.2	219	0.16	0.017	2
1600N+75W	Soil	1.4	15.6	5.3	16	<0.1	3.5	4.3	136	5.65	3.6	0.6	1.5	10	0.1	0.2	0.1	152	0.18	0.036	2



CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	Zn
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1	1
1400N+275W	Soil	28	0.50	33	0.142	3	2.46	0.012	0.04	2.0	0.33	4.3	<0.1	<0.05	9	1.7	<0.2				
1400N+300W	Soil	120	0.21	29	0.171	3	5.24	0.011	0.03	0.4	0.39	10.3	<0.1	<0.05	9	6.1	<0.2				
1400N+350W	Soil	60	0.46	30	0.262	3	4.23	0.015	0.02	0.1	0.26	5.8	<0.1	<0.05	16	2.3	<0.2				
1400N+375W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	4.6	43.0	8.4	48	
1500N+00W	Soil	32	0.48	10	0.254	1	4.53	0.013	0.01	0.1	0.11	4.7	<0.1	<0.05	16	2.0	<0.2				
1500N+25W	Soil	29	0.23	7	0.227	2	4.87	0.012	0.01	<0.1	0.14	3.8	<0.1	<0.05	16	1.6	<0.2				
1500N+50W	Soil	19	0.09	7	0.288	2	1.45	0.007	0.01	<0.1	0.07	1.7	<0.1	<0.05	22	<0.5	<0.2				
1500N+100W	Soil	53	0.90	27	0.251	5	4.43	0.016	0.01	0.2	0.13	9.5	<0.1	<0.05	19	1.2	<0.2				
1500N+125W	Soil	56	0.93	23	0.184	4	5.05	0.017	0.02	0.1	0.13	8.1	<0.1	<0.05	12	1.9	<0.2				
1500N+150W	Soil	37	0.74	26	0.115	5	2.98	0.014	0.02	0.1	0.12	6.8	<0.1	<0.05	11	2.0	<0.2				
1500N+175W	Soil	32	0.61	37	0.117	6	2.65	0.014	0.02	<0.1	0.17	6.9	<0.1	<0.05	11	2.8	<0.2				
1500N+200W	Soil	27	0.68	48	0.161	5	3.25	0.017	0.02	0.1	0.19	6.5	<0.1	<0.05	13	1.6	<0.2				
1500N+225W	Soil	33	0.69	25	0.237	6	5.00	0.012	0.02	0.1	0.19	9.5	<0.1	<0.05	14	2.5	<0.2				
1500N+250W	Soil	28	0.75	34	0.189	5	4.25	0.015	0.02	0.2	0.16	7.3	<0.1	<0.05	14	1.9	<0.2				
1500N+275W	Soil	27	0.59	29	0.247	4	2.18	0.016	0.02	<0.1	0.12	5.9	<0.1	<0.05	14	0.6	<0.2				
1500N+300W	Soil	38	1.42	25	0.215	6	3.12	0.020	0.03	<0.1	0.06	7.9	<0.1	<0.05	16	0.7	<0.2				
1500N+325W	Soil	27	0.77	28	0.198	4	2.46	0.016	0.03	0.1	0.07	5.6	<0.1	<0.05	13	<0.5	<0.2				
1500N+350W	Soil	31	0.91	25	0.174	6	2.75	0.017	0.03	0.1	0.11	5.6	<0.1	<0.05	13	1.0	<0.2				
1500N+375W	Soil	22	0.59	20	0.162	4	2.04	0.014	0.03	0.2	0.22	3.5	<0.1	0.08	10	0.9	<0.2				
1500N+400W	Soil	36	1.20	52	0.125	7	2.88	0.015	0.03	0.1	0.19	6.2	<0.1	<0.05	9	0.8	<0.2				
1500N+425W	Soil	36	1.14	57	0.100	12	3.11	0.014	0.03	0.1	0.18	7.2	<0.1	<0.05	10	1.0	<0.2				
1500N+450W	Soil	20	0.28	15	0.285	4	1.77	0.012	0.02	<0.1	0.17	4.1	<0.1	<0.05	13	1.1	<0.2				
1500N+475W	Soil	37	0.97	36	0.238	5	3.61	0.018	0.02	0.1	0.12	6.5	<0.1	<0.05	15	0.6	<0.2				
1500N+500W	Soil	29	0.70	22	0.336	4	2.37	0.014	0.02	0.1	0.26	5.6	<0.1	<0.05	18	0.7	<0.2				
1500N+525W	Soil	14	0.08	9	0.280	4	1.64	0.006	0.02	<0.1	0.16	2.2	<0.1	<0.05	16	0.7	<0.2				
1500N+550W	Soil	38	0.18	10	0.319	2	1.56	0.007	0.02	<0.1	0.05	2.3	<0.1	<0.05	19	<0.5	<0.2				
1600N+00W	Soil	30	0.19	6	0.295	<1	3.51	0.008	0.01	<0.1	0.29	4.1	<0.1	<0.05	20	2.4	<0.2				
1600N+25W	Soil	26	0.49	12	0.246	2	3.42	0.011	0.02	0.1	0.14	6.6	<0.1	<0.05	12	1.8	<0.2				
1600N+50W	Soil	22	0.10	7	0.313	2	1.54	0.007	0.01	<0.1	0.09	1.9	<0.1	<0.05	20	0.7	<0.2				
1600N+75W	Soil	27	0.26	13	0.224	3	3.76	0.010	0.02	0.1	0.17	4.4	<0.1	<0.05	15	2.1	<0.2				



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 5 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
1400N+275W	Soil																					
1400N+300W	Soil																					
1400N+350W	Soil																					
1400N+375W	Soil	0.1	12.7	26.6	3164	3.55	29.9	6.1	<0.1	27	0.3	1.3	0.1	98	1.15	0.095	2	66	0.49	16	0.096	
1500N+00W	Soil																					
1500N+25W	Soil																					
1500N+50W	Soil																					
1500N+100W	Soil																					
1500N+125W	Soil																					
1500N+150W	Soil																					
1500N+175W	Soil																					
1500N+200W	Soil																					
1500N+225W	Soil																					
1500N+250W	Soil																					
1500N+275W	Soil																					
1500N+300W	Soil																					
1500N+325W	Soil																					
1500N+350W	Soil																					
1500N+375W	Soil																					
1500N+400W	Soil																					
1500N+425W	Soil																					
1500N+450W	Soil																					
1500N+475W	Soil																					
1500N+500W	Soil																					
1500N+525W	Soil																					
1500N+550W	Soil																					
1600N+00W	Soil																					
1600N+25W	Soil																					
1600N+50W	Soil																					
1600N+75W	Soil																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 5 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1400N+275W	Soil												
1400N+300W	Soil												
1400N+350W	Soil												
1400N+375W	Soil	<20	3.41	0.018	0.02	0.2	0.28	4.0	<0.1	0.14	8	5.1	<0.2
1500N+00W	Soil												
1500N+25W	Soil												
1500N+50W	Soil												
1500N+100W	Soil												
1500N+125W	Soil												
1500N+150W	Soil												
1500N+175W	Soil												
1500N+200W	Soil												
1500N+225W	Soil												
1500N+250W	Soil												
1500N+275W	Soil												
1500N+300W	Soil												
1500N+325W	Soil												
1500N+350W	Soil												
1500N+375W	Soil												
1500N+400W	Soil												
1500N+425W	Soil												
1500N+450W	Soil												
1500N+475W	Soil												
1500N+500W	Soil												
1500N+525W	Soil												
1500N+550W	Soil												
1600N+00W	Soil												
1600N+25W	Soil												
1600N+50W	Soil												
1600N+75W	Soil												



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 6 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL	MDL	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1600N+100W	Soil	2.0	133.5	5.1	63	<0.1	25.9	33.2	3241	5.03	4.5	10.3	0.3	30	0.4	0.3	0.1	145	0.51	0.063	4
1600N+125W	Soil	5.1	80.3	8.7	51	<0.1	18.3	22.1	2678	5.08	4.2	19.1	0.5	30	0.5	0.4	0.1	190	0.52	0.042	5
1600N+150W	Soil	2.2	131.6	6.8	53	0.2	18.6	25.6	2333	4.89	4.7	14.9	0.2	30	0.6	0.4	0.1	146	0.75	0.069	7
1600N+175W	Soil	0.4	97.1	2.9	57	<0.1	14.0	19.0	820	3.77	5.0	3.6	1.2	27	<0.1	0.2	<0.1	131	1.03	0.106	4
1600N+200W	Soil	0.4	48.9	3.8	34	0.2	14.9	11.9	339	6.46	3.2	2.8	0.5	16	<0.1	0.3	<0.1	185	0.30	0.059	2
1600N+225W	Soil	0.4	43.8	3.5	24	0.1	13.1	8.5	236	3.83	2.9	6.0	0.2	19	0.1	0.2	<0.1	108	0.25	0.045	2
1600N+250W	Soil	0.3	21.7	7.0	19	0.1	8.3	8.1	165	3.72	2.4	1.4	0.2	13	0.1	0.3	<0.1	143	0.29	0.055	1
1600N+275W	Soil	0.6	29.0	5.9	18	0.1	8.1	7.6	325	5.08	2.3	6.0	0.4	12	0.2	0.3	0.1	181	0.22	0.050	2
1600N+300W	Soil	0.5	23.6	4.1	12	0.2	7.8	7.0	133	3.82	2.2	1.2	0.3	10	<0.1	0.3	<0.1	168	0.19	0.069	2
1600N+325W	Soil	0.8	48.4	9.0	47	<0.1	10.2	20.3	3460	3.18	3.0	0.8	<0.1	17	0.3	0.3	0.1	90	0.59	0.110	2
1600N+350W	Soil	2.0	44.9	6.7	94	<0.1	19.6	29.3	3338	3.77	8.6	1.4	0.1	32	0.5	0.3	<0.1	109	1.39	0.093	4
1600N+350WA	Soil	1.8	22.4	18.4	36	0.1	7.0	18.3	1022	3.28	5.8	2.9	<0.1	10	<0.1	0.2	0.1	97	0.19	0.082	3
1600N+375W	Soil	1.4	51.2	6.2	82	0.1	17.5	30.0	4182	3.46	6.5	3.9	0.1	20	0.5	0.2	<0.1	87	0.67	0.103	4
1600N+400W	Soil	2.1	43.8	4.6	91	0.1	14.1	47.9	4336	2.51	8.2	3.7	0.3	19	0.5	0.2	<0.1	63	0.54	0.124	6
1600N+425W	Soil	1.9	51.4	5.0	73	<0.1	17.4	26.7	511	4.06	7.2	4.5	0.5	19	0.2	0.2	<0.1	109	0.64	0.065	3
1600N+450W	Soil	3.4	52.0	5.3	96	0.2	14.7	36.7	9195	3.49	9.2	3.2	<0.1	32	0.6	0.3	<0.1	95	1.42	0.166	6
1600N+475W	Soil	2.6	26.6	7.2	66	<0.1	10.3	30.6	411	4.24	9.0	4.0	0.7	14	0.2	0.2	0.1	114	0.36	0.044	3
1600N+500W	Soil	2.1	62.2	5.0	26	0.3	7.4	8.9	148	4.81	6.8	2.8	0.6	12	0.4	0.2	<0.1	127	0.25	0.042	4
1600N+525W	Soil	1.8	21.0	7.8	15	<0.1	6.6	5.2	115	7.89	1.7	0.7	0.6	12	<0.1	0.3	0.2	256	0.18	0.018	2
1600N+550W	Soil	0.9	17.8	7.0	17	0.1	6.1	5.3	135	4.33	1.6	<0.5	0.3	10	<0.1	0.2	0.1	177	0.19	0.041	2
1600N+575W	Soil	2.0	23.3	7.8	18	<0.1	7.0	7.6	181	7.12	3.0	1.0	0.5	9	<0.1	0.4	0.2	199	0.18	0.023	2
1600N+600W	Soil	2.4	25.7	6.9	18	<0.1	5.8	4.7	111	7.45	3.5	0.5	0.6	9	<0.1	0.4	0.2	206	0.18	0.018	2
1700N+00W	Soil	1.0	23.2	4.6	14	<0.1	3.5	4.0	130	6.20	4.0	0.6	1.6	11	<0.1	0.2	0.1	185	0.15	0.027	2
1700N+25W	Soil	0.7	22.5	5.4	13	<0.1	3.4	3.9	116	7.49	2.5	<0.5	2.1	10	<0.1	0.2	0.2	189	0.16	0.025	2
1700N+50W	Soil	0.6	11.4	6.0	7	<0.1	2.9	3.7	75	4.31	1.6	0.7	0.5	11	<0.1	0.3	0.2	188	0.17	0.017	3
1700N+75W	Soil	0.6	8.4	4.0	5	<0.1	2.0	3.5	65	3.89	1.4	<0.5	0.5	9	<0.1	0.4	0.2	228	0.10	0.012	3
1700N+100W	Soil	0.8	15.2	5.8	12	<0.1	3.9	4.0	112	4.79	2.8	<0.5	1.1	14	<0.1	0.3	0.1	174	0.19	0.028	3
1700N+125W	Soil	1.8	30.0	4.6	23	<0.1	5.8	5.4	199	4.91	4.8	1.8	2.5	12	<0.1	0.2	0.1	135	0.20	0.037	4
1700N+150W	Soil	0.5	7.8	8.7	8	<0.1	5.8	3.7	71	2.93	1.4	2.8	0.6	13	<0.1	0.6	0.2	207	0.14	0.025	4
1700N+175W	Soil	1.0	6.9	9.6	8	<0.1	1.9	2.9	66	3.17	1.4	13.6	0.4	11	0.1	0.5	0.2	195	0.12	0.027	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 6 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
1600N+100W	Soil	54	1.15	36	0.139	4	4.22	0.014	0.03	<0.1	0.18	8.3	0.1	<0.05	12	1.9	<0.2			
1600N+125W	Soil	41	0.81	42	0.204	5	3.55	0.014	0.02	0.1	0.14	6.7	<0.1	<0.05	14	2.1	<0.2			
1600N+150W	Soil	44	0.82	39	0.155	6	3.72	0.012	0.02	0.1	0.22	7.2	<0.1	0.06	12	2.7	<0.2			
1600N+175W	Soil	28	1.15	24	0.153	4	3.14	0.042	0.04	0.2	0.05	6.8	<0.1	<0.05	8	<0.5	<0.2			
1600N+200W	Soil	52	0.77	16	0.266	4	2.70	0.014	0.02	<0.1	0.20	5.4	<0.1	<0.05	16	1.6	<0.2			
1600N+225W	Soil	28	0.52	22	0.150	4	2.42	0.014	0.02	0.2	0.19	3.9	<0.1	<0.05	10	1.5	<0.2			
1600N+250W	Soil	23	0.41	9	0.233	3	1.24	0.014	0.02	0.1	0.12	3.7	<0.1	<0.05	11	1.0	<0.2			
1600N+275W	Soil	29	0.26	12	0.312	3	2.21	0.011	0.01	<0.1	0.22	4.3	<0.1	<0.05	14	1.7	<0.2			
1600N+300W	Soil	29	0.24	10	0.223	3	1.51	0.010	0.02	<0.1	0.17	3.6	<0.1	<0.05	12	1.2	<0.2			
1600N+325W	Soil	22	0.53	23	0.144	6	2.32	0.013	0.05	0.1	0.30	2.8	<0.1	0.06	9	1.1	<0.2			
1600N+350W	Soil	41	0.67	38	0.144	9	3.58	0.013	0.03	0.1	0.21	5.5	<0.1	0.09	10	2.6	<0.2			
1600N+350WA	Soil	26	0.29	19	0.105	3	2.02	0.012	0.04	<0.1	0.32	3.2	<0.1	<0.05	9	2.2	<0.2			
1600N+375W	Soil	41	0.53	30	0.083	4	4.52	0.014	0.02	<0.1	0.34	4.8	<0.1	<0.05	9	2.6	<0.2			
1600N+400W	Soil	54	0.16	31	0.081	5	7.14	0.012	0.01	<0.1	0.30	8.5	<0.1	<0.05	6	4.5	<0.2			
1600N+425W	Soil	55	0.63	26	0.126	4	5.86	0.012	0.02	<0.1	0.25	8.9	<0.1	<0.05	10	2.0	<0.2			
1600N+450W	Soil	53	0.25	51	0.070	9	4.85	0.015	0.02	<0.1	0.36	4.4	0.2	<0.05	9	5.2	<0.2			
1600N+475W	Soil	50	0.17	17	0.161	3	6.51	0.011	0.02	<0.1	0.28	8.3	<0.1	<0.05	12	2.4	<0.2			
1600N+500W	Soil	37	0.27	15	0.219	3	4.46	0.012	0.02	<0.1	0.43	6.1	<0.1	<0.05	13	6.6	<0.2			
1600N+525W	Soil	37	0.23	10	0.352	2	2.07	0.007	0.02	<0.1	0.10	2.4	<0.1	<0.05	25	0.9	<0.2			
1600N+550W	Soil	22	0.27	9	0.251	4	1.46	0.009	0.04	<0.1	0.15	2.4	<0.1	<0.05	16	0.8	<0.2			
1600N+575W	Soil	33	0.29	9	0.289	3	1.95	0.008	0.03	<0.1	0.11	2.6	<0.1	<0.05	21	0.8	<0.2			
1600N+600W	Soil	35	0.25	9	0.301	3	2.39	0.008	0.02	<0.1	0.11	2.6	<0.1	<0.05	21	1.3	<0.2			
1700N+00W	Soil	27	0.21	11	0.275	2	3.95	0.007	0.01	<0.1	0.15	3.2	<0.1	<0.05	17	1.6	<0.2			
1700N+25W	Soil	37	0.19	11	0.385	2	3.40	0.008	0.02	<0.1	0.18	7.0	<0.1	<0.05	20	1.7	<0.2			
1700N+50W	Soil	18	0.12	8	0.254	3	1.33	0.008	0.02	<0.1	0.07	2.1	<0.1	<0.05	15	1.0	<0.2			
1700N+75W	Soil	17	0.05	6	0.260	2	0.93	0.006	0.01	<0.1	0.04	1.1	<0.1	<0.05	16	0.6	<0.2			
1700N+100W	Soil	23	0.20	10	0.276	4	2.01	0.010	0.02	<0.1	0.19	2.9	<0.1	<0.05	14	1.4	<0.2			
1700N+125W	Soil	40	0.40	12	0.265	4	5.88	0.010	0.02	0.2	0.27	11.4	<0.1	<0.05	13	2.7	<0.2			
1700N+150W	Soil	25	0.13	11	0.277	3	0.73	0.007	0.02	<0.1	0.05	1.8	<0.1	<0.05	15	<0.5	<0.2			
1700N+175W	Soil	12	0.11	13	0.283	3	1.06	0.008	0.02	<0.1	0.07	1.9	<0.1	<0.05	16	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 6 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1
1600N+100W	Soil																				
1600N+125W	Soil																				
1600N+150W	Soil																				
1600N+175W	Soil																				
1600N+200W	Soil																				
1600N+225W	Soil																				
1600N+250W	Soil																				
1600N+275W	Soil																				
1600N+300W	Soil																				
1600N+325W	Soil																				
1600N+350W	Soil																				
1600N+350WA	Soil																				
1600N+375W	Soil																				
1600N+400W	Soil																				
1600N+425W	Soil																				
1600N+450W	Soil																				
1600N+475W	Soil																				
1600N+500W	Soil																				
1600N+525W	Soil																				
1600N+550W	Soil																				
1600N+575W	Soil																				
1600N+600W	Soil																				
1700N+00W	Soil																				
1700N+25W	Soil																				
1700N+50W	Soil																				
1700N+75W	Soil																				
1700N+100W	Soil																				
1700N+125W	Soil																				
1700N+150W	Soil																				
1700N+175W	Soil																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 6 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1600N+100W	Soil												
1600N+125W	Soil												
1600N+150W	Soil												
1600N+175W	Soil												
1600N+200W	Soil												
1600N+225W	Soil												
1600N+250W	Soil												
1600N+275W	Soil												
1600N+300W	Soil												
1600N+325W	Soil												
1600N+350W	Soil												
1600N+350WA	Soil												
1600N+375W	Soil												
1600N+400W	Soil												
1600N+425W	Soil												
1600N+450W	Soil												
1600N+475W	Soil												
1600N+500W	Soil												
1600N+525W	Soil												
1600N+550W	Soil												
1600N+575W	Soil												
1600N+600W	Soil												
1700N+00W	Soil												
1700N+25W	Soil												
1700N+50W	Soil												
1700N+75W	Soil												
1700N+100W	Soil												
1700N+125W	Soil												
1700N+150W	Soil												
1700N+175W	Soil												

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 7 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1700N+200W	Soil	0.7	43.4	7.0	30	0.2	11.1	11.2	611	4.79	3.2	8.0	0.4	17	0.2	0.3	0.1	161	0.34	0.056	3
1700N+225W	Soil	2.2	23.1	10.8	13	<0.1	3.4	8.3	311	4.64	2.3	41.8	0.3	15	0.1	0.5	0.2	196	0.16	0.045	3
1700N+250W	Soil	0.6	29.0	9.1	32	<0.1	12.5	14.4	721	5.04	2.9	5.0	0.3	17	0.2	0.3	0.1	179	0.26	0.054	3
1700N+275W	Soil	1.1	37.0	18.5	30	0.3	5.3	84.3	2732	3.88	3.7	3.8	<0.1	13	0.4	0.3	0.2	100	0.26	0.138	4
1700N+300W	Soil	0.9	33.2	6.1	21	0.2	5.2	6.5	309	5.79	4.2	32.8	0.4	21	0.1	0.4	<0.1	182	0.18	0.062	2
1700N+325W	Soil	1.4	33.6	10.2	28	0.2	10.9	10.6	368	5.93	2.9	11.1	0.3	17	<0.1	0.4	0.1	248	0.23	0.054	2
1700N+375W	Soil	0.3	3.2	10.5	4	<0.1	0.7	0.3	14	0.19	<0.5	32.3	0.3	4	<0.1	0.4	0.3	56	0.04	0.030	3
1700N+400W	Soil	0.5	4.1	16.8	8	0.1	1.0	0.7	82	0.31	0.6	2.8	0.2	14	0.2	1.1	0.2	87	0.13	0.039	2
1700N+425W	Soil	4.1	13.3	9.9	16	<0.1	2.6	14.9	453	3.81	2.7	4.7	0.6	13	<0.1	0.7	0.2	295	0.22	0.018	4
1700N+450W	Soil	0.3	6.3	9.9	16	<0.1	2.5	1.4	248	0.30	1.0	<0.5	<0.1	16	0.2	0.2	<0.1	28	0.58	0.068	<1
1700N+475W	Soil	1.9	10.3	8.0	17	<0.1	6.2	5.1	200	2.38	1.0	1.0	0.3	22	0.1	0.3	0.1	145	0.40	0.033	2
1700N+500W	Soil	5.9	30.2	6.7	85	<0.1	11.7	31.9	906	7.32	15.3	0.6	0.8	21	0.2	0.5	0.2	185	0.49	0.046	3
1700N+525W	Soil	2.6	28.1	12.5	53	<0.1	8.5	37.5	1394	4.51	6.3	0.8	0.5	23	0.2	0.4	0.2	116	0.60	0.048	4
1700N+550W	Soil	0.8	46.9	2.2	36	0.1	23.9	26.7	707	2.80	30.8	7.1	0.4	25	0.2	0.2	<0.1	67	1.15	0.073	3
1800N+00W	Soil	0.8	53.3	6.4	62	<0.1	17.2	19.0	936	3.93	12.2	4.6	0.7	30	0.2	0.2	<0.1	102	0.65	0.051	4
1800N+25W	Soil	0.8	33.4	4.5	50	<0.1	15.1	15.8	677	4.29	13.6	3.5	0.6	29	0.2	0.2	<0.1	107	0.48	0.045	4
1800N+50W	Soil	0.6	19.2	6.9	35	0.1	5.6	10.8	924	5.11	10.7	4.5	0.2	11	0.2	0.2	0.1	125	0.17	0.070	2
1800N+75W	Soil	0.6	58.7	3.5	38	<0.1	8.7	9.6	545	3.89	4.1	1.8	0.9	22	0.2	0.1	<0.1	121	0.55	0.076	4
1800N+100W	Soil	0.4	70.4	3.0	41	<0.1	12.0	12.4	507	3.48	4.9	4.8	1.1	25	<0.1	0.1	<0.1	111	0.97	0.091	4
1800N+125W	Soil	0.7	33.7	3.8	25	<0.1	6.1	6.7	308	4.09	5.0	40.9	1.0	16	<0.1	0.2	0.1	114	0.31	0.067	4
1800N+150W	Soil	0.8	21.7	9.9	26	<0.1	8.2	8.1	779	6.08	4.9	2.0	0.6	11	<0.1	0.5	0.1	200	0.14	0.051	2
1800N+175W	Soil	0.6	18.6	12.6	20	0.2	11.4	7.5	515	3.50	3.4	1.5	0.2	217	<0.1	0.4	0.1	150	0.18	0.077	3
1800N+200W	Soil	1.3	54.1	9.1	29	0.1	7.5	8.1	412	7.11	8.0	20.0	0.4	15	0.2	0.4	0.2	244	0.15	0.064	2
1800S+00E	Soil	0.4	20.9	6.8	9	0.1	5.2	4.0	81	3.61	2.7	1.2	0.6	15	<0.1	0.6	0.1	183	0.22	0.018	3
1800S+25E	Soil	2.3	38.0	5.9	21	0.2	9.4	7.9	144	3.70	2.9	4.8	0.6	17	0.3	0.6	0.1	134	0.26	0.049	4
1800S+50E	Soil	0.8	42.1	4.5	22	0.1	11.7	7.7	171	7.01	5.9	3.6	0.7	24	<0.1	0.9	0.1	207	0.29	0.029	3
1800S+75E	Soil	0.6	40.6	4.2	20	<0.1	15.7	8.7	203	6.13	6.8	21.0	0.5	29	<0.1	1.1	<0.1	198	0.37	0.028	3
1800S+100E	Soil	0.6	27.4	4.3	9	0.2	5.2	4.2	80	4.41	3.2	16.2	0.4	17	<0.1	0.9	0.1	222	0.27	0.026	2
1800S+125E	Soil	0.8	34.7	5.9	10	0.2	5.9	4.4	88	5.28	3.4	78.3	0.9	15	0.1	0.8	0.2	186	0.19	0.032	3
1800S+150E	Soil	1.7	87.3	6.3	23	0.3	16.1	8.2	206	5.80	6.5	14.2	1.2	27	<0.1	0.7	0.1	164	0.32	0.041	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 7 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
1700N+200W	Soil	32	0.59	18	0.251	3	2.30	0.015	0.03	<0.1	0.22	5.3	<0.1	<0.05	13	1.1	<0.2			
1700N+225W	Soil	23	0.10	17	0.258	4	1.85	0.007	0.02	<0.1	0.16	4.0	<0.1	<0.05	17	1.1	<0.2			
1700N+250W	Soil	35	0.64	22	0.243	4	2.20	0.011	0.03	<0.1	0.16	4.8	<0.1	<0.05	14	0.6	<0.2			
1700N+275W	Soil	17	0.32	20	0.122	7	1.86	0.010	0.04	<0.1	0.41	2.5	<0.1	0.12	9	2.2	<0.2			
1700N+300W	Soil	26	0.28	20	0.347	3	1.91	0.009	0.03	<0.1	0.20	4.7	<0.1	<0.05	12	1.7	<0.2			
1700N+325W	Soil	35	0.60	16	0.265	5	2.28	0.009	0.04	<0.1	0.13	5.6	<0.1	<0.05	17	0.5	<0.2			
1700N+375W	Soil	5	0.02	7	0.142	3	0.28	0.008	0.03	<0.1	0.10	1.1	<0.1	<0.05	6	<0.5	<0.2			
1700N+400W	Soil	2	0.03	12	0.166	4	0.19	0.014	0.05	<0.1	0.12	1.9	<0.1	<0.05	2	0.5	<0.2			
1700N+425W	Soil	20	0.08	12	0.283	<1	1.06	0.007	0.02	<0.1	0.05	2.8	<0.1	<0.05	17	<0.5	<0.2			
1700N+450W	Soil	5	0.10	10	0.084	7	0.14	0.020	0.08	<0.1	0.18	1.3	<0.1	0.11	1	0.7	<0.2			
1700N+475W	Soil	27	0.26	26	0.278	4	1.04	0.011	0.02	<0.1	0.12	3.0	<0.1	<0.05	13	<0.5	<0.2			
1700N+500W	Soil	58	0.46	39	0.212	5	5.10	0.011	0.03	<0.1	0.15	6.0	<0.1	<0.05	22	2.0	<0.2			
1700N+525W	Soil	41	0.20	34	0.143	5	4.32	0.009	0.03	<0.1	0.37	6.2	<0.1	<0.05	12	3.0	<0.2			
1700N+550W	Soil	122	1.14	19	0.094	7	6.95	0.016	0.02	0.1	0.17	6.9	<0.1	<0.05	10	2.6	<0.2			
1800N+00W	Soil	35	1.25	31	0.149	5	2.81	0.019	0.03	0.1	0.11	6.4	<0.1	<0.05	8	0.9	<0.2			
1800N+25W	Soil	32	1.13	31	0.152	7	2.77	0.013	0.03	0.1	0.11	5.4	<0.1	<0.05	9	0.8	<0.2			
1800N+50W	Soil	13	0.70	16	0.130	5	2.39	0.010	0.04	<0.1	0.24	3.6	<0.1	<0.05	9	1.4	<0.2			
1800N+75W	Soil	22	0.67	16	0.184	5	3.46	0.019	0.02	<0.1	0.12	5.8	<0.1	<0.05	9	1.6	<0.2			
1800N+100W	Soil	26	0.91	16	0.177	7	4.50	0.027	0.03	0.1	0.09	6.8	<0.1	<0.05	9	1.0	<0.2			
1800N+125W	Soil	20	0.53	12	0.184	4	3.58	0.015	0.02	0.1	0.19	5.6	<0.1	<0.05	11	2.2	<0.2			
1800N+150W	Soil	28	0.46	26	0.194	4	2.77	0.009	0.04	<0.1	0.12	6.2	<0.1	<0.05	17	1.0	<0.2			
1800N+175W	Soil	59	0.52	55	0.241	8	1.59	0.018	0.05	<0.1	0.16	3.1	<0.1	<0.05	12	1.0	<0.2			
1800N+200W	Soil	30	0.52	15	0.329	7	2.22	0.007	0.03	<0.1	0.15	5.5	<0.1	<0.05	19	1.1	<0.2			
1800S+00E	Soil	22	0.14	4	0.325	2	0.92	0.014	0.01	<0.1	0.08	2.0	<0.1	<0.05	11	0.6	<0.2			
1800S+25E	Soil	25	0.26	12	0.281	4	2.54	0.016	0.03	<0.1	0.18	4.1	<0.1	0.06	9	2.2	<0.2			
1800S+50E	Soil	42	0.46	12	0.397	4	2.64	0.016	0.02	<0.1	0.20	5.7	<0.1	<0.05	16	1.4	<0.2			
1800S+75E	Soil	45	0.56	9	0.440	4	1.86	0.018	0.02	<0.1	0.09	5.1	<0.1	<0.05	13	0.8	<0.2			
1800S+100E	Soil	29	0.17	4	0.454	4	1.47	0.016	0.02	<0.1	0.09	3.1	<0.1	<0.05	14	0.8	<0.2			
1800S+125E	Soil	38	0.15	5	0.392	4	2.33	0.010	0.02	<0.1	0.23	4.8	<0.1	<0.05	12	1.6	<0.2			
1800S+150E	Soil	60	0.57	10	0.566	3	3.71	0.014	0.02	<0.1	0.37	9.5	<0.1	<0.05	14	3.6	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 7 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
1700N+200W	Soil																					
1700N+225W	Soil																					
1700N+250W	Soil																					
1700N+275W	Soil																					
1700N+300W	Soil																					
1700N+325W	Soil																					
1700N+375W	Soil																					
1700N+400W	Soil																					
1700N+425W	Soil																					
1700N+450W	Soil																					
1700N+475W	Soil																					
1700N+500W	Soil																					
1700N+525W	Soil																					
1700N+550W	Soil																					
1800N+00W	Soil																					
1800N+25W	Soil																					
1800N+50W	Soil																					
1800N+75W	Soil																					
1800N+100W	Soil																					
1800N+125W	Soil																					
1800N+150W	Soil																					
1800N+175W	Soil																					
1800N+200W	Soil																					
1800S+00E	Soil																					
1800S+25E	Soil																					
1800S+50E	Soil																					
1800S+75E	Soil																					
1800S+100E	Soil																					
1800S+125E	Soil																					
1800S+150E	Soil																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 7 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1700N+200W	Soil												
1700N+225W	Soil												
1700N+250W	Soil												
1700N+275W	Soil												
1700N+300W	Soil												
1700N+325W	Soil												
1700N+375W	Soil												
1700N+400W	Soil												
1700N+425W	Soil												
1700N+450W	Soil												
1700N+475W	Soil												
1700N+500W	Soil												
1700N+525W	Soil												
1700N+550W	Soil												
1800N+00W	Soil												
1800N+25W	Soil												
1800N+50W	Soil												
1800N+75W	Soil												
1800N+100W	Soil												
1800N+125W	Soil												
1800N+150W	Soil												
1800N+175W	Soil												
1800N+200W	Soil												
1800S+00E	Soil												
1800S+25E	Soil												
1800S+50E	Soil												
1800S+75E	Soil												
1800S+100E	Soil												
1800S+125E	Soil												
1800S+150E	Soil												

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 8 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1800S+175E	Soil	0.4	121.3	2.7	43	<0.1	29.4	20.9	2663	3.15	8.7	87.2	0.7	24	0.1	0.6	<0.1	105	0.46	0.073	3
1800S+200E	Soil	0.8	49.2	3.9	17	<0.1	9.2	5.6	147	4.03	6.8	7.2	1.0	13	<0.1	0.5	<0.1	152	0.17	0.027	2
1800S+225E	Soil	0.5	37.4	6.4	21	0.1	9.7	5.6	203	3.64	3.7	8.7	0.8	10	<0.1	0.2	0.1	89	0.17	0.050	3
1800S+250E	Soil	0.1	48.3	5.5	32	<0.1	15.1	10.2	332	2.63	3.1	6.2	0.7	20	<0.1	0.2	<0.1	74	0.53	0.030	3
1800S+275E	Soil	0.7	21.4	6.6	16	<0.1	6.8	4.3	136	5.37	2.2	<0.5	0.7	10	<0.1	0.2	0.1	152	0.17	0.030	3
1800S+300E	Soil	0.8	30.1	7.5	21	<0.1	10.0	6.2	218	5.22	4.1	2.8	1.6	10	<0.1	0.2	0.1	128	0.19	0.047	4
1800S+325E	Soil	0.8	12.8	7.3	11	<0.1	4.6	3.5	146	6.56	2.5	0.9	1.1	9	<0.1	0.3	0.1	202	0.13	0.027	2
1800S+350E	Soil	0.5	9.6	5.4	5	<0.1	2.6	2.9	69	3.65	1.1	12.1	0.5	8	<0.1	0.2	0.1	234	0.10	0.011	2
1800S+375E	Soil	0.6	8.8	11.2	11	<0.1	2.3	2.4	104	6.34	2.2	<0.5	0.5	8	<0.1	0.3	0.2	204	0.09	0.037	2
1800S+400E	Soil	0.7	8.3	8.4	9	<0.1	3.0	2.3	80	4.67	1.7	5.6	0.7	9	<0.1	0.3	0.2	199	0.15	0.015	3
1800S+425E	Soil	0.6	21.4	4.9	10	<0.1	5.1	3.4	87	6.68	2.8	<0.5	1.0	8	<0.1	0.4	0.1	185	0.12	0.021	2
1800S+450E	Soil	0.7	50.8	6.2	27	<0.1	13.4	7.7	280	5.84	5.7	1.1	1.8	11	<0.1	0.3	0.1	135	0.19	0.031	3
1800S+475E	Soil	0.5	52.5	4.0	20	0.1	10.9	8.2	251	3.41	2.9	99.3	0.7	9	0.1	0.2	<0.1	99	0.21	0.038	3
1800S+500E	Soil	0.6	13.8	7.0	13	<0.1	5.0	4.1	118	4.51	1.6	0.8	0.4	7	<0.1	0.2	0.1	123	0.12	0.039	3
1800S+525E	Soil	0.9	14.9	8.6	14	<0.1	4.8	4.2	215	5.40	2.6	0.7	0.8	9	<0.1	0.3	0.2	138	0.13	0.034	5
1800S+550E	Soil	0.7	19.8	5.3	22	<0.1	5.6	5.0	192	4.35	1.1	1.0	0.7	8	<0.1	0.1	<0.1	89	0.14	0.030	3
1800S+575E	Soil	0.6	8.3	7.7	17	<0.1	3.2	2.7	119	1.97	0.9	<0.5	0.2	8	<0.1	0.1	0.1	62	0.12	0.045	3
1800S+600E	Soil	0.3	5.1	8.4	14	<0.1	3.0	2.9	137	1.03	<0.5	<0.5	0.4	12	<0.1	0.1	0.1	80	0.18	0.012	2
1900S+00E	Soil	0.4	51.9	6.2	29	<0.1	19.7	8.6	251	4.00	12.8	1.2	0.8	19	<0.1	0.4	<0.1	109	0.36	0.035	2
1900S+25E	Soil	0.7	37.0	12.8	18	0.1	11.1	6.8	191	2.34	5.6	2.8	0.3	13	<0.1	0.4	0.2	73	0.21	0.057	3
1900S+50E	Soil	0.3	75.0	3.6	27	<0.1	15.6	9.1	355	3.34	4.8	2.9	0.9	14	<0.1	0.3	<0.1	105	0.25	0.047	3
1900S+75E	Soil	0.6	150.7	2.6	39	<0.1	29.9	18.8	544	3.36	7.8	8.3	0.7	25	0.1	0.6	<0.1	106	0.65	0.072	3
1900S+100E	Soil	0.5	120.3	4.2	42	0.1	26.7	25.9	677	4.21	10.1	10.4	0.4	26	0.2	0.5	<0.1	124	0.50	0.044	3
1900S+125E	Soil	0.9	37.8	5.8	17	0.1	9.2	5.5	128	2.40	1.7	16.6	0.3	17	<0.1	0.6	0.1	170	0.26	0.028	3
1900S+150E	Soil	0.6	30.7	5.0	15	<0.1	5.7	3.4	278	1.39	1.3	17.0	0.3	13	<0.1	0.4	<0.1	92	0.20	0.032	3
1900S+175E	Soil	1.0	12.6	15.9	18	0.1	5.8	4.3	138	4.47	1.6	0.6	0.7	12	<0.1	0.3	0.2	128	0.15	0.039	3
1900S+200E	Soil	0.7	11.5	5.8	18	<0.1	7.3	4.1	157	2.67	1.3	1.2	0.3	12	<0.1	0.1	<0.1	123	0.21	0.029	2
1900S+225E	Soil	0.9	17.1	5.7	15	<0.1	5.4	4.4	151	5.38	2.1	0.9	1.0	9	<0.1	0.2	0.1	161	0.15	0.027	3
1900S+250E	Soil	0.3	37.1	5.6	20	<0.1	10.0	7.5	414	3.37	2.6	1.2	0.6	12	0.1	0.2	<0.1	100	0.24	0.029	3
1900S+275E	Soil	0.2	17.1	4.6	27	<0.1	10.3	6.8	273	2.27	1.1	0.6	0.6	16	<0.1	0.2	<0.1	86	0.26	0.017	2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 8 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Mo ppm	Cu ppm	Pb ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1
1800S+175E	Soil	47	1.12	15	0.250	4	2.91	0.016	0.02	<0.1	0.09	6.8	<0.1	<0.05	7	<0.5	<0.2			
1800S+200E	Soil	54	0.38	7	0.311	3	3.91	0.010	0.01	<0.1	0.18	6.6	<0.1	<0.05	12	2.5	<0.2			
1800S+225E	Soil	35	0.36	11	0.207	4	3.58	0.013	0.03	<0.1	0.35	5.6	<0.1	<0.05	10	2.1	<0.2			
1800S+250E	Soil	29	0.78	23	0.179	5	1.80	0.020	0.02	<0.1	0.25	4.6	<0.1	<0.05	6	0.5	<0.2			
1800S+275E	Soil	27	0.30	9	0.229	4	2.22	0.012	0.03	<0.1	0.18	3.7	<0.1	<0.05	16	1.3	<0.2			
1800S+300E	Soil	40	0.43	10	0.236	4	3.46	0.015	0.03	<0.1	0.32	6.0	<0.1	0.07	15	2.0	<0.2			
1800S+325E	Soil	37	0.18	9	0.265	3	1.70	0.011	0.02	<0.1	0.09	2.7	<0.1	<0.05	20	1.0	<0.2			
1800S+350E	Soil	21	0.05	8	0.282	2	0.82	0.006	0.01	<0.1	0.05	1.3	<0.1	<0.05	18	<0.5	<0.2			
1800S+375E	Soil	13	0.10	11	0.140	3	1.50	0.013	0.04	<0.1	0.16	2.2	<0.1	<0.05	17	0.8	<0.2			
1800S+400E	Soil	19	0.12	6	0.261	2	1.23	0.009	0.02	<0.1	0.09	1.8	<0.1	<0.05	19	<0.5	<0.2			
1800S+425E	Soil	42	0.15	9	0.297	2	2.69	0.009	0.02	<0.1	0.07	2.1	<0.1	<0.05	18	0.7	<0.2			
1800S+450E	Soil	51	0.53	11	0.353	5	3.71	0.013	0.02	<0.1	0.33	4.6	<0.1	<0.05	15	2.7	<0.2			
1800S+475E	Soil	33	0.48	10	0.186	4	4.06	0.013	0.02	<0.1	0.23	5.0	<0.1	<0.05	9	2.6	<0.2			
1800S+500E	Soil	16	0.18	10	0.146	4	1.96	0.009	0.03	<0.1	0.17	2.3	<0.1	<0.05	13	1.4	<0.2			
1800S+525E	Soil	23	0.22	12	0.189	3	2.27	0.009	0.02	<0.1	0.22	2.6	<0.1	<0.05	16	1.8	<0.2			
1800S+550E	Soil	18	0.39	11	0.161	3	2.70	0.011	0.03	<0.1	0.35	3.5	<0.1	<0.05	11	2.9	<0.2			
1800S+575E	Soil	8	0.22	11	0.098	5	1.66	0.010	0.05	<0.1	0.26	1.9	<0.1	<0.05	11	1.7	<0.2			
1800S+600E	Soil	9	0.26	11	0.147	2	1.54	0.011	0.03	<0.1	0.08	2.5	<0.1	<0.05	13	<0.5	<0.2			
1900S+00E	Soil	39	0.70	10	0.213	4	2.22	0.019	0.02	<0.1	0.20	4.5	<0.1	<0.05	9	0.9	<0.2			
1900S+25E	Soil	20	0.33	17	0.143	4	1.52	0.015	0.03	<0.1	0.29	2.8	<0.1	<0.05	6	0.9	<0.2			
1900S+50E	Soil	40	0.47	12	0.269	4	3.82	0.016	0.02	<0.1	0.17	6.5	<0.1	<0.05	9	1.5	<0.2			
1900S+75E	Soil	47	1.13	12	0.264	5	3.35	0.019	0.02	<0.1	0.08	7.8	<0.1	<0.05	7	0.7	<0.2			
1900S+100E	Soil	46	0.96	18	0.278	4	2.64	0.018	0.02	<0.1	0.17	5.9	<0.1	<0.05	8	1.0	<0.2			
1900S+125E	Soil	29	0.32	11	0.378	3	1.93	0.012	0.01	<0.1	0.12	3.3	<0.1	<0.05	16	0.7	<0.2			
1900S+150E	Soil	23	0.23	7	0.183	3	2.04	0.013	0.02	<0.1	0.18	3.1	<0.1	<0.05	11	1.3	<0.2			
1900S+175E	Soil	15	0.25	19	0.172	4	2.45	0.012	0.06	<0.1	0.31	3.0	<0.1	<0.05	18	1.4	<0.2			
1900S+200E	Soil	21	0.37	12	0.168	4	1.73	0.014	0.03	<0.1	0.17	2.8	<0.1	<0.05	14	1.1	<0.2			
1900S+225E	Soil	27	0.24	11	0.205	2	2.64	0.010	0.02	<0.1	0.14	3.1	<0.1	<0.05	16	1.5	<0.2			
1900S+250E	Soil	23	0.47	16	0.189	4	1.94	0.017	0.02	<0.1	0.68	3.2	<0.1	<0.05	8	0.9	<0.2			
1900S+275E	Soil	21	0.64	15	0.215	3	1.64	0.016	0.02	<0.1	0.16	3.4	<0.1	<0.05	11	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 8 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
1800S+175E	Soil																					
1800S+200E	Soil																					
1800S+225E	Soil																					
1800S+250E	Soil																					
1800S+275E	Soil																					
1800S+300E	Soil																					
1800S+325E	Soil																					
1800S+350E	Soil																					
1800S+375E	Soil																					
1800S+400E	Soil																					
1800S+425E	Soil																					
1800S+450E	Soil																					
1800S+475E	Soil																					
1800S+500E	Soil																					
1800S+525E	Soil																					
1800S+550E	Soil																					
1800S+575E	Soil																					
1800S+600E	Soil																					
1900S+00E	Soil																					
1900S+25E	Soil																					
1900S+50E	Soil																					
1900S+75E	Soil																					
1900S+100E	Soil																					
1900S+125E	Soil																					
1900S+150E	Soil																					
1900S+175E	Soil																					
1900S+200E	Soil																					
1900S+225E	Soil																					
1900S+250E	Soil																					
1900S+275E	Soil																					



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 8 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1800S+175E	Soil												
1800S+200E	Soil												
1800S+225E	Soil												
1800S+250E	Soil												
1800S+275E	Soil												
1800S+300E	Soil												
1800S+325E	Soil												
1800S+350E	Soil												
1800S+375E	Soil												
1800S+400E	Soil												
1800S+425E	Soil												
1800S+450E	Soil												
1800S+475E	Soil												
1800S+500E	Soil												
1800S+525E	Soil												
1800S+550E	Soil												
1800S+575E	Soil												
1800S+600E	Soil												
1900S+00E	Soil												
1900S+25E	Soil												
1900S+50E	Soil												
1900S+75E	Soil												
1900S+100E	Soil												
1900S+125E	Soil												
1900S+150E	Soil												
1900S+175E	Soil												
1900S+200E	Soil												
1900S+225E	Soil												
1900S+250E	Soil												
1900S+275E	Soil												

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 9 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
1900S+300E	Soil	0.6	18.0	5.8	9	<0.1	5.4	3.9	78	6.00	2.1	<0.5	0.5	8	<0.1	0.4	0.1	256	0.21	0.018	2
1900S+325E	Soil	0.6	22.1	5.5	11	<0.1	4.3	2.8	61	3.55	1.7	<0.5	0.6	8	<0.1	0.2	0.2	126	0.10	0.027	3
1900S+350E	Soil	0.4	19.7	5.0	20	<0.1	9.9	6.7	230	3.99	2.2	10.7	0.5	12	<0.1	0.2	<0.1	132	0.23	0.024	2
1900S+375E	Soil	0.4	2.1	8.8	4	<0.1	0.6	0.3	16	0.25	<0.5	<0.5	0.2	5	<0.1	0.1	0.2	51	0.04	0.026	2
1900S+400E	Soil	0.5	12.1	5.8	8	<0.1	3.2	2.9	57	6.11	1.3	3.7	0.5	7	<0.1	0.5	0.1	298	0.11	0.015	2
1900S+425E	Soil	1.2	13.9	8.7	14	<0.1	5.3	2.7	86	1.83	1.0	<0.5	0.5	11	<0.1	0.4	0.2	176	0.16	0.017	3
1900S+450E	Soil	0.4	26.9	3.4	6	<0.1	4.9	4.3	58	2.85	1.6	3.8	0.4	7	<0.1	0.5	0.1	214	0.12	0.011	3
1900S+475E	Soil	0.7	30.8	7.4	13	<0.1	6.0	4.2	116	5.45	2.0	1.0	1.0	12	<0.1	0.3	0.2	158	0.34	0.025	4
1900S+500E	Soil	0.5	21.7	7.8	14	0.1	6.3	4.0	102	3.24	1.6	1.1	0.3	8	0.1	0.2	0.1	107	0.14	0.037	4
1900S+525E	Soil	2.1	15.8	5.8	8	<0.1	3.9	6.7	92	2.92	0.6	1.6	0.4	12	<0.1	0.2	0.1	155	0.18	0.017	2
1900S+550E	Soil	0.2	4.4	9.6	10	<0.1	1.0	1.8	76	1.30	0.6	<0.5	0.3	11	<0.1	0.2	<0.1	151	0.10	0.013	2
1900S+575E	Soil	0.4	6.5	4.7	7	<0.1	2.3	2.9	58	3.93	1.3	0.8	0.4	5	<0.1	0.2	0.1	150	0.06	0.014	2
1900S+600E	Soil	0.4	11.2	9.9	12	0.1	3.1	9.8	203	1.97	<0.5	<0.5	<0.1	5	0.2	0.1	0.1	40	0.08	0.065	4
2000S+00E	Soil	1.3	46.2	4.2	23	<0.1	11.0	6.3	223	4.55	4.9	6.6	0.9	12	<0.1	0.3	<0.1	136	0.21	0.033	2
2000S+25E	Soil	2.1	63.4	4.8	27	0.2	14.3	13.2	650	4.41	5.0	2.5	0.5	15	0.2	0.3	<0.1	135	0.31	0.051	3
2000S+50E	Soil	1.7	110.4	3.4	39	<0.1	22.0	12.6	466	3.11	7.9	10.8	0.7	18	0.1	0.4	<0.1	123	0.40	0.064	3
2000S+75E	Soil	1.3	103.4	3.9	41	0.1	20.5	14.3	206	2.69	7.7	5.6	1.0	17	<0.1	0.4	<0.1	130	0.33	0.046	4
2000S+100E	Soil	0.6	75.0	4.0	33	<0.1	20.0	11.9	295	3.56	7.4	57.1	0.7	21	0.1	0.5	<0.1	108	0.47	0.029	3
2000S+125E	Soil	0.6	68.6	4.0	21	<0.1	11.5	8.4	265	4.46	5.3	13.3	1.5	11	<0.1	0.5	<0.1	165	0.22	0.048	3
2000S+150E	Soil	0.4	14.4	6.0	21	<0.1	4.3	5.8	214	2.88	0.9	<0.5	0.5	13	<0.1	0.1	<0.1	98	0.19	0.026	2
2000S+175E	Soil	0.6	16.0	7.2	19	<0.1	5.1	15.7	1038	1.87	1.0	<0.5	0.1	11	0.1	0.1	<0.1	52	0.19	0.041	3
2000S+200E	Soil	1.1	7.0	4.3	5	<0.1	2.0	2.3	60	2.72	1.2	2.9	0.5	7	<0.1	0.3	0.1	158	0.07	0.011	3
2000S+225E	Soil	1.5	25.2	6.1	22	<0.1	6.1	5.4	142	2.34	2.1	1.9	0.4	11	<0.1	0.1	0.2	106	0.15	0.042	5
2000S+250E	Soil	1.2	15.4	7.1	17	0.1	4.7	11.1	1240	3.47	1.1	0.8	0.2	12	0.1	0.2	0.1	83	0.17	0.045	4
2000S+275E	Soil	0.7	17.1	7.1	21	0.1	7.0	9.0	432	3.65	1.9	2.1	0.3	13	0.1	0.2	0.1	81	0.19	0.057	3
2000S+300E	Soil	1.2	18.8	7.9	24	<0.1	8.0	7.7	322	4.15	2.6	1.9	0.5	14	0.2	0.2	0.1	99	0.20	0.055	4
2000S+325E	Soil	0.6	8.5	5.4	10	<0.1	2.8	3.3	132	4.50	1.4	0.8	0.4	12	<0.1	0.2	0.1	139	0.14	0.028	2
2000S+350E	Soil	0.4	5.0	10.2	10	<0.1	1.7	0.9	26	0.82	1.4	2.6	<0.1	12	0.2	0.2	0.1	61	0.16	0.051	2
2000S+375E	Soil	0.6	6.1	6.2	9	<0.1	1.8	2.2	81	6.78	1.2	0.8	0.5	10	<0.1	0.2	0.1	300	0.12	0.013	2
2000S+400E	Soil	0.7	7.7	9.9	17	<0.1	3.4	4.4	282	8.14	1.4	10.3	0.5	16	<0.1	0.2	0.1	208	0.25	0.023	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 9 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
1900S+300E	Soil	36	0.15	6	0.358	2	1.21	0.011	0.02	<0.1	0.07	2.4	<0.1	<0.05	20	0.6	<0.2			
1900S+325E	Soil	17	0.10	10	0.152	3	2.41	0.009	0.02	<0.1	0.20	2.8	<0.1	<0.05	11	1.7	<0.2			
1900S+350E	Soil	21	0.47	12	0.243	3	1.48	0.015	0.02	<0.1	0.16	3.1	<0.1	<0.05	13	0.9	<0.2			
1900S+375E	Soil	4	0.04	9	0.085	2	0.83	0.007	0.03	<0.1	0.13	1.1	<0.1	<0.05	10	<0.5	<0.2			
1900S+400E	Soil	27	0.10	8	0.279	<1	1.45	0.008	0.02	<0.1	0.05	1.4	<0.1	<0.05	23	<0.5	<0.2			
1900S+425E	Soil	23	0.21	10	0.253	2	1.83	0.011	0.02	<0.1	0.09	2.3	<0.1	<0.05	26	0.6	<0.2			
1900S+450E	Soil	21	0.09	4	0.272	4	1.54	0.012	<0.01	<0.1	0.05	2.2	<0.1	<0.05	11	0.7	<0.2			
1900S+475E	Soil	27	0.20	10	0.248	4	4.36	0.010	0.03	<0.1	0.35	4.5	<0.1	<0.05	14	2.6	<0.2			
1900S+500E	Soil	17	0.21	11	0.181	5	2.42	0.013	0.03	<0.1	0.22	2.3	<0.1	<0.05	9	2.5	<0.2			
1900S+525E	Soil	8	0.12	12	0.188	3	1.05	0.011	0.02	<0.1	0.06	1.6	<0.1	<0.05	12	<0.5	<0.2			
1900S+550E	Soil	4	0.16	13	0.176	2	1.33	0.008	0.04	<0.1	0.05	3.1	<0.1	<0.05	14	<0.5	<0.2			
1900S+575E	Soil	10	0.09	10	0.117	2	1.23	0.008	0.02	<0.1	0.06	1.3	<0.1	<0.05	15	0.7	<0.2			
1900S+600E	Soil	6	0.08	14	0.046	4	2.38	0.009	0.05	<0.1	0.31	1.7	<0.1	0.09	5	3.6	<0.2			
2000S+00E	Soil	39	0.35	12	0.261	3	2.67	0.016	0.02	<0.1	0.21	4.5	<0.1	<0.05	11	2.2	<0.2			
2000S+25E	Soil	36	0.43	14	0.267	5	2.41	0.017	0.02	<0.1	0.24	4.6	<0.1	<0.05	10	2.0	<0.2			
2000S+50E	Soil	46	0.65	16	0.256	3	3.74	0.019	0.02	<0.1	0.14	7.4	<0.1	<0.05	10	1.4	<0.2			
2000S+75E	Soil	44	0.52	16	0.304	5	4.18	0.019	0.01	<0.1	0.15	7.6	<0.1	<0.05	12	1.3	<0.2			
2000S+100E	Soil	39	0.85	14	0.252	3	2.49	0.015	0.02	<0.1	0.19	5.5	<0.1	<0.05	8	1.3	<0.2			
2000S+125E	Soil	52	0.41	11	0.273	3	5.19	0.012	0.02	<0.1	0.16	11.3	<0.1	<0.05	13	1.8	<0.2			
2000S+150E	Soil	13	0.42	16	0.197	3	1.66	0.016	0.03	<0.1	0.19	2.8	<0.1	<0.05	13	1.1	<0.2			
2000S+175E	Soil	10	0.28	14	0.081	3	1.71	0.011	0.03	<0.1	0.19	2.2	<0.1	<0.05	5	1.0	<0.2			
2000S+200E	Soil	12	0.06	6	0.192	<1	1.01	0.006	0.01	<0.1	0.05	1.4	<0.1	<0.05	13	<0.5	<0.2			
2000S+225E	Soil	24	0.26	11	0.166	3	4.07	0.011	0.03	<0.1	0.40	5.0	<0.1	<0.05	14	2.4	<0.2			
2000S+250E	Soil	14	0.20	19	0.136	4	2.02	0.010	0.02	<0.1	0.29	2.4	<0.1	<0.05	10	1.9	<0.2			
2000S+275E	Soil	21	0.30	12	0.141	6	2.49	0.011	0.03	<0.1	0.30	2.7	<0.1	0.06	10	2.2	<0.2			
2000S+300E	Soil	19	0.35	13	0.171	5	3.12	0.012	0.03	<0.1	0.35	3.4	<0.1	<0.05	12	2.8	<0.2			
2000S+325E	Soil	13	0.16	10	0.156	2	1.63	0.008	0.02	<0.1	0.14	2.2	<0.1	<0.05	13	1.7	<0.2			
2000S+350E	Soil	5	0.05	14	0.088	4	0.52	0.013	0.04	<0.1	0.17	1.1	<0.1	0.05	6	0.8	<0.2			
2000S+375E	Soil	13	0.12	14	0.260	1	1.70	0.010	0.02	<0.1	0.04	2.6	<0.1	<0.05	26	<0.5	<0.2			
2000S+400E	Soil	12	0.30	25	0.222	3	2.08	0.010	0.03	<0.1	0.09	2.8	<0.1	<0.05	25	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 9 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1
1900S+300E	Soil																				
1900S+325E	Soil																				
1900S+350E	Soil																				
1900S+375E	Soil																				
1900S+400E	Soil																				
1900S+425E	Soil																				
1900S+450E	Soil																				
1900S+475E	Soil																				
1900S+500E	Soil																				
1900S+525E	Soil																				
1900S+550E	Soil																				
1900S+575E	Soil																				
1900S+600E	Soil																				
2000S+00E	Soil																				
2000S+25E	Soil																				
2000S+50E	Soil																				
2000S+75E	Soil																				
2000S+100E	Soil																				
2000S+125E	Soil																				
2000S+150E	Soil																				
2000S+175E	Soil																				
2000S+200E	Soil																				
2000S+225E	Soil																				
2000S+250E	Soil																				
2000S+275E	Soil																				
2000S+300E	Soil																				
2000S+325E	Soil																				
2000S+350E	Soil																				
2000S+375E	Soil																				
2000S+400E	Soil																				



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 9 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1900S+300E	Soil												
1900S+325E	Soil												
1900S+350E	Soil												
1900S+375E	Soil												
1900S+400E	Soil												
1900S+425E	Soil												
1900S+450E	Soil												
1900S+475E	Soil												
1900S+500E	Soil												
1900S+525E	Soil												
1900S+550E	Soil												
1900S+575E	Soil												
1900S+600E	Soil												
2000S+00E	Soil												
2000S+25E	Soil												
2000S+50E	Soil												
2000S+75E	Soil												
2000S+100E	Soil												
2000S+125E	Soil												
2000S+150E	Soil												
2000S+175E	Soil												
2000S+200E	Soil												
2000S+225E	Soil												
2000S+250E	Soil												
2000S+275E	Soil												
2000S+300E	Soil												
2000S+325E	Soil												
2000S+350E	Soil												
2000S+375E	Soil												
2000S+400E	Soil												



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 10 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte	Unit	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	1	
2000S+425E	Soil	0.3	2.6	9.7	5	<0.1	0.5	0.8	34	0.54	<0.5	<0.5	0.1	9	<0.1	0.2	0.1	100	0.08	0.021	2
2000S+450E	Soil	0.3	8.1	8.4	9	<0.1	1.6	2.0	72	0.75	0.5	<0.5	<0.1	11	0.1	0.2	0.1	63	0.13	0.043	2
2000S+475E	Soil	0.5	14.8	5.7	14	<0.1	3.3	3.8	123	5.30	1.6	7.2	0.7	9	0.1	0.2	0.1	151	0.12	0.025	3
2000S+500E	Soil	0.4	9.9	5.0	8	<0.1	3.4	4.1	98	4.73	1.4	1.3	0.6	10	<0.1	0.2	0.1	161	0.13	0.014	2
2000S+525E	Soil	0.5	39.8	3.8	18	<0.1	6.7	5.1	157	4.00	3.2	1.1	1.5	10	<0.1	0.2	<0.1	103	0.16	0.031	3
2000S+550E	Soil	0.6	46.5	4.7	19	<0.1	8.1	6.7	154	6.08	3.3	4.2	1.7	9	<0.1	0.3	0.1	185	0.13	0.021	2
2000S+575E	Soil	0.5	15.4	5.2	16	<0.1	6.2	4.4	148	4.66	1.4	2.6	0.6	13	<0.1	0.2	<0.1	137	0.16	0.015	2
2000S+600E	Soil	0.7	26.1	5.7	12	<0.1	5.4	4.4	95	7.14	3.8	1.4	1.3	9	<0.1	0.4	0.1	178	0.11	0.021	2
2100S+00E	Soil	1.0	94.4	5.6	35	0.2	19.0	10.9	420	3.21	24.4	4.8	0.6	17	0.2	0.4	<0.1	87	0.35	0.047	3
2100S+50E	Soil	0.6	37.2	5.6	28	<0.1	13.7	8.2	238	3.37	6.9	4.4	0.5	18	<0.1	0.4	<0.1	103	0.27	0.041	2
2100S+75E	Soil	0.2	71.1	2.8	43	<0.1	19.5	13.8	676	3.05	4.7	24.0	0.8	28	<0.1	0.3	<0.1	83	0.65	0.060	4
2100S+100E	Soil	0.6	8.5	6.3	26	<0.1	7.3	4.9	228	2.17	0.6	<0.5	0.3	13	<0.1	0.1	<0.1	96	0.17	0.016	2
2100S+125E	Soil	0.4	48.0	3.2	35	<0.1	14.2	11.4	446	3.31	2.7	4.1	0.8	15	<0.1	0.2	<0.1	93	0.38	0.044	4
2100S+150E	Soil	0.5	10.0	5.4	13	<0.1	4.1	4.7	152	3.97	0.9	21.7	0.4	10	<0.1	0.1	<0.1	95	0.14	0.017	2
2100S+175E	Soil	0.9	17.2	6.4	27	<0.1	7.8	7.5	306	4.06	1.1	<0.5	0.7	12	<0.1	0.2	<0.1	108	0.19	0.031	3
2100S+200E	Soil	0.3	19.0	5.4	29	<0.1	8.2	8.0	311	3.34	1.3	<0.5	0.5	14	<0.1	0.1	<0.1	81	0.24	0.033	3
2100S+225E	Soil	0.3	8.8	5.4	9	<0.1	2.1	3.2	91	2.29	0.6	<0.5	0.1	15	<0.1	0.1	<0.1	134	0.12	0.016	1
2100S+250E	Soil	0.5	6.4	3.2	6	<0.1	1.7	3.2	65	1.64	<0.5	<0.5	0.2	6	<0.1	0.4	<0.1	99	0.08	0.014	2
2100S+300E	Soil	0.7	5.8	5.7	8	<0.1	2.3	2.8	75	4.50	0.9	<0.5	0.5	7	<0.1	0.1	0.1	144	0.08	0.019	2
2100S+325E	Soil	0.7	20.1	8.0	20	<0.1	5.9	10.5	818	3.76	1.1	<0.5	0.2	9	0.2	0.2	<0.1	89	0.16	0.053	3
2100S+350E	Soil	0.9	22.8	4.5	20	<0.1	5.0	5.5	198	4.88	1.8	5.9	0.5	11	<0.1	0.1	<0.1	115	0.16	0.041	3
2100S+375E	Soil	0.9	12.0	6.0	17	0.1	4.1	5.4	324	5.15	1.5	<0.5	0.8	11	<0.1	0.2	<0.1	130	0.16	0.030	3
2100S+400E	Soil	1.0	26.4	7.0	26	<0.1	6.1	6.4	285	4.41	2.9	<0.5	1.5	12	<0.1	0.2	<0.1	100	0.18	0.043	3
2100S+425E	Soil	1.2	17.0	6.2	21	0.1	4.8	6.2	226	5.90	1.6	329.4	0.9	12	0.2	0.1	<0.1	139	0.15	0.036	3
2100S+450E	Soil	0.8	13.9	7.3	14	<0.1	3.4	4.2	153	6.99	2.5	<0.5	1.2	13	<0.1	0.2	0.1	149	0.16	0.029	2
2100S+475E	Soil	0.7	11.2	4.8	15	<0.1	2.8	4.5	165	5.13	1.1	0.8	0.6	9	<0.1	0.2	0.1	142	0.13	0.022	2
2100S+500E	Soil	1.0	23.2	5.4	30	<0.1	7.9	7.4	317	5.07	1.7	<0.5	1.7	10	0.1	0.1	<0.1	95	0.18	0.032	4
2100S+525E	Soil	0.5	6.9	6.9	7	<0.1	2.2	2.6	57	4.23	0.6	4.0	0.3	5	<0.1	0.2	<0.1	128	0.08	0.016	2
2100S+550E	Soil	0.5	1.9	6.1	6	<0.1	0.9	0.7	41	0.84	<0.5	0.7	<0.1	4	<0.1	<0.1	0.1	81	0.06	0.016	3
2100S+575E	Soil	0.6	5.2	13.3	8	<0.1	3.7	3.0	83	2.24	0.6	<0.5	0.4	7	<0.1	0.2	<0.1	108	0.12	0.011	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS
MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 10 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Te ppm	Mo ppm	Cu ppm	Pb ppm	Zn ppm
	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	0.1	1
2000S+425E	Soil	2	0.07	10	0.113	2	0.88	0.008	0.04	<0.1	0.06	1.5	<0.1	<0.05	10	<0.5	<0.2			
2000S+450E	Soil	3	0.10	11	0.082	4	0.71	0.015	0.04	<0.1	0.15	1.6	<0.1	<0.05	6	<0.5	<0.2			
2000S+475E	Soil	16	0.19	10	0.175	2	2.65	0.008	0.02	<0.1	0.11	2.8	<0.1	<0.05	17	1.0	<0.2			
2000S+500E	Soil	20	0.16	10	0.245	3	1.27	0.008	0.01	<0.1	0.05	2.5	<0.1	<0.05	16	0.7	<0.2			
2000S+525E	Soil	34	0.36	9	0.200	3	4.01	0.011	0.02	<0.1	0.39	7.0	<0.1	<0.05	11	2.5	<0.2			
2000S+550E	Soil	53	0.35	14	0.262	2	5.28	0.009	0.01	<0.1	0.12	11.0	<0.1	<0.05	17	1.6	<0.2			
2000S+575E	Soil	24	0.35	11	0.235	3	1.86	0.010	0.02	<0.1	0.11	3.3	<0.1	<0.05	18	0.8	<0.2			
2000S+600E	Soil	44	0.20	9	0.247	2	3.55	0.008	0.02	<0.1	0.25	2.8	<0.1	<0.05	18	1.4	<0.2			
2100S+00E	Soil	47	0.64	20	0.175	5	2.78	0.014	0.02	0.1	0.28	5.2	<0.1	<0.05	8	1.5	<0.2			
2100S+50E	Soil	33	0.57	10	0.218	4	1.74	0.016	0.03	<0.1	0.27	3.6	<0.1	<0.05	8	1.1	<0.2			
2100S+75E	Soil	33	0.94	36	0.190	3	2.55	0.018	0.04	<0.1	0.11	6.1	<0.1	<0.05	7	<0.5	<0.2			
2100S+100E	Soil	17	0.49	16	0.147	3	2.23	0.010	0.03	<0.1	0.10	2.7	<0.1	<0.05	16	<0.5	<0.2			
2100S+125E	Soil	30	0.76	20	0.172	4	3.69	0.016	0.03	0.2	0.15	5.8	<0.1	<0.05	9	1.3	<0.2			
2100S+150E	Soil	16	0.27	13	0.137	3	1.39	0.012	0.02	0.1	0.06	2.4	<0.1	<0.05	10	0.6	<0.2			
2100S+175E	Soil	23	0.47	27	0.137	4	2.68	0.012	0.03	0.2	0.19	3.2	<0.1	<0.05	12	1.7	<0.2			
2100S+200E	Soil	19	0.55	15	0.124	4	1.81	0.012	0.03	0.1	0.15	2.9	<0.1	<0.05	9	0.8	<0.2			
2100S+225E	Soil	7	0.10	9	0.142	2	0.91	0.011	0.02	<0.1	0.08	1.5	<0.1	<0.05	14	<0.5	<0.2			
2100S+250E	Soil	6	0.05	14	0.061	3	0.90	0.007	0.03	0.1	0.05	1.4	<0.1	<0.05	7	<0.5	<0.2			
2100S+300E	Soil	14	0.11	8	0.124	2	1.56	0.008	0.02	<0.1	0.10	2.2	<0.1	<0.05	17	1.0	<0.2			
2100S+325E	Soil	14	0.32	11	0.117	3	2.54	0.014	0.03	0.1	0.35	2.5	<0.1	0.06	10	2.8	<0.2			
2100S+350E	Soil	20	0.33	11	0.142	4	3.24	0.013	0.02	0.1	0.34	3.9	<0.1	<0.05	13	3.3	<0.2			
2100S+375E	Soil	16	0.29	13	0.165	3	2.45	0.012	0.02	0.1	0.24	3.1	<0.1	<0.05	16	1.5	<0.2			
2100S+400E	Soil	23	0.36	14	0.180	3	4.23	0.014	0.03	0.1	0.45	6.1	<0.1	<0.05	11	3.1	<0.2			
2100S+425E	Soil	18	0.33	13	0.171	3	3.23	0.013	0.03	<0.1	0.32	3.7	<0.1	<0.05	16	2.3	<0.2			
2100S+450E	Soil	19	0.21	10	0.221	2	1.85	0.011	0.03	0.1	0.20	2.4	<0.1	<0.05	17	1.9	<0.2			
2100S+475E	Soil	14	0.26	9	0.157	2	2.38	0.009	0.02	<0.1	0.12	3.6	<0.1	<0.05	15	1.9	<0.2			
2100S+500E	Soil	26	0.52	14	0.165	4	3.82	0.012	0.03	0.2	0.35	5.3	<0.1	<0.05	14	3.4	<0.2			
2100S+525E	Soil	8	0.07	9	0.107	<1	1.17	0.009	0.02	<0.1	0.08	1.4	<0.1	<0.05	11	0.8	<0.2			
2100S+550E	Soil	4	0.07	8	0.042	<1	1.36	0.007	0.02	<0.1	0.10	0.8	<0.1	<0.05	15	<0.5	<0.2			
2100S+575E	Soil	9	0.13	12	0.125	1	0.89	0.009	0.03	<0.1	0.07	1.6	<0.1	<0.05	10	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 10 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	
		MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
2000S+425E	Soil																					
2000S+450E	Soil																					
2000S+475E	Soil																					
2000S+500E	Soil																					
2000S+525E	Soil																					
2000S+550E	Soil																					
2000S+575E	Soil																					
2000S+600E	Soil																					
2100S+00E	Soil																					
2100S+50E	Soil																					
2100S+75E	Soil																					
2100S+100E	Soil																					
2100S+125E	Soil																					
2100S+150E	Soil																					
2100S+175E	Soil																					
2100S+200E	Soil																					
2100S+225E	Soil																					
2100S+250E	Soil																					
2100S+300E	Soil																					
2100S+325E	Soil																					
2100S+350E	Soil																					
2100S+375E	Soil																					
2100S+400E	Soil																					
2100S+425E	Soil																					
2100S+450E	Soil																					
2100S+475E	Soil																					
2100S+500E	Soil																					
2100S+525E	Soil																					
2100S+550E	Soil																					
2100S+575E	Soil																					



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 10 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	Analyte	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
2000S+425E	Soil												
2000S+450E	Soil												
2000S+475E	Soil												
2000S+500E	Soil												
2000S+525E	Soil												
2000S+550E	Soil												
2000S+575E	Soil												
2000S+600E	Soil												
2100S+00E	Soil												
2100S+50E	Soil												
2100S+75E	Soil												
2100S+100E	Soil												
2100S+125E	Soil												
2100S+150E	Soil												
2100S+175E	Soil												
2100S+200E	Soil												
2100S+225E	Soil												
2100S+250E	Soil												
2100S+300E	Soil												
2100S+325E	Soil												
2100S+350E	Soil												
2100S+375E	Soil												
2100S+400E	Soil												
2100S+425E	Soil												
2100S+450E	Soil												
2100S+475E	Soil												
2100S+500E	Soil												
2100S+525E	Soil												
2100S+550E	Soil												
2100S+575E	Soil												



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 11 of 11

Part: 1 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	AQ201																				
	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Analyte	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
2100S+600E	Soil	0.5	7.0	5.5	6	<0.1	2.5	2.3	60	3.13	0.6	1.2	0.4	6	<0.1	0.3	0.1	213	0.10	0.013	2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 11 of 11

Part: 2 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	Zn
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
2100S+600E	Soil	15	0.10	8	0.211	2	1.52	0.006	0.02	<0.1	0.06	1.5	<0.1	<0.05	24	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 11 of 11

Part: 3 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
Unit	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	
MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	
2100S+600E	Soil																				



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 11 of 11

Part: 4 of 4

CERTIFICATE OF ANALYSIS

VAN16001016.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
2100S+600E	Soil												



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Project: FANDORA
Report Date: July 15, 2016

Page: 1 of 2

Part: 1 of 4

QUALITY CONTROL REPORT

VAN16001016.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
1000N+100E Soil	0.5	126.5	2.9	58	<0.1	20.6	18.1	679	4.02	15.5	8.4	0.8	28	0.1	0.3	<0.1	119	0.86	0.086	4	
REP 1000N+100E QC	0.5	128.8	2.8	56	<0.1	19.8	17.9	696	3.93	15.2	10.3	0.8	27	0.1	0.2	<0.1	115	0.84	0.083	4	
1200N+175W Soil	0.7	102.7	7.3	74	0.1	26.4	31.8	1363	4.80	5.6	84.0	0.5	24	0.3	0.7	0.1	134	0.57	0.049	3	
REP 1200N+175W QC	0.5	103.2	7.3	76	0.1	25.0	31.2	1374	4.84	5.4	14.2	0.5	24	0.3	0.7	<0.1	132	0.59	0.050	3	
1300N+425W Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP 1300N+425W QC																					
1400N+00W Soil	0.8	44.8	3.4	53	<0.1	17.8	15.8	513	4.33	10.7	3.9	0.8	27	<0.1	0.2	<0.1	124	0.60	0.019	3	
REP 1400N+00W QC	0.7	42.7	3.5	51	<0.1	17.7	16.2	530	4.21	10.6	14.3	1.0	27	<0.1	0.3	0.1	122	0.61	0.021	3	
1500N+475W Soil	0.6	119.6	4.2	52	0.1	20.9	18.2	442	6.34	4.0	6.4	0.4	24	0.2	0.3	<0.1	198	0.54	0.042	2	
REP 1500N+475W QC	0.6	121.0	4.1	56	0.1	21.2	18.5	457	6.54	3.5	4.5	0.3	24	0.3	0.3	<0.1	191	0.52	0.042	2	
1700N+150W Soil	0.5	7.8	8.7	8	<0.1	5.8	3.7	71	2.93	1.4	2.8	0.6	13	<0.1	0.6	0.2	207	0.14	0.025	4	
REP 1700N+150W QC	0.5	7.6	8.9	8	<0.1	6.0	3.7	77	2.90	1.7	1.6	0.7	15	<0.1	0.7	0.2	218	0.14	0.027	4	
1800S+275E Soil	0.7	21.4	6.6	16	<0.1	6.8	4.3	136	5.37	2.2	<0.5	0.7	10	<0.1	0.2	0.1	152	0.17	0.030	3	
REP 1800S+275E QC	0.7	21.6	6.6	16	<0.1	6.7	4.4	136	5.61	2.2	1.0	0.7	10	<0.1	0.2	0.1	152	0.15	0.031	3	
1900S+550E Soil	0.2	4.4	9.6	10	<0.1	1.0	1.8	76	1.30	0.6	<0.5	0.3	11	<0.1	0.2	<0.1	151	0.10	0.013	2	
REP 1900S+550E QC	0.2	4.7	9.5	9	<0.1	0.9	1.6	68	1.30	<0.5	<0.5	0.3	10	<0.1	0.2	0.1	143	0.08	0.012	2	
2100S+225E Soil	0.3	8.8	5.4	9	<0.1	2.1	3.2	91	2.29	0.6	<0.5	0.1	15	<0.1	0.1	<0.1	134	0.12	0.016	1	
REP 2100S+225E QC	0.4	9.1	5.3	9	<0.1	2.5	3.2	90	2.20	0.8	0.6	0.2	15	<0.1	0.1	<0.1	138	0.11	0.015	1	
Reference Materials																					
STD DS10 Standard	14.2	147.9	156.6	366	1.9	74.3	12.5	899	2.75	46.3	61.6	8.0	70	2.7	10.4	12.5	39	1.04	0.074	18	
STD DS10 Standard	14.4	148.4	148.4	360	1.9	73.8	12.3	837	2.64	46.6	84.0	7.8	65	2.8	9.6	12.8	43	1.03	0.073	18	
STD DS10 Standard	16.4	170.6	157.0	388	2.0	80.7	14.5	925	2.95	47.3	78.9	8.2	68	3.0	10.2	13.1	47	1.10	0.078	18	
STD DS10 Standard	14.5	147.7	144.4	365	1.8	71.7	12.6	840	2.64	44.7	66.6	7.5	63	2.7	8.9	12.0	41	1.01	0.074	17	
STD DS10 Standard	15.5	146.1	145.5	366	1.9	72.3	12.8	868	2.82	47.7	80.8	7.5	71	2.9	10.4	13.0	43	1.08	0.078	19	
STD DS10 Standard	14.7	152.8	151.0	341	1.9	76.7	13.1	859	2.78	46.3	120.6	7.7	68	2.6	10.5	12.9	44	1.03	0.074	18	
STD DS10 Standard	15.0	156.7	147.2	359	1.9	80.7	14.0	893	2.87	44.4	77.0	7.3	65	2.8	9.8	11.8	48	1.05	0.076	18	
STD DS10 Standard	14.9	157.8	146.5	361	1.8	75.1	13.1	868	2.70	46.6	68.8	7.3	67	2.5	8.9	11.5	46	1.04	0.077	18	
STD DS10 Standard																					



QUALITY CONTROL REPORT

VAN16001016.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1
Pulp Duplicates																				
1000N+100E	Soil	34	1.30	18	0.171	4	2.75	0.040	0.03	0.1	0.05	6.5	<0.1	<0.05	8	<0.5	<0.2			
REP 1000N+100E	QC	34	1.30	19	0.166	4	2.62	0.041	0.03	0.1	0.05	6.8	<0.1	<0.05	7	0.6	<0.2			
1200N+175W	Soil	53	1.02	32	0.169	3	3.42	0.014	0.03	<0.1	0.19	7.0	<0.1	<0.05	10	1.2	<0.2			
REP 1200N+175W	QC	52	1.02	32	0.164	4	3.40	0.014	0.03	<0.1	0.16	6.9	<0.1	<0.05	10	1.3	<0.2			
1300N+425W	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	2.6	30.1	8.6	26
REP 1300N+425W	QC																3.0	30.3	8.7	27
1400N+00W	Soil	36	1.19	23	0.174	5	2.52	0.016	0.02	0.1	0.08	5.8	<0.1	<0.05	8	<0.5	<0.2			
REP 1400N+00W	QC	38	1.26	24	0.171	4	2.61	0.017	0.02	0.1	0.07	5.7	<0.1	<0.05	8	<0.5	<0.2			
1500N+475W	Soil	37	0.97	36	0.238	5	3.61	0.018	0.02	0.1	0.12	6.5	<0.1	<0.05	15	0.6	<0.2			
REP 1500N+475W	QC	36	0.96	36	0.239	5	3.47	0.016	0.02	0.1	0.13	6.7	<0.1	<0.05	15	1.1	<0.2			
1700N+150W	Soil	25	0.13	11	0.277	3	0.73	0.007	0.02	<0.1	0.05	1.8	<0.1	<0.05	15	<0.5	<0.2			
REP 1700N+150W	QC	25	0.13	12	0.362	4	0.76	0.007	0.02	<0.1	0.05	1.8	<0.1	<0.05	15	<0.5	<0.2			
1800S+275E	Soil	27	0.30	9	0.229	4	2.22	0.012	0.03	<0.1	0.18	3.7	<0.1	<0.05	16	1.3	<0.2			
REP 1800S+275E	QC	27	0.29	9	0.238	3	2.32	0.012	0.02	<0.1	0.17	3.8	<0.1	<0.05	16	1.5	<0.2			
1900S+550E	Soil	4	0.16	13	0.176	2	1.33	0.008	0.04	<0.1	0.05	3.1	<0.1	<0.05	14	<0.5	<0.2			
REP 1900S+550E	QC	3	0.15	13	0.168	2	1.21	0.008	0.04	<0.1	0.04	2.9	<0.1	<0.05	15	<0.5	<0.2			
2100S+225E	Soil	7	0.10	9	0.142	2	0.91	0.011	0.02	<0.1	0.08	1.5	<0.1	<0.05	14	<0.5	<0.2			
REP 2100S+225E	QC	7	0.10	9	0.148	2	0.92	0.011	0.02	<0.1	0.06	1.6	<0.1	<0.05	14	<0.5	<0.2			
Reference Materials																				
STD DS10	Standard	53	0.79	370	0.079	6	1.08	0.070	0.33	3.3	0.33	2.9	5.3	0.27	4	2.4	4.8			
STD DS10	Standard	55	0.78	342	0.078	7	0.99	0.070	0.33	3.2	0.29	2.9	5.0	0.26	4	2.3	5.1			
STD DS10	Standard	61	0.85	355	0.085	7	1.10	0.072	0.34	3.5	0.32	3.1	5.7	0.28	5	2.0	5.4			
STD DS10	Standard	54	0.79	345	0.080	7	1.05	0.067	0.31	3.3	0.27	2.7	4.9	0.27	4	2.1	5.0			
STD DS10	Standard	54	0.81	387	0.088	8	1.15	0.073	0.36	3.2	0.30	3.1	5.0	0.27	5	2.5	4.7			
STD DS10	Standard	57	0.79	368	0.078	6	1.02	0.068	0.34	3.5	0.29	2.8	5.0	0.27	4	1.8	5.3			
STD DS10	Standard	57	0.75	348	0.083	6	1.04	0.066	0.33	3.3	0.28	2.9	5.1	0.28	4	2.4	5.0			
STD DS10	Standard	55	0.78	335	0.079	6	1.06	0.067	0.32	3.1	0.30	3.0	5.0	0.24	5	2.5	4.9			
STD DS10	Standard																13.2	149.4	146.9	375



QUALITY CONTROL REPORT

VAN16001016.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	
Unit	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	
MDL	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	
Pulp Duplicates																					
1000N+100E	Soil																				
REP 1000N+100E	QC																				
1200N+175W	Soil																				
REP 1200N+175W	QC																				
1300N+425W	Soil	0.1	5.4	33.3	1982	2.17	13.6	3.1	<0.1	17	0.6	0.5	0.2	39	0.67	0.108	5	22	0.14	18	0.033
REP 1300N+425W	QC	0.2	5.6	34.2	1943	2.15	14.0	1.2	<0.1	18	0.5	0.6	0.2	40	0.72	0.105	5	23	0.14	20	0.033
1400N+00W	Soil																				
REP 1400N+00W	QC																				
1500N+475W	Soil																				
REP 1500N+475W	QC																				
1700N+150W	Soil																				
REP 1700N+150W	QC																				
1800S+275E	Soil																				
REP 1800S+275E	QC																				
1900S+550E	Soil																				
REP 1900S+550E	QC																				
2100S+225E	Soil																				
REP 2100S+225E	QC																				
Reference Materials																					
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard																				
STD DS10	Standard	1.6	72.4	12.7	861	2.71	42.8	51.6	7.5	60	2.6	7.6	10.5	44	1.01	0.075	17	54	0.78	415	0.078



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 1 of 2

Part: 4 of 4

QUALITY CONTROL REPORT

VAN16001016.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates													
1000N+100E	Soil												
REP 1000N+100E	QC												
1200N+175W	Soil												
REP 1200N+175W	QC												
1300N+425W	Soil	<20	2.30	0.016	0.04	0.2	0.39	2.0	<0.1	0.26	5	3.6	<0.2
REP 1300N+425W	QC	<20	2.29	0.019	0.04	0.2	0.35	2.2	<0.1	0.24	5	3.1	<0.2
1400N+00W	Soil												
REP 1400N+00W	QC												
1500N+475W	Soil												
REP 1500N+475W	QC												
1700N+150W	Soil												
REP 1700N+150W	QC												
1800S+275E	Soil												
REP 1800S+275E	QC												
1900S+550E	Soil												
REP 1900S+550E	QC												
2100S+225E	Soil												
REP 2100S+225E	QC												
Reference Materials													
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard												
STD DS10	Standard	<20	1.05	0.067	0.31	2.9	0.38	3.0	5.3	0.22	4	1.8	4.7



QUALITY CONTROL REPORT

VAN16001016.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
STD OREAS45EA	Standard																					
STD OXC129	Standard	1.1	26.0	6.6	39	<0.1	72.5	19.0	409	2.96	0.6	193.9	1.7	182	<0.1	<0.1	<0.1	49	0.63	0.095	12	
STD OXC129	Standard	1.3	27.0	6.3	40	<0.1	76.3	20.2	407	3.06	0.9	200.3	1.9	176	<0.1	<0.1	<0.1	50	0.65	0.101	13	
STD OXC129	Standard	1.4	27.2	6.3	39	<0.1	82.2	21.5	437	3.08	<0.5	193.1	1.9	186	<0.1	<0.1	<0.1	51	0.64	0.101	12	
STD OXC129	Standard	1.2	26.3	6.3	39	<0.1	78.6	19.7	412	2.98	<0.5	198.8	1.8	178	<0.1	<0.1	<0.1	50	0.65	0.104	12	
STD OXC129	Standard	1.3	26.4	6.4	40	<0.1	77.8	20.3	423	3.08	0.5	208.1	1.8	194	<0.1	<0.1	<0.1	49	0.70	0.101	12	
STD OXC129	Standard	1.3	27.1	6.4	38	<0.1	78.8	19.5	415	3.00	0.7	200.9	1.7	178	<0.1	<0.1	<0.1	51	0.60	0.104	13	
STD OXC129	Standard	1.3	26.7	6.1	36	<0.1	81.9	22.1	392	2.98	0.6	194.4	1.7	179	<0.1	<0.1	<0.1	51	0.63	0.097	12	
STD OXC129	Standard	1.3	28.9	6.4	44	<0.1	82.8	21.5	448	3.20	1.0	202.9	1.9	192	<0.1	<0.1	<0.1	61	0.73	0.100	12	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9				51	0.665	0.102		13	
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5	
STD OREAS45EA Expected																						
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	



QUALITY CONTROL REPORT

VAN16001016.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ200	AQ200	AQ200	AQ200	
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	Mo	Cu	Pb	Zn
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.1	0.1	0.1	1
STD OREAS45EA	Standard																1.6	722.8	13.2	32	
STD OXC129	Standard	48	1.38	51	0.360	<1	1.34	0.520	0.38	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	51	1.53	51	0.398	2	1.48	0.577	0.34	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2				
STD OXC129	Standard	54	1.52	50	0.407	<1	1.49	0.586	0.34	0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	51	1.55	49	0.397	<1	1.54	0.544	0.34	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2				
STD OXC129	Standard	52	1.55	51	0.377	1	1.55	0.600	0.35	<0.1	<0.01	0.6	<0.1	<0.05	6	<0.5	<0.2				
STD OXC129	Standard	49	1.41	51	0.364	1	1.39	0.590	0.36	<0.1	<0.01	0.6	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	50	1.50	47	0.389	<1	1.43	0.584	0.36	<0.1	<0.01	0.5	<0.1	<0.05	5	<0.5	<0.2				
STD OXC129	Standard	57	1.54	51	0.419	1	1.57	0.581	0.34	<0.1	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2				
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6						
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01	13.6	154.61	150.55	370
STD OREAS45EA Expected																	1.6	709	14.3	31.4	
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2				
BLK	Blank																<0.1	<0.1	<0.1	<1	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 15, 2016

Page: 2 of 2

Part: 3 of 4

QUALITY CONTROL REPORT

VAN16001016.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti
		ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%
		0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001
STD OREAS45EA	Standard	0.2	364.0	50.8	384	21.60	11.3	54.7	9.9	4	<0.1	0.3	0.2	294	0.04	0.030	6	876	0.11	140	0.092
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129	Standard																				
STD OXC129 Expected																					
STD DS10 Expected		2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	412	0.0817
STD OREAS45EA Expected		0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036	0.029	7.06	849	0.095	148	0.0984
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001



QUALITY CONTROL REPORT

VAN16001016.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS45EA	Standard	<20	3.16	0.021	0.05	<0.1	0.01	80.4	<0.1	<0.05	12	1.2	<0.2
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129	Standard												
STD OXC129 Expected													
STD DS10 Expected			1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected			3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank												
BLK	Blank	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Submitted By: Email Distribution List
Receiving Lab: Canada-Vancouver
Received: June 23, 2016
Report Date: July 05, 2016
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16001017.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID: FAN2016-01
P.O. Number
Number of Samples: 8

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	8	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ201	8	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DRPLP	8	Warehouse handling / disposition of pulps			VAN
DRRJT	8	Warehouse handling / Disposition of reject			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 05, 2016

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16001017.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
780938	Rock	0.87	2.9	63.6	4.0	61	0.1	2.7	22.0	716	5.40	17.8	18.9	0.6	15	<0.1	0.2	<0.1	118	1.42	0.136
780939	Rock	0.55	0.3	6.6	0.5	6	<0.1	1.9	1.3	122	0.43	0.9	1.8	<0.1	8	<0.1	0.1	<0.1	6	0.07	0.005
780940	Rock	0.43	0.2	2.8	0.4	6	<0.1	1.4	0.7	75	0.44	0.7	3.1	<0.1	1	<0.1	<0.1	<0.1	6	0.02	0.003
780941	Rock	0.28	0.6	14.5	1.5	19	<0.1	1.6	5.3	249	1.41	10.0	234.0	0.3	11	<0.1	0.1	<0.1	14	0.23	0.050
780942	Rock	0.39	0.3	16.4	2.2	45	<0.1	22.4	15.1	594	3.98	6.0	235.2	0.2	4	<0.1	0.1	<0.1	121	0.23	0.029
780943	Rock	1.63	0.2	2.3	0.6	13	<0.1	2.3	2.5	126	0.85	9.6	11.1	1.0	2	<0.1	<0.1	<0.1	8	0.02	0.007
780944	Rock	0.95	0.3	16.0	0.7	6	<0.1	4.8	2.2	81	0.58	<0.5	3.9	<0.1	32	<0.1	<0.1	<0.1	37	0.93	0.018
780945	Rock	1.33	0.5	15.6	0.4	8	<0.1	4.8	2.8	98	0.64	0.6	2.3	<0.1	41	<0.1	<0.1	<0.1	23	3.43	0.006



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 05, 2016

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN16001017.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
780938	Rock	4	2	1.53	13	0.297	3	2.31	0.030	0.08	0.2	0.02	6.2	<0.1	0.46	8	<0.5	<0.2
780939	Rock	<1	6	0.07	2	0.017	3	0.15	0.004	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
780940	Rock	<1	5	0.03	2	0.017	2	0.07	0.004	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
780941	Rock	2	5	0.27	8	0.092	1	0.53	0.019	0.04	0.5	<0.01	2.1	<0.1	<0.05	3	<0.5	<0.2
780942	Rock	1	48	1.27	7	0.287	<1	1.76	0.016	0.03	0.4	<0.01	8.4	<0.1	<0.05	6	<0.5	<0.2
780943	Rock	3	4	0.17	22	0.010	1	0.39	0.032	0.06	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
780944	Rock	<1	13	0.12	1	0.345	<1	0.57	0.006	<0.01	<0.1	<0.01	1.3	<0.1	<0.05	3	<0.5	<0.2
780945	Rock	<1	11	0.05	2	0.112	4	2.22	0.004	<0.01	<0.1	<0.01	1.5	<0.1	<0.05	12	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 05, 2016

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN16001017.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
780945	Rock	1.33	0.5	15.6	0.4	8	<0.1	4.8	2.8	98	0.64	0.6	2.3	<0.1	41	<0.1	<0.1	<0.1	23	3.43	0.006
REP 780945	QC		0.5	14.7	0.4	8	<0.1	4.5	2.8	97	0.64	1.2	1.6	<0.1	42	<0.1	<0.1	<0.1	23	3.41	0.006
Reference Materials																					
STD DS10	Standard		15.2	162.9	152.4	373	1.8	78.4	14.0	902	2.86	46.9	82.6	8.3	73	2.7	8.8	12.8	44	1.10	0.072
STD OXC129	Standard		1.3	28.7	7.5	42	<0.1	88.0	22.1	429	3.12	0.8	201.0	2.2	203	<0.1	<0.1	<0.1	53	0.73	0.104
STD DS10 Expected			15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
Prep Wash																					
ROCK-VAN	Prep Blank		1.5	2.7	1.0	28	<0.1	1.2	3.9	437	1.68	1.1	<0.5	2.5	19	<0.1	<0.1	<0.1	23	0.59	0.043



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver BC V6C 3B6 CANADA

Project: FANDORA
Report Date: July 05, 2016

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

VAN16001017.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																		
780945	Rock	<1	11	0.05	2	0.112	4	2.22	0.004	<0.01	<0.1	<0.01	1.5	<0.1	<0.05	12	<0.5	<0.2
REP 780945	QC	<1	11	0.05	1	0.113	5	2.23	0.004	<0.01	<0.1	0.02	1.5	<0.1	<0.05	12	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	19	59	0.81	366	0.090	7	1.10	0.071	0.34	3.4	0.29	3.1	5.2	0.28	5	2.3	5.0
STD OXC129	Standard	14	58	1.60	52	0.453	<1	1.67	0.623	0.37	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-VAN	Prep Blank	7	4	0.46	58	0.080	1	0.83	0.071	0.07	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Vancouver
Received: November 17, 2016
Report Date: December 13, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN16002358.2

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID: FAN2016-02
P.O. Number
Number of Samples: 38

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	38	Dry at 60C			VAN
SS80	38	Dry at 60C sieve 100g to -80 mesh			VAN
AQ201	38	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DRPLP	38	Warehouse handling / disposition of pulps			VAN

ADDITIONAL COMMENTS

Version 2: SS80, AQ201 for Sample 400N-1325W & 400N-1350W included.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16002358.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	2	0.01	0.001	ppm	
000N-000	Soil	0.9	247.9	5.4	52	0.1	28.8	31.6	953	4.03	231.0	15.0	0.3	26	0.3	0.7	<0.1	114	0.74	0.070	4
000N-025	Soil	0.2	42.2	2.9	16	0.1	5.2	49.8	417	0.41	9.6	2.6	<0.1	14	0.4	0.2	<0.1	8	0.46	0.036	3
000N-050	Soil	0.9	163.0	5.8	50	0.1	27.5	24.2	1617	4.48	272.5	10.7	0.4	24	0.2	0.6	<0.1	134	0.56	0.053	3
000N-075	Soil	0.8	269.2	7.6	52	0.1	30.8	31.2	1471	4.90	350.4	23.9	0.4	22	0.3	0.6	<0.1	142	0.49	0.059	5
000N-125	Soil	0.6	20.8	9.9	15	0.1	6.5	5.3	90	2.30	61.3	14.8	0.3	14	0.1	0.4	0.1	129	0.23	0.024	3
000N-150	Soil	0.3	12.8	8.0	13	0.1	4.8	3.8	58	2.85	9.3	1.4	0.2	14	0.1	0.5	<0.1	232	0.21	0.027	2
000N-175	Soil	0.2	41.0	6.6	15	0.3	6.4	3.8	64	1.14	1.8	3.8	<0.1	17	0.3	0.3	<0.1	33	0.23	0.061	3
000N-200	Soil	0.3	22.2	13.5	16	0.1	6.0	7.0	264	3.29	1.1	3.9	0.3	16	<0.1	0.3	0.2	168	0.25	0.037	2
200N-025	Soil	0.5	465.1	8.3	48	0.1	27.6	26.7	1611	4.81	26.8	33.5	0.3	21	0.5	0.4	<0.1	154	0.73	0.061	2
200N-050	Soil	0.7	269.0	7.2	39	0.1	14.8	26.7	1372	5.20	17.9	5.5	0.3	17	0.3	0.6	<0.1	152	0.50	0.054	3
200N-075	Soil	0.6	214.8	7.1	45	0.1	17.5	33.7	1618	4.73	18.0	12.4	0.3	19	0.3	0.6	<0.1	122	0.64	0.055	3
200N-100	Soil	1.3	78.3	8.4	20	0.1	7.8	9.6	499	7.95	39.9	4.5	0.7	11	0.1	0.5	0.2	240	0.22	0.038	3
200N-125	Soil	0.8	161.0	4.5	50	0.2	28.4	28.1	686	3.98	372.0	71.5	0.3	37	0.3	1.8	<0.1	123	1.52	0.061	4
200N-150	Soil	0.7	157.3	4.3	45	0.1	27.0	28.5	664	5.80	64.0	27.6	0.5	32	0.2	0.8	<0.1	184	0.92	0.044	3
400N-775W	Soil	0.6	9.0	8.0	10	<0.1	4.0	1.9	48	2.24	0.6	7.2	0.6	7	<0.1	0.3	0.2	259	0.12	0.010	3
400N-800W	Soil	0.4	14.1	8.2	9	<0.1	5.7	4.3	49	2.85	0.7	20.8	0.3	11	<0.1	0.3	0.1	250	0.15	0.027	2
400N-825W	Soil	0.3	7.6	10.9	17	<0.1	5.6	3.7	92	1.59	0.6	0.9	0.2	18	0.1	0.4	0.1	153	0.31	0.037	1
400N-850W	Soil	0.4	7.5	8.4	8	<0.1	8.2	3.5	42	2.74	0.9	2.3	0.3	7	<0.1	0.2	0.1	191	0.10	0.017	2
400N-875W	Soil	0.4	20.3	4.8	8	<0.1	12.6	6.1	51	10.46	1.1	3.7	0.3	5	<0.1	0.3	0.1	489	0.11	0.016	1
400N-900W	Soil	0.5	25.1	4.2	10	<0.1	12.7	6.5	70	9.40	1.4	3.7	0.5	5	<0.1	0.3	0.1	436	0.11	0.021	2
400N-925W	Soil	0.6	15.4	6.3	8	0.2	9.0	5.5	52	5.96	0.7	5.3	0.4	6	<0.1	0.3	0.1	403	0.13	0.013	2
400N-950W	Soil	0.9	23.9	12.4	11	0.1	6.3	2.9	57	8.93	1.7	1.8	0.6	6	<0.1	0.3	0.2	208	0.14	0.035	3
400N-975W	Soil	0.9	32.3	6.3	12	0.1	5.9	4.6	61	6.87	1.8	5.9	0.7	7	<0.1	0.4	0.2	357	0.14	0.023	3
400N-1000W	Soil	1.0	43.2	6.7	17	<0.1	8.7	6.6	101	9.90	3.2	6.5	0.9	10	<0.1	0.5	0.2	345	0.14	0.029	2
400N-1025W	Soil	0.6	12.0	7.6	10	<0.1	2.8	2.0	51	3.13	<0.5	8.3	0.6	8	<0.1	0.3	0.2	263	0.14	0.018	3
400N-1050W	Soil	0.8	27.6	7.5	9	0.1	5.2	4.2	48	8.39	1.6	4.0	0.5	8	<0.1	0.5	0.2	404	0.12	0.025	2
400N-1075W	Soil	0.7	10.5	11.7	8	<0.1	3.2	1.8	54	2.69	<0.5	5.6	0.9	10	<0.1	0.3	0.3	278	0.19	0.012	4
400N-1100W	Soil	0.6	8.1	13.9	10	<0.1	2.8	1.4	33	1.90	<0.5	11.6	1.1	9	<0.1	0.3	0.4	245	0.10	0.017	5
400N-1125W	Soil	0.8	5.1	17.5	9	<0.1	2.3	1.0	25	1.82	<0.5	4.0	1.0	7	<0.1	0.5	0.6	291	0.08	0.014	4
400N-1150W	Soil	1.5	17.0	9.6	9	<0.1	3.8	4.3	43	4.94	0.8	2.4	0.8	9	<0.1	0.5	0.3	317	0.10	0.019	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN16002358.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2		
000N-000	Soil	60	0.96	30	0.185	8	3.17	0.017	0.03	0.2	0.13	7.4	<0.1	0.10	7	1.2	<0.2	
000N-025	Soil	6	0.08	20	0.012	7	1.28	0.021	0.02	<0.1	0.14	1.9	<0.1	0.10	<1	1.0	<0.2	
000N-050	Soil	55	0.96	19	0.290	8	2.72	0.017	0.04	0.2	0.14	6.7	<0.1	<0.05	9	1.2	<0.2	
000N-075	Soil	74	1.12	31	0.217	8	3.47	0.016	0.04	0.1	0.19	8.5	<0.1	<0.05	10	1.0	<0.2	
000N-125	Soil	19	0.18	10	0.345	4	0.55	0.021	0.03	<0.1	0.13	1.8	0.1	<0.05	6	<0.5	<0.2	
000N-150	Soil	22	0.13	13	0.449	4	0.46	0.017	0.03	<0.1	0.10	1.9	<0.1	<0.05	9	<0.5	<0.2	
000N-175	Soil	8	0.07	18	0.076	6	1.37	0.013	0.04	<0.1	0.21	1.7	<0.1	<0.05	2	1.2	<0.2	
000N-200	Soil	19	0.13	11	0.360	2	0.69	0.014	0.02	<0.1	0.11	2.3	<0.1	<0.05	7	<0.5	<0.2	
200N-025	Soil	42	1.11	16	0.308	6	2.64	0.016	0.02	<0.1	0.17	6.1	<0.1	0.06	9	1.0	<0.2	
200N-050	Soil	31	0.60	17	0.269	5	2.21	0.015	0.03	<0.1	0.16	4.7	<0.1	<0.05	11	0.8	<0.2	
200N-075	Soil	29	0.76	19	0.239	7	2.23	0.017	0.03	0.2	0.14	5.1	<0.1	0.05	9	0.9	<0.2	
200N-100	Soil	46	0.22	10	0.449	3	2.94	0.009	0.02	<0.1	0.20	3.6	<0.1	<0.05	16	1.8	<0.2	
200N-125	Soil	129	0.80	14	0.228	11	4.01	0.022	0.02	0.1	0.19	8.1	<0.1	0.08	8	3.6	<0.2	
200N-150	Soil	58	0.95	15	0.402	6	3.26	0.020	0.02	<0.1	0.14	7.0	<0.1	<0.05	11	2.0	<0.2	
400N-775W	Soil	25	0.12	5	0.373	1	0.91	0.009	0.01	<0.1	0.04	2.1	<0.1	<0.05	20	<0.5	<0.2	
400N-800W	Soil	26	0.09	8	0.335	2	0.41	0.010	0.02	<0.1	0.07	1.6	<0.1	<0.05	9	<0.5	<0.2	
400N-825W	Soil	20	0.17	12	0.229	3	0.48	0.010	0.03	<0.1	0.09	2.5	<0.1	0.05	7	<0.5	<0.2	
400N-850W	Soil	60	0.06	6	0.205	1	0.54	0.008	0.02	<0.1	0.05	1.1	<0.1	<0.05	7	<0.5	<0.2	
400N-875W	Soil	138	0.07	3	0.460	1	1.05	0.006	0.01	<0.1	0.03	1.5	<0.1	<0.05	27	<0.5	<0.2	
400N-900W	Soil	119	0.13	3	0.334	1	1.71	0.007	0.01	<0.1	0.08	2.4	<0.1	<0.05	25	0.5	<0.2	
400N-925W	Soil	65	0.06	4	0.411	<1	0.60	0.007	0.02	<0.1	0.05	1.3	<0.1	<0.05	17	<0.5	<0.2	
400N-950W	Soil	40	0.08	6	0.210	2	1.31	0.007	0.03	<0.1	0.16	1.6	<0.1	<0.05	13	0.6	<0.2	
400N-975W	Soil	36	0.13	5	0.515	1	1.76	0.007	0.02	<0.1	0.08	2.5	<0.1	<0.05	23	0.5	<0.2	
400N-1000W	Soil	54	0.25	6	0.632	2	2.26	0.007	0.02	<0.1	0.10	3.2	<0.1	<0.05	25	0.9	<0.2	
400N-1025W	Soil	18	0.09	5	0.395	2	1.08	0.008	0.03	<0.1	0.06	2.2	<0.1	<0.05	17	<0.5	<0.2	
400N-1050W	Soil	43	0.06	5	0.611	2	0.89	0.008	0.02	<0.1	0.07	1.9	<0.1	<0.05	24	<0.5	<0.2	
400N-1075W	Soil	15	0.08	9	0.445	1	0.61	0.009	0.02	<0.1	0.02	1.6	<0.1	<0.05	16	<0.5	<0.2	
400N-1100W	Soil	17	0.07	6	0.382	2	0.75	0.007	0.03	<0.1	0.05	1.7	<0.1	<0.05	16	<0.5	<0.2	
400N-1125W	Soil	14	0.05	6	0.531	1	0.60	0.006	0.03	<0.1	0.05	1.1	<0.1	<0.05	14	<0.5	<0.2	
400N-1150W	Soil	19	0.06	6	0.421	1	0.91	0.006	0.03	<0.1	0.06	1.7	<0.1	<0.05	16	<0.5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16002358.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%	%	ppm
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
400N-1175W	Soil	0.6	1.8	6.2	3	<0.1	0.5	0.8	14	0.28	<0.5	51.0	0.4	4	<0.1	0.1	<0.1	28	0.04	0.015
400N-1200W	Soil	3.0	26.3	8.3	16	<0.1	6.3	5.7	103	7.00	4.4	3.4	1.7	9	<0.1	0.4	0.4	227	0.10	0.019
400N-1225W	Soil	0.9	37.5	7.8	11	<0.1	6.9	10.7	76	6.50	2.3	5.8	0.5	7	<0.1	0.4	0.2	406	0.17	0.022
400N-1250W	Soil	0.2	2.0	3.8	4	<0.1	1.5	0.8	21	0.21	<0.5	0.8	0.4	14	<0.1	0.3	<0.1	52	0.11	0.020
400N-1275W	Soil	1.0	38.0	5.7	8	<0.1	6.0	3.8	36	6.82	1.1	2.6	0.6	3	<0.1	0.2	0.2	234	0.09	0.029
400N-1300W	Soil	1.4	59.5	4.7	10	<0.1	7.2	9.0	70	7.07	1.6	2.5	0.6	9	<0.1	0.3	0.2	294	0.13	0.021
400N-1325W	Soil	1.3	77.0	5.7	8	0.2	6.7	7.5	54	3.70	1.2	7.7	0.4	12	<0.1	0.3	0.2	170	0.28	0.028
400N-1350W	Soil	1.3	10.6	8.3	10	<0.1	3.5	3.1	49	2.75	1.1	1.1	0.6	14	<0.1	0.3	0.3	295	0.11	0.021



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN16002358.2

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	
400N-1175W	Soil	2	0.02	7	0.126	2	0.25	0.010	0.01	<0.1	0.04	0.6	<0.1	<0.05	3	<0.5	<0.2
400N-1200W	Soil	32	0.25	9	0.283	1	2.47	0.005	0.03	<0.1	0.03	3.2	<0.1	<0.05	24	0.5	<0.2
400N-1225W	Soil	29	0.10	5	0.522	1	0.77	0.007	0.02	<0.1	0.04	1.8	<0.1	<0.05	26	<0.5	<0.2
400N-1250W	Soil	4	0.05	3	0.060	2	0.48	0.011	0.02	<0.1	0.03	1.6	<0.1	<0.05	4	<0.5	<0.2
400N-1275W	Soil	22	0.07	6	0.245	2	1.67	0.005	0.02	<0.1	0.09	2.0	<0.1	<0.05	18	0.6	<0.2
400N-1300W	Soil	27	0.19	7	0.314	1	2.19	0.004	0.02	<0.1	0.05	2.6	<0.1	<0.05	24	<0.5	<0.2
400N-1325W	Soil	14	0.10	8	0.182	3	0.99	0.009	0.02	<0.1	0.06	1.4	<0.1	<0.05	10	<0.5	<0.2
400N-1350W	Soil	10	0.08	9	0.133	<1	1.29	0.011	0.04	<0.1	0.05	1.4	<0.1	<0.05	12	0.7	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN16002358.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	
MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	1	
Pulp Duplicates																					
400N-775W	Soil	0.6	9.0	8.0	10	<0.1	4.0	1.9	48	2.24	0.6	7.2	0.6	7	<0.1	0.3	0.2	259	0.12	0.010	3
REP 400N-775W	QC	0.6	8.6	8.0	9	<0.1	3.7	1.8	47	2.14	<0.5	6.0	0.6	7	<0.1	0.4	0.2	250	0.11	0.010	3
400N-1350W	Soil	1.3	10.6	8.3	10	<0.1	3.5	3.1	49	2.75	1.1	1.1	0.6	14	<0.1	0.3	0.3	295	0.11	0.021	3
REP 400N-1350W	QC	1.3	10.5	8.1	10	<0.1	3.4	3.0	49	2.63	0.9	1.8	0.7	14	<0.1	0.3	0.3	270	0.10	0.023	3
Reference Materials																					
STD DS10	Standard	15.0	158.0	156.7	371	1.9	77.1	13.8	915	2.86	47.2	95.8	7.7	65	2.6	10.1	12.8	45	1.03	0.080	17
STD DS10	Standard	15.5	158.8	152.9	370	1.8	74.4	12.9	928	2.87	47.4	84.2	8.1	71	2.5	9.4	12.2	44	1.15	0.077	19
STD OXC129	Standard	1.4	28.4	6.7	42	<0.1	81.4	21.9	437	3.18	0.6	213.0	1.9	182	<0.1	<0.1	<0.1	57	0.65	0.112	13
STD OXC129	Standard	1.3	28.5	6.5	41	<0.1	79.0	20.4	425	3.07	<0.5	214.0	1.9	191	<0.1	<0.1	<0.1	54	0.70	0.103	12
STD DS10 Expected		15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765	17.5
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102	13
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 13, 2016

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

VAN16002358.2

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
Pulp Duplicates																	
400N-775W	Soil	25	0.12	5	0.373	1	0.91	0.009	0.01	<0.1	0.04	2.1	<0.1	<0.05	20	<0.5	<0.2
REP 400N-775W	QC	24	0.12	6	0.378	2	0.87	0.009	0.01	<0.1	0.04	2.0	<0.1	<0.05	19	<0.5	<0.2
400N-1350W	Soil	10	0.08	9	0.133	<1	1.29	0.011	0.04	<0.1	0.05	1.4	<0.1	<0.05	12	0.7	<0.2
REP 400N-1350W	QC	9	0.08	9	0.128	<1	1.33	0.011	0.04	<0.1	0.06	1.5	<0.1	<0.05	11	<0.5	<0.2
Reference Materials																	
STD DS10	Standard	59	0.78	350	0.080	8	1.03	0.070	0.34	3.5	0.30	3.0	5.3	0.30	4	2.4	5.0
STD DS10	Standard	57	0.83	347	0.085	8	1.11	0.079	0.36	3.1	0.27	3.2	5.2	0.28	5	1.7	5.1
STD OXC129	Standard	56	1.66	54	0.412	1	1.61	0.612	0.36	<0.1	<0.01	0.8	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	54	1.65	49	0.392	2	1.63	0.619	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Selkirk Metals Corp.**
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Submitted By: Email Distribution List
Receiving Lab: Canada-Vancouver
Received: November 17, 2016
Report Date: December 17, 2016
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16002357.1

CLIENT JOB INFORMATION

Project: FANDORA
Shipment ID: FAN2016-02
P.O. Number
Number of Samples: 6

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6
Canada

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	6	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ201	6	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DRPLP	6	Warehouse handling / disposition of pulps			VAN
DRRJT	6	Warehouse handling / Disposition of reject			VAN
AQ374	1	1:1:1 Aqua Regia Digestion ICP-ES Finish	0.4	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 17, 2016

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN16002357.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
780493	Rock	0.25	0.2	8.4	4.2	7	0.2	4.4	1.9	104	1.46	5037.9	1207.0	<0.1	6	0.2	3.4	<0.1	9	0.03	0.009
780494	Rock	0.98	0.2	16.5	3.7	15	0.2	8.8	5.7	1192	2.40	4470.7	992.8	<0.1	204	0.1	3.4	<0.1	24	8.84	0.027
780495	Rock	0.60	0.3	11.1	1718.8	234	11.4	15.5	14.0	351	3.10	>10000	68080.1	0.3	35	6.5	16.0	0.4	12	0.87	0.032
780496	Rock	0.98	0.3	8.6	110.3	153	7.4	3.4	3.4	264	1.30	6850.5	51406.7	<0.1	23	5.3	5.1	<0.1	11	0.79	0.019
780497	Rock	0.36	0.2	7.8	1.5	3	<0.1	1.4	0.6	44	0.38	30.6	35.3	<0.1	5	<0.1	0.1	<0.1	4	0.05	<0.001
780498	Rock	0.74	0.2	17.1	2.0	59	<0.1	42.8	25.1	629	4.83	4.1	26.8	0.2	72	<0.1	<0.1	<0.1	117	0.94	0.035



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 17, 2016

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN16002357.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ374
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	As
Unit		ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05	1	0.5	0.2	0.01	
780493	Rock	<1	5	0.08	7	0.001	3	0.17	0.003	0.06	24.4	<0.01	2.1	<0.1	0.19	<1	<0.5	<0.2	
780494	Rock	2	8	1.73	6	<0.001	4	0.57	0.002	0.06	0.5	0.02	5.8	<0.1	0.30	2	<0.5	<0.2	
780495	Rock	5	15	0.28	22	<0.001	4	0.51	0.003	0.23	>100	0.95	4.1	<0.1	1.29	1	<0.5	<0.2	2.85
780496	Rock	1	3	0.27	6	<0.001	4	0.26	0.005	0.05	4.8	0.46	1.8	<0.1	0.29	<1	<0.5	<0.2	
780497	Rock	<1	3	0.03	<1	0.008	1	0.07	0.002	<0.01	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
780498	Rock	2	64	1.66	4	0.335	<1	1.99	0.006	<0.01	<0.1	0.02	10.8	<0.1	0.22	6	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 17, 2016

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

VAN16002357.1

Method	WGHT	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001	
Pulp Duplicates																					
780497	Rock	0.36	0.2	7.8	1.5	3	<0.1	1.4	0.6	44	0.38	30.6	35.3	<0.1	5	<0.1	0.1	<0.1	4	0.05	<0.001
REP 780497	QC		0.2	7.4	1.4	3	<0.1	1.4	0.6	44	0.39	30.4	37.7	<0.1	6	<0.1	<0.1	<0.1	4	0.06	<0.001
Reference Materials																					
STD DS10	Standard		14.6	146.7	147.9	357	1.8	71.2	12.1	870	2.78	43.9	70.8	7.8	72	2.9	8.8	12.2	43	1.07	0.073
STD GC-7	Standard																				
STD OREAS133B	Standard																				
STD OXC129	Standard		1.3	25.7	6.3	38	<0.1	74.7	19.4	401	3.07	<0.5	200.8	1.9	205	<0.1	<0.1	<0.1	51	0.71	0.097
STD DS10 Expected			15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625	0.0765
STD OXC129 Expected			1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	195	1.9					51	0.665	0.102
STD GC-7 Expected																					
STD OREAS133B Expected																					
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank																				
Prep Wash																					
ROCK-VAN	Prep Blank		1.2	7.0	1.6	31	<0.1	1.1	3.5	480	1.83	0.9	<0.5	2.1	20	<0.1	<0.1	<0.1	25	0.62	0.038



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: Selkirk Metals Corp.
200 - 580 Hornby Street
Vancouver British Columbia V6C 3B6 Canada

Project: FANDORA
Report Date: December 17, 2016

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

VAN16002357.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ374
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	As
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.01
Pulp Duplicates																		
780497	Rock	<1	3	0.03	<1	0.008	1	0.07	0.002	<0.01	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 780497	QC	<1	2	0.03	<1	0.008	<1	0.07	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																		
STD DS10	Standard	18	54	0.77	356	0.079	6	1.08	0.074	0.33	3.4	0.28	3.0	5.1	0.27	4	2.6	4.9
STD GC-7	Standard																	0.16
STD OREAS133B	Standard																	0.02
STD OXC129	Standard	12	50	1.55	49	0.379	<1	1.62	0.597	0.36	<0.1	<0.01	0.9	<0.1	<0.05	6	<0.5	<0.2
STD DS10 Expected		17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD GC-7 Expected																		0.16
STD OREAS133B Expected																		0.0144
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																	<0.01
Prep Wash																		
ROCK-VAN	Prep Blank	6	2	0.43	54	0.065	<1	0.86	0.108	0.11	0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2



AQ300, AQ200

Package Description	Geochemical aqua regia digestion
Sample Digestion	HNO ₃ -HCl acid digestion
Instrumentation Method	ICP-ES (AQ300, AQ200), ICP-MS (AQ200)
Legacy Code	1D, 1DX
Applicability	Sediment, Soil, Non-mineralized Rock and Drill Core

METHOD DESCRIPTION:

Prepared sample is digested with a modified Aqua Regia solution of equal parts concentrated HCl, HNO₃ and DI H₂O for one hour in a heating block or hot water bath. Sample is made up to volume with dilute HCl. Sample splits of 0.5g are analyzed optional 15g or 30g digestion available for AQ200.

Element	AQ300 Detection	AQ200 Detection	Upper Limit	Element	AQ300 Detection	AQ200 Detection	Upper Limit
Ag	0.3 ppm	0.1 ppm	100 ppm	Na*	0.01 %	0.001 %	5 %
Al*	0.01 %	0.01 %	10 %	Ni	1 ppm	0.1 ppm	10000 ppm
As	2 ppm	0.5 ppm	10000 ppm	P*	0.001 %	0.001 %	5 %
Au	-	0.5 ppb	100 ppm	Pb	3 ppm	0.1 ppm	10000 ppm
B*^	20 ppm	20 ppm	2000 ppm	S	0.05 %	0.05 %	10 %
Ba*	1 ppm	1 ppm	10000 ppm	Sb	3 ppm	0.1 ppm	2000 ppm
Bi	3 ppm	0.1 ppm	2000 ppm	Sc	-	0.1 ppm	100 ppm
Ca*	0.01 %	0.01 %	40 %	Se	-	0.5 ppm	100 ppm
Cd	0.5 ppm	0.1 ppm	2000 ppm	Sr*	1 ppm	1 ppm	10000 ppm
Co	1 ppm	0.1 ppm	2000 ppm	Te	-	0.2 ppm	1000 ppm
Cr*	1 ppm	1 ppm	10000 ppm	Th*	2 ppm	0.1 ppm	2000 ppm
Cu	1 ppm	0.1 ppm	10000 ppm	Ti*	0.01 %	0.001 %	5 %
Fe*	0.01 %	0.01 %	40 %	Tl	5 ppm	0.1 ppm	1000 ppm
Ga*	-	1 ppm	1000 ppm	U*	8 ppm	0.1 ppm	2000 ppm
Hg	1 ppm	0.01 ppm	50 ppm	V*	1 ppm	2 ppm	10000 ppm
K*	0.01 %	0.01 %	10 %	W*	2 ppm	0.1 ppm	100 ppm
La*	1 ppm	1 ppm	10000 ppm	Zn	1 ppm	1 ppm	10000 ppm
Mg*	0.01 %	0.01 %	30 %				
Mn*	2 ppm	1 ppm	10000 ppm				
Mo	1 ppm	0.1 ppm	2000 ppm				

* Solubility of some elements will be limited by mineral species present. ^Detection limit = 1 ppm for 15g / 30g analysis.

Limitations:

Au solubility can be limited by refractory and graphitic samples.

SECTION E: SAMPLE LOCATIONS

Coordinate locations recorded in UTM NAD83 Zone 10.

Rock Chip Sample Locations and Descriptions

Project	Sample Type	Sample ID	Date	Easting NAD83 10	Northing NAD83 10	Elevation	Lithology	Alteration Int_Style	Alteration Min	Mineralisation	Vein Style_Texture	Structure	Description
Fandora	RCK-FLT	780938	14-Jun-16	306042	5459163	252	VQZ				vug		Quartz-chlorite vein in basalt, float, 15mm wide, vuggy with wallrock clasts within vein
Fandora	RCK-FLT	780939	15-Jun-16	306254	5459177	159	VQZ						Quartz vein in basalt, 2.5cm wide, float
Fandora	RCK-FLT	780940	15-Jun-16	306254	5459199	156	VQZ						Quartz vein in basalt, 3-4cm wide, float at bluff base
Fandora	RCK-FLT	780941	15-Jun-16	306250	5459197	161	VQZ						Quartz-chlorite vein in basalt, 2cm wide, vuggy with minor wall rock clasts, float
Fandora	RCK-OUT	780942	15-Jun-16	306229	5459206	179	VQZ					055/90	Quartz vein in volcanics, 3cm wide, vuggy with wall rock clasts, on cliff face
Fandora	RCK-FLT	780943	16-Jun-16	303010	5457825	428	VQZ			tr pyr			Quartz vein in volcanics, 25 cm wide, wall rock clasts within vein, trace oxidised pyrite, float
Fandora	RCK-FLT	780944	16-Jun-16	303063	5457505	427	VQZ						Quartz vein in volcanics, 5cm wide, float
Fandora	RCK-FLT	780945	16-Jun-16	303342	5457689	429	VQZ		sil-ser				Quartz vein in volcanics, 10cm wide, silica-sericite bleached wall rock clasts and selvages, float
Fandora	RCK-FLT	780493	11-Oct-16	304338	5458069	740	VQZ						Quartz vein float, 2cm wide, in Goldflake Creek
Fandora	RCK-FLT	780494	11-Oct-16	304320	5458064	740	VQZ			tr pyr, apy			Quartz vein float from Goldflake workings, 10cm wide with vein breccia textures, trace pyrite, arsenopyrite
Fandora	RCK-FLT	780495	11-Oct-16	304310	5458060	750	VQZ		epi	2% pyr, tr apy			Quartz vein float from Goldflake workings, 8cm wide, epidote alteraion, 2% disseminated pyr and trace arsenopyrite in vein and host andesite
Fandora	RCK-MULL	780496	11-Oct-16	304250	5458096	760	VQZ						Representative grab of quartz vein material from Goldflake mullock pile, 10m from adit
Fandora	RCK-OUT	780497	11-Oct-16	305057	5457861	431	VQZ					095/60N	Quartz vein, 2cm wide, hosted in andesite, on low side of road
Fandora	RCK-OUT	780498	14-Nov-16	304607	5459405	948	VQZ	ox	sil-ser-chl	tr pyr	sht	065/V	Quartz vein shear, 15cm wide with sheeted qtz veins 0.5-1cm wide with trace pyrite, oxidised, silica-sericite-chlorite alteration, hosted in andesite


Fandora	B-Horizon	200N	050	200N+050	305196	5457970				GF	11-Oct-16	
Fandora	B-Horizon	200N	075	200N+075	305211	5457949				GF	11-Oct-16	
Fandora	B-Horizon	200N	100	200N+100	305222	5457926				GF	11-Oct-16	
Fandora	B-Horizon	200N	125	200N+125	305242	5457896				GF	11-Oct-16	
Fandora	B-Horizon	200N	150	200N+150	305259	5457874				GF	11-Oct-16	
Fandora	B-Horizon	000N	000	000N+000	305111	5457790				GF	11-Oct-16	
Fandora	B-Horizon	000N	025	000N+025	305110	5457809				GF	11-Oct-16	
Fandora	B-Horizon	000N	050	000N+050	305095	5457826				GF	11-Oct-16	
Fandora	B-Horizon	000N	075	000N+075	305083	5457852				GF	11-Oct-16	
Fandora	B-Horizon	000N	100	000N+100	305072	5457876				GF	11-Oct-16	No Sample
Fandora	B-Horizon	000N	125	000N+125	305065	5457884				GF	11-Oct-16	
Fandora	B-Horizon	000N	150	000N+150	305059	5457906				GF	11-Oct-16	
Fandora	B-Horizon	000N	175	000N+175	305047	5457917				GF	11-Oct-16	
Fandora	B-Horizon	000N	200	000N+200	305037	5457943				GF	11-Oct-16	
Fandora	B-Horizon	400N	775E	400N+775E	304902	5458917	715			BE	14-Nov-16	
Fandora	B-Horizon	400N	800E	400N+800E	304890	5458934	724			BE	14-Nov-16	
Fandora	B-Horizon	400N	825E	400N+825E	304878	5458965	722			BE	14-Nov-16	
Fandora	B-Horizon	400N	850E	400N+850E	304864	5458987	739			BE	14-Nov-16	
Fandora	B-Horizon	400N	875E	400N+875E	304851	5459010	752			BE	14-Nov-16	
Fandora	B-Horizon	400N	900E	400N+900E	304840	5459037	766			BE	14-Nov-16	
Fandora	B-Horizon	400N	925E	400N+925E	304824	5459049	782			BE	14-Nov-16	
Fandora	B-Horizon	400N	950E	400N+950E	304812	5459084	800			BE	14-Nov-16	
Fandora	B-Horizon	400N	975E	400N+975E	304809	5459102	809			BE	14-Nov-16	
Fandora	B-Horizon	400N	1000E	400N+1000E	304784	5459120	820			BE	14-Nov-16	
Fandora	B-Horizon	400N	1025E	400N+1025E	304774	5459147	833			BE	14-Nov-16	
Fandora	B-Horizon	400N	1050E	400N+1050E	304767	5459157	845			BE	14-Nov-16	
Fandora	B-Horizon	400N	1075E	400N+1075E	304753	5459185	869			BE	14-Nov-16	
Fandora	B-Horizon	400N	1100E	400N+1100E	304739	5459208	875			BE	14-Nov-16	
Fandora	B-Horizon	400N	1125E	400N+1125E	304728	5459230	878			BE	14-Nov-16	
Fandora	B-Horizon	400N	1150E	400N+1150E	304716	5459261	873			BE	14-Nov-16	
Fandora	B-Horizon	400N	1175E	400N+1175E	304702	5459283	876			BE	14-Nov-16	
Fandora	B-Horizon	400N	1200E	400N+1200E	304685	5459304	893			BE	14-Nov-16	
Fandora	B-Horizon	400N	1225E	400N+1225E	304670	5459331	901			BE	14-Nov-16	
Fandora	B-Horizon	400N	1250E	400N+1250E	304646	5459358	904			BE	14-Nov-16	
Fandora	B-Horizon	400N	1275E	400N+1275E	304639	5459376	914			BE	14-Nov-16	
Fandora	B-Horizon	400N	1300E	400N+1300E	304623	5459398	930			BE	14-Nov-16	
Fandora	B-Horizon	400N	1325E	400N+1325E	304616	5459427	948			BE	14-Nov-16	
Fandora	B-Horizon	400N	1350E	400N+1350E	304599	5459437	956			BE	14-Nov-16	

Historic Workings Locations and Descriptions

Working	Level	Easting NAD83 10	Northing NAD83 10	Elevation (m-GPS)	Elevation (ft original)	Date Located	Comments
Fandora	2100' Level	304934	5458471	670	2121	23-Nov-16	Timbered entrance in narrow gully, remains open
Fandora	1900' Level	305022	5458529	614	1900	23-Nov-16	Timbered entrance in narrow gully, caved
Fandora	1700' Level	305081	5458578	577	1698	23-Nov-16	Caved entrance in narrow gully, rail tracks, ore cart
Fandora	1500' Level	305150	5458636	504	1533	23-Nov-16	Adit remains open, terminus of upper access road, heli pad
Fandora	1400' Level/Lower Craig	305226	5458652	470	1404	-	Estimated location from historic plans
Fandora	1265' Level	305418	5458757	431	1265	23-Nov-16	Collapsed inclined adit, vein visible @ approx 065/75N
Fandora	1010' Level	305604	5458885	360	1010	-	Estimated location from historic plans
Goldflake	Goldflake Adit	304257	5458098	760		11-Oct-16	Goldflake Creek, on east side of upper western fork, adit remains open

SECTION F: ILLUSTRATIONS

Plan Number	Title	Scale
FAN-16-1 (after p. 3)	BC Location Map	1:8,000,000
FAN-16-2 (after p. 3)	General Location Map	1:250,000
FAN-16-3 (after p. 3)	Claim Tenures	1:50,000
FAN-16-4 (in pocket)	2016 Geochemical Survey: Soil and Rock Sample Locations	1:5 000
FAN-16-5 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Au (ppb)	1:5 000
FAN-16-6 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – As (ppm)	1:5 000
FAN-16-7 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Cu (ppm)	1:5 000
FAN-16-8 (in pocket)	2016 Geochemical Survey: Soil, Silt & Rock Samples (2009, 2011, 2013, 2014 & 2016) – Pb (ppm)	1:5 000



- 2016 Soil Sample Location
- 2014 Soil Sample Location
- 2013 Soil Sample Location
- 2011 Soil Sample Location
- 2009 Soil Sample Location
- Silt Sample Location
- 2016 Rock Sample Location
- Rock Sample Location
- ▭ Crown Grant
- ▭ Mineral Tenure
- ▭ Road
- ▭ Mine Workings
- ▭ 100m Contour Line




SELKIRK METALS CORP.

FANDORA PROPERTY
 Athlens Mining Division

**2016 Geochemical Survey:
 Soil and Rock Sample Locations**

Date: March 2017	Projection: UTM Zone 10 - NAD83	Figure:
Drawn By: MD	BCGS: 090F02	FAN-16-4
Scale: 1:5,000	NTS: 092E4E, SE	




Soil Sample Values
 Au (ppb)

- 0 - 25
- 25 - 50
- 50 - 75
- 75 - 100
- 100 - 125
- >125


Rock Sample Values
 Au (ppb)

- ▲ 0 - 25
- ▲ 25 - 50
- ▲ 50 - 75
- ▲ 75 - 100
- ▲ 100 - 125
- ▲ >125




▲ Rock Sample
 ○ Soil Sample
 ○ Silt Sample
 □ Crown Grant
 □ Mineral Tenure
 --- Road
 --- Mine Workings
 --- 100m Contour Line


 an Imperial Metals company
SELKIRK METALS CORP.
 FANDORA PROPERTY
 Alberta Mining Division
2016 Geochemical Survey:
Soil, Silt and Rock Samples (2009, 2011, 2013, 2014 & 2016)
 Au (ppb)


Date: March 2017	Projection: UTM Zone 10 - NAD83	Figure:
Drawn By: MD	BCGS: 090F022	FAN-16-S
Scale: 1:5,000	NTS: 002E4E, SE	




FAN-16-S



- Soil Sample Values As (ppm)**
- 0 - 50
 - 50 - 100
 - 100 - 150
 - 150 - 200
 - > 200
- Rock Sample Values As (ppm)**
- ▲ 0 - 50
 - ▲ 50 - 100
 - ▲ 100 - 150
 - ▲ 150 - 200
 - ▲ > 200
- Other Symbols:**
- △ Rock Sample
 - Soil Sample
 - ◇ Silt Sample
 - ▭ Crown Grant
 - ▭ Mineral Tenure
 - Road
 - Mine Workings
 - 100m Contour Line


SELKIRK METALS CORP.
 an Imperial Metals company
FANDORA PROPERTY
 Alberta Mining Division
2016 Geochemical Survey:
Soil, Silt and Rock Samples (2009, 2011, 2013, 2014 & 2016)
As (ppm)

Date: March 2017	Projection: UTM Zone 10 - NAD83	Figure:
Drawn By: MD	BCGS: 09F022	FAN-16-6
Scale: 1:5,000	NTS: 002E4E, SE	




Soil Sample Values
 Cu (ppm)

- 0 - 100
- 100 - 200
- 200 - 300
- > 300

Rock Sample Values
 Cu (ppm)


- ▲ 0 - 100
- ▲ 100 - 200
- ▲ 200 - 300
- ▲ > 300

▲ Rock Sample
 ● Soil Sample
 ○ Silt Sample
 □ Crown Grant
 □ Mineral Tenure
 --- Road
 --- Mine Workings
 --- 100m Contour Line


 an Imperial Metals company
SELKIRK METALS CORP.
 FANDORA PROPERTY
 Alberta Mining Division

2016 Geochemical Survey:
Soil, Silt and Rock Samples (2009, 2011, 2013, 2014 & 2016)
 Cu (ppm)

Date: March 2017	Projection: UTM Zone 10 - NAD83	Figure:
Drawn By: MD	BCGS: 090F022	FAN-16-7
Scale: 1:5,000	NTS: 002E4E, SE	



Soil Sample Values Pb (ppm)


- 0 - 10
- 10 - 20
- 20 - 30
- > 30

Rock Sample Values Pb (ppm)

- ▲ 0 - 10
- ▲ 10 - 20
- ▲ 20 - 30
- ▲ > 30

Legend:

- Rock Sample
- Soil Sample
- Silt Sample
- ▭ Crown Grant
- ▭ Mineral Tenure
- Road
- Mine Workings
- 100m Contour Line


Selkirk
 an Imperial Metals company
SELKIRK METALS CORP.
 FANDORA PROPERTY
 Alberta Mining Division

2016 Geochemical Survey:
Soil, Silt and Rock Samples (2009, 2011, 2013, 2014 & 2016)
Pb (ppm)

Date: March 2017	Projection: UTM Zone 10 - NAD83	Figure:
Drawn By: MD	BCGS: 090F022	FAN-16-B
Scale: 1:5,000	NTS: 002E4E, SE	

