



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: **Geological & Geochemical Ace Property, Cariboo Mining Division, British Columbia**

TOTAL COST: **\$42,476.00**

AUTHOR(S): **Rein Turna**

SIGNATURE(S): **"SIGNED"**

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): **MX-10-155 & MX-10-228**

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): **5622104 – (May 15, 2016 to October 8, 2016) and 5643366 (May 15, 2016 to November 15, 2016)**

YEAR OF WORK: **2016**

PROPERTY NAME: **Ace Property**

CLAIM NAME(S) (on which work was done)

Ace Property (tenure # 1038874)

COMMODITIES SOUGHT: **Copper, Lead, Zinc, Silver & Gold**

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: **N/K**

MINING DIVISION: **Cariboo**

BCGS: **93A/14**

LATITUDE **52.8°**

LONGITUDE **121.1°**

UTM Zone **10** EASTING **625986** NORTHING **5851878**

OWNER(S): **Barker Minerals Ltd.**

MAILING ADDRESS: **8384 Toombs Drive, Prince George BC, V2K 5A3**

OPERATOR(S) [who paid for the work]: **Barker Minerals Ltd.**

MAILING ADDRESS: **8384 Toombs Drive, Prince George BC, V2K 5A3**

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude **do not use abbreviations or codes**)

Barkerville Terrane, Silver & Gold

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS

9669, 9677, 10252, 10264, 11620, 13154, 15420, 15804, 17696, 19354, 21930, 22599, 22642, 24662, 25752, 26003, 26504, 26805, 27125, 27655, 28248, 28978, 29740, 30764.

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	N/A		
Photo interpretation	N/A		
GEOPHYSICAL (line-kilometres)			
Ground	N/A		
Magnetic	N/A		
Electromagnetic	N/A		
Induced Polarization	N/A		
Radiometric	N/A		
Seismic	N/A		
Other	N/A		
Airborne	N/A		
GEOCHEMICAL (number of samples analysed for ...)			
Soil	N/A		
Silt	N/A		
Rock	419	1038874	\$ 18,944.27
Other	N/A		
DRILLING (total metres, number of holes, size, storage location)			
Core	N/A		
Non-core	N/A		
RELATED TECHNICAL			
Sampling / Assaying	419	1038874	\$ 23,531.73
Petrographic	N/A		
Mineralographic	N/A		
Metallurgic	N/A		
PROSPECTING (scale/area)	N/A		
PREPATORY / PHYSICAL			
Line/grid (km)	N/A		
Topo/Photogrammetric (scale, area)	N/A		
Legal Surveys (scale, area)	N/A		
Road, local access (km)/trail	N/A		
Trench (number/metres)	N/A		
Underground development (metres)	N/A		
Other	N/A		
		TOTAL COST	\$ 42,476.00

GEOLOGICAL & GEOCHEMICAL ASSESSMENT REPORT

on the

Ace Property

Cariboo Mining Division, British Columbia

The geographic coordinates of the Ace property are:
52.8° North Latitude and 121.1° West Longitude or
625986 E and 5851878 N UTM coordinates (NAD 83)

The relevant map is:
N.T.S. Map No. 93A/14



for

Barker Minerals Ltd.
8384 Toombs Drive
Prince George, B.C.
V2K 5A3

Prepared by:
Rein Turna

April 18, 2017

1.0 SUMMARY

Work performed in 2016 on Barker Minerals Ltd.'s Ace property consisted of rock sampling in follow up to soils sampled in a previous work program. 419 geochemical analyses were made of rocks collected during this program. This report describes the work done and results. Detailed maps and geochemical data are presented in Appendix H.

TABLE OF CONTENTS

	Page
1.0 SUMMARY	i
2.0 INTRODUCTION	1
3.0 PROPERTY DESCRIPTION and LOCATION	1
4.0 MINERAL CLAIMS	2
5.0 PHYSIOGRAPHY and ACCESSIBILITY	3
6.0 HISTORY	5
6.1 History of Work Done on the Ace Property	5
6.1.1 Work done in 1980	5
6.1.2 Work done in 1993-94	5
6.1.3 Work done in 1995	7
6.1.4 Work done in 1996	8
6.1.5 Work done in 1996	8
6.1.6 Work done in 1997	8
6.1.7 Work done in 1998	9
6.1.8 Work done in 2000	10
6.1.9 Work done in 2001	10
6.1.10 Work done in 2002	10
6.1.11 Work done in 2003	11
6.1.12 Work done in 2014-16	11
7.0 GEOLOGY	12
7.1 Regional Geology	12
Quesnel Terrane	15
Slide Mountain Terrane	16
Barkerville Terrane	16
Cariboo Terrane	17
Glaciation and Glacial Deposits	17
7.2 Local Geology at Ace Area	18
8.0 EXPLORATION PROGRAM - 2016	18
8.1 Sampling Method and Approach	18
8.2 Economic Targets and Work Done	19
Area A (Figure No. 9)	19
Area B (Figure No. 10)	19
Area C (Figure No. 11)	19
9.0 CONCLUSIONS	20
10.0 RECOMMENDATIONS	20

LIST of FIGURES

	Page
Figure No. 1 Main Property location in British Columbia _____	2
Figure No. 2 Barker Minerals Ltd. Mineral Claims _____	after pg. 2
Figure No. 3 Access Roads from Likely to several of Barker Minerals' properties _____	4
Figure No. 4 Terrane Map of Southern British Columbia _____	12
Figure No. 5 Terrane Map of Cariboo Lake – Wells Area _____	13
Figure No. 6 Geology of Wells-Cariboo Lake area _____	14
Figure No. 7 Schematic Regional Structural Section _____	15
Figure No. 8 Keymap for Ace Property Area A _____	in Appendix H
Figure No. 9 Ace Property Area A Sample Nos., Zn, Cu, Au Geochem _____	in Appendix H
Figure No. 10 Ace Property Area B Sample Nos., Zn, Cu, Au Geochem _____	in Appendix H
Figure No. 11 Ace Property Area C Sample Nos., Zn, Cu, Au Geochem _____	in Appendix H

LIST of TABLES

Table No. 1 Sample Coordinates and Descriptions _____	in Appendix G
Table No. 2 Ace Area A – XRF Sampling Results _____	after Fig. No. 9
Table No. 3 Ace Area B – XRF Sampling Results _____	after Fig. No. 10
Table No. 4 Ace Area C – XRF Sampling Results _____	after Fig. No. 11

LIST of APPENDIXES

Appendix A	Glossary of Technical Terms and Abbreviations
Appendix B	Barker Minerals Ltd. Mineral Claims Details
Appendix C	Analytical Methods
Appendix D	References
Appendix E	Statements of Qualifications
Appendix F	Statement of Expenditures
Appendix G	Samples Coordinates and Descriptions
Appendix H	Ace Property Maps and XRF Data Tables

2.0 INTRODUCTION

This report describes assessment work performed in 2016-17 on Barker Minerals Ltd.'s Ace property. The work was concentrated in the area of **tenure no. 1038874**. Rock samples were analyzed by X-ray fluorescence (XRF) for multiple elements. The purpose was to add geochemical information to the existing database, and to identify potential mineralized lithologic horizons in an on-going mineral exploration program.

Definitions of technical terms used in this report are provided in Appendix A, Glossary of Technical Terms and Abbreviations. Chemical abbreviations are used for the elements discussed. The elements and abbreviations are:

Ag	Silver	Cd	Cadmium	K	Potassium
As	Arsenic	Co	Cobalt	Pb	Lead
Au	Gold	Cr	Chromium	Sb	Antimony
Ba	Barium	Cu	Copper	Sn	Tin
Bi	Bismuth	Fe	Iron	Zn	Zinc

3.0 PROPERTY DESCRIPTION and LOCATION

The Ace property consists of contiguous claims listed in Appendix B – Barker Minerals Ltd. Mineral Claims Details. The property's location in British Columbia is indicated in Figure No. 1 – Ace Property Location in British Columbia, and the mineral claims are outlined in Figure No. 2 – Barker Minerals Ltd. Mineral Claims. The mineral claims comprising the property are located approximately 10.0 km east of the north end of Cariboo Lake in the Cariboo Mining Division in British Columbia and are 100% owned by Barker Minerals Ltd. of Prince George, B.C. The property is approximately 35 km northeast of the settlement of Likely and 100 km northeast the City of Williams Lake. The City of Prince George is 160 km to the north.


The geographic coordinates of the Ace property are:
52.8° North Latitude and 121.1° West Longitude or
625986 E and 5851878 N UTM coordinates (NAD 83).
The relevant map is:
N.T.S. Map No. 93A/14.



Figure No. 1 Barker Minerals Ltd. Ace property location in British Columbia.

4.0 MINERAL CLAIMS

Details about the mineral claims are provided in Appendix B – Barker Minerals Ltd. Mineral Claims Details. Fig. No. 2 on the next page illustrates the configuration of the mineral claims relevant to this report.



5.0 PHYSIOGRAPHY and ACCESSIBILITY

The following description in *italics*, is after McKinley, 2004:

The property is situated in the central part of the Quesnel Highland between the eastern edge of the Interior Plateau and the western foothills of the Columbia Mountains. This area contains rounded mountains that are transitional between the rolling plateaus to the west and the rugged Cariboo Mountains to the east. Pleistocene and Recent ice sheets flowed away from the high mountains to the east over these plateaus and down to the southwest (Cariboo River), west (Little River) and northeast (Quesnel Lake), carving U-shaped valleys. The elevation ranges from 700-1650 m.

Precipitation in the region is heavy, as rain in the summer and snow in the winter. Drainage is to the west via the Cariboo, Little and Quesnel Rivers to the Fraser River. Quesnel Lake, the main scenic and topographic feature in the region, is a deep, long, forked, glacier-carved lake with an outlet at 725 m elevation. Vegetation is old-growth spruce, fir, pine, hemlock and cedar forest in all but the alpine regions of the higher mountains (mainly above 1400 m elevation).

Access to the Ace property is via gravel logging roads bearing northeast from Likely. Figure No. 4 shows access roads from Likely to Barker's mineral properties.




Figure No. 3 Access roads from Likely to several of Barker Minerals' properties.

6.0 HISTORY

6.1 History of Work Done on the Ace Property

The Ace property has an extensive exploration work history beginning in 1980. There is no record of any mineral exploration work in the area of the current Ace property prior to 1980.

6.1.1 Work done in 1980

The relevant report is Assessment Report 9666 by M.G. Larsen.

“Huge boulders of well mineralized rock” were said to lie on a logged-off slope on the south side of Little River. Bornite, chalcopyrite, sphalerite and pyrite were noted in strongly metamorphosed sedimentary rocks.

6.1.2 Work done in 1993-94

The relevant report is Assessment Report 23733 by H.P. Salat and C.A.R. Lammle.

Prospecting, geological mapping and stream silt and soil sampling were done on the Ace claims, owned by Barker Minerals Ltd. Prospecting by L.E. Doyle, later president of Barker Minerals Ltd., discovered coarse gold flakes in a rivulet on the north side of the ridge east of Mount Barker. The original sediment Sample No. 93-11-1001 from culvert #7, approximately 4.5 km up the F Road, assayed 129.0 g/t Au. Check Sample Nos. 93-11-1002 and 1003 from the same location as the original sample assayed 73.8 g/t and 41.8 g/t Au.

Outcrop was sparse but an extensive train of mineralized quartz vein float, up to 1 to 2 metres in size, and a few outcrops, often sulphide-rich, contained pyrite, pyrrhotite and arsenopyrite, with lesser chalcopyrite, bornite, galena and sphalerite. The quartz samples were often anomalous in Bi, Cu, Cr, As, Ag, Pb and Zn besides Au. Bi, Cu and Cr were considered the best pathfinders for Au in the quartz samples. Geochemical and assay results from samples of mineralized quartz float were:

<u>F Road</u> <u>sample no.</u>	<u>geochem or</u> <u>assay results</u>
1047	555 ppb Au
1085	505 ppb Au
1123	775 ppb Au
1160	22.03 g/t Au, 8.80% As
1162	1.02 g/t Au
1163	0.59 g/t Au
1187	990 ppb Au
1188	1,900 ppb Au
1345	1.76 g/t Au

Hardychuck (S) Road

<u>sample no.</u>	<u>geochem or assay results</u>
1261	18.8 g/t Au, 2,025 ppm Bi, 1,252 ppm Pb
1263	1.51 g/t Au
1280	10.70% Pb, 1.42% Zn

Colleen Rd. geochem or

<u>sample no.</u>	<u>assay results</u>
1326	>10,000 ppm Pb, >10,000 ppm Zn
1327	0.19 g/t Au
1328	0.16 g/t Au
1329	0.19 g/t Au
1344	3,750 ppm Pb, 2,294 ppm Zn
1358	23.71 g/t Au
1359	1.13 g/t Au

At certain locations mineralized quartz veins in outcrop were discovered. Grab samples from these returned:

<u>sample no.</u>	<u>geochem or assay results</u>
1124	355 ppb Au

Slopes above end of F Road

<u>sample no.</u>	<u>geochem or assay results</u>
1148	0.41 g/t Au
1150	0.36 g/t Au

Colleen Road geochem or

<u>sample no.</u>	<u>assay results</u>
1287	1.52 g/t Au
1289	6.05 g/t Au

Main Cirque geochem or

<u>sample no.</u>	<u>assay results</u>
1176	140 ppb Au
1195	300 ppb Au
1196	425 ppb Au

The most prominent quartz vein in outcrop was at the site of Sample No. 1150 approximately 1.0 km uphill, SE of the highly anomalous stream sediment at culvert #7 on the F Road. Here a 0.5 m to 2.0 m wide rusty vein was observed to trend over 100 m.

Approximately 25 km of lines were cut and flagged for subsequent soil sampling. 750 soil samples were collected.

It was considered the quartz-related Au mineralization on the Ace property may be generally comparable with similar gold-bearing veins known at the Mosquito Creek and Cariboo Mountain gold mines and Island Mountain deposit in the Well-Barkerville area, 40 km to the NW. The similarities were:

- Sulphide-rich quartz veins hosted in metamorphosed sediments in a similar geological setting.
- Bi, Ag and base metal sulphides with Au.
- Cr-mica in alteration zones.

Comprehensive follow-up work was recommended.

6.1.3 Work done in 1995

The relevant report is Assessment Report 24286 by C.A.R. Lammle.

Prospecting, geological, petrographic, geochemical and geophysical work was done on the Ace claims by Barker Minerals Ltd.

Approximately 100 km of grid lines were cut and flagged and 1,780 soil samples were collected in the area of Colleen Road and the lower part of F road. 2,040 additional soils were collected to await analysis on a selective basis. Ground magnetometer and VLF-EM surveys were done over 109.7 line km.

The most significant geochemical and geophysical anomalies were assigned letters A to K, with the large "boron halo" feature given letter V. Individual magnetic anomalies varied from 200 m to 1,000 m in length and tended to parallel the NW-SE regional geological trend. Numerous electromagnetic conductors varying from 200 m to 600 m in length were defined.

Petrographic studies were done on several rock polished sections. Gold-bearing telluride minerals, bismuthenite, native bismuth and gold were observed in quartz in Sample No. 94-10-1358, the same sample from Colleen Road which assayed 23.71 g/t Au in the previous year's work. In this sample the volume of Au-Te and Au-Bi minerals were much higher than native gold. It was estimated that telluride minerals in the quartz was 100 times greater than that of native gold. It was suggested that the economic potential of Au in compounds with Te and Bi was probably higher than in native Au itself.

Further EM and soil sampling was recommended to complete the geophysical and geochemical surveys southeast toward the 1994 survey grid. Trenching and diamond drilling were also recommended.

6.1.4 Work done in 1996

The relevant report is Assessment Report 24988 by L.E. Doyle.

A magnetic survey was done on 8 placer claim units owned by Barker Minerals Ltd., situated in the west end of the Ace mineral claims, north of Mount Barker.

6.1.5 Work done in 1996

The relevant report is Assessment Report 24989 by C.A.R. Lammle, G.A, Shore & S.N. Roach.

600 fill-in soil samples were collected. Ground VLF-EM and magnetic surveys were done over 77.3 line km .

A conventional pole-dipole induced polarization (IP) geophysical survey was done over 26.4 line km.

A resistivity (3-D E-SCAN) survey was done around the location of culvert #7 on the F Road where coarse gold flakes were discovered in 1993. A shallow strong low resistivity anomaly, approximately 400 m x 400 m in area, was centered 1.5 km north of culvert #7 and occurred astride the quartz float train outlined in 1994. This was deemed to be a prime low resistivity anomaly worthy of follow-up, along with others, and it was recommended to enlarge the 3-D E-SCAN survey area and correlate the data with geological mapping before determining drill targets.

36 prospecting test pits and 280 metres of mechanical trenching were done. Rock samples from Test Pit 30 on F Road returned 1,065 ppb and 1,386 ppb Au. Rocks from trenches on Colleen and Hardyck Roads had values up to 296 ppb and 213 ppb Au.

Further work was recommended to be done on the Ace property; this to include geological mapping, detailed stream sediment sampling and detailed mapping and sampling of existing trenches and 22 line km of detailed VLF-EM and magnetic surveys.

6.1.6 Work done in 1997

The relevant report is Assessment Report 25437 by J.G. Payne.

The Ace Grid was enlarged with 31.0 km of cut line. 11.9 km of magnetometer prospecting was done as a guide in locating trenches, 20 trenches (1,084 m total) were excavated, generally near the foot of Hardyck Road, 343 rock chip and grab samples were collected, 336 soil samples, collected in 1996 on the periphery of the Ace grid, were analyzed in 1997, and stream sediment samples were collected.

Trenches exposed zones up to 10 m thick of semi-massive sulphide. Sample No. A97-50 on 'M Road' was quartz float with 6,420 ppb Au. The M Road is crossed by HLEM Conductor A, which would be discovered in the 2000 HLEM survey.

The rocks were considered to show many of the characteristics of the footwall rocks to a volcanogenic massive sulphide deposit. The major chargeability and resistivity anomaly which passes through the area of the main trenches and runs parallel with the host rocks was interpreted as being caused by a massive to semi-massive sulphide body at the top (northeast) side of a felsic rock unit. Drilling was recommended along the main zone of the felsic volcanic rocks.

6.1.7 Work done in 1998

The relevant report is Assessment Report 25904 by J.G. Payne.

Seven DDH holes (1,260 m) were drilled on the Ace property. Geological mapping was done. The 7 drill holes targeted conductivity, low resistivity and magnetic anomalies in a zone suspected to be underlain by the felsic rocks with a potential for massive sulphides.

An unspecified number of rock samples were collected in prospecting. Of 31 samples deemed anomalous on Table 1b of the assessment report, several sulphide-rich quartz floats were high in gold:

Sample no.	Au (ppb)	grid location
#148	9,130	16+75S 12+00 E at the foot of Jim Road
9821	14,620	13+50S 4+90E on main creek 500 m east of Colleen Road.

Other samples had >1,000 ppb Au or were highly anomalous in base metals or pathfinder elements. The common and widespread occurrence of sulphide-rich quartz float with high Au values were indications of a local source on the Ace property but the general lack of outcrop in the areas of most interest continued to challenge the discovery of bedrock sources.

Payne's opinion was that data from the 1998 work tended to confirm the presence of a volcanogenic massive sulphide environment associated with metamorphosed felsic volcanic rock along the trend of the quartz boulder field and the massive sulphides and gold-bearing quartz-sulphide veins were from the same geological environment. The area west of DDH 98-3 was considered to be a major exploration target. A broad geophysical anomaly in an area of 'felsite' rubble and abundant boulders of quartz veins anomalous in precious and base metals northeast of the 1998 drilling was also recommended for further exploration.

It was recommended to extend the geophysical and geochemical surveys east and west of the surveys along the axis of the main zone of the felsic volcanic rocks.

6.1.8 Work done in 2000

The relevant report is Assessment Report 26504 by J.G.Payne .

HLEM and magnetometer surveys were done to locate conductors that could be attributable to massive sulphide mineralization. Three conductors were discerned. Conductor A had a strike length of 1,200 m, was associated with a magnetic high and was open to the east. It was also associated with the main resistivity low anomaly from the 3-D E-SCAN survey of 1996. Conductor A crossed the M Road on which rock Sample No. A97-50 had 6,420 ppb Au in quartz float in 1997.

Sixteen float rock samples collected during prospecting were variously anomalous in precious, base and pathfinder elements. Sample No. 2106 had 4,100 ppb Au.

Geological mapping was recommended, especially in areas of potential felsic volcanic rocks that had not yet been examined. The HLEM anomalies were recommended to have a gravity survey done over them. It was anticipated that follow-up of this work would include trenching and diamond drilling.

6.1.9 Work done in 2001

The relevant report is Assessment Report 26805 by P.E. Walcott.

HLEM and gravity surveys were done on Ace property. The purpose of the HLEM survey was to better define existing EM anomalies. The gravity survey was to assist in the discrimination of graphitic and sulphide conductors, based on the premise that a conductor with an associated gravity anomaly could be attributed to a possible massive sulphide body. Several gravity anomalies were detected, some coincident with known conductors from the previous year's work. It was recommended that these gravity-conductor anomalies be investigated by drilling.

6.1.10 Work done in 2002

The relevant report is Assessment Report 27125 by L.E. Doyle.

Limited magnetic, HLEM and gravity surveys were continued at targeted areas.

Five DDH holes (646 m) were drilled . The small drill program, consisting of five widely spaced holes, tested only a few of the numerous geophysical, geochemical and geological targets on the property. Compilation of all existing data was recommended before further drilling would be proposed.

Expansion of the HLEM and gravity surveys along the strike of the favourable horizons in exploration for VMS massive sulphide mineralization was recommended.

6.1.11 Work done in 2003-04

The relevant report is Assessment Report 27655 by L.E. Doyle.

Eleven trenches (428 m) were excavated, targeting magnetic, HLEM and geochemical anomalies. The most significant outcome of the trenching may have been the discovery of 'coticule' rocks, inferred to represent metamorphosed Mn exhalites formed around subaqueous hydrothermal systems and can provide a marker unit and guide for exploration.

Recommendations for further work included:

- prospecting to be continued for mineralized boulders as well as 'coticule' rocks;
- further trenching to test geophysical and geochemical anomalies in the F Road area and in the eastern part of the property;
- a reconnaissance program including geological mapping and lithogeochemical sampling to include delimiting the area of the 'felsite' rocks and to improve understanding of the regional structure and local geology;
- soil sampling was recommended in specific areas. An enzyme leach geochemical technique was recommended to analyze soils due to its effectiveness to 'see through' deep glacial cover;
- a Titan-24 IP geophysical survey to be done over the eastern part of the Ace property;
- additional drilling was recommended at known zones of alteration.

6.1.12 Work done in 2014-2016

The relevant assessment reports are by Turna, R., dated February 18, 2015 (AR 35157), July 31, 2015 (AR 35468), November 30, 2015 [AR 35717] and March 15, 2016 (AR 36160) and May 1, 2016. and July 20, 2016

In 2014 (AR 35157), 80 rock samples were collected on the flanks of Mount Barker.

In 2015 (AR 35468), 32 rocks were sampled on the ridge east of the mountain and 85 rock and 96 stream samples were collected in the vicinity of F Road. Three rock samples had 10.00 ppm Au, 10.50 ppm Au and 23.07 ppm Au.

In follow up work (AR 35717), 189 rock and 364 soils were sampled on the F and 8400 Roads. Three soils had 9.46 ppm Au, 11.35 ppm Au, 9.81 ppm Au.

In follow up work (AR 36160), 53 stream samples were collected from streams and seeps crossing the F Road. Two streams had 11.45 ppm Au and 12.55 ppm Au.

In follow up (AR dated May 1, 2016) work 193 rock samples were collected above the F Road. Some of these had anomalous results in Zn.

Continued exploration was recommended for quartz vein and intrusion related mineralization.

7.0 GEOLOGY

7.1 Regional Geology




Figure No. 4 Terrane Map of Southern British Columbia. Barker Minerals' properties are indicated by the red star over the Barkerville subterrane. The brown star to the SE is the Barkerville Gold Mine Ltd.' Goldstream volcanogenic massive sulphide deposit. Map is from Ferri, F. & Schiarizza, P., 2006.




Figure No. 5 Terrane Map of Cariboo Lake – Wells Area. Several Barker Minerals' properties are indicated by red stars. Map is from Ferri, F. & Schiarizza, P., 2006.




Figure No. 6 Geology of Wells-Cariboo Lake area. Highlighted on the BCGS map are Barker Minerals' Frank Creek and Unlikely massive sulphide prospects. The Harveys Ridge succession consists of siltstone, quartzite and the Frank Creek volcanics. Map is from Ferri, F. & Schiarizza, P., 2006.

The geological descriptions below derive mainly from Struik (1988), Panteleyev et al. (1996) and Payne and Perry (2001).

During the mid-Jurassic the North American continental plate collided with a group of island arcs to the west. Regional deformation and metamorphism are related to these events.




Figure No. 7 Schematic regional structural section from southwest to northeast across the four Terranes in Barker Minerals' claims area, showing the relative structural position of the Terranes. The Terrane symbols are BV-Barkerville, C-Cariboo, Sma-Slide Mountain (Antler Formation), SMc-Slide Mountain (Crooked amphibolite), QN-Quesnel and NA-North American. (after Struik, 1988).

Quesnel Terrane

The Late Triassic to Early Jurassic Quesnel Terrane...was accreted to the North American continent, in part by subduction and in part by obduction. The Eureka Thrust fault marks the boundary between the Quesnel and Barkerville terranes. The terrane is partly submarine and partly subaerial, consisting of volcanic and volcanoclastic rocks and co-magmatic intrusions, with minor carbonate lenses and related sedimentary rocks.

The principal assemblage in the Quesnel Terrane is the Triassic-Jurassic Nicola Group island arc – marginal basin sequence. The underlying rocks are the Crooked Amphibolite, part of the Slide Mountain assemblage, a mylonitized mafic and ultramafic unit of oceanic marginal basin volcanic and sedimentary rocks. Rocks of Quesnel Terrane and Crooked Amphibolite are structurally coupled and tectonically emplaced by the Eureka Thrust onto the Barkerville Terrane, to the east.

Two lithostratigraphic subdivisions of the Quesnel Terrane consists of: a basal Middle to Late Triassic metasedimentary unit of dominantly black phyllitic rocks, approximately 7 km thick, and an overlying Late Triassic to Early Jurassic volcanic arc assemblage, approximately 9 km thick. The overlying volcanic rocks outline a northwesterly trending belt of subaqueous and subaerial volcanic rocks, deposited along a series of volcanic-intrusive centres that define the Quesnel island arc of predominantly alkalic basalts.

Within...the northern extension of the Quesnel Trough, the term...Takla Group has been applied to rocks identical to the Quesnel belt rocks...Equivalent rocks to the south...are generally referred to as Nicola Group...Baily (1978) pointed out the similarity of the Quesnel volcanic units with both the Nicola Group rocks to the south and the Takla Group rocks to the north...The term Takla leads to ambiguity because in northern British Columbia it has been used for rocks in both Quesnel and Stikine terranes...The usage for the Triassic-Jurassic volcanic arc and related rocks in Quesnellia currently preferred is Nicola Group. The term Takla Group possibly should be discarded... (Panteleyev et al., (1996).

The Quesnel Trough is a well-mineralized region typical of other Late Triassic to Early Jurassic volcano-plutonic island arcs in the Cordillera. It hosts a wide variety of mineral deposits. The principal recent exploration and economic development targets in the central Quesnel belt are alkalic intrusion-related porphyry copper-gold deposits and gold-bearing propylitic alteration zones formed in volcanic rocks peripheral to some of the intrusions. Other important targets are auriferous quartz veins in the black phyllite metasedimentary succession. The veins in some black phyllite members have potential to be mined as large tonnage, low-grade deposits. Tertiary rocks are mineralized with copper and gold. Antimony-arsenic and mercury mineralization in some apparently low temperature quartz-calcite veins indicated the potential for epithermal deposits. Placer mining for gold, said to occur together with platinum, has been of major historical and economic importance.

Slide Mountain Terrane

Rocks of the Devonian to Late Triassic Slide Mountain Terrane were partly obducted, partly subducted during collision of an oceanic plate with the continent. Small slices of mainly mafic volcanic rocks and ultramafic rocks of the Slide Mountain Terrane occur in and parallel to the Eureka thrust. Minor lithologies include chert, meta-siltstone and argillite.

The Crooked Amphibolite, considered to likely be a part of the Slide Mountain Terrane, includes three major constituent rock types: greenstone, metagabbro and meta-ultramafite. North of Quesnel Lake, the map units consist of mafic metavolcanics, amphibolite, chlorite schist, serpentinite, ultramafic rocks and pillow lavas. Chemical analyses indicate subalkaline tholeiitic compositions of basalts formed on the ocean floor. If the Crooked Amphibolite is a sheared and metamorphosed equivalent of the Antler Formation and is part of the Slide Mountain Terrane, it is separated from the underlying Barkerville Terrane by the Eureka Thrust, a wide zone of mylonitization. The Crooked amphibolite and the overlying rocks of Quesnel Terrane are structurally coupled and emplaced tectonically onto Barkerville Terrane.

Barkerville Terrane

The Barkerville Terrane is made up of the Snowshoe Group and Quesnel Lake gneiss. The Snowshoe Group rocks are Upper Proterozoic to Upper Devonian metasediments, considered correlative in age with the Eagle Bay Formation in the Kootenay Terrane to the south. The Snowshoe Group rocks are dominated by varieties of grit, quartzite, pelite,

limestone and volcanoclastic rocks. The stratigraphic sequence is not well understood. The region was deformed by intense, complex, in part isoclinal folding and overturning. Locally, strong shear deformation produced mylonitic textures. The Quesnel Lake Gneiss is a Devonian to Mississippian intrusive unit varying in composition from diorite to granite to syenite. It is generally coarse grained, leucocratic, often with megacrysts of potassium feldspar. The main body of gneiss is 30 km long by 3 km wide and is elongated parallel to the eastern border of the Intermontane belt. Its contacts are in part concordant with, and in part perpendicular to, metamorphic layering.

The contact between the Barkerville Terrane and Cariboo Terrane to the east is the Pleasant Valley Thrust. The Barkerville and Cariboo Terranes were juxtaposed prior to emplacement of the Slide Mountain Terrane which was thrust over both of them. The northeastern third of the Barkerville Terrane is the main zone of economic interest in the Cariboo district. Struik described it as “gold-enriched”, because it contains the historic Wells and Barkerville gold mines and the Cariboo Hudson deposit, approximately 40 km and 20 km northwest of the project area, respectively.

Cariboo Terrane

The northeastern part of Barker Minerals' 'Peripheral' claim group is underlain by Precambrian to Permo-Triassic marine peri-cratonic sedimentary strata of the Cariboo terrane. The Cariboo Terrane consists mainly of limestone and dolomite with lesser siliceous, clastic, sedimentary rocks and argillite. Some geologists believe that the Cariboo Terrane is a shallow, near-shore facies and the Barkerville is a deeper, offshore facies of the same erosion-deposition system. No rifting is suspected between the Cariboo Terrane and the North American continent, in contrast to that between the Barkerville Terrane and the North American continent. Lithologies within the Cariboo Terrane correlate well with parts of the Classier Platform and Selwyn Basin of Yukon and northern British Columbia.

The Cariboo and Barkerville Terranes are separated by the regional Pleasant Valley Thrust fault, which dips moderately to steeply northeast. Struik (1988) states the Cariboo block was thrust from the east over the Barkerville block along a strike length of over 100 km. The Cariboo Terrane was cut by the Jurassic-Cretaceous Little River stock, a medium-grained granodiorite grading to quartz monzonite. Some of the carbonate layers in the lowest part of the Cariboo terrane (or upper part of the Barkerville Terrane) are enriched in zinc and lead. Since the 1970's, preliminary exploration on stratiform Zn-Pb targets has been conducted in this area.

Glaciation and glacial deposits

The last glacial stage that affected the Quesnel Highland, the Fraser glaciation, began 30,000 years ago. Much of this ice had melted by 10,000 years ago, but small remnants are preserved high in the alpine areas of the Cariboo Mountains. At lower elevations, glaciers of this age scoured the debris left by preceding ice advances, almost completely destroying them, leaving a chaotic assemblage of unsorted till, moraine and drift, with lenses of gravel and sand that had been roughly sorted by melt water and rivers, leaving behind beds of silt and clay that were stratified by settlement in ice-dammed lakes. In the Cariboo area, the

debris covers bedrock in valleys below 1,700 m, leaving typical glacial features such as U-shaped valleys, ice-sculpted drumlins, moraine terraces and glacier and river benches. On the Barker Minerals properties, glacial deposits range from one to a few tens of metres thick. Some glacial till deposits are overlain by well-bedded glaciolacustrine clay and silt deposits up to a few tens of metres thick.

In much of the Cariboo district, a layer of distinctive, hard, compact, semi-rigid blue clay sits either on or slightly above bedrock and acts as “false” bedrock. It was formed from glacial drift left behind by the last ice advance prior to the Fraser glaciation and was compacted by the weight of the Fraser stage ice. In the placer-gold areas of the Cariboo, large amounts of gold were recovered from gravel resting on this clay. In places the clay layer was penetrated by the placer miners to reach richer “pay streaks” on true bedrock below.

7.2 Local Geology at Ace Area

The Ace property, and Little River area in general, are situated on the Barkerville Terrane which is in fault contact with the Cariboo Terrane to the northeast. The property is underlain by the Palaeozoic Downey succession of the Snowshoe Group. The Downey succession consists of micaceous quartzite, phyllite and schist, with some marble and amphibolite.

The Ace property is underlain by a sequence of metamorphosed and strongly deformed sedimentary and possibly intermediate volcanic rocks. The most prevalent lithologies are quartz-feldspar-muscovite-chlorite±biotite±garnet-bearing schists. Notable as well, is a thick, pyrite and pyrrhotite-rich graphitic layer. Black, locally graphitic phyllites, containing pyrite and pyrrhotite, occur on lower slopes. Calcareous argillite, quartzite and limestone are also present but are poorly exposed.

All rock formations in the area have experienced greenschist facies metamorphism. Metamorphic grade increases toward the southeast. All the rocks show at least one foliation or pervasive cleavage. The original bedding is rarely evident and relationships between units are difficult to determine.

8.0 2016 EXPLORATION PROGRAM

8.1 Sampling Method and Approach

Rock samples were analyzed for multiple elements using the Niton XL3t handheld X-ray fluorescence analyzer from Thermo Scientific Inc. Further information on this instrument is at the Niton website <http://www.niton.com/en/niton-analyzers-products/xl3/xl3t>. An overview of sample analysis using energy dispersive X-ray fluorescence (EDXRF), adapted from the Niton website, is in Appendix C.

Most rock analyses were done at Barker Minerals' field office in Likely. Coordinates were collected at all sample locations. The coordinates are provided in Table No. 1. The rocks

were analyzed in a manner to determine both their “high grade” and “low grade” values at each site, in order to minimize a “nugget” effect and to determine background values. The XRF analysis method does not replace laboratory assay. It detects the presence or absence of multiple elements in prospecting and, up to a certain point, the intensity of mineralization and correlation among elements in a specimen. The XRF is very useful in analysis for base economic and pathfinder metals though Au needs to be in relatively high grade in order to be detected by the XRF. Altogether 419 geochemical analyses of rocks were made.

8.2 Economic Targets and Work Done

Rock sampling was done off the 8400 Road along Little River on the northwestern side of the property. The rocks analyzed during the current program were float. The economic target was gold in quartz veins or within the rock hosting the veins. Several rock samples had high gold values as listed below.

<u>XRF No.</u>	<u>Au (ppm)</u>	<u>Area</u>
2427	11.42	A
2431	9.45	A
2481	13.63	A
2411	10.26	B
2416	8.94	B
2692	20.29	B
2692	20.29	B
2721	11.25	B
2728	11.80	B
2741	13.49	B
2643	10.78	C
2660	12.33	C

Zn, (up to 1,876 ppm) and Cu (up to 934 ppm) anomalies (greater than 100 ppm) were got in many samples scattered along the sampling traverses in Area A, B and C. Samples high in Au were sometimes also weakly anomalous in Zn and Cu, though not frequently enough to establish a correlation. The clustering of high Au with higher Zn is locally evident though the suggestion of a correlation of zinc with gold remains weak, and copper with gold even weaker. It appears that gold may occur as a single metal in host veins.

Area A (Figure No. 9)

A cluster of five samples between Sample Nos. 2514 and 2523 were anomalous in Pb (up to 435 ppm), Zn (up to 203 ppm and Cu (up to 163 ppm. Au was not anomalous here. Two of the 3 samples high in Au (see list above) were weakly anomalous in Zn.

Area B (Figure No. 10)

Between Sample Nos. 2403 and 2417 most of the samples were anomalous in Zn with two highly anomalous in Au (10.26 ppm and 8.94 ppm). The other 5 samples high in Au also occurred erratically with Zn or Cu.

Area C (Figure No. 11)

The 2 samples high in Au in this Area were not correlatable with Zn, Cu or other elements, a case similar to those in Areas A and B.

9.0 CONCLUSIONS

The rock sampling program was of limited scope. Limited outcrop in the target areas necessitated sampling float in lieu of bedrock. Historic work in the Ace Property area determined gold occurs in quartz veins on the property.

10.0 RECOMMENDATIONS

The very extensive work history of the Ace property resulted in recommendations for comprehensive follow up work to be done. A synthesis of the historical work should be done along with work recommended by the previous programs.

Further rock sampling should be done around the locations of the high Au results. The bedrock source of the float rocks should be found.

APPENDIX A

Glossary of Technical Terms and Abbreviations

Glossary of Technical Terms and Abbreviations

Anomalous	Chemical and mineralogical changes and higher than typical background values in elements in a rock resulting from reaction with hydrothermal fluids or increase in pressure or temperature.
Anomaly	The geographical area corresponding to anomalous geochemical or geophysical values.
Argentiferous	Containing silver.
Background	The typical concentration of an element or geophysical response in an area, generally referring to values below some threshold level, above which values are designated as anomalous.
BBE	Black Bear East property.
BCGS	British Columbia Geological Survey.
B.C. MEMPR	British Columbia Ministry of energy Mines and Petroleum Resources.
cm	Centimetre.
Cratonic	Pertaining to a craton, an old part of the continental crust, generally making up the interior portion of a continent such as North America.
DCIP	An electrical method which uses the injection of current and the measurement of voltage and its rate of decay to determine the subsurface resistivity and chargeability.
DDH	Diamond drill hole.
eg.	<i>exempli grātiā</i> (for the sake of example).
EM	Electromagnetic.
E-W	East-West.
Float	Loose rocks or boulders; the location of the bedrock source is not known.
GBC	Geoscience BC.
GSC	Geological Survey of Canada.

Grab sample	A sample of a single rock or selected rock chips collected from within a restricted area of interest.
g/t	Grams per tonne (metric tonne). 34.29 g/t (metric tonnes) = 1.00 oz/T (short tons).
Ha	Hectare - an area totalling 10,000 square metres, e.g., an area 100 metres by 100 metres.
HLEM	Horizontal loop electromagnetic.
IP	Induced polarization.
km	Kilometre.
lb.	Pound.
Leucocratic	Light-coloured.
m	Metre.
Max-Min	An HLEM technique to test for resistivity and conductivity of rocks.
MT	Magnetotelluric. A electrical method that uses natural variations in the Earth's magnetic field to induce electric current in the ground to determine the subsurface resistivity.
my	Million years.
NE-SW	Northeast-Southwest.
NNW-SSE	North northwest – South southeast.
NW	Northwest.
NW-SE	Northwest - Southeast.
N-S	North-South.
OF	Open File.
oz.	Ounce.
oz/T	ounces per ton (Imperial measurement).

34.29 g/t (metric tonnes) = 1.00 oz/T (short tons).

oz/st ounces per short ton (Imperial measurement, same as oz/T).
34.29 g/t (metric tonnes) = 1.00 oz/st (short tons).

ppb Parts per billion.

ppm Parts per million (1 ppm = 1,000 ppb = 1 g/t).

Protolith The original rock before it was metamorphosed.

QUEST Quesnellia Exploration Strategy, a BCGS geophysical survey.

Sedex Sedimentary-exhalative mineral deposit type.

SE Southeast.

TEM or TDEM Time Domain EM.

Tensor-magnetotelluric See MT.

Tholeiitic A type of basalt. The most common volcanic rocks on Earth, produced by submarine volcanism at mid-ocean ridges and make up much of the ocean crust. Chemically, these basalts have been described as subalkaline, that is, they contain less (Na_2O plus K_2O) at similar SiO_2 than alkali basalt.

TRIM Terrain Resource Information Management, series of 1:20,000 scale maps.

VLF Very low frequency.

VLF-EM Very low frequency electromagnetic.

VMS Volcanic-related massive sulphide.

XRF X-ray fluorescence.

APPENDIX B

Barker Minerals Ltd. Ace Property Mineral Claims

Mineral Claim
Tenure No.

1038870
1038871
1038872
1038873
1038874
1038875
1038876

APPENDIX C

Analytical Methods

Overview of sample analysis using energy dispersive X-ray fluorescence using the Thermo Scientific Niton XL3t handheld XRF analyzer


Thermo Scientific portable energy-dispersive x-ray fluorescence (EDXRF) analyzers, commonly known as XRF analyzers, can quickly and nondestructively determine the elemental composition of metal and precious metal samples of rocks, ore and soil.

Up to 40 elements may be analyzed simultaneously by measuring the characteristic fluorescence x-rays emitted by a sample. XRF analyzers can quantify elements ranging from magnesium (Mg - element 12) through uranium (U - element 92) and measure x-ray energies from 1.25 keV up to 85 keV in the case of Pb K-shell fluorescent x-rays excited with a ^{109}Cd isotope. These instruments also measure the elastic (Rayleigh) and inelastic (Compton) scatter x-rays emitted by the sample during each measurement to determine, among other things, the approximate density and percentage of the light elements in the sample.

Elemental Analysis - A Unique Set of Fingerprints

How does XRF work? Each of the elements present in a sample produces a unique set of characteristic x-rays that is a "fingerprint" for that specific element. XRF analyzers determine the chemistry of a sample by measuring the spectrum of the characteristic x-ray emitted by the different elements in the sample when it is illuminated by x-rays. These x-rays are emitted either from a miniaturized x-ray tube, or from a small, sealed capsule of radioactive material.

1. A fluorescent x-ray is created when an x-ray of sufficient energy strikes an atom in the sample, dislodging an electron from one of the atom's inner orbital shells.
2. The atom regains stability, filling the vacancy left in the inner orbital shell with an electron from one of the atom's higher energy orbital shells.
3. The electron drops to the lower energy state by releasing a fluorescent x-ray, and the energy of this x-ray is equal to the specific difference in energy between two quantum states of the electron.



Atom emits characteristic X-rays when illuminated by x-rays from a primary source.

When a sample is measured using XRF, each element present in the sample emits its own unique fluorescent x-ray energy spectrum. By simultaneously measuring the fluorescent x-rays emitted by the different elements in the sample, the Thermo Scientific portable XRF analyzers can rapidly determine those elements present in the sample and their relative concentrations - in other words, the elemental chemistry of the sample.



Overview of the Thermo Scientific Niton XL3t handheld XRF analyzer.

APPENDIX D

REFERENCES

Reports listed below which are Assessment Reports are available for free download from the BC Geological Survey (BCGS) Assessment Report Indexing System (ARIS) at the Ministry of Energy, Mines and Petroleum Resources' website. www.empr.gov.bc.ca/Mining/Geoscience/ARIS

Ballantyne, S.B., Hornbrook, E.W.H., Johnson, W.M., National Geochemical Reconnaissance, Quesnel Lake, British Columbia, NTS 093A, GSC Open File 776, 1981. (Alternately, BC MEMPR Open File BC RGS-5).

Barker Minerals Ltd., Preliminary Prospectus, July 17, 2001. Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA).

Barker Minerals Ltd., Annual Information Form, October 28, 2002. Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA).

Barrett, T.J. and MacLean, W.H., Lithological and Lithogeochemical Features of Rocks on the Frank Creek and Ace Properties, December 31, 2003. (as Appendix V in Assessment Report 27655 by Doyle, L.E. and as Appendix III in Assessment Report 28248 by Doyle, L.E.).

Bowman, A., Report on the Geology of the Mining District of Cariboo, British Columbia, in Geological and Natural History Survey of Canada Reports and Maps of Investigations and Surveys, 1887-1888; Selwyn, A R C; Geological Survey of Canada, Annual Report vol. 3, pt. 1, 1889; pages 1C-49C 5 sheets, including a Map titled Placer Mines of Harvey Creek in Cariboo District, British Columbia, GSC Map 371, (1890).

Brown, A.S., Geology of the Cariboo River Area, British Columbia, BC Department of Mines and Petroleum Resources, Bulletin No. 47, 1963.

Craig, J.R.H., (2007), Reduced Intrusion-Related Gold Systems *in* Goodfellow, W.D., ed., Mineral Deposits of Canada: a Synthesis of Major Deposit Types, District Metallogeny, the Evolution of Geological Provinces, and Exploration Methods: Geological Association of Canada, Mineral Deposits Division, Special Publication No. 5, p. 95-112.

Doyle, L.E., 1996 Assessment Work Program, Mag Survey, Mount Barker Program, Ace Property, Work Done on Roar 3 + 5 Placer Claims, May 6, 1997. (Assessment Report 24988).

Doyle, L.E., Prospecting, Geochemical, Geophysical, Geological, Trenching and Diamond Drilling of the Ace, Frank Creek, SCR and Peripheral Properties, Little River Area, March 20, 2003. (Assessment Report 27125 – includes as Appendix 3: Wild, C.J., June 26, 2002 and Appendix 4: Walcott, P.E., September, 2002 and Appendix 5: Perry, B.J., October 21, 2002).

Doyle, L.E., Prospecting, Geochemical, Geophysical, Geological, Trenching and Diamond Drilling of the Ace, Frank Creek, SCR Massive Sulphide Projects and Peripheral Properties, Little River Area, February 15, 2005. (Assessment Report 27655 – includes as Appendix V: Barrett, T.J. & MacLean W.H., December 31, 2003 and Appendix VI: McKinley, S.D., July 19, 2004).

Doyle, L.E., Geochemical, Geophysical, Geological, Trenching and Diamond Drilling of the Ace, Frank Creek, SCR, Kangaroo Projects and Peripheral Properties, Little River Area, August 26, 2005. (Assessment Report 28248 – includes as Appendix III: Barrett, T.J. and MacLean, W.H., December 31, 2003 and as Appendix I: McKinley, S.D., July 19, 2004).

Ferri, F., and O'Brien, B.H., Preliminary Geology of the Cariboo Lake Area, Central British Columbia (093A/11, 12, 13 and 14), in Geological Fieldwork 2001, B.C. Ministry of Energy and Mines, Paper 2002-1.

Ferri, F., and O'Brien, B.H., Geology of the Cariboo Lake Area, Central British Columbia (093A/11, 12, 13 and 14), B.C. Ministry of Energy and Mines, Open File 2003-1.

Ferri, F., and O'Brien, B.H., Geology and Massive Sulphide Potential of the Barkerville Terrane, Cariboo Lake Area, British Columbia, BC Geological Survey Branch, Cordillerran Roundup Poster No. 8, Information Circular 2002-3.

http://www.empr.gov.bc.ca/DL/GSBPubs/InfoCirc/IC2002-3/08-Ferri_Barkerville.pdf

Ferri, F. & Schiarizza, P., Re-interpretation of the Snowshoe Group stratigraphy across a south-west verging nappe structure and its implications for regional correlations within the Kootenay terrane in Geological Association of Canada GAC Special Paper 45, 2006.

Getsinger, J.S., Geology of the Three Ladies/Mount Stevenson Area, Quesnel Highland, British Columbia, Ph.D. thesis, University of British Columbia, 1985.

Höy, T., (2003), Barker Minerals Ltd.: Ace and Frank Creek Exploration Summary, letter from T. Höy to Barker Minerals.

Höy, T. and Ferri, F., Stratabound Base Metal Deposits of the Barkerville Subterrane, Central British Columbia (093A/NW), in Geological Fieldwork 1997, B.C. Ministry of Energy and Mines, Paper 1998-1.

Lammle, C.A.R., Assessment Report 23733 Addendum on Ace Property of Barker Minerals Limited., July 17, 1995. (as addendum to Assessment Report 23733 by Salat, H.P.).

Lammle, C.A.R., 1995 Assessment Work Program, Prospecting, Line Cutting, Geochemistry, Geophysics and Geology, Mount Barker Project, Ace Property, January 13, 1996. (Assessment Report 24286 – includes as Appendix III: petrographic reports by Payne, J.G. and Skupinski, A.).

Lammle, C.A.R., Prospecting, Line Cutting, Geophysics, Geochemistry, Geology and Trenching, Little River & Ace Properties, May 7, 1997. (as part of Assessment Report 24989 – includes as Appendix II: petrographic reports by Payne, J.G. and Appendix III: IP logistical report by Scott, A. See also reports by Shore, G.A. and Roach, S.N. for other parts of this Assessment Report).

Lane, B. and MacDonald K., Volcanogenic Massive Sulphide Potential in the Slide Mountain and Barkerville Terranes, Cariboo Mountains, in BC Mines Branch, Exploration and Mining in British Columbia – 1999, pp 65-77.

McKinley, S. D., (2004), Technical Report on the Cariboo Properties of Barker Minerals Ltd. (Including The Frank Creek and Sellers Creek Road Massive Sulphide Projects, the Ace Massive Sulphide and Vein Gold Project, the Kangaroo Copper-Gold Project, the Rollie Creek Project and the Quesnel Platinum Project), July 19, 2004. Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA), (and as Appendix VI in Assessment Report 27655 by Doyle, L.E. and Appendix I in Assessment Report 28248 by Doyle, L.E.).

Panteleyev, A., Bailey, D.G., Bloodgood, M.A. and Hancock K.D., (1996), Geology and Mineral Deposits of the Quesnel River – Horsefly Map Area, Central Quesnel Trough, British Columbia, NTS Map sheets 93A/5, 6, 7, 11, 12, 13; 93B/9, 16; 93G/1; 93H4, BC Geological Survey Branch Bulletin 97.

Payne, J.G., Ore Petrography by Vancouver Petrographics for Barker Minerals, Report Nos. 940639 and 940680, December 1994. (as part of Appendix III in Assessment Report 24286 by Lammle, C.A.R.).

Payne, J.G., Thin Section Petrography Report No. 960867, December 1996. (as Appendix II in Assessment Report 24989 by Lammle C.A.R. et. al.).

Payne, J.G., (1998a), Ace Project: Initial Drill Program Drill Petrographics. Internal Report, Barker Minerals Ltd.

Payne, J.G., (1998b), Report on Geology, Geochemistry, Geophysics, Trenching, Prospecting and Line Cutting on the Ace and Peripheral Properties, May 1998. (Assessment Report 25437).

Payne, J.G., Report on Geology, Geochemistry, Geophysics, Prospecting and Drilling on the Mount Barker Project Ace and Peripheral Properties, May 1999. (Assessment Report 25904).

Payne, J.G., Geology, Geochemistry and Geophysics of the Frank Creek, Ace and Sellers Creek Road and Quesnel Platinum Properties, February 2001. (Assessment Report 26504 – includes as Appendix 2: Walcott, P.E., February 2001).

Payne, J.G. and Perry, B.J., Qualification Report on Exploration of the Barker Minerals Ltd. Property, including the Frank Creek, Ace and Sellers Creek Road VMS Projects and the Quesnel

Platinum Project, October 25, 2001. Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA).

Perry, B.J., Report on Exploration of the Barker Minerals Ltd. Property, including the Frank Creek and Sellars Creek Road VMS Projects, the Ace VMS and Vein Gold Project and the Quesnel Platinum Project, October 21, 2002. Engineering Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA), (and as Appendix 5 in Assessment Report 27125 by Doyle, L.E.).

Roach, S.N., Geological Mapping Surveys Conducted on the Gooserange Project Area, February 5, 1997. (as part of Assessment Report 24989. See also reports by Lammle, C.A.R. and Shore, G.A. for other parts of this Assessment Report).

Salat, H.P., Prospecting Geological Investigation and Geochemical Reconnaissance of a New Gold Discovery on the Ace Claims near Mount Barker, January 15, 1995. (Assessment Report 23733. See also addendum by Lammle, C.A.R.).

Schiarizza, P., Bedrock Geology and Lode Gold Occurrences, Cariboo Lake to Wells, British Columbia (Parts of NTS 93A/13, 14; 93H/3,4), BC Ministry of Energy, Mines, and Petroleum Resources, Open File 2004-12.

Scott, A., Logistical Report Induced Polarization/Resistivity Survey, Mount Barker Project, Ace Property, June 10, 1996. (as Appendix III in Assessment Report 24989 by Lammle C.A.R.).

Shore, G.A., Barker Minerals Limited, Mount Barker Project, Ace Property, Revised Report on E-SCAN 3D Resistivity Survey on the Kloo Grid, March 29, 1997. (as part of Assessment Report 24989. See also reports by Lammle, C.A.R. and Roach, S.N. for other parts of this Assessment Report).

Skupinski, A., Ore Petrography, Samples: (1).27.76 PT, (2).09-14-94-9, (3).DD3 B, December 1994. (as part of Appendix III in Assessment Report 24286 by Lammle, C.A.R.).

Skupinski, A., Ore Petrography, Samples: 94-10-1352, 94-10-1352 bis, 94-10-1358, February 1995. (as part of Appendix III in Assessment Report 24286 by Lammle, C.A.R.).

Struik, L.C., Structural Geology of the Cariboo Gold Mining District, East Central British Columbia, GSC Memoir 421, 1988.

Turna, R., Technical Report on the Ace Property, Cariboo Lake Area, Cariboo Mining Division, British Columbia, October 11, 2009d. Report filed with System for Electronic Document Analysis and Retrieval (SEDAR) under authority of Canadian Securities Administrators (CSA).

Turna R., Geological, Geochemical, Prospecting and Physical Work Assessment Report on the Frank Creek, Black Bear East and Peripheral Properties, Assessment Report 35157, dated February 18, 2015.

Turna R., Geochemical Assessment Report on the Ace, Mag and Rollie Creek Properties, Assessment Report 35468, dated July 31, 2015.

Turna R., Geochemical Assessment Report on the Ace, Rollie and Black Bear East Properties, Assessment Report 35717, dated November 30, 2015.

Turna R., Geochemical Assessment Report on the Main Group comprised of the Two Mile Creek, Ace, Black Bear East and Peripheral Properties, Assessment Report dated March 15, 2016.

Turna R., Geochemical Assessment Report on the Ace Property, dated May 1, 2016.

Turna R., Geological and Geochemical Assessment Report on the Ace Property, Assessment Report 36160, dated July 20, 2016.

Tutt, D.W., Geology and Geochemistry of the Ace Cu-Au-Ag-Zn-(Pb) Property, Barkerville Subterranean East-Central BC, B.Sc. Thesis, University of Victoria, June 2000.

Walcott, P.E., A Geophysical Report on Ground Electromagnetic and Magnetic Ace, Frank Creek and Sellers Creek Properties, Little River Area, February 2001. (as Appendix 2 in Assessment Report 26504 by Payne J.G.).

Walcott, P.E., A Report on Electromagnetic, Gravity, Induced Polarization, Trenching and Soil Sampling, Ace, Frank Creek and Sellers Creek Properties, March 2002. (Assessment Report 26805).

Walcott, P.E., A Preliminary Report on Electromagnetic, Gravity, Magnetic & Induced Polarization Surveying, Ace & Frank Creek Properties, September 2002. (as Appendix 4 in Assessment Report 27125 by Doyle, L.E.).

Wild, C.J., Preliminary Report on Diamond Drilling and Trenching for the Frank Creek & Ace Projects, June 26, 2002. (as Appendix 3 in Assessment Report 27125 by Doyle, L.E.).

Additional References:

Barker Minerals Ltd. website <http://www.barkerminerals.com/s/Background.asp>

BC Ministry of Energy Mines and Petroleum Resources, Mineral Deposit Models:

Deposit Type G04 - Besshi massive sulphide

Deposit Type I01 - Au-quartz veins

Deposit Type L02 – Plutonic-related Au quartz veins

BC Ministry of Energy Mines and Petroleum Resources, Minfile Mineral Inventory:

Minfile No. 093A 142 (Ace)

http://minfile.gov.bc.ca/report.aspx?f=PDF&r=Minfile_Detail.rpt&minfilno=093A++142

Geoscience BC Quest Project, www.geosciencebc.com/s/Quest.asp

APPENDIX E

STATEMENT of AUTHOR'S QUALIFICATIONS

Statement of Author's Qualifications

I, Rein Turna, of the City of West Vancouver, British Columbia, hereby certify that:

1. I am Vice President of Exploration of Barker Minerals Ltd.
2. I am a graduate of the University of British Columbia with a B.Sc. in Geological Sciences granted in 1975.
3. I am a registered member of the Professional Engineers and Geoscientists of British Columbia.
4. I have worked as a geologist in British Columbia, Saskatchewan, Ontario, Yukon and Northwest Territories in Canada since 1975.
5. I carried out or supervised work described in this report.

R. Turna

April 18, 2017

APPENDIX F

STATEMENT of EXPENDITURES

Barker Minerals Ltd.

Work was completed between May 15, 2016 & October 8, 2016

Work was done on claim # 1038874

Event # 5622104

Ace Property - Geological

	Date	Days	Rate	Sub-total
Louis Doyle				
Planning, managing & interpretation		1	\$ 600.00	\$ 600.00
Planning, managing & interpretation		1	\$ 600.00	\$ 600.00
Room & board		2	\$ 150.00	\$ 300.00
Rein Turna - Geologist				
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Room & board		3	\$ 150.00	\$ 450.00
				\$ 3,750.00

Ace Property - Geochemical

Louis Doyle				
Rock sample collections (8400 Rd.)	June 4, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 5, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 6, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 7, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 8, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 9, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 10, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 11, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 12, 2016	1	\$ 600.00	\$ 600.00
Room & board		9	\$ 150.00	\$ 1,350.00
Vehicle & gas		9	\$ 150.00	\$ 1,350.00
Brian Hall - XRF operator				
Rock sample collections (8400 Rd.)	June 4, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 5, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 6, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 7, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 8, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (8400 Rd.)	June 9, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 10, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 11, 2016	1	\$ 600.00	\$ 600.00
Rock sample collections (J Rd.)	June 12, 2016	1	\$ 600.00	\$ 600.00
Room & board		9	\$ 150.00	\$ 1,350.00

Barker Minerals Ltd.

Work was completed between May 15, 2016 & October 8, 2016

Work was done on claim # 1038874

Event # 5622104

Ace Property - Geochemical (continued)

Louis Doyle

Rock sample preparation & description	June 19, 2016	1	\$	600.00	\$	600.00
Rock sample preparation & description	June 20, 2016	1	\$	600.00	\$	600.00
Room & board		2	\$	150.00	\$	300.00
XRF rental		9	\$	200.00	\$	1,800.00
						\$ 18,150.00

Ace Property - Travel to and from

Louis Doyle

Travel to and from	June 3, 2016	1	\$	600.00	\$	600.00
Travel to and from	June 13, 2016	1	\$	600.00	\$	600.00
Room & board		2	\$	150.00	\$	300.00
Vehicle & gas		2	\$	150.00	\$	300.00

Brian Hall

Travel to and from	June 3, 2016	1	\$	600.00	\$	600.00
Travel to and from	June 13, 2016	1	\$	600.00	\$	600.00
Room & board		2	\$	150.00	\$	300.00
Vehicle & gas		2	\$	150.00	\$	300.00

Sub-total \$ 3,600.00

Ace Property - Misc. expenditures

Exploration supplies & equipment

Safety equipment (MTC), exploration supplies & equipment, communication devices & quad

Exploration supplies & equipment					\$	345.00
MTC rental (vehicle & gas)		9	\$	150.00	\$	1,350.00
Quad rental		9	\$	150.00	\$	1,350.00

Communication devices

Hand held radios, satelit phones & SPOT locators		9	\$	24.00	\$	216.00
						Sub-total \$ 3,261.00

Ace Property Expenditure Summary

Geological	Sub-total	\$	3,750.00
Geochemical	Sub-total	\$	18,150.00
Travel to and from	Sub-total	\$	3,600.00
Misc. expenditures	Sub-total	\$	3,261.00
Ace Expenditure Total			<u><u>\$ 28,761.00</u></u>

Barker Minerals Ltd.

Work was completed between May 15, 2016 & November 15, 2016

Work was done on claim # 1038874

Event # 5643366

Ace Property - Geological

	Date	Days	Rate	Sub-total
Louis Doyle				
Planning, managing & interpretation		1	\$ 600.00	\$ 600.00
Room & board		1	\$ 150.00	\$ 150.00
Rein Turna - Geologist				
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Report writing, maps & supervision		1	\$ 600.00	\$ 600.00
Room & board		5	\$ 150.00	\$ 750.00
Colleen Doyle				
Report compilation & filing		1	\$ 350.00	\$ 350.00
Room & board		1	\$ 150.00	\$ 150.00
				\$ 5,000.00

Ace Property - Geochemical

Louis Doyle				
Rock sample preparation & description	June 21, 2016	1	\$ 600.00	\$ 600.00
Rock sample preparation & description	June 22, 2016	1	\$ 600.00	\$ 600.00
Room & board		2	\$ 150.00	\$ 300.00
Brian Hall - operator				
XRF analysis	June 19, 2016	1	\$ 600.00	\$ 600.00
XRF analysis	June 20, 2016	1	\$ 600.00	\$ 600.00
XRF analysis	June 21, 2016	1	\$ 600.00	\$ 600.00
XRF analysis	June 22, 2016	1	\$ 600.00	\$ 600.00
Room & board		4	\$ 150.00	\$ 600.00
Louis Doyle				
XRF analysis	June 23, 2016	1	\$ 600.00	\$ 600.00
Room & board		1	\$ 150.00	\$ 150.00
XRF rental		4	\$ 200.00	\$ 800.00
				\$ 6,050.00

Intentionally left blank

Barker Minerals Ltd.

Work was completed between May 15, 2016 & November 15, 2016

Work was done on claim # 1038874

Event # 5643366

Ace Property - Travel to and from

Louis Doyle

Travel to and from	June 18, 2016	1	\$	600.00	\$	600.00
Room & board		1	\$	150.00	\$	150.00
Vehicle & gas		1	\$	150.00	\$	150.00

Brian Hall

Travel to and from	June 18, 2016	1	\$	600.00	\$	600.00
Room & board		1	\$	150.00	\$	150.00
Vehicle & gas		1	\$	150.00	\$	150.00

Sub-total **\$ 1,800.00**

Ace Property - Misc. expenditures

Exploration supplies & equipment

Safety equipment (MTC), exploration supplies & equipment, communication devices & quad

Exploration supplies & equipment \$ 265.00

MTC rental (vehicle & gas) 4 \$ 150.00 \$ 600.00

Sub-total **\$ 865.00**

Ace Property Expenditure Summary

Geological	Sub-total	\$ 5,000.00
Geochemical	Sub-total	\$ 6,050.00
Travel to and from	Sub-total	\$ 1,800.00
Misc. expenditures	Sub-total	\$ 865.00
Ace Expenditure Total		\$ 13,715.00

APPENDIX G

ROCK SAMPLE DESCRIPTIONS AND COORDINATES

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2364	AC-16-84-01	Fig. 11 / Area C	Float	624520	5852416	7	N
2365	AC-16-84-01a	Fig. 11 / Area C	Float			7	N
2366	AC-16-84-01b	Fig. 11 / Area C	Float			7	N
2367	AC-16-84-02	Fig. 11 / Area C	Float	624485	5852456	6	N
2368	AC-16-84-02a	Fig. 11 / Area C	Float			6	N
2369	AC-16-84-02b	Fig. 11 / Area C	Float			6	N
2370	AC-16-84-03	Fig. 11 / Area C	Float	624455	5852473	3	Y
2371	AC-16-84-03a	Fig. 11 / Area C	Float			3	Y
2372	AC-16-84-03b	Fig. 11 / Area C	Float			3	Y
2373	AC-16-84-04	Fig. 11 / Area C	Float	624395	5852503	1	N
2374	AC-16-84-04a	Fig. 11 / Area C	Float			1	N
2375	AC-16-84-04b	Fig. 11 / Area C	Float			1	N
2376	AC-16-84-05	Fig. 11 / Area C	Float	624341	5852523	3	Y
2377	AC-16-84-05a	Fig. 11 / Area C	Float			3	Y
2378	AC-16-84-05b	Fig. 11 / Area C	Float			3	Y
2379	AC-16-84-06	Fig. 11 / Area C	Float	624257	5852556	6	N
2380	AC-16-84-06a	Fig. 11 / Area C	Float			6	N
2381	AC-16-84-06b	Fig. 11 / Area C	Float			6	N
2382	AC-16-84-07	Fig. 11 / Area C	Float	624175	5852510	6	N
2383	AC-16-84-07a	Fig. 11 / Area C	Float			6	N
2384	AC-16-84-07b	Fig. 11 / Area C	Float			6	N
2385	AC-16-84-08	Fig. 11 / Area C	Float	624088	5852567	6	N
2386	AC-16-84-08a	Fig. 11 / Area C	Float			6	N
2387	AC-16-84-08b	Fig. 11 / Area C	Float			6	N
2388	AC-16-84-09	Fig. 11 / Area C	Float	624021	5852633	3	Y
2389	AC-16-84-09a	Fig. 11 / Area C	Float			3	Y
2390	AC-16-84-09b	Fig. 11 / Area C	Float			3	Y
2391	AC-16-84-10	Fig. 11 / Area C	Float	623943	5852689	1	N
2392	AC-16-84-10a	Fig. 11 / Area C	Float			1	N
2393	AC-16-84-10b	Fig. 11 / Area C	Float			1	N
2394	AC-16-84-11	Fig. 11 / Area C	Float	623841	5852768	7	N
2395	AC-16-84-11a	Fig. 11 / Area C	Float			7	N
2396	AC-16-84-11b	Fig. 11 / Area C	Float			7	N
2397	AC-16-84-12	Fig. 11 / Area C	Float	623720	5852816	6	N
2398	AC-16-84-12a	Fig. 11 / Area C	Float			6	N
2399	AC-16-84-12b	Fig. 11 / Area C	Float			6	N
2400	AC-16-84-13	Fig. 11 / Area C	Float	623627	5852873	6	N
2401	AC-16-84-13a	Fig. 10 / Area B	Float			6	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

XRF No.	Field No.	Fig. No. / Area	Type	Easting (X)	Northing (Y)	Rock type	Magnetic
						1 = Quartz vein 2 = Felsite 3 = Grey phyllite schist 4 = Altered schist 5 = Intrusive 6 = Quartz mica schist 7 = Sandstone	Y or N
2402	AC-16-84-13b	Fig. 10 / Area B	Float			6	N
2403	AC-16-84-14	Fig. 10 / Area B	Float	623520	5852969	3	Y
2404	AC-16-84-14a	Fig. 10 / Area B	Float			3	Y
2405	AC-16-84-14b	Fig. 10 / Area B	Float			3	Y
2406	AC-16-84-15	Fig. 10 / Area B	Float	623337	5853028	4	N
2407	AC-16-84-15a	Fig. 10 / Area B	Float			4	N
2408	AC-16-84-15b	Fig. 10 / Area B	Float			4	N
2409	AC-16-84-16	Fig. 10 / Area B	Float	623263	5853037	4	N
2410	AC-16-84-16a	Fig. 10 / Area B	Float			4	N
2411	AC-16-84-16b	Fig. 10 / Area B	Float			4	N
2412	AC-16-84-17	Fig. 10 / Area B	Float	623106	5853086	4	N
2413	AC-16-84-17a	Fig. 10 / Area B	Float			4	N
2414	AC-16-84-17b	Fig. 10 / Area B	Float			4	N
2415	AC-16-84-18	Fig. 10 / Area B	Float	623007	5853122	4	N
2416	AC-16-84-18a	Fig. 10 / Area B	Float			4	N
2417	AC-16-84-18b	Fig. 10 / Area B	Float			4	N
2418	AC-16-84-19	Fig. 10 / Area B	Float	622898	5853140	4	N
2419	AC-16-84-19a	Fig. 10 / Area B	Float			4	N
2420	AC-16-84-19b	Fig. 10 / Area B	Float			4	N
2421	AC-16-84-20	Fig. 9 / Area A	Float	622812	5853165	4	N
2422	AC-16-84-20a	Fig. 9 / Area A	Float			4	N
2423	AC-16-84-20b	Fig. 9 / Area A	Float			4	N
2424	AC-16-84-21	Fig. 9 / Area A	Float	622723	5853202	4	N
2425	AC-16-84-21a	Fig. 9 / Area A	Float			4	N
2426	AC-16-84-21b	Fig. 9 / Area A	Float			4	N
2427	AC-16-84-22	Fig. 9 / Area A	Float	622551	5853255	4	N
2428	AC-16-84-22a	Fig. 9 / Area A	Float			4	N
2429	AC-16-84-22b	Fig. 9 / Area A	Float			4	N
2430	AC-16-84-23	Fig. 9 / Area A	Float	622248	5853316	3	Y
2431	AC-16-84-23a	Fig. 9 / Area A	Float			3	Y
2432	AC-16-84-23b	Fig. 9 / Area A	Float			3	Y
2433	AC-16-84-24	Fig. 9 / Area A	Float	622111	5853268	6	N
2434	AC-16-84-24a	Fig. 9 / Area A	Float			6	N
2435	AC-16-84-24b	Fig. 9 / Area A	Float			6	N
2436	AC-16-84-25	Fig. 9 / Area A	Float	621920	5853354	2	Y
2437	AC-16-84-25a	Fig. 9 / Area A	Float			2	Y
2438	AC-16-84-25b	Fig. 9 / Area A	Float			2	Y
2439	AC-16-84-26	Fig. 9 / Area A	Float	621981	5853336	2	Y

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2440	AC-16-84-26a	Fig. 9 / Area A	Float			2	Y
2441	AC-16-84-26b	Fig. 9 / Area A	Float			2	Y
2442	AC-16-84-27	Fig. 9 / Area A	Float	621944	5853302	7	N
2443	AC-16-84-27a	Fig. 9 / Area A	Float			7	N
2444	AC-16-84-27b	Fig. 9 / Area A	Float			7	N
2445	AC-16-84-28	Fig. 9 / Area A	Float	621880	5853229	3	Y
2446	AC-16-84-28a	Fig. 9 / Area A	Float			3	Y
2447	AC-16-84-28b	Fig. 9 / Area A	Float			3	Y
2448	AC-16-84-29	Fig. 9 / Area A	Float	621876	5853174	7	N
2449	AC-16-84-29a	Fig. 9 / Area A	Float			7	N
2450	AC-16-84-29b	Fig. 9 / Area A	Float			7	N
2451	AC-16-84-30	Fig. 9 / Area A	Float	621932	5853171	4	N
2452	AC-16-84-30a	Fig. 9 / Area A	Float			4	N
2453	AC-16-84-30b	Fig. 9 / Area A	Float			4	N
2454	AC-16-84-31	Fig. 9 / Area A	Float	621973	5853153	2	Y
2455	AC-16-84-31a	Fig. 9 / Area A	Float			2	Y
2456	AC-16-84-31b	Fig. 9 / Area A	Float			2	Y
2457	AC-16-84-32	Fig. 9 / Area A	Float	621952	5853220	4	N
2458	AC-16-84-32a	Fig. 9 / Area A	Float			4	N
2459	AC-16-84-32b	Fig. 9 / Area A	Float			4	N
2460	AC-16-84-33	Fig. 9 / Area A	Float	622244	5853352	3	Y
2461	AC-16-84-33a	Fig. 9 / Area A	Float			3	Y
2462	AC-16-84-33b	Fig. 9 / Area A	Float			3	Y
2463	AC-16-84-34	Fig. 9 / Area A	Float	622236	5853384	3	Y
2464	AC-16-84-34a	Fig. 9 / Area A	Float			3	Y
2465	AC-16-84-34b	Fig. 9 / Area A	Float			3	Y
2466	AC-16-84-35	Fig. 9 / Area A	Float	622268	5853408	2	Y
2467	AC-16-84-35a	Fig. 9 / Area A	Float			2	Y
2468	AC-16-84-35b	Fig. 9 / Area A	Float			2	Y
2469	AC-16-84-36	Fig. 9 / Area A	Float	622288	5853390	4	N
2470	AC-16-84-36a	Fig. 9 / Area A	Float			4	N
2471	AC-16-84-36b	Fig. 9 / Area A	Float			4	N
2472	AC-16-84-37	Fig. 9 / Area A	Float	622331	5853404	4	N
2473	AC-16-84-37a	Fig. 9 / Area A	Float			4	N
2474	AC-16-84-37b	Fig. 9 / Area A	Float			4	N
2475	AC-16-84-38	Fig. 9 / Area A	Float	622323	5853371	4	N
2476	AC-16-84-38a	Fig. 9 / Area A	Float			4	N
2477	AC-16-84-38b	Fig. 9 / Area A	Float			4	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2478	AC-16-84-39	Fig. 9 / Area A	Float	622294	5853337	4	N
2479	AC-16-84-39a	Fig. 9 / Area A	Float			4	N
2480	AC-16-84-39b	Fig. 9 / Area A	Float			4	N
2481	AC-16-84-40	Fig. 9 / Area A	Float	622328	5853296	6	N
2482	AC-16-84-40a	Fig. 9 / Area A	Float			6	N
2483	AC-16-84-40b	Fig. 9 / Area A	Float			6	N
2484	AC-16-84-41	Fig. 9 / Area A	Float	622341	5853277	3	Y
2485	AC-16-84-41a	Fig. 9 / Area A	Float			3	Y
2486	AC-16-84-41b	Fig. 9 / Area A	Float			3	Y
2487	AC-16-84-42	Fig. 9 / Area A	Float	622335	5853241	3	Y
2488	AC-16-84-42a	Fig. 9 / Area A	Float			3	Y
2489	AC-16-84-42b	Fig. 9 / Area A	Float			3	Y
2490	AC-16-84-43	Fig. 9 / Area A	Float	622321	5853230	3	Y
2491	AC-16-84-43a	Fig. 9 / Area A	Float			3	Y
2492	AC-16-84-43b	Fig. 9 / Area A	Float			3	Y
2493	AC-16-84-44	Fig. 9 / Area A	Float	622300	5853259	3	Y
2494	AC-16-84-44a	Fig. 9 / Area A	Float			3	Y
2495	AC-16-84-44b	Fig. 9 / Area A	Float			3	Y
2496	AC-16-84-45	Fig. 9 / Area A	Float	622275	5853288	1	N
2497	AC-16-84-45a	Fig. 9 / Area A	Float			1	N
2498	AC-16-84-45b	Fig. 9 / Area A	Float			1	N
2499	AC-16-84-46	Fig. 9 / Area A	Float	622701	5853240	1	N
2500	AC-16-84-46a	Fig. 9 / Area A	Float			1	N
2501	AC-16-84-46b	Fig. 9 / Area A	Float			1	N
2502	AC-16-84-47	Fig. 9 / Area A	Float	622718	5853297	1	N
2503	AC-16-84-47a	Fig. 9 / Area A	Float			1	N
2504	AC-16-84-48	Fig. 9 / Area A	Float	622790	5853296	3	Y
2505	AC-16-84-48a	Fig. 9 / Area A	Float			3	Y
2506	AC-16-84-48b	Fig. 9 / Area A	Float			3	Y
2507	AC-16-84-49	Fig. 9 / Area A	Float	622830	5853278	3	Y
2508	AC-16-84-49a	Fig. 9 / Area A	Float			3	Y
2509	AC-16-84-49b	Fig. 9 / Area A	Float			3	Y
2510	AC-16-84-50	Fig. 9 / Area A	Float	622768	5853267	3	Y
2511	AC-16-84-50a	Fig. 9 / Area A	Float			3	Y
2512	AC-16-84-50b	Fig. 9 / Area A	Float			3	Y
2513	AC-16-84-51	Fig. 9 / Area A	Float	622750	5853249	1	N
2514	AC-16-84-51a	Fig. 9 / Area A	Float			1	N
2515	AC-16-84-51b	Fig. 9 / Area A	Float			1	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2516	AC-16-84-52	Fig. 9 / Area A	Float	622778	5853229	1	N
2517	AC-16-84-52a	Fig. 9 / Area A	Float			1	N
2518	AC-16-84-52b	Fig. 9 / Area A	Float			1	N
2519	AC-16-84-53	Fig. 9 / Area A	Float	622746	5853217	1	N
2520	AC-16-84-53a	Fig. 9 / Area A	Float			1	N
2521	AC-16-84-53b	Fig. 9 / Area A	Float			1	N
2522	AC-16-84-54	Fig. 9 / Area A	Float	622777	5853197	2	Y
2523	AC-16-84-54a	Fig. 9 / Area A	Float			2	Y
2524	AC-16-84-54b	Fig. 9 / Area A	Float			2	Y
2525	AC-16-84-55	Fig. 9 / Area A	Float	622790	5853118	1	N
2526	AC-16-84-55a	Fig. 9 / Area A	Float			1	N
2527	AC-16-84-55b	Fig. 9 / Area A	Float			1	N
2528	AC-16-84-56	Fig. 9 / Area A	Float	622779	5853071	1	N
2529	AC-16-84-56a	Fig. 9 / Area A	Float			1	N
2530	AC-16-84-56b	Fig. 9 / Area A	Float			1	N
2531	AC-16-84-57	Fig. 9 / Area A	Float	622749	5853035	2	Y
2532	AC-16-84-57a	Fig. 9 / Area A	Float			2	Y
2533	AC-16-84-57b	Fig. 9 / Area A	Float			2	Y
2534	AC-16-84-58	Fig. 9 / Area A	Float	622712	5852992	2	Y
2535	AC-16-84-58a	Fig. 9 / Area A	Float			2	Y
2536	AC-16-84-58b	Fig. 9 / Area A	Float			2	Y
2537	AC-16-84-59	Fig. 9 / Area A	Float	622663	5853010	2	Y
2538	AC-16-84-59a	Fig. 9 / Area A	Float			2	Y
2539	AC-16-84-59b	Fig. 9 / Area A	Float			2	Y
2540	AC-16-84-60	Fig. 9 / Area A	Float	622612	5853040	7	N
2541	AC-16-84-60a	Fig. 9 / Area A	Float			7	N
2542	AC-16-84-60b	Fig. 9 / Area A	Float			7	N
2543	AC-16-84-61	Fig. 9 / Area A	Float	622590	5853085	6	N
2544	AC-16-84-61a	Fig. 9 / Area A	Float			6	N
2545	AC-16-84-61b	Fig. 9 / Area A	Float			6	N
2546	AC-16-84-62	Fig. 9 / Area A	Float	622589	5853134	4	N
2547	AC-16-84-62a	Fig. 9 / Area A	Float			4	N
2548	AC-16-84-62b	Fig. 9 / Area A	Float			4	N
2549	AC-16-84-63	Fig. 10 / Area B	Float	623139	5853034	1	N
2550	AC-16-84-63a	Fig. 10 / Area B	Float			1	N
2551	AC-16-84-63b	Fig. 10 / Area B	Float			1	N
2552	AC-16-84-64	Fig. 10 / Area B	Float	623169	5852997	6	N
2553	AC-16-84-64a	Fig. 10 / Area B	Float			6	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

XRF No.	Field No.	Fig. No. / Area	Type	Easting (X)	Northing (Y)	Rock type	Magnetic
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2554	AC-16-84-64b	Fig. 10 / Area B	Float			6	N
2555	AC-16-84-65	Fig. 10 / Area B	Float	623161	5852942	2	Y
2556	AC-16-84-65a	Fig. 10 / Area B	Float			2	Y
2557	AC-16-84-65b	Fig. 10 / Area B	Float			2	Y
2558	AC-16-84-66	Fig. 10 / Area B	Float	623113	5852931	2	Y
2559	AC-16-84-66a	Fig. 10 / Area B	Float			2	Y
2560	AC-16-84-66b	Fig. 10 / Area B	Float			2	Y
2561	AC-16-84-67	Fig. 10 / Area B	Float	623151	5852897	3	Y
2562	AC-16-84-67a	Fig. 10 / Area B	Float			3	Y
2563	AC-16-84-67b	Fig. 10 / Area B	Float			3	Y
2564	AC-16-84-68	Fig. 10 / Area B	Float	623057	5852877	1	N
2565	AC-16-84-68a	Fig. 10 / Area B	Float			1	N
2566	AC-16-84-68b	Fig. 10 / Area B	Float			1	N
2567	AC-16-84-69	Fig. 10 / Area B	Float	623000	5852916	6	N
2568	AC-16-84-69a	Fig. 10 / Area B	Float			6	N
2569	AC-16-84-69b	Fig. 10 / Area B	Float			6	N
2570	AC-16-84-70	Fig. 10 / Area B	Float	623041	5852965	4	N
2571	AC-16-84-70a	Fig. 10 / Area B	Float			4	N
2572	AC-16-84-70b	Fig. 10 / Area B	Float			4	N
2573	AC-16-84-71	Fig. 10 / Area B	Float	622998	5852991	1	N
2574	AC-16-84-71a	Fig. 10 / Area B	Float			1	N
2575	AC-16-84-71b	Fig. 10 / Area B	Float			1	N
2576	AC-16-84-72	Fig. 10 / Area B	Float	623019	5853067	7	N
2577	AC-16-84-72a	Fig. 10 / Area B	Float			7	N
2578	AC-16-84-72b	Fig. 10 / Area B	Float			7	N
2579	AC-16-84-73	Fig. 10 / Area B	Float	623064	5853125	6	N
2580	AC-16-84-73a	Fig. 10 / Area B	Float			6	N
2581	AC-16-84-73b	Fig. 10 / Area B	Float			6	N
2582	AC-16-84-74	Fig. 10 / Area B	Float	623055	5853169	3	Y
2583	AC-16-84-74a	Fig. 10 / Area B	Float			3	Y
2584	AC-16-84-74b	Fig. 10 / Area B	Float			3	Y
2585	AC-16-84-75	Fig. 10 / Area B	Float	623155	5853154	1	N
2586	AC-16-84-75a	Fig. 10 / Area B	Float			1	N
2587	AC-16-84-75b	Fig. 10 / Area B	Float			1	N
2588	AC-16-84-76	Fig. 10 / Area B	Float	623240	5853112	1	N
2589	AC-16-84-76a	Fig. 10 / Area B	Float			1	N
2590	AC-16-84-76b	Fig. 10 / Area B	Float			1	N
2591	AC-16-84-77	Fig. 10 / Area B	Float	623512	5853020	4	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

XRF No.	Field No.	Fig. No. / Area	Type	Easting (X)	Northing (Y)	Rock type	Magnetic
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2592	AC-16-84-77a	Fig. 10 / Area B	Float			4	N
2593	AC-16-84-77b	Fig. 10 / Area B	Float			4	N
2594	AC-16-84-78	Fig. 10 / Area B	Float	623502	5853058	3	Y
2595	AC-16-84-78a	Fig. 10 / Area B	Float			3	Y
2596	AC-16-84-78b	Fig. 10 / Area B	Float			3	Y
2597	AC-16-84-79	Fig. 10 / Area B	Float	623465	5853091	5	N
2598	AC-16-84-79a	Fig. 10 / Area B	Float			5	N
2599	AC-16-84-79b	Fig. 10 / Area B	Float			5	N
2600	AC-16-84-80	Fig. 10 / Area B	Float	623451	5853162	2	Y
2601	AC-16-84-80a	Fig. 10 / Area B	Float			2	Y
2602	AC-16-84-80b	Fig. 10 / Area B	Float			2	Y
2603	AC-16-84-81	Fig. 10 / Area B	Float	623360	5853113	3	Y
2604	AC-16-84-81a	Fig. 10 / Area B	Float			3	Y
2605	AC-16-84-81b	Fig. 10 / Area B	Float			3	Y
2606	AC-16-84-82	Fig. 10 / Area B	Float	623299	5853068	3	Y
2607	AC-16-84-82a	Fig. 10 / Area B	Float			3	Y
2608	AC-16-84-82b	Fig. 10 / Area B	Float			3	Y
2609	AC-16-84-83	Fig. 11 / Area C	Float	623664	5852911	5	N
2610	AC-16-84-83a	Fig. 11 / Area C	Float			5	N
2611	AC-16-84-83b	Fig. 11 / Area C	Float			5	N
2612	AC-16-84-84	Fig. 11 / Area C	Float	623731	5852902	6	N
2613	AC-16-84-84a	Fig. 11 / Area C	Float			6	N
2614	AC-16-84-84b	Fig. 11 / Area C	Float			6	N
2615	AC-16-84-85	Fig. 11 / Area C	Float	623801	5852882	6	N
2616	AC-16-84-85a	Fig. 11 / Area C	Float			6	N
2617	AC-16-84-85b	Fig. 11 / Area C	Float			6	N
2618	AC-16-84-86	Fig. 11 / Area C	Float	623863	5852858	6	N
2619	AC-16-84-86a	Fig. 11 / Area C	Float			6	N
2620	AC-16-84-86b	Fig. 11 / Area C	Float			6	N
2621	AC-16-84-87	Fig. 11 / Area C	Float	623934	5852811	6	N
2622	AC-16-84-87a	Fig. 11 / Area C	Float			6	N
2623	AC-16-84-87b	Fig. 11 / Area C	Float			6	N
2624	AC-16-84-88	Fig. 11 / Area C	Float	623855	5852810	6	N
2625	AC-16-84-88a	Fig. 11 / Area C	Float			6	N
2626	AC-16-84-88b	Fig. 11 / Area C	Float			6	N
2627	AC-16-84-89	Fig. 11 / Area C	Float	623770	5852822	4	N
2628	AC-16-84-89a	Fig. 11 / Area C	Float			4	N
2629	AC-16-84-89b	Fig. 11 / Area C	Float			4	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

XRF No.	Field No.	Fig. No. / Area	Type	Easting (X)	Northing (Y)	Rock type	Magnetic
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2630	AC-16-84-90	Fig. 11 / Area C	Float	623826	5852628	7	N
2631	AC-16-84-90a	Fig. 11 / Area C	Float			7	N
2632	AC-16-84-90b	Fig. 11 / Area C	Float			7	N
2633	AC-16-84-91	Fig. 11 / Area C	Float	623829	5852552	3	Y
2634	AC-16-84-91a	Fig. 11 / Area C	Float			3	Y
2635	AC-16-84-91b	Fig. 11 / Area C	Float			3	Y
2636	AC-16-84-92	Fig. 11 / Area C	Float	623899	5852506	2	Y
2637	AC-16-84-92a	Fig. 11 / Area C	Float			2	Y
2638	AC-16-84-92b	Fig. 11 / Area C	Float			2	Y
2639	AC-16-84-93	Fig. 11 / Area C	Float	623814	5852478	3	Y
2640	AC-16-84-93a	Fig. 11 / Area C	Float			3	Y
2641	AC-16-84-93b	Fig. 11 / Area C	Float			3	Y
2642	AC-16-84-94	Fig. 11 / Area C	Float	623719	5852552	3	Y
2643	AC-16-84-94a	Fig. 11 / Area C	Float			3	Y
2644	AC-16-84-94b	Fig. 11 / Area C	Float			3	Y
2645	AC-16-84-95	Fig. 11 / Area C	Float	623639	5852682	1	N
2646	AC-16-84-95a	Fig. 11 / Area C	Float			1	N
2647	AC-16-84-95b	Fig. 11 / Area C	Float			1	N
2648	AC-16-84-96	Fig. 11 / Area C	Float	623630	5852756	2	Y
2649	AC-16-84-96a	Fig. 11 / Area C	Float			2	Y
2650	AC-16-84-96b	Fig. 11 / Area C	Float			2	Y
2651	AC-16-84-97	Fig. 11 / Area C	Float	623779	5852693	2	Y
2652	AC-16-84-97a	Fig. 11 / Area C	Float			2	Y
2653	AC-16-84-97b	Fig. 11 / Area C	Float			2	Y
2654	AC-16-84-98	Fig. 11 / Area C	Float	624066	5852726	1	N
2655	AC-16-84-98b	Fig. 11 / Area C	Float			1	N
2656	AC-16-84-99	Fig. 11 / Area C	Float	624208	5852706	1	N
2657	AC-16-84-99a	Fig. 11 / Area C	Float			1	N
2658	AC-16-84-99b	Fig. 11 / Area C	Float			1	N
2659	AC-16-84-100	Fig. 11 / Area C	Float	624295	5852658	1	N
2660	AC-16-84-100a	Fig. 11 / Area C	Float			1	N
2661	AC-16-84-98a	Fig. 11 / Area C	Float			1	N
2662	AC-16-84-100b	Fig. 11 / Area C	Float			1	N
2663	AC-16-84-101	Fig. 11 / Area C	Float	624304	5852568	1	N
2664	AC-16-84-101a	Fig. 11 / Area C	Float			1	N
2665	AC-16-84-101b	Fig. 11 / Area C	Float			1	N
2666	AC-16-84-102	Fig. 10 / Area B	Float	623496	5852834	6	N
2667	AC-16-84-102a	Fig. 10 / Area B	Float			6	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

XRF No.	Field No.	Fig. No. / Area	Type	Easting (X)	Northing (Y)	Rock type	Magnetic
						1 = Quartz vein 2 = Felsite 3 = Grey phyllite schist 4 = Altered schist 5 = Intrusive 6 = Quartz mica schist 7 = Sandstone	Y or N
2668	AC-16-84-102b	Fig. 10 / Area B	Float			6	N
2669	AC-16-84-103	Fig. 10 / Area B	Float	623424	5852797	2	Y
2670	AC-16-84-103a	Fig. 10 / Area B	Float			2	Y
2671	AC-16-84-103b	Fig. 10 / Area B	Float			2	Y
2672	AC-16-84-104	Fig. 10 / Area B	Float	623422	5852748	1	N
2673	AC-16-84-104a	Fig. 10 / Area B	Float			1	N
2674	AC-16-84-104b	Fig. 10 / Area B	Float			1	N
2675	AC-16-84-105	Fig. 10 / Area B	Float	623398	5852701	1	N
2676	AC-16-84-105a	Fig. 10 / Area B	Float			1	N
2677	AC-16-84-105b	Fig. 10 / Area B	Float			1	N
2678	AC-16-84-106	Fig. 10 / Area B	Float	623450	5852641	1	N
2679	AC-16-84-106a	Fig. 10 / Area B	Float			1	N
2680	AC-16-84-106b	Fig. 10 / Area B	Float			1	N
2681	AC-16-84-107	Fig. 10 / Area B	Float	623379	5852581	1	N
2682	AC-16-84-107a	Fig. 10 / Area B	Float			1	N
2683	AC-16-84-107b	Fig. 10 / Area B	Float			1	N
2684	AC-16-84-108	Fig. 10 / Area B	Float	623325	5852573	1	N
2685	AC-16-84-108a	Fig. 10 / Area B	Float			1	N
2686	AC-16-84-108b	Fig. 10 / Area B	Float			1	N
2687	AC-16-84-109	Fig. 10 / Area B	Float	623308	5852627	3	Y
2688	AC-16-84-109a	Fig. 10 / Area B	Float			3	Y
2689	AC-16-84-109b	Fig. 10 / Area B	Float			3	Y
2690	AC-16-84-110	Fig. 10 / Area B	Float	623286	5852685	2	Y
2691	AC-16-84-110a	Fig. 10 / Area B	Float			2	Y
2692	AC-16-84-110b	Fig. 10 / Area B	Float			2	Y
2693	AC-16-84-111	Fig. 10 / Area B	Float	623239	5852707	3	Y
2694	AC-16-84-111a	Fig. 10 / Area B	Float			3	Y
2695	AC-16-84-111b	Fig. 10 / Area B	Float			3	Y
2696	AC-16-84-112	Fig. 10 / Area B	Float	623309	5852765	3	Y
2697	AC-16-84-112a	Fig. 10 / Area B	Float			3	Y
2698	AC-16-84-112b	Fig. 10 / Area B	Float			3	Y
2699	AC-16-84-113	Fig. 10 / Area B	Float	623197	5852642	1	N
2700	AC-16-84-113a	Fig. 10 / Area B	Float			1	N
2701	AC-16-84-113b	Fig. 10 / Area B	Float			1	N
2702	AC-16-84-114	Fig. 10 / Area B	Float	623156	5852647	6	N
2703	AC-16-84-114a	Fig. 10 / Area B	Float			6	N
2704	AC-16-84-114b	Fig. 10 / Area B	Float			6	N
2705	AC-16-84-115	Fig. 10 / Area B	Float	623174	5852693	2	Y

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2706	AC-16-84-115a	Fig. 10 / Area B	Float			2	Y
2707	AC-16-84-115b	Fig. 10 / Area B	Float			2	Y
2708	AC-16-84-116	Fig. 10 / Area B	Float	623136	5852678	2	Y
2709	AC-16-84-116a	Fig. 10 / Area B	Float			2	Y
2710	AC-16-84-116b	Fig. 10 / Area B	Float			2	Y
2711	AC-16-84-117	Fig. 10 / Area B	Float	623083	5852669	2	Y
2712	AC-16-84-117a	Fig. 10 / Area B	Float			2	Y
2713	AC-16-84-117b	Fig. 10 / Area B	Float			2	Y
2714	AC-16-84-118	Fig. 10 / Area B	Float	623054	5852644	2	Y
2715	AC-16-84-118a	Fig. 10 / Area B	Float			2	Y
2716	AC-16-84-118b	Fig. 10 / Area B	Float			2	Y
2717	AC-16-84-119	Fig. 10 / Area B	Float	623042	5852592	2	Y
2718	AC-16-84-119a	Fig. 10 / Area B	Float			2	Y
2719	AC-16-84-119b	Fig. 10 / Area B	Float			2	Y
2720	AC-16-84-120	Fig. 10 / Area B	Float	623049	5852551	2	Y
2721	AC-16-84-120a	Fig. 10 / Area B	Float			2	Y
2722	AC-16-84-120b	Fig. 10 / Area B	Float			2	Y
2723	AC-16-84-121	Fig. 10 / Area B	Float	623097	5852539	2	Y
2724	AC-16-84-121a	Fig. 10 / Area B	Float			2	Y
2725	AC-16-84-121b	Fig. 10 / Area B	Float			2	Y
2726	AC-16-84-122	Fig. 10 / Area B	Float	623161	5852537	2	Y
2727	AC-16-84-122a	Fig. 10 / Area B	Float			2	Y
2728	AC-16-84-122b	Fig. 10 / Area B	Float			2	Y
2729	AC-16-84-123	Fig. 10 / Area B	Float	623202	5852571	2	Y
2730	AC-16-84-123a	Fig. 10 / Area B	Float			2	Y
2731	AC-16-84-123b	Fig. 10 / Area B	Float			2	Y
2732	AC-16-84-124	Fig. 10 / Area B	Float	623153	5852590	3	Y
2733	AC-16-84-124a	Fig. 10 / Area B	Float			3	Y
2734	AC-16-84-124b	Fig. 10 / Area B	Float			3	Y
2735	AC-16-84-125	Fig. 10 / Area B	Float	623263	5852612	3	Y
2736	AC-16-84-125a	Fig. 10 / Area B	Float			3	Y
2737	AC-16-84-125b	Fig. 10 / Area B	Float			3	Y
2738	AC-16-84-126	Fig. 10 / Area B	Float	623004	5852640	6	N
2739	AC-16-84-126a	Fig. 10 / Area B	Float			6	N
2740	AC-16-84-126b	Fig. 10 / Area B	Float			6	N
2741	AC-16-84-127	Fig. 10 / Area B	Float	622976	5852663	6	N
2742	AC-16-84-127a	Fig. 10 / Area B	Float			6	N
2743	AC-16-84-127b	Fig. 10 / Area B	Float			6	N

Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2744	AC-16-84-128	Fig. 10 / Area B	Float	622961	5852704	6	N
2745	AC-16-84-128a	Fig. 10 / Area B	Float			6	N
2746	AC-16-84-128b	Fig. 10 / Area B	Float			6	N
2747	AC-16-84-129	Fig. 10 / Area B	Float	622925	5852677	2	Y
2748	AC-16-84-129a	Fig. 10 / Area B	Float			2	Y
2749	AC-16-84-129b	Fig. 10 / Area B	Float			2	Y
2750	AC-16-84-130	Fig. 10 / Area B	Float	622879	5852663	2	Y
2751	AC-16-84-130a	Fig. 10 / Area B	Float			2	Y
2752	AC-16-84-130b	Fig. 10 / Area B	Float			2	Y
2753	AC-16-84-131	Fig. 10 / Area B	Float	622834	5852655	2	Y
2754	AC-16-84-131a	Fig. 10 / Area B	Float			2	Y
2755	AC-16-84-131b	Fig. 10 / Area B	Float			2	Y
2756	AC-16-84-132	Fig. 10 / Area B	Float	622808	5852688	2	Y
2757	AC-16-84-132a	Fig. 10 / Area B	Float			2	Y
2758	AC-16-84-132b	Fig. 10 / Area B	Float			2	Y
2759	AC-16-84-133	Fig. 10 / Area B	Float	622765	5852669	1	N
2760	AC-16-84-133a	Fig. 10 / Area B	Float			1	N
2761	AC-16-84-133b	Fig. 10 / Area B	Float			1	N
2762	AC-16-84-134	Fig. 10 / Area B	Float	622724	5852674	1	N
2763	AC-16-84-134a	Fig. 10 / Area B	Float			1	N
2764	AC-16-84-134b	Fig. 10 / Area B	Float			1	N
2765	AC-16-84-135	Fig. 10 / Area B	Float	622711	5852634	6	N
2766	AC-16-84-135a	Fig. 10 / Area B	Float			6	N
2767	AC-16-84-135b	Fig. 10 / Area B	Float			6	N
2768	AC-16-84-136	Fig. 10 / Area B	Float	622757	5852608	6	N
2769	AC-16-84-136a	Fig. 10 / Area B	Float			6	N
2770	AC-16-84-136b	Fig. 10 / Area B	Float			6	N
2771	AC-16-84-137	Fig. 10 / Area B	Float	622828	5852596	3	Y
2772	AC-16-84-137a	Fig. 10 / Area B	Float			3	Y
2773	AC-16-84-137b	Fig. 10 / Area B	Float			3	Y
2774	AC-16-84-138	Fig. 10 / Area B	Float	622882	5852598	6	N
2775	AC-16-84-138a	Fig. 10 / Area B	Float			6	N
2776	AC-16-84-138b	Fig. 10 / Area B	Float			6	N
2777	AC-16-84-139	Fig. 10 / Area B	Float	622922	5852579	4	N
2778	AC-16-84-139a	Fig. 10 / Area B	Float			4	N
2779	AC-16-84-140	Fig. 10 / Area B	Float	622994	5852600	7	N
2780	AC-16-84-140a	Fig. 10 / Area B	Float			7	N
2781	AC-16-84-140a	Fig. 10 / Area B	Float			7	N



Table No. 1
Sample Coordinates and Descriptions

Ace 8400 Road Rock Sampling

<u>XRF No.</u>	<u>Field No.</u>	<u>Fig. No. / Area</u>	<u>Type</u>	<u>Easting (X)</u>	<u>Northing (Y)</u>	<u>Rock type</u>	<u>Magnetic</u>
						1 = Quartz vein	Y or N
						2 = Felsite	
						3 = Grey phyllite schist	
						4 = Altered schist	
						5 = Intrusive	
						6 = Quartz mica schist	
						7 = Sandstone	
2782	AC-16-84-140b	Fig. 10 / Area B	Float			7	N

APPENDIX H

Ace Property Maps and XRF Data Tables




UTM Coordinate System
Map Datum: NAD 83
Zone: 10

LEGEND

- Topographic Contour & Elevation
Contour interval 20 metres
- Creek, Pond
- Road
- 2016 sample location

For Area A see Figure No. 9
For Area B see Figure No. 10
For Area C see Figure No. 11



BARKER MINERALS LTD.


ACE PROPERTY

Keymap
of Areas A, B, C

Cariboo Mining Division, B.C.

NTS Mapsheet: 93 A/14 Date: April 8, 2016

Fig.No. 8



Ace Property Area A
Float Rock Samples XRF Results (ppm)


XRF No.	Zn	Cu	Au	XRF No.	Zn	Cu	Au
2421	105	264		2485	67	28	
2422	118	116		2486	155	46	
2423	110	57		2487	72	23	
2424	88	28		2488	67		
2425	112	29		2489	92		
2426	98	40		2490	55	29	
2427	128	49	11.42	2491	52		
2428	124	51		2492	79	53	
2429	111	39		2493	71	29	
2430	135	26		2494	76	20	
2431	119	34	9.45	2495	59	68	
2432	78			2496	20	111	
2433	82	29		2497	58	253	
2434	164			2498	13		
2435	51	24		2499	80	651	
2436	94	41		2500	16	15	
2437	106	97		2501	31		
2438	89	33		2502	35	34	
2439	102	42		2503	15	47	
2440	106	189		2504	69		
2441	74	56		2505	67		
2442	15			2506	80	44	
2443	51	32		2507	79	29	
2444	60	59		2508	77	129	
2445	132	51		2509	70	72	
2446	173	73		2510	82	43	
2447	85			2511	89	45	
2448	16	25		2512	83	47	
2449	40	30		2513	60	38	
2450	25			2514	37	116	
2451	60	175		2515	90	44	
2452	115	25		2516	151	33	
2453	94	57		2517	203		
2454				2518	100		
2455	18			2519	80	37	
2456	27			2520	166		
2457	60			2521	147	37	
2458	56	36		2522	82	44	
2459	71	38		2523	93	163	
2460	154	77		2524	40	55	
2461	170	104		2525			
2462	59	35		2526	16		
2463	71	57		2527	29		
2464	114	47		2528	34		
2465	92	51		2529	43		
2466	76	32		2530			
2467	34			2531	21	69	
2468	208	96		2532	79		
2469	83	19		2533	48	48	
2470	69	34		2534	25	32	
2471	64			2535	210	45	
2472	85			2536	51	35	
2473	92	24		2537	150	39	
2474	70	34		2538	81		
2475	54	22		2539	70	96	
2476	72	42		2540			
2477	62	23		2541	30		
2478	79			2542	30		
2479	54			2543	188	53	
2480	44			2544	115	37	
2481	39	56	13.63	2545	149	46	
2482	26	63		2546	42	29	
2483	49	135		2547	78	41	
2484	159			2548	43	27	

Results below level of detection are not shown.
Zn, Cu results over 100 ppm marked in red.

See Table No. 2 for XRF results.

LEGEND

- Topographic Contour & Elevation
Contour interval 20 metres
- Creek, Pond
- Road
- Single rock sample location and number
- Multiple rock samples location and numbers



BARKER MINERALS LTD.

ACE PROPERTY
Area A

Rock Sample Numbers
and Zn, Cu, Au Geochemistry

Cariboo Mining Division, B.C.

NTS Mapsheet: 93 A/14

Date: April 8, 2017

Fig.No. 9

Table No. 2
Ace, Area A - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti		
2421	AC-16-84-20	Fig. 9 / Area A	rock	ppm	< LOD	65	310	< LOD	23	13	< LOD	< LOD	< LOD	< LOD	< LOD	105	< LOD	264	< LOD	< LOD	76368	< LOD	< LOD	< LOD	< LOD	< LOD	5	2	< LOD	< LOD	< LOD	< LOD	.	
2422	AC-16-84-20a	Fig. 9 / Area A	rock	ppm	< LOD	69	325	12	27	10	15	< LOD	< LOD	< LOD	< LOD	118	< LOD	116	117	< LOD	62480	949	< LOD	< LOD	< LOD	< LOD	4	2	< LOD	< LOD	< LOD	< LOD	.	
2423	AC-16-84-20b	Fig. 9 / Area A	rock	ppm	< LOD	66	256	< LOD	33	14	< LOD	< LOD	< LOD	< LOD	< LOD	110	< LOD	57	< LOD	< LOD	69685	< LOD	< LOD	< LOD	< LOD	< LOD	7	2	< LOD	< LOD	< LOD	< LOD	.	
2424	AC-16-84-21	Fig. 9 / Area A	rock	ppm	< LOD	184	55	< LOD	67	12	< LOD	< LOD	< LOD	< LOD	< LOD	88	< LOD	28	< LOD	< LOD	32560	359	< LOD	< LOD	< LOD	< LOD	15	2	< LOD	< LOD	< LOD	< LOD	.	
2425	AC-16-84-21a	Fig. 9 / Area A	rock	ppm	< LOD	170	66	< LOD	76	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	112	< LOD	29	< LOD	< LOD	55402	< LOD	< LOD	< LOD	< LOD	< LOD	18	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2426	AC-16-84-21b	Fig. 9 / Area A	rock	ppm	< LOD	138	64	< LOD	88	6	< LOD	< LOD	< LOD	< LOD	< LOD	98	< LOD	40	123	< LOD	37464	1261	< LOD	< LOD	< LOD	< LOD	16	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2427	AC-16-84-22	Fig. 9 / Area A	rock	ppm	< LOD	207	71	8	114	9	< LOD	< LOD	< LOD	< LOD	11.42	128	< LOD	49	143	< LOD	54333	982	< LOD	< LOD	< LOD	< LOD	24	4	< LOD	< LOD	< LOD	< LOD	.	
2428	AC-16-84-22a	Fig. 9 / Area A	rock	ppm	< LOD	157	68	< LOD	113	16	< LOD	< LOD	< LOD	< LOD	< LOD	124	< LOD	51	< LOD	< LOD	61133	< LOD	< LOD	< LOD	< LOD	< LOD	21	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2429	AC-16-84-22b	Fig. 9 / Area A	rock	ppm	< LOD	121	54	< LOD	84	18	< LOD	< LOD	< LOD	< LOD	< LOD	111	< LOD	39	109	< LOD	44950	883	< LOD	< LOD	< LOD	< LOD	17	4	< LOD	< LOD	< LOD	< LOD	.	
2430	AC-16-84-23	Fig. 9 / Area A	rock	ppm	< LOD	131	43	< LOD	69	6	< LOD	< LOD	< LOD	< LOD	< LOD	135	< LOD	26	< LOD	< LOD	33941	374	< LOD	< LOD	< LOD	< LOD	15	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2431	AC-16-84-23a	Fig. 9 / Area A	rock	ppm	< LOD	231	52	< LOD	98	< LOD	< LOD	< LOD	< LOD	< LOD	9.45	119	< LOD	34	113	197	41438	318	< LOD	< LOD	< LOD	< LOD	19	2	< LOD	< LOD	< LOD	< LOD	.	
2432	AC-16-84-23b	Fig. 9 / Area A	rock	ppm	< LOD	151	44	< LOD	68	11	< LOD	< LOD	< LOD	< LOD	< LOD	78	< LOD	< LOD	< LOD	< LOD	29266	344	< LOD	< LOD	< LOD	< LOD	16	2	< LOD	< LOD	< LOD	< LOD	.	
2433	AC-16-84-24	Fig. 9 / Area A	rock	ppm	< LOD	132	51	< LOD	63	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	82	< LOD	29	< LOD	< LOD	30796	< LOD	< LOD	< LOD	< LOD	< LOD	12	2	< LOD	< LOD	< LOD	< LOD	.	
2434	AC-16-84-24a	Fig. 9 / Area A	rock	ppm	< LOD	135	50	< LOD	83	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	164	< LOD	< LOD	< LOD	< LOD	43740	< LOD	< LOD	< LOD	< LOD	< LOD	16	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2435	AC-16-84-24b	Fig. 9 / Area A	rock	ppm	< LOD	29	67	< LOD	15	5	< LOD	< LOD	< LOD	< LOD	< LOD	51	< LOD	24	< LOD	< LOD	18942	680	< LOD	< LOD	< LOD	< LOD	4	2	< LOD	< LOD	< LOD	< LOD	.	
2436	AC-16-84-25	Fig. 9 / Area A	rock	ppm	< LOD	196	52	< LOD	71	17	< LOD	< LOD	< LOD	< LOD	< LOD	94	< LOD	41	< LOD	< LOD	49283	< LOD	< LOD	< LOD	< LOD	< LOD	16	2	< LOD	< LOD	< LOD	< LOD	.	
2437	AC-16-84-25a	Fig. 9 / Area A	rock	ppm	< LOD	147	38	< LOD	52	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	106	197	97	< LOD	< LOD	33416	< LOD	< LOD	< LOD	< LOD	< LOD	14	2	< LOD	< LOD	< LOD	< LOD	.	
2438	AC-16-84-25b	Fig. 9 / Area A	rock	ppm	< LOD	114	49	< LOD	42	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	89	< LOD	33	< LOD	< LOD	40749	< LOD	< LOD	< LOD	< LOD	< LOD	12	2	< LOD	< LOD	< LOD	< LOD	.	
2439	AC-16-84-26	Fig. 9 / Area A	rock	ppm	5	104	27	< LOD	29	35	< LOD	< LOD	< LOD	< LOD	< LOD	102	119	42	< LOD	< LOD	28934	< LOD	< LOD	< LOD	< LOD	< LOD	12	2	< LOD	< LOD	< LOD	< LOD	.	
2440	AC-16-84-26a	Fig. 9 / Area A	rock	ppm	< LOD	294	79	< LOD	113	15	< LOD	< LOD	< LOD	< LOD	< LOD	106	< LOD	189	< LOD	< LOD	110698	< LOD	< LOD	< LOD	< LOD	< LOD	26	2	< LOD	< LOD	< LOD	< LOD	.	
2441	AC-16-84-26b	Fig. 9 / Area A	rock	ppm	< LOD	295	89	10	183	23	< LOD	< LOD	< LOD	< LOD	< LOD	74	< LOD	56	< LOD	240	30543	1840	< LOD	< LOD	< LOD	< LOD	31	4	< LOD	< LOD	< LOD	< LOD	.	
2442	AC-16-84-27	Fig. 9 / Area A	rock	ppm	< LOD	42	203	11	3	6	< LOD	< LOD	< LOD	< LOD	< LOD	15	< LOD	< LOD	< LOD	< LOD	5206	371	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2443	AC-16-84-27a	Fig. 9 / Area A	rock	ppm	7	57	222	15	17	8	< LOD	< LOD	< LOD	< LOD	< LOD	51	< LOD	32	< LOD	< LOD	10318	472	< LOD	< LOD	< LOD	< LOD	5	2	< LOD	< LOD	< LOD	< LOD	.	
2444	AC-16-84-27b	Fig. 9 / Area A	rock	ppm	22	41	117	8	9	9	21	< LOD	< LOD	< LOD	< LOD	60	< LOD	59	94	< LOD	42441	839	< LOD	< LOD	< LOD	< LOD	11	2	< LOD	< LOD	< LOD	< LOD	.	
2445	AC-16-84-28	Fig. 9 / Area A	rock	ppm	< LOD	175	61	< LOD	70	36	< LOD	< LOD	< LOD	< LOD	< LOD	132	< LOD	51	147	< LOD	117721	611	< LOD	< LOD	< LOD	< LOD	16	2	< LOD	< LOD	< LOD	< LOD	.	
2446	AC-16-84-28a	Fig. 9 / Area A	rock	ppm	< LOD	300	58	11	94	16	< LOD	< LOD	< LOD	< LOD	< LOD	173	< LOD	73	< LOD	< LOD	151032	< LOD	< LOD	< LOD	< LOD	< LOD	29	3	< LOD	< LOD	< LOD	< LOD	.	
2447	AC-16-84-28b	Fig. 9 / Area A	rock	ppm	< LOD	206	43	< LOD	66	33	< LOD	< LOD	< LOD	< LOD	< LOD	85	< LOD	< LOD	< LOD	< LOD	41969	< LOD	< LOD	< LOD	< LOD	< LOD	19	2	< LOD	< LOD	< LOD	< LOD	.	
2448	AC-16-84-29	Fig. 9 / Area A	rock	ppm	16	44	197	15	6	4	< LOD	< LOD	< LOD	< LOD	< LOD	16	< LOD	25	< LOD	99	15778	498	< LOD	< LOD	< LOD	< LOD	5	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2449	AC-16-84-29a	Fig. 9 / Area A	rock	ppm	6	55	235	< LOD	4	4	< LOD	< LOD	< LOD	< LOD	< LOD	40	< LOD	30	< LOD	< LOD	13154	988	< LOD	< LOD	< LOD	< LOD	7	2	< LOD	< LOD	< LOD	< LOD	.	
2450	AC-16-84-29b	Fig. 9 / Area A	rock	ppm	4	36	168	9	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	25	< LOD	< LOD	< LOD	< LOD	7320	574	< LOD	< LOD	< LOD	< LOD	4	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2451	AC-16-84-30	Fig. 9 / Area A	rock	ppm	< LOD	246	88	10	152	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	60	< LOD	175	< LOD	< LOD	82961	< LOD	< LOD	< LOD	< LOD	< LOD	24	3	< LOD	< LOD	< LOD	< LOD	.	
2452	AC-16-84-30a	Fig. 9 / Area A	rock	ppm	< LOD	308	69	< LOD	77	22	< LOD	< LOD	< LOD	< LOD	< LOD	115	< LOD	25	< LOD	< LOD	77968	< LOD	< LOD	< LOD	< LOD	< LOD	21	4	< LOD	< LOD	< LOD	< LOD	.	
2453	AC-16-84-30b	Fig. 9 / Area A	rock	ppm	< LOD	310	79	< LOD	113	37	< LOD	< LOD	< LOD	< LOD	< LOD	94	< LOD	57	< LOD	< LOD	74599	< LOD	< LOD	< LOD	< LOD	< LOD	25	4	< LOD	< LOD	< LOD	< LOD	.	
2454	AC-16-84-31	Fig. 9 / Area A	rock	ppm	< LOD	394	< LOD	1004	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	< LOD	50	< LOD	< LOD	< LOD	< LOD	< LOD	.
2455	AC-16-84-31a	Fig. 9 / Area A	rock	ppm	12	75	186	8	10	24	< LOD	< LOD	< LOD	< LOD	< LOD	18	< LOD	< LOD	< LOD	< LOD	9575	< LOD	< LOD	< LOD	< LOD	< LOD	24	5	< LOD	< LOD	< LOD	< LOD	.	
2456	AC-16-84-31b	Fig. 9 / Area A	rock	ppm	8	82	210	6	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	27	< LOD	< LOD	< LOD	< LOD	10635	2705	46	< LOD	< LOD	< LOD	15	2	< LOD	< LOD	< LOD	< LOD	.	
2457	AC-16-84-32	Fig. 9 / Area A	rock	ppm	6	153	104	< LOD	35	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	60	< LOD	< LOD	137	< LOD	185981	< LOD	119	88	< LOD	< LOD	15	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2458	AC-16-84-32a	Fig. 9 / Area A	rock	ppm	9	250	185	11	22	33	< LOD	< LOD	< LOD	< LOD	< LOD	56	< LOD	36	< LOD	< LOD	85159	< LOD	30	36	< LOD	< LOD	24	8	< LOD	< LOD	< LOD	< LOD	.	
2459	AC-16-84-32b	Fig. 9 / Area A	rock	ppm	12	223	177	< LOD	39	30	< LOD	< LOD	< LOD	< LOD	< LOD	71	< LOD	38	< LOD	< LOD	87508	< LOD	34	48	< LOD	< LOD	23	5	< LOD	< LOD	< LOD	< LOD	.	
2460	AC-16-84-33	Fig. 9 / Area A	rock	ppm	10	65	128	< LOD	17	16	< LOD	< LOD	< LOD	< LOD	< LOD	154	< LOD	77	< LOD	< LOD	74813	< LOD	49	33	< LOD	< LOD	19	2	< LOD	< LOD	< LOD	< LOD	.	
2461	AC-16-84-33a	Fig. 9 / Area A	rock	ppm	< LOD	208	47	10	66	28	< LOD	< LOD	< LOD	< LOD	< LOD	170	< LOD	104	< LOD	< LOD	77687	< LOD	< LOD	< LOD	< LOD	< LOD	17	7	< LOD	< LOD	< LOD	< LOD	.	
2462	AC-16-84-33b	Fig. 9 / Area A	rock	ppm	< LOD	68	87	< LOD	11	5	< LOD	< LOD	< LOD	< LOD	< LOD	59	< LOD	35	< LOD	< LOD	23101	2173	< LOD	< LOD	< LOD	< LOD	7	2	< LOD	< LOD	< LOD	< LOD	.	
2463	AC-16-84-34	Fig. 9 / Area A	rock	ppm	< LOD	77	61	< LOD	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	71	< LOD	57	< LOD	< LOD	92599	< LOD	< LOD	< LOD	< LOD	< LOD	7	2	< LOD	< LOD	< LOD	< LOD	.	
2464	AC-16-84-34a	Fig. 9 / Area A	rock	ppm	< LOD	144	74	< LOD	12	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	114	< LOD	47	< LOD	< LOD	1467													

Table No. 2
Ace, Area A - XRF Sampling Results


In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti			
2468	AC-16-84-35b	Fig. 9 / Area A	rock	ppm	< LOD	165	87	10	46	20 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	208	< LOD	96	< LOD	< LOD	127492	< LOD	< LOD	< LOD	< LOD	< LOD	24	4	< LOD	< LOD	< LOD	< LOD	.		
2469	AC-16-84-36	Fig. 9 / Area A	rock	ppm	< LOD	94	212	9	19	4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	83	< LOD	19	< LOD	< LOD	35169	407	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2470	AC-16-84-36a	Fig. 9 / Area A	rock	ppm	< LOD	171	168	7	16	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	69	< LOD	34	161	< LOD	127412	509	< LOD	< LOD	< LOD	< LOD	3	3	< LOD	< LOD	< LOD	< LOD	.		
2471	AC-16-84-36b	Fig. 9 / Area A	rock	ppm	< LOD	82	177	< LOD	18	14 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	64	< LOD	< LOD	< LOD	< LOD	38933	< LOD	< LOD	< LOD	< LOD	< LOD	4	2	< LOD	< LOD	< LOD	< LOD	.		
2472	AC-16-84-37	Fig. 9 / Area A	rock	ppm	< LOD	87	211	9	18	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	85	< LOD	< LOD	< LOD	< LOD	30269	357	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2473	AC-16-84-37a	Fig. 9 / Area A	rock	ppm	< LOD	79	199	< LOD	14	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	92	< LOD	24	< LOD	< LOD	37973	366	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2474	AC-16-84-37b	Fig. 9 / Area A	rock	ppm	< LOD	99	196	10	19	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	70	< LOD	34	< LOD	< LOD	37850	396	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2475	AC-16-84-38	Fig. 9 / Area A	rock	ppm	< LOD	88	196	< LOD	21	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	54	< LOD	22	< LOD	< LOD	35161	313	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2476	AC-16-84-38a	Fig. 9 / Area A	rock	ppm	< LOD	77	133	< LOD	13	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	72	< LOD	42	< LOD	< LOD	54532	< LOD	< LOD	< LOD	< LOD	< LOD	3	8	< LOD	< LOD	< LOD	< LOD	.		
2477	AC-16-84-38b	Fig. 9 / Area A	rock	ppm	< LOD	79	160	< LOD	13	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	62	< LOD	23	110	< LOD	85266	367	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2478	AC-16-84-39	Fig. 9 / Area A	rock	ppm	< LOD	95	187	< LOD	19	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	79	< LOD	< LOD	< LOD	< LOD	42898	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2479	AC-16-84-39a	Fig. 9 / Area A	rock	ppm	< LOD	111	163	< LOD	19	11 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	54	< LOD	< LOD	< LOD	< LOD	38725	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2480	AC-16-84-39b	Fig. 9 / Area A	rock	ppm	< LOD	68	125	< LOD	14	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	44	< LOD	< LOD	166	< LOD	169065	452	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2481	AC-16-84-39b	Fig. 9 / Area A	rock	ppm	< LOD	322	129	10	83	10 < LOD	< LOD	< LOD	< LOD	< LOD	13.63	39	39	56	123	< LOD	13741	1766	< LOD	< LOD	< LOD	< LOD	40	3	< LOD	< LOD	< LOD	< LOD	.		
2482	AC-16-84-40a	Fig. 9 / Area A	rock	ppm	< LOD	162	170	8	43	12	23	< LOD	< LOD	< LOD	< LOD	26	< LOD	63	< LOD	< LOD	21224	1173	< LOD	< LOD	< LOD	< LOD	23	3	< LOD	< LOD	< LOD	< LOD	.		
2483	AC-16-84-40b	Fig. 9 / Area A	rock	ppm	< LOD	189	123	< LOD	43	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	49	144	135	< LOD	< LOD	25319	< LOD	< LOD	< LOD	< LOD	< LOD	28	4	< LOD	< LOD	< LOD	< LOD	.		
2484	AC-16-84-41	Fig. 9 / Area A	rock	ppm	< LOD	44	96	< LOD	6	14 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	159	< LOD	< LOD	< LOD	< LOD	115676	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2485	AC-16-84-41a	Fig. 9 / Area A	rock	ppm	< LOD	122	147	< LOD	15	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	67	< LOD	28	< LOD	< LOD	32542	299	< LOD	< LOD	< LOD	< LOD	4	2	< LOD	< LOD	< LOD	< LOD	.		
2486	AC-16-84-41b	Fig. 9 / Area A	rock	ppm	< LOD	52	123	< LOD	9	16 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	155	< LOD	46	< LOD	< LOD	100098	< LOD	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2487	AC-16-84-42	Fig. 9 / Area A	rock	ppm	< LOD	95	186	8	18	6 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	72	< LOD	23	< LOD	< LOD	35880	382	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2488	AC-16-84-42a	Fig. 9 / Area A	rock	ppm	< LOD	84	171	11	18	6 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	67	< LOD	< LOD	< LOD	< LOD	39514	383	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2489	AC-16-84-42b	Fig. 9 / Area A	rock	ppm	< LOD	267	135	< LOD	13	13 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	92	< LOD	< LOD	< LOD	< LOD	69808	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	3	< LOD	< LOD	< LOD	< LOD	.		
2490	AC-16-84-43	Fig. 9 / Area A	rock	ppm	< LOD	79	159	< LOD	18	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	55	< LOD	29	< LOD	< LOD	48828	< LOD	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2491	AC-16-84-43a	Fig. 9 / Area A	rock	ppm	< LOD	70	161	< LOD	16	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	52	< LOD	< LOD	< LOD	< LOD	33181	< LOD	< LOD	< LOD	< LOD	< LOD	5	2	< LOD	< LOD	< LOD	< LOD	.		
2492	AC-16-84-43b	Fig. 9 / Area A	rock	ppm	< LOD	97	122	< LOD	13	< LOD	< LOD	< LOD	< LOD	12	< LOD	< LOD	79	< LOD	53	152	< LOD	81601	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2493	AC-16-84-44	Fig. 9 / Area A	rock	ppm	< LOD	82	191	< LOD	21	6 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	71	< LOD	29	< LOD	< LOD	30790	384	< LOD	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	.		
2494	AC-16-84-44a	Fig. 9 / Area A	rock	ppm	< LOD	94	199	7	21	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	76	< LOD	20	< LOD	< LOD	32510	395	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.		
2495	AC-16-84-44b	Fig. 9 / Area A	rock	ppm	< LOD	105	164	7	19	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	59	< LOD	68	< LOD	< LOD	36221	329	< LOD	< LOD	< LOD	< LOD	< LOD	4	< LOD	< LOD	< LOD	< LOD	.		
2496	AC-16-84-45	Fig. 9 / Area A	rock	ppm	< LOD	5	28	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	20	< LOD	111	< LOD	< LOD	7792	2404	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2497	AC-16-84-45a	Fig. 9 / Area A	rock	ppm	< LOD	15	< LOD	< LOD	< LOD	9	< LOD	< LOD	< LOD	< LOD	< LOD	58	< LOD	253	< LOD	< LOD	29897	501	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2498	AC-16-84-45b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	13	< LOD	< LOD	< LOD	< LOD	683	70	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2499	AC-16-84-46	Fig. 9 / Area A	rock	ppm	< LOD	10	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	80	< LOD	651	107	< LOD	54280	881	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2500	AC-16-84-46a	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	2	< LOD	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	16	< LOD	15	< LOD	< LOD	6191	164	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2501	AC-16-84-46b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	37	< LOD	11	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	31	< LOD	< LOD	< LOD	< LOD	10814	423	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2502	AC-16-84-47	Fig. 9 / Area A	rock	ppm	< LOD	209	141	< LOD	46	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	35	< LOD	34	< LOD	< LOD	19593	< LOD	< LOD	< LOD	< LOD	< LOD	22	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2503	AC-16-84-47a	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	15	< LOD	47	< LOD	< LOD	11294	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2504	AC-16-84-48	Fig. 9 / Area A	rock	ppm	< LOD	132	114	7	28	9 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	69	< LOD	< LOD	< LOD	< LOD	36264	1229	< LOD	< LOD	< LOD	< LOD	15	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2505	AC-16-84-48a	Fig. 9 / Area A	rock	ppm	< LOD	179	73	< LOD	50	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	67	< LOD	< LOD	< LOD	< LOD	29235	298	< LOD	< LOD	< LOD	< LOD	19	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2506	AC-16-84-48b	Fig. 9 / Area A	rock	ppm	< LOD	208	70	< LOD	44	16 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	80	< LOD	44	< LOD	< LOD	35573	< LOD	< LOD	< LOD	< LOD	< LOD	19	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2507	AC-16-84-49	Fig. 9 / Area A	rock	ppm	< LOD	172	94	< LOD	46	14 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	79	< LOD	29	< LOD	< LOD	29912	247	< LOD	< LOD	< LOD	< LOD	14	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2508	AC-16-84-49a	Fig. 9 / Area A	rock	ppm	< LOD	166	47	< LOD	48	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	77	< LOD	129	< LOD	< LOD	51752	< LOD	< LOD	< LOD	< LOD	< LOD	19	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2509	AC-16-84-49b	Fig. 9 / Area A	rock	ppm	< LOD	229	117	< LOD	53	21 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	70	< LOD	72	< LOD	< LOD	29054	282	< LOD	< LOD	< LOD	< LOD	23	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2510	AC-16-84-50	Fig. 9 / Area A	rock	ppm	< LOD	244	87	< LOD	59	21 < LOD	< LOD	< LOD																							

Table No. 2
Ace, Area A - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti		
2515	AC-16-84-51b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	4	< LOD	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	90	< LOD	44	< LOD	< LOD	20191	998	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2516	AC-16-84-52	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	287	< LOD	< LOD	6	279	27	< LOD	< LOD	< LOD	151	< LOD	33	< LOD	< LOD	12229	156	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2517	AC-16-84-52a	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	401	< LOD	< LOD	< LOD	409	8	< LOD	< LOD	< LOD	203	< LOD	< LOD	< LOD	< LOD	17760	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	28	< LOD	< LOD	< LOD	< LOD	< LOD	
2518	AC-16-84-52b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	198	< LOD	< LOD	< LOD	36	14	< LOD	< LOD	< LOD	100	< LOD	< LOD	< LOD	< LOD	7201	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2519	AC-16-84-53	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	170	< LOD	< LOD	< LOD	61	17	< LOD	< LOD	< LOD	80	< LOD	37	113	108	6549	< LOD	19	< LOD	< LOD	< LOD	< LOD	< LOD	19	< LOD	< LOD	< LOD	< LOD	< LOD
2520	AC-16-84-53a	Fig. 9 / Area A	rock	ppm	< LOD	16	349	< LOD	< LOD	< LOD	435	< LOD	< LOD	< LOD	< LOD	166	< LOD	< LOD	< LOD	< LOD	96297	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2521	AC-16-84-53b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	263	< LOD	< LOD	17	215	7	< LOD	< LOD	< LOD	147	< LOD	37	< LOD	< LOD	37626	195	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2522	AC-16-84-54	Fig. 9 / Area A	rock	ppm	< LOD	174	209	7	29	11	< LOD	< LOD	< LOD	< LOD	< LOD	82	< LOD	44	183	< LOD	135026	8542	< LOD	< LOD	< LOD	< LOD	20	3	< LOD	< LOD	< LOD	< LOD	< LOD	
2523	AC-16-84-54a	Fig. 9 / Area A	rock	ppm	< LOD	19	109	< LOD	10	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	93	< LOD	163	< LOD	< LOD	111884	3538	< LOD	< LOD	< LOD	< LOD	11	2	< LOD	< LOD	< LOD	< LOD	< LOD	
2524	AC-16-84-54b	Fig. 9 / Area A	rock	ppm	< LOD	109	263	< LOD	9	6	< LOD	< LOD	< LOD	< LOD	< LOD	40	< LOD	55	< LOD	< LOD	72148	8378	< LOD	< LOD	< LOD	< LOD	17	3	< LOD	< LOD	< LOD	< LOD	< LOD	
2525	AC-16-84-55	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	79	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	5019	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2526	AC-16-84-55a	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	197	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	16	< LOD	< LOD	< LOD	< LOD	1499	213	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2527	AC-16-84-55b	Fig. 9 / Area A	rock	ppm	4	< LOD	860	< LOD	< LOD	16	< LOD	< LOD	< LOD	< LOD	< LOD	29	< LOD	< LOD	< LOD	< LOD	13139	< LOD	< LOD	< LOD	< LOD	< LOD	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2528	AC-16-84-56	Fig. 9 / Area A	rock	ppm	5	< LOD	740	< LOD	< LOD	25	< LOD	< LOD	< LOD	< LOD	< LOD	34	< LOD	< LOD	< LOD	< LOD	10801	< LOD	< LOD	< LOD	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2529	AC-16-84-56a	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	850	< LOD	< LOD	17	< LOD	< LOD	< LOD	< LOD	< LOD	43	< LOD	< LOD	< LOD	< LOD	13063	< LOD	< LOD	< LOD	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2530	AC-16-84-56b	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	146	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	3481	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2531	AC-16-84-57	Fig. 9 / Area A	rock	ppm	< LOD	31	207	< LOD	10	10	< LOD	< LOD	< LOD	< LOD	< LOD	21	< LOD	69	< LOD	< LOD	7936	73	< LOD	< LOD	< LOD	< LOD	9	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2532	AC-16-84-57a	Fig. 9 / Area A	rock	ppm	< LOD	84	113	< LOD	34	13	< LOD	< LOD	< LOD	< LOD	< LOD	79	< LOD	< LOD	< LOD	< LOD	27404	< LOD	< LOD	< LOD	< LOD	9	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2533	AC-16-84-57b	Fig. 9 / Area A	rock	ppm	< LOD	155	143	7	56	10	< LOD	< LOD	< LOD	< LOD	< LOD	48	< LOD	48	< LOD	< LOD	11394	< LOD	< LOD	< LOD	< LOD	8	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2534	AC-16-84-58	Fig. 9 / Area A	rock	ppm	< LOD	7	192	< LOD	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	25	< LOD	32	< LOD	< LOD	27575	< LOD	< LOD	< LOD	< LOD	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2535	AC-16-84-58a	Fig. 9 / Area A	rock	ppm	< LOD	126	122	< LOD	72	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	210	< LOD	45	< LOD	< LOD	10270	152	< LOD	< LOD	< LOD	8	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2536	AC-16-84-58b	Fig. 9 / Area A	rock	ppm	< LOD	90	203	9	42	15	< LOD	< LOD	< LOD	< LOD	< LOD	51	< LOD	35	< LOD	< LOD	17074	159	< LOD	< LOD	< LOD	9	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2537	AC-16-84-59	Fig. 9 / Area A	rock	ppm	< LOD	245	166	7	3	14	< LOD	< LOD	< LOD	< LOD	< LOD	150	< LOD	39	< LOD	< LOD	45622	468	< LOD	< LOD	< LOD	13	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2538	AC-16-84-59a	Fig. 9 / Area A	rock	ppm	< LOD	206	158	< LOD	5	25	< LOD	< LOD	< LOD	< LOD	< LOD	81	< LOD	< LOD	< LOD	< LOD	33355	< LOD	< LOD	< LOD	< LOD	14	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2539	AC-16-84-59b	Fig. 9 / Area A	rock	ppm	< LOD	324	108	< LOD	33	20	< LOD	< LOD	< LOD	< LOD	< LOD	70	< LOD	96	114	< LOD	116854	< LOD	< LOD	< LOD	< LOD	13	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2540	AC-16-84-60	Fig. 9 / Area A	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	1	< LOD	< LOD	< LOD	< LOD	23	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2541	AC-16-84-60a	Fig. 9 / Area A	rock	ppm	8	231	54	< LOD	18	30	< LOD	< LOD	< LOD	< LOD	< LOD	30	< LOD	< LOD	< LOD	< LOD	14138	< LOD	66	< LOD	< LOD	14	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2542	AC-16-84-60b	Fig. 9 / Area A	rock	ppm	14	267	53	< LOD	21	27	< LOD	< LOD	< LOD	< LOD	< LOD	30	< LOD	< LOD	< LOD	< LOD	20192	< LOD	59	40	< LOD	12	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2543	AC-16-84-61	Fig. 9 / Area A	rock	ppm	11	261	92	10	71	50	< LOD	< LOD	< LOD	< LOD	< LOD	188	< LOD	53	< LOD	< LOD	85802	3169	66	60	< LOD	26	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2544	AC-16-84-61a	Fig. 9 / Area A	rock	ppm	< LOD	385	85	9	90	15	< LOD	< LOD	< LOD	< LOD	< LOD	115	< LOD	37	< LOD	< LOD	58560	< LOD	< LOD	< LOD	< LOD	23	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2545	AC-16-84-61b	Fig. 9 / Area A	rock	ppm	< LOD	229	62	< LOD	62	21	< LOD	< LOD	< LOD	< LOD	< LOD	149	< LOD	46	< LOD	< LOD	79206	< LOD	< LOD	< LOD	< LOD	15	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2546	AC-16-84-62	Fig. 9 / Area A	rock	ppm	< LOD	351	78	< LOD	145	21	< LOD	< LOD	< LOD	< LOD	< LOD	42	< LOD	29	< LOD	< LOD	22867	< LOD	< LOD	< LOD	< LOD	26	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2547	AC-16-84-62a	Fig. 9 / Area A	rock	ppm	< LOD	8	21	< LOD	27	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	78	< LOD	41	104	< LOD	46343	1667	< LOD	< LOD	< LOD	3	2	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2548	AC-16-84-62b	Fig. 9 / Area A	rock	ppm	< LOD	430	94	< LOD	158	23	< LOD	< LOD	< LOD	< LOD	< LOD	43	< LOD	27	< LOD	< LOD	12138	< LOD	< LOD	< LOD	< LOD	34	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	



Ace Property Area B Float Rock Samples XRF Results (ppm)											
XRF No.	Zn	Cu	Au	XRF No.	Zn	Cu	Au	XRF No.	Zn	Cu	Au
2401	25	35		2595	85	35		2717	156	44	
2402	36	87		2596	75	50		2718	68	21	
2403	1665			2597	124	178		2719	101		
2404	112	44		2598	70	104		2720	100	124	
2405	130	61		2599	109	173		2721	97	134	11.25
2406	89	42		2600	69	34		2722	218	161	
2407	202			2601	73	33		2723	19	39	
2408	114	94		2602	157	53		2724	23		
2409	105	146		2603	122	63		2725	54	52	
2410	118	28		2604	81			2726	44	81	
2411	123	94	10.26	2605	86	48		2727	49	72	
2412	109	30		2606	68	50		2728	67	111	11.80
2413	113			2607	103	47		2729	57	59	
2414	125			2608	110	80		2730	54	136	
2415	161	123		2666				2731	47	74	
2416	177	72	8.94	2667	50			2732	91	41	
2417	157	101		2668	109	44		2733	137	33	
2418	87			2669	141			2734	125	45	
2419	99			2670	273	32		2735	43		
2420	80	21		2671	131	38		2736	58		
2549	19			2672	134	210		2737	55		
2550	75			2673	224	429		2738	69	18	
2551	36	35		2674	49	50		2739	75	31	
2552	101	64		2675	121	58		2740	64	21	
2553	84	58		2676	207	277		2741	82	28	13.49
2554	91	48		2677	111	93		2742	104	40	
2555	75	35		2678	57	59		2743	106	130	
2556	24	87		2679	92	37		2744	67	80	
2557	99	51		2680	172	431		2745	64	29	
2558	54	33		2681	122	103		2746	60		
2559	30	50		2682	58	40		2747	194	125	
2560	184	37		2683	158	100		2748	105		
2561	131	82		2684	141	114		2749	97	38	
2562	99	52		2685	146	158		2750	100		
2563	138			2686	197	934		2751	288		
2564	26			2687	91			2752	126	27	
2565	55	53		2688	78	38		2753	105	47	
2566	45	35		2689	89	33		2754	95	34	
2567	97	18		2690	40	56		2755	70	25	
2568	101	24		2691	40	57		2756	231	98	
2569	124	25		2692	92	112	20.29	2757	56		
2570	31			2693	1876			2758	62	55	
2571	24			2694	92			2759	21		
2572	106	41		2695	74	30		2760	18		
2573	53	25		2696	112	36		2761			
2574	47			2697	102			2762	36	61	
2575	53			2698	106			2763	13		
2576	57			2699	31	11.07		2764	13		
2577	62			2700	24			2765	98		
2578	55			2701		17		2766	113	30	
2579	85	160		2702	37	29		2767	250		
2580	155	59		2703	26			2768	107	26	
2581	222	319		2704	29			2769	84	32	
2582				2705	123	24		2770	127	36	
2583				2706	73			2771	25		
2584	13	18		2707	88	87		2772	59	40	
2585	65	55		2708	74	46		2773	52	43	
2586	36			2709	39	19		2774	61		
2587	14			2710	80	81		2775	22		
2588	92			2711	112	161		2776	49		
2589	57	35		2712	29	457		2777	78	49	
2590	50			2713	83	54		2778	53		
2591	65			2714	175			2779	287	138	
2592	59	23		2715	140	61		2780	74	30	
2593	90			2716	108	90		2781	52		
2594	128	79						2782	67		

Results below level of detection are not shown.
Zn, Cu results over 100 ppm marked in red.

See Table No. 3 for XRF results.

LEGEND


Topographic Contour & Elevation
Contour interval 20 metres

Creek, Pond

Road

Single rock sample location and number

Multiple rock samples location and numbers



BARKER MINERALS LTD.

ACE PROPERTY
Area B

Rock Sample Numbers
and Zn, Cu, Au Geochemistry

Cariboo Mining Division, B.C.

NTS Mapsheet: 93 A/14

Date: April 8, 2017

Fig.No. 10

Table No. 3
Ace, Area B - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti	
2401	AC-16-84-13a	Fig. 10 / Area B	rock	ppm	< LOD :	106	22 < LOD :	36	10	134 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	25 < LOD :	35 < LOD :	< LOD :	< LOD :	14403	196 < LOD :	< LOD :	< LOD :	< LOD :	14 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2402	AC-16-84-13b	Fig. 10 / Area B	rock	ppm	4	55	18 < LOD :	27 < LOD :	23 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	36 < LOD :	87 < LOD :	< LOD :	< LOD :	81701 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2403	AC-16-84-14	Fig. 10 / Area B	rock	ppm	485	444	122	496 < LOD :	784 < LOD :	271 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	1665 < LOD :	< LOD :	< LOD :	< LOD :	< LOD : 1 :	< LOD :	< LOD :	< LOD :	< LOD :	156	30 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2404	AC-16-84-14a	Fig. 10 / Area B	rock	ppm	10	325	95 < LOD :	110	32 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	112 < LOD :	44 < LOD :	< LOD :	< LOD :	67827 < LOD :	65	64 < LOD :	< LOD :	29	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2405	AC-16-84-14b	Fig. 10 / Area B	rock	ppm	8	277	65	14	79	44 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	130 < LOD :	61 < LOD :	< LOD :	< LOD :	73646 < LOD :	57	48 < LOD :	< LOD :	24	7 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2406	AC-16-84-15	Fig. 10 / Area B	rock	ppm	9	106	52 < LOD :	126	31 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	89 < LOD :	42 < LOD :	< LOD :	< LOD :	61657 < LOD :	69	48 < LOD :	< LOD :	22	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2407	AC-16-84-15a	Fig. 10 / Area B	rock	ppm	8	110	56 < LOD :	94	29 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	202 < LOD :	< LOD :	< LOD :	< LOD :	52963 < LOD :	39 < LOD :	< LOD :	< LOD :	22	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2408	AC-16-84-15b	Fig. 10 / Area B	rock	ppm	12	277	66 < LOD :	151	80 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	114 < LOD :	94 < LOD :	< LOD :	< LOD :	81964 < LOD :	77	85 < LOD :	< LOD :	35	13 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2409	AC-16-84-16	Fig. 10 / Area B	rock	ppm	8	130	53 < LOD :	119	19 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	105 < LOD :	146 < LOD :	< LOD :	< LOD :	88161 < LOD :	67	72 < LOD :	< LOD :	23 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2410	AC-16-84-16a	Fig. 10 / Area B	rock	ppm	< LOD :	178	60 < LOD :	119	23 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	118 < LOD :	28 < LOD :	< LOD :	< LOD :	55919 < LOD :	< LOD :	< LOD :	< LOD :	18	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2411	AC-16-84-16b	Fig. 10 / Area B	rock	ppm	< LOD :	150	59 < LOD :	143	17 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	10.26	123 < LOD :	94	97 < LOD :	92226	636 < LOD :	< LOD :	< LOD :	< LOD :	20	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2412	AC-16-84-17	Fig. 10 / Area B	rock	ppm	7	230	118 < LOD :	112	51 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	109 < LOD :	30 < LOD :	< LOD :	< LOD :	61504 < LOD :	62	51 < LOD :	< LOD :	29	8 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2413	AC-16-84-17a	Fig. 10 / Area B	rock	ppm	< LOD :	276	88 < LOD :	95	36 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	113 < LOD :	< LOD :	< LOD :	446	65588 < LOD :	< LOD :	< LOD :	< LOD :	22	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2414	AC-16-84-17b	Fig. 10 / Area B	rock	ppm	< LOD :	239	113 < LOD :	93	25 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	125 < LOD :	< LOD :	< LOD :	342	63328 < LOD :	< LOD :	< LOD :	< LOD :	24	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2415	AC-16-84-18	Fig. 10 / Area B	rock	ppm	< LOD :	262	88 < LOD :	82	59 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	161 < LOD :	123 < LOD :	< LOD :	< LOD :	88182 < LOD :	< LOD :	< LOD :	< LOD :	20	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2416	AC-16-84-18a	Fig. 10 / Area B	rock	ppm	< LOD :	211	74 < LOD :	97	6 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	8.94	177 < LOD :	72	107	269	61683	448 < LOD :	< LOD :	< LOD :	16 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2417	AC-16-84-18b	Fig. 10 / Area B	rock	ppm	< LOD :	289	78 < LOD :	84	41 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	157 < LOD :	101 < LOD :	< LOD :	< LOD :	88952 < LOD :	< LOD :	< LOD :	< LOD :	21	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2418	AC-16-84-19	Fig. 10 / Area B	rock	ppm	< LOD :	239	42 < LOD :	73	25 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	87 < LOD :	< LOD :	< LOD :	< LOD :	48683 < LOD :	< LOD :	< LOD :	< LOD :	19	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2419	AC-16-84-19a	Fig. 10 / Area B	rock	ppm	< LOD :	242	61 < LOD :	88	14 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	99 < LOD :	< LOD :	< LOD :	< LOD :	65086 < LOD :	< LOD :	< LOD :	< LOD :	18	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2420	AC-16-84-19b	Fig. 10 / Area B	rock	ppm	< LOD :	197	63	10	104	24 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	80 < LOD :	21 < LOD :	< LOD :	< LOD :	33649	313 < LOD :	< LOD :	< LOD :	31	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2549	AC-16-84-63	Fig. 10 / Area B	rock	ppm	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	19 < LOD :	< LOD :	< LOD :	< LOD :	3182	280 < LOD :	< LOD :	< LOD :	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2550	AC-16-84-63a	Fig. 10 / Area B	rock	ppm	< LOD :	4	5 < LOD :	8 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	75 < LOD :	< LOD :	167 < LOD :	79075	8739 < LOD :	< LOD :	< LOD :	< LOD :	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2551	AC-16-84-63b	Fig. 10 / Area B	rock	ppm	5	5	4 < LOD :	< LOD :	16 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	36 < LOD :	35 < LOD :	< LOD :	< LOD :	2301 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :
2552	AC-16-84-64	Fig. 10 / Area B	rock	ppm	< LOD :	109	51 < LOD :	33 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	101 < LOD :	64 < LOD :	< LOD :	< LOD :	48901 < LOD :	< LOD :	< LOD :	< LOD :	16	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2553	AC-16-84-64a	Fig. 10 / Area B	rock	ppm	< LOD :	112	73 < LOD :	18	17 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	84 < LOD :	58 < LOD :	< LOD :	< LOD :	42565 < LOD :	< LOD :	< LOD :	< LOD :	17	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2554	AC-16-84-64b	Fig. 10 / Area B	rock	ppm	< LOD :	64	33 < LOD :	31	11 < LOD :	< LOD :	< LOD :	11 < LOD :	< LOD :	< LOD :	< LOD :	91 < LOD :	48	139 < LOD :	57493	1549 < LOD :	< LOD :	< LOD :	6	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2555	AC-16-84-65	Fig. 10 / Area B	rock	ppm	< LOD :	107	85 < LOD :	38 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	75 < LOD :	35	112 < LOD :	136707 < LOD :	40	37 < LOD :	< LOD :	15	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2556	AC-16-84-65a	Fig. 10 / Area B	rock	ppm	< LOD :	143	125	6	14	14	37 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	24 < LOD :	87 < LOD :	< LOD :	< LOD :	10823	138 < LOD :	< LOD :	< LOD :	24	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2557	AC-16-84-65b	Fig. 10 / Area B	rock	ppm	< LOD :	116	168 < LOD :	19	26	20 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	99 < LOD :	51 < LOD :	< LOD :	< LOD :	36541	3149 < LOD :	< LOD :	< LOD :	10	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2558	AC-16-84-66	Fig. 10 / Area B	rock	ppm	< LOD :	69	103 < LOD :	23 < LOD :	21 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	54 < LOD :	33 < LOD :	< LOD :	< LOD :	94600 < LOD :	< LOD :	< LOD :	< LOD :	4	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2559	AC-16-84-66a	Fig. 10 / Area B	rock	ppm	< LOD :	133	126	6	16	13	47 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	30 < LOD :	50 < LOD :	< LOD :	< LOD :	9207	100 < LOD :	< LOD :	< LOD :	19	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2560	AC-16-84-66b	Fig. 10 / Area B	rock	ppm	< LOD :	64	130 < LOD :	18 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	184 < LOD :	37	81 < LOD :	126594 < LOD :	< LOD :	< LOD :	< LOD :	7	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :		
2561	AC-16-84-67	Fig. 10 / Area B	rock	ppm	< LOD :	333	68 < LOD :	93	17 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	131 < LOD :	82 < LOD :	< LOD :	< LOD :	71738 < LOD :	< LOD :	< LOD :	< LOD :	28	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2562	AC-16-84-67a	Fig. 10 / Area B	rock	ppm	< LOD :	312	77 < LOD :	92	23 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	99 < LOD :	52 < LOD :	< LOD :	< LOD :	63643 < LOD :	< LOD :	< LOD :	< LOD :	20	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2563	AC-16-84-67b	Fig. 10 / Area B	rock	ppm	< LOD :	170	68 < LOD :	54	32 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	138 < LOD :	< LOD :	< LOD :	< LOD :	32647 < LOD :	< LOD :	< LOD :	< LOD :	17	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2564	AC-16-84-68	Fig. 10 / Area B	rock	ppm	< LOD :	3	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	26 < LOD :	< LOD :	< LOD :	< LOD :	6060	2047 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :
2565	AC-16-84-68a	Fig. 10 / Area B	rock	ppm	< LOD :	200	51 < LOD :	101	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	55 < LOD :	53	121 < LOD :	43776	700 < LOD :	< LOD :	< LOD :	13	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2566	AC-16-84-68b	Fig. 10 / Area B	rock	ppm	< LOD :	327	95	9	173	8 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	45 < LOD :	35 < LOD :	< LOD :	< LOD :	25462	193 < LOD :	< LOD :	< LOD :	31	2 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2567	AC-16-84-69	Fig. 10 / Area B	rock	ppm	< LOD :	69	78 < LOD :	37	10 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	97 < LOD :	18 < LOD :	< LOD :	< LOD :	28003	258 < LOD :	< LOD :	< LOD :	6 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2568	AC-16-84-69a	Fig. 10 / Area B	rock	ppm	< LOD :	133	75	8	71	42 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	101 < LOD :	24	96 < LOD :	36849	421 < LOD :	< LOD :	< LOD :	14	3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2569	AC-16-84-69b	Fig. 10 / Area B	rock	ppm	< LOD :	378	126	11	66	35 < LOD :	< LOD :	< LOD :	10 < LOD :	< LOD :	< LOD :	124 < LOD :	25	119 < LOD :	40423	305 <													

Table No. 3
Ace, Area B - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti		
2576	AC-16-84-72	Fig. 10 / Area B	rock	ppm	< LOD	126	60 < LOD		9	11 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	57 < LOD	< LOD	< LOD	< LOD	< LOD	36420 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		2 < LOD	< LOD	< LOD	< LOD	.	
2577	AC-16-84-72a	Fig. 10 / Area B	rock	ppm	< LOD	112	73 < LOD		9	10 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	62 < LOD	< LOD	< LOD	< LOD	< LOD	25324	760 < LOD	< LOD	< LOD	< LOD	< LOD		5	2 < LOD	< LOD	< LOD	< LOD	.	
2578	AC-16-84-72b	Fig. 10 / Area B	rock	ppm	< LOD	154	74 < LOD		10	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	55 < LOD	< LOD	< LOD	< LOD	< LOD	31067	673 < LOD	< LOD	< LOD	< LOD	< LOD		7	2 < LOD	< LOD	< LOD	< LOD	.	
2579	AC-16-84-73	Fig. 10 / Area B	rock	ppm	10	180	56	8	84	22 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	85 < LOD	160 < LOD	< LOD	< LOD	< LOD	44760 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		30	2 < LOD	< LOD	< LOD	< LOD	.	
2580	AC-16-84-73a	Fig. 10 / Area B	rock	ppm	5	104	52 < LOD		51	15	15 < LOD	< LOD	< LOD	< LOD	< LOD	155 < LOD	< LOD	59 < LOD	< LOD	< LOD	32024 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		21	3 < LOD	145	86	1814	.	
2581	AC-16-84-73b	Fig. 10 / Area B	rock	ppm	9	95	31	11	35	34	335 < LOD	< LOD	< LOD	< LOD	< LOD	222 < LOD	< LOD	319	448 < LOD	< LOD	299464	1958	54	46 < LOD	< LOD	< LOD		8	3 < LOD	< LOD	< LOD	< LOD	.	
2582	AC-16-84-74	Fig. 10 / Area B	rock	ppm	< LOD	< LOD		5 < LOD		2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	1737 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2583	AC-16-84-74a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD		5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	803 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2584	AC-16-84-74b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD		4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	13 < LOD	< LOD	18 < LOD	< LOD	< LOD	769 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2585	AC-16-84-75	Fig. 10 / Area B	rock	ppm	8	6	8 < LOD		9 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	65 < LOD	< LOD	55 < LOD	< LOD	< LOD	43334	7472 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		2 < LOD	< LOD	< LOD	< LOD	.	
2586	AC-16-84-75a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	36 < LOD	< LOD	< LOD	< LOD	< LOD	3143 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2587	AC-16-84-75b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	14 < LOD	< LOD	< LOD	< LOD	< LOD	876 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2588	AC-16-84-76	Fig. 10 / Area B	rock	ppm		6 < LOD		12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	92 < LOD	< LOD		241 < LOD	< LOD	8448	12095 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2589	AC-16-84-76a	Fig. 10 / Area B	rock	ppm	< LOD		36	19 < LOD		38 < LOD	134 < LOD	< LOD	< LOD	< LOD	< LOD	57 < LOD	< LOD	35 < LOD	< LOD	< LOD	39661	2477 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2590	AC-16-84-76b	Fig. 10 / Area B	rock	ppm		7 < LOD		28 < LOD		2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	50 < LOD	< LOD	< LOD	< LOD	< LOD	26117	13513 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2591	AC-16-84-77	Fig. 10 / Area B	rock	ppm	< LOD		142	78 < LOD		85	15 < LOD	< LOD	< LOD	< LOD	< LOD	65 < LOD	< LOD	< LOD	< LOD	< LOD	33695 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		23 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2592	AC-16-84-77a	Fig. 10 / Area B	rock	ppm	< LOD		67	33 < LOD		48 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	59 < LOD		23 < LOD	< LOD	< LOD	16085	209 < LOD	< LOD	< LOD	< LOD	< LOD		15 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2593	AC-16-84-77b	Fig. 10 / Area B	rock	ppm	< LOD		44	27 < LOD		41 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	90 < LOD	< LOD	< LOD	< LOD	< LOD	20093	329 < LOD	< LOD	< LOD	< LOD	< LOD		11 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2594	AC-16-84-78	Fig. 10 / Area B	rock	ppm	< LOD		198	84 < LOD		65	17 < LOD	< LOD	< LOD	< LOD	< LOD	128 < LOD	< LOD	79	89 < LOD	< LOD	83481	1330 < LOD	< LOD	< LOD	< LOD	< LOD		23	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2595	AC-16-84-78a	Fig. 10 / Area B	rock	ppm	< LOD		195	92 < LOD		105	13 < LOD	< LOD	< LOD	< LOD	< LOD	85 < LOD	< LOD	35 < LOD	199	44340	502 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		17	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2596	AC-16-84-78b	Fig. 10 / Area B	rock	ppm	< LOD		168	88	8	76	13 < LOD	< LOD	< LOD	< LOD	< LOD	75 < LOD	< LOD	50 < LOD	< LOD	< LOD	53943	447 < LOD	< LOD	< LOD	< LOD	< LOD		17	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2597	AC-16-84-79	Fig. 10 / Area B	rock	ppm		6	41	478 < LOD		4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	124 < LOD	< LOD	178 < LOD	< LOD	< LOD	94965 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD			3 < LOD	< LOD	< LOD	< LOD	< LOD	.
2598	AC-16-84-79a	Fig. 10 / Area B	rock	ppm	< LOD		55	591 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	70 < LOD	< LOD	104 < LOD	< LOD	< LOD	64278 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		4	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2599	AC-16-84-79b	Fig. 10 / Area B	rock	ppm	< LOD		99	465 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	109 < LOD	< LOD	173 < LOD	< LOD	< LOD	86323 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD			3 < LOD	< LOD	< LOD	< LOD	4901	.
2600	AC-16-84-80	Fig. 10 / Area B	rock	ppm	< LOD		122	76 < LOD		89	9 < LOD	< LOD	< LOD	< LOD	< LOD	69 < LOD	< LOD	34 < LOD	< LOD	< LOD	24154 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		25 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2601	AC-16-84-80a	Fig. 10 / Area B	rock	ppm	< LOD		60	31 < LOD		38 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	73 < LOD	< LOD	33 < LOD	< LOD	< LOD	15479	300 < LOD	< LOD	< LOD	< LOD	< LOD		10 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2602	AC-16-84-80b	Fig. 10 / Area B	rock	ppm	< LOD		226	61 < LOD		114	32 < LOD	< LOD	< LOD	< LOD	< LOD	157 < LOD	< LOD	53	106 < LOD	< LOD	148963 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		35	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2603	AC-16-84-81	Fig. 10 / Area B	rock	ppm	< LOD		217	44 < LOD		85	17 < LOD	< LOD	< LOD	< LOD	< LOD	122 < LOD	< LOD	63 < LOD	< LOD	< LOD	57562 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		22	3 < LOD	< LOD	< LOD	< LOD	< LOD	.
2604	AC-16-84-81a	Fig. 10 / Area B	rock	ppm	< LOD		321	60 < LOD		143	30 < LOD	< LOD	< LOD	< LOD	< LOD	81 < LOD	< LOD	< LOD	< LOD	< LOD	54014 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		28	3 < LOD	< LOD	< LOD	< LOD	< LOD	.
2605	AC-16-84-81b	Fig. 10 / Area B	rock	ppm	< LOD		288	67	8	105	13 < LOD	< LOD	< LOD	< LOD	< LOD	86 < LOD	< LOD	48 < LOD	< LOD	< LOD	53183 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		24	3 < LOD	< LOD	< LOD	< LOD	< LOD	.
2606	AC-16-84-82	Fig. 10 / Area B	rock	ppm	< LOD		122	87 < LOD		29	10 < LOD	< LOD	< LOD	< LOD	< LOD	68 < LOD	< LOD	50 < LOD	< LOD	< LOD	43220	271 < LOD	< LOD	< LOD	< LOD	< LOD		9	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2607	AC-16-84-82a	Fig. 10 / Area B	rock	ppm	< LOD		402	81 < LOD		123	29 < LOD	< LOD	< LOD	< LOD	< LOD	103 < LOD	< LOD	47 < LOD	< LOD	< LOD	61220 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		33	4 < LOD	< LOD	< LOD	< LOD	< LOD	.
2608	AC-16-84-82b	Fig. 10 / Area B	rock	ppm	< LOD		225	92	9	56	15 < LOD	< LOD	< LOD	< LOD	< LOD	110 < LOD	< LOD	80	97 < LOD	< LOD	68771 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		18	3 < LOD	< LOD	< LOD	< LOD	< LOD	.
2666	AC-16-84-102	Fig. 10 / Area B	rock	ppm	601	333	150	550 < LOD		1108 < LOD	388 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	1 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		29 < LOD	< LOD	< LOD	< LOD	< LOD	.
2667	AC-16-84-102a	Fig. 10 / Area B	rock	ppm	6	81	380	11	7	23 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	50 < LOD	< LOD	< LOD	< LOD	< LOD	28686 < LOD		38	31 < LOD	< LOD	< LOD		11	4 < LOD	< LOD	< LOD	< LOD	< LOD	.
2668	AC-16-84-102b	Fig. 10 / Area B	rock	ppm	< LOD		163	163 < LOD		38 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	109 < LOD	< LOD	44 < LOD	< LOD	< LOD	55321 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		16 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2669	AC-16-84-103	Fig. 10 / Area B	rock	ppm	< LOD		124	56 < LOD		73 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	141 < LOD	< LOD	< LOD	< LOD	< LOD	65770 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD		15	2 < LOD	< LOD	< LOD	< LOD	< LOD	.
2670	AC-16-84-103a	Fig. 10 / Area B	rock	ppm	< LOD		17	18 < LOD		31	5 < LOD	< LOD	< LOD	< LOD	< LOD	273 < LOD	< LOD	32 < LOD	< LOD	< LOD	54641	403 < LOD	< LOD	< LOD	< LOD	< LOD		4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2671	AC-16-84-103b	Fig. 10 / Area B	rock	ppm	< LOD		206	84 < LOD		90	15 < LOD	< LOD	< LOD	< LOD	< LOD	131 < LOD	< LOD	38	93 < LOD	< LOD	65912	847 < LOD	< LOD	< LOD	< LOD	< LOD		22	4 < LOD	< LOD	< LOD	< LOD	< LOD	.
2672	AC-16-84-104	Fig. 10 / Area B	rock	ppm	< LOD	< LOD		4 < LOD		4 < LOD	86 < LOD	< LOD	< LOD	< LOD	< LOD	134 < LOD	< LOD	210	350 < LOD	< LOD	303349	21819 < LOD	< LOD	< LOD	< LOD	< LOD			5 < LOD	< LOD	< LOD	< LOD	< LOD	.
2673	AC-16-84-104a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD		7 < LOD		5 < LOD	118 < LOD	< LOD	< LOD	< LOD	< LOD	224 < LOD	< LOD	429	567 < LOD	< LOD	322914	24848												

Table No. 3
Ace, Area B - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti		
2680	AC-16-84-106b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	3	< LOD	7	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	172	< LOD	431	206	< LOD	216665	7839	< LOD	< LOD	< LOD	< LOD	< LOD	3	< LOD	< LOD	< LOD	< LOD	.	
2681	AC-16-84-107	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	39	< LOD	13	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	122	< LOD	103	92	< LOD	117171	15988	< LOD	< LOD	< LOD	< LOD	< LOD	2	< LOD	< LOD	< LOD	< LOD	.	
2682	AC-16-84-107a	Fig. 10 / Area B	rock	ppm	7	10	8	< LOD	< LOD	26	< LOD	< LOD	< LOD	< LOD	< LOD	58	< LOD	40	< LOD	< LOD	48139	1670	< LOD	< LOD	< LOD	< LOD	10	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2683	AC-16-84-107b	Fig. 10 / Area B	rock	ppm	< LOD	207	193	< LOD	54	22	21	< LOD	< LOD	< LOD	< LOD	158	< LOD	100	255	< LOD	159763	17355	< LOD	< LOD	< LOD	< LOD	23	5	< LOD	< LOD	< LOD	< LOD	.	
2684	AC-16-84-108	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	< LOD	< LOD	7	< LOD	52	< LOD	< LOD	< LOD	< LOD	141	< LOD	114	542	< LOD	299919	22518	134	135	< LOD	< LOD	< LOD	4	< LOD	< LOD	< LOD	< LOD	.	
2685	AC-16-84-108a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	3	< LOD	5	14	30	< LOD	< LOD	< LOD	< LOD	146	< LOD	158	268	< LOD	274257	14872	< LOD	< LOD	< LOD	< LOD	< LOD	4	< LOD	< LOD	< LOD	< LOD	.	
2686	AC-16-84-108b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	7	< LOD	10	< LOD	93	< LOD	< LOD	< LOD	< LOD	197	< LOD	934	257	< LOD	292357	26860	< LOD	< LOD	< LOD	< LOD	< LOD	3	< LOD	< LOD	< LOD	< LOD	.	
2687	AC-16-84-109	Fig. 10 / Area B	rock	ppm	< LOD	291	58	< LOD	106	22	< LOD	< LOD	< LOD	< LOD	< LOD	91	< LOD	< LOD	< LOD	< LOD	38573	372	< LOD	< LOD	< LOD	< LOD	27	4	< LOD	< LOD	< LOD	< LOD	.	
2688	AC-16-84-109a	Fig. 10 / Area B	rock	ppm	< LOD	234	55	< LOD	62	15	< LOD	< LOD	< LOD	< LOD	< LOD	78	< LOD	38	< LOD	< LOD	34144	504	< LOD	< LOD	< LOD	< LOD	21	3	< LOD	< LOD	< LOD	< LOD	.	
2689	AC-16-84-109b	Fig. 10 / Area B	rock	ppm	< LOD	245	50	< LOD	89	24	< LOD	< LOD	< LOD	< LOD	< LOD	89	< LOD	33	115	< LOD	56437	667	< LOD	< LOD	< LOD	< LOD	25	4	< LOD	< LOD	< LOD	< LOD	.	
2690	AC-16-84-110	Fig. 10 / Area B	rock	ppm	7	243	62	< LOD	209	21	< LOD	< LOD	< LOD	< LOD	< LOD	40	< LOD	56	< LOD	< LOD	14139	< LOD	< LOD	< LOD	< LOD	< LOD	35	8	< LOD	< LOD	< LOD	< LOD	.	
2691	AC-16-84-110a	Fig. 10 / Area B	rock	ppm	< LOD	192	63	< LOD	194	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	40	< LOD	57	< LOD	< LOD	14459	< LOD	< LOD	< LOD	< LOD	< LOD	26	2	< LOD	< LOD	< LOD	< LOD	.	
2692	AC-16-84-110b	Fig. 10 / Area B	rock	ppm	< LOD	77	79	< LOD	76	20	25	< LOD	< LOD	< LOD	20.29	92	< LOD	112	212	< LOD	206596	1170	< LOD	< LOD	< LOD	< LOD	11	2	< LOD	< LOD	< LOD	< LOD	.	
2693	AC-16-84-111	Fig. 10 / Area B	rock	ppm	437	405	118	< LOD	93	1127	< LOD	581	< LOD	< LOD	< LOD	1876	< LOD	< LOD	< LOD	< LOD	< LOD	1	< LOD	426	< LOD	< LOD	< LOD	184	37	< LOD	< LOD	< LOD	< LOD	.
2694	AC-16-84-111a	Fig. 10 / Area B	rock	ppm	12	300	92	< LOD	91	34	< LOD	< LOD	< LOD	< LOD	< LOD	92	< LOD	< LOD	< LOD	< LOD	29025	< LOD	< LOD	< LOD	< LOD	< LOD	15	2	< LOD	< LOD	< LOD	< LOD	.	
2695	AC-16-84-111b	Fig. 10 / Area B	rock	ppm	10	131	59	< LOD	93	28	< LOD	< LOD	< LOD	< LOD	< LOD	74	< LOD	30	< LOD	< LOD	50238	< LOD	56	41	< LOD	< LOD	16	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2696	AC-16-84-112	Fig. 10 / Area B	rock	ppm	13	183	89	< LOD	141	28	< LOD	< LOD	< LOD	< LOD	< LOD	112	< LOD	36	< LOD	358	55508	< LOD	78	60	< LOD	< LOD	24	2	< LOD	< LOD	< LOD	< LOD	.	
2697	AC-16-84-112a	Fig. 10 / Area B	rock	ppm	9	271	112	11	113	44	< LOD	< LOD	< LOD	< LOD	< LOD	102	< LOD	< LOD	< LOD	292	56661	< LOD	52	56	< LOD	< LOD	28	4	< LOD	< LOD	< LOD	< LOD	.	
2698	AC-16-84-112b	Fig. 10 / Area B	rock	ppm	9	147	65	8	77	35	< LOD	< LOD	< LOD	< LOD	< LOD	106	< LOD	< LOD	< LOD	< LOD	60170	< LOD	72	48	< LOD	< LOD	20	4	< LOD	< LOD	< LOD	< LOD	.	
2699	AC-16-84-113	Fig. 10 / Area B	rock	ppm	9	7	16	< LOD	2	< LOD	< LOD	< LOD	< LOD	< LOD	11.07	31	< LOD	< LOD	< LOD	< LOD	4879	127	57	33	< LOD	< LOD	7	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2700	AC-16-84-113a	Fig. 10 / Area B	rock	ppm	9	5	24	< LOD	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	24	< LOD	< LOD	< LOD	< LOD	8766	< LOD	49	28	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2701	AC-16-84-113b	Fig. 10 / Area B	rock	ppm	8	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	17	< LOD	< LOD	550	< LOD	53	26	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2702	AC-16-84-114	Fig. 10 / Area B	rock	ppm	10	158	26	8	14	12	< LOD	< LOD	< LOD	< LOD	< LOD	37	< LOD	29	< LOD	< LOD	25868	3852	51	26	< LOD	< LOD	8	3	< LOD	< LOD	< LOD	< LOD	.	
2703	AC-16-84-114a	Fig. 10 / Area B	rock	ppm	< LOD	11	4	< LOD	2	8	< LOD	< LOD	< LOD	< LOD	< LOD	26	< LOD	< LOD	< LOD	< LOD	1610	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.
2704	AC-16-84-114b	Fig. 10 / Area B	rock	ppm	< LOD	105	28	< LOD	11	7	< LOD	< LOD	< LOD	< LOD	< LOD	29	< LOD	< LOD	< LOD	< LOD	7907	265	< LOD	< LOD	< LOD	< LOD	4	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2705	AC-16-84-115	Fig. 10 / Area B	rock	ppm	< LOD	80	258	8	20	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	123	< LOD	24	157	< LOD	102327	1714	< LOD	< LOD	< LOD	< LOD	7	9	< LOD	< LOD	< LOD	< LOD	.	
2706	AC-16-84-115a	Fig. 10 / Area B	rock	ppm	< LOD	201	129	< LOD	27	27	< LOD	< LOD	< LOD	< LOD	< LOD	73	< LOD	< LOD	< LOD	< LOD	36201	< LOD	< LOD	< LOD	< LOD	< LOD	13	3	< LOD	< LOD	< LOD	< LOD	.	
2707	AC-16-84-115b	Fig. 10 / Area B	rock	ppm	< LOD	222	126	< LOD	30	8	< LOD	< LOD	< LOD	< LOD	< LOD	88	< LOD	87	138	< LOD	106798	630	< LOD	< LOD	< LOD	< LOD	22	2	< LOD	< LOD	< LOD	< LOD	.	
2708	AC-16-84-116	Fig. 10 / Area B	rock	ppm	< LOD	290	236	10	22	9	< LOD	< LOD	< LOD	< LOD	< LOD	74	< LOD	46	< LOD	< LOD	22727	888	< LOD	< LOD	< LOD	< LOD	18	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2709	AC-16-84-116a	Fig. 10 / Area B	rock	ppm	< LOD	134	367	12	2	9	< LOD	< LOD	< LOD	< LOD	< LOD	39	< LOD	19	< LOD	< LOD	28381	2534	< LOD	< LOD	< LOD	< LOD	6	3	< LOD	< LOD	< LOD	< LOD	.	
2710	AC-16-84-116b	Fig. 10 / Area B	rock	ppm	< LOD	131	206	10	< LOD	12	11	< LOD	< LOD	< LOD	< LOD	80	< LOD	81	< LOD	< LOD	70486	< LOD	< LOD	< LOD	< LOD	< LOD	7	6	< LOD	< LOD	< LOD	< LOD	.	
2711	AC-16-84-117	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	229	< LOD	4	16	< LOD	< LOD	< LOD	< LOD	< LOD	112	< LOD	161	< LOD	< LOD	174194	< LOD	< LOD	< LOD	< LOD	< LOD	6	2	< LOD	< LOD	< LOD	< LOD	.	
2712	AC-16-84-117a	Fig. 10 / Area B	rock	ppm	< LOD	7	260	< LOD	4	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	29	< LOD	457	< LOD	< LOD	97269	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2713	AC-16-84-117b	Fig. 10 / Area B	rock	ppm	< LOD	68	267	8	13	8	< LOD	< LOD	< LOD	< LOD	< LOD	83	< LOD	54	< LOD	< LOD	55167	367	< LOD	< LOD	< LOD	< LOD	10	2	< LOD	< LOD	< LOD	< LOD	.	
2714	AC-16-84-118	Fig. 10 / Area B	rock	ppm	< LOD	433	102	< LOD	20	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	175	< LOD	< LOD	105	< LOD	108012	< LOD	< LOD	< LOD	< LOD	< LOD	12	2	< LOD	< LOD	< LOD	< LOD	.	
2715	AC-16-84-118a	Fig. 10 / Area B	rock	ppm	< LOD	342	133	17	8	20	< LOD	< LOD	< LOD	< LOD	< LOD	140	< LOD	61	< LOD	< LOD	96612	< LOD	< LOD	< LOD	< LOD	< LOD	19	3	< LOD	< LOD	< LOD	< LOD	.	
2716	AC-16-84-118b	Fig. 10 / Area B	rock	ppm	< LOD	263	110	11	11	< LOD	100	< LOD	14	< LOD	< LOD	108	< LOD	90	77	< LOD	95876	< LOD	< LOD	< LOD	< LOD	< LOD	8	3	< LOD	< LOD	< LOD	< LOD	.	
2717	AC-16-84-119	Fig. 10 / Area B	rock	ppm	8	108	56	< LOD	143	27	< LOD	< LOD	< LOD	< LOD	< LOD	156	< LOD	44	133	< LOD	122793	< LOD	68	68	< LOD	< LOD	27	3	< LOD	< LOD	< LOD	< LOD	.	
2718	AC-16-84-119a	Fig. 10 / Area B	rock	ppm	12	9	7	< LOD	6	8	< LOD	< LOD	< LOD	< LOD	< LOD	68	< LOD	21	< LOD	< LOD	14351	591	< LOD	< LOD	< LOD	< LOD	9	< LOD	< LOD	< LOD	< LOD	< LOD	.	
2719	AC-16-84-119b	Fig. 10 / Area B	rock	ppm	9	124	54	< LOD	157	31	< LOD	< LOD	< LOD	< LOD	< LOD	101	< LOD	< LOD	< LOD	< LOD	53748	< LOD	90	94	< LOD	< LOD	25	2	< LOD	< LOD	< LOD	< LOD	.	
2720	AC-16-84-120	Fig. 10 / Area B	rock	ppm	18	37	16	< LOD	20	31	< LOD	< LOD	< LOD	< LOD	< LOD	100	< LOD	124	< LOD	< LOD	124273	2337	81	55	< LOD	< LOD	12	3	< LOD	< LOD	< LOD	< LOD	.	
2721	AC-16-84-120a	Fig. 10 / Area B	rock	ppm	11	33	68	12	20	12	< LOD	< LOD	< LOD	< LOD	11.25	97	< LOD	134	227	< LOD	176690	1537	98	97	< LOD	< LOD	6	3	< LOD	< LOD	< LOD	< LOD	.	
2722	AC-16-84-120b	Fig. 10 / Area B	rock	ppm	7	71	231	16	45	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	218	< LOD	161	116	< LOD	116946	4864	< LOD	< LOD	< LOD	< LOD	9	6	< LOD	< LOD	< LOD	< LOD	.	
2723	AC-16-84-121	Fig. 10 / Area B	rock	ppm	11	276	188</																											


Table No. 3
Ace, Area B - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti
2727	AC-16-84-122a	Fig. 10 / Area B	rock	ppm	< LOD	202	59 < LOD	148	25 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	49 < LOD	72 < LOD	< LOD	< LOD	52292 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	20	4 < LOD	< LOD	< LOD	< LOD	< LOD	.
2728	AC-16-84-122b	Fig. 10 / Area B	rock	ppm	< LOD	287	68 < LOD	180	14 < LOD	< LOD	< LOD	< LOD	< LOD	11.80	67 < LOD	111	154 < LOD	77409	547 < LOD	< LOD	< LOD	< LOD	< LOD	20	3 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2729	AC-16-84-123	Fig. 10 / Area B	rock	ppm	< LOD	194	68 < LOD	158	30 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	57 < LOD	59 < LOD	< LOD	< LOD	35001 < LOD	< LOD	< LOD	< LOD	< LOD	18	4 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2730	AC-16-84-123a	Fig. 10 / Area B	rock	ppm	4	176	103 < LOD	160	24 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	54 < LOD	136 < LOD	< LOD	< LOD	53856 < LOD	< LOD	< LOD	< LOD	< LOD	17	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2731	AC-16-84-123b	Fig. 10 / Area B	rock	ppm	< LOD	226	78 < LOD	170	26 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	47 < LOD	74 < LOD	< LOD	< LOD	46133 < LOD	< LOD	< LOD	< LOD	< LOD	20	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2732	AC-16-84-124	Fig. 10 / Area B	rock	ppm	< LOD	205	52 < LOD	139	13 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	91 < LOD	41 < LOD	< LOD	< LOD	45051 < LOD	< LOD	< LOD	< LOD	< LOD	20	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2733	AC-16-84-124a	Fig. 10 / Area B	rock	ppm	< LOD	212	56 < LOD	164 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	137 < LOD	33 < LOD	< LOD	< LOD	60342 < LOD	< LOD	< LOD	< LOD	< LOD	19	4 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2734	AC-16-84-124b	Fig. 10 / Area B	rock	ppm	< LOD	161	51 < LOD	128	35 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	125 < LOD	45 < LOD	< LOD	< LOD	112600 < LOD	< LOD	< LOD	< LOD	< LOD	17	4 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2735	AC-16-84-125	Fig. 10 / Area B	rock	ppm	< LOD	195	65 < LOD	33	20 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	43 < LOD	< LOD	< LOD	< LOD	24567 < LOD	< LOD	< LOD	< LOD	< LOD	8	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2736	AC-16-84-125a	Fig. 10 / Area B	rock	ppm	< LOD	119	62 < LOD	33	13 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	58 < LOD	< LOD	< LOD	< LOD	33011 < LOD	< LOD	< LOD	< LOD	< LOD	5	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2737	AC-16-84-125b	Fig. 10 / Area B	rock	ppm	< LOD	143	66 < LOD	33	11 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	55 < LOD	< LOD	< LOD	< LOD	29472 < LOD	< LOD	< LOD	< LOD	< LOD	7	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2738	AC-16-84-126	Fig. 10 / Area B	rock	ppm	< LOD	55	36 < LOD	71	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	69 < LOD	18 < LOD	< LOD	< LOD	23895	491 < LOD	< LOD	< LOD	< LOD	9	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2739	AC-16-84-126a	Fig. 10 / Area B	rock	ppm	< LOD	59	27 < LOD	69	8 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	75 < LOD	31 < LOD	< LOD	< LOD	40170	387 < LOD	< LOD	< LOD	< LOD	5	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2740	AC-16-84-126b	Fig. 10 / Area B	rock	ppm	< LOD	70	29 < LOD	68 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	64 < LOD	21 < LOD	< LOD	< LOD	45599	314 < LOD	< LOD	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2741	AC-16-84-127	Fig. 10 / Area B	rock	ppm	< LOD	211	81 < LOD	159	8 < LOD	< LOD	< LOD	< LOD	< LOD	13.49	82 < LOD	28	97 < LOD	25412 < LOD	< LOD	< LOD	< LOD	< LOD	21	6 < LOD	< LOD	< LOD	< LOD	< LOD	.			
2742	AC-16-84-127a	Fig. 10 / Area B	rock	ppm	< LOD	206	60 < LOD	149	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	104 < LOD	40 < LOD	< LOD	< LOD	58510 < LOD	< LOD	< LOD	< LOD	< LOD	24	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2743	AC-16-84-127b	Fig. 10 / Area B	rock	ppm	< LOD	127	53 < LOD	128 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	106 < LOD	130 < LOD	< LOD	< LOD	60087 < LOD	< LOD	< LOD	< LOD	< LOD	19	4 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2744	AC-16-84-128	Fig. 10 / Area B	rock	ppm	< LOD	196	83 < LOD	37	17	20 < LOD	< LOD	< LOD	< LOD	< LOD	67 < LOD	80 < LOD	< LOD	< LOD	23976 < LOD	< LOD	< LOD	< LOD	< LOD	6	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2745	AC-16-84-128a	Fig. 10 / Area B	rock	ppm	< LOD	154	65 < LOD	38	20 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	64 < LOD	29 < LOD	< LOD	< LOD	35080 < LOD	< LOD	< LOD	< LOD	< LOD	8	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2746	AC-16-84-128b	Fig. 10 / Area B	rock	ppm	< LOD	240	71 < LOD	34	22 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	60 < LOD	< LOD	< LOD	< LOD	26860 < LOD	< LOD	< LOD	< LOD	< LOD	12	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2747	AC-16-84-129	Fig. 10 / Area B	rock	ppm	6	128	56 < LOD	142	15 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	194 < LOD	125	192 < LOD	124235 < LOD	< LOD	< LOD	< LOD	< LOD	28	< LOD	< LOD	< LOD	< LOD	< LOD	.			
2748	AC-16-84-129a	Fig. 10 / Area B	rock	ppm	< LOD	133	58 < LOD	151	20 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	105 < LOD	< LOD	< LOD	< LOD	64616 < LOD	< LOD	< LOD	< LOD	< LOD	29	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2749	AC-16-84-129b	Fig. 10 / Area B	rock	ppm	< LOD	136	63 < LOD	144 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	97 < LOD	38 < LOD	< LOD	< LOD	84596 < LOD	< LOD	< LOD	< LOD	< LOD	32	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2750	AC-16-84-130	Fig. 10 / Area B	rock	ppm	< LOD	176	116 < LOD	26 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	100 < LOD	< LOD	< LOD	< LOD	85953 < LOD	< LOD	< LOD	< LOD	< LOD	13	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2751	AC-16-84-130a	Fig. 10 / Area B	rock	ppm	< LOD	22	208	8	9 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	288 < LOD	< LOD	< LOD	122 < LOD	154912 < LOD	< LOD	< LOD	< LOD	< LOD	5	12 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2752	AC-16-84-130b	Fig. 10 / Area B	rock	ppm	< LOD	116	285	12	17	12 < LOD	< LOD	< LOD	< LOD	< LOD	126 < LOD	27	178 < LOD	105426	3417 < LOD	< LOD	< LOD	< LOD	< LOD	8	12 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2753	AC-16-84-131	Fig. 10 / Area B	rock	ppm	< LOD	237	101 < LOD	33	18 < LOD	< LOD	< LOD	< LOD	11 < LOD	105 < LOD	47	218 < LOD	191836	1041 < LOD	< LOD	< LOD	< LOD	< LOD	24	2 < LOD	< LOD	< LOD	< LOD	< LOD	.			
2754	AC-16-84-131a	Fig. 10 / Area B	rock	ppm	< LOD	170	153	9	29 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	95 < LOD	34 < LOD	< LOD	< LOD	29742 < LOD	< LOD	< LOD	< LOD	< LOD	17	6 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2755	AC-16-84-131b	Fig. 10 / Area B	rock	ppm	< LOD	295	167	8	38	37 < LOD	< LOD	< LOD	< LOD	< LOD	70 < LOD	25 < LOD	< LOD	< LOD	41571	390 < LOD	< LOD	< LOD	< LOD	16	11 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2756	AC-16-84-132	Fig. 10 / Area B	rock	ppm	< LOD	182	152	8	24	12 < LOD	< LOD	< LOD	< LOD	< LOD	231 < LOD	98 < LOD	< LOD	< LOD	59497 < LOD	< LOD	< LOD	< LOD	< LOD	20	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2757	AC-16-84-132a	Fig. 10 / Area B	rock	ppm	< LOD	116	158 < LOD	22	12 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	56 < LOD	< LOD	< LOD	< LOD	19600	306 < LOD	< LOD	< LOD	< LOD	10	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2758	AC-16-84-132b	Fig. 10 / Area B	rock	ppm	< LOD	151	189 < LOD	12	23 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	62 < LOD	55 < LOD	< LOD	< LOD	43947 < LOD	< LOD	< LOD	< LOD	< LOD	15	6 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2759	AC-16-84-133	Fig. 10 / Area B	rock	ppm	< LOD	11	4	10	7 < LOD	70	16 < LOD	10 < LOD	21 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	4338 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2134 < LOD	< LOD	< LOD	< LOD	.		
2760	AC-16-84-133a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	2	8	10 < LOD	360	23	52	9 < LOD	18 < LOD	< LOD	< LOD	< LOD	< LOD	1330 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	3416 < LOD	< LOD	< LOD	< LOD	.		
2761	AC-16-84-133b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	855 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2762	AC-16-84-134	Fig. 10 / Area B	rock	ppm	< LOD	21	8 < LOD	6 < LOD	28 < LOD	< LOD	< LOD	< LOD	< LOD	36	115	61 < LOD	< LOD	< LOD	43855 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2763	AC-16-84-134a	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	13 < LOD	< LOD	< LOD	< LOD	5125	140 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2764	AC-16-84-134b	Fig. 10 / Area B	rock	ppm	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	13 < LOD	< LOD	< LOD	< LOD	2249 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	202 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2765	AC-16-84-135	Fig. 10 / Area B	rock	ppm	< LOD	134	55 < LOD	159	15 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	98 < LOD	< LOD	< LOD	< LOD	39409 < LOD	< LOD	< LOD	< LOD	< LOD	21	3 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2766	AC-16-84-135a	Fig. 10 / Area B	rock	ppm	< LOD	175	69 < LOD	146 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	113 < LOD	30 < LOD	< LOD	< LOD	83757 < LOD	< LOD	< LOD	< LOD	< LOD	19	2 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2767	AC-16-84-135b	Fig. 10 / Area B	rock	ppm	< LOD	35	30 < LOD	69 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	250 < LOD	< LOD	< LOD	< LOD	20876 < LOD	< LOD	< LOD	< LOD	< LOD	8	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2768	AC-16-84-136	Fig. 10 / Area B	rock	ppm	< LOD	176	63	11	88	33 < LOD	< LOD	< LOD	< LOD	< LOD	107 < LOD	26 < LOD	< LOD	< LOD	58873 < LOD	< LOD	< LOD	< LOD	< LOD	16	7 < LOD	< LOD	< LOD	< LOD	< LOD	.		
2769	AC-16-84-136a	Fig. 10 / Area B	rock	ppm	9	11	8 < LOD	2	29 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	84 < LOD	32 < LOD	< LOD	< LOD	5397 < LOD	< LOD	< LOD	< LOD	< LOD	8	< LOD	< LOD	< LOD	< LOD	< LOD	.		
2770	AC-16-84-136b	Fig. 10 / Area B	rock	ppm	< LOD	182	76 < LOD	82	58 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	127 < LOD	36 < LOD	< LOD	< LOD	67800 < LOD	< LOD	< LOD											

Table No. 3
Ace, Area B - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.																																
XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti
2774	AC-16-84-138	Fig. 10 / Area B	rock	ppm	6 < LOD :		1100 < LOD :		3	36 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		61 < LOD :	< LOD :	< LOD :	< LOD :		4379 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :		5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2775	AC-16-84-138a	Fig. 10 / Area B	rock	ppm	< LOD :	< LOD :	1845	24 < LOD :		21 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		22 < LOD :	< LOD :	< LOD :	< LOD :		3607 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2776	AC-16-84-138b	Fig. 10 / Area B	rock	ppm	< LOD :	< LOD :	1697 < LOD :		3	25 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		49 < LOD :	< LOD :	< LOD :	< LOD :		6290 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	
2777	AC-16-84-139	Fig. 10 / Area B	rock	ppm	< LOD :	227	46 < LOD :		129	20 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		78 < LOD :		49 < LOD :	< LOD :		70762 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :		30	2 < LOD :	< LOD :	< LOD :	< LOD :	
2778	AC-16-84-139a	Fig. 10 / Area B	rock	ppm	< LOD :	188	55 < LOD :		134 < LOD :	< LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		53 < LOD :	< LOD :	< LOD :	< LOD :		72818 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :		27	2 < LOD :	< LOD :	< LOD :	< LOD :	
2779	AC-16-84-140	Fig. 10 / Area B	rock	ppm	5	123	53 < LOD :		77	21 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		287 < LOD :		138 < LOD :	< LOD :		97579	3878 < LOD :	< LOD :	< LOD :	< LOD :		16	2 < LOD :	< LOD :	< LOD :	< LOD :	
2780	AC-16-84-140a	Fig. 10 / Area B	rock	ppm	< LOD :	975	53 < LOD :		78	46	18 < LOD :	< LOD :	< LOD :	< LOD :		74 < LOD :		30 < LOD :	< LOD :		18508	410 < LOD :	< LOD :	< LOD :	< LOD :		11	2 < LOD :	< LOD :	< LOD :	< LOD :	
2781	AC-16-84-140a	Fig. 10 / Area B	rock	ppm	< LOD :	230	27 < LOD :		33	8 < LOD :	!< LOD :	< LOD :	< LOD :	< LOD :		52 < LOD :	< LOD :	< LOD :	< LOD :		11785	176 < LOD :	< LOD :	< LOD :	< LOD :		3	2 < LOD :	< LOD :	< LOD :	< LOD :	
2782	AC-16-84-140b	Fig. 10 / Area B	rock	ppm	< LOD :	209	27 < LOD :		32	12 < LOD :	!< LOD :		8 < LOD :	< LOD :		67 < LOD :	< LOD :	< LOD :	< LOD :		27499 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :		7 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	



Ace Property Area C
Float Rock Samples XRF Results (ppm)

XRF No.	Zn	Cu	Au	XRF No.	Zn	Cu	Au
2364	18			2619	34		
2365	19			2620	17		
2366	27			2621	83	24	
2367	13			2622	33		
2368	18			2623	13		
2369				2624	72	24	
2370	96			2625	249	57	
2371	260	25		2626	34		
2372	220	21		2627	58		
2373	33	31		2628	90	21	
2374	24			2629	61	40	
2375	133	18		2630	22		
2376	83	60		2631	15		
2377	76	35		2632	13	16	
2378	53			2633	115	58	
2379	124	693		2634	102	39	
2380	95			2635	80		
2381	131	49		2636	54		
2382	84			2637	47	23	
2383	160			2638	52		
2384	66	54		2639	97	32	
2385	49			2640	79		
2386	33			2641	111		
2387	31			2642	95	80	
2388	93	74		2643	111	43	10.78
2389	89	36		2644	121	38	
2390	68			2645	64	27	
2391	41			2646	79	55	
2392	52	92		2647	43	27	
2393	27	151		2648	21	31	
2394	29	41		2649	60	101	
2395	47			2650	88	38	
2396	25	15		2651	142	219	
2397	35			2652	175	589	
2398	20			2653	75	128	
2399	51	33		2654	25		
2400	35	57		2655	28	105	
2609	98	308		2656	34		
2610	103	199		2657	66	277	
2611	93	311		2658	25	29	
2612	56			2659	57	148	
2613	18			2660	96	82	12.33
2614	30			2661	46	26	
2615	23			2662	51	118	
2616	40			2663	33	96	
2617				2664	68	165	
2618	34			2665	81	64	

Results below level of detection are not shown.
Zn, Cu results over 100 ppm marked in red.

See Table No. 4 for XRF results.

BARKER MINERALS LTD.

ACE PROPERTY
Area C
Rock Sample Numbers
and Zn, Cu, Au Geochemistry
Cariboo Mining Division, B.C.

NTS Mapsheet: 93 A/14

Date: April 8, 2017

Fig.No. 11

Table No. 4
Ace, Area C - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti
2364	AC-16-84-01	Fig. 11 / Area C	rock	ppm	7 < LOD :		96 < LOD :		2	20 < LOD :						18 < LOD					20086 < LOD :		35 < LOD					6 < LOD				
2365	AC-16-84-01a	Fig. 11 / Area C	rock	ppm	< LOD :	36	43 < LOD :		5	4 < LOD :						19 < LOD					9642		854 < LOD					6 < LOD				
2366	AC-16-84-01b	Fig. 11 / Area C	rock	ppm	< LOD :	109	127 < LOD :		8	7 < LOD :						27 < LOD					13976		1193 < LOD					4 < LOD				
2367	AC-16-84-02	Fig. 11 / Area C	rock	ppm	7 < LOD :		26	5 < LOD :		14 < LOD :						13 < LOD					4356		334 < LOD					5 < LOD				
2368	AC-16-84-02a	Fig. 11 / Area C	rock	ppm	10	72	25 < LOD :		7	28 < LOD :						18 < LOD					14663 < LOD :							10 < LOD				
2369	AC-16-84-02bb	Fig. 11 / Area C	rock	ppm	12	9	98 < LOD :			21 < LOD :						< LOD :					21460 < LOD :							9 < LOD				
2370	AC-16-84-03	Fig. 11 / Area C	rock	ppm	10	89	73 < LOD :		88	43 < LOD :						96 < LOD					53465 < LOD :		84	62 < LOD				16 < LOD				
2371	AC-16-84-03a	Fig. 11 / Area C	rock	ppm	< LOD :	101	58 < LOD :		56	19 < LOD :						260 < LOD			25 < LOD		24262		287 < LOD				11	2 < LOD				
2372	AC-16-84-03b	Fig. 11 / Area C	rock	ppm	< LOD :	64	61 < LOD :		47	14 < LOD :						220 < LOD			21 < LOD		26986		258 < LOD				7 < LOD					
2373	AC-16-84-04	Fig. 11 / Area C	rock	ppm	< LOD :		26 < LOD :			< LOD :			441 < LOD			33 < LOD			31 < LOD		17006		672 < LOD					< LOD				
2374	AC-16-84-04a	Fig. 11 / Area C	rock	ppm	< LOD :	3	31 < LOD :			< LOD :						24 < LOD					6534		358 < LOD					< LOD				
2375	AC-16-84-04b	Fig. 11 / Area C	rock	ppm	< LOD :	134	96 < LOD :		9	< LOD :						133 < LOD			18 < LOD		36038		3278 < LOD				3 < LOD					
2376	AC-16-84-05	Fig. 11 / Area C	rock	ppm	5	66	59 < LOD :		87 < LOD :							83 < LOD			60	107 < LOD	75158		6262 < LOD				12 < LOD					
2377	AC-16-84-05a	Fig. 11 / Area C	rock	ppm	< LOD :	45	48 < LOD :		49	9 < LOD :						76 < LOD			35	128 < LOD	72205		7205 < LOD				6	3 < LOD				
2378	AC-16-84-05b	Fig. 11 / Area C	rock	ppm	< LOD :	27	11 < LOD :		13	10 < LOD :						53 < LOD					19038		1954 < LOD				< LOD					
2379	AC-16-84-06	Fig. 11 / Area C	rock	ppm	< LOD :	174	27 < LOD :		58 < LOD :			775 < LOD				124 < LOD			693	93 < LOD	88475 < LOD :						13 < LOD					23176
2380	AC-16-84-06a	Fig. 11 / Area C	rock	ppm	< LOD :	179	55	13	126	26 < LOD :						95 < LOD			126 < LOD		141842 < LOD :						17	2 < LOD				
2381	AC-16-84-06b	Fig. 11 / Area C	rock	ppm	< LOD :	135	44 < LOD :		79	11	148 < LOD					131 < LOD			49 < LOD		41956		321 < LOD				11 < LOD					
2382	AC-16-84-07	Fig. 11 / Area C	rock	ppm	< LOD :	120	43 < LOD :		107	18 < LOD :						84 < LOD					99057 < LOD :						14 < LOD					
2383	AC-16-84-07a	Fig. 11 / Area C	rock	ppm	< LOD :	160	74	9	90	48	44 < LOD					160 < LOD					101778 < LOD :						17	13 < LOD				
2384	AC-16-84-07b	Fig. 11 / Area C	rock	ppm	< LOD :	71	43 < LOD :		92 < LOD :							66 < LOD			54 < LOD		22208 < LOD :						10 < LOD					
2385	AC-16-84-08	Fig. 11 / Area C	rock	ppm	< LOD :	20	10 < LOD :			< LOD :						49 < LOD					3972		222 < LOD				< LOD					
2386	AC-16-84-08a	Fig. 11 / Area C	rock	ppm	< LOD :		92	6 < LOD :		4 < LOD :						33 < LOD					30821		3149 < LOD				< LOD					
2387	AC-16-84-08b	Fig. 11 / Area C	rock	ppm	< LOD :		7 < LOD :			< LOD :			33 < LOD			31 < LOD					35580		1569 < LOD				< LOD					
2388	AC-16-84-09	Fig. 11 / Area C	rock	ppm	< LOD :	80	73 < LOD :		86 < LOD :							93 < LOD			74 < LOD		48039 < LOD :						14 < LOD					
2389	AC-16-84-09a	Fig. 11 / Area C	rock	ppm	< LOD :	112	74	9	66	17 < LOD :						89 < LOD			36 < LOD		47593 < LOD :						12	2 < LOD				
2390	AC-16-84-09b	Fig. 11 / Area C	rock	ppm	< LOD :	58	57 < LOD :		53 < LOD :							68 < LOD					33726 < LOD :						12 < LOD					
2391	AC-16-84-10	Fig. 11 / Area C	rock	ppm	< LOD :		75 < LOD :			< LOD :						41 < LOD					19042 < LOD :						< LOD					
2392	AC-16-84-10a	Fig. 11 / Area C	rock	ppm	< LOD :		91 < LOD :		8 < LOD :							52 < LOD			92 < LOD		66018		3665 < LOD					2 < LOD				
2393	AC-16-84-10b	Fig. 11 / Area C	rock	ppm	< LOD :		102 < LOD :			< LOD :						27 < LOD			151 < LOD		36510		2687 < LOD					2 < LOD				
2394	AC-16-84-11	Fig. 11 / Area C	rock	ppm	6	34	133	15	7	6	16 < LOD					29 < LOD			41 < LOD		15275 < LOD :						< LOD					
2395	AC-16-84-11a	Fig. 11 / Area C	rock	ppm	10	49	237	9	7 < LOD :							47 < LOD					5957		467 < LOD				< LOD					
2396	AC-16-84-11b	Fig. 11 / Area C	rock	ppm	5	36	86 < LOD :		4	7 < LOD :						25 < LOD			15 < LOD		8142 < LOD :						< LOD					
2397	AC-16-84-12	Fig. 11 / Area C	rock	ppm	< LOD :	39	25 < LOD :		4 < LOD :							35 < LOD					7792 < LOD :						2 < LOD					
2398	AC-16-84-12a	Fig. 11 / Area C	rock	ppm	< LOD :		55 < LOD :		2	13 < LOD :		8 < LOD				20 < LOD					20629		2501 < LOD					2 < LOD				
2399	AC-16-84-12b	Fig. 11 / Area C	rock	ppm	< LOD :	586	64	9	73	36 < LOD :		8 < LOD				51 < LOD			33 < LOD		40754 < LOD :						17	6 < LOD				
2400	AC-16-84-13	Fig. 11 / Area C	rock	ppm	< LOD :	168	25	6	40	20	61 < LOD					35 < LOD			57 < LOD		74328		397 < LOD				33	2 < LOD				
2609	AC-16-84-83	Fig. 11 / Area C	rock	ppm	4	74	477 < LOD :		27	25 < LOD :						98 < LOD			308 < LOD		81710 < LOD :						4	2 < LOD				
2610	AC-16-84-83a	Fig. 11 / Area C	rock	ppm	< LOD :	48	514 < LOD :		23 < LOD :							103 < LOD			199 < LOD		95633 < LOD :						5	3 < LOD				
2611	AC-16-84-83b	Fig. 11 / Area C	rock	ppm	< LOD :	69	443 < LOD :		16	16 < LOD :						93 < LOD			311 < LOD		96469 < LOD :						3	3 < LOD				
2612	AC-16-84-84	Fig. 11 / Area C	rock	ppm	11	279	77 < LOD :		40	37 < LOD :						56 < LOD					34079 < LOD :		112	69 < LOD			11	2 < LOD				
2613	AC-16-84-84a	Fig. 11 / Area C	rock	ppm	11	81	60 < LOD :		18	28 < LOD :						18 < LOD					10675 < LOD :		69 < LOD				11 < LOD					
2614	AC-16-84-84b	Fig. 11 / Area C	rock	ppm	14	124	68 < LOD :		16	28 < LOD :						30 < LOD					22352 < LOD :						9	3 < LOD				
2615	AC-16-84-85	Fig. 11 / Area C	rock	ppm	9	77	65 < LOD :		19	33 < LOD :						23 < LOD					11485 < LOD :		65 < LOD				9 < LOD					
2616	AC-16-84-85a	Fig. 11 / Area C	rock	ppm	8	167	116 < LOD :		27	42 < LOD :						40 < LOD					20557 < LOD :		61	37 < LOD			13	2 < LOD				
2617	AC-16-84-85b	Fig. 11 / Area C	rock	ppm	11	123	89	8	21	36 < LOD :						< LOD :					11475 < LOD :		77	44 < LOD			12	2 < LOD				
2618	AC-16-84-86	Fig. 11 / Area C	rock	ppm	9	3	3 < LOD :		7	23 < LOD :						34 < LOD					13246		148 < LOD					7 < LOD				

Table No. 4
Ace, Area C - XRF Sampling Results

In all cases <LOD means below level of detection. Values for certain elements above 100 ppm are coloured red.

XRF No.	Field No.	Fig. No./Area	Type	Units	Mo	Zr	Sr	U	Rb	Th	Pb	Se	As	Hg	Au	Zn	W	Cu	Ni	Co	Fe	Mn	Sb	Sn	Cd	Ag	Nb	Y	Bi	Cr	V	Ti				
2619	AC-16-84-86a	Fig. 11 / Area C	rock	ppm	7 < LOD :		4 < LOD :		7 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	34 < LOD	< LOD :	< LOD :	< LOD :	12717	721	80	57 < LOD	< LOD		6 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2620	AC-16-84-86b	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :	< LOD :	< LOD :		3 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	17 < LOD	< LOD :	< LOD :	< LOD :	4200	324	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2621	AC-16-84-87	Fig. 11 / Area C	rock	ppm	< LOD	12	16 < LOD :		19 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	83 < LOD		24 < LOD :	< LOD :	46193	3427	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2622	AC-16-84-87a	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :		4 < LOD :		8 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	33 < LOD	< LOD :	< LOD :	< LOD :	13641	731	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2623	AC-16-84-87b	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :		44 < LOD :		6 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	13 < LOD	< LOD :	< LOD :	< LOD :	3903	267	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2624	AC-16-84-88	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :		14 < LOD :	21	4 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	72 < LOD		24 < LOD :	< LOD :	61727	4289	< LOD	< LOD	< LOD	< LOD	< LOD		3 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2625	AC-16-84-88a	Fig. 11 / Area C	rock	ppm	< LOD	309	40 < LOD :		98	15 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	249 < LOD		57	105 < LOD :	103769	1543	< LOD	< LOD	< LOD	< LOD	< LOD	34	4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD		
2626	AC-16-84-88b	Fig. 11 / Area C	rock	ppm	< LOD	21	13 < LOD :		17 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	34 < LOD	< LOD :	< LOD :	< LOD :	16772	554	< LOD	< LOD	< LOD	< LOD	< LOD	5	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2627	AC-16-84-89	Fig. 11 / Area C	rock	ppm	< LOD	76	67 < LOD :		48	13 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	58 < LOD	< LOD :	< LOD :	< LOD :	95946	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	9	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2628	AC-16-84-89a	Fig. 11 / Area C	rock	ppm	< LOD	261	54 < LOD :		100	21 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	90 < LOD		21 < LOD :	< LOD :	54574	312	< LOD	< LOD	< LOD	< LOD	< LOD	25	5 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2629	AC-16-84-89b	Fig. 11 / Area C	rock	ppm	< LOD	97	48 < LOD :		77 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	61 < LOD		40 < LOD :	< LOD :	38659	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	14	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2630	AC-16-84-90	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :	< LOD :	< LOD :		7 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	22 < LOD	< LOD :	< LOD :	< LOD :	9909	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2631	AC-16-84-90a	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	15 < LOD	< LOD :	< LOD :	< LOD :	1733	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2632	AC-16-84-90b	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	13 < LOD		16 < LOD :	< LOD :	5510	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2633	AC-16-84-91	Fig. 11 / Area C	rock	ppm	< LOD	274	63 < LOD :		104	31 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	115 < LOD		58 < LOD :	< LOD :	52974	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	26	4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2634	AC-16-84-91a	Fig. 11 / Area C	rock	ppm	< LOD	88	35 < LOD :		50	10 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	102 < LOD		39 < LOD :	< LOD :	50254	610	< LOD	< LOD	< LOD	< LOD	< LOD	11	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2635	AC-16-84-91b	Fig. 11 / Area C	rock	ppm	< LOD	128	55 < LOD :		90 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	80 < LOD	< LOD :	< LOD :	< LOD :	44401	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	13	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2636	AC-16-84-92	Fig. 11 / Area C	rock	ppm	< LOD	418	53	10	94	26 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	54 < LOD	< LOD :	< LOD :	< LOD :	131218	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	24	4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2637	AC-16-84-92a	Fig. 11 / Area C	rock	ppm	< LOD	100	41 < LOD :		71	9 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	47 < LOD		23 < LOD :	< LOD :	25185	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	15	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2638	AC-16-84-92b	Fig. 11 / Area C	rock	ppm	< LOD	92	32 < LOD :		65	13 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	52 < LOD	< LOD :	< LOD :	< LOD :	87491	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	13	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2639	AC-16-84-93	Fig. 11 / Area C	rock	ppm	< LOD	59	68 < LOD :		3	12 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	97 < LOD		32 < LOD :	< LOD :	70145	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	4	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2640	AC-16-84-93a	Fig. 11 / Area C	rock	ppm	< LOD	48	68 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	79 < LOD	< LOD :		70 < LOD :	63835	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2641	AC-16-84-93b	Fig. 11 / Area C	rock	ppm	< LOD	52	53	7 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	111 < LOD	< LOD :		83 < LOD :	81907	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2642	AC-16-84-94	Fig. 11 / Area C	rock	ppm	< LOD	194	48 < LOD :		104	12 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	95 < LOD		80 < LOD :	< LOD :	62421	2626	< LOD	< LOD	< LOD	< LOD	< LOD	21	2 < LOD	155	82	2430					
2643	AC-16-84-94a	Fig. 11 / Area C	rock	ppm	< LOD	241	60 < LOD :		87	10 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	10.78	111 < LOD		43	111	383	48511	798	< LOD	< LOD	< LOD	< LOD	< LOD	17	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2644	AC-16-84-94b	Fig. 11 / Area C	rock	ppm	< LOD	152	65 < LOD :		66 < LOD :		88 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	121 < LOD		38	76 < LOD :	56713	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	15	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2645	AC-16-84-95	Fig. 11 / Area C	rock	ppm	8	408	68	12	190	43 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	64 < LOD		27 < LOD :	< LOD :	96405	1652	< LOD	< LOD	< LOD	< LOD	< LOD	30	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2646	AC-16-84-95a	Fig. 11 / Area C	rock	ppm	14 < LOD :		148 < LOD :		3 < LOD :		21 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	79 < LOD		55	89 < LOD :	235795	10805	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2647	AC-16-84-95b	Fig. 11 / Area C	rock	ppm	5	5	319 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	43 < LOD		27 < LOD :	< LOD :	40666	2733	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2648	AC-16-84-96	Fig. 11 / Area C	rock	ppm	4	194	192	8	19	6 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	21 < LOD		31 < LOD :	< LOD :	6789	153	< LOD	< LOD	< LOD	< LOD	< LOD	24	4 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2649	AC-16-84-96a	Fig. 11 / Area C	rock	ppm	< LOD	29	37 < LOD :		9 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	60 < LOD		101 < LOD :	< LOD :	92230	2527	< LOD	< LOD	< LOD	< LOD	< LOD	5	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2650	AC-16-84-96b	Fig. 11 / Area C	rock	ppm	< LOD	52	123	8	14 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	88 < LOD		38 < LOD :	< LOD :	96890	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	9	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2651	AC-16-84-97	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :		5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	142 < LOD		219 < LOD :	< LOD :	213893	2248	< LOD	< LOD	< LOD	< LOD	< LOD	6	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2652	AC-16-84-97a	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :		7 < LOD :	8 < LOD :	53 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	175 < LOD		589	354 < LOD :	287525	17581	55	< LOD	< LOD	< LOD	< LOD	< LOD	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2653	AC-16-84-97b	Fig. 11 / Area C	rock	ppm	< LOD	< LOD :	< LOD :	< LOD :	2	5 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	75 < LOD		128	113 < LOD :	68138	5198	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2654	AC-16-84-98	Fig. 11 / Area C	rock	ppm	9 < LOD :		123 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	25 < LOD	< LOD :	< LOD :	< LOD :	23306	1787	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD
2655	AC-16-84-98b	Fig. 11 / Area C	rock	ppm	4	84	53 < LOD :		12	18 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	28 < LOD		105	101 < LOD :	79278	1376	< LOD	< LOD	< LOD	< LOD	< LOD	3	2 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2656	AC-16-84-99	Fig. 11 / Area C	rock	ppm	6	12	50 < LOD :		3	6 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	34 < LOD	< LOD :	< LOD :	< LOD :	24977	2335	< LOD	< LOD	< LOD	< LOD	< LOD	3	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2657	AC-16-84-99a	Fig. 11 / Area C	rock	ppm	15	502	45 < LOD :		172	38 < LOD :	< LOD :	< LOD :	< LOD :	< LOD :	< LOD :	66 < LOD		277 < LOD :	< LOD :	65218	< LOD :	< LOD	< LOD	< LOD	< LOD	< LOD	17	3 < LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	< LOD	
2658	AC-16-84-99b	Fig. 11 / Area C	rock	ppm	29	117	173 <																													