

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geophysical

TOTAL COST: \$75,152.37

AUTHOR(S): Alex Walcott SIGNATURE(S): _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): 1640618-201601 / Issued January 25, 2016. YEAR OF WORK: 2016

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): _____

PROPERTY NAME: UDS

CLAIM NAME(S) (on which the work was done): 1021904,1021905

COMMODITIES SOUGHT: Cu Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: _____

MINING DIVISION: Omineca NTS/BCGS: 93E

LATITUDE: 57 ° 03 ' _____ " LONGITUDE: 126 ° 38 ' _____ " (at centre of work)

OWNER(S):

1) Serengeti Resources Inc 2) _____

MAILING ADDRESS:

520 - 800 W. Pender St.

Vancouver BC, V6C 2V6

OPERATOR(S) [who paid for the work]:

1) Serengeti Resources Inc 2) _____

MAILING ADDRESS:

520 - 800 W. Pender St.

Vancouver BC, V6C 2V6

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Generally Mesozoic volcanic rocks comprising the eastern Intermontane Belt. Locally to the UDS area Black Lake intrusive rocks intrude into Takla Volcanics. The Black Lake suit is coevil to overlying Toodagoone (Hazelton) volcanics. Mineralization often occurs at the unconformity between Takla volcanic rocks and the overlying Hazelton volcanics. Major faulting in the area occurs along the Saunders, Finley and Duncan faults which trend northwest and display up down block faulting movement.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: ARIS 8999, 10235, 15184, 17604, 17640,

19789, 27636, 28649

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	_____	_____	_____
Photo interpretation	_____	_____	_____
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic	_____	_____	_____
Electromagnetic	_____	_____	_____
Induced Polarization	9 km _____	_____	\$75,152.37
Radiometric	_____	_____	_____
Seismic	_____	_____	_____
Other	_____	_____	_____
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	_____	_____	_____
Silt	_____	_____	_____
Rock	_____	_____	_____
Other	_____	_____	_____
DRILLING (total metres; number of holes, size)			
Core	_____	_____	_____
Non-core	_____	_____	_____
RELATED TECHNICAL			
Sampling/assaying	_____	_____	_____
Petrographic	_____	_____	_____
Mineralographic	_____	_____	_____
Metallurgic	_____	_____	_____
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)	_____	_____	_____
Topographic/Photogrammetric (scale, area)	_____	_____	_____
Legal surveys (scale, area)	_____	_____	_____
Road, local access (kilometres)/trail	_____	_____	_____
Trench (metres)	_____	_____	_____
Underground dev. (metres)	_____	_____	_____
Other	_____	_____	_____
		TOTAL COST:	\$75,152.37

AN REPORT
ON
INDUCED POLARIZATION SURVEYING
UDS PROPERTY
TOODOGGONE AREA, BRITISH COLUMBIA
OMINECA M.D.
57° 03'N, 126° 38'W
NTS 93E

Claims **Worked:**

1211904,1211905

Work Dates: Sept 12th -20th , 2016

FOR
SERENGETI RESOURCES INC.
VANCOUVER, BRITISH COLUMBIA

BY
ALEXANDER WALCOTT, B.Sc

PETER E. WALCOTT & ASSOCIATES LIMITED
Coquitlam, British Columbia

MAY 2017

TABLE OF CONTENTS

	<u>, Page</u>
INTRODUCTION.....	3
PROPERTY, LOCATION AND ACCESS.....	4
PREVIOUS WORK.....	8
PROPERTY GEOLOGY.....	9
PURPOSE.....	11
SURVEY SPECIFICATIONS.....	12
DISCUSSION AND RESULTS.....	14
SUMMARY, CONCLUSIONS & RECOMMENDATIONS.....	16

APPENDIX I

Cost of Project
 Personnel Employed on Project
 Certification
 References

ACCOMPANYING MAPS

Claim and Line Location Map	Scale 1:10,000
IP Pseudo Section Line 1,2,3,4 PLDP, DPPL	Scale 1:10,000
IP Inverted Section Line 1,2,3,4	Scale 1:10,000

INTRODUCTION.

Between September 12th and 20th, 2016, Peter E. Walcott & Associates Limited undertook induced polarization surveying over parts of the UDS property for Serengeti Resources Inc.

The survey was designed to cover several historic geochemical anomalies and to test for an existence of an underlying porphyry system.


The survey consisted of some 9 line kilometers of induced polarization carried out on four recee lines at various orientations.

Measurement were made using an electrode separation of 100 m measuring the first through twentieth separation in both pole-dipole and dipole-pole configuration.

PROPERTY LOCATION AND ACCESS.

The UDS Property is located some 430 kilometres north of the city of Prince George, British Columbia, within the Omineca Mining Division.

Access to the survey area was gained via the Omineca resources road from the town of Mackenzie, British Columbia, and then by helicopter from the Kemess Mine Site where the crew was housed for the duration of the program.

PROPERTY LOCATION AND ACCESS cont'd.

Claim Location Map
With Current Tenures

SERENGETI RESOURCES INC.
CURRENT British Columbia Properties as of 03 MAY 2017

<i>Project</i>	<i>Tenure #</i>	<i>Claim Name</i>	<i>Hectares</i>	<i>Expiry Date</i>	<i>NTS</i>	<i>Record Date</i>	<i>Mining Division</i>	<i>Owner</i>
UDS	1018239	LO	35.1818	30-Dec-2020	094E	03-Apr-2013	Omineca	SIR
UDS	1018240		17.5879	30-Dec-2020	094E	03-Apr-2013	Omineca	SIR
UDS	1018241	MLO	70.3637	30-Dec-2020	094E	03-Apr-2013	Omineca	SIR
UDS	1021904	UDS1	1371.9825	30-Dec-2020	094E	27-Aug-2013	Omineca	SIR
UDS	1021905	UDS2	52.7937	30-Dec-2020	094E	27-Aug-2013	Omineca	SIR
UDS	1022563	UDS3	140.7694	30-Dec-2020	094E	27-Aug-2013	Omineca	SIR
UDS	1023838	UDSNORTH	281.1778	30-Dec-2020	094E	15-Nov-2013	Omineca	SIR
UDS	1024060	UDSNORTH	210.885	30-Dec-2020	094E	29-Nov-2013	Omineca	SIR
UDS	1029241	UDS 4	105.5397	30-Dec-2020	094E	27-Jun-2014	Omineca	SIR
			2286.2815	Ha				

PREVIOUS WORK.

Earliest documented work programs on the property dates to 1980, where Serem Ltd. conducted soil and silt sampling following up a heavy metal sample.

Since then a number geological, geochemical , geophysical along with drilling and trenching programs have been conducted on or proximal to the existing property boundaries.

The author would refer the reader to the BC Ministry of Energy and Mines – Assessment Report Indexing System (ARIS) <http://www.empr.gov.bc.ca/mining/geoscience/aris> for the historic public reports.

GEOLOGY


Mesozoic arc-related volcanic rocks comprising the eastern margin of the Intermontane Belt underlie the district over an area measuring 100 kms by 40 kms. The oldest rocks in the belt are Permian Asitka Group limestones and tuffs. Lower - Middle Jurassic Hazelton Group extrusive volcanic and sedimentary units unconformably overlie Takla Group units below; and overlapping all assemblages to the west are upper Cretaceous Sustut Group sediments. Intrusive rocks are prevalent in the area and have been categorized as late Triassic Alaskan-type ultramafics such as pyroxene diorite, hornblende gabbro and pyroxenite composition. Economically more significant are early Jurassic intrusives of the Black Lake suite, which are represented by granodiorite, hornblende diorite, pyroxene quartz-diorite, quartzmonzonite and quartz monzodiorite.

Generally, the regional volcanic Mesozoic assemblages are upright shallowly dipping sequences crosscut by high angle north to northwest trending faults. Significant structures are represented by the Finlay-Ingenika and Moosevale fault systems, which bound the eastern margin of the belt, 25 kilometres east of Kemess. These structures are dextral strike-slip features that are related to the terrain bounding faults between the Intermontane and Omineca belts.

Local to the UDS area are the Duncan, Saunders and Finlay Faults, which trend north-northwest and display normal block faulted movement. Thrust faulting interpreted as Eocene or younger is also present in the area with displacement believed to be towards the northeast affecting rocks from the Takla up to Sustut sediments (Diakow, Panteleyev and Schroeter 1993).

The district displays the results of three superimposed volcanic arc building stages that began in the upper Paleozoic. Marine volcanic and sedimentary successions dominated until the lower-middle Jurassic, when continental, quartz-normative volcanism began with the deposition of the Hazelton Group - Toodoggone Formation sequences. The plutonic rocks of the Black Lake suite are coeval with the Toodoggone sequence and are likely co-magmatic. Block faulting has juxtaposed and exposed panels of varying depth from the magmatic and volcanic systems and the structures and intrusives likely had a strong influence on the eventual positioning of volcanic centers. For a complete review of the tectonic evolution of the region, please refer to Monger and Price (2002) and Diakow (2001). (Godfrey and Moore, 2014)

GEOLOGY cont'd.



Claim Block on Regional Geology
From BCGS

PURPOSE.

The purpose of the survey was to test several geochemical targets within the claim block, along with test to a for a northern extension of a historic induced polarization anomaly immediately to the south of the claim boundary.

SURVEY SPECIFICATIONS.

The Induced Polarization Survey.

The induced polarization (IP) survey was conducted using a pulse type system, the principal components of which were manufactured by Instrumentation GDD of Quebec, Canada.

The system consists basically of three units, a receiver (GDD), transmitter (GDD) and a motor generator (Honda). The transmitter, which provides a maximum of 8.5 kw d.c. to the ground, obtains its power from a 7.5 kw 60 c.p.s. alternator driven by a Honda 14 h.p. gasoline engine. The cycling rate of the transmitter is 2 seconds “current-on” and 2 seconds “current-off” with the pulses reversing continuously in polarity. The data recorded in the field consists of careful measurements of the current (I) in amperes flowing through the current electrodes C₁ and C₂, the primary voltages (V) appearing between any two potential electrodes, P₁ through P₅, during the “current-on” part of the cycle, and the apparent chargeability, (M_a) presented as a direct readout in millivolts per volt .

The apparent resistivity (ρ_a) in ohm metres is proportional to the ratio of the primary voltage and the measured current, the proportionality factor depending on the geometry of the array used. The chargeability and resistivity are called apparent as they are values which that portion of the earth sampled would have if it were homogeneous. As the earth sampled is usually inhomogeneous the calculated apparent chargeability and resistivity are functions of the actual chargeability and resistivity of the rocks.

The surveying was carried out using the “pole-dipole” / “dipole-pole” method of survey. With the pre-laid receiver array remaining stationary, the current C₁ is moved along the survey lines at a spacing of “a” (the dipole) apart, while the second current electrode, C₂, is kept constant at “infinity”.

As the current (C₁) is injected between the respective potential electrodes, and the receiving array is stationary, both pole-dipole and dipole-pole geometries can be measured with the maximum “n”-separation, a function of the length of the receiver array, which on this survey was “n” = 20, depending on the injection placement.

The distance, “na” between C₁ and the nearest potential electrode generally controls the depth to be explored by the particular separation, “n”, traverse.

SURVEY SPECIFICATIONS.

On this survey a total of some 9 kilometres of induced polarization survey traverses was completed.

Horizontal control.

The horizontal positions of the stations were recorded using a Garmin GPSmap 60CSx.

Data Presentation.


The induced polarization data is presented as individual pseudo section plots of apparent resistivity and apparent chargeability at a scale of 1:10,000 generated using Geosoft Oasis Montaj.

In addition to the pseudo section plots, 2D inverted sections were also generated using the RES2DINV DC/IP inversion code, with the resulting inversions plotted at a scale of 1:10,000 generated using Geosoft Oasis Montaj.

DISCUSSION OF RESULTS.

The results of the induced polarization survey yielded several targets of interest.


Line 1 was designed to cross cut a zone of elevated geochemistry on the hillside. The inverted response shows a broad highly chargeability feature partially associates with a moderate to high resistivity feature. The anomaly appears to extend to depth, is associated with a zone of elevated gold/copper geochemistry observed in historic data.



Line 1 - 2D Inverted Section

DISCUSSION OF RESULTS con't.

Line 2 was conducted on an east-west orientated line some 250 vertical meters below the 045 orientated Line 1. The inverted response also shows a similar size body, with a slightly reduced intensity chargeability on the contact of moderate and low resistivity zone.




Line 2 - 2D Inverted Section

DISCUSSION OF RESULTS con't.

Line 3 was designed to test a zone where anomalous geochemistry was reported in number of grab samples. This line proved disappointing with only a weak chargeability response.

Line 4 was conducted in an east-west orientation, along the southern claim boundary of the property. The line was designed to confirm a deep chargeability feature observed within a historic induced polarization survey conducted on the neighboring ground.

The modeled response shows a deeper broad moderate chargeability response associated with a highly resistive feature proximal to the historic anomaly.



Line 4 - 2D Inverted Section

SUMMARY, CONCLUSIONS & RECOMMENDATIONS.

In September 2016, Peter E. Walcott & Associates Limited conducted induced polarization surveying over parts Serengeti Resources Inc.'s UDS property.

The survey program consisted of some 9 line kilometers of induced polarization surveying. The survey was designed to provide deep induced polarization proximal to known geochemical and geophysical anomalies.

The survey identified several targets of interest beneath the extend of historic geochemical and geophysical information.

Anomaly cHA is a large chargeability anomaly associates with elevated resistivity potentially associated with a porphyry at depth and is of significant interest.

High resolution airborne magnetics should be conducted over the area, along with additional lines of deep induced polarization proximal to anomaly cHA, to both the north and south. Drill testing should be considered.

Respectfully submitted,

PETER E. WALCOTT & ASSOCIATES LTD.

**Alexander Walcott, B.Sc.
Geophysicist**

**Peter E. Walcott, P.Eng.
Geophysicist**

Coquitlam, B.C.

May 2017

APPENDIX I

COST OF PROJECT.

Peter E. Walcott & Associates Limited undertook the survey on a daily rate providing a 6 man crew, time domain induced polarization equipment, and auxiliary equipment at \$4,350.00 per day.

A split mobilization costs of \$6,300 along with fuel and accommodations of \$151.04. Thus the total costs of services from Peter E. Walcott & Associates Limited was \$36,901.04 excluding accommodations at the Kemess mine and helicopter.

UDS
2016 Cost Statement

UDS - Cost Statement - 2016 Work

Dates worked: IP Survey: September 12th - 20th, 2016

Claims worked: 1021905, 1021904, 1018241

Alex Walcott Geophysical Crew:

I.P. Survey with 6 man crew Sept. 12th - 20th, 2016. \$36,901.04

Report and Data Preparation:

Data/field Preparation & Map Compilation - Consulting Geologist 5 days @ \$300/day \$1,500.00

Report Writing Walcott Geophysics \$1,500.00

Aircraft

Silverking Helicopters \$18,307.80

Accommodation

Kemess Mine September 27th - October 1st \$10,111.50

Sub Total

\$68,320.34

Admin (10%) \$6,832.03

TOTAL **\$75,152.37**

Add PAC (30%) **\$97,698.09**

PERSONNEL EMPLOYED ON PROJECT.

Name	Occupation	Address	Dates
Peter E. Walcott	Geophysicist	Unit 111- 17, Fawcett Rd. Coquitlam, B.C. V3K 6V2	
Alexander Walcott	"	"	
Mostafa Mahfouz	"	"	Sept 12 th – 20 th , 2016
Tom Kocan	Geophysical Operator.		
John Taylour	"		"
Simon Oliver	Geophysical Assistant		"
Jordan Babcock	"		"
Nic Loubser	"		"

CERTIFICATION.

I, Peter E. Walcott, of 605 Rutland Court, Coquitlam, British Columbia, hereby certify that:

1. I am a graduate of the University of Toronto in 1962 with a B.A.Sc. in Engineering Physics, Geophysics Option.
2. I have been practicing my profession for the last fifty four years.
3. I am a member of the Association of Professional Engineers of British Columbia and Ontario.

Peter E. Walcott, P.Eng.

**Coquitlam, B.C.
May 2017**

CERTIFICATION.

I, Alexander Walcott, of 38-181 Ravine Dr., Port Moody, British Columbia, hereby certify that:



1. I am a graduate of the University of Alberta with a B.Sc. Earth Sciences Major, with a Physics Minor.
2. I have been active in mineral exploration for the past 20 years.
3. I am currently employed by Peter E. Walcott & Associated Limited.

Alexander Walcott, B.Sc.

**Coquitlam, B.C.
May 2017**

REFERENCES.


Godfrey, C. 2014 Serengeti Resources Inc. - Assessment Report on Geochemical Sampling and Geological Mapping on the UDS Property, Omineca Mining Division, British Columbia, Assessment Report 34942



SERENGETI RESOURCES LTD.
 INDUCED POLARIZATION SURVEY
 LINE AND CLAIM LOCATION MAP
 UDS PROPERTY
 TOODOGONE AREA, BRITISH COLUMBIA
 SEPTEMBER 2016
 PETER E. WALCOTT & ASSOCIATES LIMITED


L1

Pole-Dipole Array



Filter
 *
 * *
 * * *
 * * * *
 * * * * *
 * * * * * *

Average IP
 mV/V



n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Average IP
 mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...


Res
 ohm0m



n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Res
 ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15




SERENGETI RESOURCES INC.

INDUCED POLARIZATION SURVEY
 UDS PROJECT

TOODOGGONE, BRITISH COLUMBIA
 Date: SEPT 2016
 Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED


Average IP
mV/V



Average IP
mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Pole-Dipole Array



Filter

*
* *
* * *
* * * *
* * * * *
* * * * * *

a = 100 m

Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.

Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10,...


Res
ohm0m



Res
ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Scale 1:10000



SERENGETI RESOURCES INC.

INDUCED POLARIZATION SURVEY
UDS PROJECT


TOODOGGONE, BRITISH COLUMBIA

Date: SEPT 2016

Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED

Average IP
mV/V




Average IP
mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Pole-Dipole Array

Filter

*
**



Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.


Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

Res
ohm0m



Res
ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15




SERENGETI RESOURCES INC.

INDUCED POLARIZATION SURVEY
UDS PROJECT

TOODOGGONE, BRITISH COLUMBIA
Date: SEPT 2016
Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED


Average IP
mV/V



Average IP
mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Pole-Dipole Array



Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.


Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

Res
ohm0m



Res
ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15



SERENGETI RESOURCES INC.


INDUCED POLARIZATION SURVEY
UDS PROJECT

TOODOGGONE, BRITISH COLUMBIA
Date: SEPT 2016
Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED

L1

Dipole-Pole Array



Filter
 *
 * *
 * * *
 * * * *
 * * * * *
 * * * * * *


Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO

MDly 200 msec, Windows 50 msec * 20


Frequency: 0.125 Hz.

Operators: T.K., P.Y.

Logarithmic
 Contours 1, 1.5, 2, 3, 5, 7.5, 10,...




Average IP
mV/V



Average IP
mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Res
ohm0m



Res
ohm0m


n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

SERENGETI RESOURCES INC.
 INDUCED POLARIZATION SURVEY
 UDS PROJECT

TOODOGGONE, BRITISH COLUMBIA
 Date: SEPT 2016
 Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED

Dipole-Pole Array



Filter

*
* *
* * *
* * * *
* * * * *
* * * * * *

a = 100 m

Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.

Logarithmic
Contours 1, 1.5, 2, 3, 5, 7.5, 10,...


Average IP
mV/V



Average IP
mV/V


n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14

Res
ohm0m



Res
ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14




SERENGETI RESOURCES INC.
INDUCED POLARIZATION SURVEY
UDS PROJECT


TOODOGGONE, BRITISH COLUMBIA
Date: SEPT 2016
Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED


Average IP
mV/V



Average IP
mV/V



Dipole-Pole Array



Filter
*
*
* * *
* * * * *
* * * * * *
* * * * * * *

Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.



Operators: T.K., P.Y.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

Res
ohm0m




Res
ohm0m



SERENGETI RESOURCES INC.
INDUCED POLARIZATION SURVEY
UDS PROJECT
TOODOGGONE, BRITISH COLUMBIA
Date: SEPT 2016
Interpretation:
PETER E. WALCOTT & ASSOCIATES LIMITED


Average IP
mV/V



Average IP
mV/V

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15

Dipole-Pole Array



Filter
*
**

Instruments: GDD 5KW Tx, GDD GRX-16 Rx/IRIS ELREC PRO


MDly 200 msec, Windows 50 msec * 20

Frequency: 0.125 Hz.

Operators: T.K., P.Y.

Logarithmic Contours 1, 1.5, 2, 3, 5, 7.5, 10,...

Res
ohm0m



Res
ohm0m

n=1
n=2
n=3
n=4
n=5
n=6
n=7
n=8
n=9
n=10
n=11
n=12
n=13
n=14
n=15




SERENGETI RESOURCES INC.
INDUCED POLARIZATION SURVEY
UDS PROJECT


TOODOGGONE, BRITISH COLUMBIA
Date: SEPT 2016
Interpretation:

PETER E. WALCOTT & ASSOCIATES LIMITED




Line 1



Modelled Resistivity (Ohm-m)





Modelled Chargeability (mV/V)






SERENGETI REOSOURCES LTD.
INDUCED POLARIZATION SURVEY
UDS PROPERTY
BRITISH COLUMBIA
Date: SEPTEMBER 2016
RES2DINV
Inversion By: PETER E. WALCOTT & ASSOCIATES LIMITED

Modelled Resistivity (Ohm-m)



Modelled Chargeability (mV/V)



SERENGETI REOSOURCES LTD.


INDUCED POLARIZATION SURVEY
UDS PROPERTY
BRITISH COLUMBIA

Date: SEPTEMBER 2016
RES2DINV


Inversion By: PETER E. WALCOTT & ASSOCIATES LIMITED

Line 3




Pole-Dipole Array



Modelled Resistivity (Ohm-m)




Modelled Chargeability (mV/V)




SERENGETI REOSOURCES LTD.
INDUCED POLARIZATION SURVEY
UDS PROPERTY
BRITISH COLUMBIA
Date: SEPTEMBER 2016
RES2DINV
Inversion By: PETER E. WALCOTT & ASSOCIATES LIMITED

Line 4

Pole-Dipole Array




Modelled Resistivity (Ohm-m)






Elevation (metres)

Modelled Chargeability (mV/V)



Elevation (metres)



SERENGETI REOSOURCES LTD.
INDUCED POLARIZATION SURVEY
UDS PROPERTY
BRITISH COLUMBIA
Date: SEPTEMBER 2016
RES2DINV
Inversion By: PETER E. WALCOTT & ASSOCIATES LIMITED