

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geological and Geochemical Assessment Report

TOTAL COST: \$5,665.50

AUTHOR(S): Adam Travis, Brittany Travis

SIGNATURE(S):



NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2017

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5653038 (June 15, 2017)

PROPERTY NAME: Keystone Property

CLAIM NAME(S) (on which the work was done): Tenure #: 1036806

COMMODITIES SOUGHT: Gold, Silver, Lead, Zinc

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092HNW024, 092HNW022, 092HNW050

MINING DIVISION: Nicola Mining Division

NTS/BCGS: 092H

LATITUDE: 49 ° 41 ' 35 " LONGITUDE: 121 ° 01 ' 30 " (at centre of work)

OWNER(S):

1) Cazador Resources Ltd

2)

MAILING ADDRESS:

105-3500 Carrington Road, West Kelowna

B.C. V4T-3C1, Canada

OPERATOR(S) [who paid for the work]:

1) Cazador Resources Ltd

2)

MAILING ADDRESS:

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Keystone Property, Keystone Mine, What Showing, Mag SHwoing, Late Triassic Nicola Group,

Metavolvanic and inetasedimentary rocks, plutonic rocks, late Jurassic, early cretaceous,

Eagle Plutonic Complex, Granodiorie

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 0696, 3595, 4174, 4657, 4788, 6758,

7135, 7771, 8863, 9648, 18485, 19139, 28410, 29911, 30578

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping _____			
Photo Interpretation _____			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic _____			
Electromagnetic _____			
Induced Polarization _____			
Radiometric _____			
Seismic _____			
Other _____			
Airborne _____			
GEOCHEMICAL (number of samples analysed for...)			
Soil <u>36</u> soil samples		1036806	\$5,367.24
Silt _____			
Rock <u>2</u> rock samples		1036806	\$298.18
Other _____			
DRILLING (total metres; number of holes, size)			
Core _____			
Non-core _____			
RELATED TECHNICAL			
Sampling/assaying _____			
Petrographic _____			
Mineralographic _____			
Metallurgic _____			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres) _____			
Topographic/Photogrammetric (scale, area) _____			
Legal surveys (scale, area) _____			
Road, local access (kilometres)/trail _____			
Trench (metres) _____			
Underground dev. (metres) _____			
Other _____			
TOTAL COST:			\$5,665.50

2017 Geological and Geochemical Assessment Report on the Keystone Property

Nicola Mining Division
British Columbia, Canada
NTS 092H

Lat: 49° 41' 35" Long: 121° 01' 30"

Prepared for:
Cazador Resources
105-3500 Carrington Road,
West Kelowna, B.C. Canada
V4T-3C1

Authors:
Adam Travis, B.Sc. Geology
Brittany Travis, BBA

October 10, 2017

Table of Contents

Summary	1
Introduction.....	2
Property Location, Description and Claim Information	2
Table 1: Keystone Property Claim Information.....	2
Figure 1: Property Location Map.....	3
Figure 2: Claim location Map	4
Access, Local Resources, Climate and Physiography	4
Previous Work	5
Geological Setting.....	6
Regional Geology	6
Figure 3a: Regional Geology Map.....	8
Property Geology and Mineralization.....	9
Keystone Shear Zone	9
Table 2: Sampling from 1973	10
Mag Occurrence/Noranda Trenches	11
What Occurrence	12
Figure 3b: Property Geology Map	13
2017 Exploration Program.....	14
Sampling Method and Approach	14
Sample Preparation, Analysis and Security	14
Exploration Results.....	15
Statement of Cost.....	15
Table 3: Cost Statement	15
Conclusions and Recommendations	15
References.....	16
Statement of Qualifications.....	17
Statement of Qualifications.....	18

Appendices

Appendix 1: Sample Location and Results

Appendix 2: Laboratory Certificates

Appendix 3: Maps

1. Drone Survey
2. 2016-2017 Soil/Rock Sampling Gold Results Over Drone Survey
3. 2016-2017 Soil/Rock Sampling Silver Results Over Drone Survey
4. 2017 Rock Sample Locations and Results
5. 2017 Soil Samples Location
6. 2017 Soil Samples Gold Results
7. 2017 Soil Samples Silver Results
8. 2017 Soil Samples Lead Results
9. 2017 Soil Samples Zinc Results

Summary

The Keystone property consists of one claim (919.65 ha) that covers three minfile occurrences (Keystone, Mag and What) located approximately 5 kilometres north of the Coquihalla Lakes about halfway between the towns of Merritt and Hope along the Coquihalla Highway.

Base and precious metal mineralization were originally discovered at Keystone in the early 1900's and underground development had taken place by 1936. The Keystone Mine was developed on two levels and about 200 meters of drifting on the vein exposed narrow veins with occasional high zinc and silver-gold values. The only production from the Keystone mine occurred in 1955, when 81 tonnes of ore were shipped for processing (Minister of Mines Annual Report 1955, page A48).

Most of the area has been soil surveyed and large, very high zinc - lead anomalies (+100 ppm lead and +700 ppm zinc) were outlined mainly around the Keystone Mine and the Stonewall adit (not on the current claims). At the What showing (1 km NW of Keystone), on the north end of the property previous soil surveying outlined copper-moly anomalies and prospecting located molybdenite showings. At the Mag Showing (2km south of Keystone) brecciated intrusive host disseminated pyrite, chalcopyrite, sphalerite and molybdenite.

Induced Polarization surveys outlined anomalous conditions at the Julie showing, the Keystone Mine and extending further northeast.

Diamond drilling northeast of the Keystone mine intersected high gold and silver in one hole but not in others. Highly anomalous gold values in the soil have been located in this area and were the focus of the 2016 program where 78 soil samples were taken at 12.5 m centres on 4 lines approximately 50 m apart. One rock sample of manganese stained intrusive was also taken in a quarry near the south end of the claims.

The 2017 work program was comprised of two separate programs on the Property. Phase one was completed on September 17th, 2016 by one geologist and two geology assistants and included the collection of 38 samples (36 soils and 2 rocks). Phase two was completed on June 8, 2017 which included a total of 88 ha of Drone Survey.

The drone survey work has provided a current base map showing many of the historically disturbed areas and more detailed drone surveys could be undertaken in main areas of interest. The 37 soil samples taken during this program included 2 duplicates taken in the same pits as last year's samples (AKS038 and AKS060), 14 soils taken in a line south of the last year's small grid, and 21 soils taken primarily along old roads above the main adit. These duplicate soil samples generally showed slightly lower gold and silver values and slightly higher lead and zinc values when re-sampled, generally lower values in Au, Ag, Pb, Zn in the southern grid line except just below the main road but some very significant Au, Ag, Pb, An values in the road cuts above the main adit.

It is recommended that more detailed sampling and prospecting be conducted above the old adits and road cuts.

Introduction

The Keystone Property is 100% owned by Cazador Resources Ltd and is located in central British Columbia. The claim block is 919.65 ha and covers 3 minfile occurrences; What Showing, Mag Showing and the past producing Keystone Mine. The statement of work was filed on June 15, 2017 under event number 5653038. The total value of work completed was \$5,665.00, debiting Cazador Resources Ltd PAC account for \$2,385.11 for a total applied work value of \$8,050.11.

Property Location, Description and Claim Information

The Property is located in Central British Columbia approximately 64 km south of Merritt B.C and 60 km north of Hope B.C. on NTS maps 092H as shown on Figure 1 (claim highlighted in yellow and circled in black).

The Property is comprised of one claim covering 919.65 ha owned 100% by Cazador Resources Ltd as shown on Figure 2 (outlined in black) and Table 1. This claim completely surrounds a one cell claim held by others over the Stonewall and Julie showings.

Table 1: Keystone Property Claim Information

Tenure	Claim Name	Claim Owner	Map Number	Issue Date	Good to Date	Area ha
1036806	Keystone	201078 (100%)	092H	June 19, 2015	November 03, 2018*	919.65

* Pending approval of this report

Figure 1: Property Location Map





Figure 2: Claim location Map



Access, Local Resources, Climate and Physiography

The Property occurs along the westside of the Coquihalla Highway and can be easily accessed off Highway #5 (Coquihalla) via Mine Road exit about 6 km north of the Coquihalla Lakes. Old mine roads and newer logging roads as well as the gas line corridor give access to most of the claim.

All services required for exploration and development is available in both directions along the highway to either Merritt B.C or Hope B.C approximately 30 minutes away.

The property lies within the physiographic boundary of the Cascade Mountains. Elevation varies from 1100m at the flats alongside Highway 5 to over 1500m above the sea level on the peaks. The climate is intermediate between the very moist coast climate and the dry interior and receives high to moderate precipitation mainly as snow. The ground will generally be covered in snow 6-7 months out of the year.

Previous Work

Base and precious metal mineralization were originally discovered at Keystone in the early 1900's and underground development consisting of adits, cross cuts and drifting on the vein had taken place by 1936. A northeast striking steeply dipping vein locally carried precious metal values up to 0.6 ounces gold per ton and 22.6 ounces silver per ton. Nothing further was reported until 1954 when renewed development took place and in 1955 81 tonnes of ore were shipped for processing (Minister of Mines Annual Report 1955, page A48). The Keystone Mine was developed on two levels and about 200 meters of drifting on the vein exposed narrow veins with occasional high zinc and silver-gold values.

The Stonewall vein located approximately 1 kilometre to the south southwest (not on the current claims) along trend on narrow (5-10 cm) lead, zinc, silver veins has an exploration drift of unknown length and is thought to be the possible southward continuation of the Keystone vein. It is not known when the adit was driven however the vein was sampled in 1939, 1946, 1948, 1953 and 1954 by various individuals.

From 1965 to 1966, Dorian Mines carried out an extensive exploration program on the Julie showing (200 m south of the Stonewall adit and not on the current claims) and culminated in the drilling of 32 packsack and Ax drillcore holes (totaling 2,030 meters) to investigate a relatively large zinc in soil anomaly.

From 1967 to 1973, the area was explored by several major companies including Anaconda, El Paso, Denison, and Noranda). Reportedly, these companies were exploring for precious metals; however, it is more likely they focussed on finding porphyry-type copper-molybdenum deposits.

Some drilling was undertaken by Noranda in 1969 on an altered, brecciated, and weakly mineralized zone (Mag Minfile) located approximately 2 kilometres to the south of the Keystone Mine. El Paso also completed several bulldozer trenches on a copper zone, situated 1,300 metres northwest of the Keystone mine (What Minfile). Anaconda cut a number of trenches in an area immediately northeast of the Keystone mine.

In 1973 Denison and Noranda drilled a total of seven widely-spaced core holes (1,051 metres) west of the river and, for the most part, beneath the valley bottom.

In 1977 Westmin Resources acquired ground in the area and, in 1978, formed a joint venture with Amax (another major mining company) to explore the property for porphyry type molybdenum deposits. Westmin carried out geological mapping, geochemical soil sampling, and an induced polarization survey over the property. In 1978, the company drilled a single vertical core hole approximately 300 metres southeast of the Keystone mine to a depth of 864 metres. Three deep vertical reconnaissance core holes were drilled in 1979. Two more deep vertical holes were drilled in 1980, in the immediate vicinity of the Keystone mine. DDH80-W1 located approximately 200 metres north of the Keystone adit was drilled vertically and returned 0.678 opt Au and 1.2 opt Ag over 3.05 metres.

In 1981 Westmin switched its exploration emphasis on the Keystone property from porphyry molybdenum to precious metals looking for a low grade open pit type deposit in the Julie Zone and in the vicinity of the Keystone Mine to test for the potential for direct shipping ore from an underground operation. They carried out soil and rock geochemical surveys, geological mapping and bulldozer trenching in both areas. Five core holes (347 metres) were drilled on the Julie grid; three (317 metres)

were drilled on the Keystone grid. DDH81-K2 was drilled to test the intercept in DDH80-W1 and although it encountered quartz carbonate veining it failed to return significant precious metal values. No further work was completed by Westmin.

In 1986 Blue Gold Resources acquired the Keystone property and completed a reconnaissance type grid at 200 m line spacings and completed VLF-EM, magnetometer and rock chip and soil surveys. A detailed grid was also completed on the Julie Zone.

In 1988, Blue Gold established a detailed grid over the area containing the Keystone Mine workings and the Stonewall Adit. A total of 889 soil samples were collected on 100 m spaced lines.

In 1989 Blue Gold completed 1 drillhole in the Keystone area (DDH 89-K1) located 30 metres south southwest of previous drillhole DDH81-K2 and failed to return significant precious metal values or significant veining.

Little work appears to have been completed until 2005 when Egil Livgard (who had worked in the area for Corval Resources in 1971) completed a rock chip sampling program which returned good values in zinc.

In 2006 Mr. Livgard returned and completed a silt sampling program in the areas north and west of the Keystone adit which outlined anomalous copper and molybdenite values.

In 2007 Mr. Livgard completed 57 soil samples on 50 metre line spacings at 50 m sample spacings in an area to the north and east of the Keystone mine targeting areas of anomalous gold and silver geochemistry within the larger lead –zinc soil geochemical anomaly. Sporadic gold values up to 404 ppb Au were reported in the vicinity of three (unreported?) old trenches in the area downslope and to the north of the Keystone adits.

In 2008 Mr. Livgard returned to the area and completed some minor stripping and sampling of an outcrop alongside the road approximately 100 metres north of the Keystone adit which noted an iron and manganese stained area with northeast trending fractures with galena that reported anomalous lead and zinc values but low precious metals.

In 2016, Cazador Resources Ltd completed a field program that included the collection of 78 soil samples and one rock sample. The soil samples returned some very significant lead, zinc, silver and gold values in an area that has only seen some limited drilling and is open to the northeast. This area is approximately 200 m to the north of the previous workings. The rock sample failed to return significant gold, however it returned highly anomalous silver, lead, zinc and manganese.

Geological Setting

Regional Geology

The geology of the upper Coldwater River area is characterized by Late Triassic Nicola Group metavolcanic and metasedimentary rocks derived from the emplacement of plutonic rocks assigned to the Late Jurassic and Early Cretaceous Eagle Plutonic Complex to the west. See figure 3a for regional geology map.

Along the Coldwater River, the Nicola Group comprises amphibolite, foliated diorite, mylonite and chlorite schist with minor marble in contact with gneissic granodiorite. A dioritic stock of Early Tertiary age has intruded these plutonic rocks west of this contact.

A large Lower Jurassic to Middle Cretaceous granite-tonalite-granodiorite intrusion named the Eagle batholith occupies the west side of Highway #5. On the east it is in contact with andesitic volcanics of the Nicola Group. Intruded into the granodiorite is an early Tertiary stock named the Keystone quartz-diorite. The stock at surface is an ellipsoid about 4000 meters long and 1500 meters wide. The long dimension strikes about 330 deg. The central part of stock has been intruded by a breccia complex which also affects the Eagle granodiorite at the contacts. It is about 2100 meters by 1300 meters in size. The brecciation may have been caused by violent intrusions of rhyolite porphyry, as small stocks and felsitic dykes probably of Miocene age. The rhyolite porphyry was accompanied by pervasive alteration of the brecciated rocks and by metallic mineralization.

Property Geology and Mineralization

The Keystone Property is primarily underlain by the Late Jurassic Eagle granodiorite and tonalities intruded by Early Tertiary (Paleogene?) stock. See figure 3b for property geology map.

In plan, the stock, which is designated as the Keystone quartz diorite, is approximately 2,200 metres long by 1,300 metres wide.

The southern half of the stock and the Eagle granodiorite in this vicinity is brecciated which was possibly caused by a violent intrusion of rhyolite porphyry, as small stocks and felsitic dykes. Probably Miocene in age, the rhyolite porphyry was evidently accompanied by pervasive alteration of the brecciated rocks and by metallic mineralization. The presence of andesite dykes in this general assemblage implies a contemporaneous or, more likely, a slightly preceding period of intermediate volcanism.

Mineralization on the property consists of two distinct suites. One consists of disseminated molybdenite, possibly associated with chalcopyrite and pyrite; the other, typified in the Keystone mine, comprises predominantly rhodochrosite, sphalerite, and hematite with galena, minor chalcopyrite, and magnetite. This latter mineral assemblage occurs as veins, veinlets, and stringers in shears and in brecciated zones commonly, but not always, accompanied by quartz. Anomalous gold and silver values evidently occur with the quartz.

Keystone Shear Zone

Metallic mineralization consisting of highly anomalous lead and zinc values, accompanied by gold and silver values of interest, occurs in a steeply dipping, north-northeasterly striking shear zone. The shear apparently crosses Mine Creek, extends north easterly through the Stonewall Adit and Keystone Mine areas.

It evidently continues beyond to the northeast and possibly extends southwestward beyond the Julie Zone, extending for up to 3 kilometres in strike. Exposed in outcrop over a 100-metre width on the side of the logging road which crosses the Keystone Mine workings, it may exceed 150 metres in width as indicated in drill hole DDH80-W2. The zone is expressed on surface by a conspicuous rock alteration, most notably manganese staining.

Three veins are presently known in the area: the #1 vein zone in the Keystone Mine, the #2 vein in the Stonewall Adit (not on the current claims) , and the #3 intersected in diamond drill holes DDH80-W1 and DDH81-K2.

#1 Vein Zone: Keystone Mine

The Keystone Mine Zone comprises a steeply dipping, north northeasterly striking belt of sheared and conspicuously altered rock. Apparently in excess of 100 metres in width, the zone has been traced along strike in underground workings, bulldozer trenches, road cuts, and drill holes for approximately 300 metres.

A number of quartz-carbonate veins occur as narrow strands in the shear structure as narrow strands, some of which are mineralized with rhodochrosite, sphalerite and pyrite with rare galena and chalcopyrite. Anomalous gold and silver values evidently occur locally with the quartz.

Geological mapping and geochemical soil sampling indicate the length of the structure continues for at least 1,500 metres overall.

The Keystone mine workings consist of two adits with crosscuts (15m, 65 m), a raise to the surface, and approximately 219 metres of drifts (100 m southwest and 90 m to the northeast) on two levels. The drifts explore the #1 vein zone, which strikes north 30 degrees east and dips, for the most part, steeply to the west. At the south end of the mine, on the lower adit level, the dip changes to minus 60 degrees to the east.

The main or #1 vein comprises quartz, calcite, and rhodochrosite with pyrite, sphalerite, galena, and rare tetrahedrite. It ranges in width from five to ten centimetres, but pinches and swells from a one centimetre pyrite-gouge clay zone to a 30 centimetre massive pyrite-quartz vein with minor base metals and other gangue mineralization. Silver values range from 30 grams to 700 grams per tonne. Gold values are infrequent but values are occasionally high over narrow widths. The vein frequently splits and branches on the lower level.

Two narrow parallel veins, which have not been explored along strike, occur in a crosscut. They occur approximately five and eleven metres in the hanging wall of the main vein. A sample from one of these veins returned 29.5 g/t gold and 576 g/t silver probably (?) from a selected sample.

All veins occur in the Keystone quartz diorite unit.

Sampling in 1973 (assessment Report 4174) by Geologist G. Gutrath returned the following:

Table 2: Sampling from 1973

Sample #	Width (ft)	Cu %	Pb %	Zn %	Ag (oz)	Au (oz)	Description
2582	35	0.09	0.09	0.20	1.37	0.005	Massive pyrite hangingwall
2583	10	0.41	0.41	1.15	3.86	0.003	Main vein center
2584	3	0.96	0.96	10.0	6.92	0.15	Main vein at raise
2585	2	0.89	0.89	15.4	3.57	0.016	Main vein south

In 1981 Westmin Resources mapped the underground workings in detail and sampled the veins fairly thoroughly. Silver values ranged from in excess of one ounce per ton to up to 22 ounces per ton; gold values were relatively low. The highest gold assay in the lower level was 0.148 ounces per ton, accompanied by 8.04 ounces per ton silver. The highest gold assay in the upper level is from one of the very narrow hanging wall veins; it assayed 0.86 ounces gold per ton and 16.8 ounces silver per ton. Widths, however, were unspecified.

In 1981, Westmin Resources drilled two holes (81-K1 and 81-K3) to intersect the projected northeastward strike of the main Keystone vein, beneath the level of the lower adit. The vein, consisting of quartz, rhodochrosite, pyrite, and minor sphalerite, was intersected in each hole. Intercept widths ranged from 0.9 to 1.1 metres, but precious metal values were very low.

#2 Vein Stonewall Adit (not on current claim)

Little is known about the vein(s) in the Stonewall Adit, which lies approximately 950 metres south southwest of the Keystone Mine. The vein in the adit is reported to be narrow (in the order of 5-10 cm) and strikes north-northeasterly and dips steeply. Sampled in 1939, 1946, 1948, 1953, and 1954 by various individuals, precious metal values were largely of un-economic interest. Gold values were consistently very low, whereas several silver values were reported in excess of an ounce.

#3 Vein 200 m Northerly of Keystone Adit

The No. 3 vein was discovered while drilling a deep vertical drillhole (DDH80-W1) for molybdenum mineralization in 1980. However, the most significant value obtained was 0.678 ounces gold per ton and 1.2 ounces silver per ton over a 1.9 metre intercept. A second intercept assaying 0.007 ounces gold per ton and 65 ounces silver per ton over 18 centimetres was cut approximately 20 metres above in the same drill hole.

Later in 1981 an angle hole (81-K2) was drilled to investigate these intercepts. It intersected sulphide-mineralized quartz-carbonate vein material in the vicinity of the two above intercepts from 105 metres and from 123 metres respectively. Precious metal values however in both intercepts were insignificant. The intersections occurred in a strongly brecciated section of the Keystone quartz diorite.

In 1989 a single diamond drill hole (DDH 89-K1) was located 30 metres south southwest of DDH 81-K2. The object of drilling this hole was to further test the indicated high grade vein along strike from the economically promising intersection in DDH 80-W1. The results were unsuccessful. The Keystone vein structure that was developed in the lower mine workings was evidently intersected in the upper part of the drill hole (from 47.4 to 50.8 metres). Assays for gold and silver however were insignificant. No clear vein or mineralized structure was intersected in the lower part of the hole. Sulphide mineralization occurs, erratically distributed, in quartz diorite breccia; but again, no gold or silver values of interest were indicated in these sections.

The current interpretation by the author is that the veins in the area are known to change dip and it is possible that drillhole DDH81-K2 did not test a steeply east dipping vein that was intersected in DDH80-W2 which may also be the case for DDH89-K1. It is clear that highly anomalous zinc, lead, silver and gold surface geochemistry continues for hundreds of metres to the north and may represent the continuation of the Keystone vein system or other sub parallel veins. These appear to have never been adequately tested by drilling to date.

Mag Occurrence/Noranda Trenches

The Mag occurrence is situated near the south end of the quartz diorite (Keystone) stock approximately 2 kilometres south of the Keystone Mine.

From 1967 to 1973, the area was explored by several major companies including Anaconda, El Paso, Denison, and Noranda). Reportedly, these companies were exploring for precious metals; however, it is more likely they focussed on finding porphyry-type copper-molybdenum deposits.

Noranda drilled 6 holes in the southern part of the breccia was undertaken in 1969 on an altered, brecciated, and weakly mineralized zone however there is limited assay data on these holes. Denison Mines drilled 4 holes (DDH-1 to 4) in 1973, 3 of these holes were drilled adjacent to one breccia; the fourth DDH-2 is the deepest (500 feet) near the centre of the breccia.

In 1973 Denison and Noranda drilled a total of seven widely-spaced core holes (1,051 metres) west of the river and, for the most part, beneath the valley bottom.

The southern half of the stock is brecciated, as is the Eagle Plutonic Complex granodiorite adjacent to it. The brecciation has been attributed to the emplacement of relatively small stocks and dykes of porphyritic rhyolite. This event was apparently accompanied by pervasive alteration (sericitic to silicification) and the introduction of metallic mineralization. Sericite, quartz and pyrite are the most common alteration minerals within the brecciated zones.

In the area of the occurrence, granodiorite, diorite and a pebble breccia comprising fragments of both units are in contact. The breccia has been sericitized and hosts disseminated pyrite, chalcopyrite and sphalerite, making up a combined total of from one to three per cent of the rock. A significant percentage of the fragments also host quartz-pyrite veining. Sericite is widely distributed throughout the breccia and galena, hematite and molybdenite mineralization occurs locally. The showing is weathered and black manganese oxides have been noted in some fractures.

On the west, or footwall side of the showing, there is a shear approximately 1.52 metres wide which strikes 130 degrees and dips 85 degrees to the northeast. This shear is cut nearly perpendicularly by a narrow vein of comb-quartz hosting manganese oxides. A similar vein, 7.6 centimetres wide, also cuts the breccia in another location. Both veins are apparently barren of sulphide mineralization.


What Occurrence

The What occurrence is located about 1 kilometre northwest of the Keystone mine and just north of the quartz diorite (Keystone) stock.

Trenching undertaken by El Paso Mining and Milling Company between 1973 and 1974 exposed propylitically altered, pyritic (less than 1 per cent average) granodiorite hosting numerous barren quartz veins and pyritic aplite dykes. A narrow quartz vein with chalcopyrite striking 050 degrees and dipping 80 degrees (?) was also encountered. Minor molybdenite mineralization is reported to occur locally.

Approximately 750 metres to the north, at the Blue Gold showing, several 1 to 5-centimetre wide quartz-pyrite veins hosting chalcopyrite and molybdenite strike 120 to 160 degrees and dip vertically. Pegmatitic veins have been observed to occur in association with these veins, which have been offset by northeast trending chlorite-hematite filled shears.

Figure 3b: Property Geology Map



2017 Exploration Program

Field work was completed on the Property in two separate phases.

Phase one was completed on June 17, 2016 and included the collection of 36 soil samples and 2 rock samples, by one geologist and two assistants (see appendix 1 for sample location and results). This work was completed to follow up on the high lead, zinc, silver and gold in soils located in areas approximately 200 m to the north of the previous historical workings. The sampling confirmed the presence of these elements in the samples that were submitted to the laboratories. All samples collected were sent to Activation Laboratories Ltd in Kamloops B.C. for ICP and Fire Assay analysis. See appendix 2 for lab assay certificates.

Phase two was completed on June 8, 2017 and was comprised of flying drone surveys over the area of interest on the Property. This survey was completed by a drone operator and geologist. Drone surveying totaled 0.88 sq km (88 ha) or about 0.74 km by 1.2 km, and was completed by the Company. Drone surveys were completed to assist with geological mapping, areas of interest for sampling, highlight areas of potential outcrop, and show areas of new potential roads due to forestry cutting. The survey provided a current base map showing many of the historically disturbed areas and more detailed drone would be undertaken in main areas of interest. See appendix 3.1, 3.2, 3.3 for drone survey.

Sampling Method and Approach

Grid/ line soil samples were collected with the assistance of a pick and were taken on 120 degree trending 50 m spaced lines at 12.5 m sample spacing's. The lines were oriented to be perpendicular to the overall trend of the Keystone vein system and collected at relatively short spacing's to pick up narrow veins. Samples were generally collected at a depth of 15-20 cm of the B horizon and in some instances this was facilitated in areas of previous work or stripping but often was also taken in relatively undisturbed forest.

The soils collected along roads were taken along the side of the road.

The two rock sample was collected from a quarry that was used by gas pipeline company as a borrow pit.

Sample Preparation, Analysis and Security

Soil samples were collected in conventional kraft soil bags and rock samples were collected in conventional poly bags. Both were labelled with an area letter (ie: K for Keystone) then an S or R for soil or rock respectively, and an A for the sampler (ie Adam) followed by the sample number (KSA-001 and KRA-001). Pink and blue flagging tape was tied at the sample location on the property and GPS location was taken along with field notes.

Samples were placed in larger poly bags and sealed with zip ties and all samples were placed in a rice sack bag. Samples were stored in a locked facility until they were sent to the Activation Laboratories Ltd. in Kamloops B.C. via Greyhound Courier.

Exploration Results

The drone survey work has provided a current base map showing many of the historically disturbed areas and more detailed drone surveys could be undertaken in main areas of interest. The 36 soil samples taken during this program included 2 duplicates taken in the same pits as last year's samples (AKS038 and AKS060), 14 soils taken in a line south of the last year's small grid, and 20 soils taken primarily along old roads above the main adit. These duplicate soil samples generally showed slightly lower gold and silver values and slightly higher lead and zinc values when re-sampled, generally lower values in Au, Ag, Pb, Zn in the southern grid line except just below the main road but some very significant Au, Ag, Pb, An values in the road cuts above the main adit. See Appendix 3 for maps.

Statement of Cost

The statement of work was filed on June 15, 2017 under event number 5653038. Upon completion of this report the total expenditures were \$5,665.50, an additional \$0.50 over the applied value of work of \$5,665.00. The SOW filed was \$5,665.00, debited Cazador Resources Ltd PAC account for \$2,385.11 for a total applied work value of \$8,050.11. A full breakdown of the cost statement can be found in Table 3.

Table 3: Cost Statement

Exploration Work Type	Details	Units	Rate	Subtotal
Personnel				
Cazador Resources- Geologist	September 17, 2016 and June 8, 2017	2	\$950.00	\$1,900.00
Cazador Resources- Geological Assistant	September 17, 2016	1	\$350.00	\$350.00
Cazador Resources- Geological Assistant	September 17, 2016	1	\$350.00	\$350.00
Equipment				
4x4 Truck	Vehicle	2	\$150.00	\$300.00
Electronic Rental	Radios/ GSP/ Supplies	2	\$50.00	\$100.00
Fuel				\$200.00
Geochemical				
Activation Laboratories Ltd	2 Rock Sample	2	\$24.00	\$48.00
Activation Laboratories Ltd	36 Soil Samples	36	\$19.25	\$693.00
Activation Laboratories Ltd	1 additional analysis of soil sample	1	\$9.50	\$9.50
Surveys				
Drone Survey	Operator, Rental, Software	1	\$500.00	\$500.00
Office Studies/Logistics				
Cazador Resources Ltd	Report writing (Geologist)	0.8	\$950	\$760.00
	Report writing (Assistant)	1.3	\$350	\$455.00
Total Expenditures				\$5,665.50

Conclusions and Recommendations

It is recommended that more detailed sampling and prospecting be conducted above the old adits and road cuts and a detailed drone survey completed in this area.

References

Minister of Mines Reports: 1936 - 1954 - 1965 - 1966 Minfiles: 092HNW024 Keystone

092HNW022 Mag

092HNW050 What

Assessment work Reports:

J.T. Mandy Report on Keystone Project Aug. 4th 1951

K.C. Fahrni Report on Stonewall Property Oct. 1954

B.C. MacDonald Summary Report of Diamond Drilling on Coquihalla Property for Dorian Resources. Nov. 26th 1966 E. Livgard Report on the Corval Resources Ltd. Property in the Coquihalla Valley April 6th 1971

0696 Anaconda American Brass - soil survey - Sept-Oct 1965 #3123 Corval Resources Ltd. Grid - 1971

3595 " Summary Report - Soil and Geology - Jan 1972 #4173 " Induced Polarization Survey (IP) - Jan - 1973

4174 " Geological Report - Jul -1973 with u/g map By Gordon Guthrat P.Eng. #4371 Denison Mines Diamond Drilling #4516 Geophysical Report - Jan - 1974 By P. Neilson

4657 and 4788 Geology and soil survey on What Cl. El Paso Min & Mill. Co. By V. Rybbaek-Hardy Dec. 1973

6758 Western Mines Ltd Geological and Geochemical Report Keystone Project. K.W. Livingstone June 19/79

7135 A&B "Geophysics - Geol. And Diamond drilling L. Salenken Feb. 1979

7771 "geology D.D.H. #W79-1 , -2, W78-1 By L.W. Seleken July 16 1980

8863 " D.D.H. W80-1, -2 - A.Randall Jan 1982

9648 Westmin Resources Ltd. Geochemical survey D.W.Ferguson Aug. 1982

18485 Blue Gold Resources Ltd. Geochemical Report on the Keystone Property by Jan. 6 1990 by Orcan Mineral Assoc. Consultants

19139 "Diamond Drilling July 1990 By R.S. Adamson

28410 Silver Mountain: Soil and stream silt sampling

28910 "Rock chip sampling E. Livgard P.Eng.

#29911 Silver Mountain Property Assessments Report Work 2007 E. Livgard P.Eng.

#30578 Silver Mountain Property Assessments Report Work 2008 E. Livgard P.Eng.

Statement of Qualifications

I, Adam Robert Travis, do hereby certify that:

1. I am a consulting geologist currently residing at 5389 Buchanan Road, Peachland B.C. V0H 1X1.
2. I am a graduate of the University of British Columbia with a Bachelor of Sciences (BSc), major in Geology, (1990).
3. I have worked continuously in Mineral Exploration and Mine Geology in Canada, the United States, Africa, China and Mexico on full-time bases since 1990.
4. As of the date of the certificate, to the best of the qualified person's knowledge, information and belief, the technical report contains all scientific and technical information that is required to be disclosed to make the technical report not misleading.
5. I am the President and CEO of Cazador Resources Ltd, therefor have a direct interest in the Keystone Property.

Dated this 10 day of October, 2017

A handwritten signature in black ink, appearing to read 'Adam Travis', written in a cursive style.

Adam Travis, B.Sc.

Statement of Qualifications

I, Brittany Kay Travis, do hereby certify that:

1. I am a consulting Executive Administrative Professional for Cazador Resources Ltd., and reside at 3032 Country Hills Lane, West Kelowna, B.C. V4T-1C3, Canada.
2. I am a graduate of Okanagan College with a Bachelor of Business Administration, with a major in Marketing. I graduated in 2013 and have worked with Cazador Resources on a full time bases since.
3. I consult for other mineral exploration companies, holding titles such as Manager of Corporate Communications.
4. As of the date of the certificate, to the best of my knowledge, information and belief, the technical report contains all scientific and technical information that is required to be disclosed to make the technical report not misleading.

Dated this 10 day of October, 2017

A handwritten signature in blue ink that reads "Brittany Travis". The signature is written in a cursive style with a large, stylized initial 'B'.

Brittany Travis, BBA

Appendix 1: Sample Location and Results

Sample_Type	Sample_ID	UTM_E	UTM_N	Elev	UTM_Zone	Au_ppb	Au_ppm	Ag_ppm	Al_pct	As_ppm	B_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Ni_ppm	P_pct	Pb_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_pct	Tl_pp	V_ppm	W_ppm	Zn_ppm
Soil	AKS079	642577.4	5506193.972	1227.03	10U	13	0.013	31.8	1.58	7.3	10	189	0.5	0.27	2.8	5.7	7	25.5	2.08	5	0.08	0.16	13	0.2	2920	0.8	0.02	7.7	0.066	132	0.5	0.7	2.3	0.25	19	0.4	1	0.008	0.5	40	0.05	1120
Soil	AKS080	642597.7	5506209.636	1229.559	10U	257	0.257	4.2	1.83	4.5	10	162	0.4	0.21	1.5	5	5	15.7	2.1	6	0.06	0.17	10	0.16	2320	0.5	0.019	5.4	0.055	81.9	0.5	0.5	1.7	0.25	19	0.1	1.1	0.004	0.5	37	0.05	1230
Soil	AKS081	642594.7	5506183.192	1220.537	10U	19	0.019	17.1	1.84	8.8	10	195	2.1	0.15	2.8	5.6	4	26.6	3.1	5	0.1	0.17	12	0.12	2850	1.3	0.017	5.1	0.087	213	0.5	2.6	1.9	0.25	15	1.4	1	0.002	0.7	35	0.2	1620
Soil	AKS082	642583.1	5506165.197	1211.378	10U	95	0.095	9	1.72	7.1	10	221	0.9	0.19	2.4	5.5	7	29.8	2.65	5	0.08	0.17	15	0.17	3420	1.1	0.017	6.4	0.072	191	0.5	2.3	2.4	0.6	18	0.7	1	0.004	0.5	36	0.1	1240
Soil	AKS083	642589.6	5506138.337	1220.003	10U	2.5	0.0025	4.2	1.48	5.1	10	214	2.2	0.37	3	4.9	7	23.7	2.99	4	0.09	0.16	10	0.15	2670	1.6	0.017	6.1	0.057	160	0.5	1.3	1.7	0.6	28	1.7	0.7	0.005	0.5	35	0.1	1490
Soil	AKS084	642573.6	5506112.33	1213.505	10U	77	0.077	15.3	1.86	8.5	10	738	1.3	0.21	3.4	5.3	6	48.4	3.07	4	0.15	0.19	13	0.14	2570	1.5	0.024	6	0.119	495	0.5	6.6	1.9	0.25	22	2	0.9	0.004	0.5	38	0.1	2320
Soil	AKS084	642577	5506116.201	1206.125	10U	7	0.007	7.2	1.37	6.1	10	180	2.5	0.22	2.7	5.2	8	31.6	3.14	4	0.09	0.18	13	0.18	2150	1.6	0.019	7.3	0.066	151	0.5	1.4	2.5	0.25	18	1.9	1.1	0.008	0.3	34	0.05	1580
Soil	AKS085	642598	5506131.773	1205.451	10U	2.5	0.0025	10.8	1.66	4.7	10	145	0.4	0.23	1.2	3.5	4	12.2	1.58	6	0.05	0.14	7	0.11	1470	1.3	0.022	4.2	0.066	74.3	0.5	0.2	0.9	0.25	14	1	0.7	0.002	0.4	30	0.05	1140
Soil	AKS086	642622.6	5506148.882	1206.281	10U	25	0.025	6.5	1.49	6.5	10	180	1.6	0.29	2.8	4.3	4	16.7	1.96	4	0.07	0.16	8	0.12	3170	1	0.018	4.1	0.084	299	0.5	0.8	1.1	0.25	18	1.8	0.8	0.002	0.5	27	0.05	1230
Soil	AKS087	642641.4	5506172.071	1198.306	10U	81	0.081	5	2.04	4.7	10	268	1.7	0.28	5.7	6.5	6	26.1	2.87	6	0.06	0.18	13	0.16	5280	0.9	0.023	5.5	0.122	144	0.5	0.3	1.8	0.25	21	2.2	0.9	0.005	0.6	37	0.05	1810
Soil	AKS088	642657.7	5506201.759	1199.512	10U	2.5	0.0025	1	1.69	2.4	10	88.5	0.3	0.23	0.3	6.7	11	14.8	2.15	8	0.03	0.07	4	0.27	784	0.9	0.027	6.2	0.099	30.1	0.5	0.1	2.1	0.25	19	0.1	0.8	0.054	0.1	57	0.05	320
Soil	AKS089	642842.9	5506160.695	1147.61	10U	2.5	0.0025	0.8	1.6	2.5	10	116	0.4	0.23	0.4	6.8	10	16.2	2.15	8	0.03	0.08	4	0.29	1020	0.8	0.026	5.7	0.125	34.9	0.5	0.2	2.1	0.25	20	0.1	0.7	0.051	0.2	54	0.05	398
Soil	AKS090	642828.3	5506169.321	1143.518	10U	6	0.006	0.8	2.41	3.8	10	152	0.6	0.2	0.7	8.3	14	25.6	2.6	8	0.05	0.09	6	0.31	2000	1.7	0.025	8.3	0.106	66	0.5	0.3	2.6	0.25	19	0.4	1	0.038	0.3	60	0.1	569
Soil	AKS091	642811.8	5506171.001	1147.274	10U	2.5	0.0025	0.9	2.22	3.5	10	198	0.5	0.22	1	7.4	10	20.4	2.19	7	0.04	0.13	7	0.26	3000	1.7	0.023	7.7	0.088	68	0.5	0.3	2.2	0.25	17	0.3	1.2	0.018	0.5	48	0.1	669
Soil	AKS092	642799.1	5506179.675	1154.391	10U	2.5	0.0025	1.3	2.45	5	10	138	0.2	0.15	0.3	5.7	4	27.9	2.34	7	0.03	0.17	14	0.15	964	4.4	0.019	4.2	0.063	18.6	0.5	0.1	2.7	0.25	11	0.5	3	0.002	0.7	39	0.05	458
Soil	AKS093	642784.9	5506188.424	1157.198	10U	44	0.044	1.2	2.34	2	10	138	0.6	0.23	1.2	8.6	13	25.7	2.57	7	0.05	0.11	6	0.36	2600	1.4	0.03	10.2	0.078	70.7	0.5	0.4	2.4	0.25	21	0.3	0.8	0.053	0.3	57	0.05	887
Soil	AKS094	642769.3	5506185.008	1164.397	10U	2.5	0.0025	1.5	2.11	1.8	10	117	0.5	0.28	1.7	7.7	13	21.9	2.3	6	0.03	0.1	5	0.35	2400	1.3	0.028	12	0.067	66	0.5	0.4	2.2	0.25	23	0.3	0.8	0.038	0.3	53	0.05	1120
Soil	AKS095	642761.8	5506195.601	1177.252	10U	2.5	0.0025	1.7	2.9	3.1	10	184	0.9	0.31	2.7	8.6	12	30.9	2.81	8	0.04	0.29	8	0.28	3720	1.2	0.038	12.9	0.11	88.7	0.5	0.6	3.1	0.25	22	0.8	1.4	0.021	0.6	53	0.05	1340
Soil	AKS096	642749.8	5506200.959	1179.57	10U	2.5	0.0025	3.2	2.33	3.4	10	84.5	1.8	0.3	1.8	7.3	13	26.6	2.85	7	0.08	0.13	8	0.37	2530	1.1	0.025	11.3	0.066	115	0.5	0.9	2.3	0.25	27	0.7	0.9	0.032	0.4	49	0.1	1920
Soil	AKS097	642732.1	5506199.269	1175.411	10U	2.5	0.0025	2.8	2.16	3.9	10	128	1.9	0.29	1.6	7.4	12	25	2.9	7	0.04	0.13	8	0.34	3110	1	0.024	8.2	0.061	98.7	0.5	0.7	2.1	0.25	27	0.7	0.8	0.029	0.3	54	0.1	1320
Soil	AKS098	642718.3	5506214.368	1176.701	10U	2.5	0.0025	1.8	2.42	3.1	10	107	1	0.27	1.7	8.1	14	32.4	2.63	6	0.08	0.12	6	0.38	2670	1.1	0.026	10.3	0.078	91	0.5	0.4	2.5	0.25	23	0.5	0.9	0.046	0.3	54	0.1	1180
Soil	AKS099	642704.7	5506218.794	1196.135	10U	8	0.008	4.4	1.71	7.9	10	90.7	4.7	0.26	0.7	6.5	15	45.6	3.25	5	0.05	0.13	6	0.46	650	2.1	0.023	9.9	0.061	70.9	0.5	3.4	2.4	0.25	32	2.8	0.9	0.041	0.3	50	0.1	534
Soil	AKS100	642699.3	5506224.103	1197.647	10U	2.5	0.0025	1.5	2.39	3.7	10	212	0.7	0.2	2	6.3	8	18.5	2.37	7	0.05	0.15	8	0.26	2580	0.6	0.024	7.4	0.09	96.3	0.5	0.4	2	0.25	15	0.5	1.1	0.008	0.6	48	0.05	1760
Soil	AKS101	642687.9	5506231.144	1202.455	10U	103	0.103	3.3	1.67	6.9	10	161	0.5	0.29	2.9	8.7	11	41.8	2.83	5	0.05	0.16	13	0.36	4250	0.9	0.019	8.6	0.114	184	0.5	1	3.1	0.5	20	0.4	1.3	0.025	0.3	49	0.1	1660
Soil	AKS102	642671.8	5506238.73	1208.115	10U	266	0.266	14.9	2.1	4.8	10	315	0.3	0.64	3.8	6	8	75.8	2.2	6	0.12	0.13	50	0.3	4580	1.1	0.023	6.8	0.112	632	0.5	0.5	2.1	1	43	0.1	0.7	0.024	0.3	36	0.05	1530
Soil	AKS0388	642675.1	5506360.852		10U	372	0.372	12.5	2.41	3.7	10	65.7	0.2	0.19	0.6	4.9	7	123	2.13	8	0.08	0.13	7	0.18	1350	0.6	0.027	4.2	0.115	937	0.5	1.5	1.4	0.25	11	11.2	0.9	0.015	0.4	47	0.05	931
Soil	AKS0608	642878.6	5506316.157		10U	47	0.047	76.8	0.67	15.8	10	88.8	1.6	0.06	18	2.7	1	557	2.18	1	0.04	0.4	10	0.03	10001	0.8	0.026	1.5	0.047	5001	0.5	13.3	0.9	0.25	30	2.5	1.3	0.001	0.3	8	0.2	1230
Soil	CKS001	642569.4	5506179.85		10U	8	0.008	5.6	1.43	6.2	10	145	0.5	0.26	1.4	6.6	14	25.7	2.31	4	0.07	0.2	15	0.25	1310	0.7	0.017	14.2	0.054	52.3	0.5	0.9	3.4	0.25	18	0.5	1.3	0.011	0.3	41	0.05	1170
Soil	CKS002	642561.1	5506169.15		10U	12	0.012	15.5	1.29	8.6	10	105	0.5	0.23	1.1	5.5	10	23.3	2.4	4	0.1	0.16	17	0.21	1220	1	0.017	10.6	0.053	38.6	0.5	1.4	3.5	0.5	18	0.4	1.2	0.008	0.2	35	0.05	1300
Soil	CKS003	642553	5506151.95		10U	785	0.785	26.4	0.79	24.5	10	167	22.3	0.23	6.3	6.1	2	42.5	4.02	2	0.15	0.17	25	0.07	10001	1.8	0.013	4.6	0.078	252	0.5	4.3	2.9	0.7	34	12	1.1	0.001	0.3	22	0.05	2100
Soil	CKS004	642541.5	5506133.94		10U	399	0.399	80.9	0.79	51.7	10	439	9.4	0.27	10.4	9.6	5	131	5.09	1	0.41	0.2	19	0.08	10001	4.2	0.013	5.9	0.103	1040	0.5	84.8	2.8	1	39	6.8	0.8	0.002	0.4	15	0.4	2350
Soil	CKS005	642532.5	5506106.018		10U	22	0.022	5.8	1.67	6.6	10	308	1.6	0.25	3.5	7.2	8	27.6	2.76	5	0.1	0.18	14	0.19	3700	1.3	0.018	10.1	0.08	169	0.5	0.7	2.3	0.6	21	1.1	0.8	0.009	0.5	41	0.05	1650

Sample_Ty	Sample_ID	UTM_E	UTM_N	Elev	UTM_Zone	Au_ppb	Au_ppm	Ag_ppm	Al_pct	As_ppm	B_ppm	Ba_ppm	Bi_ppm	Ca_ppm	Cd_ppm	Co_ppm	Cr_ppm	Cu_ppm	Fe_pct	Ga_ppm	Hg_ppm	K_pct	La_ppm	Mg_pct	Mn_ppm	Mo_ppm	Na_pct	Ni_ppm	P_pct	Pb_ppm	S_pct	Sb_ppm	Sc_ppm	Se_ppm	Sr_ppm	Te_ppm	Th_ppm	Ti_pct	Tl_pp	V_ppm	W_ppm	Zn_ppm
Rock	CRK001	642516.3	5506071		10U	47	0.047	76.8	0.67	15.8	10	88.8	1.6	0.06	18	2.7	1	557	2.18	1	0.04	0.4	10	0.03	10001	0.8	0.026	1.5	0.047	5001	0.5	13.3	0.9	0.25	30	2.5	1.3	0.001	0.3	8	0.2	1230
Rock	CRK002	642772.3	5506279		10U	17	0.017	11.1	0.76	5.7	10	75.3	5	0.08	1.6	1.5	7	49.6	3.19	3	0.02	0.45	9	0.04	5090	2.1	0.019	1.9	0.048	100	0.5	1.2	0.9	0.25	15	2.6	0.9	0.001	0.4	11	0.2	499

Appendix 2: Laboratory Certificates



Date Submitted: 12-Jun-17
Invoice No.: A17-05894
Invoice Date: 22-Jun-17
Your Reference:

**Cazador Resources Ltd.
110-2300 Carrington Road
West Kelowna B.C.
Canada**

ATTN: Brittany Travis

CERTIFICATE OF ANALYSIS

38 Soil samples were submitted for analysis.

The following analytical package(s) were requested:

Code 1A2-Kamloops Au - Fire Assay AA

Code UT-1M-Kamloops Aqua Regia ICP/MS

Code Weight Report-Kamloops (Rcv'd) Received(kg) weights

REPORT **A17-05894**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

If value exceeds upper limit we recommend reassay by fire assay gravimetric-Code 1A3

Note: Au by this package is not reliable and you should have Au by Fire Assay done if you need accurate Au values.

CERTIFIED BY:

A handwritten signature in black ink, appearing to read "Emmanuel Esemé". The signature is written over a horizontal line.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
9989 Dallas Drive, Kamloops, British Columbia, Canada, V2C 6T4
TELEPHONE +250 573-4484 or +1.888.228.5227 FAX +1.905.648.9613

E-MAIL Kamloops@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A17-05894

Analyte Symbol	Au	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni
Unit Symbol	ppb	ppm	%	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm
Lower Limit	5	0.1	0.01	0.5	0.5	20	0.5	0.1	0.01	0.1	0.1	1	0.1	0.01	1	0.01	0.01	1	0.01	1	0.1	0.001	0.1
Method Code	FA-AA	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
CKS001	8	5.6	1.43	6.2	< 0.5	< 20	145	0.5	0.26	1.4	6.6	14	25.7	2.31	4	0.07	0.20	15	0.25	1310	0.7	0.017	14.2
CKS002	12	15.5	1.29	8.6	1.8	< 20	105	0.5	0.23	1.1	5.5	10	23.3	2.40	4	0.10	0.16	17	0.21	1220	1.0	0.017	10.6
CKS003	785	26.4	0.79	24.5	182	< 20	167	22.3	0.23	6.3	6.1	2	42.5	4.02	2	0.15	0.17	25	0.07	> 10000	1.8	0.013	4.6
CKS004	399	80.9	0.79	51.7	> 1000	< 20	439	9.4	0.27	10.4	9.6	5	131	5.09	1	0.41	0.20	19	0.08	> 10000	4.2	0.013	5.9
CKS005	22	5.8	1.67	6.6	1.9	< 20	308	1.6	0.25	3.5	7.2	8	27.6	2.76	5	0.10	0.18	14	0.19	3700	1.3	0.018	10.1
CKS006	21	8.6	1.08	12.3	19.6	< 20	272	2.5	0.14	5.5	7.6	4	34.7	3.51	3	0.10	0.15	21	0.13	6430	2.4	0.012	6.4
CKS007	> 5000	92.9	0.99	265	> 1000	< 20	134	3.5	0.19	15.3	6.1	3	607	4.39	11	2.16	0.15	10	0.10	> 10000	5.7	0.012	4.0
CKS008	41	22.9	1.39	7.4	17.1	< 20	210	1.5	0.21	2.1	4.9	5	28.6	2.66	4	0.13	0.18	14	0.14	1890	1.0	0.019	6.1
CKS009	28	13.2	1.23	6.8	4.9	< 20	326	2.5	0.21	3.2	4.5	3	35.7	3.18	3	0.10	0.18	16	0.10	2460	1.1	0.016	4.4
CKS010	25	13.4	1.28	7.8	25.8	< 20	185	2.3	0.17	1.1	5.0	6	29.3	2.93	3	0.11	0.18	18	0.14	1860	0.8	0.018	5.3
AKS079	13	31.8	1.58	7.3	< 0.5	< 20	189	0.5	0.27	2.8	5.7	7	25.5	2.08	5	0.08	0.16	13	0.20	2920	0.8	0.020	7.7
AKS080	257	4.2	1.83	4.5	< 0.5	< 20	162	0.4	0.21	1.5	5.0	5	15.7	2.10	6	0.06	0.17	10	0.16	2320	0.5	0.019	5.4
AKS081	19	17.1	1.84	8.8	< 0.5	< 20	195	2.1	0.15	2.8	5.6	4	26.6	3.10	5	0.10	0.17	12	0.12	2850	1.3	0.017	5.1
AKS082	95	9.0	1.72	7.1	< 0.5	< 20	221	0.9	0.19	2.4	5.5	7	29.8	2.65	5	0.08	0.17	15	0.17	3420	1.1	0.017	6.4
AKS083	< 5	4.2	1.48	5.1	< 0.5	< 20	214	2.2	0.37	3.0	4.9	7	23.7	2.99	4	0.09	0.16	10	0.15	2670	1.6	0.017	6.1
AKS084	77	15.3	1.86	8.5	29.7	< 20	738	1.3	0.21	3.4	5.3	6	48.4	3.07	4	0.15	0.19	13	0.14	2570	1.5	0.024	6.0
AKS085	7	7.2	1.37	6.1	2.0	< 20	180	2.5	0.22	2.7	5.2	8	31.6	3.14	4	0.09	0.18	13	0.18	2150	1.6	0.019	7.3
AKS086	< 5	10.8	1.66	4.7	13.7	< 20	145	0.4	0.23	1.2	3.5	4	12.2	1.58	6	0.05	0.14	7	0.11	1470	1.3	0.022	4.2
AKS087	25	6.5	1.49	6.5	< 0.5	< 20	180	1.6	0.29	2.8	4.3	4	16.7	1.96	4	0.07	0.16	8	0.12	3170	1.0	0.018	4.1
AKS088	81	5.0	2.04	4.7	< 0.5	< 20	268	1.7	0.28	5.7	6.5	6	26.1	2.87	6	0.06	0.18	13	0.16	5280	0.9	0.023	5.5
AKS089	< 5	1.0	1.69	2.4	< 0.5	< 20	88.5	0.3	0.23	0.3	6.7	11	14.8	2.15	8	0.03	0.07	4	0.27	784	0.9	0.027	6.2
AKS090	< 5	0.8	1.60	2.5	11.2	< 20	116	0.4	0.23	0.4	6.8	10	16.2	2.15	8	0.03	0.08	4	0.29	1020	0.8	0.026	5.7
AKS091	6	0.8	2.41	3.8	< 0.5	< 20	152	0.6	0.20	0.7	8.3	14	25.6	2.60	8	0.05	0.09	6	0.31	2000	1.7	0.025	8.3
AKS092	< 5	0.9	2.22	3.5	< 0.5	< 20	198	0.5	0.22	1.0	7.4	10	20.4	2.19	7	0.04	0.13	7	0.26	3000	1.7	0.023	7.7
AKS093	< 5	1.3	2.45	5.0	< 0.5	< 20	138	0.2	0.15	0.3	5.7	4	27.9	2.34	7	0.03	0.17	14	0.15	964	4.4	0.019	4.2
AKS094	44	1.2	2.34	2.0	< 0.5	< 20	138	0.6	0.23	1.2	8.6	13	25.7	2.57	7	0.05	0.11	6	0.36	2600	1.4	0.030	10.2
AKS095	< 5	1.5	2.11	1.8	< 0.5	< 20	117	0.5	0.28	1.7	7.7	13	21.9	2.30	6	0.03	0.10	5	0.35	2400	1.3	0.028	12.0
AKS096	< 5	1.7	2.90	3.1	< 0.5	< 20	184	0.9	0.31	2.7	8.6	12	30.9	2.81	8	0.04	0.29	8	0.28	3720	1.2	0.038	12.9
AKS097	< 5	3.2	2.33	3.4	< 0.5	< 20	84.5	1.8	0.30	1.8	7.3	13	26.6	2.85	7	0.08	0.13	8	0.37	2530	1.1	0.025	11.3
AKS098	< 5	2.8	2.16	3.9	< 0.5	< 20	128	1.9	0.29	1.6	7.4	12	25.0	2.90	7	0.04	0.13	8	0.34	3110	1.0	0.024	8.2
AKS099	< 5	1.8	2.42	3.1	< 0.5	< 20	107	1.0	0.27	1.7	8.1	14	32.4	2.63	6	0.08	0.12	6	0.38	2670	1.1	0.026	10.3
AKS100	8	4.4	1.71	7.9	< 0.5	< 20	90.7	4.7	0.26	0.7	6.5	15	45.6	3.25	5	0.05	0.13	6	0.46	650	2.1	0.023	9.9
AKS101	< 5	1.5	2.39	3.7	< 0.5	< 20	212	0.7	0.20	2.0	6.3	8	18.5	2.37	7	0.05	0.15	8	0.26	2580	0.6	0.024	7.4
AKS102	103	3.3	1.67	6.9	< 0.5	< 20	161	0.5	0.29	2.9	8.7	11	41.8	2.83	5	0.05	0.16	13	0.36	4250	0.9	0.019	8.6
AKS038B	266	14.9	2.10	4.8	49.8	< 20	315	0.3	0.64	3.8	6.0	8	75.8	2.20	6	0.12	0.13	50	0.30	4580	1.1	0.023	6.8
AKS060B	372	12.5	2.41	3.7	12.7	< 20	65.7	0.2	0.19	0.6	4.9	7	123	2.13	8	0.08	0.13	7	0.18	1350	0.6	0.027	4.2
CRK001	47	76.8	0.67	15.8	< 0.5	< 20	88.8	1.6	0.06	18.0	2.7	1	557	2.18	1	0.04	0.40	10	0.03	> 10000	0.8	0.026	1.5
CRK002	17	11.1	0.76	5.7	< 0.5	< 20	75.3	5.0	0.08	1.6	1.5	7	49.6	3.19	3	0.02	0.45	9	0.04	5090	2.1	0.019	1.9

Analyte Symbol	P	Pb	S	Sb	Sc	Se	Sr	Te	Th	Ti	Tl	V	W	Zn	Au
Unit Symbol	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	g/tonne
Lower Limit	0.001	0.1	1	0.1	0.1	0.5	1	0.2	0.1	0.001	0.1	2	0.1	1	0.03
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	FA- GRA
CKS001	0.054	52.3	< 1	0.9	3.4	< 0.5	18	0.5	1.3	0.011	0.3	41	< 0.1	1170	
CKS002	0.053	38.6	< 1	1.4	3.5	0.5	18	0.4	1.2	0.008	0.2	35	< 0.1	1300	
CKS003	0.078	252	< 1	4.3	2.9	0.7	34	12.0	1.1	0.001	0.3	22	< 0.1	2100	
CKS004	0.103	1040	< 1	84.8	2.8	1.0	39	6.8	0.8	0.002	0.4	15	0.4	2350	
CKS005	0.080	169	< 1	0.7	2.3	0.6	21	1.1	0.8	0.009	0.5	41	< 0.1	1650	
CKS006	0.085	149	< 1	2.6	3.0	0.7	15	3.5	0.7	0.004	0.2	29	< 0.1	1860	
CKS007	0.134	> 5000	< 1	> 500	2.0	0.6	26	272	0.8	0.003	0.3	24	0.1	1920	7.62
CKS008	0.070	281	< 1	3.2	2.3	< 0.5	16	4.5	1.1	0.005	0.3	34	< 0.1	1570	
CKS009	0.078	169	< 1	2.8	2.2	< 0.5	15	3.6	0.9	0.003	0.4	29	< 0.1	1360	
CKS010	0.064	174	< 1	1.9	2.6	0.6	17	2.2	1.1	0.004	0.3	32	< 0.1	1040	
AKS079	0.066	132	< 1	0.7	2.3	< 0.5	19	0.4	1.0	0.008	0.5	40	< 0.1	1120	
AKS080	0.055	81.9	< 1	0.5	1.7	< 0.5	19	< 0.2	1.1	0.004	0.5	37	< 0.1	1230	
AKS081	0.087	213	< 1	2.6	1.9	< 0.5	15	1.4	1.0	0.002	0.7	35	0.2	1620	
AKS082	0.072	191	< 1	2.3	2.4	0.6	18	0.7	1.0	0.004	0.5	36	0.1	1240	
AKS083	0.057	160	< 1	1.3	1.7	0.6	28	1.7	0.7	0.005	0.5	35	0.1	1490	
AKS084	0.119	495	< 1	6.6	1.9	< 0.5	22	2.0	0.9	0.004	0.5	38	0.1	2320	
AKS085	0.066	151	< 1	1.4	2.5	< 0.5	18	1.9	1.1	0.008	0.3	34	< 0.1	1580	
AKS086	0.066	74.3	< 1	0.2	0.9	< 0.5	14	1.0	0.7	0.002	0.4	30	< 0.1	1140	
AKS087	0.084	299	< 1	0.8	1.1	< 0.5	18	1.8	0.8	0.002	0.5	27	< 0.1	1230	
AKS088	0.122	144	< 1	0.3	1.8	< 0.5	21	2.2	0.9	0.005	0.6	37	< 0.1	1810	
AKS089	0.099	30.1	< 1	0.1	2.1	< 0.5	19	< 0.2	0.8	0.054	0.1	57	< 0.1	320	
AKS090	0.125	34.9	< 1	0.2	2.1	< 0.5	20	< 0.2	0.7	0.051	0.2	54	< 0.1	398	
AKS091	0.106	66.0	< 1	0.3	2.6	< 0.5	19	0.4	1.0	0.038	0.3	60	0.1	569	
AKS092	0.088	68.0	< 1	0.3	2.2	< 0.5	17	0.3	1.2	0.018	0.5	48	0.1	669	
AKS093	0.063	18.6	< 1	0.1	2.7	< 0.5	11	0.5	3.0	0.002	0.7	39	< 0.1	458	
AKS094	0.078	70.7	< 1	0.4	2.4	< 0.5	21	0.3	0.8	0.053	0.3	57	< 0.1	887	
AKS095	0.067	66.0	< 1	0.4	2.2	< 0.5	23	0.3	0.8	0.038	0.3	53	< 0.1	1120	
AKS096	0.110	88.7	< 1	0.6	3.1	< 0.5	22	0.8	1.4	0.021	0.6	53	< 0.1	1340	
AKS097	0.066	115	< 1	0.9	2.3	< 0.5	27	0.7	0.9	0.032	0.4	49	0.1	1920	
AKS098	0.061	98.7	< 1	0.7	2.1	< 0.5	27	0.7	0.8	0.029	0.3	54	0.1	1320	
AKS099	0.078	91.0	< 1	0.4	2.5	< 0.5	23	0.5	0.9	0.046	0.3	54	0.1	1180	
AKS100	0.061	70.9	< 1	3.4	2.4	< 0.5	32	2.8	0.9	0.041	0.3	50	0.1	534	
AKS101	0.090	96.3	< 1	0.4	2.0	< 0.5	15	0.5	1.1	0.008	0.6	48	< 0.1	1760	
AKS102	0.114	184	< 1	1.0	3.1	0.5	20	0.4	1.3	0.025	0.3	49	0.1	1660	
AKS038B	0.112	632	< 1	0.5	2.1	1.0	43	< 0.2	0.7	0.024	0.3	36	< 0.1	1530	
AKS060B	0.115	937	< 1	1.5	1.4	< 0.5	11	11.2	0.9	0.015	0.4	47	< 0.1	931	
CRK001	0.047	> 5000	< 1	13.3	0.9	< 0.5	30	2.5	1.3	0.001	0.3	8	0.2	1230	
CRK002	0.048	100	< 1	1.2	0.9	< 0.5	15	2.6	0.9	0.001	0.4	11	0.2	499	

Analyte Symbol	Ag	Al	As	Au	B	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P
Unit Symbol	ppm	%	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	%
Lower Limit	0.1	0.01	0.5	0.5	20	0.5	0.1	0.01	0.1	0.1	1	0.1	0.01	1	0.01	0.01	1	0.01	1	0.1	0.001	0.1	0.001
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS
GXR-1 Meas	30.7	0.32	412	> 1000	< 20	242	1350	0.82	2.4	8.3	5	1110	24.3	4	4.16	0.04	5	0.14	872	17.2	0.040	39.4	0.038
GXR-1 Cert	31.0	3.52	427	3300	15.0	750	1380	0.960	3.30	8.20	12.0	1110	23.6	13.8	3.90	0.050	7.50	0.217	852	18.0	0.0520	41.0	0.0650
GXR-4 Meas	3.3	2.80	103	139	< 20	18.5	18.2	0.86	< 0.1	15.0	51	6590	2.94	11	0.09	1.71	45	1.65	140	303	0.133	38.9	0.114
GXR-4 Cert	4.0	7.20	98.0	470	4.50	1640	19.0	1.01	0.860	14.6	64.0	6520	3.09	20.0	0.110	4.01	64.5	1.66	155	310	0.564	42.0	0.120
GXR-6 Meas	0.3	7.22	184	16.3	< 20	1140	0.1	0.21	< 0.1	12.7	67	63.7	4.95	16	0.06	1.11	9	0.42	958	1.4	0.089	21.5	0.027
GXR-6 Cert	1.30	17.7	330	95.0	9.80	1300	0.290	0.180	1.00	13.8	96.0	66.0	5.58	35.0	0.0680	1.87	13.9	0.609	1010	2.40	0.104	27.0	0.0350
OxQ90 Meas																							
OxQ90 Cert																							
OREAS 922 (AQUA REGIA) Meas	0.6	3.14	6.6			81.5	11.4	0.41	0.3	20.6	43	2220	5.25	8		0.49	34	1.46	791	0.7	0.029	37.4	0.061
OREAS 922 (AQUA REGIA) Cert	0.851	2.72	6.12			70	10.3	0.324	0.28	19.4	40.7	2176	5.05	7.62		0.376	32.5	1.33	730	0.69	0.021	34.3	0.063
OREAS 923 (AQUA REGIA) Meas	1.5	3.27	7.8			67.6	22.1	0.45	0.4	24.2	41	4530	6.26	8		0.44	33	1.64	943	0.8		35.8	0.060
OREAS 923 (AQUA REGIA) Cert	1.62	2.80	7.07			54	21.8	0.326	0.40	22.2	39.4	4248	5.91	8.01		0.322	30.0	1.43	850	0.84		32.7	0.061
OXN117 Meas																							
OXN117 Cert																							
OREAS 223 (Fire Assay) Meas																							
OREAS 223 (Fire Assay) Cert																							
OREAS 223 (Fire Assay) Meas																							
OREAS 223 (Fire Assay) Cert																							
OREAS 223 (Fire Assay) Meas																							
OREAS 223 (Fire Assay) Cert																							
OREAS 223 (Fire Assay) Meas																							
OREAS 223 (Fire Assay) Cert																							
OREAS 223 (Fire Assay) Meas																							
OREAS 223 (Fire Assay) Cert																							
OREAS 218 (INAA) Meas																							
OREAS 218 (INAA) Cert																							
OREAS 218																							

Analyte Symbol	Pb	S	Sb	Sc	Se	Sr	Te	Th	Ti	Tl	V	W	Zn	Au	Au
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb	g/tonne
Lower Limit	0.1	1	0.1	0.1	0.5	1	0.2	0.1	0.001	0.1	2	0.1	1	5	0.03
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	FA-AA	FA- GRA
GXR-1 Meas	650	< 1	81.3	0.8	15.3	176	13.2	1.5	0.006	0.4	74	120	787		
GXR-1 Cert	730	0.257	122	1.58	16.6	275	13.0	2.44	0.036	0.390	80.0	164	760		
GXR-4 Meas	43.0	2	3.2	6.4	5.3	70	0.9	16.4	0.133	3.1	81	9.1	71		
GXR-4 Cert	52.0	1.77	4.80	7.70	5.60	221	0.970	22.5	0.29	3.20	87.0	30.8	73.0		
GXR-6 Meas	85.5	< 1	1.5	20.6	< 0.5	38	< 0.2	3.4		1.7	152	< 0.1	113		
GXR-6 Cert	101	0.0160	3.60	27.6	0.940	35.0	0.0180	5.30		2.20	186	1.90	118		
OxQ90 Meas															24.0
OxQ90 Cert															24.88
OREAS 922 (AQUA REGIA) Meas	59.3	< 1	0.6	3.7	3.2	15		14.1		0.2	35	1.0	263		
OREAS 922 (AQUA REGIA) Cert	60	0.386	0.57	3.15	3.44	15.0		14.5		0.14	29.4	1.12	256		
OREAS 923 (AQUA REGIA) Meas	87.9	< 1	0.6	3.8	6.0	14		15.0		0.2	36	2.3	360		
OREAS 923 (AQUA REGIA) Cert	81	0.684	0.58	3.09	5.99	13.6		14.3		0.12	30.6	1.96	335		
OXN117 Meas															7.51
OXN117 Cert															7.679
OREAS 223 (Fire Assay) Meas															1710
OREAS 223 (Fire Assay) Cert															1780
OREAS 223 (Fire Assay) Meas															1720
OREAS 223 (Fire Assay) Cert															1780
OREAS 223 (Fire Assay) Meas															1800
OREAS 223 (Fire Assay) Cert															1780
OREAS 223 (Fire Assay) Meas															1850
OREAS 223 (Fire Assay) Cert															1780
OREAS 223 (Fire Assay) Meas															1820
OREAS 223 (Fire Assay) Cert															1780
OREAS 218 (INAA) Meas															520
OREAS 218 (INAA) Cert															525

Analyte Symbol	Pb	S	Sb	Sc	Se	Sr	Te	Th	Ti	Tl	V	W	Zn	Au	Au
Unit Symbol	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb	g/tonne
Lower Limit	0.1	1	0.1	0.1	0.5	1	0.2	0.1	0.001	0.1	2	0.1	1	5	0.03
Method Code	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	AR-MS	FA-AA	FA- GRA
Method Blank															< 0.03

Appendix 3: Maps

641600

641800

642000

642200

642400

642600

642800

643000

643200

643400

643600

N



5506800

5506600

5506400

5506200

5506000

5505800

5506800

5506600

5506400

5506200

5506000

5505800

641600

641800

642000

642200

642400

642600

642800

643000

643200

643400

643600

Cazador Resources

Drone Survey







0 100 200



Meters

1:5,000


NAD83 Zone 10N

-  Highway (Hwy 5)
-  Paved Road
-  Gravel Road
-  ATV Trail
-  Contour (100ft)
-  Gas Pipeline



Coquihalla Highway No 5

Coquihalla Highway No 5



— Paved Road
- - - Gravel Road
- - - ATV Trail
— Contour (100ft)
- - - Gas Pipeline

Rock Samples (Ag ppm)


▲ < 10
▲ > 10

Soil Samples (Ag ppm)

• < 0.5
• 0.5 - 1.0
• 1.0 - 3.0
• 3.0 - 10.0
• > 10.0

Cazador Resources
2016-17 Silver Results

0 50 100
Meters
1:2,000
NAD83 Zone 10N




— Paved Road
- - - Gravel Road
- - - ATV Trail
— Contour (100ft)
- - - Gas Pipeline







Rock Samples (Au ppb)
▲ < 30
▲ > 30

Soil Samples (Au ppb)
• < 5
• 5 - 10
• 10 - 30
• 30 - 100
• > 100


Cazador Resources
2016-17 Gold Results

0 50 100
Meters
1:2,000
NAD83 Zone 10N



-  Rock Sample
-  Paved Road
-  Gravel Road
-  ATV Trail
-  Contour (100ft)
-  Gas Pipeline


Cazador Resources
 2017 Rock Samples Locations and Results

0 50 100

 Meters
 1:2,000
 NAD83 Zone 10N

Sample ID (Au ppb, Ag ppm, Pb ppm, Zn ppm)

▲ CRK001 (47, 76.8, 5001, 1230)

▲ CRK002 (17, 11.1, 100, 499)






- Soil Sample
- Paved Road
- - - Gravel Road
- . - . - . ATV Trail
- Contour (100ft)
- - - Gas Pipeline

Cazador Resources
2017 Soil Samples Locations

Meters
1:2,000
NAD83 Zone 10N






— Paved Road
- - - Gravel Road
- . - . - . ATV Trail
— Contour (100ft)
- - - Gas Pipeline

Soil Samples (Au ppb)

- < 19 (50th %tile)
- 19 - 77 (75th %tile)
- 77 - 266 (90th %tile)
- 266 - 372 (95th %tile)
- > 372 (>95th %tile)

Cazador Resources
2017 Soil Samples Gold Results

0 50 100
Meters
1:2,000
NAD83 Zone 10N






— Paved Road
- - - Gravel Road
- . - . - . ATV Trail
— Contour (100ft)
- - - Gas Pipeline

Soil Samples (Pb ppm)

- < 144 (50th %tile)
- 144 - 213 (75th %tile)
- 213 - 937 (90th %tile)
- 937 - 1040 (95th %tile)
- > 1040 (>95th %tile)

Cazador Resources
2017 Soil Samples Lead Results

0 50 100
Meters
1:2,000
NAD83 Zone 10N





— Paved Road
- - - Gravel Road
- . - . - . ATV Trail
— Contour (100ft)
⊖ - - - Gas Pipeline

Soil Samples (Zn ppm)

- < 1240 (50th %tile)
- 1240 - 1650 (75th %tile)
- 1650 - 1920 (90th %tile)
- > 1920 (>90th %tile)

Cazador Resources
2017 Soil Samples Zinc Results

0 50 100
Meters
1:2,000
NAD83 Zone 10N

