



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2016 Assessment Report on the Foremore Property, More Creek Area, Liard Mining Division

TOTAL COST:\$2,800

AUTHOR(S):Lorie Farrell

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S):5653552

YEAR OF WORK:2016

PROPERTY NAME: Foremore –More Creek

CLAIM NAME(S) (on which work was done):

374764, 392631

COMMODITIES SOUGHT: Pb, Zn, Au, Ag

MINERAL INVENTORY MINFILE NUMBER(S),IF KNOWN:

MINING DIVISION: Liard

NTS / BCGS:NTS 104G/2, 3; 104B/14, 15

LATITUDE: 57 ° 03 ' 50 "

LONGITUDE: 130 ° 53 ' 04 " (at centre of work)

UTM Zone: 385500 EASTING: 6326000 NORTHING:

OWNER(S):

Lorne Warren, Roca Mines Ltd

MAILING ADDRESS:530 1122 Mainland St

Vancouver, BC

V6B 5L1

OPERATOR(S) [who paid for the work]: Lorne Warren

MAILING ADDRESS:

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**)

VMS

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

19,379, # 24,076, 24918, 19,380, # 22,614, 35929, 34697, 26,559

| TYPE OF WORK IN THIS REPORT | EXTENT OF WORK (in metric units) | ON WHICH CLAIMS | PROJECT COSTS APPORTIONED (incl. support) |
|--|----------------------------------|-------------------|---|
| GEOLOGICAL (scale, area) | | | |
| Ground, mapping | | | |
| Photo interpretation | | | |
| GEOPHYSICAL (line-kilometres) | | | |
| Ground | | | |
| Magnetic | | | |
| Electromagnetic | | | |
| Induced Polarization | | | |
| Radiometric | | | |
| Seismic | | | |
| Other | | | |
| Airborne | | | |
| GEOCHEMICAL (number of samples analysed for ...) | | | |
| Soil | | | |
| Silt | | | |
| Rock | 44 | 374764, 392631 | 100 |
| Other | | | |
| DRILLING (total metres, number of holes, size, storage location) | | | |
| Core | | | |
| Non-core | | | |
| RELATED TECHNICAL | | | |
| Sampling / Assaying | 44 | 374764, 392631 | 100 |
| Petrographic | | | |
| Mineralographic | | | |
| Metallurgic | | | |
| PROSPECTING (scale/area) | | | |
| PREPATORY / PHYSICAL | | | |
| Line/grid (km) | | | |
| Topo/Photogrammetric (scale, area) | | | |
| Legal Surveys (scale, area) | | | |
| Road, local access (km)/trail | | | |
| Trench (number/metres) | | | |
| Underground development (metres) | | | |
| Other | | | |
| | | TOTAL COST | \$2,800 |

2016 Assessment Report
ON THE
FOREMORE PROPERTY

More Creek Area
Liard Mining Division
BRITISH COLUMBIA

Tenure Numbers:
374764, 392631

57°03'50" N Latitude by 130°53'04" W Longitude
UTM NAD 83 Zone 9 385,500m E 6,326,000m N

NTS Sheet: NTS 104G/2, 3; 104B/14, 15

Report prepared for: **L.B. Warren**
Report compiled by: **Farrell Exploration Services Inc.**
Report Author: **Lorie Farrell, P. Geo.**
Report Date: **June 29, 2018**

1 Table of Contents

| | | |
|-------|---|----|
| 1 | SUMMARY..... | 4 |
| 2 | INTRODUCTION AND TERMS OF REFERENCE..... | 4 |
| 3 | Property Description and Location | 5 |
| 3.1 | Location..... | 5 |
| 3.2 | Ownership..... | 5 |
| 4 | Accessibility, Climate, Local Resources, Infrastructure and Physiography..... | 8 |
| 4.1 | Accessibility..... | 8 |
| 4.2 | Physiography, Climate and Vegetation..... | 8 |
| 5 | History..... | 8 |
| 6 | Geological Setting and Mineralization..... | 9 |
| 6.1 | Regional Geology and Mineralization..... | 9 |
| 6.2 | Property Geology..... | 10 |
| 6.3 | Mineralization (after Sears et al 2005) | 13 |
| 6.3.1 | VMS Deposits | 13 |
| 6.3.2 | Copper – gold skarn deposits..... | 13 |
| 6.3.3 | Gold rich occurrences | 14 |
| 7 | Exploration Program | 14 |
| 8 | Sample Preparation, Analysis and Security..... | 22 |
| 8.1 | QA/QC | 22 |
| 9 | Interpretations and Conclusions..... | 23 |
| 10 | References | 24 |
| 11 | Certificate of Author – Dated and Signed | 27 |

Figures

| | |
|---|----|
| Figure 1. Foremore – More Creek Project Regional Location in British Columbia, Canada | 5 |
| Figure 2. Foremore – More Creek Property Claim Locations | 7 |
| Figure 3. Regional Geology | 10 |
| Figure 4. Sunday and SG Showings Inferred (2010) Geology..... | 12 |
| Figure 5. Location of Ice above SG Showing | 15 |
| Figure 6. Zones of semi-massive pyrite north of camp at the glacier at Sunday | 15 |
| Figure 7. Historic channel sample | 15 |
| Figure 8. 2016 Rock Samples, Geology stations, Ice location SG area and east..... | 20 |

Tables

| |
|---------------------------------------|
| Table 1. Foremore Project Tenure Data |
| Table 2. 2016 Rock Samples |
| Table 3. 2016 Select Assays |
| Table 4. 2016 Geology Stations |

Appendix

| |
|---------------------------------------|
| Appendix 1. Statement of Expenditures |
| Appendix 2. Maps |
| Appendix 3. Signed Assay Sheets |

1 SUMMARY

In 2016, Roca Mines Inc. contracted CJL Enterprises Ltd to carry out field work on the Foremore property. Work was focused in the Hanging Valley area, specifically investigating glacial ice retreat at the geologic contact between the mafic sills and felsic volcanics near the SG zone. One day was also spent near the Sunday showing to locate additional bedrock mineralization. A total of 45 rock samples were collected.

The Foremore property consists of 45 contiguous mineral claims which cover 19,503.2 Ha in the Coast Range Mountains of Northwestern British Columbia approximately 120 kilometres NNW of Stewart, B.C. The property is accessible by helicopter from the Bob Quinn airstrip, which lies 46 kilometres to the east along all-weather Highway 37.

Past exploration work on the Foremore property has consisted of geological mapping, rock, soil and stream sediment sampling, ground geophysics and diamond drilling programs. The property host numerous mineral deposit types, the most economically significant being gold-rich volcanic hosted massive sulphide (VHMS). More recent work was performed by Roca Mines Inc. (2005-2016) and over 10 million dollars has been reported as spent on exploration.

The summary below primarily comes from Roca's NI 43-101 reports and other summary information. There are underexplored vein- related polymetallic and gold occurrences present on the More Creek Property. Holbek, in 1988, classified the many veins into five types based on their morphology, gangue and sulphide mineralogy: (i) foliated-parallel quartz veins; (ii) quartz breccia veins; (iii) carbonate sulphide veins; (iv) carbonate-arsenopyrite veins; and (v) 'others' that include the thin, discontinuous, and widespread barite veins. The foliation-parallel quartz veins are most commonly deformed and therefore interpreted to have formed in an early event, possibly related metamorphism. The other vein types are correlative and related to an Early Jurassic mineralizing event.

2 INTRODUCTION AND TERMS OF REFERENCE

This report has been written to fulfill the requirements for filing assessment work under the British Columbia Mineral Tenure Act. It describes the exploration undertaken on the Foremore - More Creek Property in 2016. This report is does not meet with National Instrument 43-101 and Form 43-101F1, and should not be used as a "Technical Report" under National Instrument 43-101.

This report describes fieldwork completed by a small field crew between the dates of August 13th to 20th 2016 which included the author. Bedrock sampling and mapping was performed on the Hanging Valley area of the Foremore property focused on the SG and Sunday zones. The SG zone is located immediately next to the Alexander Glacier and the mineralized packaged continues to the northeast where it was historically covered in snow and ice. Field work in 2016 focused on this area around the glacier to see if any new mineralization was exposed by melting glacial ice. Work in 2007 on the Sunday Showing did not locate the mineralization in bedrock; one day in 2016 was spent verifying historic mineralization and locating new bedrock mineralization at Sunday.

3 Property Description and Location

3.1 Location

The Foremore – More Creek Property is located in northwestern British Columbia (Figure 1) approximately 120km north-northwest of Stewart. The property covers parts of the National Topographic System (NTS) map sheets 104G/2, G/3 and 104B/14, B/15 and consists of 45 contiguous mineral claims (Table 1) covering a surface area of 19,503 Ha. The central coordinates are UTM NAD 83 384,000m E 6,331,000m N.




Figure 1. Foremore – More Creek Project Regional Location in British Columbia, Canada

3.2 Ownership

The Foremore – More Creek Property is owned by Roca Mines Inc. and Lorne Warren of CJL Enterprises Ltd. and is under option to Jaxon Mining Inc. The identifying names and tenure numbers of mineral claims that are in good standing at the Foremore – More Creek property are listed in Table 1.

Table 1. Foremore – More Creek Property Tenure Data

| Claim No. | Onwer | Claim Name | Area (Ha) | Claim No. | Onwer | Claim Name | Area (Ha) |
|-----------|-----------------|------------|-----------|-----------|---------------------|-------------|-----------|
| 374763 | ROCA MINES INC. | FORE 1 | 500 | 380863 | ROCA MINES INC. | FM 1 | 25 |
| 374764 | ROCA MINES INC. | FORE 2 | 500 | 380864 | ROCA MINES INC. | FM 2 | 25 |
| 374765 | ROCA MINES INC. | FORE 3 | 300 | 380865 | ROCA MINES INC. | FM 3 | 25 |
| 374766 | ROCA MINES INC. | MORE 1 | 300 | 380866 | ROCA MINES INC. | FM 4 | 25 |
| 374767 | ROCA MINES INC. | MORE 2 | 500 | 400284 | ROCA MINES INC. | ROKS 1 | 150 |
| 374768 | ROCA MINES INC. | MORE 3 | 500 | 400285 | ROCA MINES INC. | ROKS 2 | 500 |
| 374769 | ROCA MINES INC. | MORE 4 | 450 | 400286 | ROCA MINES INC. | ROKS 3 | 400 |
| 374770 | ROCA MINES INC. | MORE 5 | 500 | 400287 | ROCA MINES INC. | ROKS 4 | 375 |
| 392631 | ROCA MINES INC. | FORE 4 | 450 | 400288 | ROCA MINES INC. | ROKS 5 | 450 |
| 392632 | ROCA MINES INC. | FORE 5 | 225 | 400294 | WARREN, LORNE BRIAN | ROC 8 | 500 |
| 392641 | ROCA MINES INC. | FORE 6 | 400 | 400295 | WARREN, LORNE BRIAN | ROC 9 | 375 |
| 392642 | ROCA MINES INC. | FORE 7 | 450 | 400297 | WARREN, LORNE BRIAN | ROC 11 | 500 |
| 392643 | ROCA MINES INC. | FORE 8 | 150 | 400298 | WARREN, LORNE BRIAN | ROC 12 | 500 |
| 392644 | ROCA MINES INC. | FORE 10 | 500 | 400299 | WARREN, LORNE BRIAN | ROC 13 | 225 |
| 392645 | ROCA MINES INC. | FORE 9 | 400 | 400300 | WARREN, LORNE BRIAN | ROC 14 | 400 |
| 392646 | ROCA MINES INC. | FORE 11 | 400 | 406128 | WARREN, LORNE BRIAN | DICE 1 | 500 |
| 392649 | ROCA MINES INC. | EBF1 | 500 | 406129 | WARREN, LORNE BRIAN | DICE 2 | 375 |
| 392650 | ROCA MINES INC. | EBF2 | 500 | 1047022 | ROCA MINES INC. | | 1722 |
| 392651 | ROCA MINES INC. | EBF3 | 500 | 1047031 | ROCA MINES INC. | | 264 |
| 392652 | ROCA MINES INC. | EBF4 | 500 | 1047034 | ROCA MINES INC. | | 1546 |
| 393461 | ROCA MINES INC. | ANT 4 | 500 | 392660 | ROCA MINES INC. | MORE 11 | 500 |
| 392655 | ROCA MINES INC. | MORE 6 | 500 | 1044963 | WARREN, LORNE BRIAN | BEEJAY EAST | 175 |
| | | | | 1044964 | WARREN, LORNE BRIAN | | 421 |
| | | | | | | | 19503 |




Figure 2. Foremore – More Creek Property Claim Locations

4 Accessibility, Climate, Local Resources, Infrastructure and Physiography

4.1 Accessibility

The More Creek Property is accessed by a 41 km helicopter trip west from the Bob Quinn airstrip located along Highway 37. The Bob Quinn airstrip is approximately 410km by road north of Smithers which has commercial passenger jet airliner service daily from Vancouver.

4.2 Physiography, Climate and Vegetation

The Property is located along the western margin of the Intermontane Belt, adjacent to the high relief of the Coast Range Mountains, in the headwaters of the east and south flowing tributaries of More Creek and headwaters of north flowing Mess Creek, all within the Stikine River drainage basin. Topography on the property is locally rugged and about 30% glacier covered. Elevations range from 910m in the south-flowing tributary of More Creek to about 2100m on high ground at the western edge of the property. More Creek Flats, at an elevation of about 1000m, is more or less centered on the property.

Much of the property is free of vegetation with tree cover limited to spruce with tag-alder on parts of More Creek Flats and at lower elevations. Non-vegetated glacial moraine material covers much of the property. Small enclaves of alpine vegetation exist. Summer and winter temperatures are moderate and annual rainfall may exceed 200 cm and heavy snow conditions can exist. Field work can start by early June and continue into October before weather conditions become a problem but snow can be expected during any month. Grizzly bears, moose and goats are common to the area. Fish are not reported to be present in creeks and lakes on the property.

5 History

The history of exploration work on the Foremore Property has been detailed by Harris (2002), and further by Sears (2004), and Sears and Watkins (2005). Significant to the early history of the property was the discovery, in 1987 by Cominco Ltd, of two sulphide-rich boulder fields in moraines of the More Glacier, the North and South boulder fields. Work by Cominco to locate the source of the mineralized boulders included ground geophysical surveys and 2,011 metres of drilling in 6 holes collared on ice of the More Glacier. Cominco allowed the mineral claims to revert back to the Crown. In 1999, Lorne Warren staked the initial Foremore Property mineral claims.

In 2002, Roca optioned the Foremore Property and staked additional mineral claims. Equity Engineering Ltd. of Vancouver was contracted to carry out a program of mapping, prospecting and geochemical sampling on the Property followed with a NI 43-101 compliant report (Harris, 2002).

In 2003, Roca cored 11 drill holes in 1,121 metres (Sears, 2004).

In 2004, Roca carried out property scale prospecting, ground geophysical surveys and cored 37 drill holes totalling 5,900 metres (Sears and Watkins, 2005).

In 2005, Roca cored 4 drill holes totalling 2,033 metres and completed geological mapping, rock and soil sampling surveys (Watkins and Melling, 2005). In August a 700 line kilometre helicopter supported airborne magnetometer and electromagnetic survey was flown over 50% of the Property (McPhar, 2005). The integration of new and historic data into the MapInfo platform was initiated.

In late August 2006, the Property was flown for orthophotography

In 2007, Roca carried out a detailed mapping program in the Hanging Valley. A total of 149 rock and 231 soil samples were submitted for chemical analysis (Watkins and Melling, 2007).

In 2011, a total of 818 soil samples were collected from the hillside around the Side Glacier zone, a gold-rich, massive sulphide showing.

The 2012 field season involved channel sampling a total of 90 meters from four promising mineral showings. The channel sampling results indicate that the surface expression of VMS mineralization is very promising. The historic drilling shows that mineralization continues to depth.

In 2015, prospecting was performed on the Westmore Zone with the collection of 48 rock samples. As part of this program, 54 boxes of drill core from the 2004 drilling program along the Moor Creek Corridor were selected and shipped to Surrey. Core was re-logged and tested by a Delta Premium Handheld XRF Analyzer.

6 Geological Setting and Mineralization

6.1 Regional Geology and Mineralization

The geological setting of the Foremore - More Creek Property has been described by Harris (2002) and by Sears (2004). The geology of the property area is described most recently in B.C. Geological Survey reports (Logan, 2004; Logan et al, 2000 and Logan et al, 1992).

The Property is underlain by Stikine Terrane rocks comprising Paleozoic and Mesozoic volcanic island arc successions. Like other exotic terranes that make up the Canadian Cordillera, the Stikine Terrane is believed to have originated offshore as a volcanic arc complex. The volcanic rocks that underlie much of the property likely represent the earliest stage of island arc formation with relatively unevolved tholeiitic volcanics were erupted followed by eruption of more evolved volcanics. By Late Devonian time the arc was mature and thick enough to allow for the formation of plutons. The mafic volcanic rocks are best described as low-potassium, island arc, tholeiitic basalt and andesite that are transitional from tholeiitic to calcalkaline. The more felsic rocks are calcalkaline and could be the product of extensive crystal fractionation.

South of More Creek Flats and exposed over much of the property is a primitive calcalkaline suite of volcanic and sedimentary rocks that range in age from Early Devonian to mid Carboniferous. Intruding the Paleozoic stratigraphic rocks is the Mississippian More Creek Batholith located along the southeast side of the More Creek Property. Unconformably overlying the Paleozoic rocks are remnants of Mesozoic volcanoclastic rocks.

The More Creek Flats area is probably underlain by the oldest rocks on the property, exposed in the core of a northeast oriented anticline. These basement rocks are probably Early Devonian, polydeformed felsic and mafic volcanic schists and meta-sedimentary sequences of interbedded graphitic and siliceous phyllite intruded by subvolcanic diorite and gabbroic bodies. The More Creek Rhyolite is a new and important rock unit identified on the property in the 2004 drill program and is probably part of this older package of rocks.

At least three phases of deformation have affected the rocks on the property (Logan, 2002). The oldest deformation is characterized by isoclinal folds and thrust faults with a relatively flat-lying foliation that is axial planar to these early structures. The second deformation phase folded bedding and the early foliation about open, northwest-trending and southeast plunging folds. The third phase structures are characterized by low amplitude east-trending folds which crenulate earlier foliations. The Paleozoic rocks underlying much of the property have been metamorphosed to the lower greenschist facies grading to amphibolite facies near large intrusions.




Figure 3. Regional Geology

6.2 Property Geology

The SG showing is described by Sears (2004) as Zn-Pb-As mineralization occurs in a felsic tuff unit located between an overlying sericite altered rhyolite and an underlying limestone/mafic sill unit. The felsic tuff/rhyolite is typically apple green and massive with fragmental tuffaceous textures and rare flow banding visible. Detailed structural and stratigraphic mapping and rock saw channel sampling in 2003 showed the SG zone appears to be either a stringer zone or remobilized layer mineralization peripheral to more massive mineralization hidden beneath the thin ice to the northeast. Massive mineralization

sampled by grab samples is associated with calcite bearing stringer type mineralization which cuts across stratigraphy, the crosscutting and discontinuous nature of mineralization indicates stringer style or remobilized mineralization.

The Sunday Prospect is also described by Sears (2004) and is located 1,100 m south-southeast of the SG Showing. The Au and Ag rich mineralization occurs in a number of parallel veins of disseminated to massive arsenopyrite, galena, sphalerite and pyrite. Mineralization is hosted in parallel vein systems which are cutting stratigraphy at 030N and dipping shallow to moderately southeast, this has been followed in one vein system for 120 m in outcrop and sub-crop and one zone can be traced along strike in float for 450m. The mineralization may be related to a felsic - mafic contact within a thicker mafic volcanic package limestone is present nearby but not in contact with mineralization. Mineralization is interpreted to be associated with more extensive VMS mineralisation present across the property. The prospect was tested with one cored drill hole in 2004 (Middleton, 2013).




Figure 4. Sunday and SG Showings Inferred (2010) Geology

6.3 Mineralization (after Sears et al 2005)

The Foremore - More Creek Property is underlain by a number of geological settings that could host economic mineralization. Favoured volcanic stratigraphy for hosting polymetallic-rich volcanogenic massive sulphide (VMS) deposits underlies much of the property. Copper-gold (Cu-Au) skarn mineralization is recognized and is probably related to intrusive stocks cutting calcareous rocks marginal to a large batholith that underlies the southeast corner of the property. Numerous gold-rich occurrences occur over the property and could be related to northeast trending structures.

6.3.1 VMS Deposits

Volcanogenic massive sulphide (VMS) deposits result from the focused upward flow of metal charged hydrothermal fluids onto the sea floor accompanying submarine volcanism. Numerous studies of VMS deposits have resulted in a clear understanding of processes leading to their formation. The deposits occur in mixed and bimodal submarine volcanic and sedimentary sequences in volcanic island arc rocks of all ages. The deposits consist of banded and locally contorted massive sulphide lenses and adjacent discordant stockwork zones hosted mostly in felsic volcanic rocks near their interface with basalt or sedimentary strata. The host rocks are typically sericitized and chloritized altered. Fluid discharge onto the seafloor is controlled by cross fault arrays.

An example of a VMS deposit setting with similarities to the More Creek Property is the Myra Falls Camp located on Vancouver Island. At least 12 massive sulphide bodies, ranging in size from less than 300,000 tonnes to greater than 20 million tonnes, occur in the Paleozoic Sicker Group island arc complex. The pre-mining resource at Myra Falls is 40,965,900 tonnes averaging 1.8% Cu, 0.5% Pb, 6.1% Zn, 38.2g/t Ag and 2.0g/t Au (Chong et al, 2003). At Myra Falls, ore bodies occur as clusters of strongly zoned, polymetallic massive sulphide lenses, of varying sizes and grades, hosted in an intercalated package of felsic and mafic volcanic rocks that is bound within a 1200m wide paleo-topographic depression. Other examples of Paleozoic age VMS deposits that are presently being explored and developed in the North America cordillera include the Ambler district in Alaska, Tulsequah deposits in northwest BC; and deposits in the Finlayson Lake district of the southern Yukon. The precious metal-rich Eskay Creek deposits, located 45 km south of the More Creek Property, are classified as VMS, but are hosted in younger Mesozoic rocks.

VMS deposits provide significant contribution to world zinc, copper, lead, silver and gold production. Some are very profitable, mined because of their particular high polymetallic grades, high precious metal values, and large size.

6.3.2 Copper – gold skarn deposits

Copper-gold (Cu-Au) skarn deposits are most common where Andean-type plutons intrude older continental-margin carbonate sequences. In British Columbia Cu-Au skarn deposits are also associated with oceanic island arc plutonism. The skarn mineralization is related to porphyritic stocks, dykes and breccia pipes of diorite, granodiorite, monzogranite and tonalite that intrude carbonate rocks and calcareous volcanic rocks. Cu-Au skarns in oceanic island arcs tend to be associated with more mafic intrusive rocks, quartz diorite to granodiorite, while those formed in continental margin environments are associated with more felsic intrusions. The deposit form is highly variable and includes stratiform bodies, vertical pipes, narrow lenses and irregular zones that are controlled by intrusive contacts. The

deposits generally have moderate to high sulphide content with chalcopyrite+/-pyrite+/-magnetite in an inner garnet-pyroxene zone and bornite+/-chalcopyrite+/-sphalerite+/-tennantite in an outer wollastonite zone. Either hematite, pyrrhotite or magnetite may predominate depending on oxidation state. Their geochemical signature may show a Cu-Au-Ag-rich inner zone grading outward through Au-Ag zones with high Au:Ag ratios to an outer Pb-Zn-Ag zone. Worldwide these deposits average 1 to 2% Cu and range in size from 1 to 100 million tons with some exceptional deposits exceeding 300 million tons.

6.3.3 Gold rich occurrences

Numerous gold showings occur on the property. Most are structurally controlled polymetallic quartz and quartz-carbonate veins and stockworks hosted in stratified and in intrusive rocks.

Vein quartz and quartz-carbonate deposits generally occur in moderate to steeply dipping brittle-ductile deformation zones and locally related to shallow-dipping extensional fractures. They are commonly distributed along major fault zones in deformed volcanic terranes of all ages. Veins have strike and dip lengths of 100 to 1000m and occur singly or, more typically, constitute complex vein networks. The veins are hosted in a wide variety of rock types, but there are district-specific associations.

7 Exploration Program

In 2016, Roca Mines Inc., contracted CJL Enterprises Ltd. to carry out field work on the Foremore property. A fly camp supported program was carried out between August 13th and August 20th. Work was focused in the Hanging Valley area and consisted of locating and sampling near the historic SG and Sunday showings, channel sampling was done over select samples including within the area of the known mineralization, traverses were completed next to the glacier to investigate the extent of glacial retreat and look for potential new mineral exposures. A total of 45 rock samples were collected and submitted for chemical analysis.

The field crew consisted of one geologist, a prospector-in-training and two experienced assistants. The crew mobilized from Smithers and Hazelton to the Forest Kerr Camp which is located approximately 6 hours driving north of Smithers. From the Forest Kerr camp, a helicopter was used to transport crew and sling gear to the fly camp which was located at UTM NAD 83 Zone 9 385731/6325967.

Main targets on the 2016 program consisted of the SG showing at 384950/6326100, the Sunday target at 385410/6325050 and a target of pyrite veins at 385720/6327030 that was discovered while tracing out the prospective SG rhyolite lithology east of the SG target along the glacier.

Crews of two were anticipated to work individually but generally ended up working in the immediate area of each other.

The first three days were spent in the SG area with both crews. On the fourth day, the geologist and an assistant targeted the interpreted contact of the SG rhyolite to the north of camp along the edge of the glacier and towards SG while the other crew channel sampled some of the mineralization that had been

located near SG. An area with semi-massive pyrite ranging from discontinuous pods 25cm wide to narrow continuous semi-massive pyrite veins was located north of camp at the glacier and sampled on this day and the next. The sixth day was spent at the Sunday showing locating historic and new mineralization.






photo taken at 384896/6326618

Figure 5. Location of Ice above SG Showing



Sample site for #96408

Figure 6. Zones of semi-massive pyrite north of camp at the glacier



Historic Channel Sample at Sunday

Figure 7. Historic channel sample at Sunday

Table 2. 2016 Rock Sample Descriptions

| Sample # | x | y | z | Date | | | Description |
|----------|--------|---------|------|--------|----------------|-----|---|
| 96401 | 385108 | 6326131 | 1617 | Aug 14 | grab | o/c | malachite with py & cpy in veining, 3cm wide by ~4m long, historic sampling present, oriented 185/30, bedded ls just below sample. |
| 96402 | 385145 | 6326121 | 1612 | Aug 14 | grab | o/c | Malachite with py & cpy (?) in foliated limestone/veining, bedded ls above 3cm wide 2m long, no historic sampling present. |
| 96403 | 384911 | 6326250 | 1643 | Aug 15 | channel | o/c | sulphide zone, vertical face, med green volcanics, sil/ser alt, 5% py, diss, veinlets & blebs, includes 5cm wide qtz vein in center of sample |
| 96404 | 384959 | 6326277 | 1651 | Aug 15 | grab | o/c | grab sample, sr altered volcanic w/ 10% py +- cpy, q-carb veining |
| 96405 | 384974 | 6326230 | 1640 | Aug 16 | grab | o/c | py-qtz vein in irregular zone of py, possible sphalerite mixed with fg py, next to small dyke |
| 96406 | 384974 | 6326230 | | Aug 16 | | o/c | 1/4" massive cpy veinlet 5" long next to dyke, more spaced veinlets are present, in med green felsic volcanic. |
| 96407 | 385718 | 6326432 | 1626 | Aug 17 | composite grab | o/c | rusty white qtz veining, variable py up to 5%, host rx f-phyric green mafic volcanic |
| 96408 | 385669 | 6326837 | 1765 | Aug 17 | grab | o/c | foot wide zones of semi-massive py, located next to the glacier |
| 96409 | 385575 | 6326803 | 1754 | Aug 17 | composite grab | o/c | rusted mafic volcanics(?), 1%py, tr cpy, q-carb veining, @ edge of glacier |
| 96410 | 385980 | 6326759 | 1716 | Aug 18 | composite grab | o/c | at contact, 1-5% py in felsic rx, rusty, ser altered, cg sample over a few o/c |
| 96411 | 385748 | 6326976 | 1796 | Aug 18 | grab | o/c | zone of semi-massive py, 2.5" wide 1.5m long, oriented 355/70, in felsic volcanic |
| 96412 | 385728 | 6326979 | 1791 | Aug 18 | grab | o/c | rusty soft 3" wide zone with py & malachite staining, 340/30 |
| 96413 | 385730 | 6326977 | 1791 | Aug 18 | grab | o/c | irregular mass of massive py 12" wide, only a small exposure |
| 96414 | 385725 | 6326980 | 1788 | Aug 18 | grab | o/c | narrow q-calcite veining with py & malachite staining, 2" wide zone, 12" long 065/55, in dark green rx |
| 96415 | 385754 | 6326976 | 1795 | Aug 18 | grab | o/c | py diss & veins in felsic volcanic |
| 96416 | 385714 | 6327041 | 1807 | Aug 18 | grab | o/c | semi-massive py vein 3" wide 6m long 210/65, ser alt, felsic volcanic |
| 96417 | 385801 | 6327084 | 1806 | Aug 18 | grab | o/c | semi-massive py in a breccia, rhyolite(?) |
| 96418 | 385746 | 6327016 | 1797 | Aug 18 | composite grab | o/c | diss py 5% in rhyolite, cg over 10m |
| 96419 | 385467 | 6325018 | 1281 | Aug 19 | grab | o/c | site of historic sampling, veining with py & galena in creek, photo 3104. |
| 96420 | 385409 | 6325061 | | Aug 19 | grab | o/c | discovery o/c, located b/w historic samples 126006 & 126005, zone of semi-massive galena & py +- aspy(?) 10cm wide exposed for ~70cm, approx orientation 005/40 |
| 96421 | 385369 | 6325019 | 1294 | Aug 19 | grab | o/c | no historic sampling, qtz-carb vein with tr py in rubbly rusty o/c w/ diss py |
| 96422 | 385546 | 6324999 | 1263 | Aug 19 | grab | s/c | in sheared s/c in creek bank, py+ silver white asp(?) +gal, very weathered ground, rusty with yellow staining, sample was dug out of creek bank. SZ is low lying & dipping west |
| 96423 | 385541 | 6324971 | 1254 | Aug 19 | grab | o/c | bedrock in creek, strong sr alt, py & fg grey mineral disseminated and on fracture planes/veinlets(?) |

| Sample # | X | Y | Z | Date | Type | | Description | Channel | Orientation |
|----------|--------|---------|------|--------|-------------|-----|---|---------|-------------------|
| 96451 | 384851 | 6326390 | 1660 | Aug 15 | channel | o/c | qtz vein with malachite & cpy, chl & sr alt, approx 4m long, 3-6 inches wide running 016? degrees west of north | 21*3" | 79 |
| 96452 | 384851 | 6326389 | | Aug 16 | channel | o/c | " | 21*3" | 79 |
| 96453 | 384851 | 6326389 | | Aug 16 | channel | o/c | " | 21*3" | 79 |
| 96454 | 384968 | 6326288 | | Aug 16 | channel | o/c | sr alt, 8% py diss & veinlets, late calcite veinlets, on top of knoll @ 25m south of glacier | 28*3" | pointing SW @ 240 |
| 96455 | 384974 | 6326280 | | Aug 16 | channel | o/c | py staining on smooth o/c surface up to 3% py, diss & blebs in med green ser altered felsic (?) volcanic, q-carb veining | 18*3" | pointing NW @ 320 |
| 96456 | 384976 | 6326240 | | Aug 16 | channel | o/c | cm scale semi-massive stringers of py w/ calcite veining & alt, ser altered felsic (?) volcanic next to 20" wide dyke | 18*3" | NE pointing |
| 96457 | 384691 | 6326060 | | Aug 17 | channel | o/c | 5% py diss & veinlets, tr cpy, sr & calcite altered volcanics | 46*2.5" | E-W |
| 96458 | 384683 | 6325992 | | Aug 17 | channel | o/c | 3% py diss & stringers, w sr alt in felsic volcanic, horizontal channel. | 63*2.5" | 245 S/W |
| 96459 | 384998 | 6326211 | 1621 | Aug 17 | channel | o/c | top sample, tr fg galena, 3% py diss & stringers, 40 degree slope, less material taken for lower sample | 2*24" | 283 |
| 96460 | 384998 | 6326211 | 1621 | Aug 17 | channel | o/c | bottom sample, tr fg galena, 3% py diss & stringers, 40 degree slope, less material taken for lower sample | 2*24" | 283 |
| 96461 | 385005 | 6326192 | 1622 | Aug 17 | channel | o/c | py stringers in felsic volcanic or sheared sediments | 2*18" | 125 |
| 96462 | 384901 | 6326145 | 1621 | Aug 17 | channel | o/c | SG high grade upper sample, abundant py stringers | 2*28" | 260 |
| 96463 | 384901 | 6326145 | 1621 | Aug 17 | channel | o/c | SG high grade mid sample, semi-massive to massive py | 2*28" | 260 |
| 96464 | 384901 | 6326145 | 1621 | Aug 17 | channel | o/c | SG high grade lower sample, semi-massive py, diss & stringers | 2*54" | 260 |
| 96465 | 385670 | 6326945 | 1783 | Aug 18 | channel | o/c | 3-8% py, diss & stringers, fg trace silver mineral in veinlet associated with black mineral, weak ser alt in felsic volcanic | 2*30" | 85 |
| 96466 | 385679 | 6326942 | 1780 | Aug 18 | channel | o/c | up to 5% py diss & stringers in felsic volcanic, some qtz veining | 2*28" | 70 |
| 96467 | 385679 | 6326942 | 1780 | Aug 18 | channel | o/c | 3% py in felsic volcanic, sr alt, tr fg black & silver mineral | 2*24" | 80 |
| 96468 | 385714 | 6327023 | | Aug 18 | channel | o/c | at contact b/w ser altered felsic volcanic & chl & sr altered gabbro, 2" wide semi-massive vein of py, goes for about 30m until it hits the ice | 2*20" | 260 |
| 96469 | 385724 | 6326965 | | Aug 18 | channel | o/c | 5% diss py in wall rx, vein goes for about 20m. | 3*30 | 351 |
| 96470 | 385710 | 6326960 | | Aug 18 | grab | o/c | green mafic volcanic rx w/ py & qtz & fe carb veining +- calcite, cut with saw | 12*8" | |
| 96471 | 385496 | 6324990 | | Aug 19 | chip sample | o/c | galena vein running NE @ 60 degrees, sampled from historic site where a trench was dug and channel sample taken, galena & pyrite | | |
| 96472 | 385552 | 6324806 | | Aug 19 | grab | o/c | rusty bedrock with py | | |

Table 3. 2016 Select Assays

| SAMPLE | Ag | Au | Cu | Pb | Zn | Mg | Mn | Mo | Ni | P | Sb | Te | Tl | V | W |
|--------|------|-------|------|------|-----|------|------|------|-----|------|------|------|------|-----|-------|
| Number | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| 96401 | 2.79 | 0.04 | 5890 | 22.6 | 231 | 2.09 | 1990 | 2.75 | 50 | 1360 | 2.17 | 0.02 | 0.12 | 220 | 0.06 |
| 96402 | 0.47 | <0.02 | 3610 | 8.2 | 64 | 0.81 | 2530 | 0.44 | 4.9 | 540 | 0.31 | 0.01 | 0.1 | 10 | <0.05 |

| | | | | | | | | | | | | | | | |
|-------|------|-------|-------|-------|-------|------|------|------|-----|------|------|------|-------|-----|-------|
| 96403 | 0.14 | <0.02 | 12.9 | 7.1 | 65 | 0.56 | 668 | 0.83 | 0.7 | 1250 | 0.42 | 0.28 | 0.06 | 9 | <0.05 |
| 96404 | 0.31 | <0.02 | 122.5 | 23.9 | 78 | 0.44 | 607 | 5.64 | 0.6 | 1000 | 0.72 | 1.5 | 0.13 | 6 | 0.11 |
| 96405 | 2.08 | 0.08 | 45.5 | 11.4 | 48 | 0.66 | 503 | 35.6 | 2.9 | 980 | 0.71 | 2.12 | 0.15 | 12 | 0.05 |
| 96406 | 1.34 | <0.02 | 10000 | 4.3 | 63 | 0.87 | 860 | 1.68 | 3.9 | 1350 | 0.58 | 0.18 | 0.06 | 13 | <0.05 |
| 96407 | 0.89 | <0.02 | 53.2 | 29.7 | 8 | 0.03 | 293 | 19.7 | 2.5 | 940 | 1.41 | 0.02 | 0.17 | 11 | <0.05 |
| 96408 | 0.27 | <0.02 | 21.5 | 14.1 | 29 | 1.5 | 343 | 0.33 | 2.3 | 420 | 0.87 | 0.64 | 0.02 | 37 | <0.05 |
| 96409 | 0.2 | <0.02 | 42.2 | 11.9 | 65 | 1.72 | 813 | 9.48 | 11 | 420 | 1.17 | 0.05 | 0.06 | 62 | <0.05 |
| 96410 | 0.31 | <0.02 | 22 | 12.7 | 34 | 0.42 | 213 | 2.45 | 0.3 | 290 | 0.13 | 0.75 | 0.02 | 1 | <0.05 |
| 96411 | 0.5 | 0.04 | 30.7 | 7.2 | 54 | 1.49 | 674 | 3.14 | 4.2 | 860 | 0.53 | 2.53 | 0.02 | 54 | 0.05 |
| 96412 | 2.09 | <0.02 | 3170 | 8.3 | 177 | 2.53 | 1180 | 4.27 | 14 | 500 | 0.74 | 3.99 | 0.02 | 129 | <0.05 |
| 96413 | 0.64 | <0.02 | 94.7 | 28.3 | 89 | 1.79 | 670 | 1.18 | 15 | 220 | 0.46 | 5.25 | <0.02 | 78 | <0.05 |
| 96414 | 0.09 | <0.02 | 1095 | 2.9 | 459 | 4.29 | 3150 | 0.5 | 37 | 370 | 0.17 | 0.16 | <0.02 | 143 | <0.05 |
| 96415 | 0.07 | <0.02 | 11 | 2.9 | 86 | 2.55 | 1080 | 0.57 | 17 | 560 | 0.46 | 0.39 | <0.02 | 71 | <0.05 |
| 96416 | 0.51 | <0.02 | 69.1 | 11.3 | 125 | 1.89 | 925 | 1.14 | 20 | 180 | 0.47 | 3.34 | 0.02 | 86 | 0.07 |
| 96417 | 0.35 | 0.04 | 16.3 | 4.4 | 24 | 0.58 | 239 | 3.68 | 2.1 | 230 | 0.15 | 0.41 | <0.02 | 16 | <0.05 |
| 96418 | 0.21 | 0.04 | 18.3 | 5.7 | 83 | 2.24 | 794 | 1.02 | 6.8 | 820 | 0.36 | 1.51 | <0.02 | 103 | 0.14 |
| 96419 | 8.6 | 1.63 | 216 | 2620 | 20300 | 0.33 | 243 | 0.87 | 1.2 | 670 | 3.49 | 0.2 | 0.05 | 3 | <0.05 |
| 96420 | 0.38 | <0.02 | 9.1 | 23.5 | 234 | 0.41 | 973 | 0.91 | 0.8 | 990 | 0.28 | 0.27 | 0.08 | 5 | <0.05 |
| 96421 | 60.5 | 24.1 | 215 | 38100 | 15150 | 0.04 | 113 | 1.06 | 0.3 | 200 | 241 | 0.01 | 0.07 | 3 | <0.05 |
| 96422 | 0.47 | 0.07 | 26.2 | 181.5 | 84 | 1.04 | 1640 | 0.6 | 3.5 | 800 | 0.9 | 0.01 | 0.12 | 6 | <0.05 |
| 96423 | 3.27 | 5.15 | 73.4 | 1765 | 3270 | 0.3 | 712 | 1.25 | 1 | 260 | 185 | 0.94 | 0.05 | 3 | <0.05 |
| 96451 | 0.47 | <0.02 | 1380 | 31.1 | 232 | 1.91 | 568 | 1.28 | 12 | 640 | 0.19 | 0.11 | <0.02 | 104 | <0.05 |
| 96452 | 0.09 | <0.02 | 637 | 14.9 | 140 | 2.29 | 606 | 0.62 | 15 | 640 | 0.18 | 0.06 | <0.02 | 96 | <0.05 |
| 96453 | 0.06 | <0.02 | 503 | 3.3 | 67 | 1.81 | 623 | 0.4 | 13 | 570 | 0.1 | 0.04 | <0.02 | 86 | <0.05 |
| 96454 | 0.11 | <0.02 | 27.9 | 9.7 | 40 | 0.69 | 459 | 1.63 | 0.4 | 1350 | 0.51 | 0.78 | 0.12 | 10 | 0.05 |
| 96455 | 0.13 | <0.02 | 5.6 | 16.2 | 91 | 1.1 | 587 | 1.04 | 0.4 | 1380 | 0.42 | 0.2 | 0.06 | 11 | 0.05 |
| 96456 | 0.45 | <0.02 | 73.2 | 14.3 | 233 | 0.87 | 1080 | 1.09 | 0.6 | 1140 | 0.51 | 1.44 | 0.11 | 9 | 0.05 |
| 96457 | 0.46 | 0.02 | 92.9 | 17.1 | 34 | 0.22 | 571 | 4.49 | 1 | 1290 | 6.34 | 0.04 | 0.6 | 5 | 0.15 |
| 96458 | 0.12 | <0.02 | 34.1 | 7.7 | 55 | 0.81 | 551 | 1.53 | 4.9 | 490 | 0.36 | 0.03 | 0.04 | 27 | <0.05 |
| 96459 | 1.35 | 0.02 | 21.2 | 6.6 | 97 | 1.35 | 1040 | 1.15 | 0.5 | 1280 | 0.5 | 1.43 | 0.14 | 8 | <0.05 |
| 96460 | 0.06 | <0.02 | 5.9 | 3.1 | 70 | 1.25 | 985 | 0.92 | 0.4 | 1370 | 0.19 | 0.08 | 0.04 | 8 | <0.05 |
| 96461 | 0.75 | <0.02 | 210 | 25.8 | 73 | 0.7 | 1440 | 2.02 | 7.6 | 1550 | 0.98 | 0.41 | 0.09 | 27 | <0.05 |
| 96462 | 20.7 | 2.84 | 470 | 6110 | 8240 | 1.29 | 2110 | 39.9 | 31 | 1210 | 4.26 | 12 | 0.25 | 78 | 0.07 |
| 96463 | 31 | 0.11 | 832 | 357 | 654 | 1.83 | 1420 | 18.4 | 18 | 1950 | 2.45 | 27 | 0.25 | 112 | 0.06 |
| 96464 | 1.84 | 0.06 | 58.8 | 1425 | 2060 | 0.9 | 906 | 4.14 | 6.1 | 850 | 0.68 | 0.9 | 0.04 | 34 | <0.05 |
| 96465 | 0.57 | 0.03 | 12.6 | 11.4 | 63 | 1.93 | 503 | 1.04 | 2.8 | 200 | 0.33 | 1.29 | <0.02 | 29 | <0.05 |
| 96466 | 0.47 | <0.02 | 34.9 | 11.3 | 88 | 2.18 | 648 | 6.76 | 3.4 | 440 | 0.35 | 1.21 | <0.02 | 45 | <0.05 |
| 96467 | 0.7 | <0.02 | 189 | 7.4 | 67 | 1.49 | 482 | 7.84 | 1.3 | 300 | 0.39 | 0.96 | 0.02 | 13 | <0.05 |
| 96468 | 0.26 | 0.02 | 27.5 | 7.5 | 120 | 3.09 | 1300 | 8.72 | 14 | 600 | 0.24 | 2.24 | <0.02 | 106 | 0.14 |
| 96469 | 0.14 | <0.02 | 17.4 | 2.9 | 48 | 0.93 | 516 | 1.62 | 3 | 440 | 0.15 | 0.65 | <0.02 | 33 | <0.05 |
| 96470 | 0.16 | <0.02 | 33.9 | 3.5 | 155 | 2.85 | 1740 | 0.39 | 14 | 500 | 0.21 | 0.78 | <0.02 | 90 | 0.09 |

| | | | | | | | | | | | | | | | |
|-------|------|-------|------|-------|-------|------|------|------|---|-----|------|------|------|----|-------|
| 96471 | 0.09 | <0.02 | 41.4 | 11.3 | 22 | 1.39 | 1320 | 0.23 | 4 | 470 | 1.86 | 0.02 | 0.06 | 12 | <0.05 |
| 96472 | 26.9 | 0.88 | 372 | 17750 | 45000 | 0.18 | 204 | 0.5 | 1 | 820 | 24 | 0.25 | 0.05 | 3 | <0.05 |




Figure 8. Rock Sample Locations at Sunday




Figure 10. 2016 Rock Samples, Geology stations, Ice location SG area and east

Figure 9. SG Rock Sample Locations, Geology Stations, Ice Location Map

Table 4. 2016 Geology Stations

| Station | X | Y | Notes |
|---------|--------|---------|--|
| 16LF01 | 385065 | 6326456 | Maroon mafic to intermediate flow, ranges from green & fragmental to more massive, x-cut by carb veining, at edge of receded ice. |
| 16LF02 | 384996 | 6326363 | med grained green mafic volcanic, station at edge of ice |
| 16LF03 | 384804 | 6326485 | ~100m from ice edge orange weathered surface where not polished by glacier, fresh surface mg to cg mafic, massive @ station & KTN bedding |
| 16LF04 | 384748 | 6326594 | ECSV composed of mafics, variable bedding thickness, fg siltstone to gwy, no ice around, cut by qtz veining with chl alteration, cu only noticed in previously sampled vein. |
| 16LF05 | 385123 | 6326219 | previously covered in ice, green volcanic x-cut by coarse carb veining with carb veining & fg brown mineral, possible location for channel sample to test for Sphalerite? Photos 3082 & 3083 show current location |
| 16LF06 | 385103 | 6326269 | irregular contact b/w seds to NW and green volcanic to SE, photo 3084 showing contact, pen pointing N. Contact is roughly 170 degrees until 385099/6326302 @ dextral fault oriented E-W |
| 16LF07 | 385081 | 6326311 | Contact b/w seds to east and more felsic maroon & green volcanics, contact in volcanics is strong ser altered, contact sheared at 040 degrees. |
| 16LF08 | 385085 | 6326392 | fg Felsic Dyke 2.5m 260/70 |
| 16LF09 | 385197 | 6326549 | At edge of glacier, medium grained mafic volcanic ranging from massive to volcanoclastic, green to maroon in color. |
| 16LF10 | 384986 | 6326303 | Large fault gentling dipping to the SE |
| 16LF11 | 385670 | 6326837 | Sample # 96408 North of camp at glacier near EMDSSc marble with graphite beds. Foot wide zone of semi-massive py, sampled zones are fairly abundant and irregular, historic sample # 169318 2004 & #672075 2007 are nearby. Host rock is sericite altered and felsic(?) photos 3085- |
| 16LF12 | 385671 | 6326945 | Rhyolite with abundant disseminated, veinlets and blebs of py, at edge of ice. Near sample # 96465, 96466, 96467 |
| 16LF13 | 385992 | 6326743 | At rhyolite contact, py staining ~1% py, ferricrete nearby to NW |
| 16LF14 | 385506 | 6325071 | rusty bedrock/subcrop, diss py, massive to foliated @ 100/70, rhyolite(?) |
| 16LF15 | 385467 | 6325017 | historic sampling in creek, chip and channel. 584873-584875 veining w/ py, galena. Photo 3104 is of sample site for 96419 located in the creek |
| 16 | 385755 | 6327110 | edge of ice past rhyolite |
| 17 | 385092 | 6326246 | contact b/w green volcanics and sediments under cover of rubble- |
| Sunday | 385409 | 6325061 | 10cm wide zone of semi-massive galena, py, aspy(?) located in a small foliated o/c on hill up from the creek, approximate orientation of 005/40 exposed for ~70cm, sample 96420 located b/w 126005 & 126006 historic 2002 SS samples. Surrounding bedrock is foliated and rubbly at 155/SW |
| #3081 | 384896 | 6326618 | Photo #3081 view of the glacier by SG |

8 Sample Preparation, Analysis and Security

Between August 13th and August 20th, a crew of four people was supplied by CJL Enterprises Ltd., consisting of Lorie Farrell P. Geo. with Farrell Exploration Services Inc., and three field workers with CJL Enterprises to perform a rock sampling program over portions of the Foremore project based out of a fly camp. A total of 45 rock samples were collected using either an Eastwing rock hammer or rock saw and were placed in a poly-ore sample bag along with a tag with a unique sample identification number. This number was also written on the bag and was linked to the sample description which contained sample coordinates, date and notes which included sample type, rock type, mineralization, alteration and other relevant information. An aluminum tag was left at the sample site with sample ID, date and sampler initials. Sample coordinates were taken using Garmin GPS units. The poly ore bags containing the rock samples were placed in rice bags before being stored in CJL storage, samples were shipped to the ALS prep lab in Terrace in May 2018. Confirmation was done by the author after they were received by the lab to check that the correct samples numbers were received, that original tags were present in the poly ore bags and that the samples which were expected to have been collected with a rock saw showed marks from a saw.

At the ALS Minerals Lab in Terrace, rock samples were crushed to 70% passing 10 mesh (2mm) and split to 250 g using a jones riffler splitter or rotary split. Samples were then pulverized to 85% passing 200 mesh (75 microns). Samples were analysed using Inductively Coupled Plasma-Atomic Emission Spectroscopy (ICP-AES) and Inductively Coupled Plasma – Mass Spectrometry (ICP-MS), a prepared sample (1g) is digested with aqua regia in a graphite heating block. After cooling, the resulting solution is diluted to with deionized water, mixed and analyzed by inductively coupled plasma-atomic emission spectrometry. Following this analysis, the results are reviewed for high concentrations of bismuth, mercury, molybdenum.

ALS has designed processes and a global quality management system that meets all requirements of International Standards ISO/IEC 17025:2017 and ISO 9001:2015. All ALS geochemical hub laboratories are accredited to ISO/IEC 17025:2017 for specific analytical procedures. The ALS quality program includes quality control steps through sample preparation and analysis, inter-laboratory test programs, and regular internal audits. It is an integral part of day-to-day activities, involves all levels of ALS staff and is monitored at top management levels.

The author is not aware of any relationships between AGAT Laboratories and CJL or Roca.

8.1 QA/QC

Standard reference material and duplicates were not submitted with the rock samples.

Results of select samples (96420, 96422 and 96471) correlate better with the description of the samples following them; follow up field work at Sunday should include all sampled sites in this area.

9 Interpretations and Conclusions

The More Creek Property is in the early stages of mineral exploration and much of the work has focused on the More Creek Flats area. The initial drill holes collared on the property were drilled close to the known mineral showings, in particular close to the three mineral showings located on the hill side above the Flats. Towards the end of the 2004 program vertical and wide spaced drill holes were drilled to depth over a 500 m by 750 m area located immediately southeast of and down stratigraphic dip from the Ryder area.. The primary purpose for these deep holes was to gain a better understanding of the geological setting. These holes turned out to be very successful with intersection of wide spread sulphide mineralization in the deep holes that reflects the presence of a large, hidden and dynamic VMS system.

Recognized are a number of criteria that demonstrates a VMS deposit setting exists in the More Creek Flats area.

- The presence of a number of massive sulphide showings on surface and intersected in drill holes.
- The recognition of a bimodal rhyolite - basalt volcanic sequence at More Creek Flats is a key criteria and is a critical component to many of the great VMS district of the world.
- The presence of sediments within the bimodal rhyolite - basalt volcanic sequence indicates breaks occurred in the volcanic activity. Pauses in the extrusive volcanism are needed for the accumulation of large massive sulphide bodies on the sea floor.
- The rhyolite - basalt sequence hosting the sulphide mineralization is in the order of hundreds of meters thick and has been followed along strike for greater than five kilometres and remains open in all directions. This large area is unexplored.
- Within this relatively thick sequence of rhyolite and basalt, sulphide mineralization appears to be stacked. The mineralization is present at more than one stratigraphic position. This aspect characterises many of the great VMS districts world-wide.
- The association of synvolcanic intrusive bodies within the More Creek Flats stratigraphic sequence is a characteristic of other VMS districts. These intrusive bodies are interpreted to act as the “heat engine” that drives the VMS system.
- There is evidence of the presence of syn-volcanic faults in the More Creek Flats rhyolite - basalt sequence. Syn-volcanic faults act as the conduits for discharging hydrothermal fluid onto the sea floor and they create sediment and massive sulphide traps.
- VMS related alteration, in particular strong sericite, with and without associated pyrite, and to a lesser degree chlorite, talc and carbonate, and high Ishikawa Alteration Index values, strong and wide intervals of sodium depletion and potassium enrichment are similar to many VMS camps world-wide.
- Geophysics is an important tool in the discovery process for VMS deposits and the various geophysical options need to be given some consideration for the More Creek Flats area. The style of much of the sulphide mineralization seen to date in the More Creek Flats area is disseminated to semi-massive sulphides that should generate strong chargeability (IP) anomalies and probably only weak EM anomalies. Very low frequency (VLF) EM could prove useful for detecting steeply dipping fault zones. Detailed gravity is a great tool for mapping near surface sulphide-rich bodies.

Consideration needs to be given to carrying out down-hole EM and other physical property surveys. Down-hole surveys have the ability to see out from the drill hole column for up to 100 m.

- At More Creek Flats it is important to establish a strong geological framework that will guide the exploration process. The ultimate goal is to identify and follow favourable volcanic units and to recognise areas of increased hydrothermal alteration to vector into significant mineralization.

10 References

Barnes, D.R. (1989): Assessment Report Geological – Geochemical Report Foremore Group; British Columbia Ministry of Energy and Mines Assessment Report # 19,379.

Chong, A., Becherer, M., Sawyer, R., Palmer, K., and Bakker, F. (2003): Massive sulphide deposits at Myra Falls Operations, Vancouver, B.C.; Joint G.A.C.–M.A.C. –S.E.G. Field Trip, May 2003, prepared by Boliden – Westmin Myra Falls Operations.

Gabrielse, H. and Yorath, C.J., 1992. Geology of the Cordilleran Orogen in Canada. Geological Survey of Canada, Geology of Canada DNAG No. 4, 843pp.

Gunning, D.R. (1995): Report on the Antler Property; British Columbia Ministry of Energy and Mines Assessment Report # 24,076.

Gunning, R.G. (1997) Geological investigation of the Antler Property, Liard Mining Division; British Columbia Ministry of Energy and Mines Assessment Report 24918.

Harris, S. (2002) Summary Report on the Foremore Property, prepared By Equity Engineering Ltd. for Roca Mines Inc., 44 p.

Holroyd, R.W. (1989): Foremore Property Assessment Report on Geophysical Surveys 1989; British Columbia Ministry of Energy and Mines Assessment Report # 19,380.

Holroyd, R.W. (1991): 1990 Report on Geophysical Surveys Foremore Property; Private report prepared for Cominco Ltd.

Holroyd, R.W. (1992): Foremore Property 1992 Assessment Report on Geophysical Surveys; British Columbia Ministry of Energy and Mines Assessment Report # 22,614.

Logan, J.M. (2003) Geology and geochemistry of the Foremore area, More Creek, Northwestern B.C., British Columbia Ministry of Energy and Mines, Geological Survey Branch, Open File 2004- 11.

Logan, J.M. (2004) Preliminary lithogeochemistry and polymetallic VHMS mineralization in Early Devonian and(?) Early Carboniferous volcanic rocks, Foremore Property, in Geological Fieldwork 2003; British Columbia Ministry of Energy and Mines Paper 2004-1.

Logan, J.M., and V.M. Koyanagi (1994): Geology and Mineral Deposits of the Galore Creek Area, Northwestern British Columbia; British Columbia Ministry of Energy and Mines Bulletin 92, map at 1:100,000 scale.

Logan, J.M., J.R. Drobe and D.C. Elsby (1992a) Geology of the More Creek Area, Northwestern British Columbia (104G/2), in Geological Fieldwork 1991; British Columbia Ministry of Energy and Mines Paper 1991- 1, p. 161- 178.

Logan, J.M., J.R. Drobe and D.C. Elsby (1992b): Geology, Geochemistry and Mineral Occurrences of the More Creek Area, North-western British Columbia; British Columbia Ministry of Energy and Mines Open File 1992-5, map at 1:50,000 scale.

Logan, J.M., J.R. Drobe and McClelland, W.C. (2000) Geology of the Kerr – Mess creek area, Northwestern British Columbia (NTS: 104B/10,15 & 104G/2 & 7W), British Columbia Ministry of Energy and Mines, Geological Survey Branch, Bulletin 104.

Logan, J.M., J.R. Drobe, V.M. Koyanagi and D.C. Elsby (1997): Geology of the Forrest Kerr - Mess Creek Area, North-western British Columbia; British Columbia Ministry of Energy and Mines Geoscience Map 1997-3, map at 1:100,000 scale.

Logan, J.M., J.R. Drobe, W.C. McClelland (2000): Geology of the Forrest Kerr - Mess Creek Area, North-western British Columbia; British Columbia Ministry of Energy and Mines Bulletin 104, map at 1:100,000 scale.

Logan, J.M., V.M. Koyanagi and J.R. Drobe (1990a): Geology and Mineral Occurrences of the Forrest Kerr - Iskut River Area, North-western British Columbia; British Columbia Ministry of Energy and Mines Open File 1990-2, map at 1:50,000 scale.

Logan, J.M., V.M. Koyanagi and J.R. Drobe (1990b): Geology of the Forrest Kerr Creek Area, Northwestern British Columbia, in Geological Fieldwork 1989; British Columbia Ministry of Energy and Mines Paper 1990-1, p. 127-139.

Mawer, A.B. (1988): Year End Report Geological – Geochemical Report Foremore Group; Private report prepared for Cominco Ltd.

McPhar report (2007) Operations Report on a Helicopter -borne Electromagnetic & Magnetic Survey of the Foremore Property British Columbia. For Roca Mines Inc.

Middleton, M.J. (2015) Assessment Report on the Foremore Property; British Columbia Ministry of Energy and Mines Assessment Report # 35929.

Middleton, M.J. (2013) Geochemical and Reclamation Report, Foremore Property; British Columbia Ministry of Energy and Mines Assessment Report # 34697.

Mirko, J.M. (2001): Prospecting Assessment Report on the MORE 1, 2, 3, 5 and FORE 1 to 3 Mineral Claims; British Columbia Ministry of Energy and Mines Assessment Report # 26,559.

NovaGold Canada Inc. (2005) Letter dated June 16/05 from Sue Craig (NovaGold Canada Inc) to Anne Currie (Environmental Assessment Office, Government of B.C.) with official notification that NovaGold is pursuing a "modified northern route" for access to the Galore Creek Project.

Oliver, J. (2003) Summary of geological observations: Roca Mine's Foremore Property, Northwestern B.C., prepared for Roca Mines Inc., July 29, 2003. Sears, W.A. (2004) Summary Report of Geological Investigations on the Foremore Project. Liard Mining Division, More Creek area, northern British Columbia, for Roca Mines Inc.

Paterson, I.A. and A.W. Lee (1991): Year End Report Geological and Geochemical Surveys and Diamond Drilling on the Foremore Claim Group; Private report prepared for Cominco Ltd.

Pearson, C.A. (1993) Mining zinc-rich massive sulphide deposits on Vancouver Island, British Columbia. In International Symposium – World Zinc '93, Hobart, Australia.

Read, P.B., R.L. Brown, J.F. Psutcka, J.M. Moore, M. Journeay, L.S. Lane and M.J. Orchard (1989): Geology of parts of Snippaker Creek (104B/10), Forrest Kerr Creek (104B/15), Bob Quinn Lake (104B/16), Iskut River (104G/1) and More Creek (104G/2); Geological Survey of Canada Open File 2094, 2 maps at 1:50,000 scale.

Sears, W.A. (2004). Summary Report of Geological Investigations on the Foremore Project. Liard Mining Division, More Creek area, northern British Columbia. National Instrument 43-101 report.

Sears, W.A. and Watkins, J.J.. (2005). Summary Report of Geological Investigations on the Foremore Project. Liard Mining Division, More Creek area, northern British Columbia. National Instrument 43-101 report. www.sedar.com

Strickland, D., (2018). Assessment Report on the More Creek Property, Northwestern British Columbia, British Columbia Ministry of Energy and Mines Assessment Report.

Tully, D.W., 1987: Report on the BJ Mineral Claim Group (97 units), Mess Creek – Arctic Lake – Mt. Hickman Area, Liard Mining Division, Telegraph Creek, BC. For Iskut Gold Corp.

Visser, S. (2004) Geophysical report on UTEM-3 and magnetic geophysical surveys, Foremore VMHS – gold project, More Creek area, Liard Mining Division, British Columbia, Canada, prepared for Roca Mines Inc.

Watkins, J.J. and Melling, D.R. (2005) Progress report on the VMS mine potential, Foremore Property, Northwestern British Columbia, for Roca Mines Inc., August 31, 2005.

Westcott, M.G. (1992): 1991 Year End Report Geological and Geochemical Surveys on the Foremore Property; Private report prepared for Cominco Ltd.

11 Certificate of Author – Dated and Signed

L. Farrell P. Geo. B.Sc.

To Accompany the Report titled “2016 Assessment Report on the Foremore property, More Creek Area, Liard Mining Division, British Columbia” dated June 29, 2018.

I, Lorie G. P. Farrell, P. Geo., of 4547 Whistler Road, Smithers B.C. V0J 2N4, do hereby certify that:

1. I am a consulting geologist and owner of:

Farrell Exploration Services Inc.
4547 Whistler Road
Smithers B.C.
V0J 2N4

2. I graduated with a Bachelor of Science degree in Geology from the University of Saskatchewan in 2002.


3. I am a member of the Association of Engineers and Geoscientists of British Columbia, (APEGBC No. 38472).

4. I have practiced my profession as an exploration geologist continuously for the last sixteen years with the exception of the period from the summer of 2014 to the spring of 2016. I have worked as a geologist in British Columbia, the Yukon and Northwest Territories, Nunavut and Saskatchewan; this has included working on a variety of porphyry deposits, VMS targets, poly-metallic and lode gold vein deposits.

5. I am the author of the report titled “2016 Assessment Report on the Foremore property, More Creek Area, Liard Mining Division, British Columbia” however, I do not take responsibility for sample security during storage or accuracy of that data.

Dated this 29th Day of June, 2018.

“Lorie Gayle Poulton Farrell”




Lorie Gayle Poulton Farrell, P. Geo.

Appendix 1: Statement of Expenditures

The cost statement is under represented as only assay and some report writing costs were recorded.

| Exploration Work type | Comment | Days | | | Totals |
|-------------------------------------|---|-------------|-------------|------------------|-------------------|
| Personnel (Name)* / Position | Field Days (list actual days) | Days | Rate | Subtotal* | |
| Lorie Farrell Geologist | August 13 to August 20, 2016 | 8 | \$0.00 | \$0.00 | |
| Tyler George Prospector in training | August 13 to August 20, 2016 | 8 | \$0.00 | \$0.00 | |
| Richie D | August 13 to August 20, 2016 | 8 | \$0.00 | \$0.00 | |
| Shayna | August 13 to August 20, 2016 | 8 | \$0.00 | \$0.00 | |
| | | | | \$0.00 | \$0.00 |
| Office Studies | List Personnel (note - Office only, do not include field days) | | | | |
| Report preparation | Lorie Farrell Geologist | | | \$1,000.00 | |
| | | | | \$1,000.00 | \$1,000.00 |
| Geochemical Surveying | Number of Samples | No. | Rate | Subtotal | |
| Rock | <i>laboratory costs</i> | 44.0 | \$35.00 | \$1,540.00 | |
| | | | | \$1,540.00 | \$1,540.00 |
| Transportation | | No. | Rate | Subtotal | |
| truck rental | | 14.00 | \$0.00 | \$0.00 | |
| Helicopter (hours) | | | \$0.00 | \$0.00 | |
| | | | | \$0.00 | \$0.00 |
| Accommodation & Food | Rates per day | | | | |
| Camp | | 8.00 | \$0.00 | \$0.00 | |
| | | | | \$0.00 | \$0.00 |
| Freight, rock samples | | | | 1 260 | |
| | | | | \$260.00 | \$260.00 |
| | | | | | |
| TOTAL Expenditures | | | | | \$2,800.00 |

Appendix 2. Maps




Map 1.


Foremore-SG 2016 Sample Locations, Ice Margins, Station Locations

- 2016 Foremore Ice Drawing
- Contours-minor Drawing
- Showing Labels
- text text
- ShowingLocs Drawing
- 2016 Foremore Notes
- 2016 Foremore Rock Sample Locations
- Rivers Drawing

Lorie Farrell June 28, 2018
UTM NAD 83 Zone 9V

2016 Fly Camp Location





Map. 3

2016 Foremore Rock Sample Assays

Pb ppm
200


Au ppm 5 250 Cu ppm

Zn ppm
150

Sample locations may not be correct at this target

Foremore-2016 Sunday Assays

Contours-minor Drawing Drawing Lines
Showing Labels Labels
text
ShowingLocs Drawing Drawing Points
Text
Rivers Drawing Drawing Lines
Lorie Farrell June 28, 2018
UTM NAD 83 Zone 9V
1:1,000 Scale Arch D



Map. 4

2016 Foremore Rock Sample Assays

Pb ppm 200
 Au ppm 5
 Cu ppm 250
 Zn ppm 150

Below detection limit results may have been removed for clarity.

Foremore-2016 Assays North of Camp

Contours-minor Drawing Drawing Lines
 Showing Labels
 text
 Showing Locs Drawing Drawing Points
 Rivers Drawing Drawing Lines

Lorie Farrell June 28, 2018
 UTM NAD 83 Zone 9V
 1:1,000 Scale Arch D

Appendix 3: 2016 Signed Assay Sheets



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: **CJL ENTERPRISES LTD.**
P.O. BOX 662
SMITHERS BC V0J 2N0

Page: 1
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLNT

CERTIFICATE TR18108209

Project: Foremore

This report is for 45 Rock samples submitted to our lab in Terrace, BC, Canada on 9-MAY-2018.

The following have access to data associated with this certificate:

| | |
|---------------|--------------|
| LORIE FARRELL | CHRIS WARREN |
|---------------|--------------|

| SAMPLE PREPARATION | |
|--------------------|--------------------------------|
| ALS CODE | DESCRIPTION |
| WEI-21 | Received Sample Weight |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-31 | Pulverize split to 85% <75 um |

| ANALYTICAL PROCEDURES | | |
|-----------------------|--------------------------------|------------|
| ALS CODE | DESCRIPTION | INSTRUMENT |
| ME-OG46 | Ore Grade Elements - AquaRegia | ICP-AES |
| Cu-OG46 | Ore Grade Cu - Aqua Regia | ICP-AES |
| Pb-OG46 | Ore Grade Pb - Aqua Regia | ICP-AES |
| Zn-OG46 | Ore Grade Zn - Aqua Regia | ICP-AES |
| ME-MS41 | Ultra Trace Aqua Regia ICP-MS | |

To: **CJL ENTERPRISES LTD.**
ATTN: LORIE FARRELL
P.O. BOX 662
SMITHERS BC V0J 2N0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method | WEI-21 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-------------------------|-----------------|-----------|---------|-----------|-----------|----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|
| | Analyte Units LOR | Recvd Wt. kg | Ag ppm | Al % | As ppm | Au ppm | B ppm | Ba ppm | Be ppm | Bi ppm | Ca % | Cd ppm | Ce ppm | Co ppm | Cr ppm | Cs ppm |
| 96401 | | 1.11 | 2.79 | 5.69 | 214 | 0.04 | 10 | 20 | 0.42 | 0.26 | 4.16 | 0.29 | 42.6 | 137.0 | 22 | 0.35 |
| 96402 | | 1.77 | 0.47 | 1.03 | 5.3 | <0.02 | <10 | 80 | 0.17 | 0.03 | 19.30 | 0.47 | 10.40 | 12.9 | 1 | 0.06 |
| 96403 | | 3.87 | 0.14 | 1.04 | 11.4 | <0.02 | <10 | 80 | 0.18 | 0.39 | 2.10 | 0.07 | 19.00 | 5.6 | 2 | 0.09 |
| 96404 | | 1.38 | 0.31 | 1.08 | 72.5 | <0.02 | <10 | 40 | 0.28 | 1.63 | 4.39 | 0.57 | 15.55 | 14.2 | 1 | 0.30 |
| 96405 | | 2.88 | 2.08 | 1.18 | 38.6 | 0.08 | <10 | 10 | 0.16 | 1.83 | 0.36 | 0.10 | 20.7 | 21.4 | 2 | 0.11 |
| 96406 | | 0.87 | 1.34 | 1.21 | 10.0 | <0.02 | <10 | 90 | 0.28 | 0.41 | 2.00 | 0.11 | 15.45 | 6.7 | 1 | 0.05 |
| 96407 | | 0.87 | 0.89 | 0.29 | 48.6 | <0.02 | <10 | 70 | 0.15 | 0.04 | 1.34 | 0.17 | 10.30 | 18.0 | 1 | 0.10 |
| 96408 | | 0.98 | 0.27 | 1.62 | 7.2 | <0.02 | <10 | 10 | 0.14 | 1.07 | 0.46 | 0.14 | 5.39 | 34.6 | 3 | 0.15 |
| 96409 | | 1.25 | 0.20 | 1.79 | 17.1 | <0.02 | <10 | 230 | 0.18 | 0.08 | 2.28 | 0.49 | 11.50 | 13.0 | 13 | 0.10 |
| 96410 | | 0.97 | 0.31 | 0.82 | 4.1 | <0.02 | <10 | 180 | 0.15 | 1.25 | 0.07 | 0.03 | 14.60 | 4.8 | 1 | 0.14 |
| 96411 | | 1.19 | 0.50 | 2.43 | 5.1 | 0.04 | <10 | 30 | 0.34 | 2.67 | 0.52 | 0.04 | 10.05 | 46.3 | 5 | 0.26 |
| 96412 | | 2.23 | 2.09 | 3.77 | 14.5 | <0.02 | <10 | 20 | 0.38 | 5.56 | 0.30 | 0.15 | 7.75 | 49.2 | 15 | 0.67 |
| 96413 | | 2.33 | 0.64 | 2.20 | 12.8 | <0.02 | <10 | 10 | 0.11 | 5.62 | 0.13 | 0.10 | 1.55 | 101.0 | 30 | 0.22 |
| 96414 | | 0.80 | 0.09 | 5.00 | 5.0 | <0.02 | <10 | 30 | 0.34 | 0.42 | 5.30 | 0.52 | 12.50 | 27.3 | 46 | 0.52 |
| 96415 | | 0.97 | 0.07 | 3.00 | 1.5 | <0.02 | <10 | 20 | 0.34 | 0.62 | 0.55 | 0.03 | 12.95 | 14.9 | 44 | 0.34 |
| 96416 | | 0.77 | 0.51 | 2.55 | 14.4 | <0.02 | <10 | 20 | 0.16 | 4.92 | 0.36 | 0.16 | 2.92 | 52.4 | 22 | 0.26 |
| 96417 | | 1.27 | 0.35 | 0.88 | 2.4 | 0.04 | <10 | 30 | 0.08 | 0.70 | 0.04 | 0.02 | 9.65 | 13.8 | 4 | 0.08 |
| 96418 | | 1.57 | 0.21 | 2.69 | 3.1 | 0.04 | <10 | 30 | 0.39 | 1.68 | 0.75 | 0.13 | 6.51 | 48.1 | 10 | 0.15 |
| 96419 | | 1.03 | 8.60 | 0.84 | 1815 | 1.63 | <10 | 30 | 0.12 | 2.36 | 0.13 | 119.5 | 10.95 | 8.2 | 2 | 0.10 |
| 96420 | | 1.19 | 0.38 | 1.03 | 34.0 | <0.02 | <10 | 70 | 0.41 | 0.17 | 1.13 | 2.99 | 21.1 | 3.8 | 2 | 0.11 |
| 96421 | | 0.54 | 60.5 | 0.31 | >10000 | 24.1 | <10 | 20 | 0.07 | 0.81 | 0.02 | 92.4 | 4.53 | 2.4 | <1 | 0.05 |
| 96422 | | 1.31 | 0.47 | 0.63 | 340 | 0.07 | <10 | 40 | 0.32 | 0.13 | 3.73 | 0.24 | 9.71 | 6.3 | 1 | 0.25 |
| 96423 | | 1.60 | 3.27 | 0.63 | >10000 | 5.15 | <10 | 10 | 0.08 | 1.07 | 0.55 | 23.1 | 6.50 | 11.7 | 4 | <0.05 |
| 96451 | | 5.27 | 0.47 | 2.35 | 36.8 | <0.02 | <10 | 110 | 0.25 | 0.56 | 1.22 | 0.69 | 17.50 | 18.5 | 18 | 0.11 |
| 96452 | | 3.46 | 0.09 | 2.68 | 76.3 | <0.02 | <10 | 40 | 0.25 | 0.16 | 1.42 | 0.17 | 14.10 | 17.2 | 15 | 0.11 |
| 96453 | | 8.03 | 0.06 | 2.18 | 5.7 | <0.02 | <10 | 50 | 0.22 | 0.13 | 2.32 | 0.06 | 16.35 | 15.7 | 17 | 0.08 |
| 96454 | | 6.57 | 0.11 | 1.22 | 40.0 | <0.02 | <10 | 110 | 0.25 | 0.84 | 2.44 | 0.14 | 23.4 | 6.9 | 1 | 0.13 |
| 96455 | | 3.33 | 0.13 | 1.60 | 11.4 | <0.02 | <10 | 260 | 0.23 | 0.30 | 0.87 | 0.40 | 28.5 | 4.2 | 1 | 0.06 |
| 96456 | | 4.88 | 0.45 | 1.60 | 22.7 | <0.02 | <10 | 60 | 0.15 | 1.40 | 4.53 | 2.59 | 17.70 | 16.0 | 1 | 0.16 |
| 96457 | | 8.56 | 0.46 | 0.93 | 364 | 0.02 | <10 | 40 | 0.40 | 0.03 | 1.94 | 0.20 | 14.90 | 5.4 | 1 | 0.48 |
| 96458 | | 8.70 | 0.12 | 1.25 | 28.6 | <0.02 | <10 | 170 | 0.18 | 0.11 | 0.98 | 0.06 | 13.50 | 6.7 | 7 | 0.09 |
| 96459 | | 5.63 | 1.35 | 1.34 | 16.6 | 0.02 | <10 | 70 | 0.23 | 1.28 | 2.48 | 0.13 | 20.3 | 18.9 | 1 | 0.11 |
| 96460 | | 2.22 | 0.06 | 1.06 | 9.8 | <0.02 | <10 | 160 | 0.21 | 0.12 | 2.61 | 0.11 | 28.5 | 3.1 | 1 | 0.13 |
| 96461 | | 2.82 | 0.75 | 1.01 | 13.1 | <0.02 | <10 | 110 | 0.43 | 0.60 | 11.30 | 0.21 | 11.25 | 16.7 | 1 | 0.13 |
| 96462 | | 4.87 | 20.7 | 2.08 | 253 | 2.84 | <10 | 40 | 0.22 | 13.70 | 10.35 | 47.3 | 8.90 | 14.3 | 6 | 0.08 |
| 96463 | | 7.51 | 31.0 | 3.02 | 108.5 | 0.11 | <10 | 30 | 0.20 | 29.2 | 6.31 | 3.82 | 11.00 | 27.8 | 7 | 0.11 |
| 96464 | | 5.76 | 1.84 | 1.34 | 132.0 | 0.06 | <10 | 60 | 0.27 | 1.19 | 3.33 | 11.90 | 7.45 | 13.3 | 6 | 0.20 |
| 96465 | | 4.52 | 0.57 | 2.10 | 80.3 | 0.03 | <10 | 20 | 0.26 | 0.53 | 0.05 | 0.04 | 27.5 | 7.2 | 2 | 0.18 |
| 96466 | | 4.05 | 0.47 | 2.04 | 20.2 | <0.02 | <10 | 10 | 0.19 | 0.74 | 0.08 | 0.08 | 6.85 | 16.5 | 3 | 0.06 |
| 96467 | | 2.98 | 0.70 | 1.60 | 12.8 | <0.02 | <10 | 40 | 0.25 | 1.33 | 0.04 | 0.03 | 23.4 | 7.3 | 1 | 0.07 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 |
|--------------------|-------------------------|-----------|---------|-----------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|
| | Analyte Units LOR | Cu ppm | Fe % | Ga ppm | Ge ppm | Hf ppm | Hg ppm | In ppm | K % | La ppm | Li ppm | Mg % | Mn ppm | Mo ppm | Na % | Nb ppm |
| 96401 | | 5890 | 20.8 | 14.90 | 0.31 | 0.23 | 0.10 | 0.880 | 0.01 | 28.6 | 13.4 | 2.09 | 1990 | 2.75 | 0.01 | <0.05 |
| 96402 | | 3610 | 2.00 | 1.83 | <0.05 | 0.05 | 0.09 | 0.023 | 0.15 | 4.5 | 5.1 | 0.81 | 2530 | 0.44 | <0.01 | <0.05 |
| 96403 | | 12.9 | 3.45 | 3.81 | 0.05 | 0.04 | 0.02 | 0.018 | 0.15 | 8.9 | 7.4 | 0.56 | 668 | 0.83 | 0.04 | <0.05 |
| 96404 | | 122.5 | 7.53 | 3.15 | 0.06 | 0.17 | 0.02 | 0.011 | 0.33 | 6.9 | 5.5 | 0.44 | 607 | 5.64 | 0.01 | 0.13 |
| 96405 | | 45.5 | 8.80 | 3.73 | 0.07 | 0.05 | 0.07 | 0.020 | 0.21 | 9.8 | 5.4 | 0.66 | 503 | 35.6 | 0.03 | <0.05 |
| 96406 | | 10000 | 3.82 | 5.97 | <0.05 | 0.05 | 0.03 | 0.047 | 0.13 | 6.5 | 6.9 | 0.87 | 860 | 1.68 | 0.04 | <0.05 |
| 96407 | | 53.2 | 2.26 | 0.78 | <0.05 | 0.04 | 0.09 | 0.010 | 0.26 | 4.0 | 0.5 | 0.03 | 293 | 19.65 | 0.02 | <0.05 |
| 96408 | | 21.5 | 13.85 | 5.50 | 0.10 | 0.05 | 0.11 | 0.037 | 0.02 | 2.2 | 10.9 | 1.50 | 343 | 0.33 | 0.02 | <0.05 |
| 96409 | | 42.2 | 3.86 | 5.02 | <0.05 | 0.08 | 0.03 | 0.022 | 0.09 | 4.8 | 9.1 | 1.72 | 813 | 9.48 | 0.02 | <0.05 |
| 96410 | | 22.0 | 3.73 | 4.21 | 0.05 | 0.06 | 0.02 | 0.021 | 0.06 | 6.2 | 4.0 | 0.42 | 213 | 2.45 | 0.04 | <0.05 |
| 96411 | | 30.7 | 13.65 | 11.60 | 0.13 | 0.10 | 0.11 | 0.269 | 0.11 | 4.1 | 8.9 | 1.49 | 674 | 3.14 | 0.01 | <0.05 |
| 96412 | | 3170 | 13.60 | 12.65 | 0.11 | 0.05 | 0.10 | 0.826 | 0.11 | 2.9 | 21.6 | 2.53 | 1180 | 4.27 | 0.02 | <0.05 |
| 96413 | | 94.7 | 29.0 | 5.93 | 0.24 | 0.03 | 0.28 | 0.176 | 0.04 | 0.7 | 10.5 | 1.79 | 670 | 1.18 | 0.01 | <0.05 |
| 96414 | | 1095 | 7.76 | 11.85 | 0.07 | <0.02 | 0.02 | 0.233 | 0.08 | 5.5 | 39.7 | 4.29 | 3150 | 0.50 | 0.04 | <0.05 |
| 96415 | | 11.0 | 5.33 | 9.21 | 0.09 | 0.10 | 0.02 | 0.096 | 0.05 | 5.6 | 19.0 | 2.55 | 1080 | 0.57 | 0.03 | <0.05 |
| 96416 | | 69.1 | 24.5 | 8.19 | 0.20 | 0.04 | 0.25 | 0.258 | 0.09 | 1.4 | 9.2 | 1.89 | 925 | 1.14 | 0.01 | <0.05 |
| 96417 | | 16.3 | 6.20 | 3.99 | 0.05 | 0.09 | 0.06 | 0.018 | 0.09 | 4.0 | 3.9 | 0.58 | 239 | 3.68 | 0.05 | <0.05 |
| 96418 | | 18.3 | 11.10 | 8.85 | 0.12 | 0.13 | 0.07 | 0.105 | 0.09 | 3.0 | 10.9 | 2.24 | 794 | 1.02 | 0.02 | 0.06 |
| 96419 | | 216 | 10.05 | 1.90 | 0.08 | 0.04 | 0.72 | 0.354 | 0.19 | 5.0 | 3.0 | 0.33 | 243 | 0.87 | <0.01 | <0.05 |
| 96420 | | 9.1 | 2.30 | 2.30 | <0.05 | 0.04 | 0.06 | 0.018 | 0.22 | 10.0 | 4.0 | 0.41 | 973 | 0.91 | <0.01 | 0.10 |
| 96421 | | 215 | 19.30 | 0.91 | 0.12 | 0.02 | 5.42 | 0.165 | 0.10 | 2.4 | 0.7 | 0.04 | 113 | 1.06 | <0.01 | 0.05 |
| 96422 | | 26.2 | 3.72 | 1.19 | <0.05 | 0.02 | 0.02 | 0.025 | 0.25 | 3.9 | 2.1 | 1.04 | 1640 | 0.60 | 0.01 | <0.05 |
| 96423 | | 73.4 | 12.85 | 1.71 | 0.10 | 0.02 | 0.63 | 0.057 | 0.07 | 3.1 | 3.5 | 0.30 | 712 | 1.25 | <0.01 | <0.05 |
| 96451 | | 1380 | 4.63 | 7.93 | 0.07 | 0.03 | 0.28 | 0.049 | 0.09 | 7.5 | 9.3 | 1.91 | 568 | 1.28 | 0.03 | <0.05 |
| 96452 | | 637 | 4.90 | 7.83 | 0.06 | 0.04 | 0.05 | 0.033 | 0.10 | 5.8 | 9.4 | 2.29 | 606 | 0.62 | 0.03 | <0.05 |
| 96453 | | 503 | 4.12 | 7.12 | 0.05 | 0.03 | 0.04 | 0.033 | 0.09 | 7.1 | 7.8 | 1.81 | 623 | 0.40 | 0.03 | <0.05 |
| 96454 | | 27.9 | 3.69 | 4.01 | 0.05 | 0.06 | 0.01 | 0.009 | 0.30 | 11.4 | 6.3 | 0.69 | 459 | 1.63 | 0.03 | <0.05 |
| 96455 | | 5.6 | 3.82 | 5.87 | 0.06 | 0.08 | 0.01 | 0.013 | 0.18 | 13.2 | 8.6 | 1.10 | 587 | 1.04 | 0.05 | <0.05 |
| 96456 | | 73.2 | 7.46 | 4.52 | 0.07 | 0.09 | 0.08 | 0.024 | 0.30 | 8.5 | 9.2 | 0.87 | 1080 | 1.09 | 0.02 | <0.05 |
| 96457 | | 92.9 | 4.33 | 2.38 | 0.05 | 0.14 | 0.20 | 0.014 | 0.32 | 6.7 | 3.0 | 0.22 | 571 | 4.49 | 0.01 | 0.19 |
| 96458 | | 34.1 | 3.36 | 4.87 | 0.05 | 0.03 | 0.01 | 0.008 | 0.18 | 5.8 | 5.7 | 0.81 | 551 | 1.53 | 0.05 | <0.05 |
| 96459 | | 21.2 | 5.69 | 4.75 | 0.06 | 0.04 | 0.09 | 0.039 | 0.19 | 9.4 | 7.2 | 1.35 | 1040 | 1.15 | 0.04 | <0.05 |
| 96460 | | 5.9 | 3.28 | 4.18 | 0.05 | 0.04 | 0.04 | 0.026 | 0.16 | 13.2 | 6.1 | 1.25 | 985 | 0.92 | 0.05 | <0.05 |
| 96461 | | 210 | 4.31 | 2.39 | 0.05 | 0.04 | 0.03 | 0.032 | 0.23 | 4.8 | 5.1 | 0.70 | 1440 | 2.02 | 0.01 | <0.05 |
| 96462 | | 470 | 9.63 | 6.50 | 0.10 | 0.28 | 2.00 | 0.134 | 0.14 | 3.9 | 12.5 | 1.29 | 2110 | 39.9 | 0.01 | <0.05 |
| 96463 | | 832 | 17.20 | 14.00 | 0.19 | 0.43 | 0.16 | 0.094 | 0.12 | 5.2 | 21.1 | 1.83 | 1420 | 18.35 | 0.01 | <0.05 |
| 96464 | | 58.8 | 5.85 | 3.02 | <0.05 | 0.07 | 0.64 | 0.044 | 0.24 | 3.0 | 7.0 | 0.90 | 906 | 4.14 | 0.01 | <0.05 |
| 96465 | | 12.6 | 7.49 | 7.40 | 0.07 | 0.07 | 0.13 | 0.056 | 0.09 | 12.5 | 9.8 | 1.93 | 503 | 1.04 | 0.02 | <0.05 |
| 96466 | | 34.9 | 5.86 | 8.08 | 0.07 | 0.07 | 0.03 | 0.088 | 0.02 | 2.4 | 7.8 | 2.18 | 648 | 6.76 | 0.05 | <0.05 |
| 96467 | | 189.0 | 6.22 | 5.95 | 0.07 | 0.09 | 0.08 | 0.024 | 0.07 | 9.8 | 5.2 | 1.49 | 482 | 7.84 | 0.03 | <0.05 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti |
| | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 | 0.005 |
| 96401 | | 50.1 | 1360 | 22.6 | 0.6 | 0.009 | 2.95 | 2.17 | 15.0 | 0.9 | 2.2 | 108.0 | <0.01 | 0.02 | 1.4 | 0.015 |
| 96402 | | 4.9 | 540 | 8.2 | 2.8 | 0.001 | 0.09 | 0.31 | 4.2 | 0.4 | <0.2 | 317 | <0.01 | 0.01 | 0.3 | <0.005 |
| 96403 | | 0.7 | 1250 | 7.1 | 3.0 | <0.001 | 1.57 | 0.42 | 1.9 | 0.2 | <0.2 | 49.6 | <0.01 | 0.28 | 1.7 | <0.005 |
| 96404 | | 0.6 | 1000 | 23.9 | 6.5 | 0.001 | 6.90 | 0.72 | 1.6 | 1.7 | <0.2 | 128.0 | <0.01 | 1.50 | 1.4 | 0.042 |
| 96405 | | 2.9 | 980 | 11.4 | 4.8 | 0.002 | 7.36 | 0.71 | 1.8 | 1.7 | <0.2 | 12.1 | <0.01 | 2.12 | 1.5 | <0.005 |
| 96406 | | 3.9 | 1350 | 4.3 | 2.8 | 0.001 | 1.76 | 0.58 | 2.4 | 0.7 | <0.2 | 65.6 | <0.01 | 0.18 | 2.1 | <0.005 |
| 96407 | | 2.5 | 940 | 29.7 | 5.8 | <0.001 | 1.44 | 1.41 | 2.2 | 0.3 | <0.2 | 54.7 | <0.01 | 0.02 | 0.3 | 0.033 |
| 96408 | | 2.3 | 420 | 14.1 | 0.4 | 0.001 | >10.0 | 0.87 | 5.9 | 2.7 | 0.2 | 12.5 | <0.01 | 0.64 | 0.2 | <0.005 |
| 96409 | | 11.3 | 420 | 11.9 | 1.1 | 0.008 | 0.65 | 1.17 | 4.5 | 0.6 | <0.2 | 32.7 | <0.01 | 0.05 | 0.6 | <0.005 |
| 96410 | | 0.3 | 290 | 12.7 | 1.0 | <0.001 | 1.03 | 0.13 | 2.5 | 1.6 | <0.2 | 4.9 | <0.01 | 0.75 | 0.6 | <0.005 |
| 96411 | | 4.2 | 860 | 7.2 | 2.5 | 0.002 | 7.99 | 0.53 | 5.6 | 2.5 | 1.0 | 52.5 | <0.01 | 2.53 | 0.3 | 0.037 |
| 96412 | | 13.8 | 500 | 8.3 | 2.7 | 0.002 | 3.68 | 0.74 | 15.8 | 2.8 | 0.9 | 22.6 | <0.01 | 3.99 | 0.2 | <0.005 |
| 96413 | | 14.9 | 220 | 28.3 | 0.9 | 0.002 | >10.0 | 0.46 | 6.5 | 12.4 | 0.6 | 13.7 | <0.01 | 5.25 | <0.2 | 0.011 |
| 96414 | | 37.0 | 370 | 2.9 | 1.9 | <0.001 | 0.11 | 0.17 | 22.8 | 0.3 | 0.3 | 45.6 | <0.01 | 0.16 | <0.2 | <0.005 |
| 96415 | | 16.8 | 560 | 2.9 | 1.2 | 0.001 | 1.27 | 0.46 | 11.5 | 0.6 | 0.6 | 42.5 | <0.01 | 0.39 | 0.4 | 0.039 |
| 96416 | | 20.1 | 180 | 11.3 | 2.1 | 0.002 | >10.0 | 0.47 | 8.6 | 6.9 | 1.0 | 47.4 | <0.01 | 3.34 | <0.2 | 0.047 |
| 96417 | | 2.1 | 230 | 4.4 | 2.3 | 0.001 | 3.78 | 0.15 | 2.5 | 2.0 | 0.2 | 2.8 | <0.01 | 0.41 | 0.8 | <0.005 |
| 96418 | | 6.8 | 820 | 5.7 | 2.3 | 0.001 | 7.18 | 0.36 | 8.7 | 2.9 | 0.6 | 62.9 | <0.01 | 1.51 | 0.2 | 0.187 |
| 96419 | | 1.2 | 670 | 2620 | 4.2 | 0.001 | >10.0 | 3.49 | 0.8 | 5.6 | <0.2 | 3.1 | <0.01 | 0.20 | 0.8 | <0.005 |
| 96420 | | 0.8 | 990 | 23.5 | 5.2 | <0.001 | 0.17 | 0.28 | 1.3 | 0.2 | <0.2 | 22.8 | <0.01 | 0.27 | 0.9 | <0.005 |
| 96421 | | 0.3 | 200 | >10000 | 2.0 | <0.001 | >10.0 | 241 | 0.7 | 1.0 | <0.2 | 10.4 | <0.01 | 0.01 | <0.2 | <0.005 |
| 96422 | | 3.5 | 800 | 181.5 | 5.4 | <0.001 | 2.17 | 0.90 | 2.1 | 3.6 | <0.2 | 28.1 | <0.01 | 0.01 | 0.2 | <0.005 |
| 96423 | | 1.0 | 260 | 1765 | 1.7 | <0.001 | 8.43 | 185.0 | 0.8 | 1.7 | <0.2 | 19.7 | <0.01 | 0.94 | 0.3 | <0.005 |
| 96451 | | 11.7 | 640 | 31.1 | 1.9 | 0.001 | 0.22 | 0.19 | 9.5 | 1.7 | 0.3 | 33.4 | <0.01 | 0.11 | 0.2 | <0.005 |
| 96452 | | 14.8 | 640 | 14.9 | 2.0 | <0.001 | 0.05 | 0.18 | 8.7 | 0.4 | 0.4 | 41.1 | <0.01 | 0.06 | 0.2 | <0.005 |
| 96453 | | 13.4 | 570 | 3.3 | 2.0 | 0.001 | 0.04 | 0.10 | 7.4 | 0.3 | 0.4 | 58.5 | <0.01 | 0.04 | 0.2 | <0.005 |
| 96454 | | 0.4 | 1350 | 9.7 | 6.1 | 0.001 | 2.20 | 0.51 | 2.4 | 0.4 | <0.2 | 95.4 | <0.01 | 0.78 | 2.1 | 0.008 |
| 96455 | | 0.4 | 1380 | 16.2 | 3.7 | 0.001 | 0.65 | 0.42 | 2.0 | <0.2 | <0.2 | 40.3 | <0.01 | 0.20 | 2.2 | 0.006 |
| 96456 | | 0.6 | 1140 | 14.3 | 6.3 | <0.001 | 5.24 | 0.51 | 2.3 | 2.1 | <0.2 | 208 | <0.01 | 1.44 | 1.7 | 0.011 |
| 96457 | | 1.0 | 1290 | 17.1 | 6.7 | 0.032 | 3.61 | 6.34 | 1.8 | 0.4 | 0.3 | 24.6 | <0.01 | 0.04 | 1.9 | 0.067 |
| 96458 | | 4.9 | 490 | 7.7 | 3.5 | <0.001 | 1.33 | 0.36 | 2.1 | 0.5 | <0.2 | 53.1 | <0.01 | 0.03 | 0.5 | <0.005 |
| 96459 | | 0.5 | 1280 | 6.6 | 3.7 | 0.001 | 2.49 | 0.50 | 2.3 | 0.3 | 0.2 | 49.7 | <0.01 | 1.43 | 1.9 | <0.005 |
| 96460 | | 0.4 | 1370 | 3.1 | 3.3 | 0.001 | 0.23 | 0.19 | 2.4 | <0.2 | 0.2 | 52.8 | <0.01 | 0.08 | 2.2 | <0.005 |
| 96461 | | 7.6 | 1550 | 25.8 | 3.7 | 0.002 | 3.21 | 0.98 | 6.0 | 0.8 | <0.2 | 376 | <0.01 | 0.41 | 0.3 | <0.005 |
| 96462 | | 31.2 | 1210 | 6110 | 2.9 | 0.060 | 7.28 | 4.26 | 5.3 | 11.0 | 0.4 | 344 | <0.01 | 12.00 | 0.7 | <0.005 |
| 96463 | | 18.3 | 1950 | 357 | 2.5 | 0.177 | >10.0 | 2.45 | 9.8 | 27.9 | 1.5 | 220 | <0.01 | 27.0 | 0.7 | 0.005 |
| 96464 | | 6.1 | 850 | 1425 | 4.5 | <0.001 | 4.46 | 0.68 | 3.1 | 2.0 | <0.2 | 134.5 | <0.01 | 0.90 | 0.5 | <0.005 |
| 96465 | | 2.8 | 200 | 11.4 | 1.1 | 0.001 | 5.53 | 0.33 | 4.5 | 1.0 | 1.1 | 2.7 | <0.01 | 1.29 | 0.6 | <0.005 |
| 96466 | | 3.4 | 440 | 11.3 | 0.3 | 0.004 | 4.01 | 0.35 | 8.1 | 1.0 | 0.6 | 2.6 | <0.01 | 1.21 | 0.4 | <0.005 |
| 96467 | | 1.3 | 300 | 7.4 | 0.8 | 0.003 | 3.98 | 0.39 | 4.1 | 1.1 | 0.6 | 4.2 | <0.01 | 0.96 | 0.5 | <0.005 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method Analyte Units LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | Cu-OG46 | Pb-OG46 | Zn-OG46 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Tl | U | V | W | Y | Zn | Zr | Cu | Pb | Zn |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | % | % |
| | | 0.02 | 0.05 | 1 | 0.05 | 0.05 | 2 | 0.5 | 0.001 | 0.001 | 0.001 |
| 96401 | | 0.12 | 2.14 | 220 | 0.06 | 17.50 | 231 | 9.2 | | | |
| 96402 | | 0.10 | 0.30 | 10 | <0.05 | 10.65 | 64 | 1.8 | | | |
| 96403 | | 0.06 | 0.12 | 9 | <0.05 | 8.56 | 65 | 1.1 | | | |
| 96404 | | 0.13 | 0.19 | 6 | 0.11 | 10.35 | 78 | 4.8 | | | |
| 96405 | | 0.15 | 0.10 | 12 | 0.05 | 6.15 | 48 | 1.3 | | | |
| 96406 | | 0.06 | 0.15 | 13 | <0.05 | 9.98 | 63 | 1.5 | 1.000 | | |
| 96407 | | 0.17 | 0.05 | 11 | <0.05 | 5.80 | 8 | 0.8 | | | |
| 96408 | | 0.02 | 0.05 | 37 | <0.05 | 2.49 | 29 | 1.3 | | | |
| 96409 | | 0.06 | 0.21 | 62 | <0.05 | 4.78 | 65 | 3.0 | | | |
| 96410 | | 0.02 | 0.07 | 1 | <0.05 | 2.89 | 34 | 1.9 | | | |
| 96411 | | 0.02 | 0.29 | 54 | 0.05 | 8.12 | 54 | 2.4 | | | |
| 96412 | | 0.02 | 0.30 | 129 | <0.05 | 5.85 | 177 | 2.0 | | | |
| 96413 | | <0.02 | 0.12 | 78 | <0.05 | 1.91 | 89 | 0.7 | | | |
| 96414 | | <0.02 | 0.14 | 143 | <0.05 | 13.15 | 459 | <0.5 | | | |
| 96415 | | <0.02 | 0.12 | 71 | <0.05 | 7.53 | 86 | 2.4 | | | |
| 96416 | | 0.02 | 0.11 | 86 | 0.07 | 4.26 | 125 | 1.0 | | | |
| 96417 | | <0.02 | 0.19 | 16 | <0.05 | 3.73 | 24 | 3.3 | | | |
| 96418 | | <0.02 | 0.21 | 103 | 0.14 | 8.97 | 83 | 2.7 | | | |
| 96419 | | 0.05 | 0.07 | 3 | <0.05 | 3.12 | >10000 | 1.4 | | | 2.03 |
| 96420 | | 0.08 | 0.08 | 5 | <0.05 | 8.91 | 234 | 2.3 | | | |
| 96421 | | 0.07 | 0.19 | 3 | <0.05 | 0.99 | >10000 | 0.8 | | 3.81 | 1.515 |
| 96422 | | 0.12 | 0.68 | 6 | <0.05 | 11.25 | 84 | 0.5 | | | |
| 96423 | | 0.05 | <0.05 | 3 | <0.05 | 3.56 | 3270 | 0.8 | | | |
| 96451 | | <0.02 | 0.09 | 104 | <0.05 | 5.30 | 232 | 1.1 | | | |
| 96452 | | <0.02 | 0.06 | 96 | <0.05 | 4.21 | 140 | 1.3 | | | |
| 96453 | | <0.02 | 0.08 | 86 | <0.05 | 5.25 | 67 | 1.3 | | | |
| 96454 | | 0.12 | 0.15 | 10 | 0.05 | 10.35 | 40 | 1.7 | | | |
| 96455 | | 0.06 | 0.13 | 11 | 0.05 | 10.95 | 91 | 3.0 | | | |
| 96456 | | 0.11 | 0.16 | 9 | 0.05 | 9.99 | 233 | 2.5 | | | |
| 96457 | | 0.60 | 0.23 | 5 | 0.15 | 10.25 | 34 | 3.8 | | | |
| 96458 | | 0.04 | <0.05 | 27 | <0.05 | 4.71 | 55 | 0.8 | | | |
| 96459 | | 0.14 | 0.15 | 8 | <0.05 | 9.48 | 97 | 1.2 | | | |
| 96460 | | 0.04 | 0.17 | 8 | <0.05 | 10.20 | 70 | 1.2 | | | |
| 96461 | | 0.09 | 0.18 | 27 | <0.05 | 10.75 | 73 | 1.4 | | | |
| 96462 | | 0.25 | 3.19 | 78 | 0.07 | 10.25 | 8240 | 11.9 | | | |
| 96463 | | 0.25 | 3.55 | 112 | 0.06 | 12.75 | 654 | 19.3 | | | |
| 96464 | | 0.04 | 0.13 | 34 | <0.05 | 6.93 | 2060 | 2.8 | | | |
| 96465 | | <0.02 | 0.09 | 29 | <0.05 | 2.81 | 63 | 1.9 | | | |
| 96466 | | <0.02 | 0.09 | 45 | <0.05 | 4.08 | 88 | 2.4 | | | |
| 96467 | | 0.02 | 0.11 | 13 | <0.05 | 2.51 | 67 | 2.5 | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLNT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | ME-MS41 Ag ppm | ME-MS41 Al % | ME-MS41 As ppm | ME-MS41 Au ppm | ME-MS41 B ppm | ME-MS41 Ba ppm | ME-MS41 Be ppm | ME-MS41 Bi ppm | ME-MS41 Ca % | ME-MS41 Cd ppm | ME-MS41 Ce ppm | ME-MS41 Co ppm | ME-MS41 Cr ppm | ME-MS41 Cs ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|--------------------|----------------------|----------------------|---------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.01 | 0.01 | 0.1 | 0.02 | 10 | 10 | 0.05 | 0.01 | 0.01 | 0.01 | 0.02 | 0.1 | 1 | 0.05 |
| 96468 | | 5.87 | 0.26 | 3.73 | 7.4 | 0.02 | <10 | 40 | 0.27 | 3.31 | 0.21 | 0.04 | 4.67 | 32.9 | 13 | 0.11 |
| 96469 | | 7.03 | 0.14 | 1.47 | 1.7 | <0.02 | <10 | 30 | 0.15 | 1.03 | 0.05 | 0.02 | 12.85 | 7.5 | 5 | 0.19 |
| 96470 | | 5.07 | 0.16 | 2.71 | 8.4 | <0.02 | <10 | 70 | 0.26 | 0.99 | 1.98 | 0.07 | 4.21 | 26.9 | 14 | 0.20 |
| 96471 | | 0.87 | 0.09 | 0.22 | 16.1 | <0.02 | <10 | 40 | 0.21 | 0.02 | 17.00 | 0.09 | 6.93 | 11.9 | 1 | 0.06 |
| 96472 | | 1.43 | 26.9 | 0.59 | >10000 | 0.88 | <10 | 30 | 0.13 | 4.46 | 0.17 | 275 | 12.75 | 19.5 | 3 | 0.09 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method Analyte Units LOR | ME-MS41 Cu ppm 0.2 | ME-MS41 Fe % 0.01 | ME-MS41 Ga ppm 0.05 | ME-MS41 Ge ppm 0.05 | ME-MS41 Hf ppm 0.02 | ME-MS41 Hg ppm 0.01 | ME-MS41 In ppm 0.005 | ME-MS41 K % 0.01 | ME-MS41 La ppm 0.2 | ME-MS41 Li ppm 0.1 | ME-MS41 Mg % 0.01 | ME-MS41 Mn ppm 5 | ME-MS41 Mo ppm 0.05 | ME-MS41 Na % 0.01 | ME-MS41 Nb ppm 0.05 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|------------------------------|
| 96468 | | 27.5 | 12.85 | 11.75 | 0.09 | 0.09 | 0.08 | 0.046 | 0.14 | 2.0 | 10.0 | 3.09 | 1300 | 8.72 | 0.02 | 0.07 |
| 96469 | | 17.4 | 6.45 | 7.52 | 0.06 | 0.14 | 0.07 | 0.130 | 0.07 | 5.7 | 6.9 | 0.93 | 516 | 1.62 | 0.05 | <0.05 |
| 96470 | | 33.9 | 7.32 | 7.72 | 0.05 | 0.03 | 0.03 | 0.070 | 0.14 | 1.6 | 17.3 | 2.85 | 1740 | 0.39 | 0.03 | <0.05 |
| 96471 | | 41.4 | 3.08 | 0.42 | <0.05 | 0.02 | 0.04 | 0.013 | 0.16 | 2.6 | 0.5 | 1.39 | 1320 | 0.23 | 0.01 | <0.05 |
| 96472 | | 372 | 4.99 | 1.31 | 0.08 | 0.06 | 0.78 | 1.590 | 0.19 | 5.7 | 1.8 | 0.18 | 204 | 0.50 | <0.01 | <0.05 |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLNT

Project: Foremore

| |
|---|
| CERTIFICATE OF ANALYSIS TR18108209 |
|---|

| Sample Description | Method | Analyte | Units | LOR | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | ME-MS41 | | | | |
|--------------------|--------|---------|-------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|------|--------|---|
| | | | | | Ni | P | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | |
| | | | | | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % |
| | | | | | 0.2 | 10 | 0.2 | 0.1 | 0.001 | 0.01 | 0.05 | 0.1 | 0.2 | 0.2 | 0.2 | 0.01 | 0.01 | 0.2 | 0.005 | |
| 96468 | | | | | 13.8 | 600 | 7.5 | 2.2 | 0.003 | 7.08 | 0.24 | 10.5 | 4.0 | 0.7 | 6.4 | <0.01 | 2.24 | 0.4 | 0.176 | |
| 96469 | | | | | 3.0 | 440 | 2.9 | 1.3 | <0.001 | 1.80 | 0.15 | 7.7 | 0.6 | 0.5 | 4.6 | <0.01 | 0.65 | 1.0 | 0.005 | |
| 96470 | | | | | 13.7 | 500 | 3.5 | 2.2 | <0.001 | 2.77 | 0.21 | 10.3 | 0.4 | 0.2 | 44.8 | <0.01 | 0.78 | 0.3 | 0.007 | |
| 96471 | | | | | 4.0 | 470 | 11.3 | 2.2 | <0.001 | 2.12 | 1.86 | 4.8 | 0.2 | <0.2 | 184.5 | <0.01 | 0.02 | <0.2 | <0.005 | |
| 96472 | | | | | 1.0 | 820 | >10000 | 3.4 | <0.001 | 6.45 | 24.0 | 0.6 | 12.1 | <0.2 | 5.8 | <0.01 | 0.25 | 0.7 | <0.005 | |

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CJL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-MAY-2018
 Account: CJLNT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| Sample Description | Method Analyte Units LOR | ME-MS41 Tl ppm 0.02 | ME-MS41 U ppm 0.05 | ME-MS41 V ppm 1 | ME-MS41 W ppm 0.05 | ME-MS41 Y ppm 0.05 | ME-MS41 Zn ppm 2 | ME-MS41 Zr ppm 0.5 | Cu-OG46 Cu % 0.001 | Pb-OG46 Pb % 0.001 | Zn-OG46 Zn % 0.001 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|--------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| 96468 | | <0.02 | 0.29 | 106 | 0.14 | 6.62 | 120 | 2.6 | | | |
| 96469 | | <0.02 | 0.22 | 33 | <0.05 | 3.36 | 48 | 6.2 | | | |
| 96470 | | <0.02 | 0.05 | 90 | 0.09 | 3.92 | 155 | 1.2 | | | |
| 96471 | | 0.06 | 0.15 | 12 | <0.05 | 6.32 | 22 | 0.6 | | | |
| 96472 | | 0.05 | 0.09 | 3 | <0.05 | 3.84 | >10000 | 2.7 | 1.775 | 4.50 | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: C JL ENTERPRISES LTD.
 P.O. BOX 662
 SMITHERS BC V0J 2N0

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 18-MAY-2018
 Account: CJLENT

Project: Foremore

CERTIFICATE OF ANALYSIS TR18108209

| | CERTIFICATE COMMENTS | | | | | | | | |
|--------------------|---|---------|---------|---------|---------|---------|--------|--------|--|
| Applies to Method: | <p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41</p> | | | | | | | | |
| Applies to Method: | <p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 33%;">LOG-22</td> <td style="width: 15%;">PUL-31</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>WEI-21</td> <td></td> </tr> </table> | CRU-31 | CRU-QC | LOG-22 | PUL-31 | PUL-QC | SPL-21 | WEI-21 | |
| CRU-31 | CRU-QC | LOG-22 | PUL-31 | | | | | | |
| PUL-QC | SPL-21 | WEI-21 | | | | | | | |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Cu-OG46</td> <td style="width: 33%;">ME-MS41</td> <td style="width: 33%;">ME-OG46</td> <td style="width: 15%;">Pb-OG46</td> </tr> <tr> <td>Zn-OG46</td> <td></td> <td></td> <td></td> </tr> </table> | Cu-OG46 | ME-MS41 | ME-OG46 | Pb-OG46 | Zn-OG46 | | | |
| Cu-OG46 | ME-MS41 | ME-OG46 | Pb-OG46 | | | | | | |
| Zn-OG46 | | | | | | | | | |