BRITISH COLUMBIA
The Best Place on Earth

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical, Prospecting

TOTAL COST: $59,934.05

AUTHOR(S): Rick Kemp **SIGNATURE(S):**

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): **YEAR OF WORK:** 2017

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5678199

PROPERTY NAME: Silver Dollar

CLAIM NAME(S) (on which the work was done): SD SW, Florence, Rainy Day, O.K., Gillman's Lode, 509488, Jackpot

COMMODITIES SOUGHT: Ag, Cu, Pb, Zb, Sb

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 082KNW040, 082KNW149, 082KNW136, 082KNW101

MINING DIVISION: Revelstoke **NTS/BCGS:** 82K/13E

LATITUDE: 50 ° 46 '53 " **LONGITUDE:** 117 ° 26 '32 " **(at centre of work)**

OWNER(S):

1) Explorex Resources Inc. 2)

MAILING ADDRESS:

488-625 Howe Street, Vancouver, BC V6C 2T6

OPERATOR(S) [who paid for the work]:

1) As above 2)

MAILING ADDRESS:

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Kootenay Arc, Selkirk Allocthon, Lardeau Group, Camborne Fault, greenstone, pyrite, chalcopyrite, galena, sphalerite

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 35310

Next Page

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	377	973569, 944509, 1031144, 509488,	$50,921.00
Silt		526833, 526870, 404910	
Rock	15		$9,013.05
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)	~15 Line km		Included in Geochem
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	$59,934.05

BC Geological Survey
Assessment Report
37342

Assessment Report

On the

SILVER DOLLAR PROPERTY

Revelstoke Mining Division
British Columbia, Canada

Map Sheet: NTS 82K/13E

Latitude 50°46’53”N / Longitude 117°36’32”W

Prepared For

Explorex Resources Inc.
#488 - 625 Howe Street
Vancouver, B.C.
V6C 2T6

By:

Rick Kemp, B.Sc., P.Geo

Coast Mountain Geological Ltd.

488-625 Howe Street;

Vancouver, B.C., V6C 2T6

January 3, 2018

Contents

List of Figures

List of Tables

1.0 SUMMARY

The Silver Dollar property is an early stage exploration project located in the Revelstoke Mining Division in southeastern British Columbia, Canada and is located 45 kilometers southeast of the city of Revelstoke and 15 kilometers north-northeast of the community of Trout Lake, British Columbia. The Silver Dollar property consists of 28 contiguous Mineral Titles-Online claims covering 3,344.68 hectares of land. The claims are located on Mineral Titles map sheet 82K/13E and is centered at 50°46'53"N Latitude and 117°36'32"W Longitude. The Silver Dollar claims are in good standing to at least January 1, 2018. On May 11, 2016 Explorex Resources Inc entered into an option agreement with Happy Creek Minerals Ltd to acquire an undivided 100% right, title and interest in and to the Silver Dollar property subject to a 1% net smelter return. Explorex Resources Inc will be deemed to have exercised the option upon incurring $100,000 in Mining Work expenditures by the due diligence period of July 31, 2017 (incurred) and issuing 300,000 common shares to Happy Creek Minerals Ltd on or before May 11, 2017 (issued), an additional 300,000 common shares 12 months after the Due Diligence period and issuing an additional 500,000 common shares to Happy Creek Minerals Ltd within 18 months after the end of the Due Diligence period.

The Silver Dollar property is located in the historic Beaton-Camborne mining camp and lies within the Kootenay Arc, a 400 kilometer long curving belt of early Paleozoic and Mesozoic sedimentary, volcanic and metamorphic rocks. Metasedimentary rocks of the Lardeau Group underlie the majority of the Silver Dollar claims. The Lardeau group consists of 6 conformable Lower Paleozoic units named the Index, Triune, Ajax, Sharon Creek, Jowett and Broadview formations. The Jowett Formation is a greenstone unit intercalated with the Broadview Formation and consists of volcanic breccias and pillow lavas altered locally to chlorite schist. The dominant lithology of the Broadview Formation is grey-green, gritty quartz wacke or subarkosic wacke with grey to black or green slate or phyllite interbeds.

The property covers geologically prospective ground along a 10km section of the 40km long Camborne Fault. This regional scale structure bisects the property from north to south. The main Camborne Fault is at the core of a broad shear zone; numerous quartz veins are associated with graphite-chlorite schists or contain graphite-chlorite partings. A number of the quartz veins host significant concentrations of precious and base metals. The property covers 10 MINFILE Occurrences consisting of four showings, two prospects and four past producers namely the Beatrice mine (082KNW040), Silver Dollar (082KNW101), Gillman (082KNW127), and the Mohawk (082KNW041) MINFILE Occurrences. The author is not aware of any environmental liabilities that have potentially accumulated from any of the historical activities.

There are no other known significant factors or risks that affect title or the right or ability to perform work on the Silver Dollar property.

Explorex Resources completed an exploration program on the Silver Dollar property from September 29 to October 6, 2017. A compass and GPS soil survey grid was established to evaluate the potential for extending base and precious metal signatures in soils from the Silver Dollar Occurrence through the Beatrice Mine site and southward beyond the Rainy Day Occurrence, a distance of 2.3km covering an area measuring 207 hectares of land. A well defined anomalous silver, lead, zinc and antimony soil anomaly measuring 1.4km in length with widths from 50m to 350m was outlined following the soil survey, extending from the Beatrice Mine to the south of the Rainy Day showing. The anomaly is open to extension to the southeast. A second parallel soil anomaly elevated in copper, lead, zinc and antimony was outlined over 400m in length, both single and multi line anomalous results suggest possible extensions of the zone to the northwest and southeast. A major northwest-southeast fault structure separates the two anomalies. A prospecting program uncovered a number of historical undocumented trenches. A total of twelve grab samples and three chip samples were collected during the prospecting program with a total of 10 rock samples collected from the Beatrice Mine site. A composite grab from a large open cut above the Beatrice Upper Adit returned anomalous results of 0.24% Pb, 3.53% Zn, 152g/t Ag and 1.45g/t Au. Selected grab samples from muck piles located around the Upper, Middle and Lower adits all returned anomalous results. A selected grab sample from the Beatrice Upper Adit returned 17.72% Pb, 18.91% Zn, 1,991g/t Ag and 4,003.44ppm Sb. The reader is cautioned that grab samples by nature are selective and therefore may not be representative of the mineralization being evaluated.

The author concludes that the property merits further exploration and recommends extending the existing soil grid to the south of the Rainy Day showing. In addition, the 2017 soil grid should be re-established over the existing anomalous trends. It is recommended a VLF-EM survey and a 3D Induced Polarization (IP) survey be completed over the extended grid to the south of the Rainy Day showing and the re-established portion of the 2017 soil grid. A prospecting, sampling and mapping program is further recommended to evaluate the ground covered by the 2017 soil anomalies and other zones of interest resulting from the extended soil grid and geophysical surveys. This program is estimated to cost $180,620.00

2.0 PROPERTY DESCRIPTION AND LOCATION

The Silver Dollar property is located on NTS map sheet 82K/13E and is centered at 50°46'53"N Latitude and 117°36'32"W Longitude, 45 kilometers southeast of the city of Revelstoke and 15 kilometers north-northeast of the community of Trout Lake, British Columbia (Figure 1). The Silver Dollar property lies within the historical Camborne gold-silver mining camp and includes several past producing mines and developed prospects and showings of silver, gold, lead and zinc. The Silver Dollar property consists of 28 contiguous mineral claims covering 3,344.68 hectares of land. There are 10 Minfile Occurrences located on the property consisting of (4) four showings and (2) prospects. There are (4) four past producers with limited historical production from the Beatrice (082KNW040), Silver Dollar (082KNW101), Gillman (082KNW127) and Mohawk (082KNW041) Minfile Occurrences. The author is not aware of any environmental liabilities that have potentially accumulated from any of the historical activities. There are no other known significant factors or risks that affect title or the right or ability to perform work on the Silver Dollar property.

Access to the property is currently controlled by Jazz Resources Inc who maintains a cantilevered section of road located at the Incomappleux River Canyon, located to the west of the Silver Dollar property. Access across this narrow portion of the road along the edge of the Incomappleux River is controlled by a locked gate. Access can be gained by contacting Jazz Resources Inc. In order to access claims to the north and south of the Incomappleux River, existing access trails and logging roads cross district lots DL3505, DL5942 and DL7356. As the

District Lots have surface rights, permission is required to cross the District Lots to access the logging roads and trails from the owner, Jazz Resources Inc.

2.1 Mineral Tenure

The Silver Dollar claim group consists of 28 contiguous Mineral Title Online (MTO) mineral claims covering 3,344.68 hectares of land located within the Revelstoke Mining Division. The mineral claims are currently in good standing until at least January 1, 2018 (Figure 2, Table1).

On May 11, 2016, Explorex Resources Inc (Optionee) entered into an option agreement with Happy Creek Minerals Ltd (Optionor) which was amended on November 8, 2016 and April 11, 2017 pursuant to which Explorex Resources Inc has the option to acquire an undivided 100% right, title and interest in and to the Silver Dollar property subject to a 1% net smelter return in favour of the Optionor on the terms and conditions set out in the Option Agreement as follows.



Figure 1
Location Map

Explorex Resources Inc.		
Silver Dollar Property Revelstoke Mining Division		
NTS 82K/L	Scale: 1:2,000,000	Date: Oct 26, 2017 UTM NAD83 Zone 11

Topo Source: Esri



Figure 2
Tenure Map

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:65,000	Date: Oct 26, 2017
		UTM NAD83 Zone 11

Topo Source: Esri

1. Incurring a minimum of $100,000 in Mining Work expenditures by the Due Diligence Period of July 31, 2017 (incurred).
2. Issuing 300,000 common shares in the capital stock of the Optionee to the Optionor on or before May 11, 2017 (issued).
3. Issuing an additional 300,000 common shares to the Optionor within 12 months after the Due Diligence Period; and
4. Issuing an additional 500,000 common shares to the Optionor within 18 months after the end of the Due Diligence Period.

For mineral tenure administrative purposes, Happy Creek Minerals Ltd transferred legal title to the property to Explorex during the period in which Explorex completes its obligations necessary to earn its interest in the property.

At the southern end of the Silver Dollar claim group are two contiguous patented claims ie the Beatrice (DL4586) and Folsom (DL4587) crown grants. The Beatrice crown grant covers the past producing Beatrice Mine. On August 27, 2017, the company entered into a purchase and sale agreement with arm's length vendors to acquire 100% of the Beatrice and Folsom crown grants from private owners. Pursuant to the agreement, the vendors agreed to sell and the company agreed to purchase the crown grants for a cash payment of $12,000 (payed).

The claims forming the Silver Dollar property have not been legally surveyed. Although most crown grants have reverted, several small lots or fractions may still exist within the claims and the current status of these crown grants are unknown. At the north end of the Silver Dollar claim group is the past producing Goldfinch Minfile occurrence and the Lost Cup showing. Covering these two locations are sixteen (16) active crown grants (DL 1870, DL4239, DL12479 to

DL12483, DL5653 to DL5661) which extend to the southeast and cover both the Goldfinch and Lost Cup MINFILE occurrences. The sixteen active crown grants do not form part of the Silver Dollar property. To the north of the Gillman Minfile occurrence are four active crown grants (DL3615, DL6935, DL10373, and DL9132) covering the Del Ray Minfile occurrence. These crown grants are held in estate and do not form part of the Silver Dollar claim group. At the southern end of the Silver Dollar property is the Maymie Mack (DL8291) crown grant which does not form part of the property.

The Silver Dollar property is located on Crown Land, Explorex Resources holds the under surface rights only. There are four separate District Lots with surface rights which overlap the Silver Dollar property (Figure 2). District Lot 3505 (129.5ha) is held by Jazz Resources Inc located along the Incomappleux River and overlaps portions of mineral claims 1010633 and 854581. The district lot covers Jazz Resources mill and tailings site facility as well as the old Camborne town site and the start of the south mine access trail which leads to the Beatrice Minfile Occurrence. District Lot 5942 (76.1ha) is located along the southeast side of the Incomappleux River immediately north of DL3505 and overlies mineral claim 1010633 and Forest Service Roads 3397 sections 01 and 02. The Forest Service Roads provide access to logging roads leading to the northern portions of the claim group. To the North of DL5942 is District Lot 7356 (85.6ha). District Lot 7356 overlaps the northern portion of mineral claim 1010633 and Forest Service Road 3397 Sec 01 which provides access to logging roads and the northern portions of the claim group. To the south is District Lot 6935 (2.0ha) which overlies the Golddust mineral claim 520479. District Lot 6935 is located along the east side of Mohawk Creek approximately half way between the Del Ray and Homestead Minfile Occurrences. To the best of the authors knowledge there are no other factors limiting access, title or the ability to perform appropriate work.

Mineral claims within the province of British Columbia require assessment work (such as geological mapping, geochemical or geophysical surveys, trenching or diamond drilling) be completed each year to maintain title to the claim. New regulations regarding work obligations to maintain tenure came into effect on July 1, 2012. As of that date, annual work requirements are determined as follows

- $5.00 per hectare for anniversary years 1 and 2.
- $10.00 per hectare for anniversary years 3 and 4.
- $15.00 per hectare for anniversary years 5 and 6.
- $20.00 per hectare for subsequent anniversary years

All claims in the province were set back to the year 1 requirement in 2012, regardless of the number of years which has lapsed since the claim acquisition, so that the next time a filing of assessment is made after July 1, 2012, the claim is treated as if it is year one. Thereafter the work commitment increases according to the above schedule. Work in excess of the annual requirement may be credited to future years. In lieu of assessment work, cash payments can be made to maintain title. To encourage exploration work, cash in lieu of requirements have been established at two times the requirement for assessment work.

A Notice of Work permit from the Ministry of Forests, Lands and Natural Resource Operations is required for any surface or underground exploration involving mechanized disturbance. Reclamation bonds are generally required before final permit approval is granted. A separate permit is required for timber disturbance necessary to carry out the work program. A Notice of Work permit has not been required for the programs described in this report.

Southeast of the Incommapleux River, the Silver Dollar claim group overlies Ungulate Winter Range (UWR) #U-4-014 (Central Kootenay) for the Mountain Caribou. As part of the Mountain Caribou Recovery Implementation Plan, the Ministry of Environment has implemented Government Actions Regulation orders for wildlife habitat areas, ungulate winter ranges and associated general wildlife measures. These measures are designed to reduce the impact from timber harvest and road construction on mountain caribou and their habitat, minimize predator and human access to identified mountain caribou habitat and to minimize disturbance and displacement of mountain caribou from occupied habitat. The Ministry of Energy, Mines and Petroleum Resources have developed permit conditions and operational guidance when considering Notice of Work permit applications that will provide direction and guidance to mineral tenure holders operating in identified mountain caribou habitat. General Wildlife Measures within UWR U-4-014 include:

Table 1: Mineral Claim Tenure

Tenure Number	Claim Name	Map Number	Issue Date	Good To Date	Area (ha)
404910	Gillman's Lode	82K/13E	Sept 9, 2003	Jan 01, 2019	300.0
509488		"	Mar 23, 2005	Jan 01, 2019	102.24
520413	Lead 2	"	Sept 25, 2005	Jan 01, 2018	40.89
520415	Sunshine Lardeau 2	"	Sept 25, 2005	Jan 01, 2018	61.30
520466	Pipestem	"	Sept 27, 2005	Jan 01, 2018	40.86
520479	Golddust	"	Sept 27, 2005	Jan 01, 2018	183.97
520481	Prodigy	"	Sept 27, 2005	Jan 01, 2018	122.62
521031	Grafic	"	Oct 12, 2005	Jan 01, 2018	81.76
526441	O.K.	"	Jan 26, 2006	Jan 01, 2018	40.90
526833	Rainy Day	"	Jan 31, 2006	Jan 01, 2018	81.81
526870	Jackpot	"	Feb 01, 2006	Jan 01, 2019	102.27
528107	Mountain Goat	"	Feb 12, 2006	Jan 01, 2019	61.37
528970	Silver Dollar	"	Feb 25, 2006	Jan 01, 2019	122.66
576560	Old Goat #2	"	Feb 18, 2008	Jan 01, 2018	163.67
597182	Golden Goose	"	Jan 9, 2009	Jan 01, 2018	81.64
597183	Large Tenure At 82K.082	"	Jan 9, 2009	Dec 01, 2018	510.35
854581		"	May 16, 2011	Jan 01, 2018	204.32
856057	Russky	"	Jun 01, 2011	Jan 01, 2018	81.73
926661	Edmond	"	Oct 31, 2011	Jan 01, 2019	61.35
944509	Florence	"	Jan 31, 2012	Jan 01, 2018	40.91
953717		"	Mar 01, 2012	Jan 01, 2018	61.31
973569	SD SW	"	Mar 28, 2012	Jan 01, 2019	204.54
1010633	Windflower South	"	Jul 03, 2012	Jan 01, 2018	367.57
1031144	SD Trim	"	Sept 24, 2014	Jan 01, 2019	40.90
1034898		"	Mar 22, 2015	Jan 01, 2019	20.41
1035969	Gold Cup	"	May 07, 2015	Jan 01, 2018	61.23
1040859	Finch West	"	Jan 01, 2016	Jan 01, 2019	61.24
1054259	SD	"	Aug 25, 2017	Aug 25, 2018	40.86
				Total Hectares	3344.68

a) Exploration activities occur outside of the peak calving period of May 15 to June 15.
b) Exploration activities shall use existing clearings, trails and roads unless impractical to do so.
c) New roads and trails are not built in areas closed to snowmobiles.
d) Any necessary tree harvesting avoids mature stands >80 years old and avoids removal of lichen-bearing trees.
e) An individual forest opening is not greater than 1ha.
f) The total of individual forest openings including those created for road and trail construction do not exceed 10% of the mineral cell or 10% of any defined aggregate of mineral cells up to a maximum of 25 mineral cells.
g) New trails and roads do not have a running width of >6m.
h) Actions are taken on newly constructed or reconstructed trails and roads to restrict access ie signage, berms or gates.
i) If caribou are encountered during exploration activities, avoidance actions shall be taken at all times to avoid disturbance and displacement of caribou.
j) Fixed wing and helicopters; a minimum of a 500m line of sight from caribou shall be maintained at all times.

Where either the conditions outlined above or associated Notice of Work conditions cannot be met, an exemption will be required from the Ministry of Environment prior to work proceeding.

There are no First Nations reserves, treaty lands, or treaty related lands on or in the vicinity of the Silver Dollar property. The province is legally obligated to consult and accommodate (where required) First Nations on land and resource decisions that could impact their Aboriginal interests. While the province is responsible for ensuring adequate and appropriate consultation and accommodation, it may involve the proponent in the procedural aspects of consultation. Proponents are encouraged to engage with First Nations as early as possible in the planning stages to build relationships and for information sharing purposes. The Silver Dollar property is located in the Ktunaxa First Nations traditional territory. The Kitunaxa First Nation consists of four bands residing in Southeastern British Columbia. The Yaqan Nukiythe or Lower Kootenay First Nation is located in Creston, BC. The St Mary's First Nation is located along the St Mary's River near Cranbrook with tribal offices located on the Kootenay #1 reserve. The Tobacco Plains First Nation band live near Grasmere on the east shore of lake Koocanusa below the mouth of the Elk River and the Columbia Lake Indian Band are located in Akisqnuk south of Windermere, British Columbia.

3.0 ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY

The Silver Dollar property is centered at 50°46'53"N Latitude and 117°36'32"W Longitude. The claim group covers an area of 3,344.68 hectares measuring 17.1km long X 3.12km at its widest point, trending in a Northwest – Southeast direction. The property lies within the historical Camborne gold-silver mining camp and includes many past producing mines and developed prospects of silver, gold, lead and zinc.

The property is accessible via paved road (Highway 23) from Revelstoke to Shelter Bay on Upper Arrow Lake and then by ferry to Galena Bay. An all weather road, part paved part gravel road (Highway 31) provides further access 30km to the south to the hamlet of Trout Lake. Approximately 18km west of Galena Bay is the Beaton/Camborne junction and turn off. From this junction, a gravel road makes its way east up the Incomappleux River to the historic town site of Camborne, a distance of approximately 18.5km. The Silver Dollar property crosses the Incomappleux River just east of the old Camborne town site. From this point the property may be accessed by a series of logging roads and historic mine access trails. The Goldfinch zone located to the northwest of the Incomappleux River is road accessible by four wheel drive vehicles. Access to other Minfile Occurrences in the northern portion of the claim group may be gained by ATV access only utilizing abandoned and overgrown logging trails. The central and southern portions of the claim group may be gained by ATV access only utilizing historic mine access trails east along Poole Creek past the old producing Spider Mine and then north following Mohawk Creek past the Gillman and Silver Dollar Minfile Occurrences to the past producing Beatrice Mine at the southern end of the property.

Weather patterns in the area can fluctuate over short distances and change suddenly depending on altitude, wind flow, proximity to lakes and rain shadow effects on high mountains. During spring conditions, snow pack from the higher elevations melt into cascading creeks through narrow incised creek valleys. Daytime highs average 17°C dropping to 4°C in the evenings. Access to higher elevations is restricted due to snow pack conditions. In the summer months, valley temperatures through July and August can reach average daytime highs of 25°C while the alpine areas may see temperatures to 15-20°C. In the autumn average daytime temperatures are 10-12°C with temperatures dropping down to near freezing at night. Snow can be seen at higher elevations as early as mid September. Winter months typically range from lows of -5 to -11°C to highs around the freezing mark. Precipitation falls mostly as snow reaching depths of up to 5m and covers the ground from late November to late May of the following spring.

The Silver Dollar property is located in the Duncan Range of the rugged Selkirk Mountains. Topography is rugged and elevations vary from about 2600m in the northern portions of the claim group to 1500m in the southern portion of the claim group. The lowest elevations are noted in the Incomappleux River valley at 500m above sea level.

Vegetation in the Duncan Range can be differentiated vertically into three main forest zones

k) Interior western hemlock-western red cedar forest zone.
l) Subalpine Engleman spruce-alpine fir forest zone.
m) Alpine tundra zone.

The interior western hemlock-western red cedar zone is the most extensive zone in the area. It extends from the valley bottoms to an upper limit of 1370m to 1700m, depending on precipitation, latitude, air drainage and aspect. Vegetation varies from almost pure stands of western hemlock on acid soils in well drained, cool sites to a variable mixture of western hemlock and western red cedar on warmer sites with weakly acidic soils. At the uppermost elevations of the interior western hemlock-western red cedar zone, alpine fir and Engleman spruce may be present. In this zone nearly pure stands of Engleman are restricted to wetter locations, while alpine fir often dominates the drier sites. The subalpine Engelman spruce-alpine fir forested subzone extends from the upper limit of the western hemlock-western red cedar zone to about 2400m. The alpine tundra zone is found on exposed mountain slopes generally above 2500m and may extend below 2000m in snow chutes and on sites affected by cold air draining glaciers. The Alpine-tundra zone is characterized by the absence of alpine fir, Engleman spruce, western hemlock or other trees. In many locations, exposed rock with glaciers and talus predominate.

Revelstoke is a regional centre and can readily supply many of the services and supplies required for an exploration program. The community of Trout Lake is the closest community to the property where room and board is available at the Windsor Hotel and regular gas and limited grocery supplies can be purchased.

4.0 HISTORY

4.1 Regional Exploration History

The Silver Dollar property lies within the historical Camborne gold-silver mining camp and includes several historical past producing mines and developed prospects. The property covers over 17km of the 40km long Camborne fault structure containing several past producers and developed prospects of silver, gold, lead and zinc.

The Camborne mining district dates back to the early 1900's. Most of the mineral claims were Grants or leases that are much smaller in size than today's claims and were owned by numerous individuals and private companies. The early miners worked hard to find and develop their "ore" which was in part hand-cobbled, milled on site and shipped by horse to the smelter. There were two basic types of mineralization ie gold and silver or base metal (Pb, Zn, Cu) rich with some appreciable gold-silver values. The mines were developed on veins and shoots containing the highest grade they could find. The complex historical ownership and patchwork of small claims limited a systematic approach to exploration. The prospecting tools were basic and effective for the near surface mineralized zones, and efforts were placed on mining high grade gold and silver, as smelters charged penalties for zinc. Most of the development work was performed between 1900 and the 1920's. Periods of exploration were performed during the 1950's and in the mid 1980's when several shallow drill holes were completed. For ease of discussion the Silver Dollar property has been subdivided into three distinct areas ie the Goldfinch area in the north, the Mohawk area in the central portions of the claim group and Silver Dollar-Gillman area to the south (Figures 2, 4).

4.2 Goldfinch Area

The Goldfinch area is located in the northwest portion of the Silver Dollar property, northwest of the Incomappleux River and 3.7km north-northwest of Camborne. The Goldfinch group of claims consist of mineral claims 597182, 597183, 1010633, 1034898, 1035969 and 1040859 and covers the Nelson (082KNW138) Minfile Occurrence. These claims also surround the Goldfinch (82KNW076) and the Lost Cup (82KNW195) Minfile Occurrences which are located on active Crown Grants which do not form a part of the Silver Dollar property.

The historical work completed in the northern portions of the Silver Dollar property focused primarily on the Goldfinch group of active patented claims which do not form a part of the Silver Dollar property. For completeness, the following summarizes the historical work covered by the active patented claims.

Ministry of Mines Reports 1903 to 1904, Northwest Mining Company, Limited: The company optioned the Camborne group of claims and purchased the Goldfinch claim in 1902. A hydro plant, 1460m tramline and 10-stamp mill were installed on Mehinick Creek in 1902-1903. The company became insolvent and the Gold Finch Mining Company was formed to continue with the operation. The mill operated for a short while until a forest fire destroyed the tram line. Most of the development work was completed on the Goldfinch claim. Two adits were driven on the Goldfinch ie the upper adit (1023 level) and a lower adit (1003 level). In 1903 production of 726 tonnes yielded 16.2kg of gold and 4.98kg of silver and in 1904 an additional 590 tonnes yielded 4.67kg of gold and 633gm of silver.

1980, Eaton Mining and Exploration Ltd. (AR.9137): Nearly all of the historical data was found missing or incomplete including historical drill logs, maps and documents from the underground operations. A land survey was completed to tie in underground and surface workings, drill hole collars and surface showings to the crown grants. Prospecting uncovered additional zones of quartz veining. A subsidiary of Canadian Mine Services was contracted to re-open the Lower 1023 adit for surveying, mapping and sampling. In 1980, a 309.7 short ton ore shipment of gold bearing quartz vein was shipped to the Trail smelter averaging 0.41opt Ag and 0.316opt Au resulting in 98.14 troy ounces of gold and 129.01 troy ounces of silver.

1983, Synco Development Corporation. (AR.11,267): Quartz veining exposed by logging was evaluated by bulldozer trenching and sampling. A total of 5 cat trenches were excavated exposing quartz veining from 0.16m to 0.8m wide trending from 005° to 020° with variable dips from 70° to 80° east and west. A total of 11 channel samples returned low level results up to 0.10opt Ag and <0.003opt Au over 0.6m wide in phyllite.

1984, Windflower Mining Ltd. (AR12,895): A 12.0km magnetic and VLF-EM survey was completed on a flagged grid with grid lines established at 30m intervals oriented at N58°E. The survey identified a few northerly trending conductors that may be shear zones. The magnetic data was essentially flat.

1985, Granges Exploration Ltd. (AR13,920): A flagged and blazed survey grid was established totallying approximately 17km over which 9.0km of magnetic surveys and 16.63km of VLF-EM surveys were completed. The magnetic survey identified a linear anomaly with no follow up recommendations. The VLF-EM survey identified two second order anomalies. Recommendations include a small drill program of up to six holes.

1985, Granges Exploration Ltd. (AR14,597): A seven hole NQ drill program was completed totalling 606.87m. Best results are reported in DDH Win 6 returning 6.92g/t Au, 36.1g/t Ag over 2.29m.

1986, Granges Exploration Ltd. (AR15,401): A total of 37 NQ drill holes were completed totaling 3,745.91m (WIN-8 to WIN-44). Best results report 12.16g/t Au over 5.18m.

1987, Granges Exploration Ltd. (AR16,582): A 35.77km cut and chained soil sampling grid resulted in 3,561 B horzon soil samples submitted for analysis. The survey identified numerous geochemical anomalies which led to the discovery of a new gold bearing quaetz carbonate vein along Scott Creek, 600m north of the Main Zone.A NQ drill program totallying 9,862m in 77 drill holes was completed to evaluate both the Dorothy and Main Zones. The Dorothy Zone was drill tested over a strike length of 396.24m with widths from 1.83m to 9.14m and to a depth of

91.44 vertical metres. Drilling extended the Dorothy Vein an additional 150meters to the north with minor additions to the ore reserves.

1988, Granges Exploration Ltd. (AR17,929): The company completed 1,206.0m of underground development on the Dorothy/Windflower/goldfinch Zones. The purpose of the program was to examine the ore and to verify the grade and tonnage by bulk sampling, provide a base for underground drilling, determine an appropriate mining method and to determine the amount of mining dilution. As a result, a total of 307.0m of development work was in ore. A 9,675 tonne bulk sample was collected along with 122 muck samples and 497 chip samples were submitted for analysis. A total of 53 diamond drill holes totallying 2197.0m were drilled from underground. Drifting and raising indicated that shrinkage stoping would be the optimum mining method and that conditions contributed 10% dilution. Underground exploration has revealed that several ore blocks could not be economically recovered. The final mill recoverable ore reserve was estimated to be 111,375 tonnes at a grade of 5.6gm Au (cut). The author has been unable to verify the historical reserve and the information is not necessarily indicative of the mineralization on the property that is the subject of this technical report.

1999, Cascadia International and MagAlloy Corp. of America Inc. (AR26,115): Mapping and prospecting program evaluating the magnesium rich Sable Dyke.

2009, Cayenne Gold Mines Ltd. (AR31,445): A two hole BQ size drill program totalling 121m was completed from the same setup along a drill hole azimuth of 240°, perpendicular to the northerly strike of the Dorothy zone at 343° azimuth. Drill hole W157 was collared at -45° and terminated at 62.8m. Drill hole W158 was collared at -52° dip and terminated at a final depth of 58.2m in underground workings. The drill holes encountered multiple zones of mineralization which could be traced between the two holes, best results report 48.08g/t Au and 157.46g/t Ag over a core length of 5.79m in drill hole W158.

4.3 Mohawk Area

The Mohawk area consists of 5 mineral claims (854581, 520415, 520466, 856057 and 1054259), and covers one showing (Yellowjacket 82KNW199) and one past producer (Mohawk 82KNW041) located in the central portions of the Silver Dollar property, to the southeast of the Incomappleux River (Figures 2, 4). The Mohawk area borders the western and southern margins of crown granted mineral claims held by Manson Creek Resources Ltd and the southern boundary of mineral claim 1042495 held by Jazz Resources Inc. Collectively these crown grants and mining claim cover 2 prospects, 7 showings and 7 past producers namely the Eva (82KNW066), Cholla (82KNW143), Criterion-Oyster (82KNW065), Lucky Jack (82KNW187), Meridian (82KNW064), Spider (82KNW045) and Eclipse (82KNW044). The most notable is the

past producing Spider Mine which was brought into production in 1952 and continued operations until 1958. Total production to the end of 1958 was 371kg of gold, 53,481kg of silver, 85 tonnes of copper, 10,845 tonnes of lead, 11,519 tonnes of zinc, 60 tonnes of cadmium and 4 tonnes of antimony from 128,063 tonnes of ore with a recovery grade of 0.086 oz Au/ton, 12.2 oz Ag/ton, 8.6% Pb and 9.14% Zn (Minfile 82KNW045). The author has been unable to verify the historical production and the information is not necessarily indicative of the mineralization on the property that is the subject of the technical report. The vein was developed from surface to a depth of 200m. The bulk of the historical work in the Mohawk area focused in and around the above prospects, showings and past producers.

Historical work completed on the Silver Dollar group of claims in the Mowhawk area is as follows:

1983, Westmin Resources Limited (AR11,756): Westmin completed a follow up and infill soil sampling program on soil results obtained in 1982 as well as a minor chip sampling program on several small adits. The 1983 program focused on the Moscow grid, Red Horse grid and adit and the Harvey adit. Results show that the location of the Moscow soil anomalies coincide with the on strike projection of the Eclipse vein. At the Red Horse a small grid was established over the Red Horse adit. Several anomalies were noted yet failed to outline a target of interest. A total of five panel samples measuring 1m X 2m were taken on the Red Horse vein which is 5m wide striking 165° with near vertical dips. Composite chip samples were taken from each panel with best results reporting 1.38oz/ton Ag. A selected grab from a 10cm band of massive pyrite returned 0.138oz/ton Au and 4.66oz/ton Ag. The Harvey adit is located at the junction of Poole and Harvey creeks. Here a vein 1.0-1.5m wide is exposed striking 360° with a vertical dip. The vein is mineralized with massive to coarse grained pyrite hosted by siliceous sediment and phyllite. Four samples were taken from the vein with best results reporting 0.118oz/ton Au.

1989, Ram Explorations Ltd. (AR18,836): Three AQ sized drill holes were collared SE of the Excise workings totalling 272.8m located on Hazel 1 and 2 claims. Drilling designed to test the inferred NW extension of mineralization exposed in the Excise workings. No significant results reported.

1989, Royal Crystal Resources Ltd. (AR19018): Royal Crystal Resources carried out additional geological mapping within the claim area, reviewed available exploration data and prepared a new compilation geological map. The report describes results of the 1989 field mapping and summarized all available rock sample and drill core data and analysis obtained by Westmin Resources, Triple M. Mining Corp. and Royal Crystal Resources between 1980 and 1988. A

geological plan map is the first complete compilation of Royal Crystal Resources exploration data for the Pool/Mohawk Creek area including the Eclipse and Excise-Mohawk veins.

4.4 Gillman – Silver Dollar Area

The Silver Dollar-Gillman area is located at the southern end of the Silver Dollar property and encompasses one prospect (Mountain Boy 082KNW131), three showings ie Homestead (082KNW001), Iron Dollar (082KNW136) and Rainy Day (082KNW149) and three past producers namely the Beatrice (082KNW040), Silver Dollar (082KNW101) and the Gillman (082KNW127) MINFILE Occurrences (Figures 2, 4). Historical work in the Gillman-Silver Dollar area is as follows:

Ministry of Mines Reports Early 1900's: The historic Camborne mining camp dates to the early 1990's with the discovery of gold mineralization on the historic Eva and Iron Dollar claims. The Silver Dollar mine was in production from 1898-1914, several hundred meters of underground development had been completed from two separate adit entrances, 65 metres apart vertically. A 50 ton mill was installed and limited production of gold and silver was recorded. Production ceased due to hanging wall dilution of the recovered ore.

Ministry of Mines Reports 1899-1914: Reported production from the Beatrice Mine included 588gm Au, 1832kg Ag, 182,939kg of Pb and 10,894kg of Zn from 618 tonnes of ore. The author has been unable to verify the historical production and the information is not necessarily indicative of the mineralization on the property that is the subject of the technical report.

Ministry of Mines Report 1938: A four man crew from the Silver Dollar mine stripped and exposed the Gillman vein to the north and south of the main access road over a strike length of 60m. Government geologists took 15 samples along the surface exposure of the vein, within a 4m adit at the southern end of the vein close to Mohawk creek and from an adit which had been driven under the main part of the vein at some time prior to 1938. Most samples were channel samples across the vein measuring up to 1.8m in length. Gold values varied from trace to 1.34opt Au.

Ministry of Mines Report 1947: Silver Pass Development Syndicate processed 6 tonnes of ore and recovered 9,860gms silver, 1,378kg Pb, 1,009kg Zn from the Silver Dollar Mine site.

Ministry of Mines Report 1951-1952: The Kootenay Mining Company Ltd repaired the access road and drilled a few holes to test the veins to the north of the underground workings. The company returned to the property in 1957 and drifted on the vein as an extension of the northwest drift in the lower adit. An additional 1,934 feet of drilling was also completed.

1974, Resoursex Ltd. (AR5,209): A two day property examination of the Iron Dollar and Carbonate Hill claims focusing on the historical Silver Dollar workings. A description of the surface and underground workings state that there are three surface prospect trenches and two adit openings leading to the underground workings. The portal to the Upper Adit opens into a crosscut of 92ft with drifts along the vein from its intersection for 100ft to the NW and 375ft to the southeast. The Lower Adit has a 259ft crosscut which intersected the vein and passed beyond for 180ft of its length. Drifts from the vein intersection ran northwest for 325ft and southeast for 375ft. Two raises from this level to the upper were driven. In 1957 and additional 464ft of drifting and cross-cutting was done to the northwest.

1979, Arch Mining and Milling Ltd. (AR7,207): Soil grid geochemical survey of the Beatrice Mine. Soil line spacing at 120m with samples collected at 30m intervals along 6,380m of survey line. Soils were analyzed for copper, lead and zinc. Lead results produced a narrow strong zone on the Mamie Mack claim area which widens on the Mina R and Folsom crown grants. These two zones are contained within a wider and more continuous silver anomaly. Geochem results indicate a zone lies south of the Beatrice mine leading towards it striking NW with a width in excess of 120m at its widest point.

The Beatrice and Folsom claims were originally staked in 1897 and crown granted in 1902. In 1898 approximately 200 tons of ore, argentiferous galena, grey copper and sphalerite were hand mined. The mineralized outcrop was reported to be 9 feet in width as indicated in the 1898 Minister of Mines Report. The 1900 Ministry of Mines Report states that in the upper adit there is a continuous body of ore over an average width of 18 inches. Some 70 tons of this ore was shipped to trail but much is scattered along the trail to Camborne. From 1901 to 1907 the property was operated by Beatrice Mines Limited and it is reported that 225 tons of ore had been shipped since operations commenced. It was found that the fine grained association of galena and sphalerite made a poor concentrate as the smelters extracted a heavy penalty for the zinc content. In 1914 government geologist Newton Emmons found that there are two veins on the Beatrice, one from 2-5 feet carrying fine grained galena, zinc blende, pyrite and grey copper assaying 0.25opt Au, 120.72opt Ag, 17.42% Pb and variable zinc from 10% to 23%. In 1918 New Era Mines did some additional work, however the high zinc content made marketing difficult and discouraged further work. In 1954, private company Beatrice Mines Ltd rehabilitated the mine and access road with little additional work. In 1964 the property was optioned by Dakota Silver Mines Ltd (N.P.L.). Limited work was completed. The Beatrice property lay dormant until 1974.

1980, Prospecting Report. (AR7,924): The purpose of the field program was to locate the extension of the Beatrice vein onto the Goat 1-8 claims and Double 1 to 8 claims. Four test pits and 1 bulldozer trench was completed. No extension to the Beatrice Mine was uncovered.

1980, C. Graff; Prospecting, Soil Geochemical, Geological Mapping. (AR8,491): Work completed to define zones of gold enrichment extending southward from the Sunshine-Lardeau gold mine. Claims located along the upper portions of the east fork of Mohawk Creek and extend northward to the junction of Mohawk and Pool creeks. A total of 43 soil samples collected, mapping completed at 1:10,000 scale. Prospecting located several quartz veins and rusty zones. Soil sampling show weakly anomalous gold values on Hawk 3 above the road as well as along the west side of Hawk 1claim further south.

1980, Westmin Resources Ltd. (AR9,146): Grid controlled soil sampling program on two grids. The Mohawk grid is located immediately southwest and west of the Beatrice crown grant and the Fissure grid is located to the south off the property close to the True Fissure Minfile Occurrence. A total 910 B horizon soil samples collected, 310 soil samples from the Beatrice Mine area on the Mohawk grid. A total of six anomalous zones identified, many of which are elongated down slope and appear due to hydromorphic accumulation of metal. Anomaly 10 is a bedrock source with elevated Cu to 96ppm, Pb 184ppm and silver 3.6ppm. Conclusion state that many of the Mohawk anomalies may be transported or are hydromorphic accumulations.

1983, B & B Mining Ltd. (AR11,532): Program of bulldozer trenching and geological mapping of the Gillman claims. Trenching extended the vein to the north over a strike length of 170m. Samples taken confirm the presence of ore grade gold values of 1.63opt Au and 1.84opt Au. A grab sample from a 2m deep shaft returned 3.5opt Au, 6.1opt Ag. In 1933 a 16 ton Ore shipment returned 2.04opt Au, 2.6opt Ag, 2.98% Pb and 3.1% Zn.

1983, Fleck Resources. (AR12,016): Grid established over which surface mapping, sampling and soil geochem completed over the Carbonate Hill and Iron Dollar Claims. The upper adit on the Iron Dollar claim was dewatered, mapped and sampled. Assay results from Trenches 1 and 2 were better than expected returning values up to 0.166opt Au, 37.9opt Ag, 28.8%Zn, 16.1% Pb and 0.94% Cu. The Silver Dollar vein was traced on surface over a distance of 130m and was lost in overburden to the south. Soil geochemical results on steep slopes note there is a high degree of solifluxtion which mixes the A, B and C soil horizons. Due to the high mobility there is little correlation between mineralized showings and anomalous results in soils.

1984, Minerex Resources Ltd. (AR13,202): Soil geochemical survey and the re-opening of an old adit on the Del Ray Fraction claim. Historically the Del Ray group hosted a 6 foot wide quartz vein at 6000ft elevation trending to the NW with a steep NE dip. In 1905 to 1915 an

open cut at 5,900ft elevation was sampled over a 20ft width returning 0.14opt Au, 2.3opt Ag and described as a banded structure containing little pyrite. An adit was driven 100ft vertically below the intersected vein. No assays were available and the adit has since collapsed. A soil geochemical survey was completed over north-south grid lines established 100m apart with sample stations at 50m intervals. A total of 128 soils were collected and analyzed for silver. Background was established at 1.2ppm Ag with anomalous values >1.8ppm Ag. No obvious trends noted. The old Del Ray workings were re-opened and sampled. No significant results were obtained. The soil geochemical survey failed to identify any anomalies or trends.

1986, Bryndon Ventures Inc. (AR15,946): A soil geochemical grid established at the Gillman property with 100m spaced survey lines and 25m sample intervals. Geology mapped at 1:2500 scale, showings were sampled. Five samples from the Gillman showing had specks of visible gold. A VLF-EM survey was completed over the grid, results were issued in a separate report. Six short drill holes totalling 315.8m were drilled on the Gillman vein. Best results returned 1.073opt Au over 0.5m in DDH86-1 and 1.108opt Au over 0.7m in DDH86-2 and 0.525opt Au over 1.0m in DDH86-6. The drill program covered a 60m strike length along the Gillman trend which remains open to depth and to the south. The geochemical survey outlined the Silver Dollar vein indicating a strike length in excess of 500m. Geochemical anomalies C,G and H represent the Gillman vein and could be drilled with a series of 5 drill holes at 100m each to test the vein at depth.

1997, LMX Resources Ltd. (AR25,031): Prospecting report covering the Mohawk 1 and 6 claims. Evaluated the main showings at the Silver Dollar, Mountain Boy and Gillman showings. No significant results due to poor exposure and snow cover. Good historical perspective and property geology.

2006, Manson Creek Resources Ltd. (AR29,005): Prospecting program evaluating the Gillman-Silver Dollar-Iron Dollar area. A total of 27 chip and grab samples were collected with reported gold values in excess of 2.0g/t Au and 16 samples reported values in excess of 10.0g/t Ag. Some samples collected from the Wheel Barrow adit located in the Mohawk area.

2008, Manson Creek Resources Ltd. (AR30,609): Prospecting and sampling report on the Old Goat mineral claim to obtain a better understanding of the geological setting and to assess the exploration potential. Two traverses completed across the property which discovered new gossan zones related to the Camborne Fault. A total of 11 rock, soil and stream sediment samples were collected and submitted for analysis. Elevated base metals were obtained with gold to 20ppb and silver to 1.7ppm. More work recommended

2008, Manson Creek Resources Ltd. (AR30,629): Geological prospecting on the Gillman claim group. A total of 8 rock and one soil sample collected. A new gossan zone measuring 20m X 30m was discovered along a creek hosting a single boulder of quartz vein material with 5.5gmt Ag, 7454ppm Cu, 2886ppm Pb and 1.32% Zn. Source of quartz vein boulder undetermined. A soil sample from the kill zone returned 894ppm Zn, >1000ppm Mn, 585ppm Ba, 4222ppm cobalt and 136ppm strontium.

2009, Manson Creek Resources Ltd. (AR31,264): Prospecting on the Prodigy claim. Only limited outcrop was located and three grab samples collected reporting background values. Detailed prospecting and soil sampling recommended.

2012, Happy Creek Minerals Ltd. (AR33,523 A-H): Geological and airborne geophysical surveys. In 2012, a Lidar topographic survey and a Heli-GT three axis magnetic gradient and spectrometer survey were completed totalling 345.5 line kilometers of survey. Geological evaluations of the Gillman and Wheelbarrow areas were completed. A total of 38 rock samples were collected and submitted for analysis. Results show 12 rock samples returned silver values in excess of 200g/t Ag and four returned gold values in excess of 35g/t Au. A Silver Dollar chip sample returned 16.8% Zn, 3.92% Pb, 1.67g/t Au and 241g/t Ag and 1g/t Indium and 842g/t Cadmium. The airborne magnetic survey outlines important under-lying geological structures and features. Magnetics illustrate a major NW trending structure ie the Camborne Fault where several historical mines and prospects occur proximal to the structure. Other lineaments may reflect other fault structures for follow up. The airborne survey also shows elevated potassium occurs along the Camborne Fault in proximity to the Gillman, Silver Dollar and Beatrice Minfile Occurrences.

2014, Happy Creek Minerals Ltd. (AR35,310): Geological prospecting and sampling at both the Windflower and Silver Dollar areas. A total of 55 rock samples collected. Four rock samples returned positive Ag values including 6.17ppm Ag and 49ppm Ag from the Goldfinch and Gillman prospects, three samples returned Cu values >50ppm Cu to 4480ppm Cu and six samples returned zinc values >100ppm Zn to 17.7% Zn. Rock samples from the Gillman prospect returned values of 0.13% Pb and 8.29g/t Au.

5.0 GEOLOGICAL SETTING

5.1 Regional Geology

The Beaton-Camborne mining camp is located within the Kootenay Arc which lies between the Windermere-Purcell anticlinorium on the east and the Monashee and Shuswap metamorphic complexes to the west and northwest (Reesor, 1973).

The Kootenay Arc is a 400km long curving belt of early Paleozoic to Mesozoic sedimentary, volcanic and metamorphic rocks. The belt trends northeast across Washington State into British Columbia and then north along Kootenay Lake and northwest to Arrow Lake and Revelstoke.

Along Kootenay Lake the arc succession comprises the Hamil, Badshot, Lardeau, Milford, Kaslo, Slocan and Rossland Groups. The Hamil, Badshot and Lardeau constitute the early Paleozoic pericratonic Kootenay terrane, the Milford and Kaslo groups belong to the accreted late Paleozoic Slide Mountain terrane. The Hamil is mostly quartzite; the Lardeau comprises a lower calcareous section overlain by phyllitic schists, quartzites and greenstone formations. The Milford and Kaslo groups are metamorphosed oceanic assemblages that include phyllites, calc-silicates, chert beds, basic volcanic rocks and serpentinites (Fyles, 1967).

The Kaslo and Rossland volcanics and Slocan argillites, slates and limestones are important units in this terrane and contain significant silver-lead-zinc deposits typical of the Lardeau and Slocan mining districts.

Many batholiths and small stocks interrupt the continuity of the older deformed stratigraphic succession throughout the arc. The Kuskanax and Nelson Batholiths are the largest intrusions. They are predominately granite to granodiorite in composition although diorite, monzonite and syenite are locally important phases. The age of these rocks are generally considered to be middle or late Jurassic in age (Armstrong, 1988).

The Lardeau Group in the Fergusson area consists of six conformable Lower Paleozoic units named the Index, Triune, Ajax, Sharon Creek, Jowett and Broadview Formations. This succession was believed to be an upright stratigraphic sequence with the Index Formation at the base and the Broadview Formation at the top (Figure 3).

The Index Formation is the most extensive unit in the Lardeau Group. The Index Formation consists of a thick sequence of grey, green and black phyllite, limestone and thick calcareous phyllite, tuff, tuffaceous greywacke, pillow basalt and rare quartzite and sandstone. In the vicinity of McDougal Creek and the Incomappleux River, the formation consists of crystalline limestone and interbanded slates and phyllites. The index Formation is overlain by a conformable assemblage of black siliceous argillite, grey quartzite and black siliceous argillite known as the Triune, Ajax and Sharon Creek Formations. The Jowett Formation consists of volcanic breccias and pillow lavas altered locally to chlorite schists. The predominate lithology of the Broadview Formation is grey green, gritty quartz wacke or subarkosic wacke with grey to black or green slate or phyllitic interbeds.



Figure 3
Regional Geology

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:250,000	Date: Oct 27, 2017
		UTM NAD83 Zone 11

Topo Source: Esri

5.2 Property Geology

The Silver Dollar property is located at the northern end of the Kootenay Arc. The area is part of the Selkirk Allocthon, a large east directed thrust sheet between the Upper Arrow Lake and the Rocky Mountain Trench. The Selkirk Allocthon contains rocks of ancient North American affinity in its east part and rocks of the suspect Kootenay Terrane of the old Kootenay Arc in its west part. The Mehinick Creek area in the northern portion of the property is underlain by rocks of the Lardeau Group which are the oldest stratigraphic unit of the Kootenay Terrane.

The Lardeau group ranges in age from Lower Cambrian to Upper Devonian or Lower Mississippian. It is subdivided into three main formations. The Index Formation is a black slate at the base overlain by the Jowett Formation consisting largely of chloritic greenstone, metatuff and other pyroclastic rocks. These are overlain by the Broadview Formation which consists of a fine grained clastic unit composed mainly of phyllite and grit with minor dolomitic horizons (Figure 4).

The Incomappleux River cuts through several NW trending upright folds that appear to result from a NE-SW compression by the mid Jurassic aged Galena Bay and Kuskanax Plutons to the SW and the Battle Range Batholith to the NE.

The stratigraphy in the northern parts of the Silver Dollar Property, local to the Goldfinch Minfile Occurrence, can be grouped into two main units ie a series of silver to grey to dark grey gritty phyllite with local carbonaceous seams and layers of carbonate-sericite rock and a second unit of a medium grained green, non bedded to streaky phyllitic greenstone with dark green clasts and local pyroclastic silicic pebbles.

The major deformation events appear to have been during the mid-Jurassic. The mineralized zones appear to have accompanied the last phase of folding. The main zone at the Goldfinch occurrence appears to be associated with an axial plane shear. The zones are in the shape of elongated, flattened pods or lenses, and terminate with abrupt pinch outs. The veins consist of quartz, quartz carbonate +/- fuchsite with minor disseminated siderite pods and contain 5% to 30% pyrite with minor chalcopyrite, galena and sphalerite. Gold and silver mineralization is generally associated with sulphide enrichment. Visible gold has been noted.

The central Mohawk area and the southern Silver Dollar – Gillman portion of the Silver Dollar property are situated within the Lower Paleozoic rocks of the Kootenay Arc and are primarily underlain by northwest-southeast trending metasedimentary rocks of the Lardeau Group, Broadview Formation. The Broadview Formation consists of black slates, carbonaceous schists,



Figure 4
Local Geology

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:50,000	Date: Oct 27, 2017
		UTM NAD83 Zone 11

Topo Source: Esri

grey and reddish-brown weathering grits and quartzites and greenish grey talcose schist. Locally metavolcanic rocks of the Jowett Formation occur near the north end of the property. The metasedimentary stratigraphy typically displays a northwest-southeasterly strike of 140° with dips from 50° to 80° to the northeast. The stratigraphy has been folded such that dip angles show considerable variation.

The Silver Dollar property covers a broad shear zone known as the Camborne fault which trends between 140° and 160° azimuth with dips of 50° to the NE. The various quartz veins exposed on the property are developed parallel to sub-parallel to the fault as does the foliation. The quartz veins developed proximal to the Camborne fault have been locally exposed over widths varying from 0.5m to 3.0m and are locally boudinaged. Quartz veins are also noted some distance from the main fault as well. Quartz veining is often associated with graphite-chlorite schist partings and locally host significant concentrations of precious and base metals.

6.0 Mineralization

Mineralization on the Silver Dollar property is related to the Camborne fault/shear zone, which is host to quartz veins, a number of which contain significant concentrations of base and precious metals. Quartz veins are variable and occur from several centimeters to several meters in width. The quartz veins developed as discreet veins and en-echelon sets are commonly associated with graphite-chlorite schist or contain fine laminae of these sheared minerals. Quartz veins occur as open-space filling in zones of intense fracturing and wall rock alteration. Base and precious metal mineralization occur in both the quartz veins and /or along the vein selvage. Locally massive sulphide zones appear to have replacement character where abundant carbonate occurs. Sulphide minerals include pyrite, sphalerite, chalcopyrite and fine to coarse grained galena. Argentiferous tetrahedrite and arsenopyrite are noted locally as is native silver. Gold is present in small quantities and is rarely seen as native gold or electrum.

There are 10 BC Minfile Occurrences located within the Silver Dollar property. These occurrences include two prospects, four past producers and four showings, the locations of which are illustrated in Figure 4. A summary of the Minfile occurrences are outlined in Table 2.

Table 2: MINFILE Occurrences

Minfile Name	Minfile Number	Status	Mineralization	Details
Nelson	082KNW 138	Prospect	Pyritic quartz vein in carbonaceous Phyllite	A short adit on a quartz vein trending 120°, dipping 50° South
Yellowjacket	082KNW 199	Showing	Quartz Vein hosted Chalcopyrite, Galena	Quartz Vein located on edge of Camborne townsite contains disseminated galena and chalcopyrite
Mohawk	082KNW 041	Past Producer	Quartz vein hosted Silver, Galena, Sphalerite	Mohawk vein 1.2m wide strikes 155° dipping 72°E. Samples assayed up to 1,738gmt Ag, 3.4gmt Au, 65.3% lead. Production 8 tonnes recovering 13,499gm Ag, 1,699kg Zn and 1,358kg Pb.
Homestead	082KNW 001	Showing	Quartz vein hosted Pyrite, Galena	Series of well defined quartz veins from 1 to 2.4m wide striking NNW contain minor galena and pyrite. Best results report 284gmt Ag, 17gmt Au
Mountain Boy	082KNW 131	Prospect	Quartz vein hosted Silver, Galena	27m tunnel completed in 1899. Quartz vein hosted argentiferous galena
Gillman	082KNW 127	Past Producer	Quartz Vein hosted Gold, Silver, Lead, Zinc	NW striking, east dipping quartz vein to 2m wide. In 1933 a tonne of ore returned 62gm Ag, 62gm Au, 22kg Pb and 23kg of Zn.
Silver Dollar	082KNW 101	Past producer	Quartz vein hosted Galena, Tetrahedrite, Arsenopyrite, Pyrite, Pyrrhotite, Sphalerite.	In 1947, 6 tonnes of ore recovered 9,860gm Ag, 1,378kg Pb, 1,009kg Zn. A 1984 drill hole returned 2.1m grading 229g/t Ag, 1.0g/t Au, 10.95% Zn, 4.04% Pb, 0.29% Cu.
Iron Dollar	082KNW 136	Showing	Quartz Vein hosted Lead, Gold, Silver and Copper	A 3.6m wide NW trending, east dipping qtz vein contains galena, pyrite and chalcopyrite

Beatrice	082KNW 040	Past Producer	Quartz vein hosted silver, lead, zinc, gold	Ore occurs in irregular veins in shear zones and cross cutting faults. Veins range from a few cm to a few metres wide. From 1899 to 1917 and 1984, 618 tonnes of ore was shipped from the property yielding 558gm Au, 1,832kg Ag, 182,930kg Pb and 10,894kg Zn
Rainy Day	082KNW 149	Showing	Vein hosted chalcopyrite, pyrite	A large iron capping contains small quantities of chalcopyrite.

Brief descriptions of the five Past Producing MINFILE Occurences located on the Silver Dollar property are as follows.

BEATRICE: The Beatrice Past Producer (MINFILE Number **082KNW040**) is located at the south end of the Silver Dollar claim group at the headwaters of the east fork of Mohawk Creek. The Beatrice mine is located above tree line at 2,103m. The Beatrice and adjoining Folsom claim were staked in 1897 and crown granted in 1902. The property was worked continuously from 1898 to 1906 and intermittently with minor production to 1964. During the original discovery, a 10 meter shaft was sunk on ore, which was further developed by a 60m adit known as the No.1 level. The No.2 level was driven to a vertical depth of 46m below the No.1 level. Underground workings by 1920 included several hundred meters of drifting, crosscuts and raises on three levels. In 1921 a two bucket tramway was installed to connect the No.2 level with ore bins on the main trail.

Black slates, carbonaceous schists, grey and reddish-brown weathering grits and quartzites and greenish grey talcose schists underlie the property with an average strike of 140° dipping 65° to the northeast.

Mineralization is associated with irregular veins in shear zones, on bedding plane slips and crosscutting faults. Veins vary from a few centimeters to a few meters wide hosting sphalerite, galena, tetrahedrite and pyrite in a gangue of quartz. Replacement is considered to be an important factor in the formation of the ore. The mine workings were developed on two principal veins ie the Beatrice and Main veins. The Beatrice vein strikes at 050°, dipping 65° to the southeast across the axis of the controlling synclinal structure. The main vein is found only on the lower levels of the mine and strikes 140° dipping 65° to the northeast. The No.1 adit was crosscut to the Beatrice vein where considerable stoping was done. Above the level the vein was mined for a vertical distance of about 18 meters and 20 meters horizontally. Mineralization consists of a solid band of pinching and swelling massive sulphides up to 50cm wide. In the hanging wall, disseminated sulphides are hosted by a two meter wide siliceous zone. Sampling at the face of the No.1 level across 0.6m returned 0.3g/t Au, 450g/t Ag, 5.2% Pb and 7.8% Zn. The Main vein on the No.2 level consists of solid sulphide bands and disseminations up to three meters wide in a graphitic shear. The third vein referred to as the Gold Lode vein has been traced for a few hundred meters in open cuts below the main road. The vein is 1.2m to 1.8m wide and strikes 155° with steep dips to the northeast. Assay results returned 5.1g/t Au and 32.5g/t Ag. Between 1899 and 1917, 618 tonnes of hand sorted ore was shipped from the property yielding 558gm Au, 1,832kg Ag, 182,930kg Pb and 10,894kg Zn (Minfile 082KNW040).

SILVER DOLLAR: The Silver Dollar past producer (MINFILE Number **082KNW101**) is located on the north side of the East fork of Mohawk Creek, at an elevation of 1860m to 2130m elevation.

The Silver Dollar vein was accessed by two connected adits developed 15 meters apart vertically. In 1947 Silver Pass Development syndicate processed 6 tonnes of ore and recovered 9,860gm Ag, 1,378kg Pb and 1,009kg Zn. Between 1952 and 1957 Monteray Mining Company Limited completed a 590 meter exploration diamond drill program and carried out 197m of underground development work. In 1984 Fleck Resources Ltd carried out a diamond drilling and sampling program on the property. The most significant drill intersection included 2.10 meters grading 229g/t Ag, 1.0g/t Au, 10.95% Zn, 4.04% Pb and 0.29% Cu. In 1986, a drill hole intersected 0.7m grading 38.0g/t Au. The historical drilling is relatively shallow in depth and selectively sampled with positive grade intervals open in width, mineralized zones remain open to depth. The drilling also intersected mineralized zones that do not outcrop on surface which indicates that blind or hidden mineralized zones also occur (MINFILE 082KNW101).

GILLMAN: The Gillman past producer (MINFILE Number **082KNW127**) is located on the north side of the east fork of Mohawk Creek at an elevation of 1800 meters.

The area is underlain by metasedimentary rocks of the Lower Paleozoic Lardeau Group, which includes medium grey to greenish quartzites, greywackes, carbonaceous phyllites and quartz sericite schist.

The first mention of the Gillman showing is in the BC Minister of Mines Annual Reports for the years 1901 and 1903. In the 1914 Annual Report it states that exploration completed to date on the property was restricted to a few shallow surface cuts, a prospect shaft 2m deep and a short cross cut close to the Mohawk creek level. In the 1915 Annual Report a well defined quartz vein is described with a width just under 2.0 meters hosting galena, pyrite and sphalerite striking 345°, dipping 35° to the northeast. A grab sample taken from the prospect shaft returned 3.9opt Au and 6.1opt Ag. In 1933 a hand cobbed shipment of undisclosed tonnage locally reported from 1 to 16 tons shipped to Trail, BC assayed 2.04opt Au, 2.6opt Ag, 2.9% Pb and 3.1% Zn. In 1938 a crew of four men from the Silver Dollar property stripped the Gillman vein north and south of the access road over a strike length of 60 meters. BCDM geologists at the time took over 15 samples along the surface exposure of the vein, within the 4 meter adit at the south end of the vein close to Mohawk Creek and within an adit which has been driven under the main part of the vein at some stage before 1938. Most of the samples taken were channel samples across the vein up to 1.8 meters in length. Gold values varied from trace to 1.34opt Au. In 1981 the main access trail was repaired and some excavation work on the vein completed. A percussion drill hole oriented down the vein averaged 0.4opt Au. In 1986,

Bryndon Ventures completed a comprehensive exploration program at the Gillman occurrence including geological mapping with location of historical drill holes, geochemical sampling, a VLF-EM survey and six BQ drill holes. Best results from drilling are reported in drill hole 86-2 returning 1.1opt Au and 2.63opt Ag over 0.7 meters. A property examination in 1994 state that a stockpile of approximately 1500 tonnes of vein material blasted from a open cut on the vein sits down slope of the main access road, some of which averaged 0.223opt Au (MINFILE 082KNW127).

MOWHAWK: The Mohawk Past Producer (MINFILE Number **082KNW041**) is located 4 kilometers southeast of Camborne and east of Mohawk and Pool Creeks at an elevation of 944m. The Mohawk–Excise vein system consists of several short adits and test pits driven along a complex, north-northeast trending zone of faulting and fracturing.

The area is underlain by metasedimentary rocks of the Lower Paleozoic Lardeau Group, Broadview Formation and includes grey to greenish quartzites, greywackes, carbonaceous phyllites and quartz sericite schist. Two veins ie the Mohawk and Fresno veins cut metasediments and contain galena, sphalerite and pyrite. The Mohawk vein is up to 1.2m wide, strikes 155° and dips 72° to the east. Energy Mines and Petroleum Resources Annual Report for 1914 states samples of the Mohawk vein returned values up to 1,738g/t Ag, 3.4g/t Au and 65.3% Pb. The Fresno vein strikes 160° dipping 80° to the east. Samples returned trace in gold and silver.

In 1963, Dakota Silver Mines Ltd recovered 13.5kg Ag, 1,358kg Pb and 1,699kg of zinc from 8 tonnes of crude ore. In 1980/1981 Westmin Resources cleaned out and re-sampled the oxidized Mohawk showing. The results from the sampling program indicated significant though erratic mineralization at several localities along a strike length of some 200 meters. Sample results from the program report 0.088opt Au, 10.42opt Ag, 11.8% Pb and 3.65% Zn/0.5m with grab samples reporting to 0.332opt Au, 6.57opt Ag, 7.84% Pb and 6.62% Zn. Between 1985 and 1987, Triple M sampled the Eclipse mine workings, upgraded the road access, completed detailed VLF-EM and magnetometer surveys and completed four diamond drill holes for a total of 608m on the Eclipse vein. From 1986 to 1988 Royal Crystal Resources Ltd optioned the Marlow claims, constructed log bridges to cross Pool and Mohawk Creeks and drilled 14 drill holes for a total of 1,167.6m to test the Excise-Mohawk vein systems.

Mineralization in the Mohawk area has been noted to occur in several ways. Mineralization is associated with propylitized or silicified rock in the hangingwall and less commonly in the footwall of the bedding plane faults. Galena and sphalerite occur in quartz-siderite stringers and lenses which form an anastomizing stockwork within the propylitic alteration zone. Along

the Mohawk-Excise vein system, the majority of the fractures are orientated north to north-east with steep easterly dips. In the Mohawk area this mineralization was intersected at a depth of 19m in DDH M87-02 reporting 1.78g/t Au, 13.03g/t Ag, 0.29% Pb and 1.65% Zn over 0.7m. Mineralization also occurs within the footwall of the bedding plane faults. Galena, sphalerite, pyrite and chalcopyrite is localized within thin concordant bands in contorted phyllite and argillites and also along jointing and fracture planes within the host rock. This type of mineralization is characterized by the absence of quartz-siderite as the gangue. This style of mineralization was intersected at a depth of 75m in DDH M86-1 returning 0.48g/t Au, 48.69g/t Ag, 1.18% Pb and 2.0% Zn/1.0m. Mineralization is also reported in north-northeast trending quartz veins and stockwork zones that transect all structures (MINFILE 082KNW041).

7.0 2017 SOIL GEOCHEMICAL SURVEY AND PROSPECTING PROGRAM

From September 29 to October 6, 2017, a four man field crew from Coast Mountain Geological Ltd collected 377 B horizon soil samples and 15 rock samples on behalf of Explorex Resources Inc. The soil grid was established with the aid of hand held GPS and compass. Grid lines were oriented at 50°/230° azimuth with a line spacing of 100m. Stations were established along the survey lines at 50m intervals and marked with winter grade orange flagging tape. The 2017 soil grid was designed to evaluate the potential for extending lead, zinc, silver mineralization from the Silver Dollar Minfile Occurrence through the Beatrice Minfile Occurrence and beyond to the Rainy Day Minfile Occurrence, a distance of approximately 2.3 kilometers. The 2017 soil grid on the Silver Dollar property covers approximately 207ha of land (Figures 5-9).

Field crew members walked each survey grid line and noted any outcrop or historical workings encountered recording rock types and alteration, structural features and the presence of sulphides. The spot locations of outcrop exposures and historical workings were identified using a hand held Garmin GPS60 or GPS62. Outcrop exposure on the property is variable to < 25%.

7.1 Geochemical Surveys

A total of 377 B horizon soil samples were collected from the Beatrice soil grid along with 15 rock samples from the prospecting program. Soil samples were collected along compass and GPS survey lines oriented at 50° azimuth, samples were collected at 50 meter intervals. A total of 19.05km of soil geochemical surveying was completed over the Beatrice soil grid (Figures 5 to 10). At each of the soil sample sites, a hole was dug with a Geo Tool to depths varying from 5cm to 25cm to collect a B Horizon soil sample. The sample site is marked by flagging tape and inscribed with the line and station number for future reference. A standard Kraft soil sample bag was used for sample collection. The soil was placed in the Kraft sample bag, folded closed and secured by flagging tape. The station and line number was recorded on the outside of the

bag along with a unique sample tag number with an indelible magic marker. Notes were taken at each soil sample site recording the samples line and station number, unique sample tag number, its GPS location, depth of sample, soil color, % silt and clay and the soil horizon sampled. General notes document slope direction, topography and any features which may influence the sample results ie proximity to muck piles and trenches etc. A number of sample sites were omitted from the survey due to down slope contamination from mine waste and tailing dumps. Along the west side of the grid, sharp and steep sided slopes prevented the collection of soils further to the southwest in the central and southwest part of the grid. The soil samples were allowed to air dry and then securely packed for transport back to Vancouver under the supervision of Rick Kemp P.Geo.; independent Qualified Person for the Silver Dollar project.

The 2017 Beatrice soil grid covers ground extending from the Silver Dollar occurrence through the Beatrice Occurrence and southward beyond the Rainy Day Occurrence, a distance of approximately 2.3 kilometers. The soil grid was designed to extend across two flanking fault structures located along the southwest and northeast sides of the grid. The northeast fault is interpreted to be the controlling structure for mineralization encountered at the Gillman, Silver Dollar and Beatrice occurrences while little is known about the fault structure on the southwest side of the grid.

The results of the 2017 soil sampling program (Figures 5 to 9) show good correlation between Lead, Zinc, Silver and Antimony. The main soil anomaly extends from the Beatrice workings to the southeast beyond the Rainy Day Occurrence. The anomaly measures over 1.4 kilometers long and is from 50m to 350m wide. The anomaly is open to extension to the southeast. To the northwest the anomaly is less coherent with scattered clusters of anomalous results suggesting a possible extension to the northwest of the Beatrice Mine site.

To the northeast of the main anomalous trend there appears to be a second parallel anomaly with anomalous coincident results in Cu, Pb, Zn and Sb. This anomaly is centered at the northeastern end of lines 12 to line 17 and may extend to line 20 as indicated in the Cu soil plot. This coincident anomaly suggests a parallel trend to the main anomalous zone and appears to extend along the northeast side of the grid from the Beatrice Mine to the Silver Dollar occurrence. This anomaly is locally open to extension up slope to the northeast. Along the southwest side of the grid there are single and multi line clusters of anomalous results with good correlation between Cu and Sb. The linear nature of these scattered results perhaps suggests the close proximity to the bounding fault trace along the southwest side of the soil geochemical grid.

Table 3 – Soil Geochemical Statistics

Element	Minimum Value (ppm)	Maximum Value (ppm)	Anomalous (ppm)	Moderately Anomalous (ppm)	Strongly Anomalous (ppm)
Ag	0.05	30.24	0.51-0.76	0.77-1.73	>1.73
Cu	4.0	234.5	50.0-58.6	58.7-78.7	>78.7
Pb	2.7	858.0	48.1-63.3	63.4-113.8	>113.8
Zn	7.0	536.0	85.9-106.2	106.3-160.0	>160.0
Sb	0.13	46.43	1.54-2.07	2.08-4.49	>4.49

Table 4 – Significant Rock Sample Results

Sample Number	Sample Type	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Sb ppm	Au ppm
1752201	1.5m Chip	82.2	0.12%	149	184.0 g/t	281.74	0.17
1752202	0.4m Chip	88.5	0.25%	1735	31.46 g/t	58.8	0.20
1752203	0.5m Chip	69.5	0.29%	513	57.76 g/t	66.14	0.42
1752204	Composite Grab*	382.6	0.24%	3.53%	152.0 g/t	255.41	1.45
1752205	Grab*	12.8	33.0	320	1.58	2.52	0.002
1752206	Grab*	5.9	7.3	87	0.37	0.52	<0.0005
1752207	Grab*	39.7	11.5	61	0.16	0.25	<0.0005
1752208	Grab*	841	1.85%	32.90%	151.0 g/t	294.19	0.33
1752209	Grab*	347.1	831.9	23.33%	50.29 g/t	102.08	0.27
1752210	Composite Grab*	29.3	20.1	951	0.34	0.76	<0.0005
1752211	Composite Grab*	28.2	13.2	148	0.11	0.39	<0.0005
1752212	Grab*	0.53%	13.44%	16.41%	1,378.0 g/t	3,366.77	0.07
1752213	Grab*	78.8	986.4	5.31	19.08 g/t	24.43	0.05
1752214	Grab*	0.60%	17.72%	18.91%	1,991 g/t	4,003.44	0.02
1752215	Grab*	573.5	0.30%	15.06%	145 g/t	280.72	0.21

*Grab and composite grab samples by nature are selective and therefore may not be representative of the mineralization being evaluated.

Table 5 – Rock Sample Descriptions

Sample Number	UTM Coordinates			Comments
	Easting (m)	Northing (m)	Elevation (m)	
1752201	460740	5620605	2157	Qtz vn (042°-70°) and alt'd wallrock 0.5% Py

1752202	460740	5620605	2157	Qtz vn with 5%Py
1752203	460740	5620605	2157	Qtz vn with boxwork, 6% Py, <1% dissem galena.
1752204	460740	5620605	2157	Boxwork Structure with 15% to semi massive Py.
1752205	460180	5621381		Old trench with 20cm qtz vn at 135°, rusty wallrock
1752206	460364	5621184	1924	Old trench, quartz vn with 3% f.g. dissem py
1752207	460368	5621179		Old trench with cm scale qtz vn with semi massive Py
1752208	460699	5620589	2141	Upper adit sample, semi massive Pb, Zn with quartz
1752209	460699	5620589	2141	Upper Adit, semi massive Zn, 2% Pb, 8% Py
1752210	460320	5620821	2118	Three 5-10cm quartz veins in old trench. No sulphide.
1752211	461120	5620571	2188	Gossanous phyllite and qtz vein float. Tr Py
1752212	460710	5620737	2100	Middle Adit. Massive fine grained Pb and Py
1752213	460685	5620839	2042	Lower adit, Massive Py, 3-8% Pb,
1752214	460699	5620589	2141	Upper adit massive f.g. Pb, Py +/- Zn.
1752215	460699	5620589	2141	Upper Adit Quartz Breccia semi massive Py, Pb, Zn

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

MOUNTAIN BOY
082KNW131

GILLMAN
082KNW127

SILVER DOLLAR
082KNW101

IRON DOLLAR
082KNW136

BEATRICE
082KNW040

RAINY DAY
082KNW149

1752205
1752206 - 07
1752210
1752213
Beatrice
Lower Adit
1752212
Beatrice
Middle Adit
1752201 - 04
1752208 - 09;Beatrice
1752214 - 15Upper Adit
1752211

L1 L2 L3 L4 L5 L7 L8 L9 L10 L11 L12 L13 L14 L15 L16 L17 L18 L19 L20 L21 L22 L23 L24 L25

Proposed Grid Line
Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

0 250 500 M

Figure 5
Sample Locations

Topo Source: Geogratis

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:5,000	Date: 12-27-2017
		UTM NAD83 Zone 11

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

0 250 500 M

Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

Figure 6
Ag PPM

Topo Source: Geogratis

Explorex Resources Inc.		
Silver Dollar Property Revelstoke Mining Division		
NTS 82K/L	Scale: 1:5,000	Date: 12-27-2017 UTM NAD83 Zone 11

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

0 250 500 M

Figure 7
Cu PPM

Topo Source: Geogratis

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:5,000	Date: 12-27-2017 UTM NAD83 Zone 11

Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

33.0 7.3 20.1 986.4 134400 2930.7 1213 2545.1 2412.3 18500 831.9 3011.7 177200 13.2

No Sample

0 250 500 M

Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

Figure 8
Pb PPM

Topo Source: Geogratis

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:5,000	Date: 01-03-2018
		UTM NAD83 Zone 11

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

320 87 951 53100 164100 1735 149 35300 513 329000 233000 189100 150600 148

No Sample

Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

0 250 500 M

Figure 9
Zn PPM

Topo Source: Geogratis

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:5,000	Date: 01-03-2018
		UTM NAD83 Zone 11

459500 460000 460500 461000 461500 462000

5622500 5622000 5621500 5621000 5620500 5620000 5619500 5619000

N

2.52 0.52 0.76 24.43 3366.77 281.74 58.8 66.14 255.41 280.72 102.08 294.19 4003.44 0.39

0 250 500 M

Figure 10
Sb PPM

Topo Source: Geogratis

Explorex Resources Inc.

Silver Dollar Property
Revelstoke Mining Division

NTS 82K/L	Scale: 1:5,000	Date: 01-03-2018
		UTM NAD83 Zone 11

Minfile Occurrence
Soil Sample Location
Rock Sample Location
Fault
Property Boundary
Stream
Access Road
Contour

7.2 Prospecting Program

During the course of the soil geochemical survey a total of 15 rock samples, including three chip samples and 12 grab samples, were collected for analysis. The reader should be aware that grab samples by nature are selective and therefore may not be representative of the mineralization being evaluated. The location of the rock samples are illustrated in Figure 5 with sample descriptions listed in Table 5 and rock sample results listed in Table 4. A total of 10 rock samples were collected from various sites around the Beatrice mine site. Samples 1752202 to 1752204 were collected from a large open cut located immediately up slope of the Upper Adit entrance. The open cut marks the location of the initial discovery of the Beatrice Vein in 1897 where 200 tons of ore consisting of argentiferous galena, grey copper and sphalerite were hand mined in 1898. The exposed Beatrice vein at this location strikes N50°E and dips 65° to the south east, which is across the main strike of the controlling syncline structure. The mineralization exposed in the open cut was reported to host a massive quartz vein 52cm wide of primarily ZnS. The hanging wall is a siliceous zone approximately 2.5m wide hosting disseminated sulphides of galena, sphalerite and pyrite (Ashton, 1977). Little of the original vein and mineralization is present in the open cut however a composite grab sample of the hanging wall (1752204) and a 0.5m chip sample across the footwall (1752203) to the mined out mineralization was sampled. A small quartz vein located on the foot wall side of the open cut was chip sampled across 0.4m (1752202). Best results from the open cut are reported from composite grab sample 1752204 returning 0.24% Pb, 3.53% Zn, 152g/t Ag, 255.41ppm Sb and 1.45g/t Au. To the immediate south of the open cut is a quartz vein exposed on a west facing slope. The vein sub parallels the Beatrice vein at N42°E dipping 70° to the southeast. A 1.5m chip sample (1752201) was taken across the exposed quartz vein and altered wall rock returning 184g/t Ag, 281.74ppm Sb and 0.17g/t Au.

Immediately down slope of the open cut is the Upper Adit entrance. The adit is open and appears to trend towards the overlying open cut. In the immediate vicinity of the Upper Adit entrance are several waste dumps and muck piles. A total of four grab samples (1752208, 1752209, 1752214, and 1752215) of sphalerite/galena/pyrite mineralization were collected from the various piles to characterize the mineralization. In a report written by A.S. Ashton for Arch Mining and Milling on the Beatrice Mine in 1977, he states that extensive workings had been carried out on the upper level. Above the level the vein appears to have been mined for a vertical distance of about 18 metres over a horizontal distance of 20m and a further 12m long section had been underhand stoped to a depth of 2m. He states the ore was hand cobbed in the stope and back filled with good grade zinc rock while the galena ore was shipped. Mineralization consists of a solid streak of fine grained massive sulphides, galena, sphalerite and grey copper. The massive zone appears to pinch and swell both on strike and dip from a

few centimeters to 50cm wide. Results from the four grab samples returned highly anomalous results with values from 831.9ppm Pb to 17.72% Pb, 15.06% Zn to 32.9% Zn and 145g/t Ag to 1,991g/t Ag. It should be noted that grab samples by nature are selective and therefore may not be representative of the mineralization being evaluated. Further down slope the Middle and Lower Adits were located, the Middle Adit is somewhat open to investigation with some cave noted near the adit entrance. A grab sample (1752212) was collected at the adit entrance returning ore grade results of 13.44% Pb, 16.41% Zn and 1,378g/t Ag. At the Lower Adit the portal entrance has collapsed and is not accessible. A grab sample of mineralization (1752213) located at this site returned 986.4ppm Pb, 5.31ppm Zn and 19.08g/t Ag.

To the southeast of the Beatrice Mine a composite grab sample (1752211) was collected over a distance of 10m across slope in an area of quartz veining and gossanous phyllite with iron carbonate alteration. Pyrite was noted in trace amounts. This sample is located in an area of anomalous Cu, Pb, Zn and Sb soil geochemical results. Low level results were reported from the rock sample, however, in light of its coincidence with a multi element soil anomaly and the presence of gossans and iron carbonate alteration, additional work is warranted in this area.

During the soil sampling program, old hand dug and cat excavated trenches were noticed along a prominent ridge extending from L9 to approximately L2 located to the northwest of the Beatrice Mine workings and southeast of the main access trail. The excavations are old and quite extensive oriented in a near east-west direction. No appreciable sulphides or quartz veining were noted in the trenches examined. A 90cm composite grab sample (1752210) was taken from a trench where three; cm scale quartz veins were exposed. Aside from scattered single point and clusters of anomalous silver in soil results, no other elevated or anomalous results were detected in the area. There are no historical records of the trenching completed in this area.

A series of old hand excavated trenches were located immediately up and down slope of the main access trail between the Silver Dollar Mine and the Beatrice Mine site. The trenches are sloughed in and little to no outcrop exposure was noticed. Grab samples (1752205, 1752206 and 1752207) were collected of gossanous phyllite and pyritic veinlets found on the side cast waste piles along the edge of the trenches. No anomalous results were obtained. Of interest here is a mention by A.S. Ashton in his 1977 report on the Beatrice Mine that a third vein, known as the Gold Vein, had been traced over several hundred feet by open cuts which lie roughly parallel to the incoming road and below it. Additional work is warranted in this area as the samples are located in a cluster of anomalous Cu, Pb and Ag in soils.

8.0 SAMPLE PREPARATION, ANALYSIS AND SECURITY

All of the samples collected during the 2017 field program were securely stored at the company's field facilities and were hand delivered by Coast Mountain Geological Ltd staff to MS Analytical Services in Langley BC for Multi element ICP-AES/MS, ultra trace level analysis for both rock and soil samples. MS Analytical is an ISO 9001 and ISO/IEC17025 certified commercial laboratory. MS Analytical is a Canadian company with over 25 years of experience analyzing geological material and is independent of the issuer and the vendor.

The submitted soil samples were dried at the lab and then screened to -80 mesh size. The undersized fraction is analyzed and the oversize fraction is discarded. The soil samples were analyzed using MS Analytical package ICP-IMS-117 (39 element) trace level analysis with dilute aqua regia.

The submitted rock samples were first crushed to 70% passing 2mm, and then a representative split is taken and pulverized to 85% passing 75µm. The pulverized rock samples were analyzed using MS Analytical package ICP-IMS-111 (51 elements) Ultra trace level analysis with dilute aqua regia. Over limit results for silver, lead and zinc were reanalyzed using analytical procedure ICP-ES Ore Grade analysis using a 4-Acid or near total digestion. Only the most resistant minerals will not be dissolved using this analysis. Any over limit silver analysis following the ICP-ES ORE Grade analysis were reanalyzed using MS Analytical procedure FAS-418 Fire assay with a gravimetric finish.

Due to the early stage of the exploration work and the medium being sampled, controls and standards were not inserted into the sample stream; MS Analytical provided in house QA/QC with suitable blanks, standards and duplicates which were inserted into the sample stream every 12 samples with the results evaluated and reviewed prior to release.

Both of these analytical methods use an aqua regia digestion which acts as an oxidizing agent to dissolve most of the oxides, sulphide and carbonate minerals and is therefore an excellent trace level exploration tool. This procedure is a partial digestion ideal for early stage green fields exploration since more resistant minerals including silicates are not significantly digested. By leaving the matrix undissolved, mobile pathfinder elements produce greater anomaly to background contrast.

Rock samples collected from either outcrop or angular float during the 2017 field program were placed in clear, heavy gauge plastic sample bags along with a unique sample tag number for identification. The sample tag number was also inscribed by an indelible black marker on the outside of the plastic bag for identification. The bag was tightly sealed using flagging tape. Field notes were kept recording the rock sample number, the samples location in NAD 83, Zone 11

UTM coordinates provided by a hand held GPS and notes describing the rock type encountered, identify and estimate the percent sulphides contained in the rock sample, the attitude of any structural components i.e. fault and shears, bedding, schistocity, quartz vein attitude etc. General comments regarding the presence of any historical workings, access etc was also recorded. The collected rock samples were kept secure under the supervision of Rick Kemp, P.Geo., Independent Qualified Person for the Silver Dollar project, from the moment the samples were collected to the moment they were delivered to MS Analytical Laboratories in Langley, BC.

In the author's opinion, the adequacy of sample preparation, security, and analytical procedures were suitable for the purpose of the work conducted.

9.0 INTERPRETATION AND CONCLUSION

9.1 Interpretation

The Silver Dollar property lies within the historical Camborne gold-silver, lead, zinc mining camp. The property covers over 17km of the 40km long Camborne fault structure which contains several past producers and developed prospects of silver, gold, lead and zinc.

The Silver Dollar property consists of 28 contiguous mineral claims covering 3,344.68 hectares of land and includes 10 Minfile Occurrences comprising (4) four showings and (2) prospects. There are (4) four past producers located on the property with limited historical production from the Beatrice (082KNW040), Silver Dollar (082KNW101), Gillman (082KNW127) and Mohawk (082KNW041) Minfile Occurrences.

Explorex Resources Inc completed an exploration program on the Silver Dollar property from September 29 to October 6, 2017. A compass and GPS soil grid was established to evaluate the potential for extending base and precious metal signatures in soils from the Silver Dollar occurrence through the Beatrice Occurrence and southward beyond the Rainy Day Occurrence, a distance of approximately 2.3 kilometers covering 207 hectares of land. Survey lines were established at 100 meter intervals oriented at 50° azimuth. Soil samples were collected along the survey lines at 50 meter intervals to depths varying from 5cm to 25cm. The soil grid was designed to extend across two flanking fault structures located along the southwest and northeast sides of the grid. The northeast fault is interpreted to be the controlling structure for mineralization encountered at the Gillman, Silver Dollar and Beatrice occurrences while little is known about the fault structure on the southwest side of the grid.

Both single and multi-line anomalous soil sample results for silver, lead, zinc and antimony are closely associated and together define a soil geochemical anomaly extending from the Beatrice Mine to the south of the Rainy Day showing. The anomaly measures 1.4km in length with widths from 50m to 350m. The anomaly is bounded on the northeast side by a regional fault structure. The anomaly is open to extension to the southeast. Scattered clusters and single point anomalies are noted to the northwest of the anomaly suggesting a potential extension of the zone in this direction. To the northeast of this soil anomaly is a copper, lead, zinc, antimony anomaly located on the northeast side of the regional fault structure from L13 to L17 and is noted to occur in an area of gossanous phyllite with iron carbonate alteration and scattered quartz veining. Both single and multi line anomalous results suggest possible extensions of the zone to the northwest and southeast. These on trend anomalous results suggest this anomaly may be an extension of the Silver Dollar mineralized structure. The anomaly remains opens to extension upslope to the northeast; several of the on trend anomalies are open to extension to the northwest and southeast. On the southwest side of the soil grid, scattered single point and multi line clusters of anomalous copper, lead, silver and antimony geochemical results suggests a close proximity to the southeast bounding fault structure.

During the prospecting program a total of 6 rock grab samples were collected from several old muck piles clustered around the upper, middle and lower adits located at the Beatrice Mine site. The results from these grab samples suggest that ore grade mineralization had been encountered during the historical underground operations as noted from grab sample 1752214 from the Upper Adit location reporting 17.72% Pb, 18.91% Zn and 1,991g/t Ag. The reader is cautioned that grab samples by nature are selective and therefore may not be representative of the mineralization being sampled. Soil geochemical results from L2 to L9, over an area of historical hand and bull dozer trenching located to the northwest of the Beatrice mine site, show scattered clusters of anomalous silver in soil results only. A series of trenches located immediately down slope of the access trail between the Silver Dollar and Beatrice mine site lie in an area of elevated and anomalous Cu, Pb and Ag in soil results.

9.2 Conclusion

The soil sampling program was effective in outlining two significant soil geochemical trends. A silver-lead-zinc and antimony anomaly extending 1.4km in length from the Beatrice Mine to the south of the Rainy Day showing remains open to extension beyond the limits of the 2017 soil grid to the southeast of L24. A parallel copper, lead, zinc and antimony soil geochemical anomaly is located between lines 13 to line 17 on the northeast side of the grid and is separated from the aforementioned geochemical anomaly by the northwest trending regional fault structure. This structure is thought to be the same controlling structure for mineralization encountered at the Gillman and Silver Dollar occurrences to the northwest.

Based on the review of historical data and the results from the current field program, it is concluded that the Silver Dollar property is a property of merit and possess good potential for the discovery of lead, zinc, silver and other mineralization. Good road access and availability of exploration and mining services in the region makes it a worthy exploration target.

The property is in its early stage of exploration. The significant risk for the Silver Dollar property is the same as all early stage exploration properties and that is there may be no mineral resource in economic quantities. As of the effective date of this report, the author is not aware of other significant risks that could affect the viability of the property.

10.0 RECOMMENDATIONS

Based on the results obtained during the 2017 field program, further work is warranted to advance the Silver Dollar project.

The recommended Phase 1 field program includes extending the current soil grid 800m further to the southeast with survey grid lines established at 100m separation and stations established at 50m intervals. The survey lines should be extended to the northeast and southwest to sufficiently cover the inferred fault zone structures bounding the geochemical grid. Soil samples are to be collected over the extended grid at 50m intervals. In addition, the 2017 soil geochemical grid should be re-established from L9 to L24, survey lines should be extended to the northeast and southwest to sufficiently cover the inferred bounding fault structures. Prospecting, mapping and sampling are to be completed over the extended and re-established grid to locate sites of mineralization associated with the 2017 soil grid anomalies, to obtain structural measurements and to map the local geology.

Mineralization in the Silver Dollar and Beatrice Mine site areas are associated with the regional Camborne fault structure trending to the northwest and secondary fault structures oriented to the northeast. As little outcrop exposure is available in the immediate area it is further recommended that a VLF-EM survey be completed over the re-established and extended grid. Readings from Jim Creek in Washington State and from Cutler Maine will provide important information on the location of the two structural trends associated with quartz veining and mineralization at the Beatrice mine site. In addition to the VLF-EM survey, a 3D IP survey is recommended to evaluate the sub surface chargeability and resistivity features and zones of sulphide enrichment from L9 to L24 and further to the southwest over the extended soil grid

10.1 Cost Estimate

A budget of approximately $180,620 is required to support the recommended work program as outlined in Table 6.0 below:

Table 6 – Recommended Exploration Program Budget

Room & Board	$6,000
Field Gear & Supplies	$1,700
Transportation: Truck + Quad+ Fuel	$6,200
Helicopter (B2) 5 hours	$8,000
Geochemistry: Soil 168 samples	$3,400
Rock 40 Samples	$2,600
Prospecting / Mapping / Sampling:	$7,000
Geophysics: 3D IP	$100,000
VLF-EM	$5,300
Report	$5,000
Grid Establishment: 25km	$9,000
Reporting:	$10,000
Sub Total	$164,200
10% Contingency	$16,420
Total Recommended Budget	**$180,620**

11.0 REFERENCES

Federal and British Columbia Ministry of Energy, Mines and Petroleum Resources Websites:

Assessment Report Indexing System (ARIS)
http://empr.gov.bc.ca/mining/geoscience/aris

MapPlace
http://webmap.em.gov.bc.ca/mapplace/minpot.cfm

MINFILE
http://www.em.gov.bc.ca/Mining/Geolsurv/Minfile/default.htm

Mineral Titles Online
http://www.em.gov.bc.ca/subwebs/mtonline

GeoBC
http://geobc.gov.bc.ca

Integrated Land and Resource Registry
http://www.data.gov.bc.ca

Armstrong, A.S. (1988): Mesozoic and Early Cenozoic magmatic evolution of the Canadian Cordillera; Geological Society of America, Special Paper 218, pages 55-91.

Ashton, A.S. (1977) Beatrice Property near Camborne, Unpublished Private Report, Arch Mining and Milling Ltd, 13 pages.

Church, B.N., Jones, L.D., 1998, Metallogeny of the Beaton-Camborne Mining Camp. Lardeau District, Geological Field Work, 1998, Paper 1999-1.

Fyles, J.T., 1964. Geology of the Duncan Lake Area, Lardeau District, British Columbia Department of Mines and Petroleum Resources Bulletin 49, 78 p.

Fyles, J.T., Eastwood G.E.P. 1962. Geology of the Ferguson Lake Area, Lardeau District, British Columbia Department of Mines and Petroleum Resources Bulletin 45, 90 p.

Liaghat, S., Blann, D, 2015. Geology and Geochemical Report on the Silver Dollar Property, Revelstoke Mining District, British Columbia. BC Geological Survey Assessment Report 35310.

Reesor, J.E. (1973) Geology of the Lardeau map area, east half, British Columbia; Geological Survey of Canada, Memoir 369, 129 pages.

Signed and sealed by



Rick Kemp P.Geo.

Dated: January 5, 2018

12.0 STATEMENT OF QUALIFICATIONS AND SIGNATURE PAGE

I, Richard (Rick) T. Kemp, do hereby certify that:

1. I am a Consulting Geologist residing at 2769 William Ave, North Vancouver, British Columbia, Canada, V7K 1Z4.
2. I am a graduate from Lakehead University, Thunder Bay, Ontario with a B.Sc. Geology degree (1981) and I have practiced my profession continuously since that time.
3. I am a member in good standing with the Association of Professional Engineers and Geoscientists of BC with a professional geologist status under License #20446.
4. I have practiced my profession as a geologist for 36 years and have worked in the mineral exploration industry since 1976. I have done extensive geological work in British Columbia and elsewhere, as an employee of various exploration companies and as an independent consultant. My work has included a large variety of deposit styles, including epithermal and mesothermal gold-silver, copper-gold porphyry, molybdenum-copper porphyry, Archean greenstone belt gold, polymetallic veins, transitional porphyry-epithermal and Volcanogenic massive sulphide. I have worked on properties at all stages of exploration, from grass root, to early stage exploration through advanced stage exploration and active mining.
5. I have reviewed the available data pertinent to the property as listed in Section 11.0 of this report and I believe the property to be of sufficient merit to justify additional work.
6. I am independent of Explorex Resources Ltd. For greater clarity, I do not hold nor do I expect to receive, any securities of any other interest in any corporate entity, private or public, with interests in the Silver Dollar property. I was involved as the Qualified Person during the 2017 exploration program on the Silver Dollar property and was involved in the field program completed from September 29 to October 16, 2017.

Signed at Vancouver, BC, this 5th day of January, 2018



Richard T. Kemp B.Sc., P.Geo.

Appendix 1

Statement of Costs

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK	PROJECT COSTS
PREPERATORY:	Property Scale Review & Program Planning	
Personnel Time:		
R. Kemp, P. Geo.: 8 days @ $800		$ 14,400.00
J. Lewis, GIS Tech.: 4 Hrs @ $75		$ 300.00
		$ 14,700.00
GEOCHEMICAL:		
Soil Sample Analysis: 33 Element ICP-AES	8 Days, 377 Samples	$ 7,483.27
ATV Rental		$ 1,510.39
Fuel		$ 268.64
Mobilization/Demobilization		$ 475.72
Truck Rental		$ 900.00
Accommodation and Food:		$ 2,399.77
Miscellaneous - Communication, Field Supplies, Freight)		$ 708.22
Personnel Time:		
K. Pandur, Geo.: 8 days @ $600		$ 4,800.00
T. Davidge, Field Tech.: 8 days @ $425		$ 3,400.00
G. Sotiropoulos, Field Tech.: 8 days @ $425		$ 3,400.00
		$ 25,346.00
PROSPECTING:	6 Days	
Rock Sample Analysis: 51 Element ICP-AES, Gold/Silver by Fire Assay Gravimetric Finish	8 Days, 15 Samples	$ 525.47
ATV Rental		$ 503.46
Fuel		$ 89.55
Mobilization/Demobilization		$ 158.57
Truck Rental		$ 300.00
Accommodation and Food:		$ 799.92
Miscellaneous - Communication, Field Supplies, Freight, Field Gear Rental)		$ 236.07
Personnel Time:		
R. Kemp, P. Geo.: 8 days @ $800		$ 6,400.00
		$ 9,013.05
REPORTING:	Property Scale Review	
Personnel Time:		
R. Kemp, P. Geo.: 12 days @ $800		$ 9,600.00
J. Lapp, Geo.: 1 day @ $600		$ 600.00
J. Lewis, GIS Tech.: 9 Hrs @ $75		$ 675.00
		$ 10,875.00
Total of Work Performed:		**$ 59,934.05**
Amount Withdrawn From PAC Account		$ 17,485.44
Total Assessment Work Filed:		**$ 77,419.49**

Appendix 2

Soil Sample Descriptions

Sample #	Grid Station	Date	Sampler	UTM Zone	UTM E	UTM N	Elevation (m)	Moisture	Color	Sample	Depth (cm)	Horizon	Organics (%)	Rocks (%)	Slope (degrees)	Notes
542851	L1-1000	2017-09-30	GS	11N	460450	5621633	1935	Dry	Br	clay/silt	20	B	5	5	12	
542852	L1-0950	2017-09-30	GS	11N	460410	5621590	1920	Dry	Br/blk/gr	clay/silt	15	B	0	5	15	
542853	L1-0900	2017-09-30	GS	11N	460391	5621559	1906	Dry	Br/gr	clay/silt	20	B	5	5	20	Moved sample 10m due to creek
542854	L1-0850	2017-09-30	GS	11N	460337	5621534	1873	Dry	Br	clay/silt	15	B	5	5	5	
542855	L1-0800	2017-09-30	GS	11N	460295	5621505	1859	Dry	Br/gr	clay/silt	10	B	0	15	5	
542856	L1-0750	2017-09-30	GS	11N	460257	5621464	1856	Dry	Br	clay/silt	30	B	5	5	15	Upslope of creek, high clay content
542857	L1-0700	2017-09-30	GS	11N	460223	5621429	1870	Dry	Blk/gr	clay/silt	30	B	0	10	30	Very rocky ground. Sub crop and outcrop all around
542858	L1-0650	2017-09-30	GS	11N	460178	5621391	1923	Dry	Br/tn	clay/silt	25	B	0	5	20	Moved sample due to old trench
542859	L1-0600	2017-09-30	GS	11N	460144	5621367	1939	Dry	Br/rd	clay/silt	20	B	7	5	30	
542860	L1-0550	2017-09-30	GS	11N	460108	5621333	1943	Dry	Br/tn	clay/silt	15	B	0	5	10	
542861	L1-0500	2017-09-30	GS	11N	460074	5621305	1977	Dry	Br/gr	clay/silt	20	B	0	10	15	
542862	L1-0450	2017-09-30	GS	11N	460034	5621272	1999	Dry	Br/gr	clay/silt	20	B	0	5	25	
542863	L1-0400	2017-09-30	GS	11N	459995	5621245	2012	Dry	Br/tn	clay/silt	10	B	5	5	0	Top of hill, area all around looks worked over in past, cut trees, pushed ground ect.
542864	L1-0350	2017-09-30	GS	11N	459955	5621208	2014	Dry	Br/og	clay/silt	15	B	0	5	0	Next to old road workings
542865	L1-0300	2017-09-30	GS	11N	459906	5621178	2011	Dry	Br/gr	clay/silt	15	B	0	5	0	Next to old road workings
542866	L1-0250	2017-09-30	GS	11N	459880	5621148	1997	Dry	Br/tn	clay/silt	15	B	5	5	10	
1604914	L4-0600	2017-10-01	GS	11N	460214	5621289	1917	Dry	Gr	clay/silt	15	B	0	0	5	
1604915	L4-0550	2017-10-01	GS	11N	460170	5621258	1951	Dry	Br/rd	clay/silt	30	B	0	0	35	
1604916	L4-0500	2017-10-01	GS	11N	460129	5621226	1982	Dry	Br	clay/silt	10	B	5	5	0	
1604917	L4-0450	2017-10-01	GS	11N	460097	5621195	1986	Dry	Br/tn	clay/silt	10	B	5	5	10	
1604918	L4-0400	2017-10-01	GS	11N	460058	5621155	2020	Dry	Br/gr	clay/silt	20	B	0	5	20	Old trench and other workings just downslope of this location
1604919	L4-0350	2017-10-01	GS	11N	460017	5621132	2045	Dry	Br/og	clay/silt	10	B	0	10	5	old road below this location
1604920	L4-0300	2017-10-01	GS	11N	459982	5621097	2035	Dry	Br/tn	clay/silt	10	B	5	5	0	
1604921	L4-0250	2017-10-01	GS	11N	459943	5621076	2011	Dry	Br/gr	clay/silt	25	B	5	5	15	
1604922	L4-0200	2017-10-01	GS	11N	459908	5621038	1994	Dry	Br/tn	clay/silt	10	B	0	5	10	
1604923	L4-0150	2017-10-01	GS	11N	459866	5621005	1964	Dry	Gr	clay/silt	35	B	0	5	10	
1604924	L4-0100	2017-10-01	GS	11N	459833	5620973	1950	Dry	Br	clay/silt	20	B	0	5	10	
1604925	L4-0050	2017-10-01	GS	11N	459791	5620934	1919	Dry	Br/rd	clay/silt	15	B	5	5	0	Above possible old road
1604926	L4-0000	2017-10-01	GS	11N	459778	5620918	1907	Dry	Br/gr	clay/silt	25	B	0	15	30	Cut sample 25m short due to cliff out. Sample was taken on and around sub crop and outcrop
1604927	L5-0000	2017-10-01	GS	11N	459809	5620850	1901	Dry	Br/gr	clay/silt	20	B	5	5	0	
1604928	L5-0050	2017-10-01	GS	11N	459846	5620861	1915	Dry	Br/tn/gr	clay/silt	15	B	0	0		
1604929	L5-0100	2017-10-01	GS	11N	459881	5620887	1932	Dry	Br/tn	clay/silt	25	B	0	0	15	
1604930	L5-0150	2017-10-01	GS	11N	459927	5620924	1966	Dry	Tn	clay/silt	20	B	0	5	25	
1604931	L5-0200	2017-10-01	GS	11N	459963	5620967	2001	Dry	Gr	clay/silt	20	B	5	5	10	
1604932	L5-0250	2017-10-01	GS	11N	460002	5620996	2023	Dry	Br	clay/silt	25	B	0	0	17	
1604933	L5-0300	2017-10-01	GS	11N	460039	5621018	2041	Dry	Br	clay/silt	20	B	5	5	15	
1604934	L5-0350	2017-10-01	GS	11N	460084	5621051	2049	Dry	Br	clay/silt	15	B	0	0	10	
1604935	L5-0400	2017-10-01	GS	11N	460104	5621083	2036	Dry	Br	clay/silt	20	B	0	5	5	Old road roughly 20m abouve sample
1604936	L5-0450	2017-10-01	GS	11N	460148	5621120	2015	Dry	Br	clay/silt	20	B	0	5	5	
1604937	L5-0500	2017-10-01	GS	11N	460189	5621152	1999	Dry	Br/tn	clay/silt	15	B	5	5	30	
1604938	L5-0550	2017-10-01	GS	11N	460230	5621183	1977	Dry	Br/gr	clay/silt	10	B	0	5		Strange gully behind sample
1604939	L5-0600	2017-10-01	GS	11N	460262	5621218	1938	Dry	Br	clay/silt	25	B	5	5	32	
1604940	L12-0500	2017-10-02	GS	11N	460649	5620628	2131	Dry	Br/tn	clay/silt	10	B	2	2		Top of hill near old addits and road
1604941	L12-0450	2017-10-02	GS	11N	460605	5620579	2117	Dry	Br	clay/silt	20	B	5	5		downslope of old road and addit
1604942	L12-0400	2017-10-02	GS	11N	460567	5620550	2114	Dry	Br	clay/silt	15	B	0	2		downslope of old road and addit
1604943	L12-0350	2017-10-02	GS	11N	460531	5620520	2100	Dry	Br/gr	clay/silt	20	B	0	0		Very clay rich
1604944	L12-0300	2017-10-02	GS	11N	460496	5620491	2095	Dry	Br	clay/silt	20	B	8	0		
1604945	L12-0250	2017-10-02	GS	11N	460451	5620445	2084	Dry	Br	clay/silt	15	B	8	0		Base of cirque below addit, streams near loaction
1604946	L12-0200	2017-10-02	GS	11N	460415	5620415	2089	Dry	Br	clay/silt	10	B	0	3		
1604947	L12-0150	2017-10-02	GS	11N	460373	5620386	2104	Dry	Br	clay/silt	15	B	5	5	5	
1604948	L12-0100	2017-10-02	GS	11N	460332	5620356	2111	Dry	Br	clay/silt	10	B	0	0		
1604949	L12-0050	2017-10-02	GS	11N	460296	5620330	2118	Moist	Br	clay/silt	10	B	5	5		On slope with sub crop and outcrop all around

1604950	L13-0050	2017-10-02	GS	11N	460366	5620252	2134	Dry	Br/tn	clay/silt	15	B	0	2	8	
542867	L13-0100	2017-10-02	GS	11N	460403	5620280	2120	Dry	Br	clay/silt	20	B	5	0		Very clay rich
542868	L13-0150	2017-10-02	GS	11N	460441	5620305	2108	Dry	Br	clay/silt	20	B	2	2		
542869	L13-0200	2017-10-02	GS	11N	460477	5620342	2101	Dry	Br	clay/silt	25	B	0	5	20	
542870	L13-0250	2017-10-02	GS	11N	460518	5620382	2095	Dry	Br	clay/silt	25	B	5	0	20	
542871	L13-0300	2017-10-02	GS	11N	460557	5620412	2108	Dry	Br/og	clay/silt	30	B	0	0		
542872	L13-0350	2017-10-02	GS	11N	460599	5620440	2114	Dry	Br	clay/silt	25	B	5	0		Above a very rusty gossen like patch of gravel and water
542873	L13-0400	2017-10-02	GS	11N	460633	5620468	2135	Dry	Br	clay/silt	20	B	5	5	25	
542874	L13-0450	2017-10-02	GS	11N	460677	5620509	2151	Dry	Br	clay/silt	15	B	5	5		
542875	L13-0500	2017-10-02	GS	11N	460715	5620540	2153	Dry	Br/gr	silt/sand	20	Talus	0	15	15	
542876	L13-0600	2017-10-02	GS	11N	460781	5620601	2170	Dry	Br	clay/silt	15	B	8	0		
542877	L13-0650	2017-10-02	GS	11N	460824	5620628	2157	Dry	Br/gr	silt/sand	30	Talus	0	10	20	
542878	L13-0700	2017-10-02	GS	11N	460864	5620670	2155	Dry	Br	clay/silt	15	B	5	5		
542879	L13-0750	2017-10-02	GS	11N	460901	5620703	2143	Dry	Br	clay/silt	15	B	5	0		
542880	L13-0800	2017-10-02	GS	11N	460942	5620731	2136	Dry	Br/gr	silt/sand	15	Talus	0	10	10	
542881	L13-0850	2017-10-02	GS	11N	460975	5620760	2138	Dry	Br	clay/silt	20	B	5	0	5	
542882	L13-0900	2017-10-02	GS	11N	461017	5620803	2137	Dry	Bk	silt/sand	10	Talus	0	5		
542883	L13-0950	2017-10-02	GS	11N	461041	5620830	2139	Dry	Bk/gr	sand/gravel	10	Talus	0	15	15	
542884	L12-0900	2017-10-02	GS	11N	460946	5620868	2103	Dry	Br	clay/silt	10	B	5	5		
542885	L12-0850	2017-10-02	GS	11N	460907	5620841	2103	Dry	Br	clay/silt	10	B	10	0		
542886	L12-0800	2017-10-02	GS	11N	460873	5620806	2109	Dry	Tn/gr	clay/silt	20	B	0	0		
542887	L12-0750	2017-10-02	GS	11N	460838	5620787	2126	Dry	Br/tn	clay/silt	20	B	0	2		
542888	L12-0600	2017-10-02	GS	11N	460724	5620672	2163	Dry	Br	clay/silt	20	B	0	5	15	
542889	L12-0550	2017-10-02	GS	11N	460689	5620651	2130	Dry	Br	clay/silt	15	B	5	5	20	
542890	L18-0200	2017-10-03	GS	11N	460798	5619961	2271	Dry	Br/blk	clay/silt	10	Talus	0	10	5	
542891	L18-0250	2017-10-03	GS	11N	460841	5620003	2269	Dry	Gr/blk	clay/silt	5	Talus	0	10	15	
542892	L18-0300	2017-10-03	GS	11N	460874	5620029	2250	Dry	Gr/blk	clay/silt	5	Talus	0	10	15	
542893	L18-0350	2017-10-03	GS	11N	460915	5620059	2233	Dry	Gr/blk	clay/silt	5	Talus	0	10	20	
542894	L18-0400	2017-10-03	GS	11N	460952	5620093	2208	Dry	Gr/blk	clay/silt	5	B	0	10	15	
542895	L18-0450	2017-10-03	GS	11N	460994	5620124	2184	Dry	Br	clay/silt	20	Talus	5	5	5	
542896	L18-0500	2017-10-03	GS	11N	461029	5620155	2172	Dry	Br/blk	clay/silt	10	B	2	5	15	
542897	L18-0550	2017-10-03	GS	11N	461068	5620188	2144	Dry	Br/tn	clay/silt	30	B	2	5	5	
542898	L18-0600	2017-10-03	GS	11N	461105	5620220	2128	Dry	Br/blk	clay/silt	30	B	8	5	8	
542899	L18-0650	2017-10-03	GS	11N	461145	5620247	2117	Dry	Br	clay/silt	35	B	8	5	5	
542900	L18-0700	2017-10-03	GS	11N	461186	5620285	2103	Dry	Tn/org	clay/silt	20	B	2	2	0	
542901	L18-0750	2017-10-03	GS	11N	461220	5620323	2123	Dry	Tn/org	clay/silt	25	B	0	0	5	
542902	L18-0800	2017-10-03	GS	11N	461264	5620356	2111	Dry	Br/blk	clay/silt	30	B	0	5	0	
542903	L18-0850	2017-10-03	GS	11N	461302	5620383	2119	Dry	Br/tn	clay/silt	15	Talus	0	8	0	
542904	L18-0900	2017-10-03	GS	11N	461336	5620412	2125	Dry	Br	clay/silt	15	A/B	5	5	0	
542905	L18-0950	2017-10-03	GS	11N	461377	5620442	2133	Dry	Br	clay/silt	20	A/B	5	0	5	
542906	L18-1000	2017-10-03	GS	11N	461417	5620484	2151	Dry	Br	clay/silt	25	A/B	5	0	5	
542907	L17-1000	2017-10-03	GS	11N	461353	5620550	2171	Dry	Br/blk	clay/silt	20	A/B	8	5	5	
542908	L17-0950	2017-10-03	GS	11N	461311	5620518	2153	Dry	Blk/gr	clay/silt	15	Talus	0	10	15	
542909	L17-0900	2017-10-03	GS	11N	461271	5620491	2139	Dry	Br/tn	clay/silt	20	B	5	0	5	
542910	L17-0850	2017-10-03	GS	11N	461231	5620456	2122	Dry	Br/tn	clay/silt	20	B	5	0	0	
542911	L17-0800	2017-10-03	GS	11N	461191	5620417	2118	Dry	Blk	clay/silt	30	B	0	0	0	Bottom of drainage, very clay rich
542912	L17-0750	2017-10-03	GS	11N	461151	5620385	2124	Dry	Br/tn	clay/silt	20	B	0	0	0	
542913	L17-0700	2017-10-03	GS	11N	461119	5620356	2126	Dry	Br	clay/silt	25	A/B	5	0	0	
542914	L17-0650	2017-10-03	GS	11N	461077	5620325	2129	Dry	Br/tn	clay/silt	15	B	8	2	5	
542915	L17-0600	2017-10-03	GS	11N	461005	5620259	2156	Dry	Br	clay/silt	25	A/B	5	5	0	
542916	L17-0550	2017-10-03	GS	11N	461045	5620304	2160	Dry	Br	clay/silt	20	A/B	5	0	0	
542917	L17-0500	2017-10-03	GS	11N	460968	5620227	2164	Dry	Br	clay/silt	15	A/B	5	0	0	
542918	L17-0450	2017-10-03	GS	11N	460925	5620198	2184	Dry	Br/blk	clay/silt	10	A/Talus	2	5		
542919	L17-0400	2017-10-03	GS	11N	460888	5620168	2200	Dry	Br/blk	clay/silt	5	A/Talus	5	5		
542920	L17-0350	2017-10-03	GS	11N	460848	5620138	2215	Dry	Br/gr	clay/silt	10	Talus	0	10		
542921	L21-1100	2017-10-04	GS	11N	461694	5620318	2085	Dry	Br/gy	clay/silt	25	B	7	7	8	Clay rich

542922	L21-1050	2017-10-04	GS	11N	461642	5620277	2079	Dry	Br	clay/silt	15	B	5	0		above drainage
542923	L21-1000	2017-10-04	GS	11N	461602	5620245	2078	Dry	Br/tn	clay/silt	20	B	0	0		in drainage
542924	L21-0950	2017-10-04	GS	11N	461567	5620216	2079	Dry	Br	clay/silt	20	B	0	5	20	in drainage
542925	L21-0900	2017-10-04	GS	11N	461528	5620182	2080	Dry	Br/og	clay/silt	25	B	0	0		
542926	L21-0850	2017-10-04	GS	11N	461491	5620148	2075	Dry	Br/blk	clay/silt	30	A/B	5	5		
542927	L21-0800	2017-10-04	GS	11N	461451	5620117	2082	Dry	Br/tn	clay/silt	30	B	0	5		
542928	L21-0750	2017-10-04	GS	11N	461409	5620094	2080	Dry	Br/tn	clay/silt	15	Talus	0	5	10	
542929	L21-0700	2017-10-04	GS	11N	461373	5620045	2088	Dry	Br	clay/silt	20	B	0	5	10	
542930	L21-0650	2017-10-04	GS	11N	461337	5620019	2093	Dry	Br/bk	clay/silt	10	A/B	0	5		Next to outcrop with qtv veining, not much soil on outcrops
542931	L21-0600	2017-10-04	GS	11N	461298	5619983	2099	Dry	Br	clay/silt	5	A/B	2	2		Next to outcrop with qtv veining, not much soil on outcrops
542932	L21-0550	2017-10-04	GS	11N	461261	5619960	2112	Dry	Br/blk	clay/silt	5	A/B	5	5		Next to outcrop with qtv veining, not much soil on outcrops
542933	L21-0500	2017-10-04	GS	11N	461223	5619930	2123	Dry	Br/blk	clay/silt	10	A/B	5	5		Next to outcrop with qtv veining, not much soil on outcrops
542934	L21-0450	2017-10-04	GS	11N	461181	5619886	2138	Dry	Br/blk	clay/silt	20	A/B	5	5		Next to outcrop with qtv veining, not much soil on outcrops
542935	L21-0400	2017-10-04	GS	11N	461146	5619855	2155	Dry	Br/tn	clay/silt	25	B	0	0		Next to outcrop with qtv veining, not much soil on outcrops
542936	L21-0350	2017-10-04	GS	11N	461103	5619827	2161	Dry	Br/tn	clay/silt	20	B	0	0		
542937	L22-1100	2017-10-05	GS	11N	461756	5620247	2066	Dry	Br	clay/silt	20	B	0	0		
542938	L22-1050	2017-10-05	GS	11N	461708	5620203	2072	Dry	Br/gy	clay/silt	15	B	0	5		
542939	L22-1000	2017-10-05	GS	11N	461670	5620172	2062	Dry	Br	clay/silt	20	B	5	0	10	
542940	L22-0950	2017-10-05	GS	11N	461629	5620143	2056	Dry	Tn	clay/silt	25	B	0	0	10	
542941	L22-0900	2017-10-05	GS	11N	461596	5620106	2047	Dry	Blk	clay/silt	10	A	10	0	25	Slope of drainage
542942	L22-0850	2017-10-05	GS	11N	461552	5620067	2050	Dry	Tn	clay/silt	25	B	0	0		
542943	L22-0800	2017-10-05	GS	11N	461518	5620039	2051	Dry	Br/tn	clay/silt	25	B	0	2	5	slope of drainage
542944	L22-0750	2017-10-05	GS	11N	461481	5620006	2062	Dry	Blk	clay/silt	10	A	5	0	10	over outcrop
542945	L22-0700	2017-10-05	GS	11N	461448	5619984	2082	Dry	Blk	clay/silt	10	B	10	0		over outcrop
542946	L22-0650	2017-10-05	GS	11N	461400	5619943	2080	Dry	Tn	clay/silt	10	B	2	0		
542947	L22-0600	2017-10-05	GS	11N	461363	5619908	2073	Dry	Tn	clay/silt	20	B	0	0		
542948	L22-0550	2017-10-05	GS	11N	461332	5619881	2081	Dry	Br	clay/silt	25	A/B	5	5	10	
542949	L22-0500	2017-10-05	GS	11N	461284	5619847	2103	Dry	Br	clay/silt	20	B	0	2	5	
542950	L22-0450	2017-10-05	GS	11N	461246	5619817	2108	Dry	Br	clay/silt	25	B	0	0		
542970	L22-0400	2017-10-05	GS	11N	461207	5619775	2122	Dry	Blk/gy	clay/silt	20	B	0	0		Clay rich, location is flat area at bottom of draiage
542971	L22-0350	2017-10-05	GS	11N	461179	5619745	2123	Dry	Blk/gy	clay/silt	20	Talus	5	5	20	steep talus slope
1606451	L2-1000	2017-09-30	KP	11N	460384	5621692	1929	Dry	Brown/Tan	Clay/Silt	20	A/B	5	2	20	8 m from planned spot, A and B mixed, best hole out of 5 dug in the area
1606452	L2-0950	2017-09-30	KP	11N	460342	5621675	1910	Dry	Black/Brown	Clay/Silt	15	A/B	5	2	10	A and B mixed, best hole out of 5-6 dug in the area
1606453	L2-0900	2017-09-30	KP	11N	460300	5621648	1894	Dry	Brown/Tan	Clay/Silt	10	B	5	10	27	10 m from planned spot due to presence of outcrop, contains 2-10 cm pieces of quartz veining
1606454	L2-0850	2017-09-30	KP	11N	460275	5621608	1872	Dry	Brown/Tan	Clay/Silt	20	B	5	5	10	<2 cm quartz vein pieces mixed in
1606455	L2-0800	2017-09-30	KP	11N	460235	5621572	1853	Dry	Brown/Tan	Clay/Silt	15	B	10	10	10	chloritic schist/slate pieces mixed in
1606456	L2-0750	2017-09-30	KP	11N	460197	5621544	1850									no sample, wet marsh near creek
1606457	L2-0700	2017-09-30	KP	11N	460159	5621501	1847	Moist	Brown/Tan	Clay/Silt	15	B	10	5	5	close to creek, wet soil, B horizon found down-slope from large boulder
1606458	L2-0650	2017-09-30	KP	11N	460107	5621482	1889	Dry	Brown/Tan	Clay/Silt	10	B	5	5	15	3 m up-hill from road
1606459	L2-0600	2017-09-30	KP	11N	460090	5621464	1933	Dry	rown/Tan/Gre	Clay/Silt	5	B	2	10	20	2 cm wide quartz vein in outcrop near sample spot
1606460	L2-0550	2017-09-30	KP	11N	460044	5621417	1942	Dry	Brown/Tan	Clay/Silt	10	B	2	5	54	lots of slate pieces mixed in
1606461	L2-0500	2017-09-30	KP	11N	459990	5621362	1985	Dry	Brown/Grey	Clay/Silt	30	B/C	2	20	48	very steep slope arpimd cliff, sample was taken approximately 9m from planned spot, slate pieces mixed in
1606462	L2-0450	2017-09-30	KP	11N	459954	5621357	1995	Dry	Brown/Grey	Clay/Silt	5	B	10	2	30	
1606463	L2-0400	2017-09-30	KP	11N	459933	5621315	2003	Dry	Brown/Tan	Clay/Silt	2	B	1	5		
1606464	L4-0650	2017-10-01	KP	11N	460245	5621319	1905	Dry	Brown/Tan	Clay/Silt	5	B	5	15		

1606465	L4-0700	2017-10-01	KP	11N	460269	5621367	1885	Dry	ack/Brown/Ta	Clay/Silt	10	A/B	10	5	50	
1606466	L4-0750	2017-10-01	KP	11N	460323	5621392	1865	Moist	Brown/Grey	Silt/Sand	2	B/C	5	30		sample on creek bed
1606467	L4-0800	2017-10-01	KP	11N	460359	5621435	1858	Dry	Brown/Grey	Clay/Silt	10	B/C	5	15		bottom of valley
1606468	L4-0850	2017-10-01	KP	11N	460396	5621452	1875	Dry	Brown/Tan	Clay/Silt	25	A/B	10	2		A and B mixed, best hole out of 5 dug in the area
1606469	L4-0900	2017-10-01	KP	11N	460443	5621491	1908	Dry	Brown/Tan	Clay/Silt	10	B	5	5	30	L4-0950 and L4-1000 was not sampled due to signs of bears
1606470	L5-1000	2017-10-01	KP	11N	460577	5621470	1959	Dry	Tan/Grey	Clay/Silt	3	B	5	2	40	
1606471	L5-0950	2017-10-01	KP	11N	460541	5621433	1922	Dry	Brown/Tan	Clay/Silt	5	B	10	2	40	
1606472	L5-0900	2017-10-01	KP	11N	460508	5621411	1904	Dry	Brown/Tan	Clay/Silt	15	B	10	1	30	
1606473	L5-0850	2017-10-01	KP	11N	460460	5621380	1887	Dry	Brown/Grey	Clay/Silt	10	A/B	40	10		mix of A and B, best of 5 holes dug in the area, flat spot
1606474	L5-0800	2017-10-01	KP	11N	460426	5621341	1882	Dry	Brown/Grey	Clay/Silt	15	A/B	30	5		mix of A and B, best of 5 holes dug in the area, flat spot
1606475	L5-0750	2017-10-01	KP	11N	460390	5621322	1871	Moist	Brown/Grey	Clay/Silt	2	B/C	10	40		flat area near creek bed in valley, sparse soil developed
1606476	L5-0700	2017-10-01	KP	11N	460347	5621279	1888	Dry	Brown/Tan	Clay/Silt	10	B	5	10	10	
1606477	L5-0650	2017-10-01	KP	11N	460308	5621257	1930	Dry	Brown/Tan	Clay/Silt	20	B	5	15	40	sample taken just below the road
1606478	L6-0650	2017-10-01	KP	11N	460361	5621171	1933	Dry	Brown/Tan	Clay/Silt	5	B	10	5	40	
1606479	L6-0700	2017-10-01	KP	11N	460406	5621202	1887	Dry	Brown/Tan	Clay/Silt	20	B	5	2	40	
1606480	L6-0750	2017-10-01	KP	11N	460448	5621240	1878	Dry	Brown/Tan	Clay/Silt	10	B	5	2	30	
1606481	L6-0800	2017-10-01	KP	11N	460488	5621270	0	Dry	Black/Brown	Clay/Silt	10	A-B	30	10	40	mix of A and B, best of 5 holes dug in the area
1606482	L10-0700	2017-10-02	KP	11N	460671	5620897	2010	Dry	Brown/Tan	Clay/Silt	10	B	2	5	20	close to waste slope of Beatrice Mine, on elevated spot with trees
1606483	L10-0750	2017-10-02	KP	11N	460716	5620933	2009	Dry	Brown/Grey	Clay/Silt	15	A/B	10	5	20	in valley below Beatrice Mine, mix of A and B, took sample 10 m N of planned spot, from higher ground
1606484	L10-0800	2017-10-02	KP	11N	460741	5620966	2028	Dry	Brown/Tan	Clay/Silt	15	B	5	5	40	
1606485	L10-0850	2017-10-02	KP	11N	460784	5620990	2050	Dry	Brown/Tan	Clay/Silt	10	B	2	5		
1606486	L10-0900	2017-10-02	KP	11N	460828	5621036	2050									no sample, bottom of scree slope, sparse soil
1606487	L10-0950	2017-10-02	KP	11N	460862	5621061	2056	Dry	Brown	Clay/Silt	10	A/B	15	20	30	bottom of scree slope, very thin soil
1606488	L10-1000	2017-10-02	KP	11N	460909	5621093	2068	Dry	Brown	Clay/Silt	20	B	20	10	50	
1606489	L11-1000	2017-10-02	KP	11N	460943	5621005	2103									no sample, scree slope, no soil or vegetation
1606490	L11-0950	2017-10-02	KP	11N	460926	5620980	2097									no sample, scree slope, no soil or vegetation
1606491	L11-0900	2017-10-02	KP	11N	460891	5620942	2090	Dry	Brown/Tan	Clay/Silt	10	B	5	5	35	ridge
1606492	L11-0850	2017-10-02	KP	11N	460852	5620915	2077	Dry	Brown/Tan	Clay/Silt	15	B	5	5	40	ridge
1606493	L11-0800	2017-10-02	KP	11N	460815	5620879	2090	Dry	Brown/Tan	Clay/Silt	5	B	5	10	50	ridge, soil sampled below chlorite schist outcrop with 2 cm wide rusty quartz veins
1606494	L11-0750	2017-10-02	KP	11N	460777	5620851	2080	Dry	Brown/Tan	Clay/Silt	10	B	5	2	60	
1606495	L11-0700	2017-10-02	KP	11N	460751	5620822	2065									no sample, waste pile above Beatrice Mine
1606496	L11-0650	2017-10-02	KP	11N	460693	5620794	2060									no sample, waste pile
1606497	L11-0600	2017-10-02	KP	11N	460662	5620767	2088	Dry	Brown/Tan	Clay/Silt	10	B	5	20	40	
1606498	L11-0550	2017-10-02	KP	11N	460619	5620717	2106	Dry	Brown/Tan	Clay/Silt	15	B	10	5		
1606499	L11-0500	2017-10-02	KP	11N	460538	5620660	2122	Dry	Brown/Tan	Clay/Silt	10	B	10	1	20	
1606500	L11-0450	2017-10-02	KP	11N	460498	5620629	2109									no sample, road on debris flow, no vegetation or soils
1751151	L11-0400	2017-10-02	KP	11N	460458	5620605	2115	Dry	Brown/Tan	Clay/Silt	10	B	10	10	10	
1751152	L11-0300	2017-10-02	KP	11N	460423	5620561	2115	Dry	Brown/Tan	Clay/Silt	5	B	5	1		
1751153	L11-0250	2017-10-02	KP	11N	460393	5620536	2112	Dry	Brown/Tan	Clay/Silt	5	B	5	2		
1751154	L11-0200	2017-10-02	KP	11N	460353	5620502	2097	Dry	Brown/Tan	Clay/Silt	5	B	5	5	10	L11-0150 to L11-0000 were not sampled, ran into cliff
1751155	L10-0200	2017-10-02	KP	11N	460286	5620590	2108	Dry	Brown/Tan	Clay/Silt	10	B	10	2	15	L10-0000 to L10-0150 were not sampled, ran into cliff
1751156	L10-0250	2017-10-02	KP	11N	460318	5620613	2111									no sample, steep slope below cliff, sparse vegetation and soils on debris flow
1751157	L10-0300	2017-10-02	KP	11N	460365	5620642	2139	Dry	rown/Tan/Gre	Clay/Silt	5	B	10	1		top of the ridge, cliff on S side
1751158	L10-0350	2017-10-02	KP	11N	460398	5620667	2124	Dry	Brown/Tan	Clay/Silt	10	B	5	2	35	
1751159	L10-0400	2017-10-02	KP	11N	460436	5620695	2091	Dry	Brown	Clay/Silt	20	A/B	40	5	30	mix of A and B, best out of 5 holes dug in the area, bottom of steep slope
1751160	L10-0450	2017-10-02	KP	11N	460475	5620738	2077									no sample, spot by the road on waste pile
1751161	L10-0500	2017-10-02	KP	11N	460505	5620773	2064	Dry	Brown/Tan	Clay/Silt	20	B/C	1	20	15	
1751162	L10-0550	2017-10-02	KP	11N	460554	5620802	2048									no sample, spot on the road on waste pile
1751163	L10-0600	2017-10-02	KP	11N	460638	5620862	2028									no sample, spot on the road on waste pile
1751164	L10-0650	2017-10-02	KP	11N	460639	5620861	2028									no sample, waste pile of Beatrice Mine

542951	L14-0550	2017-10-03	RK	11N	460813	5620499	2189	Dry	Brown	Clay/Silt	10	B		30-40		rocky hill
542952	L14-0500	2017-10-03	RK	11N	460772	5620464	2185	Dry	Brown	Clay/Silt	8	B		30-40		rocky hill
542953	L14-0450	2017-10-03	RK	11N	460734	5620429	2167	Dry	Brown	Clay/Silt	5-10	B	15	20		edge of talus slope, sample from grassy area near and edge
542954	L14-0000	2017-10-03	RK	11N	460390	5620139	2148	Dry	Brown	Silt/Sand	8	B	40	10		silty brown till
542955	L14-0050	2017-10-03	RK	11N	460428	5620170	2149	Dry	Brown	Silt/Sand	8	B	15	10		
542956	L14-0100	2017-10-03	RK	11N	460470	5620200	2152	Dry	Brown	Clay/Silt	10	B	10	20		
542957	L14-0150	2017-10-03	RK	11N	460526	5620223	2178	Dry	Black/Brown	Clay/Silt	4-6	B				station offset due to cliff and frozen scree along line, more up-slope to take sample
542958	L14-0200	2017-10-03	RK	11N	460563	5620255	2185	Dry	Black	Silt/Sand	10	Talus	5	20		off line to the south due to cliffs along line
542959	L14-0250	2017-10-03	RK	11N	460599	5620295	2191	Dry	Black/Brown	Sand/Gravel	8	B	15	15		line offset to the south due to cliffs, sample at top of cliff
542960	L14-0350	2017-10-03	RK	11N	460663	5620366	2180	Dry	Brown	Clay/Silt, Grave	10	B	5	20		top of cliff
542961	L14-0400	2017-10-03	RK	11N	460694	5620401	2169	Dry	Black	Clay/Silt	10	B/Talus	5	20		grass covered talus and soil
542962	L14-0600	2017-10-03	RK	11N	460861	5620533	2190	Dry	Brown	Sand/Gravel	6	Talus		65		frozen talus
542963	L14-0650	2017-10-03	RK	11N	460887	5620559	2190	Dry	Brown	Sand/Gravel	10	Talus		70		frozen talus
542964	L14-0700	2017-10-03	RK	11N	460928	5620588	2184	Dry	Brown	Sand/Gravel	10	C	10	20		
542965	L14-0750	2017-10-03	RK	11N	460963	5620617	2179	Dry	Brown	Sand/Gravel	10	C	5	30		quartz vein at station
542966	L14-0800	2017-10-03	RK	11N	461007	5620649	2160	Dry	Brown	Sand/Gravel	10	Talus	5	70		base of talus slope
542967	L14-0850	2017-10-03	RK	11N	461047	5620689	2172	Dry/Moist	Black	y/Silt, Sand/Gra	30	Talus		75		talus slope
542968	L14-0900	2017-10-03	RK	11N	461077	5620720	2187	Dry	Black	Clay/Silt, Grave	20	Talus		70		talus slope
542969	L14-0950	2017-10-03	RK	11N	461112	5620757	2200	Dry	Brown	Sand/Gravel	6	Talus		70		talus slope, rock cliffs around station, end of line at 0950
1751165	L20-1050	2017-10-04	KP	11N	461576	5620365	2120	Dry	Brown	Clay/Silt	10	B	5	5	20	
1751166	L20-1000	2017-10-04	KP	11N	461541	5620323	2101	Dry	Brown/Tan	Clay/Silt	20	B	5	2	5	
1751167	L20-0950	2017-10-04	KP	11N	461493	5620287	2102	Dry	Brown	Clay/Silt	15	B	5	2		near creek
1751168	L20-0900	2017-10-04	KP	11N	461473	5620259	2097	Dry	Brown	Silt/Sand	5	B/Talus	2	35		fine talus mixed in with soil, sparse vegetation
1751169	L20-0850	2017-10-04	KP	11N	461424	5620229	2090	Dry	Brown/Tan	Clay/Silt	10	B	2	2		near creek
1751170	L20-0800	2017-10-04	KP	11N	461388	5620203	2098	Dry	Brown	Clay/Silt	10	B	5	1		top of hill/ridge
1751171	L20-0750	2017-10-04	KP	11N	461345	5620158	2090	Dry	Brown	Clay/Silt/Grave	15	B	5	15		
1751172	L20-0700	2017-10-04	KP	11N	461310	5620130	2095	Moist	Brown	Clay/Silt	15	B	1	5		
1751173	L20-0650	2017-10-04	KP	11N	461272	5620096	2113	Dry	Brown	Clay/Silt	10	B	2	2		
1751174	L20-0600	2017-10-04	KP	11N	461235	5620072	2119	Moist	Brown	Clay/Silt	15	B/C	1	10		
1751175	L20-0550	2017-10-04	KP	11N	461203	5620036	2125	Dry	Brown/Tan	Clay/Silt	10	B	5	10	30	
1751176	L20-0500	2017-10-04	KP	11N	461161	5619995	2138	Moist	Brown	Clay/Silt	10	B	5	1		
1751177	L20-0450	2017-10-04	KP	11N	461117	5619972	2152	Moist	Brown/Green	Clay/Silt	20	B	1	5		
1751178	L20-0400	2017-10-04	KP	11N	461082	5619941	2161	Dry	Brown/Red	Clay/Silt	15	A/B	10	5		mix of A and B, best out of 5-6 holes dug in the area, at the base of talus slope
1751179	L20-0350	2017-10-04	KP	11N	461043	5619905	2171	Dry	Brown/Tan	Clay/Silt/Grave	10	B	2	20		near cliff
1751180	L23-1100	2017-10-05	KP	11N	461820	5620161	2055	Dry	Brown/Tan	Clay/Silt	5	B	5	1		
1751181	L23-1050	2017-10-05	KP	11N	461771	5620124	2066	Dry	Brown/Tan	Clay/Silt	10	B	5	15	15	
1751182	L23-1000	2017-10-05	KP	11N	461735	5620099	2048	Dry	Brown	Clay/Silt	20	B	10	10		
1751183	L23-0950	2017-10-05	KP	11N	461702	5620059	2046	Dry	Brown/Tan	Clay/Silt	10	B	2	5		
1751184	L23-0900	2017-10-05	KP	11N	461663	5620030	2032	Dry	Brown/Tan	Clay/Silt	5	B	10	15		
1751185	L23-0850	2017-10-05	KP	11N	461620	5620004	2037	Dry	Brown	Clay/Silt	15	B	2			
1751186	L23-0800	2017-10-05	KP	11N	461593	5619965	2041	Dry	Brown	Clay/Silt	20	A/B	10	5	20	mix of A and B, best out of 5 holes dug in the area, moved spot by around 5 m due to small cliff
1751187	L23-0750	2017-10-05	KP	11N	461540	5619931	2040	Dry	Brown	Clay/Silt	20	B	10	2	20	
1751188	L23-0700	2017-10-05	KP	11N	461501	5619901	2046	Moist	Brown	Clay/Silt	20	B	5		10	
1751189	L23-0650	2017-10-05	KP	11N	461470	5619869	2057	Dry	Brown	Clay/Silt	15	B	5			
1751190	L23-0600	2017-10-05	KP	11N	461429	5619840	2062	Dry	Brown/Tan	Clay/Silt	15	B	5	5		
1751191	L23-0550	2017-10-05	KP	11N	461382	5619801	2075	Dry	Brown/Tan	Clay/Silt	20	A/B	15	5	20	near outcrop, mix of A and B, best out of 5 holes dug in the area
1751192	L23-0500	2017-10-05	KP	11N	461352	5619769	2088	Dry	Black/Brown	Clay/Silt	20	A/B	2			mix of A and B, best out of 5 holes dug in the area
1751193	L23-0450	2017-10-05	KP	11N	461314	5619740	2104	Dry	Brown	Clay/Silt	10	B	2	5		
1604851	L3-0850	2017-09-30	TD	11N	460205	5621684	1869	Dry	Brown	Silt	20	B				
1604852	L3-0800	2017-09-30	TD	11N	460166	5621650	1851	Dry	Grey	Clay	20	B				

1604853	L3-0750	2017-09-30	TD	11N	460131	5621621	1853	Moist	Grey	Clay	20	B
1604854	L3-0700	2017-09-30	TD	11N	460092	5621593	1860	Dry	Brown	Silt	20	B
1604855	L3-0650	2017-09-30	TD	11N	460053	5621551	1868	Dry	Brown	Silt	20	B
1604856	L3-0600	2017-09-30	TD	11N	460013	5621524	1890	Moist	Brown	Silt	15	B
1604857	L3-0550	2017-09-30	TD	11N	459978	5621491	1875	Moist	Brown	Silt	25	B
1604858	L3-0500	2017-09-30	TD	11N	459938	5621464	1960	Moist	Brown	Silt	25	B
1604859	L3-0450	2017-09-30	TD	11N	459900	5621432	1990	Moist	Brown	Silt	20	B
1604860	L3-0400	2017-09-30	TD	11N	459861	5621392	1995	Moist	Brown	Silt	20	B
1604861	L3-0350	2017-09-30	TD	11N	459823	5621360	1986	Moist	Brown	Silt	25	B
1604862	L3-0300	2017-09-30	TD	11N	459784	5621334	1969	Dry	Brown	Silt	20	B
1604863	L3-0250	2017-09-30	TD	11N	459746	5621303	1955	Moist	Brown	Silt	15	B
1604864	L3-0200	2017-09-30	TD	11N	459709	5621264	1938	Dry	Brown	Silt	20	B
1604865	L3-0150	2017-09-30	TD	11N	459671	5621227	1917	Moist	Brown	Silt	25	B
1604866	L3-0100	2017-09-30	TD	11N	459631	5621201	1892	Moist	Brown	Silt	20	B
1604867	L3-0050	2017-09-30	TD	11N	459592	5621172	1881	Moist	Brown	Silt	25	B
1604868	L3-0000	2017-09-30	TD	11N	459554	5621138	1862	Moist	Brown	Silt	20	B
1604869	L2-0000	2017-09-30	TD	11N	459618	5621054	1874	Moist	Grey	Silt	20	B
1604870	L2-0050	2017-09-30	TD	11N	459654	5621089	1892	Dry	Brown	Silt	15	B
1604871	L2-0100	2017-09-30	TD	11N	459699	5621124	1919	Moist	Brown	Silt	20	B
1604872	L2-0150	2017-09-30	TD	11N	459737	5621159	1937	Moist	Brown Grey	Silt Clay	20	B
1604873	L2-0200	2017-09-30	TD	11N	459772	5621189	1956	Moist	Brown	Silt	20	B
1604874	L2-0250	2017-09-30	TD	11N	459809	5621225	1971	Moist	Brown	Silt	25	B
1604875	L2-0300	2017-09-30	TD	11N	459847	5621250	1989	Dry	Brown	Silt	20	B
1604876	L2-0350	2017-09-30	TD	11N	459886	5621279	2004	Moist	Brown Grey	Silt Clay	25	B
1604877	L1-0000	2017-09-30	TD	11N	459683	5620985	1876	Dry	Brown	Silt	25	B
1604878	L1-0050	2017-09-30	TD	11N	459724	5621019	1900	Dry	Brown	Silt	20	B
1604879	L1-0100	2017-09-30	TD	11N	459758	5621048	1923	Dry	Brown Grey	Silt	20	B
1604880	L1-0150	2017-09-30	TD	11N	459796	5621076	1950	Dry	Brown Grey	Silt	20	B
1604881	L1-0200	2017-09-30	TD	11N	459837	5621106	1968	Dry	Brown	Silt	20	B
1604882	L6-0600	2017-10-01	TD	11N	460330	5621142	1946	Dry	Brown	Silt	20	B
1604883	L6-0550	2017-10-01	TD	11N	460297	5621114	1980	Dry	Brown	Silt	30	B
1604884	L6-0500	2017-10-01	TD	11N	460253	5621062	2010	Dry	Dark Grey	Silt	35	A/B
1604885	L6-0450	2017-10-01	TD	11N	460221	5621039	2040	Dry	Brown	Silt	30	B
1604886	L6-0400	2017-10-01	TD	11N	460183	5621011	2053	Moist	Brown	Silt	35	B
1604887	L6-0350	2017-10-01	TD	11N	460144	5620982	2062	Moist	Dark Grey	Silt	45	B
1604888	L6-0300	2017-10-01	TD	11N	460105	5620952	2071	Dry	Brown	Silt	30	B
1604889	L6-0200	2017-10-01	TD	11N	460029	5620884	2011	Moist	Brown	Silt	35	B
1604890	L6-0150	2017-10-01	TD	11N	459992	5620856	1982	Dry	Brown	Silt	20	B
1604891	L6-0100	2017-10-01	TD	11N	459950	5620822	1936	Dry	Brown	Silt	30	B
1604892	L6-0050	2017-10-01	TD	11N	459915	5620791	1926	Dry	Brown	Silt	20	B
1604893	L6-0000	2017-10-01	TD	11N	459874	5620751	1905	Dry	Brown	Silt	25	B
1604894	L7-0000	2017-10-01	TD	11N	459937	5620678	1901	Saturated	Brown	Silt	30	B
1604895	L7-0050	2017-10-01	TD	11N	459974	5620708	1937	Dry	Brown	Silt	25	B
1604896	L7-0100	2017-10-01	TD	11N	460022	5620742	1962	Dry	Brown	Silt	30	B
1604897	L7-0150	2017-10-01	TD	11N	460057	5620766	1986	Dry	Brown	Silt	20	B
1604898	L7-0200	2017-10-01	TD	11N	460095	5620808	1987	Dry	Brown	Silt	25	B
1604899	L7-0250	2017-10-01	TD	11N	460125	5620836	2023	Dry	Grey	Silt	25	B
1604900	L7-0300	2017-10-01	TD	11N	460167	5620867	2056	Dry	Brown	Silt	25	B
1604901	L7-0350	2017-10-01	TD	11N	460209	5620899	2090	Moist	Brown	Silt	35	A/B
1604902	L7-0400	2017-10-01	TD	11N	460246	5620930	2095	Dry	Grey	Silt	40	B
1604903	L7-0450	2017-10-01	TD	11N	460325	5621001	2064	Moist	Grey	Silt	25	Talus
1604904	L8-0800	2017-10-02	TD	11N	460617	5621111	1965	Dry	Brown	Silt	25	B
1604905	L8-0850	2017-10-02	TD	11N	460659	5621150	1954	Moist	Brown	Silt	25	A/B
1604906	L8-0900	2017-10-02	TD	11N	460700	5621182	1959	Moist	Grey	Silt	20	B
1604907	L8-0950	2017-10-02	TD	11N	460732	5621210	1971	Moist	Grey	Silt	20	A/B
1604908	L8-1000	2017-10-02	TD	11N	460770	5621239	1987	Moist	Grey	Silt	20	A/B

Moved 11m due to cliff
Rocky
Rocky
Rocky

1604909	L9-1000	2017-10-02	TD	11N	460835	5621172	2017	Moist	Brown	Silt	15	B	
1604910	L9-0950	2017-10-02	TD	11N	460800	5621134	2016	Moist	Grey	Silt	15	A/B	
1604911	L9-0900	2017-10-02	TD	11N	460762	5621100	2013	Moist	Brown	Silt	15	A/B	
1604912	L9-0850	2017-10-02	TD	11N	460721	5621072	2006	Moist	Grey	Silt	15	A/B	
1604913	L8-0700	2017-10-02	TD	11N	460543	5621053	1938	Moist	Brown	Silt	20	B	
1604951	L8-0650	2017-10-02	TD	11N	460502	5621024	1988	Moist	Brown	Silt	20	B	
1604952	L8-0600	2017-10-02	TD	11N	460468	5620991	2038	Moist	Brown	Silt	20	B	
1604953	L8-0550	2017-10-02	TD	11N	460425	5620951	2058	Moist	Brown	Silt	20	B	
1604954	L8-0500	2017-10-02	TD	11N	460389	5620920	2084	Moist	Brown	Silt	15	B	
1604955	L8-0450	2017-10-02	TD	11N	460349	5620893	2094	Dry	Brown	Silt	20	B	
1604956	L8-0400	2017-10-02	TD	11N	460310	5620864	2110	Moist	Brown	Silt	25	B	
1604957	L8-0350	2017-10-02	TD	11N	460272	5620833	2127	Moist	Brown	Silt	25	B	
1604958	L9-0300	2017-10-02	TD	11N	460296	5620721	2130	Dry	Grey	Silt	20	B	
1604959	L9-0350	2017-10-02	TD	11N	460335	5620748	2143	Dry	Grey	Silt	20	B	Rocky
1604960	L9-0400	2017-10-02	TD	11N	460373	5620780	2121	Dry	Brown	Silt	30	B	Rocky
1604961	L9-0450	2017-10-02	TD	11N	460413	5620809	2089	Dry	Brown	Silt	25	B	
1604962	L9-0500	2017-10-02	TD	11N	460452	5620839	2070	Moist	Grey	Silt Clay	25	B	
1604963	L9-0550	2017-10-02	TD	11N	460488	5620881	2062	Dry	Brown	Silt	30	B	
1604964	L9-0600	2017-10-02	TD	11N	460531	5620908	2053	Moist	Brown	Silt Clay	30	B	
1604965	L9-0650	2017-10-02	TD	11N	460568	5620940	2023	Moist	Brown	Silt Clay	20	B	
1604966	L15-0600	2017-10-03	TD	11N	460915	5620452	2169	Dry	Brown	Silt	20	B	
1604967	L15-0650	2017-10-03	TD	11N	460951	5620481	2175	Dry	Brown	Silt	15	B	
1604968	L15-0700	2017-10-03	TD	11N	460990	5620509	2164	Moist	Brown	Silt	20	B	Rocky
1604969	L15-0750	2017-10-03	TD	11N	461028	5620552	2173	Moist	Brown	Silt	15	B	
1604970	L15-0800	2017-10-03	TD	11N	461068	5620583	2179	Moist	Grey	Silt	15	Talus	
1604971	L15-0850	2017-10-03	TD	11N	461105	5620613	2191	Moist	Grey	Silt	20	Talus	
1604972	L15-0900	2017-10-03	TD	11N	461141	5620640	2208	Dry	Grey	Silt	15	Talus	
1604973	L15-0950	2017-10-03	TD	11N	461182	5620671	2220	Moist	Grey	Silt	15	Talus	
1604974	L15-1000	2017-10-03	TD	11N	461216	5620705	2229	Moist	Brown	Silt	15	Talus	
1604975	L16-1000	2017-10-03	TD	11N	461284	5620632	2208	Moist	Brown	Silt	10	Talus	
1604976	L16-0950	2017-10-03	TD	11N	461243	5620604	2196	Moist	Brown	Silt	15	B	Next to old pit
1604977	L16-0900	2017-10-03	TD	11N	461210	5620571	2175	Moist	Grey	Silt	10	Talus	
1604978	L16-0850	2017-10-03	TD	11N	461173	5620530	2163	Moist	Grey	Gravel	15	Talus	
1604979	L16-0800	2017-10-03	TD	11N	461129	5620500	2159	Moist	Brown	Silt	15	B	
1604980	L16-0750	2017-10-03	TD	11N	461092	5620471	2156	Moist	Brown	Silt	20	B	
1604981	L16-0700	2017-10-03	TD	11N	461054	5620441	2148	Moist	Brown	Silt	20	B	
1604982	L16-0650	2017-10-03	TD	11N	461018	5620408	2143	Saturated	Brown	Clay Silt	15	B	
1604983	L16-0600	2017-10-03	TD	11N	460980	5620370	2149	Saturated	Grey	Clay	20	B	
1604984	L16-0550	2017-10-03	TD	11N	460939	5620342	2154	Moist	Brown	Silt	20	B	
1604985	L16-0500	2017-10-03	TD	11N	460901	5620310	2166	Moist	Brown	Silt	15	B	
1604986	L16-0450	2017-10-03	TD	11N	460865	5620281	2173	Moist	Brown	Silt	20	B	
1604987	L16-0400	2017-10-03	TD	11N	460827	5620240	2193	Moist	Brown	Silt	20	Talus	
1604988	L16-0350	2017-10-03	TD	11N	460788	5620211	2207	Moist	Brown	Sand	20	B	
1604989	L16-0300	2017-10-03	TD	11N	460750	5620183	2219	Moist	Grey	Silt	15	B	
1604990	L16-0250	2017-10-03	TD	11N	460711	5620152	2229	Moist	Grey	Silt	15	Talus	
1604991	L16-0200	2017-10-03	TD	11N	460672	5620123	2231	Moist	Brown	Silt	20	B	
1604992	L16-0150	2017-10-03	TD	11N	460633	5620083	2214	Moist	Brown	Silt	20	B	
1604993	L16-0100	2017-10-03	TD	11N	460594	5620050	2196	Moist	Brown	Silt	15	B	
1604994	L15-0100	2017-10-03	TD	11N	460548	5620140	2185	Dry	Brown	Silt	25	B	moved 15m due to cliff
1604995	L15-0150	2017-10-03	TD	11N	460569	5620164	2193	Moist	Brown	Silt	20	Talus	
1604996	L15-0200	2017-10-03	TD	11N	460609	5620190	2207	Moist	Brown	Silt	25	B	
1604997	L15-0250	2017-10-03	TD	11N	460649	5620221	2206	Moist	Grey	Silt	25	Talus	
1604998	L15-0300	2017-10-03	TD	11N	460684	5620261	2190	Moist	Brown	Silt	20	B	
1604999	L19-1050	2017-10-04	TD	11N	461512	5620434	2134	Moist	Brown	Silt	20	B	
1605000	L19-1000	2017-10-04	TD	11N	461480	5620401	2131	Moist	Brown	Silt	20	B	
1751451	L19-0950	2017-10-04	TD	11N	461439	5620371	2115	Moist	Brown	Silt	20	B	

1751452	L19-0900	2017-10-04	TD	11N	461402	5620341	2118	Moist	Brown	Silt	20	B
1751453	L19-0850	2017-10-04	TD	11N	461362	5620301	2102	Moist	Brown	Silt	15	B
1751454	L19-0800	2017-10-04	TD	11N	461325	5620271	2119	Moist	Brown	Silt	15	B
1751455	L19-0750	2017-10-04	TD	11N	461285	5620242	2107	Moist	Brown	Silt	15	B
1751456	L19-0700	2017-10-04	TD	11N	461247	5620211	2108	Moist	Brown	Silt	20	B
1751457	L19-0650	2017-10-04	TD	11N	461210	5620178	2119	Moist	Brown	Silt	25	B
1751458	L19-0600	2017-10-04	TD	11N	461170	5620140	2138	Moist	Grey	Silt	15	B
1751459	L19-0550	2017-10-04	TD	11N	461131	5620113	2150	Moist	Grey	Silt	15	Talus
1751460	L19-0500	2017-10-04	TD	11N	461094	5620081	2173	Moist	Brown	Silt	25	B
1751461	L19-0450	2017-10-04	TD	11N	461056	5620052	2183	Moist	Grey	Silt	20	B
1751462	L19-0400	2017-10-04	TD	11N	461018	5620012	2197	Moist	Grey	Silt	15	Talus
1751463	L24-1100	2017-10-05	TD	11N	461878	5620082	2040	Moist	Brown	Silt	20	B
1751464	L24-1050	2017-10-05	TD	11N	461836	5620051	2040	Moist	Brown	Silt	25	B
1751465	L24-1000	2017-10-05	TD	11N	461797	5620019	2031	Moist	Brown	Silt	20	B
1751466	L24-0950	2017-10-05	TD	11N	461765	5619990	2019	Dry	Grey	Silt	20	B
1751467	L24-0900	2017-10-05	TD	11N	461725	5619952	2008	Dry	Brown	Silt	25	B
1751468	L24-0850	2017-10-05	TD	11N	461685	5619921	2026	Dry	Brown	Silt	15	B
1751469	L24-0800	2017-10-05	TD	11N	461644	5619890	2017	Moist	Brown	Silt/Clay	25	B
1751470	L24-0750	2017-10-05	TD	11N	461607	5619859	2020	Moist	Brown	Silt	20	B
1751471	L24-0700	2017-10-05	TD	11N	461570	5619821	2036	Moist	Brown	Silt	25	B
1751472	L24-0650	2017-10-05	TD	11N	461532	5619792	2051	Moist	Brown	Silt	20	B
1751473	L24-0600	2017-10-05	TD	11N	461492	5619761	2062	Dry	Brown	Silt	25	B
1751474	L24-0550	2017-10-05	TD	11N	461456	5619730	2075	Dry	Brown	Silt	25	B
1751475	L24-0500	2017-10-05	TD	11N	461415	5619702	2090	Moist	Brown	Silt	25	B

Appendix 3

Assay Certificates

MS Analytical
An A2 Global Company
MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name:	Silver Dollar
Job Received Date:	10-Oct-2017
Job Report Date:	31-Oct-2017
Report Version:	Final

COMMENTS:

Test results reported relate only to the samples as received by the laboratory.Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
FAS-418	Ag, Fire Assay, 30g fusion, Gravimetric
ICF-6Ag	Ag, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Pb	Pb, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICF-6Zn	Zn, 0.2g, 4-Acid, ICP-AES, Ore Grade
IMS-111	Multi-Element, 20g, 1:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-418 Ag ppm 5	ICF-6Ag Ag ppm 1	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-111 Ag ppm 0.01	IMS-111 Al % 0.01	IMS-111 As ppm 0.1	IMS-111 Au ppm 0.0005	IMS-111 B ppm 10
Granite Blank	QC-P-BK	--						0.22	1.70	1.8	0.0013	<10
Granite Blank	QC-P-BK	--						0.22	1.71	1.9	0.0013	<10
1752201	Rock	1.51			184			>100	0.51	249.3	0.1739	<10
1752202	Rock	1.96						31.46	0.31	462.7	0.2011	<10
1752203	Rock	0.94						57.76	0.30	1200.9	0.4209	<10
1752204	Rock	1.24			152		3.53	>100	0.14	2782.9	1.4555	17
1752205	Rock	1.22						1.58	0.78	23.1	0.0022	<10
1752206	Rock	1.48						0.37	0.81	4.4	<0.0005	<10
1752207	Rock	1.96						0.16	0.64	13.0	<0.0005	<10
1752208	Rock	1.86			151	1.85	32.90	>100	0.17	319.9	0.3284	<10
1752209	Rock	2.02					23.33	50.29	0.14	532.6	0.2756	<10
1752210	Rock	1.34						0.34	0.79	11.0	<0.0005	<10
1752211	Rock	1.07						0.11	0.55	6.9	<0.0005	<10
1752212	Rock	1.90		1378	>750	13.44	16.41	>100	0.29	412.7	0.0705	12
1752213	Rock	1.29					5.31	19.08	0.33	1167.6	0.0558	11

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	FAS-418 Ag ppm 5	ICF-6Ag Ag ppm 1	ICF-6Pb Pb % 0.01	ICF-6Zn Zn % 0.01	IMS-111 Ag ppm 0.01	IMS-111 Al % 0.01	IMS-111 As ppm 0.1	IMS-111 Au ppm 0.0005	IMS-111 B ppm 10
1752214	Rock	1.08		1991	>750	17.72	18.91	>100	0.27	525.0	0.0210	<10
1752215	Rock	1.89			145		15.06	>100	0.23	1111.4	0.2121	15
DUP 1752212				1377								
DUP 1752205								1.48	0.79	22.2	0.0014	<10
DUP 1752201					186							
STD BLANK				<5								
STD BLANK								<0.01	<0.01	<0.1	<0.0005	<10
STD BLANK					<1	<0.01	<0.01					
STD CDN-ME-1505				366								
STD OREAS 24b								0.08	2.99	8.0	0.0018	<10
STD OREAS 134b					208	12.92	18.04					

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ba ppm 10	IMS-111 Be ppm 0.05	IMS-111 Bi ppm 0.01	IMS-111 Ca % 0.01	IMS-111 Cd ppm 0.01	IMS-111 Ce ppm 0.02	IMS-111 Co ppm 0.1	IMS-111 Cr ppm 1	IMS-111 Cs ppm 0.05	IMS-111 Cu ppm 0.2	IMS-111 Fe % 0.01	IMS-111 Ga ppm 0.05
Granite Blank	78	0.16	0.03	0.94	1.12	11.57	7.7	24	0.50	14.5	2.22	5.30
Granite Blank	78	0.16	0.03	0.95	1.10	10.87	7.8	24	0.50	14.9	2.26	5.37
1752201	64	0.29	0.22	0.01	0.64	6.95	0.6	13	1.00	82.2	1.41	1.14
1752202	42	0.19	0.20	0.02	8.29	4.53	8.6	17	0.59	88.5	3.34	0.77
1752203	44	0.16	0.30	<0.01	2.31	3.04	5.0	16	0.51	69.5	4.29	0.80
1752204	19	0.05	0.35	<0.01	150.31	1.70	7.7	13	0.21	382.6	17.97	0.68
1752205	32	0.18	0.15	<0.01	1.47	22.61	0.6	25	0.45	12.8	1.87	2.37
1752206	21	0.09	0.05	0.03	0.31	6.54	0.6	26	0.22	5.9	1.62	2.34
1752207	49	0.24	0.21	0.02	0.14	20.09	6.1	22	0.45	39.7	3.31	2.01
1752208	26	0.14	0.59	0.10	>1000	3.17	7.9	8	0.39	841.0	5.12	2.87
1752209	19	0.10	0.10	0.12	>1000	2.85	8.5	13	0.37	347.1	5.21	2.26
1752210	30	0.24	0.18	<0.01	4.48	19.65	0.9	28	0.53	29.3	2.22	1.78
1752211	31	0.38	0.10	0.02	0.51	12.01	5.6	18	0.61	28.2	2.95	1.23
1752212	32	0.24	0.61	0.05	760.78	7.41	6.8	8	0.92	5293.8	5.85	1.09
1752213	26	0.15	0.14	0.01	225.52	3.48	20.5	11	0.64	78.8	11.01	1.34

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ba ppm 10	IMS-111 Be ppm 0.05	IMS-111 Bi ppm 0.01	IMS-111 Ca % 0.01	IMS-111 Cd ppm 0.01	IMS-111 Ce ppm 0.02	IMS-111 Co ppm 0.1	IMS-111 Cr ppm 1	IMS-111 Cs ppm 0.05	IMS-111 Cu ppm 0.2	IMS-111 Fe % 0.01	IMS-111 Ga ppm 0.05
1752214	28	0.26	3.23	0.03	881.27	6.30	5.7	6	0.98	6016.1	6.74	1.04
1752215	24	0.13	0.25	0.01	639.68	4.18	11.6	15	0.49	573.5	9.90	2.20
DUP 1752212												
DUP 1752205	32	0.18	0.14	<0.01	1.35	22.12	0.5	26	0.47	12.2	1.87	2.42
DUP 1752201												
STD BLANK												
STD BLANK	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	<0.01	<0.05
STD BLANK												
STD CDN-ME-1505												
STD OREAS 24b	144	1.54	0.69	0.45	0.05	57.98	15.7	102	9.03	36.3	3.79	10.37
STD OREAS 134b												

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ge ppm 0.05	IMS-111 Hf ppm 0.02	IMS-111 Hg ppm 0.005	IMS-111 In ppm 0.005	IMS-111 K % 0.01	IMS-111 La ppm 0.2	IMS-111 Li ppm 0.1	IMS-111 Mg % 0.01	IMS-111 Mn ppm 5	IMS-111 Mo ppm 0.05	IMS-111 Na % 0.01	IMS-111 Nb ppm 0.05
Granite Blank	0.09	0.10	0.014	0.019	0.21	5.6	15.5	0.77	422	0.28	0.17	0.15
Granite Blank	0.10	0.09	0.013	0.022	0.21	5.2	16.0	0.78	429	0.28	0.17	0.14
1752201	<0.05	0.07	0.719	0.015	0.31	3.7	1.5	0.01	26	0.84	0.04	<0.05
1752202	<0.05	0.03	0.596	0.013	0.21	2.4	0.9	0.01	26	0.53	0.02	<0.05
1752203	<0.05	0.03	0.459	0.010	0.21	1.7	0.8	<0.01	27	0.43	0.02	<0.05
1752204	<0.05	0.03	7.963	0.093	0.09	1.1	0.4	<0.01	35	0.46	0.01	<0.05
1752205	<0.05	0.04	0.156	0.008	0.15	12.7	23.2	0.28	123	0.97	0.03	<0.05
1752206	<0.05	<0.02	0.047	<0.005	0.10	3.3	24.6	0.38	204	0.53	0.02	<0.05
1752207	<0.05	0.04	0.105	0.014	0.22	10.8	11.2	0.15	344	1.06	0.03	<0.05
1752208	<0.05	0.02	51.884	0.793	0.14	1.6	0.9	0.70	745	0.26	0.01	<0.05
1752209	<0.05	0.02	38.723	0.663	0.11	1.4	0.6	0.20	227	0.42	0.01	<0.05
1752210	<0.05	0.04	0.435	0.016	0.14	11.1	18.9	0.22	108	0.93	0.02	<0.05
1752211	<0.05	0.02	0.211	0.019	0.16	5.7	7.3	0.08	317	0.51	0.04	<0.05
1752212	<0.05	0.07	21.209	0.493	0.17	4.0	0.8	0.05	79	0.91	0.03	<0.05
1752213	<0.05	0.05	6.800	0.101	0.22	2.0	0.8	<0.01	40	1.06	0.02	<0.05

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ge ppm 0.05	IMS-111 Hf ppm 0.02	IMS-111 Hg ppm 0.005	IMS-111 In ppm 0.005	IMS-111 K % 0.01	IMS-111 La ppm 0.2	IMS-111 Li ppm 0.1	IMS-111 Mg % 0.01	IMS-111 Mn ppm 5	IMS-111 Mo ppm 0.05	IMS-111 Na % 0.01	IMS-111 Nb ppm 0.05
1752214	<0.05	0.06	21.314	1.243	0.16	3.4	0.7	0.09	77	0.62	0.03	<0.05
1752215	<0.05	0.05	12.467	0.268	0.14	2.1	0.6	<0.01	41	0.64	0.02	<0.05
DUP 1752212												
DUP 1752205	<0.05	0.04	0.130	0.007	0.15	12.3	23.9	0.28	123	0.93	0.03	<0.05
DUP 1752201												
STD BLANK												
STD BLANK	<0.05	<0.02	<0.005	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05
STD BLANK												
STD CDN-ME-1505												
STD OREAS 24b	0.14	0.53	0.014	0.050	1.15	28.2	42.0	1.33	334	3.75	0.10	0.28
STD OREAS 134b												

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ni ppm 0.2	IMS-111 P ppm 10	IMS-111 Pb ppm 0.2	IMS-111 Rb ppm 0.1	IMS-111 Re ppm 0.001	IMS-111 S % 0.01	IMS-111 Sb ppm 0.05	IMS-111 Sc ppm 0.1	IMS-111 Se ppm 0.2	IMS-111 Sn ppm 0.2	IMS-111 Sr ppm 0.2	IMS-111 Ta ppm 0.01
Granite Blank	9.3	476	4.4	8.4	<0.001	0.05	0.64	3.5	0.4	0.4	69.2	0.01
Granite Blank	9.3	478	3.8	8.6	<0.001	0.05	0.77	3.7	0.4	0.4	72.0	<0.01
1752201	1.9	160	1213.0	13.4	<0.001	0.19	281.74	0.6	0.4	0.7	7.2	<0.01
1752202	23.4	66	2545.1	9.7	<0.001	3.52	58.80	0.5	1.0	0.6	4.4	<0.01
1752203	13.4	61	2930.7	9.3	<0.001	3.78	66.14	0.4	0.5	0.5	1.8	<0.01
1752204	24.4	<10	2412.3	4.7	<0.001	>10	255.41	0.2	0.3	2.1	1.0	<0.01
1752205	9.5	184	33.0	7.7	<0.001	0.17	2.52	0.6	1.2	0.3	6.8	<0.01
1752206	4.5	115	7.3	5.1	<0.001	0.13	0.52	0.5	0.5	0.3	3.7	<0.01
1752207	26.1	186	11.5	10.3	<0.001	2.56	0.25	0.7	4.1	0.3	7.0	<0.01
1752208	21.3	149	>10000	5.7	<0.001	>10	294.19	1.0	0.6	6.5	7.1	<0.01
1752209	24.2	134	831.9	5.3	<0.001	>10	102.08	0.6	<0.2	5.4	8.3	<0.01
1752210	10.8	460	20.1	6.8	0.002	0.10	0.76	1.1	1.6	0.3	6.5	<0.01
1752211	15.6	404	13.2	8.0	<0.001	0.02	0.39	1.9	0.6	0.2	5.1	<0.01
1752212	17.3	163	>10000	8.4	<0.001	>10	3366.77	0.7	2.4	7.4	9.7	<0.01
1752213	55.3	33	986.4	10.5	<0.001	>10	24.43	0.4	0.5	1.6	5.5	<0.01

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Ni ppm 0.2	IMS-111 P ppm 10	IMS-111 Pb ppm 0.2	IMS-111 Rb ppm 0.1	IMS-111 Re ppm 0.001	IMS-111 S % 0.01	IMS-111 Sb ppm 0.05	IMS-111 Sc ppm 0.1	IMS-111 Se ppm 0.2	IMS-111 Sn ppm 0.2	IMS-111 Sr ppm 0.2	IMS-111 Ta ppm 0.01
1752214	14.5	110	>10000	8.1	<0.001	>10	4003.44	0.7	8.6	8.2	6.0	<0.01
1752215	37.0	50	3011.7	6.7	<0.001	>10	280.72	0.3	0.2	3.7	2.7	<0.01
DUP 1752212												
DUP 1752205	9.1	189	32.1	7.3	<0.001	0.17	2.32	0.6	1.2	0.3	7.3	<0.01
DUP 1752201												
STD BLANK												
STD BLANK	<0.2	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01
STD BLANK												
STD CDN-ME-1505												
STD OREAS 24b	57.8	576	8.6	109.3	0.001	0.19	0.55	9.8	<0.2	2.1	27.6	0.01
STD OREAS 134b												

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Te ppm 0.01	IMS-111 Th ppm 0.2	IMS-111 Ti % 0.005	IMS-111 Tl ppm 0.02	IMS-111 U ppm 0.05	IMS-111 V ppm 1	IMS-111 W ppm 0.05	IMS-111 Y ppm 0.05	IMS-111 Zn ppm 1	IMS-111 Zr ppm 0.5
Granite Blank	<0.01	2.1	0.126	0.06	0.45	46	0.14	6.07	132	2.2
Granite Blank	0.05	1.8	0.129	0.06	0.46	47	0.12	6.28	134	2.2
1752201	0.02	3.9	<0.005	0.17	0.37	4	0.08	0.76	149	3.2
1752202	0.05	2.1	<0.005	0.13	0.26	3	0.08	0.49	1735	1.5
1752203	0.03	1.8	<0.005	0.12	0.21	3	0.10	0.44	513	1.5
1752204	<0.01	0.5	<0.005	0.07	0.13	6	0.08	0.27	>10000	0.9
1752205	0.03	3.9	<0.005	0.05	0.34	5	0.06	1.15	320	2.1
1752206	<0.01	5.4	0.005	0.03	0.28	4	0.06	1.64	87	0.8
1752207	0.03	7.1	<0.005	0.07	0.54	5	0.06	3.05	61	1.8
1752208	0.06	1.8	<0.005	0.08	0.40	3	0.05	0.77	>10000	0.8
1752209	0.03	1.6	<0.005	0.06	0.28	2	0.07	0.64	>10000	0.9
1752210	0.02	8.9	<0.005	0.04	1.13	5	0.05	0.95	951	2.5
1752211	<0.01	8.9	<0.005	0.05	1.01	5	<0.05	1.99	148	1.4
1752212	0.19	3.0	<0.005	0.10	0.41	3	<0.05	0.79	>10000	2.4
1752213	0.03	1.7	<0.005	0.12	0.27	5	0.07	0.53	>10000	2.0

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710885

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 31-Oct-2017
Report Version: Final

Sample ID	IMS-111 Te ppm 0.01	IMS-111 Th ppm 0.2	IMS-111 Ti % 0.005	IMS-111 Tl ppm 0.02	IMS-111 U ppm 0.05	IMS-111 V ppm 1	IMS-111 W ppm 0.05	IMS-111 Y ppm 0.05	IMS-111 Zn ppm 1	IMS-111 Zr ppm 0.5
1752214	0.36	2.7	<0.005	0.10	0.33	4	<0.05	0.64	>10000	2.5
1752215	0.08	2.0	<0.005	0.09	0.21	4	0.11	0.51	>10000	2.2
DUP 1752212										
DUP 1752205	0.02	4.0	<0.005	0.05	0.34	5	0.06	1.19	311	1.9
DUP 1752201										
STD BLANK										
STD BLANK	<0.01	<0.2	<0.005	<0.02	<0.05	<1	<0.05	<0.05	<1	<0.5
STD BLANK										
STD CDN-ME-1505										
STD OREAS 24b	0.03	14.5	0.187	0.63	1.70	75	1.17	11.90	92	23.6
STD OREAS 134b										

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

An A2 Global Company

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name:	Silver Dollar
Job Received Date:	10-Oct-2017
Job Report Date:	02-Nov-2017
Number of Samples:	193
Report Version:	Final

COMMENTS:

Test results reported relate only to the samples as received by the laboratory.Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION

METHOD CODE	DESCRIPTION
PRP-757	Dry, Screen to 80 mesh, discard plus fraction

ANALYTICAL METHODS

METHOD CODE	DESCRIPTION
IMS-117	Multi-Element (39 elements), 20g, 1:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604851	Soil	0.45		2.14	0.69	29.1	0.020	<10	78	0.38	0.09	0.39	8.3	9
1604852	Soil	0.45		0.43	1.22	5.9	0.002	<10	108	0.29	0.13	0.31	6.9	12
1604853	Soil	0.47		0.27	1.60	5.9	0.002	<10	53	0.40	0.12	0.13	12.1	18
1604854	Soil	0.32		0.65	0.88	4.8	0.001	<10	63	0.28	0.03	0.11	1.6	10
1604855	Soil	0.44		0.24	1.33	14.3	0.002	22	27	0.51	0.01	0.14	1.9	14
1604856	Soil	0.43		0.25	1.71	30.6	0.003	13	34	0.64	0.01	0.19	2.9	28
1604857	Soil	0.48		0.27	1.29	27.0	0.002	22	28	0.53	0.01	0.26	1.2	21
1604858	Soil	0.47		0.36	1.67	36.7	0.003	19	34	0.75	0.01	0.34	1.4	79
1604859	Soil	0.43		0.47	0.96	12.7	0.002	16	24	0.46	0.02	0.06	0.5	10
1604860	Soil	0.55		0.14	1.23	18.3	<0.001	18	27	0.51	<0.01	0.09	1.7	13
1604861	Soil	0.48		0.30	1.75	23.8	0.002	13	32	0.58	<0.01	0.21	2.1	25
1604862	Soil	0.61		0.24	1.80	42.5	0.003	29	38	0.52	<0.01	0.06	3.0	27
1604863	Soil	0.51		0.38	0.99	17.4	0.003	13	26	0.76	0.01	0.17	1.2	13
1604864	Soil	0.51		0.16	1.26	21.3	0.006	<10	28	0.49	<0.01	0.04	1.9	16
1604865	Soil	0.53		0.46	1.33	24.9	0.001	<10	29	0.60	<0.01	0.10	2.6	23
1604866	Soil	0.57		0.42	0.85	8.9	0.001	<10	22	0.35	0.02	0.08	1.1	9
1604867	Soil	0.49		0.25	1.41	19.1	0.002	32	30	0.42	<0.01	0.15	3.5	20
1604868	Soil	0.52		0.44	2.13	22.7	0.002	25	38	0.56	<0.01	0.09	5.3	26
1604869	Soil	0.58		0.07	0.71	11.7	0.001	<10	17	0.30	0.02	0.07	2.5	7
1604870	Soil	0.50		0.55	1.62	19.2	0.002	21	39	0.53	0.07	0.17	3.6	21
1604871	Soil	0.49		0.22	0.97	12.3	<0.001	19	24	0.53	0.01	0.08	1.2	10
1604872	Soil	0.57		0.37	1.49	28.2	0.001	<10	29	0.63	<0.01	0.08	2.6	22
1604873	Soil	0.50		0.21	1.46	19.2	0.002	<10	24	0.48	<0.01	0.05	1.8	19
1604874	Soil	0.47		0.20	1.28	18.1	0.002	<10	21	0.59	0.02	0.06	1.0	15
1604875	Soil	0.60		0.13	0.84	26.8	0.002	<10	22	0.62	<0.01	0.03	1.3	10

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604876	Soil	0.50		0.39	1.05	17.6	0.002	31	25	0.47	<0.01	0.10	1.2	12
1604877	Soil	0.54		0.21	1.69	18.1	0.002	11	31	0.50	0.02	0.10	3.8	21
1604878	Soil	0.53		0.39	0.89	12.8	<0.001	<10	17	0.44	0.02	0.11	2.1	12
1604879	Soil	0.50		0.08	0.65	30.2	<0.001	13	17	0.57	0.01	0.07	2.3	11
1604880	Soil	0.51		0.13	0.63	25.0	0.001	<10	17	0.53	<0.01	0.05	1.6	9
1604881	Soil	0.54		0.54	1.28	23.9	0.002	22	31	0.50	<0.01	0.09	2.5	19
1604882	Soil	0.48		0.73	1.50	9.2	0.002	<10	26	0.48	0.01	0.31	1.0	11
1604883	Soil	0.59		0.23	1.54	37.1	0.004	<10	33	0.78	<0.01	0.24	3.1	32
1604884	Soil	0.60		0.10	1.39	28.5	0.002	11	24	0.57	0.01	0.10	3.4	24
1604885	Soil	0.70		0.33	1.54	31.4	0.004	<10	34	0.67	<0.01	0.12	2.2	30
1604886	Soil	0.61		0.78	1.33	17.2	0.002	<10	25	0.42	0.02	0.10	2.7	15
1604887	Soil	0.58		0.11	1.75	29.8	0.004	<10	41	0.50	<0.01	0.04	3.3	25
1604888	Soil	0.50		0.39	2.35	30.2	0.003	<10	36	0.54	0.01	0.13	2.1	29
1604889	Soil	0.55		0.77	1.36	40.4	0.004	<10	30	0.68	0.02	0.11	1.1	27
1604890	Soil	0.40		0.63	1.12	16.5	0.001	<10	31	0.49	0.02	0.18	1.5	11
1604891	Soil	0.46		1.44	1.64	16.0	0.001	12	43	0.46	0.13	0.43	53.2	17
1604892	Soil	0.34		0.22	1.75	10.2	0.001	<10	29	0.38	0.01	0.14	1.5	9
1604893	Soil	0.43		0.27	1.12	8.3	<0.001	<10	26	0.36	0.03	0.11	1.5	10
1604894	Soil	0.52		1.39	2.54	8.2	0.002	<10	51	0.34	0.05	0.19	12.9	12
1604895	Soil	0.42		0.38	1.12	16.6	0.001	11	30	0.51	0.03	0.09	3.6	18
1604896	Soil	0.58		0.24	1.33	27.1	0.014	<10	20	0.60	<0.01	0.26	4.0	22
1604897	Soil	0.41		0.17	1.03	20.8	0.002	<10	37	0.60	<0.01	0.06	2.2	12
1604898	Soil	0.51		0.31	1.10	27.6	0.003	<10	43	0.64	<0.01	0.09	1.3	24
1604899	Soil	0.48		0.26	1.45	30.5	0.003	<10	40	0.66	<0.01	0.10	1.4	24
1604900	Soil	0.49		0.37	1.41	36.3	0.002	<10	40	0.50	0.02	0.12	1.0	23

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604901	Soil	0.51		0.07	1.33	17.0	<0.001	18	26	0.49	<0.01	0.09	1.2	14
1604902	Soil	0.56		0.19	1.02	20.4	0.002	19	33	0.47	<0.01	0.11	1.4	10
1604903	Soil	0.63		0.36	1.53	44.9	0.003	<10	39	0.70	<0.01	0.08	1.5	35
1604904	Soil	0.55		0.08	1.41	32.5	0.005	<10	25	0.60	<0.01	0.13	10.3	18
1604905	Soil	0.51		0.20	1.04	10.4	0.002	<10	33	0.36	0.02	0.16	18.0	13
1604906	Soil	0.62		0.06	1.25	12.1	0.001	<10	28	0.33	0.06	0.09	20.4	16
1604907	Soil	0.62		0.10	1.33	11.1	0.001	<10	43	0.37	0.07	0.10	17.0	15
1604908	Soil	0.62		0.09	1.37	8.3	0.001	24	41	0.34	0.09	0.06	11.4	15
1604909	Soil	0.58		0.27	1.53	17.9	0.002	17	41	0.58	0.02	0.11	12.1	17
1604910	Soil	0.56		0.08	1.11	12.8	0.002	<10	35	0.41	0.06	0.27	21.3	15
1604911	Soil	0.46		0.47	3.03	27.6	0.004	<10	32	0.48	0.30	0.17	32.8	23
1604912	Soil	0.50		0.17	0.39	18.3	0.001	<10	33	0.46	0.08	0.26	6.8	7
1604913	Soil	0.48		0.24	1.12	8.2	0.001	16	23	0.45	0.01	0.14	1.4	10
1604914	Soil	0.35		0.36	0.65	5.0	<0.001	25	27	0.36	0.02	0.03	0.4	5
1604915	Soil	0.33		0.33	2.29	10.8	0.003	<10	21	0.39	0.02	0.08	0.8	19
1604916	Soil	0.27		0.66	1.49	8.0	0.002	<10	23	0.36	<0.01	0.27	0.6	10
1604917	Soil	0.34		0.68	1.70	6.0	0.002	<10	26	0.37	0.01	0.09	0.6	11
1604918	Soil	0.36		0.12	1.11	15.6	0.002	<10	30	0.58	<0.01	0.15	0.8	13
1604919	Soil	0.30		1.44	3.17	10.3	0.002	<10	37	0.32	0.01	0.25	0.7	12
1604920	Soil	0.28		0.20	1.60	20.3	0.001	<10	27	0.51	<0.01	0.10	2.2	23
1604921	Soil	0.28		0.40	1.01	20.1	<0.001	<10	26	0.59	0.02	0.10	1.0	10
1604922	Soil	0.41		0.32	1.33	18.5	0.003	<10	31	0.46	<0.01	0.18	1.7	17
1604923	Soil	0.37		0.07	0.75	6.1	<0.001	<10	18	0.30	<0.01	0.05	0.7	6
1604924	Soil	0.33		0.61	1.29	20.6	0.003	16	33	0.56	0.01	0.13	1.4	19
1604925	Soil	0.36		0.82	1.17	15.0	0.001	<10	34	0.51	0.01	0.13	1.4	17

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604926	Soil	0.27		0.85	0.97	21.7	0.002	<10	23	0.40	0.02	0.13	1.3	15
1604927	Soil	0.36		0.23	0.87	14.6	<0.001	27	22	0.43	0.02	0.08	1.6	10
1604928	Soil	0.27		0.20	0.46	2.8	<0.001	<10	14	0.29	0.01	0.05	0.7	4
1604929	Soil	0.40		0.43	0.94	21.4	<0.001	29	28	0.48	<0.01	0.06	2.3	15
1604930	Soil	0.28		0.19	1.83	22.7	0.002	29	41	0.59	0.01	0.06	1.5	22
1604931	Soil	0.36		0.30	0.93	11.8	<0.001	26	28	0.48	<0.01	0.05	0.8	9
1604932	Soil	0.37		0.21	1.70	27.9	0.003	<10	33	0.77	0.01	0.12	1.6	28
1604933	Soil	0.36		0.59	1.34	21.1	0.001	27	23	0.49	0.03	0.24	2.0	25
1604934	Soil	0.41		0.22	1.76	22.9	0.002	<10	27	0.58	<0.01	0.30	1.5	25
1604935	Soil	0.42		0.14	1.23	21.0	0.001	<10	28	0.53	<0.01	0.13	1.2	15
1604936	Soil	0.42		0.23	1.65	13.3	0.001	14	25	0.43	0.01	0.23	1.0	13
1604937	Soil	0.34		0.11	1.35	27.4	0.002	<10	19	0.58	<0.01	0.04	1.1	20
1604938	Soil	0.37		0.20	0.93	17.8	0.001	35	20	0.37	0.01	0.05	1.6	12
1604939	Soil	0.49		0.69	1.56	40.4	0.006	25	27	0.72	0.01	0.23	1.7	30
1604940	Soil	0.24		0.30	2.63	5.2	0.001	<10	33	0.21	0.02	0.08	1.9	6
1604941	Soil	0.41		0.25	1.13	15.8	0.001	11	34	0.55	0.02	0.20	5.3	14
1604942	Soil	0.47		0.26	1.49	24.1	0.002	<10	31	0.55	0.01	0.11	2.1	16
1604943	Soil	0.47		0.23	1.40	18.8	0.002	<10	51	0.45	0.07	0.20	1.4	15
1604944	Soil	0.44		7.01	1.88	10.4	0.032	<10	29	0.41	0.04	0.17	5.0	12
1604945	Soil	0.51		2.10	2.37	26.4	0.006	<10	35	0.44	0.04	0.32	33.4	12
1604946	Soil	0.47		0.14	1.52	18.9	0.002	26	31	0.62	0.01	0.09	3.3	19
1604947	Soil	0.36		1.04	2.28	7.4	0.005	14	22	0.47	0.02	0.12	2.8	15
1604948	Soil	0.36		1.31	1.69	5.5	0.002	<10	29	0.38	0.02	0.19	1.6	12
1604949	Soil	0.43		0.19	1.06	16.6	0.001	18	28	0.66	<0.01	0.10	0.9	12
1604950	Soil	0.43		0.37	1.42	11.3	0.002	<10	29	0.58	0.01	0.10	1.3	18

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604951	Soil	0.34		0.69	3.10	7.8	0.001	35	25	0.31	0.10	0.30	52.9	14
1604952	Soil	0.51		0.33	2.10	16.9	0.003	<10	27	0.51	0.01	0.21	3.2	17
1604953	Soil	0.43		0.18	1.51	9.6	0.001	16	29	0.41	0.02	0.28	1.8	12
1604954	Soil	0.51		0.16	2.13	24.5	0.002	<10	35	0.62	0.01	0.16	3.0	27
1604955	Soil	0.52		0.07	1.02	27.8	0.001	<10	24	0.70	<0.01	0.14	2.7	17
1604956	Soil	0.55		0.18	1.42	31.3	0.003	<10	29	0.79	0.01	0.25	1.9	24
1604957	Soil	0.61		0.17	2.04	82.9	0.002	<10	39	0.59	0.02	0.30	1.7	45
1604958	Soil	0.60		0.21	1.43	39.1	0.003	<10	33	0.67	<0.01	0.07	1.5	27
1604959	Soil	0.55		0.58	1.30	44.8	0.003	<10	33	0.68	<0.01	0.28	1.0	28
1604960	Soil	0.49		0.42	1.58	16.9	0.004	<10	34	0.57	0.01	0.33	1.3	21
1604961	Soil	0.49		0.23	1.14	21.2	0.002	<10	24	0.62	<0.01	0.15	2.5	17
1604962	Soil	0.53		0.15	1.82	27.7	0.003	<10	43	0.59	0.02	0.06	4.1	18
1604963	Soil	0.41		0.21	2.19	10.0	<0.001	<10	40	0.40	0.07	0.32	21.9	12
1604964	Soil	0.51		0.36	1.10	14.4	<0.001	<10	21	0.48	0.01	0.20	3.3	15
1604965	Soil	0.53		0.09	0.99	22.1	0.002	<10	28	0.44	<0.01	0.07	3.7	13
1604966	Soil	0.44		3.44	2.36	7.7	0.001	12	19	0.25	0.03	0.10	2.6	7
1604967	Soil	0.44		0.43	0.90	26.5	0.003	<10	28	0.52	0.01	0.14	14.0	10
1604968	Soil	0.62		0.25	0.76	43.6	0.009	<10	22	0.60	<0.01	0.13	23.9	9
1604969	Soil	0.32		0.16	2.07	3.7	<0.001	<10	13	0.29	0.02	0.08	1.6	6
1604970	Soil	0.57		0.16	0.63	34.2	0.003	<10	27	0.54	<0.01	0.06	14.1	8
1604971	Soil	0.58		0.21	1.66	36.1	0.004	<10	36	0.67	0.01	0.07	8.6	24
1604972	Soil	0.54		0.51	1.96	51.7	0.004	<10	39	0.85	0.02	0.15	10.9	24
1604973	Soil	0.63		0.16	1.19	25.3	<0.001	<10	43	0.86	<0.01	0.03	0.9	11
1604974	Soil	0.59		0.14	1.87	18.8	0.003	<10	46	0.65	0.01	0.13	48.9	16
1604975	Soil	0.61		0.14	1.80	25.0	0.011	<10	33	1.36	<0.01	0.10	44.1	19

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1604976	Soil	0.51		0.32	1.77	26.2	0.005	<10	47	0.51	0.02	0.09	3.7	16
1604977	Soil	0.56		0.22	0.87	43.6	0.006	<10	19	0.77	<0.01	0.05	11.8	12
1604978	Soil	0.63		0.22	0.72	50.5	0.006	<10	31	0.54	<0.01	0.07	28.2	7
1604979	Soil	0.49		0.17	1.24	18.1	0.002	<10	28	0.47	0.03	0.16	11.7	15
1604980	Soil	0.44		0.71	1.84	16.4	0.030	<10	33	0.41	0.02	0.12	9.0	16
1604981	Soil	0.50		3.81	1.64	18.0	0.003	26	37	0.44	0.10	0.45	18.8	13
1604982	Soil	0.41		3.12	2.38	6.2	0.002	<10	27	0.23	0.15	0.24	2.3	10
1604983	Soil	0.55		0.59	1.16	24.0	0.003	<10	39	0.50	0.06	0.11	7.0	12
1604984	Soil	0.50		0.18	1.53	12.6	<0.001	<10	32	0.39	0.02	0.18	5.6	8
1604985	Soil	0.32		0.99	1.86	4.3	0.001	11	28	0.23	0.04	0.21	1.4	5
1604986	Soil	0.54		0.21	1.39	12.8	0.002	<10	31	0.60	0.03	0.19	3.8	13
1604987	Soil	0.61		0.19	1.38	56.4	0.005	<10	29	0.84	<0.01	0.10	6.1	16
1604988	Soil	0.49		0.25	2.23	5.6	<0.001	<10	45	0.19	0.03	0.06	2.4	6
1604989	Soil	0.52		0.30	1.46	7.7	0.001	<10	42	0.53	0.02	0.03	1.4	14
1604990	Soil	0.49		0.46	1.94	23.6	0.003	<10	55	0.94	0.01	0.07	3.3	22
1604991	Soil	0.39		0.26	1.98	7.4	0.001	27	27	0.20	0.01	0.06	1.2	6
1604992	Soil	0.60		0.10	1.95	22.1	0.002	13	43	0.56	0.03	0.06	5.9	24
1604993	Soil	0.56		0.34	1.54	19.8	0.002	<10	51	0.65	0.02	0.13	6.7	17
1604994	Soil	0.46		0.29	1.91	12.1	0.003	<10	35	0.62	0.01	0.08	1.3	17
1604995	Soil	0.62		0.19	1.63	36.4	0.004	<10	41	0.92	0.02	0.09	5.5	23
1604996	Soil	0.38		0.22	1.73	10.3	<0.001	11	21	0.63	0.02	0.36	1.9	10
1604997	Soil	0.60		0.30	1.71	56.0	0.006	<10	28	0.89	0.01	0.08	15.0	22
1604998	Soil	0.60		0.05	1.42	43.6	0.002	<10	34	0.62	0.01	0.05	7.0	22
1604999	Soil	0.58		0.12	1.50	11.8	0.002	<10	44	0.46	0.04	0.05	9.5	15
1605000	Soil	0.52		0.30	1.96	14.0	0.002	15	49	0.41	0.03	0.14	7.1	10

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1606451	Soil	0.27		0.18	1.33	8.5	<0.001	<10	63	0.42	0.47	0.32	15.4	12
1606452	Soil	0.34		0.28	1.60	7.8	<0.001	12	63	0.45	0.29	0.24	11.3	14
1606453	Soil	0.39		0.82	0.96	42.0	0.022	10	44	0.46	0.04	0.12	13.9	7
1606454	Soil	0.35		0.40	1.29	12.4	0.005	<10	57	0.45	0.23	0.17	6.7	12
1606455	Soil	0.40		0.23	1.54	9.7	0.002	<10	43	0.40	0.02	0.08	7.4	16
1606457	Soil	0.34		0.74	1.29	11.0	0.002	<10	31	0.54	0.03	0.09	1.4	13
1606458	Soil	0.35		0.28	1.78	19.8	0.003	<10	33	0.49	0.01	0.12	1.5	17
1606459	Soil	0.33		0.17	0.69	3.3	<0.001	<10	25	0.26	<0.01	0.20	0.4	7
1606460	Soil	0.37		0.42	1.43	20.6	0.003	11	38	0.50	<0.01	0.09	1.2	17
1606461	Soil	0.33		0.76	0.79	17.4	0.001	<10	29	0.47	<0.01	0.07	0.9	9
1606462	Soil	0.34		0.36	0.91	5.4	<0.001	<10	20	0.28	<0.01	0.10	0.4	6
1606463	Soil	0.33		0.06	0.58	3.4	<0.001	<10	16	0.27	<0.01	0.04	0.4	5
1606464	Soil	0.35		0.43	1.28	28.2	0.003	<10	31	0.62	<0.01	0.09	3.0	15
1606465	Soil	0.33		0.48	1.95	63.3	0.004	37	24	0.60	<0.01	0.23	3.0	33
1606466	Soil	0.41		0.06	1.13	12.8	0.002	<10	39	0.32	0.13	0.09	22.9	13
1606467	Soil	0.32		0.11	1.57	15.5	0.002	<10	40	0.48	0.11	0.18	33.3	18
1606468	Soil	0.30		0.32	0.96	25.9	0.006	<10	51	0.43	0.39	0.32	20.4	8
1606469	Soil	0.39		0.50	0.51	42.3	0.011	<10	33	0.52	0.01	0.12	13.9	6
1606470	Soil	0.36		0.09	0.49	17.2	<0.001	<10	22	0.14	<0.01	0.04	2.5	2
1606471	Soil	0.40		0.56	0.46	20.4	0.003	28	35	0.44	0.01	0.07	5.9	5
1606472	Soil	0.39		0.17	0.72	19.2	0.002	14	77	0.43	0.20	0.23	17.0	8
1606473	Soil	0.32		0.12	1.08	14.1	0.004	25	55	0.50	0.08	0.33	24.3	14
1606474	Soil	0.29		0.05	1.18	11.9	0.001	<10	36	0.33	0.12	0.13	19.4	14
1606475	Soil	0.32		0.08	1.34	9.7	0.001	<10	33	0.36	0.08	0.31	13.4	15
1606476	Soil	0.33		0.86	1.28	14.1	0.004	<10	26	0.65	0.01	0.04	2.3	14

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1
1606477	Soil	0.45		0.48	1.96	33.8	0.005	<10	34	0.64	0.02	0.15	28.7	21
1606478	Soil	0.39		0.38	1.39	33.8	0.004	10	20	0.52	<0.01	0.18	3.7	26
1606479	Soil	0.37		0.66	1.52	22.0	0.003	11	31	0.53	0.01	0.15	2.5	17
1606480	Soil	0.43		0.30	1.18	24.4	0.006	<10	27	0.42	0.01	0.19	16.5	12
1606481	Soil	0.25		0.20	0.96	12.0	0.001	11	69	0.41	0.18	0.37	22.0	13
1606482	Soil	0.30		0.21	0.59	18.9	0.003	<10	41	0.49	0.04	0.39	10.1	6
1606483	Soil	0.35		0.11	0.58	55.8	0.003	14	52	0.45	0.10	0.37	60.6	7
1606484	Soil	0.37		0.08	0.89	32.0	0.004	<10	36	0.50	0.08	0.12	22.1	10
1606485	Soil	0.29		0.32	0.70	21.2	0.001	<10	33	0.44	0.02	0.19	8.8	7
1606487	Soil	0.40		0.18	1.09	10.8	0.002	<10	47	0.40	0.06	0.21	16.7	16
1606488	Soil	0.32		0.34	1.12	23.1	0.023	<10	55	0.55	0.06	0.18	12.1	10
1606491	Soil	0.25		0.47	0.71	15.1	0.002	<10	24	0.40	0.02	0.20	4.1	9
1606492	Soil	0.30		0.32	1.64	16.1	0.003	<10	36	0.62	0.02	0.13	4.1	14
1606493	Soil	0.27		0.34	1.36	22.7	0.002	11	34	0.67	0.02	0.31	13.1	23
1606494	Soil	0.18		0.12	0.94	23.9	0.003	<10	31	0.48	0.06	0.26	14.3	11
1606497	Soil	0.33		0.13	0.55	42.5	0.002	<10	23	0.71	0.01	0.10	20.2	8
1606498	Soil	0.38		0.31	1.00	12.0	0.006	<10	27	0.47	<0.01	0.16	3.1	9
1606499	Soil	0.31		0.48	0.77	10.9	0.001	<10	33	0.38	0.01	0.10	1.2	5

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	IMS-117 Ag ppm	IMS-117 Al %	IMS-117 As ppm	IMS-117 Au ppm	IMS-117 B ppm	IMS-117 Ba ppm	IMS-117 Bi ppm	IMS-117 Ca %	IMS-117 Cd ppm	IMS-117 Co ppm	IMS-117 Cr ppm
Sample ID		0.01	LOR	0.05	0.01	0.2	0.001	10	10	0.05	0.01	0.01	0.1	1
DUP 1604871				0.22	1.00	12.4	0.001	<10	24	0.53	0.01	0.07	1.2	11
DUP 1604893				0.27	1.10	8.1	0.001	<10	26	0.35	0.03	0.11	1.4	10
DUP 1604940				0.29	2.54	5.1	0.001	<10	32	0.21	0.02	0.07	1.9	6
DUP 1604967				0.41	0.88	26.6	0.002	<10	27	0.53	0.01	0.16	14.1	10
DUP 1606462				0.37	0.92	5.4	<0.001	<10	20	0.29	<0.01	0.09	0.4	6
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.01	<0.1	<1
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.01	<0.1	<1
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.01	<0.1	<1
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.01	<0.1	<1
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01	<0.01	<0.1	<1
STD OREAS 24b				0.07	3.08	8.5	0.002	<10	144	0.68	0.46	0.05	14.9	105
STD OREAS 601				48.74	0.81	295.1	0.744	<10	308	20.49	1.01	7.60	4.7	44
STD OREAS 601				51.58	0.83	301.1	0.756	<10	248	20.57	1.07	7.67	4.7	45
STD OREAS 601				49.28	0.79	287.1	0.746	<10	245	20.26	1.03	7.56	4.7	41
STD CDN-CM-38				6.06	1.01	36.9	0.815	11	46	1.13	0.39	4.84	13.6	19

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604851	39.9	2.69	4.9	0.09	0.09	21.2	0.12	945	0.85	0.02	15.3	1161	181.0	<0.005
1604852	13.2	1.79	5.6	0.04	0.07	24.3	0.35	163	0.67	0.02	14.1	391	83.9	<0.005
1604853	15.4	3.21	6.0	0.05	0.07	27.9	0.53	208	1.00	0.01	21.4	816	33.2	<0.005
1604854	12.7	1.05	5.0	0.14	0.05	25.5	0.09	44	0.67	0.01	11.4	1261	22.9	<0.005
1604855	19.7	4.34	8.7	0.10	0.04	20.7	0.13	404	1.59	0.01	6.0	778	23.9	<0.005
1604856	57.6	7.91	6.5	0.15	0.05	25.7	0.38	206	2.11	<0.01	15.6	1645	44.3	<0.005
1604857	37.1	6.02	8.3	0.14	0.04	27.2	0.10	156	2.10	0.01	6.6	1091	34.0	<0.005
1604858	61.1	8.87	7.5	0.17	0.03	35.2	0.10	66	2.65	0.01	24.1	1621	37.2	<0.005
1604859	15.4	2.30	7.1	0.11	0.04	26.8	0.03	33	0.96	0.01	3.8	498	25.5	<0.005
1604860	31.3	3.57	8.9	0.04	0.04	30.0	0.06	75	1.44	<0.01	6.8	773	24.3	<0.005
1604861	34.6	5.93	9.0	0.07	0.05	30.0	0.24	113	1.92	<0.01	11.2	698	35.1	<0.005
1604862	58.5	6.04	7.4	0.10	0.07	46.8	0.25	148	1.72	0.01	15.3	1298	47.2	<0.005
1604863	26.0	3.75	6.8	0.09	0.05	26.9	0.06	54	1.67	0.01	5.9	630	41.3	<0.005
1604864	27.0	4.17	8.3	0.06	0.05	35.7	0.12	75	1.53	<0.01	9.4	603	38.8	<0.005
1604865	41.3	6.93	8.0	0.08	0.04	29.2	0.15	106	1.61	<0.01	10.8	802	33.8	<0.005
1604866	18.9	2.08	6.2	0.06	0.04	26.2	0.04	64	1.10	<0.01	5.0	493	24.2	<0.005
1604867	33.6	5.60	5.9	0.08	0.05	27.2	0.23	176	1.19	0.01	17.1	636	34.2	<0.005
1604868	55.4	7.13	7.6	0.12	0.05	14.9	0.15	148	1.84	0.01	19.3	830	45.5	<0.005
1604869	16.1	2.27	5.7	0.01	0.03	24.4	0.02	56	0.99	<0.01	8.5	341	15.2	<0.005
1604870	35.0	5.45	7.2	0.09	0.06	21.0	0.18	225	1.65	0.01	19.1	827	38.4	<0.005
1604871	15.9	3.57	10.6	0.06	0.04	25.3	0.08	74	1.26	0.01	6.1	367	24.1	<0.005
1604872	40.2	6.42	9.7	0.06	0.05	33.9	0.15	92	1.36	<0.01	11.8	776	32.6	<0.005
1604873	28.9	4.91	8.4	0.06	0.04	35.0	0.12	68	1.65	<0.01	8.5	558	33.7	<0.005
1604874	17.0	3.68	10.4	0.07	0.04	37.0	0.05	38	1.77	<0.01	7.3	652	31.3	<0.005
1604875	17.5	3.23	5.3	0.03	0.05	20.4	0.02	25	1.40	<0.01	6.1	551	33.2	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604876	24.5	2.83	9.1	0.04	0.04	34.5	0.07	49	1.41	0.01	7.2	733	24.6	<0.005
1604877	39.0	5.95	8.3	0.09	0.05	23.1	0.12	191	1.66	0.01	11.6	733	29.7	<0.005
1604878	22.2	3.71	8.2	0.08	0.04	24.5	0.05	69	1.25	<0.01	7.7	570	21.0	<0.005
1604879	27.1	4.01	6.7	0.02	0.05	31.3	0.03	62	1.32	<0.01	7.6	756	29.5	<0.005
1604880	20.0	2.59	6.1	0.02	0.04	28.8	0.02	36	1.33	<0.01	5.5	484	30.4	<0.005
1604881	33.5	4.99	8.3	0.04	0.05	36.5	0.17	101	1.57	0.01	10.8	652	32.2	<0.005
1604882	16.0	2.35	8.9	0.12	0.03	19.1	0.04	32	1.45	0.01	3.6	515	23.7	<0.005
1604883	56.9	7.64	8.4	0.16	0.04	27.9	0.14	111	2.40	0.01	12.1	1066	44.9	<0.005
1604884	77.4	6.42	7.3	0.10	0.05	23.9	0.12	269	2.46	<0.01	11.6	1662	37.7	<0.005
1604885	67.1	6.22	7.4	0.20	0.05	39.5	0.27	130	2.17	<0.01	14.9	1060	43.9	<0.005
1604886	33.9	3.18	7.1	0.11	0.03	18.3	0.08	233	1.85	0.01	8.2	1194	25.8	<0.005
1604887	70.0	4.87	6.9	0.15	0.05	38.5	0.38	234	1.73	0.01	20.0	1011	40.4	<0.005
1604888	42.7	6.51	11.4	0.17	0.04	31.2	0.16	97	2.22	<0.01	9.5	873	43.0	<0.005
1604889	49.3	5.59	8.3	0.13	0.04	36.8	0.19	123	2.42	<0.01	14.3	1584	52.6	<0.005
1604890	25.4	3.67	7.8	0.10	0.05	23.7	0.05	50	1.52	<0.01	5.7	632	31.2	<0.005
1604891	70.0	4.18	7.3	0.14	0.07	21.4	0.21	2661	1.47	0.01	28.3	1400	42.5	<0.005
1604892	22.8	3.50	11.8	0.08	0.03	20.3	0.04	56	1.50	0.01	4.7	410	20.1	<0.005
1604893	22.9	2.48	7.8	0.07	0.03	21.9	0.06	55	1.43	<0.01	5.5	625	25.5	<0.005
1604894	33.9	2.47	7.5	0.31	0.04	19.5	0.09	763	1.20	0.01	12.6	770	39.3	<0.005
1604895	41.2	4.73	9.1	0.08	0.06	31.3	0.15	226	1.66	0.01	9.4	769	42.5	<0.005
1604896	70.3	7.91	7.3	0.07	0.04	19.8	0.15	129	1.62	<0.01	13.7	748	34.9	<0.005
1604897	20.7	3.14	6.6	0.05	0.05	20.3	0.07	65	1.88	0.01	6.4	523	35.6	<0.005
1604898	35.3	5.02	7.5	0.11	0.05	26.4	0.16	206	2.21	0.01	8.0	1339	47.6	<0.005
1604899	37.6	4.09	8.5	0.09	0.06	41.5	0.24	133	2.18	0.01	9.2	1051	57.0	<0.005
1604900	41.5	5.67	8.3	0.10	0.06	25.9	0.11	64	1.91	<0.01	6.6	839	37.6	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604901	26.6	2.93	11.2	0.04	0.03	44.3	0.10	44	1.54	0.01	6.2	518	26.0	<0.005
1604902	31.1	3.08	7.0	0.09	0.03	30.0	0.04	36	1.45	0.01	4.8	610	27.6	<0.005
1604903	49.7	6.17	8.7	0.19	0.05	47.8	0.33	147	2.75	0.01	11.1	1170	56.5	<0.005
1604904	70.6	8.98	6.4	0.04	0.03	20.5	0.34	308	1.43	<0.01	22.3	762	24.0	<0.005
1604905	20.5	3.54	4.9	0.05	0.07	24.4	0.27	1889	0.71	<0.01	14.0	1199	37.4	<0.005
1604906	48.7	4.26	6.1	0.05	0.06	36.8	0.53	954	0.59	0.01	42.4	548	32.5	<0.005
1604907	31.2	3.56	5.7	0.03	0.10	31.6	0.54	731	0.74	<0.01	30.6	842	36.4	<0.005
1604908	36.8	3.09	6.0	0.04	0.09	33.8	0.56	411	0.66	0.01	28.6	839	27.7	<0.005
1604909	35.1	4.32	7.0	0.06	0.07	18.3	0.35	1474	2.30	0.01	18.3	1344	42.3	<0.005
1604910	34.7	3.80	5.0	0.04	0.06	24.3	0.41	1201	0.71	0.01	31.4	837	43.4	<0.005
1604911	71.2	5.31	4.3	0.18	0.04	12.1	0.27	1163	0.93	0.01	56.1	2510	53.6	<0.005
1604912	22.3	3.47	3.7	0.04	0.06	10.7	0.04	452	1.14	0.01	17.0	855	19.1	<0.005
1604913	12.6	3.18	7.8	0.07	0.04	22.7	0.14	184	1.39	0.01	4.6	591	19.8	<0.005
1604914	6.1	0.78	7.4	0.07	0.03	27.9	0.03	24	0.72	0.02	1.8	537	17.4	<0.005
1604915	22.7	4.35	9.0	0.14	0.02	16.5	0.07	54	1.61	0.01	3.9	600	26.4	<0.005
1604916	17.1	3.20	9.2	0.16	0.02	21.5	0.03	21	1.39	0.01	2.7	536	22.1	<0.005
1604917	16.0	2.24	8.8	0.10	0.02	17.2	0.03	44	1.18	0.01	2.6	540	19.6	<0.005
1604918	29.8	3.10	6.1	0.07	0.04	24.1	0.07	38	1.33	<0.01	5.6	664	35.3	<0.005
1604919	25.4	2.63	7.4	0.12	0.03	19.2	0.10	47	1.53	0.01	4.1	670	20.6	<0.005
1604920	41.0	5.52	7.9	0.07	0.04	29.7	0.25	117	1.57	<0.01	12.0	765	33.5	<0.005
1604921	18.4	2.57	9.8	0.04	0.04	33.8	0.04	34	1.61	<0.01	5.1	595	31.0	<0.005
1604922	30.3	4.00	8.0	0.10	0.04	32.2	0.14	88	1.57	<0.01	8.2	662	37.0	<0.005
1604923	8.5	0.93	8.5	0.02	0.04	35.3	0.02	18	0.85	<0.01	2.5	236	16.7	<0.005
1604924	31.4	4.84	7.8	0.11	0.05	22.4	0.12	75	1.93	0.01	7.3	661	38.4	<0.005
1604925	22.8	5.86	10.6	0.08	0.03	22.0	0.06	48	1.51	0.01	6.1	479	26.9	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604926	43.6	4.13	5.0	0.15	0.04	11.0	0.06	49	2.23	<0.01	4.8	1526	34.4	<0.005
1604927	41.1	3.40	8.2	0.04	0.03	27.8	0.03	41	1.38	0.01	5.3	460	25.2	<0.005
1604928	6.0	0.69	6.5	0.02	0.02	22.1	0.02	19	0.63	0.01	2.4	166	12.2	<0.005
1604929	31.3	4.53	8.0	0.06	0.05	30.7	0.09	88	1.53	0.01	8.5	764	30.7	<0.005
1604930	31.8	4.71	8.5	0.08	0.05	22.2	0.17	92	1.76	0.01	9.5	706	45.3	<0.005
1604931	13.7	2.23	9.7	0.05	0.04	40.9	0.03	26	1.41	0.01	3.9	456	29.8	<0.005
1604932	35.8	6.78	11.9	0.06	0.05	47.2	0.16	91	2.71	<0.01	8.0	960	48.0	<0.005
1604933	36.2	5.19	8.6	0.12	0.04	27.2	0.16	88	1.84	0.01	9.6	981	27.7	<0.005
1604934	46.6	6.11	6.6	0.08	0.04	21.0	0.27	146	1.50	<0.01	15.0	1022	36.8	<0.005
1604935	35.4	4.32	9.9	0.05	0.03	29.5	0.07	54	1.82	<0.01	6.3	670	32.1	<0.005
1604936	20.6	3.27	11.5	0.05	0.03	39.8	0.06	43	1.62	0.01	4.3	529	21.3	<0.005
1604937	43.2	4.52	10.6	0.05	0.04	61.0	0.07	42	2.10	<0.01	6.7	841	35.7	<0.005
1604938	35.5	3.24	10.2	0.04	0.03	42.6	0.04	44	1.82	0.01	4.8	628	22.1	<0.005
1604939	40.8	9.07	6.4	0.30	0.05	22.4	0.28	167	2.91	0.01	10.8	1540	47.9	<0.005
1604940	14.5	1.82	7.4	0.07	0.02	9.0	0.04	130	0.82	0.02	3.4	439	11.4	<0.005
1604941	23.2	4.59	7.6	0.05	0.07	13.4	0.11	1373	1.80	0.01	7.5	900	25.8	<0.005
1604942	43.8	6.85	6.9	0.05	0.04	22.0	0.16	141	1.64	<0.01	7.4	1004	21.7	<0.005
1604943	21.6	4.56	5.7	0.04	0.04	27.0	0.41	186	0.99	0.01	17.0	397	30.2	<0.005
1604944	23.6	3.77	6.9	0.28	0.05	13.4	0.20	381	0.93	0.01	12.7	978	438.1	<0.005
1604945	59.0	7.32	4.3	0.23	0.04	13.2	0.17	2245	1.15	0.01	63.4	1494	112.2	<0.005
1604946	39.6	5.11	6.6	0.06	0.06	15.2	0.29	290	1.79	0.01	11.4	1301	32.6	<0.005
1604947	24.4	3.69	7.7	0.33	0.04	20.2	0.15	238	1.98	0.01	5.3	1116	33.5	<0.005
1604948	18.7	2.19	7.7	0.14	0.05	17.2	0.19	106	1.52	0.01	6.9	927	19.4	<0.005
1604949	16.5	4.04	11.2	0.05	0.03	37.5	0.08	55	2.07	0.01	4.0	814	26.7	<0.005
1604950	15.1	3.65	8.2	0.05	0.06	25.7	0.27	150	1.54	0.01	7.4	1006	22.2	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604951	76.5	4.80	6.3	0.13	0.05	18.5	0.16	3068	1.25	0.02	31.7	2039	24.0	<0.005
1604952	49.0	4.63	8.1	0.17	0.04	21.8	0.29	161	1.75	0.01	12.3	780	39.0	<0.005
1604953	24.4	2.68	6.5	0.08	0.05	22.0	0.14	110	1.67	0.01	5.8	1211	22.5	<0.005
1604954	36.8	7.10	11.0	0.06	0.03	35.1	0.24	147	2.06	<0.01	10.8	907	32.9	<0.005
1604955	33.7	5.96	10.2	0.05	0.03	29.8	0.05	70	2.30	<0.01	7.7	976	31.2	<0.005
1604956	42.5	7.37	6.5	0.11	0.04	15.9	0.15	108	2.73	0.01	9.0	1766	45.7	<0.005
1604957	87.5	11.72	9.8	0.11	0.03	20.8	0.19	104	2.13	<0.01	12.5	2063	45.5	<0.005
1604958	29.6	5.16	9.0	0.12	0.05	31.9	0.21	131	3.01	<0.01	8.3	954	50.7	<0.005
1604959	46.2	6.98	8.0	0.18	0.03	22.7	0.10	57	2.79	<0.01	5.9	1370	45.4	<0.005
1604960	27.4	4.25	6.5	0.18	0.04	17.2	0.17	225	1.96	0.01	7.8	983	36.6	<0.005
1604961	30.2	5.33	7.4	0.09	0.04	22.1	0.24	310	2.07	<0.01	10.5	1080	33.1	<0.005
1604962	40.8	5.89	7.8	0.15	0.04	25.1	0.34	226	2.04	0.01	15.6	937	38.8	<0.005
1604963	29.8	3.71	8.8	0.11	0.04	14.5	0.15	1062	1.43	0.01	27.2	670	20.4	<0.005
1604964	32.1	4.84	9.3	0.06	0.05	26.3	0.14	243	1.53	<0.01	7.8	625	19.6	<0.005
1604965	33.1	4.95	6.3	0.07	0.04	24.7	0.14	243	1.44	<0.01	11.8	701	19.8	<0.005
1604966	15.1	2.33	7.7	0.09	0.02	6.5	0.06	69	1.23	0.01	6.3	784	48.1	<0.005
1604967	56.5	4.84	4.3	0.04	0.04	7.0	0.11	667	1.61	<0.01	23.1	804	64.1	<0.005
1604968	80.1	5.83	2.6	0.04	0.04	7.2	0.11	1017	1.42	<0.01	39.6	807	103.1	<0.005
1604969	9.7	2.18	10.6	0.05	0.01	4.4	0.04	77	1.21	0.01	3.2	465	10.3	<0.005
1604970	43.8	4.83	3.1	0.03	0.04	13.5	0.05	1167	1.62	<0.01	23.2	1122	38.8	<0.005
1604971	68.9	5.32	6.7	0.05	0.06	27.7	0.39	485	2.02	0.01	26.7	1458	60.8	<0.005
1604972	133.8	7.00	6.1	0.17	0.06	22.7	0.28	701	2.48	0.01	30.6	1657	104.7	<0.005
1604973	29.8	3.16	3.4	0.34	0.05	9.6	0.49	83	3.18	0.01	13.7	486	94.5	<0.005
1604974	70.3	5.07	7.5	0.05	0.08	39.3	0.40	2453	1.46	0.01	55.7	1208	75.0	<0.005
1604975	68.9	5.16	8.1	0.07	0.04	46.7	0.40	2178	0.97	<0.01	53.5	838	66.9	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1604976	36.3	4.84	6.5	0.11	0.05	17.9	0.30	401	2.03	0.01	12.3	990	30.7	<0.005
1604977	60.9	5.60	3.9	0.12	0.04	20.3	0.18	322	2.09	<0.01	22.6	825	63.4	<0.005
1604978	97.7	7.66	2.5	0.17	0.05	15.4	0.04	1077	1.29	0.01	63.5	757	63.2	<0.005
1604979	30.5	4.51	6.4	0.06	0.06	12.6	0.25	752	1.44	0.01	20.6	857	24.7	<0.005
1604980	39.4	4.37	6.8	0.11	0.04	14.8	0.26	1173	1.43	0.01	12.9	881	51.3	<0.005
1604981	43.2	4.43	6.5	0.12	0.05	10.0	0.24	1530	1.18	0.02	27.7	1043	388.8	<0.005
1604982	26.8	1.82	7.7	0.11	0.02	11.1	0.16	49	0.21	0.02	9.7	852	589.1	<0.005
1604983	55.7	5.23	4.2	0.09	0.04	15.4	0.22	199	0.97	<0.01	19.4	673	49.3	<0.005
1604984	23.0	3.16	6.5	0.07	0.03	7.6	0.07	510	1.13	0.01	9.7	802	21.7	<0.005
1604985	11.7	1.66	6.4	0.07	0.02	5.5	0.04	61	0.77	0.02	4.5	672	20.5	<0.005
1604986	27.5	3.65	7.2	0.05	0.06	8.5	0.20	205	1.21	0.01	10.9	1168	36.3	<0.005
1604987	118.4	9.86	4.7	0.32	0.04	12.4	0.18	282	2.55	<0.01	21.8	1564	62.9	<0.005
1604988	15.4	1.55	5.9	0.02	0.03	7.8	0.10	221	0.49	0.02	4.5	540	10.9	<0.005
1604989	14.0	1.98	7.0	0.05	0.05	14.4	0.24	92	0.98	0.01	6.8	864	26.6	<0.005
1604990	40.9	5.76	7.8	0.08	0.06	21.2	0.41	323	2.46	0.01	14.4	1357	56.4	<0.005
1604991	12.2	1.93	7.0	0.05	0.02	12.5	0.05	71	0.85	0.02	3.2	320	11.6	<0.005
1604992	38.8	5.22	8.2	0.04	0.06	21.4	0.45	526	2.16	0.01	17.3	1358	29.4	<0.005
1604993	30.5	4.59	7.6	0.09	0.06	13.6	0.25	1242	2.07	0.01	10.6	1362	50.5	<0.005
1604994	14.9	3.92	9.2	0.06	0.04	17.1	0.26	122	2.05	0.01	7.0	426	26.7	<0.005
1604995	64.5	7.80	6.0	0.11	0.04	16.4	0.39	562	2.79	0.01	15.9	1547	45.5	<0.005
1604996	22.9	4.70	12.5	0.08	0.03	7.4	0.06	51	2.16	0.01	4.7	573	19.4	<0.005
1604997	82.6	8.91	6.0	0.21	0.05	13.2	0.28	837	3.41	<0.01	14.3	1887	59.5	<0.005
1604998	51.1	7.03	5.6	0.06	0.05	16.3	0.35	622	2.32	<0.01	17.1	1403	39.4	<0.005
1604999	34.1	3.73	6.8	0.03	0.07	33.8	0.44	344	1.06	<0.01	23.7	1148	41.4	<0.005
1605000	30.3	3.77	6.6	0.10	0.05	14.8	0.12	910	1.50	0.02	12.0	977	31.3	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1606451	26.7	3.14	8.0	0.04	0.09	23.1	0.28	2073	2.20	0.02	17.3	1788	38.2	<0.005
1606452	21.5	3.36	8.5	0.04	0.08	23.6	0.34	1468	2.27	0.02	17.5	1662	31.3	<0.005
1606453	28.6	4.31	4.4	0.10	0.07	19.5	0.10	414	1.50	0.01	16.8	720	73.2	<0.005
1606454	21.5	2.92	7.1	0.04	0.08	22.9	0.28	411	1.80	0.01	16.0	1450	46.3	<0.005
1606455	24.9	3.64	5.8	0.05	0.05	24.3	0.35	381	1.19	<0.01	17.0	1550	32.3	<0.005
1606457	16.6	2.36	9.3	0.05	0.06	44.3	0.19	87	1.19	0.01	10.3	811	30.7	<0.005
1606458	33.3	4.09	8.4	0.13	0.04	28.3	0.11	168	1.82	0.01	6.0	1002	31.8	<0.005
1606459	10.7	0.57	7.1	0.04	0.03	27.1	0.03	12	0.54	0.01	2.3	535	18.7	<0.005
1606460	32.1	3.81	7.3	0.14	0.04	27.3	0.14	159	1.87	0.01	6.1	1215	32.5	<0.005
1606461	26.8	1.82	9.7	0.03	0.03	50.4	0.01	15	1.75	<0.01	3.0	575	30.5	<0.005
1606462	7.8	0.92	7.9	0.04	0.02	28.0	0.02	12	0.61	<0.01	2.2	378	15.3	<0.005
1606463	5.0	0.55	6.8	0.02	0.02	21.6	0.04	17	0.43	0.01	2.5	216	12.5	<0.005
1606464	43.2	5.20	7.6	0.19	0.05	34.2	0.17	122	2.08	0.01	12.0	905	42.4	<0.005
1606465	135.9	12.09	6.8	0.20	0.03	20.4	0.19	117	2.38	0.01	21.1	1472	67.1	<0.005
1606466	42.5	3.84	6.3	0.03	0.11	42.6	0.55	966	0.62	0.01	42.0	693	33.1	<0.005
1606467	71.3	4.49	6.2	0.06	0.07	31.3	0.60	1382	1.27	0.01	56.8	839	45.1	<0.005
1606468	50.0	4.19	4.8	0.06	0.10	16.0	0.21	1981	1.23	0.01	33.5	1968	47.7	<0.005
1606469	46.0	4.53	4.4	0.03	0.08	20.5	0.06	432	1.39	0.01	29.3	962	30.8	<0.005
1606470	9.1	1.13	5.2	0.01	0.03	38.5	0.03	21	0.84	<0.01	6.1	206	2.7	<0.005
1606471	23.3	3.16	4.1	0.06	0.08	25.9	0.05	103	1.34	0.01	14.4	855	24.0	<0.005
1606472	32.2	3.92	5.2	0.04	0.09	20.3	0.12	1561	1.34	0.02	22.0	1328	39.8	<0.005
1606473	34.0	3.66	5.0	0.05	0.08	21.9	0.40	1527	1.94	0.01	24.8	1255	53.5	<0.005
1606474	35.7	3.46	5.5	0.03	0.09	32.0	0.55	779	0.69	<0.01	33.3	762	34.3	<0.005
1606475	39.6	3.16	6.3	0.04	0.07	37.7	0.58	410	0.68	<0.01	29.6	695	35.9	<0.005
1606476	17.1	3.53	8.9	0.10	0.04	46.1	0.22	179	1.97	<0.01	6.2	467	27.8	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005
1606477	78.6	5.86	8.1	0.27	0.07	48.6	0.49	1066	2.36	0.01	21.8	1190	79.0	<0.005
1606478	104.3	8.46	7.1	0.18	0.04	32.7	0.23	144	1.93	<0.01	14.4	1418	34.9	<0.005
1606479	37.3	4.60	7.7	0.16	0.05	29.3	0.28	196	1.88	0.01	10.4	1090	32.9	<0.005
1606480	60.4	5.32	4.2	0.08	0.04	13.6	0.25	429	1.02	0.01	28.8	723	49.5	<0.005
1606481	24.5	3.09	4.5	0.06	0.12	21.0	0.36	1353	0.95	0.02	21.5	1281	48.1	<0.005
1606482	25.1	3.21	3.1	0.04	0.08	7.3	0.05	841	1.26	0.02	13.6	768	29.4	<0.005
1606483	79.8	9.31	2.1	0.06	0.05	11.0	0.07	4427	1.22	0.02	104.6	1184	48.9	<0.005
1606484	51.2	5.21	3.5	0.05	0.06	16.8	0.13	955	1.11	0.01	42.5	955	42.7	<0.005
1606485	34.6	4.38	6.6	0.06	0.05	20.0	0.04	186	1.42	0.01	18.2	746	20.7	<0.005
1606487	28.3	3.53	5.1	0.06	0.08	22.3	0.32	1422	1.04	0.01	22.0	1574	44.4	<0.005
1606488	46.9	4.74	5.3	0.10	0.07	15.9	0.16	752	1.66	0.01	20.0	1399	43.6	<0.005
1606491	26.5	2.79	3.9	0.12	0.06	16.3	0.06	105	1.75	0.01	10.1	1032	26.6	<0.005
1606492	32.6	3.81	6.2	0.15	0.05	15.1	0.17	189	1.75	0.02	8.1	1218	31.7	<0.005
1606493	44.6	5.87	7.9	0.08	0.06	16.6	0.22	1476	1.74	0.02	14.4	1760	55.9	<0.005
1606494	57.5	4.63	3.2	0.12	0.06	9.8	0.13	348	1.15	0.01	35.0	1195	56.4	<0.005
1606497	58.8	5.95	2.8	0.06	0.04	12.9	0.05	1007	1.43	0.01	34.2	834	35.5	<0.005
1606498	14.7	2.43	7.6	0.03	0.04	24.1	0.05	213	1.33	0.01	6.4	414	16.2	<0.005
1606499	14.7	1.71	4.4	0.05	0.04	8.8	0.02	38	1.25	0.01	2.7	647	10.4	<0.005

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117
	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	Re
	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample ID	0.2	0.01	0.1	0.01	0.01	0.5	0.01	5	0.05	0.01	0.1	10	0.2	0.005
DUP 1604871	15.9	3.64	10.5	0.06	0.04	25.7	0.08	76	1.25	<0.01	6.2	375	24.3	<0.005
DUP 1604893	21.4	2.44	7.5	0.07	0.03	21.5	0.06	54	1.32	<0.01	5.3	611	24.6	<0.005
DUP 1604940	14.2	1.75	7.1	0.06	0.02	8.2	0.04	125	0.80	0.01	3.3	419	11.5	<0.005
DUP 1604967	57.0	4.74	4.3	0.04	0.04	7.0	0.11	655	1.63	<0.01	23.0	789	64.4	<0.005
DUP 1606462	7.6	0.94	8.0	0.04	0.02	27.6	0.02	12	0.63	<0.01	2.3	381	15.5	<0.005
STD BLANK	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	0.1	<10	<0.2	<0.005
STD BLANK	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005
STD BLANK	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005
STD BLANK	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005
STD BLANK	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5	<0.05	<0.01	<0.1	<10	<0.2	<0.005
STD OREAS 24b	36.1	3.97	11.1	<0.01	1.15	27.4	1.36	342	3.65	0.11	57.0	612	8.5	<0.005
STD OREAS 601	1015.6	2.21	5.1	0.28	0.25	21.0	0.19	436	3.45	0.09	23.9	351	272.9	<0.005
STD OREAS 601	1034.0	2.21	5.3	0.28	0.25	21.0	0.20	446	3.47	0.09	24.0	357	280.4	<0.005
STD OREAS 601	974.5	2.08	5.2	0.27	0.24	21.2	0.19	424	3.43	0.08	23.3	350	273.1	<0.005
STD CDN-CM-38	6628.3	6.47	2.8	0.05	0.28	2.5	0.32	604	182.46	0.02	15.0	484	106.8	0.250

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604851	0.03	3.53	0.5	0.4	9.3	<0.05	0.9	0.007	0.12	1.03	13	0.57	1.9	131
1604852	0.09	0.36	0.8	0.6	25.4	<0.05	6.6	<0.005	0.13	7.61	9	0.09	3.1	108
1604853	0.04	0.24	1.2	0.4	21.5	<0.05	10.0	<0.005	0.15	4.08	12	0.22	3.4	91
1604854	0.13	0.17	0.2	0.5	9.0	<0.05	0.3	<0.005	0.14	1.34	7	0.07	5.6	21
1604855	0.04	0.49	0.5	1.0	4.3	0.05	1.4	0.020	0.13	0.70	24	0.14	1.7	29
1604856	0.07	0.99	0.7	3.3	10.6	0.09	5.4	<0.005	0.09	1.40	16	0.07	1.8	51
1604857	0.06	0.50	0.4	2.1	10.7	0.10	2.0	0.015	0.11	1.26	21	0.14	1.7	22
1604858	0.08	0.66	0.6	3.8	4.9	0.11	3.6	<0.005	0.10	1.63	18	0.09	1.9	24
1604859	0.03	0.26	0.3	0.6	6.1	0.06	1.6	0.011	0.14	0.70	15	0.09	1.4	11
1604860	0.02	0.44	0.6	0.8	5.4	<0.05	2.7	0.006	0.16	0.67	26	0.11	1.8	24
1604861	0.03	0.61	1.1	2.4	7.2	<0.05	7.3	0.011	0.12	0.84	26	0.12	1.8	36
1604862	0.04	1.00	1.3	2.6	15.2	<0.05	16.2	<0.005	0.12	1.49	18	0.07	2.1	48
1604863	0.03	0.64	1.0	2.3	7.5	0.05	4.4	<0.005	0.12	0.50	15	0.08	2.0	26
1604864	0.02	0.80	0.9	0.9	6.4	<0.05	9.2	0.007	0.13	0.71	22	0.13	1.9	33
1604865	0.03	0.93	1.0	1.7	5.6	<0.05	7.3	0.006	0.11	0.78	20	0.11	1.9	48
1604866	0.02	0.32	0.3	0.5	6.1	<0.05	0.7	<0.005	0.14	0.51	15	0.14	1.5	19
1604867	0.03	0.94	1.2	1.4	5.6	0.13	10.6	<0.005	0.08	0.85	13	0.10	1.9	59
1604868	0.04	1.03	2.1	1.5	4.1	<0.05	14.3	0.013	0.13	1.06	26	0.16	1.9	65
1604869	<0.01	0.70	1.2	0.4	3.3	<0.05	5.7	<0.005	0.14	0.32	16	0.08	1.7	34
1604870	0.04	0.62	1.1	1.7	7.2	<0.05	4.1	0.007	0.12	1.10	21	0.11	1.8	66
1604871	0.02	0.50	0.7	0.6	5.3	<0.05	4.7	0.026	0.13	0.43	27	0.17	1.5	22
1604872	0.03	0.96	1.4	1.1	5.8	<0.05	8.9	0.006	0.14	0.91	24	0.10	1.9	46
1604873	0.02	0.65	1.0	1.2	6.2	0.10	7.0	0.008	0.15	0.68	24	0.12	1.9	28
1604874	0.03	0.39	0.7	0.9	7.9	0.11	2.7	0.013	0.15	0.64	31	0.15	1.9	20
1604875	0.01	0.63	1.4	1.2	14.8	0.15	7.5	<0.005	0.13	0.69	16	0.06	2.5	47

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604876	0.02	0.52	0.6	1.0	6.1	0.12	1.3	0.008	0.14	0.57	24	0.09	1.7	19
1604877	0.03	0.66	1.2	1.4	5.5	<0.05	6.0	0.008	0.13	1.09	25	0.13	1.8	55
1604878	0.03	0.58	0.7	0.5	5.8	0.22	2.6	0.014	0.14	0.47	25	0.12	1.6	31
1604879	0.02	1.48	0.7	0.7	5.9	<0.05	4.0	0.008	0.12	0.46	21	0.10	1.7	33
1604880	0.01	1.01	0.8	0.9	5.2	0.08	3.1	0.007	0.12	0.47	20	0.10	2.0	29
1604881	0.03	0.88	1.0	1.6	6.9	<0.05	7.8	0.011	0.13	0.70	23	0.12	2.2	38
1604882	0.04	0.24	0.7	0.8	4.1	<0.05	1.5	0.024	0.12	0.88	18	0.14	2.0	13
1604883	0.05	0.77	1.0	3.9	6.7	0.08	6.5	0.005	0.14	1.30	21	0.11	2.3	43
1604884	0.08	0.58	0.6	2.4	5.3	<0.05	2.3	<0.005	0.11	1.54	23	0.10	2.5	58
1604885	0.05	0.80	1.1	4.7	8.3	<0.05	16.8	<0.005	0.10	1.32	13	<0.05	2.2	40
1604886	0.06	0.32	0.4	1.6	4.3	<0.05	0.6	0.013	0.13	1.27	15	0.12	1.9	24
1604887	0.03	0.69	1.6	4.2	10.2	<0.05	21.1	<0.005	0.08	2.10	13	0.05	2.3	55
1604888	0.05	0.83	1.9	2.5	5.0	0.10	15.9	0.019	0.14	1.47	31	0.23	1.9	34
1604889	0.06	0.83	1.0	3.9	13.5	0.09	15.1	<0.005	0.10	1.59	15	0.06	1.7	30
1604890	0.04	0.63	0.8	1.1	6.2	<0.05	4.2	0.008	0.17	0.58	23	0.14	1.4	24
1604891	0.08	0.68	0.5	3.3	16.8	<0.05	0.7	0.010	0.14	2.79	19	0.10	7.5	87
1604892	0.03	0.43	1.7	0.7	4.0	0.10	6.3	0.041	0.12	1.05	28	0.25	2.8	26
1604893	0.03	0.29	0.7	0.5	5.3	0.05	1.7	0.007	0.16	0.68	20	0.13	1.2	21
1604894	0.07	0.40	1.4	1.3	7.2	<0.05	2.0	0.020	0.16	2.70	17	0.18	5.4	62
1604895	0.04	0.59	1.4	0.9	6.8	0.14	7.4	0.016	0.20	0.96	28	0.16	2.0	43
1604896	0.04	1.43	1.6	1.9	5.4	<0.05	8.9	0.009	0.13	0.93	22	0.13	1.7	66
1604897	0.03	1.01	1.1	1.0	7.9	0.11	6.8	<0.005	0.15	0.67	17	0.10	1.5	28
1604898	0.05	0.57	0.5	2.7	6.5	0.07	2.8	0.006	0.15	1.20	18	0.08	1.2	29
1604899	0.04	0.92	1.4	2.7	7.1	0.13	15.8	<0.005	0.14	1.42	16	0.07	1.9	33
1604900	0.04	0.62	1.2	1.7	10.6	0.06	11.1	0.006	0.14	1.09	24	0.12	1.2	29

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604901	0.02	0.52	1.1	1.0	7.5	0.07	7.9	0.007	0.14	0.49	33	0.13	1.9	22
1604902	0.03	1.60	0.8	1.8	5.0	0.11	2.2	0.011	0.13	0.82	17	0.11	1.9	22
1604903	0.07	0.81	1.5	6.6	7.5	0.11	22.0	<0.005	0.13	2.06	16	0.07	2.2	45
1604904	0.03	1.85	2.0	1.9	1.9	0.14	10.3	<0.005	0.09	0.86	16	0.07	1.6	81
1604905	0.07	0.42	0.7	0.5	6.5	0.07	2.5	0.006	0.09	1.08	11	0.06	1.7	56
1604906	0.02	0.39	1.6	0.5	14.9	0.06	15.4	<0.005	<0.05	1.76	9	<0.05	4.4	104
1604907	0.04	0.32	1.1	0.4	12.1	0.06	12.1	<0.005	0.06	1.81	9	<0.05	3.5	87
1604908	0.03	0.20	1.2	0.2	13.2	<0.05	13.9	<0.005	0.07	2.61	9	<0.05	4.8	78
1604909	0.08	0.92	1.0	1.0	6.5	<0.05	1.6	0.017	0.16	1.87	21	0.13	2.6	77
1604910	0.05	0.50	1.3	0.4	12.7	0.06	9.2	<0.005	0.06	1.39	9	<0.05	2.6	97
1604911	0.19	0.55	2.8	3.2	21.3	0.07	10.9	0.009	0.08	13.91	12	0.06	26.4	118
1604912	0.07	0.92	0.5	0.7	10.4	<0.05	0.5	0.008	0.07	0.93	14	0.08	1.0	72
1604913	0.03	0.31	0.4	0.5	4.0	0.07	0.6	0.016	0.15	0.66	17	0.11	1.7	22
1604914	0.02	0.16	0.4	<0.2	7.3	<0.05	0.7	0.015	0.16	0.42	11	0.08	1.3	7
1604915	0.04	0.26	1.2	1.9	3.7	<0.05	3.3	0.042	0.09	1.38	20	0.20	2.0	14
1604916	0.04	0.26	0.7	1.0	2.9	<0.05	1.7	0.015	0.11	0.93	19	0.17	1.3	10
1604917	0.04	0.14	0.6	0.9	4.1	<0.05	0.7	0.026	0.09	1.11	18	0.14	1.8	10
1604918	0.03	0.28	0.9	1.2	8.9	<0.05	4.9	<0.005	0.14	0.64	14	0.07	1.3	15
1604919	0.05	0.33	1.3	2.0	3.6	0.08	2.4	0.009	0.13	0.98	22	0.15	2.6	19
1604920	0.03	0.62	1.3	1.8	6.0	0.13	9.8	0.005	0.13	0.81	19	0.10	1.6	37
1604921	0.02	0.48	0.6	0.7	6.6	0.08	4.1	0.012	0.15	0.41	29	0.15	1.6	16
1604922	0.03	0.67	0.7	1.5	7.2	<0.05	5.5	0.006	0.14	0.88	18	0.11	1.7	30
1604923	<0.01	0.29	0.5	0.2	5.6	<0.05	5.2	0.006	0.16	0.30	17	0.10	1.6	10
1604924	0.04	0.67	0.9	1.9	5.3	0.09	9.2	0.007	0.13	0.87	20	0.14	1.3	30
1604925	0.03	0.67	1.0	0.9	5.8	0.09	5.5	0.034	0.15	0.61	29	0.22	1.5	24

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604926	0.06	0.76	0.9	2.4	3.8	0.07	5.2	<0.005	0.11	0.86	19	0.10	0.9	25
1604927	0.02	0.64	0.9	0.8	4.6	<0.05	6.6	0.008	0.16	0.48	21	0.15	1.9	28
1604928	<0.01	0.24	0.3	<0.2	4.3	<0.05	0.7	0.025	0.09	0.22	17	0.12	1.2	9
1604929	0.02	0.86	0.8	1.3	5.6	0.12	5.3	0.012	0.11	0.65	21	0.12	1.9	37
1604930	0.03	0.80	1.5	1.4	7.1	0.05	11.1	<0.005	0.16	0.89	23	0.12	1.6	40
1604931	0.02	0.36	0.6	0.7	8.4	<0.05	4.9	0.009	0.17	0.53	22	0.12	1.9	15
1604932	0.04	0.70	1.2	2.6	8.5	0.11	9.4	0.009	0.18	0.78	27	0.14	2.1	33
1604933	0.06	0.65	0.8	1.7	8.9	0.09	3.5	0.012	0.12	0.87	27	0.15	1.6	36
1604934	0.05	0.61	1.0	2.4	5.9	0.22	6.9	<0.005	0.11	1.04	17	0.07	1.5	38
1604935	0.03	0.53	0.7	1.5	6.1	0.09	2.8	0.020	0.14	0.90	27	0.16	2.1	21
1604936	0.03	0.32	0.8	0.9	6.3	0.07	1.8	0.015	0.14	0.81	30	0.15	2.5	18
1604937	0.03	0.71	1.0	2.2	11.2	0.10	10.8	<0.005	0.17	0.56	21	0.07	2.2	21
1604938	0.02	0.69	0.7	0.8	6.5	0.06	7.7	0.008	0.16	0.44	34	0.14	2.2	26
1604939	0.07	0.98	0.8	7.0	7.8	0.08	8.3	0.005	0.11	1.36	19	0.09	1.9	43
1604940	0.04	0.36	1.4	0.6	4.1	<0.05	1.4	0.056	0.12	1.11	19	0.16	3.4	16
1604941	0.06	0.75	1.2	0.8	4.9	0.08	1.9	0.034	0.15	1.09	28	0.19	2.1	51
1604942	0.04	1.01	1.0	2.6	4.5	0.16	4.0	<0.005	0.15	0.69	21	0.10	2.3	43
1604943	0.02	1.34	0.9	1.6	9.8	0.08	6.4	<0.005	0.10	0.75	13	0.07	2.4	146
1604944	0.08	1.38	1.1	1.9	6.8	<0.05	0.9	0.021	0.16	2.00	20	0.12	6.5	122
1604945	0.11	2.06	1.9	2.5	6.9	0.06	2.4	0.009	0.10	5.15	12	0.09	17.3	205
1604946	0.04	0.56	1.1	2.1	4.7	0.09	2.1	0.008	0.16	0.87	20	0.10	2.3	52
1604947	0.10	0.28	0.7	2.3	5.7	0.07	0.9	0.016	0.14	2.22	18	0.13	6.3	25
1604948	0.10	0.26	0.6	1.6	5.4	<0.05	0.6	0.021	0.14	1.81	16	0.11	3.9	28
1604949	0.03	0.75	0.5	1.7	5.1	0.06	1.9	0.009	0.18	0.47	34	0.13	1.7	22
1604950	0.05	0.36	0.7	1.3	5.2	0.08	1.1	0.010	0.20	0.73	22	0.13	2.0	33

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604951	0.15	0.35	0.6	1.6	11.0	<0.05	0.5	0.021	0.13	3.62	20	0.12	11.9	109
1604952	0.04	0.73	1.4	2.2	4.6	<0.05	5.5	0.021	0.11	1.63	22	0.14	3.7	48
1604953	0.06	0.35	0.5	0.7	4.9	<0.05	1.6	0.006	0.15	1.51	16	0.10	2.6	25
1604954	0.03	0.77	1.9	2.1	5.9	0.10	11.3	<0.005	0.14	0.75	28	0.11	2.2	45
1604955	0.03	0.83	0.9	2.0	3.7	0.09	3.3	0.008	0.14	0.60	33	0.14	2.4	42
1604956	0.07	1.17	0.8	4.4	5.1	0.10	2.2	<0.005	0.14	1.42	18	0.11	1.8	35
1604957	0.09	1.36	1.7	8.5	6.6	0.10	12.3	0.017	0.11	1.63	34	0.13	1.6	38
1604958	0.04	0.94	1.3	4.5	7.7	<0.05	15.6	<0.005	0.13	1.19	19	0.09	1.8	32
1604959	0.06	0.80	1.1	4.7	9.8	0.17	12.1	<0.005	0.12	1.04	23	0.11	1.1	26
1604960	0.07	0.36	0.6	2.2	5.2	<0.05	2.1	0.009	0.12	1.52	14	0.11	1.4	29
1604961	0.04	0.71	0.6	2.5	4.5	0.06	1.9	0.008	0.10	0.69	18	0.10	1.5	43
1604962	0.04	1.06	1.1	3.8	6.3	0.08	4.3	0.006	0.11	1.22	16	0.09	3.7	55
1604963	0.06	0.40	1.2	1.5	9.8	0.07	1.6	0.036	0.10	1.77	20	0.13	6.0	78
1604964	0.03	0.65	0.7	1.0	4.9	0.10	2.2	0.013	0.14	0.62	23	0.11	2.1	42
1604965	0.03	1.31	1.1	1.9	3.6	0.06	3.3	0.006	0.14	0.63	16	0.09	1.7	44
1604966	0.08	1.04	1.7	0.9	4.2	0.06	1.2	0.072	0.10	1.12	22	0.19	3.2	36
1604967	0.06	4.48	1.3	1.0	4.4	0.09	2.0	0.009	0.10	1.01	16	0.11	1.3	150
1604968	0.03	4.89	2.2	1.9	3.4	0.11	4.8	0.006	0.09	1.20	12	0.07	2.0	178
1604969	0.06	0.20	1.7	0.5	1.3	0.06	1.2	0.154	0.06	0.81	33	0.20	3.1	12
1604970	0.04	2.81	1.6	1.8	3.9	0.06	3.4	0.006	0.12	1.09	11	0.08	1.5	89
1604971	0.05	1.71	2.1	3.4	11.0	0.08	17.1	0.006	0.10	2.43	14	0.07	2.7	80
1604972	0.09	2.09	2.6	4.8	15.4	0.15	25.5	<0.005	0.12	3.46	14	0.06	2.9	86
1604973	0.06	1.79	1.2	10.7	14.7	0.11	6.4	<0.005	0.07	0.83	6	<0.05	1.8	62
1604974	0.04	0.94	2.5	0.7	20.5	0.09	17.0	0.009	0.13	3.62	12	0.07	5.2	129
1604975	0.03	1.28	3.3	0.9	15.2	0.12	14.7	0.009	0.09	2.78	13	0.05	6.0	120

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1604976	0.05	1.39	1.1	2.8	6.0	0.09	2.2	0.009	0.15	1.07	19	0.11	2.2	66
1604977	0.04	2.52	2.5	4.4	5.2	0.13	11.9	<0.005	0.08	1.37	8	<0.05	3.6	84
1604978	0.03	4.39	3.5	3.3	4.5	0.08	12.8	<0.005	0.08	1.89	7	<0.05	2.5	155
1604979	0.08	1.05	1.2	1.1	6.0	0.06	1.9	0.018	0.11	1.47	22	0.14	1.9	87
1604980	0.08	1.56	1.3	1.5	6.8	<0.05	1.2	0.029	0.15	1.55	23	0.16	3.6	69
1604981	0.11	5.26	1.4	1.5	11.1	0.06	0.9	0.029	0.11	2.08	22	0.12	6.9	261
1604982	0.08	1.55	2.8	0.9	10.6	<0.05	2.1	0.049	0.13	2.37	21	0.15	9.9	135
1604983	0.03	1.29	3.3	0.9	11.8	<0.05	6.6	0.007	0.09	1.97	15	0.08	7.6	111
1604984	0.07	0.84	1.1	0.7	7.1	<0.05	0.9	0.030	0.13	1.19	22	0.16	2.5	69
1604985	0.09	0.60	0.9	0.6	5.6	<0.05	0.4	0.054	0.10	1.14	16	0.14	3.0	26
1604986	0.07	0.72	1.4	0.7	7.4	0.06	1.0	0.039	0.13	1.29	26	0.15	2.9	79
1604987	0.04	2.60	2.0	6.6	4.8	0.15	8.0	<0.005	0.14	1.32	15	0.07	2.4	120
1604988	0.03	0.31	1.8	0.5	5.9	<0.05	1.3	0.064	0.09	0.85	16	0.15	6.6	25
1604989	0.03	0.41	0.8	0.7	7.4	<0.05	0.5	0.016	0.19	0.80	17	0.10	2.4	31
1604990	0.04	1.32	2.0	2.7	8.9	0.15	4.4	0.009	0.17	1.08	23	0.12	4.1	65
1604991	0.03	0.47	1.4	0.6	4.0	<0.05	2.4	0.046	0.09	0.72	19	0.17	3.2	18
1604992	0.04	0.88	2.3	2.2	8.8	<0.05	3.1	0.041	0.16	1.04	33	0.17	4.1	66
1604993	0.08	0.51	0.7	1.6	7.1	0.10	1.2	0.015	0.13	1.36	21	0.11	2.5	68
1604994	0.04	0.57	1.2	1.3	5.2	0.06	2.4	0.010	0.19	0.83	25	0.17	1.9	35
1604995	0.04	2.02	1.7	6.5	6.2	0.13	6.5	<0.005	0.12	0.96	17	0.08	3.2	80
1604996	0.07	0.53	1.3	1.0	2.6	0.10	1.2	0.077	0.11	1.29	39	0.24	3.2	22
1604997	0.06	2.01	1.5	9.4	5.9	0.20	7.0	0.008	0.14	1.51	18	0.12	3.0	72
1604998	0.04	1.57	1.7	4.4	7.9	0.08	5.2	0.012	0.11	1.00	22	0.13	3.2	82
1604999	0.04	0.40	1.3	0.6	9.0	0.05	3.3	0.009	0.11	3.62	14	0.07	9.7	83
1605000	0.07	0.62	1.2	1.5	6.5	0.09	1.3	0.033	0.13	1.17	20	0.15	3.0	76

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1606451	0.10	0.42	0.5	1.1	65.7	0.09	0.6	0.012	0.13	3.69	19	0.08	3.7	81
1606452	0.09	0.37	0.4	1.2	43.4	<0.05	0.6	0.010	0.16	3.31	21	0.08	4.1	69
1606453	0.03	3.14	1.2	0.8	9.0	0.07	5.7	<0.005	0.11	1.33	11	0.08	2.5	79
1606454	0.09	0.85	0.5	1.0	38.2	<0.05	0.6	0.008	0.15	5.10	17	0.09	3.3	72
1606455	0.07	0.28	0.6	0.9	6.1	<0.05	3.4	0.005	0.19	8.36	12	0.07	2.0	55
1606457	0.07	0.22	0.4	1.1	10.5	<0.05	0.5	0.008	0.16	1.05	15	0.09	5.6	40
1606458	0.04	0.42	0.9	2.3	9.1	<0.05	3.5	0.014	0.14	1.15	19	0.14	2.5	23
1606459	0.02	0.13	0.2	0.2	6.6	<0.05	0.5	<0.005	0.14	0.45	8	0.05	1.3	8
1606460	0.06	0.54	0.5	2.6	8.9	0.05	1.3	0.007	0.13	1.10	16	0.10	1.8	24
1606461	0.02	0.40	0.4	1.4	6.8	0.08	2.5	<0.005	0.15	0.47	17	0.08	2.4	13
1606462	0.02	0.18	0.4	0.3	5.5	<0.05	1.6	0.005	0.16	0.34	13	0.07	1.3	8
1606463	0.01	0.19	0.4	<0.2	4.2	<0.05	1.3	0.010	0.13	0.25	11	<0.05	1.0	7
1606464	0.04	0.66	1.4	4.1	6.5	0.09	6.3	0.007	0.10	1.32	14	0.08	3.4	61
1606465	0.11	1.54	1.6	7.6	4.0	0.10	17.1	0.008	0.08	1.64	22	0.12	2.2	72
1606466	0.03	0.33	1.3	0.3	21.9	<0.05	18.5	<0.005	0.05	2.43	7	<0.05	5.6	99
1606467	0.04	0.50	1.8	0.5	20.6	0.15	13.2	<0.005	0.06	4.78	11	<0.05	6.1	135
1606468	0.09	1.99	0.7	1.4	36.0	0.06	0.9	0.008	0.11	2.86	13	0.07	5.7	148
1606469	0.02	3.61	1.2	0.6	6.4	0.09	1.5	0.007	0.10	0.99	12	0.07	1.5	104
1606470	<0.01	3.43	0.7	<0.2	4.5	0.13	5.5	<0.005	0.19	0.21	6	0.07	1.2	19
1606471	0.04	2.02	0.8	0.4	6.1	<0.05	2.3	<0.005	0.11	1.17	9	0.14	1.4	51
1606472	0.06	1.60	0.5	0.5	21.5	0.06	0.6	0.008	0.10	1.38	15	0.12	2.9	111
1606473	0.07	0.73	0.7	0.3	14.3	0.06	2.3	<0.005	0.08	2.25	11	0.05	2.1	94
1606474	0.03	0.37	1.1	0.3	17.1	0.08	13.2	<0.005	0.05	2.09	8	<0.05	4.3	89
1606475	0.02	0.32	1.3	0.3	12.8	0.08	15.6	<0.005	0.07	2.73	8	<0.05	4.4	119
1606476	0.03	0.56	0.8	1.6	5.7	0.10	3.7	0.005	0.14	0.62	15	0.10	1.9	27

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

Sample ID	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1606477	0.07	1.48	1.6	5.2	8.5	0.08	14.3	<0.005	0.09	2.73	12	<0.05	7.4	85
1606478	0.06	0.88	0.9	4.9	7.3	0.18	12.7	<0.005	0.09	1.45	14	0.06	2.3	57
1606479	0.06	0.70	0.6	3.2	5.6	<0.05	1.3	0.007	0.12	1.07	16	0.09	2.6	43
1606480	0.04	1.43	1.4	1.4	3.7	0.11	5.1	<0.005	0.08	1.50	12	0.07	2.4	113
1606481	0.09	0.61	0.5	0.3	13.7	<0.05	1.9	<0.005	0.07	1.40	10	<0.05	2.2	89
1606482	0.04	1.26	0.5	0.8	8.8	0.09	0.5	<0.005	0.12	0.75	12	0.07	1.3	151
1606483	0.05	4.58	3.2	2.3	14.7	0.16	8.7	<0.005	0.06	4.44	8	<0.05	6.1	203
1606484	0.05	1.75	1.8	1.8	10.9	0.11	4.8	<0.005	0.08	2.56	10	0.05	3.5	129
1606485	0.05	1.20	0.9	0.9	5.2	0.21	1.5	0.012	0.15	0.81	18	0.12	1.4	57
1606487	0.10	0.46	0.4	0.3	9.4	<0.05	1.6	<0.005	0.09	1.25	12	0.06	2.2	80
1606488	0.09	1.93	0.4	1.6	7.0	0.10	0.7	0.005	0.11	1.68	14	0.07	2.5	80
1606491	0.07	0.75	0.2	1.1	4.4	0.05	0.3	<0.005	0.11	0.94	14	0.09	1.2	35
1606492	0.07	0.52	0.6	2.2	4.9	0.17	0.8	0.009	0.14	1.30	16	0.10	3.1	42
1606493	0.07	0.81	0.6	1.6	5.6	0.09	1.0	0.009	0.21	1.37	25	0.10	1.9	53
1606494	0.07	1.72	1.5	1.3	6.9	0.16	3.6	<0.005	0.09	1.18	13	0.08	2.4	87
1606497	0.05	3.58	2.7	1.4	4.3	<0.05	3.3	<0.005	0.07	1.45	11	0.07	2.8	116
1606498	0.02	0.97	0.9	0.3	6.7	0.09	1.5	0.008	0.21	0.48	26	0.11	1.6	27
1606499	0.04	0.61	0.4	0.8	4.4	<0.05	0.2	<0.005	0.14	0.38	13	0.07	1.0	16

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 02-Nov-2017
Report Version: Final

	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117	IMS-117
	S	Sb	Sc	Se	Sr	Te	Th	Ti	Tl	U	V	W	Y	Zn
	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
Sample ID	0.01	0.05	0.1	0.2	0.5	0.05	0.2	0.005	0.05	0.05	1	0.05	0.5	2
DUP 1604871	0.02	0.50	0.7	0.5	5.4	<0.05	4.8	0.025	0.13	0.45	27	0.16	1.6	23
DUP 1604893	0.03	0.28	0.6	0.5	4.6	<0.05	1.6	0.009	0.16	0.65	19	0.13	1.1	23
DUP 1604940	0.04	0.36	1.3	0.6	4.2	<0.05	1.3	0.051	0.11	1.05	19	0.16	3.3	16
DUP 1604967	0.05	4.58	1.4	1.0	3.7	0.13	2.1	0.009	0.11	1.00	16	0.11	1.2	151
DUP 1606462	0.02	0.18	0.5	0.3	5.0	<0.05	1.6	0.005	0.16	0.35	13	0.06	1.3	7
STD BLANK	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.01	<0.05	<0.1	<0.2	<0.5	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD OREAS 24b	0.19	0.53	9.5	<0.2	28.3	0.05	13.1	0.202	0.67	1.73	76	1.15	11.4	94
STD OREAS 601	1.04	21.90	1.8	11.8	34.5	15.03	6.4	0.010	0.73	1.91	9	1.11	5.5	1277
STD OREAS 601	1.07	22.02	1.8	11.5	35.0	15.21	6.5	0.010	0.76	1.92	9	1.10	5.8	1304
STD OREAS 601	1.01	21.76	1.8	11.7	33.3	14.59	6.4	0.008	0.73	1.87	9	1.07	5.5	1259
STD CDN-CM-38	4.89	2.70	1.3	8.0	32.9	0.89	1.2	0.010	0.37	0.17	16	2.14	2.5	814

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

An A2 Global Company

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name:	Silver Dollar
Job Received Date:	10-Oct-2017
Job Report Date:	07-Nov-2017
Number of Samples:	184
Report Version:	Final

COMMENTS:

Test results reported relate only to the samples as received by the laboratory.Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-757	Dry, Screen to 80 mesh, discard plus fraction

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
IMS-117	Multi-Element (39 elements), 20g, 1:1 Aqua Regia, ICP-AES/MS, Ultra Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
542851	Soil	0.41		0.16	1.15	10.3	0.001	11	62	0.42	0.08
542852	Soil	0.42		0.06	1.24	12.5	0.002	13	36	0.39	0.13
542853	Soil	0.39		0.12	1.15	11.8	0.002	<10	45	0.37	0.09
542854	Soil	0.36		0.24	0.58	20.8	0.005	13	31	0.38	0.05
542855	Soil	0.49		0.15	1.08	18.6	0.005	13	24	0.36	0.10
542856	Soil	0.42		0.22	1.20	18.2	0.003	16	23	0.40	0.02
542857	Soil	0.41		0.39	1.24	99.3	0.002	18	27	0.77	<0.01
542858	Soil	0.31		0.38	1.07	24.4	0.003	15	38	0.63	0.04
542859	Soil	0.35		0.71	1.17	36.7	0.004	15	24	0.62	0.01
542860	Soil	0.35		0.37	1.54	37.2	0.002	15	39	0.60	0.01
542861	Soil	0.43		0.89	0.75	15.3	0.003	11	33	0.58	0.01
542862	Soil	0.37		0.81	0.79	12.0	0.003	<10	18	0.43	<0.01
542863	Soil	0.35		0.15	1.46	22.0	0.002	10	33	0.47	0.01
542864	Soil	0.29		0.11	0.72	5.0	0.001	<10	37	0.30	0.02
542865	Soil	0.34		0.14	0.87	8.0	<0.001	<10	36	0.35	0.01
542866	Soil	0.28		0.49	1.38	34.6	0.002	11	33	0.67	0.02
542867	Soil	0.37		0.17	2.22	10.4	0.002	<10	33	0.42	0.02
542868	Soil	0.52		0.31	1.52	18.7	0.004	13	49	0.55	0.07
542869	Soil	0.51		0.32	0.71	46.3	0.002	<10	25	0.60	<0.01
542870	Soil	0.43		0.37	0.99	28.2	0.003	13	32	0.63	<0.01
542871	Soil	0.32		0.81	2.60	3.4	0.001	<10	<10	0.13	0.04
542872	Soil	0.34		0.27	1.22	18.1	0.003	12	34	0.51	0.02
542873	Soil	0.47		1.32	1.47	32.5	0.005	11	51	0.77	0.02
542874	Soil	0.40		0.30	0.68	13.2	0.002	<10	24	0.56	0.01
542875	Soil	0.67		0.37	0.43	95.9	0.033	<10	18	0.83	<0.01

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
542876	Soil	0.34		30.24	1.97	35.9	0.011	11	25	0.29	0.03
542877	Soil	0.49		4.44	0.71	68.2	0.011	<10	25	0.67	0.03
542878	Soil	0.22		0.61	2.72	5.3	0.001	<10	14	0.22	0.03
542879	Soil	0.38		0.98	1.24	14.2	0.003	<10	39	0.29	0.01
542880	Soil	0.50		0.47	2.89	27.0	0.005	12	42	0.45	0.05
542881	Soil	0.42		0.16	1.52	20.1	0.002	10	36	0.38	0.01
542882	Soil	0.42		0.32	1.40	44.6	0.004	<10	38	0.86	0.01
542883	Soil	0.54		0.28	1.41	33.5	0.003	10	34	1.03	0.07
542884	Soil	0.41		0.20	1.56	19.7	0.003	<10	36	0.38	0.02
542885	Soil	0.40		0.31	1.43	12.0	0.002	13	44	0.43	0.14
542886	Soil	0.27		0.25	1.27	5.8	0.002	<10	37	0.30	<0.01
542887	Soil	0.59		0.06	1.78	19.7	0.003	<10	38	0.40	<0.01
542888	Soil	0.37		1.97	1.50	29.5	0.062	<10	34	0.36	0.01
542889	Soil	0.43		0.90	1.03	62.9	0.027	<10	40	0.97	0.02
542890	Soil	0.38		0.14	1.63	35.8	0.004	<10	38	0.74	0.01
542891	Soil	0.41		0.32	0.95	71.0	0.004	<10	34	1.38	0.01
542892	Soil	0.60		0.93	0.48	33.0	0.007	<10	19	0.78	0.01
542893	Soil	0.43		0.20	1.10	12.0	0.001	<10	28	0.58	0.02
542894	Soil	0.52		0.11	1.18	35.6	0.005	<10	22	0.60	<0.01
542895	Soil	0.38		0.18	1.45	18.1	0.002	<10	37	0.57	0.05
542896	Soil	0.37		0.41	1.53	18.5	0.003	<10	43	0.63	0.14
542897	Soil	0.39		0.37	1.42	25.3	0.006	<10	35	0.52	0.05
542898	Soil	0.42		1.09	1.68	17.3	0.002	<10	37	0.59	0.11
542899	Soil	0.42		1.29	1.00	34.7	0.006	<10	24	0.52	0.02
542900	Soil	0.35		2.14	2.49	2.4	0.001	<10	<10	0.12	0.15

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
542901	Soil	0.24		1.99	3.48	6.2	0.004	16	<10	0.16	0.04
542902	Soil	0.49		0.22	1.64	38.9	0.004	<10	34	0.65	0.02
542903	Soil	0.50		0.33	1.97	30.1	0.003	<10	38	0.41	0.02
542904	Soil	0.44		0.36	1.67	17.6	0.002	<10	43	0.44	0.03
542905	Soil	0.34		0.18	1.45	14.4	0.001	<10	62	0.48	0.07
542906	Soil	0.44		0.21	1.57	21.3	0.003	<10	50	0.52	0.02
542907	Soil	0.31		0.40	1.63	20.5	0.004	<10	33	0.54	0.02
542908	Soil	0.44		0.18	1.46	32.4	0.003	<10	35	0.61	0.01
542909	Soil	0.39		0.31	1.51	22.5	0.004	14	64	0.46	0.02
542910	Soil	0.35		0.20	2.48	11.2	0.003	<10	37	0.33	0.03
542911	Soil	0.45		0.49	1.58	14.1	0.001	<10	43	0.36	0.07
542912	Soil	0.40		1.43	1.86	3.5	0.001	<10	12	0.23	0.02
542913	Soil	0.36		1.24	1.26	20.8	0.003	10	24	0.40	0.02
542914	Soil	0.36		13.98	3.71	8.8	0.002	<10	16	0.18	0.03
542915	Soil	0.44		0.25	1.87	23.7	0.002	13	32	0.62	0.02
542916	Soil	0.29		0.61	2.13	4.5	0.001	<10	24	0.30	0.03
542917	Soil	0.38		0.49	2.13	7.4	0.001	10	24	0.29	0.02
542918	Soil	0.42		0.37	1.34	10.0	0.001	11	35	0.47	0.02
542919	Soil	0.37		0.36	1.73	15.9	0.002	29	41	0.50	0.02
542920	Soil	0.53		0.45	1.39	18.1	0.003	10	43	0.58	0.02
542921	Soil	0.40		0.17	1.45	15.9	0.002	<10	59	0.56	0.07
542922	Soil	0.38		0.46	1.13	20.5	0.002	<10	45	0.45	0.02
542923	Soil	0.45		0.18	1.22	25.0	0.002	<10	39	0.46	0.01
542924	Soil	0.52		0.62	1.28	32.5	0.004	<10	45	0.67	<0.01
542925	Soil	0.45		0.18	1.18	13.3	<0.001	<10	25	0.43	<0.01

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
542926	Soil	0.49		0.34	1.65	37.2	0.004	<10	44	0.94	0.01
542927	Soil	0.44		2.41	1.50	30.2	0.007	<10	28	0.40	0.01
542928	Soil	0.51		2.71	1.53	48.3	0.010	<10	24	0.56	<0.01
542929	Soil	0.37		1.25	1.88	8.9	0.002	<10	26	0.51	0.03
542930	Soil	0.43		0.28	1.54	19.5	0.002	11	36	0.58	0.02
542931	Soil	0.33		0.13	1.33	6.8	0.001	<10	28	0.50	0.03
542932	Soil	0.29		0.31	1.94	7.9	0.001	<10	28	0.61	0.03
542933	Soil	0.39		0.57	2.14	8.5	0.002	<10	37	0.56	0.05
542934	Soil	0.47		0.24	1.32	28.2	0.002	<10	29	0.58	0.02
542935	Soil	0.35		0.55	2.65	11.0	0.003	<10	33	0.41	0.02
542936	Soil	0.48		0.39	1.58	36.5	0.006	<10	39	0.61	<0.01
542937	Soil	0.40		0.17	1.42	26.6	0.003	<10	48	0.49	0.01
542938	Soil	0.38		0.21	0.91	6.7	0.001	<10	33	0.30	0.01
542939	Soil	0.44		0.37	1.65	20.0	0.004	<10	50	0.45	0.03
542940	Soil	0.40		0.36	1.37	22.9	0.002	<10	50	0.46	0.01
542941	Soil	0.38		0.45	1.22	38.3	0.003	<10	37	0.82	0.03
542942	Soil	0.53		14.33	1.07	28.8	0.019	<10	20	0.48	0.01
542943	Soil	0.41		2.22	1.58	36.2	0.004	<10	50	0.51	0.09
542944	Soil	0.41		0.28	1.33	15.5	0.002	<10	53	0.45	0.14
542945	Soil	0.29		0.28	0.70	8.1	0.005	<10	28	0.26	0.03
542946	Soil	0.45		0.49	1.60	27.1	0.003	<10	34	0.58	0.02
542947	Soil	0.45		0.44	1.21	22.9	0.005	<10	34	0.57	0.02
542948	Soil	0.38		0.84	1.43	12.9	0.002	<10	28	0.47	0.05
542949	Soil	0.46		0.30	0.75	14.0	0.002	<10	24	0.51	0.03
542950	Soil	0.36		0.55	1.94	7.5	0.001	<10	26	0.39	0.02

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
542951	Soil	0.45		0.21	0.83	28.4	0.004	<10	35	0.62	0.02
542952	Soil	0.46		0.50	1.07	51.3	0.002	<10	53	0.62	0.01
542953	Soil	0.27		1.54	1.70	6.2	0.002	<10	31	0.53	0.12
542954	Soil	0.23		0.34	0.86	7.3	0.001	<10	19	0.42	0.02
542955	Soil	0.38		0.11	1.58	30.9	0.002	<10	33	0.67	0.01
542956	Soil	0.27		0.43	1.53	12.3	0.002	<10	29	0.44	0.02
542957	Soil	0.37		0.46	1.44	19.7	0.004	<10	46	1.01	0.03
542958	Soil	0.35		0.41	0.76	23.6	0.003	<10	42	0.62	0.01
542959	Soil	0.37		0.31	1.75	9.3	0.002	<10	35	0.28	0.02
542960	Soil	0.34		0.64	1.00	19.0	0.002	<10	44	0.57	0.01
542961	Soil	0.34		0.54	1.58	13.8	0.002	<10	39	0.53	0.03
542962	Soil	0.48		1.45	0.38	36.1	0.003	<10	19	0.88	<0.01
542963	Soil	0.40		0.30	0.57	31.1	0.004	<10	25	0.57	<0.01
542964	Soil	0.39		0.24	1.33	47.1	0.004	<10	37	0.49	0.01
542965	Soil	0.39		0.37	0.36	5.9	0.002	<10	20	0.27	0.01
542966	Soil	0.39		0.34	1.48	11.6	0.002	<10	31	0.50	0.02
542967	Soil	0.45		0.27	1.48	42.9	0.005	10	41	0.82	0.02
542968	Soil	0.42		0.34	1.14	71.0	0.004	<10	37	1.01	0.02
542969	Soil	0.41		0.09	1.09	13.1	0.002	<10	38	0.57	0.01
542970	Soil	0.49		0.48	1.63	9.5	0.002	<10	52	0.45	0.11
542971	Soil	0.32		0.48	0.72	52.8	0.111	11	56	0.64	0.03
1751151	Soil	0.32		0.08	0.77	3.4	0.001	<10	26	0.32	0.01
1751152	Soil	0.39		0.11	1.52	21.9	0.003	<10	26	0.63	<0.01
1751153	Soil	0.34		0.33	1.99	24.4	0.003	11	45	0.60	0.02
1751154	Soil	0.43		0.18	1.07	16.1	0.002	10	34	0.53	0.01

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
1751155	Soil	0.27		0.21	1.04	21.8	<0.001	11	25	0.44	0.01
1751157	Soil	0.27		0.06	0.59	2.8	<0.001	<10	24	0.12	0.01
1751158	Soil	0.35		0.24	1.57	17.2	0.002	<10	35	0.64	0.01
1751159	Soil	0.33		0.29	1.43	19.1	0.003	<10	36	0.69	0.02
1751161	Soil	0.34		0.53	1.45	13.3	0.003	<10	38	0.48	0.03
1751165	Soil	0.41		0.27	1.28	19.9	0.002	<10	34	0.50	0.02
1751166	Soil	0.46		0.29	1.06	24.3	0.002	16	36	0.50	0.03
1751167	Soil	0.43		0.17	1.48	22.9	0.004	11	39	0.52	<0.01
1751168	Soil	0.40		0.45	1.97	20.7	0.003	<10	43	0.70	0.02
1751169	Soil	0.44		0.56	1.18	25.0	0.004	11	26	0.43	0.01
1751170	Soil	0.36		2.70	1.59	13.1	0.002	<10	44	0.36	0.07
1751171	Soil	0.45		1.59	1.30	25.9	0.009	11	29	0.50	0.02
1751172	Soil	0.43		1.21	1.41	13.7	0.002	<10	32	0.58	0.03
1751173	Soil	0.40		0.17	0.93	11.1	0.001	12	37	0.46	0.03
1751174	Soil	0.35		0.28	1.41	5.0	<0.001	13	18	0.37	0.04
1751175	Soil	0.42		0.25	1.42	21.6	0.001	<10	48	0.63	0.04
1751176	Soil	0.36		0.20	1.28	17.9	0.001	<10	29	0.47	0.06
1751177	Soil	0.62		0.40	1.90	28.5	0.003	<10	42	0.65	0.04
1751178	Soil	0.29		0.92	1.28	10.1	0.001	<10	23	0.64	0.02
1751179	Soil	0.52		0.13	1.44	25.8	0.002	<10	31	0.63	0.01
1751180	Soil	0.52		0.14	1.09	29.9	0.004	10	29	0.54	<0.01
1751181	Soil	0.51		0.25	0.84	27.1	0.002	<10	35	0.43	<0.01
1751182	Soil	0.44		0.20	1.43	17.5	0.002	<10	41	0.53	0.04
1751183	Soil	0.43		0.23	0.97	14.0	0.001	<10	34	0.46	0.01
1751184	Soil	0.48		0.36	1.01	24.8	0.011	<10	29	0.48	0.01

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
1751185	Soil	0.32		16.43	1.79	15.1	0.005	<10	26	0.38	0.05
1751186	Soil	0.39		0.77	1.70	27.1	0.002	<10	51	0.54	0.03
1751187	Soil	0.43		0.64	0.98	20.9	0.001	<10	50	0.50	0.05
1751188	Soil	0.30		1.51	2.15	6.4	0.002	<10	28	0.28	0.05
1751189	Soil	0.35		0.35	0.92	5.9	<0.001	<10	39	0.41	0.04
1751190	Soil	0.36		0.34	1.21	3.4	<0.001	<10	24	0.36	0.02
1751191	Soil	0.33		0.39	1.04	4.5	<0.001	<10	37	0.46	0.06
1751192	Soil	0.36		0.70	1.94	10.6	0.002	<10	30	0.46	0.04
1751193	Soil	0.30		0.52	2.35	8.2	0.001	<10	33	0.53	0.03
1751451	Soil	0.44		0.38	1.55	30.3	0.002	<10	66	0.51	0.09
1751452	Soil	0.48		0.24	1.28	28.4	0.004	<10	42	0.45	0.01
1751453	Soil	0.58		0.53	1.11	28.8	0.005	<10	29	0.50	0.05
1751454	Soil	0.39		0.84	2.61	12.4	0.002	<10	25	0.44	0.03
1751455	Soil	0.53		1.67	1.18	29.4	0.003	<10	29	0.48	0.02
1751456	Soil	0.66		1.19	0.95	49.6	0.005	<10	18	0.43	<0.01
1751457	Soil	0.54		0.40	1.26	22.3	0.002	<10	24	0.45	0.03
1751458	Soil	0.60		0.30	1.09	28.1	0.002	<10	31	0.51	0.01
1751459	Soil	0.50		0.17	1.44	26.1	0.002	<10	35	0.62	0.02
1751460	Soil	0.45		0.18	1.20	14.1	0.001	<10	42	0.53	0.09
1751461	Soil	0.53		0.76	1.36	28.8	0.003	<10	37	0.66	0.03
1751462	Soil	0.60		0.41	1.34	20.8	0.002	<10	30	0.72	0.01
1751463	Soil	0.48		0.52	1.15	19.6	0.001	<10	35	0.42	<0.01
1751464	Soil	0.54		0.20	1.07	28.2	0.004	<10	29	0.58	<0.01
1751465	Soil	0.59		0.27	1.15	32.7	0.003	<10	32	0.55	<0.01
1751466	Soil	0.50		0.51	1.64	22.9	0.001	<10	43	0.44	0.02

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	IMS-117 Ag ppm 0.05	IMS-117 Al % 0.01	IMS-117 As ppm 0.2	IMS-117 Au ppm 0.001	IMS-117 B ppm 10	IMS-117 Ba ppm 10	IMS-117 Bi ppm 0.05	IMS-117 Ca % 0.01
1751467	Soil	0.49		1.23	1.09	26.1	0.004	11	27	0.51	<0.01
1751468	Soil	0.58		1.20	0.88	12.2	0.005	11	24	0.38	0.01
1751469	Soil	0.44		12.01	1.74	16.3	0.004	10	49	0.40	0.08
1751470	Soil	0.39		1.42	1.76	17.2	0.002	12	31	0.43	0.04
1751471	Soil	0.48		0.44	1.01	23.0	0.002	10	29	0.46	0.02
1751472	Soil	0.54		0.76	1.02	25.0	0.003	<10	24	0.49	0.01
1751473	Soil	0.51		0.38	0.94	21.5	0.003	13	34	0.48	<0.01
1751474	Soil	0.47		0.36	0.97	16.1	0.002	<10	24	0.46	0.01
1751475	Soil	0.43		0.15	1.27	28.8	0.001	15	23	0.86	0.01
DUP 542867				0.17	2.27	10.5	0.002	<10	34	0.40	0.02
DUP 542912				1.44	1.81	3.6	0.001	<10	11	0.23	0.02
DUP 542967				0.27	1.49	44.0	0.005	<10	42	0.85	0.02
DUP 1751189				0.37	0.99	6.0	<0.001	<10	42	0.42	0.04
DUP 1751474				0.36	0.95	16.2	0.001	<10	23	0.46	0.01
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01
STD BLANK				<0.05	<0.01	<0.2	<0.001	<10	<10	<0.05	<0.01
STD OREAS 601				50.56	0.79	299.3	0.765	<10	231	19.70	1.07
STD OREAS 24b				0.07	3.07	8.1	0.002	11	146	0.72	0.46
STD OREAS 601				50.12	0.82	304.0	0.792	<10	179	20.28	1.08
STD CDN-CM-38				6.20	1.04	41.1	1.020	<10	41	1.23	0.39
STD OREAS 24b				0.07	2.98	8.1	0.002	<10	142	0.69	0.45

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
542851	0.11	15.0	15	26.2	3.98	5.2	0.04	0.10	22.0	0.33	1172
542852	0.11	18.6	15	37.5	3.87	5.0	0.04	0.09	27.6	0.59	746
542853	0.12	16.5	15	34.0	3.67	4.9	0.06	0.09	25.1	0.48	678
542854	0.07	7.1	8	26.6	3.01	5.1	0.03	0.09	21.7	0.12	475
542855	0.15	18.8	14	50.1	4.26	5.2	0.05	0.06	30.6	0.53	701
542856	0.08	10.6	20	88.0	9.53	5.9	0.10	0.05	22.6	0.25	440
542857	0.06	3.0	38	124.9	13.54	5.6	0.78	0.04	12.3	0.27	164
542858	0.25	1.4	18	51.5	5.41	7.9	0.18	0.04	25.8	0.08	80
542859	0.21	1.5	23	48.3	7.72	8.7	0.16	0.03	21.8	0.05	128
542860	0.46	2.2	26	55.6	7.59	8.7	0.13	0.04	33.5	0.10	115
542861	0.13	0.9	14	21.1	2.38	8.3	0.10	0.05	52.9	0.06	191
542862	0.09	0.6	17	18.9	2.23	6.0	0.12	0.03	39.8	0.12	80
542863	0.12	1.4	20	38.5	5.23	9.9	0.07	0.04	35.4	0.23	104
542864	0.08	0.6	7	10.8	1.28	6.6	0.06	0.03	17.7	0.04	36
542865	0.16	0.6	8	15.5	1.21	8.9	0.04	0.02	39.8	0.02	25
542866	0.32	2.0	20	47.7	5.59	10.1	0.08	0.06	32.4	0.07	57
542867	0.11	1.2	10	13.8	2.88	8.8	0.10	0.03	22.5	0.19	228
542868	0.45	14.7	15	51.8	5.06	5.7	0.11	0.06	22.3	0.28	1624
542869	0.07	20.7	7	72.1	5.57	3.4	0.05	0.03	8.0	0.03	1326
542870	0.09	5.7	9	44.6	5.18	4.8	0.07	0.05	7.5	0.04	467
542871	0.02	1.8	4	19.5	1.40	6.7	0.07	0.02	2.6	0.07	119
542872	0.13	11.6	10	32.0	3.76	3.9	0.10	0.06	6.9	0.11	776
542873	0.13	14.1	14	43.2	5.49	5.0	0.15	0.07	7.7	0.14	1303
542874	0.12	12.3	5	32.2	3.53	2.9	0.05	0.04	9.6	0.04	449
542875	0.06	8.1	4	76.2	6.18	2.2	0.07	0.04	10.1	0.02	265

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
542876	0.47	3.4	6	42.1	2.65	6.9	0.18	0.03	11.1	0.04	491
542877	0.54	16.1	7	126.3	7.91	3.0	0.21	0.05	11.1	0.04	743
542878	0.12	2.2	6	12.5	2.21	11.3	0.08	0.02	6.1	0.05	225
542879	0.09	2.4	4	21.9	1.97	5.9	0.06	0.02	13.6	0.03	56
542880	0.32	100.8	11	234.5	5.27	5.1	0.13	0.06	20.6	0.18	3209
542881	0.22	7.7	13	31.5	5.45	6.3	0.07	0.04	20.8	0.19	510
542882	0.06	2.6	20	27.6	5.20	6.6	0.11	0.06	32.3	0.33	250
542883	0.15	21.5	22	65.8	5.50	6.9	0.10	0.09	35.0	0.49	1206
542884	0.11	9.3	13	48.7	5.24	5.7	0.10	0.04	22.3	0.17	480
542885	0.10	6.6	14	31.7	4.01	6.2	0.06	0.06	18.7	0.29	390
542886	0.06	2.1	8	18.9	1.70	5.9	0.07	0.03	19.5	0.12	56
542887	0.09	12.9	16	52.0	5.08	5.1	0.05	0.03	21.3	0.37	236
542888	0.10	1.8	5	7.5	1.29	7.4	0.04	0.03	11.8	0.04	31
542889	0.23	11.9	5	42.2	4.45	5.5	0.09	0.05	14.1	0.04	477
542890	0.10	2.9	23	39.7	5.09	6.4	0.11	0.06	19.8	0.35	190
542891	0.04	6.3	23	77.9	8.22	5.9	0.21	0.06	22.0	0.15	166
542892	0.12	27.3	8	57.4	4.81	1.7	0.09	0.05	17.3	0.08	524
542893	0.07	1.9	10	19.8	2.45	7.4	0.05	0.05	15.8	0.20	96
542894	0.05	4.7	15	68.2	5.80	4.4	0.10	0.05	14.8	0.21	247
542895	0.06	7.5	14	32.2	4.16	7.1	0.04	0.07	14.8	0.23	236
542896	0.13	14.7	17	40.0	4.89	6.6	0.08	0.07	13.7	0.28	260
542897	0.18	11.3	16	60.5	5.63	6.1	0.05	0.07	11.8	0.23	625
542898	0.28	5.7	16	51.3	5.05	5.5	0.10	0.07	12.6	0.28	310
542899	0.32	22.2	9	81.7	5.20	4.4	0.12	0.04	10.2	0.13	1045
542900	0.04	2.5	4	21.0	1.33	8.0	0.02	0.02	3.4	0.11	68

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
542901	0.05	2.1	6	24.9	1.79	8.3	0.10	0.02	2.9	0.08	74
542902	0.10	19.4	20	54.1	5.19	6.4	0.06	0.07	32.5	0.33	963
542903	0.13	6.8	10	69.4	5.30	6.3	0.10	0.05	15.1	0.09	310
542904	0.13	8.3	11	40.9	4.43	7.0	0.07	0.07	18.4	0.14	685
542905	0.24	14.1	12	26.7	4.21	8.3	0.04	0.09	19.1	0.22	2055
542906	0.14	11.8	13	41.8	4.79	6.9	0.07	0.07	22.6	0.19	1052
542907	0.18	11.4	16	41.6	4.76	7.7	0.09	0.07	24.5	0.25	1092
542908	0.09	16.5	18	67.3	5.55	5.1	0.12	0.06	45.2	0.37	824
542909	0.10	40.0	12	40.2	7.39	6.5	0.08	0.08	16.3	0.15	3454
542910	0.15	3.8	10	21.2	3.01	9.3	0.11	0.04	13.5	0.14	346
542911	0.16	10.0	11	28.1	3.65	5.5	0.06	0.05	10.2	0.18	539
542912	0.12	1.0	4	10.2	1.30	10.2	0.08	0.02	5.9	0.03	33
542913	0.27	7.8	9	42.9	3.92	8.4	0.11	0.03	9.1	0.09	186
542914	0.20	2.7	7	22.9	2.13	7.9	0.17	0.02	8.1	0.06	238
542915	0.11	3.8	19	33.3	5.09	9.6	0.16	0.05	7.2	0.22	428
542916	0.15	7.2	6	17.8	1.94	10.9	0.07	0.04	5.6	0.08	1089
542917	0.04	1.8	8	17.7	2.04	8.9	0.06	0.03	10.1	0.07	94
542918	0.09	1.3	12	16.8	2.40	7.0	0.04	0.06	12.6	0.15	98
542919	0.08	2.7	13	28.8	3.39	8.1	0.05	0.06	13.4	0.18	149
542920	0.10	3.5	16	36.8	3.87	7.1	0.04	0.07	18.4	0.26	233
542921	0.29	38.9	15	36.3	4.26	5.3	0.04	0.06	23.7	0.39	2632
542922	0.14	6.7	8	41.1	4.11	7.4	0.05	0.06	14.9	0.07	601
542923	0.11	10.7	11	46.5	5.22	6.0	0.05	0.06	17.7	0.13	618
542924	0.06	13.9	12	69.8	6.02	4.6	0.12	0.06	12.2	0.17	1000
542925	0.09	6.3	7	19.9	4.16	9.3	0.04	0.03	6.7	0.05	189

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
542926	0.08	7.3	22	55.8	5.26	7.1	0.13	0.06	20.6	0.36	787
542927	0.35	9.5	12	67.7	5.05	4.7	0.19	0.03	9.8	0.12	264
542928	0.22	17.1	14	100.3	6.57	4.6	0.22	0.04	14.2	0.16	633
542929	0.14	4.3	11	24.3	3.14	11.4	0.11	0.04	11.7	0.14	208
542930	0.21	12.3	18	38.1	5.20	9.0	0.07	0.05	10.2	0.29	1157
542931	0.17	2.7	13	13.2	3.20	9.2	0.06	0.05	8.6	0.19	160
542932	0.57	11.0	18	53.9	4.21	9.3	0.08	0.07	11.9	0.33	283
542933	0.11	6.1	19	34.5	3.73	8.7	0.07	0.07	17.1	0.42	158
542934	0.14	10.7	15	51.2	5.33	5.2	0.05	0.06	19.3	0.27	550
542935	0.08	1.9	12	22.4	2.61	9.4	0.14	0.04	12.2	0.13	115
542936	0.04	4.5	20	52.1	5.87	6.1	0.09	0.05	24.0	0.28	171
542937	0.08	7.9	11	51.3	5.17	6.7	0.08	0.05	21.7	0.13	272
542938	0.07	1.3	7	15.2	1.71	6.5	0.06	0.04	21.8	0.05	43
542939	0.18	19.3	14	50.3	4.63	7.2	0.15	0.08	22.8	0.21	3173
542940	0.07	11.2	13	41.2	4.98	6.5	0.05	0.07	22.0	0.20	799
542941	0.11	8.8	20	50.0	3.96	4.6	0.20	0.05	9.5	0.24	852
542942	0.11	5.0	9	37.4	3.93	6.2	0.42	0.05	15.3	0.09	270
542943	0.79	17.5	16	72.4	6.73	6.9	0.10	0.06	15.5	0.25	831
542944	0.29	21.5	13	31.3	4.13	6.1	0.06	0.06	11.0	0.27	2252
542945	0.21	2.7	5	14.6	1.72	7.1	0.05	0.02	21.4	0.03	78
542946	0.09	4.7	18	50.0	6.29	8.7	0.07	0.05	11.8	0.18	378
542947	0.11	7.5	14	46.1	5.49	7.6	0.05	0.06	16.8	0.18	722
542948	0.22	12.8	12	38.7	3.90	5.5	0.09	0.05	12.8	0.25	390
542949	0.19	4.3	8	29.7	3.69	10.0	0.06	0.04	9.0	0.05	227
542950	0.12	5.2	11	17.1	2.76	11.9	0.08	0.06	12.0	0.17	1008

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
542951	0.22	16.0	10	41.8	5.32	6.8	0.05	0.07	7.4	0.08	3422
542952	0.10	10.0	7	55.1	4.93	4.0	0.08	0.04	6.5	0.04	1120
542953	0.23	3.2	12	18.3	1.63	8.5	0.14	0.06	8.3	0.18	165
542954	0.23	1.1	8	11.2	2.26	13.6	0.08	0.04	7.7	0.08	51
542955	0.07	2.6	25	37.2	5.92	7.6	0.07	0.05	30.5	0.38	218
542956	0.21	1.4	9	19.0	2.80	8.0	0.10	0.04	11.2	0.09	166
542957	0.14	3.0	15	23.2	3.14	5.3	0.22	0.06	13.6	0.26	221
542958	0.11	1.7	14	22.2	3.24	4.7	0.13	0.06	9.6	0.07	627
542959	0.04	1.3	10	14.9	2.20	5.8	0.07	0.03	11.7	0.11	52
542960	0.12	2.2	13	30.8	3.85	6.8	0.08	0.04	8.1	0.08	411
542961	0.08	1.9	16	26.0	3.09	6.9	0.07	0.06	15.2	0.23	139
542962	0.08	32.2	4	91.3	5.29	1.6	0.07	0.04	8.9	0.04	295
542963	0.10	15.4	6	51.6	4.15	2.9	0.03	0.03	13.7	0.04	258
542964	0.10	15.3	10	69.6	5.77	6.0	0.05	0.03	8.5	0.06	544
542965	0.16	2.0	4	9.2	0.99	4.2	0.03	0.02	5.7	0.02	69
542966	0.05	2.7	15	21.9	2.95	8.6	0.05	0.06	21.8	0.26	127
542967	0.07	2.2	23	49.6	4.71	6.3	0.20	0.07	27.1	0.25	157
542968	0.02	1.2	24	27.7	5.14	5.1	0.16	0.06	38.8	0.34	154
542969	0.11	22.7	11	50.5	4.09	3.4	0.02	0.07	38.0	0.28	1150
542970	0.13	8.0	14	21.1	3.05	8.4	0.04	0.06	24.0	0.29	336
542971	0.15	13.0	7	25.9	3.70	3.9	0.04	0.06	9.7	0.06	1137
1751151	0.07	0.3	6	4.0	0.46	7.8	0.04	0.04	33.8	0.03	28
1751152	0.06	2.2	23	25.3	5.11	7.6	0.07	0.05	44.3	0.42	201
1751153	0.12	6.9	27	39.4	6.18	8.9	0.11	0.05	18.1	0.31	348
1751154	0.14	2.4	16	18.8	3.56	7.2	0.09	0.05	34.3	0.20	253

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
1751155	0.11	2.7	13	23.2	3.02	9.0	0.05	0.03	14.0	0.03	30
1751157	0.07	0.7	5	7.1	0.53	6.1	0.02	0.02	28.0	0.02	19
1751158	0.09	1.5	18	17.7	4.35	9.5	0.05	0.05	27.3	0.24	121
1751159	0.07	5.5	21	28.3	4.93	7.4	0.08	0.07	31.1	0.38	607
1751161	0.07	1.8	16	24.6	2.96	7.0	0.06	0.07	15.8	0.22	130
1751165	0.15	5.4	12	33.9	4.68	7.4	0.10	0.05	17.8	0.14	574
1751166	0.13	9.9	14	39.4	5.06	5.1	0.04	0.09	16.1	0.18	835
1751167	0.09	7.0	15	59.6	4.99	5.1	0.12	0.05	26.5	0.26	150
1751168	0.12	7.2	16	39.1	4.30	5.1	0.10	0.06	32.2	0.35	479
1751169	0.40	10.0	12	53.9	5.52	6.8	0.06	0.05	14.9	0.10	462
1751170	0.21	3.7	9	22.1	3.56	8.6	0.15	0.04	8.8	0.08	239
1751171	0.21	12.8	16	56.2	5.25	5.3	0.06	0.06	17.9	0.27	1136
1751172	0.21	5.9	15	30.4	3.51	8.2	0.09	0.07	14.8	0.22	330
1751173	0.17	3.0	11	19.2	3.11	7.6	0.05	0.05	10.3	0.10	223
1751174	0.16	2.6	14	16.3	4.52	15.0	0.08	0.02	6.0	0.10	147
1751175	0.19	29.8	15	36.5	4.48	7.5	0.06	0.04	6.0	0.26	2139
1751176	0.14	1.9	13	19.8	4.36	5.1	0.05	0.04	11.0	0.37	123
1751177	0.18	13.6	18	53.6	5.80	5.2	0.09	0.06	14.2	0.32	495
1751178	0.45	3.5	11	19.2	2.43	13.7	0.08	0.07	7.5	0.15	130
1751179	0.12	5.4	18	42.2	5.24	7.2	0.04	0.05	22.4	0.26	241
1751180	0.14	11.2	12	70.7	7.04	4.5	0.10	0.04	22.8	0.18	257
1751181	0.08	7.4	11	52.7	5.16	5.1	0.05	0.05	20.2	0.11	301
1751182	0.12	5.5	12	30.5	4.68	8.9	0.07	0.06	15.2	0.15	675
1751183	0.16	2.6	9	25.8	3.21	8.1	0.05	0.04	16.8	0.07	115
1751184	0.04	2.6	11	33.9	5.08	6.8	0.04	0.05	21.9	0.09	190

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
1751185	0.40	5.1	10	40.8	3.58	7.8	0.30	0.05	11.3	0.14	266
1751186	0.44	22.7	18	48.5	5.72	8.8	0.10	0.06	13.5	0.26	1743
1751187	0.24	7.0	11	28.9	4.32	6.9	0.04	0.07	14.1	0.15	648
1751188	0.12	16.8	9	32.3	2.60	7.4	0.13	0.04	11.6	0.12	831
1751189	0.23	1.8	7	13.6	2.57	8.4	0.08	0.03	5.6	0.07	233
1751190	0.18	2.4	6	9.9	1.86	8.9	0.06	0.04	9.8	0.05	310
1751191	0.19	2.7	10	9.1	1.70	6.6	0.05	0.06	17.4	0.18	86
1751192	0.28	6.8	13	26.9	3.70	8.1	0.10	0.06	13.7	0.23	294
1751193	0.24	9.4	17	27.7	3.34	8.7	0.07	0.06	23.3	0.35	274
1751451	0.21	35.1	12	80.2	5.46	4.6	0.10	0.07	15.2	0.21	1407
1751452	0.09	17.6	12	61.0	5.13	5.2	0.11	0.06	16.5	0.17	1114
1751453	0.10	17.7	13	62.7	5.17	5.2	0.07	0.05	16.1	0.22	1006
1751454	0.20	3.0	15	21.6	5.04	16.8	0.09	0.04	7.1	0.18	175
1751455	0.22	14.5	12	40.6	5.36	6.0	0.08	0.06	14.0	0.17	725
1751456	0.26	9.0	14	104.4	7.66	4.0	0.05	0.03	15.0	0.13	378
1751457	0.14	4.3	13	41.6	5.87	7.4	0.06	0.05	12.7	0.09	207
1751458	0.07	6.1	12	63.1	5.93	5.9	0.04	0.06	16.3	0.14	193
1751459	0.12	4.0	15	51.1	5.95	7.5	0.04	0.06	15.4	0.19	238
1751460	0.09	3.4	13	21.4	3.74	7.3	0.04	0.06	11.3	0.21	468
1751461	0.09	9.3	15	52.2	5.69	6.5	0.04	0.06	18.0	0.25	606
1751462	0.10	32.9	13	54.3	4.82	4.7	0.03	0.06	21.1	0.33	1213
1751463	0.09	7.2	12	36.1	4.66	6.3	0.06	0.06	25.5	0.12	424
1751464	0.05	2.9	14	34.8	5.73	6.6	0.08	0.05	22.6	0.16	215
1751465	0.20	7.4	15	79.1	8.10	7.0	0.06	0.05	15.4	0.09	251
1751466	0.20	18.6	12	54.0	5.26	5.7	0.10	0.06	20.5	0.23	662

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Cd ppm 0.01	IMS-117 Co ppm 0.1	IMS-117 Cr ppm 1	IMS-117 Cu ppm 0.2	IMS-117 Fe % 0.01	IMS-117 Ga ppm 0.1	IMS-117 Hg ppm 0.01	IMS-117 K % 0.01	IMS-117 La ppm 0.5	IMS-117 Mg % 0.01	IMS-117 Mn ppm 5
1751467	0.37	3.2	12	46.4	5.69	5.3	0.09	0.04	12.9	0.13	181
1751468	0.20	3.6	10	33.0	3.39	6.0	0.06	0.04	12.6	0.07	214
1751469	0.43	14.6	13	59.1	3.92	6.7	0.24	0.06	17.0	0.18	795
1751470	0.26	20.0	11	41.7	5.23	6.6	0.10	0.06	12.0	0.13	998
1751471	0.28	10.3	12	58.6	5.16	5.0	0.05	0.07	12.7	0.11	616
1751472	0.10	7.2	11	58.6	5.45	5.7	0.06	0.05	15.1	0.10	416
1751473	0.13	4.3	12	52.5	5.13	5.7	0.08	0.05	16.4	0.11	317
1751474	0.21	2.9	10	23.9	4.21	7.0	0.05	0.05	18.2	0.08	248
1751475	0.52	3.2	18	55.3	8.32	12.2	0.06	0.06	21.0	0.08	97
DUP 542867	0.12	1.2	10	13.8	2.95	8.8	0.10	0.03	21.6	0.19	230
DUP 542912	0.12	1.0	4	10.2	1.25	10.1	0.07	0.02	5.8	0.03	32
DUP 542967	0.06	2.2	23	50.2	4.74	6.4	0.20	0.07	27.9	0.25	161
DUP 1751189	0.23	1.8	8	13.5	2.71	8.9	0.08	0.04	5.9	0.07	248
DUP 1751474	0.23	2.9	10	24.5	4.27	6.5	0.04	0.05	16.1	0.08	251
STD BLANK	<0.01	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5
STD BLANK	<0.01	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5
STD BLANK	<0.01	<0.1	<1	<0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5
STD BLANK	<0.01	<0.1	<1	0.4	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5
STD BLANK	<0.01	<0.1	<1	0.2	<0.01	<0.1	<0.01	<0.01	<0.5	<0.01	<5
STD OREAS 601	7.61	4.8	42	1008.6	2.18	5.2	0.30	0.24	23.0	0.19	443
STD OREAS 24b	0.04	15.3	104	36.2	3.88	11.0	<0.01	1.13	28.6	1.33	341
STD OREAS 601	7.83	5.0	42	1040.6	2.19	4.7	0.32	0.25	22.3	0.19	435
STD CDN-CM-38	4.91	14.3	18	6712.9	6.68	3.5	0.05	0.29	2.5	0.32	600
STD OREAS 24b	0.05	15.2	101	35.5	3.76	11.2	<0.01	1.10	29.1	1.28	331

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
542851	1.28	0.01	20.0	1637	41.5	<0.005	0.08	0.37	0.5	0.4	13.2
542852	0.93	<0.01	31.6	892	38.5	<0.005	0.03	0.38	1.2	0.5	16.8
542853	0.97	0.01	25.6	735	35.5	<0.005	0.05	0.33	1.1	0.5	14.7
542854	1.18	0.01	15.5	1506	41.5	<0.005	0.08	1.32	0.3	0.4	12.1
542855	0.93	<0.01	39.9	627	38.6	<0.005	0.03	0.79	1.4	0.7	16.5
542856	2.04	<0.01	14.9	3702	41.4	<0.005	0.06	0.57	1.3	1.8	6.1
542857	4.21	<0.01	13.0	2711	99.2	<0.005	0.29	2.01	2.4	18.9	11.7
542858	2.36	0.01	7.1	1042	38.9	<0.005	0.06	0.57	0.5	3.5	14.5
542859	2.68	0.01	5.7	1659	42.8	<0.005	0.07	0.71	0.6	3.2	7.6
542860	2.54	<0.01	19.8	1548	41.6	<0.005	0.08	0.75	0.6	3.4	18.2
542861	2.38	0.01	3.7	1288	40.3	<0.005	0.05	0.37	0.3	1.9	11.2
542862	1.13	<0.01	4.2	748	50.1	<0.005	0.04	0.40	0.4	1.5	8.4
542863	1.49	<0.01	10.4	740	28.1	<0.005	0.03	0.49	0.9	1.9	6.7
542864	0.74	0.01	3.2	478	17.0	<0.005	0.03	0.19	0.4	0.4	6.4
542865	0.90	0.01	3.4	451	20.3	<0.005	0.02	0.24	0.5	0.5	10.4
542866	2.39	<0.01	7.9	1328	43.1	<0.005	0.05	0.96	1.0	3.2	8.5
542867	1.61	0.01	6.2	794	23.5	<0.005	0.05	0.38	1.1	1.7	6.0
542868	1.31	0.01	50.5	1181	42.1	<0.005	0.05	0.80	1.9	2.0	14.1
542869	1.57	0.01	37.4	813	23.0	<0.005	0.03	3.07	2.2	1.3	6.4
542870	1.82	0.01	9.3	701	37.2	<0.005	0.04	1.95	1.6	1.7	6.8
542871	0.72	0.02	3.3	821	12.2	<0.005	0.04	0.18	2.0	0.7	4.6
542872	1.56	0.01	11.3	853	31.0	<0.005	0.06	0.85	0.8	2.4	6.2
542873	2.18	0.01	11.7	1205	230.8	<0.005	0.06	2.55	1.5	2.7	6.7
542874	1.67	<0.01	16.2	689	29.3	<0.005	0.03	1.22	1.3	0.5	6.6
542875	2.68	0.01	16.3	916	71.8	<0.005	0.03	6.91	2.7	4.7	8.5

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
542876	1.23	0.01	7.4	759	186.4	<0.005	0.07	27.22	1.2	1.2	6.4
542877	2.01	<0.01	42.2	1432	858.0	<0.005	0.05	24.37	2.4	4.4	10.5
542878	1.44	0.01	3.0	740	14.0	<0.005	0.07	0.28	2.0	0.9	3.6
542879	0.94	0.02	6.2	431	26.5	<0.005	0.04	1.24	1.1	0.8	5.2
542880	1.32	0.01	106.0	1237	43.5	<0.005	0.06	1.56	4.1	2.5	10.6
542881	1.35	0.01	17.5	876	26.1	<0.005	0.04	1.02	1.0	0.9	5.7
542882	3.35	0.01	16.2	1777	58.1	<0.005	0.06	2.04	1.3	5.3	12.0
542883	1.71	0.01	33.2	1379	120.3	<0.005	0.05	1.93	2.5	2.1	18.2
542884	1.51	0.01	18.8	849	26.0	<0.005	0.05	0.91	1.4	1.8	5.4
542885	0.76	0.01	26.9	1550	30.3	<0.005	0.09	0.47	1.2	2.4	17.2
542886	0.71	0.01	6.7	319	17.7	<0.005	0.02	0.26	0.8	0.3	4.2
542887	0.90	<0.01	36.2	348	26.0	<0.005	0.02	0.98	1.8	1.1	3.2
542888	0.93	0.01	4.3	295	17.6	<0.005	0.03	1.71	1.0	0.3	4.6
542889	1.49	0.01	26.2	689	62.1	<0.005	0.05	5.78	1.9	0.8	10.3
542890	2.36	0.01	15.5	1187	64.9	<0.005	0.06	1.93	1.5	3.0	6.7
542891	4.02	0.01	13.3	1825	111.9	<0.005	0.09	5.01	2.0	10.4	31.2
542892	1.66	0.01	33.8	779	67.4	<0.005	0.03	3.94	2.3	1.0	5.2
542893	1.36	0.01	8.5	892	35.3	<0.005	0.05	0.82	0.6	0.5	4.4
542894	1.97	<0.01	12.4	953	42.2	<0.005	0.03	2.62	1.4	3.6	3.8
542895	1.53	0.01	12.9	1040	41.3	<0.005	0.05	1.07	1.0	1.1	8.9
542896	1.22	0.02	26.4	986	58.7	0.067	0.07	1.23	1.3	1.3	18.8
542897	1.42	0.01	23.2	1297	51.8	0.037	0.04	1.87	1.4	1.7	10.1
542898	1.07	0.02	30.6	1474	70.7	<0.005	0.09	1.34	1.2	1.5	16.3
542899	1.35	0.01	29.3	1218	125.3	<0.005	0.06	4.29	1.4	1.7	4.0
542900	0.19	0.03	7.3	558	225.3	<0.005	0.05	1.11	2.4	0.4	11.4

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
542901	0.75	0.02	4.3	481	78.5	<0.005	0.04	1.60	2.8	1.1	3.4
542902	1.64	0.01	27.9	1565	77.9	<0.005	0.04	2.15	2.1	2.1	8.6
542903	1.42	0.01	12.5	1026	29.2	<0.005	0.05	1.33	1.8	2.9	4.5
542904	1.51	0.02	15.4	996	26.2	<0.005	0.08	0.89	1.0	1.1	8.0
542905	1.32	0.02	14.7	1019	36.4	<0.005	0.08	0.72	1.1	0.7	11.1
542906	1.57	0.01	17.4	1252	43.9	<0.005	0.07	0.93	0.9	1.4	8.0
542907	1.93	0.01	17.9	1213	43.5	<0.005	0.08	0.88	1.1	1.6	8.6
542908	1.53	0.01	30.3	1206	51.9	<0.005	0.04	1.14	1.7	2.9	11.0
542909	1.46	0.02	19.9	1408	31.3	<0.005	0.08	1.23	1.1	1.7	5.8
542910	1.30	0.02	7.4	1064	23.4	<0.005	0.09	0.56	1.2	1.1	5.6
542911	0.80	0.01	19.5	948	29.1	<0.005	0.08	0.87	0.8	1.3	10.1
542912	0.95	0.02	2.4	430	78.5	<0.005	0.05	0.32	1.2	0.7	2.8
542913	1.27	0.01	16.9	631	80.4	<0.005	0.06	4.54	1.2	1.1	3.8
542914	1.40	0.01	5.1	982	31.4	<0.005	0.09	2.50	2.0	1.0	5.0
542915	2.28	0.01	9.7	1229	53.0	<0.005	0.09	1.37	1.3	2.1	7.6
542916	1.08	0.02	4.9	1046	26.5	<0.005	0.08	0.38	1.4	0.5	4.8
542917	1.19	0.02	4.5	642	15.7	<0.005	0.04	0.44	1.7	0.6	5.3
542918	1.07	0.01	4.9	860	20.7	<0.005	0.04	0.59	0.9	0.5	7.0
542919	1.51	0.02	7.5	1142	24.2	<0.005	0.04	1.02	1.2	1.1	6.6
542920	1.60	0.01	11.1	1205	50.4	<0.005	0.02	1.30	1.4	1.2	8.0
542921	2.25	0.02	28.3	1077	44.0	<0.005	0.05	0.49	0.8	0.8	12.4
542922	1.40	0.01	9.1	798	26.7	<0.005	0.06	0.89	1.0	1.4	4.1
542923	1.33	0.01	18.3	909	24.3	<0.005	0.05	1.21	1.0	1.6	4.2
542924	1.87	0.01	21.1	1154	47.2	<0.005	0.04	1.33	1.6	3.2	5.2
542925	1.44	0.01	14.1	402	15.0	<0.005	0.02	0.60	1.4	0.6	3.6

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
542926	2.91	0.01	14.6	1400	85.3	<0.005	0.08	1.43	1.0	4.1	12.4
542927	1.26	<0.01	21.7	816	211.4	<0.005	0.05	7.97	1.7	1.8	2.7
542928	1.46	<0.01	26.3	978	222.6	<0.005	0.04	9.25	2.2	2.9	4.4
542929	1.37	0.01	7.9	754	66.4	<0.005	0.07	0.71	1.7	0.8	7.3
542930	1.71	0.01	18.1	1017	63.6	<0.005	0.08	1.77	1.4	1.0	5.7
542931	1.54	0.01	8.4	610	24.6	<0.005	0.07	0.53	0.8	0.4	5.3
542932	2.26	0.01	15.9	1190	35.8	<0.005	0.12	0.48	0.8	0.6	8.9
542933	1.51	0.01	19.0	1050	53.6	<0.005	0.08	0.50	1.2	0.8	11.0
542934	1.73	0.01	17.2	914	44.5	<0.005	0.04	1.67	1.0	2.1	5.8
542935	1.36	0.01	5.5	542	29.2	<0.005	0.05	0.45	2.0	1.6	4.8
542936	2.23	0.01	15.0	787	30.9	<0.005	0.02	1.60	1.7	3.5	6.0
542937	1.57	0.01	15.2	1175	31.7	<0.005	0.06	1.27	1.0	2.2	5.6
542938	0.80	0.01	3.6	412	10.8	<0.005	0.02	0.31	0.6	0.5	4.3
542939	1.26	0.01	18.4	786	27.8	<0.005	0.06	1.00	1.7	1.9	5.9
542940	1.33	0.01	20.2	912	30.9	<0.005	0.04	1.35	1.1	1.2	5.1
542941	2.43	0.01	11.6	1575	86.0	<0.005	0.09	1.55	0.8	4.5	8.7
542942	1.27	<0.01	11.6	538	331.8	<0.005	0.03	46.43	1.0	0.9	3.5
542943	1.48	0.01	24.6	969	187.0	<0.005	0.06	5.76	1.4	1.8	10.2
542944	1.21	0.01	18.0	1258	61.6	<0.005	0.11	1.15	0.5	1.1	16.7
542945	0.98	0.01	4.9	528	14.0	<0.005	0.04	0.67	0.4	0.2	5.6
542946	1.94	0.01	10.3	944	40.3	<0.005	0.06	2.93	1.3	1.8	5.5
542947	1.64	0.01	11.6	954	43.2	<0.005	0.05	1.86	1.1	1.2	5.0
542948	1.09	0.01	15.5	758	64.2	<0.005	0.10	1.09	0.8	1.4	9.2
542949	1.48	0.01	8.1	593	28.1	<0.005	0.07	1.29	1.0	0.6	4.6
542950	1.56	0.01	6.4	1179	23.4	<0.005	0.05	0.49	1.5	0.8	5.6

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
542951	1.85	0.01	22.1	1704	61.5	<0.005	0.08	3.01	1.9	1.3	6.6
542952	2.28	0.01	19.8	1164	29.4	<0.005	0.06	3.01	1.2	2.7	7.3
542953	0.62	0.02	13.3	998	52.2	<0.005	0.08	0.45	0.7	1.1	13.2
542954	1.40	0.02	3.9	876	17.2	<0.005	0.08	0.30	0.7	0.5	4.1
542955	2.29	<0.01	14.7	1251	38.7	<0.005	0.04	0.79	1.0	3.4	7.7
542956	1.48	0.01	4.5	950	20.2	<0.005	0.07	0.53	0.6	1.2	4.3
542957	2.77	0.01	9.5	982	41.6	<0.005	0.07	0.77	1.0	3.3	6.6
542958	2.28	0.01	4.4	1496	45.1	<0.005	0.11	0.45	0.2	2.9	7.3
542959	0.82	0.01	4.8	659	16.1	<0.005	0.05	0.37	0.9	0.8	5.3
542960	1.88	0.01	5.6	1110	30.2	<0.005	0.09	0.93	0.4	1.5	6.2
542961	1.43	0.02	11.2	1038	29.8	<0.005	0.06	0.72	1.1	1.3	7.9
542962	2.15	0.01	44.2	541	51.3	<0.005	0.02	5.00	2.2	0.6	4.2
542963	1.35	<0.01	27.6	458	46.8	<0.005	0.02	4.58	1.7	0.8	5.8
542964	1.53	0.01	30.1	735	46.1	<0.005	0.04	4.69	1.5	2.2	6.2
542965	0.80	0.01	5.2	304	11.5	<0.005	0.03	0.54	0.3	<0.2	4.5
542966	1.47	0.01	10.4	1370	23.8	<0.005	0.05	0.44	1.0	0.8	7.4
542967	2.75	0.01	12.4	1802	61.2	<0.005	0.07	2.37	1.3	4.3	13.0
542968	3.86	0.01	14.1	1929	79.4	<0.005	0.06	3.66	1.1	8.7	18.0
542969	1.42	0.01	40.8	813	45.2	<0.005	0.03	0.49	2.0	0.4	15.7
542970	1.17	0.02	14.8	932	28.9	<0.005	0.07	0.57	0.8	0.9	20.0
542971	2.53	0.01	12.9	931	41.0	<0.005	0.05	2.14	0.6	0.4	7.6
1751151	0.45	0.01	1.5	491	11.3	<0.005	0.02	0.14	0.3	<0.2	6.1
1751152	1.99	<0.01	14.2	684	32.6	<0.005	0.02	0.72	1.2	2.6	5.5
1751153	2.09	0.01	15.9	846	44.1	<0.005	0.05	0.80	1.7	2.0	7.4
1751154	1.81	0.01	9.4	897	31.1	<0.005	0.05	0.63	0.9	1.7	5.9

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
1751155	1.74	0.01	5.4	798	12.2	<0.005	0.04	0.53	0.9	1.1	4.3
1751157	0.68	0.01	1.8	279	9.8	<0.005	0.01	0.18	0.5	<0.2	5.6
1751158	1.76	0.01	8.2	988	26.1	<0.005	0.05	0.43	0.8	1.7	6.5
1751159	2.43	0.01	12.0	1655	37.3	<0.005	0.07	0.50	0.7	2.5	7.6
1751161	1.40	0.02	11.2	980	28.9	0.048	0.05	0.67	1.0	1.5	7.4
1751165	1.66	0.01	15.7	1142	25.6	<0.005	0.05	0.83	0.8	1.7	4.8
1751166	1.29	0.01	19.9	1227	35.2	<0.005	0.05	1.27	0.8	1.1	6.3
1751167	1.39	0.01	17.9	939	30.4	<0.005	0.04	1.02	1.4	2.2	5.0
1751168	1.95	0.01	17.0	1478	60.6	<0.005	0.06	0.83	1.5	2.5	7.2
1751169	1.47	<0.01	15.9	1041	72.4	<0.005	0.05	3.85	1.2	1.2	4.1
1751170	1.36	0.01	7.8	725	75.0	<0.005	0.09	3.15	0.9	0.7	9.8
1751171	1.16	0.01	21.1	1058	133.9	<0.005	0.02	6.57	2.4	1.1	6.8
1751172	1.39	0.01	11.2	1195	87.2	<0.005	0.06	1.59	1.4	0.7	8.9
1751173	1.37	0.01	6.4	707	22.9	<0.005	0.07	1.03	0.8	0.5	7.0
1751174	1.54	0.01	6.4	543	38.8	<0.005	0.07	0.33	1.1	0.6	5.8
1751175	2.57	0.02	20.1	860	48.6	<0.005	0.06	1.41	0.8	0.8	7.4
1751176	1.58	0.02	14.4	714	35.7	<0.005	0.05	0.83	0.7	0.7	8.5
1751177	1.80	0.01	21.5	1253	100.5	<0.005	0.05	1.76	1.5	2.3	9.7
1751178	1.47	0.02	7.9	706	31.0	<0.005	0.06	0.67	1.3	0.6	5.2
1751179	2.04	0.01	15.4	1060	34.4	<0.005	0.03	1.45	1.3	2.0	5.9
1751180	1.72	0.01	22.8	1049	27.9	<0.005	0.04	1.44	1.4	3.3	3.0
1751181	1.30	0.01	17.2	809	29.2	<0.005	0.03	1.35	1.0	1.8	3.1
1751182	1.47	0.01	9.2	843	27.6	<0.005	0.06	0.86	0.8	1.1	6.5
1751183	1.26	0.01	5.9	475	17.5	<0.005	0.02	0.72	1.1	0.8	5.4
1751184	1.47	<0.01	6.8	717	30.4	<0.005	0.02	2.30	1.1	1.3	3.6

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
1751185	1.24	0.01	12.3	945	532.8	<0.005	0.10	4.34	1.1	1.4	6.8
1751186	1.74	0.01	23.5	1030	103.5	<0.005	0.06	2.17	1.7	1.6	6.5
1751187	1.41	0.01	11.1	919	47.6	<0.005	0.06	1.93	0.7	0.8	7.9
1751188	1.06	0.01	7.2	820	104.5	<0.005	0.11	0.80	1.4	1.5	7.5
1751189	1.24	0.01	4.3	686	19.2	<0.005	0.09	0.44	0.5	0.3	5.3
1751190	1.06	0.02	2.9	534	17.7	<0.005	0.06	0.27	0.7	0.3	4.2
1751191	0.85	0.01	7.6	923	34.5	<0.005	0.10	0.32	0.5	0.3	12.5
1751192	1.76	0.01	10.8	1016	71.3	<0.005	0.11	0.66	0.8	1.0	8.4
1751193	1.81	0.01	18.3	709	35.8	<0.005	0.05	0.63	1.5	0.8	8.6
1751451	1.32	0.02	47.9	1475	39.8	<0.005	0.10	1.68	1.4	3.1	11.9
1751452	1.38	0.01	34.0	1382	39.2	<0.005	0.05	1.66	1.2	1.8	4.1
1751453	1.18	0.01	23.7	1026	70.6	<0.005	0.03	2.05	1.4	1.5	9.1
1751454	2.27	0.02	7.9	481	37.1	<0.005	0.06	0.83	2.5	1.0	4.0
1751455	1.43	0.01	23.5	706	175.0	<0.005	0.05	6.17	1.6	1.5	5.1
1751456	1.42	<0.01	20.0	900	107.4	<0.005	0.03	16.37	2.4	2.8	3.8
1751457	1.72	0.01	9.9	877	35.8	<0.005	0.07	2.13	1.3	1.3	6.0
1751458	1.68	0.01	11.7	1148	36.2	<0.005	0.03	2.28	1.6	2.2	5.5
1751459	1.80	0.01	11.2	1192	34.0	<0.005	0.04	1.31	1.2	2.1	6.3
1751460	1.40	0.01	9.4	774	23.7	<0.005	0.06	0.78	0.6	0.8	11.3
1751461	1.75	0.01	15.5	1223	55.7	<0.005	0.03	2.57	1.2	1.7	8.5
1751462	1.65	0.01	33.1	1079	66.8	<0.005	0.03	1.52	2.5	0.4	7.9
1751463	1.35	0.01	14.3	772	19.9	<0.005	0.03	0.95	1.1	1.1	3.8
1751464	1.78	<0.01	9.8	897	36.4	<0.005	0.03	1.24	0.8	2.5	3.6
1751465	1.85	0.01	16.1	974	22.4	<0.005	0.04	1.61	2.0	2.4	3.8
1751466	1.24	0.01	26.3	714	34.1	<0.005	0.05	1.08	1.5	2.4	5.0

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company
MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Mo ppm 0.05	IMS-117 Na % 0.01	IMS-117 Ni ppm 0.1	IMS-117 P ppm 10	IMS-117 Pb ppm 0.2	IMS-117 Re ppm 0.005	IMS-117 S % 0.01	IMS-117 Sb ppm 0.05	IMS-117 Sc ppm 0.1	IMS-117 Se ppm 0.2	IMS-117 Sr ppm 0.5
1751467	1.44	<0.01	9.5	829	55.7	<0.005	0.05	4.49	0.6	2.4	2.7
1751468	1.24	0.01	7.4	642	30.4	<0.005	0.05	1.16	0.7	0.9	3.1
1751469	0.99	0.01	16.6	823	347.7	<0.005	0.06	4.04	1.1	1.8	10.7
1751470	1.22	0.01	9.8	1092	128.8	<0.005	0.13	2.71	1.3	2.5	8.2
1751471	1.34	0.01	16.5	849	54.7	<0.005	0.06	2.76	1.0	1.6	5.6
1751472	1.58	<0.01	8.8	752	39.1	<0.005	0.05	2.53	1.1	1.9	2.6
1751473	1.72	0.01	8.3	831	33.5	<0.005	0.04	1.57	0.8	1.5	4.3
1751474	1.57	0.01	5.5	586	20.9	<0.005	0.04	1.04	0.6	1.1	5.4
1751475	2.70	<0.01	6.7	1083	26.8	<0.005	0.05	2.33	1.1	1.6	3.9
DUP 542867	1.64	0.01	6.2	808	22.6	<0.005	0.05	0.37	1.2	1.8	5.4
DUP 542912	0.92	0.02	2.4	410	75.6	<0.005	0.05	0.31	1.2	0.6	1.9
DUP 542967	2.77	0.01	12.7	1822	62.2	<0.005	0.07	2.39	1.3	4.3	13.1
DUP 1751189	1.26	0.02	4.3	741	19.8	<0.005	0.09	0.43	0.5	0.4	4.9
DUP 1751474	1.61	<0.01	5.6	575	21.0	<0.005	0.04	1.07	0.6	1.0	4.6
STD BLANK	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5
STD BLANK	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5
STD BLANK	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5
STD BLANK	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5
STD BLANK	<0.05	<0.01	<0.1	<10	<0.2	<0.005	<0.01	<0.05	<0.1	<0.2	<0.5
STD OREAS 601	3.60	0.08	24.3	352	276.7	<0.005	1.02	21.45	1.7	11.8	34.0
STD OREAS 24b	3.60	0.11	57.3	611	8.7	<0.005	0.19	0.48	9.6	<0.2	28.7
STD OREAS 601	3.70	0.09	24.9	351	273.9	<0.005	1.04	22.55	1.8	12.1	33.5
STD CDN-CM-38	182.99	0.03	15.8	468	103.9	0.258	5.01	2.75	1.3	7.9	33.2
STD OREAS 24b	3.63	0.11	57.3	590	8.9	<0.005	0.18	0.49	9.4	<0.2	27.5

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
542851	<0.05	3.0	<0.005	0.08	2.05	14	0.05	2.6	72
542852	0.11	14.6	<0.005	0.05	2.97	10	<0.05	3.7	92
542853	<0.05	13.2	<0.005	0.07	3.64	10	<0.05	3.5	75
542854	0.12	0.7	0.006	0.08	2.29	16	0.10	2.0	72
542855	0.11	17.4	<0.005	<0.05	4.29	9	<0.05	4.9	105
542856	<0.05	7.9	0.007	0.08	4.26	16	0.07	2.6	86
542857	0.18	30.5	<0.005	0.08	2.04	20	<0.05	1.5	69
542858	<0.05	2.7	0.010	0.13	0.93	23	0.12	1.6	34
542859	<0.05	2.4	0.022	0.13	1.30	27	0.14	1.4	24
542860	0.05	2.4	0.009	0.17	1.18	27	0.12	1.5	30
542861	<0.05	1.3	<0.005	0.15	0.78	16	0.07	2.0	18
542862	<0.05	4.7	<0.005	0.06	0.79	11	<0.05	1.4	17
542863	<0.05	5.2	0.016	0.15	0.77	26	0.11	1.8	34
542864	<0.05	0.7	0.013	0.12	0.36	16	0.10	1.0	14
542865	<0.05	1.3	0.008	0.15	0.37	19	0.09	1.9	12
542866	<0.05	6.4	0.007	0.12	0.84	28	0.13	1.6	29
542867	<0.05	1.3	0.029	0.11	0.97	20	0.14	4.3	23
542868	<0.05	3.3	0.010	0.12	1.90	15	0.08	7.2	179
542869	0.09	2.2	0.008	0.11	1.18	15	0.10	2.7	85
542870	<0.05	2.6	0.012	0.16	0.87	19	0.14	1.8	65
542871	<0.05	1.9	0.107	<0.05	1.28	16	0.20	2.5	16
542872	<0.05	0.9	0.012	0.08	1.15	14	0.09	3.3	72
542873	<0.05	4.4	<0.005	0.19	1.48	17	0.10	3.2	92
542874	<0.05	1.9	0.006	0.07	1.02	12	0.08	2.3	66
542875	<0.05	9.8	<0.005	0.08	0.97	9	0.10	1.8	86

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
542876	<0.05	1.1	0.036	0.13	1.03	19	0.16	3.1	174
542877	<0.05	5.5	<0.005	0.08	1.30	11	0.06	2.1	536
542878	<0.05	1.9	0.128	0.08	1.13	28	0.20	4.2	15
542879	<0.05	1.8	0.028	0.12	0.80	15	0.13	2.4	38
542880	0.06	15.7	0.009	0.10	4.84	12	0.08	11.8	266
542881	0.09	3.3	0.008	0.14	1.36	18	0.12	2.3	63
542882	<0.05	9.7	0.007	0.12	1.53	15	0.10	1.9	52
542883	0.14	13.1	0.015	0.15	1.99	19	0.12	5.6	112
542884	<0.05	3.4	0.008	0.14	1.36	16	0.10	2.7	68
542885	<0.05	1.5	0.012	0.09	2.36	17	0.09	8.3	81
542886	<0.05	4.3	0.013	0.13	1.06	11	0.09	2.1	20
542887	0.06	9.4	<0.005	0.08	1.05	14	0.07	2.6	83
542888	<0.05	1.7	0.023	0.12	0.57	16	0.12	2.1	45
542889	0.07	5.1	0.024	0.10	1.80	14	0.15	4.4	213
542890	0.07	11.9	0.005	0.15	1.67	16	0.09	2.4	54
542891	0.26	24.1	<0.005	0.12	1.83	14	0.08	2.0	55
542892	0.09	9.1	<0.005	0.09	1.35	10	0.08	2.9	90
542893	0.07	0.9	0.013	0.12	0.69	19	0.13	1.7	33
542894	0.09	6.4	<0.005	0.10	0.97	14	0.07	2.4	65
542895	<0.05	1.2	0.013	0.13	1.04	21	0.13	3.7	58
542896	0.06	1.8	0.016	0.14	1.27	21	0.14	8.0	97
542897	0.07	1.6	0.021	0.14	1.44	20	0.14	3.8	118
542898	0.09	1.1	0.012	0.09	1.85	17	0.09	8.9	159
542899	0.05	1.8	0.013	0.09	1.32	13	0.10	2.6	172
542900	<0.05	2.0	0.132	<0.05	0.97	23	0.18	5.2	48

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
542901	0.07	4.0	0.107	<0.05	1.22	17	0.20	2.5	21
542902	0.15	8.9	0.015	0.14	1.58	19	0.11	4.3	107
542903	0.07	2.7	0.018	0.10	1.13	18	0.14	4.1	64
542904	0.08	1.1	0.015	0.13	1.23	26	0.14	3.9	76
542905	<0.05	1.7	0.031	0.13	0.88	26	0.16	2.8	95
542906	0.09	1.3	0.014	0.14	1.67	21	0.13	4.2	87
542907	0.06	2.6	0.027	0.13	1.56	23	0.13	3.0	73
542908	0.09	14.5	0.005	0.09	1.80	13	0.07	4.9	94
542909	<0.05	1.8	0.017	0.12	1.44	19	0.13	2.6	127
542910	<0.05	0.8	0.038	0.15	1.27	22	0.17	4.2	33
542911	<0.05	0.8	0.012	0.12	1.60	16	0.10	4.0	79
542912	<0.05	1.4	0.098	0.11	0.89	15	0.20	3.6	13
542913	0.06	1.7	0.040	0.09	1.00	20	0.15	1.9	131
542914	<0.05	1.9	0.054	0.08	1.40	23	0.23	4.6	50
542915	0.11	1.9	0.039	0.13	1.08	29	0.19	2.8	49
542916	<0.05	1.1	0.088	0.09	1.27	20	0.16	4.2	31
542917	<0.05	1.9	0.057	0.12	0.82	28	0.20	3.3	26
542918	0.08	0.8	0.016	0.17	0.70	20	0.12	2.4	24
542919	0.07	1.1	0.019	0.18	0.92	22	0.14	3.5	43
542920	0.07	2.0	0.017	0.14	0.85	20	0.13	3.1	75
542921	<0.05	3.0	<0.005	0.12	8.84	13	0.07	8.3	98
542922	0.09	1.2	0.014	0.12	0.96	22	0.14	2.6	59
542923	0.05	1.7	<0.005	0.11	0.95	17	0.09	2.3	83
542924	0.08	3.7	<0.005	0.13	1.39	14	0.07	2.1	105
542925	0.06	1.7	0.018	0.12	0.76	26	0.18	1.5	53

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
542926	0.11	2.9	0.007	0.12	1.38	17	0.09	2.2	68
542927	<0.05	3.8	<0.005	0.11	1.35	14	0.10	2.1	293
542928	0.10	9.2	<0.005	0.11	1.23	14	0.08	2.5	248
542929	<0.05	1.3	0.051	0.16	1.79	28	0.15	6.2	51
542930	0.13	1.9	0.028	0.17	1.40	29	0.14	3.3	89
542931	<0.05	0.7	0.022	0.15	0.83	26	0.12	1.9	35
542932	<0.05	0.5	0.025	0.15	1.85	30	0.12	5.3	52
542933	<0.05	1.1	0.024	0.13	1.70	27	0.12	5.9	66
542934	0.06	2.7	0.005	0.10	1.09	16	0.08	3.8	93
542935	<0.05	4.6	0.046	0.13	1.34	20	0.15	3.1	27
542936	0.19	9.9	<0.005	0.14	0.97	18	0.08	2.5	61
542937	0.08	1.4	0.007	0.18	1.52	15	0.10	3.2	68
542938	<0.05	1.3	0.007	0.21	0.41	12	0.07	1.1	18
542939	<0.05	2.5	0.010	0.14	1.55	18	0.11	2.9	86
542940	<0.05	1.9	0.006	0.13	0.81	19	0.09	2.0	90
542941	0.07	4.3	<0.005	0.10	1.58	10	<0.05	1.6	54
542942	0.07	1.5	0.006	0.15	0.71	19	0.12	1.6	121
542943	0.07	2.2	0.010	0.13	1.72	20	0.12	5.6	371
542944	<0.05	0.6	0.006	0.14	1.18	19	0.08	3.1	97
542945	0.07	1.0	0.011	0.10	0.42	24	0.12	1.2	30
542946	0.07	1.7	0.012	0.16	0.99	31	0.15	1.9	72
542947	0.08	1.8	0.014	0.14	0.78	24	0.12	2.1	82
542948	<0.05	0.8	0.010	0.11	1.71	17	0.10	5.2	80
542949	<0.05	1.6	0.053	0.10	0.69	28	0.16	1.3	51
542950	<0.05	1.3	0.059	0.13	1.25	28	0.14	3.4	37

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
542951	0.07	2.4	0.034	0.18	1.09	26	0.16	2.2	124
542952	<0.05	1.1	0.006	0.14	1.04	18	0.11	2.1	81
542953	<0.05	0.4	0.013	0.15	1.36	15	0.06	4.1	42
542954	<0.05	0.4	0.054	0.11	1.08	28	0.12	1.6	19
542955	0.06	4.1	<0.005	0.12	0.91	19	0.09	2.7	52
542956	<0.05	0.7	0.021	0.14	0.90	18	0.15	2.3	21
542957	0.10	3.5	<0.005	0.14	0.98	14	0.12	2.7	40
542958	<0.05	0.6	<0.005	0.14	1.17	14	0.10	1.3	24
542959	<0.05	1.2	0.020	0.10	0.65	17	0.10	2.3	23
542960	0.08	0.5	0.010	0.14	0.86	21	0.12	1.4	37
542961	<0.05	1.3	0.017	0.13	0.88	19	0.14	3.7	51
542962	0.10	5.4	<0.005	0.09	0.96	9	0.07	1.8	124
542963	0.05	4.9	<0.005	0.09	0.66	14	0.08	1.4	144
542964	0.09	1.8	0.011	0.11	0.82	21	0.14	2.3	105
542965	<0.05	0.3	0.020	0.09	0.31	13	0.09	0.7	26
542966	<0.05	1.5	0.024	0.16	1.04	21	0.15	2.8	37
542967	0.09	7.0	0.010	0.13	1.60	18	0.12	2.0	40
542968	0.21	20.7	<0.005	0.08	1.14	12	0.06	1.6	42
542969	0.07	11.7	0.008	0.07	1.47	10	0.06	5.2	102
542970	<0.05	0.8	0.015	0.17	1.21	21	0.13	5.4	63
542971	<0.05	1.1	0.009	0.13	0.88	14	0.10	1.5	70
1751151	<0.05	0.8	0.005	0.25	0.31	10	0.06	1.7	9
1751152	0.10	12.0	<0.005	0.12	0.68	19	0.09	2.6	54
1751153	0.12	9.7	0.011	0.17	1.16	28	0.15	2.8	64
1751154	0.07	2.8	0.010	0.14	0.60	20	0.11	2.4	40

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1751155	0.09	4.5	<0.005	0.14	0.32	27	0.12	1.3	28
1751157	<0.05	2.4	0.007	0.11	0.21	14	0.08	1.4	11
1751158	0.09	1.4	0.008	0.19	0.72	26	0.12	2.3	30
1751159	0.06	1.5	0.009	0.12	1.01	20	0.11	2.4	54
1751161	<0.05	0.9	0.023	0.12	0.89	18	0.15	3.5	46
1751165	0.08	1.4	0.012	0.14	0.91	20	0.15	1.6	55
1751166	<0.05	1.2	0.006	0.11	0.78	18	0.11	1.5	92
1751167	<0.05	9.7	<0.005	0.14	1.05	13	0.07	1.5	63
1751168	0.07	7.6	<0.005	0.13	1.12	14	0.09	5.2	71
1751169	0.09	1.9	0.014	0.14	1.06	21	0.14	2.7	126
1751170	0.05	1.1	0.038	0.12	0.85	24	0.19	1.9	72
1751171	<0.05	5.4	0.013	0.13	1.18	19	0.12	3.9	201
1751172	<0.05	1.4	0.031	0.15	1.30	27	0.15	3.2	81
1751173	<0.05	0.7	0.033	0.15	0.73	30	0.17	1.4	51
1751174	0.07	1.6	0.104	0.06	1.09	36	0.19	2.5	27
1751175	0.18	1.0	0.010	0.16	1.33	21	0.10	3.6	78
1751176	0.05	2.1	<0.005	0.08	0.61	14	0.07	1.4	66
1751177	0.15	4.0	0.005	0.14	1.27	19	0.09	3.7	149
1751178	<0.05	1.2	0.082	0.13	1.09	28	0.13	2.1	33
1751179	0.08	2.6	0.009	0.16	0.97	22	0.11	3.0	60
1751180	0.11	6.9	<0.005	0.09	0.87	12	0.07	1.7	84
1751181	0.07	2.3	<0.005	0.10	0.67	15	0.08	1.3	69
1751182	<0.05	0.8	0.012	0.14	0.87	25	0.12	1.8	58
1751183	<0.05	2.3	0.019	0.15	0.49	24	0.13	1.2	33
1751184	<0.05	4.7	0.005	0.11	0.35	20	0.10	1.1	52

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1751185	<0.05	0.8	0.019	0.14	1.78	20	0.12	4.4	185
1751186	0.07	3.6	0.033	0.13	1.66	26	0.14	3.2	164
1751187	0.10	0.8	0.008	0.12	0.57	21	0.11	1.4	86
1751188	<0.05	0.7	0.026	0.17	1.87	20	0.09	7.2	44
1751189	<0.05	0.5	0.021	0.09	0.70	20	0.10	1.2	26
1751190	<0.05	0.9	0.042	0.12	0.75	19	0.11	1.7	17
1751191	<0.05	0.5	0.010	0.15	1.00	19	0.07	2.0	33
1751192	<0.05	0.6	0.018	0.17	1.69	24	0.11	4.9	48
1751193	<0.05	2.4	0.019	0.16	1.56	29	0.14	3.8	72
1751451	0.08	1.7	<0.005	0.12	2.64	12	0.07	7.6	135
1751452	0.10	2.1	<0.005	0.12	1.23	14	0.08	2.0	103
1751453	0.08	2.0	0.007	0.11	1.30	16	0.09	2.1	124
1751454	<0.05	4.7	0.130	0.13	1.11	36	0.26	2.6	38
1751455	0.06	1.7	0.013	0.11	1.09	21	0.12	2.1	218
1751456	0.05	6.7	0.005	0.08	0.82	16	0.07	1.8	398
1751457	<0.05	1.5	0.017	0.11	0.85	27	0.14	2.5	79
1751458	0.05	2.9	0.008	0.14	0.68	18	0.11	2.0	76
1751459	0.07	1.7	0.010	0.13	0.91	22	0.11	3.0	63
1751460	0.08	0.5	0.011	0.16	0.74	22	0.11	1.9	53
1751461	0.12	2.0	0.009	0.12	1.09	20	0.11	3.4	89
1751462	0.12	7.2	0.011	0.12	1.78	15	0.08	4.0	104
1751463	<0.05	3.4	<0.005	0.14	0.64	17	0.09	1.6	60
1751464	0.10	2.2	0.007	0.13	0.63	19	0.10	1.3	52
1751465	<0.05	3.7	0.007	0.12	0.77	25	0.12	1.4	84
1751466	0.13	2.7	0.009	0.09	1.70	15	0.09	5.4	116

***Please refer to the cover page for comments regarding this certificate. ***

MS Analytical
An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Coast Mountain Geological**
488-625 Howe Street
Vancouver, B.C.
V6C 2T6

CERTIFICATE OF ANALYSIS: YVR1710887A

Project Name: Silver Dollar
Job Received Date: 10-Oct-2017
Job Report Date: 07-Nov-2017
Report Version: Final

Sample ID	IMS-117 Te ppm 0.05	IMS-117 Th ppm 0.2	IMS-117 Ti % 0.005	IMS-117 Tl ppm 0.05	IMS-117 U ppm 0.05	IMS-117 V ppm 1	IMS-117 W ppm 0.05	IMS-117 Y ppm 0.5	IMS-117 Zn ppm 2
1751467	0.12	1.2	<0.005	0.12	0.65	15	0.10	1.3	98
1751468	<0.05	0.8	0.019	0.12	0.64	19	0.12	1.4	52
1751469	<0.05	0.9	0.008	0.16	5.78	19	0.11	9.5	195
1751470	<0.05	0.9	0.021	0.11	1.59	19	0.11	8.1	107
1751471	<0.05	1.4	0.005	0.10	0.78	15	0.10	1.9	126
1751472	<0.05	1.9	0.007	0.12	0.66	18	0.11	2.1	70
1751473	0.11	1.5	0.007	0.13	0.59	18	0.10	1.4	56
1751474	0.22	1.2	0.011	0.11	0.55	21	0.12	1.7	34
1751475	0.26	2.7	0.014	0.16	0.49	38	0.17	1.8	41
DUP 542867	<0.05	1.3	0.030	0.10	0.93	20	0.14	4.1	24
DUP 542912	<0.05	1.4	0.094	0.10	0.90	15	0.19	3.6	13
DUP 542967	0.11	7.2	0.010	0.13	1.63	18	0.12	2.0	41
DUP 1751189	<0.05	0.5	0.026	0.10	0.69	21	0.11	1.2	27
DUP 1751474	0.05	1.2	0.010	0.10	0.55	21	0.14	1.6	36
STD BLANK	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD BLANK	<0.05	<0.2	<0.005	<0.05	<0.05	<1	<0.05	<0.5	<2
STD OREAS 601	14.13	7.1	0.008	0.71	1.85	9	1.08	6.1	1275
STD OREAS 24b	0.07	14.4	0.197	0.62	1.62	75	1.17	11.6	93
STD OREAS 601	15.73	7.2	0.009	0.73	1.85	9	1.13	6.1	1309
STD CDN-CM-38	1.14	1.3	0.010	0.37	0.16	18	2.09	2.7	823
STD OREAS 24b	<0.05	14.7	0.191	0.62	1.66	73	1.17	11.5	91

***Please refer to the cover page for comments regarding this certificate. ***

Appendix 4

Laboratory Procedures and Certification

DETERMINATION OF GOLD AND/OR SILVER IN MINERALOGICAL SAMPLES USING FIRE ASSAY LEAD COLLECTION AND GRAVIMETRIC FINISH

METHOD CODES:	FAS-415, FAS-425, FAS-418, FAS-428, FAS-413, FAS-423 MET-FA3, MET-FA5, MET-FA7

DESCRIPTION:

Received samples are dried and prepared to meet passing criteria of 85% - 75µm for rocks, drill core and similar materials, and 180µm for soils, sediments and similar sample matrices.

The homogeneous pulverized sample is weighed, mixed with flux (a blend of litharge, soda ash, borax, silica, and various other essential reagents), and then fused to produce a lead button. The gold-containing lead button is cupelled to remove the lead and yield a bead which contains precious metals. The bead is weighed prior to parting with dilute nitric acid, after which the residual gold is annealed and weighed as gold. Silver, if requested, is then determined by the difference between the original bead weight and gold bead weight.

Quantitation Limits for Elements Reported by the Fire Assay Gravimetric Finish Method

Method Code	Parameter	Fusion Size (g)	Detection Limit (ppm, g/t)	Upper Quantitation Limit (ppm, g/t)
FAS-415	Au	30	0.05	1000
FAS-425	Au	50	0.05	1000
FAS-418	Ag	30	5	10000
FAS-428	Ag	50	5	10000
FAS-413	Au Ag	30	Au: 0.05 Ag: 50	Au: 1000 Ag: 10000
FAS-423	Au Ag	50	Au: 0.05 Ag: 50	Au: 1000 Ag: 10000
MET-FA3	Au	30	1	1000
MET-FA5	Ag	30	200	10000
MET-FA7	Au Ag	30	Au: 0.5 Ag: 200	Au: 1000 Ag: 10000

REPORTING UNITS: As specified in the table.

QUALITY CONTROL: Preparation duplicates are randomly inserted at a rate of one for every thirty samples during the sample login stage. For every analytical batch of 42 fusions, one analytical blank, one analytical duplicate, and two certified reference materials are randomly distributed. Results are evaluated prior to release of the final certificate.

SAMPLE REQUIREMENTS: Sample size requested to perform analysis is 100g.

MULTI-ELEMENT DETERMINATION OF MINERALOGICAL SAMPLES USING A DILUTE TWO ACID DIGESTION AND ICP-AES/MS FINISH (39 ELEMENTS)

METHOD CODES: IMS-116 (0.5g), IMS-117 (20g), IMS-118 (40g)

DESCRIPTION:

Received samples are dried and prepared to meet passing criteria of 85% - 75µm for rocks, drill core and similar materials, and 180µm for soils, sediments and similar sample matrices.

The prepared homogeneous sample is weighed and digested under heat with a dilute mixture of hydrochloric acid, nitric acid, and deionized water. Upon completion of the digestion step, the sample is made up to volume. This sample solution is then analyzed by Inductively Coupled Plasma-Atomic Emission Spectroscopy and Inductively Coupled Plasma Mass Spectrometry. The quantified multi-element concentrations are reported as noted in the table.

NOTE: The customized mixture digestion should be considered a 'leach' and as such, may exhibit partial recovery for some elements, including but not limited to: Al, Ba, Ca, Cr, K, Mg, Na, P, Sc, Sr, Ti, Tl, and W.

REPORTING UNITS: As noted in the table.

QUALITY CONTROL: Samples are analyzed with suitable reference materials, blanks, and duplicates. Corrections are made for spectral inter-element interferences. Results are evaluated prior to release of the final certificate.

SAMPLE REQUIREMENTS: Sample size requested to perform analysis is 100g.

Quantitation Limits for Elements Reported by the 2-Acid ICP-AES/MS Finish Method

Element	Range	Element	Range	Element	Range
Ag	0.05 – 100 ppm	Ga	0.1 – 10,000 ppm	Sb	0.05 – 10,000 ppm
Al	0.01 – 25 %	Hg	0.01 – 10,000 ppm	Sc	0.1 – 10,000 ppm
As	0.2 – 10,000 ppm	K	0.01 – 10 %	Se	0.2 – 1,000 ppm
Au	0.001 – 25 ppm	La	0.5 – 10,000 ppm	Sr	0.5 – 10,000 ppm
B	10 – 10,000 ppm	Mg	0.01 – 25 %	Te	0.05 – 500 ppm
Ba	10 – 10,000 ppm	Mn	5 – 50,000 ppm	Th	0.2 – 10,000 ppm
Bi	0.05 – 10,000 ppm	Mo	0.05 – 10,000 ppm	Ti	0.005 – 10 %
Ca	0.01 – 25 %	Na	0.01 – 10 %	Tl	0.05 – 10,000 ppm
Cd	0.05 – 1,000 ppm	Ni	0.1 – 10,000 ppm	U	0.05 – 10,000 ppm
Co	0.1 – 10,000 ppm	P	10 – 10,000 ppm	V	1 – 10,000 ppm
Cr	1 – 10,000 ppm	Pb	0.2 – 10,000 ppm	W	0.05 – 10,000 ppm
Cu	0.2 – 10,000 ppm	Re	0.005 – 50 ppm	Y	0.5 – 500 ppm
Fe	0.01 – 50 %	S	0.01 – 10 %	Zn	2 – 10,000 ppm

MS Analytical

MULTI-ELEMENT DETERMINATION OF MINERALOGICAL SAMPLES USING A DILUTE TWO ACID DIGESTION AND ICP-AES/MS FINISH

METHOD CODES: IMS-110 (0.5g), IMS-111 (20g), IMS-112 (40g), IMD-5, 4, 2xx*

DESCRIPTION:

Received samples are dried and prepared to meet passing criteria of 85% - 75µm for rocks, drill core and similar materials, and 180µm for soils, sediments and similar sample matrices.

The prepared homogeneous sample is weighed and digested under heat with a dilute mixture of hydrochloric acid, nitric acid and de-ionized water. Upon completion of the digestion step, the sample is made up to volume with deionized water. This sample solution is then analyzed by Inductively Coupled Plasma-Atomic Emission Spectroscopy and Inductively Coupled Plasma Mass Spectrometry. The quantified multi-element concentrations are reported as noted in the table.

NOTE: The customized mixture digestion should be considered a 'leach' and as such, may exhibit partial recovery for some elements, including but not limited to: Al, Ba, Ca, Cr, Hf, K, La, Mg, Na, Nb, P, Sc, Sr, Ta, Ti, Tl, W and Zr.

REPORTING UNITS: As noted in the table.

QUALITY CONTROL: Samples are analyzed with suitable reference materials, blanks, and duplicates. Corrections are made for spectral inter-element interferences. Results are evaluated prior to release of the final certificate.

SAMPLE REQUIREMENTS: Sample size requested to perform analysis is 100g.

Quantitation Limits for Elements Reported by the 2-Acid ICP-AES/MS Finish Method

Element	Range	Element	Range	Element	Range
Ag	0.01 – 100 ppm	Ge	0.05 – 500 ppm	S	0.01 – 10 %
Al	0.01 – 25 %	Hf	0.02 – 500 ppm	Sb	0.05 – 10,000 ppm
As	0.1 – 10,000 ppm	Hg	0.005 – 10,000 ppm	Sc	0.1 – 10,000 ppm
Au	0.0005 – 25 ppm	In	0.005 – 500 ppm	Se	0.2 – 1,000 ppm
B	10 – 10,000 ppm	K	0.01 – 10 %	Sn	0.2 – 500 ppm
Ba	10 – 10,000 ppm	La	0.2 – 10, 000 ppm	Sr	0.2 – 10,000 ppm
Be	0.05 – 1,000 ppm	Li	0.1 – 10,000 ppm	Ta	0.01 – 500 ppm
Bi	0.01 – 10,000 ppm	Mg	0.01 – 25 %	Te	0.01 – 500 ppm
Ca	0.01 – 25 %	Mn	5 – 50,000 ppm	Th	0.2 – 10,000 ppm
Cd	0.01 – 1,000 ppm	Mo	0.05 – 10,000 ppm	Ti	0.005 – 10 %
Ce	0.02 – 500 ppm	Na	0.01 – 10 %	Tl	0.02 – 10,000 ppm
Co	0.1 – 10,000 ppm	Nb	0.05 – 500 ppm	U	0.05 – 10,000 ppm
Cr	1 – 10,000 ppm	Ni	0.2 – 10,000 ppm	V	1 – 10,000 ppm
Cs	0.05 – 500 ppm	P	10 – 10,000 ppm	W	0.05 – 10,000 ppm
Cu	0.2 – 10,000 ppm	Pb	0.2 – 10,000 ppm	Y	0.05 – 500 ppm
Fe	0.01 – 50 %	Rb	0.1 – 10,000 ppm	Zn	1 – 10,000 ppm
Ga	0.05 – 10,000 ppm	Re	0.001 – 50 ppm	Zr	0.5 – 500 ppm

MS Analytical

MULTI-ELEMENT DETERMINATION OF ORE GRADE MINERALOGICAL SAMPLES USING A FOUR ACID DIGESTION AND ICP-AES FINISH

METHOD CODES: ICP-240, ICF-6xx*

DESCRIPTION:

Received samples are dried and prepared to meet passing criteria of 85% - 75µm for rocks, drill core and similar materials, and 180µm for soils, sediments and similar sample matrices.

The prepared homogeneous sample is weighed and digested using the sequential addition of hydrofluoric acid, hydrochloric acid, nitric acid and perchloric acid. Upon completion of the digestion steps, the sample is made up to volume with deionized water. This sample solution is then analyzed by Inductively Coupled Plasma-Atomic Emission Spectroscopy. The quantified multi-element concentrations are reported as noted in the table below.

NOTE: Any volatilization losses occurring during digestion may result in the partial recovery of As.

Quantitation Limits for Elements Reported by the 4-Acid ICP-AES Finish Method

Element	Range	Element	Range	Element	Range
Ag	1 – 750 ppm	Cu	0.001 – 40 %	Pb	0.01 – 20 %
Al	0.05 – 30 %	Fe	0.05 – 50 %	S	0.05 – 10 %
As	0.005 – 10 %	K	0.1 – 30 %	Sb	0.005 – 5 %
Ba	0.01 – 5 %	La	0.005 – 5 %	Sr	0.01 – 10 %
Be	0.001 – 1 %	Mg	0.05 – 50 %	Ti	0.05 – 30 %
Bi	0.005 – 5 %	Mn	0.01 – 10 %	Tl	0.005 – 1 %
Ca	0.05 – 50 %	Mo	0.001 – 5 %	V	0.001 – 10 %
Cd	0.001 – 1 %	Na	0.05 – 30 %	W	0.01 – 5 %
Co	0.001 – 5 %	Ni	0.001 – 10 %	Zn	0.01 – 40 %
Cr	0.001 – 10 %	P	0.01 – 10 %		

REPORTING UNITS: As noted in the table.

QUALITY CONTROL: Samples are analyzed with suitable reference materials, blanks, and duplicates. Corrections are made for spectral inter-element interferences. Results are evaluated prior to release of the final certificate.

SAMPLE REQUIREMENTS: Sample size requested to perform analysis is 10g.

SAMPLE PREPARATION OF MINERALOGICAL SAMPLES

METHOD CODES: PRP-910, PRP-915, PRP-920, PRP-950, PRP-999

DESCRIPTION:

Preparation of drill core, rock and other mineralogical samples requires meticulous care to produce a homogeneous sub-sample for further analysis.

After a sample is received and logged into the tracking system, it must be dried prior to sample preparation. The dried sample is crushed to 70% passing 2mm, and then passed through a riffle splitter to obtain a homogenized, representative split. This sub-sample is then pulverized to 85% passing 75micron.

The preparation packages shown below encompass the basic procedures for rocks, drill core and chip samples. Sample preparation can be customized to suit client needs upon request.

Package Code	Method Description
PRP-910	Dry, crush to 2mm, split off a 250g sub-sample and pulverize to 85% passing 75micron
PRP-915	Dry, crush to 2mm, split off a 500g sub-sample and pulverize to 85% passing 75micron
PRP-920	Dry, crush to 2mm, split off a 1000g sub-sample and pulverize to 85% passing 75micron
PRP-950	Surcharge for samples > 1kg, per kg
PRP-999	Preparation package-client specification

QUALITY CONTROL: Samples are prepared with suitable blanks and/or duplicates. Results are evaluated prior to release.

SAMPLE REQUIREMENTS: Sample size requested to perform preparation step(s) is 1000g.

SAMPLE PREPARATION OF SOIL AND SEDIMENT SAMPLES

METHOD CODES: PRP-757, PSC-100, PSC-999

DESCRIPTION:

Preparation of soil and sediment samples requires meticulous care to produce a homogeneous sub-sample for further analysis.

After a sample is received and logged into the tracking system, it is dried prior to sample preparation. The entire soil or sediment sample is screened using a Tyler 80 mesh screen to remove larger particles, rocks, and/ or vegetative matter. Other sieve sizes are available upon client request. The oversized "plus fraction" is discarded while the undersized portion ("minus fraction") is used for the analysis.

The preparation method for soil is based on samples of up to 1kg. Samples that are excessively wet will require additional drying time prior to preparation.

Sample preparation can be customized to suit client needs upon request.

Package Code	Method Description
PRP-757	Dry, screen to 80 mesh, discard plus fraction
PSC-100	Surcharge for samples >500g, per 500g
PSC-999	Screen at other sieve size

QUALITY CONTROL: Samples are prepared with suitable blanks and/or duplicates. Results are evaluated prior to release.

SAMPLE REQUIREMENTS: Sample size requested to perform preparation step(s) is 1000g.

INTERNATIONAL ACCREDITATION SERVICE®

CERTIFICATE OF ACCREDITATION

This is to attest that

A2 GLOBAL VENTURES INC., dba MS ANALYTICAL

20120 102ND AVENUE
LANGLEY, BC V1M 4B4
CANADA

Testing Laboratory TL-736

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories,* and has demonstrated compliance with ISO/IEC Standard 17025:2005, *General requirements for the competence of testing and calibration laboratories.* This organization is accredited to provide the services specified in the scope of accreditation maintained on the IAS website (www.iasonline.org).

This certificate is effective January 3, 2017 and valid up to February 1, 2018.

This accreditation certificate supersedes any IAS accreditation bearing an earlier effective date. The certificate becomes invalid upon suspension, cancellation or revocation of accreditation. See www.iasonline.org for current accreditation information, or contact IAS at 562-364-8201.

INTERNATIONAL ACCREDITATION SERVICE®

ilac-MRA

C.P. Ramani, P.E., C.B.O
President

15-12065

SCOPE OF ACCREDITATION

IAS Accreditation Number	TL-736
Company Name	A2 Global Ventures Inc., dba MS Analytical
Address	20120 102nd Ave, Langley, BC V1M 4B4, Canada
Contact Name	Zheng (Jimbo) Zheng, QA/QC Manager
Telephone	(604) 888-0875
Effective Date of Scope	January 3, 2017
Accreditation Standard	ISO/IEC 17025:2005

Chemical

Determination of gold by lead fusion fire assay and atomic absorption spectroscopy in exploration samples

MSA-WGH-P001	Fire Assay Weighing
MSA-FAS-P002	Fire Assay Fusion
MSA-FAS-P003	Fire Assay Cupellation
MSA-FAS-P007	Fire Assay Gold Digestion
MSA-SPY-P005	Determination of Ag-Au-Cu-Pb-Zn-Fe in Mineralogical and Met Samples by AAS

Determination of gold by lead fusion fire assay and gravimetric method in exploration samples

MSA-WGH-P001	Fire Assay Weighing
MSA-FAS-P002	Fire Assay Fusion
MSA-FAS-P003	Fire Assay Cupellation
MSA-FAS-P004	Gravimetric Analysis of Mineralogical and Non Mineralogical Samples by Fire Assay.

Certificate of Registration

This is to certify that the quality management system of

Met-Solve Analytical Services Inc.

Main Site: 20120 102nd Avenue, Langley, British Columbia, V1M 4B4 Canada

has been assessed and registered by Intertek as conforming to the requirements of

ISO 9001:2008

The quality management system is applicable to

Provision of geochemical analyses and mineral assaying.

Certificate Number: 0010433-00
Initial Certification Date: 29 April 2014
Certificate Issue Date: 29 April 2014
Certificate Expiry Date: 28 April 2017

Calin Moldovean, President, Business Assurance
Intertek Testing Services NA Ltd. – Lachine, QC, Canada

SCC Accredited CB-MS OCSM Accrédité CCN

In the issuance of this certificate, Intertek assumes no liability to any party other than to the Client, and then only in accordance with the agreed upon Certification Agreement. This certificate's validity is subject to the organization maintaining their system in accordance with Intertek's requirements for systems certification. Validity may be confirmed via email at certificate.validation@intertek.com or by scanning the code to the right with a smartphone.

The certificate remains the property of Intertek, to whom it must be returned upon request.

CT-ISO 9001-2008-SCC-EN-LT-L-04.jan.12

Intertek Intertek Intertek Intertek Intertek