


**BC Geological Survey
Assessment Report
37879**



TYPE OF REPORT [type of survey(s)]: Technical, Magnetometer,

TOTAL COST: 21,251.18

AUTHOR(S): David Fredlund

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-5-815

YEAR OF WORK: 2018

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): _____

PROPERTY NAME: The Holiday Group

CLAIM NAME(S) (on which the work was done): Bye Bye, Running Wolf Elkhorn, Roman Holiday, French Holiday, Summer Holiday, Hill Holiday, Unplanned Holiday, Pup Holiday, Easter Holiday, Fortunate Holiday

COMMODITIES SOUGHT: gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: _____

MINING DIVISION: Fort Steele

NTS/BCGS: _____

LATITUDE: 49 ° 31 ' 15 " LONGITUDE: 116 ° 01 ' 57 " (at centre of work)

OWNER(S):

1) David fredlund 2) _____

MAILING ADDRESS:

1801 3rd Ave S E , Salmon Arm BC V1E-1V1

OPERATOR(S) [who paid for the work]:

1) As above 2) _____

MAILING ADDRESS:

As above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
mineralization, structure

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: _____

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic 6 km		all	8,300
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock 13		1047384, 1047041	407.28
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area) 300 hectares		1047442, 1047041, 1047384, 1053105	9,300
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail 1.5 km		1047041	1,000
Trench (metres) 275 meters		1047384, 1047041	2,200
Underground dev. (metres)			
Other			
TOTAL COST:			21,207.28

TECHNICAL/PROSPECTING REPORT

FOR THE MINERAL PROPERTIES KNOWN AS THE HOLIDAY GROUP

Bye Bye, Tenure Number 1046268
Running Wolf Elkhorn, Tenure Number 1047041
Roman Holiday, Tenure Number 1047384
French Holiday, Tenure Number 1047442
Summer Holiday, Tenure Number 1049028
Hill Holiday, Tenure Number 1052425
Unplanned Holiday, Tenure Number 1053105
Pup Holiday, Tenure Number 1055347
Easter Holiday, Tenure Number 1055749
Fortunate Holiday, Tenure Number 1056104

Under permit # MX-5-815

Fort Steele Mining Division, B.C.

(49°31.15'0 N, 116°01.57'8 W)

Report by
registered claims owner

David Manley Fredlund
1801 3rd Ave S.E. Salmon Arm
(250) 804-0781


July, 4-2019

TABLE OF CONTENTS

	Page
SUMMARY	4
INTRODUCTION	4
Location	4
Area location	2
Road map	3
Tenure Details	4
GEOLOGY	5
Property	5
Mineralization	5
Exploration	5
The trenches	6
CONCLUSIONS	6
APPENDICES:	
A. Statement of Expenditures	23,24,25
B Writer's Certificate	26

Figures


Figure:	
Geological feature Map	7
Regional Location Map	2
Access road.....	3
Satellite map.....	8
Tenure numbers, mag results, trench locations	9,10,11,12
Assay location, type, description	12-13
Assay documents	15-22



Property location map


Rome Trench Location – 49-31-35 116-1-03

Running Wolf Trench Location - 49-30-21 116-2-10



Regional location map

Access road



Tenure details

Tenure No.	Name	Size (HA)	Owner	Expiry Date
1046268	Bye Bye	125.79	*DMF	Aug 26/21
1047041	Running Wolf Elkhorn	41.95	"	Oct 02/22
1047384	Roman Holiday	104.86	"	Oct 21/21
1047442	French Holiday	83.90	"	Oct 25/22
1049028	Summer Holiday	83.88	"	Jan 07/21
1052425	Hill Holiday	83.90	"	Jun 08/21
1053105	Unplanned Holiday	167.77	"	Jul 12/21
1055347	Pup Holiday	20.98	"	Oct 03/21
1055749	Easter Holiday	104.86	"	Oct 24/21
1056104	Fortunate Holiday	41.95	"	Nov 05/21
*David Manley Fredlund				

SUMMARY

During the summer of 2018, prospectors, Steve Munro, Kris Fredlund, John Fredlund Allan Kovalevich and myself made four trips to the Holiday Group mineral property. All trips were multi-day trips. Prospecting traverses, magnetometer readings and trenching and stripping activities were undertaken on these occasions in order to locate old workings, determine the geology and mineral potential and uncover mineralization. Six Km of magnetometer readings were taken utilizing the logging roads as base lines. One and one half Km of old skid trail was cleaned out to facilitate access across an old clear cut to one trench site (Running wolf). On the two trench sites noted on the maps, a total of 275 meters of trenching one and a half meters deep was obtained exposing about 25 Cm of forest debris on top of bed rock. Mineralization was found by trenching mag hot spots along a quartzite vein. As our research had determined that there were possibly several historical workings that had been lost due to name change and other reasons and that they were gold workings, the decision was made to locate the workings and sample them if possible. Due to the nature of the findings and the results of the geological investigation, further work is warranted as will be detailed in in this report.

INTRODUCTION

Location: The properties lie to the west of the Rocky Mountain Trench within the Southern Purcell Range which is a physiographic division of the Columbia Mountains. The mineral tenures are located approximately 20 km west of Cranbrook B C at the headwaters of Rome and France Creek on a North facing slope of Perry creek.

The geographical coordinates for the center of the tenure are 49°31.15'0 N, 116°01.57'8 W. The terrain consists of steep wooded slopes rising from Perry Creek to about 5,000 feet ASL where the terrain flattens out to gentle slopes that have been historically clear cut. The property is located on the south side of Perry creek's valley's north facing slope. The elevations vary

from 3500 feet ASL along the north west side of the property on Perry Creek to 6000 feet ASL at the south west boundary of the Running wolf claim to give a relief of 2,500 feet.

The main water source is the easterly flowing Perry Creek to the immediate north and west of the property. The forest cover is timber and tag alder, tag cedar, tag hemlock and devils club in all clear cut areas.

Access: Forestry roads come to and bisect the property. The property is approximately fifteen Km west Wycliffe just off the Perry Creek forest service road. Map on page 4.

History and previous work: This general area has been the subject of attention for over a hundred years and has had many historical workings and exploration projects on it.

GEOLOGY

Property: There appears to be a fault (Old Baldy) transecting the properties from south west to north east, running between two major north east faults (Moyie and St Mary's) in the Creston Formation near it's boundary with the Aldrich.

Mineralization: Base and precious metals disseminated throughout a quartzite carbonate dike bounded on both sides by quartz veins that appear to be part of the Old Baldy Fault. This formation is bounded on both sides by mudstones and argillites.

Magnetometer: Exploration foreman Manley Fredlund and prospector Kris Fredlund traveled to the Holiday Group on June 7/18 to conduct an initial exploration survey utilizing a DETECK SSP 2100 magnetic pulse induction generator. This instrument creates an intermittent magnetic field capable of penetrating 10 to 15 meters of overburden or bedrock while in motion. The strong magnetic field induces eddy currents in mineralization or geological anomalies. These anomalies generate a secondary magnetic field which flows outward from the target which then passes through the antenna array winding. This signal is processed by the electronics and displayed on a meter that registers from zero to ten on an analogue scale. The size of the antenna/array is 1 meter square needing 2 men plus an operator to control the array as it moves.

A base line was established along the main old logging roads. The hot spot signal was found at various locations along the roads as the array was moved and indicated by red dots on the satellite map. The Old Baldy fault is indicated by the yellow line on the satellite map (page10). A more intensive exploration grid is recommended.

Exploration: This project was undertaken because of finding an old mining report out of the late eighteen hundreds whereby prospects on France Creek and Rome Creek produced mineral samples in the multiple ounces of gold per ton. The property names were changed and subsequently lost to history as was the report. We decided to take both a grass roots prospecting as well as a geomapping approach. The job was made difficult as the property was checkered by old clear cuts overgrown by a jungle of slide alder thick enough to

bar usage of magnetometer equipment creating slow terrain to prospect. However we set out to scour every foot of the claims. As we systematically combed the hillside it became apparent that there were north trending transecting slip faults intersecting the Old Baldy fault. Rock exposures when found turned out to be severely leached quartz carbonate with the leaching so bad that it was necessary to make a project of uncovering enough of it to get a decent assay. The quartzite continued under the overburden which was less than a meter thick so we thought the logical thing to do was to follow it uncovering it as we went. The jungle of slide alder growth was so severe that it became necessary to clear paths to be able to utilize the magnetometer.


The Rome trench: Utilizing a large 4x4 backhoe/excavator a cross shaped trench was cut in over a hot spot for about 30 meters each way in the shape of a cross oriented north south, east west . Overburden was less than 1 meter consisting of clay and till but the bedrock was shattered so badly that although runoff was still happening, everything was dry. It looked as though there may have once been widespread mineralization but everything was oxidized and gone. An attempt to cut through bedrock to depth was made but the rock was shattered beyond our reach. It indicates drilling as a method of getting depth.


The Running Wolf Trench: Access was established by clearing an old skid trail through an old clear-cut. Upon arriving at the location of interest the cat exposed a quartzite dike while clearing access. Old trenches and shafts were discovered but 100 years of overgrowth meant extensive clearing and cleaning is required to be able to properly assess geological information.

Conclusion: Many targets have been determined and an area permit has been applied for and approved covering exploration and further trenching and been approved. The reclamation bond is in place.

Each hot spot on access roads will need to be examined with the magnetometer in order to provide more information for geological mapping and determining if hot spots are joined creating a trend. Extreme hot spots will need to be uncovered in order to accurately determine controls for mineralization and potential orebodies.


Samples taken from the trenches were anomalous in gold and indicate that the shear zone associated with the Old Baldy Fault where influenced by intrusives (faults and shears) may be locations of extreme mineralization and many such locations are likely located on this property.






Google Earth





	MAG HOT SPOTS	METER	PWR
A	49-31-1460 / 116-02-5618	5	
B	49-31-3884 / 116-01-2331	4	
C	49-35-3531 / 116-00-58.69	3	
D	49-31-27.05 / 116-01-51.21	7	
E	49-31-13.96 / 116-01-49.60	5	
F	49-30-56.54 / 116-01-50.36	5	
G	49-31-19.70 / 116-02-07.78	6	1046835
H	49-31-16.34 / 116-02-09.25	7	
I	49-30-04.38 / 116-03-50.53	6	
J	49-30-12.10 / 116-03-41.17	5	
K	49-30-09.95 / 116-03-30.20	7	
L	49-30-15.26 / 116-03-08.33	6	
M	49-30-21.00 / 116-02-10.00	4	



Scale: 1:9,028

BCGS Mapsheet(s): [Mapsheet]




[TenureType]

iMapBC Mapping

File No.: [FileNumber]
Disposition No.: [DepositionNumber]

[Notes]






Scale: 1:9,028

BCGS Mapsheet(s): [Mapsheet]



[SubType]

TRENCH DETAILS



○ SAMPLE LOCATION

VALUES IN PPM - AU

ASSAY LAB
ALS CANADA LTD.
 2103 Dollarton Highway
 North Vancouver, BC

ROME 49-31-35/116-1-03		
SAMPLE NAME	PPM	TEST TYPE
ELKHORN	AU <0.005	AU AA23 < 2mm
ROME	AU <0.005	"
RWR	AU 0.005	"
RW-1	AU 0.012	"
RW-2	AU 0.025	"
RUNNING WOLF 49-30-21/116-2-10		
RWTR 1-2-3	AU 0.021	ICP 41 31 element
RW RV-1	AU 0.01	AU-AA25 < 2 mm
RW SH-1	AU 0.01	"
RW TR-1	AU 0.01	"

Center point for Rome samples is crossing point of two trenches at lat/long shown 49-31-35/116-1-03.

Elkhorn sample location is 5 meters west of center in the trench/ mudstone.

Rome location is 50 meters south of center on the edge of the road/quartzite, galena and pyrite.

Rwr location is 5 meters east of center in the trench/quartzite, galena.

Rw-1 location is 5 meters north of center in the trench/mudstone.

Rw-2 location is 5 meters south of center in the trench/mudstone.

Center point for Running Wolf samples is the junction of the north/south trench with the road at lat/long shown 49-30-21/116-2-10

Rwtr 1-2-3 location is 50 meters SE of center in a collapsed trench/quartz carbonate.

Rw rv-1 location is at the center on the road/quartz carbonate, galena, pyrite.

Rw sh-1 location is 50 meters north of center in a collapsed shaft/quartz, pyrite.

Rw tr-1 location is 20 meters east of center in a collapsed trench/quartz carbonate.

The Rome Trenches are each 30 meters long crossing in the middle. One is oriented North/South while the other is oriented East/West. They are 1 to 1 1/2 meters in depth and show 25 cm of clay and forest debris on top of bedrock which appears to be mud stone and argillite.

The Running Wolf Trenches are 25 meters long with 2 being old trenches running east/west and 1 being new running north/south. They are about 1 meter deep and all appear to be in the "Old Baldy Fault" in a matrix of quartz carbonate with occasional quartz stringers.



Trenching at the Rome location



Quartzite carbonate from Rome trench



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801- 3 AVE SE
 SALMON ARM BC V1E 1V1

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-JUL-2018
 Account: WOLVEX

CERTIFICATE KL18151387

This report is for 6 Rock samples submitted to our lab in Kamloops, BC, Canada on 26-JUN-2018.
 The following have access to data associated with this certificate:
 MANLEY FREDLUND

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rcd w/o BarCode
CRU- QC	Crushing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA23	Au 30g FA- AA finish	AAS
ME- MS41	Ultra Trace Aqua Regia ICP- MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801- 3 AVE S.E
 SALMON ARM BC V1E 1V1

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-JUL-2018
 Account: WOLVEX

CERTIFICATE OF ANALYSIS KL18151387

Sample Description	Method Analyte Units LOD	ME-M541 Ti ppm 0.02	ME-M541 U ppm 0.05	ME-M541 V ppm 1	ME-M541 W ppm 0.05	ME-M541 Y ppm 0.05	ME-M541 Zn ppm 2	ME-M541 Zr ppm 0.5	Au-AA23 Au ppm 0.005
Elkhorn									<0.005
Rome									<0.005
RWR									0.005
RW-1									0.012
RW-2									0.025
Br...		0.02	0.05	1	0.05	0.05	2	0.5	0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801-3 AVE S.E
 SALMON ARM BC V1E 1V1

Page: 1
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-JUL-2018
 Account: WOLVEX

CERTIFICATE KL18171646

This report is for 1 Rock sample submitted to our lab in Kamloops, BC, Canada on 17-JUL-2018.
 The following have access to data associated with this certificate:
 MANLEY FREDLUND

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dolmaton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801-3 AVE S.E.
 SALMON ARM BC V1E 1V1

Page: 2 - A
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-JUL-2018
 Account: WOLVEX

CERTIFICATE OF ANALYSIS KL18171646

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Recon Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ni
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
RWTR1-2.3		1.24	0.2	0.10	2	<10	120	<0.5	<2	0.01	<0.5	10	24	67	2.64	<10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801-3 AVE S.E
 SALMON ARM BC V1E 1V1

Page: 2 - B
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-JUL-2018
 Account: WOLVEX

CERTIFICATE OF ANALYSIS KL18171646

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Si ppm	Ti ppm
RWTR1-2.3		<1	0.13	<10	0.01	30	<1	0.01	10	120	14	0.07	<2	1	3	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801-3 AVE S.E
 SALMON ARM BC V1E 1V1

Page: 2 - C
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 23-JUL-2018
 Account: WOLVEX

CERTIFICATE OF ANALYSIS KL18171646

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Au-AA23
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm	Au ppm
RWTR1-2.3		<0.01	<10	<10	3	<10	7	0.021

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
 1801- 3 AVE S.E
 SALMON ARM BC V1E 1V1

Page: 1
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 20- OCT- 2018
 This copy reported on
 22- OCT- 2018
 Account: WOLVEX

CERTIFICATE KL18241983


This report is for 3 Rock samples submitted to our lab in Kamloops, BC, Canada on 27- SEP- 2018.
 The following have access to data associated with this certificate:
 MANLEY FREDLUND

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA25	Ore Grade Au 30g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: WOLVERINE EXPLORATION
1801- 3 AVE S.E
SALMON ARM BC V1E 1V1

Page: 2 - A
Total # Pages: 2 (A)
Plus Appendix Pages
Finalized Date: 20- OCT- 2018
Account: WOLVEX

CERTIFICATE OF ANALYSIS KL18241983

Sample Description	Method Analyte Units LOD	WEI- 21	Au- AA25
		Recvd Wt. kg	Au ppm
RW RV- 1		0.30	0.01
RW SH- 1		0.19	0.01
RW TR- 1		0.31	0.01

***** See Appendix Page for comments regarding this certificate *****

June 19, 2018

Inv 865

Bad Ventures Ltd.
751 Ivy Road
Cranbrook B.C. V1C 6W7

Wolverine Exploration

29km Perry Creek - Excavate Trenches for exploration.

08 Hrs 430 Backhoe @ 120.00

960.00

G.S.T 05%

48.00

1,008.00

Balance Owing \$ 1,008.00

G.S.T. 89836 7818

July 15, 2018

Inv 867

Bad Ventures Ltd.
751 Ivy Road
Cranbrook B.C. V1C 6W7

Wolverine Exploration

29km Perry Creek - Clear Roads

12 Hrs 650 John Deere Cat @ 110.00	1,320.00
06 Hrs Lowbed - Mob & Demob @ 150.00	<u>900.00</u>
Sub Total	2,220.00
G.S.T 05%	<u>45.00</u>
	2,265.00

Balance Owing \$ 2,265.00

G.S.T. 89836 7818

ROME AND RUNNING WOLF = HOLIDAY GROUP

EXPENSES 2018	JUNE 7, 8, 9	JUNE 18, 19, 20	JULY 11, 12, 13	SEPT 24, 25, 26
Manley Fredlund	\$400/day x 3 = \$1,200	\$400/day x 3 = \$1,200	\$400/day x 3 = \$1,200	\$400/day x 3 = \$1,200
Kris Fredlund	\$300/day x 3 = \$900	\$300/day x 3 = \$900		
Steve Munro	\$300/day x 3 = \$900			
Allan Kovalich				\$300/day x 3 = \$900
John Fredlund				\$300/day x 3 = \$900
Travel 4 x 4 truck - (km @ \$.68)	1,400 = \$952	1,412 = \$960.16	1,405 = \$955.40	1,505 = \$1,023.34
Food & Lodging @ \$100/day per person	\$900	\$600	\$300	\$600
Chain Saw @ \$30/day	\$90	\$90	\$90	\$90
Magnetometer @ \$75/day	\$225	\$225	\$225	\$225
Excavator		\$1,008		
Cat			\$2,265	
Quad @ \$200/day				\$600
In Reach GPS @ \$10/day	\$30	\$30	\$30	\$30
Assays				\$407.28
TOTALS	\$5,197	\$5,013.16	\$5,065.40	\$5,975.62
GRAND TOTAL				\$21,251.18

APPENDICES:

B. Statement of Writer's Qualifications

I, David Manley Fredlund am holder of valid free miners license number 108862 which I have held since 1965 and hereby certify that:

1. I started my mining career at age four as the camp waterboy and cooks helper in a placer mining operation (my fathers).
2. I have been involved professionally in mineral exploration in different places for over forty two years including ;
 - Kootenays – gold, silver, lead, magnesite
 - Cariboo – gold
 - Revelstoke areas – silver, zinc, lead, dolomite, feldspar
 - Baker Lake N.W.T. – uranium, gold
 - Ominica – zinc
 - Stikine – gold, silver
 - Turnagain – gold, copper, jade
 - James Bay – diamonds
 - Pickle Lake – gold, platinum
3. I have worked with exploration crews for Boulder Creek Mines, Magnum Resources, Noranda, ESSO Resources, Texasgulf, Baker Mines, Powder Ridge Resources, Hammond Exploration and De Beers Canada Exploration (Monopros).
4. I am experienced in evaluating mineral prospects by geology, soil sampling, rock sampling and pan sampling.
5. I maintain an extensive library of geological books, reports and articles.
6. I am the author of this report, which is primarily based on my personal observations made while in the field.

Dated at Salmon Arm, B. C. this 16 day of December, 2018