



ASSESSMENT REPORT TITLE PAGE AND SUMMARY

TITLE OF REPORT: 2018 Prospecting Program on the Cascade Property

TOTAL COST: \$3956.90

AUTHOR(S): Stephanie R. Wafforn

SIGNATURE(S): *Shafforn*

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-1-939

STATEMENT OF WORK EVENT NUMBER(S)/DATE(S): 5722798

YEAR OF WORK: 2018

PROPERTY NAME: Cascade Property

CLAIM NAME(S) (on which work was done): 1040173, 1048082, 1050908

COMMODITIES SOUGHT: Au-Ag-Cu-Pb-Zn

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 104B031

MINING DIVISION: Skeena

NTS / BCGS: 104B01

LATITUDE: 56° 03' 57"

LONGITUDE: 130° 02' 27" (at centre of work)

UTM Zone: NAD83 Zone 9 EASTING: 435,000

NORTHING: 6,214,000

OWNER(S): Pretium Exploration Inc.

MAILING ADDRESS: 2300 – 1055 Dunsmuir St
Vancouver, BC, V7X 1L4

OPERATOR(S) [who paid for the work]: Pretium Exploration Inc.

MAILING ADDRESS: 1055 Dunsmuir St – PO Box 49334
Vancouver, BC, V7X 1L4

REPORT KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude. **Do not use abbreviations or codes**):

Jurassic Hazelton Group andesitic tuffs and flows, Texas Creek plutonic suite diorite, and Eocene dikes on the eastern flank of the McTagg Anticlinorium. Targeting epithermal and porphyry mineralization.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

448, 12235, 13073, 17151, 36214

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (in metric units)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for ...)			
Soil			
Silt			
Rock	8	1040173, 1048082, 1050908	\$3956.90
Other			
DRILLING (total metres, number of holes, size, storage location)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling / Assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale/area)			
PREPATORY / PHYSICAL			
Line/grid (km)			
Topo/Photogrammetric (scale, area)			
Legal Surveys (scale, area)			
Road, local access (km)/trail			
Trench (number/metres)			
Underground development (metres)			
Other			
		TOTAL COST	\$3596.90

**2018 Prospecting Program
on the
Cascade Property**

MINERAL TENURES 1040173, 1048082 & 1050908

SKEENA MINING DIVISION BRITISH COLUMBIA, CANADA NTS 104B/031

Geographic Coordinates: 56° 04' 35" /130° 02' 01"

435,500E 6,215,000N NAD 83 Zone 9

Event Number: 5722798

for

Pretium Exploration Inc.
Suite 2300 – 1055 Dunsmuir St
Vancouver, B.C. V7X 1L4

By Stephanie R. Wafforn, PhD

December 12, 2018

TABLE OF CONTENTS

1.0 Introduction & Summary.....	1
2.0 Location.....	1
3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources.....	1
3.1 Accessibility.....	1
3.2 Climate & Physiography.....	2
3.3 Infrastructure and Local Resources.....	2
4.0 Mineral Tenures.....	5
5.0 History.....	5
5.1 Indian Workings.....	5
5.2 Woodbine Workings.....	7
6.0 Geological Setting and Mineralization.....	7
6.1 Regional Geological Setting.....	7
6.2 Local Geology and Stratigraphy.....	9
7.0 2018 Exploration Program.....	11
7.1 Rock Geochemistry.....	11
7.2 Geologic Mapping.....	11
7.3 Sampling Methodology and QA/QC.....	11
8.0 Recommendations.....	15
9.0 References.....	15

FIGURES

Figure 1. Provincial and regional location map of the Cascade Property.....	3
Figure 2. Cascade Property location map.....	4
Figure 3. Cascade Property mineral tenure map.....	6
Figure 4. Tectonic setting of the Cascade Property in the Northwest Cordillera	8
Figure 5. Regional stratigraphic setting of the Cascade Property.....	10
Figure 6. Rock sample locations.....	12
Figure 7. Precious and base metal values.....	13
Figure 8. Geology map.....	14

TABLES

Table 1. Mineral claims.....	5
------------------------------	---

APPENDICES

Appendix I. Sample Locations and Descriptions	
Appendix II. Assay Certificate from ALS Laboratories	
Appendix III. Flight Ticket from Yellowhead Helicopters	
Appendix IV. Cost Statement	
Appendix V. Statement of Qualification	

1.0 Introduction and Summary

The 2018 exploration program on the Cascade Property was operated out of the Bowser West Camp, located at 51 km on the Brucejack Gold Mine access road. Work was completed on mineral claims 1040173, 1048082, and 1050908. The property is subject to MX-1-939 Multi-Year Area Based exploration permit.

On September 28, 2018, a team of one geologist and one geotechnician completed a traverse on three of the property claims. The traverse line was accessible by helicopter, and the covered an elevation range from 420 to 480 meters. Eight rock samples were collected, and a geologic map was updated based on the observations from this traverse. The assay results from these samples were not anomalous with respect to precious or base metals.

Based on a review of the historic work on the Indian Mine and the results of the prospecting program, it is recommended that additional traverses and prospecting be completed in order to locate old showings and evaluate the broader mineralization potential.

2.0 Location

The Cascade Property is located in British Columbia's precious metal rich Golden Triangle (Fig. 1). The claim block is centered approximately 2.5 km northwest of the Premier open pit, approximately 15 km northwest of Stewart and near Indian Lake and Noname Lake (Fig. 2). The Granduc Mine road cuts through the claim block.

The exploration program on the Cascade Property claims was based out of the Bowser West Exploration camp, located at kilometer 51 along Pretium Exploration Inc.'s 74 kilometer access road to Brucejack Gold Mine, on the north side of the Bowser River and 14 kilometers west of Bowser Lake (Fig. 2). Bowser West Camp sits 15 kilometers southeast of the Brucejack Camp.

3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources

3.1 Accessibility

The Bowser West Camp is accessed by the all-season, well-maintained gravel road, starting at Kilometer 215 on Highway 37. All-wheel drive vehicles can utilize this road year-round, as it is well maintained with a good snow-removal program in the winter. The 74 kilometer access road was

completed in 2013 and links all of Pretium's camps, including the Brucejack Camp, Kniple Transfer Camp, Bowser West Camp, and Wildfire Camp. The property claims are also easily accessible by use of Granduc road or by chartered helicopter from the town of Stewart. The flight time from Stewart is approximately 10 minutes.

3.2 Climate and Physiography

The climate is typical of northwestern BC with cool, wet summers, and relatively moderate but wet winters. Annual temperatures range from +20°C to -20°C. The amount of precipitation is high, with heavy snowfall and accumulations ranging from 10 to 15 meters at higher elevations and 2 to 3 m along the lower river valleys. Snow packs cover the higher elevations from October to May. The optimum field season is from late June to early-October.

The tree line is at approximately 1,200 meters elevation. Sparse fir, spruce, and alder grow along the valley bottoms, with only scrub alpine spruce, juniper, alpine grass, moss, and heather covering the steep valley walls. Prospecting work took place both above and below the tree line.

3.3 Infrastructure and Local Resources

Infrastructure at Bowser West Camp is limited to Pretium's Brucejack Gold Mine access road from Highway 37 and the Bowser airstrip, which was completed in July 2016 in order to accommodate small aircrafts. The nearest infrastructure to the Cascade Property is the town of Stewart, located approximately 15 km to the south of the mineral claims, which has a minimum of supplies and personnel. Stewart is the most northerly ice-free shipping port in North America. The city of Terrace and town of Smithers are located further south in the same general region (Fig. 2). Both communities are directly accessible by daily air service from Vancouver, with Terrace also accessible from Prince George.

The nearest railway is the Canadian National Railway Yellowhead route, which is located approximately 220 km to the southeast. This line runs east from the terminal at the deep water port of Prince Rupert on the west coast of B.C.

A 57 km long transmission line, which connects the Brucejack Mine to the BC Hydro power grid, was completed in March 2017.



Figure 1. Location map showing the Cascade Property in northwestern British Columbia.




Figure 2. Location map of the Pretium Exploration Bowser Property (blue) and the Cascade Property (red).

4.0 Mineral Tenures

The Cascade Property comprises 5 contiguous mineral claims within the Skeena Mining Division, for just under 2.5 km² area (Table 1). The 2018 prospecting program was located on mineral claims 1040173, 1048082, and 1050908 (Fig. 3).

Table 1: Claim Information, Cascade Property Claims

Tenure Number	Claim Name	Date Staked	Expiry Date*	Area (Ha)
1050908		Mar 23, 2017	Jan 31, 2020	36.12
1048082		Nov 27, 2016	Jan 31, 2020	18.06
1040173	Gap	Nov 26, 2015	Jan 31, 2020	126.44
1033415	Silver	Jan 15, 2015	Jan 31, 2020	18.06
1026033		Feb 17, 2014	Jan 31, 2020	54.18

* Prior to this assessment report

5.0 History

Mining has taken place in the Stewart area since the early 1900's, and is one of the most prolific mining districts in British Columbia. Prominent properties include the past-producing Snip, Eskay Creek, Silback-Premier and Big Missouri mines, and Pretium's active Brucejack Mine. Exploration work in the region is generally focused on the prospect of finding high grade Au-Ag mineralization, similar to the Eskay Creek and Brucejack deposits. Previous work on the Cascade Property has primarily focused on the Indian Mine and the Woodbine workings.

5.1 Indian Mine Workings

The Indian Mine is located on the Portland No. 1 and 2 Crown Grants. Exploration on the property started in 1910, with sporadic production taking place from 1925 through to 1953. Mineralization is hosted in the Lower Hazelton Group, which comprises northwest trending and steeply dipping folded andesitic lapilli tuffs, flows, and breccias. This sequence is intruded by the Lower Jurassic Texas Creek plutonic suite of dacitic porphyry dikes, and Eocene Hyder suite of granitic intrusions. Mineralization is typically shear hosted, with faults containing pyrite, sericite, and quartz-calcite filled breccias.

Production from the mine was largely confined to the Indian vein, which pinches and swells along a known strike length of 366 m and a vertical range of at least 122 m. The Indian vein contains



Figure 3: Location map showing the Cascade Property mineral claims.

variable gold and silver values over narrow vein widths with low continuity. Drilling by Esso Resources in 1984 intersected 8.95 m of vein that assayed 2.14 g/t Au and 57.9 g/t Ag (McGuigan, 1984).

5.2 Woodbine Workings

The Woodbine workings are located approximately 500 m NW of the Premier open pit mine. Production took place from 1926 to 1928, during which time the Woodbine Gold Mining Co. completed 900 m of underground exploration drifting. The adits follow gold and silver mineralization located on surface. In 1980 and 1981, Houston International Minerals Corp. conducted geologic mapping, soil sampling, and a magnetometer survey on the property. Esso Resources completed an IP survey on the claims in 1983 and recommended testing the property with three drill holes (Monahan and Wilson, 1983). In 1987, Esso Resources and Westmin Resources drilled 25 holes (Murrell, 1988). The results were disappointing and no further work has been reported.

6.0 Geological Setting and Mineralization

6.1 Regional Geological Setting

The property claims are located in the western Stikine terrane (Stikinia), the largest of several allochthonous terranes in the Intermontane Belt of the Canadian Cordillera (Fig. 4). Stikinia, which is considered to be a multistage mid-Palaeozoic to Middle Jurassic island arc terrane that developed in an intra-oceanic setting isolated from the North American continental margin (Gagnon et al. 2012), underlies much of western BC (Fig. 4). Stikinia appears to have been accreted to the North American continental margin as early as the late Middle Jurassic (c. 173 Ma).

The Stikine terrane in northwestern BC (MacDonald et al. 1996) consists of a series of unconformity-bound tectonostratigraphic elements, including:

- Paleozoic island-arc rocks of the Stikine assemblage
- Mesozoic island-arc rocks of the Upper Triassic Stuhini Group and the Lower to Middle Jurassic Lowe Hazelton Group
- Middle to Upper Jurassic overall assemblage sedimentary rocks of the Bowser Lake Group




Figure 4. Tectonic setting of the Indian claims property in the northwest Canadian Cordillera. From Nelson and Kyba (2014).

- Tertiary igneous and metamorphic rocks of the Coast Plutonic Complex occur to the west of the Stikine terrane in this area.

At least four magmatic episodes and three mineralizing events have been recognized in northwestern Stikinia (Anderson et al. 2003):

- Late Triassic to Early Jurassic (205 to 196 Ma) alkaline porphyry-related magmatism and associated deformed mesothermal silver-gold veins (e.g. Red Mountain, KSM)
- Early Jurassic (196 to 187 Ma) alkaline porphyry-related epithermal and mesothermal gold-silver veins and base and precious metal deposits (e.g. Premier, Sulphurets, and Bronson Creek)
- Early to Middle Jurassic (184 to 182 Ma) small and poorly mineralized porphyry intrusions
- Middle Jurassic (175 to 172 Ma) calc-alkaline and tholeiitic back-arc magmatism and syngenetic to epigenetic back-arc basin-related stratabound base and precious metal deposits (e.g. Eskay Creek, RDN).

The northwest part of Stikinia (in particular the volcanic and sedimentary rocks of the Hazelton Group) and related Early Jurassic plutons, represent perhaps the most well-endowed metallogenic assemblage in BC. In addition to the Brucejack and Snowfield deposits, this area also includes nearby former producers such as Eskay Creek, Snip, Silbak-Premier, Big Missouri, Dolly Varden, Torbrit, Granduc, and Anyox (Fig. 5). Furthermore, adjacent properties host significant precious and base metal resources (e.g. Kerr-Sulphurets-Mitchell-Iron Cap (KSM), and Red Mountain deposits), as well as a number of high-potential mineral occurrences (e.g. Homestake Ridge, Silver Coin, Red Cliff, Clone, and Electrum Properties). These deposits represent several mineralization styles, including Au-Ag epithermal (e.g. Brucejack), Au-Ag-Cu-Pb-Zn volcanogenic massive sulphide (e.g. Eskay Creek Au-Cu-Mo) and porphyry (e.g. KSM; Fig. 5). The Brucejack, Snowfield, Eskay Creek, KSM deposits and surrounding area comprise what is commonly referred to as the Iskut-Sulphurets gold camp.

6.2 Local Geology and Stratigraphy

The property claims are predominantly underlain by the subaqueous to locally sub-aerial, arc-related volcanic, and subordinate sedimentary rocks of the lower Hazelton Group, which unconformably overlie the Stuhini Group (Fig. 5). The Unuk River Formation generally consist of thick massive plagioclase (\pm hornblende, K-feldspar, and pyroxene)-phyric andesitic and dacitic flows, breccias, and related pyroclastic fragmental rocks, with subordinate mafic and felsic rocks and minor siltstone and




Figure 5. Regional geology map showing significant mineral deposits in the district. From Nelson and Kyba (2014).

mudstone layers. Age dates from the lower Hazelton Group have been constrained to 194 Ma to 185 Ma (Lewis 2013).

On the Cascade Property the Lower Hazelton Group is intruded by medium to coarse grained, equigranular diorites of the Early Jurassic Texas Creek plutonic suite (195-189 Ma) (Brown et al., 1996). The plutonic rocks are subsequently cross-cut by a series of late stage intermediate dikes that are likely related to the bimodal Portland Canal dyke swam, dated around 50 Ma (Green, Greig & Friedman 1995).

7.0 2018 Exploration Program

7.1 Rock Geochemistry

Eight samples were collected from the property claims (Fig. 6); sample locations and descriptions are included in Appendix 1. Three samples were collected from a medium to coarse grained diorite intrusion with 20-30% amphibole. Plagioclase phenocrysts are weakly sericitized and amphiboles are variably chloritized. Moderate to pervasive silicification occurs in the two of diorite samples, which also contained trace to 1% disseminated pyrite with lesser pyrite clots and stringers. None of the pyrite bearing intrusion samples were auriferous.

One additional host rock samples was collected from a pervasively silicified outcrop that was interpreted as an andesitic tuff. Three quartz veins samples were collected and varied in width from 5 to 30 cm. Texturally, the quartz veins were coarse crystalline and variably vuggy. Only one vein sample had trace disseminated pyrite. None of the samples were anomalous with respect to precious and base metals (Fig. 7).

7.2 Geologic Mapping


A geologic map was created based on the field observations and a compilation of previous work on the claims (Fig. 8). The geology map shows the locations of the diorite host rock and cross-cutting megacrystic feldspar and late stage dikes. It is unclear whether the andesitic “tuffs” are large xenoliths or younger dikes, as the contacts are strongly silicified.


7.3 Sampling Methodology and QAQC

Grab samples were collected in the field, described by the geologist, and then placed into a plastic poly-ore bag. Each bag was numbered with a unique lab sample tag and sealed with a zip-tie. At the end



Figure 6: Location of rocks samples collected on the Cascade Property.





of each day the sample descriptions were entered into a company database. All samples were bagged in rice sacks labelled with unique sample tracking numbers at Bowser West Camp. The rice sacks were placed into a canopied truck bed for daily transport to Terrace, B.C., where they were received by the ALS Laboratories facility. Each sample was analyzed using a four acid digestion 48 element ICP package (ME-MS61) and gold by fire assay and atomic absorption spectroscopy with a 30 gram pulp (Au-AA23). In addition to this, a handheld X-ray fluorescence (XRF) analyzer was used at the lab on each sample pulp to provide results for three valuable lithological elements: Si, Ti, and Zr (pXRF-34). All samples are weighed and crushed to 2mm. From this crush a 1 kg split was collected and pulverized to 75 microns for analysis. ALS Laboratory certificates are included in Appendix 2.

8.0 Recommendations

Based on the results of the 2018 exploration program, and a review of historic work, the mineralization potential on the Cascade property appears to be limited to the historic workings. It is recommended that additional traverses focus on locating the old showings and evaluating the economic potential within these zones.

9.0 References

- Anderson, R.G., Simpson, K., Alldrick, D., Nelson, J., and Stewart, M., 2003. Evolving ideas on the Jurassic tectonic history of northwestern Stikinia, Canadian Cordillera. In: Geological Society of America Abstracts with Programs, Volume 35 No. 6, September 2003, p.89.
- Best, R.V., 1962. Assessment Report on the Cascade Creek Area, Salmon River District, Portland Canal, Skeena Mining District; British Columbia Ministry of Energy and Mines, No. 448. 22 p.
- Brown, D.A., Gunning, M.H., and Greig, C.J., 1996. The Stikine Project: Geology of Western Telegraph Creek Map Area, Northwestern British Columbia. Bulletin 95; British Columbia Geological Survey, 182 p.
- Gagnon, J.-F., Barresi, T., Waldron, J.W.F., Nelson, J.L., Poulton, T.P., and Cordey, F., 2012. Stratigraphy of the upper Hazelton Group and the Jurassic evolution of the Stikine terrane, British Columbia. Canadian Journal of Earth Sciences, 49(9): 1027-1052.
- Green, D., Greig, C.J., and Friedman, R.M. 1995. Geological setting, geochronology and thermal modelling of the Portland Canal dyke swarm, Stewart area, northwestern British Columbia; Current Research 1995-E; Geological Survey of Canada, p. 47-57

- Lewis, P.D., 2013. Iskut River Area Geology (NTS 104B/08 and part of 104B/01, 07); Geoscience BC Map 2013-05-1, 1:50,000 scale and additional notes.
- McGuigan, P.J., 1984. Assessment Report on Diamond Drilling on the Portland No. 1 (L 1980) Claim, Indian Group; British Columbia Ministry of Energy and Mines, No. 13073. 49 p.
- Macdonald, A.J., Lewis, P.D., Thompson, J.F.H., Nadaraju, G., Bartsch, R.D., Bridge, D.J, Rhys, D.A, Roth, T. Kaip, A. Godwin, C.I., and Sinclair, A.J., 1996. Metallogeny of an Early to Middle Jurassic arc, Iskut River area, northwestern British Columbia: *Economic Geology*, 91: 1098-1114.
- Monahan, M., and Wilson, L., 1983. Assessment Report on the Woodbine Prospect, Boundary Group, 1983 Exploration; British Columbia Ministry of Energy and Mines, No. 12235. 57 p.
- Murrell, M.R., 1988. Assessment Report on Diamond Drilling on the Vancouver No. 1 and Woodbine No. 1 Fr. And the Vancouver No. 2 and Vancouver No. 3, and PX Fr.; British Columbia Ministry of Energy and Mines, No. 17151. 161 p.
- Nelson, J., and Kyba, J., 2014. Structural and stratigraphic control of porphyry and related mineralization in the Treaty Glacier – KSM – Brucejack – Stewart trend of western Stikinia. In: *Geological Fieldwork 2013*, British Columbia Ministry of Energy and Mines, British Columbia Geological Survey Paper 2014-1, pp. 111-140.

Appendix I. Sample Locations and Descriptions

Sample	UTM East	UTM North	Sample Type	Sample Source	Sampled By	Date	Lithology	Texture	Alteration	Alteration Intensity	Mineralization	Mineralization Intensity	Mineralization Form	Description
B081576	435211.4943	6214290.549	Grab	Outcrop	CJames	9/28/2018	Diorite	equigranular	sericite	weak	pyrite	<0.5%	disseminated	Coarse-grained diorite, contains trace disseminated pyrite mineralization. Plagioclase phenocrysts are weakly sericite altered. Contains 10-15% amphibole.
B081577	434874.0002	6214544.448	Grab	Outcrop	CJames	9/28/2018	Andesite	aphanitic	silicified	strong	pyrite	0.50%	disseminated	Silicified, fine grained intermediate (?) volcanic. Minor Fe-oxides on surfaces and fractures. Contains weak pyrite mineralization disseminated throughout.
B081578	434706.7662	6214606.095	Grab	Vein	CJames	9/28/2018	Quartz Vein	vuggy	silicified	moderate				5cm wide, comb textured coarse crystalline quartz vein, moderately silicified host rock. Trace pyrite in vein selvages. No mineralization observed in vein.
B081579	434699.1883	6214668.772	Grab	Vein	CJames	9/28/2018	Quartz Vein	vuggy	silicified	moderate				Large 20-30 cm milky white coarse-crystalline quartz vein outcropping over 1.5m in strongly silicified volcanic host. No mineralization observed.
B081580	434690.0436	6214681.82	Grab	Vein	CJames	9/28/2018	Quartz Vein	equigranular	silicified	weak				Large 10cm milky white coarse-crystalline quartz vein outcropping over 1.5m in strongly silicified volcanic host. No mineralization observed.
B081581	434772.8484	6214989.577	Grab	Subcrop	CJames	9/28/2018	Diorite	porphyritic	chlorite	weak	pyrite	1-2%	stringers	Diorite, appears slightly porphyritic with chlorite altered phenocrysts. Moderate pervasive silicification of host. Contains weakly disseminated pyrite and 1-2mm pyrite stringers.
B081582	434965.6362	6215275.969	Grab	Vein	CJames	9/28/2018	Quartz Vein	vuggy	silicified	moderate				Vuggy coarse crystalline quartz silica vein, moderate pervasive silicification of host. Vein selvages contain trace disseminated pyrite mineralization.
B081583	434970.9713	6215274.669	Grab	Outcrop	CJames	9/28/2018	Diorite	equigranular	chlorite	moderate	pyrite	1-2%	disseminated	Strongly silicified intermediate intrusive/volcanic, maybe dioritic with chlorite alteration of hornblende phenocrysts. Contains moderate disseminated pyrite and clots of pyrite mineralization.

Appendix II. Assay Certificates from ALS Laboratories



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-OCT-2018
 This copy reported on
 27-NOV-2018
 Account: PRETRES

TR18245636

Project: Bowser Regional Project
 P.O. No.: BOW-0633
 This report is for 22 Rock samples submitted to our lab in Terrace, BC, Canada on
 30-SEP-2018.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY
 KEN MCNAUGHTON

WARWICK BOARD
 STEPHANIE WAFFORN

JULIANNE MADSEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-32md	Pulverize 500g-DUP -85%<75um
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
pXRF-34	pXRF - Si, Ti & Zr Add on Package	PXRF
Au-AA23	Au 30g FA-AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-OCT-2018
 Account: PRETRES

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS TR18245636

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
B083910		1.52	<0.005	0.06	7.15	0.5	490	0.96	0.03	1.26	0.13	50.7	28.9	82	2.36	35.4
B083911		1.79	0.005	0.18	7.38	15.5	520	0.80	0.04	4.94	0.39	7.37	37.7	180	5.54	51.0
B083912		1.63	<0.005	0.16	8.32	13.8	440	1.26	0.05	3.91	0.39	50.0	36.0	100	2.25	44.3
B083913		1.70	<0.005	0.37	8.96	8.2	310	1.09	0.02	4.80	0.18	50.7	32.4	101	1.72	48.9
B083914		1.78	0.005	0.39	8.13	13.9	490	0.68	0.11	6.19	0.09	9.67	41.0	171	4.92	57.0
B081576		1.66	<0.005	0.22	8.36	7.1	1800	1.50	0.63	2.39	0.08	44.9	10.2	30	1.13	16.1
B081577		1.30	<0.005	0.89	8.18	24.4	1490	1.27	0.72	1.41	1.30	37.2	8.6	7	5.83	107.5
B081578		1.47	<0.005	0.06	1.56	1.1	110	0.08	0.01	0.04	0.05	2.63	0.7	16	0.27	3.4
B081579		1.41	<0.005	0.07	0.40	1.2	80	0.05	0.22	0.01	0.12	1.61	1.0	21	0.40	5.2
B081580		1.22	<0.005	0.09	0.42	0.6	80	<0.05	0.02	0.02	0.19	0.86	1.1	20	0.25	3.8
B081581		1.14	0.005	1.37	8.32	12.9	1260	1.76	0.25	0.63	0.32	31.0	13.3	7	5.49	194.5
B081582		1.13	<0.005	0.47	0.69	5.8	300	0.15	0.30	0.03	0.40	4.94	1.8	26	0.54	28.1
B081583		1.07	0.012	3.71	9.23	107.0	330	1.29	0.92	0.23	1.80	17.30	10.1	6	4.30	126.5
B081601		0.97	<0.005	0.10	1.97	0.9	7890	0.45	0.01	0.03	0.60	20.0	4.5	8	1.78	1.4
B081602		1.28	<0.005	0.31	9.13	4.5	970	1.54	0.02	0.10	1.12	41.8	6.9	5	10.40	1.8
B081603		1.25	<0.005	0.09	9.15	50.1	1960	1.91	0.02	0.43	0.63	31.8	6.6	5	16.90	9.1
B081604		0.68	0.009	0.19	9.55	18.5	1330	1.64	0.28	0.12	0.13	42.1	12.1	163	9.06	41.9
B081605		0.92	0.006	0.07	6.59	17.2	920	0.87	0.11	0.12	0.02	39.0	3.8	10	4.76	13.1
B081606		0.73	0.005	0.06	0.85	0.8	50	0.11	0.01	1.16	0.12	5.61	0.9	15	0.59	1.6
B081606D		<0.02	<0.005	0.06	0.87	0.7	50	0.10	0.01	1.16	0.12	5.72	0.9	24	0.59	1.7
B081607		1.15	<0.005	0.31	7.53	4.8	2190	1.34	0.03	1.75	0.15	36.1	4.1	13	5.30	6.8
B081608		1.21	<0.005	0.10	7.77	3.9	3440	1.06	0.18	3.92	0.31	33.6	20.8	16	19.40	28.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-OCT-2018
 Account: PRETRES

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS TR18245636

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
B083910		6.02	15.20	0.15	1.1	0.063	1.44	25.8	64.9	6.90	825	0.37	0.49	9.3	55.1	2490
B083911		2.84	10.70	0.09	1.3	0.058	1.19	3.3	4.8	0.29	257	0.60	5.21	1.6	72.8	540
B083912		6.49	17.60	0.14	1.7	0.069	0.67	22.9	37.2	3.65	1260	2.98	2.61	11.0	84.6	2910
B083913		6.94	18.20	0.12	1.7	0.069	0.20	22.3	30.4	3.26	1240	0.28	3.83	11.3	65.5	3010
B083914		5.28	12.95	0.09	1.1	0.047	0.90	4.1	8.5	0.76	631	1.93	4.95	1.7	82.6	570
B081576		3.48	19.05	0.11	2.2	0.029	2.38	24.1	18.7	1.27	760	0.73	2.99	9.4	8.3	970
B081577		4.12	17.75	0.14	1.0	0.080	4.83	20.1	11.8	0.72	1420	1.61	1.05	7.7	1.7	990
B081578		0.82	1.66	0.05	0.1	<0.005	0.13	1.2	0.9	0.03	598	0.36	1.06	0.7	1.0	120
B081579		1.11	1.55	<0.05	<0.1	0.005	0.10	0.8	1.9	0.09	2250	0.38	0.06	0.2	1.1	90
B081580		1.16	1.26	<0.05	<0.1	<0.005	0.09	0.5	2.8	0.14	417	0.34	0.07	0.2	1.1	20
B081581		4.53	17.05	0.14	0.7	0.033	5.30	15.7	13.9	1.08	525	3.91	1.19	7.9	3.1	1020
B081582		0.91	1.62	<0.05	0.1	0.012	0.41	2.4	1.3	0.06	599	11.10	0.02	0.7	1.4	110
B081583		5.73	18.45	0.13	0.9	0.087	5.24	7.8	14.9	0.94	457	54.2	1.41	8.6	4.9	1040
B081601		2.71	3.81	0.06	0.4	0.011	0.66	10.6	117.0	0.07	2000	0.63	0.27	1.5	1.7	160
B081602		3.18	18.35	0.11	2.3	0.026	3.68	24.4	16.5	0.27	889	1.14	1.32	8.3	2.5	640
B081603		3.79	17.40	0.13	2.2	0.037	5.21	17.3	15.6	0.76	681	1.98	0.54	8.8	2.4	1460
B081604		3.54	22.0	0.13	1.3	0.085	3.15	19.6	32.1	0.94	344	2.40	1.25	8.6	104.0	580
B081605		4.43	13.70	0.12	2.3	0.067	2.02	13.1	27.8	0.88	257	1.08	0.43	3.5	3.4	740
B081606		1.06	1.56	0.06	0.1	0.005	0.20	3.0	1.3	0.02	734	0.41	0.36	0.3	2.8	60
B081606D		1.20	1.53	0.05	0.1	<0.005	0.20	3.1	1.2	0.02	757	0.46	0.37	0.3	2.9	70
B081607		2.04	13.90	0.11	2.1	0.022	3.43	20.1	6.0	0.25	958	0.49	2.85	7.2	1.7	480
B081608		5.26	16.35	0.15	1.5	0.073	4.54	16.1	41.2	1.84	2030	0.24	0.48	6.2	7.1	1010



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-OCT-2018
 Account: PRETRES

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS TR18245636

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
B083910		3.6	14.5	<0.002	0.01	0.31	26.0	<1	0.7	92.4	0.46	<0.05	0.89	0.756	0.15	0.2
B083911		8.5	21.1	<0.002	2.38	2.29	27.2	1	0.7	376	0.11	0.12	0.44	0.584	0.46	0.6
B083912		12.0	11.5	0.002	0.19	0.47	27.9	1	1.1	576	0.52	<0.05	0.79	0.839	0.19	0.2
B083913		12.4	1.9	<0.002	0.08	0.59	29.3	1	1.1	501	0.53	<0.05	0.80	0.871	0.04	0.3
B083914		19.7	15.6	<0.002	3.30	2.42	30.4	1	0.8	365	0.11	<0.05	0.55	0.578	0.31	0.4
B081576		29.2	67.1	<0.002	0.06	1.70	9.3	<1	1.0	713	0.66	0.05	6.93	0.360	0.67	3.5
B081577		20.4	169.0	<0.002	1.90	3.86	13.1	2	1.2	187.0	0.50	0.22	4.62	0.296	1.45	2.3
B081578		1.9	5.3	<0.002	0.01	0.51	0.9	<1	<0.2	59.4	<0.05	<0.05	0.40	0.030	0.05	0.2
B081579		5.1	4.4	<0.002	<0.01	0.56	0.2	<1	0.3	4.2	<0.05	<0.05	0.34	0.006	0.04	0.1
B081580		5.7	3.8	<0.002	<0.01	0.57	0.2	1	<0.2	5.7	<0.05	<0.05	0.22	0.005	0.03	0.1
B081581		11.9	162.5	0.010	2.13	2.29	12.1	8	1.0	244	0.54	0.09	5.97	0.295	1.54	2.5
B081582		48.2	16.3	<0.002	0.07	0.79	0.9	1	<0.2	6.9	0.05	<0.05	0.90	0.021	0.16	0.3
B081583		73.2	134.5	0.051	3.79	4.67	11.6	4	1.3	246	0.58	0.18	4.69	0.257	2.67	2.1
B081601		8.5	30.8	<0.002	0.21	9.21	2.5	<1	0.2	127.0	0.10	<0.05	2.24	0.050	0.30	0.9
B081602		57.6	165.5	<0.002	0.23	2.14	8.7	1	0.8	89.9	0.58	<0.05	11.00	0.265	1.59	3.8
B081603		11.8	166.5	<0.002	0.01	1.83	11.8	<1	0.8	113.0	0.59	<0.05	7.33	0.338	1.18	3.3
B081604		10.4	123.5	0.002	0.44	1.69	21.7	2	1.6	102.5	0.53	0.14	5.19	0.501	1.03	1.4
B081605		9.2	78.3	<0.002	0.04	1.47	12.0	<1	0.9	55.7	0.20	0.07	2.37	0.266	0.70	1.0
B081606		10.0	6.8	<0.002	<0.01	0.38	0.7	<1	<0.2	131.0	<0.05	<0.05	0.42	0.008	0.06	0.1
B081606D		10.0	6.7	<0.002	<0.01	0.36	0.7	1	<0.2	130.5	<0.05	<0.05	0.42	0.009	0.05	0.1
B081607		22.6	98.4	<0.002	0.14	2.20	4.8	<1	0.7	348	0.53	<0.05	9.85	0.190	0.93	3.3
B081608		9.1	157.0	<0.002	<0.01	1.16	23.2	1	1.0	507	0.37	<0.05	3.43	0.480	1.25	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-OCT-2018
 Account: PRETRES

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS TR18245636

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	pXRF-34	pXRF-34	pXRF-34
		V	W	Y	Zn	Zr	Si	Ti	Zr
		ppm	ppm	ppm	ppm	ppm	%	%	ppm
		1	0.1	0.1	2	0.5	0.5	0.1	5
B083910		214	0.1	22.0	79	49.0	19.4	0.6	111
B083911		226	1.4	12.1	94	44.4	21.3	0.7	67
B083912		235	0.2	22.9	136	50.0	18.6	0.8	134
B083913		240	0.2	24.2	96	58.1	17.2	0.7	131
B083914		217	0.7	15.0	41	36.8	18.2	0.6	68
B081576		88	1.1	11.1	74	78.9	26.7	0.5	148
B081577		98	5.6	7.8	159	32.9	26.6	0.5	99
B081578		6	0.2	0.6	8	1.4	45.3	<0.1	12
B081579		4	0.3	0.5	20	1.1	46.4	<0.1	5
B081580		4	0.1	0.4	34	1.1	46.4	<0.1	<5
B081581		108	1.8	15.0	52	18.9	26.0	0.5	112
B081582		8	0.4	0.7	31	2.5	46.3	<0.1	11
B081583		102	5.2	3.5	191	24.0	24.3	0.6	119
B081601		23	0.5	6.2	89	16.7	38.8	0.5	45
B081602		91	3.1	12.2	165	88.4	28.9	0.3	162
B081603		121	1.3	13.1	74	87.0	26.6	0.5	147
B081604		196	1.4	8.1	70	48.7	27.1	0.7	142
B081605		98	0.6	25.4	71	92.7	30.7	0.3	143
B081606		5	0.1	3.4	14	3.4	45.7	<0.1	11
B081606D		5	0.1	3.3	14	3.3	45.4	<0.1	10
B081607		49	1.6	10.5	46	81.1	29.9	0.3	151
B081608		207	0.5	15.5	91	54.4	21.1	0.7	109



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: PRETIUM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 23-OCT-2018
 Account: PRETRES

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS TR18245636

	CERTIFICATE COMMENTS												
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REE's may not be totally soluble in this method. ME-MS61</p>												
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">BAG-01</td> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%;">LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>PUL-32m</td> <td>PUL-32md</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>WEI-21</td> <td></td> </tr> </table>	BAG-01	CRU-31	CRU-QC	LOG-21	LOG-21d	PUL-32m	PUL-32md	PUL-QC	SPL-21	SPL-21d	WEI-21	
BAG-01	CRU-31	CRU-QC	LOG-21										
LOG-21d	PUL-32m	PUL-32md	PUL-QC										
SPL-21	SPL-21d	WEI-21											
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA23</td> <td style="width: 33%;">ME-MS61</td> <td style="width: 33%;">pXRF-34</td> <td></td> </tr> </table>	Au-AA23	ME-MS61	pXRF-34									
Au-AA23	ME-MS61	pXRF-34											

Appendix III. Flight Ticket from Yellowhead Helicopters



FLIGHT TICKET

97495

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 09 28 2018 NON-REV

CUSTOMER INFORMATION

NAME PRETIUM - BOWSOR GEOLOGY

ADDRESS

AIRCRAFT / CREW INFORMATION

LOCATION KNP BASE CODE 50
 A/C GN4H A/C TYPE 407 HP USE CODE 45
 REG GN4H
 PRINT PILOT 1 Aaron Harris
 PRINT PILOT 2
 PRINT ENGINEER NAMES Peter Burke

CITY
 PROV POSTAL / STATE ZIP CODE TEL

CONTACT PERSON
 P.O. No. / RE. No. BOWSOR EXPLORATION
 CONTRACT No.

DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS	CUSTOMER CODES	START TIME	END TIME	HOURS
SHIFT CHANGE - COIL HEATERS - REH CREW D/O		0713		
2x LOAD LUMBER TO TODDCK - QUANTEC / REH FALLERS D/O @ HYMALA			0846	1.3
GEOS D/O 2 @ A6 - 4 @ PREMIER / QUANTEC		0853		
SITE P/u x 2 @ HYMALA			0955	1.0
QUANTEC D/O @ A6 → DRILL SHUTDOWN w STEFFI		1016	1054	0.5
DRILL SUPPORT / CORE / ROD HANDLER		1058	1120	0.4
HYTEH DAN → TODDCK - REH GEAR @ Bow - QUANTEC		1232		
BUMP @ 146 - D/O GEAR @ TODDCK x2 - P/u FALLERS @ HYMALA - REEVE 154			1411	1.0
DRILL CROW MOVE - TODDCK → KOOPA - DEMOB TODDCK P/u		1512		
x 4 LOADS - P/u GEOS @ A6 - QUANTEC A6 → HYMALA			1705	1.6
DRILL MOVE KOOPA → TODDCK - P/u CROW		1714	1926	2.2

DAANGEROUS GOODS TRANSPORTED (CHECK / COMPLETE ALL APPLICABLE) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <small>(THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS</small>	<input type="checkbox"/> 12.9 LIMITED ACCESS UN # CLASS SHIPPING NAME QTY	PILOT-IN-COMMAND RESPONSIBILITIES		TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS 8.0
				TOTAL BILLABLE HOURS 8.0 PILOT MINIMUMS ENGINEER MINIMUMS

OTHER CHARGES	PILOT	ENG	LOCATION	AMOUNT	ITEM	LOCATION	HRS/QTY	RATE	AMOUNT
BREAKFAST					CUSTOMER SUPPLIED FUEL			\$0.00	\$0.00
LUNCH					CUSTOMER SUPPLIED FUEL	KNP	8.0	\$0.00	\$0.00
DINNER					YHL FUEL				
ACCOMMODATION					YHL FUEL				
VEHICLE					YHL FUEL				
TRAILER / SLIPTANK					OIL ENVIRONMENTAL FEE	KNP	8.0		
ENVIRO TANK					LANDING FEE				
OTHER					LANDING FEE				

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Waffron *[Signature]* *[Signature]*

PRINT NAME OF PERSON AUTHORIZED TO SIGN WHITE - ACCOUNTING CANARY - INVOICE AUTHORIZED SIGNATURE BLUE - CUSTOMER PINK - MISC PILOT SIGNATURE GREEN - PILOT

APPENDIX IV

Cost Statement

SUMMARY

Personnel	\$	1,450.00
Food & Accommodation	\$	100.00
Assays	\$	308.40
Helicopter Support + Fuel	\$	2098.50
TOTAL COST	\$	3956.90

Geologists, Geotechnicians, and Food & Accommodation Costs

Peronnel	Position	Rate	Dates Worked		Total Days	Total
			From	To		
Corey James	Geologist	\$ 325.00	28-Sep-17	28-Sep-17	1	\$ 325.00
Dallas Tom	Geotechnician	\$ 275.00	28-Sep-17	28-Sep-17	1	\$ 275.00
Stephanie Wafforn	Author	\$ 425.00	27-Nov-18	-	1	\$ 425.00
Christina Anstey	Figures	\$ 425.00	27-Nov-18	-	1	\$ 425.00

Camp Food and Accommodation costs: 1 day @ \$50 per person/day

\$ 100.00

Total

\$1,550.00

Assay Costs - ALS Canada Ltd.

Assays Certificate & Invoice Number	PO Number	Number of Samples	Net Price
TR18245636	BOW-0633	8	\$ 308.40

Helicopter Costs - Yellowhead Helicopters Ltd.

Flight Ticket	Hours	Date	Cost
88350	1.0	28-Sep-18	\$ 2098.50

Appendix V. Statement of Qualifications

I, Stephanie Rachel Wafforn, of 103 – 2588 Alder Street, Vancouver, British Columbia, Canada, hereby certify that:

1. I am a graduate of The University of Texas at Austin with a PhD (Geological Sciences, 2017), and Oregon State University with a MS (Geological Sciences, 2013), and Queen's University with a BSc with Honours (Geological Sciences, 2011), and have practiced my profession continuously since graduation.
2. I have been employed in the geoscience industry since 2009, and have explored for gold and silver in Canada, Mexico, and Argentina with mid-size and junior mining companies.
3. I am not aware of any material fact or material change with respect to the subject matter of the technical report that is not reflected in the report, the omission to disclose which makes the technical report misleading.
4. I am an employee of Pretium Exploration Inc. I have been employed in exploration on behalf of Pretium Exploration Inc. since 2017.
5. I am an author of the report entitled; "2018 Prospecting Program on the Cascade Property" dated December 12, 2018. I worked on and supervised the work program reported on herein.

Dated at Vancouver, British Columbia, this 12th day of December 2018.

Respectfully submitted,

"Stephanie Rachel Wafforn" -signed

Stephanie Rachel Wafforn, PhD

Field Geologist Credentials

Corey James

Memorial University, Earth Sciences, B.Sc, 2017