

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey


Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical Survey, soil and rock

TOTAL COST: \$ 39,706.76

AUTHOR(S): Erik A. Ostensoe, P. Geo; Anke Woodworth

SIGNATURE(S):



NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2018

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5734744

PROPERTY NAME: Red Spring

CLAIM NAME(S) (on which the work was done): Spring, F2, Red Spring Zinc, Red Spring West

COMMODITIES SOUGHT: Copper, Silver, Zinc, Gold

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 094D 104 - Red (Spring)

MINING DIVISION: Skeena Mining Division

NTS/BCGS: 94D 3/E

LATITUDE: 56 ° 15 ' " LONGITUDE: -127 ° 10 '30 " (at centre of work)

OWNER(S):

1) F. Shirvani

2) Doubleview Capital Corp.

MAILING ADDRESS:

880-409 Granville St., Vancouver, BC, V6C 1T2

OPERATOR(S) [who paid for the work]:

1) Doubleview Capital Corp.

2)

MAILING ADDRESS:

880-409 Granville St., Vancouver, BC, V6C 1T2

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Property lies on the edge of the Bowser sedimentary basin in Lower to Mid Jurassic age and the Hazelton Group rocks.

Upper parts of the tenures are underlain by "an intercalated sequence of andesite and basalt flows and pyroclastic strata.

The principal host formation to Red Spring mineralization is a flat-lying to gently dipping fossiliferous, stylolitic, dolomitic limestone that is underlain by fine-grained tuffaceous, argillic and arenaceous units typical of the Hazelton Group.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 5946 (1), 29622, 34643

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	_____	_____	_____
Photo interpretation	_____	_____	_____
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic	_____	_____	_____
Electromagnetic	_____	_____	_____
Induced Polarization	_____	_____	_____
Radiometric	_____	_____	_____
Seismic	_____	_____	_____
Other	_____	_____	_____
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil 313	_____	945270, 1059854, 1059855	38,838.17
Silt	_____	_____	_____
Rock 7	_____	945229	838.59
Other	_____	_____	_____
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying	_____	_____	_____
Petrographic	_____	_____	_____
Mineralographic	_____	_____	_____
Metallurgic	_____	_____	_____
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)	_____	_____	_____
Topographic/Photogrammetric (scale, area)	_____	_____	_____
Legal surveys (scale, area)	_____	_____	_____
Road, local access (kilometres)/trail	_____	_____	_____
Trench (metres)	_____	_____	_____
Underground dev. (metres)	_____	_____	_____
Other	_____	_____	_____
		TOTAL COST:	\$ 39,706.76

REPORT OF GEOCHEMICAL SURVEY WORK

Sping (945229), F2 (945270), Red Spring West (1059854), Red Spring Zinc (1059855),

2MB-01 (1061202), 2MB-02 (1061208)

RED SPRING PROPERTY

OMINECA MINING DIVISION

BRITISH COLUMBIA, CANADA

NTS Map 094D/025

UTM ZONE 9 (NAD 83) at 612719 East, 6234650 North

56° 15' North, 127° 10' West

Tenures owned by DOUBLEVIEW CAPITAL CORP. and

FARSHAD SHIRVANI in trust for DOUBLEVIEW CAPITAL CORP.

OPERATOR: DOUBLEVIEW CAPITAL CORP.

REPORT PREPARED BY: ERIK A. OSTENSOE, P. GEO., consultant, and

ANKE WOODWORTH, GIS specialist.

PREPARED FOR: DOUBLEVIEW CAPITAL CORP.

EFFECTIVE DATE OF REPORT: May 23, 2019.

AMENDED: November 26, 2019.

SOW: 5734744

CONTENTS

1.0	INTRODUCTION	3
2.0	GEOLOGICAL SETTING AND MINERALIZATION AND HISTORY.....	7
3.0	2018 GEOCHEMICAL SURVEY	13
4.0	CONCLUSIONS AND RECOMMENDATIONS	22
5.0	REFERENCES	23
6.0	Expenditures.....	24
7.0	Author’s Qualifications.....	25

Appendix I - Sample Locations and Description

Appendix II - Certificates of Analysis

TABLES

TABLE 1.	Red Spring Tenures.....	3
TABLE 2.	Drill hole intervals (from Canadian Superior Ltd. data).....	8

ILLUSTRATIONS

Figure 1:	Project Location in BC.....	5
Figure 2:	Mineral Claim Map	6
Figure 3:	Regional Geology Map	12
Figure 4a:	Sample Locations.....	15
Figure 4b:	Sample Values - Silver	16
Figure 4c:	Sample Values Copper	17
Figure 4d:	Sample Values Zinc.....	18
Figure 4e:	Sample Values Lead.....	19
Figure 5a:	Contoured Sample Values – Silver and Copper (2016 and 2018 Surveys)	20
Figure 5b:	Contoured Sample Values – Zinc and Lead (2016 and 2018 Surveys)	21

1.0 INTRODUCTION

The Red Spring tenures (Table 1) are located in the Omineca Mining Division of central British Columbia, approximately 150 km north of Smithers, B. C. and 112 km east of Hazelton, B. C. (Figure 1, 2). They are immediately north of the Squingula River and ten km north of Motase Peak. The approximate center of the tenures is 56° 15' North, 127° 10' West and, following the Universal Transverse Mercator (UTM) coordinate system, they are situated in UTM ZONE 9 (NAD 83) at 612719 East, 6234650 North, in NTS Map 094D/025.

TABLE 1. Red Spring Tenures

Tenure No.	Name	Owner	Issued	Good to	Area (ha)
945229	Sping	F. Shirvani*	2012/Feb/01	2024/May/23	17.98
945270	F2	F. Shirvani*	2012/Feb/01	2024/May/23	197.77
1059854	Red Spring West	Doubleview Capital Corp.	2018/Apr/06	2021/Sep/14	755.07
1059855	Red Spring Zinc	Doubleview Capital Corp.	2018/Apr/06	2021/Sep/14	485.41
1061202	2MB-01	F. Shirvani*	2018/Jun/15	2021/Sep/14	971.18
1061208	2MB-02	F. Shirvani*	2018/Jun/15	2021/Sep/14	1797.02

*Mr Shirvani holds titles in trust for Doubleview Capital Corp.

Total: 4224.43 ha

The Red Spring mineral tenures are accessed by helicopter. A web of active and inactive logging roads is present in the Skeena and Sustut River valleys, a few kms to the north and a now-inactive branch line right-of-way of the Canadian National Railway is about 10 km north of the property. When historic drilling work was in progress, a crude bush road connected the Red Spring property to the logging road network. The latter road is now greatly deteriorated but, conceivably, could be re-activated.

Central British Columbia experiences a moderate climate, with cold, snowy winters and warm summers. Fieldwork can be conducted comfortably from late April through October. Winter snowfall accumulations in the Red Spring area may reach depths of two metres.

The Red Spring area, for all practical purposes, is totally lacking in supportive resources and infrastructure.


The Red Spring property lies in the Intermontane Physiographic Belt, aka the Interior Plateau, of the Canadian Cordillera.

A Doubleview field crew in 2013 conducted a brief property examination and gathered 10 rock and 20 soil samples (ARIS #34643). A geochemical soil survey totaling 293 samples was completed by Doubleview in 2016 (ARIS #36450) and another survey in 2018 included geologic mapping, 313 soil samples and 7 rock samples. Data from the latter program of fieldwork is presented in this report that will be filed with the Mineral Titles Branch as assessment work in order to advance the expiry date of the mineral tenures (Event no. 5734744, dated 2019/Mar/19).

Erik Ostensoe, P. Geo. a co-author of this report is a mineral exploration consultant with more than forty years experience in mineral exploration in all parts of British Columbia, Canada, Western United States and elsewhere. He has conducted field work on the Red Spring property and other mineral properties in central and northern B. C.

Anke Woodworth, GIS specialist, prepared illustrations and appendices for this report and formatted the presentation.

Field work was conducted by Parviz Rajaei, geologist, Devin Grinder and Jacob Pettigrew from July 13 to 26, 2018.



Red Spring Project

Dease Lake

Iskut

Stewart

Terrace

Smithers

Prince George

Williams Lake

Revelstoke

Courtenay

Merritt


Penticton

Nelson


Vancouver

Victoria

0 100 200 400
Kilometers



Doubleview Capital Corp.		
Red Spring Project		
Title: Project Location in British Columbia		
Scale: 1:8,500,000	Design: AW	Figure: 1
Date: May, 2019	Drawing: Terracad Geoscience Services Ltd.	Datum: Geogr./WGS84



Doubleview Capital Corp.		
Red Spring		
Mineral Claim Map		
Scale: 1:30,000	Design: AW	Figure: 2
Date: May, 2019	Drawing: Terracad Geoscience Services Ltd.	Datum: NAD83 / Z 9

2.0 GEOLOGICAL SETTING AND MINERALIZATION AND HISTORY

The Red Spring property area was included in 1973 in Geological Survey of Canada regional geological mapping at scale 1:250,000 (Eisbacher, 1973), updated in 2007 (Evanchick, et al, 2007). A sequence of east-west trending, southerly-dipping, Lower and Middle Jurassic age Hazelton Group mafic volcanic rocks with felsic volcanic members, and arenites, shales and limestone, is present north of Squingula River. Bowser Lake Group clastic rocks were mapped south of the river (Figure 3).

One zone of “red bed” type copper mineralization has been located and partially explored on the Red Spring property. Exploration has included 18.8 line km of induced polarization (IP) surveys, analysis since 2007 of 934 soil geochemical samples, and prospecting and geologic mapping of much of the property. Copper minerals include chalcopyrite, bornite and chalcocite; all are fine-grained and are disseminated in dolomitic limestone and siltstone. The sedimentary unit lies within an extensive volcanic terrain of felsic flows, cherty tuffs and minor andesitic flows, that conceivably is reflective of an igneous heat and vapour source and a source of metals.

The geologic setting and mineralization of the Red Spring property are somewhat analogous to those present in some of the world’s great copper districts, including Kupferschiefer/Zechstein of Central Europe and Dzhezkazgan, Kazakhstan

Drilling by Canadian Superior Ltd. in 1973 and 1976 was directed to the principal area of outcropping and concealed copper occurrences. Host formations include laminated siltstone and a dolomitic limestone sequence with thicknesses measured in drill holes of as much as 238 metres. Significant copper, silver and gold values are present in both formations in an area about 300 metres by 250 metres. Mineralized areas were shown to be underlain by tuffs, sandstones, siltstones and felsic volcanics. Mineralized intervals from six of nine holes drilled in 1973 are listed in Table 2: three drill holes did not intersect significant copper mineralization. City Services Mineral Corp. optioned the property in 1976 and drilled three widely spaced holes, details of which were never made public. It is not known if any “significant” copper mineralization was intersected. Drill hole collar locations are plotted in Figures 4a through e.

Drill hole	Interval (ft)	Length (ft)	Metres	% copper	oz silver per ton
73-2	10 – 140	130	39.6	0.56	0.32
73-3	6 – 142	136	41.45	0.54	0.61
73-5	5 – 170	165	50.29	0.47	0.16
73-6	3 – 150	147	44.8	0.47	0.28
73-7	3 – 160	157	47.85	0.30	0.14
73-9	11 – 50	39	11.89	0.59	0.39

TABLE 2. Drill hole intervals (from Canadian Superior Ltd. data)

So-called “redbed” copper deposits constitute some of the largest, but also the world’s most diverse, copper resources, including the Kupferschiefer/Zechstein of central Europe, and, arguably, the Central African Copperbelt of Zaire and Zambia, and Dzhezkazgan of Kazakhstan. In British Columbia, the Red Spring deposit is similar to several copper occurrences located about 37 km to the east, including the Driftwood, Comstock, and North Star, and it is reasonable to assume that an area-scale regime of copper mobilization and deposition, fueled by volcanism or, speculatively, even “hot smoker” seafloor conduits, once prevailed in the region.

Although the copper, et al. mineralized horizons of typical stratabound copper deposits appear to conform to current broad definitions of “red bed” deposits, the origins and mechanisms of transportation and deposition of the contained metals is controversial: strongly-held but diverse opinions are expressed by believers in the post-depositional diffusion of copper-bearing solutions through the chemical trap of a reducing environment with resulting fixation of copper, and the opposing supporters of a purely syngenetic origin that implies that copper in some form was deposited with the host strata and subsequently combined with formational sulphur. Even though epigenetic models of formation ((Lindgren (1933), Bateman (1946)), have largely been discarded, difficult questions remain with respect to sedimentary versus diagenetic origins.

Stratabound copper deposits, both concordant and discordant, account for approximately 40% of the world’s copper resources (Kirkham, 1990). In many volcanic redbed-type copper deposits, possibly including Red Spring, ore formations occur in sedimentary rocks interlayered in volcanic sequences and are controlled by factors such as porosity and permeability and oxidation/reduction interfaces.

Brown, in a comprehensive review of sediment-hosted stratiform copper deposits (Brown, 1992), identified twelve features characteristic of SCD deposits:

1. *The presence of a prominent cupriferous zone; exceptionally lead and zinc are abundant, and other metals such as silver and cobalt can also be very significant economically*
2. *Their occurrence in sedimentary rocks, without apparent need of coeval igneous activity or metamorphism*
3. *The peneconformable stratiform configuration of the cupriferous zone (including both ore grade and sub-economic zones)*
4. *The remarkably uniform lateral continuity of mineralization along bedding, suggesting (erroneously) a sedimentary origin*
5. *The predominance of fine-grained, disseminated sulphide ore minerals, typically distributed in well-layered concentrations along the stratification of the host rock*
6. *The zoned distribution of metals and their corresponding ore minerals*
7. *Host sediments that have typically been prepared syndiagenetically with reducing agents and abundant sulphur*
8. *A major thickness of permeable, coarse-grained, red bed clastic sediments in the immediate footwall of the cupriferous zone*
9. *A temporal and spatial association of host rocks with strata formed in warm arid climates (evaporitic units, red beds)*
10. *A post-sedimentary diagenetic timing for copper*
11. *The deposition of copper from aqueous, chloride-rich solutions upon crossing the redoxcline between footwall red beds and reduced, sulphide-bearing grey beds of the host strata; and*
12. *Their common location in or associated with rift basins filled with continental red beds +/- bimodal volcanic strata (Brown, 1992).*

In addition to their many commonalities, SCDs exhibit variations:

White Pine, Michigan: hosted by the Nonesuch Shale, a Late Proterozoic formation with several 2-3 metre thick thinly laminated to massive, carbonaceous clastic layers with very fine-grained chalcocite +/- native copper +/- trace silver. Parallel, non-cupriferous layers frequently contain fine-grained pyrite.

Kupferschiefer, Germany and Poland: hosted by the Zechstein sandstone, the Kupferschiefer grey, carbonaceous, thinly laminated shale, and the lower portion of the Zechstein limestone (Brown, 1992, p. 129). Ore minerals include “... chalcocite, bornite and chalcopyrite, with overlying galena-sphalerite-rich zones” (Brown, op cit., p. 129). Ore grades up to 15% copper +/- silver occur in intergranular cement and as fine-grained disseminations.

Central African Copperbelt: the belt extends over 500 km length and 30-50 km width and comprises several ore districts. As a generalization, host rocks comprise dolomites and dolomitic shale and mineralization occurs in grey beds that overlie reddish, alluvial clastic beds. Chalcocite, bornite and carrolite (CuCo_2S_4) occur in part as replacement of diagenetic pyrite, indicating a progressive invasion of cupriferous solutions, possibly chloride brines.

Troy (Spar Lake), Montana: extensive, zoned and mostly sub-economic, copper-silver mineralization occurs in the middle and upper members of the quartzitic Revett formation. Ore-forming fluids followed fault surfaces and spread laterally, including in “roll front” configurations, akin to features of certain uranium deposits, along permeable strata until the metal contents were captured by reactive sulphur or sulphates (i.e.gypsum/anhydrite), sourced from primary biogenic organisms, or second stage, derived from pyrite-after-organic sources.

Coates Lake, Northwest Territories, Canada: a sulphide assemblage (chalcocite, digenite, bornite, chalcopyrite and pyrite) with minor amounts of sphalerite, galena and molybdenite is finely disseminated and interlayered in evaporitic dolomitic limestone and dolostone deposited in shallow water and alluvial red bed-grey bed environments.



Dzhezkazgan, Kazakhstan: a very extensive cupriferous volcanic and red bed continental sequence of Pennsylvanian age conglomerate, sandstone and siltstone lies within the Kazakstan-North Tien Shin massif of Central Asia. Possibly exploited in the 13th Century by armies of Genghis Khan, its copper resources were developed in the Soviet era with the help of gulag labour and today supports several mining and metallurgical complexes, of which Satpaev and Zhelandy are particularly notable. Productive horizons are time correlative with the Kupferschiefer formation of Poland and Germany.

The Red Spring copper-silver et al. deposit is readily classified as a member of the sediment-hosted stratiform class of copper deposits (SCDs) as defined by, among many others, Brown (1992), and Kirkham (1989) and Lefebure and Alldrick (1996). Kirkham, in a 1992 letter to Windflower, a previous owner of the prospect, tentatively placed it “...in the volcanic redbed category” (Kirkham, 1992). Lefebure and Allrick described their class “E04 – Sediment-Hosted Cu+/-Ag+/-Co ” mineral deposit profile as “*Stratabound disseminations of native copper, chalcocite, bornite and chalcopyrite in a variety of continental sedimentary rocks including black shale, sandstone and limestone. These sequences are typically underlain by, or interbedded*

with, redbed sandstones with evaporate sequences. Sulphides are typically hosted by grey, green or white strata”.

In soils from the principal copper-silver area that was explored by Canadian Superior’s drill holes at Red Spring, zinc is not closely related to copper: this may be consistent with the observation by Brown (op. cit.) of “the zoned distribution of metals and their corresponding ore minerals”. Also, literature descriptions of various red-bed type deposits observe that frequently there is a zoned distribution of metals, of which zinc is particularly notable, and in some mines, including in the Dzhezkazgan district of Kazakhstan, zinc and lead are the principal metals.

Doubleview’s Red Spring field work in 2018 re-located several historic drill hole collar locations and confirmed and expanded the multi-metal geochemical anomaly that had been noted by Butrenchuk (2007). Geologic mapping (Figure 3) confirmed the areas of copper mineralization, both as sulphides and as malachite. Several sites that are the probable locations of 1972-1976-era drill holes were noted but the drill hole numbers could not be verified.



Doubeview Capital Corp.		
Red Spring		
Regional Geology		
Scale: 1:50,000	Design: AW	Figure: 3
Date: May, 2019	Drawing: Terracad Geoscience Services Ltd.	Datum: NAD83 / Z 9

Legend	
	Mineral Claim
Road	
	Dozer Trail
	Quaternary Unit
Geology	
	Bowser Lake Group - Todagin Assemblage - Middle to Upper Jurassic
	Hazelton Group - Telkwa Formation - Lower Jurassic
	Hazelton Group - Lower Jurassic
	Bulkley Plutonic Suite - Late Cretaceous
	Hazelton Group - Middle Jurassic to Upper Jurassic
	Bowser Lake Group - Undivided - Upper Jurassic to Lower Cretaceous
	Sustut Group - Tango Creek Formation - Upper Cretaceous to Eocene

3.0 2018 GEOCHEMICAL SURVEY

Field work was conducted by Parviz Rajaei, geologist, Devin Grinder and Jacob Pettigrew from July 13 to 26, 2018, when 313 soil samples and 7 rock samples were taken. Samplers selected soil geochemical samples following industry standard methods: shallow pits, usually from 15 to 25 cm in depth, were dug to ensure that soils were relatively free from surficial organic matter and where possible were representative of the so-called “B” soil horizon that is identified by reddish to chocolate brown colour, distinct from darker “A” horizon and paler, usually grayish-coloured “C” horizon. The B horizon material comprises oxidized and partly oxidized components of the unconsolidated soil layer and may include moisture-borne ionic material raised from underlying bedrock sources. Where B horizon soils could not be identified, samplers either dug deeper pits or sampled available materials.


Seven rock samples from Red Spring were analysed: A0007806 – A0007812 inclusive. Descriptions are included in Appendix 1 and analyses are included in Appendix 2.

Analytical data related to the 2018 program of geochemical soil sampling are included in Appendix 2 of this report. Figures 5a and 5b, contoured plots of copper and silver, and lead and zinc, respectively from 2016 and 2018 surveys, highlight both the known copper zone, a significant area of elevated copper values located a few hundred metres to the south and southeast, and several smaller, isolated, areas of elevated copper in soils. Silver accompanies copper but also occurs in a linear trending pattern that lies parallel to but entirely separate from the copper-silver zone that was drilled. Although silver values in the latter area are low, they are closely related to parts of the broad area of anomalous zinc-in-soils analyses. Anomalous (i.e. >200 ppm) zinc values are present in a relatively small area north and west of the drilled zone and more significantly, in a much larger area to the south.

Preparation and analyses followed mineral exploration industry-standard methods of drying, screening to pass an 80 mesh (0.177 mm) screen, sampling the minus 80 mesh fraction to obtain a 0.5 gram sample that was then digested in a 1:1:1 Aqua Regia solution, and determination by induced coupled plasma-emission spectrometric (ICP-AES/MS) methods of 51 (2016), and 35 (2018), elements. Rock samples were crushed to -10 mesh and a 250 gram subsample was pulverized to -140 mesh, of which a portion was analysed by multi-element ICP methods.

MS Analytical, the analytical laboratory employed by Doubleview Capital Corp., conducted quality control comprising re-analyses and insertion of standard samples and blank samples. As an example, for a 267 sample submission, the lab performed analyses on ten duplicate samples, ten blank soil analyses, and ten standard sample analyses: approximately one confirmation

sample of each category per 25 soils. The author of this report has reviewed the analytical and quality control data and believes that the QC methods were adequate and appropriate for the purposes of early-stage property work.



Legend


- Rock Sample Location
 - 2018 Samples (Green Diamond)
- Soil Sample Location
 - 2018 Soil Samples (Grey Circle)
- Mineral Claim (Red Line)
- Topo
 - Unpaved Dozer Trail (Grey Line)
- Roads
 - Contour Line, Minor (Thin Brown Line)
 - Contour Line, Intermediate (Medium Brown Line)
 - Contour Line, Major (Thick Brown Line)


Doubleview Capital Corp.

Red Spring

Geochemical Survey Sample Locations

Scale: 1:5,000	Design: AW	Figure: 6a
Date: May, 2019	Drawing: Terracel Geoscience Services Ltd.	Datum: NAD83 / Z.N.





Legend

Rock Sample Value Ag (ppm)

- 2018 Samples

Soil Sample Value Ag (ppm)

- 2018 Soil Samples

Mineral Claim

Topo

Roads

- Unpaved Dozer Trail

Contours 10m intervall

- Contour Line, Minor
- Contour Line, Intermediate
- Contour Line, Major

Doubleview Capital Corp.


Red Spring

2018 Geochemical Survey

Sample Values Silver (ppm)

Scale: 1:5,000	Design: AW	Figure: 4b
Date: May, 2019	Drawing: Terracal Geoscience Services Ltd.	Datum: NAD83 / Z 9

0 100 200 300 400 m



Legend

Rock Sample Value Cu (ppm)

- 2018 Samples

Soil Sample Value Cu (ppm)

- 2018 Soil Samples

Mineral Claim

Topo

Roads

- Unpaved Dozer Trail

Contours 10m intervall


- Contour Line, Minor
- Contour Line, Intermediate
- Contour Line, Major

Doubleview Capital Corp.

Red Spring

2018 Geochemical Survey
Sample Values Copper (ppm)

Scale: 1:5,000	Design: AW	Figure: 4c
Date: May, 2019	Drawing: Terracal Geoscience Services Ltd	Datum: NAD83 / Z 9



945229

945270

1059854

1059855

45

12450


18140

1893

5771

8523

Springdale River



Legend

Rock Sample Value Zn (ppm)

- 2018 Samples

Soil Sample Value Zn (ppm)

- 2018 Soil Samples

Mineral Claim

Topo

Roads

- Unpaved Dozer Trail

Contours 10m intervall

- Contour Line, Minor
- Contour Line, Intermediate
- Contour Line, Major

Doubleview Capital Corp.

Red Spring

2018 Geochemical Survey

Sample Values Zinc (ppm)

Scale: 1:5,000	Design: AW	Figure: 4d
Date: May, 2019	Drawing: Terracast Geoscience Services Ltd.	Datum: NAD83 / Z 9

0 100 200 300 400 m

945229

945270

555

35

4

3


126


1059854

945270

1059855

Springwater River





Legend

Rock Sample Value Pb (ppm)

- ◆ 2018 Samples

Soil Sample Value Pb (ppm)

- 2018 Soil Samples

Mineral Claim

- ▭

Topo

Roads

- Unpaved Dozer Trail

Contours 10m intervall

- Contour Line, Minor
- Contour Line, Intermediate
- Contour Line, Major

Doubleview Capital Corp.


Red Spring

2018 Geochemical Survey

Sample Values Lead (ppm)

Scale: 1:5,000	Design: JAW	Figure: 46
Date: May, 2019	Drawing: Terraced Geoscience Services Ltd.	Datum: NAD83 / ZS

0 100 200 300 400 m



Legend


- Historical Drill Holes
- Copper-Silver Contours**
- ▨ Ag - 2 ppm Contour
- ▭ Ag - 1 ppm Contour
- Cu - 100 ppm Contour
- Cu - 50 ppm Contour
- ▭ Mineral Claim
- Roads**
- Dozer Trail

Doubleview Capital Corp.

Red Spring

**2016 and 2018 Geochemical Survey
Silver and Copper Contours (ppm)**

Scale: 1:5,000	Design: AW	Figure: 5a
Date: May, 2019	Drawing: Terraad Geoscience Services Ltd.	Datum: NAD83/Z9





612000

612500

613000

613500


614000



Legend

- Historical Drill Holes
- Lead - Zinc Contours**
- ▭ Pb - 25 ppm Contour
- ▭ Pb - 50 ppm Contour
- ▭ Zn - 200 ppm Contour
- ▭ Zn - 500 ppm Contour
- ▭ Mineral Claim
- Roads**
- Dozer Trail

Doubleview Capital Corp.		
Red Spring		
2016 and 2018 Geochemical Survey Lead and Zinc Contours (ppm)		
Scale: 1:5,000	Design: AW	Figure: 5b
Date: May, 2019	Drawing: Terracal Geoscience Services Ltd.	Datum: NAD83/Z9



4.0 CONCLUSIONS AND RECOMMENDATIONS

The Red Spring property demonstrates favourable geology, occurrence of redbed-type mineralization, and the presence of soils with geochemically anomalous levels of copper, silver and zinc, and warrants further exploration in the form of additional technical surveys and drilling.

Red Spring copper mineralization, as presently known, occurs in a gently-dipping layer of limey sediments that overlies volcanic terrain comprising tuff, cherty tuff, andesitic and dacitic flows and interbedded laminated siltstones and sandstone. Previous explorers, Canadian Superior and Appleton Exploration, determined that the zone of mineralization was limited to the east by a fault structure but were unable to locate any possible offset continuation. Doubleview has confirmed that mineralization is truncated by the fault and also has not been able to locate the faulted offset of the zone.

The lithologic host formation, limey volcanic and sedimentary rocks, is present in outcroppings in several parts of the Red Spring property distal to the discovery area. Zinc mineralization frequently is found proximal to, but separate from, redbed copper occurrences (Khazhakstan, Germany/Poland, Coates Lake, Canada, etc.) and zinc-in-soils anomalies at Red Spring may be a valuable exploration guide to the possible offset extensions of the drilled copper area and, conceivably, to important zinc occurrences.

A field program of surveys and drilling is required to (a) verify historic resource figures, (b) confirm the lithology and structural setting and (c) initiate exploratory drilling directed to multi-element geochemical anomalies. Existing data from an historic induced polarization (IP) survey should be reviewed by a geophysical consultant versed in modern methods of interpretation to determine if further interpretation may yield useful data. Data analysis may result in identification of other areas of exploration interest.

5.0 REFERENCES

- ARIS, Assessment Report Indexing Service, database of assessment reports submitted to Mineral Titles Branch, Ministry of Energy and Mines, accessed from website
- Baker, J., (1976), Diamond Drilling Report on the Red Property, ARIS #5946(2)
- Bostock, H. S., 1947, Physiography of the Canadian Cordillera, Geol. Surv. Canada, Memoir 247.
- Brown, A. C., 1992, Sediment-hosted Stratiform Copper Deposits, Geoscience Canada, v. 19, Number 3, pp 125-141
- Butrenchuk, S. B., 2007, Geological and Geochemical Report on the Sping Property, ARIS Report #29622
- DePaoli, G. M., 1976, 1976 Geophysical Report on the Red Group, ARIS Report #5946(1)
- Jago, B. C., 1993, Sping Cu Prospect: Mineralogical and textural interpretation of disseminated Cu-mineralization in quartz-carbonate host rock, private report
- Jowett, E. Craig, Rydzewski, Andrezej, and Jowett, Robin J., 1987, The Kupferschiefer Cu-Ag ore deposits in Poland: a re-appraisal of the evidence of their origin and presentation of a new genetic model, Can. J. of Earth Science, v. 24, pp 2016-2037
- Kirkham, R. V., 1989, Distribution, Settings, and Genesis of Sediment-hosted Stratiform Copper Deposits, in Sediment-hosted Stratiform Copper Deposits, Boyle, R. W, Brown, A. C., Jefferson, C. W., Jowett, E.C. and Kirkham, R.V., Editors, Geological Assoc. of Canada, Special Paper 36, pp 3–38.
- Kirkham, R. V., 1990, Types of Stratabound Copper Deposits and Their Economic Importance, Abstract of Presentation to Prospectors and Developers Association Annual Meeting, CIM Bulletin, Vol. 83, No. 939.
- Kirkham, R. V., 1992, Letter to Windflower Mining Ltd.
- Lefebure, David V. and Alldrick, Dani J., 1996, Sediment-Hosted Cu+/-Ag+/-Co, in Selected British Columbia Mineral Deposit Profiles, Vol. 2 – Metallic Deposits, Ministry of Employment and Investment, Open File 1996-13, pp 13-16
- Minfile, provincial database of mineral property information, maintained by BC Geological Survey, Ministry of Energy and Mines, accessed from website
- Ostensoe, E. A., 2013, Technical Report, Red Spring Property, Bear Lake Area, Omineca Mining Division, British Columbia, Canada, ARIS #34643.

Ostensoe, E. A., and Woodworth, A., 2017, Report of 2016 Program of Work, Red Spring Property, Omineca Mining Division, British Columbia, ARIS #36450.

Ryznar, G., 1994, Geological Report, Sping Property, Omineca Mining Division, ARIS #23227, includes Petrographic Report by Inco Exploration & Technical Services, Inc.

6.0 Expenditures

July 13- July 26, 2018	14 days
Field Personnel:	
Parviz Rajaei, Geologist (@ \$ 550 per day)	\$ 7,700.00
Devin Grinder, Field worker (@ \$ 400 per day)	\$ 5,600.00
Jacob, Field worker (@ \$ 350 per day)	\$ 4,900.00
Transportation	
Truck rental (@ \$ 95 per day)	\$ 1,330.00
Helicopter	\$ 7,613.72
Sample transportation (to the lab)	\$ 55.48
Supplies (camp, sampling, gas and food)	\$ 1,288.5
Communication Equipment and GPS rental, plus Satellite service	\$ 650.00
GIS work and field support (31 hours @ \$ 100)	\$ 3,100.00
Geological Mapping	\$ 850.00
Reporting - 1.5 days @ \$ 600	\$ 900.00
Mapping - 8 hrs @ \$ 100	\$ 800.00
313 soil samples @ \$ 15 per sample	\$ 4,695.00
7 Rock samples @ \$ 32 per sample	\$ 224.00
Total:	\$ 39,706.76

7.0 Author's Qualifications

The accompanying technical report was prepared by Erik Ostensoe, P. Geo., an associate of Terracad Geoscience Services Ltd., who is a consulting geologist with more than forty years' experience in conducting geoscience surveys in British Columbia and elsewhere. Mr. Ostensoe has in recent years directed several work programs on the Pitman and other mineral properties in the Terrace, B. C. area.

Analysis, data assembly and presentation were the work of Anke Woodworth, GIS Specialist.

Appendix I

Sample Locations and Description

Rocks

Sample No.	Easting	Northing	Cert. No	Notes
A0007806	612633	6234537	YXT1810132	Limestone with calcite veins, and bit of Malachite
A0007807	612738	6234684	YXT1810132	Light gray limestone with Malachite
A0007808	612753	6234744	YXT1810132	very small outcrop of limestone north of fault with pyrite and chalcopryite?
A0007809	612589	6234808	YXT1810132	light greenish gray volcanic, the sample taken from the area shows 0.3% copper
A0007810	612232	6233616	YXT1810132	medium gray lime stone not far from the river
A0007811			YXT1810132	sample taken from DDH 73-6, limestone, somewhere from 61 foot to 76 foot
A0007812	612637	6234510	YXT1810132	sample taken from outcrop, and the same was sent to the office

Soil

Sample ID	Easting	Northing	Cert. No
A0008201	613100	6235050	YXT1810129
A0008202	613100	6250100	YXT1810129
A0008203	613100	6265150	YXT1810129
A0008204	613100	6280200	YXT1810129
A0008205	613100	6295250	YXT1810129
A0008206	613100	6235300	YXT1810129
A0008207	613100	6235350	YXT1810129
A0008208	613100	6235400	YXT1810129
A0008209	613000	6235450	YXT1810129
A0008210	613000	6235400	YXT1810129
A0008211	613000	6235350	YXT1810129
A0008212	613000	6235300	YXT1810129
A0008213	613000	6235250	YXT1810129
A0008214	613000	6235200	YXT1810129
A0008215	613000	6235150	YXT1810129
A0008216	613000	6235100	YXT1810129
A0008217	613000	6235050	YXT1810129
A0008218	612900	6235050	YXT1810129
A0008219	612900	6235100	YXT1810129

Sample ID	Easting	Northing	Cert. No
A0008220	612900	6235150	YXT1810129
A0008221	612900	6235200	YXT1810129
A0008222	612900	6235250	YXT1810129
A0008223	612900	6235300	YXT1810129
A0008224	612900	6235350	YXT1810129
A0008225	612900	6235400	YXT1810129
A0008226	612900	6235450	YXT1810129
A0008227	612900	6235500	YXT1810129
A0008228	612900	6235550	YXT1810129
A0008229	612800	6235500	YXT1810129
A0008230	612800	6235450	YXT1810129
A0008231	612800	6235400	YXT1810129
A0008232	612800	6235350	YXT1810129
A0008233	612800	6235300	YXT1810129
A0008234	612800	6235250	YXT1810129
A0008235	612800	6235200	YXT1810129
A0008236	612800	6235150	YXT1810129
A0008237	612800	6235100	YXT1810129
A0008238	612800	6235050	YXT1810129
A0008239	613200	6234700	YXT1810129
A0008240	613200	6234650	YXT1810129
A0008241	613200	6234600	YXT1810129
A0008242	613200	6234550	YXT1810129
A0008243	613200	6234500	YXT1810129
A0008244	613200	6234450	YXT1810129
A0008245	613200	6234400	YXT1810129
A0008246	613200	6234350	YXT1810129
A0008247	613200	6234300	YXT1810129
A0008248	613200	6234250	YXT1810129
A0008249	613200	6234200	YXT1810129
A0008250	613200	6234150	YXT1810129
A0008251	613200	6234100	YXT1810129
A0008252	613200	6234050	YXT1810129
A0008253	613200	6234000	YXT1810129
A0008254	613200	6233950	YXT1810129
A0008255	613200	6233900	YXT1810129
A0008256	613200	6233850	YXT1810129
A0008257	613200	6233800	YXT1810129
A0008258	613200	6233750	YXT1810129
A0008259	613200	6233700	YXT1810129

Sample ID	Easting	Northing	Cert. No
A0008260	613200	6233650	YXT1810129
A0008261	613200	6233600	YXT1810129
A0008262	613200	6233550	YXT1810129
A0008263	613200	6233500	YXT1810129
A0008264	613200	6233450	YXT1810129
A0008265	613200	6233400	YXT1810129
A0008266	613200	6233350	YXT1810129
A0008267	613200	6233300	YXT1810129
A0008268	613300	6233300	YXT1810129
A0008269	613300	6233350	YXT1810129
A0008270	613300	6233400	YXT1810129
A0008271	613300	6233450	YXT1810129
A0008272	613300	6233500	YXT1810129
A0008273	613300	6233550	YXT1810129
A0008274	613300	6233600	YXT1810129
A0008275	613300	6233650	YXT1810129
A0008276	613300	6233700	YXT1810129
A0008277	613300	6233750	YXT1810129
A0008279	613300	6233850	YXT1810129
A0008280	613300	6233900	YXT1810129
A0008281	613300	6233950	YXT1810129
A0008282	613300	6234000	YXT1810129
A0008283	613300	6234050	YXT1810129
A0008284	613300	6234100	YXT1810129
A0008285	613300	6234150	YXT1810129
A0008286	613300	6234200	YXT1810129
A0008287	613300	6234250	YXT1810129
A0008288	613300	6234300	YXT1810129
A0008289	613300	6234350	YXT1810129
A0008290	613300	6234400	YXT1810129
A0008291	613300	6234450	YXT1810129
A0008292	613300	6234500	YXT1810129
A0008293	613300	6234550	YXT1810129
A0008294	613300	6234600	YXT1810129
A0008295	613300	6234650	YXT1810129
A0008296	613300	6234700	YXT1810129
A0008297	612700	6233950	YXT1810129
A0008298	612700	6233900	YXT1810129
A0008299	612700	6233850	YXT1810129
A0008300	612700	6233800	YXT1810129

Sample ID	Easting	Northing	Cert. No
A0008301	612700	6233750	YXT1810129
A0008302	612700	6233700	YXT1810129
A0008303	612700	6233650	YXT1810129
A0008304	612700	6233600	YXT1810129
A0008305	612700	6233550	YXT1810129
A0008306	612700	6233500	YXT1810129
A0008307	612800	6233400	YXT1810129
A0008308	612800	6233450	YXT1810129
A0008309	612800	6233500	YXT1810129
A0008310	612800	6233550	YXT1810129
A0008311	612800	6233600	YXT1810129
A0008312	612800	6233650	YXT1810129
A0008313	612800	6233700	YXT1810129
A0008314	612800	6233750	YXT1810129
A0008315	612800	6233800	YXT1810129
A0008316	612800	6233850	YXT1810129
A0008317	612800	6233900	YXT1810129
A0008318	612800	6233950	YXT1810129
A0008319	612900	6233950	YXT1810129
A0008320	612900	6233900	YXT1810129
A0008321	612900	6233850	YXT1810129
A0008322	612900	6233800	YXT1810129
A0008323	612900	6233750	YXT1810129
A0008324	612900	6233700	YXT1810129
A0008325	612900	6233650	YXT1810129
A0008326	612900	6233600	YXT1810129
A0008327	612900	6233550	YXT1810129
A0008328	612900	6233500	YXT1810129
A0008329	612900	6233450	YXT1810129
A0008330	612900	6233400	YXT1810129
A0008331	612900	6233350	YXT1810129
A0008332	612900	6233300	YXT1810129
A0008333	613000	6233300	YXT1810129
A0008334	613000	6233350	YXT1810129
A0008335	613000	6233400	YXT1810129
A0008336	613000	6233450	YXT1810129
A0008337	613000	6233500	YXT1810129
A0008338	613000	6233550	YXT1810129
A0008339	613000	6233600	YXT1810129
A0008340	613000	6233650	YXT1810129

Sample ID	Easting	Northing	Cert. No
A0008341	613000	6233700	YXT1810129
A0008342	613000	6233750	YXT1810129
A0008343	613000	6233800	YXT1810129
A0008344	613000	6233850	YXT1810129
A0008345	613000	6233900	YXT1810129
A0008346	613000	6233950	YXT1810129
A0008347	613400	6234300	YXT1810129
A0008348	613400	6234250	YXT1810129
A0008349	613400	6234200	YXT1810129
A0008350	613400	6234150	YXT1810129
A0008351	613400	6234100	YXT1810129A
A0008352	613400	6234050	YXT1810129A
A0008353	613400	6234000	YXT1810129A
A0008354	613400	6233950	YXT1810129A
A0008355	613400	6233900	YXT1810129A
A0008356	613400	6233850	YXT1810129A
A0008357	613400	6233800	YXT1810129A
A0008358	613400	6233750	YXT1810129A
A0008359	613400	6233700	YXT1810129A
A0008360	613400	6233650	YXT1810129A
A0008361	613400	6233600	YXT1810129A
A0008362	613400	6233550	YXT1810129A
A0008363	613400	6233500	YXT1810129A
A0008364	613400	6233450	YXT1810129A
A0008365	613400	6233400	YXT1810129A
A0008366	613400	6233350	YXT1810129A
A0008367	613400	6233300	YXT1810129A
A0008368	613500	6233300	YXT1810129A
A0008369	613500	6233350	YXT1810129A
A0008370	613500	6233400	YXT1810129A
A0008371	613500	6233450	YXT1810129A
A0008372	613500	6233500	YXT1810129A
A0008373	613500	6233550	YXT1810129A
A0008374	613500	6233600	YXT1810129A
A0008375	613500	6233650	YXT1810129A
A0008376	613500	6233700	YXT1810129A
A0008377	613500	6233750	YXT1810129A
A0008378	613500	6233800	YXT1810129A
A0008379	613500	6233850	YXT1810129A
A0008380	613500	6233900	YXT1810129A

Sample ID	Easting	Northing	Cert. No
A0008381	613500	6233950	YXT1810129A
A0008382	613500	6234000	YXT1810129A
A0008383	613500	6234050	YXT1810129A
A0008384	613500	6234100	YXT1810129A
A0008385	613500	6234150	YXT1810129A
A0008386	613500	6234200	YXT1810129A
A0008387	613500	6234250	YXT1810129A
A0008388	613500	6234300	YXT1810129A
A0008389	613500	6234350	YXT1810129A
A0008390	613500	6234400	YXT1810129A
A0008391	613100	6233950	YXT1810129A
A0008392	613100	6233900	YXT1810129A
A0008393	613100	6233850	YXT1810129A
A0008394	613100	6233800	YXT1810129A
A0008395	613100	6233750	YXT1810129A
A0008396	613100	6233700	YXT1810129A
A0008397	613100	6233650	YXT1810129A
A0008398	613100	6233600	YXT1810129A
A0008399	613100	6233550	YXT1810129A
A0008400	613100	6233500	YXT1810129A
A0008401	613100	6233450	YXT1810129A
A0008402	613100	6233400	YXT1810129A
A0008403	613100	6233350	YXT1810129A
A0008404	613100	6233300	YXT1810129A
A0008405	613600	6233300	YXT1810129A
A0008406	613600	6233350	YXT1810129A
A0008407	613600	6233400	YXT1810129A
A0008408	613600	6233450	YXT1810129A
A0008409	613600	6233500	YXT1810129A
A0008410	613600	6233550	YXT1810129A
A0008411	613600	6233600	YXT1810129A
A0008412	613600	6233650	YXT1810129A
A0008413	613600	6233700	YXT1810129A
A0008414	613600	6233750	YXT1810129A
A0008415	613600	6233800	YXT1810129A
A0008416	613600	6233850	YXT1810129A
A0008417	613600	6233900	YXT1810129A
A0008418	613600	6233950	YXT1810129A
A0008419	613600	6234000	YXT1810129A
A0008420	613600	6234050	YXT1810129A

Sample ID	Easting	Northing	Cert. No
A0008421	613600	6234100	YXT1810129A
A0008422	613600	6234150	YXT1810129A
A0008423	613600	6234200	YXT1810129A
A0008424	613600	6234250	YXT1810129A
A0008425	613600	6234300	No Sample, Marsh
A0008426	613600	6234350	YXT1810129A
A0008427	613600	6234400	YXT1810129A
A0008428	612700	6235050	YXT1810129A
A0008429	612700	6235100	YXT1810129A
A0008430	612700	6235150	YXT1810129A
A0008431	612700	6235200	YXT1810129A
A0008432	612700	6235250	YXT1810129A
A0008433	612700	6235300	YXT1810129A
A0008434	612700	6235350	YXT1810129A
A0008435	612700	6235400	YXT1810129A
A0008436	612700	6235450	YXT1810129A
A0008437	612700	6235500	YXT1810129A
A0008438	612700	6235550	YXT1810129A
A0008439	612700	6235600	YXT1810129A
A0008440	612700	6235650	YXT1810129A
A0008441	612700	6235700	YXT1810129A
A0008442	612600	6235700	YXT1810129A
A0008443	612600	6235650	YXT1810129A
A0008444	612600	6235600	YXT1810129A
A0008445	612600	6235550	YXT1810129A
A0008446	612600	6235500	YXT1810129A
A0008447	612600	6235450	YXT1810129A
A0008448	612600	6235400	YXT1810129A
A0008449	612600	6235350	YXT1810129A
A0008450	612600	6235300	YXT1810129A
A0008451	612600	6235250	YXT1810129A
A0008452	612600	6235200	YXT1810129A
A0008453	612600	6235150	YXT1810129A
A0008454	612600	6235100	YXT1810129A
A0008455	612600	6235050	YXT1810129A
A0008456	612500	6235050	YXT1810129A
A0008457	612500	6235100	YXT1810129A
A0008458	612500	6235150	YXT1810129A
A0008459	612500	6235200	YXT1810129A
A0008460	612500	6235250	YXT1810129A

Sample ID	Easting	Northing	Cert. No
A0008461	612500	6235300	YXT1810129A
A0008462	612500	6235350	YXT1810129A
A0008463	612500	6235400	YXT1810129A
A0008464	612500	6235450	YXT1810129A
A0008465	612500	6235500	YXT1810129A
A0008466	612500	6235550	YXT1810129A
A0008467	612400	6235750	YXT1810129A
A0008468	612400	6235700	YXT1810129A
A0008469	612400	6235650	YXT1810129A
A0008470	612400	6235600	YXT1810129A
A0008471	612400	6235550	YXT1810129A
A0008472	612400	6235500	YXT1810129A
A0008473	612400	6235450	YXT1810129A
A0008474	612400	6235400	YXT1810129A
A0008475	612400	6235350	YXT1810129A
A0008476	612400	6235300	YXT1810129A
A0008477	612400	6235250	YXT1810129A
A0008478	612400	6235200	YXT1810129A
A0008479	612400	6235150	YXT1810129A
A0008480	612400	6235100	YXT1810129A
A0008481	612400	6235050	YXT1810129A
A0008482	613200	6235500	YXT1810129A
A0008483	613200	6235450	YXT1810129A
A0008484	613200	6235400	YXT1810129A
A0008485	613200	6235350	YXT1810129A
A0008486	613200	6235300	YXT1810129A
A0008487	613200	6235250	YXT1810129A
A0008488	613200	6235200	YXT1810129A
A0008489	613200	6235150	YXT1810129A
A0008490	613200	6235100	YXT1810129A
A0008491	613200	6235050	YXT1810129A
A0008492	613200	6235000	YXT1810129A
A0008493	613200	6234950	YXT1810129A
A0008494	613200	6234900	YXT1810129A
A0008495	613200	6234850	YXT1810129A
A0008496	613200	6234800	YXT1810129A
A0008497	613200	6234750	YXT1810129A
A0008172	612825	6234425	YXT1810129A
A0008173	612825	6234425	YXT1810129A
A0008174	612825	6234425	YXT1810129A

Sample ID	Easting	Northing	Cert. No
A0008175	612825	6234425	YXT1810129A
A0008176	612825	6234425	YXT1810129A
A0008177	612875	6234225	YXT1810129A
A0008178	612875	6234275	YXT1810129A
A0008179	612875	6234325	YXT1810129A
A0008180	612875	6234375	YXT1810129A
A0008181	612875	6234425	YXT1810129A
A0008182	612925	6234425	YXT1810129A
A0008183	612925	6234375	YXT1810129A
A0008184	612925	6234325	YXT1810129A
A0008185	612925	6234275	YXT1810129A
A0008186	612925	6234225	YXT1810129A
A0008187	612975	6234225	YXT1810129A
A0008188	612975	6234275	YXT1810129A
A0008189	612975	6234325	YXT1810129A
A0008190	612975	6234375	YXT1810129A
A0008191	612975	6234425	YXT1810129A

Appendix II

Certificates of Analysis

YXT1810132

YXT1810129

YXT1810129A



MS Analytical

An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810132

Project Name: MT Milligan - Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 17-Aug-2018
Number of Samples: 13
Report Version: Final

COMMENTS:

Test results reported relate only to the samples as received by the laboratory. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-910	Dry, Crush to 70% passing 2mm, Split 250g, Pulverize to 85% passing 75µm
	Sample preparation performed by MS Analytical Terrace

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
FAS-121	Au, Fire Assay, 50g fusion, AAS, Trace Level
ICF-6Cu	Cu, 0.2g, 4-Acid, ICP-AES, Ore Grade
ICP-130	Multi-Element, 0.5g, 3:1 Aqua Regia, ICP-AES, Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810132
---------------------------------	-------------------

Project Name: MT Milligan - Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 17-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-121 Au ppm	ICF-6Cu Cu %	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm
Granite Blank	QC-P-BK	0.16	LOR	<0.005	0.001	<0.2	1.77	<2	<10	99	<0.5	<2	0.77	<0.5
Granite Blank	QC-P-BK	0.18		<0.005		<0.2	1.78	5	<10	136	<0.5	<2	0.72	<0.5
A0007802	Rock	0.72		0.008		0.3	2.94	<2	<10	94	<0.5	<2	1.71	<0.5
A0007803	Rock	1.08		<0.005		0.3	3.50	<2	<10	95	<0.5	<2	1.52	<0.5
A0007804	Rock	0.66		<0.005		<0.2	1.90	<2	<10	55	<0.5	<2	2.16	<0.5
A0007805	Rock	0.82		<0.005		<0.2	2.47	<2	<10	129	<0.5	4	1.93	<0.5
A0007806	Rock	0.62		<0.005		0.7	0.06	<2	<10	2326	<0.5	<2	>25	<0.5
A0007807	Rock	0.74		<0.005	1.814	92.7	0.05	21	<10	625	<0.5	<2	>25	<0.5
A0007808	Rock	0.74		0.068	1.245	1.7	0.32	171	<10	71	<0.5	<2	7.07	1.1
A0007809	Rock	1.16		<0.005		<0.2	2.33	<2	<10	107	0.7	3	0.87	<0.5
A0007809PD	QC-PD	--		0.008		<0.2	2.36	<2	<10	99	0.7	3	0.84	<0.5
A0007810	Rock	0.76		<0.005		1.5	1.74	23	<10	75	0.7	<2	9.61	0.8
A0007811	Rock	1.16		<0.005		11.6	0.07	<2	<10	694	<0.5	<2	24.23	<0.5
A0007812	Rock	1.48		<0.005		1.9	0.24	3	<10	631	<0.5	<2	4.68	<0.5
A0007813	Rock	1.12		<0.005		0.3	0.80	8	<10	124	<0.5	2	0.34	<0.5
A0007814	Rock	1.14		<0.005		0.3	1.61	<2	<10	74	<0.5	2	0.67	0.7

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810132
---------------------------------	-------------------

Project Name: MT Milligan - Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 17-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	FAS-121 Au ppm	ICF-6Cu Cu %	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm
DUP A0007810		0.01	LOR	0.005	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5
DUP A0007806				<0.005		1.6	1.76	23	<10	76	0.7	<2	9.74	0.9
STD BLANK						<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5
STD BLANK					<0.001									
STD BLANK				<0.005										
STD OREAS 24b						<0.2	3.18	7	<10	143	1.5	4	0.45	<0.5
STD MP-1b					3.067									
STD Oxl120				2.402										

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810132
---------------------------------	-------------------

Project Name: MT Milligan - Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 17-Aug-2018
 Report Version: Final

	ICP-130 Co ppm	ICP-130 Cr ppm	ICP-130 Cu ppm	ICP-130 Fe %	ICP-130 Ga ppm	ICP-130 Hg ppm	ICP-130 K %	ICP-130 La ppm	ICP-130 Mg %	ICP-130 Mn ppm	ICP-130 Mo ppm	ICP-130 Na %	ICP-130 Ni ppm	ICP-130 P ppm
Sample ID	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10
Granite Blank	11	66	25	3.55	10	<1	0.16	<10	0.88	719	<1	0.11	11	866
Granite Blank	12	65	40	3.53	<10	<1	0.20	<10	0.98	770	<1	0.10	13	791
A0007802	24	36	143	5.16	14	<1	0.11	<10	1.75	755	4	0.16	15	1570
A0007803	24	50	77	4.71	11	<1	0.17	<10	2.61	1146	<1	0.04	23	593
A0007804	21	111	151	4.87	12	<1	0.10	<10	1.59	676	<1	0.08	28	1672
A0007805	14	22	56	3.90	13	<1	0.65	<10	0.88	545	<1	0.28	7	1402
A0007806	<1	3	1893	0.27	<10	<1	0.02	<10	0.05	4480	<1	0.05	<1	228
A0007807	<1	1	>10000	0.15	<10	<1	0.03	<10	0.04	4080	8	0.03	<1	431
A0007808	2	13	>10000	2.80	<10	<1	0.25	<10	0.02	1088	<1	0.01	3	563
A0007809	25	98	45	5.84	15	<1	0.14	<10	3.95	3660	<1	0.07	62	1183
A0007809PD	25	97	32	5.85	13	<1	0.15	<10	3.98	3666	<1	0.07	62	1197
A0007810	7	15	34	4.53	14	<1	0.20	<10	0.94	1239	5	0.02	26	2359
A0007811	<1	3	8523	0.72	<10	<1	0.05	<10	0.02	3072	2	0.03	<1	633
A0007812	<1	32	5771	0.71	<10	<1	0.23	<10	0.01	754	<1	0.02	2	438
A0007813	11	42	63	3.27	<10	<1	0.26	<10	0.31	214	1	0.10	12	741
A0007814	4	52	30	2.78	<10	<1	0.13	<10	0.66	546	2	0.12	4	449

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810132

Project Name: MT Milligan - Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 17-Aug-2018
Report Version: Final

	ICP-130 Co ppm	ICP-130 Cr ppm	ICP-130 Cu ppm	ICP-130 Fe %	ICP-130 Ga ppm	ICP-130 Hg ppm	ICP-130 K %	ICP-130 La ppm	ICP-130 Mg %	ICP-130 Mn ppm	ICP-130 Mo ppm	ICP-130 Na %	ICP-130 Ni ppm	ICP-130 P ppm
Sample ID	1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10
DUP A0007810	7	15	36	4.60	13	<1	0.20	<10	0.96	1255	5	0.03	27	2381
DUP A0007806														
STD BLANK	<1	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK														
STD BLANK														
STD OREAS 24b	14	104	35	3.88	15	<1	1.18	15	1.40	336	3	0.11	56	608
STD MP-1b														
STD Ox120														

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Services Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810132
---------------------------------	-------------------

Project Name: MT Milligan - Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 17-Aug-2018
 Report Version: Final

	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
Sample ID	2	0.01	2	2	1	8	0.01	10	1	10	1	5
Granite Blank	8	0.02	<2	7	44	<8	0.12	<10	69	<10	65	7
Granite Blank	8	0.04	<2	7	46	<8	0.14	<10	86	<10	76	8
A0007802	7	0.35	<2	5	127	<8	0.31	<10	155	<10	62	25
A0007803	7	0.29	<2	9	22	<8	0.33	<10	116	<10	64	12
A0007804	5	0.03	<2	3	98	<8	0.16	<10	144	<10	50	10
A0007805	7	0.26	3	5	96	<8	0.32	<10	151	<10	32	8
A0007806	<2	0.15	<2	<2	139	<8	<0.01	<10	6	<10	3	<5
A0007807	<2	0.38	<2	2	71	<8	<0.01	<10	11	<10	4	<5
A0007808	4	2.00	<2	7	142	<8	<0.01	<10	16	<10	35	<5
A0007809	12	<0.01	<2	18	43	<8	0.07	<10	124	<10	555	5
A0007809PD	12	<0.01	<2	18	43	<8	0.06	<10	127	<10	556	5
A0007810	41	0.57	3	10	68	<8	0.10	<10	53	<10	154	<5
A0007811	8	0.42	<2	4	61	<8	<0.01	<10	8	<10	126	<5
A0007812	3	0.34	<2	7	96	<8	0.03	<10	27	<10	7	<5
A0007813	6	1.66	<2	9	15	<8	0.04	<10	48	<10	29	<5
A0007814	48	0.63	<2	5	43	<8	0.13	<10	25	<10	116	<5

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Terracad Geoscience Services Ltd.
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810132

Project Name: MT Milligan - Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 17-Aug-2018
Report Version: Final

	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
Sample ID	2	0.01	2	2	1	8	0.01	10	1	10	1	5
DUP A0007810	44	0.58	3	11	69	<8	0.10	<10	54	<10	158	<5
DUP A0007806												
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK												
STD BLANK												
STD OREAS 24b	11	0.20	2	10	30	13	0.20	<10	80	<10	95	26
STD MP-1b												
STD Ox120												

***Please refer to the cover page for comments regarding this certificate. ***



MS Analytical

An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Number of Samples: 150
Report Version: Final

COMMENTS:

NR indicates sample not received.

Test results reported relate only to the samples as received by the laboratory. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-757	Dry, Screen to 80 mesh, discard plus fraction
	Sample preparation performed by MS Analytical Terrace

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
ICP-130	Multi-Element, 0.5g, 3:1 Aqua Regia, ICP-AES, Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008201	Soil	0.22		0.3	1.69	9	<10	170	<0.5	3	0.48	0.6	12
A0008202	Soil	0.22		0.5	2.18	11	<10	161	0.6	3	0.14	0.5	14
A0008203	Soil	0.14		<0.2	1.26	3	<10	141	<0.5	<2	0.36	<0.5	4
A0008204	Soil	0.18		<0.2	1.05	4	<10	86	<0.5	<2	0.19	<0.5	4
A0008205	Soil	0.18		<0.2	2.31	16	<10	128	<0.5	3	0.09	<0.5	9
A0008206	Soil	0.20		<0.2	1.45	5	<10	125	<0.5	<2	0.19	<0.5	7
A0008207	Soil	0.14		0.5	1.65	11	<10	121	<0.5	<2	0.07	1.0	5
A0008208	Soil	0.10		0.4	2.36	12	<10	245	0.5	3	0.29	<0.5	11
A0008209	Soil	0.20		<0.2	1.66	3	<10	107	<0.5	3	0.13	<0.5	6
A0008210	Soil	0.18		<0.2	1.25	<2	<10	101	<0.5	<2	0.14	<0.5	4
A0008211	Soil	0.20		<0.2	1.84	5	<10	101	<0.5	2	0.11	<0.5	8
A0008212	Soil	0.20		<0.2	1.79	6	<10	103	<0.5	2	0.23	<0.5	7
A0008213	Soil	0.16		<0.2	1.45	3	<10	141	<0.5	<2	0.22	<0.5	5
A0008214	Soil	0.16		<0.2	1.55	7	<10	267	<0.5	2	0.42	0.6	10
A0008215	Soil	0.10		0.2	1.87	9	<10	105	<0.5	<2	0.29	<0.5	6
A0008216	Soil	0.14		0.2	2.18	23	<10	306	0.7	3	0.57	<0.5	13
A0008217	Soil	0.10		<0.2	1.78	11	<10	253	<0.5	<2	0.38	<0.5	8
A0008218	Soil	0.16		<0.2	1.64	3	<10	94	<0.5	<2	0.05	<0.5	3
A0008219	Soil	0.14		<0.2	1.51	5	<10	120	<0.5	3	0.24	<0.5	5
A0008220	Soil	0.10		0.7	2.00	6	<10	317	0.8	<2	0.96	1.0	11
A0008221	Soil	0.14		0.5	1.88	5	<10	303	0.6	2	0.43	<0.5	15
A0008222	Soil	0.16		<0.2	2.34	6	<10	136	<0.5	<2	0.22	<0.5	8
A0008223	Soil	0.14		<0.2	2.02	7	<10	119	<0.5	<2	0.09	<0.5	9
A0008224	Soil	0.14		<0.2	1.44	3	<10	195	<0.5	2	0.22	<0.5	7
A0008225	Soil	0.14		<0.2	1.43	2	<10	75	<0.5	<2	0.12	<0.5	5

Please refer to the cover page for comments regarding this certificate.

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	Sample Type	PWE-100	Method Analyte Units	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130	ICP-130
		Rec. Wt. kg		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008226	Soil	0.14		0.2	3.18	3	<10	444	1.1	2	0.83	<0.5	25
A0008227	Soil	0.12		<0.2	1.16	<2	<10	72	<0.5	<2	0.32	<0.5	4
A0008228	Soil	0.18		0.3	2.15	2	<10	129	<0.5	<2	0.29	<0.5	11
A0008229	Soil	0.16		<0.2	1.07	2	<10	115	<0.5	<2	0.18	<0.5	4
A0008230	Soil	0.14		<0.2	1.85	6	<10	136	<0.5	<2	0.07	<0.5	7
A0008231	Soil	0.14		0.2	1.97	<2	<10	226	<0.5	<2	0.36	<0.5	5
A0008232	Soil	0.18		<0.2	1.95	7	<10	198	<0.5	<2	0.21	<0.5	7
A0008233	Soil	0.16		0.3	2.13	8	<10	142	<0.5	2	0.13	<0.5	9
A0008234	Soil	0.12		0.4	2.18	4	<10	247	0.5	<2	0.81	0.8	12
A0008235	Soil	0.14		0.4	2.35	5	<10	330	0.7	<2	0.63	0.9	14
A0008236	Soil	0.16		0.5	2.74	6	<10	131	<0.5	<2	0.07	0.8	8
A0008237	Soil	0.12		2.4	3.40	7	<10	794	1.4	<2	1.14	4.6	20
A0008238	Soil	0.14		0.3	1.62	13	<10	77	<0.5	2	0.10	<0.5	11
A0008239	Soil	0.16		0.2	0.70	<2	<10	56	<0.5	<2	0.13	<0.5	3
A0008240	Soil	0.18		<0.2	1.57	4	<10	118	<0.5	<2	0.09	<0.5	4
A0008241	Soil	0.14		0.3	2.18	5	<10	190	0.7	3	0.73	<0.5	16
A0008242	Soil	0.22		0.3	2.21	5	<10	177	0.7	2	0.63	<0.5	16
A0008243	Soil	0.18		<0.2	1.28	4	<10	193	<0.5	<2	0.10	<0.5	3
A0008244	Soil	0.14		0.4	1.76	5	<10	304	<0.5	<2	0.21	<0.5	9
A0008245	Soil	0.16		<0.2	0.56	5	<10	137	<0.5	<2	0.15	<0.5	4
A0008246	Soil	0.12		0.4	1.06	10	<10	467	<0.5	<2	0.32	<0.5	4
A0008247	Soil	0.14		0.7	0.71	2	<10	455	<0.5	<2	0.15	0.6	3
A0008248	Soil	0.16		0.3	2.05	14	<10	192	<0.5	<2	0.13	0.7	8
A0008249	Soil	0.12		0.4	1.41	8	<10	452	<0.5	<2	0.55	<0.5	5
A0008250	Soil	0.18		<0.2	1.84	9	<10	552	<0.5	<2	0.19	<0.5	6



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008251	Soil	0.16		0.4	1.37	6	<10	604	<0.5	<2	0.26	<0.5	5
A0008252	Soil	0.18		<0.2	1.22	9	<10	245	<0.5	<2	0.12	<0.5	6
A0008253	Soil	0.16		0.3	0.94	5	<10	581	<0.5	<2	0.26	<0.5	6
A0008254	Soil	0.18		0.4	2.07	7	<10	235	<0.5	<2	0.25	<0.5	7
A0008255	Soil	0.20		<0.2	1.84	5	<10	208	<0.5	2	0.23	<0.5	9
A0008256	Soil	0.12		<0.2	1.44	6	<10	123	<0.5	2	0.08	<0.5	5
A0008257	Soil	0.14		<0.2	0.76	6	<10	464	<0.5	2	0.24	0.7	4
A0008258	Soil	0.20		0.7	1.90	7	<10	317	<0.5	<2	0.20	1.8	12
A0008259	Soil	0.18		0.3	1.76	8	<10	521	<0.5	<2	0.43	1.8	9
A0008260	Soil	0.14		<0.2	1.40	7	<10	285	<0.5	<2	0.13	1.9	5
A0008261	Soil	0.16		2.7	1.84	17	<10	331	0.7	<2	0.23	13.0	10
A0008262	Soil	0.16		0.3	1.65	9	<10	306	<0.5	<2	0.35	2.2	7
A0008263	Soil	0.10		0.6	0.75	5	<10	854	<0.5	<2	0.17	5.4	7
A0008264	Soil	0.12		0.5	0.89	6	<10	561	<0.5	<2	0.19	1.0	5
A0008265	Soil	0.10		0.8	1.09	12	<10	1363	<0.5	<2	0.68	9.5	12
A0008266	Soil	0.14		<0.2	0.73	6	<10	197	<0.5	<2	0.21	<0.5	3
A0008267	Soil	0.12		<0.2	0.96	8	<10	291	<0.5	<2	0.14	<0.5	6
A0008268	Soil	0.14		0.3	1.54	7	<10	437	<0.5	<2	0.22	0.8	8
A0008269	Soil	0.16		<0.2	1.46	4	<10	190	<0.5	<2	0.16	1.0	6
A0008270	Soil	0.18		0.3	1.47	11	<10	383	<0.5	<2	0.21	0.9	7
A0008271	Soil	0.16		0.6	1.29	19	<10	429	<0.5	<2	0.56	3.4	6
A0008272	Soil	0.14		0.7	1.57	6	<10	220	<0.5	<2	0.18	1.1	6
A0008273	Soil	0.14		0.2	1.26	4	<10	310	<0.5	<2	0.19	<0.5	4
A0008274	Soil	0.14		0.3	0.80	10	<10	271	<0.5	<2	0.20	1.9	5
A0008275	Soil	0.14		0.5	0.49	3	<10	327	<0.5	<2	0.49	22.0	2

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008276	Soil	0.18		0.4	1.27	3	<10	255	<0.5	<2	0.25	2.7	9
A0008277	Soil	0.18		0.5	1.96	12	<10	1422	<0.5	3	0.71	1.0	11
A0008278	Soil	NR		NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
A0008279	Soil	0.14		<0.2	1.55	4	<10	368	<0.5	<2	0.21	0.5	9
A0008280	Soil	0.18		<0.2	1.75	3	<10	313	<0.5	<2	0.21	<0.5	10
A0008281	Soil	0.16		0.2	1.56	2	<10	369	<0.5	<2	0.26	<0.5	8
A0008282	Soil	0.16		<0.2	2.45	9	<10	336	0.5	<2	0.09	<0.5	7
A0008283	Soil	0.14		0.3	2.53	10	<10	289	0.6	<2	0.11	<0.5	13
A0008284	Soil	0.18		<0.2	2.72	8	<10	119	0.6	<2	0.07	0.5	10
A0008285	Soil	0.14		<0.2	1.42	7	<10	155	<0.5	<2	0.08	<0.5	6
A0008286	Soil	0.14		0.3	1.05	5	<10	253	<0.5	<2	0.36	0.6	6
A0008287	Soil	0.18		<0.2	1.75	10	<10	331	<0.5	<2	0.21	0.7	9
A0008288	Soil	0.14		0.7	1.81	26	<10	437	0.7	<2	1.48	1.0	9
A0008289	Soil	0.12		0.4	1.85	19	<10	445	0.6	<2	0.95	0.7	11
A0008290	Soil	0.14		0.3	1.72	26	<10	269	0.6	<2	0.45	0.6	14
A0008291	Soil	0.12		0.8	1.56	23	<10	134	<0.5	<2	0.21	0.6	8
A0008292	Soil	0.12		0.4	2.05	20	<10	450	0.7	<2	0.84	<0.5	11
A0008293	Soil	0.18		0.6	2.27	8	<10	506	0.9	<2	0.90	0.9	16
A0008294	Soil	0.16		0.5	2.52	7	<10	495	1.0	2	0.90	0.7	12
A0008295	Soil	0.14		1.1	1.85	5	<10	302	1.2	<2	0.57	1.2	7
A0008296	Soil	0.16		0.6	2.30	<2	<10	368	1.0	<2	0.86	1.0	12
A0008297	Soil	0.18		0.6	3.30	17	<10	356	0.6	2	0.26	8.2	12
A0008298	Soil	0.14		0.5	1.11	11	<10	277	<0.5	<2	0.41	4.1	8
A0008299	Soil	0.10		0.6	0.91	34	<10	1549	<0.5	2	0.70	11.3	13
A0008300	Soil	0.16		0.4	1.98	14	<10	466	0.5	3	0.49	3.0	15

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008301	Soil	0.12		0.6	1.27	14	<10	745	0.6	2	0.37	4.0	17
A0008302	Soil	0.20		0.3	2.20	8	<10	516	0.6	2	0.61	1.3	10
A0008303	Soil	0.18		0.3	1.91	13	<10	315	0.6	2	0.22	<0.5	13
A0008304	Soil	0.14		0.2	1.64	11	<10	203	<0.5	3	0.27	<0.5	7
A0008305	Soil	0.12		<0.2	1.15	4	<10	312	<0.5	<2	0.46	1.7	8
A0008306	Soil	0.16		<0.2	2.21	16	<10	191	<0.5	<2	0.19	<0.5	10
A0008307	Soil	0.16		0.3	1.75	12	<10	267	<0.5	<2	0.42	0.6	11
A0008308	Soil	0.14		<0.2	1.06	5	<10	325	<0.5	<2	0.20	0.6	5
A0008309	Soil	0.16		<0.2	0.78	9	<10	339	<0.5	<2	0.19	<0.5	4
A0008310	Soil	0.16		0.5	2.02	13	<10	349	<0.5	<2	0.36	1.2	10
A0008311	Soil	0.20		0.7	1.51	9	<10	486	<0.5	<2	0.71	2.4	10
A0008312	Soil	0.16		0.2	2.24	10	<10	229	0.5	3	0.12	<0.5	11
A0008313	Soil	0.16		<0.2	2.07	12	<10	302	0.7	<2	0.18	0.7	12
A0008314	Soil	0.18		0.3	1.50	12	<10	866	<0.5	2	0.31	0.8	9
A0008315	Soil	0.12		0.6	1.44	9	<10	1727	0.6	4	0.48	6.3	21
A0008316	Soil	0.20		0.3	1.46	34	<10	502	<0.5	<2	0.19	1.7	8
A0008317	Soil	0.16		0.2	2.02	11	<10	274	<0.5	<2	0.17	1.4	10
A0008318	Soil	0.14		0.4	2.24	8	<10	130	<0.5	2	0.15	1.5	7
A0008319	Soil	0.16		0.3	1.81	7	<10	148	<0.5	<2	0.13	1.4	6
A0008320	Soil	0.14		1.1	0.62	14	<10	194	<0.5	2	0.21	7.4	3
A0008321	Soil	0.08		2.5	1.59	12	12	1603	0.7	2	1.26	68.2	14
A0008322	Soil	0.18		3.5	1.43	26	<10	349	0.6	3	0.25	6.0	7
A0008323	Soil	0.18		0.7	1.56	15	10	362	0.6	<2	0.78	2.2	15
A0008324	Soil	0.14		<0.2	1.33	18	<10	314	<0.5	2	0.18	1.1	7
A0008325	Soil	0.10		3.7	1.71	6	<10	773	0.6	2	1.15	12.1	8

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008326	Soil	0.14		<0.2	0.56	4	<10	325	<0.5	<2	0.27	5.0	5
A0008327	Soil	0.16		0.4	1.20	3	<10	276	<0.5	2	0.20	0.8	9
A0008328	Soil	0.16		<0.2	1.94	10	<10	220	<0.5	2	0.12	0.6	9
A0008329	Soil	0.18		0.3	1.84	8	<10	561	<0.5	<2	0.32	<0.5	9
A0008330	Soil	0.18		0.5	1.70	5	<10	1040	<0.5	<2	0.40	0.6	6
A0008331	Soil	0.14		0.3	1.13	8	<10	364	<0.5	<2	0.18	<0.5	4
A0008332	Soil	0.14		0.8	1.93	6	<10	1188	0.6	<2	1.39	2.2	17
A0008333	Soil	0.18		<0.2	1.50	8	<10	430	<0.5	<2	0.27	<0.5	8
A0008334	Soil	0.08		1.4	1.43	8	<10	1026	0.6	<2	2.44	3.7	7
A0008335	Soil	0.14		0.8	1.95	7	<10	1111	0.6	<2	0.60	1.0	9
A0008336	Soil	0.18		0.5	2.13	7	<10	676	<0.5	<2	0.29	0.5	9
A0008337	Soil	0.18		0.4	2.08	8	<10	289	0.5	<2	0.12	0.6	9
A0008338	Soil	0.18		0.3	1.72	9	<10	373	0.5	<2	0.16	0.8	9
A0008339	Soil	0.10		0.4	0.54	3	<10	363	<0.5	<2	0.22	0.7	2
A0008340	Soil	0.14		0.3	0.99	25	<10	936	<0.5	<2	0.21	1.8	8
A0008341	Soil	0.16		0.3	0.97	6	<10	262	<0.5	<2	0.17	4.4	5
A0008342	Soil	0.14		0.5	1.10	10	<10	251	<0.5	<2	0.31	4.5	6
A0008343	Soil	0.22		1.7	1.98	27	<10	669	0.8	<2	0.31	14.5	12
A0008344	Soil	0.20		1.9	0.97	39	<10	336	0.5	<2	0.22	7.7	4
A0008345	Soil	0.16		2.2	1.50	21	<10	340	<0.5	<2	0.18	7.7	4
A0008346	Soil	0.18		0.5	2.13	14	<10	433	0.7	<2	0.76	<0.5	17
A0008347	Soil	0.16		<0.2	1.26	4	<10	236	<0.5	<2	0.26	<0.5	5
A0008348	Soil	0.12		0.8	2.69	6	<10	882	1.1	<2	0.79	1.5	16
A0008349	Soil	0.14		0.2	1.16	5	<10	544	<0.5	<2	0.47	0.9	7
A0008350	Soil	0.16		0.3	2.03	4	<10	89	<0.5	<2	0.07	<0.5	5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
DUP A0008202				0.5	2.26	11	<10	170	0.6	<2	0.14	0.6	15
DUP A0008254				0.3	2.03	7	<10	235	<0.5	<2	0.25	<0.5	7
DUP A0008281				<0.2	1.57	4	<10	375	<0.5	<2	0.26	<0.5	8
DUP A0008345				2.1	1.40	21	<10	320	<0.5	<2	0.17	7.7	4
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD OREAS 601				50.3	0.86	317	<10	168	0.6	24	1.05	8.0	5
STD OREAS 24b				<0.2	3.41	6	<10	145	1.6	5	0.44	<0.5	14
STD OREAS 24b				<0.2	3.24	6	<10	149	1.7	<2	0.47	<0.5	15
STD OREAS 601				48.2	0.88	297	<10	220	0.6	22	1.02	7.9	5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008201	52	24	3.92	11	<1	0.07	<10	0.71	739	<1	0.02	33	783
A0008202	29	20	5.39	12	<1	0.07	<10	0.38	1146	<1	0.02	23	2300
A0008203	21	10	2.54	<10	<1	0.03	<10	0.25	183	<1	0.02	13	423
A0008204	18	9	2.45	<10	<1	0.07	<10	0.19	351	<1	0.02	12	891
A0008205	38	18	4.40	13	<1	0.07	<10	0.45	565	1	0.02	26	670
A0008206	27	13	3.44	<10	<1	0.05	<10	0.39	339	<1	0.02	22	716
A0008207	33	29	4.03	11	<1	0.05	<10	0.18	323	2	0.02	20	796
A0008208	41	26	3.52	<10	<1	0.10	<10	0.46	776	1	0.03	38	1144
A0008209	31	11	3.18	<10	<1	0.06	<10	0.48	201	<1	0.02	29	1551
A0008210	19	6	2.62	<10	<1	0.06	<10	0.23	164	<1	0.02	13	739
A0008211	31	12	3.97	<10	<1	0.05	<10	0.46	255	<1	0.02	27	1280
A0008212	30	15	4.50	10	<1	0.05	<10	0.45	214	<1	0.02	26	934
A0008213	25	10	3.13	<10	<1	0.07	<10	0.18	228	<1	0.02	14	557
A0008214	27	21	3.37	<10	<1	0.16	<10	0.29	838	<1	0.02	22	1109
A0008215	43	19	3.14	<10	<1	0.09	<10	0.48	302	<1	0.02	27	866
A0008216	58	24	3.56	<10	<1	0.08	<10	0.70	881	<1	0.03	39	901
A0008217	42	19	3.01	<10	<1	0.08	<10	0.51	434	<1	0.02	28	689
A0008218	21	9	2.48	<10	<1	0.03	<10	0.27	102	<1	0.02	14	309
A0008219	26	24	3.87	<10	<1	0.05	<10	0.34	216	1	0.02	24	1037
A0008220	28	44	3.52	<10	<1	0.09	<10	0.39	609	<1	0.03	34	1356
A0008221	30	25	3.47	<10	<1	0.09	<10	0.37	1048	<1	0.02	30	522
A0008222	34	14	5.96	14	<1	0.07	<10	0.40	278	<1	0.02	23	1259
A0008223	25	12	4.11	11	<1	0.07	<10	0.29	379	<1	0.02	18	1576
A0008224	19	8	2.96	<10	<1	0.09	<10	0.27	270	<1	0.02	14	624
A0008225	21	10	2.81	<10	<1	0.07	<10	0.33	169	1	0.02	18	865

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Terracad Geoscience Ltd.
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Table with 14 columns: Sample ID, ICP-130 Cr ppm, ICP-130 Cu ppm, ICP-130 Fe %, ICP-130 Ga ppm, ICP-130 Hg ppm, ICP-130 K %, ICP-130 La ppm, ICP-130 Mg %, ICP-130 Mn ppm, ICP-130 Mo ppm, ICP-130 Na %, ICP-130 Ni ppm, ICP-130 P ppm. Rows include sample IDs A0008226 through A0008250.

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008251	19	55	3.08	<10	<1	0.08	<10	0.29	276	1	0.03	15	524
A0008252	18	19	3.47	<10	<1	0.05	<10	0.24	293	1	0.02	15	713
A0008253	9	21	3.06	<10	1	0.14	<10	0.12	368	1	0.03	7	646
A0008254	28	18	5.12	14	<1	0.09	<10	0.38	323	1	0.02	21	2479
A0008255	20	27	4.30	12	<1	0.11	<10	0.44	432	2	0.02	18	708
A0008256	24	25	4.54	11	<1	0.04	<10	0.19	194	2	0.02	14	471
A0008257	12	26	2.13	<10	<1	0.07	<10	0.11	187	1	0.03	7	524
A0008258	32	26	4.49	12	<1	0.07	<10	0.51	522	<1	0.02	26	2177
A0008259	29	30	4.36	11	<1	0.05	<10	0.40	306	1	0.03	22	459
A0008260	26	13	3.65	<10	<1	0.05	<10	0.30	206	<1	0.02	17	282
A0008261	29	28	4.07	<10	<1	0.06	<10	0.52	2180	<1	0.02	39	1257
A0008262	27	14	3.74	10	<1	0.10	<10	0.44	380	<1	0.02	21	2319
A0008263	17	19	1.89	<10	<1	0.07	<10	0.13	720	<1	0.03	12	793
A0008264	13	12	2.45	<10	<1	0.09	<10	0.20	319	<1	0.02	11	668
A0008265	11	27	6.64	11	<1	0.11	<10	0.15	2609	<1	0.05	11	1370
A0008266	8	8	1.78	<10	<1	0.06	<10	0.12	213	1	0.02	5	268
A0008267	14	16	3.35	<10	<1	0.07	<10	0.20	316	<1	0.02	12	591
A0008268	20	22	3.89	<10	<1	0.11	<10	0.45	624	<1	0.03	20	922
A0008269	22	12	2.98	<10	<1	0.07	<10	0.36	265	<1	0.02	20	598
A0008270	23	15	3.34	11	<1	0.08	<10	0.42	397	<1	0.02	20	1319
A0008271	19	22	3.65	10	<1	0.09	<10	0.33	521	1	0.03	16	2371
A0008272	27	12	3.08	<10	<1	0.06	<10	0.48	280	<1	0.02	26	930
A0008273	21	12	2.92	<10	<1	0.03	<10	0.22	127	<1	0.02	13	255
A0008274	11	15	2.67	<10	<1	0.08	<10	0.18	349	1	0.02	9	895
A0008275	9	15	1.24	<10	<1	0.04	<10	0.07	80	<1	0.02	5	291

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008276	15	17	2.97	<10	<1	0.12	<10	0.18	524	<1	0.02	9	1741
A0008277	21	61	4.43	12	<1	0.08	<10	0.60	863	3	0.05	17	789
A0008278	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
A0008279	18	20	3.51	11	<1	0.09	<10	0.33	384	<1	0.02	16	583
A0008280	15	11	3.89	<10	<1	0.17	<10	0.46	573	<1	0.02	14	1516
A0008281	15	25	3.72	10	<1	0.12	<10	0.32	1011	<1	0.02	12	1773
A0008282	26	34	4.57	12	<1	0.06	<10	0.40	282	1	0.02	21	1652
A0008283	37	37	4.92	11	<1	0.05	<10	0.49	420	1	0.02	46	468
A0008284	41	23	4.59	11	<1	0.04	<10	0.54	288	1	0.02	38	1449
A0008285	25	27	3.85	<10	<1	0.04	<10	0.27	229	2	0.02	21	1290
A0008286	23	18	3.30	12	<1	0.06	<10	0.17	356	1	0.02	13	535
A0008287	34	27	4.51	13	<1	0.06	<10	0.39	477	1	0.02	26	877
A0008288	44	62	3.19	<10	<1	0.08	<10	0.37	1039	1	0.04	36	1064
A0008289	48	42	2.98	<10	<1	0.08	<10	0.35	939	1	0.04	33	969
A0008290	52	34	3.41	<10	<1	0.06	<10	0.46	1325	1	0.02	35	817
A0008291	45	35	3.28	<10	<1	0.06	<10	0.27	625	2	0.02	23	1028
A0008292	61	38	3.15	<10	<1	0.06	<10	0.50	617	<1	0.03	37	1135
A0008293	41	53	4.02	10	<1	0.09	<10	0.49	1413	1	0.03	43	1230
A0008294	46	48	3.66	12	<1	0.10	<10	0.59	813	<1	0.03	41	1127
A0008295	37	57	3.73	11	<1	0.07	17	0.23	545	1	0.03	34	1617
A0008296	38	42	2.33	<10	<1	0.09	16	0.63	1911	<1	0.03	40	969
A0008297	39	20	4.39	13	1	0.08	<10	0.61	1601	1	0.02	42	594
A0008298	17	25	3.64	<10	<1	0.09	<10	0.22	689	<1	0.02	16	640
A0008299	11	27	5.37	<10	<1	0.19	<10	0.12	2381	1	<0.01	10	971
A0008300	29	18	4.98	12	<1	0.09	<10	0.38	2263	1	0.02	20	540

Please refer to the cover page for comments regarding this certificate.

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008301	20	60	3.94	<10	<1	0.08	<10	0.18	2148	4	0.03	18	597
A0008302	35	28	3.76	<10	<1	0.06	<10	0.51	332	2	0.03	44	256
A0008303	27	48	4.28	10	<1	0.11	<10	0.65	813	1	0.02	31	564
A0008304	18	20	3.65	10	<1	0.12	<10	0.27	272	2	0.02	18	411
A0008305	9	16	3.14	<10	<1	0.14	<10	0.20	748	1	0.02	6	543
A0008306	23	26	4.61	12	<1	0.11	<10	0.56	384	<1	0.02	22	831
A0008307	22	25	3.93	11	<1	0.13	<10	0.43	576	<1	0.02	22	1238
A0008308	14	11	2.57	<10	<1	0.09	<10	0.22	262	<1	0.02	10	517
A0008309	11	14	2.38	<10	<1	0.11	<10	0.13	266	<1	0.02	10	621
A0008310	20	52	4.68	13	<1	0.14	<10	0.51	514	2	0.02	19	567
A0008311	18	80	3.45	10	<1	0.10	<10	0.39	774	1	0.03	16	355
A0008312	23	44	4.49	10	<1	0.06	<10	0.56	462	<1	0.02	27	360
A0008313	19	76	4.80	12	<1	0.07	<10	0.67	741	2	0.02	19	404
A0008314	22	41	3.82	<10	<1	0.11	<10	0.36	520	<1	0.03	21	368
A0008315	17	26	5.18	<10	<1	0.16	<10	0.20	4335	<1	<0.01	15	1125
A0008316	22	18	3.94	<10	<1	0.07	<10	0.29	732	1	0.02	17	812
A0008317	29	25	4.31	11	<1	0.09	<10	0.54	379	<1	0.02	29	736
A0008318	29	12	4.61	12	<1	0.07	<10	0.35	280	1	0.02	21	2344
A0008319	29	44	3.90	11	<1	0.05	<10	0.38	259	<1	0.02	22	2297
A0008320	6	4	2.26	<10	<1	0.07	<10	0.04	622	2	0.02	6	612
A0008321	17	32	4.40	10	<1	0.10	<10	0.22	9911	<1	<0.01	11	4475
A0008322	19	23	3.95	<10	<1	0.07	<10	0.23	1088	2	0.02	17	1437
A0008323	27	63	4.16	<10	<1	0.12	<10	0.63	1649	2	0.03	44	919
A0008324	20	18	3.69	10	<1	0.08	<10	0.30	366	1	0.02	16	771
A0008325	32	56	2.87	<10	<1	0.09	<10	0.46	2591	<1	0.04	25	964



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008326	9	12	2.56	<10	<1	0.10	<10	0.10	420	<1	0.02	8	653
A0008327	11	15	3.46	<10	<1	0.12	<10	0.22	1212	<1	0.02	10	847
A0008328	21	39	4.63	12	<1	0.06	<10	0.54	389	1	0.02	21	469
A0008329	20	45	4.27	11	<1	0.11	<10	0.56	617	<1	0.03	21	558
A0008330	14	31	3.76	11	<1	0.08	<10	0.25	322	<1	0.04	13	551
A0008331	11	34	3.29	<10	<1	0.07	<10	0.17	182	<1	0.02	10	431
A0008332	15	50	4.52	<10	<1	0.07	<10	0.19	1001	<1	0.04	17	845
A0008333	17	16	3.18	<10	<1	0.10	<10	0.28	911	<1	0.02	15	1429
A0008334	21	108	2.79	<10	<1	0.07	<10	0.36	756	<1	0.04	23	1298
A0008335	18	85	3.65	11	<1	0.10	<10	0.33	667	1	0.04	18	552
A0008336	17	45	5.01	15	<1	0.11	<10	0.53	514	1	0.03	15	638
A0008337	18	31	4.98	13	<1	0.08	<10	0.62	413	1	0.02	16	1032
A0008338	15	28	5.19	13	<1	0.13	<10	0.35	632	1	0.02	14	1381
A0008339	7	8	1.39	<10	<1	0.10	<10	0.07	225	<1	0.02	5	458
A0008340	14	26	4.59	<10	<1	0.11	<10	0.17	1160	2	0.03	13	570
A0008341	10	10	3.19	<10	<1	0.09	<10	0.11	435	<1	0.02	7	734
A0008342	13	9	3.60	11	<1	0.07	<10	0.15	623	1	0.02	8	642
A0008343	32	42	4.33	<10	<1	0.06	<10	0.63	2165	<1	0.03	35	684
A0008344	10	8	4.52	<10	<1	0.08	<10	0.05	776	2	0.02	7	1214
A0008345	13	9	4.21	<10	<1	0.05	<10	0.09	1716	1	0.02	10	1948
A0008346	62	41	5.98	11	<1	0.05	<10	0.97	1186	<1	0.03	42	937
A0008347	27	16	3.43	11	<1	0.09	<10	0.20	296	<1	0.02	14	592
A0008348	36	53	4.29	12	<1	0.11	<10	0.37	4384	<1	0.04	30	1817
A0008349	24	15	2.82	<10	<1	0.07	<10	0.33	1939	<1	0.03	18	752
A0008350	28	15	2.82	<10	<1	0.04	<10	0.30	173	<1	0.01	21	866

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

	ICP-130 Cr ppm	ICP-130 Cu ppm	ICP-130 Fe %	ICP-130 Ga ppm	ICP-130 Hg ppm	ICP-130 K %	ICP-130 La ppm	ICP-130 Mg %	ICP-130 Mn ppm	ICP-130 Mo ppm	ICP-130 Na %	ICP-130 Ni ppm	ICP-130 P ppm
Sample ID	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10
DUP A0008202	31	20	5.52	12	<1	0.08	<10	0.37	1218	<1	0.02	23	2427
DUP A0008254	27	18	5.02	13	<1	0.09	<10	0.38	317	<1	0.02	20	2448
DUP A0008281	16	25	3.78	<10	<1	0.12	<10	0.32	1023	<1	0.02	12	1792
DUP A0008345	12	9	4.08	<10	<1	0.05	<10	0.09	1655	1	0.02	10	1890
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD OREAS 601	48	1045	2.22	<10	<1	0.26	12	0.20	429	3	0.08	26	368
STD OREAS 24b	101	38	4.08	15	<1	1.24	19	1.39	333	3	0.11	55	622
STD OREAS 24b	107	37	3.98	16	<1	1.21	20	1.41	359	3	0.11	57	649
STD OREAS 601	42	1023	2.18	<10	<1	0.26	12	0.20	423	3	0.07	22	352

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008201	12	0.05	<2	3	18	<8	0.03	<10	97	<10	104	<5
A0008202	22	0.03	3	5	10	<8	0.01	<10	72	<10	122	<5
A0008203	8	0.02	<2	<2	20	<8	0.02	<10	58	<10	70	<5
A0008204	9	<0.01	<2	3	10	<8	0.03	<10	59	<10	65	<5
A0008205	13	0.02	<2	5	11	<8	0.02	<10	119	<10	92	<5
A0008206	10	0.01	<2	4	15	<8	0.04	<10	61	<10	74	<5
A0008207	15	0.05	4	3	18	<8	0.02	<10	78	<10	75	<5
A0008208	12	0.06	<2	7	26	<8	<0.01	<10	80	<10	110	<5
A0008209	8	<0.01	<2	3	8	<8	0.02	<10	51	<10	132	<5
A0008210	8	<0.01	<2	3	9	<8	0.03	<10	59	<10	55	<5
A0008211	11	<0.01	<2	4	7	<8	0.03	<10	56	<10	147	<5
A0008212	13	0.02	<2	3	15	<8	0.03	<10	60	<10	99	<5
A0008213	9	0.03	<2	2	20	<8	0.02	<10	62	<10	72	<5
A0008214	11	0.03	<2	<2	33	<8	0.01	<10	73	<10	101	<5
A0008215	10	0.08	<2	4	20	<8	0.02	<10	79	<10	71	<5
A0008216	13	0.04	2	8	39	<8	<0.01	<10	115	<10	95	<5
A0008217	13	0.02	<2	5	22	<8	0.01	<10	86	<10	86	<5
A0008218	11	<0.01	<2	3	5	<8	0.01	<10	46	<10	49	<5
A0008219	13	0.02	<2	3	17	<8	0.02	<10	51	<10	88	<5
A0008220	14	0.05	<2	7	61	<8	<0.01	<10	49	<10	121	<5
A0008221	15	0.02	<2	6	34	<8	<0.01	<10	50	<10	140	<5
A0008222	15	0.02	2	5	10	<8	0.02	<10	85	<10	124	<5
A0008223	12	0.01	<2	4	8	<8	0.02	<10	71	<10	127	<5
A0008224	8	0.01	<2	3	9	<8	0.03	<10	58	<10	101	<5
A0008225	9	0.01	<2	3	7	<8	0.03	<10	61	<10	63	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008226	15	0.04	<2	5	29	<8	0.01	<10	67	<10	113	<5
A0008227	4	0.03	<2	<2	8	<8	0.03	<10	103	<10	37	<5
A0008228	10	0.01	<2	5	41	<8	0.04	<10	86	<10	120	<5
A0008229	8	<0.01	<2	2	9	<8	0.02	<10	56	<10	60	<5
A0008230	12	0.02	3	4	7	<8	<0.01	<10	59	<10	107	<5
A0008231	8	0.03	<2	<2	14	<8	<0.01	<10	49	<10	114	<5
A0008232	11	0.02	<2	4	29	<8	0.02	<10	80	<10	59	<5
A0008233	18	0.03	3	4	24	<8	0.02	<10	65	<10	104	<5
A0008234	14	0.03	<2	7	60	<8	<0.01	<10	45	<10	146	<5
A0008235	13	0.03	<2	5	120	<8	0.01	<10	67	<10	168	<5
A0008236	13	0.03	<2	4	9	<8	0.02	<10	67	<10	117	<5
A0008237	18	0.10	<2	4	137	<8	<0.01	<10	54	<10	192	<5
A0008238	13	0.02	2	4	9	<8	0.01	<10	117	<10	118	<5
A0008239	8	0.01	3	<2	8	<8	0.06	<10	80	<10	32	<5
A0008240	10	0.02	<2	2	8	<8	0.02	<10	59	<10	66	<5
A0008241	16	0.10	<2	10	33	<8	0.10	<10	108	<10	151	<5
A0008242	14	0.02	<2	10	26	<8	0.10	<10	109	<10	143	<5
A0008243	7	0.01	2	<2	9	<8	0.01	<10	43	<10	59	<5
A0008244	13	0.02	<2	4	14	<8	0.02	<10	75	<10	109	<5
A0008245	5	0.01	<2	2	8	<8	0.03	<10	38	<10	72	<5
A0008246	14	0.02	<2	3	18	<8	0.02	<10	46	<10	87	<5
A0008247	8	0.01	<2	<2	10	<8	0.03	<10	49	<10	81	<5
A0008248	20	0.01	<2	6	8	<8	0.03	<10	85	<10	183	<5
A0008249	11	0.03	<2	3	42	<8	0.01	<10	79	<10	71	<5
A0008250	18	0.02	<2	4	16	<8	0.02	<10	63	<10	132	<5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008251	20	0.03	<2	3	19	<8	0.03	<10	64	<10	152	<5
A0008252	19	<0.01	2	3	10	<8	0.04	<10	63	<10	99	<5
A0008253	9	0.02	<2	3	20	<8	0.02	<10	53	<10	72	<5
A0008254	15	0.01	<2	4	15	<8	0.03	<10	87	<10	119	<5
A0008255	14	0.01	<2	4	13	<8	0.05	<10	70	<10	106	<5
A0008256	26	0.04	<2	3	9	<8	0.04	<10	76	<10	106	<5
A0008257	17	0.02	<2	2	17	<8	0.03	<10	59	<10	108	<5
A0008258	22	<0.01	<2	5	10	<8	0.03	<10	69	<10	334	<5
A0008259	26	0.01	<2	4	19	<8	0.03	<10	69	<10	438	<5
A0008260	21	0.01	<2	3	10	<8	0.04	<10	62	<10	105	<5
A0008261	150	<0.01	3	8	9	<8	0.03	<10	51	<10	1732	<5
A0008262	34	<0.01	<2	4	13	<8	0.03	<10	63	<10	528	<5
A0008263	78	0.04	<2	<2	15	<8	0.01	<10	35	<10	239	<5
A0008264	17	0.02	<2	2	14	<8	0.03	<10	44	<10	138	<5
A0008265	53	0.05	<2	4	28	<8	0.01	<10	82	<10	479	<5
A0008266	8	0.01	<2	<2	8	<8	0.02	<10	47	<10	75	<5
A0008267	14	0.02	<2	3	8	<8	0.03	<10	59	<10	121	<5
A0008268	18	0.01	<2	5	12	<8	0.04	<10	57	<10	197	<5
A0008269	13	<0.01	<2	3	12	<8	0.04	<10	51	<10	189	<5
A0008270	37	0.01	<2	4	11	<8	0.03	<10	58	<10	286	<5
A0008271	175	0.02	<2	3	15	<8	0.03	<10	56	<10	791	<5
A0008272	18	0.01	<2	3	9	<8	0.04	<10	52	<10	325	<5
A0008273	18	0.02	<2	3	11	<8	0.04	<10	55	<10	69	<5
A0008274	27	0.01	<2	3	10	<8	0.03	<10	46	<10	318	<5
A0008275	7	0.02	<2	<2	16	<8	0.02	<10	31	<10	151	<5

Please refer to the cover page for comments regarding this certificate.

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
	2	0.01	2	2	1	8	0.01	10	1	10	1	5
A0008276	11	0.02	<2	3	12	<8	0.03	<10	49	<10	169	<5
A0008277	18	0.03	<2	6	34	<8	0.02	<10	94	<10	218	<5
A0008278	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
A0008279	13	0.01	<2	4	14	<8	0.04	<10	61	<10	106	<5
A0008280	10	0.01	<2	4	10	<8	0.03	<10	58	<10	143	<5
A0008281	10	0.01	2	5	13	<8	0.04	<10	61	<10	116	<5
A0008282	19	0.01	<2	6	7	<8	0.04	<10	69	<10	218	<5
A0008283	18	0.02	<2	6	9	<8	0.04	<10	72	<10	149	<5
A0008284	12	0.02	<2	5	6	<8	0.02	<10	59	<10	152	<5
A0008285	15	<0.01	<2	4	8	<8	0.03	<10	66	<10	85	<5
A0008286	12	0.02	<2	<2	20	<8	0.04	<10	80	<10	78	<5
A0008287	13	0.02	<2	3	15	<8	0.03	<10	84	<10	160	<5
A0008288	14	0.08	3	4	77	<8	<0.01	<10	128	<10	93	<5
A0008289	12	0.06	<2	5	73	<8	<0.01	<10	112	<10	111	<5
A0008290	14	0.05	<2	5	34	<8	0.01	<10	129	<10	100	<5
A0008291	121	0.07	<2	<2	19	<8	0.01	<10	128	<10	104	<5
A0008292	14	0.07	<2	7	56	<8	0.01	<10	118	<10	86	<5
A0008293	15	0.05	<2	8	52	<8	<0.01	<10	65	<10	128	<5
A0008294	15	0.04	2	9	53	<8	0.01	<10	70	<10	121	<5
A0008295	13	0.09	<2	<2	28	<8	0.02	<10	69	<10	80	<5
A0008296	15	0.15	<2	6	62	<8	0.01	<10	42	<10	113	<5
A0008297	147	0.02	<2	7	9	<8	0.01	<10	68	<10	3106	<5
A0008298	57	0.02	3	5	14	<8	0.02	<10	49	<10	615	<5
A0008299	177	0.04	<2	6	35	<8	<0.01	<10	59	<10	895	<5
A0008300	96	0.02	<2	6	22	<8	0.02	<10	60	<10	816	<5



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008301	169	0.06	3	5	29	<8	0.02	<10	54	<10	312	<5
A0008302	15	0.02	<2	9	38	<8	0.02	<10	51	<10	98	<5
A0008303	22	0.02	<2	7	14	<8	0.06	<10	67	<10	155	<5
A0008304	18	0.01	<2	4	16	<8	0.05	<10	71	<10	109	<5
A0008305	13	0.03	2	4	16	<8	0.03	<10	55	<10	201	<5
A0008306	24	0.02	2	5	12	<8	0.04	<10	69	<10	173	<5
A0008307	22	0.01	2	4	19	<8	0.04	<10	58	<10	187	<5
A0008308	13	<0.01	<2	2	13	<8	0.04	<10	49	<10	117	<5
A0008309	22	0.01	<2	2	12	<8	0.04	<10	51	<10	89	<5
A0008310	41	0.02	<2	7	15	<8	0.03	<10	76	<10	321	<5
A0008311	29	0.02	3	8	19	<8	0.03	<10	59	<10	535	<5
A0008312	19	0.02	<2	7	8	<8	0.05	<10	70	<10	140	<5
A0008313	41	0.02	<2	8	8	<8	0.07	<10	80	<10	209	<5
A0008314	21	0.01	3	6	19	<8	0.02	<10	58	<10	236	<5
A0008315	49	0.04	<2	9	27	<8	0.02	<10	63	<10	419	<5
A0008316	103	0.02	2	4	10	<8	0.01	<10	56	<10	674	<5
A0008317	18	0.01	<2	4	9	<8	0.03	<10	72	<10	423	<5
A0008318	22	0.01	<2	4	8	<8	0.03	<10	63	<10	361	<5
A0008319	15	<0.01	<2	4	6	<8	0.03	<10	67	<10	278	<5
A0008320	89	<0.01	<2	<2	5	<8	0.01	<10	33	<10	599	<5
A0008321	579	0.04	2	9	30	<8	0.02	<10	58	<10	2564	<5
A0008322	387	0.01	2	9	8	<8	0.02	<10	55	<10	1418	<5
A0008323	34	0.04	<2	9	37	<8	0.03	<10	50	<10	291	<5
A0008324	19	0.01	<2	3	11	<8	0.03	<10	60	<10	276	<5
A0008325	95	0.05	4	7	34	<8	0.02	<10	41	<10	1146	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129
---------------------------------	-------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008326	14	0.02	<2	3	13	<8	0.04	<10	50	<10	186	<5
A0008327	14	0.02	<2	2	10	<8	0.04	<10	61	<10	144	<5
A0008328	21	0.01	<2	5	7	<8	0.05	<10	74	<10	182	<5
A0008329	17	0.02	<2	5	14	<8	0.04	<10	69	<10	180	<5
A0008330	18	0.02	<2	4	18	<8	0.03	<10	70	<10	145	<5
A0008331	13	0.02	4	3	10	<8	0.04	<10	70	<10	73	<5
A0008332	20	0.06	<2	13	40	<8	0.02	<10	66	<10	193	<5
A0008333	14	<0.01	<2	4	15	<8	0.04	<10	52	<10	135	<5
A0008334	17	0.13	<2	8	55	<8	0.02	<10	33	<10	272	<5
A0008335	31	0.02	2	6	26	<8	0.02	<10	62	<10	169	<5
A0008336	23	0.02	<2	6	13	<8	0.05	<10	83	<10	199	<5
A0008337	29	0.01	5	7	7	<8	0.10	<10	85	<10	241	<5
A0008338	26	0.02	<2	5	10	<8	0.02	<10	68	<10	230	<5
A0008339	7	0.02	2	<2	18	<8	0.02	<10	32	<10	64	<5
A0008340	104	0.03	4	5	17	<8	0.01	<10	59	<10	453	<5
A0008341	61	0.01	3	3	8	<8	0.02	<10	58	<10	443	<5
A0008342	53	0.01	2	3	10	<8	0.06	<10	79	<10	592	<5
A0008343	148	0.01	2	15	11	<8	0.03	<10	60	<10	2104	<5
A0008344	63	0.01	3	6	4	<8	<0.01	<10	36	<10	1515	<5
A0008345	52	0.02	<2	4	5	<8	<0.01	<10	44	<10	1722	<5
A0008346	17	0.04	<2	9	31	<8	0.03	<10	114	<10	137	<5
A0008347	12	0.02	3	<2	18	<8	0.03	<10	74	<10	86	<5
A0008348	21	0.05	<2	6	63	<8	0.01	<10	64	<10	232	<5
A0008349	9	0.02	<2	2	36	<8	0.02	<10	51	<10	93	<5
A0008350	9	0.01	<2	3	7	<8	0.02	<10	45	<10	92	<5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
DUP A0008202	24	0.03	3	5	10	<8	0.01	<10	75	<10	126	<5
DUP A0008254	17	0.01	<2	4	15	<8	0.04	<10	86	<10	116	<5
DUP A0008281	11	0.01	<2	5	13	<8	0.04	<10	61	<10	117	<5
DUP A0008345	48	0.02	4	4	5	<8	<0.01	<10	42	<10	1645	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD OREAS 601	280	1.04	17	<2	36	<8	<0.01	<10	10	<10	1294	28
STD OREAS 24b	12	0.20	<2	10	33	10	0.21	<10	79	<10	92	30
STD OREAS 24b	12	0.20	3	10	32	13	0.21	<10	79	<10	95	34
STD OREAS 601	262	1.02	20	<2	38	<8	0.01	<10	10	<10	1258	29

Please refer to the cover page for comments regarding this certificate.



MS Analytical

An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Number of Samples: 166
Report Version: Final

COMMENTS:

Test results reported relate only to the samples as received by the laboratory. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "preliminary" are subject to change, pending final QC review. Please refer to MS Analyticals' *Schedule of Services and Fees* for our complete Terms and Conditions

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-757	Dry, Screen to 80 mesh, discard plus fraction
	Sample preparation performed by MS Analytical Terrace

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
ICP-130	Multi-Element, 0.5g, 3:1 Aqua Regia, ICP-AES, Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MS Analytical



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008351	Soil	0.18		<0.2	2.10	5	<10	108	0.6	<2	0.09	0.5	22
A0008352	Soil	0.16		0.3	1.60	4	<10	71	<0.5	2	0.09	<0.5	4
A0008353	Soil	0.16		<0.2	1.99	<2	<10	318	0.5	<2	0.23	<0.5	8
A0008354	Soil	0.24		<0.2	2.24	6	<10	179	<0.5	2	0.08	<0.5	7
A0008355	Soil	0.16		0.2	3.47	5	<10	175	<0.5	<2	0.07	<0.5	7
A0008356	Soil	0.18		<0.2	2.80	6	<10	230	0.8	2	0.19	<0.5	11
A0008357	Soil	0.18		<0.2	1.26	4	<10	241	<0.5	<2	0.10	<0.5	3
A0008358	Soil	0.18		<0.2	1.70	3	<10	138	<0.5	<2	0.17	<0.5	6
A0008359	Soil	0.16		0.4	1.46	8	<10	238	<0.5	<2	0.17	<0.5	6
A0008360	Soil	0.18		0.5	2.03	11	<10	455	0.6	<2	0.30	0.9	10
A0008361	Soil	0.14		0.2	0.67	2	<10	233	<0.5	<2	0.16	1.1	2
A0008362	Soil	0.16		0.5	1.00	2	<10	602	<0.5	<2	0.33	6.5	6
A0008363	Soil	0.14		1.9	1.58	11	<10	1092	0.6	<2	0.68	9.9	8
A0008364	Soil	0.16		0.9	1.77	9	<10	195	<0.5	<2	0.12	1.1	6
A0008365	Soil	0.18		0.6	0.79	3	<10	1109	<0.5	<2	0.35	2.3	4
A0008366	Soil	0.14		0.4	1.88	9	<10	150	<0.5	<2	0.14	0.7	7
A0008367	Soil	0.16		0.5	1.24	4	<10	421	<0.5	<2	0.15	0.9	6
A0008368	Soil	0.16		0.7	1.29	10	<10	543	<0.5	<2	0.27	1.6	8
A0008369	Soil	0.14		0.4	0.85	6	<10	347	<0.5	<2	0.16	2.0	5
A0008370	Soil	0.22		<0.2	1.17	<2	<10	264	<0.5	<2	0.10	0.8	5
A0008371	Soil	0.16		3.3	1.47	12	<10	2236	0.7	<2	0.45	19.9	15
A0008372	Soil	0.20		0.3	1.88	9	<10	569	<0.5	<2	0.12	0.7	8
A0008373	Soil	0.16		<0.2	1.48	4	<10	247	<0.5	<2	0.26	<0.5	7
A0008374	Soil	0.16		<0.2	0.69	<2	<10	152	<0.5	<2	0.12	<0.5	2
A0008375	Soil	0.18		<0.2	1.81	5	<10	150	<0.5	<2	0.18	<0.5	9

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008376	Soil	0.16		<0.2	0.93	<2	<10	68	<0.5	<2	0.06	<0.5	2
A0008377	Soil	0.20		<0.2	1.42	2	<10	605	<0.5	<2	0.20	<0.5	12
A0008378	Soil	0.14		<0.2	0.55	<2	<10	139	<0.5	<2	0.11	<0.5	3
A0008379	Soil	0.18		<0.2	1.69	3	<10	250	<0.5	<2	0.15	<0.5	8
A0008380	Soil	0.16		<0.2	1.15	2	<10	200	<0.5	2	0.21	<0.5	5
A0008381	Soil	0.14		<0.2	0.74	<2	<10	246	<0.5	<2	0.14	<0.5	3
A0008382	Soil	0.18		0.7	1.59	5	<10	389	<0.5	<2	0.11	<0.5	5
A0008383	Soil	0.16		<0.2	1.03	6	<10	213	<0.5	<2	0.60	<0.5	3
A0008384	Soil	0.18		<0.2	1.53	6	<10	106	<0.5	<2	0.14	<0.5	5
A0008385	Soil	0.14		0.5	1.96	3	<10	654	0.6	<2	0.45	<0.5	11
A0008386	Soil	0.20		0.3	1.46	4	<10	241	<0.5	<2	0.20	<0.5	5
A0008387	Soil	0.20		<0.2	1.67	7	<10	222	<0.5	3	0.10	<0.5	6
A0008388	Soil	0.16		<0.2	1.12	3	<10	144	<0.5	<2	0.15	<0.5	3
A0008389	Soil	0.16		<0.2	2.25	8	<10	176	<0.5	2	0.12	<0.5	7
A0008390	Soil	0.18		0.8	2.05	7	<10	269	0.8	<2	0.49	<0.5	7
A0008391	Soil	0.12		0.4	2.03	3	<10	287	0.7	<2	0.46	<0.5	7
A0008392	Soil	0.14		0.5	2.36	9	<10	1353	0.8	<2	1.22	0.7	19
A0008393	Soil	0.18		0.5	2.30	11	<10	255	0.5	<2	0.12	1.9	8
A0008394	Soil	0.16		0.7	2.07	15	<10	305	0.5	3	0.18	3.0	8
A0008395	Soil	0.14		0.4	2.21	5	<10	186	<0.5	2	0.15	1.9	8
A0008396	Soil	0.12		2.6	1.53	12	<10	649	<0.5	<2	0.31	16.1	6
A0008397	Soil	0.16		0.5	0.97	8	<10	225	<0.5	<2	0.14	3.0	4
A0008398	Soil	0.20		0.4	1.81	6	<10	309	<0.5	<2	0.19	1.0	6
A0008399	Soil	0.12		0.3	0.34	<2	<10	436	<0.5	<2	0.20	1.0	1
A0008400	Soil	0.14		0.7	1.54	11	<10	797	<0.5	<2	0.48	2.5	13

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008401	Soil	0.14		<0.2	1.42	14	<10	525	<0.5	2	0.26	1.2	11
A0008402	Soil	0.20		0.3	2.00	8	<10	752	0.6	<2	0.44	1.2	13
A0008403	Soil	0.12		0.4	0.38	<2	<10	486	<0.5	<2	0.63	1.3	3
A0008404	Soil	0.14		0.3	1.76	7	<10	539	<0.5	<2	0.48	2.1	10
A0008405	Soil	0.18		0.4	0.93	5	<10	460	<0.5	<2	0.19	2.0	4
A0008406	Soil	0.20		0.5	1.33	14	<10	636	<0.5	<2	0.26	2.6	7
A0008407	Soil	0.20		0.2	0.79	4	<10	382	<0.5	<2	0.22	1.8	4
A0008408	Soil	0.16		<0.2	0.52	<2	<10	377	<0.5	<2	0.22	<0.5	4
A0008409	Soil	0.18		<0.2	1.87	4	<10	604	<0.5	2	0.09	<0.5	7
A0008410	Soil	0.18		<0.2	0.61	2	<10	187	<0.5	<2	0.08	<0.5	3
A0008411	Soil	0.16		<0.2	0.68	<2	<10	75	<0.5	<2	0.09	<0.5	3
A0008412	Soil	0.12		3.0	3.29	8	<10	2311	2.1	<2	1.44	1.8	17
A0008413	Soil	0.16		<0.2	1.12	4	<10	108	<0.5	<2	0.15	<0.5	3
A0008414	Soil	0.20		0.2	1.76	7	<10	348	<0.5	2	0.37	<0.5	8
A0008415	Soil	0.14		<0.2	0.60	<2	<10	268	<0.5	<2	0.24	0.5	4
A0008416	Soil	0.18		<0.2	1.27	3	<10	282	<0.5	<2	0.11	<0.5	6
A0008417	Soil	0.18		<0.2	0.58	<2	<10	96	<0.5	<2	0.05	<0.5	2
A0008418	Soil	0.12		<0.2	0.39	<2	<10	189	<0.5	<2	0.18	<0.5	1
A0008419	Soil	0.14		<0.2	1.30	4	<10	165	<0.5	<2	0.10	0.5	3
A0008420	Soil	0.16		0.2	1.55	10	<10	258	<0.5	<2	0.95	<0.5	8
A0008421	Soil	0.10		1.3	1.83	5	<10	1095	0.9	<2	0.86	0.8	11
A0008422	Soil	0.14		0.3	1.92	12	<10	223	0.6	<2	0.39	<0.5	12
A0008423	Soil	0.16		<0.2	1.50	4	<10	136	<0.5	<2	0.14	<0.5	5
A0008424	Soil	0.20		<0.2	2.12	6	<10	155	<0.5	3	0.14	<0.5	12
A0008426	Soil	0.16		0.2	2.07	8	<10	199	<0.5	3	0.25	<0.5	14

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008427	Soil	0.16		1.6	3.15	9	<10	302	1.9	<2	1.43	1.7	13
A0008428	Soil	0.16		<0.2	1.41	3	<10	80	<0.5	<2	0.09	<0.5	3
A0008429	Soil	0.16		<0.2	1.46	6	<10	117	<0.5	<2	0.04	0.5	6
A0008430	Soil	0.16		0.3	2.08	4	<10	121	<0.5	<2	0.06	0.5	6
A0008431	Soil	0.14		<0.2	1.87	6	<10	93	<0.5	3	0.06	<0.5	5
A0008432	Soil	0.20		<0.2	1.46	6	<10	118	<0.5	<2	0.09	<0.5	5
A0008433	Soil	0.14		0.3	1.71	4	<10	368	0.5	3	0.80	0.7	8
A0008434	Soil	0.12		0.8	2.36	7	<10	478	1.0	<2	1.03	0.9	9
A0008435	Soil	0.16		0.3	1.52	4	<10	167	<0.5	2	0.54	<0.5	7
A0008436	Soil	0.14		<0.2	1.60	3	<10	159	<0.5	<2	0.28	<0.5	9
A0008437	Soil	0.18		<0.2	2.08	3	<10	155	<0.5	<2	0.28	<0.5	9
A0008438	Soil	0.20		<0.2	1.60	4	<10	157	<0.5	<2	0.13	<0.5	7
A0008439	Soil	0.14		<0.2	2.72	<2	<10	293	0.6	<2	0.33	<0.5	12
A0008440	Soil	0.12		<0.2	1.62	<2	<10	137	<0.5	<2	0.22	<0.5	7
A0008441	Soil	0.16		<0.2	3.47	5	<10	223	1.3	<2	0.50	<0.5	19
A0008442	Soil	0.12		0.9	2.90	6	<10	355	1.4	<2	1.32	<0.5	12
A0008443	Soil	0.18		<0.2	1.59	4	<10	162	<0.5	<2	0.41	<0.5	9
A0008444	Soil	0.14		0.4	2.57	3	<10	250	1.3	2	0.64	0.8	14
A0008445	Soil	0.16		<0.2	0.81	<2	<10	57	<0.5	<2	0.17	<0.5	3
A0008446	Soil	0.14		0.8	1.62	11	<10	313	0.9	3	1.47	1.3	15
A0008447	Soil	0.12		0.8	1.52	7	<10	245	0.7	<2	1.99	1.9	10
A0008448	Soil	0.16		0.4	1.67	5	<10	128	<0.5	<2	0.17	<0.5	5
A0008449	Soil	0.18		0.5	1.64	3	<10	696	0.8	<2	0.88	2.2	9
A0008450	Soil	0.18		0.3	1.75	7	<10	102	<0.5	<2	0.09	<0.5	7
A0008451	Soil	0.14		<0.2	2.76	4	<10	56	<0.5	<2	0.04	<0.5	6

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008452	Soil	0.14		<0.2	2.07	5	<10	79	<0.5	<2	0.05	<0.5	6
A0008453	Soil	0.16		<0.2	1.61	3	<10	194	<0.5	<2	0.31	<0.5	8
A0008454	Soil	0.14		0.8	3.83	5	<10	544	1.5	2	0.98	2.0	19
A0008455	Soil	0.08		<0.2	1.15	4	<10	154	<0.5	2	0.13	<0.5	6
A0008456	Soil	0.18		0.3	1.19	4	<10	98	<0.5	<2	0.09	<0.5	3
A0008457	Soil	0.14		0.3	2.78	4	<10	552	0.9	3	0.54	0.6	15
A0008458	Soil	0.18		<0.2	1.83	7	<10	77	<0.5	<2	0.06	<0.5	6
A0008459	Soil	0.14		0.5	1.83	6	<10	116	<0.5	<2	0.16	<0.5	7
A0008460	Soil	0.20		<0.2	2.12	5	<10	67	<0.5	<2	0.05	<0.5	8
A0008461	Soil	0.22		<0.2	2.23	6	<10	106	<0.5	<2	0.05	0.5	8
A0008462	Soil	0.16		<0.2	1.70	7	<10	150	<0.5	<2	0.10	<0.5	6
A0008463	Soil	0.12		1.0	2.79	4	<10	481	1.1	<2	1.24	1.5	19
A0008464	Soil	0.20		<0.2	1.20	5	<10	69	<0.5	<2	0.08	<0.5	3
A0008465	Soil	0.16		0.5	2.10	6	<10	333	1.1	<2	0.43	1.0	10
A0008466	Soil	0.16		<0.2	1.37	8	<10	89	<0.5	<2	0.08	<0.5	7
A0008467	Soil	0.18		<0.2	1.51	7	<10	174	<0.5	<2	0.25	<0.5	10
A0008468	Soil	0.14		<0.2	0.50	<2	<10	105	<0.5	<2	0.15	0.6	1
A0008469	Soil	0.18		<0.2	1.58	6	<10	86	<0.5	<2	0.10	<0.5	6
A0008470	Soil	0.14		<0.2	0.87	6	<10	104	<0.5	<2	0.20	<0.5	4
A0008471	Soil	0.16		0.3	1.31	6	<10	307	<0.5	<2	0.35	<0.5	6
A0008472	Soil	0.12		<0.2	0.99	5	<10	100	<0.5	<2	0.31	0.6	4
A0008473	Soil	0.18		1.0	2.46	4	<10	464	1.0	<2	1.46	1.1	13
A0008474	Soil	0.22		<0.2	1.55	6	<10	169	<0.5	<2	0.15	<0.5	7
A0008475	Soil	0.18		0.2	2.73	4	<10	86	0.5	<2	0.05	<0.5	7
A0008476	Soil	0.20		<0.2	1.79	4	<10	82	<0.5	<2	0.05	<0.5	7

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008477	Soil	0.18		<0.2	1.99	8	<10	154	<0.5	<2	0.14	<0.5	6
A0008478	Soil	0.16		<0.2	2.06	8	<10	157	<0.5	<2	0.10	<0.5	7
A0008479	Soil	0.16		0.3	1.92	7	<10	374	0.9	<2	0.62	0.9	9
A0008480	Soil	0.14		0.2	0.74	6	<10	71	<0.5	<2	0.07	<0.5	3
A0008481	Soil	0.10		0.8	1.20	59	<10	182	0.5	<2	0.24	0.7	7
A0008482	Soil	0.18		<0.2	1.89	8	<10	174	<0.5	<2	0.21	<0.5	8
A0008483	Soil	0.12		<0.2	1.82	13	<10	211	<0.5	<2	0.72	<0.5	9
A0008484	Soil	0.16		<0.2	2.41	13	<10	181	<0.5	<2	0.43	<0.5	14
A0008485	Soil	0.16		0.4	2.84	30	<10	203	0.6	<2	0.21	<0.5	16
A0008486	Soil	0.10		0.2	2.18	19	<10	225	0.7	<2	1.13	<0.5	13
A0008487	Soil	0.10		0.4	2.13	10	<10	173	0.6	<2	0.65	<0.5	11
A0008488	Soil	0.12		0.5	2.12	10	<10	271	0.8	<2	1.74	1.0	16
A0008489	Soil	0.16		<0.2	1.41	7	<10	156	<0.5	<2	0.54	<0.5	14
A0008490	Soil	0.20		0.3	1.68	6	<10	213	<0.5	<2	0.80	0.9	13
A0008491	Soil	0.12		0.2	0.76	3	<10	215	<0.5	<2	0.36	<0.5	8
A0008492	Soil	0.18		<0.2	2.06	3	<10	163	0.6	3	0.65	<0.5	23
A0008493	Soil	0.18		<0.2	1.61	3	<10	145	<0.5	3	0.52	<0.5	19
A0008494	Soil	0.14		<0.2	2.06	3	<10	151	0.7	<2	0.94	<0.5	23
A0008495	Soil	0.18		<0.2	1.91	6	<10	141	0.7	2	0.53	<0.5	20
A0008496	Soil	0.14		<0.2	1.69	3	<10	122	0.5	2	0.48	0.6	24
A0008497	Soil	0.14		<0.2	2.39	3	<10	198	0.7	3	0.44	<0.5	22
A0008172	Soil	0.18		0.4	1.47	6	<10	360	<0.5	<2	0.14	<0.5	7
A0008173	Soil	0.16		1.9	1.86	12	<10	2198	<0.5	<2	0.20	1.9	13
A0008174	Soil	0.12		<0.2	0.70	11	<10	620	<0.5	<2	0.14	2.0	3
A0008175	Soil	0.14		<0.2	1.40	10	<10	286	<0.5	<2	0.16	2.0	7

Please refer to the cover page for comments regarding this certificate.

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
A0008176	Soil	0.10		<0.2	0.61	<2	<10	179	<0.5	<2	0.21	3.6	1
A0008177	Soil	0.14		0.5	1.77	19	<10	379	<0.5	<2	0.37	3.2	11
A0008178	Soil	0.18		1.4	1.72	16	<10	1717	0.6	2	0.80	10.3	11
A0008179	Soil	0.16		0.6	2.48	15	<10	1770	<0.5	<2	0.11	1.9	9
A0008180	Soil	0.16		1.1	1.75	5	<10	354	<0.5	<2	0.53	0.6	7
A0008181	Soil	0.12		0.2	1.05	7	<10	180	<0.5	<2	0.16	<0.5	6
A0008182	Soil	0.14		<0.2	0.55	4	<10	66	<0.5	<2	0.16	<0.5	3
A0008183	Soil	0.16		<0.2	2.15	8	<10	174	<0.5	2	0.06	<0.5	7
A0008184	Soil	0.16		0.4	1.83	11	<10	171	<0.5	<2	0.22	0.7	7
A0008185	Soil	0.14		0.4	0.74	3	<10	519	<0.5	<2	0.47	1.4	4
A0008186	Soil	0.16		1.2	1.44	9	<10	1942	<0.5	<2	1.26	5.8	6
A0008187	Soil	0.18		0.6	1.80	15	<10	371	0.6	<2	1.04	1.6	11
A0008188	Soil	0.14		0.3	1.39	7	<10	290	<0.5	<2	0.19	<0.5	5
A0008189	Soil	0.18		0.4	2.00	10	<10	161	<0.5	<2	0.18	0.7	11
A0008190	Soil	0.14		0.4	1.37	8	<10	201	<0.5	<2	0.24	<0.5	5
A0008191	Soil	0.14		1.1	1.90	9	<10	478	<0.5	<2	0.36	0.6	11
DUP A0008362				0.5	0.96	3	<10	580	<0.5	<2	0.32	6.2	5
DUP A0008399				0.4	0.33	<2	<10	448	<0.5	<2	0.20	1.0	1
DUP A0008445				<0.2	0.83	<2	<10	58	<0.5	<2	0.18	<0.5	3
DUP A0008487				0.4	2.24	10	<10	184	0.7	<2	0.69	<0.5	11
DUP A0008181				0.3	1.03	5	<10	176	<0.5	<2	0.16	<0.5	6

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg	Method Analyte Units	ICP-130 Ag ppm	ICP-130 Al %	ICP-130 As ppm	ICP-130 B ppm	ICP-130 Ba ppm	ICP-130 Be ppm	ICP-130 Bi ppm	ICP-130 Ca %	ICP-130 Cd ppm	ICP-130 Co ppm
		0.01	LOR	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD OREAS 601				49.5	0.86	320	<10	133	0.6	24	1.07	8.3	5
STD OREAS 24b				<0.2	3.17	6	<10	142	1.5	4	0.44	<0.5	14
STD OREAS 601				48.5	0.78	306	<10	148	0.6	21	1.04	7.8	5
STD OREAS 24b				<0.2	3.04	6	<10	141	1.4	<2	0.44	<0.5	14
STD OREAS 601				48.5	0.82	306	<10	122	0.6	21	1.04	8.4	5

***Please refer to the cover page for comments regarding this certificate. ***



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008351	32	30	3.64	<10	<1	0.03	<10	0.56	528	<1	0.02	47	541
A0008352	24	11	3.28	<10	<1	0.04	<10	0.28	183	<1	0.02	15	678
A0008353	19	17	2.78	<10	<1	0.08	<10	0.53	852	<1	0.02	23	307
A0008354	17	13	4.73	12	<1	0.08	<10	0.43	251	1	0.02	16	1446
A0008355	15	16	5.13	13	<1	0.08	<10	0.35	228	1	0.02	12	2402
A0008356	20	18	4.53	10	<1	0.06	<10	0.49	428	<1	0.02	21	2826
A0008357	15	6	2.93	<10	<1	0.06	<10	0.21	146	<1	0.02	10	932
A0008358	20	15	2.92	<10	<1	0.04	<10	0.38	239	<1	0.02	24	343
A0008359	15	27	3.66	<10	<1	0.09	<10	0.26	302	2	0.02	13	815
A0008360	17	44	4.17	11	<1	0.06	<10	0.48	559	3	0.03	17	640
A0008361	4	9	2.47	<10	<1	0.08	<10	0.07	93	<1	0.02	3	325
A0008362	8	15	2.95	<10	<1	0.10	<10	0.11	1272	<1	0.03	4	459
A0008363	19	34	3.34	<10	<1	0.05	<10	0.31	913	<1	0.05	20	723
A0008364	20	17	4.14	<10	<1	0.05	<10	0.27	296	<1	0.02	15	2740
A0008365	9	9	1.64	<10	<1	0.05	<10	0.16	357	<1	0.04	9	411
A0008366	25	19	3.51	<10	<1	0.05	<10	0.54	289	<1	0.02	26	576
A0008367	17	12	2.27	<10	<1	0.06	<10	0.37	391	<1	0.02	15	578
A0008368	11	18	4.03	<10	<1	0.08	<10	0.26	428	<1	0.03	12	771
A0008369	9	11	3.00	<10	<1	0.09	<10	0.15	216	<1	0.02	8	612
A0008370	10	11	3.31	<10	<1	0.09	<10	0.22	181	<1	0.02	10	1017
A0008371	13	58	3.37	<10	<1	0.09	<10	0.15	3880	<1	0.08	15	747
A0008372	15	17	4.17	<10	<1	0.06	<10	0.36	453	<1	0.03	14	1669
A0008373	21	12	3.20	<10	<1	0.10	<10	0.34	389	<1	0.02	19	1997
A0008374	6	11	2.12	<10	<1	0.06	<10	0.10	147	<1	0.02	3	475
A0008375	23	15	3.76	<10	<1	0.05	<10	0.44	421	<1	0.02	27	1355

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008376	10	7	1.16	<10	<1	0.03	<10	0.09	48	<1	0.02	6	295
A0008377	8	24	3.53	<10	<1	0.13	<10	0.28	959	<1	0.03	8	1286
A0008378	6	5	2.85	<10	<1	0.10	<10	0.09	144	<1	0.02	3	306
A0008379	13	8	4.68	<10	<1	0.08	<10	0.23	381	<1	0.02	9	2788
A0008380	14	9	2.73	<10	<1	0.08	<10	0.28	160	<1	0.02	13	670
A0008381	7	8	1.93	<10	<1	0.07	<10	0.17	161	<1	0.02	5	437
A0008382	22	16	3.32	<10	<1	0.04	<10	0.45	208	<1	0.02	19	407
A0008383	16	24	2.21	<10	<1	0.03	<10	0.18	220	1	0.02	13	418
A0008384	25	19	3.16	<10	<1	0.03	<10	0.39	183	<1	0.02	22	403
A0008385	32	46	3.37	<10	<1	0.05	<10	0.50	1094	<1	0.03	29	695
A0008386	20	20	3.04	<10	<1	0.07	<10	0.34	236	<1	0.02	18	884
A0008387	26	29	3.80	<10	<1	0.04	<10	0.42	271	<1	0.02	25	792
A0008388	16	8	2.14	<10	<1	0.04	<10	0.19	116	<1	0.02	11	524
A0008389	36	14	5.17	12	<1	0.03	<10	0.50	300	<1	0.02	25	1160
A0008390	33	52	3.23	<10	<1	0.05	<10	0.42	647	<1	0.03	29	980
A0008391	39	41	2.33	<10	<1	0.04	<10	0.57	301	<1	0.03	30	894
A0008392	68	55	5.17	12	<1	0.04	<10	1.39	2126	<1	0.06	53	1018
A0008393	29	44	4.05	<10	<1	0.03	<10	0.48	512	<1	0.02	29	627
A0008394	24	34	4.15	<10	<1	0.07	<10	0.36	611	<1	0.02	21	1515
A0008395	27	15	3.74	<10	<1	0.05	<10	0.48	341	<1	0.02	29	1653
A0008396	18	8	2.67	<10	<1	0.05	<10	0.19	1547	<1	0.03	16	660
A0008397	10	7	2.76	<10	<1	0.06	<10	0.11	362	<1	0.02	7	793
A0008398	24	11	4.23	<10	<1	0.04	<10	0.34	235	<1	0.02	17	1043
A0008399	3	4	0.59	<10	<1	0.08	<10	0.05	224	<1	0.02	2	251
A0008400	18	32	4.46	<10	<1	0.06	<10	0.42	1042	1	0.04	20	694

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008401	15	26	4.27	<10	<1	0.10	<10	0.38	594	<1	0.03	17	501
A0008402	19	55	4.38	<10	<1	0.05	<10	0.64	784	<1	0.04	22	399
A0008403	3	14	1.32	<10	<1	0.07	<10	0.03	268	<1	0.03	2	304
A0008404	18	28	3.85	<10	<1	0.07	<10	0.38	629	<1	0.03	22	541
A0008405	8	8	2.82	<10	<1	0.04	<10	0.12	169	<1	0.03	5	458
A0008406	16	19	3.64	<10	<1	0.07	<10	0.33	478	<1	0.03	15	1361
A0008407	7	9	3.20	<10	<1	0.10	<10	0.12	392	<1	0.02	4	737
A0008408	4	7	2.80	<10	<1	0.10	<10	0.07	405	<1	0.03	3	537
A0008409	14	18	3.96	<10	<1	0.07	<10	0.34	325	<1	0.03	12	1186
A0008410	4	9	2.29	<10	<1	0.07	<10	0.10	127	<1	0.02	3	409
A0008411	5	14	2.44	<10	<1	0.07	<10	0.13	106	<1	0.02	4	390
A0008412	31	143	4.43	<10	<1	0.10	11	0.49	2335	<1	0.09	53	1841
A0008413	14	8	2.08	<10	<1	0.06	<10	0.19	114	<1	0.02	10	1243
A0008414	26	20	4.00	<10	<1	0.09	<10	0.47	352	<1	0.02	27	1210
A0008415	5	7	3.18	<10	<1	0.12	<10	0.06	529	<1	0.03	3	522
A0008416	11	13	3.63	<10	<1	0.08	<10	0.28	210	<1	0.02	10	725
A0008417	3	3	3.64	<10	<1	0.06	<10	0.03	106	<1	0.02	2	323
A0008418	3	6	0.98	<10	<1	0.04	<10	0.03	47	<1	0.02	2	195
A0008419	19	10	2.95	<10	<1	0.05	<10	0.22	168	<1	0.02	12	710
A0008420	34	30	3.63	<10	<1	0.05	<10	0.35	703	1	0.02	16	625
A0008421	29	89	3.27	<10	<1	0.07	<10	0.42	849	<1	0.05	32	718
A0008422	49	40	3.56	<10	<1	0.04	<10	0.59	1029	<1	0.02	32	1006
A0008423	21	10	3.40	<10	<1	0.04	<10	0.31	233	<1	0.02	16	1244
A0008424	32	15	5.00	10	<1	0.04	<10	0.57	486	<1	0.02	28	1436
A0008426	33	16	4.66	<10	<1	0.06	<10	0.34	1214	<1	0.02	23	3401

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008427	37	94	4.23	<10	<1	0.07	21	0.40	2860	2	0.03	46	2854
A0008428	15	9	2.36	<10	<1	0.04	<10	0.18	123	<1	0.01	11	767
A0008429	19	15	2.53	<10	<1	0.04	<10	0.27	343	<1	0.02	19	475
A0008430	21	18	3.64	10	<1	0.06	<10	0.17	255	<1	0.02	16	1205
A0008431	23	13	4.72	11	<1	0.03	<10	0.24	241	<1	0.02	17	1670
A0008432	23	17	3.65	<10	<1	0.04	<10	0.31	245	1	0.02	20	774
A0008433	28	37	2.91	<10	<1	0.05	<10	0.48	371	<1	0.03	36	878
A0008434	36	46	4.13	<10	1	0.08	<10	0.49	592	<1	0.03	42	1602
A0008435	27	25	5.17	10	<1	0.05	<10	0.25	309	1	0.02	21	913
A0008436	33	8	3.80	10	<1	0.06	<10	0.35	372	<1	0.02	19	584
A0008437	28	14	3.95	<10	<1	0.04	<10	0.53	260	<1	0.02	28	607
A0008438	23	11	3.21	<10	<1	0.04	<10	0.35	243	<1	0.02	22	788
A0008439	19	7	5.11	14	<1	0.04	<10	0.75	577	<1	0.03	17	504
A0008440	25	8	3.57	<10	<1	0.05	<10	0.32	442	<1	0.02	17	591
A0008441	39	22	4.60	13	<1	0.07	<10	0.59	1122	<1	0.02	47	837
A0008442	33	45	3.50	<10	<1	0.08	21	0.52	1040	<1	0.03	48	1577
A0008443	26	13	3.26	<10	<1	0.06	<10	0.38	493	<1	0.02	24	643
A0008444	30	29	3.57	<10	<1	0.05	11	0.43	1446	<1	0.02	33	947
A0008445	12	6	1.94	<10	<1	0.07	<10	0.13	166	<1	0.02	9	598
A0008446	31	43	4.45	<10	<1	0.05	<10	0.41	4710	10	0.03	37	1342
A0008447	24	44	2.81	<10	<1	0.05	<10	0.32	1193	<1	0.03	43	1323
A0008448	22	16	3.53	<10	<1	0.04	<10	0.31	172	<1	0.02	22	570
A0008449	21	34	2.69	<10	<1	0.08	<10	0.43	600	<1	0.04	27	1128
A0008450	28	22	4.43	<10	<1	0.03	<10	0.39	282	<1	0.02	27	1783
A0008451	39	17	4.75	<10	<1	0.03	<10	0.40	172	<1	0.01	29	1338

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008452	27	16	3.82	<10	<1	0.03	<10	0.35	173	<1	0.01	27	1021
A0008453	24	14	2.68	<10	<1	0.05	<10	0.45	465	<1	0.02	26	352
A0008454	36	41	4.36	<10	<1	0.09	<10	0.58	3887	3	0.04	56	1989
A0008455	8	15	6.80	10	<1	0.05	<10	0.08	754	<1	0.02	5	2984
A0008456	12	9	2.00	<10	<1	0.03	<10	0.14	127	<1	0.01	10	397
A0008457	35	28	4.41	11	<1	0.05	<10	0.62	1242	<1	0.03	42	1018
A0008458	29	16	5.16	11	<1	0.03	<10	0.28	272	<1	0.01	22	1091
A0008459	32	17	4.16	<10	<1	0.05	<10	0.45	232	<1	0.02	32	1303
A0008460	32	16	3.84	<10	<1	0.04	<10	0.44	242	<1	0.01	31	1159
A0008461	34	17	4.54	11	<1	0.04	<10	0.39	252	<1	0.01	31	1311
A0008462	27	17	3.33	<10	<1	0.04	<10	0.36	191	<1	0.02	28	893
A0008463	30	45	3.50	<10	<1	0.09	<10	0.48	1093	<1	0.03	43	2018
A0008464	17	9	2.27	<10	<1	0.04	<10	0.17	123	<1	0.01	14	1043
A0008465	29	44	3.50	<10	<1	0.07	<10	0.38	791	2	0.02	37	930
A0008466	23	26	3.14	<10	<1	0.05	<10	0.24	388	1	0.01	24	743
A0008467	27	21	3.70	<10	<1	0.05	<10	0.49	891	<1	0.02	21	740
A0008468	12	11	1.50	<10	<1	0.02	<10	0.03	58	<1	0.02	4	269
A0008469	27	11	4.13	<10	<1	0.04	<10	0.35	257	<1	0.01	21	2504
A0008470	14	6	2.41	<10	<1	0.06	<10	0.11	248	<1	0.02	11	364
A0008471	24	12	3.60	<10	<1	0.09	<10	0.26	323	<1	0.02	20	1183
A0008472	19	16	2.18	<10	<1	0.05	<10	0.24	134	<1	0.02	17	896
A0008473	33	40	3.66	<10	<1	0.09	<10	0.50	1415	<1	0.03	50	1987
A0008474	28	23	3.29	<10	<1	0.06	<10	0.39	218	<1	0.02	30	789
A0008475	34	23	3.94	10	<1	0.04	<10	0.44	180	<1	0.01	32	1354
A0008476	28	16	3.28	<10	<1	0.04	<10	0.42	191	<1	0.01	33	754

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe % 0.01	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K % 0.01	ICP-130 La ppm 10	ICP-130 Mg % 0.01	ICP-130 Mn ppm 5	ICP-130 Mo ppm 1	ICP-130 Na % 0.01	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0008477	31	17	4.68	<10	<1	0.04	<10	0.38	193	1	0.02	27	835
A0008478	31	19	4.84	12	<1	0.05	<10	0.38	283	<1	0.02	28	1846
A0008479	26	72	3.43	<10	<1	0.09	<10	0.48	518	<1	0.02	33	672
A0008480	6	6	1.50	<10	<1	0.04	<10	0.04	89	<1	0.02	5	528
A0008481	12	10	4.31	<10	<1	0.04	<10	0.20	995	2	0.02	17	554
A0008482	35	16	4.25	10	<1	0.05	<10	0.41	401	2	0.02	32	709
A0008483	46	25	4.03	11	<1	0.07	<10	0.61	503	<1	0.02	35	690
A0008484	64	19	4.39	12	<1	0.05	<10	1.10	807	<1	0.02	47	561
A0008485	102	26	4.85	13	<1	0.06	<10	0.91	822	<1	0.02	52	1027
A0008486	63	23	3.61	10	<1	0.06	<10	0.74	802	<1	0.02	39	1002
A0008487	60	22	3.35	<10	<1	0.06	<10	0.65	463	<1	0.02	37	1092
A0008488	114	32	3.27	<10	<1	0.06	<10	0.78	2457	<1	0.03	44	1258
A0008489	59	18	3.79	10	<1	0.07	<10	0.69	864	<1	0.02	30	485
A0008490	71	23	3.14	<10	<1	0.07	<10	0.82	978	<1	0.02	38	874
A0008491	71	15	4.30	11	<1	0.04	<10	0.42	902	<1	0.02	16	547
A0008492	95	23	5.13	13	<1	0.04	<10	2.41	2011	<1	0.02	61	675
A0008493	90	16	5.01	13	<1	0.04	<10	1.59	1450	<1	0.02	45	949
A0008494	105	23	5.48	13	<1	0.03	<10	2.76	2169	<1	0.02	69	775
A0008495	77	26	4.74	11	<1	0.06	<10	1.65	1873	<1	0.02	52	953
A0008496	77	24	4.35	<10	<1	0.06	<10	1.49	2123	<1	0.02	48	1392
A0008497	95	26	5.30	15	<1	0.03	<10	2.21	1909	<1	0.02	62	548
A0008172	25	54	3.54	10	<1	0.05	<10	0.41	318	<1	0.02	22	406
A0008173	23	1372	3.91	<10	<1	0.03	<10	0.16	1595	2	<0.01	24	832
A0008174	12	34	2.13	<10	<1	0.05	<10	0.11	205	1	0.02	10	505
A0008175	22	45	3.43	<10	<1	0.04	<10	0.27	320	1	0.02	16	366

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Cr ppm	ICP-130 Cu ppm	ICP-130 Fe %	ICP-130 Ga ppm	ICP-130 Hg ppm	ICP-130 K %	ICP-130 La ppm	ICP-130 Mg %	ICP-130 Mn ppm	ICP-130 Mo ppm	ICP-130 Na %	ICP-130 Ni ppm	ICP-130 P ppm
A0008176	7	8	0.78	<10	<1	0.05	<10	0.04	61	<1	0.02	3	394
A0008177	24	26	4.82	10	<1	0.06	<10	0.26	969	2	0.02	17	687
A0008178	26	1340	3.86	<10	<1	0.06	<10	0.48	2548	2	<0.01	37	1224
A0008179	33	273	5.60	12	<1	0.04	<10	0.39	455	1	<0.01	26	722
A0008180	23	28	3.20	<10	<1	0.05	<10	0.23	204	1	0.02	22	350
A0008181	18	14	3.21	<10	<1	0.07	<10	0.19	487	<1	0.02	13	1379
A0008182	16	9	2.15	<10	<1	0.04	<10	0.08	111	1	0.01	8	243
A0008183	32	30	3.88	10	<1	0.04	<10	0.51	271	<1	0.02	29	503
A0008184	26	18	4.71	12	<1	0.08	<10	0.32	370	2	0.02	17	729
A0008185	7	201	0.93	<10	<1	0.02	<10	0.06	172	<1	0.02	5	185
A0008186	27	342	2.84	<10	<1	0.05	<10	0.36	790	1	<0.01	24	1176
A0008187	68	66	3.56	<10	<1	0.06	<10	0.71	1244	<1	0.03	38	994
A0008188	21	19	3.37	10	<1	0.05	<10	0.23	230	1	0.02	13	337
A0008189	31	20	5.18	12	<1	0.07	<10	0.53	831	2	0.02	24	3769
A0008190	23	77	3.43	<10	<1	0.05	<10	0.26	186	2	0.02	22	435
A0008191	29	317	3.58	<10	<1	0.05	<10	0.39	953	<1	0.02	31	584
DUP A0008362	7	14	2.91	<10	<1	0.09	<10	0.10	1224	<1	0.03	3	454
DUP A0008399	3	4	0.58	<10	<1	0.08	<10	0.05	231	<1	0.02	2	259
DUP A0008445	12	6	1.97	<10	<1	0.07	<10	0.13	170	<1	0.02	9	594
DUP A0008487	63	24	3.51	<10	<1	0.07	<10	0.68	489	<1	0.02	38	1159
DUP A0008181	18	14	3.17	<10	<1	0.07	<10	0.19	483	<1	0.02	12	1348

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	ICP-130 Cr ppm	ICP-130 Cu ppm	ICP-130 Fe %	ICP-130 Ga ppm	ICP-130 Hg ppm	ICP-130 K %	ICP-130 La ppm	ICP-130 Mg %	ICP-130 Mn ppm	ICP-130 Mo ppm	ICP-130 Na %	ICP-130 Ni ppm	ICP-130 P ppm
1	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD OREAS 601	48	1082	2.22	<10	<1	0.26	12	0.20	431	3	0.08	26	359
STD OREAS 24b	100	36	3.97	14	<1	1.19	14	1.38	320	4	0.10	53	621
STD OREAS 601	45	1023	2.17	<10	<1	0.24	11	0.18	417	3	0.08	24	353
STD OREAS 24b	107	37	3.93	15	<1	1.17	13	1.38	323	3	0.10	56	630
STD OREAS 601	42	995	2.17	<10	<1	0.25	12	0.19	420	3	0.07	24	363

***Please refer to the cover page for comments regarding this certificate. ***



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008351	13	0.01	<2	5	7	<8	0.03	<10	46	<10	133	<5
A0008352	11	<0.01	<2	3	7	<8	0.03	<10	51	<10	69	<5
A0008353	10	0.01	<2	5	11	<8	0.02	<10	43	<10	70	<5
A0008354	10	0.02	<2	4	6	<8	0.03	<10	65	<10	82	<5
A0008355	13	0.02	<2	6	5	<8	0.02	<10	69	<10	112	<5
A0008356	12	0.02	<2	5	11	<8	0.03	<10	59	<10	162	<5
A0008357	10	<0.01	<2	3	7	<8	0.04	<10	54	<10	51	<5
A0008358	12	0.02	<2	3	13	<8	0.04	<10	38	<10	77	<5
A0008359	15	0.02	<2	<2	10	<8	0.03	<10	51	<10	90	<5
A0008360	27	0.03	<2	4	14	<8	0.03	<10	75	<10	316	<5
A0008361	13	0.01	<2	<2	6	<8	0.04	<10	51	<10	146	<5
A0008362	21	0.02	<2	<2	10	<8	0.03	<10	54	<10	289	<5
A0008363	48	0.03	<2	5	20	<8	0.02	<10	49	<10	930	<5
A0008364	25	<0.01	<2	4	6	<8	0.03	<10	66	<10	204	<5
A0008365	22	0.02	<2	<2	16	<8	0.02	<10	31	<10	202	<5
A0008366	17	0.01	<2	4	8	<8	0.03	<10	50	<10	281	<5
A0008367	23	<0.01	<2	<2	10	<8	0.03	<10	39	<10	184	<5
A0008368	40	0.02	2	3	12	<8	0.02	<10	53	<10	388	<5
A0008369	21	0.02	<2	3	9	<8	0.03	<10	52	<10	254	<5
A0008370	9	<0.01	<2	4	6	<8	0.03	<10	50	<10	135	<5
A0008371	70	0.03	<2	3	29	<8	0.02	<10	49	<10	509	<5
A0008372	21	<0.01	<2	4	8	<8	0.02	<10	59	<10	340	<5
A0008373	13	0.01	<2	3	13	<8	0.03	<10	50	<10	122	<5
A0008374	7	<0.01	<2	<2	7	<8	0.04	<10	43	<10	42	<5
A0008375	15	0.01	<2	3	10	<8	0.02	<10	48	<10	143	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008376	7	0.02	<2	<2	7	<8	0.01	<10	24	<10	20	<5
A0008377	12	0.02	<2	3	14	<8	0.03	<10	49	<10	144	<5
A0008378	7	<0.01	<2	2	7	<8	0.06	<10	51	<10	40	<5
A0008379	11	<0.01	<2	5	9	<8	0.02	<10	78	<10	83	<5
A0008380	7	<0.01	<2	2	12	<8	0.03	<10	48	<10	82	<5
A0008381	6	<0.01	<2	<2	9	<8	0.05	<10	37	<10	36	<5
A0008382	10	0.01	<2	3	9	<8	0.03	<10	52	<10	68	<5
A0008383	10	0.02	<2	<2	46	<8	0.02	<10	49	<10	43	<5
A0008384	11	0.01	<2	3	10	<8	0.03	<10	48	<10	60	<5
A0008385	13	0.05	<2	7	33	<8	<0.01	<10	52	<10	71	<5
A0008386	8	0.01	<2	<2	13	<8	0.02	<10	49	<10	89	<5
A0008387	12	0.02	<2	2	10	<8	0.02	<10	51	<10	84	<5
A0008388	9	0.01	<2	<2	12	<8	0.02	<10	56	<10	47	<5
A0008389	13	0.01	<2	4	10	<8	0.03	<10	83	<10	102	<5
A0008390	12	0.05	<2	<2	33	<8	0.01	<10	71	<10	92	<5
A0008391	14	0.08	<2	6	29	<8	0.01	<10	64	<10	91	<5
A0008392	19	0.06	<2	9	53	<8	0.05	<10	101	<10	126	5
A0008393	43	0.01	<2	5	6	<8	0.02	<10	56	<10	725	<5
A0008394	38	0.02	3	4	8	<8	0.02	<10	61	<10	569	<5
A0008395	10	0.01	<2	4	9	<8	0.02	<10	51	<10	295	<5
A0008396	128	0.01	<2	4	8	<8	0.02	<10	40	<10	2107	<5
A0008397	52	<0.01	<2	2	6	<8	0.02	<10	48	<10	355	<5
A0008398	32	0.01	<2	3	8	<8	0.02	<10	65	<10	359	<5
A0008399	7	0.01	<2	<2	14	<8	0.01	<10	16	<10	45	<5
A0008400	36	0.02	<2	7	19	<8	0.02	<10	50	<10	352	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008401	23	0.02	<2	5	13	<8	0.02	<10	54	<10	194	<5
A0008402	31	0.02	<2	9	15	<8	0.03	<10	60	<10	244	<5
A0008403	6	0.03	<2	<2	18	<8	0.02	<10	29	<10	43	<5
A0008404	21	0.02	2	4	14	<8	0.02	<10	55	<10	225	<5
A0008405	26	0.01	<2	<2	10	<8	0.02	<10	48	<10	233	<5
A0008406	29	0.01	<2	3	10	<8	0.02	<10	58	<10	410	<5
A0008407	19	0.01	<2	<2	10	<8	0.03	<10	55	<10	177	<5
A0008408	8	0.01	<2	<2	13	<8	0.03	<10	44	<10	66	<5
A0008409	12	<0.01	<2	4	8	<8	0.03	<10	57	<10	102	<5
A0008410	6	0.01	<2	<2	6	<8	0.04	<10	40	<10	42	<5
A0008411	8	<0.01	<2	2	5	<8	0.06	<10	42	<10	41	<5
A0008412	20	0.09	<2	13	72	<8	<0.01	<10	53	<10	93	7
A0008413	8	0.01	<2	<2	7	<8	0.02	<10	38	<10	52	<5
A0008414	11	0.02	<2	3	20	<8	0.02	<10	56	<10	137	<5
A0008415	9	0.02	<2	<2	14	<8	0.03	<10	50	<10	68	<5
A0008416	10	<0.01	<2	4	7	<8	0.05	<10	58	<10	60	<5
A0008417	7	<0.01	<2	2	6	<8	0.05	<10	57	<10	26	<5
A0008418	3	<0.01	<2	<2	14	<8	0.01	<10	24	<10	18	<5
A0008419	13	0.01	<2	<2	8	<8	0.04	<10	58	<10	50	<5
A0008420	13	0.04	<2	2	47	<8	0.03	<10	147	<10	67	<5
A0008421	14	0.04	<2	7	55	<8	0.01	<10	44	<10	81	<5
A0008422	12	0.04	<2	7	25	<8	0.02	<10	126	<10	103	<5
A0008423	9	<0.01	<2	3	10	<8	0.03	<10	52	<10	66	<5
A0008424	13	<0.01	<2	5	10	<8	0.02	<10	69	<10	185	<5
A0008426	19	0.02	<2	4	17	<8	0.01	<10	73	<10	151	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008427	16	0.10	3	12	101	<8	<0.01	<10	52	<10	143	6
A0008428	8	<0.01	<2	2	12	<8	0.01	<10	45	<10	47	<5
A0008429	13	<0.01	3	2	5	<8	<0.01	<10	44	<10	127	<5
A0008430	14	0.02	<2	3	7	<8	<0.01	<10	54	<10	74	<5
A0008431	14	0.01	<2	3	7	<8	0.02	<10	70	<10	67	<5
A0008432	11	0.02	<2	<2	9	<8	0.01	<10	56	<10	85	<5
A0008433	9	0.04	<2	5	44	<8	<0.01	<10	39	<10	97	<5
A0008434	14	0.06	<2	11	45	<8	<0.01	<10	55	<10	120	6
A0008435	14	0.08	<2	<2	28	<8	0.02	<10	73	<10	51	<5
A0008436	11	0.01	<2	3	10	<8	0.02	<10	76	<10	87	<5
A0008437	11	0.02	<2	3	8	<8	0.02	<10	58	<10	95	<5
A0008438	9	<0.01	<2	3	9	<8	0.01	<10	53	<10	79	<5
A0008439	11	0.03	<2	7	9	<8	0.05	<10	127	<10	81	<5
A0008440	11	0.02	<2	3	9	<8	0.03	<10	74	<10	72	<5
A0008441	15	0.02	<2	7	13	<8	0.01	<10	72	<10	133	<5
A0008442	12	0.11	<2	14	49	<8	<0.01	<10	47	<10	93	<5
A0008443	11	0.02	<2	3	16	<8	0.01	<10	55	<10	85	<5
A0008444	16	0.03	<2	8	16	<8	<0.01	<10	53	<10	94	<5
A0008445	7	0.02	<2	<2	8	<8	0.01	<10	47	<10	47	<5
A0008446	13	0.09	<2	9	212	<8	0.01	<10	90	<10	48	7
A0008447	12	0.10	<2	5	92	<8	0.01	<10	37	<10	95	<5
A0008448	12	0.02	<2	3	13	<8	0.02	<10	43	<10	93	<5
A0008449	16	0.06	<2	5	138	<8	<0.01	<10	36	<10	107	<5
A0008450	13	0.01	<2	4	7	<8	0.01	<10	56	<10	89	<5
A0008451	14	0.02	<2	3	6	<8	0.01	<10	54	<10	81	<5

Please refer to the cover page for comments regarding this certificate.



MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS:	YXT1810129A
---------------------------------	--------------------

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008452	11	0.01	<2	3	6	<8	0.01	<10	49	<10	83	<5
A0008453	9	0.01	<2	3	39	<8	<0.01	<10	43	<10	74	<5
A0008454	13	0.10	5	9	127	<8	<0.01	<10	48	<10	142	<5
A0008455	11	0.05	3	<2	11	<8	<0.01	<10	60	<10	93	<5
A0008456	11	0.01	2	<2	8	<8	0.02	<10	46	<10	43	<5
A0008457	15	0.03	<2	5	62	<8	<0.01	<10	55	<10	133	<5
A0008458	15	0.02	<2	3	7	<8	0.02	<10	64	<10	81	<5
A0008459	12	0.02	<2	3	22	<8	0.02	<10	48	<10	114	<5
A0008460	13	0.01	<2	3	6	<8	0.01	<10	47	<10	90	<5
A0008461	13	0.01	<2	4	7	<8	0.01	<10	56	<10	115	<5
A0008462	10	0.02	<2	3	8	<8	0.01	<10	53	<10	72	<5
A0008463	15	0.09	<2	8	93	<8	<0.01	<10	44	<10	137	<5
A0008464	9	<0.01	<2	2	6	<8	0.03	<10	43	<10	50	<5
A0008465	16	0.06	<2	8	27	<8	<0.01	<10	43	<10	101	<5
A0008466	11	0.03	<2	6	7	<8	0.01	<10	46	<10	85	<5
A0008467	13	0.02	<2	3	13	<8	0.03	<10	68	<10	76	<5
A0008468	6	0.01	<2	<2	14	<8	0.02	<10	38	<10	22	<5
A0008469	12	<0.01	<2	4	6	<8	0.02	<10	60	<10	84	<5
A0008470	9	0.01	<2	<2	13	<8	0.02	<10	55	<10	58	<5
A0008471	11	0.03	<2	<2	21	<8	0.04	<10	58	<10	97	<5
A0008472	9	0.04	<2	<2	20	<8	0.01	<10	37	<10	51	<5
A0008473	12	0.10	<2	9	85	<8	<0.01	<10	41	<10	140	<5
A0008474	10	0.02	<2	3	13	<8	0.01	<10	48	<10	74	<5
A0008475	10	0.01	<2	4	5	<8	0.01	<10	51	<10	91	<5
A0008476	11	0.01	<2	3	6	<8	0.01	<10	39	<10	102	<5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
A0008477	14	0.02	<2	3	14	<8	0.02	<10	57	<10	74	<5
A0008478	12	0.01	2	4	10	<8	<0.01	<10	60	<10	104	<5
A0008479	12	0.03	<2	6	65	<8	0.01	<10	49	<10	86	<5
A0008480	15	<0.01	<2	<2	7	<8	<0.01	<10	26	<10	40	<5
A0008481	87	0.02	<2	4	28	<8	<0.01	<10	50	<10	88	<5
A0008482	11	0.03	<2	3	16	<8	0.01	<10	59	<10	99	<5
A0008483	12	0.04	<2	<2	42	<8	0.03	<10	89	<10	78	<5
A0008484	13	0.03	<2	3	29	<8	0.03	<10	107	<10	113	<5
A0008485	15	0.06	<2	8	15	<8	0.02	<10	154	<10	122	<5
A0008486	10	0.06	<2	7	54	<8	0.02	<10	109	<10	85	<5
A0008487	10	0.08	<2	6	34	<8	0.02	<10	85	<10	86	<5
A0008488	10	0.09	2	7	51	<8	0.02	<10	100	<10	103	<5
A0008489	14	0.01	<2	5	19	<8	0.04	<10	109	<10	99	<5
A0008490	11	0.06	<2	6	29	<8	0.03	<10	88	<10	111	<5
A0008491	17	0.03	<2	3	15	<8	0.12	<10	106	<10	77	<5
A0008492	20	0.02	<2	12	19	<8	0.21	<10	133	<10	194	6
A0008493	20	0.02	<2	6	17	<8	0.17	<10	125	<10	163	<5
A0008494	16	0.02	<2	13	26	<8	0.24	<10	144	<10	201	11
A0008495	18	0.03	<2	9	16	<8	0.14	<10	111	<10	161	<5
A0008496	17	0.06	<2	8	16	<8	0.13	<10	104	<10	161	<5
A0008497	20	0.02	<2	9	20	<8	0.17	<10	132	<10	221	<5
A0008172	10	<0.01	<2	4	8	<8	0.03	<10	65	<10	132	<5
A0008173	28	0.10	3	5	32	<8	0.02	<10	62	<10	199	<5
A0008174	29	<0.01	<2	2	11	<8	0.03	<10	47	<10	258	<5
A0008175	31	<0.01	<2	3	6	<8	0.03	<10	62	<10	362	<5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
 Unit 1, 20120 102nd Avenue
 Langley, BC V1M 4B4
 Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
 Job Received Date: 27-Jul-2018
 Job Report Date: 16-Aug-2018
 Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
	2	0.01	2	2	1	8	0.01	10	1	10	1	5
A0008176	5	<0.01	<2	<2	11	<8	0.01	<10	22	<10	52	<5
A0008177	43	0.02	<2	4	10	<8	0.02	<10	73	<10	730	<5
A0008178	97	0.04	<2	9	23	<8	0.02	<10	48	<10	1068	<5
A0008179	62	0.03	<2	5	16	<8	0.03	<10	71	<10	633	<5
A0008180	9	0.02	<2	4	14	<8	0.01	<10	55	<10	74	<5
A0008181	12	<0.01	<2	3	9	<8	0.02	<10	63	<10	75	<5
A0008182	8	0.01	<2	<2	6	<8	0.04	<10	67	<10	29	<5
A0008183	14	<0.01	<2	5	5	<8	0.02	<10	61	<10	137	<5
A0008184	31	0.02	<2	4	8	<8	0.02	<10	84	<10	168	<5
A0008185	12	0.01	<2	<2	10	<8	0.01	<10	24	<10	176	<5
A0008186	51	0.07	<2	7	44	<8	0.01	<10	44	<10	930	<5
A0008187	15	0.07	<2	7	46	<8	0.02	<10	100	<10	131	<5
A0008188	15	0.01	<2	3	12	<8	0.03	<10	61	<10	165	<5
A0008189	23	0.01	<2	5	9	<8	0.02	<10	77	<10	142	<5
A0008190	13	0.02	3	3	12	<8	0.02	<10	55	<10	76	<5
A0008191	14	0.03	<2	6	14	<8	0.02	<10	52	<10	100	<5
DUP A0008362	20	0.02	<2	<2	9	<8	0.03	<10	52	<10	271	<5
DUP A0008399	8	0.01	<2	<2	14	<8	0.01	<10	16	<10	45	<5
DUP A0008445	8	0.02	<2	<2	8	<8	0.01	<10	48	<10	47	<5
DUP A0008487	10	0.09	<2	6	36	<8	0.02	<10	89	<10	90	<5
DUP A0008181	12	<0.01	<2	3	9	<8	0.02	<10	62	<10	75	<5

Please refer to the cover page for comments regarding this certificate.



An A2 Global Company

MS Analytical
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: **Terracad Geoscience Ltd.**
Suite 880-409 Granville St.
Vancouver, BC
V6C 1T2

CERTIFICATE OF ANALYSIS: YXT1810129A

Project Name: Red Spring
Job Received Date: 27-Jul-2018
Job Report Date: 16-Aug-2018
Report Version: Final

Sample ID	ICP-130 Pb ppm	ICP-130 S %	ICP-130 Sb ppm	ICP-130 Sc ppm	ICP-130 Sr ppm	ICP-130 Th ppm	ICP-130 Ti %	ICP-130 Tl ppm	ICP-130 V ppm	ICP-130 W ppm	ICP-130 Zn ppm	ICP-130 Zr ppm
Sample ID	2	0.01	2	2	1	8	0.01	10	1	10	1	5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD OREAS 601	281	1.05	16	<2	36	<8	<0.01	<10	10	<10	1323	28
STD OREAS 24b	12	0.19	<2	10	29	11	0.20	<10	81	<10	92	27
STD OREAS 601	272	1.03	18	<2	34	<8	<0.01	<10	9	<10	1261	26
STD OREAS 24b	12	0.19	<2	10	28	10	0.20	<10	77	<10	90	26
STD OREAS 601	278	1.01	17	<2	35	<8	<0.01	<10	9	<10	1281	26

***Please refer to the cover page for comments regarding this certificate. ***