

Ministry of Energy and Mines  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Diamond Drilling and Geochemical Sampling

TOTAL COST: \$366,891.11

AUTHOR(S): Stephanie R. Waffron

SIGNATURE(S): *SWaffron*

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-1-112 / September 7, 2018

YEAR OF WORK: 2019

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5763021 / November 8, 2019

PROPERTY NAME: Koopa

CLAIM NAME(S) (on which the work was done): Koopa

COMMODITIES SOUGHT: Au-Ag-Cu-Pb-Zn

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: \_\_\_\_\_

MINING DIVISION: Skeena

NTS/BCGS: 104A/5

LATITUDE: 56 ° 21 ' 08 " LONGITUDE: 129 ° 46 ' 00 " (at centre of work)

OWNER(S):

1) Pretium Exploration

2) \_\_\_\_\_

MAILING ADDRESS:

1055 Dunsmuir Street - PO Box 49334

Vancouver, BC, V7X 1L4

OPERATOR(S) [who paid for the work]:

1) Pretium Exploration

2) \_\_\_\_\_

MAILING ADDRESS:

1055 Dunsmuir Street - PO Box 49334

Vancouver, BC, V7X 1L4

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Jurassic Iskut River Formation basaltic flows and epiclastic units conformably overlain by Quock Formation interbedded mudstones and tuffs and Bowser Lake Group sedimentary basin. Located on eastern flank of the McTagg Anticlinorium. Targeting epithermal, volcanogenic massive sulphide, and intrusion related gold mineralization.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 28681, 37443, 37435

| TYPE OF WORK IN THIS REPORT                            | EXTENT OF WORK (IN METRIC UNITS) | ON WHICH CLAIMS    | PROJECT COSTS APPORTIONED (incl. support) |
|--|----------------------------------|--------------------|---|
| <b>GEOLOGICAL (scale, area)</b>                        |                                  |                    |   |
| <b>Ground, mapping</b>                                 | _____                            | _____              | _____                                     |
| <b>Photo interpretation</b>                            | _____                            | _____              | _____                                     |
| <b>GEOPHYSICAL (line-kilometres)</b>                   |                                  |                    |   |
| <b>Ground</b>  |                                  |                    |   |
| <b>Magnetic</b>  | _____                            | _____              | _____                                     |
| <b>Electromagnetic</b>                                 | _____                            | _____              | _____                                     |
| <b>Induced Polarization</b>                            | _____                            | _____              | _____                                     |
| <b>Radiometric</b>                                     | _____                            | _____              | _____                                     |
| <b>Seismic</b>   | _____                            | _____              | _____                                     |
| <b>Other</b>   | _____                            | _____              | _____                                     |
| <b>Airborne</b>  |                                  | _____              | _____                                     |
| <b>GEOCHEMICAL (number of samples analysed for...)</b> |                                  |                    |   |
| <b>Soil</b>  | _____                            | _____              | _____                                     |
| <b>Silt</b>  | _____                            | _____              | _____                                     |
| <b>Rock</b>  | 30 Samples                       | 1060901            | \$9270.45                                 |
| <b>Other</b>   | _____                            | _____              | _____                                     |
| <b>DRILLING (total metres; number of holes, size)</b>  |                                  |                    |   |
| <b>Core</b>  | 1488m; 3 holes, HQ               | 1060901            | \$357,620.66                              |
| <b>Non-core</b>  | _____                            | _____              | _____                                     |
| <b>RELATED TECHNICAL</b>                               |                                  |                    |   |
| <b>Sampling/assaying</b>                               | _____                            | _____              | _____                                     |
| <b>Petrographic</b>                                    | _____                            | _____              | _____                                     |
| <b>Mineralographic</b>                                 | _____                            | _____              | _____                                     |
| <b>Metallurgic</b>                                     | _____                            | _____              | _____                                     |
| <b>PROSPECTING (scale, area)</b>                       |                                  | _____              | _____                                     |
| <b>PREPARATORY / PHYSICAL</b>                          |                                  |                    |   |
| <b>Line/grid (kilometres)</b>                          | _____                            | _____              | _____                                     |
| <b>Topographic/Photogrammetric (scale, area)</b>       | _____                            | _____              | _____                                     |
| <b>Legal surveys (scale, area)</b>                     | _____                            | _____              | _____                                     |
| <b>Road, local access (kilometres)/trail</b>           | _____                            | _____              | _____                                     |
| <b>Trench (metres)</b>                                 | _____                            | _____              | _____                                     |
| <b>Underground dev. (metres)</b>                       | _____                            | _____              | _____                                     |
| <b>Other</b>   | _____                            | _____              | _____                                     |
|  |                                  | <b>TOTAL COST:</b> | \$366,891.11                              |



**Frontpiece: Photo of a drill pad on the Koopa Property, looking to the northeast, towards Bowser Lake.**

**Diamond Drilling and Geochemical Sampling Report  
on the  
2019 Koopa Property Exploration Program**

**MINERAL TENURE 1060901**

SKEENA MINING DIVISION BRITISH COLUMBIA, CANADA NTS 104A/5

Geographic Coordinates: 56° 21' 08" /129° 46' 00"

433,400 E 6,245,800 N NAD 83 Zone 9

Event Number: 5763021

for

**Pretium Exploration Inc.**  
Suite 2300 – 1055 Dunsmuir St  
Vancouver, B.C. V7X 1L4

By Stephanie R. Wafforn, PhD

November 7, 2019



## TABLE OF CONTENTS

|  |    |
|--|----|
| 1.0 Introduction & Summary.....  | 1  |
| 2.0 Location.....  | 1  |
| 3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources..... | 2  |
| 3.1 Accessibility.....   | 2  |
| 3.2 Climate & Physiography.....  | 2  |
| 3.3 Infrastructure and Local Resources.....  | 5  |
| 4.0 Mineral Tenures.....   | 5  |
| 5.0 History.....   | 5  |
| 6.0 Geological Setting and Mineralization.....                                     | 7  |
| 6.1 Regional Geological Setting.....   | 7  |
| 6.2 Local Geology and Stratigraphy.....  | 11 |
| 6.3 Structural and Regional Metamorphism.....                                      | 12 |
| 7.0 2019 Diamond Drilling Program.....   | 12 |
| 7.1 BR-037 and BR-039.....   | 13 |
| 7.2 BR-040.....  | 15 |
| 7.3 Drill Core Sampling Methodology and QA/QC.....                                 | 17 |
| 8.0 2019 Geochemical Rock Sampling Program.....                                    | 18 |
| 8.1 Rock Samples.....  | 18 |
| 8.2 Sampling Methodology and QA/QC.....  | 18 |
| 9.0 Recommendations.....   | 24 |
| 10.0 References.....   | 24 |

## FIGURES

|   |    |
|---|----|
| Figure 1. Provincial and regional location map of the Koopa Property..... | 3  |
| Figure 2. Location map showing the Koopa Property claims .....            | 4  |
| Figure 3. Koopa claim boundary map and collar locations .....             | 6  |
| Figure 4. Tectonic setting of the Northwest Cordillera .....              | 8  |
| Figure 5. Regional stratigraphic setting .....                            | 10 |
| Figure 6. Cross section showing BR-037 and BR-039 .....                   | 14 |
| Figure 7. Cross section showing BR-040 .....                              | 16 |
| Figure 8. Plan map showing rock sample locations .....                    | 19 |
| Figure 9. Plan map showing surface grab gold assay results.....           | 20 |
| Figure 10. Plan map showing surface grab silver assay results.....        | 21 |
| Figure 11. Plan map showing surface grab lead assay results.....          | 22 |
| Figure 12. Plan map showing surface grab zinc assay results.....          | 23 |

## TABLES

|   |    |
|---|----|
| Table 1. Mineral claims.....  | 5  |
| Table 2. Diamond drill hole collars from the 2018 Koopa Property exploration program..... | 13 |
| Table 3. Significant intercepts from BR-037 and BR-039.....                               | 15 |
| Table 4. Significant intercepts from BR-040.....  | 15 |

## **APPENDICES**

Appendix I. Geological Drill Logs

Appendix II. Rock Sample Locations and Descriptions

Appendix III. Assay Certificate from ALS Laboratories

Appendix IV. Flight Ticket from Yellowhead Helicopters

Appendix V. Cost Statement

Appendix VI. Statement of Qualification

## **1.0 Introduction and Summary**

From July 4<sup>th</sup> to July 22<sup>nd</sup>, 2019 three drill holes were completed on the Koopa Property, for a total of 1488 meters. The collars were drilled from two drill pads, located at 1,560 and 1,650 meters elevation in a glacial cirque at the base of a receding glacier. The drill holes were planned to target quartz + pyrite veins exposed on surface and to test the potential for an intrusion related gold system hosted in the Iskut River Formation stratigraphy. Drilling encountered two generations of quartz veins, with low grade gold associated with quartz + pyrite veins and silver + lead + zinc mineralization associated with quartz + stibnite + sphalerite veins.

In addition to drilling, thirty rock samples were collected from July 4<sup>th</sup> to September 18<sup>th</sup>, 2019. Samples were collected from mudstones, mafic to intermediate volcanics, and mineralized quartz veins. Based on the assay results, anomalous precious and base metals are localized within the veins. B085018 assayed 0.18 ppm gold and 1.75% zinc and B083229 assayed 13.55 ppm silver, 0.289% zinc and 0.205% zinc, with >10,000 ppm arsenic and 1525 ppm antimony. Both samples were from vuggy quartz veins with blebs of pyrite. The remaining samples were not anomalous with respect to precious or base metals.

The 2019 Koopa exploration program under Mines Act Permit MX-1-112 was based out of the Bowser West and Knipple Camps, located at km 52 and 56 along on the Brucejack Gold Mine access road. Work was completed on mineral claim 1060901, located immediately to the southwest of Bowser Lake. The claim was accessible via a Bell 407 helicopter, which was used to transport the drill rig, as well as crews, fuel, supplies, and core between the drill pad and the core logging facilities at the Bowser West Camp.

The results of the 2019 exploration program on the Koopa Property show that the mineralization potential is localized within the quartz veins and vein selvages. Future drilling should test for a coalescence of veins at depth into higher grade and wider structures. Additional surface mapping focused on identified large scale structures and geophysical work to understand the broader stratigraphy is also recommended.

## **2.0 Location**

The Koopa Property is located at the northwest end of the Bowser Lake, in the Bowser Valley, approximately 53 kms north-northwest of Stewart, British Columbia, and approximately 950 kms

northwest of Vancouver (Fig. 1). The property is located in the Boundary Range of the Coast Mountain Physiographic Belt, along the western margin of the Intermontane Tectonic Belt. The region is known as the Golden Triangle due to the presence of numerous high grade gold mines, including past producers Snip and Eskay Creek, and Pretium's actively producing Brucejack Mine.

The Bowser West and Knipple Camps are located at km 52 and 56 along Pretium Exploration Inc.'s 74 km access road to Brucejack Gold Mine, on the north side of the Bowser River to the west of Bowser Lake (Fig. 2).

### **3.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources**

#### **3.1 Accessibility**

The Koopa Property is accessible by chartered helicopter from the town of Stewart, or seasonally from the settlement of Bell II. The flight time from Stewart is approximately 25 minutes and slightly less from Bell II; however, Stewart has the advantage of a well-established year-round helicopter base.

The Bowser West and Knipple Camps are accessible by an all-season, well-maintained gravel road, starting at Km 215 on Highway 37. All-wheel drive vehicles can utilize this road year-round, as it is well maintained with a good snow-removal program in the winter. The 74 km access road was completed in 2013 and links all of Pretium's camps, including the Brucejack Camp, Knipple Camp, Bowser West Camp, and Wildfire Camp.

#### **3.2 Climate and Physiography**

The climate is typical of Northwestern B.C. with cool, wet summers, and relatively moderate but wet winters. Annual temperatures range from +20°C to -20°C. The amount of precipitation is high, with heavy snowfall and accumulations ranging from 10 to 15 m at higher elevations and 2 to 3 m along the lower river valleys. Snow packs cover the higher elevations from October to May. The optimum field season is from mid-July to early-October.

The tree line is at approximately 1,200 m elevation. Sparse fir, spruce, and alder grow along the valley bottoms, with only scrub alpine spruce, juniper, alpine grass, moss, and heather covering the steep valley walls. Prospecting work took place both above and below the tree line.



Figure 1. Location map showing the Koopa Property in northwestern British Columbia.







Figure 2. Koopa  
Mineral Tenure  
Claims Map

Date: 11/05/2019

Office: Pretivm  
Resources



Drawing: C. Anstey



Projection: NAD 83 Zone 9



Scale: 1:300,000

**LEGEND**

-  Koopa Claim Tenure Boundary
-  Lakes

-  Highway
-  International Border



### 3.3 Infrastructure and Local Resources

Local infrastructure at the Bowser West and Knipple Camps is limited to Pretium's Brucejack Gold Mine access road from Highway 37 and the Bowser airstrip, which was completed in July 2016 in order to accommodate small aircraft. The nearest infrastructure is the town of Stewart, located approximately 65 km to the south (Fig 2.), which has a minimum of supplies and personnel. Stewart is the most northerly ice-free shipping port in North America. The city of Terrace and town of Smithers are located further south in the same general region. Both communities are directly accessible by daily air service from Vancouver, with Terrace also accessible from Prince George and Calgary.

The nearest railway is the Canadian National Railway Yellowhead route, which is located approximately 220 km to the southeast. This line runs east from the terminal at the deep water port of Prince Rupert on the west coast of B.C. A 57 km long transmission line, which connects the Brucejack Mine to the BC Hydro power grid, was completed in March 2017.

### 4.0 Mineral Tenures

The Koopa Property is comprised of mineral claim 1060901, located in the Skeena Mining Division (Fig. 3; Table 1).


**Table 1: Claim Information, Koopa Property**

| <b>Tenure Number</b> | <b>Claim Name</b> | <b>Date Staked</b> | <b>Expiry Date*</b> | <b>Area (Ha)</b> |
|----------------------|-------------------|--------------------|---------------------|------------------|
| 1,060,901            | Koopa             | Jun 01, 2018       | Jan 31, 2029        | 3817.9492        |

### 5.0 History

Mining has taken place in the Stewart area since the early 1900's, and is one of the most prolific mining districts in British Columbia. Prominent properties include the past-producing Snip, Eskay Creek, Silbak-Premier and Big Missouri Mines, and Pretium's active Brucejack Mine. Work in the region is generally focused on the prospect of finding high grade Au-Ag mineralization, similar to the Eskay Creek and Brucejack deposits.





**1060901**

BR-037 & BR-039  
BR-040



Figure 3. Koopa Claims Map and Drill Hole Collar Locations

Date: 11/05/2019  
Office: Pretivm Resources  
Drawing: C. Anstey

Projection: NAD 83 Zone 9  
Scale: 1:10,000

**LEGEND**

- Koopa Claim Tenure Boundary
- Glacier
- Water
- Drill Hole Collar
- Contour Intervals 1,000 ft
- Contour Intervals 100 ft



Only limited work has been conducted on the Koopa Property. B.K. Bowen collected 58 silt samples and 13 rock samples in 2005, and one mineralized float sample from the northeastern part of the property assayed 5.89 g/t Au and 64.8 g/t Ag (Bowen, 2006). A hyperspectral survey was carried out on the claims in 2010, and an anomaly (tentatively classified as buddingtonite) was identified approximately 3 kms north of the well mineralized float sample.

In 2017, 343 grab samples were collected from the Koopa Property, and surrounding areas. A 500 x 700 meter topographic bowl was identified in the northwestern corner of Koopa which hosted mineralized quartz veins at the contact between the Iskut River volcanics and the Quock Member mudstones. Quartz veins are approximately 10 cm wide, and contain pyrite, pyrrotite, stibnite, galena, and sphalerite. Assay results from this program included four samples containing greater than 1 g/t Au, with values ranging from 1.35 g/t to 5.28 g/t Au, and five samples containing greater than 100 g/t Ag. The best sample assayed 1,460 g/t Ag, 0.965% Cu, 8.95% Pb, and 25.4% Zn (Wafforn, 2017a; Wafforn, 2017b).

In 2018, two drill holes were completed on the Koopa Property, totaling 287 meters (Wafforn, 2018). Both holes were drilled off the same pad, at 1560 meters elevation in a cirque at the base of a receding glacier, in order to test the Iskut River Formation stratigraphy in the area, which regionally hosts VMS style mineralization. The drilling did not encounter elevated precious or base metals, and the alteration appeared to be distal from a possible VMS producing hydrothermal cell. Indicator elements, including arsenic and antimony, were moderately elevated, which suggested there may be a mineralization system buried on the property.

## **6.0 Geological Setting and Mineralization**

### **6.1 Regional Geological Setting**

The Koopa property is located in the western Stikine terrane (Stikinia), the largest of several allochthonous terranes in the Intermontane Belt of the Canadian Cordillera (Fig. 4). Stikinia, which is considered to be a multistage mid-Palaeozoic to Middle Jurassic island arc terrane that developed in an intra-oceanic setting isolated from the North American continental margin (Gagnon et al. 2012), underlies much of western BC (Fig. 4). Stikinia appears to have been accreted to the North American continental margin as early as the late Middle Jurassic (c. 173 Ma).




Figure . tectonic setting of the northwest Canadian Cordillera. From Nelson and Kyba 1 .

The Stikine terrane in northwestern BC (MacDonald et al. 1996) consists of a series of unconformity-bound tectonostratigraphic elements, including:

- Paleozoic island-arc rocks of the Stikine assemblage
- Mesozoic island-arc rocks of the Upper Triassic Stuhini Group and the Lower to Middle Jurassic Hazelton Group
- Middle to Upper Jurassic overall assemblage sedimentary rocks of the Bowser Lake Group
- Tertiary igneous and metamorphic rocks of the Coast Plutonic Complex occur to the west of the Stikine terrane in this area.

At least four magmatic episodes and three mineralizing events have been recognized in northwestern Stikinia (Anderson et al. 2003):

- Late Triassic to Early Jurassic (205 to 196 Ma) alkaline porphyry-related magmatism and associated deformed mesothermal silver-gold veins (e.g. Red Mountain, KSM)
- Early Jurassic (196 to 187 Ma) alkaline porphyry-related epithermal and mesothermal gold-silver veins and base and precious metal deposits (e.g. Premier, Sulphurets, and Bronson Creek)
- Early to Middle Jurassic (184 to 182 Ma) small and poorly mineralized porphyry intrusions
- Middle Jurassic (175 to 172 Ma) calc-alkaline and tholeiitic back-arc magmatism and syngenetic to epigenetic back-arc basin-related stratabound base and precious metal deposits (e.g. Eskay Creek; Childe, 1996)

Several major compressional tectonic events affected rocks of the Stikine terrane in northwestern BC throughout the Mesozoic. The earliest event in the Late Triassic to Early Jurassic affected Palaeozoic and Triassic rocks of the Stikine assemblage and Stuhini Group. A second, younger event in the Late Jurassic through Late Cretaceous, which has been associated with accretion of the outboard Insular terranes west of the Coastal Plutonic Complex and the formation of the Skeena Fold Belt, resulted in widespread predominantly east-verging fold and thrust deformation of rocks in western Stikinia (Nelson and Kyba, 2013) (Fig. 5).

The northwest part of Stikinia (in particular the volcanic and sedimentary rocks of the Hazelton Group) and related Early Jurassic plutons, represent perhaps the most well-endowed metallogenic






Figure . Regional geology map showing significant mineral deposits in the district. From Nelson and Kyba 1 .

assemblage in BC. In addition to the Brucejack and Snowfield deposits, this area also includes nearby former producers such as Eskay Creek, Snip, Silbak-Premier, Big Missouri, Dolly Varden, Torbrit, Granduc, and Anyox (Alldrick, 1993; Alldrick et al., 2005) (Fig. 5). Furthermore, adjacent properties host significant precious and base metal resources (e.g. Kerr-Sulphurets-Mitchell-Iron Cap (KSM), and Red Mountain deposits), as well as a number of high-potential mineral occurrences (e.g. Homestake Ridge, Silver Coin, Red Cliff, Clone, and Electrum Properties). These deposits represent several mineralization styles, including Au-Ag epithermal (e.g. Brucejack), Au-Ag-Cu-Pb-Zn volcanogenic massive sulphide (e.g. Eskay Creek Au-Cu-Mo) and porphyry (e.g. KSM; Fig. 4). The Brucejack, Snowfield, Eskay Creek, KSM deposits and surrounding area comprise what is commonly referred to as the Iskut-Sulphurets gold camp.

## **6.2 Local Geology and Stratigraphy**

The Koopa Property, as well as the Snowfield, Brucejack, and KSM resources, are located on the eastern limb of the broad McTagg anticlinorium, a major north-trending mid-Cretaceous structural culmination in the western Skeena Fold Belt (Fig. 5). Sedimentary and volcanic rocks of the Upper Triassic Stuhini Group form the core of the anticlinorium, and are successively replaced outwards towards the west, north, and east of the core by progressively younger rocks of the Lower to Middle Jurassic volcanic and lesser sedimentary rocks of the Hazelton Group, followed by sedimentary rocks of the Bowser Lake Group. A geology map showing the local geology is shown in Figure 5.

On the Koopa Property, the area is underlain by the Upper Betty Formation of the Lower Hazelton Group, which comprises well-bedded green, maroon, and grey andesitic to dacitic pyroclastic and epiclastic rocks, mafic flows, and minor carbonaceous mudstone, chert, and limestone. The Iskut River Formation, part of the Upper Hazelton Group, unconformably overlies the Upper Betty Formation, and comprises pillow basalts, effusive basaltic flows, bimodal volcanoclastics, as well as debris flows and porphyritic dikes (Baressi et al., 2014). Interbedded within the volcanic units are restricted beds of limestone and mudstone, with lesser beds of sandstone and conglomerate. The Iskut River Formation is capped by black carbonaceous pyritic mudstone, interbedded with a light and dark banded tuffaceous siltstone, referred to in the district as the Quock Formation (commonly referred to as the “pyjama beds”). Locally, the base of the Quock Member includes well sorted sandstone and conglomerate beds. Rocks of the Middle to Upper Jurassic Bowser Lake Group, which are generally characterized by clastic basin-fill sediments including submarine fan, prodelta slope, shelf, and fan delta sedimentary assemblages, are found along the eastern limits of the Bowser property, with small local pendants scattered through the centre (Evenchick et al., 2010). Paleogene mafic and felsic dykes are also common across the Bowser

Property, and are likely related to those of the bimodal Portland Canal dyke swarm found south of the property, dated around 50 Ma (Green, Greig & Friedman 1995).

Geochronology work in the region shows that the Iskut River Formation volcanics range from 178 Ma to 172 Ma (Lewis 2013). Fossil dating of the Quock Formation have placed the youngest age around 168 Ma (Gagnon et al. 2012). The Quock Formation is a very important tool for exploration, as it is an excellent marker horizon and its lower contact with bimodal volcanics is the main massive sulphide host to the high-grade polymetallic ore at Eskay Creek.

### **6.3 Structure and Regional Metamorphism**

Rocks of the Sulphurets-Iskut gold camp have been affected by folding, faulting, penetrative cleavage formation, late stage quartz vein formation, and low-grade lower greenschist facies (or lower) regional metamorphism (Kirkham and Margolis, 1995). Penetrative cleavage (foliation) development was associated with the Late Jurassic to Late Cretaceous event and affected most of the altered and unaltered rocks in the area, where host rock mineral assemblage (i.e. the presence and concentration of phyllosilicates in the rock) permitted its development. Age dating (argon-argon) of sericite within pressure shadows about pyrite provide a minimum age for this deformation at  $110 \pm 2$  Ma (Kirkham and Margolis, 1995). Development of the McTagg anticlinorium effectively exposed older pre-Iskut River Formation rocks in the Sulphurets-Iskut gold camp. Rocks of the Hazelton Group and Bowser Lake Group, which are located on the eastern limb of the north-plunging anticlinorium, display moderate to steep dips towards the southeast, east, and northeast, indicative of an overall eastward tilting of the original strata and porphyry associated mineralization in this area as a result of the Late Jurassic to Late Cretaceous deformation event.

### **7.0 2019 Diamond Drilling Program**

Three holes were collared on the Koopa property in 2019, for a total of 1488 meters (See Fig. 3; Table 2). The drill holes were planned in order to evaluate the potential for an intrusion related gold deposit hosted in the Iskut River Formation stratigraphy. The drill holes were collared in a glacial bowl with widespread gossans and mineralized quartz veins on surface. Drilling started on July 4<sup>th</sup> and was completed on July 22, 2019.



**Table 2: Diamond drill hole collars from the 2019 Koopa Property exploration program**

| <b>Hole Number</b> | <b>Easting NAD 83</b> | <b>Northing NAD 83</b> | <b>Elev (m)</b> | <b>Az</b> | <b>Dip</b> | <b>Depth (m)</b> | <b>Core Size</b> | <b>Collared</b> | <b>Completed</b> |
|--------------------|-----------------------|------------------------|-----------------|-----------|------------|------------------|------------------|-----------------|------------------|
| BR-037             | 453188.2              | 6248151.4              | 1560.8          | 60        | -50        | 459              | HQ               | 4-Jul-19        | 10-Jul-19        |
| BR-039             | 453186.9              | 6248151.9              | 1560.8          | 60        | -80        | 558              | HQ               | 10-Jul-19       | 16-Jul-19        |
| BR-040             | 453296.9              | 6247844.8              | 1650.8          | 45        | -65        | 471              | HQ               | 16-Jul-19       | 22-Jul-19        |

A fly capable TECH 5000 diamond drill rigs, owned and operated by Hy-Tech Drilling Ltd. of Smithers, B.C., was used for the exploration program. Both holes were drilled with HQ rods. The drills operated 24 hours per day with 2-man crews on 12 hour shifts. The drills were only accessible by helicopter. A Bell 407 helicopter, owned and operated by Yellowhead Helicopters Ltd. of Valemount, B.C., was based at Bowser Camp and used to move the rig and transport crews, fuel, supplies, and core. Rugged Edge Holdings Ltd. of Smithers, B.C. was responsible for the construction and tear-down of all drill pads.


Knipple Camp was the base providing accommodations for the drill crew, pad builders, helicopter crew, geologists, geotechnicians, cooks and camp support staff, and Bowser Camp was used for core logging and office facilities. The geologists and geotechnicians were hired and employed by Pretium Exploration Inc.

Geological logs and assay certificates are listed in Appendix I and III respectively.

### **7.1 BR-037 and BR-039**

Drill holes BR-037 and BR-039 were planned to target quartz + pyrite and quartz + pyrrhotite, stibnite, galena, and sphalerite veins exposed on surface and the Iskut River Formation stratigraphy on the Koopa Property. The drill pad was located at the western edge of the glacial cirque, several hundred meters above the tree line.

BR-037 collared into black mudstones with interbeds of fine, calcareous sandstone, followed by mafic ash tuffs with variable degrees of oxidation and sericite alteration in the rest of the hole. Mineralization included clots of pyrrhotite and disseminated pyrite, with quartz veins quartz +pyrite veins and quartz + stibnite + sphalerite veins. The hole contained one interval from 363 to 363.8 m that assayed 1.08 ppm gold and one interval from 367.05 to 368.05 m that assayed 109 ppm silver, 4.75% lead and 0.56% zinc (Fig. 6, Table 3).



**PRETIVM**

Date: 10/25/2019

Office: Pretivm Resources

Drawing: C. Anstey

Contour Intervals: 20m

Scale: 1:1,000

Figure 7. Cross Section of BR-037 (060°/-50°) and BR-039 (060°/-80°)

View Northwest (330°)

Projection: NAD 83 Zone 9

0 100 meters

**LEGEND**

**Lithology**

- Overburden
- Mafic Volcanics
- Mudstones

**Mineralization**

Au (ppm)

Ag (ppm)

- > 100
- 30 - 100
- < 30

Pb (ppm)

- > 1,000
- 100 - 1,000
- < 100

BR-037  
BR-039

Lith Trace

Au Linegraph 10mm/ppm

Pb Histogram 0.005mm/ppm

Ag Histogram 1mm/ppm

EOH

mm given at scale of 1:1000



BR-039 also collared into black mudstones with interbeds of fine, calcareous sandstone, followed by mafic ash tuffs with hematite and chlorite alteration, with sericite alteration around the vein selvages. The mineralization style is the same as in BR-037. Notable assay intervals include 0.54 ppm gold and 16.2 ppm silver over 19 meters from 279 to 298m, including 1.25 ppm gold and 42.27 ppm silver over 3.82 meters from 293.25 to 297.07m. Another interval assayed 3.06 ppm gold and 7.06 ppm silver over 0.5 meters from 460.4 to 460.9m (Fig. 6, Table 3).

**Table 3. Significant intercepts from BR-037 and BR-039.**



| Hole Number   | From (m) | To (m) | Interval (m) | Au (ppm) | Ag (ppm) | Pb (%) | Zn (%) |
|---------------|----------|--------|--------------|----------|----------|--------|--------|
| <b>BR-037</b> | 363      | 363.8  | 0.80         | 1.08     | 7.54     |        |        |
|               | 367.05   | 368.05 | 1.00         | 0.05     | 109.00   | 4.75   | 0.56   |
| <b>BR-039</b> | 279.00   | 298.00 | 19.00        | 0.54     | 16.20    |        |        |
| incl          | 293.25   | 297.07 | 3.82         | 1.25     | 42.27    |        |        |
|               | 460.40   | 460.90 | 0.50         | 3.06     | 7.06     |        |        |

## 7.2 BR-040

BR-040 collared into bedded black mudstones to 258.5m, and then went into vesiculated basalts and mafic ash tuffs. From 421.5 to 436.2 meters the hole intersected a dark sandstone unit, following which the hole finished in mafic ash tuffs. Alteration was weakly to moderately pervasive in the mafic ash tuffs and included sericite and chlorite, with lesser intervals of silicification. Mineralization was predominantly disseminations and stringers of pyrite, with pyrrhotite and sulfosalts hosted in quartz veins. There was one notable assay hosted in the mudstones in BR-040 from 69 to 70.5 meters, which assayed 1.30 ppm gold and 37.5 ppm silver (Fig. 7, Table 4). The interval also contained anomalous arsenic and antimony.

**Table 4. Significant intercepts from BR-040.**

| Hole Number   | From (m) | To (m) | Interval (m) | Au (ppm) | Ag (ppm) | As (ppm) | Sb (ppm) |
|---------------|----------|--------|--------------|----------|----------|----------|----------|
| <b>BR-040</b> | 69       | 70.5   | 1.5          | 1.30     | 37.50    | 5500     | 585      |



**PRETIVM**

Date: 11/06/2019

Office: Pretivm Resources

Drawing: C. Anstey

Contour Intervals: 20m

Scale: 1:1,000

Projection: NAD 83 Zone 9

Figure 7. Cross Section of BR-040 (045°/-65°)  
View Northwest (320°)

0 100  
meters

**LEGEND**

**Lithology**

- Overburden
- Mafic Volcanics
- Mudstones
- Sandstones

**Mineralization**

- Au (ppm)
- Ag (ppm)
  - > 100
  - 30 - 100
  - < 30

BR-040

Lith Trace

Au Linegraph 10mm/ppm

Ag Histogram 1mm/ppm

EOH

mm given at scale of 1:1000

### 7.3 Drill Core Sampling Methodology and QA/QC

All core was examined by a geologist for lithological boundaries, significant mineralization, structures, veining, and alteration. These observations were entered into a company database, along with geotechnical measurements. Prior to sampling, each box of core was photographed to keep a visual record. The entirety of each hole was sampled at 1.5 m intervals, although sample length adjustments were made such that intervals did not cross lithological boundaries or significant mineralization. Exceptions were also made for mineralized veins, in which case the minimum sample length was set at 50 centimeters. Core was oriented and cut in half with electric core saws, with the adjoining halves placed in the sample bag each time to avoid any visual biases. Plastic poly-ore bags were used for the core samples, with each bag numbered with a unique lab sample tag, and sealed with a zip-tie.

Sterile/blank material (crushed limestone landscaping material) alternating with laboratory standards of three different metal concentrations, were added to the sample run every 10<sup>th</sup> interval. In addition to this, duplicates were completed internally at the laboratory every 20<sup>th</sup> core sample by taking a second 1 kilogram split after crushing. In order to ensure there were no contamination issues at the lab, blank samples were also added immediately after every high-grade Au interval, specifically where visible electrum was observed. A QA/QC review of all assay data was completed in order to request re-runs if standards, blanks, or duplicates failed. All assay data was found to be of good quality.

In total, 1057 core samples were submitted to the lab, with an additional 177 blanks, standards and duplicates submitted, for a total of 1234 analyses completed (Appendix I and III for sample intervals and assay certs). All samples were bagged in rice sacks labelled with unique sample tracking numbers at Bowser Camp. The rice sacks were placed into a canopied truck bed for daily transport to Terrace, B.C., where they were received by the ALS Laboratories facility. Each sample was analyzed using a four acid digestion 48 element ICP package (ME-MS61) and gold by fire assay and atomic absorption spectroscopy with a 30 gram pulp (Au-AA23). In addition to this, a handheld X-ray fluorescence (XRF) analyzer was used at the lab on each sample pulp to provide results for three valuable lithological elements: Si, Ti, and Zr (pXRF-34). All samples are weighed and crushed to 2mm. From this crush a 1 kg split was collected and pulverized to 75 microns for analysis. ALS Laboratory certificates are included in Appendix III.

## **8.0 2019 Geochemical Rock Sampling Program**

### **8.1 Rock Samples**

Thirty samples were collected from the property claims between July 4<sup>th</sup> and September 18<sup>th</sup>, 2019. Sample locations are shown in Figure 8, assay results are shown in Figures 9-12, and the sample descriptions are provided in Appendix II. Samples were collected from mudstones, mafic to intermediate volcanics, and mineralized quartz veins. The quartz veins crosscut both units, and are mineralized with pyrite, pyrrhotite, arsenopyrite, stibnite, and minor sphalerite. The vein selvages host sericite alteration.

Based on the assay results, anomalous precious and base metals are localized within the veins. B085018 assayed 0.18 ppm gold and 1.75% zinc and is described as a moderately oxidized quartz-pyrite +/- sphalerite vein taken along the toe of the glacier. The vein is approximately 3 cm thick and can be traced over 2 meters. B083229 assayed 13.55 ppm silver, 0.289% zinc and 0.205% zinc, with >10,000 ppm arsenic and 1525 ppm stibnite. This sample is described as a vuggy quartz vein with blebs of pyrite in the vein and very fine grained arsenopyrite in the vein selvage. The remaining samples were not anomalous with respect to the precious or base metals.

### **8.2 Sampling Methodology and QA/QC**

Grab samples were collected in the field, described by the geologist, and then placed into a plastic poly-ore bag. Each bag was numbered with a unique lab sample tag and sealed with a zip-tie. At the end of each day the sample descriptions were entered into a company database. All samples were bagged in rice sacks labelled with unique sample tracking numbers at Bowser West Camp. The rice sacks were placed into a canopied truck bed for daily transport to Terrace, B.C., where they were received by the ALS Laboratories facility. Each sample was analyzed using a four acid digestion 48 element ICP package (ME-MS61) and gold by fire assay and atomic absorption spectroscopy with a 30 gram pulp (Au-AA23). In addition to this, a handheld X-ray fluorescence (XRF) analyzer was used at the lab on each sample pulp to provide results for three valuable lithological elements: Si, Ti, and Zr (pXRF-34). All samples are weighed and crushed to 2mm. From this crush a 1 kg split was collected and pulverized to 75 microns for analysis. ALS Laboratory certificates are included in Appendix III.






Figure 8. 2019 Koopa  
Rock Sample Locations


Date: 11/05/2019  
Office: Pretivm Resources  
Drawing: C. Anstey

Projection: NAD 83 Zone 9  
Scale: 1:2,000

**LEGEND**

- Koopa Claim Boundary
- Rock Sample
- Contour Intervals 1,000 ft
- Contour Intervals 100 ft
- Drill Hole Collar





|  |   |                           |                           |  |   |  |
|--|---|---------------------------|---------------------------|--|---|--|
|  | <b>Figure 9. 2019 Koopa</b><br><b>Rock Sample Geochemistry</b><br><b>Au (g/t)</b> | Date: 11/05/2019          | Projection: NAD 83 Zone 9 | <b>LEGEND</b><br>Koopa Claim Boundary<br>Drill Hole Collar<br><b>Contour Intervals</b><br>1,000 ft<br>100 ft | <b>Au (g/t)</b><br>> 1<br>0.1 - 1<br>0.01 - 0.1<br>< 0.01 |  |
|  |   | Office: Pretivm Resources |                           |  |   |  |
|  |   | Drawing: C. Anstey        | Scale: 1:2,000            |  |   |  |






Figure 10. 2019 Koopa  
Rock Sample Geochemistry  
Ag (g/t)

Date: 11/05/2019  
Office: Pretivm Resources  
Drawing: C. Anstey

Projection: NAD 83 Zone 9  
0 150  
meters  
Scale: 1:2,000

Koopa Claim Boundary  
 Drill Hole Collar

**LEGEND**  
Contour Intervals  
1,000 ft  
100 ft

Ag (g/t)  
 > 10  
 3 - 10  
 1 - 3  
 < 1






Figure 11. 2019 Koopa  
Rock Sample Geochemistry  
Pb (ppm)

Date: 11/05/2019  
Office: Pretivm Resources  
Drawing: C. Anstey


Projection: NAD 83 Zone 9  
Scale: 1:2,000

Koopa Claim Boundary  
 Drill Hole Collar

**LEGEND**  
Contour Intervals  
1,000 ft  
100 ft

**Pb (ppm)**  
 > 1,000  
 80 - 1,000  
 17 - 80  
 < 17





|  |  |                           |                           |   |   |  |
|--|--|---------------------------|---------------------------|---|---|--|
|  | <b>Figure 12. 2019 Koopa<br/>Rock Sample Geochemistry<br/>Zn (ppm)</b> | Date: 11/05/2019          | Projection: NAD 83 Zone 9 | <b>LEGEND</b><br>Koopa Claim Boundary<br>Drill Hole Collar<br>Contour Intervals<br>1,000 ft<br>100 ft | <b>Zn (ppm)</b><br>> 1,000<br>80 - 1,000<br>17 - 80<br>< 17 |  |
|  |  | Office: Pretivm Resources | <br>Scale: 1:2,000        |   |   |  |
|  |  | Drawing: C. Anstey        |                           |   |   |  |



## 9.0 Recommendations

The Koopa Property remains an interesting exploration target for intrusion related gold, based on the vein hosted mineralization and alteration in the Iskut River Formation stratigraphy. Anomalous precious and base metals and elevated indicator elements occur within vein samples in drill core. It is recommended that future drilling target deeper in the system where these veins may coalesce into a high grade and higher tonnage system. Additional work should focus on detailed mapping of the stratigraphy and the vein system in order to vector into higher temperature parts of the hydrothermal system. Geophysical techniques, including magnetics and MT, may be useful in delineating the extent of prospective stratigraphy and identifying conductive bodies.

## 10.0 References

- Alldrick, D.J., 1993. Geology and Metallogeny of the Stewart Mining Camp, Northwestern British Columbia: Mineral Resources Division, Bulletin 85, p. 1-113.
- Alldrick, D.J., Nelson, J.L., and Barresi, T., 2005. Geology and Mineral Occurrences of the Upper Iskut River Area: Tracking the Eskay Rift through Northern British Columbia (Telegraph Creek NTS 104G/1, 2; Iskut River NTS 104B/9, 10, 15, 16): Geological Field Work 2004, Paper 2005-1, p. 1-30.
- Anderson, R. G., 1989. A Stratigraphic, Plutonic, and Structural Framework for the Iskut River Map Area, Northwestern British Columbia; in Current Research, Part E, Geological Survey of Canada, Paper 89-1E, p. 145-154.
- Baressi, T., Nelson, J.L., and Dostal, J., 2014. Geochemical constraints on magmatic and metallogenic processes: Iskut River Formation, volcanogenic massive sulphide-hosting basalts, NW British Columbia, Canada: Canadian Journal of Earth Science, v. 57, p. 1-20.
- Bowen, B.K., 2006, Compilation of RGS 58 Silt Geochemistry, Air Photo Lineament Study, Prospecting & Geochemical Sampling of the Bedex Claims; Unpublished Assessment Report on behalf of B.K. Bowen; British Columbia Ministry of Energy and Mines, No. 28681. 53 p.
- Childe, F., 1996. U-Pb Geochronology and Nd and Pb Isotope characteristics of the Au-Ag-rich Eskay Creek Volcanogenic Massive Sulphide Deposit, British Columbia. Economic Geology, Volume 91: 1209-1224.
- Evenchick, C.A., Poulton, T.P., and McNicoll, V.J., 2010. Nature and significance of the diachronous contact between the Hazelton and Bowser Lake groups (Jurassic), north-central British Columbia: Bulletin of Canadian Petroleum Geology, v. 58, p. 235-267.
- Gagnon, J.-F., Barresi, T., Waldron, J.W.F., Nelson, J.L., Poulton, T.P., and Cordey, F., 2012. Stratigraphy of the upper Hazelton Group and the Jurassic evolution of the Stikine terrane, British Columbia. Canadian Journal of Earth Sciences, 49(9): 1027-1052.

- Green, D., Greig, C.J., and Friedman, R.M. 1995. Geological setting, geochronology and thermal modelling of the Portland Canal dyke swarm, Stewart area, northwestern British Columbia; Current Research 1995-E; Geological Survey of Canada, p. 47-57
- Kirkham, R.V. and Margolis, J., 1995. Overview of the Sulphurets area, northwestern British Columbia, in: .Porphyry Deposits of the Northwestern Cordillera of North America. CIMM Special Volume 46, T.G. Schroeter, ed., p. 473-482.
- Lewis, P.D., 2013. Iskut River Area Geology (NTS 104B/08 and part of 104B/01, 07); Geoscience BC Map 2013-05-1, 1:50,000 scale and additional notes.
- Macdonald, A.J., Lewis, P.D., Thompson, J.F.H., Nadaraju, G., Bartsch, R.D., Bridge, D.J, Rhys, D.A, Roth, T. Kaip, A. Godwin, C.I., and Sinclair, A.J., 1996. Metallogeny of an Early to Middle Jurassic arc, Iskut River area, northwestern British Columbia: Economic Geology, 91: 1098-1114.
- Wafforn, S.W., 2017a. Geological, Geochemical, and Prospecting Program, June 24 to September 11, 2017, on the Bowser Property: Unpublished Assessment Report on behalf of Pretium Exploration; British Columbia Ministry of Energy and Mines, No. 37443, 42 pp.
- Wafforn, S.W., 2017b. Geological, Geochemical, and Prospecting Program, September 12 to October 12, 2017, on the Bowser Property: Unpublished Assessment Report on behalf of Pretium Exploration; British Columbia Ministry of Energy and Mines, No. 37435, 42 pp.
- Wafforn, S.W., 2018. Diamond Drilling Report on the 2018 Koopa Property Exploration Program: Unpublished Assessment Report on behalf of Pretium Exploration; British Columbia Ministry of Energy and Mines, Event No. 5725920, 102 pp.

## **Appendix I. Geological Drill Logs**

**Project:** Bowser Regional

**Hole:** BR-037

|                             |             |                      |  |                         |           |                          |                                     |                    |  |
|-----------------------------|-------------|----------------------|--|-------------------------|-----------|--------------------------|-------------------------------------|--------------------|--|
| <b>Prospect:</b>            | Koopa       | <b>Survey Type:</b>  |  | <b>Logged By:</b>       | jauston   | <b>Hole Type:</b>        | DDS                                 |                    |  |
| <b>UTM Grid:</b>            | UTM83-9     | <b>Survey By:</b>    |  | <b>Date Started:</b>    | 7/6/2019  | <b>Core Size:</b>        | HQ                                  |                    |  |
| <b>UTM East:</b>            | 453188.2347 | <b>Azimuth:</b>      | 58.5   | <b>Date Completed:</b>  | 7/11/2019 | <b>Casing Pulled?</b>    | <input type="checkbox"/>            |                    |  |
| <b>UTM North:</b>           | 6248151.447 | <b>Dip:</b>          | -49.3  | <b>Drill Company:</b>   | HyTech    | <b>Casing Depth (m):</b> | 1.5                                 |                    |  |
| <b>UTM Elevation (m):</b>   | 1559.706    | <b>Length (m):</b>   | 459  | <b>Drill Rig:</b>       | H2        | <b>Marked?</b>           | <input type="checkbox"/>            |                    |  |
| <b>Local Grid:</b>          |             | <b>Hole Purpose:</b> | Expl   | <b>Drill Started:</b>   | 7/4/2019  | <b>Surveyed?</b>         | <input checked="" type="checkbox"/> |                    |  |
| <b>Local East:</b>          |             | <b>Drill Target:</b> |  | <b>Drill Completed:</b> | 7/10/2019 | <b>Water Production:</b> | NO                                  |                    |  |
| <b>Local North:</b>         |             | <b>Comments:</b>     | Casing left in the hole in case we want to re-enter the hole |                         |           |                          |                                     | <b>Water Type:</b> |  |
| <b>Local Elevation (m):</b> |             |                      |  |                         |           | <b>Water Depth (m):</b>  |                                     |                    |  |
|                             |             |                      |  |                         |           | <b>Structure Type:</b>   |                                     |                    |  |

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|----------|
| 0         | 1stREFLEX     | 7/5/2019      | -49.3 | 39.5             | 19                | 58.5              |            | <input checked="" type="checkbox"/> |          |
| 12        | REFLEX        | 7/5/2019      | -49.3 | 39.5             | 19                | 58.5              | 57156      | <input checked="" type="checkbox"/> |          |
| 51        | REFLEX        | 7/5/2019      | -49.5 | 40.9             | 19                | 59.9              | 56330      | <input checked="" type="checkbox"/> |          |
| 102       | REFLEX        | 7/5/2019      | -49.4 | 42.9             | 19                | 61.9              | 56296      | <input checked="" type="checkbox"/> |          |
| 150       | REFLEX        | 7/6/2019      | -49.1 | 47.6             | 19                | 66.6              | 56679      | <input checked="" type="checkbox"/> |          |
| 201       | REFLEX        | 7/6/2019      | -48.8 | 49.1             | 19                | 68.1              | 56291      | <input checked="" type="checkbox"/> |          |
| 249       | REFLEX        | 7/7/2019      | -47.7 | 50.4             | 19                | 69.4              | 56622      | <input checked="" type="checkbox"/> |          |
| 300       | REFLEX        | 7/8/2019      | -46.6 | 52.5             | 19                | 71.5              | 56701      | <input checked="" type="checkbox"/> |          |
| 351       | REFLEX        | 7/8/2019      | -45.2 | 55.2             | 19                | 74.2              | 56413      | <input checked="" type="checkbox"/> |          |
| 399       | REFLEX        | 7/9/2019      | -43.5 | 56.8             | 19                | 75.8              | 58133      | <input checked="" type="checkbox"/> |          |

Hole: BR-037

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|----------|
| 450       | REFLEX        | 7/10/2019     | -41.7 | 59.4             | 19                | 78.4              | 56256      | <input checked="" type="checkbox"/> |          |

Hole: BR-037

| From (m)  | To (m) | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 0.00  | 1.50   | <b>OVB overburden</b>   |          |        |        |          |             |             |             |             |             |
| 0 - 1.5: casing block at 1.5m with no recovery  |        |   |          |        |        |          |             |             |             |             |             |
| 1.50  | 12.13  | <b>S5-Arg Dominantly argillites/Mudstones/siltstone s/pelite (including calcareous)</b> |          |        |        |          |             |             |             |             |             |
| 1.5 - 12.13: bedded black argillite with interbeds/bands of a dark grey very fine grained sand unit that tends to be calcareous; within the fine sand beds pebbles of the black argillite are seen that are ellongated parallel to bedding; minor soft sediment deformation observed                    |        |   |          |        |        |          |             |             |             |             |             |
| <<Min: 1.5 - 3: 0.5-2.0% pyrrhotite>> po seen as clots within a vein, argillite wallrock is barren  |        |   |          |        |        |          |             |             |             |             |             |
| 3.00  | 4.50   |   | 3.00     | 4.50   | 1.50   | S005257  | 0.002       | 0.08        | 45.2        | 5.6         | 31          |
| <<Min: 12 - 15.5: <0.5% pyrrhotite / traces pyrrhotite>> po seen in one vein and then in trace amounts as clots within ash tuff   |        |   |          |        |        |          |             |             |             |             |             |
| 4.50  | 6.00   |   | 4.50     | 6.00   | 1.50   | S005258  | 0.013       | 0.06        | 25.6        | 6.1         | 28          |
| <<Alt: 1.5 - 12.13: weak to moderate silica (pervasive silicification) / weak graphite / weak to moderate calcite / weak iron oxide>> weak to moderate pervasive silicification; oxidized fracture surfaces and weakly graphitic; calcite present in the coarser beds possibly primary or an alteration |        |   |          |        |        |          |             |             |             |             |             |
| 6.00  | 7.50   |   | 6.00     | 7.50   | 1.50   | S005259  | 0.002       | 0.04        | 16.8        | 5.1         | 32          |
| <<Vein: 2.2 - 2.75: >50.0% Quartz-calcite-pyrrhotite>> One vein that contains some wallrock clasts and has diffuse boundaries with surrounding siltstone contains about 2% po as clots  |        |   |          |        |        |          |             |             |             |             |             |
| 7.50  | 9.00   |   | 7.50     | 9.00   | 1.50   | S005261  | 0.002       | 0.04        | 18.6        | 6.5         | 36          |
| <<Struc: 3 - 3.5: moderately developed bedding 35 deg. >> bedding in argillite/siltstone  |        |   |          |        |        |          |             |             |             |             |             |
| 9.00  | 10.50  |   | 9.00     | 10.50  | 1.50   | S005262  | 0.002       | 0.05        | 23.9        | 5.7         | 39          |
| <<Struc: 7 - 7.5: weakly developed bedding 30 deg. >> bedding in siltstone, deformation in area but angle appears to be generally representative  |        |   |          |        |        |          |             |             |             |             |             |
| 10.50   | 12.13  |   | 10.50    | 12.13  | 1.63   | S005263  | 0.005       | 0.1         | 52.8        | 7.5         | 33          |
| <<Struc: 7.5 - 8: weakly developed bedding 40 deg. >>   |        |   |          |        |        |          |             |             |             |             |             |
| <<Struc: 10 - 11.1: weakly developed bedding 20 deg. >>   |        |   |          |        |        |          |             |             |             |             |             |
| 12.13   | 13.50  |   | 12.13    | 13.50  | 1.37   | S005264  | 0.002       | 0.06        | 30          | 7.5         | 32          |

Hole: BR-037

| From (m)  | To (m) | Rock Type & Description  | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|--|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 12.13   | 105.00 | <b>V4 Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic</b> |          |        |        |          |             |             |             |             |             |
|   |        | <b>V-fsh</b>   | 13.50    | 15.00  | 1.50   | S005265  | 0.002       | 0.07        | 30.6        | 6.9         | 35          |
| <p>12.13 - 105: light blue grey bedded/banded rock with flowing textures suspect ash flow but shear zones are also present; grades from last unit from interbedded silts with ash to an ash tuff generally coarsening downhole; multiple coarsening sequences; as ash coarsenes more volcanoclastic textures observed, lapilli up to 2cm wide altered pumice and aphanitic volcanic; there is a granular appearance but with hand lens the boundaries are diffuse and not able to identify individual grains; some sections have a mottled appearance suspect produced by cooling, interval consists of layers of hot fresh ash varying in grain size but dominantly fine with some lapilli bombs and layers of eroding ash that get layed down at the same time but cool and produce finer beds /laminations</p> <p>16.43m there is a clast observed a green aphanitic volcanic with flowing textures around it;</p> <p>45-46.3m there is a pyrite rich matrix with round creamy white minerals porphyroblasts or spherulites?</p> |        |  |          |        |        |          |             |             |             |             |             |
| <<Min: 15.5 - 18: 0.5-2.0% pyrrhotite / <0.5% pyrite>> clots of po seen associated with silica halos, some clots are very fine grained and anhedral which are logged as pyrite  |        |  | 15.00    | 16.50  | 1.50   | S005266  | 0.002       | 0.06        | 24.6        | 3.9         | 36          |
| <<Min: 18 - 42: 0.5-2.0% pyrrhotite / <0.5% pyrrhotite / 0.5-2.0% pyrite / 0.5-2.0% pyrite>> dominantly pyrrhotite as clots within rock and in veins, lesser pyrite seen in veins as clots and minor amounts disseminated though could be pyrrhotite as well very fine grained but not magnetic   |        |  | 16.50    | 18.00  | 1.50   | S005267  | 0.002       | 0.06        | 18.3        | 3.7         | 39          |
| <<Min: 42 - 47.5: 10.0-20.0% pyrite / 0.5-2.0% pyrrhotite>> patches of major amounts of disseminated pyrite almost to the point of becoming a solid aggregate, dark brassy and appears anhedral but could be due to the very fine grained nature  |        |  | 18.00    | 19.50  | 1.50   | S005268  | 0.002       | 0.33        | 22.3        | 13.6        | 63          |
| <<Min: 47.5 - 67.5: 2.0-5.0% pyrite / 2.0-5.0% pyrite>> pyrite in patches as brassy anhedral clots (most common in interval 51-52.5m) and patches where it is finely disseminated and crystal faces can be observed more yellow than previous interval (most common in interval 52.5-54m)   |        |  | 19.50    | 21.00  | 1.50   | S005269  | 0.01        | 0.43        | 48.1        | 16.5        | 123         |
| <<Min: 67.5 - 105.6: 2.0-5.0% pyrite / 0.5-2.0% pyrrhotite / 0.5-2.0% sphalerite / <0.5% Ag,Pb,Sb,As sulfosalts / traces chalcopyrite>> patches of anhedral pyrite aggregates with associated silicification; mineralized veins with pyrite, pyrrhotite, sphalerite, trace chalcopyrite and minor sulphosalts (dark grey metallic blebs that are malleable), as well possible orpiment seen on fracture surfaces in said veins; po and py blebs seen in wallrock;   |        |  | 21.00    | 22.50  | 1.50   | S005271  | 0.002       | 0.55        | 28.4        | 9.9         | 127         |
| <<Alt: 12.13 - 67.5: moderate sericite / moderate silica (pervasive silicification) / weak to moderate greater than 10% carbonate minerals / moderate illite>> pervasive sericite/clay alteration and isolated patches of green sericite that maybe effecting individual clasts, patches of illite that seem to be spatially related to increased pyrite mineralization; patches of silica alteration producing localized bands and possible clasts; carbonate patchy associated with veining former healed fractures, unlike last unit pervasive calcite not observed in matrix of rock;   |        |  | 22.50    | 24.00  | 1.50   | S005272  | 0.002       | 0.28        | 12          | 8.5         | 52          |



Hole: BR-037

| From (m)   | To (m) | Rock Type & Description | From (m) | To (m)  | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|--------|-------------------------|----------|---------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <<Alt: 67.5 - 93: weak to moderate silica (pervasive silicification) / weak to moderate illite / weak to moderate chlorite>> patches of sericite(illite?) near mineralized veins along with increased silica in the zones, chlorite and minor clay effected rock outside of mineralized zones  | 24.00  | 25.50                   | 1.50     | S005273 | 0.002  | 0.38     | 10.4        | 8.2         | 51          |             |             |
| <<Alt: 93 - 96: moderate to strong silica-pyrite>> strong silica and pyrite altered zone   | 25.50  | 27.00                   | 1.50     | S005274 | 0.002  | 0.92     | 14.7        | 45.7        | 163         |             |             |
| <<Alt: 96 - 105: moderate illite / weak to moderate sericite / weak silica (pervasive silicification) / weak calcite>> patches of illite (clay) alteration with lesser green sericite and silica, minor calcite alteration patches where illite is weaker; calling soft tan brown altered sections illite  | 27.00  | 28.50                   | 1.50     | S005275 | 0.017  | 0.88     | 18.4        | 21.1        | 112         |             |             |
| <<Vein: 12.13 - 40.5: 1.0-5.0% Quartz-calcite-pyrrhotite>>   | 28.50  | 30.00                   | 1.50     | S005276 | 0.002  | 0.12     | 4.8         | 4           | 60          |             |             |
| <<Vein: 57 - 96: 1.0-5.0% Quartz-calcite-pyrrhotite>>  | 30.00  | 31.50                   | 1.50     | S005277 | 0.002  | 0.18     | 9           | 3           | 61          |             |             |
| <<Vein: 96 - 144.88: 1.0-5.0% Quartz-calcite-pyrrhotite>> vuggy/cockscorn veins that are open space filling that are mineralized, mineralization other than pyrite and pyrrhotite are all vein related; veins are unevenly distributed; the important veins that show the dominant angle and most significant mineralization are recorded with point locations in sub-veins and with iq logger | 31.50  | 33.00                   | 1.50     | S005278 | 0.002  | 0.14     | 6.4         | 2.4         | 58          |             |             |
| <<Struc: 16 - 17.5: weakly developed bedding 30 deg. >> either bedding or a shear foliation within a fine grained ash tuff   | 33.00  | 34.50                   | 1.50     | S005279 | 0.002  | 0.21     | 9.9         | 2.7         | 64          |             |             |
| <<Struc: 21.4 - 22: moderately developed fault gouge 60 deg. >> fault zone with multiple fracture surfaces with 0.5cm wide gouge all with same orientation   | 34.50  | 36.00                   | 1.50     | S005281 | 0.002  | 0.44     | 10.5        | 3           | 65          |             |             |
| <<Struc: 23 - 24.5: strongly developed sheared>> ductile sheared rock some with some quartz and carb veins that appear synchronous with shearing, competent qtz but very undulatory vein margins   | 36.00  | 37.50                   | 1.50     | S005282 | 0.021  | 2.6      | 10.9        | 21.2        | 174         |             |             |
| <<Struc: 55.7 - 56: strongly developed fault gouge 70 deg. >> major fault gouge with 20cm of recovered fault gouge   | 37.50  | 39.00                   | 1.50     | S005283 | 0.005  | 0.68     | 8           | 2.8         | 47          |             |             |
| <<Struc: 98 - 102: moderately developed bedding 25 deg. >> suspected bedding planes in a ash tuff with alpha angle ranging from 15 to 30 but dominantly 20, beta angle consistent  | 39.00  | 40.50                   | 1.50     | S005284 | 0.002  | 0.36     | 5.5         | 5.4         | 104         |             |             |
|  | 40.50  | 42.00                   | 1.50     | S005285 | 0.033  | 2.4      | 25.3        | 8.1         | 126         |             |             |
|  | 42.00  | 43.50                   | 1.50     | S005286 | 0.007  | 0.97     | 18.8        | 5.1         | 106         |             |             |
|  | 43.50  | 45.00                   | 1.50     | S005287 | 0.035  | 1.26     | 12          | 21.2        | 136         |             |             |
|  | 45.00  | 46.50                   | 1.50     | S005288 | 0.065  | 1.15     | 15.6        | 13          | 180         |             |             |
|  | 46.50  | 48.00                   | 1.50     | S005289 | 0.022  | 0.4      | 15.6        | 8.1         | 130         |             |             |
|  | 48.00  | 49.50                   | 1.50     | S005291 | 0.005  | 0.38     | 9.3         | 6.8         | 74          |             |             |
|  | 49.50  | 51.00                   | 1.50     | S005292 | 0.002  | 0.22     | 7.7         | 4.1         | 90          |             |             |
|  | 51.00  | 52.50                   | 1.50     | S005293 | 0.002  | 0.39     | 12.3        | 3.4         | 69          |             |             |
|  | 52.50  | 54.00                   | 1.50     | S005294 | 0.006  | 0.56     | 12.3        | 8.4         | 98          |             |             |
|  | 54.00  | 55.50                   | 1.50     | S005295 | 0.011  | 2.17     | 14          | 101         | 488         |             |             |
|  | 55.50  | 57.00                   | 1.50     | S005296 | 0.012  | 1.27     | 7.2         | 29.9        | 120         |             |             |



Hole: BR-037

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 57.00    | 58.50  | 1.50   | S005297  | 0.002       | 0.18        | 13.2        | 5.2         | 107         |
|          |        |                         | 58.50    | 60.00  | 1.50   | S005298  | 0.006       | 0.25        | 15.8        | 2.5         | 115         |
|          |        |                         | 60.00    | 61.50  | 1.50   | S005299  | 0.002       | 0.1         | 8.8         | 2.9         | 105         |
|          |        |                         | 61.50    | 63.00  | 1.50   | S005301  | 0.002       | 0.1         | 6.7         | 3           | 84          |
|          |        |                         | 63.00    | 64.50  | 1.50   | S005302  | 0.002       | 0.13        | 8.3         | 3.1         | 88          |
|          |        |                         | 64.50    | 66.00  | 1.50   | S005303  | 0.002       | 0.11        | 6.9         | 2.6         | 62          |
|          |        |                         | 66.00    | 67.50  | 1.50   | S005304  | 0.007       | 0.57        | 9.3         | 13.8        | 96          |
|          |        |                         | 67.50    | 68.88  | 1.38   | S005305  | 0.022       | 2.19        | 19.2        | 262         | 297         |
|          |        |                         | 68.88    | 69.44  | 0.56   | S005306  | 0.043       | 3.91        | 19.6        | 1430        | 6510        |
|          |        |                         | 69.44    | 70.07  | 0.63   | S005307  | 0.006       | 1.08        | 14.2        | 25.5        | 98          |
|          |        |                         | 70.07    | 71.28  | 1.21   | S005308  | 0.006       | 0.79        | 11.1        | 8.9         | 79          |
|          |        |                         | 71.28    | 72.00  | 0.72   | S005309  | 0.074       | 10.5        | 18.9        | 4160        | 3850        |
|          |        |                         | 72.00    | 73.50  | 1.50   | S005311  | 0.002       | 0.2         | 8.1         | 7.9         | 73          |
|          |        |                         | 73.50    | 75.00  | 1.50   | S005312  | 0.002       | 0.43        | 12.7        | 5.1         | 69          |
|          |        |                         | 75.00    | 76.50  | 1.50   | S005313  | 0.002       | 0.27        | 10.3        | 5.6         | 100         |
|          |        |                         | 76.50    | 78.00  | 1.50   | S005314  | 0.002       | 0.41        | 13.9        | 13.1        | 58          |
|          |        |                         | 78.00    | 79.50  | 1.50   | S005315  | 0.016       | 0.42        | 31.8        | 4.2         | 71          |
|          |        |                         | 79.50    | 81.00  | 1.50   | S005316  | 0.002       | 0.26        | 36.2        | 2.6         | 80          |
|          |        |                         | 81.00    | 82.50  | 1.50   | S005317  | 0.002       | 0.31        | 32.7        | 3.1         | 81          |
|          |        |                         | 82.50    | 83.50  | 1.00   | S005318  | 0.002       | 0.2         | 24.9        | 3.5         | 97          |
|          |        |                         | 83.50    | 84.32  | 0.82   | S005319  | 0.002       | 0.3         | 33.7        | 3.6         | 92          |
|          |        |                         | 84.32    | 84.82  | 0.50   | S005321  | 0.022       | 2.36        | 37.2        | 322         | 201         |
|          |        |                         | 84.82    | 85.50  | 0.68   | S005323  | 0.005       | 0.46        | 37.3        | 4.5         | 119         |
|          |        |                         | 85.50    | 87.00  | 1.50   | S005324  | 0.002       | 0.4         | 24.7        | 3.7         | 71          |
|          |        |                         | 87.00    | 88.50  | 1.50   | S005325  | 0.002       | 0.43        | 18.2        | 3.4         | 72          |
|          |        |                         | 88.50    | 90.00  | 1.50   | S005326  | 0.005       | 0.46        | 14.9        | 3.1         | 76          |
|          |        |                         | 90.00    | 91.50  | 1.50   | S005327  | 0.162       | 1.05        | 21          | 4.7         | 166         |
|          |        |                         | 91.50    | 93.00  | 1.50   | S005328  | 0.026       | 1.38        | 9.6         | 9.3         | 228         |
|          |        |                         | 93.00    | 94.50  | 1.50   | S005329  | 0.124       | 2.35        | 13.1        | 20.9        | 70          |



Hole: BR-037

| From (m)  | To (m)        | Rock Type & Description  | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|--|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|   |               |  | 94.50    | 96.00  | 1.50   | S005331  | 0.152       | 2.28        | 22.1        | 23.5        | 109         |
|   |               |  | 96.00    | 97.50  | 1.50   | S005332  | 0.054       | 2.88        | 16.9        | 261         | 578         |
|   |               |  | 97.50    | 99.00  | 1.50   | S005333  | 0.055       | 4.05        | 10.1        | 20.2        | 87          |
|   |               |  | 99.00    | 100.50 | 1.50   | S005334  | 0.101       | 5.65        | 7.3         | 22.1        | 147         |
|   |               |  | 100.50   | 102.00 | 1.50   | S005335  | 0.072       | 3.28        | 11.9        | 19.7        | 119         |
|   |               |  | 102.00   | 103.50 | 1.50   | S005336  | 0.012       | 0.73        | 45          | 10.9        | 81          |
|   |               |  | 103.50   | 105.00 | 1.50   | S005337  | 0.002       | 0.33        | 31.1        | 4.6         | 124         |
| <b>105.00</b>   | <b>144.88</b> | <b>V4 Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic</b> |          |        |        |          |             |             |             |             |             |
|   |               |  | 105.00   | 106.50 | 1.50   | S005338  | 0.011       | 0.69        | 39.5        | 6.9         | 85          |
| <p>105 - 144.88: gradationally change to a coarser ash tuff than the previous interval; here there a sections that could be a competent volcanic flow that is fine grained equigranular or just a product of being coarser ash; finer ash beds are still present but less prevalent</p> <p>&lt;&lt;Min: 105.6 - 144.88: 2.0-5.0% pyrrhotite / 0.5-2.0% pyrite / &lt;0.5% sphalerite / &lt;0.5% Ag,Pb,Sb,As sulfosalts / &lt;0.5% arsenopyrite&gt;&gt; dominantly po as blebs and disseminations with lesser pyrite than seen in previous intervals in wall rock, roughly equal amounts of py and po seen as blebs in the vein; a vein with significant sphalerite and sulphosalts observed at 126, and there are trace amounts seen in other veins; trace to minor amounts of aspy seen in veins but could be stibnite very fine grained euhedral crystals</p> <p>&lt;&lt;Alt: 105 - 144.88: weak to moderate chlorite / weak to moderate calcite / weak illite / weak clay&gt;&gt; this interval is dominated by chlorite as the main alteration and patchy calcite, minor patches of illite decreased; light beige to white clay alteration of effecting ash grains or small phenocrysts in rock</p> <p>&lt;&lt;Struc: 126 - 126.53: weakly developed bedding 42 deg. &gt;&gt; possible bedding plane in ash tuff</p> |               |  |          |        |        |          |             |             |             |             |             |
|   |               |  | 106.50   | 108.00 | 1.50   | S005339  | 0.012       | 1.11        | 13.3        | 99.5        | 217         |
|   |               |  | 108.00   | 109.50 | 1.50   | S005341  | 0.007       | 0.53        | 15.4        | 9.6         | 79          |
|   |               |  | 109.50   | 111.00 | 1.50   | S005342  | 0.002       | 0.39        | 14.1        | 8.7         | 76          |
|   |               |  | 111.00   | 112.50 | 1.50   | S005343  | 0.036       | 2.27        | 26.6        | 249         | 577         |
|   |               |  | 112.50   | 114.00 | 1.50   | S005344  | 0.026       | 0.34        | 14.2        | 5.3         | 80          |
|   |               |  | 114.00   | 115.50 | 1.50   | S005345  | 0.002       | 0.28        | 24.9        | 4.4         | 80          |
|   |               |  | 115.50   | 117.00 | 1.50   | S005346  | 0.02        | 0.47        | 22.7        | 11.4        | 97          |
|   |               |  | 117.00   | 118.50 | 1.50   | S005347  | 0.002       | 0.21        | 17.3        | 3.2         | 72          |
|   |               |  | 118.50   | 120.00 | 1.50   | S005348  | 0.002       | 0.26        | 10          | 5           | 105         |
|   |               |  | 120.00   | 121.50 | 1.50   | S005349  | 0.002       | 0.25        | 14.8        | 4.1         | 86          |
|   |               |  | 121.50   | 123.00 | 1.50   | S005351  | 0.002       | 0.38        | 8.4         | 11.9        | 79          |
|   |               |  | 123.00   | 124.50 | 1.50   | S005352  | 0.006       | 0.56        | 12.1        | 8           | 69          |



Hole: BR-037

| From (m)      | To (m)        | Rock Type & Description   | From (m)     | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |     |
|---------------|---------------|---|--------------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|-----|
|               |               |   | 124.50       | 126.00 | 1.50   | S005353  | 0.031       | 2.43        | 11.7        | 15.7        | 100         |     |
|               |               |   | 126.00       | 127.50 | 1.50   | S005354  | 0.05        | 6.51        | 24.1        | 132         | 2400        |     |
|               |               |   | 127.50       | 129.00 | 1.50   | S005355  | 0.006       | 1.03        | 8.8         | 15.5        | 55          |     |
|               |               |   | 129.00       | 130.50 | 1.50   | S005356  | 0.006       | 0.64        | 11.8        | 7.5         | 37          |     |
|               |               |   | 130.50       | 132.00 | 1.50   | S005357  | 0.002       | 0.87        | 14.9        | 13.8        | 110         |     |
|               |               |   | 132.00       | 133.50 | 1.50   | S005358  | 0.007       | 1.32        | 17.3        | 35.6        | 97          |     |
|               |               |   | 133.50       | 135.00 | 1.50   | S005359  | 0.002       | 1.04        | 13.8        | 52.6        | 103         |     |
|               |               |   | 135.00       | 136.50 | 1.50   | S005361  | 0.002       | 0.4         | 12          | 5.2         | 88          |     |
|               |               |   | 136.50       | 138.00 | 1.50   | S005362  | 0.002       | 0.43        | 18.4        | 4.5         | 75          |     |
|               |               |   | 138.00       | 139.50 | 1.50   | S005363  | 0.002       | 0.38        | 19.3        | 3.6         | 71          |     |
|               |               |   | 139.50       | 141.00 | 1.50   | S005364  | 0.002       | 0.25        | 17.3        | 4.5         | 65          |     |
|               |               |   | 141.00       | 142.50 | 1.50   | S005365  | 0.002       | 0.15        | 7.7         | 5.8         | 120         |     |
|               |               |   | 142.50       | 144.00 | 1.50   | S005366  | 0.002       | 0.33        | 22.9        | 3.6         | 70          |     |
|               |               |   | 144.00       | 144.88 | 0.88   | S005367  | 0.024       | 7.53        | 33.6        | 524         | 547         |     |
| <b>144.88</b> | <b>203.00</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> | <b>Ig-fg</b> | 144.88 | 145.50 | 0.62     | S005368     | 0.002       | 0.43        | 17.8        | 8.6         | 102 |
|               |               |   |              | 145.50 | 147.00 | 1.50     | S005369     | 0.002       | 0.41        | 26.5        | 5.1         | 85  |
|               |               |   |              | 147.00 | 148.50 | 1.50     | S005371     | 0.002       | 0.84        | 76.7        | 4.1         | 92  |

144.88 - 203: beginning of interval shows some round blotches (assumed to be spherulites) in core and weak brecciation indicating the beginning/edge of a volcanic flow; dark grey brown colour change with possible interbedding with previous unit - hard to determine due alteration; thin laminated flow textures of the previous ash tuff are not present in this unit; disseminated pyrrhotite throughout causing magnetism fine grains can be observed and the only grains that I could identify, assume the rest is pyroxene and very fine white specks identified as handlens as plagioclase but not able to see with naked eye

201.6-203m is very intensely silicified zone slightly less than the H8 zone seen in the VOK

<<Min: 144.88 - 174: 0.5-2.0% pyrrhotite / 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite>> pyrrhotite seen finely disseminated throughout and as blebs in veins totally 3-4% of interval; lesser pyrite is observed generally as clots (anhedral to euhedral) associated with increased silicification mostly near beginning of interval



Hole: BR-037

| From (m)  | To (m) | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <<Min: 174 - 188.18: 2.0-5.0% pyrrhotite / 2.0-5.0% pyrite>>  |        | increase in pyrrhotite and pyrite from last interval with pyrrhotite being disseminated through the dark grey brown portions of the rock and as clots; pyrite is prevalent in the silicified sections (lighter coloured bands) indicating that in this interval pyrite is later than the pyrrhotite, pyrite appears anhedral in this section in areas where veins show diffuse boundaries and subhedral to euhedral ; 3%po 3%py   | 148.50   | 150.00 | 1.50   | S005372  | 0.002       | 0.48        | 24.2        | 3.7         | 59          |
| <<Min: 188.18 - 188.68: 2.0-5.0% sphalerite / 0.5-2.0% arsenopyrite / <0.5% Ag,Pb,Sb,As sulfosalts / 0.5-2.0% pyrite>>      |        | 50 cm sample centered over a vein that is quartz sphalerite that is a cm wide with what looks like a sulphosalt banded against the sphalerite and minor arsenopyrite could be stibnite but malleable in selvage/envelope; there is a 15cm envelope on either side of sphalerite that contains fine grained arsenopyrite   | 150.00   | 151.50 | 1.50   | S005373  | 0.002       | 0.38        | 13.2        | 3.3         | 51          |
| <<Min: 188.68 - 201.6: 2.0-5.0% pyrrhotite / 0.5-2.0% pyrite / <0.5% sphalerite>>   |        | po disseminated and as clots in veins, along with pyrite, trace amounts of sph observed in veins  | 151.50   | 153.00 | 1.50   | S005374  | 0.002       | 0.32        | 10.1        | 3.3         | 59          |
| <<Min: 201.6 - 203: 2.0-5.0% sphalerite / <0.5% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% pyrite / 2.0-5.0% pyrrhotite>>            |        | sphalerite veins at the beginning of interval with minor amounts of sulphosalts; pyrite and pyrrhotite through silicified zones as clots; someone wrote aspy on the core but I did not observe any  | 153.00   | 154.50 | 1.50   | S005375  | 0.002       | 0.32        | 13.4        | 3.6         | 60          |
| <<Alt: 144.88 - 201.6: moderate chlorite / weak to moderate silica (pervasive silicification) / weak to moderate sericite>> |        | dark grey brown mafic volcanic that has some minor silicification except around veins where the envelope is silicified, there is also the possibility of finegrained biotite (potassic) alteration in the matrix with the colour being right and where brown was more pronounced and an increase in potassium on handheld xrf readings; there are patches of green micaceous rock that is being called chlorite here but could be a different green mica -compact masses of glittering green minerals with some minor darker coloured laths within that could be seen with handlens; there is also patchy white sericite that is associated with qtz veins and some minerals that are softening altering to clay? | 154.50   | 156.00 | 1.50   | S005376  | 0.002       | 0.16        | 12.6        | 3.2         | 99          |
| <<Alt: 201.6 - 203: moderate to strong silica (pervasive silicification)>>  |        | strong silica alteration with tension fractures that are pure qtz similar appearance to H8 unit at the VOK but slightly less silicification   | 156.00   | 157.50 | 1.50   | S005377  | 0.002       | 0.11        | 14.8        | 3.4         | 130         |
| <<Vein: 144.88 - 201.6: 1.0-5.0% Quartz-calcite-pyrrhotite>>  |        |   | 157.50   | 159.00 | 1.50   | S005378  | 0.002       | 0.05        | 8           | 4.2         | 97          |
| <<Vein: 201.6 - 222.5: <1.0 Quartz-calcite-pyrrhotite>>   |        |   | 159.00   | 160.50 | 1.50   | S005379  | 0.002       | 0.03        | 7.2         | 3.5         | 97          |
|   |        |   | 160.50   | 162.00 | 1.50   | S005381  | 0.002       | 0.03        | 6.2         | 3.9         | 89          |
|   |        |   | 162.00   | 163.50 | 1.50   | S005382  | 0.002       | 0.08        | 9.6         | 4           | 99          |
|   |        |   | 163.50   | 165.00 | 1.50   | S005383  | 0.002       | 0.09        | 11.6        | 3.1         | 127         |
|   |        |   | 165.00   | 166.50 | 1.50   | S005384  | 0.002       | 0.08        | 10.8        | 2.9         | 105         |
|   |        |   | 166.50   | 168.00 | 1.50   | S005385  | 0.002       | 0.05        | 7.8         | 2.3         | 143         |
|   |        |   | 168.00   | 169.50 | 1.50   | S005386  | 0.002       | 0.09        | 8.4         | 2.3         | 98          |
|   |        |   | 169.50   | 171.00 | 1.50   | S005387  | 0.002       | 0.04        | 5           | 2.1         | 126         |
|   |        |   | 171.00   | 172.50 | 1.50   | S005388  | 0.002       | 0.05        | 8.4         | 2.2         | 134         |
|   |        |   | 172.50   | 174.00 | 1.50   | S005389  | 0.002       | 0.06        | 9.5         | 2.3         | 141         |
|   |        |   | 174.00   | 175.50 | 1.50   | S005391  | 0.002       | 0.16        | 26.5        | 2.4         | 90          |



Hole: BR-037

| From (m)      | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---------------|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|               |               |   | 175.50   | 177.00 | 1.50   | S005392  | 0.095       | 0.79        | 60.8        | 5.3         | 83          |
|               |               |   | 177.00   | 178.50 | 1.50   | S005393  | 0.002       | 0.15        | 36.4        | 2.3         | 112         |
|               |               |   | 178.50   | 180.00 | 1.50   | S005394  | 0.002       | 0.13        | 22.5        | 3.2         | 160         |
|               |               |   | 180.00   | 181.50 | 1.50   | S005395  | 0.002       | 0.16        | 20.2        | 3.3         | 177         |
|               |               |   | 181.50   | 183.00 | 1.50   | S005396  | 0.047       | 1.25        | 50.2        | 20.7        | 280         |
|               |               |   | 183.00   | 184.50 | 1.50   | S005397  | 0.002       | 0.69        | 29.4        | 6.9         | 118         |
|               |               |   | 184.50   | 186.00 | 1.50   | S005398  | 0.002       | 0.07        | 18.3        | 3.3         | 138         |
|               |               |   | 186.00   | 187.50 | 1.50   | S005399  | 0.002       | 0.09        | 12.1        | 2.6         | 115         |
|               |               |   | 187.50   | 188.18 | 0.68   | S005401  | 0.002       | 0.13        | 22.9        | 3.1         | 142         |
|               |               |   | 188.18   | 188.68 | 0.50   | S005402  | 0.016       | 3.22        | 12.9        | 749         | 6060        |
|               |               |   | 188.68   | 190.00 | 1.32   | S005404  | 0.002       | 0.1         | 8.1         | 3.4         | 113         |
|               |               |   | 190.00   | 191.50 | 1.50   | S005405  | 0.002       | 0.09        | 8           | 3           | 96          |
|               |               |   | 191.50   | 193.00 | 1.50   | S005406  | 0.002       | 0.11        | 10          | 3           | 140         |
|               |               |   | 193.00   | 194.50 | 1.50   | S005407  | 0.002       | 0.07        | 8.4         | 2.8         | 120         |
|               |               |   | 194.50   | 196.00 | 1.50   | S005408  | 0.002       | 0.09        | 9.7         | 3.1         | 125         |
|               |               |   | 196.00   | 197.50 | 1.50   | S005409  | 0.002       | 0.11        | 11.1        | 3.5         | 165         |
|               |               |   | 197.50   | 199.00 | 1.50   | S005411  | 0.002       | 0.14        | 11.7        | 6.3         | 135         |
|               |               |   | 199.00   | 200.50 | 1.50   | S005412  | 0.002       | 0.08        | 11.7        | 3.1         | 203         |
|               |               |   | 200.50   | 201.60 | 1.10   | S005413  | 0.002       | 0.24        | 16.4        | 3.9         | 226         |
|               |               |   | 201.60   | 203.00 | 1.40   | S005414  | 0.026       | 6.19        | 27.4        | 241         | 3090        |
| <b>203.00</b> | <b>402.00</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
|               |               |   | 203.00   | 204.50 | 1.50   | S005415  | 0.008       | 0.42        | 9.6         | 10.4        | 141         |
|               |               |   |          |        |        |          |             |             |             |             |             |
|               |               |   | 204.50   | 206.00 | 1.50   | S005416  | 0.002       | 0.07        | 10.5        | 2.4         | 139         |

203 - 402: after intensely silicified unit I observed that there are clasts present in the unit, they were possibly present before but masked by the alteration; they range from 1mm to 1cm and due to the alteration I am unsure if in this unit they are consistent; appear to be pumice clasts and aphanitic volcanic the same as the surrounding host rock;

<<Min: 203 - 246: 0.5-2.0% pyrrhotite / 2.0-5.0% pyrrhotite / 2.0-5.0% pyrite / <0.5% sphalerite>> po disseminated throughout and as clots at 243.95 a 2cm wide vein of po occurs with lesser pyrite in the same vein; minor sphalerite also observed in veins; a vein at 231.29m shows euhedral pyrite with rainbow tarnish in a vug in a vein



Hole: BR-037

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m)  | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm  | Zn Best ppm |
|---|--------|-------------------------|----------|---------|--------|----------|-------------|-------------|-------------|--|-------------|
| <<Min: 246 - 356: 0.5-2.0% pyrrhotite / 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite>>   | 206.00 | 207.50                  | 1.50     | S005417 | 0.002  | 1.37     | 55.1        | 36.7        | 2960        | po throughout as blebs with sections where it looks like it could be replacing another mineral possibly a mafic forming laths and seen as clots within veins with minor amounts of pyrite; extremely trace cpy seen with po in some veins probably not enough to cause a jump on assay sheet; pyrite cubes seen in rock 1% or less   |             |
| <<Min: 356 - 363: 2.0-5.0% pyrrhotite / <0.5% pyrite / 0.5-2.0% pyrrhotite>>  | 207.50 | 209.00                  | 1.50     | S005418 | 0.002  | 0.31     | 43.6        | 6.3         | 112         | increased po from previous interval corresponding to an increase in veining; py in minor amounts in veins  |             |
| <<Min: 363 - 368.05: 5.0-10.0% Ag,Pb,Sb,As sulfosalts / 0.5-2.0% Ag,Pb,Sb,As sulfosalts / 2.0-5.0% sphalerite / 2.0-5.0% arsenopyrite / 0.5-2.0% pyrite>> | 209.00 | 210.50                  | 1.50     | S005419 | 0.002  | 0.22     | 28.1        | 3.9         | 131         | 363-363.80m exists a large quartz vein with major py and minor po with aspy being on the outside of the py crystals in the vein (py and aspy euhedral), in the middle of the vein is a band of aspy euhedral and then aspy continuing in the downhole selvage disseminated; in a calcite veinlet at 363.70m there is minor jamesonite and yellow sphalerite; between this interval and the lower interval described below there is 3-4% po and py in equal amounts subhedral; from 366.50 to 368.05 there is a large brecciated qtz carb vein with aspy in the margins disseminated moving into the vein around 367m vugs showing an acicular metallic sulphosalt crystals and as felted masses are seen which are determined to be jamesonite due to habit and handheld xrf results but rare vugs also show a more platy looking sulphosalt which may be stibnite, in sections of the vein the sulphosalts don't show habit but are massive and polished by the edge of the drill core; yellow sphalerite clots are also present within the vein; yellow sphalerite where it coincides with a vug can be seen growing euhedral crystals |             |
| <<Min: 368.05 - 459: 0.5-2.0% pyrite / 2.0-5.0% pyrrhotite / <0.5% arsenopyrite / <0.5% Ag,Pb,Sb,As sulfosalts>>  | 210.50 | 212.00                  | 1.50     | S005421 | 0.002  | 0.16     | 17.8        | 3.4         | 216         | py and po throughout as clots in the matrix with pyrite increasing from uphole and a decrease in po and magnetism within the po for mineralization in the matrix; po and py also present within veins where po still dominates over py; minor amounts of aspy and sulf seen in veins   |             |
| <<Alt: 203 - 275: weak to moderate chlorite / weak silica (pervasive silicification)>>  | 212.00 | 213.50                  | 1.50     | S005422 | 0.002  | 0.13     | 14.6        | 2.7         | 174         | alteration is similar to before the silicified interval but less intense with constant green chlorite alteration and patches of dark grey-brown "biotite?" alteration and less intense silicification still associated with mineralized veins  |             |
| <<Alt: 275 - 341: weak to moderate chlorite / moderate calcite / weak sericite / weak silica (pervasive silicification)>>                                 | 213.50 | 215.00                  | 1.50     | S005423 | 0.002  | 0.52     | 25.5        | 5.8         | 172         | decrease in alteration over this interval consistent chloritization, but biotite alteration from previous interval has strongly decreased to weak patchy; lighter coloured sections of rock contain moderate calcite alteration and strong around very light green patches next to some veins; minor silicification around some veins with weak sericite   |             |
| <<Alt: 341 - 366: weak to moderate silica (pervasive silicification) / weak to moderate Chlorite-calcite / weak to moderate calcite>>                     | 215.00 | 216.50                  | 1.50     | S005424 | 0.002  | 0.11     | 15.7        | 3.5         | 147         | increased alteration in this section from previous with increase in vein related silicification with minor cal in the selvages as well; chlorite is in the same form as previous interval  |             |
| <<Alt: 366 - 368.05: moderate clay / weak to moderate greater than 10% carbonate minerals / weak to moderate silica (pervasive silicification)>>          | 216.50 | 218.00                  | 1.50     | S005425 | 0.002  | 0.09     | 10.6        | 2.7         | 129         | large mineralized vein section with carbonate suspect ankerite/dolomite not pure calcite, adjacent to veining is light tan grey colouration that I am coding as clay suspect could be illite? With minor silica  |             |
| <<Alt: 368.05 - 459: moderate chlorite / weak to moderate calcite / weak to moderate silica (pervasive silicification) / weak to moderate clay>>          | 218.00 | 219.50                  | 1.50     | S005426 | 0.002  | 0.11     | 10.1        | 2.8         | 115         | green chlorite altered rock with patchy calcite alteration where colour is seen to be much lighter it is from stronger calcite alt; minor clay and silica alteration are associated with some veins near end of interval that contain aspy and sulphosalts   |             |



Hole: BR-037

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <<Vein: 230 - 244: 1.0-5.0% Quartz-calcite-pyrrhotite>>       |        |                         | 219.50   | 221.00 | 1.50   | S005427  | 0.002       | 0.19        | 13          | 15.2        | 116         |
| <<Vein: 269.5 - 270: 10.0-25.0% Quartz-calcite-arsenopyrite>> |        |                         | 221.00   | 222.50 | 1.50   | S005428  | 0.002       | 0.26        | 9.6         | 4.3         | 99          |
| <<Vein: 275 - 301: <1.0 quartz>>                              |        |                         | 222.50   | 224.00 | 1.50   | S005429  | 0.002       | 0.06        | 7.7         | 3.2         | 112         |
| <<Vein: 301 - 344: 1.0-5.0% Quartz-calcite-pyrrhotite>>       |        |                         | 224.00   | 225.50 | 1.50   | S005431  | 0.002       | 0.08        | 7.4         | 4.3         | 168         |
| <<Vein: 344 - 366: 1.0-5.0% Quartz-calcite-pyrrhotite>>       |        |                         | 225.50   | 227.00 | 1.50   | S005432  | 0.002       | 0.1         | 8.8         | 5.7         | 111         |
| <<Vein: 366 - 368.05: >50.0% Nothing Recorded>>               |        |                         | 227.00   | 228.50 | 1.50   | S005433  | 0.002       | 0.1         | 8.5         | 3.4         | 87          |
| <<Vein: 368.05 - 429: <1.0 Quartz-calcite-pyrrhotite>>        |        |                         | 228.50   | 230.00 | 1.50   | S005434  | 0.002       | 0.07        | 7.2         | 3.6         | 102         |
|   |        |                         | 230.00   | 231.50 | 1.50   | S005435  | 0.015       | 0.45        | 15.9        | 3.7         | 206         |
|   |        |                         | 231.50   | 233.00 | 1.50   | S005436  | 0.005       | 0.15        | 24.4        | 3.1         | 187         |
|   |        |                         | 233.00   | 234.50 | 1.50   | S005437  | 0.002       | 0.08        | 7.6         | 3           | 150         |
|   |        |                         | 234.50   | 236.00 | 1.50   | S005438  | 0.002       | 0.04        | 5.6         | 2.8         | 139         |
|   |        |                         | 236.00   | 237.50 | 1.50   | S005439  | 0.002       | 0.1         | 9.1         | 2.9         | 116         |
|   |        |                         | 237.50   | 239.00 | 1.50   | S005441  | 0.002       | 0.18        | 30.4        | 4.4         | 157         |
|   |        |                         | 239.00   | 240.50 | 1.50   | S005442  | 0.012       | 0.1         | 11.1        | 3.8         | 155         |
|   |        |                         | 240.50   | 242.00 | 1.50   | S005443  | 0.002       | 0.06        | 6.2         | 2.9         | 147         |
|   |        |                         | 242.00   | 243.50 | 1.50   | S005444  | 0.002       | 0.05        | 5.3         | 2.9         | 116         |
|   |        |                         | 243.50   | 245.00 | 1.50   | S005445  | 0.002       | 0.17        | 21.2        | 3.4         | 156         |
|   |        |                         | 245.00   | 246.50 | 1.50   | S005446  | 0.002       | 0.04        | 7.5         | 3.6         | 113         |
|   |        |                         | 246.50   | 248.00 | 1.50   | S005447  | 0.002       | 0.04        | 7.8         | 3.6         | 113         |
|   |        |                         | 248.00   | 249.50 | 1.50   | S005448  | 0.002       | 0.02        | 5.2         | 2.9         | 108         |
|   |        |                         | 249.50   | 251.00 | 1.50   | S005449  | 0.002       | 0.02        | 4.1         | 3           | 101         |
|   |        |                         | 251.00   | 252.50 | 1.50   | S005451  | 0.002       | 0.03        | 4.3         | 3.3         | 118         |
|   |        |                         | 252.50   | 254.00 | 1.50   | S005452  | 0.002       | 0.05        | 10          | 3.2         | 135         |
|   |        |                         | 254.00   | 255.50 | 1.50   | S005453  | 0.002       | 0.03        | 7.2         | 4.1         | 132         |
|   |        |                         | 255.50   | 257.00 | 1.50   | S005454  | 0.002       | 0.03        | 6.8         | 3.4         | 136         |
|   |        |                         | 257.00   | 258.50 | 1.50   | S005455  | 0.002       | 0.03        | 9.1         | 3.3         | 145         |
|   |        |                         | 258.50   | 260.00 | 1.50   | S005456  | 0.002       | 0.02        | 7.7         | 3.5         | 159         |
|   |        |                         | 260.00   | 261.50 | 1.50   | S005457  | 0.002       | 0.05        | 10.2        | 3           | 143         |
|   |        |                         | 261.50   | 263.00 | 1.50   | S005458  | 0.002       | 0.06        | 5.4         | 3.6         | 149         |



Hole: BR-037

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 263.00   | 264.50 | 1.50   | S005459  | 0.002       | 0.03        | 6.7         | 3.3         | 146         |
|          |        |                         | 264.50   | 266.00 | 1.50   | S005461  | 0.002       | 0.06        | 7.9         | 3.3         | 147         |
|          |        |                         | 266.00   | 267.50 | 1.50   | S005462  | 0.002       | 0.05        | 9.3         | 3           | 153         |
|          |        |                         | 267.50   | 269.00 | 1.50   | S005463  | 0.002       | 0.05        | 8           | 3.3         | 134         |
|          |        |                         | 269.00   | 270.50 | 1.50   | S005464  | 0.033       | 0.97        | 14.1        | 70.9        | 198         |
|          |        |                         | 270.50   | 272.00 | 1.50   | S005465  | 0.002       | 0.07        | 12          | 3.2         | 126         |
|          |        |                         | 272.00   | 273.50 | 1.50   | S005466  | 0.002       | 0.06        | 9           | 3.1         | 115         |
|          |        |                         | 273.50   | 275.00 | 1.50   | S005467  | 0.002       | 0.02        | 7.1         | 3.3         | 122         |
|          |        |                         | 275.00   | 276.50 | 1.50   | S005468  | 0.002       | 0.06        | 10.2        | 3.1         | 88          |
|          |        |                         | 276.50   | 278.00 | 1.50   | S005469  | 0.002       | 0.06        | 9.2         | 4.4         | 107         |
|          |        |                         | 278.00   | 279.50 | 1.50   | S005471  | 0.002       | 0.1         | 6.8         | 6.3         | 119         |
|          |        |                         | 279.50   | 281.00 | 1.50   | S005472  | 0.002       | 0.07        | 8           | 3.3         | 134         |
|          |        |                         | 281.00   | 282.50 | 1.50   | S005473  | 0.002       | 0.06        | 12.2        | 3           | 143         |
|          |        |                         | 282.50   | 284.00 | 1.50   | S005474  | 0.002       | 0.03        | 5           | 2.6         | 165         |
|          |        |                         | 284.00   | 285.50 | 1.50   | S005475  | 0.002       | 0.04        | 5           | 2.9         | 149         |
|          |        |                         | 285.50   | 287.00 | 1.50   | S005476  | 0.002       | 0.03        | 4.8         | 3.3         | 167         |
|          |        |                         | 287.00   | 288.50 | 1.50   | S005477  | 0.002       | 0.04        | 5.7         | 2.9         | 149         |
|          |        |                         | 288.50   | 290.00 | 1.50   | S005478  | 0.002       | 0.05        | 9.8         | 3           | 149         |
|          |        |                         | 290.00   | 291.50 | 1.50   | S005479  | 0.002       | 0.08        | 11.9        | 4.9         | 160         |
|          |        |                         | 291.50   | 293.00 | 1.50   | S005481  | 0.002       | 0.04        | 5.2         | 3.1         | 142         |
|          |        |                         | 293.00   | 294.50 | 1.50   | S005482  | 0.002       | 0.04        | 6.2         | 2.8         | 165         |
|          |        |                         | 294.50   | 296.00 | 1.50   | S005483  | 0.002       | 0.05        | 8.3         | 3.2         | 153         |
|          |        |                         | 296.00   | 297.50 | 1.50   | S005484  | 0.002       | 0.07        | 10.4        | 3.5         | 139         |
|          |        |                         | 297.50   | 299.00 | 1.50   | S005485  | 0.002       | 0.05        | 13          | 4.4         | 142         |
|          |        |                         | 299.00   | 300.50 | 1.50   | S005486  | 0.002       | 0.06        | 15          | 3.7         | 160         |
|          |        |                         | 300.50   | 302.00 | 1.50   | S005487  | 0.002       | 0.08        | 17.5        | 2.8         | 129         |
|          |        |                         | 302.00   | 303.50 | 1.50   | S005488  | 0.002       | 0.08        | 11.7        | 3.2         | 121         |
|          |        |                         | 303.50   | 305.00 | 1.50   | S005489  | 0.002       | 0.05        | 10.7        | 3.3         | 163         |
|          |        |                         | 305.00   | 306.50 | 1.50   | S005491  | 0.002       | 0.12        | 12.9        | 3.6         | 160         |



Hole: BR-037

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 306.50   | 308.00 | 1.50   | S005492  | 0.002       | 0.06        | 10.4        | 3.2         | 140         |
|          |        |                         | 308.00   | 309.50 | 1.50   | S005493  | 0.002       | 0.06        | 11.5        | 3.4         | 143         |
|          |        |                         | 309.50   | 311.00 | 1.50   | S005494  | 0.002       | 0.12        | 39.8        | 3           | 112         |
|          |        |                         | 311.00   | 312.50 | 1.50   | S005495  | 0.002       | 0.13        | 39.2        | 2.7         | 132         |
|          |        |                         | 312.50   | 314.00 | 1.50   | S005496  | 0.002       | 0.06        | 12.2        | 3.4         | 144         |
|          |        |                         | 314.00   | 315.50 | 1.50   | S005497  | 0.002       | 0.05        | 10.8        | 2.9         | 124         |
|          |        |                         | 315.50   | 317.00 | 1.50   | S005498  | 0.002       | 0.04        | 6.4         | 3           | 128         |
|          |        |                         | 317.00   | 318.50 | 1.50   | S005499  | 0.002       | 0.02        | 5.1         | 2.3         | 89          |
|          |        |                         | 318.50   | 320.00 | 1.50   | S005501  | 0.002       | 0.04        | 4.8         | 2.1         | 111         |
|          |        |                         | 320.00   | 321.50 | 1.50   | S005502  | 0.002       | 0.07        | 7.6         | 2.9         | 79          |
|          |        |                         | 321.50   | 323.00 | 1.50   | S005503  | 0.002       | 0.06        | 7.6         | 2.5         | 95          |
|          |        |                         | 323.00   | 324.50 | 1.50   | S005504  | 0.002       | 0.08        | 8.7         | 4.3         | 76          |
|          |        |                         | 324.50   | 326.00 | 1.50   | S005505  | 0.002       | 0.09        | 15.3        | 2.6         | 123         |
|          |        |                         | 326.00   | 327.50 | 1.50   | S005506  | 0.002       | 0.04        | 7.6         | 2.4         | 122         |
|          |        |                         | 327.50   | 329.00 | 1.50   | S005507  | 0.002       | 0.04        | 6.5         | 3.4         | 101         |
|          |        |                         | 329.00   | 330.50 | 1.50   | S005508  | 0.002       | 0.05        | 7.5         | 3.2         | 97          |
|          |        |                         | 330.50   | 332.00 | 1.50   | S005509  | 0.002       | 0.03        | 1.5         | 3.1         | 82          |
|          |        |                         | 332.00   | 333.50 | 1.50   | S005511  | 0.002       | 0.16        | 5.7         | 4           | 89          |
|          |        |                         | 333.50   | 335.00 | 1.50   | S005512  | 0.002       | 0.06        | 7.4         | 3.3         | 121         |
|          |        |                         | 335.00   | 336.50 | 1.50   | S005513  | 0.002       | 0.06        | 7.3         | 2.9         | 117         |
|          |        |                         | 336.50   | 338.00 | 1.50   | S005514  | 0.002       | 0.06        | 7.9         | 3           | 140         |
|          |        |                         | 338.00   | 339.50 | 1.50   | S005515  | 0.002       | 0.03        | 4.8         | 2.9         | 103         |
|          |        |                         | 339.50   | 341.00 | 1.50   | S005516  | 0.002       | 0.04        | 4.7         | 2.5         | 106         |
|          |        |                         | 341.00   | 342.50 | 1.50   | S005517  | 0.002       | 0.09        | 19.2        | 3.2         | 137         |
|          |        |                         | 342.50   | 344.00 | 1.50   | S005518  | 0.002       | 0.11        | 14.9        | 2.9         | 105         |
|          |        |                         | 344.00   | 345.50 | 1.50   | S005519  | 0.002       | 0.13        | 16.3        | 3.5         | 77          |
|          |        |                         | 345.50   | 347.00 | 1.50   | S005521  | 0.002       | 0.12        | 8.7         | 8.9         | 122         |
|          |        |                         | 347.00   | 348.50 | 1.50   | S005522  | 0.002       | 0.14        | 19.9        | 2.6         | 95          |
|          |        |                         | 348.50   | 350.00 | 1.50   | S005523  | 0.002       | 0.11        | 27.9        | 3           | 193         |



Hole: BR-037

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 350.00   | 351.50 | 1.50   | S005524  | 0.002       | 0.09        | 25.6        | 3           | 246         |
|          |        |                         | 351.50   | 353.00 | 1.50   | S005525  | 0.002       | 0.08        | 8.1         | 3           | 160         |
|          |        |                         | 353.00   | 354.50 | 1.50   | S005526  | 0.002       | 0.12        | 32.3        | 3.4         | 170         |
|          |        |                         | 354.50   | 356.00 | 1.50   | S005527  | 0.002       | 0.16        | 42.3        | 4.7         | 183         |
|          |        |                         | 356.00   | 357.50 | 1.50   | S005528  | 0.002       | 0.15        | 53          | 4.7         | 145         |
|          |        |                         | 357.50   | 359.00 | 1.50   | S005529  | 0.002       | 0.31        | 153         | 3.7         | 164         |
|          |        |                         | 359.00   | 360.50 | 1.50   | S005531  | 0.002       | 0.35        | 66          | 9.1         | 142         |
|          |        |                         | 360.50   | 362.00 | 1.50   | S005532  | 0.002       | 0.1         | 19.1        | 3.6         | 145         |
|          |        |                         | 362.00   | 363.00 | 1.00   | S005533  | 0.002       | 0.08        | 10.5        | 3.4         | 203         |
|          |        |                         | 363.00   | 363.80 | 0.80   | S005534  | 1.08        | 7.54        | 59.9        | 257         | 773         |
|          |        |                         | 363.80   | 364.80 | 1.00   | S005535  | 0.002       | 0.28        | 55.9        | 6.3         | 187         |
|          |        |                         | 364.80   | 366.00 | 1.20   | S005536  | 0.002       | 0.34        | 29.2        | 4.6         | 255         |
|          |        |                         | 366.00   | 367.05 | 1.05   | S005537  | 0.02        | 26.5        | 26.7        | 4700        | 6260        |
|          |        |                         | 367.05   | 368.05 | 1.00   | S005538  | 0.055       | 109         | 57.7        | 47500       | 5620        |
|          |        |                         | 368.05   | 369.00 | 0.95   | S005539  | 0.002       | 4.15        | 40.3        | 129.5       | 393         |
|          |        |                         | 369.00   | 370.50 | 1.50   | S005541  | 0.002       | 0.12        | 37.1        | 10.1        | 202         |
|          |        |                         | 370.50   | 372.00 | 1.50   | S005542  | 0.002       | 0.06        | 13.6        | 5.3         | 170         |
|          |        |                         | 372.00   | 373.50 | 1.50   | S005543  | 0.007       | 0.1         | 20.7        | 5.2         | 214         |
|          |        |                         | 373.50   | 375.00 | 1.50   | S005544  | 0.002       | 0.13        | 25.9        | 4.4         | 175         |
|          |        |                         | 375.00   | 376.50 | 1.50   | S005545  | 0.002       | 0.23        | 44.1        | 4.3         | 200         |
|          |        |                         | 376.50   | 378.00 | 1.50   | S005546  | 0.01        | 0.16        | 36.9        | 4.6         | 172         |
|          |        |                         | 378.00   | 379.50 | 1.50   | S005547  | 0.002       | 0.11        | 15.7        | 8.2         | 133         |
|          |        |                         | 379.50   | 381.00 | 1.50   | S005548  | 0.002       | 0.06        | 6.8         | 3.1         | 173         |
|          |        |                         | 381.00   | 382.50 | 1.50   | S005549  | 0.002       | 0.03        | 2.8         | 2.8         | 170         |
|          |        |                         | 382.50   | 384.00 | 1.50   | S005551  | 0.007       | 0.07        | 4.7         | 2.7         | 185         |
|          |        |                         | 384.00   | 385.50 | 1.50   | S005552  | 0.002       | 0.11        | 27.9        | 3.7         | 158         |
|          |        |                         | 385.50   | 387.00 | 1.50   | S005553  | 0.018       | 0.08        | 11.4        | 3           | 187         |
|          |        |                         | 387.00   | 388.50 | 1.50   | S005554  | 0.002       | 0.1         | 15.2        | 3.4         | 214         |
|          |        |                         | 388.50   | 390.00 | 1.50   | S005555  | 0.002       | 0.29        | 81.2        | 4.7         | 196         |



Hole: BR-037

| From (m)      | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---------------|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|               |               |   | 390.00   | 391.50 | 1.50   | S005556  | 0.006       | 0.04        | 6.1         | 3.1         | 187         |
|               |               |   | 391.50   | 393.00 | 1.50   | S005557  | 0.002       | 0.05        | 5.5         | 3.5         | 146         |
|               |               |   | 393.00   | 394.50 | 1.50   | S005558  | 0.002       | 0.05        | 7.4         | 3.5         | 146         |
|               |               |   | 394.50   | 396.00 | 1.50   | S005559  | 0.007       | 0.05        | 8           | 3.1         | 138         |
|               |               |   | 396.00   | 397.50 | 1.50   | S005561  | 0.014       | 0.11        | 11.3        | 3.9         | 126         |
|               |               |   | 397.50   | 399.00 | 1.50   | S005562  | 0.002       | 0.05        | 7.9         | 2.9         | 146         |
|               |               |   | 399.00   | 400.50 | 1.50   | S005563  | 0.002       | 0.04        | 6           | 2.7         | 135         |
|               |               |   | 400.50   | 402.00 | 1.50   | S005564  | 0.007       | 0.03        | 6.1         | 2.5         | 157         |
| <b>402.00</b> | <b>459.00</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
|               |               |   | 402.00   | 403.50 | 1.50   | S005565  | 0.002       | 0.22        | 74.1        | 3.7         | 131         |
|               |               |   | 403.50   | 405.00 | 1.50   | S005566  | 0.002       | 0.16        | 41.4        | 3.7         | 193         |
|               |               |   | 405.00   | 406.50 | 1.50   | S005567  | 0.002       | 0.16        | 32.9        | 3           | 198         |
|               |               |   | 406.50   | 408.00 | 1.50   | S005568  | 0.002       | 0.24        | 75.6        | 4           | 206         |
|               |               |   | 408.00   | 409.50 | 1.50   | S005569  | 0.008       | 0.43        | 103.5       | 7.3         | 206         |
|               |               |   | 409.50   | 411.00 | 1.50   | S005571  | 0.002       | 0.16        | 18.9        | 5.2         | 232         |
|               |               |   | 411.00   | 412.50 | 1.50   | S005572  | 0.006       | 0.11        | 15.2        | 3.7         | 226         |
|               |               |   | 412.50   | 414.00 | 1.50   | S005573  | 0.002       | 0.16        | 23.7        | 4           | 222         |
|               |               |   | 414.00   | 415.50 | 1.50   | S005574  | 0.02        | 0.15        | 19.4        | 3.2         | 246         |
|               |               |   | 415.50   | 417.00 | 1.50   | S005575  | 0.007       | 0.29        | 65.4        | 4.8         | 252         |
|               |               |   | 417.00   | 418.50 | 1.50   | S005576  | 0.047       | 0.23        | 31.8        | 3.7         | 217         |
|               |               |   | 418.50   | 420.00 | 1.50   | S005577  | 0.002       | 0.11        | 10.5        | 3.1         | 136         |
|               |               |   | 420.00   | 421.50 | 1.50   | S005578  | 0.007       | 0.05        | 6.1         | 2.6         | 163         |
|               |               |   | 421.50   | 423.00 | 1.50   | S005579  | 0.002       | 0.1         | 7.8         | 2.6         | 183         |
|               |               |   | 423.00   | 424.50 | 1.50   | S005581  | 0.009       | 0.28        | 51.6        | 6.8         | 207         |
|               |               |   | 424.50   | 426.00 | 1.50   | S005582  | 0.002       | 0.24        | 45.3        | 6.1         | 189         |
|               |               |   | 426.00   | 427.50 | 1.50   | S005583  | 0.069       | 0.22        | 17.6        | 5.9         | 226         |

402 - 459: same lithology as previous interval but there has been an increase in lapillis, lapillis same composition as matrix - amygdaloidal, aphanitic, and some look like they could be accretionary lapilli but could be an alteration product

<<Vein: 441 - 459: <1.0 Quartz-calcite-pyrrhotite>>



Hole: BR-037

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 427.50   | 429.00 |                         | 427.50   | 429.00 | 1.50   | S005584  | 0.009       | 0.16        | 29.5        | 3.4         | 230         |
| 429.00   | 430.50 |                         | 429.00   | 430.50 | 1.50   | S005585  | 0.002       | 0.22        | 57.7        | 4.9         | 199         |
| 430.50   | 432.00 |                         | 430.50   | 432.00 | 1.50   | S005586  | 0.002       | 0.24        | 63.3        | 6.3         | 141         |
| 432.00   | 433.50 |                         | 432.00   | 433.50 | 1.50   | S005587  | 0.002       | 0.26        | 41.3        | 5.4         | 187         |
| 433.50   | 435.00 |                         | 433.50   | 435.00 | 1.50   | S005588  | 0.006       | 0.09        | 8.7         | 3           | 191         |
| 435.00   | 436.50 |                         | 435.00   | 436.50 | 1.50   | S005589  | 0.008       | 0.04        | 2.3         | 3           | 165         |
| 436.50   | 438.00 |                         | 436.50   | 438.00 | 1.50   | S005591  | 0.002       | 0.06        | 3.9         | 6.9         | 121         |
| 438.00   | 439.50 |                         | 438.00   | 439.50 | 1.50   | S005592  | 0.008       | 0.08        | 7.5         | 4.2         | 196         |
| 439.50   | 441.00 |                         | 439.50   | 441.00 | 1.50   | S005593  | 0.002       | 0.23        | 39          | 4.5         | 225         |
| 441.00   | 442.50 |                         | 441.00   | 442.50 | 1.50   | S005594  | 0.011       | 0.52        | 40.2        | 3.7         | 171         |
| 442.50   | 444.00 |                         | 442.50   | 444.00 | 1.50   | S005595  | 0.008       | 0.15        | 12.5        | 3           | 179         |
| 444.00   | 445.50 |                         | 444.00   | 445.50 | 1.50   | S005596  | 0.002       | 0.09        | 9.8         | 2.3         | 157         |
| 445.50   | 447.00 |                         | 445.50   | 447.00 | 1.50   | S005597  | 0.002       | 0.11        | 17.4        | 2.8         | 219         |
| 447.00   | 448.50 |                         | 447.00   | 448.50 | 1.50   | S005598  | 0.007       | 0.05        | 3.3         | 2.5         | 164         |
| 448.50   | 450.00 |                         | 448.50   | 450.00 | 1.50   | S005599  | 0.002       | 0.06        | 5.4         | 2.7         | 137         |
| 450.00   | 451.50 |                         | 450.00   | 451.50 | 1.50   | S005601  | 0.007       | 0.04        | 5.7         | 2.6         | 141         |
| 451.50   | 453.00 |                         | 451.50   | 453.00 | 1.50   | S005602  | 0.002       | 0.05        | 6.3         | 2.3         | 183         |
| 453.00   | 454.50 |                         | 453.00   | 454.50 | 1.50   | S005603  | 0.002       | 0.1         | 10.2        | 2.6         | 154         |
| 454.50   | 456.00 |                         | 454.50   | 456.00 | 1.50   | S005604  | 0.008       | 0.16        | 22.5        | 3.3         | 263         |
| 456.00   | 457.50 |                         | 456.00   | 457.50 | 1.50   | S005605  | 0.002       | 0.1         | 15.4        | 2.6         | 203         |
| 457.50   | 459.00 |                         | 457.50   | 459.00 | 1.50   | S005606  | 0.019       | 1.08        | 23          | 80.8        | 354         |

End of Hole @ 459



**Project:** Bowser Regional

**Hole:** BR-039

|                             |             |                      |   |                         |           |                          |                          |  |
|-----------------------------|-------------|----------------------|---|-------------------------|-----------|--------------------------|--------------------------|--|
| <b>Prospect:</b>            | Koopa       | <b>Survey Type:</b>  |   | <b>Logged By:</b>       | Jedwards  | <b>Hole Type:</b>        | DDS                      |  |
| <b>UTM Grid:</b>            | UTM83-9     | <b>Survey By:</b>    |   | <b>Date Started:</b>    | 7/11/2019 | <b>Core Size:</b>        | HQ                       |  |
| <b>UTM East:</b>            | 453186.8577 | <b>Azimuth:</b>      | 58.1  | <b>Date Completed:</b>  | 7/17/2019 | <b>Casing Pulled?</b>    | <input type="checkbox"/> |  |
| <b>UTM North:</b>           | 6248151.867 | <b>Dip:</b>          | -74.7   | <b>Drill Company:</b>   | HyTech    | <b>Casing Depth (m):</b> | 3                        |  |
| <b>UTM Elevation (m):</b>   | 1559.557    | <b>Length (m):</b>   | 558   | <b>Drill Rig:</b>       | H2        | <b>Marked?</b>           | <input type="checkbox"/> |  |
| <b>Local Grid:</b>          |             | <b>Hole Purpose:</b> | Expl  | <b>Drill Started:</b>   | 7/10/2019 | <b>Surveyed?</b>         | <input type="checkbox"/> |  |
| <b>Local East:</b>          |             | <b>Drill Target:</b> |   | <b>Drill Completed:</b> | 7/16/2019 | <b>Water Production:</b> | NO                       |  |
| <b>Local North:</b>         |             | <b>Comments:</b>     | Logged from 0 to 473m by John Edwards and from 473 to EOH by Philippe Drouin  |                         |           |                          | <b>Water Type:</b>       |  |
| <b>Local Elevation (m):</b> |             |                      | Comment by Pdrouin: Units that could be classified as sedimentary or volcanic were classified as sedimentary as directed. |                         |           |                          | <b>Water Depth (m):</b>  |  |
|                             |             |                      |   |                         |           |                          | <b>Structure Type:</b>   |  |

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments   |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|--|
| 0         | 1stREFLEX     | 7/10/2019     | -74.7 | 39.1             | 19                | 58.1              |            | <input checked="" type="checkbox"/> | Top of hole with planned Azi and Dip from master drill plan. |
| 15        | REFLEX        | 7/11/2019     | -74.7 | 39.1             | 19                | 58.1              | 56600      | <input checked="" type="checkbox"/> |  |
| 51        | REFLEX        | 7/11/2019     | -75   | 37               | 19                | 56                | 56209      | <input checked="" type="checkbox"/> |  |
| 99        | REFLEX        | 7/11/2019     | -75.6 | 49.9             | 19                | 68.9              | 56491      | <input type="checkbox"/>            |  |
| 150       | REFLEX        | 7/11/2019     | -76.3 | 37               | 19                | 56                | 56787      | <input checked="" type="checkbox"/> |  |
| 201       | REFLEX        | 7/12/2019     | -76.4 | 42.2             | 19                | 61.2              | 56446      | <input checked="" type="checkbox"/> |  |
| 249       | REFLEX        | 7/12/2019     | -76.9 | 42.3             | 19                | 61.3              | 57895      | <input checked="" type="checkbox"/> |  |
| 300       | REFLEX        | 7/13/2019     | -77.3 | 45               | 19                | 64                | 57003      | <input checked="" type="checkbox"/> |  |



Hole: BR-039

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|----------|
| 351       | REFLEX        | 7/13/2019     | -77.1 | 46               | 19                | 65                | 56042      | <input checked="" type="checkbox"/> |          |
| 399       | REFLEX        | 7/14/2019     | -78.2 | 49.4             | 19                | 68.4              | 57090      | <input checked="" type="checkbox"/> |          |
| 450       | REFLEX        | 7/14/2019     | -78.3 | 58               | 19                | 77                | 56822      | <input type="checkbox"/>            |          |
| 501       | REFLEX        | 7/15/2019     | -78.4 | 57.8             | 19                | 76.8              | 56421      | <input checked="" type="checkbox"/> |          |



Hole: BR-039

| From (m)   | To (m) | Rock Type & Description  | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|--------|--|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 0.00   | 32.60  | <b>S5 Mudstone/siltstones/pelites black S-mud (including calcareous)</b> | 0.00     | 1.50   | 1.50   | S005651  | 0.002       | 0.11        | 44          | 7.9         | 53          |
| <p>0 - 32.6: Mudstone-argillite cryptically interbedded with a grey possible siltstone towards lower contact (grey unit may be an altered argillite). Mm scale infill grains of calcite throughout groundmass making unit weakly calcitic. Low angle cryptic lamination is only visible in few localities but is seen as a common fracture angle when rock is broken. Unit is competent overall but moderately soft from a weak to moderate graphite alteration. Lower contact is faulted and an alpha angle is undetermined. Grey bleaching of groundmass from alteration surrounding veins is common. Patchy localized blebs of fracture infill dull pyrrhotite. One main vein set is mostly high angle to core axis, contains mostly quartz with dolomite and variable blebby infill mineralization of pyrrhotite and pyrite.</p>   |        |  |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Min: 0 - 32.6: 0.5-2.0% pyrite / &lt;0.5% pyrrhotite / &lt;0.5% pyrite&gt;&gt; Sub to euhedral pyrite disseminated in mudstone groundmass. Few thin mm scale pyrite stringers cut foliation high angle to core axis. Pyrite and pyrrhotite is also found as blebby infill in our main quartz vein set. Pyrrhotite is also found in patchy blebs disseminated in mudstone groundmass proximal to fractures.</p>  |        |  |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Alt: 0 - 30.92: weak to moderate graphite / weak to moderate calcite&gt;&gt; Graphite altered mudstone/argillite with small mm scale grains of calcite throughout groundmass. Graphitic variably moderate to weak and pervasive. Calcite is pervasive but also alternates from weak to moderate.</p>  |        |  |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Alt: 30.92 - 248.63: moderate calcite / moderate sericite / weak to moderate chlorite / weak to moderate clay / weak to moderate pyrite&gt;&gt; Moderate but patchy calcite alteration until it gradual becomes weak, then void beyond 248.63m. Moderate to strong chlorite and biotite alteration in darker brown to black sections, lighter grey sections are muscovite and illite altered (sericite). Purple hue sections test for an abundance of phengite alteration. Unit is weakly sheared with undulating foliation in localities. Alterations alternate throughout unit in the cm to metre scale and often blend into each other. Pyrite in large metre scale localities is often replacing clasts.</p>  |        |  |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Vein: 16.16 - 279.72: &lt;1.0 quartz-pyrite&gt;&gt; Polymetallic quartz veins with white carbonate component, likely dolomite with ankerite component. Veins are low angle to sub parallel to core axis. They contain blebby infill of pyrite and pyrrhotite. Veins are sheared and faulted in fault zone indicating faulting came after this main vein set. Weak to trace arsenopyrite found on some vein selvages after contact to volcanic sediments but void through most veins. Minor dull yellow, fe void sphalerite. Veins range from sub cm to &lt;20cm width, most are under 10cm. Most veins are planar but also found to be multi generational. Few veins, when larger have graphite slips on outer vein contact to host rock. HALO device measured chabazite and vermiculite on selvages. Vein at 241.4m has an abundance of sphalerite and disseminated arsenopyrite in groundmass adjacent to vein. Possible visible stibnite as very thin discontinuous veinlets in vein and cutting host rock adjacent to vein. This vein XRF'd to have &gt;100ppm Au in 4 separate zaps in groundmass and vein when zapping silvery stibnite? Vein at 202m also XRF's to have 40ppm au and also contains sphalerite and blebby pyrite.</p> |        |  |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Struc: 0 - 32.6: weakly developed lamination 10 deg. &gt;&gt; Lamination is low angle in sediments. Cryptic to see but present throughout and very visible in few localities.</p>   |        |  |          |        |        |          |             |             |             |             |             |
|  |        |  | 1.50     | 3.00   | 1.50   | S005652  | 0.002       | 0.07        | 40.9        | 7.5         | 57          |
|  |        |  | 3.00     | 4.50   | 1.50   | S005653  | 0.002       | 0.08        | 46.8        | 7.9         | 66          |
|  |        |  | 4.50     | 6.00   | 1.50   | S005654  | 0.002       | 0.07        | 44.9        | 7.7         | 57          |
|  |        |  | 6.00     | 7.50   | 1.50   | S005655  | 0.002       | 0.07        | 40.6        | 7.5         | 69          |
|  |        |  | 7.50     | 9.00   | 1.50   | S005656  | 0.002       | 0.08        | 46.4        | 7.1         | 73          |
|  |        |  | 9.00     | 10.50  | 1.50   | S005657  | 0.002       | 0.1         | 91.5        | 7.3         | 77          |
|  |        |  | 10.50    | 12.00  | 1.50   | S005658  | 0.002       | 0.05        | 34.6        | 7.1         | 57          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 12.00    | 13.50  | 1.50   | S005659  | 0.002       | 0.08        | 40.7        | 7           | 47          |
|          |        |                         | 13.50    | 15.00  | 1.50   | S005661  | 0.002       | 0.05        | 28.1        | 4.9         | 37          |
|          |        |                         | 15.00    | 15.80  | 0.80   | S005662  | 0.002       | 0.04        | 24.1        | 3.4         | 40          |
|          |        |                         | 15.80    | 16.30  | 0.50   | S005663  | 0.002       | 0.07        | 22.2        | 5.9         | 56          |
|          |        |                         | 16.30    | 18.00  | 1.70   | S005664  | 0.002       | 0.14        | 43          | 5.2         | 35          |
|          |        |                         | 18.00    | 19.70  | 1.70   | S005665  | 0.002       | 0.06        | 24.7        | 4.1         | 44          |
|          |        |                         | 19.70    | 20.30  | 0.60   | S005666  | 0.02        | 0.65        | 236         | 5.4         | 53          |
|          |        |                         | 20.30    | 22.00  | 1.70   | S005667  | 0.002       | 0.06        | 27.2        | 3.7         | 46          |
|          |        |                         | 22.00    | 23.50  | 1.50   | S005668  | 0.002       | 0.04        | 23.5        | 4.3         | 46          |
|          |        |                         | 23.50    | 25.00  | 1.50   | S005669  | 0.002       | 0.05        | 26.8        | 5.4         | 53          |
|          |        |                         | 25.00    | 26.50  | 1.50   | S005671  | 0.002       | 0.09        | 42.2        | 5.9         | 57          |
|          |        |                         | 26.50    | 28.00  | 1.50   | S005672  | 0.002       | 0.06        | 35.9        | 5           | 64          |
|          |        |                         | 28.00    | 29.50  | 1.50   | S005673  | 0.002       | 0.05        | 31          | 4.3         | 75          |
|          |        |                         | 29.50    | 31.00  | 1.50   | S005674  | 0.002       | 0.06        | 30.2        | 5.1         | 66          |
|          |        |                         | 31.00    | 32.60  | 1.60   | S005675  | 0.002       | 0.2         | 26.7        | 11.4        | 60          |

**32.60 95.08 V8 Mafic volcanic rocks (basaltic- grey andesite, basalt; silica content 45-57%) V-fsh**

32.6 - 95.08: Mafic ash tuff. Few lapilli clasts which are sub rounded and monolithic. Sub metre scale localities with beds of lapilli tuff. Heavily faulted upper contact with broken unconsolidated rock until 36.5m then competent but still heavily sheared with a sharply displaced foliation/lamination or undulating beyond fault. Overall near mottled texture. Highly variably alteration with an alternating light and dark grey (at times purple brown) mix of irregular altered bands/patches throughout. Some areas are infilled with high amounts of dolomite, or a pale altered quartz. Non calcitic until 42.63m where calcite sharply becomes moderately strong in groundmass then patchy but moderate beyond 48m. Pyrrhotite and pyrite also increases in occurrence beyond 42.65m and is found moderately disseminated in groundmass or in cm scale blebs, possibly replacing lapilli clasts giving unit a patchy/moderate magnetism. Unit contains same quartz dolomite vein set as previous unit but with a higher occurrence of blebby pyrite and pyrrhotite in veins. Lower contact to mafic lapilli tuff is vague but likely bedded. Faulted from 79.4-83.14m.

<<Min: 32.6 - 42.63: 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite / <0.5% arsenopyrite>> Blebs or stringers in faulted veins. At times mineralization appears to be syntectonic but cannot be determined with confidence.



Hole: BR-039

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m)  | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|-------------------------|----------|---------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <p>&lt;&lt;Min: 42.63 - 79.4: 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite / &lt;0.5% pyrite / &lt;0.5% pyrrhotite / &lt;0.5% sphalerite&gt;&gt; Disseminated blend of pyrrhotite and pyrite in groundmass and at times replacing clasts. Very patchy. Moderate at times, weak at others. Both pyrite and pyrrhotite are found as blebby infills in quartz dolomite veins. Sphalerite is trace and only found in quartz dolomite veins. Trace possible arseno found as vein selvage in quartz dolomite veins.</p>  |        |                         |          |         |        |          |             |             |             |             |             |
| <p>&lt;&lt;Min: 79.4 - 83.14: 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite / &lt;0.5% sphalerite / &lt;0.5% galena&gt;&gt; Faulted sections of rock with sub to anhedral pyrite and pyrrhotite in mostly stringers or fracture infilling. Trace pale yellow sphalerite with proximal specs of galena. Pyrite is also found with pyrrhotite disseminated in bracciated clasts.</p>  |        |                         |          |         |        |          |             |             |             |             |             |
| <p>&lt;&lt;Min: 83.14 - 279.72: 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite / &lt;0.5% sphalerite / traces arsenopyrite / traces stibnite&gt;&gt; Disseminated pyrrhotite and minor pyrite in units groundmass. Strong in localities and patchy concentrations overall. Pyrite in metre scale sections is up to 5% in a matrix replacing and clast replacing form. Both Pyrite and pyrrhotite are found as blebs in quartz veins. Pyrrhotite is found as blebby disseminations throughout. There are few metre scale localities where it is void. One vein at 105.84m is dominantly pyrrhotite. Trace sphalerite and vfg arseno or galena in quartz dolomite veins. Possible trace stibnite in a blebby form in a vein at 157.2m.</p> |        |                         |          |         |        |          |             |             |             |             |             |
| <p>&lt;&lt;Struc: 32.6 - 38: strongly developed Faulted Contact 25 deg. &gt;&gt; Cryptic and questionable contact at 32.6m where faulting becomes strong. Fault gauge with partially healed fault rock from 36.5-37.8. Heavily fractured or healed breccia with oxide on fracture faces for remainder of fault. Most common trend of fault is roughly 20-25dca.</p>   |        |                         |          |         |        |          |             |             |             |             |             |
| <p>&lt;&lt;Struc: 79.4 - 83.14: strongly developed fault zone 45 deg. &gt;&gt; Fault zone through mafic tuff. This section is heavily fractured. Unbroken pieces are healed fault breccia. Unit has localities rich is fault gauge. Fractured rock is often oxidized. Increase in Sulphides stringers and fracture infill blebs in this zone. This zone was too broken to continue an orientation line through it.</p>  |        |                         |          |         |        |          |             |             |             |             |             |
| <p>&lt;&lt;Struc: 83.14 - 197: sporadic foliation 25 deg. &gt;&gt; Highly variably foliation. Few localities it is well developed but weak to cryptic through most sections.</p>  |        |                         |          |         |        |          |             |             |             |             |             |
|   | 32.60  | 33.60                   | 1.00     | S005676 | 0.05   | 0.9      | 22.5        | 19.6        | 54          |             |             |
|   | 33.60  | 35.00                   | 1.40     | S005677 | 0.016  | 1.13     | 31.7        | 82.1        | 149         |             |             |
|   | 35.00  | 36.50                   | 1.50     | S005678 | 0.002  | 0.52     | 17          | 54.3        | 116         |             |             |
|   | 36.50  | 38.00                   | 1.50     | S005679 | 0.002  | 0.44     | 8.2         | 19.5        | 40          |             |             |
|   | 38.00  | 39.50                   | 1.50     | S005681 | 0.002  | 0.21     | 11.9        | 13.4        | 120         |             |             |
|   | 39.50  | 41.00                   | 1.50     | S005682 | 0.002  | 0.71     | 16.6        | 57.4        | 138         |             |             |
|   | 41.00  | 42.50                   | 1.50     | S005683 | 0.002  | 0.49     | 11          | 14          | 91          |             |             |
|   | 42.50  | 44.00                   | 1.50     | S005684 | 0.002  | 0.16     | 7.5         | 2.7         | 91          |             |             |
|   | 44.00  | 45.00                   | 1.00     | S005685 | 0.002  | 0.1      | 6           | 2.8         | 94          |             |             |
|   | 45.00  | 46.50                   | 1.50     | S005686 | 0.002  | 0.27     | 9.1         | 7.4         | 60          |             |             |
|   | 46.50  | 48.00                   | 1.50     | S005687 | 0.002  | 0.22     | 15.6        | 4.6         | 64          |             |             |
|   | 48.00  | 49.50                   | 1.50     | S005688 | 0.002  | 0.14     | 8.6         | 2.9         | 73          |             |             |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 49.50    | 51.00  | 1.50   | S005689  | 0.002       | 0.15        | 5.3         | 2.6         | 102         |
|          |        |                         | 51.00    | 52.50  | 1.50   | S005691  | 0.002       | 0.32        | 6.2         | 6.7         | 98          |
|          |        |                         | 52.50    | 54.00  | 1.50   | S005692  | 0.002       | 0.2         | 11.2        | 3.2         | 90          |
|          |        |                         | 54.00    | 55.50  | 1.50   | S005693  | 0.005       | 0.23        | 8.6         | 5.1         | 54          |
|          |        |                         | 55.50    | 57.00  | 1.50   | S005694  | 0.002       | 0.16        | 7.7         | 2.4         | 73          |
|          |        |                         | 57.00    | 58.50  | 1.50   | S005695  | 0.002       | 0.34        | 15.8        | 2.2         | 112         |
|          |        |                         | 58.50    | 60.00  | 1.50   | S005696  | 0.002       | 0.11        | 7.4         | 2.3         | 88          |
|          |        |                         | 60.00    | 61.50  | 1.50   | S005697  | 0.002       | 0.14        | 5.7         | 2.8         | 86          |
|          |        |                         | 61.50    | 63.00  | 1.50   | S005698  | 0.002       | 0.29        | 14.3        | 3.2         | 65          |
|          |        |                         | 63.00    | 64.50  | 1.50   | S005699  | 0.002       | 0.16        | 7.4         | 2.1         | 71          |
|          |        |                         | 64.50    | 66.00  | 1.50   | S005701  | 0.011       | 1.09        | 24.2        | 16.1        | 77          |
|          |        |                         | 66.00    | 67.50  | 1.50   | S005702  | 0.002       | 0.16        | 9.8         | 2.9         | 155         |
|          |        |                         | 67.50    | 69.00  | 1.50   | S005703  | 0.002       | 0.14        | 8.9         | 3.8         | 101         |
|          |        |                         | 69.00    | 70.50  | 1.50   | S005704  | 0.007       | 0.46        | 10.2        | 30.5        | 99          |
|          |        |                         | 70.50    | 72.00  | 1.50   | S005705  | 0.002       | 0.17        | 7.6         | 3.2         | 81          |
|          |        |                         | 72.00    | 73.50  | 1.50   | S005706  | 0.012       | 0.48        | 24          | 2.9         | 109         |
|          |        |                         | 73.50    | 75.00  | 1.50   | S005707  | 0.006       | 0.3         | 12.3        | 2.8         | 90          |
|          |        |                         | 75.00    | 76.50  | 1.50   | S005708  | 0.002       | 0.23        | 13          | 3.3         | 67          |
|          |        |                         | 76.50    | 78.00  | 1.50   | S005709  | 0.002       | 0.2         | 6.3         | 3.1         | 73          |
|          |        |                         | 78.00    | 79.50  | 1.50   | S005711  | 0.002       | 0.48        | 15.3        | 3.5         | 93          |
|          |        |                         | 79.50    | 81.00  | 1.50   | S005712  | 0.008       | 2.28        | 22.6        | 288         | 1780        |
|          |        |                         | 81.00    | 82.50  | 1.50   | S005713  | 0.002       | 1.14        | 13.2        | 94.6        | 212         |
|          |        |                         | 82.50    | 84.00  | 1.50   | S005714  | 0.026       | 2.39        | 13.1        | 282         | 732         |
|          |        |                         | 84.00    | 85.50  | 1.50   | S005715  | 0.002       | 1.21        | 22.4        | 601         | 161         |
|          |        |                         | 85.50    | 87.00  | 1.50   | S005716  | 0.005       | 0.76        | 8           | 31.7        | 240         |
|          |        |                         | 87.00    | 88.50  | 1.50   | S005717  | 0.041       | 1.18        | 15.2        | 50          | 346         |
|          |        |                         | 88.50    | 90.00  | 1.50   | S005718  | 0.002       | 0.24        | 13.5        | 6.1         | 188         |
|          |        |                         | 90.00    | 91.50  | 1.50   | S005719  | 0.002       | 0.21        | 25.1        | 8.4         | 569         |
|          |        |                         | 91.50    | 93.00  | 1.50   | S005721  | 0.002       | 0.15        | 15.7        | 5           | 130         |



Hole: BR-039

| From (m)  | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|   |               |   | 93.00    | 94.50  | 1.50   | S005722  | 0.002       | 0.22        | 13          | 4.4         | 16          |
|   |               |   | 94.50    | 95.08  | 0.58   | S005723  | 0.002       | 0.21        | 16.5        | 5.9         | 41          |
|   |               |   | 95.08    | 96.00  | 0.92   | S005724  | 0.002       | 0.31        | 18.6        | 6.7         | 49          |
| <b>95.08</b>  | <b>426.65</b> | <b>V8 Mafic volcanic rocks (basaltic- dark grey andesite, basalt; silica content 45-57%) V-lp</b> | 96.00    | 97.50  | 1.50   | S005725  | 0.002       | 0.05        | 11.8        | 3.2         | 106         |
| <p>95.08 - 426.65: Interbedded mafic lapilli to ash tuff. Dark grey to purple grey colour. Very weakly foliated/laminated. Variably lapilli clast abundance from 5-30% with most clasts around 1cm width and sub-rounded. Moderate but patchy calcite alteration until it gradual becomes weak, then void beyond 248.63m. Moderate to strong chlorite and biotite alteration in darker brown to black sections, lighter grey sections are muscovite and illite altered (sericite). Purple hue sections test for an abundance of phengite alteration. Unit is weakly sheared with undulating foliation in localities. Alterations alternate throughout unit in the cm to metre scale and often blend into each other. Few 1-20cm width sub parallel and high angle to core axis quartz dolomite veins seen in previous units. Highly variable concentrations of pyrrhotite and pyrite. Sulphides are found as blebby disseminations and matrix replacing. Lesser amounts are found replacing clasts or in rare stringers proximal to sheared zones. Disseminated Sulphides in metre scale sections are up to 10% of total rock in metre scale sections. Zone from 279.72-298.8m is sheared and has an increase in sericite and pyrite chlorite alteration. This zone contains foliation parallel veins testing in XRF to have elevated Au, Ag, As and Sb. Lower contact becomes intermediate in composition with quartz eyes and is sharply interbedded with laminated chert and sandstones.</p> |               |   |          |        |        |          |             |             |             |             |             |
| <p>&lt;&lt;Min: 279.72 - 298.8: 2.0-5.0% pyrite / 0.5-2.0% pyrite / &lt;0.5% sphalerite / &lt;0.5% Ag,Pb,Sb,As sulfosalts&gt;&gt; Strong pyrite and chlorite matrix replacement alteration through this margin associated in close proximity to strong sericite alteration. Pyrite is also found as anhedral blebs in fracture controlled or planar quartz veins and XRF's with high arsenic and variably antimony. Veined anhedral pyrite also tests for 40ppm Au and Ag as well as in rock wall dissemination adjacent to veins. Some quartz veins also have blebby brown red (fe rich?) sphalerite intergrown with pyrite. These sections high in zinc all test positive with a gold association when XRF'd. No gold is visible. Possible trace sb/as sulphasalt seen as a smeared silvery mineral in select veins.</p>  |               |   | 97.50    | 99.00  | 1.50   | S005726  | 0.002       | 1.05        | 15.4        | 185.5       | 229         |
| <p>&lt;&lt;Min: 298.8 - 475.3: 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite / 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite / traces arsenopyrite&gt;&gt; Large metre scale sections of both pyrite and pyrrhotite found replacing large multi cm rounded clasts and heavily disseminated in groundmass. Pyrite and pyrrhotite are often confined to alternating metre scale sections but are found together at times in groundmass and in veins. Some sections are up to 10% pyrite or pyrrhotite on the metre scale and average 2-5% overall. Trace arsenopyrite is also found disseminated in the groundmass in small sub cm scale blebs from 298 to 330m. After contact to sediments, few blotchy patches of pyrite are in euhedral form and likely diagenetic. Sulphides in sediments also favour more porous sandstone beds.</p>   |               |   | 99.00    | 100.50 | 1.50   | S005727  | 0.002       | 0.26        | 16.8        | 24.3        | 75          |



Hole: BR-039

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <p>&lt;&lt;Alt: 248.63 - 279.72: moderate sericite / moderate chlorite / moderate clay / weak to moderate pyrite&gt;&gt; Same as previous alteration just void of calcite. Moderate to strong chlorite and biotite alteration in darker brown to black sections, lighter grey sections are muscovite and illite altered (sericite). Purple hue sections test for an abundance of phengite alteration. Unit is weakly sheared with undulating foliation in localities. Alterations alternate throughout unit in the cm to metre scale and often blend into each other. Pyrite in large metre scale localities is often replacing clasts.</p>   |        |                         | 100.50   | 102.00 | 1.50   | S005728  | 0.002       | 0.09        | 13.2        | 1.9         | 81          |
| <p>&lt;&lt;Alt: 279.72 - 298.8: moderate to strong sericite / moderate to strong pyrite-chlorite / weak to moderate calcite&gt;&gt; Local strong sericite bleaching of host rock to yellow hue. Found in proximity to pyrite and quartz veins. Quartz "eye's" also found in the host rock matrix in these sections. Large Sections of host rock contain rock have from 5-10% disseminated pyrite in the groundmass blended with chlorite. Sections that are not heavily sericite or chlorite/pyrite altered have a weak calcite alteration with weak illite/sericite. All of these three alterations alternate in and out gradationally through this section.</p>   |        |                         | 102.00   | 103.50 | 1.50   | S005729  | 0.002       | 0.66        | 10.1        | 66          | 134         |
| <p>&lt;&lt;Alt: 298.8 - 475.3: moderate calcite / weak to moderate sericite-chlorite / weak to moderate clay&gt;&gt; Moderately calcitic throughout but very weak from 423m to 426.65 in volcanics before contact to sediments. Calcite is also void in chert beds in sediments. Both volcanics and sediments have the same alternating alteration overprints consisting of a moderate to strong chlorite and biotite alteration in darker brown to black sections, lighter grey sections are muscovite and illite altered (sericite). Purple hue sections test for an abundance of phengite alteration. Unit is weakly sheared with undulating foliation in localities. Alterations alternate throughout unit in the cm to metre scale and often blend into each other. Pyrite and pyrrotite in large metre scale localities is often replacing clasts (in tuff units) and heavily disseminated in groundmass. Disseminated Sulphides in sediments favour more porous sand beds.</p> |        |                         | 103.50   | 105.00 | 1.50   | S005731  | 0.002       | 0.11        | 11.7        | 1.7         | 58          |
| <p>&lt;&lt;Vein: 279.72 - 298.8: 1.0-5.0% quartz-pyrite&gt;&gt; Same quartz vein set as previous but with less dolomite/ankerite, higher occurrence and irregular more fracture controlled and foliation parallel. Veins are cm scale and no larger than 10cm width in this section. Some planar veins are often high angle to core axis. One dolomite/ankerite veinlet is seen cutting a quartz vein indicating dolomite is a later stage vein addition to previous vein set. Veins are often polymetallic containing bright anhedral pyrite as selvage or blebs at times intergrown with a brown red sphalerite (fe rich?) and possible silvery stibnite. Most foliation parallel veins are XRF'ing to have &gt;40ppm Au and Ag, with high arsenic when testing the pyrite.</p>   |        |                         | 105.00   | 106.50 | 1.50   | S005732  | 0.002       | 0.17        | 23.7        | 1.9         | 65          |
| <p>&lt;&lt;Vein: 298.8 - 475.3: &lt;1.0 quartz-pyrite&gt;&gt; Same quartz dolomite/ankerite vein set seen through the entirety of the hole. Veins are just less abundant than before with large multi metre sections between veins. When veins are present they are still variably polymetallic with mostly pyrite and pyrrotite with trace sphalerite, arsenopyrite, and possible stibnite with sulphasalts. Veins are weakly vuggy at times.</p>  |        |                         | 106.50   | 108.00 | 1.50   | S005733  | 0.002       | 0.09        | 11          | 1.9         | 72          |
| <p>&lt;&lt;Struc: 197 - 205: moderately developed sheared 40 deg. &gt;&gt; Brittle faulting and ductile shearing sharply displacing or bending foliation. Strongest shear strain direction is 40dtca but is found also near parallel to core axis.</p>  |        |                         | 108.00   | 109.50 | 1.50   | S005734  | 0.002       | 0.08        | 8.6         | 2.9         | 65          |
| <p>&lt;&lt;Struc: 205 - 279.72: moderately developed foliation 35 deg. &gt;&gt; Weak to moderately developed foliation. At times foliation is sharply displaced but it is rare. Minor ductile shearing found with undulating foliations. Metre scale sections with no or cryptic foliation.</p>   |        |                         | 109.50   | 111.00 | 1.50   | S005735  | 0.002       | 0.06        | 7.5         | 2.4         | 73          |
| <p>&lt;&lt;Struc: 279.72 - 298.8: moderately developed sheared 30 deg. &gt;&gt; Moderately sheared section with a brecciated section from 296.18-297.07m. Orientation of breccia trends 30dtca. Shearing coincides with an increase in alteration and mineralization. Many mineralized veins follow foliation trend.</p>  |        |                         | 111.00   | 112.50 | 1.50   | S005736  | 0.002       | 0.05        | 7.7         | 2.3         | 69          |



Hole: BR-039

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <<Struc: 298.8 - 426.65: weakly developed foliation 35 deg. >> Weak to moderately developed foliation alternates throughout unit in large multi-metre scale sections. Trend is around 35dtca. |        |                         | 112.50   | 114.00 | 1.50   | S005737  | 0.002       | 0.03        | 1.9         | 2.5         | 49          |
|   |        |                         | 114.00   | 115.50 | 1.50   | S005738  | 0.002       | 0.02        | 1.9         | 2.3         | 54          |
|   |        |                         | 115.50   | 117.00 | 1.50   | S005739  | 0.002       | 0.05        | 4.7         | 2.5         | 75          |
|   |        |                         | 117.00   | 118.50 | 1.50   | S005741  | 0.002       | 0.13        | 10.6        | 2.6         | 77          |
|   |        |                         | 118.50   | 120.00 | 1.50   | S005742  | 0.002       | 0.07        | 4.3         | 2.9         | 62          |
|   |        |                         | 120.00   | 121.50 | 1.50   | S005743  | 0.002       | 0.11        | 6.7         | 3           | 63          |
|   |        |                         | 121.50   | 123.00 | 1.50   | S005744  | 0.002       | 0.15        | 10.5        | 2.1         | 73          |
|   |        |                         | 123.00   | 124.50 | 1.50   | S005745  | 0.002       | 0.13        | 9.3         | 1.6         | 89          |
|   |        |                         | 124.50   | 126.00 | 1.50   | S005746  | 0.002       | 0.12        | 10.5        | 1.8         | 85          |
|   |        |                         | 126.00   | 127.50 | 1.50   | S005747  | 0.002       | 0.07        | 6.1         | 1.7         | 82          |
|   |        |                         | 127.50   | 129.00 | 1.50   | S005748  | 0.002       | 0.05        | 3.8         | 1.8         | 82          |
|   |        |                         | 129.00   | 130.50 | 1.50   | S005749  | 0.002       | 0.12        | 10.1        | 2.2         | 86          |
|   |        |                         | 130.50   | 132.00 | 1.50   | S005751  | 0.002       | 0.28        | 21.6        | 5.7         | 76          |
|   |        |                         | 132.00   | 133.50 | 1.50   | S005752  | 0.002       | 0.06        | 4.2         | 1.9         | 61          |
|   |        |                         | 133.50   | 135.00 | 1.50   | S005753  | 0.002       | 0.67        | 26.3        | 13.4        | 47          |
|   |        |                         | 135.00   | 136.50 | 1.50   | S005754  | 0.006       | 1.75        | 23.8        | 53.1        | 386         |
|   |        |                         | 136.50   | 138.00 | 1.50   | S005755  | 0.066       | 0.32        | 16.5        | 3.5         | 32          |
|   |        |                         | 138.00   | 139.70 | 1.70   | S005756  | 0.002       | 0.12        | 8.6         | 2.1         | 65          |
|   |        |                         | 139.70   | 140.20 | 0.50   | S005757  | 0.002       | 0.11        | 6           | 1.4         | 79          |
|   |        |                         | 140.20   | 141.00 | 0.80   | S005758  | 0.002       | 0.26        | 10.4        | 2.6         | 89          |
|   |        |                         | 141.00   | 142.50 | 1.50   | S005759  | 0.002       | 0.18        | 9.8         | 2.3         | 97          |
|   |        |                         | 142.50   | 144.00 | 1.50   | S005761  | 0.002       | 0.23        | 16.9        | 2.1         | 81          |
|   |        |                         | 144.00   | 144.70 | 0.70   | S005762  | 0.002       | 0.22        | 14.1        | 1.5         | 65          |
|   |        |                         | 144.70   | 145.30 | 0.60   | S005763  | 0.002       | 0.37        | 23.7        | 3.5         | 64          |
|   |        |                         | 145.30   | 147.00 | 1.70   | S005764  | 0.002       | 0.25        | 12.4        | 2.4         | 83          |
|   |        |                         | 147.00   | 148.50 | 1.50   | S005765  | 0.008       | 0.71        | 23.9        | 2.1         | 83          |
|   |        |                         | 148.50   | 150.00 | 1.50   | S005766  | 0.002       | 0.16        | 6.1         | 1.7         | 78          |
|   |        |                         | 150.00   | 151.50 | 1.50   | S005767  | 0.002       | 0.21        | 14.6        | 2           | 58          |
|   |        |                         | 151.50   | 153.00 | 1.50   | S005768  | 0.002       | 0.23        | 9.7         | 2.3         | 78          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 153.00   | 154.50 | 1.50   | S005769  | 0.002       | 0.25        | 6.9         | 3.8         | 84          |
|          |        |                         | 154.50   | 156.00 | 1.50   | S005771  | 0.002       | 0.33        | 9.9         | 3.3         | 65          |
|          |        |                         | 156.00   | 157.50 | 1.50   | S005772  | 0.002       | 0.59        | 22.3        | 3.7         | 82          |
|          |        |                         | 157.50   | 159.00 | 1.50   | S005773  | 0.002       | 0.53        | 16.8        | 2.8         | 53          |
|          |        |                         | 159.00   | 160.50 | 1.50   | S005774  | 0.002       | 0.35        | 11.5        | 3           | 49          |
|          |        |                         | 160.50   | 162.00 | 1.50   | S005775  | 0.002       | 0.38        | 9.8         | 4           | 44          |
|          |        |                         | 162.00   | 163.50 | 1.50   | S005776  | 0.017       | 0.83        | 9.7         | 14.1        | 34          |
|          |        |                         | 163.50   | 165.00 | 1.50   | S005777  | 0.022       | 0.97        | 9           | 19.1        | 45          |
|          |        |                         | 165.00   | 166.20 | 1.20   | S005778  | 0.022       | 1.21        | 17.8        | 16.3        | 71          |
|          |        |                         | 166.20   | 166.70 | 0.50   | S005779  | 0.034       | 2.04        | 16.1        | 111.5       | 530         |
|          |        |                         | 166.70   | 168.00 | 1.30   | S005781  | 0.014       | 0.77        | 15.7        | 12          | 36          |
|          |        |                         | 168.00   | 169.50 | 1.50   | S005782  | 0.018       | 0.79        | 13.3        | 13.3        | 51          |
|          |        |                         | 169.50   | 171.00 | 1.50   | S005783  | 0.002       | 0.7         | 24.8        | 5.3         | 61          |
|          |        |                         | 171.00   | 172.50 | 1.50   | S005784  | 0.009       | 0.48        | 12.2        | 9.2         | 50          |
|          |        |                         | 172.50   | 174.00 | 1.50   | S005785  | 0.014       | 0.52        | 12          | 10.8        | 28          |
|          |        |                         | 174.00   | 175.50 | 1.50   | S005786  | 0.01        | 0.47        | 14          | 9           | 46          |
|          |        |                         | 175.50   | 177.00 | 1.50   | S005787  | 0.005       | 0.26        | 15.8        | 3.2         | 98          |
|          |        |                         | 177.00   | 178.50 | 1.50   | S005788  | 0.002       | 0.15        | 13.6        | 1.7         | 86          |
|          |        |                         | 178.50   | 180.00 | 1.50   | S005789  | 0.009       | 0.25        | 14.2        | 3.4         | 110         |
|          |        |                         | 180.00   | 181.50 | 1.50   | S005791  | 0.016       | 0.35        | 12.9        | 5.2         | 73          |
|          |        |                         | 181.50   | 183.00 | 1.50   | S005792  | 0.007       | 0.15        | 11.6        | 3.3         | 99          |
|          |        |                         | 183.00   | 184.50 | 1.50   | S005793  | 0.006       | 0.19        | 13.1        | 3.8         | 97          |
|          |        |                         | 184.50   | 186.00 | 1.50   | S005794  | 0.005       | 0.18        | 20.1        | 3.2         | 122         |
|          |        |                         | 186.00   | 187.50 | 1.50   | S005795  | 0.002       | 0.3         | 20.4        | 2.9         | 86          |
|          |        |                         | 187.50   | 189.00 | 1.50   | S005796  | 0.002       | 0.16        | 14.5        | 3.4         | 135         |
|          |        |                         | 189.00   | 190.50 | 1.50   | S005797  | 0.002       | 0.21        | 16.3        | 2.2         | 93          |
|          |        |                         | 190.50   | 192.00 | 1.50   | S005798  | 0.002       | 0.22        | 15.1        | 2.9         | 86          |
|          |        |                         | 192.00   | 193.50 | 1.50   | S005799  | 0.002       | 0.97        | 10.7        | 57.2        | 172         |
|          |        |                         | 193.50   | 195.00 | 1.50   | S005801  | 0.002       | 0.22        | 7.5         | 1.5         | 83          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 195.00   | 196.50 | 1.50   | S005802  | 0.002       | 0.16        | 9.2         | 1.7         | 87          |
|          |        |                         | 196.50   | 198.00 | 1.50   | S005803  | 0.002       | 0.32        | 19          | 2.9         | 77          |
|          |        |                         | 198.00   | 199.50 | 1.50   | S005804  | 0.072       | 1.8         | 19.9        | 274         | 955         |
|          |        |                         | 199.50   | 201.00 | 1.50   | S005805  | 0.005       | 2.6         | 27.8        | 51.2        | 69          |
|          |        |                         | 201.00   | 201.70 | 0.70   | S005806  | 0.008       | 2.44        | 29.1        | 51.1        | 61          |
|          |        |                         | 201.70   | 202.20 | 0.50   | S005807  | 0.056       | 4.26        | 18.6        | 277         | 684         |
|          |        |                         | 202.20   | 204.00 | 1.80   | S005808  | 0.005       | 2.48        | 17.5        | 142         | 95          |
|          |        |                         | 204.00   | 205.10 | 1.10   | S005809  | 0.005       | 0.39        | 15.1        | 5.5         | 93          |
|          |        |                         | 205.10   | 205.60 | 0.50   | S005811  | 0.024       | 1.94        | 20.4        | 178         | 356         |
|          |        |                         | 205.60   | 207.00 | 1.40   | S005812  | 0.002       | 0.37        | 11.2        | 6.9         | 67          |
|          |        |                         | 207.00   | 208.50 | 1.50   | S005813  | 0.002       | 0.21        | 9.1         | 2.8         | 69          |
|          |        |                         | 208.50   | 210.00 | 1.50   | S005814  | 0.002       | 0.13        | 8.2         | 3           | 76          |
|          |        |                         | 210.00   | 211.50 | 1.50   | S005815  | 0.002       | 0.13        | 9.5         | 3           | 75          |
|          |        |                         | 211.50   | 213.00 | 1.50   | S005816  | 0.011       | 0.29        | 10.9        | 5.7         | 58          |
|          |        |                         | 213.00   | 214.50 | 1.50   | S005817  | 0.01        | 0.33        | 11          | 5.1         | 54          |
|          |        |                         | 214.50   | 216.00 | 1.50   | S005818  | 0.067       | 1.03        | 9.5         | 13.1        | 33          |
|          |        |                         | 216.00   | 217.50 | 1.50   | S005819  | 0.043       | 0.73        | 14.1        | 8.7         | 76          |
|          |        |                         | 217.50   | 219.00 | 1.50   | S005821  | 0.005       | 0.13        | 11.1        | 3.9         | 122         |
|          |        |                         | 219.00   | 220.50 | 1.50   | S005822  | 0.002       | 0.07        | 10.2        | 2.8         | 91          |
|          |        |                         | 220.50   | 222.00 | 1.50   | S005823  | 0.002       | 0.14        | 9.9         | 2.7         | 83          |
|          |        |                         | 222.00   | 223.50 | 1.50   | S005824  | 0.002       | 0.26        | 11.3        | 2.1         | 68          |
|          |        |                         | 223.50   | 225.00 | 1.50   | S005825  | 0.002       | 0.27        | 9.7         | 2.3         | 75          |
|          |        |                         | 225.00   | 226.50 | 1.50   | S005826  | 0.002       | 0.24        | 10.8        | 2.4         | 81          |
|          |        |                         | 226.50   | 228.00 | 1.50   | S005827  | 0.002       | 0.14        | 9.3         | 1.8         | 98          |
|          |        |                         | 228.00   | 228.50 | 0.50   | S005828  | 0.002       | 0.17        | 10.1        | 1.9         | 69          |
|          |        |                         | 228.50   | 229.50 | 1.00   | S005829  | 0.002       | 0.09        | 8.4         | 1.4         | 91          |
|          |        |                         | 229.50   | 231.00 | 1.50   | S005831  | 0.006       | 0.24        | 7.3         | 3.7         | 88          |
|          |        |                         | 231.00   | 232.50 | 1.50   | S005832  | 0.005       | 0.24        | 8.1         | 2.1         | 89          |
|          |        |                         | 232.50   | 234.00 | 1.50   | S005833  | 0.011       | 0.32        | 8.6         | 6.4         | 64          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          | 234.00 |                         | 234.00   | 235.50 | 1.50   | S005834  | 0.014       | 0.34        | 7.9         | 5.8         | 62          |
|          | 235.50 |                         | 235.50   | 237.00 | 1.50   | S005835  | 0.002       | 0.28        | 3.3         | 4.2         | 82          |
|          | 237.00 |                         | 237.00   | 238.50 | 1.50   | S005836  | 0.012       | 0.37        | 10.7        | 7.7         | 63          |
|          | 238.50 |                         | 238.50   | 240.00 | 1.50   | S005837  | 0.01        | 0.66        | 20.6        | 13.1        | 48          |
|          | 240.00 |                         | 240.00   | 241.20 | 1.20   | S005838  | 0.021       | 2.84        | 24.4        | 61.4        | 250         |
|          | 241.20 |                         | 241.20   | 241.70 | 0.50   | S005839  | 0.185       | 9.48        | 19.3        | 1155        | 5440        |
|          | 241.70 |                         | 241.70   | 243.00 | 1.30   | S005841  | 0.015       | 1.3         | 10          | 20.8        | 106         |
|          | 243.00 |                         | 243.00   | 244.50 | 1.50   | S005842  | 0.008       | 0.18        | 9.7         | 8.9         | 132         |
|          | 244.50 |                         | 244.50   | 246.00 | 1.50   | S005843  | 0.008       | 0.21        | 12.1        | 7.4         | 127         |
|          | 246.00 |                         | 246.00   | 247.50 | 1.50   | S005844  | 0.019       | 0.21        | 12.8        | 4.7         | 203         |
|          | 247.50 |                         | 247.50   | 249.00 | 1.50   | S005845  | 0.011       | 0.29        | 7.1         | 6.1         | 133         |
|          | 249.00 |                         | 249.00   | 250.50 | 1.50   | S005846  | 0.019       | 0.61        | 8.9         | 8.4         | 150         |
|          | 250.50 |                         | 250.50   | 252.00 | 1.50   | S005847  | 0.042       | 1.73        | 9.6         | 18          | 170         |
|          | 252.00 |                         | 252.00   | 253.50 | 1.50   | S005848  | 0.086       | 2.22        | 10.2        | 20.7        | 214         |
|          | 253.50 |                         | 253.50   | 255.00 | 1.50   | S005849  | 0.192       | 3.17        | 16          | 16.7        | 159         |
|          | 255.00 |                         | 255.00   | 256.50 | 1.50   | S005851  | 0.266       | 6.39        | 19.7        | 24.4        | 122         |
|          | 256.50 |                         | 256.50   | 258.00 | 1.50   | S005852  | 0.397       | 10.75       | 20.4        | 24.6        | 89          |
|          | 258.00 |                         | 258.00   | 259.50 | 1.50   | S005853  | 0.163       | 3.76        | 7.9         | 12.7        | 100         |
|          | 259.50 |                         | 259.50   | 261.00 | 1.50   | S005854  | 0.114       | 3.95        | 9.1         | 16.7        | 142         |
|          | 261.00 |                         | 261.00   | 262.50 | 1.50   | S005855  | 0.22        | 6.78        | 21.9        | 19.1        | 86          |
|          | 262.50 |                         | 262.50   | 264.00 | 1.50   | S005856  | 0.102       | 2.7         | 10          | 11.2        | 117         |
|          | 264.00 |                         | 264.00   | 265.50 | 1.50   | S005857  | 0.041       | 1.96        | 7.5         | 4.7         | 165         |
|          | 265.50 |                         | 265.50   | 267.00 | 1.50   | S005858  | 0.066       | 2.33        | 9.6         | 5.8         | 99          |
|          | 267.00 |                         | 267.00   | 268.50 | 1.50   | S005859  | 0.424       | 5.63        | 23.8        | 20.4        | 178         |
|          | 268.50 |                         | 268.50   | 270.00 | 1.50   | S005861  | 0.153       | 4.04        | 10.2        | 17.2        | 98          |
|          | 270.00 |                         | 270.00   | 271.50 | 1.50   | S005862  | 0.119       | 2.83        | 11.9        | 13.4        | 111         |
|          | 271.50 |                         | 271.50   | 273.00 | 1.50   | S005863  | 0.06        | 1.75        | 10.1        | 17.1        | 82          |
|          | 273.00 |                         | 273.00   | 274.50 | 1.50   | S005864  | 0.058       | 1.73        | 8.9         | 16.3        | 275         |
|          | 274.50 |                         | 274.50   | 276.00 | 1.50   | S005865  | 0.069       | 1.77        | 12.1        | 21.7        | 102         |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 276.00   | 277.50 | 1.50   | S005866  | 0.089       | 2.61        | 13.5        | 18          | 83          |
|          |        |                         | 277.50   | 279.00 | 1.50   | S005867  | 0.099       | 2.38        | 10.7        | 12.8        | 82          |
|          |        |                         | 279.00   | 280.50 | 1.50   | S005868  | 0.33        | 6.15        | 19          | 24          | 361         |
|          |        |                         | 280.50   | 281.30 | 0.80   | S005869  | 0.651       | 15          | 144         | 68.3        | 1780        |
|          |        |                         | 281.30   | 282.00 | 0.70   | S005871  | 1.26        | 38.6        | 105         | 774         | 1050        |
|          |        |                         | 282.00   | 282.84 | 0.84   | S005872  | 1.575       | 26.9        | 52.3        | 166.5       | 3490        |
|          |        |                         | 282.84   | 283.50 | 0.66   | S005873  | 0.243       | 12.45       | 14.3        | 37.1        | 123         |
|          |        |                         | 283.50   | 284.25 | 0.75   | S005874  | 0.192       | 6.66        | 9.6         | 29.4        | 100         |
|          |        |                         | 284.25   | 285.00 | 0.75   | S005875  | 0.245       | 6.73        | 11.8        | 24.7        | 48          |
|          |        |                         | 285.00   | 286.00 | 1.00   | S005876  | 0.278       | 5.94        | 12.5        | 26.5        | 121         |
|          |        |                         | 286.00   | 286.62 | 0.62   | S005877  | 0.14        | 5.83        | 19.5        | 28.6        | 600         |
|          |        |                         | 286.62   | 287.12 | 0.50   | S005878  | 0.608       | 15.7        | 43.6        | 68.2        | 829         |
|          |        |                         | 287.12   | 288.00 | 0.88   | S005879  | 0.163       | 4.38        | 11.1        | 19.5        | 159         |
|          |        |                         | 288.00   | 289.00 | 1.00   | S005881  | 0.126       | 3.34        | 7.9         | 17.6        | 185         |
|          |        |                         | 289.00   | 290.00 | 1.00   | S005882  | 0.102       | 3.91        | 9.8         | 15.3        | 210         |
|          |        |                         | 290.00   | 291.00 | 1.00   | S005883  | 0.09        | 3.06        | 9.2         | 14.1        | 197         |
|          |        |                         | 291.00   | 292.00 | 1.00   | S005884  | 0.088       | 3.95        | 11          | 16          | 100         |
|          |        |                         | 292.00   | 293.25 | 1.25   | S005885  | 0.275       | 11.45       | 13.5        | 26.7        | 76          |
|          |        |                         | 293.25   | 294.20 | 0.95   | S005886  | 1.525       | 43.9        | 34.4        | 91.2        | 74          |
|          |        |                         | 294.20   | 295.20 | 1.00   | S005887  | 1.165       | 43.5        | 45.6        | 48.9        | 237         |
|          |        |                         | 295.20   | 296.18 | 0.98   | S005888  | 1.08        | 47.3        | 50.4        | 80.4        | 309         |
|          |        |                         | 296.18   | 297.07 | 0.89   | S005889  | 1.25        | 33.6        | 61.2        | 96          | 748         |
|          |        |                         | 297.07   | 298.00 | 0.93   | S005891  | 0.248       | 7.99        | 62.1        | 25.5        | 62          |
|          |        |                         | 298.00   | 298.80 | 0.80   | S005892  | 0.13        | 5.26        | 40.6        | 48.5        | 26          |
|          |        |                         | 298.80   | 300.00 | 1.20   | S005893  | 0.009       | 0.74        | 13          | 7.2         | 78          |
|          |        |                         | 300.00   | 301.50 | 1.50   | S005894  | 0.02        | 0.68        | 12.1        | 7.3         | 181         |
|          |        |                         | 301.50   | 303.00 | 1.50   | S005895  | 0.044       | 0.55        | 12.9        | 6.9         | 91          |
|          |        |                         | 303.00   | 304.50 | 1.50   | S005896  | 0.051       | 0.62        | 13.8        | 8.5         | 59          |
|          |        |                         | 304.50   | 306.00 | 1.50   | S005897  | 0.006       | 0.41        | 14.1        | 4.4         | 107         |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 306.00   | 307.50 | 1.50   | S005898  | 0.002       | 0.27        | 8.3         | 2.9         | 95          |
|          |        |                         | 307.50   | 309.00 | 1.50   | S005899  | 0.002       | 0.4         | 17.4        | 4           | 59          |
|          |        |                         | 309.00   | 310.50 | 1.50   | S005901  | 0.002       | 0.63        | 30.3        | 4.3         | 49          |
|          |        |                         | 310.50   | 312.00 | 1.50   | S005902  | 0.002       | 0.18        | 7.4         | 2.3         | 76          |
|          |        |                         | 312.00   | 313.50 | 1.50   | S005903  | 0.002       | 0.22        | 8.7         | 2.5         | 79          |
|          |        |                         | 313.50   | 315.00 | 1.50   | S005904  | 0.002       | 0.3         | 16.6        | 3.2         | 62          |
|          |        |                         | 315.00   | 316.50 | 1.50   | S005905  | 0.002       | 0.46        | 28          | 3.5         | 50          |
|          |        |                         | 316.50   | 318.00 | 1.50   | S005906  | 0.009       | 0.77        | 40          | 3.8         | 21          |
|          |        |                         | 318.00   | 319.50 | 1.50   | S005907  | 0.005       | 0.9         | 42.4        | 5.7         | 17          |
|          |        |                         | 319.50   | 321.00 | 1.50   | S005908  | 0.012       | 0.48        | 14.6        | 6.9         | 40          |
|          |        |                         | 321.00   | 322.50 | 1.50   | S005909  | 0.002       | 0.35        | 17.3        | 1.8         | 65          |
|          |        |                         | 322.50   | 324.00 | 1.50   | S005911  | 0.002       | 0.45        | 13.4        | 2           | 83          |
|          |        |                         | 324.00   | 325.50 | 1.50   | S005912  | 0.002       | 0.29        | 11.3        | 2.5         | 79          |
|          |        |                         | 325.50   | 326.50 | 1.00   | S005913  | 0.002       | 0.29        | 10.3        | 2.5         | 80          |
|          |        |                         | 326.50   | 327.50 | 1.00   | S005914  | 0.002       | 0.35        | 13.4        | 3.2         | 66          |
|          |        |                         | 327.50   | 328.00 | 0.50   | S005915  | 0.033       | 5.25        | 23.6        | 87.2        | 336         |
|          |        |                         | 328.00   | 329.00 | 1.00   | S005916  | 0.002       | 0.34        | 14.7        | 2.9         | 79          |
|          |        |                         | 329.00   | 330.00 | 1.00   | S005917  | 0.002       | 0.25        | 10.5        | 3.1         | 84          |
|          |        |                         | 330.00   | 331.50 | 1.50   | S005918  | 0.002       | 0.34        | 13.7        | 3.4         | 70          |
|          |        |                         | 331.50   | 333.00 | 1.50   | S005919  | 0.002       | 0.31        | 14.9        | 2.5         | 37          |
|          |        |                         | 333.00   | 334.50 | 1.50   | S005921  | 0.002       | 0.24        | 6.8         | 2.3         | 79          |
|          |        |                         | 334.50   | 336.00 | 1.50   | S005922  | 0.002       | 0.24        | 11.5        | 2.7         | 75          |
|          |        |                         | 336.00   | 337.50 | 1.50   | S005923  | 0.007       | 0.36        | 11.7        | 5.6         | 85          |
|          |        |                         | 337.50   | 339.00 | 1.50   | S005924  | 0.008       | 0.32        | 11.3        | 5.8         | 103         |
|          |        |                         | 339.00   | 340.50 | 1.50   | S005925  | 0.01        | 0.48        | 11.6        | 4.7         | 127         |
|          |        |                         | 340.50   | 342.00 | 1.50   | S005926  | 0.169       | 2.37        | 59.2        | 21.5        | 168         |
|          |        |                         | 342.00   | 343.50 | 1.50   | S005927  | 0.144       | 1.11        | 76.5        | 13.6        | 195         |
|          |        |                         | 343.50   | 345.00 | 1.50   | S005928  | 0.114       | 0.92        | 45.3        | 10.7        | 152         |
|          |        |                         | 345.00   | 346.50 | 1.50   | S005929  | 0.021       | 0.85        | 57.3        | 9.3         | 118         |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 346.50   | 348.00 | 1.50   | S005931  | 0.021       | 0.9         | 53.4        | 10.3        | 145         |
|          |        |                         | 348.00   | 349.00 | 1.00   | S005932  | 0.06        | 1.6         | 22.5        | 6.6         | 128         |
|          |        |                         | 349.00   | 350.00 | 1.00   | S005933  | 0.095       | 3.8         | 34.4        | 10          | 78          |
|          |        |                         | 350.00   | 351.00 | 1.00   | S005934  | 0.048       | 1.5         | 4.7         | 6.5         | 41          |
|          |        |                         | 351.00   | 352.50 | 1.50   | S005935  | 0.007       | 0.85        | 9.5         | 3.3         | 78          |
|          |        |                         | 352.50   | 354.00 | 1.50   | S005936  | 0.012       | 0.25        | 10.1        | 5.1         | 133         |
|          |        |                         | 354.00   | 355.50 | 1.50   | S005937  | 0.002       | 0.08        | 9.1         | 2           | 157         |
|          |        |                         | 355.50   | 357.00 | 1.50   | S005938  | 0.007       | 0.26        | 18.1        | 2.8         | 99          |
|          |        |                         | 357.00   | 358.50 | 1.50   | S005939  | 0.002       | 0.14        | 14.2        | 2.7         | 129         |
|          |        |                         | 358.50   | 360.00 | 1.50   | S005941  | 0.002       | 0.23        | 16.9        | 2.9         | 86          |
|          |        |                         | 360.00   | 361.50 | 1.50   | S005942  | 0.002       | 0.21        | 14.4        | 1.4         | 87          |
|          |        |                         | 361.50   | 363.00 | 1.50   | S005943  | 0.002       | 0.11        | 7.2         | 1.8         | 93          |
|          |        |                         | 363.00   | 364.50 | 1.50   | S005944  | 0.002       | 0.16        | 14.3        | 1.9         | 112         |
|          |        |                         | 364.50   | 366.00 | 1.50   | S005945  | 0.008       | 0.12        | 8.8         | 1.9         | 134         |
|          |        |                         | 366.00   | 367.50 | 1.50   | S005946  | 0.007       | 0.22        | 13.2        | 2.1         | 129         |
|          |        |                         | 367.50   | 369.00 | 1.50   | S005947  | 0.002       | 0.06        | 3.2         | 1.3         | 84          |
|          |        |                         | 369.00   | 370.50 | 1.50   | S005948  | 0.002       | 0.04        | 2.7         | 1.7         | 58          |
|          |        |                         | 370.50   | 372.00 | 1.50   | S005949  | 0.002       | 0.05        | 4.3         | 2.6         | 59          |
|          |        |                         | 372.00   | 373.50 | 1.50   | S005951  | 0.002       | 0.09        | 3.3         | 1.4         | 100         |
|          |        |                         | 373.50   | 375.00 | 1.50   | S005952  | 0.002       | 0.08        | 4.8         | 1.7         | 94          |
|          |        |                         | 375.00   | 375.50 | 0.50   | S005953  | 0.007       | 0.41        | 28          | 5.2         | 63          |
|          |        |                         | 375.50   | 376.50 | 1.00   | S005954  | 0.05        | 0.67        | 10.2        | 21.1        | 57          |
|          |        |                         | 376.50   | 378.00 | 1.50   | S005955  | 0.002       | 0.07        | 5.9         | 3.5         | 72          |
|          |        |                         | 378.00   | 379.50 | 1.50   | S005956  | 0.002       | 0.05        | 4.2         | 5           | 61          |
|          |        |                         | 379.50   | 381.00 | 1.50   | S005957  | 0.002       | 0.03        | 4.4         | 2.3         | 84          |
|          |        |                         | 381.00   | 382.50 | 1.50   | S005958  | 0.014       | 0.07        | 10.1        | 2.8         | 103         |
|          |        |                         | 382.50   | 384.00 | 1.50   | S005959  | 0.002       | 0.08        | 4.3         | 2.5         | 68          |
|          |        |                         | 384.00   | 385.50 | 1.50   | S005961  | 0.002       | 0.06        | 2.6         | 4.2         | 58          |
|          |        |                         | 385.50   | 387.00 | 1.50   | S005962  | 0.002       | 0.1         | 8.4         | 2.6         | 69          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 387.00   | 388.50 | 1.50   | S005963  | 0.002       | 0.06        | 9.3         | 3.2         | 52          |
|          |        |                         | 388.50   | 390.00 | 1.50   | S005964  | 0.002       | 0.14        | 20.1        | 3.5         | 54          |
|          |        |                         | 390.00   | 391.50 | 1.50   | S005965  | 0.002       | 0.16        | 17          | 3.6         | 50          |
|          |        |                         | 391.50   | 393.00 | 1.50   | S005966  | 0.002       | 0.06        | 6.2         | 2.9         | 53          |
|          |        |                         | 393.00   | 394.50 | 1.50   | S005967  | 0.002       | 0.1         | 8.2         | 2.5         | 67          |
|          |        |                         | 394.50   | 396.00 | 1.50   | S005968  | 0.002       | 0.22        | 21.8        | 3           | 56          |
|          |        |                         | 396.00   | 397.50 | 1.50   | S005969  | 0.002       | 0.05        | 5.1         | 1.6         | 49          |
|          |        |                         | 397.50   | 399.00 | 1.50   | S005971  | 0.002       | 0.2         | 14          | 2.5         | 90          |
|          |        |                         | 399.00   | 400.00 | 1.00   | S005972  | 0.002       | 0.16        | 5.3         | 2.8         | 116         |
|          |        |                         | 400.00   | 401.50 | 1.50   | S005973  | 0.002       | 0.1         | 13.3        | 1.9         | 66          |
|          |        |                         | 401.50   | 403.00 | 1.50   | S005974  | 0.002       | 0.05        | 11.5        | 1.4         | 96          |
|          |        |                         | 403.00   | 404.50 | 1.50   | S005975  | 0.002       | 0.09        | 18.3        | 2.7         | 101         |
|          |        |                         | 404.50   | 406.00 | 1.50   | S005976  | 0.002       | 0.1         | 19.4        | 2.1         | 81          |
|          |        |                         | 406.00   | 407.50 | 1.50   | S005977  | 0.002       | 0.1         | 8.7         | 2.5         | 76          |
|          |        |                         | 407.50   | 409.00 | 1.50   | S005978  | 0.002       | 0.11        | 12.1        | 2.7         | 61          |
|          |        |                         | 409.00   | 410.50 | 1.50   | S005979  | 0.002       | 0.04        | 11.6        | 1.5         | 111         |
|          |        |                         | 410.50   | 412.00 | 1.50   | S005981  | 0.002       | 0.11        | 12.6        | 1.6         | 56          |
|          |        |                         | 412.00   | 413.50 | 1.50   | S005982  | 0.002       | 0.12        | 15.2        | 3.5         | 87          |
|          |        |                         | 413.50   | 415.00 | 1.50   | S005983  | 0.002       | 0.1         | 12.9        | 3.2         | 79          |
|          |        |                         | 415.00   | 415.75 | 0.75   | S005984  | 0.002       | 0.39        | 22.1        | 2.6         | 46          |
|          |        |                         | 415.75   | 416.50 | 0.75   | S005985  | 0.002       | 0.32        | 26.1        | 4.2         | 25          |
|          |        |                         | 416.50   | 417.00 | 0.50   | S005986  | 0.002       | 0.4         | 19.5        | 3.1         | 47          |
|          |        |                         | 417.00   | 418.50 | 1.50   | S005987  | 0.002       | 0.61        | 26.5        | 3.4         | 61          |
|          |        |                         | 418.50   | 420.00 | 1.50   | S005988  | 0.002       | 0.57        | 26.8        | 3.3         | 59          |
|          |        |                         | 420.00   | 421.50 | 1.50   | S005989  | 0.005       | 0.29        | 22.3        | 6.4         | 83          |
|          |        |                         | 421.50   | 422.86 | 1.36   | S005991  | 0.011       | 0.62        | 16.4        | 9.8         | 59          |
|          |        |                         | 422.86   | 424.00 | 1.14   | S005992  | 0.113       | 2.91        | 18.6        | 12.4        | 75          |
|          |        |                         | 424.00   | 425.50 | 1.50   | S005993  | 0.04        | 1.73        | 29.6        | 6.9         | 46          |
|          |        |                         | 425.50   | 426.65 | 1.15   | S005994  | 0.009       | 0.63        | 26.1        | 4.1         | 40          |



Hole: BR-039

| From (m)   | To (m) | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|--------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 426.65   | 475.30 | V8<br><b>Mafic volcanic rocks (basaltic- dark grey andesite, basalt; silica content 45-57%)</b><br><b>S-snd</b> |          |        |        |          |             |             |             |             |             |
| <p>426.65 - 475.3: Interbedded sandstone and chert. Few mafic lapilli tuff interbeds towards upper contact. Sandstones and cherts are often well laminated. Few beds are more massive. Sediments carry the same alteration and mineralization overprint as previous volcanic unit. Minor to slumping and few localities with overturned beds. Unit is cut by the same Quartz/dolomite vein set as previous unit but lacks any visible sulphasalts. Up to 2% of unit is disseminated pyrite and pyrrhotite. Small localities now have euhedral pyrite, most remains sub to anhedral.</p> <p>Upon crew change, the last meters (464-473m) were analyzed with the XRF and returned TiO2/Zr values that were consistent with mafic rocks, so this unit was renamed as V8. The chert units were reinterpreted as silicified layers of the aforementioned mafic unit.</p> <p>&lt;&lt;Struc: 426.65 - 426.65: strongly developed lithology contact, unspecified type 60 deg. &gt;&gt; Sharp lower contact of volcanic tuffs to cherty sediment bed. Volcanic tuffs interbed with sediments beyond this initial contact but to a much lesser amount than sediments.</p> <p>&lt;&lt;Struc: 426.65 - 447.92: strongly developed bedding 70 deg. &gt;&gt; Well developed bedding and laminations parallel to each other. Average laminae and bedding angle is 70dtca.</p> <p>&lt;&lt;Struc: 447.92 - 452.2: moderately developed overturned bedding 30 deg. &gt;&gt; Section of sediments dominated by cherty beds. Beds are partially brecciated and moderately overturned. Possible slumping.</p> <p>&lt;&lt;Struc: 452.2 - 473: moderately developed bedding 60 deg. &gt;&gt; Variable bedding and lamination direction is often high angle and average is around 60 dtca. Few beds have contacts with high to low angle foliation directions.</p> |        |   |          |        |        |          |             |             |             |             |             |
|  | 426.65 |   | 427.50   | 0.85   |        | S005995  | 0.002       | 0.34        | 39.6        | 2.3         | 79          |
|  | 427.50 |   | 429.00   | 1.50   |        | S005996  | 0.002       | 0.24        | 39.4        | 1.7         | 105         |
|  | 429.00 |   | 430.50   | 1.50   |        | S005997  | 0.002       | 0.26        | 26          | 2.9         | 96          |
|  | 430.50 |   | 432.00   | 1.50   |        | S005998  | 0.002       | 0.26        | 18.9        | 2.7         | 97          |
|  | 432.00 |   | 433.50   | 1.50   |        | S005999  | 0.002       | 0.29        | 30.6        | 4           | 90          |
|  | 433.50 |   | 435.00   | 1.50   |        | S004251  | 0.002       | 0.25        | 21.7        | 1.6         | 86          |
|  | 435.00 |   | 436.50   | 1.50   |        | S004252  | 0.002       | 0.28        | 32.3        | 1.8         | 88          |
|  | 436.50 |   | 438.00   | 1.50   |        | S004253  | 0.002       | 0.29        | 48.9        | 2.7         | 94          |
|  | 438.00 |   | 439.50   | 1.50   |        | S004254  | 0.002       | 0.29        | 51.2        | 3.8         | 88          |
|  | 439.50 |   | 441.00   | 1.50   |        | S004255  | 0.002       | 0.27        | 62.3        | 4.7         | 93          |
|  | 441.00 |   | 442.50   | 1.50   |        | S004256  | 0.002       | 0.27        | 42          | 4.7         | 85          |
|  | 442.50 |   | 444.00   | 1.50   |        | S004257  | 0.002       | 0.35        | 53.8        | 2.9         | 86          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 444.00   | 445.50 | 1.50   | S004258  | 0.002       | 0.43        | 71.6        | 4.5         | 73          |
|          |        |                         | 445.50   | 447.00 | 1.50   | S004259  | 0.002       | 0.45        | 71.8        | 4.3         | 46          |
|          |        |                         | 447.00   | 448.50 | 1.50   | S004261  | 0.002       | 0.48        | 41.6        | 5.4         | 75          |
|          |        |                         | 448.50   | 450.00 | 1.50   | S004262  | 0.002       | 0.56        | 10.2        | 4.5         | 207         |
|          |        |                         | 450.00   | 451.50 | 1.50   | S004263  | 0.006       | 0.76        | 20.1        | 5.9         | 108         |
|          |        |                         | 451.50   | 453.00 | 1.50   | S004264  | 0.002       | 1.02        | 48.8        | 4.6         | 154         |
|          |        |                         | 453.00   | 454.50 | 1.50   | S004265  | 0.002       | 0.34        | 41.5        | 3.3         | 66          |
|          |        |                         | 454.50   | 456.00 | 1.50   | S004266  | 0.002       | 0.2         | 33.2        | 3.2         | 77          |
|          |        |                         | 456.00   | 457.50 | 1.50   | S004267  | 0.002       | 0.28        | 37.4        | 2.4         | 70          |
|          |        |                         | 457.50   | 459.00 | 1.50   | S004268  | 0.002       | 0.27        | 41.6        | 1.3         | 63          |
|          |        |                         | 459.00   | 460.40 | 1.40   | S004269  | 0.006       | 0.47        | 65.8        | 4.8         | 48          |
|          |        |                         | 460.40   | 460.90 | 0.50   | S004271  | 3.06        | 7.06        | 76.7        | 41.2        | 23          |
|          |        |                         | 460.90   | 462.00 | 1.10   | S004272  | 0.169       | 0.82        | 46.9        | 11          | 27          |
|          |        |                         | 462.00   | 463.50 | 1.50   | S004273  | 0.002       | 0.36        | 62.1        | 2.9         | 59          |
|          |        |                         | 463.50   | 465.00 | 1.50   | S004274  | 0.005       | 0.54        | 70.9        | 4.1         | 58          |
|          |        |                         | 465.00   | 466.50 | 1.50   | S004275  | 0.002       | 0.41        | 66.1        | 3.1         | 44          |
|          |        |                         | 466.50   | 468.00 | 1.50   | S004276  | 0.014       | 0.41        | 77.5        | 3.1         | 77          |
|          |        |                         | 468.00   | 469.50 | 1.50   | S004277  | 0.002       | 0.24        | 36.5        | 3.2         | 70          |
|          |        |                         | 469.50   | 471.00 | 1.50   | S004278  | 0.009       | 0.44        | 51.2        | 5           | 46          |
|          |        |                         | 471.00   | 472.50 | 1.50   | S004279  | 0.005       | 0.57        | 80          | 3.8         | 52          |
|          |        |                         | 472.50   | 474.00 | 1.50   | S004281  | 0.002       | 0.27        | 52.8        | 2.7         | 70          |
|          |        |                         | 474.00   | 475.30 | 1.30   | S004282  | 0.002       | 0.47        | 67.6        | 4.6         | 58          |

**475.30 558.00 S5 Mudstone/siltstones/pelites (including calcareous) S-slt**

475.3 - 558: Interbedded siltstones and mudstones. Siltstones are light grey while mudstones are black. The uppermost portion of the unit is moderately silicified from 475.3 to 485.8. Pyrite and pyrrhotite occur together in similar amounts and can make up to 5% of the rock on short (30 cm) intervals as stringers or stockworks. Euhedral coarse (up to 5mm) pyrite are also observed throughout the unit (up to 2%). Grain size can be larger and reach the lapilli/pebble size (507-511m), (518-522m) (544.5-557) Rare bomb/boulder size clasts are also observed. EOH



Hole: BR-039

| From (m)  | To (m) | Rock Type & Description | From (m) | To (m)  | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |  |
|---|--------|-------------------------|----------|---------|--------|----------|-------------|-------------|-------------|-------------|-------------|--|
| <p>&lt;&lt;Min: 475.3 - 490: 0.5-2.0% pyrite / &lt;0.5% pyrite / &lt;0.5% pyrrhotite&gt;&gt; Pyrite and pyrrhotite mineralization mostly occur as networks of stringers totalling up to 5% of the rock on 30 cm intervals. Pyrite also occurs as large euhedral crystals.</p>   |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Min: 490 - 557: &lt;0.5% pyrite / traces pyrite / traces pyrrhotite&gt;&gt; Pyrite is present both as large euhedral crystals and as fine disseminated mineralization in the matrix of the coarser parts of the sedimentary unit (546-549m). Traces of pyrrhotite are also observed in the matrix of coarser grained portions.</p> |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Alt: 475.3 - 490: moderate &gt;&gt; Pervasive silicification and sericite alteration with pyrite mineralization. Most structures have been obliterated but the chemical composition from the XRF seems to point towards a protolith similar to the underlying sedimentary unit rather than the overlying mafic rocks.</p>          |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Alt: 490 - 558: trace sericite&gt;&gt; Pachy to pervasive trace to weak sericite alteration occurring with pyrite mineralization.</p>  |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Vein: 478.2 - 487.6: 1.0-5.0% pyrite&gt;&gt; Pyrite stringers with traces of pyrrhotite forming networks/stockworks. The do not seem to display a consistent orientation.</p>  |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Vein: 489 - 490: 1.0-5.0% quartz-pyrite&gt;&gt;</p>  |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Vein: 507 - 508: 1.0-5.0% quartz-pyrite&gt;&gt;</p>  |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Vein: 545 - 546: 1.0-5.0% quartz-pyrite&gt;&gt;</p>  |        |                         |          |         |        |          |             |             |             |             |             |  |
| <p>&lt;&lt;Struc: 550 - 552: weakly developed bedding&gt;&gt; Bedding observable a changes in grain size and color.</p>   |        |                         |          |         |        |          |             |             |             |             |             |  |
|   | 475.30 | 476.50                  | 1.20     | S004283 | 0.009  | 1.27     | 35.3        | 8.8         | 140         |             |             |  |
|   | 476.50 | 478.00                  | 1.50     | S004284 | 0.076  | 0.91     | 23.5        | 6.2         | 196         |             |             |  |
|   | 478.00 | 479.50                  | 1.50     | S004285 | 0.06   | 1.99     | 42.6        | 5.7         | 32          |             |             |  |
|   | 479.50 | 480.00                  | 0.50     | S004286 | 0.017  | 1.45     | 23.1        | 6.4         | 93          |             |             |  |
|   | 480.00 | 481.50                  | 1.50     | S004287 | 0.018  | 1.5      | 25.5        | 5.5         | 132         |             |             |  |
|   | 481.50 | 483.00                  | 1.50     | S004288 | 0.03   | 1.25     | 14.8        | 3.2         | 169         |             |             |  |
|   | 483.00 | 484.50                  | 1.50     | S004289 | 0.03   | 0.84     | 21.8        | 3.6         | 22          |             |             |  |
|   | 484.50 | 485.80                  | 1.30     | S004291 | 0.008  | 1.56     | 12.8        | 6.3         | 88          |             |             |  |
|   | 485.80 | 486.80                  | 1.00     | S004292 | 0.006  | 2.16     | 21.9        | 10.4        | 175         |             |             |  |
|   | 486.80 | 487.50                  | 0.70     | S004293 | 0.03   | 2.72     | 17.3        | 15.9        | 283         |             |             |  |
|   | 487.50 | 488.30                  | 0.80     | S004294 | 0.03   | 2.76     | 14          | 15.8        | 150         |             |             |  |
|   | 488.30 | 490.00                  | 1.70     | S004295 | 0.008  | 0.85     | 27.5        | 8.3         | 108         |             |             |  |
|   | 490.00 | 491.00                  | 1.00     | S004296 | 0.002  | 0.37     | 25.4        | 4.5         | 149         |             |             |  |
|   | 491.00 | 492.00                  | 1.00     | S004297 | 0.002  | 0.21     | 32.2        | 2.9         | 44          |             |             |  |
|   | 492.00 | 493.50                  | 1.50     | S004298 | 0.002  | 0.24     | 24.9        | 3.6         | 41          |             |             |  |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 493.50   | 495.00 | 1.50   | S004299  | 0.002       | 0.31        | 30.7        | 4.2         | 59          |
|          |        |                         | 495.00   | 496.50 | 1.50   | S004301  | 0.002       | 0.22        | 25.6        | 4.8         | 71          |
|          |        |                         | 496.50   | 498.00 | 1.50   | S004302  | 0.002       | 0.2         | 25.7        | 4.6         | 52          |
|          |        |                         | 498.00   | 499.50 | 1.50   | S004303  | 0.002       | 1.71        | 20.6        | 30          | 114         |
|          |        |                         | 499.50   | 501.00 | 1.50   | S004304  | 0.002       | 3.51        | 14.7        | 125.5       | 523         |
|          |        |                         | 501.00   | 502.50 | 1.50   | S004305  | 0.002       | 1.21        | 19.7        | 23.6        | 78          |
|          |        |                         | 502.50   | 504.00 | 1.50   | S004306  | 0.002       | 0.29        | 27          | 5.8         | 50          |
|          |        |                         | 504.00   | 505.50 | 1.50   | S004307  | 0.002       | 0.2         | 20.7        | 6.2         | 37          |
|          |        |                         | 505.50   | 507.00 | 1.50   | S004308  | 0.002       | 0.29        | 24.7        | 6.9         | 40          |
|          |        |                         | 507.00   | 508.50 | 1.50   | S004309  | 0.002       | 0.22        | 19.9        | 7.6         | 60          |
|          |        |                         | 508.50   | 510.00 | 1.50   | S004311  | 0.002       | 0.36        | 17.7        | 14.9        | 39          |
|          |        |                         | 510.00   | 511.50 | 1.50   | S004312  | 0.002       | 0.17        | 23.5        | 8.3         | 51          |
|          |        |                         | 511.50   | 513.00 | 1.50   | S004313  | 0.04        | 0.11        | 19.7        | 8.2         | 93          |
|          |        |                         | 513.00   | 514.50 | 1.50   | S004314  | 0.002       | 0.13        | 26.5        | 9.9         | 79          |
|          |        |                         | 514.50   | 516.00 | 1.50   | S004315  | 0.002       | 0.18        | 34.8        | 11.9        | 86          |
|          |        |                         | 516.00   | 517.50 | 1.50   | S004316  | 0.002       | 0.15        | 29.5        | 8.9         | 75          |
|          |        |                         | 517.50   | 519.00 | 1.50   | S004317  | 0.002       | 0.3         | 24.4        | 14.8        | 83          |
|          |        |                         | 519.00   | 520.50 | 1.50   | S004318  | 0.002       | 0.16        | 16.5        | 10.7        | 63          |
|          |        |                         | 520.50   | 522.00 | 1.50   | S004319  | 0.002       | 0.15        | 15.1        | 11.1        | 64          |
|          |        |                         | 522.00   | 523.50 | 1.50   | S004321  | 0.01        | 0.2         | 32          | 13.1        | 62          |
|          |        |                         | 523.50   | 525.00 | 1.50   | S004322  | 0.005       | 0.21        | 33.8        | 14.4        | 77          |
|          |        |                         | 525.00   | 526.50 | 1.50   | S004323  | 0.002       | 0.23        | 23.1        | 12.8        | 54          |
|          |        |                         | 526.50   | 528.00 | 1.50   | S004324  | 0.037       | 0.58        | 23.6        | 8.1         | 46          |
|          |        |                         | 528.00   | 529.50 | 1.50   | S004325  | 0.006       | 0.18        | 23.1        | 12.7        | 60          |
|          |        |                         | 529.50   | 531.00 | 1.50   | S004326  | 0.005       | 0.2         | 24.5        | 12.4        | 45          |
|          |        |                         | 531.00   | 532.50 | 1.50   | S004327  | 0.002       | 0.11        | 26.9        | 8.2         | 63          |
|          |        |                         | 532.50   | 534.00 | 1.50   | S004328  | 0.002       | 0.18        | 41          | 9.9         | 79          |
|          |        |                         | 534.00   | 535.50 | 1.50   | S004329  | 0.007       | 0.73        | 23.5        | 18.2        | 81          |
|          |        |                         | 535.50   | 537.00 | 1.50   | S004331  | 0.002       | 0.34        | 24.9        | 10.1        | 66          |



Hole: BR-039

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 537.00   | 538.50 | 1.50   | S004332  | 0.009       | 0.34        | 27.2        | 10.7        | 52          |
|          |        |                         | 538.50   | 540.00 | 1.50   | S004333  | 0.002       | 0.22        | 18.7        | 7.4         | 50          |
|          |        |                         | 540.00   | 541.50 | 1.50   | S004334  | 0.02        | 0.58        | 44.7        | 15.6        | 61          |
|          |        |                         | 541.50   | 543.00 | 1.50   | S004335  | 0.024       | 0.43        | 56.7        | 13          | 47          |
|          |        |                         | 543.00   | 544.50 | 1.50   | S004336  | 0.002       | 0.27        | 20.6        | 10.6        | 69          |
|          |        |                         | 544.50   | 546.00 | 1.50   | S004337  | 0.018       | 0.46        | 25.2        | 7.2         | 44          |
|          |        |                         | 546.00   | 547.50 | 1.50   | S004338  | 0.013       | 0.25        | 14.7        | 5.8         | 33          |
|          |        |                         | 547.50   | 549.00 | 1.50   | S004339  | 0.12        | 0.7         | 22.3        | 9.3         | 33          |
|          |        |                         | 549.00   | 550.50 | 1.50   | S004341  | 0.014       | 0.29        | 17.6        | 8.5         | 42          |
|          |        |                         | 550.50   | 552.00 | 1.50   | S004342  | 0.025       | 1.27        | 17.2        | 67.8        | 164         |
|          |        |                         | 552.00   | 553.50 | 1.50   | S004343  | 0.016       | 0.36        | 18.4        | 12.8        | 52          |
|          |        |                         | 553.50   | 555.00 | 1.50   | S004344  | 0.002       | 0.07        | 6           | 6.4         | 54          |
|          |        |                         | 555.00   | 556.50 | 1.50   | S004345  | 0.002       | 0.17        | 13.2        | 7.5         | 53          |
|          |        |                         | 556.50   | 558.00 | 1.50   | S004346  | 0.005       | 0.19        | 20.5        | 7.5         | 59          |

End of Hole @ 558



**Project:** Bowser Regional

**Hole:** BR-0 0

|                             |             |                      |                                |                         |           |                          |                          |                    |  |
|-----------------------------|-------------|----------------------|--------------------------------|-------------------------|-----------|--------------------------|--------------------------|--------------------|--|
| <b>Prospect:</b>            | Koopa       | <b>Survey Type:</b>  |                                | <b>Logged By:</b>       | Pdrouin   | <b>Hole Type:</b>        | DDS                      |                    |  |
| <b>UTM Grid:</b>            | UTM83-9     | <b>Survey By:</b>    |                                | <b>Date Started:</b>    | 7/17/2019 | <b>Core Size:</b>        | HQ                       |                    |  |
| <b>UTM East:</b>            | 453296.9479 | <b>Azimuth:</b>      | 45.5                           | <b>Date Completed:</b>  | 7/22/2019 | <b>Casing Pulled?</b>    | <input type="checkbox"/> |                    |  |
| <b>UTM North:</b>           | 6247844.759 | <b>Dip:</b>          | -63.3                          | <b>Drill Company:</b>   | HyTech    | <b>Casing Depth (m):</b> |                          |                    |  |
| <b>UTM Elevation (m):</b>   | 1649.522    | <b>Length (m):</b>   | 471                            | <b>Drill Rig:</b>       | H2        | <b>Marked?</b>           | <input type="checkbox"/> |                    |  |
| <b>Local Grid:</b>          |             | <b>Hole Purpose:</b> | Expl                           | <b>Drill Started:</b>   | 7/17/2019 | <b>Surveyed?</b>         | <input type="checkbox"/> |                    |  |
| <b>Local East:</b>          |             | <b>Drill Target:</b> |                                | <b>Drill Completed:</b> | 7/21/2019 | <b>Water Production:</b> | NO                       |                    |  |
| <b>Local North:</b>         |             | <b>Comments:</b>     | No magnetic field dip at EOH . |                         |           |                          |                          | <b>Water Type:</b> |  |
| <b>Local Elevation (m):</b> |             |                      |                                |                         |           | <b>Water Depth (m):</b>  |                          |                    |  |
|                             |             |                      |                                |                         |           | <b>Structure Type:</b>   |                          |                    |  |

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|----------|
| 0         | 1stREFLEX     | 7/17/2019     | -63.3 | 26.5             | 19                | 45.5              | 56829      | <input checked="" type="checkbox"/> |          |
| 12        | REFLEX        | 7/17/2019     | -63.3 | 26.5             | 19                | 45.5              | 56829      | <input checked="" type="checkbox"/> |          |
| 51        | REFLEX        | 7/17/2019     | -62.7 | 26.4             | 19                | 45.4              | 56237      | <input checked="" type="checkbox"/> |          |
| 99        | REFLEX        | 7/18/2019     | -62.1 | 30.1             | 19                | 49.1              | 56208      | <input checked="" type="checkbox"/> |          |
| 150       | REFLEX        | 7/18/2019     | -62.4 | 31.1             | 19                | 50.1              | 56842      | <input checked="" type="checkbox"/> |          |
| 201       | REFLEX        | 7/18/2019     | -62.8 | 31.5             | 19                | 50.5              | 56160      | <input checked="" type="checkbox"/> |          |
| 249       | REFLEX        | 7/19/2019     | -63.1 | 28.9             | 19                | 47.9              | 56212      | <input type="checkbox"/>            |          |
| 300       | REFLEX        | 7/19/2019     | -63.3 | 33.5             | 19                | 52.5              | 56596      | <input checked="" type="checkbox"/> |          |
| 351       | REFLEX        | 7/19/2019     | -63.8 | 37.4             | 19                | 56.4              | 56572      | <input checked="" type="checkbox"/> |          |
| 399       | REFLEX        | 7/21/2019     | -63.3 | 39.3             | 19                | 58.3              | 56529      | <input checked="" type="checkbox"/> |          |



Hole: BR-0 0

| Depth (m) | Survey Method | Date Surveyed | Dip   | Measured Azimuth | Correction Factor | Corrected Azimuth | Mag. Field | Accept Values?                      | Comments |
|-----------|---------------|---------------|-------|------------------|-------------------|-------------------|------------|-------------------------------------|----------|
| 450       | REFLEX        | 7/21/2019     | -63.1 | 40.9             | 19                | 59.9              | 56764      | <input checked="" type="checkbox"/> |          |
| 471       | REFLEX        | 7/21/2019     | -62.9 | 39.6             | 19                | 58.6              | 56576      | <input checked="" type="checkbox"/> |          |



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description                                      | From (m) | To (m) | Length | Sample #        | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|--|----------|--------|--------|-----------------|-------------|-------------|-------------|-------------|-------------|
| 0.00     | 1.00   | <b>OVB overburden</b>  |          |        |        |                 |             |             |             |             |             |
| 1.00     | 127.10 | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b> |          |        |        |                 |             |             |             |             |             |
|          |        |  |          |        |        | <b>NR S-mud</b> |             |             |             |             |             |
|          |        |  | 1.00     | 2.00   | 1.00   | S004351         | 0.013       | 0.52        | 35.9        | 22.4        | 87          |
|          |        |  | 2.00     | 3.00   | 1.00   | S004352         | 0.01        | 0.48        | 40.2        | 24.8        | 86          |
|          |        |  | 3.00     | 4.50   | 1.50   | S004353         | 0.011       | 0.53        | 38.3        | 24.8        | 110         |
|          |        |  | 4.50     | 6.00   | 1.50   | S004354         | 0.007       | 0.39        | 43.3        | 17.3        | 124         |
|          |        |  | 6.00     | 7.50   | 1.50   | S004355         | 0.005       | 0.37        | 35.4        | 14.6        | 94          |
|          |        |  | 7.50     | 9.00   | 1.50   | S004356         | 0.002       | 0.28        | 44.2        | 13.3        | 123         |
|          |        |  | 9.00     | 10.50  | 1.50   | S004357         | 0.002       | 0.32        | 42.4        | 15          | 104         |
|          |        |  | 10.50    | 12.00  | 1.50   | S004358         | 0.007       | 0.23        | 38.7        | 14.7        | 108         |
|          |        |  | 12.00    | 13.50  | 1.50   | S004359         | 0.002       | 0.16        | 30.4        | 15.2        | 97          |
|          |        |  | 13.50    | 15.00  | 1.50   | S004361         | 0.002       | 0.2         | 42.3        | 16.7        | 111         |
|          |        |  | 15.00    | 16.50  | 1.50   | S004362         | 0.008       | 0.22        | 44.7        | 20.4        | 103         |
|          |        |  | 16.50    | 18.00  | 1.50   | S004363         | 0.002       | 0.15        | 43          | 12.9        | 115         |
|          |        |  | 18.00    | 19.50  | 1.50   | S004364         | 0.002       | 0.1         | 43.7        | 10.7        | 117         |
|          |        |  | 19.50    | 21.00  | 1.50   | S004365         | 0.002       | 0.09        | 37.8        | 9.6         | 111         |
|          |        |  | 21.00    | 22.50  | 1.50   | S004366         | 0.002       | 0.1         | 36          | 11.9        | 111         |
|          |        |  | 22.50    | 24.00  | 1.50   | S004367         | 0.002       | 0.12        | 40.5        | 11.4        | 98          |
|          |        |  | 24.00    | 25.50  | 1.50   | S004368         | 0.006       | 0.17        | 38.7        | 14.5        | 117         |
|          |        |  | 25.50    | 27.00  | 1.50   | S004369         | 0.002       | 0.15        | 34.9        | 14          | 111         |
|          |        |  | 27.00    | 28.50  | 1.50   | S004371         | 0.024       | 0.38        | 33.5        | 22.2        | 102         |
|          |        |  | 28.50    | 30.00  | 1.50   | S004372         | 0.008       | 0.26        | 30.2        | 24.3        | 103         |
|          |        |  | 30.00    | 31.50  | 1.50   | S004373         | 0.011       | 0.29        | 33          | 28.2        | 86          |
|          |        |  | 31.50    | 33.00  | 1.50   | S004374         | 0.007       | 0.22        | 40.8        | 25.9        | 102         |
|          |        |  | 33.00    | 34.50  | 1.50   | S004375         | 0.01        | 0.24        | 39.3        | 26.4        | 99          |
|          |        |  | 34.50    | 36.00  | 1.50   | S004376         | 0.002       | 0.14        | 38.4        | 10          | 105         |
|          |        |  | 36.00    | 37.50  | 1.50   | S004377         | 0.008       | 0.14        | 36.4        | 12.5        | 107         |

1 - 127.1: Black mudstone with a bedded texture.

<<Min: 1 - 70.6: traces pyrite>> Disseminated euhedral pyrite.

<<Min: 70.6 - 71.3: 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite>> Pyrite + pyrrhotite aggregates that seem to be located in undulating veins at low core angle.

<<Alt: 70.7 - 71: weak to moderate sericite / weak to moderate chlorite>>

<<Struc: 89 - 90: weakly developed bedding>>

<<Struc: 90 - 91: bedding>>



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| 37.50    | 39.00  |                         | 37.50    | 39.00  | 1.50   | S004378  | 0.005       | 0.2         | 43.5        | 17.5        | 98          |
| 39.00    | 40.50  |                         | 39.00    | 40.50  | 1.50   | S004379  | 0.002       | 0.13        | 32.6        | 15.6        | 97          |
| 40.50    | 42.00  |                         | 40.50    | 42.00  | 1.50   | S004381  | 0.005       | 0.11        | 39.5        | 10.1        | 110         |
| 42.00    | 43.50  |                         | 42.00    | 43.50  | 1.50   | S004382  | 0.002       | 0.1         | 42.9        | 10.3        | 109         |
| 43.50    | 45.00  |                         | 43.50    | 45.00  | 1.50   | S004383  | 0.002       | 0.13        | 42.3        | 15.3        | 118         |
| 45.00    | 46.50  |                         | 45.00    | 46.50  | 1.50   | S004384  | 0.002       | 0.14        | 37.3        | 14.8        | 105         |
| 46.50    | 48.00  |                         | 46.50    | 48.00  | 1.50   | S004385  | 0.006       | 0.16        | 44.5        | 19.3        | 118         |
| 48.00    | 49.50  |                         | 48.00    | 49.50  | 1.50   | S004386  | 0.007       | 0.19        | 41.7        | 21.7        | 107         |
| 49.50    | 51.00  |                         | 49.50    | 51.00  | 1.50   | S004387  | 0.005       | 0.13        | 35.4        | 14.2        | 117         |
| 51.00    | 52.50  |                         | 51.00    | 52.50  | 1.50   | S004388  | 0.005       | 0.11        | 39          | 9.9         | 136         |
| 52.50    | 54.00  |                         | 52.50    | 54.00  | 1.50   | S004389  | 0.005       | 0.1         | 36.3        | 8.2         | 118         |
| 54.00    | 55.50  |                         | 54.00    | 55.50  | 1.50   | S004391  | 0.008       | 0.32        | 45.4        | 17.3        | 91          |
| 55.50    | 57.00  |                         | 55.50    | 57.00  | 1.50   | S004392  | 0.01        | 0.22        | 45.1        | 17.5        | 104         |
| 57.00    | 58.50  |                         | 57.00    | 58.50  | 1.50   | S004393  | 0.01        | 0.22        | 43.9        | 23.7        | 122         |
| 58.50    | 60.00  |                         | 58.50    | 60.00  | 1.50   | S004394  | 0.01        | 0.25        | 43.1        | 24.1        | 119         |
| 60.00    | 61.50  |                         | 60.00    | 61.50  | 1.50   | S004395  | 0.009       | 0.2         | 43.1        | 20.8        | 114         |
| 61.50    | 63.00  |                         | 61.50    | 63.00  | 1.50   | S004396  | 0.006       | 0.14        | 42.8        | 13.6        | 122         |
| 63.00    | 64.50  |                         | 63.00    | 64.50  | 1.50   | S004397  | 0.007       | 0.18        | 40.2        | 15.8        | 116         |
| 64.50    | 66.00  |                         | 64.50    | 66.00  | 1.50   | S004398  | 0.009       | 0.26        | 41.9        | 11.9        | 115         |
| 66.00    | 67.50  |                         | 66.00    | 67.50  | 1.50   | S004399  | 0.016       | 0.49        | 42.2        | 14.6        | 121         |
| 67.50    | 69.00  |                         | 67.50    | 69.00  | 1.50   | S004401  | 0.126       | 1.16        | 31.9        | 46.3        | 105         |
| 69.00    | 70.50  |                         | 69.00    | 70.50  | 1.50   | S004402  | 1.3         | 37.5        | 48.1        | 5330        | 3050        |
| 70.50    | 72.00  |                         | 70.50    | 72.00  | 1.50   | S004403  | 0.007       | 0.44        | 22.3        | 10.9        | 87          |
| 72.00    | 73.50  |                         | 72.00    | 73.50  | 1.50   | S004404  | 0.013       | 0.49        | 57.3        | 24.8        | 125         |
| 73.50    | 75.00  |                         | 73.50    | 75.00  | 1.50   | S004405  | 0.009       | 0.22        | 42.5        | 16          | 115         |
| 75.00    | 76.50  |                         | 75.00    | 76.50  | 1.50   | S004406  | 0.013       | 0.24        | 45          | 20.5        | 113         |
| 76.50    | 78.00  |                         | 76.50    | 78.00  | 1.50   | S004407  | 0.01        | 0.25        | 43.5        | 14.3        | 116         |
| 78.00    | 79.50  |                         | 78.00    | 79.50  | 1.50   | S004408  | 0.026       | 0.32        | 36.1        | 11.1        | 95          |
| 79.50    | 81.00  |                         | 79.50    | 81.00  | 1.50   | S004409  | 0.007       | 0.14        | 11.3        | 12.4        | 54          |



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 81.00    | 82.50  | 1.50   | S004411  | 0.005       | 0.15        | 10.5        | 15.9        | 73          |
|          |        |                         | 82.50    | 84.00  | 1.50   | S004412  | 0.007       | 0.17        | 14.3        | 22.3        | 55          |
|          |        |                         | 84.00    | 85.50  | 1.50   | S004413  | 0.008       | 0.19        | 38.4        | 15.9        | 84          |
|          |        |                         | 85.50    | 87.00  | 1.50   | S004414  | 0.012       | 0.22        | 37.6        | 18.4        | 110         |
|          |        |                         | 87.00    | 88.50  | 1.50   | S004415  | 0.008       | 0.13        | 34.9        | 10.7        | 117         |
|          |        |                         | 88.50    | 90.00  | 1.50   | S004416  | 0.006       | 0.13        | 27.6        | 11.8        | 109         |
|          |        |                         | 90.00    | 91.50  | 1.50   | S004417  | 0.008       | 0.17        | 32.9        | 15.5        | 110         |
|          |        |                         | 91.50    | 93.00  | 1.50   | S004418  | 0.005       | 0.1         | 37.8        | 7.5         | 105         |
|          |        |                         | 93.00    | 94.50  | 1.50   | S004419  | 0.006       | 0.11        | 37.8        | 6.5         | 95          |
|          |        |                         | 94.50    | 96.00  | 1.50   | S004421  | 0.008       | 0.15        | 41.1        | 12.4        | 110         |
|          |        |                         | 96.00    | 97.50  | 1.50   | S004422  | 0.011       | 0.24        | 45.1        | 20.1        | 110         |
|          |        |                         | 97.50    | 99.00  | 1.50   | S004423  | 0.01        | 0.24        | 41.6        | 19.1        | 111         |
|          |        |                         | 99.00    | 100.50 | 1.50   | S004424  | 0.005       | 0.11        | 18.3        | 14.6        | 77          |
|          |        |                         | 100.50   | 102.00 | 1.50   | S004425  | 0.005       | 0.1         | 16.2        | 12.3        | 65          |
|          |        |                         | 102.00   | 103.50 | 1.50   | S004426  | 0.01        | 0.22        | 41          | 13.2        | 106         |
|          |        |                         | 103.50   | 105.00 | 1.50   | S004427  | 0.011       | 0.2         | 32.3        | 15.6        | 100         |
|          |        |                         | 105.00   | 106.50 | 1.50   | S004428  | 0.005       | 0.11        | 28.5        | 8.4         | 122         |
|          |        |                         | 106.50   | 108.00 | 1.50   | S004429  | 0.006       | 0.09        | 30.3        | 8.4         | 112         |
|          |        |                         | 108.00   | 109.50 | 1.50   | S004431  | 0.008       | 0.22        | 29.1        | 25.2        | 91          |
|          |        |                         | 109.50   | 111.00 | 1.50   | S004432  | 0.014       | 0.2         | 19.2        | 29.4        | 88          |
|          |        |                         | 111.00   | 112.50 | 1.50   | S004433  | 0.013       | 0.21        | 26.5        | 28.1        | 74          |
|          |        |                         | 112.50   | 114.00 | 1.50   | S004434  | 0.011       | 0.24        | 44.5        | 20.2        | 100         |
|          |        |                         | 114.00   | 115.50 | 1.50   | S004435  | 0.011       | 0.25        | 38.5        | 22.5        | 134         |
|          |        |                         | 115.50   | 117.00 | 1.50   | S004436  | 0.012       | 0.27        | 36.3        | 22.4        | 105         |
|          |        |                         | 117.00   | 118.50 | 1.50   | S004437  | 0.015       | 0.23        | 30.2        | 29.1        | 92          |
|          |        |                         | 118.50   | 120.00 | 1.50   | S004438  | 0.011       | 0.2         | 29.4        | 24.7        | 93          |
|          |        |                         | 120.00   | 121.50 | 1.50   | S004439  | 0.01        | 0.2         | 39.8        | 16.8        | 108         |
|          |        |                         | 121.50   | 123.00 | 1.50   | S004441  | 0.007       | 0.11        | 17.8        | 17.1        | 81          |
|          |        |                         | 123.00   | 124.50 | 1.50   | S004442  | 0.009       | 0.11        | 32.9        | 8.4         | 107         |



Hole: BR-0 0

| From (m)   | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|  |               |   | 124.50   | 126.00 | 1.50   | S004443  | 0.008       | 0.14        | 35.8        | 12.1        | 101         |
|  |               |   | 126.00   | 127.10 | 1.10   | S004444  | 0.006       | 0.13        | 26.8        | 8.3         | 127         |
| <b>127.10</b>  | <b>128.70</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| <p>127.1 - 128.7: basalt clast with sericite, chlorite +- fuschite alteration as well as moderate pyrite and traces of sphalerite mineralization. The adjacent mudstones are not more altered or mineralized than mudstones further away from the clast.</p> <p>&lt;&lt;Min: 127.1 - 128.7: 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite / traces sphalerite&gt;&gt; Pyrite + pyrrhotite aggregates. Traces of sphalerite confirmed by XRF gun reaching 800 ppm Zn.</p> <p>&lt;&lt;Alt: 127.1 - 128.7: weak to moderate sericite / weak chlorite&gt;&gt; Sericite alteration located in a small basaltic unit. Chlorite is replacing hornblende shaped crystals.</p> <p>&lt;&lt;Struc: 127.1 - 127.1: lithology contact, unspecified type&gt;&gt;</p> |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 127.10   | 128.00 | 0.90   | S004445  | 0.108       | 0.55        | 41.7        | 37.1        | 137         |
|  |               |   | 128.00   | 128.70 | 0.70   | S004446  | 0.016       | 0.38        | 50.1        | 17.8        | 122         |
| <b>128.70</b>  | <b>208.90</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| <p>128.7 - 208.9: Mudstone, sometimes displaying a bedded texture.</p> <p>&lt;&lt;Struc: 128.7 - 128.7: lithology contact, unspecified type&gt;&gt;</p> <p>&lt;&lt;Struc: 204.7 - 209.1: strongly developed fault zone&gt;&gt; Strongly faulted mudstone with important fault gouge intervals.</p>   |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 128.70   | 129.50 | 0.80   | S004447  | 0.015       | 0.3         | 35.3        | 19.5        | 87          |
|  |               |   | 129.50   | 130.50 | 1.00   | S004448  | 0.011       | 0.18        | 20.8        | 27.2        | 74          |
|  |               |   | 130.50   | 132.00 | 1.50   | S004449  | 0.01        | 0.16        | 17          | 25          | 85          |
|  |               |   | 132.00   | 133.50 | 1.50   | S004451  | 0.013       | 0.24        | 31.6        | 19.2        | 90          |
|  |               |   | 133.50   | 135.00 | 1.50   | S004452  | 0.011       | 0.16        | 36.9        | 14.3        | 156         |
|  |               |   | 135.00   | 136.50 | 1.50   | S004453  | 0.007       | 0.26        | 49.7        | 15.4        | 123         |
|  |               |   | 136.50   | 138.00 | 1.50   | S004454  | 0.002       | 0.15        | 37.5        | 9.6         | 113         |
|  |               |   | 138.00   | 139.50 | 1.50   | S004455  | 0.002       | 0.14        | 36.6        | 13.9        | 116         |
|  |               |   | 139.50   | 141.00 | 1.50   | S004456  | 0.008       | 0.14        | 44.2        | 12.4        | 99          |



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 141.00   | 142.50 | 1.50   | S004457  | 0.005       | 0.08        | 32.1        | 7.4         | 113         |
|          |        |                         | 142.50   | 144.00 | 1.50   | S004458  | 0.005       | 0.11        | 32.2        | 8.4         | 105         |
|          |        |                         | 144.00   | 145.50 | 1.50   | S004459  | 0.008       | 0.18        | 42.9        | 16.4        | 110         |
|          |        |                         | 145.50   | 147.00 | 1.50   | S004461  | 0.009       | 0.15        | 40.2        | 13.4        | 104         |
|          |        |                         | 147.00   | 148.50 | 1.50   | S004462  | 0.011       | 0.18        | 44          | 15.6        | 116         |
|          |        |                         | 148.50   | 150.00 | 1.50   | S004463  | 0.007       | 0.12        | 39.6        | 13.7        | 113         |
|          |        |                         | 150.00   | 151.50 | 1.50   | S004464  | 0.005       | 0.12        | 42.6        | 12.5        | 101         |
|          |        |                         | 151.50   | 153.00 | 1.50   | S004465  | 0.008       | 0.15        | 45.1        | 19.1        | 113         |
|          |        |                         | 153.00   | 154.50 | 1.50   | S004466  | 0.013       | 0.17        | 42.9        | 20.3        | 108         |
|          |        |                         | 154.50   | 156.00 | 1.50   | S004467  | 0.01        | 0.17        | 47.2        | 18.6        | 104         |
|          |        |                         | 156.00   | 157.50 | 1.50   | S004468  | 0.013       | 0.19        | 56.8        | 19.1        | 108         |
|          |        |                         | 157.50   | 159.00 | 1.50   | S004469  | 0.006       | 0.1         | 36.7        | 10.6        | 237         |
|          |        |                         | 159.00   | 160.50 | 1.50   | S004471  | 0.013       | 0.31        | 40.8        | 21.7        | 112         |
|          |        |                         | 160.50   | 162.00 | 1.50   | S004472  | 0.011       | 0.16        | 39.2        | 17.7        | 104         |
|          |        |                         | 162.00   | 163.50 | 1.50   | S004473  | 0.008       | 0.17        | 40.2        | 15.1        | 96          |
|          |        |                         | 163.50   | 165.00 | 1.50   | S004474  | 0.013       | 0.24        | 42.7        | 18.3        | 92          |
|          |        |                         | 165.00   | 166.50 | 1.50   | S004475  | 0.006       | 0.51        | 36.4        | 25          | 192         |
|          |        |                         | 166.50   | 168.00 | 1.50   | S004476  | 0.002       | 0.98        | 25.2        | 21.9        | 68          |
|          |        |                         | 168.00   | 169.50 | 1.50   | S004477  | 0.002       | 0.14        | 27.6        | 11.5        | 96          |
|          |        |                         | 169.50   | 171.00 | 1.50   | S004478  | 0.005       | 0.17        | 27.1        | 11.4        | 95          |
|          |        |                         | 171.00   | 172.50 | 1.50   | S004479  | 0.006       | 0.17        | 34.1        | 8.4         | 95          |
|          |        |                         | 172.50   | 174.00 | 1.50   | S004481  | 0.005       | 0.19        | 39          | 8.6         | 97          |
|          |        |                         | 174.00   | 175.50 | 1.50   | S004482  | 0.008       | 0.21        | 35.5        | 14.2        | 96          |
|          |        |                         | 175.50   | 177.00 | 1.50   | S004483  | 0.011       | 0.48        | 33.2        | 29.7        | 98          |
|          |        |                         | 177.00   | 178.50 | 1.50   | S004484  | 0.027       | 0.31        | 49.2        | 19.8        | 132         |
|          |        |                         | 178.50   | 180.00 | 1.50   | S004485  | 0.012       | 0.19        | 34.2        | 19.7        | 100         |
|          |        |                         | 180.00   | 181.50 | 1.50   | S004486  | 0.008       | 0.18        | 37.3        | 11.2        | 102         |
|          |        |                         | 181.50   | 183.00 | 1.50   | S004487  | 0.007       | 0.18        | 35.4        | 9.2         | 111         |
|          |        |                         | 183.00   | 184.50 | 1.50   | S004488  | 0.009       | 0.31        | 32.4        | 14.3        | 104         |



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 184.50   | 186.00 | 1.50   | S004489  | 0.009       | 0.28        | 43.9        | 18.8        | 108         |
|          |        |                         | 186.00   | 187.50 | 1.50   | S004491  | 0.006       | 0.16        | 30.9        | 14.8        | 113         |
|          |        |                         | 187.50   | 189.00 | 1.50   | S004492  | 0.008       | 0.93        | 34.6        | 33.9        | 140         |
|          |        |                         | 189.00   | 190.50 | 1.50   | S004493  | 0.005       | 0.16        | 30          | 10.6        | 105         |
|          |        |                         | 190.50   | 192.00 | 1.50   | S004494  | 0.005       | 0.33        | 30.7        | 11.7        | 83          |
|          |        |                         | 192.00   | 193.50 | 1.50   | S004495  | 0.005       | 0.14        | 35          | 9.1         | 84          |
|          |        |                         | 193.50   | 195.00 | 1.50   | S004496  | 0.007       | 0.13        | 33.3        | 9.5         | 89          |
|          |        |                         | 195.00   | 196.50 | 1.50   | S004497  | 0.006       | 0.1         | 32.6        | 9.3         | 119         |
|          |        |                         | 196.50   | 198.00 | 1.50   | S004498  | 0.01        | 0.45        | 41.5        | 21.2        | 117         |
|          |        |                         | 198.00   | 199.50 | 1.50   | S004499  | 0.011       | 0.26        | 42.2        | 22.2        | 124         |
|          |        |                         | 199.50   | 201.00 | 1.50   | S004501  | 0.007       | 0.17        | 32.1        | 16.4        | 115         |
|          |        |                         | 201.00   | 202.50 | 1.50   | S004502  | 0.006       | 0.28        | 36.2        | 16.4        | 103         |
|          |        |                         | 202.50   | 204.00 | 1.50   | S004503  | 0.002       | 0.38        | 32.1        | 7.4         | 106         |
|          |        |                         | 204.00   | 205.50 | 1.50   | S004504  | 0.042       | 2.32        | 35          | 49.1        | 375         |
|          |        |                         | 205.50   | 207.00 | 1.50   | S004505  | 0.016       | 0.72        | 29.2        | 72.1        | 216         |
|          |        |                         | 207.00   | 208.50 | 1.50   | S004506  | 0.005       | 0.73        | 33.6        | 64.5        | 112         |
|          |        |                         | 208.50   | 208.90 | 0.40   | S004507  | 0.06        | 1.06        | 32.5        | 88.1        | 173         |

**208.90 234.70 S5 Mudstone/siltstones/pelites (including calcareous) S-snd**

208.9 - 234.7: Alternance between sediment clast size ranging from mudstone to sandstone.

<<Min: 208.9 - 216.5: <0.5% pyrite / 0.5-2.0% pyrite>>

<<Alt: 208.9 - 216.5: weak to moderate silica (pervasive silicification) / moderate chlorite>>

<<Vein: 211.4 - 211.5: quartz-pyrite>>

<<Vein: 214.7 - 214.8: quartz-pyrite>>

<<Vein: 231.7 - 231.8: quartz-base metal sulphides>>

<<Struc: 209.1 - 216.5: moderately developed sheared>> Moderately deformed siltstone unit, more of a convoluted texture than a sheared texture.

|        |        |      |         |       |      |      |      |     |
|--------|--------|------|---------|-------|------|------|------|-----|
| 208.90 | 210.00 | 1.10 | S004508 | 0.002 | 0.26 | 15   | 6.8  | 109 |
| 210.00 | 211.50 | 1.50 | S004509 | 0.017 | 0.37 | 13.6 | 25.9 | 408 |



Hole: BR-0 0

| From (m)   | To (m)        | Rock Type & Description                                      | From (m) | To (m) | Length | Sample #     | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|---------------|--|----------|--------|--------|--------------|-------------|-------------|-------------|-------------|-------------|
|  |               |  | 211.50   | 213.00 | 1.50   | S004511      | 0.052       | 1.88        | 41.2        | 110         | 832         |
|  |               |  | 213.00   | 214.50 | 1.50   | S004512      | 0.006       | 0.72        | 25.9        | 15.3        | 127         |
|  |               |  | 214.50   | 216.00 | 1.50   | S004513      | 0.009       | 0.68        | 48.8        | 11.8        | 156         |
|  |               |  | 216.00   | 217.50 | 1.50   | S004514      | 0.006       | 0.25        | 38          | 5.3         | 49          |
|  |               |  | 217.50   | 219.00 | 1.50   | S004515      | 0.002       | 0.27        | 32.9        | 7.8         | 58          |
|  |               |  | 219.00   | 220.50 | 1.50   | S004516      | 0.006       | 0.19        | 19.8        | 7.7         | 54          |
|  |               |  | 220.50   | 222.00 | 1.50   | S004517      | 0.006       | 0.38        | 35.4        | 6.7         | 52          |
|  |               |  | 222.00   | 223.50 | 1.50   | S004518      | 0.009       | 0.31        | 38.7        | 6.3         | 59          |
|  |               |  | 223.50   | 225.00 | 1.50   | S004519      | 0.008       | 0.25        | 30.9        | 6.4         | 62          |
|  |               |  | 225.00   | 226.50 | 1.50   | S004521      | 0.005       | 0.2         | 34          | 6.3         | 62          |
|  |               |  | 226.50   | 228.00 | 1.50   | S004522      | 0.008       | 0.23        | 38.4        | 7.9         | 55          |
|  |               |  | 228.00   | 229.50 | 1.50   | S004523      | 0.008       | 0.22        | 37.7        | 7.3         | 55          |
|  |               |  | 229.50   | 231.00 | 1.50   | S004524      | 0.006       | 0.21        | 34.4        | 6.3         | 52          |
|  |               |  | 231.00   | 232.50 | 1.50   | S004525      | 0.379       | 2.47        | 40.1        | 248         | 3470        |
|  |               |  | 232.50   | 234.00 | 1.50   | S004526      | 0.005       | 0.29        | 35.6        | 5.8         | 53          |
|  |               |  | 234.00   | 234.70 | 0.70   | S004527      | 0.006       | 0.26        | 38.7        | 5.5         | 52          |
| <b>234.70</b>                                    | <b>258.50</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b> |          |        |        |              |             |             |             |             |             |
|  |               |  |          |        |        | <b>S-mud</b> |             |             |             |             |             |
| 234.7 - 258.5: Black bedded mudstone.            |               |  |          |        |        |              |             |             |             |             |             |
| <<Struc: 246 - 258.5: bedding>> Mudstone bedding |               |  |          |        |        |              |             |             |             |             |             |
|  |               |  | 234.70   | 235.50 | 0.80   | S004528      | 0.007       | 0.21        | 27.7        | 8           | 52          |
|  |               |  | 235.50   | 237.00 | 1.50   | S004529      | 0.008       | 0.34        | 34.4        | 10.7        | 138         |
|  |               |  | 237.00   | 238.50 | 1.50   | S004531      | 0.006       | 0.33        | 34.5        | 8.8         | 232         |
|  |               |  | 238.50   | 240.00 | 1.50   | S004532      | 0.006       | 0.27        | 36.9        | 8.4         | 261         |
|  |               |  | 240.00   | 241.50 | 1.50   | S004533      | 0.002       | 0.26        | 34.1        | 8.7         | 297         |
|  |               |  | 241.50   | 243.00 | 1.50   | S004534      | 0.002       | 0.23        | 32.4        | 8.6         | 96          |
|  |               |  | 243.00   | 244.50 | 1.50   | S004535      | 0.002       | 0.2         | 29.1        | 8.5         | 126         |
|  |               |  | 244.50   | 246.00 | 1.50   | S004536      | 0.002       | 0.16        | 22.7        | 6.6         | 180         |
|  |               |  | 246.00   | 247.50 | 1.50   | S004537      | 0.002       | 0.24        | 23.6        | 8.8         | 91          |



Hole: BR-0 0

| From (m)  | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|   |               |   | 247.50   | 249.00 | 1.50   | S004538  | 0.002       | 0.22        | 23.8        | 7.2         | 108         |
|   |               |   | 249.00   | 250.50 | 1.50   | S004539  | 0.002       | 0.22        | 23.1        | 7.6         | 150         |
|   |               |   | 250.50   | 252.00 | 1.50   | S004541  | 0.005       | 0.24        | 18.5        | 8.8         | 152         |
|   |               |   | 252.00   | 253.50 | 1.50   | S004542  | 0.002       | 0.26        | 17.3        | 7.8         | 103         |
|   |               |   | 253.50   | 255.00 | 1.50   | S004543  | 0.002       | 0.2         | 19.1        | 5.4         | 66          |
|   |               |   | 255.00   | 256.50 | 1.50   | S004544  | 0.002       | 0.27        | 23          | 6.8         | 163         |
|   |               |   | 256.50   | 258.00 | 1.50   | S004545  | 0.002       | 0.37        | 28.7        | 8           | 147         |
|   |               |   | 258.00   | 258.50 | 0.50   | S004546  | 0.002       | 0.23        | 20.8        | 3.6         | 163         |
| <b>258.50</b>   | <b>264.80</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| <p>258.5 - 264.8: Basalt interval confirmed by XRF gun. Vesicles are common and are often filled with pyrite and calcite.</p> <p>&lt;&lt;Min: 258.5 - 269: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite&gt;&gt; Pyrite filling vesicles, as stringers, in veins cross-cutting through beddings of siltstone and disseminated.</p> <p>&lt;&lt;Alt: 258.5 - 267.1: weak sericite&gt;&gt;</p> <p>&lt;&lt;Vein: 258.5 - 261: 1.0-5.0% pyrite&gt;&gt;</p> <p>&lt;&lt;Struc: 258.5 - 258.5: lithology contact, unspecified type&gt;&gt;</p>  |               |   |          |        |        |          |             |             |             |             |             |
|   |               |   | 259.50   | 261.00 | 1.50   | S004548  | 0.002       | 0.61        | 13.1        | 3.2         | 56          |
|   |               |   | 261.00   | 262.50 | 1.50   | S004549  | 0.002       | 1           | 21.7        | 8.2         | 134         |
|   |               |   | 262.50   | 264.00 | 1.50   | S004551  | 0.008       | 0.8         | 6.7         | 8.5         | 118         |
|   |               |   | 264.00   | 264.80 | 0.80   | S004552  | 0.007       | 0.65        | 9.6         | 5.2         | 180         |
| <b>264.80</b>   | <b>270.10</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| <p>264.8 - 270.1: Siltstone interval with its bedding brecciated by alteration minerals, mostly pyrite. Pyrite also shows replacement textures. Some small basalt intervals are observable and the siltstone-basalt contact is often sub parallel to core angle.</p> <p>&lt;&lt;Alt: 267.1 - 270.1: weak to moderate sericite / weak silica (pervasive silicification) / weak to moderate calcite / weak calcite&gt;&gt;</p> <p>&lt;&lt;Vein: 268.2 - 268.3: quartz-pyrite&gt;&gt;</p> <p>&lt;&lt;Vein: 268.3 - 270: 1.0-5.0% quartz&gt;&gt;</p> <p>&lt;&lt;Struc: 264.8 - 264.8: lithology contact, unspecified type&gt;&gt;</p> |               |   |          |        |        |          |             |             |             |             |             |
|   |               |   | 264.80   | 266.20 | 1.40   | S004553  | 0.007       | 0.81        | 20.9        | 8.1         | 33          |
|   |               |   | 266.20   | 266.70 | 0.50   | S004554  | 0.01        | 1.04        | 30          | 11          | 29          |



Hole: BR-0 0

| From (m)   | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|  |               |   | 266.70   | 267.10 | 0.40   | S004555  | 0.002       | 0.31        | 21.2        | 5.1         | 48          |
|  |               |   | 267.10   | 268.00 | 0.90   | S004556  | 0.002       | 0.35        | 10.9        | 3.8         | 73          |
|  |               |   | 268.00   | 269.00 | 1.00   | S004557  | 0.002       | 0.13        | 5.1         | 3.2         | 155         |
|  |               |   | 269.00   | 270.10 | 1.10   | S004558  | 0.002       | 0.18        | 6           | 3.4         | 150         |
|  |               |   | 270.10   | 271.50 | 1.40   | S004559  | 0.002       | 0.08        | 1.8         | 2.4         | 115         |
| <b>270.10</b>  | <b>277.80</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| 270.1 - 277.8: Basalt interval confirmed by XRF gun. Vesicles are common and are often filled with pyrite and calcite. |               |   |          |        |        |          |             |             |             |             |             |
| <<Alt: 270.1 - 290: trace sericite / trace chlorite>>  |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 273.00   | 274.50 | 1.50   | S004562  | 0.002       | 0.15        | 5.7         | 2.7         | 121         |
|  |               |   | 274.50   | 276.00 | 1.50   | S004563  | 0.002       | 0.13        | 3.7         | 2.7         | 122         |
|  |               |   | 276.00   | 277.00 | 1.00   | S004564  | 0.002       | 0.13        | 4           | 1.9         | 121         |
|  |               |   | 277.00   | 277.80 | 0.80   | S004565  | 0.002       | 0.17        | 6.1         | 2.6         | 148         |
| <b>277.80</b>  | <b>280.30</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| 277.8 - 280.3: Siltstone unit with small (around 15cm) basaltic intervals.   |               |   |          |        |        |          |             |             |             |             |             |
| <<Min: 277.8 - 280.3: 0.5-2.0% pyrite>> Pyrite stringers, sometimes offsetting bedding.                                |               |   |          |        |        |          |             |             |             |             |             |
| <<Struc: 277.8 - 277.8: lithology contact, unspecified type>>  |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 277.80   | 279.00 | 1.20   | S004566  | 0.002       | 0.29        | 8.4         | 5.2         | 85          |
|  |               |   | 279.00   | 280.00 | 1.00   | S004567  | 0.002       | 0.27        | 11.2        | 3           | 67          |
|  |               |   | 280.00   | 280.30 | 0.30   | S004568  | 0.002       | 0.17        | 5.7         | 2           | 88          |
| <b>280.30</b>  | <b>285.10</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| 280.3 - 285.1: Basalt interval confirmed by XRF gun. Vesicles are common and are often filled with pyrite and calcite. |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 280.30   | 281.00 | 0.70   | S004569  | 0.002       | 0.13        | 3.9         | 2.3         | 124         |
|  |               |   | 281.00   | 282.00 | 1.00   | S004571  | 0.002       | 0.15        | 2.3         | 5.1         | 136         |



Hole: BR-0 0

| From (m)  | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|   |               |   | 282.00   | 283.50 | 1.50   | S004572  | 0.002       | 0.13        | 2.7         | 3           | 125         |
|   |               |   | 283.50   | 285.10 | 1.60   | S004573  | 0.002       | 0.24        | 6.1         | 3.2         | 119         |
|   |               |   | 285.10   | 285.70 | 0.60   | S004574  | 0.002       | 0.29        | 9.4         | 2.4         | 47          |
| <b>285.10</b>   | <b>285.70</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| <p>285.1 - 285.7: Short siltstone interval with pyrite following the bedding. Lower contact is undulating.</p> <p>&lt;&lt;Struc: 285.1 - 285.1: lithology contact, unspecified type&gt;&gt;</p>   |               |   |          |        |        |          |             |             |             |             |             |
|   |               |   | 285.70   | 286.50 | 0.80   | S004575  | 0.002       | 0.31        | 6.7         | 2.7         | 82          |
|   |               |   | 286.50   | 288.00 | 1.50   | S004576  | 0.002       | 0.22        | 4.4         | 2           | 121         |
| <b>285.70</b>   | <b>294.10</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| <p>285.7 - 294.1: Basalt interval confirmed by XRF gun. Vesicles are common and are often filled with pyrite and calcite.</p> <p>&lt;&lt;Min: 290 - 298: 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrite / 0.5-2.0% pyrrhotite&gt;&gt; Pyrite in various forms along with pyrrhotite mostly focused in veins.</p> <p>&lt;&lt;Alt: 290 - 295.3: weak to moderate sericite / weak silica (pervasive silicification)&gt;&gt;</p> |               |   |          |        |        |          |             |             |             |             |             |
|   |               |   | 288.00   | 289.50 | 1.50   | S004577  | 0.002       | 0.26        | 5.8         | 2.6         | 137         |
|   |               |   | 289.50   | 291.00 | 1.50   | S004578  | 0.002       | 0.67        | 8.4         | 3.6         | 90          |
|   |               |   | 291.00   | 292.50 | 1.50   | S004579  | 0.025       | 2.04        | 4           | 10.4        | 98          |
|   |               |   | 292.50   | 294.10 | 1.60   | S004581  | 0.026       | 2.71        | 4.4         | 10.6        | 125         |
|   |               |   | 294.10   | 295.30 | 1.20   | S004582  | 0.021       | 1.89        | 6.9         | 9.3         | 109         |
| <b>294.10</b>   | <b>295.30</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| <p>294.1 - 295.3: Siltstone with an easily observable bedded texture. Pyrite is either following bedding or brecciating through bedding.</p> <p>&lt;&lt;Struc: 294.7 - 294.7: bedding&gt;&gt;</p>   |               |   |          |        |        |          |             |             |             |             |             |
|   |               |   |          |        |        |          |             |             |             |             |             |
| <b>295.30</b>   | <b>336.30</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| <p>295.3 - 336.3: Basalt interval confirmed by XRF gun. Vesicles are common and are often filled with pyrite and calcite.</p>   |               |   |          |        |        |          |             |             |             |             |             |



Hole: BR-0 0

| From (m)   | To (m) | Rock Type & Description | From (m) | To (m)  | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|--------|-------------------------|----------|---------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <<Min: 325 - 328: <0.5% pyrite>>   |        |                         |          |         |        |          |             |             |             |             |             |
| <<Min: 328 - 333: <0.5% pyrite>> Pyrite is replacing the vesicules of the basalt.                        |        |                         |          |         |        |          |             |             |             |             |             |
| <<Min: 333 - 336.3: 0.5-2.0% pyrite / 0.5-2.0% pyrite>> Pyrite stringers and pyrite replacing vesiuclcs. |        |                         |          |         |        |          |             |             |             |             |             |
| <<Alt: 328 - 337.5: weak sericite>>  |        |                         |          |         |        |          |             |             |             |             |             |
| <<Vein: 306.1 - 306.2: quartz-pyrite>>   |        |                         |          |         |        |          |             |             |             |             |             |
| <<Vein: 308.9 - 309: quartz-base metal sulphides>>   |        |                         |          |         |        |          |             |             |             |             |             |
| <<Vein: 326.7 - 326.8: quartz-pyrite>>   |        |                         |          |         |        |          |             |             |             |             |             |
| <<Vein: 329 - 329.1: quartz-pyrite>>   |        |                         |          |         |        |          |             |             |             |             |             |
|  | 295.30 | 296.00                  | 0.70     | S004583 | 0.056  | 4.54     | 4.1         | 9.6         | 194         |             |             |
|  | 296.00 | 297.00                  | 1.00     | S004584 | 0.008  | 1.12     | 3.6         | 4.3         | 63          |             |             |
|  | 297.00 | 298.50                  | 1.50     | S004585 | 0.002  | 0.87     | 7.7         | 4.4         | 22          |             |             |
|  | 298.50 | 300.00                  | 1.50     | S004586 | 0.002  | 0.27     | 5.8         | 2.2         | 95          |             |             |
|  | 300.00 | 301.50                  | 1.50     | S004587 | 0.002  | 0.31     | 3.4         | 1.9         | 102         |             |             |
|  | 301.50 | 303.00                  | 1.50     | S004588 | 0.002  | 0.27     | 3.2         | 1.6         | 97          |             |             |
|  | 303.00 | 304.50                  | 1.50     | S004589 | 0.005  | 0.3      | 5.2         | 3.5         | 147         |             |             |
|  | 304.50 | 306.00                  | 1.50     | S004591 | 0.002  | 0.19     | 3.8         | 2.7         | 136         |             |             |
|  | 306.00 | 307.50                  | 1.50     | S004592 | 0.002  | 0.15     | 4.2         | 2.5         | 86          |             |             |
|  | 307.50 | 309.00                  | 1.50     | S004593 | 0.002  | 0.16     | 6.6         | 1.5         | 92          |             |             |
|  | 309.00 | 310.50                  | 1.50     | S004594 | 0.002  | 0.15     | 4.7         | 2           | 67          |             |             |
|  | 310.50 | 312.00                  | 1.50     | S004595 | 0.002  | 0.15     | 4.4         | 1.7         | 100         |             |             |
|  | 312.00 | 313.50                  | 1.50     | S004596 | 0.002  | 0.11     | 4           | 1.8         | 102         |             |             |
|  | 313.50 | 315.00                  | 1.50     | S004597 | 0.002  | 0.07     | 2.7         | 1.7         | 136         |             |             |
|  | 315.00 | 316.50                  | 1.50     | S004598 | 0.002  | 0.18     | 4.9         | 2.1         | 119         |             |             |
|  | 316.50 | 318.00                  | 1.50     | S004599 | 0.002  | 0.22     | 5.3         | 2.3         | 119         |             |             |
|  | 318.00 | 319.50                  | 1.50     | S004601 | 0.002  | 0.22     | 5.8         | 4.5         | 113         |             |             |
|  | 319.50 | 321.00                  | 1.50     | S004602 | 0.002  | 0.06     | 3.2         | 1.7         | 124         |             |             |
|  | 321.00 | 322.50                  | 1.50     | S004603 | 0.002  | 0.13     | 3.8         | 1.7         | 111         |             |             |
|  | 322.50 | 324.00                  | 1.50     | S004604 | 0.002  | 0.11     | 3.4         | 1.4         | 128         |             |             |
|  | 324.00 | 325.50                  | 1.50     | S004605 | 0.002  | 0.19     | 5.1         | 1.6         | 114         |             |             |



Hole: BR-0 0

| From (m)   | To (m)        | Rock Type & Description   | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|---------------|---|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|  |               |   | 325.50   | 327.00 | 1.50   | S004606  | 0.002       | 0.17        | 5.3         | 1.4         | 110         |
|  |               |   | 327.00   | 328.50 | 1.50   | S004607  | 0.002       | 0.12        | 4           | 1.3         | 116         |
|  |               |   | 328.50   | 330.00 | 1.50   | S004608  | 0.002       | 0.11        | 2.2         | 7.2         | 116         |
|  |               |   | 330.00   | 331.50 | 1.50   | S004609  | 0.002       | 0.13        | 4.3         | 1.6         | 97          |
|  |               |   | 331.50   | 333.00 | 1.50   | S004611  | 0.03        | 0.63        | 7.7         | 14.7        | 110         |
|  |               |   | 333.00   | 334.50 | 1.50   | S004612  | 0.021       | 1.68        | 6           | 11          | 127         |
|  |               |   | 334.50   | 335.50 | 1.00   | S004613  | 0.002       | 0.67        | 7.4         | 3.7         | 125         |
|  |               |   | 335.50   | 336.30 | 0.80   | S004614  | 0.006       | 0.73        | 6.9         | 3.7         | 250         |
| <b>336.30</b>  | <b>340.70</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                      |          |        |        |          |             |             |             |             |             |
| <p>336.3 - 340.7: Siltstone unit with a bedded texture. Beds are deformed, broken, and convoluted by the alteration minerals.</p> <p>&lt;&lt;Min: 336.3 - 344: &lt;0.5% pyrite / &lt;0.5% pyrite&gt;&gt; Pyrite stringers and replacement of vesicules.</p> <p>&lt;&lt;Alt: 337.5 - 340.7: weak to moderate sericite / weak silica (pervasive silicification)&gt;&gt;</p> <p>&lt;&lt;Vein: 339.3 - 339.4: quartz&gt;&gt;</p> |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 336.30   | 337.50 | 1.20   | S004615  | 0.009       | 0.79        | 16          | 6.3         | 98          |
|  |               |   | 337.50   | 339.00 | 1.50   | S004616  | 0.002       | 0.43        | 9.7         | 3.6         | 76          |
|  |               |   | 339.00   | 340.00 | 1.00   | S004617  | 0.002       | 0.4         | 4           | 2.3         | 96          |
|  |               |   | 340.00   | 340.70 | 0.70   | S004618  | 0.002       | 0.48        | 4.5         | 2.9         | 126         |
|  |               |   | 340.70   | 342.00 | 1.30   | S004619  | 0.002       | 0.42        | 4.9         | 2.9         | 108         |
| <b>340.70</b>  | <b>358.70</b> | <b>V8 Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> |          |        |        |          |             |             |             |             |             |
| <p>340.7 - 358.7: Basalt interval with certain portions having larger grain sizes.</p> <p>&lt;&lt;Min: 344 - 353: traces pyrite&gt;&gt;</p> <p>&lt;&lt;Min: 353 - 358.7: &lt;0.5% pyrite / 0.5-2.0% pyrite&gt;&gt;</p> <p>&lt;&lt;Alt: 340.7 - 358.8: weak sericite&gt;&gt;</p> <p>&lt;&lt;Vein: 341 - 341.1: quartz&gt;&gt;</p> <p>&lt;&lt;Vein: 347.5 - 347.6: quartz-calcite&gt;&gt;</p>                                  |               |   |          |        |        |          |             |             |             |             |             |
|  |               |   | 343.50   | 345.00 | 1.50   | S004622  | 0.002       | 0.26        | 6.5         | 3.1         | 100         |
|  |               |   | 345.00   | 346.50 | 1.50   | S004623  | 0.002       | 0.08        | 4.5         | 2.3         | 130         |
|  |               |   | 346.50   | 348.00 | 1.50   | S004624  | 0.002       | 0.06        | 4.6         | 2.4         | 109         |
|  |               |   | 348.00   | 349.50 | 1.50   | S004625  | 0.002       | 0.06        | 3.8         | 1.4         | 97          |
|  |               |   | 349.50   | 351.00 | 1.50   | S004626  | 0.002       | 0.08        | 4.3         | 1.4         | 106         |



Hole: BR-0 0

| From (m)  | To (m)  | Rock Type & Description  | From (m)     | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |     |
|---|---|--|--------------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|-----|
| <<Vein: 348.5 - 348.8: quartz-calcite>>   |   |  | 351.00       | 352.50 | 1.50   | S004627  | 0.002       | 0.11        | 4.1         | 1.2         | 119         |     |
| <<Vein: 357.9 - 358: pyrite>>   |   |  | 352.50       | 354.00 | 1.50   | S004628  | 0.002       | 0.12        | 5.5         | 1.1         | 92          |     |
|   |   |  | 354.00       | 355.50 | 1.50   | S004629  | 0.002       | 0.14        | 6.5         | 1.7         | 113         |     |
|   |   |  | 355.50       | 357.00 | 1.50   | S004631  | 0.002       | 0.28        | 5           | 6.4         | 132         |     |
|   |   |  | 357.00       | 358.00 | 1.00   | S004632  | 0.002       | 0.17        | 4.5         | 3.2         | 52          |     |
|   |   |  | 358.00       | 358.70 | 0.70   | S004633  | 0.002       | 0.33        | 11.8        | 6.7         | 20          |     |
|   |   |  | 358.70       | 360.00 | 1.30   | S004634  | 0.002       | 0.31        | 18.8        | 11.9        | 200         |     |
| <b>358.70 365.00 S5</b>   |   | <b>Mudstone/siltstones/pelites (including calcareous)</b>  | <b>S-mud</b> | 360.00 | 361.50 | 1.50     | S004635     | 0.021       | 0.57        | 21.1        | 25.8        | 225 |
| 358.7 - 365: Black bedded mudstones.  |   |  |              |        |        |          |             |             |             |             |             |     |
| <<Min: 358.7 - 365: 0.5-2.0% pyrite>>   | Banded pyrite parallel to the bedding of the mudstones.       |  |              |        |        |          |             |             |             |             |             |     |
| <<Vein: 364.6 - 364.7: quartz-calcite>>   |   |  | 361.50       | 363.00 | 1.50   | S004636  | 0.021       | 0.46        | 18.9        | 24.9        | 171         |     |
|   |   |  | 363.00       | 364.50 | 1.50   | S004637  | 0.013       | 0.39        | 21.2        | 19.9        | 199         |     |
|   |   |  | 364.50       | 365.00 | 0.50   | S004638  | 0.002       | 0.18        | 17.9        | 8.6         | 247         |     |
| <b>365.00 376.30 V2</b>   |   | <b>Felsic volcanic rocks (Rhyolite, Ryodacite, Dacite; silica content &gt; 63%; pyroclastic)</b> | <b>V-fsh</b> | 365.00 | 366.00 | 1.00     | S004639     | 0.002       | 0.17        | 20.3        | 8.4         | 147 |
| 365 - 376.3: Andesitic (according to XRF gun) volcanoclastic unit (lapilli tuff). Clasts are deformed to about 5:1. |   |  |              |        |        |          |             |             |             |             |             |     |
| <<Min: 365 - 376.3: <0.5% pyrite>>  | Pyrite disseminated in the matrix of the volcanoclastic unit. |  |              |        |        |          |             |             |             |             |             |     |
| <<Struc: 365 - 365: lithology contact, unspecified type>>   |   |  | 366.00       | 367.50 | 1.50   | S004641  | 0.002       | 0.12        | 18.9        | 3.4         | 100         |     |
| <<Struc: 365.1 - 365.1: bedding>>   |   |  | 367.50       | 369.00 | 1.50   | S004642  | 0.002       | 0.11        | 18.9        | 3.5         | 100         |     |
|   |   |  | 369.00       | 370.50 | 1.50   | S004643  | 0.002       | 0.16        | 17.6        | 3.8         | 122         |     |
|   |   |  | 370.50       | 372.00 | 1.50   | S004644  | 0.002       | 0.27        | 16.4        | 4.8         | 120         |     |
|   |   |  | 372.00       | 373.50 | 1.50   | S004645  | 0.005       | 0.54        | 18.2        | 6.8         | 82          |     |
|   |   |  | 373.50       | 375.00 | 1.50   | S004646  | 0.002       | 0.17        | 18.8        | 3.6         | 89          |     |
|   |   |  | 375.00       | 376.30 | 1.30   | S004647  | 0.002       | 0.18        | 19.4        | 4.8         | 88          |     |



Hole: BR-0 0

| From (m)  | To (m)        | Rock Type & Description  | From (m) | To (m) | Length  | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|--|----------|--------|---------|----------|-------------|-------------|-------------|-------------|-------------|
| <b>376.30</b>   | <b>380.00</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                                 |          |        |         |          |             |             |             |             |             |
| <p>376.3 - 380: Black bedded mudstones.</p> <p>&lt;&lt;Min: 376.3 - 380: 0.5-2.0% pyrite&gt;&gt; Bedded pyrite parallel to the mudstone bedding.</p> <p>&lt;&lt;Struc: 376.3 - 376.3: lithology contact, unspecified type&gt;&gt;</p> |               |  |          |        |         |          |             |             |             |             |             |
|   | 376.30        |  | 377.00   | 0.70   | S004648 | 0.002    | 0.13        | 21.2        | 6.5         | 88          |             |
|   | 377.00        |  | 378.00   | 1.00   | S004649 | 0.002    | 0.14        | 27          | 9.3         | 439         |             |
|   | 378.00        |  | 379.50   | 1.50   | S004651 | 0.002    | 0.15        | 25.2        | 12.1        | 169         |             |
|   | 379.50        |  | 380.00   | 0.50   | S004652 | 0.002    | 0.12        | 16.6        | 12.2        | 226         |             |
|   | 380.00        |  | 381.00   | 1.00   | S004653 | 0.002    | 0.08        | 11.5        | 7.3         | 254         |             |
| <b>380.00</b>   | <b>382.50</b> | <b>S4 Sandstone/arenite (fine- to coarse-grained); S4gwy - greywacke</b>                     |          |        |         |          |             |             |             |             |             |
| <p>380 - 382.5: Dark sandstone unit with polyolithic clasts. Grain size is very consistent.</p> <p>&lt;&lt;Min: 380 - 382.5: 0.5-2.0% pyrite&gt;&gt; pyrite stringers of various orientations in a lapilli volcanoclastic unit.</p>   |               |  |          |        |         |          |             |             |             |             |             |
|   | 381.00        |  | 382.50   | 1.50   | S004654 | 0.002    | 0.13        | 19.2        | 11.1        | 194         |             |
| <b>382.50</b>   | <b>384.90</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                                 |          |        |         |          |             |             |             |             |             |
| <p>382.5 - 384.9: Black bedded mudstone.</p> <p>&lt;&lt;Min: 382.5 - 387.3: &lt;0.5% pyrite&gt;&gt; Bedded pyrite along the mudstone beds.</p>  |               |  |          |        |         |          |             |             |             |             |             |
|   | 382.50        |  | 384.00   | 1.50   | S004655 | 0.012    | 0.31        | 21.4        | 18.6        | 114         |             |
|   | 384.00        |  | 384.90   | 0.90   | S004656 | 0.014    | 0.4         | 24.1        | 21.8        | 170         |             |
| <b>384.90</b>   | <b>387.30</b> | <b>V4 Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic</b> |          |        |         |          |             |             |             |             |             |
| <p>384.9 - 387.3: Lapilli tuff with an andesitic Xr/TiO2 ratio according to the XRF gun.</p>  |               |  |          |        |         |          |             |             |             |             |             |
|   | 384.90        |  | 385.50   | 0.60   | S004657 | 0.005    | 0.11        | 15.1        | 12.5        | 66          |             |
|   | 385.50        |  | 387.00   | 1.50   | S004658 | 0.01     | 0.25        | 14          | 20.3        | 50          |             |
|   | 387.00        |  | 387.30   | 0.30   | S004659 | 0.018    | 0.42        | 27.2        | 30.9        | 82          |             |



Hole: BR-0 0

| From (m)   | To (m)        | Rock Type & Description  | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|--|---------------|--|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
| <b>387.30</b>  | <b>398.40</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>                                 |          |        |        |          |             |             |             |             |             |
| <p>387.3 - 398.4: Black bedded mudstones</p> <p>&lt;&lt;Min: 387.3 - 398.4: &lt;0.5% pyrite&gt;&gt;</p> <p>&lt;&lt;Struc: 390 - 398: moderately developed bedding&gt;&gt;</p>  |               |  |          |        |        |          |             |             |             |             |             |
|  |               |  | 387.30   | 388.50 | 1.20   | S004661  | 0.012       | 0.35        | 31.7        | 22.5        | 169         |
|  |               |  | 388.50   | 390.00 | 1.50   | S004662  | 0.011       | 0.34        | 31.1        | 24.6        | 213         |
|  |               |  | 390.00   | 391.50 | 1.50   | S004663  | 0.002       | 0.2         | 18.8        | 16.8        | 127         |
|  |               |  | 391.50   | 393.00 | 1.50   | S004664  | 0.007       | 0.28        | 24.8        | 21.3        | 212         |
|  |               |  | 393.00   | 394.50 | 1.50   | S004665  | 0.006       | 0.23        | 22.8        | 18.5        | 172         |
|  |               |  | 394.50   | 396.00 | 1.50   | S004666  | 0.002       | 0.15        | 26          | 12.6        | 182         |
|  |               |  | 396.00   | 397.50 | 1.50   | S004667  | 0.002       | 0.1         | 25.5        | 8.7         | 265         |
|  |               |  | 397.50   | 398.40 | 0.90   | S004668  | 0.002       | 0.12        | 28.7        | 8.9         | 376         |
| <b>398.40</b>  | <b>417.30</b> | <b>V4 Intermediate volcanic rocks (Andesite, Latite; Silica content 57-63%); pyroclastic</b> |          |        |        |          |             |             |             |             |             |
| <p>398.4 - 417.3: Lapilli stone (&gt;75% lapillis) with an andesitic Zr/TiO2 ratio according to the XRF gun. Some clasts, mostly larger ones, can be angular and no bedding was observed.</p> <p>&lt;&lt;Min: 398.4 - 417.3: &lt;0.5% pyrite&gt;&gt;</p> <p>&lt;&lt;Alt: 398.4 - 417.3: trace chlorite&gt;&gt;</p> |               |  |          |        |        |          |             |             |             |             |             |
|  |               |  | 398.40   | 400.00 | 1.60   | S004669  | 0.002       | 0.08        | 19.4        | 6.2         | 117         |
|  |               |  | 400.00   | 401.00 | 1.00   | S004671  | 0.002       | 0.08        | 19.6        | 5           | 71          |
|  |               |  | 401.00   | 402.00 | 1.00   | S004672  | 0.002       | 0.04        | 21.5        | 4.1         | 118         |
|  |               |  | 402.00   | 403.50 | 1.50   | S004673  | 0.002       | 0.04        | 18.6        | 4.3         | 119         |
|  |               |  | 403.50   | 405.00 | 1.50   | S004674  | 0.002       | 0.1         | 23.2        | 7.8         | 146         |
|  |               |  | 405.00   | 406.50 | 1.50   | S004675  | 0.002       | 0.11        | 20.3        | 6.3         | 138         |
|  |               |  | 406.50   | 408.00 | 1.50   | S004676  | 0.007       | 0.12        | 24.3        | 8.6         | 143         |
|  |               |  | 408.00   | 409.50 | 1.50   | S004677  | 0.002       | 0.07        | 20          | 6.5         | 160         |



Hole: BR-0 0

| From (m)  | To (m)        | Rock Type & Description  | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|---|---------------|--|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|   |               |  | 409.50   | 411.00 | 1.50   | S004678  | 0.002       | 0.06        | 16.4        | 6.1         | 141         |
|   |               |  | 411.00   | 412.50 | 1.50   | S004679  | 0.002       | 0.13        | 23.1        | 9.4         | 143         |
|   |               |  | 412.50   | 414.00 | 1.50   | S004681  | 0.005       | 0.09        | 19.6        | 8.7         | 138         |
|   |               |  | 414.00   | 415.50 | 1.50   | S004682  | 0.002       | 0.1         | 20.5        | 8.2         | 128         |
|   |               |  | 415.50   | 417.00 | 1.50   | S004683  | 0.002       | 0.13        | 16.8        | 6.6         | 106         |
|   |               |  | 417.00   | 417.30 | 0.30   | S004684  | 0.002       | 0.2         | 23          | 11          | 100         |
| <b>417.30</b>   | <b>421.50</b> | <b>S5 Mudstone/siltstones/pelites (including calcareous)</b>             |          |        |        |          |             |             |             |             |             |
| 417.3 - 421.5: Black mudstone   |               |  |          |        |        |          |             |             |             |             |             |
| <<Min: 417.3 - 421.5: <0.5% pyrite>>  |               |  |          |        |        |          |             |             |             |             |             |
|   |               |  | 417.30   | 418.50 | 1.20   | S004685  | 0.02        | 0.26        | 32.5        | 14.7        | 174         |
|   |               |  | 418.50   | 420.00 | 1.50   | S004686  | 0.009       | 0.58        | 29.7        | 12.5        | 198         |
|   |               |  | 420.00   | 421.00 | 1.00   | S004687  | 0.011       | 0.91        | 32.8        | 18          | 102         |
|   |               |  | 421.00   | 421.50 | 0.50   | S004688  | 0.02        | 1.28        | 27.8        | 13.2        | 168         |
| <b>421.50</b>   | <b>436.20</b> | <b>S4 Sandstone/arenite (fine- to coarse-grained); S4gwy - greywacke</b> |          |        |        |          |             |             |             |             |             |
| 421.5 - 436.2: Dark sandstone unit with a significantly lower Zr-TiO2 ratio than the volcanoclastic unit observed at lower depths. Some sub millimetric mudstone beds are sometimes observed. |               |  |          |        |        |          |             |             |             |             |             |
| <<Min: 421.5 - 436.2: <0.5% pyrite>>  |               |  |          |        |        |          |             |             |             |             |             |
| <<Alt: 435 - 447: trace calcite>>   |               |  |          |        |        |          |             |             |             |             |             |
|   |               |  | 421.50   | 423.00 | 1.50   | S004689  | 0.002       | 0.31        | 10          | 7.4         | 35          |
|   |               |  | 423.00   | 424.50 | 1.50   | S004691  | 0.005       | 0.56        | 20.9        | 18.4        | 104         |
|   |               |  | 424.50   | 426.00 | 1.50   | S004692  | 0.002       | 0.38        | 24          | 14.6        | 101         |
|   |               |  | 426.00   | 427.50 | 1.50   | S004693  | 0.002       | 0.24        | 11.7        | 11.4        | 30          |
|   |               |  | 427.50   | 429.00 | 1.50   | S004694  | 0.002       | 0.34        | 14.5        | 10.7        | 68          |
|   |               |  | 429.00   | 430.50 | 1.50   | S004695  | 0.002       | 0.3         | 11.5        | 10.3        | 42          |
|   |               |  | 430.50   | 432.00 | 1.50   | S004696  | 0.002       | 0.28        | 14.9        | 11.7        | 44          |
|   |               |  | 432.00   | 433.50 | 1.50   | S004697  | 0.002       | 0.31        | 15.8        | 11.1        | 46          |
|   |               |  | 433.50   | 435.00 | 1.50   | S004698  | 0.002       | 0.29        | 12.2        | 10.7        | 35          |
|   |               |  | 435.00   | 436.20 | 1.20   | S004699  | 0.005       | 0.22        | 9.2         | 6.9         | 29          |



Hole: BR-0 0

| From (m)  | To (m)        | Rock Type & Description   | From (m)     | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |     |
|---|---------------|---|--------------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|-----|
| <b>436.20</b>   | <b>441.50</b> | <b>S5</b><br><b>Mudstone/siltstones/pelites (including calcareous)</b>                      | <b>S-mud</b> | 436.20 | 437.00 | 0.80     | S004701     | 0.006       | 0.39        | 21.2        | 5.5         | 69  |
|   |               |   |              | 437.00 | 438.00 | 1.00     | S004702     | 0.002       | 0.17        | 18.6        | 3.7         | 45  |
| 436.2 - 441.5: Black bedded musdtones with frequent millimeter scale quartz veins.                |               |   |              |        |        |          |             |             |             |             |             |     |
| <<Min: 436.2 - 441.5: <0.5% pyrite>>  |               |   |              |        |        |          |             |             |             |             |             |     |
| <<Struc: 438 - 442: moderately developed bedding>>  |               |   |              |        |        |          |             |             |             |             |             |     |
| <b>441.50</b>   | <b>453.70</b> | <b>V8</b><br><b>Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> | <b>Ig-fg</b> | 438.00 | 439.50 | 1.50     | S004703     | 0.005       | 0.22        | 23.1        | 6.9         | 122 |
|   |               |   |              | 439.50 | 441.00 | 1.50     | S004704     | 0.006       | 0.34        | 29          | 7.6         | 305 |
| <b>441.50</b>   | <b>453.70</b> | <b>V8</b><br><b>Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> | <b>Ig-fg</b> | 441.00 | 441.50 | 0.50     | S004705     | 0.016       | 0.46        | 31.9        | 10.3        | 364 |
|   |               |   |              | 441.50 | 442.50 | 1.00     | S004706     | 0.006       | 0.29        | 20.4        | 7.5         | 129 |
| 441.5 - 453.7: Massive basalt unit. Returns Zr and TiO2 values corresponding to basalt on the XRF |               |   |              |        |        |          |             |             |             |             |             |     |
| <<Min: 441.5 - 453.7: traces pyrite>>   |               |   |              |        |        |          |             |             |             |             |             |     |
| <b>453.70</b>   | <b>471.00</b> | <b>V8</b><br><b>Mafic volcanic rocks (basaltic-andesite, basalt; silica content 45-57%)</b> | <b>Ig-fg</b> | 442.50 | 444.00 | 1.50     | S004707     | 0.006       | 0.9         | 17.8        | 22.6        | 160 |
|   |               |   |              | 444.00 | 445.50 | 1.50     | S004708     | 0.002       | 0.04        | 5.6         | 2.4         | 133 |
|   |               |   |              | 445.50 | 447.00 | 1.50     | S004709     | 0.002       | 0.03        | 4.6         | 3.7         | 150 |
|   |               |   |              | 447.00 | 448.50 | 1.50     | S004711     | 0.002       | 0.05        | 4           | 6.4         | 130 |
|   |               |   |              | 448.50 | 450.00 | 1.50     | S004712     | 0.002       | 0.04        | 3.6         | 5.5         | 98  |
|   |               |   |              | 450.00 | 451.50 | 1.50     | S004713     | 0.002       | 0.03        | 4.1         | 5           | 116 |
|   |               |   |              | 451.50 | 453.00 | 1.50     | S004714     | 0.002       | 0.03        | 3.7         | 3.6         | 106 |
|   |               |   |              | 453.00 | 453.70 | 0.70     | S004715     | 0.002       | 0.05        | 3.5         | 2.7         | 103 |
|   |               |   |              | 453.70 | 455.00 | 1.30     | S004716     | 0.002       | 0.13        | 6.9         | 4.5         | 115 |
|   |               |   |              | 455.00 | 456.00 | 1.00     | S004717     | 0.002       | 0.1         | 5.8         | 3.4         | 128 |
| 453.7 - 471: Basalt with polymictic clasts. EOH   |               |   |              |        |        |          |             |             |             |             |             |     |
| <<Vein: 464.4 - 464.5: quartz>>   |               |   |              |        |        |          |             |             |             |             |             |     |
| <b>456.00</b>   | <b>464.50</b> |   |              | 456.00 | 457.50 | 1.50     | S004718     | 0.002       | 0.08        | 5.4         | 3.8         | 132 |
|   |               |   |              | 457.50 | 459.00 | 1.50     | S004719     | 0.002       | 0.1         | 6.4         | 7.4         | 103 |
|   |               |   |              | 459.00 | 460.50 | 1.50     | S004721     | 0.002       | 0.13        | 6.3         | 6.3         | 101 |



Hole: BR-0 0

| From (m) | To (m) | Rock Type & Description | From (m) | To (m) | Length | Sample # | Au Best ppm | Ag Best ppm | Cu Best ppm | Pb Best ppm | Zn Best ppm |
|----------|--------|-------------------------|----------|--------|--------|----------|-------------|-------------|-------------|-------------|-------------|
|          |        |                         | 460.50   | 462.00 | 1.50   | S004722  | 0.002       | 0.05        | 5.4         | 4.9         | 128         |
|          |        |                         | 462.00   | 463.50 | 1.50   | S004723  | 0.002       | 0.09        | 5.8         | 5.3         | 123         |
|          |        |                         | 463.50   | 465.00 | 1.50   | S004724  | 0.002       | 0.06        | 4.8         | 5.9         | 104         |
|          |        |                         | 465.00   | 466.50 | 1.50   | S004725  | 0.002       | 0.07        | 5           | 7.4         | 109         |
|          |        |                         | 466.50   | 468.00 | 1.50   | S004726  | 0.002       | 0.06        | 4.9         | 5.4         | 124         |
|          |        |                         | 468.00   | 469.50 | 1.50   | S004727  | 0.007       | 0.06        | 5.3         | 4.8         | 148         |
|          |        |                         | 469.50   | 471.00 | 1.50   | S004728  | 0.002       | 0.06        | 6.1         | 4.5         | 128         |

End of Hole @ 471



## **Appendix II. Rock Sample Locations and Descriptions**



| Sample  | UTM East | UTM North | Sample Type | Sample Source | Sampled By | Date      | Lithology             | Texture      | Alteration | Alteration Intensity | Mineralization | Mineralization Intensity | Mineralization Form | Description  |
|---------|----------|-----------|-------------|---------------|------------|-----------|-----------------------|--------------|------------|----------------------|----------------|--------------------------|---------------------|--|
| B082748 | 453169.0 | 6246601.0 | Grab        | Outcrop       | BMowbray   | 9/18/2019 | Intermediate Volcanic | lapilli tuff | chlorite   | moderate to strong   |                |                          |                     | Weak ser moderate to strong chl altered intermediate lapilli tuff. Lapilli are 2-4mm euhedral plag and shards of qz. Hem alteration rp controlled by fractures and surface exposure.   |
| B083229 | 453395.1 | 6247971.8 | Grab        | Outcrop       | JEdwards   | 7/10/2019 | Quartz-sulphide Vein  | vuggy        | oxides     | weak to moderate     | arsenopyrite   | 0.5-2.0%                 | Vein Selvages       | Weakly vuggy quartz vein with blebby pyrite and vfg arseno py selvage. E-w trending quartz veins are all mineralized. Aseno found further north?   |
| B083230 | 453386.8 | 6248027.2 | Grab        | Outcrop       | JEdwards   | 7/10/2019 | Quartz-sulphide Vein  | -            | chlorite   | weak to moderate     | arsenopyrite   | 2-5%                     | Blebs in veins      | E-w quartz vein with weak vug. High in blebby arsenopyrite infill blebs with a subhedral form. Aspy diss in siltstone gmass adjacent to vein.  |
| B085016 | 453228.8 | 6247895.4 | Chip        | Vein          | CNiddery   | 7/10/2019 | Quartz Vein           | swarm        | oxides     | weak to moderate     |                |                          |                     | Swarm of qrt-cal veins (up too <1 inch wide) exposed on glacially polished gossanous outcrop. Moderately oxidized throughout- no visible mineralization.   |
| B085017 | 453195.3 | 6247926.9 | Grab        | Vein          | CNiddery   | 7/10/2019 | Quartz Vein           | sheeted      | oxides     | weak to moderate     | pyrite         | trace                    | disseminated        | 1m long qrt-cal vein -2inches wide. Weak traces of disseminated anhedral py (1%). Intermixed with host mudstone. Mod to strong oxidation throughout vein and host.   |
| B085018 | 453179.4 | 6247954.0 | Grab        | Vein          | CNiddery   | 7/10/2019 | Quartz-sulphide Vein  | sheeted      | oxides     | weak to moderate     | pyrite         | 2-5%                     | disseminated        | Moderately oxidized qrt-sulph vein taken at toe of glacier. Approx 2m long - 1 inch thick containing moderate amounts of disseminated anhedral to euhedral py (5%).  |
| B082110 | 453895.5 | 6246898.1 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz Vein           | sheared      | carbonate  | weak                 |                |                          |                     | Sheard qrt-carb vein. Veins continuous for 1m (approx. 4 inch wide). No visible mineralization. Surrounding mudstone interbeds with it.  |
| B082111 | 453899.9 | 6246888.6 | Grab        | Outcrop       | CNiddery   | 7/4/2019  | Mudstone              | interbedded  | carbonate  | weak                 |                |                          |                     | Host rock to vein sample B082110. Interbedded silt/sandstone- ash tuff. Weak to mod ox throughout. Carb alt through silt/sand interbeds. No observable mineralization.   |
| B082112 | 453963.3 | 6246951.7 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-carbonate Vein | sheared      | oxides     | moderate             |                |                          |                     | Swarm of sheared veins and veinlets. Large 3 inch bx qrt-sil vein continuous for 3m. Strong oxidation throughout vein. No observable mineralization.   |
| B082113 | 454002.8 | 6247038.2 | Grab        | Outcrop       | CNiddery   | 7/4/2019  | Mafic Volcanic        |              | silicified | weak to moderate     | pyrite         | <0.5%                    | aggregates          | Gossanous. Medium grey-moderately silicified mafic volcanic. Mod to strong oxidation. Qrt-cal veinlets cross cut through fresh faces (<1mm). Specks of black mafic mins (-5%). Up too <1mm sized aggregates of anhedral py (1%).                             |
| B082114 | 454003.8 | 6247047.0 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-carbonate Vein | brecciated   | oxides     | weak to moderate     |                |                          |                     | 1m long qrt-sil vein (approx. 2 inch wide). Taken from gossanous outcrop. No observable mineralization- surrounding host rock has strong mineralization (py). Strongly oxidized throughout- unable to take orientation.                                      |
| B082115 | 454000.0 | 6247058.2 | Grab        | Outcrop       | CNiddery   | 7/4/2019  | Mafic Volcanic        |              | silicified | weak to moderate     | pyrite         | 2-5%                     | disseminated        | Medium grey-moderately silicified mafic volcanic. Mod to strong oxidation on edges and stringers. Black stringers cross cut through fresh faces (<1mm). Strong mineralization of anhedral py throughout (5%).  |
| B082116 | 454024.6 | 6247066.8 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-sulphide Vein  | undulatory   | oxides     | moderate             | pyrite         | trace                    | disseminated        | Large stockwork of ox veins/veinlets. Strongly oxidized qrt-sulph vein (1-6 inch thick -cont. for 4m). Weak traces of disseminated anhedral py (1%).   |
| B082117 | 454017.2 | 6247075.3 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-sulphide Vein  | sheared      | oxides     | weak to moderate     | pyrite         | trace                    | disseminated        | Strongly oxidized qrt-sulphide vein. 1m long- 1-3inches wide with trace amounts of disseminated anhedral py (<1%). Possible traces of gn-hard to distinguish.  |
| B082118 | 454014.2 | 6247071.2 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-sulphide Vein  |              | oxides     | weak to moderate     | pyrite         | <0.5%                    | disseminated        | Strongly oxidized qrt-sulphide vein. 0.5m long- 1-3inches wide (tension gash). Disseminated euhedral py abundant near edges of vein (1%).  |
| B082119 | 454010.5 | 6247089.3 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-sulphide Vein  | brecciated   | carbonate  | trace                | pyrite         | 0.5-2.0%                 | disseminated        | Dense stockwork of mineralized veins. Strongly oxidized 2m vein- weak to mod traces of anhedral disseminated py (2%).  |
| B082120 | 454075.3 | 6247119.1 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz-sulphide Vein  | brecciated   | carbonate  | weak                 | pyrite         | trace                    | Blebs in veins      | Swarm of mineralized veins. Strongly oxidized- weak to mod traces of anhedral blebs of py (2%). Weak cal alt. Sample taken near contact.   |
| B082121 | 454063.3 | 6247173.3 | Grab        | Vein          | CNiddery   | 7/4/2019  | Quartz Vein           |              | oxides     | weak to moderate     |                |                          |                     | Large qrt-sil vein taken near contact. Continuous for 5m-approx 6 inches wide. Mod to strong oxidation throughout. No observable mineralization.   |
| B085512 | 454160.8 | 6247603.7 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mudstone              | bedded       | oxides     | weak                 |                |                          |                     | Fissile mudstone-siltstone. Belbs and stringers of discontinuous qtz-carb. Weak fracture controlled and surface fe oxidation. No vis mineralization. Prominent clv measured, perhaps parallel to bd  |
| B085513 | 454210.1 | 6247475.4 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mudstone              | interbedded  | chlorite   | trace                |                |                          |                     | Laminated- thinly bedded siltstone. Interbedded with creamy white felsic ash tuff. Oxidation is concentrated along felsic bands. Weakly crystalline. 1-2cm Continuous mg-cg qtz vein sets present on outcrop. No vis min.                                    |
| B085514 | 454171.7 | 6247377.2 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mudstone              | aphanitic    | oxides     | weak to moderate     | pyrite         | 0.5-2.0%                 | disseminated        | weakly calc-chl altered shaley siltst. Fissile and moderately crenulated. red-maroon fe oxidation. Py mineralization is both disseminated and found as stringers.  |
| B085515 | 454165.7 | 6247369.3 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mudstone              | aphanitic    | chlorite   | trace                |                |                          |                     | Thick bed of silty mudstone. Weak pervasive chl alteration with black chl phenos. Minor crenulation compared to surrounding beds. Weather tan, weak fe oxidation.  |
| B085516 | 454196.2 | 6247247.8 | Grab        | Vein          | Rsimmonds  | 7/4/2019  | Quartz-carbonate Vein |              | oxides     | trace                |                |                          |                     | 4cm wide qtz-carb vein. Traced for 50cm. O/C consists of 5% sub parallel vn sets. Hosted in weakly laminated mud-siltstone. Weak Fe oxidation on surfaces. No vis min.   |
| B085517 | 454115.3 | 6247422.1 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mudstone              | interbedded  | oxides     | weak to moderate     |                |                          |                     | Interbedded weakly fissile silty-mudstone. 20% qtz-carb veining exhibiting bx of host rock along margins. 40 cm thick sampled bed pinches out into strongly chl+epi altered beds.  |
| B085518 | 454087.6 | 6247368.3 | Grab        | Vein          | Rsimmonds  | 7/4/2019  | Quartz-carbonate Vein |              | oxides     | trace                |                |                          |                     | 30 cm wide discontinuous qtz vein. Angular fragments of interbedded mud-siltstone host abundant along vein margins. Weakly fe ox. No visible mineralization  |
| B085519 | 453906.2 | 6247305.3 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Mafic Volcanic        | aphanitic    | chlorite   | trace                | pyrite         | 0.5-2.0%                 | disseminated        | Massive plag+/- (mafic) porphyritic felsic lapilli tuff. Exhibits weak maroon-rusty orange fe oxidation on surfaces. Visible disseminated-blebby Silver sulphide +/- magnetite (?)   |
| B085520 | 453957.6 | 6247170.8 | Grab        | Outcrop       | Rsimmonds  | 7/4/2019  | Intermediate Volcanic | fragmental   | chlorite   | weak                 | pyrite         | trace                    | disseminated        | Plag-qtz-(aphanitic mafic) porphyritic intermediate volcanic. Greyish-blue on fresh surface. Weathers tan-rusty orange. Trace disseminated sulphides. 2% sub parallel drusy qtz veinlet sets. In gradational contact with polymictic lapilli tuff. (flows?). |



|         |          |           |       |         |           |          |                |           |        |                  |        |       |              |  |
|---------|----------|-----------|-------|---------|-----------|----------|----------------|-----------|--------|------------------|--------|-------|--------------|--|
| B085521 | 453982.3 | 6247208.9 | Grab  | Outcrop | Rsimmonds | 7/4/2019 | Mafic Volcanic | aphanitic | oxides | weak to moderate |        |       |              | Blocky aphanitic rhyolitic ash tuff. Homogeneous. With orange oxidized rim penetrating 1cm from exposed surface.   |
| B085522 | 453913.1 | 6247279.3 | Float | Float   | Rsimmonds | 7/4/2019 | Mudstone       | aphanitic |        |                  | pyrite | 5-10% | disseminated | Sub angular 30cm diameter shaley silty mudstone boulder found in float. 50-60% pervasive py mineralization. Dominantly dis lesser stringers and banding. Trace malachite and azurite. Found in float 10m away from volcanic o/c. |
| B085523 | 453941.6 | 6247161.7 | Grab  | Outcrop | Rsimmonds | 7/4/2019 | Mafic Volcanic |           |        |                  |        |       |              | Sinistral oblique ss fault sets. 6cm displacement. Moderately oxidized open space filling coarse grained qtz.  |



### **Appendix III. Assay Certificates from ALS Laboratories**





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19167469**

Project: Bowser Regional Project  
 P.O. No.: BOW-0692  
 This report is for 31 Rock samples submitted to our lab in Terrace, BC, Canada on  
 9-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINE WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| SPL-34X  | Pulp Split - For send out      |
| LOG-21   | Sample logging - ClientBarcode |
| CRU-31   | Fine crushing - 70% <2mm       |
| CRU-QC   | Crushing QC Test               |
| SPL-21   | Split sample - riffle splitter |
| PUL-QC   | Pulverizing QC Test            |
| PUL-32m  | Pulverize 500g - 85%<75um      |
| BAG-01   | Bulk Master for Storage        |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |
| Ag-OG62  | Ore Grade Ag - Four Acid          |            |
| ME-OG62  | Ore Grade Elements - Four Acid    | ICP-AES    |
| Pb-OG62  | Ore Grade Pb - Four Acid          |            |
| Zn-OG62  | Ore Grade Zn - Four Acid          |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**

Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19167469**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| B083051            |                          | 1.39         | 0.036   | >100    | 0.99    | 4.6     | 590     | 0.47    | 0.07    | 0.06    | 972     | 14.50   | 4.6     | 8       | 0.62    | 2100    |
| B083052            |                          | 1.93         | 0.026   | >100    | 0.63    | 4.1     | 280     | 0.27    | 159.5   | 0.04    | 11.35   | 2.55    | 0.7     | 21      | 0.28    | 3750    |
| B083053            |                          | 1.07         | <0.005  | 0.28    | 2.96    | 1.4     | 530     | 0.76    | 0.23    | 0.06    | 0.46    | 29.1    | 0.8     | 18      | 0.91    | 7.5     |
| B083054            |                          | 1.67         | <0.005  | 17.65   | 3.93    | 29.5    | 240     | 1.39    | 0.24    | 0.31    | 127.5   | 22.7    | 1.3     | 15      | 1.33    | 4280    |
| B082110            |                          | 0.95         | <0.005  | 0.13    | 3.11    | 2.1     | 190     | 0.41    | 0.06    | 18.25   | 0.67    | 11.95   | 5.8     | 24      | 2.05    | 22.8    |
| B082111            |                          | 0.79         | <0.005  | 0.12    | 7.05    | 5.6     | 500     | 0.96    | 0.09    | 5.99    | 0.20    | 32.7    | 14.9    | 47      | 5.60    | 21.1    |
| B082112            |                          | 0.78         | <0.005  | 0.03    | 1.61    | 2.3     | 500     | 0.45    | 0.05    | 10.20   | 0.20    | 6.00    | 2.9     | 15      | 0.87    | 12.9    |
| B082113            |                          | 0.99         | <0.005  | 0.08    | 5.56    | 6.3     | 2090    | 0.74    | 0.04    | 3.39    | 0.27    | 18.25   | 19.4    | 12      | 1.58    | 4.6     |
| B082114            |                          | 0.59         | <0.005  | 0.05    | 1.55    | 3.9     | 180     | 0.25    | 0.01    | 3.78    | 0.43    | 16.25   | 1.3     | 11      | 2.49    | 5.4     |
| B082115            |                          | 0.92         | <0.005  | 0.18    | 7.20    | 83.1    | 130     | 0.99    | 0.03    | 2.05    | 0.40    | 23.9    | 29.9    | 9       | 4.07    | 15.2    |
| B082116            |                          | 0.88         | 0.005   | 0.12    | 2.81    | 711     | 200     | 0.74    | 0.02    | 5.94    | 0.92    | 12.60   | 8.4     | 8       | 2.80    | 2.8     |
| B082117            |                          | 0.98         | <0.005  | 0.03    | 1.43    | 504     | 190     | 0.22    | 0.02    | 8.28    | 0.32    | 6.80    | 4.5     | 11      | 0.72    | 2.3     |
| B082118            |                          | 0.93         | <0.005  | 0.01    | 0.27    | 604     | 70      | 0.10    | 0.01    | 7.62    | 0.25    | 3.46    | 3.1     | 8       | 0.12    | 1.0     |
| B082119            |                          | 0.71         | <0.005  | 0.07    | 2.58    | 74.3    | 160     | 0.23    | 0.03    | 5.74    | 4.57    | 26.6    | 5.7     | 9       | 0.90    | 4.6     |
| B082120            |                          | 1.03         | 0.007   | 0.10    | 2.13    | 252     | 270     | 0.42    | 0.01    | 6.56    | 1.57    | 12.50   | 8.0     | 11      | 1.78    | 2.9     |
| B082121            |                          | 0.79         | <0.005  | 0.01    | 0.08    | 11.8    | 70      | <0.05   | <0.01   | 1.11    | 0.04    | 1.78    | 0.8     | 32      | 0.09    | 0.5     |
| B082473            |                          | 0.93         | <0.005  | 0.07    | 6.28    | 13.7    | 1820    | 1.07    | 0.01    | 3.20    | 0.18    | 23.6    | 5.5     | 7       | 7.51    | 11.6    |
| B082474            |                          | 1.07         | 0.006   | 0.46    | 6.40    | 38.2    | 1180    | 1.20    | 0.18    | 6.06    | 0.76    | 18.85   | 20.8    | 47      | 12.75   | 50.8    |
| B085512            |                          | 0.81         | <0.005  | 0.42    | 5.27    | 22.7    | 720     | 0.67    | 0.09    | 0.05    | 0.10    | 14.10   | 1.4     | 21      | 2.11    | 28.3    |
| B085513            |                          | 1.12         | <0.005  | 0.01    | 1.13    | 0.8     | 530     | 0.28    | 0.01    | 19.40   | 0.17    | 3.53    | 1.8     | 3       | 0.44    | 3.1     |
| B085514            |                          | 0.85         | <0.005  | 0.31    | 7.08    | 16.8    | 590     | 0.84    | 0.08    | 1.20    | 1.36    | 35.6    | 4.2     | 14      | 3.51    | 13.1    |
| B085515            |                          | 1.20         | <0.005  | <0.01   | 4.75    | 0.2     | 420     | 0.50    | 0.07    | 15.35   | 0.17    | 25.1    | 3.1     | 3       | 1.10    | 3.1     |
| B085516            |                          | 1.30         | <0.005  | 0.02    | 3.18    | 1.3     | 420     | 0.43    | 0.04    | 18.70   | 0.11    | 15.70   | 2.0     | 3       | 0.72    | 3.7     |
| B085517            |                          | 0.72         | <0.005  | 0.27    | 7.59    | 19.5    | 530     | 0.34    | 0.07    | 2.14    | 2.12    | 25.7    | 16.0    | 11      | 0.85    | 96.9    |
| B085518            |                          | 0.98         | <0.005  | 0.09    | 3.00    | 6.8     | 650     | 0.49    | 0.03    | 21.0    | 1.42    | 15.00   | 2.6     | 5       | 0.92    | 11.2    |
| B085519            |                          | 0.86         | <0.005  | 0.11    | 6.78    | 26.9    | 1000    | 1.21    | 0.02    | 2.72    | 0.33    | 24.4    | 32.2    | 6       | 1.43    | 13.6    |
| B085520            |                          | 1.21         | <0.005  | 0.23    | 5.96    | 18.1    | 610     | 0.70    | 0.06    | 3.48    | 0.12    | 29.8    | 7.0     | 23      | 3.76    | 10.8    |
| B085521            |                          | 1.35         | <0.005  | 0.04    | 7.24    | 28.1    | 1020    | 1.36    | 0.02    | 2.54    | 0.23    | 18.95   | 28.0    | 17      | 6.97    | 5.3     |
| B085522            |                          | 2.36         | <0.005  | 3.21    | 3.58    | 60.4    | 100     | 0.37    | 0.52    | 0.30    | 0.07    | 29.2    | 173.5   | 21      | 3.12    | 114.5   |
| B085671            |                          | 0.91         | <0.005  | 0.11    | 7.47    | 11.1    | 1980    | 1.52    | 0.35    | 5.33    | 0.06    | 31.6    | 6.1     | 26      | 3.72    | 19.1    |
| B085672            |                          | 0.86         | <0.005  | 0.04    | 8.15    | 3.6     | 820     | 0.75    | 0.01    | 10.85   | 0.04    | 12.30   | 27.5    | 107     | 5.17    | 62.4    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19167469**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| B083051            |                          | 1.56    | 3.02    | 0.11    | 0.4     | 0.035   | 0.21    | 6.2     | 47.3    | 0.03    | 158     | 27.0    | 0.36    | 1.7     | 1.3     | 190   |
| B083052            |                          | 1.73    | 1.93    | 0.33    | 0.2     | 0.128   | 0.16    | 1.0     | 59.7    | 0.01    | 263     | 6.21    | 0.15    | 0.8     | 1.5     | 230   |
| B083053            |                          | 1.46    | 5.96    | 0.07    | 1.8     | 0.023   | 0.70    | 12.9    | 54.7    | 0.04    | 210     | 2.26    | 1.38    | 6.6     | 1.2     | 240   |
| B083054            |                          | 1.65    | 9.50    | 0.07    | 0.7     | 0.126   | 0.82    | 9.1     | 43.2    | 0.06    | 130     | 2.44    | 1.74    | 5.1     | 1.1     | 1370  |
| B082110            |                          | 4.42    | 6.66    | 0.05    | 0.7     | 0.026   | 0.36    | 5.8     | 25.5    | 0.81    | 2040    | 0.48    | 0.16    | 2.5     | 9.0     | 240   |
| B082111            |                          | 6.06    | 14.05   | 0.07    | 1.7     | 0.040   | 1.11    | 15.4    | 37.9    | 1.33    | 1370    | 0.91    | 0.92    | 6.2     | 18.5    | 640   |
| B082112            |                          | 4.10    | 3.22    | <0.05   | 0.4     | 0.024   | 0.32    | 2.8     | 27.7    | 3.02    | 2510    | 0.34    | 0.06    | 1.5     | 5.8     | 100   |
| B082113            |                          | 5.23    | 13.95   | 0.08    | 0.9     | 0.055   | 3.47    | 8.1     | 12.2    | 1.47    | 1000    | 1.18    | 0.84    | 4.5     | 2.3     | 1240  |
| B082114            |                          | 3.81    | 5.99    | <0.05   | 0.1     | 0.090   | 0.64    | 9.8     | 6.3     | 0.94    | 1380    | 0.71    | 0.06    | 0.3     | 1.0     | 240   |
| B082115            |                          | 10.70   | 19.55   | 0.09    | 1.6     | 0.052   | 2.15    | 9.4     | 3.1     | 1.07    | 1220    | 4.31    | 2.02    | 6.7     | 2.7     | 2170  |
| B082116            |                          | 5.78    | 9.10    | 0.05    | 0.7     | 0.040   | 1.23    | 6.2     | 10.8    | 1.24    | 2290    | 1.53    | 0.03    | 2.8     | 1.1     | 1460  |
| B082117            |                          | 6.28    | 4.19    | <0.05   | 0.3     | 0.051   | 0.60    | 3.2     | 9.2     | 1.15    | 3360    | 10.35   | 0.02    | 0.9     | 1.0     | 760   |
| B082118            |                          | 5.92    | 0.99    | <0.05   | <0.1    | 0.040   | 0.10    | 1.6     | 8.4     | 0.95    | 3200    | 3.39    | 0.01    | 0.1     | 0.9     | 140   |
| B082119            |                          | 4.84    | 6.57    | <0.05   | 0.3     | 0.160   | 0.89    | 13.7    | 7.9     | 1.20    | 1520    | 1.18    | 0.47    | 0.9     | 1.3     | 3420  |
| B082120            |                          | 5.73    | 8.59    | <0.05   | 0.4     | 0.051   | 0.92    | 6.1     | 4.2     | 0.97    | 2440    | 12.05   | 0.03    | 1.3     | 6.4     | 790   |
| B082121            |                          | 1.37    | 0.38    | <0.05   | <0.1    | <0.005  | 0.03    | 1.0     | 2.0     | 0.03    | 437     | 1.60    | 0.01    | 0.1     | 1.4     | 30    |
| B082473            |                          | 2.63    | 14.65   | 0.08    | 2.0     | 0.021   | 3.80    | 10.2    | 12.9    | 0.23    | 1110    | 1.26    | 1.56    | 6.9     | 2.0     | 710   |
| B082474            |                          | 3.69    | 18.35   | 0.08    | 1.6     | 0.062   | 2.33    | 6.9     | 183.5   | 0.44    | 1130    | 8.38    | 1.12    | 4.7     | 56.1    | 610   |
| B085512            |                          | 2.63    | 13.30   | 0.09    | 2.5     | 0.056   | 0.70    | 8.4     | 4.2     | 0.21    | 71      | 32.5    | 2.46    | 4.0     | 14.0    | 570   |
| B085513            |                          | 2.86    | 2.01    | <0.05   | 0.5     | 0.013   | 0.25    | 1.7     | 3.2     | 6.74    | 2180    | 0.70    | 0.35    | 0.5     | 2.0     | 340   |
| B085514            |                          | 3.04    | 13.40   | 0.08    | 2.6     | 0.046   | 2.16    | 16.4    | 5.9     | 0.31    | 255     | 9.28    | 2.41    | 7.7     | 8.3     | 870   |
| B085515            |                          | 4.84    | 10.25   | 0.07    | 1.6     | 0.040   | 0.67    | 11.3    | 33.9    | 4.34    | 2660    | 0.56    | 0.09    | 2.9     | 2.7     | 2030  |
| B085516            |                          | 4.75    | 6.03    | 0.10    | 0.8     | 0.032   | 0.21    | 7.2     | 30.5    | 5.64    | 2550    | 0.43    | 0.05    | 2.0     | 0.8     | 750   |
| B085517            |                          | 3.98    | 9.16    | 0.07    | 1.4     | 0.068   | 0.52    | 12.4    | 6.5     | 0.17    | 437     | 29.9    | 5.09    | 4.0     | 31.7    | 1760  |
| B085518            |                          | 2.09    | 6.18    | 0.13    | 1.0     | 0.043   | 0.72    | 7.5     | 8.7     | 0.24    | 3690    | 5.69    | 0.84    | 1.3     | 12.7    | 290   |
| B085519            |                          | 8.55    | 15.60   | 0.08    | 2.1     | 0.082   | 1.88    | 11.1    | 18.3    | 1.66    | 1810    | 3.55    | 2.33    | 6.2     | 3.0     | 1520  |
| B085520            |                          | 3.89    | 9.15    | 0.07    | 1.5     | 0.024   | 1.94    | 17.4    | 2.1     | 0.60    | 894     | 0.87    | 1.61    | 4.4     | 6.1     | 780   |
| B085521            |                          | 7.21    | 15.05   | 0.08    | 1.9     | 0.063   | 1.82    | 8.1     | 2.7     | 2.31    | 856     | 0.51    | 2.53    | 4.8     | 2.9     | 1050  |
| B085522            |                          | 30.9    | 6.65    | 0.15    | 0.9     | 0.039   | 0.61    | 11.0    | 20.2    | 0.68    | 308     | 0.62    | 0.42    | 3.3     | 82.1    | 770   |
| B085671            |                          | 4.16    | 17.40   | 0.09    | 2.3     | 0.096   | 2.97    | 14.0    | 18.0    | 1.31    | 403     | 1.49    | 0.72    | 10.2    | 8.5     | 850   |
| B085672            |                          | 6.35    | 14.10   | 0.08    | 0.6     | 0.059   | 1.56    | 5.1     | 52.6    | 3.04    | 1220    | 0.34    | 1.44    | 2.3     | 80.8    | 650   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19167469**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| B083051            |                          | >10000  | 5.6     | <0.002  | 7.54    | 55.8    | 1.2     | 31      | 1.2     | 50.1    | 0.10    | 0.17    | 0.45    | 0.063   | 0.08    | 0.2   |
| B083052            |                          | >10000  | 3.5     | <0.002  | 2.60    | 38.0    | 0.9     | 153     | 0.2     | 8.8     | <0.05   | 0.56    | 0.20    | 0.053   | 0.08    | 0.1   |
| B083053            |                          | 264     | 13.4    | <0.002  | 0.01    | 2.21    | 2.7     | 1       | 0.7     | 93.1    | 0.34    | <0.05   | 2.38    | 0.110   | 0.14    | 0.5   |
| B083054            |                          | 736     | 21.4    | <0.002  | 0.47    | 5.58    | 5.1     | 1       | 1.7     | 108.5   | 0.28    | <0.05   | 1.07    | 0.354   | 0.19    | 0.4   |
| B082110            |                          | 16.9    | 13.4    | <0.002  | 0.02    | 0.24    | 6.8     | <1      | 0.4     | 1695    | 0.15    | 0.05    | 1.58    | 0.125   | 0.12    | 0.6   |
| B082111            |                          | 20.2    | 47.2    | <0.002  | 0.23    | 0.99    | 12.2    | 1       | 0.9     | 365     | 0.41    | <0.05   | 4.24    | 0.292   | 0.35    | 1.6   |
| B082112            |                          | 9.9     | 12.0    | <0.002  | 0.15    | 1.79    | 4.6     | <1      | 0.3     | 814     | 0.10    | <0.05   | 0.91    | 0.076   | 0.11    | 0.2   |
| B082113            |                          | 14.7    | 59.5    | <0.002  | 0.63    | 5.11    | 22.2    | 1       | 1.2     | 203     | 0.26    | <0.05   | 1.05    | 0.520   | 0.69    | 0.6   |
| B082114            |                          | 3.2     | 15.0    | <0.002  | 0.09    | 28.4    | 8.9     | 1       | <0.2    | 341     | <0.05   | <0.05   | 0.09    | 0.039   | 0.22    | 0.1   |
| B082115            |                          | 12.3    | 57.8    | <0.002  | 5.27    | 21.9    | 24.0    | 1       | 1.0     | 229     | 0.39    | <0.05   | 1.47    | 0.856   | 0.96    | 0.9   |
| B082116            |                          | 18.9    | 31.6    | <0.002  | 0.16    | 28.7    | 12.7    | <1      | 0.5     | 450     | 0.15    | <0.05   | 0.85    | 0.334   | 0.40    | 0.5   |
| B082117            |                          | 7.0     | 15.0    | <0.002  | 0.49    | 12.80   | 6.7     | 1       | 0.2     | 475     | 0.05    | 0.07    | 0.27    | 0.118   | 0.33    | 0.2   |
| B082118            |                          | 2.2     | 2.4     | <0.002  | 0.28    | 12.05   | 5.4     | 1       | <0.2    | 355     | <0.05   | 0.06    | 0.06    | 0.015   | 0.05    | <0.1  |
| B082119            |                          | 42.4    | 20.6    | <0.002  | 0.88    | 68.0    | 23.4    | 2       | 0.3     | 335     | 0.05    | <0.05   | 0.27    | 0.110   | 0.29    | 0.2   |
| B082120            |                          | 2.4     | 21.7    | <0.002  | 0.23    | 18.35   | 9.6     | 1       | 0.9     | 304     | 0.08    | <0.05   | 0.36    | 0.151   | 0.70    | 0.4   |
| B082121            |                          | 1.8     | 0.7     | <0.002  | 0.01    | 9.16    | 0.8     | <1      | <0.2    | 11.4    | <0.05   | <0.05   | 0.01    | 0.005   | 0.03    | 0.1   |
| B082473            |                          | 12.0    | 74.4    | <0.002  | 0.70    | 5.28    | 8.9     | <1      | 0.7     | 170.5   | 0.50    | <0.05   | 6.06    | 0.250   | 0.67    | 2.4   |
| B082474            |                          | 19.8    | 66.9    | 0.019   | 1.38    | 10.40   | 15.7    | 4       | 1.2     | 375     | 0.29    | 0.30    | 2.32    | 0.351   | 1.03    | 1.2   |
| B085512            |                          | 10.7    | 20.8    | 0.048   | 0.10    | 5.24    | 18.5    | 5       | 0.9     | 79.4    | 0.26    | <0.05   | 2.23    | 0.359   | 2.47    | 5.2   |
| B085513            |                          | 4.5     | 7.3     | <0.002  | <0.01   | 0.21    | 4.8     | <1      | <0.2    | 727     | <0.05   | <0.05   | 0.23    | 0.070   | 0.30    | 0.3   |
| B085514            |                          | 19.3    | 61.8    | 0.003   | 1.21    | 4.24    | 11.7    | 2       | 1.2     | 180.5   | 0.40    | <0.05   | 5.23    | 0.341   | 1.96    | 3.0   |
| B085515            |                          | 0.8     | 20.4    | <0.002  | 0.02    | 0.08    | 8.6     | 1       | 0.7     | 953     | 0.17    | <0.05   | 1.41    | 0.203   | 0.47    | 0.6   |
| B085516            |                          | 3.2     | 5.6     | <0.002  | 0.21    | 0.23    | 8.5     | 1       | 0.3     | 1415    | 0.11    | <0.05   | 0.79    | 0.138   | 0.18    | 0.3   |
| B085517            |                          | 10.8    | 12.3    | 0.014   | 1.23    | 7.61    | 19.8    | 3       | 0.7     | 304     | 0.19    | 0.06    | 1.68    | 0.590   | 1.45    | 2.3   |
| B085518            |                          | 6.0     | 18.8    | 0.005   | 0.28    | 1.60    | 8.7     | 2       | 0.4     | 1230    | 0.08    | <0.05   | 1.05    | 0.148   | 1.07    | 1.0   |
| B085519            |                          | 6.1     | 30.6    | <0.002  | 0.50    | 18.20   | 29.5    | 1       | 1.0     | 187.5   | 0.40    | <0.05   | 2.23    | 0.846   | 1.06    | 1.2   |
| B085520            |                          | 11.8    | 61.0    | <0.002  | 1.25    | 17.70   | 6.5     | <1      | 0.7     | 300     | 0.28    | <0.05   | 4.82    | 0.210   | 0.67    | 1.8   |
| B085521            |                          | 3.0     | 55.5    | <0.002  | 0.16    | 18.75   | 32.9    | <1      | 0.9     | 370     | 0.28    | <0.05   | 1.58    | 0.643   | 0.73    | 0.8   |
| B085522            |                          | 547     | 21.1    | <0.002  | >10.0   | 40.2    | 8.3     | 8       | 0.4     | 31.9    | 0.20    | 0.35    | 1.99    | 0.175   | 3.76    | 0.6   |
| B085671            |                          | 9.9     | 76.2    | <0.002  | 1.05    | 3.60    | 15.9    | 1       | 1.7     | 138.5   | 0.62    | 0.11    | 3.76    | 0.459   | 0.60    | 0.9   |
| B085672            |                          | 1.7     | 48.3    | <0.002  | 0.15    | 0.35    | 36.1    | 1       | 0.6     | 430     | 0.15    | <0.05   | 0.27    | 0.713   | 0.29    | 0.1   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 27-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19167469**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Ag-OG62 | Pb-OG62 | Zn-OG62 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Ag ppm  | Pb %    | Zn %    | Si %    | Ti %    | Zr ppm  |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 1       | 0.001   | 0.001   | 0.5     | 0.1     | 5       |
| B083051            |                          | 4       | 0.1     | 2.7     | >10000  | 13.2    | 105     | >20.0   | 9.14    | 25.1    | <0.1    | <5      |
| B083052            |                          | 9       | 0.1     | 1.7     | 46      | 6.8     | 128     | 14.15   |         | 33.9    | <0.1    | <5      |
| B083053            |                          | 11      | 0.2     | 8.4     | 79      | 80.0    |         |         |         | 37.8    | 0.1     | 96      |
| B083054            |                          | 45      | 0.7     | 9.1     | 8420    | 28.2    |         |         |         | 36.6    | 0.4     | 68      |
| B082110            |                          | 41      | 0.4     | 10.2    | 112     | 27.8    |         |         |         | 15.0    | 0.1     | 47      |
| B082111            |                          | 80      | 0.8     | 17.8    | 114     | 64.0    |         |         |         | 21.6    | 0.3     | 103     |
| B082112            |                          | 26      | 0.3     | 10.6    | 84      | 15.7    |         |         |         | 20.2    | 0.1     | 26      |
| B082113            |                          | 245     | 1.0     | 19.1    | 103     | 31.3    |         |         |         | 26.0    | 0.7     | 64      |
| B082114            |                          | 141     | 2.7     | 4.1     | 113     | 2.9     |         |         |         | 31.8    | <0.1    | 5       |
| B082115            |                          | 342     | 58.6    | 25.0    | 131     | 52.4    |         |         |         | 21.5    | 1.0     | 111     |
| B082116            |                          | 147     | 22.6    | 15.0    | 157     | 25.4    |         |         |         | 25.9    | 0.4     | 41      |
| B082117            |                          | 93      | 8.9     | 14.1    | 93      | 7.9     |         |         |         | 24.2    | 0.1     | 13      |
| B082118            |                          | 42      | 1.0     | 10.6    | 74      | 1.2     |         |         |         | 25.5    | <0.1    | <5      |
| B082119            |                          | 174     | 4.0     | 15.9    | 1000    | 9.6     |         |         |         | 26.3    | 0.1     | 14      |
| B082120            |                          | 108     | 11.8    | 16.3    | 142     | 12.2    |         |         |         | 25.6    | 0.2     | 21      |
| B082121            |                          | 4       | 0.3     | 2.0     | 9       | <0.5    |         |         |         | 39.5    | <0.1    | <5      |
| B082473            |                          | 90      | 2.7     | 8.8     | 26      | 61.5    |         |         |         | 27.2    | 0.3     | 111     |
| B082474            |                          | 157     | 1.9     | 10.9    | 118     | 57.5    |         |         |         | 23.0    | 0.5     | 97      |
| B085512            |                          | 241     | 0.7     | 10.7    | 70      | 94.1    |         |         |         | 32.8    | 0.4     | 104     |
| B085513            |                          | 43      | 0.2     | 5.7     | 35      | 25.4    |         |         |         | 9.3     | 0.1     | 28      |
| B085514            |                          | 101     | 1.2     | 18.6    | 215     | 96.5    |         |         |         | 30.3    | 0.5     | 118     |
| B085515            |                          | 30      | 0.4     | 24.6    | 70      | 66.3    |         |         |         | 14.3    | 0.2     | 117     |
| B085516            |                          | 32      | 0.3     | 17.7    | 45      | 51.5    |         |         |         | 8.9     | 0.2     | 119     |
| B085517            |                          | 257     | 1.0     | 21.4    | 295     | 47.4    |         |         |         | 25.8    | 0.6     | 77      |
| B085518            |                          | 43      | 0.3     | 19.8    | 161     | 35.2    |         |         |         | 12.6    | 0.2     | 50      |
| B085519            |                          | 325     | 1.7     | 25.5    | 124     | 74.0    |         |         |         | 21.0    | 0.9     | 96      |
| B085520            |                          | 84      | 2.7     | 11.9    | 48      | 53.5    |         |         |         | 27.7    | 0.2     | 91      |
| B085521            |                          | 297     | 2.1     | 23.4    | 93      | 58.5    |         |         |         | 21.5    | 0.7     | 83      |
| B085522            |                          | 57      | 0.4     | 10.1    | 52      | 32.8    |         |         |         | 13.5    | 0.2     | 52      |
| B085671            |                          | 69      | 0.2     | 14.7    | 63      | 78.4    |         |         |         | 22.7    | 0.6     | 171     |
| B085672            |                          | 270     | 0.4     | 14.5    | 77      | 22.0    |         |         |         | 13.6    | 0.8     | 56      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 27-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19167469**

| CERTIFICATE COMMENTS |  |         |         |         |         |         |         |         |         |        |  |  |  |
|----------------------|--|---------|---------|---------|---------|---------|---------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>   |         |         |         |         |         |         |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61  |         |         |         |         |         |         |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>  |         |         |         |         |         |         |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.  |         |         |         |         |         |         |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>PUL-32m</td> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31  | CRU-QC  | LOG-21  | PUL-32m | PUL-QC  | SPL-21  | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31   | CRU-QC  | LOG-21  |         |         |         |         |         |         |        |  |  |  |
| PUL-32m              | PUL-QC   | SPL-21  | SPL-34X |         |         |         |         |         |         |        |  |  |  |
| WEI-21               |  |         |         |         |         |         |         |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.   |         |         |         |         |         |         |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Ag-OG62</td> <td>Au-AA23</td> <td>ME-MS61</td> <td>ME-OG62</td> </tr> <tr> <td>Pb-OG62</td> <td>pXRF-34</td> <td>Zn-OG62</td> <td></td> </tr> </table>   | Ag-OG62 | Au-AA23 | ME-MS61 | ME-OG62 | Pb-OG62 | pXRF-34 | Zn-OG62 |         |        |  |  |  |
| Ag-OG62              | Au-AA23  | ME-MS61 | ME-OG62 |         |         |         |         |         |         |        |  |  |  |
| Pb-OG62              | pXRF-34  | Zn-OG62 |         |         |         |         |         |         |         |        |  |  |  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19170594**

Project: Bowser Regional Project  
 P.O. No.: BOW-0697  
 This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 11-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINE WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE  | DESCRIPTION                       | INSTRUMENT |
|-----------|-----------------------------------|------------|
| pXRF-34   | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23   | Au 30g FA-AA finish               | AAS        |
| ME-MS61   | 48 element four acid ICP-MS       |            |
| ME-ICP06  | Whole Rock Package - ICP-AES      | ICP-AES    |
| OA-GRA05  | Loss on Ignition at 1000C         | WST-SEQ    |
| ME-MS81   | Lithium Borate Fusion ICP-MS      | ICP-MS     |
| TOT-ICP06 | Total Calculation for ICP06       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**

Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005256            |         | 3.67      | <0.005  | 0.05    | 7.55    | 1.5     | 710     | 1.22    | 0.19    | 1.76    | 0.02    | 31.6    | 18.3    | 43      | 5.27    | 38.8    |
| S005257            |         | 6.24      | <0.005  | 0.08    | 9.29    | 1.7     | 1140    | 1.38    | 0.39    | 1.12    | <0.02   | 44.1    | 19.8    | 48      | 6.13    | 45.2    |
| S005258            |         | 6.73      | 0.013   | 0.06    | 8.73    | 5.5     | 1040    | 1.33    | 0.32    | 1.43    | 0.02    | 41.0    | 15.6    | 53      | 4.71    | 25.6    |
| S005259            |         | 6.07      | <0.005  | 0.04    | 8.00    | 8.9     | 830     | 1.02    | 0.10    | 2.01    | 0.02    | 39.6    | 16.2    | 50      | 4.72    | 16.8    |
| S005260            |         | 0.65      | <0.005  | <0.01   | 0.06    | <0.2    | 10      | <0.05   | 0.01    | 36.5    | <0.02   | 0.38    | 0.2     | <1      | <0.05   | 0.7     |
| S005261            |         | 6.43      | <0.005  | 0.04    | 7.76    | 8.7     | 830     | 0.95    | 0.17    | 1.90    | 0.02    | 39.4    | 15.8    | 50      | 3.98    | 18.6    |
| S005262            |         | 6.71      | <0.005  | 0.05    | 8.59    | 5.3     | 1020    | 1.18    | 0.22    | 1.74    | 0.02    | 36.8    | 15.1    | 56      | 4.68    | 23.9    |
| S005263            |         | 7.12      | 0.005   | 0.10    | 9.45    | 2.8     | 1230    | 1.76    | 0.69    | 0.97    | 0.03    | 38.9    | 21.6    | 48      | 5.63    | 52.8    |
| S005264            |         | 5.44      | <0.005  | 0.06    | 8.65    | 5.9     | 1020    | 1.70    | 0.46    | 1.89    | 0.03    | 37.1    | 17.9    | 48      | 4.71    | 30.0    |
| S005265            |         | 6.79      | <0.005  | 0.07    | 9.08    | 3.2     | 970     | 1.80    | 0.38    | 1.87    | 0.02    | 38.8    | 16.0    | 47      | 4.85    | 30.6    |
| S005266            |         | 7.27      | <0.005  | 0.06    | 8.87    | 3.7     | 1100    | 1.56    | 0.23    | 0.71    | <0.02   | 41.6    | 16.9    | 35      | 5.28    | 24.6    |
| S005266D           |         | <0.02     | <0.005  | 0.06    | 8.85    | 4.2     | 1110    | 1.59    | 0.20    | 0.70    | <0.02   | 42.1    | 17.1    | 35      | 5.15    | 25.5    |
| S005267            |         | 5.44      | <0.005  | 0.06    | 9.12    | 4.0     | 1110    | 1.49    | 0.17    | 0.73    | 0.03    | 43.5    | 13.8    | 33      | 4.38    | 18.3    |
| S005268            |         | 6.39      | <0.005  | 0.33    | 8.52    | 51.9    | 1100    | 1.45    | 0.36    | 1.70    | 0.37    | 38.0    | 14.9    | 35      | 4.33    | 22.3    |
| S005269            |         | 6.29      | 0.010   | 0.43    | 5.90    | 160.5   | 870     | 0.82    | 0.26    | 3.74    | 0.61    | 26.8    | 13.8    | 17      | 4.97    | 48.1    |
| S005270            |         | 0.13      | 1.065   | 12.90   | 5.98    | 316     | 390     | 1.07    | 0.18    | 3.73    | 4.65    | 23.0    | 11.0    | 25      | 7.10    | 84.3    |
| S005271            |         | 6.52      | <0.005  | 0.55    | 6.22    | 1095    | 530     | 1.09    | 0.40    | 3.60    | 0.35    | 21.5    | 25.8    | 8       | 8.47    | 28.4    |
| S005272            |         | 6.71      | <0.005  | 0.28    | 6.46    | 426     | 620     | 1.21    | 0.31    | 3.80    | 0.16    | 31.7    | 14.7    | 18      | 5.90    | 12.0    |
| S005273            |         | 5.70      | <0.005  | 0.38    | 6.72    | 145.0   | 110     | 1.23    | 0.59    | 1.64    | 0.26    | 26.1    | 22.4    | 15      | 3.94    | 10.4    |
| S005274            |         | 6.38      | <0.005  | 0.92    | 5.96    | 1045    | 460     | 1.27    | 0.22    | 3.21    | 1.60    | 20.7    | 21.1    | 6       | 4.48    | 14.7    |
| S005275            |         | 6.09      | 0.017   | 0.88    | 6.71    | 712     | 1320    | 1.34    | 0.41    | 4.19    | 0.85    | 24.1    | 26.3    | 9       | 4.93    | 18.4    |
| S005276            |         | 6.59      | <0.005  | 0.12    | 7.32    | 18.7    | 2010    | 1.25    | 0.36    | 3.85    | 0.08    | 26.5    | 26.2    | 8       | 4.78    | 4.8     |
| S005277            |         | 6.70      | <0.005  | 0.18    | 7.34    | 24.6    | 1430    | 1.29    | 0.40    | 3.79    | 0.04    | 26.7    | 27.6    | 9       | 6.48    | 9.0     |
| S005278            |         | 6.05      | <0.005  | 0.14    | 7.05    | 40.3    | 1370    | 1.07    | 0.33    | 4.29    | 0.03    | 25.9    | 24.1    | 8       | 6.09    | 6.4     |
| S005279            |         | 6.16      | <0.005  | 0.21    | 7.02    | 1.6     | 1090    | 1.02    | 0.47    | 4.24    | 0.05    | 25.1    | 27.0    | 8       | 4.34    | 9.9     |
| S005280            |         | 0.56      | <0.005  | <0.01   | 0.04    | 0.6     | 10      | <0.05   | <0.01   | 36.8    | <0.02   | 0.31    | 0.3     | <1      | <0.05   | 0.8     |
| S005281            |         | 6.19      | <0.005  | 0.44    | 6.56    | 31.5    | 630     | 0.77    | 0.52    | 3.09    | 0.11    | 23.8    | 26.7    | 13      | 4.14    | 10.5    |
| S005282            |         | 7.55      | 0.021   | 2.60    | 7.47    | 389     | 270     | 0.73    | 0.35    | 0.45    | 1.46    | 24.6    | 24.2    | 15      | 2.81    | 10.9    |
| S005283            |         | 4.97      | 0.005   | 0.68    | 9.61    | 103.0   | 3680    | 1.10    | 0.12    | 0.59    | 0.03    | 30.8    | 36.7    | 18      | 4.41    | 8.0     |
| S005284            |         | 7.10      | <0.005  | 0.36    | 7.96    | 538     | 1310    | 0.57    | 0.07    | 1.60    | 0.31    | 29.2    | 30.1    | 12      | 7.35    | 5.5     |
| S005285            |         | 6.69      | 0.033   | 2.40    | 8.70    | 141.0   | 60      | 0.89    | 1.11    | 0.26    | 0.36    | 25.7    | 44.5    | 12      | 2.94    | 25.3    |
| S005286            |         | 6.37      | 0.007   | 0.97    | 8.14    | 40.7    | 120     | 0.79    | 0.16    | 0.47    | 0.25    | 28.8    | 36.3    | 13      | 3.55    | 18.8    |
| S005286D           |         | <0.02     | 0.008   | 0.96    | 8.32    | 44.3    | 100     | 0.93    | 0.16    | 0.47    | 0.29    | 28.4    | 36.9    | 13      | 3.55    | 19.0    |
| S005287            |         | 6.77      | 0.035   | 1.26    | 10.40   | 178.5   | 70      | 1.08    | 0.18    | 0.32    | 1.03    | 37.6    | 40.7    | 15      | 3.98    | 12.0    |
| S005288            |         | 7.93      | 0.065   | 1.15    | 10.25   | 200     | 40      | 0.68    | 0.10    | 0.20    | 0.60    | 26.1    | 39.4    | 13      | 5.07    | 15.6    |
| S005289            |         | 6.60      | 0.022   | 0.40    | 8.55    | 211     | 40      | 0.79    | 0.18    | 0.45    | 0.46    | 21.6    | 36.0    | 14      | 4.43    | 15.6    |
| S005290            |         | 0.13      | 5.57    | 82.2    | 6.26    | 302     | 360     | 1.03    | 1.30    | 2.03    | 23.8    | 27.8    | 11.6    | 19      | 8.19    | 115.0   |
| S005291            |         | 6.97      | 0.005   | 0.38    | 8.07    | 5.7     | 740     | 0.84    | 0.43    | 2.97    | 0.04    | 25.2    | 28.3    | 12      | 5.99    | 9.3     |
| S005292            |         | 7.17      | <0.005  | 0.22    | 8.29    | 3.8     | 1860    | 1.28    | 0.24    | 3.57    | 0.04    | 26.6    | 26.8    | 12      | 7.58    | 7.7     |
| S005293            |         | 6.40      | <0.005  | 0.39    | 7.20    | 27.7    | 400     | 1.18    | 0.57    | 3.12    | 0.05    | 22.7    | 32.2    | 9       | 4.09    | 12.3    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005256            |         | 4.72    | 16.10   | 0.06    | 0.6     | 0.032   | 2.43    | 14.7    | 15.9    | 1.08    | 285     | 1.18    | 1.06    | 7.6     | 19.7    | 520  |
| S005257            |         | 5.45    | 20.5    | 0.08    | 0.7     | 0.043   | 3.56    | 20.0    | 16.4    | 1.19    | 294     | 0.96    | 0.70    | 9.3     | 24.2    | 960  |
| S005258            |         | 4.48    | 19.05   | 0.09    | 0.9     | 0.038   | 3.35    | 20.1    | 13.5    | 1.06    | 358     | 1.09    | 0.87    | 9.3     | 21.0    | 620  |
| S005259            |         | 4.66    | 17.05   | 0.07    | 1.1     | 0.030   | 2.73    | 19.9    | 14.9    | 1.14    | 459     | 1.02    | 0.96    | 8.8     | 19.7    | 750  |
| S005260            |         | 0.04    | 0.18    | 0.09    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 1.95    | 18      | 0.08    | 0.01    | <0.1    | <0.2    | 30   |
| S005261            |         | 4.80    | 16.05   | 0.07    | 1.3     | 0.033   | 2.66    | 21.0    | 13.7    | 1.11    | 478     | 1.29    | 0.86    | 8.2     | 17.9    | 810  |
| S005262            |         | 4.84    | 19.05   | 0.07    | 1.0     | 0.051   | 3.41    | 17.4    | 13.2    | 1.08    | 487     | 1.01    | 0.63    | 9.2     | 19.9    | 740  |
| S005263            |         | 5.06    | 20.7    | 0.09    | 1.0     | 0.063   | 4.20    | 18.4    | 14.0    | 0.99    | 384     | 0.76    | 0.39    | 9.7     | 27.6    | 740  |
| S005264            |         | 4.49    | 18.25   | 0.08    | 1.0     | 0.050   | 3.63    | 17.1    | 16.7    | 1.06    | 358     | 0.84    | 0.58    | 8.7     | 21.7    | 730  |
| S005265            |         | 4.70    | 18.95   | 0.08    | 0.9     | 0.052   | 3.41    | 18.3    | 22.1    | 1.02    | 331     | 1.17    | 1.02    | 9.5     | 25.2    | 530  |
| S005266            |         | 5.20    | 19.40   | 0.07    | 0.8     | 0.054   | 4.08    | 20.8    | 23.5    | 1.12    | 314     | 0.84    | 0.36    | 8.9     | 16.5    | 540  |
| S005266D           |         | 5.24    | 19.00   | 0.08    | 0.8     | 0.053   | 4.04    | 20.0    | 23.7    | 1.11    | 307     | 0.89    | 0.36    | 9.1     | 16.4    | 560  |
| S005267            |         | 4.24    | 20.2    | 0.08    | 0.9     | 0.062   | 4.32    | 20.6    | 13.4    | 0.87    | 258     | 1.29    | 0.37    | 9.1     | 15.5    | 360  |
| S005268            |         | 4.22    | 19.05   | 0.09    | 1.0     | 0.041   | 4.05    | 18.1    | 8.7     | 0.87    | 262     | 3.70    | 0.58    | 7.5     | 18.8    | 440  |
| S005269            |         | 5.06    | 14.45   | 0.07    | 1.6     | 0.026   | 2.48    | 14.2    | 6.8     | 1.25    | 518     | 8.95    | 0.58    | 4.5     | 12.9    | 910  |
| S005270            |         | 3.98    | 13.35   | 0.10    | 1.2     | 0.058   | 3.92    | 11.4    | 14.6    | 0.55    | 1410    | 10.60   | 0.21    | 5.2     | 20.9    | 930  |
| S005271            |         | 8.24    | 17.20   | 0.07    | 0.9     | 0.053   | 2.51    | 10.6    | 60.9    | 1.92    | 726     | 2.13    | 0.53    | 5.7     | 5.4     | 1260 |
| S005272            |         | 5.05    | 15.30   | 0.06    | 1.2     | 0.026   | 2.55    | 16.8    | 23.7    | 1.34    | 397     | 6.21    | 0.48    | 5.2     | 12.5    | 980  |
| S005273            |         | 7.70    | 17.55   | 0.08    | 0.9     | 0.066   | 2.84    | 12.2    | 6.4     | 0.77    | 760     | 5.46    | 0.51    | 3.6     | 13.0    | 830  |
| S005274            |         | 7.28    | 15.85   | 0.06    | 0.7     | 0.049   | 2.81    | 9.6     | 7.4     | 1.48    | 740     | 2.98    | 0.18    | 4.0     | 3.9     | 1200 |
| S005275            |         | 6.67    | 17.80   | 0.07    | 0.5     | 0.053   | 3.18    | 11.5    | 5.5     | 1.68    | 872     | 4.17    | 0.29    | 6.2     | 6.5     | 1360 |
| S005276            |         | 4.96    | 18.90   | 0.07    | 0.5     | 0.046   | 2.79    | 12.1    | 12.9    | 1.40    | 704     | 4.21    | 0.74    | 7.1     | 9.2     | 1450 |
| S005277            |         | 5.90    | 19.15   | 0.07    | 1.1     | 0.043   | 2.82    | 12.8    | 14.3    | 1.54    | 693     | 3.57    | 0.52    | 6.9     | 8.4     | 1550 |
| S005278            |         | 5.46    | 17.60   | 0.07    | 1.1     | 0.037   | 2.81    | 12.1    | 12.1    | 1.63    | 703     | 4.30    | 0.27    | 6.7     | 4.8     | 1350 |
| S005279            |         | 7.01    | 18.25   | 0.08    | 1.1     | 0.031   | 2.49    | 11.8    | 18.0    | 1.76    | 506     | 5.22    | 0.23    | 6.2     | 4.8     | 1480 |
| S005280            |         | 0.05    | 0.14    | 0.08    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 2.03    | 17      | 0.06    | <0.01   | <0.1    | 0.3     | 20   |
| S005281            |         | 6.76    | 17.70   | 0.08    | 0.5     | 0.035   | 2.42    | 11.3    | 13.4    | 1.54    | 517     | 4.03    | 0.34    | 5.1     | 8.0     | 1280 |
| S005282            |         | 5.05    | 22.8    | 0.06    | 1.0     | 0.070   | 3.58    | 10.8    | 9.4     | 0.42    | 173     | 3.46    | 0.14    | 5.2     | 7.2     | 530  |
| S005283            |         | 4.49    | 28.7    | 0.09    | 0.4     | 0.105   | 4.77    | 13.5    | 9.7     | 1.00    | 349     | 1.45    | 0.21    | 8.3     | 9.7     | 1660 |
| S005284            |         | 10.45   | 20.9    | 0.09    | 2.2     | 0.056   | 2.42    | 14.6    | 33.5    | 2.75    | 679     | 0.81    | 0.22    | 7.3     | 7.2     | 2000 |
| S005285            |         | 13.60   | 21.7    | 0.10    | 0.5     | 0.114   | 3.80    | 9.4     | 10.2    | 0.57    | 187     | 8.00    | 0.59    | 4.3     | 9.0     | 650  |
| S005286            |         | 8.08    | 21.5    | 0.07    | 0.3     | 0.110   | 3.60    | 12.3    | 10.0    | 0.74    | 245     | 1.76    | 0.59    | 4.5     | 8.5     | 1420 |
| S005286D           |         | 8.55    | 21.9    | 0.09    | 0.4     | 0.121   | 3.67    | 11.9    | 9.9     | 0.74    | 249     | 1.79    | 0.60    | 4.4     | 8.7     | 1350 |
| S005287            |         | 9.02    | 31.2    | 0.12    | 0.9     | 0.115   | 4.82    | 15.7    | 6.3     | 0.39    | 90      | 4.04    | 0.40    | 5.6     | 8.7     | 1310 |
| S005288            |         | 12.25   | 27.7    | 0.11    | 1.0     | 0.129   | 4.47    | 10.2    | 5.7     | 0.32    | 85      | 6.89    | 0.45    | 5.2     | 7.8     | 590  |
| S005289            |         | 12.00   | 25.1    | 0.08    | 0.4     | 0.110   | 3.77    | 8.3     | 7.5     | 0.43    | 133     | 3.25    | 0.40    | 4.6     | 8.0     | 1510 |
| S005290            |         | 4.75    | 13.15   | 0.08    | 1.3     | 1.455   | 3.72    | 14.4    | 13.5    | 0.49    | 1200    | 10.45   | 0.23    | 5.6     | 16.4    | 960  |
| S005291            |         | 8.53    | 23.5    | 0.07    | 0.4     | 0.056   | 3.28    | 11.0    | 25.3    | 2.33    | 724     | 1.06    | 0.39    | 7.7     | 6.5     | 1770 |
| S005292            |         | 8.27    | 23.4    | 0.08    | 0.4     | 0.030   | 3.41    | 11.4    | 30.0    | 2.93    | 637     | 1.27    | 0.43    | 8.5     | 7.6     | 1980 |
| S005293            |         | 8.39    | 20.0    | 0.08    | 0.3     | 0.031   | 2.71    | 10.4    | 23.5    | 1.99    | 451     | 2.20    | 0.23    | 4.0     | 6.9     | 1500 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005256            |                          | 4.0     | 115.5   | <0.002  | 0.78    | 0.27    | 18.0    | 1       | 0.7     | 219     | 0.45    | 0.28    | 4.06    | 0.357   | 1.29    | 0.7 |
| S005257            |                          | 5.6     | 141.5   | <0.002  | 0.74    | 0.43    | 22.4    | <1      | 1.0     | 154.0   | 0.55    | 0.28    | 4.77    | 0.446   | 1.47    | 1.0 |
| S005258            |                          | 6.1     | 127.0   | <0.002  | 0.45    | 0.58    | 17.7    | <1      | 0.9     | 162.0   | 0.55    | 0.18    | 5.11    | 0.432   | 1.45    | 1.3 |
| S005259            |                          | 5.1     | 116.0   | <0.002  | 0.27    | 0.48    | 15.6    | <1      | 0.6     | 190.5   | 0.53    | 0.08    | 4.72    | 0.388   | 1.28    | 1.4 |
| S005260            |                          | <0.5    | 0.4     | <0.002  | 0.05    | 0.07    | 0.2     | 1       | <0.2    | 5050    | <0.05   | 0.05    | 0.03    | <0.005  | <0.02   | 1.4 |
| S005261            |                          | 6.5     | 109.5   | <0.002  | 0.28    | 0.61    | 13.1    | <1      | 0.7     | 175.0   | 0.51    | 0.11    | 4.96    | 0.367   | 1.24    | 1.7 |
| S005262            |                          | 5.7     | 127.5   | <0.002  | 0.36    | 0.59    | 19.6    | 1       | 0.9     | 161.0   | 0.55    | 0.08    | 4.57    | 0.427   | 1.47    | 1.1 |
| S005263            |                          | 7.5     | 152.5   | <0.002  | 0.83    | 0.64    | 24.7    | 1       | 1.0     | 97.4    | 0.60    | 0.28    | 4.69    | 0.441   | 1.61    | 1.0 |
| S005264            |                          | 7.5     | 132.5   | 0.002   | 0.65    | 0.92    | 21.1    | 1       | 0.8     | 136.0   | 0.53    | 0.19    | 4.39    | 0.402   | 1.76    | 1.0 |
| S005265            |                          | 6.9     | 126.5   | <0.002  | 0.67    | 0.95    | 23.2    | <1      | 0.8     | 188.0   | 0.58    | 0.13    | 4.42    | 0.442   | 1.62    | 0.9 |
| S005266            |                          | 3.9     | 152.0   | <0.002  | 0.66    | 0.69    | 21.5    | 1       | 1.0     | 108.0   | 0.53    | 0.24    | 4.48    | 0.430   | 1.75    | 0.9 |
| S005266D           |                          | 3.7     | 148.5   | <0.002  | 0.69    | 0.69    | 21.2    | <1      | 1.0     | 108.0   | 0.52    | 0.18    | 4.29    | 0.430   | 1.69    | 0.9 |
| S005267            |                          | 3.7     | 165.0   | <0.002  | 0.56    | 3.35    | 21.5    | <1      | 1.1     | 96.5    | 0.57    | 0.19    | 4.73    | 0.424   | 1.78    | 0.9 |
| S005268            |                          | 13.6    | 157.0   | 0.003   | 1.05    | 12.05   | 20.9    | 1       | 0.8     | 142.0   | 0.45    | 0.33    | 4.33    | 0.366   | 1.80    | 1.1 |
| S005269            |                          | 16.5    | 123.5   | 0.005   | 1.77    | 19.50   | 17.7    | 1       | 0.7     | 267     | 0.30    | 0.26    | 3.32    | 0.385   | 1.36    | 1.6 |
| S005270            |                          | 145.0   | 158.5   | 0.011   | 2.85    | 19.90   | 11.7    | 1       | 1.6     | 190.0   | 0.31    | 0.34    | 3.13    | 0.260   | 3.02    | 1.6 |
| S005271            |                          | 9.9     | 135.5   | <0.002  | 3.02    | 55.3    | 29.1    | 1       | 0.9     | 353     | 0.33    | 0.40    | 1.90    | 0.657   | 1.90    | 0.8 |
| S005272            |                          | 8.5     | 127.0   | 0.004   | 1.53    | 59.1    | 19.1    | 1       | 0.7     | 278     | 0.34    | 0.31    | 3.97    | 0.405   | 1.83    | 1.7 |
| S005273            |                          | 8.2     | 110.5   | 0.003   | 5.15    | 21.4    | 26.3    | 1       | 0.9     | 162.0   | 0.22    | 0.10    | 2.72    | 0.388   | 2.09    | 1.1 |
| S005274            |                          | 45.7    | 133.5   | <0.002  | 2.74    | 59.7    | 27.4    | 1       | 0.6     | 263     | 0.24    | 0.13    | 1.68    | 0.505   | 2.10    | 0.7 |
| S005275            |                          | 21.1    | 160.5   | 0.002   | 1.61    | 62.8    | 31.8    | 1       | 1.0     | 271     | 0.37    | 0.28    | 2.08    | 0.738   | 2.31    | 0.8 |
| S005276            |                          | 4.0     | 138.0   | <0.002  | 0.88    | 24.0    | 34.1    | 1       | 0.9     | 241     | 0.43    | 0.20    | 2.16    | 0.842   | 2.50    | 0.9 |
| S005277            |                          | 3.0     | 146.5   | <0.002  | 1.32    | 3.37    | 35.1    | 1       | 1.0     | 167.5   | 0.41    | 0.30    | 2.22    | 0.836   | 2.42    | 1.1 |
| S005278            |                          | 2.4     | 163.0   | 0.002   | 1.13    | 2.40    | 33.9    | 1       | 0.9     | 141.0   | 0.39    | 0.29    | 2.16    | 0.819   | 2.52    | 1.2 |
| S005279            |                          | 2.7     | 141.5   | 0.002   | 1.73    | 2.08    | 31.8    | 1       | 0.9     | 161.5   | 0.38    | 0.43    | 2.22    | 0.760   | 2.14    | 1.1 |
| S005280            |                          | <0.5    | 0.4     | <0.002  | 0.06    | 0.07    | 0.2     | 1       | <0.2    | 5170    | <0.05   | 0.08    | 0.02    | <0.005  | 0.02    | 1.4 |
| S005281            |                          | 3.0     | 117.0   | 0.002   | 1.81    | 9.33    | 29.6    | <1      | 0.9     | 172.5   | 0.30    | 0.52    | 1.81    | 0.635   | 2.00    | 0.7 |
| S005282            |                          | 21.2    | 122.0   | <0.002  | 3.37    | 42.3    | 38.8    | <1      | 1.3     | 44.5    | 0.31    | 0.12    | 2.22    | 0.627   | 3.19    | 1.1 |
| S005283            |                          | 2.8     | 146.5   | <0.002  | 1.41    | 20.8    | 46.9    | 1       | 1.6     | 66.7    | 0.50    | <0.05   | 2.54    | 0.982   | 4.15    | 0.8 |
| S005284            |                          | 5.4     | 112.0   | 0.002   | 1.04    | 11.45   | 37.7    | 1       | 0.6     | 237     | 0.44    | 0.09    | 2.45    | 0.856   | 2.68    | 1.1 |
| S005285            |                          | 8.1     | 118.5   | 0.002   | >10.0   | 30.4    | 40.8    | 2       | 1.4     | 57.7    | 0.25    | 0.09    | 2.00    | 0.536   | 3.82    | 0.9 |
| S005286            |                          | 5.1     | 114.5   | <0.002  | 5.35    | 27.1    | 39.9    | 1       | 1.2     | 68.8    | 0.26    | <0.05   | 2.07    | 0.555   | 3.56    | 0.8 |
| S005286D           |                          | 5.1     | 115.0   | 0.002   | 5.65    | 27.1    | 40.6    | 1       | 1.3     | 68.1    | 0.25    | <0.05   | 2.12    | 0.539   | 3.58    | 0.8 |
| S005287            |                          | 21.2    | 144.5   | 0.002   | 9.61    | 35.5    | 52.5    | 1       | 1.7     | 60.4    | 0.33    | <0.05   | 2.38    | 0.682   | 5.86    | 1.1 |
| S005288            |                          | 13.0    | 136.5   | 0.002   | >10.0   | 47.3    | 45.3    | <1      | 1.5     | 75.6    | 0.31    | <0.05   | 2.39    | 0.646   | 6.82    | 1.2 |
| S005289            |                          | 8.1     | 121.0   | <0.002  | >10.0   | 33.5    | 40.3    | 1       | 1.3     | 70.2    | 0.30    | <0.05   | 1.94    | 0.565   | 4.50    | 0.9 |
| S005290            |                          | 8630    | 158.5   | 0.004   | 3.04    | 78.9    | 13.0    | 3       | 4.3     | 144.0   | 0.36    | 0.32    | 3.94    | 0.255   | 3.19    | 2.1 |
| S005291            |                          | 6.8     | 89.1    | 0.003   | 2.27    | 5.54    | 35.3    | <1      | 0.9     | 159.5   | 0.46    | 0.35    | 1.76    | 0.914   | 3.94    | 0.7 |
| S005292            |                          | 4.1     | 101.5   | <0.002  | 1.40    | 5.00    | 37.2    | 1       | 0.8     | 265     | 0.51    | 0.37    | 1.99    | 1.020   | 3.57    | 0.8 |
| S005293            |                          | 3.4     | 89.2    | 0.003   | 2.78    | 20.6    | 33.7    | 1       | 0.6     | 228     | 0.25    | 0.55    | 1.64    | 0.583   | 2.30    | 0.7 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Si %    | Ti %    | Zr ppm  | Ba ppm  | Ce ppm  | Cr ppm  | Cs ppm  | Dy ppm  | Er ppm  | Eu ppm  |
| S005256            |                          | 116     | 3.9     | 11.2    | 31      | 25.3    | 26.9    | 0.4     | 106     |         |         |         |         |         |         |         |
| S005257            |                          | 140     | 4.1     | 16.0    | 31      | 25.9    | 25.4    | 0.5     | 134     |         |         |         |         |         |         |         |
| S005258            |                          | 133     | 3.9     | 14.4    | 28      | 35.9    | 26.3    | 0.5     | 136     |         |         |         |         |         |         |         |
| S005259            |                          | 119     | 4.0     | 16.6    | 32      | 43.3    | 26.1    | 0.4     | 139     | 841     | 43.1    | 70      | 4.33    | 4.61    | 2.38    | 1.38    |
| S005260            |                          | 1       | 0.1     | 0.4     | <2      | 0.8     | 1.8     | <0.1    | 25      |         |         |         |         |         |         |         |
| S005261            |                          | 110     | 3.3     | 16.6    | 36      | 53.1    | 26.2    | 0.4     | 134     |         |         |         |         |         |         |         |
| S005262            |                          | 138     | 3.5     | 15.5    | 39      | 37.7    | 25.5    | 0.5     | 130     |         |         |         |         |         |         |         |
| S005263            |                          | 141     | 5.5     | 15.6    | 33      | 34.7    | 25.7    | 0.6     | 125     |         |         |         |         |         |         |         |
| S005264            |                          | 119     | 4.1     | 17.3    | 32      | 36.2    | 25.1    | 0.5     | 150     |         |         |         |         |         |         |         |
| S005265            |                          | 133     | 4.0     | 14.4    | 35      | 32.3    | 25.4    | 0.5     | 129     |         |         |         |         |         |         |         |
| S005266            |                          | 120     | 5.5     | 12.4    | 36      | 28.7    | 25.9    | 0.5     | 149     |         |         |         |         |         |         |         |
| S005266D           |                          | 121     | 5.4     | 12.5    | 37      | 30.9    | 25.6    | 0.5     | 145     |         |         |         |         |         |         |         |
| S005267            |                          | 123     | 8.3     | 11.8    | 39      | 30.3    | 25.9    | 0.5     | 152     |         |         |         |         |         |         |         |
| S005268            |                          | 119     | 8.6     | 13.4    | 63      | 37.9    | 25.8    | 0.5     | 146     |         |         |         |         |         |         |         |
| S005269            |                          | 148     | 18.4    | 18.7    | 123     | 51.2    | 24.8    | 0.5     | 107     |         |         |         |         |         |         |         |
| S005270            |                          | 107     | 4.7     | 8.1     | 484     | 35.7    | 27.3    | 0.4     | 73      |         |         |         |         |         |         |         |
| S005271            |                          | 283     | 24.4    | 21.8    | 127     | 41.0    | 21.5    | 0.8     | 84      |         |         |         |         |         |         |         |
| S005272            |                          | 175     | 18.0    | 18.4    | 52      | 41.7    | 23.8    | 0.5     | 125     |         |         |         |         |         |         |         |
| S005273            |                          | 246     | 8.5     | 14.4    | 51      | 32.0    | 25.0    | 0.8     | 119     |         |         |         |         |         |         |         |
| S005274            |                          | 245     | 13.9    | 16.4    | 163     | 20.6    | 23.4    | 0.8     | 87      |         |         |         |         |         |         |         |
| S005275            |                          | 312     | 36.9    | 23.5    | 112     | 18.9    | 21.8    | 0.9     | 93      |         |         |         |         |         |         |         |
| S005276            |                          | 343     | 13.2    | 29.0    | 60      | 13.7    | 22.9    | 1.1     | 109     |         |         |         |         |         |         |         |
| S005277            |                          | 355     | 20.3    | 31.9    | 61      | 36.5    | 23.2    | 1.1     | 104     |         |         |         |         |         |         |         |
| S005278            |                          | 325     | 30.4    | 31.5    | 58      | 54.3    | 22.8    | 1.0     | 97      |         |         |         |         |         |         |         |
| S005279            |                          | 327     | 11.6    | 32.1    | 64      | 43.1    | 22.3    | 1.0     | 99      |         |         |         |         |         |         |         |
| S005280            |                          | 1       | 0.1     | 0.4     | <2      | 0.8     | 1.6     | <0.1    | 32      |         |         |         |         |         |         |         |
| S005281            |                          | 305     | 13.7    | 22.1    | 65      | 14.6    | 23.8    | 0.9     | 88      |         |         |         |         |         |         |         |
| S005282            |                          | 346     | 10.4    | 13.5    | 174     | 32.4    | 27.4    | 1.2     | 114     |         |         |         |         |         |         |         |
| S005283            |                          | 489     | 5.8     | 18.2    | 47      | 13.8    | 24.3    | 1.7     | 155     |         |         |         |         |         |         |         |
| S005284            |                          | 369     | 5.3     | 23.6    | 104     | 90.7    | 20.1    | 1.1     | 111     |         |         |         |         |         |         |         |
| S005285            |                          | 390     | 1.8     | 14.8    | 126     | 18.5    | 21.6    | 1.3     | 122     |         |         |         |         |         |         |         |
| S005286            |                          | 382     | 1.4     | 16.4    | 106     | 10.5    | 24.6    | 1.3     | 119     |         |         |         |         |         |         |         |
| S005286D           |                          | 384     | 1.4     | 16.6    | 116     | 10.2    | 24.3    | 1.3     | 126     |         |         |         |         |         |         |         |
| S005287            |                          | 516     | 3.9     | 21.2    | 136     | 30.9    | 22.4    | 1.8     | 168     |         |         |         |         |         |         |         |
| S005288            |                          | 472     | 1.8     | 14.7    | 180     | 33.7    | 21.5    | 1.5     | 148     | 2830    | 35.8    | 20      | 4.73    | 6.77    | 4.66    | 1.51    |
| S005289            |                          | 400     | 2.3     | 19.4    | 130     | 12.1    | 22.5    | 1.3     | 123     |         |         |         |         |         |         |         |
| S005290            |                          | 124     | 4.0     | 9.4     | 1860    | 41.9    | 28.6    | 0.3     | 78      |         |         |         |         |         |         |         |
| S005291            |                          | 397     | 6.4     | 23.3    | 74      | 12.5    | 20.4    | 1.2     | 122     |         |         |         |         |         |         |         |
| S005292            |                          | 421     | 21.9    | 27.8    | 90      | 13.2    | 18.8    | 1.2     | 132     |         |         |         |         |         |         |         |
| S005293            |                          | 345     | 15.8    | 19.9    | 69      | 12.1    | 19.8    | 1.1     | 112     |         |         |         |         |         |         |         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - E  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19170594</b> |
|---|

| Sample Description                                   | Method Analyte Units LOD | ME-MS81<br>Ga<br>ppm<br>0.1 | ME-MS81<br>Gd<br>ppm<br>0.05 | ME-MS81<br>Hf<br>ppm<br>0.2 | ME-MS81<br>Ho<br>ppm<br>0.01 | ME-MS81<br>La<br>ppm<br>0.1 | ME-MS81<br>Lu<br>ppm<br>0.01 | ME-MS81<br>Nb<br>ppm<br>0.2 | ME-MS81<br>Nd<br>ppm<br>0.1 | ME-MS81<br>Pr<br>ppm<br>0.03 | ME-MS81<br>Rb<br>ppm<br>0.2 | ME-MS81<br>Sm<br>ppm<br>0.03 | ME-MS81<br>Sn<br>ppm<br>1 | ME-MS81<br>Sr<br>ppm<br>0.1 | ME-MS81<br>Ta<br>ppm<br>0.1 | ME-MS81<br>Tb<br>ppm<br>0.01 |
|--|--------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|
| S005256<br>S005257<br>S005258<br>S005259<br>S005260  |                          | 16.8                        | 4.57                         | 3.7                         | 0.88                         | 22.1                        | 0.47                         | 8.3                         | 21.0                        | 5.12                         | 116.0                       | 4.61                         | 1                         | 178.5                       | 0.7                         | 0.74                         |
| S005261<br>S005262<br>S005263<br>S005264<br>S005265  |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005266<br>S005266D<br>S005267<br>S005268<br>S005269 |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005270<br>S005271<br>S005272<br>S005273<br>S005274  |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005275<br>S005276<br>S005277<br>S005278<br>S005279  |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005280<br>S005281<br>S005282<br>S005283<br>S005284  |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005285<br>S005286<br>S005286D<br>S005287<br>S005288 |                          | 28.1                        | 5.55                         | 4.3                         | 1.47                         | 18.5                        | 0.76                         | 10.2                        | 20.5                        | 4.85                         | 128.5                       | 5.13                         | 1                         | 80.4                        | 0.7                         | 1.04                         |
| S005289<br>S005290<br>S005291<br>S005292<br>S005293  |                          |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - F  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description                                   | Method Analyte Units LOD | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 |
|--|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|
|  |                          | Th ppm  | Tm ppm  | U ppm   | V ppm   | W ppm   | Y ppm   | Yb ppm  | Zr ppm  | SiO2 %   | Al2O3 %  | Fe2O3 %  | CaO %    | MgO %    | Na2O %   | K2O %    |
| S005256<br>S005257<br>S005258<br>S005259<br>S005260  |                          | 5.63    | 0.41    | 2.15    | 132     | 4       | 24.8    | 2.49    | 144     | 63.3     | 15.70    | 6.83     | 2.76     | 2.07     | 1.34     | 3.33     |
| S005261<br>S005262<br>S005263<br>S005264<br>S005265  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005266<br>S005266D<br>S005267<br>S005268<br>S005269 |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005270<br>S005271<br>S005272<br>S005273<br>S005274  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005275<br>S005276<br>S005277<br>S005278<br>S005279  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005280<br>S005281<br>S005282<br>S005283<br>S005284  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005285<br>S005286<br>S005286D<br>S005287<br>S005288 |                          | 3.66    | 0.76    | 2.15    | 560     | 3       | 40.1    | 4.81    | 157     | 40.5     | 20.3     | 17.90    | 0.27     | 0.61     | 0.62     | 5.41     |
| S005289<br>S005290<br>S005291<br>S005292<br>S005293  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - G  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|                                    |
|------------------------------------|
| CERTIFICATE OF ANALYSIS TR19170594 |
|------------------------------------|

| Sample Description                                   | Method Analyte Units LOD | ME-ICP06 Cr2O3 % | ME-ICP06 TiO2 % | ME-ICP06 MnO % | ME-ICP06 P2O5 % | ME-ICP06 SrO % | ME-ICP06 BaO % | OA-GRA05 LOI % | TOT-ICP06 Total % |
|--|--------------------------|------------------|-----------------|----------------|-----------------|----------------|----------------|----------------|-------------------|
| S005256<br>S005257<br>S005258<br>S005259<br>S005260  |                          | 0.002            | 0.01            | 0.01           | 0.01            | 0.01           | 0.01           | 0.01           | 0.01              |
| S005261<br>S005262<br>S005263<br>S005264<br>S005265  |                          |                  |                 |                |                 |                |                |                |                   |
| S005266<br>S005266D<br>S005267<br>S005268<br>S005269 |                          |                  |                 |                |                 |                |                |                |                   |
| S005270<br>S005271<br>S005272<br>S005273<br>S005274  |                          |                  |                 |                |                 |                |                |                |                   |
| S005275<br>S005276<br>S005277<br>S005278<br>S005279  |                          |                  |                 |                |                 |                |                |                |                   |
| S005280<br>S005281<br>S005282<br>S005283<br>S005284  |                          |                  |                 |                |                 |                |                |                |                   |
| S005285<br>S005286<br>S005286D<br>S005287<br>S005288 |                          | 0.002            | 2.26            | 0.01           | 0.14            | <0.01          | 0.32           | 11.55          | 99.89             |
| S005289<br>S005290<br>S005291<br>S005292<br>S005293  |                          |                  |                 |                |                 |                |                |                |                   |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005294            |                          | 7.18         | 0.006   | 0.56    | 6.54    | 91.8    | 260     | 0.79    | 0.62    | 2.39    | 0.57    | 25.7    | 22.4    | 6       | 3.93    | 12.3    |
| S005295            |                          | 5.16         | 0.011   | 2.17    | 7.09    | 4020    | 90      | 0.74    | 0.90    | 1.67    | 9.40    | 28.3    | 28.3    | 10      | 2.85    | 14.0    |
| S005296            |                          | 6.12         | 0.012   | 1.27    | 7.69    | 3170    | 1480    | 1.50    | 0.20    | 4.50    | 1.18    | 24.1    | 22.9    | 14      | 5.65    | 7.2     |
| S005297            |                          | 7.37         | <0.005  | 0.18    | 7.62    | 146.0   | 1450    | 1.17    | 0.12    | 5.38    | 0.09    | 27.3    | 28.6    | 14      | 4.38    | 13.2    |
| S005298            |                          | 5.98         | 0.006   | 0.25    | 6.86    | 32.1    | 1240    | 1.05    | 0.26    | 4.38    | 0.07    | 25.8    | 32.3    | 12      | 4.19    | 15.8    |
| S005299            |                          | 6.10         | <0.005  | 0.10    | 7.52    | 14.8    | 1530    | 1.32    | 0.11    | 5.29    | 0.06    | 24.4    | 23.9    | 14      | 3.73    | 8.8     |
| S005300            |                          | 0.66         | <0.005  | 0.01    | 0.16    | 0.8     | 40      | <0.05   | 0.01    | 34.7    | <0.02   | 2.51    | 0.5     | <1      | 0.07    | 1.1     |
| S005301            |                          | 6.72         | <0.005  | 0.10    | 8.38    | 6.9     | 2070    | 1.46    | 0.16    | 4.06    | 0.05    | 27.5    | 24.1    | 15      | 4.24    | 6.7     |
| S005302            |                          | 7.51         | <0.005  | 0.13    | 8.14    | 5.6     | 1770    | 1.44    | 0.23    | 3.68    | 0.06    | 29.3    | 30.6    | 15      | 4.51    | 8.3     |
| S005303            |                          | 5.93         | <0.005  | 0.11    | 8.74    | 6.2     | 2850    | 1.38    | 0.25    | 1.38    | 0.05    | 31.8    | 31.6    | 16      | 3.10    | 6.9     |
| S005304            |                          | 6.64         | 0.007   | 0.57    | 8.15    | 318     | 1470    | 1.27    | 0.37    | 1.26    | 0.28    | 28.0    | 27.1    | 15      | 3.93    | 9.3     |
| S005305            |                          | 6.10         | 0.022   | 2.19    | 6.66    | 1820    | 360     | 1.18    | 0.32    | 3.11    | 3.44    | 23.0    | 23.0    | 10      | 4.93    | 19.2    |
| S005306            |                          | 3.13         | 0.043   | 3.91    | 5.27    | >10000  | 160     | 1.09    | 0.27    | 3.81    | 103.5   | 17.95   | 33.3    | 10      | 4.48    | 19.6    |
| S005306D           |                          | <0.02        | 0.041   | 3.86    | 5.36    | >10000  | 160     | 1.18    | 0.28    | 3.87    | 96.0    | 18.20   | 33.7    | 9       | 4.53    | 21.2    |
| S005307            |                          | 3.28         | 0.006   | 1.08    | 7.23    | 1215    | 1050    | 1.90    | 0.35    | 4.72    | 0.73    | 27.3    | 33.5    | 12      | 4.93    | 14.2    |
| S005308            |                          | 4.68         | 0.006   | 0.79    | 7.30    | 1250    | 1290    | 1.78    | 0.20    | 3.91    | 0.31    | 26.6    | 21.4    | 11      | 5.31    | 11.1    |
| S005309            |                          | 2.97         | 0.074   | 10.50   | 5.97    | >10000  | 410     | 1.44    | 0.40    | 3.63    | 59.4    | 21.5    | 17.6    | 8       | 4.12    | 18.9    |
| S005310            |                          | 0.11         | 1.095   | 27.3    | 6.06    | 409     | 90      | 1.28    | 0.96    | 0.68    | 1.69    | 27.1    | 13.2    | 16      | 7.92    | 110.0   |
| S005311            |                          | 6.15         | <0.005  | 0.20    | 7.96    | 127.0   | 1690    | 1.67    | 0.19    | 3.28    | 0.11    | 27.0    | 22.3    | 9       | 5.27    | 8.1     |
| S005312            |                          | 6.71         | <0.005  | 0.43    | 7.17    | 6.9     | 230     | 0.99    | 0.86    | 3.15    | 0.06    | 33.2    | 23.9    | 9       | 4.37    | 12.7    |
| S005313            |                          | 7.38         | <0.005  | 0.27    | 7.71    | 8.6     | 270     | 1.47    | 0.39    | 2.51    | 0.09    | 25.8    | 23.1    | 11      | 3.53    | 10.3    |
| S005314            |                          | 5.69         | <0.005  | 0.41    | 7.84    | 33.2    | 50      | 1.28    | 0.61    | 1.44    | 0.14    | 25.6    | 24.7    | 9       | 3.07    | 13.9    |
| S005315            |                          | 7.03         | 0.016   | 0.42    | 7.48    | 147.0   | 620     | 1.10    | 0.76    | 4.01    | 0.06    | 28.5    | 25.6    | 10      | 3.90    | 31.8    |
| S005316            |                          | 5.64         | <0.005  | 0.26    | 6.75    | 2.4     | 1050    | 0.96    | 0.38    | 4.39    | 0.06    | 23.3    | 25.7    | 7       | 2.84    | 36.2    |
| S005317            |                          | 6.18         | <0.005  | 0.31    | 7.05    | 10.9    | 1010    | 1.02    | 0.48    | 4.30    | 0.06    | 26.7    | 28.1    | 8       | 3.72    | 32.7    |
| S005318            |                          | 4.76         | <0.005  | 0.20    | 7.45    | 1.2     | 1160    | 1.17    | 0.37    | 3.66    | 0.05    | 25.9    | 21.0    | 8       | 4.52    | 24.9    |
| S005319            |                          | 2.96         | <0.005  | 0.30    | 6.82    | 7.1     | 780     | 1.26    | 0.50    | 3.14    | 0.07    | 25.0    | 25.5    | 8       | 3.98    | 33.7    |
| S005320            |                          | 0.57         | <0.005  | 0.02    | 0.06    | 1.1     | 10      | <0.05   | 0.01    | 36.7    | <0.02   | 0.33    | 0.4     | <1      | <0.05   | 0.9     |
| S005321            |                          | 2.22         | 0.022   | 2.36    | 5.54    | 2780    | 480     | 1.12    | 0.88    | 2.72    | 2.35    | 20.2    | 22.4    | 13      | 3.41    | 37.2    |
| S005322            |                          | 0.85         | <0.005  | 0.01    | 0.04    | 4.5     | 10      | <0.05   | 0.01    | 37.2    | 0.02    | 0.26    | 0.4     | <1      | <0.05   | 0.9     |
| S005323            |                          | 3.19         | 0.005   | 0.46    | 6.53    | 1.7     | 450     | 1.08    | 0.62    | 2.62    | 0.11    | 25.0    | 27.0    | 6       | 4.63    | 37.3    |
| S005324            |                          | 6.46         | <0.005  | 0.40    | 7.13    | 1.3     | 450     | 1.03    | 0.56    | 2.89    | 0.05    | 25.4    | 23.3    | 8       | 4.01    | 24.7    |
| S005325            |                          | 5.39         | <0.005  | 0.43    | 7.46    | 1.4     | 1170    | 1.02    | 0.50    | 4.06    | 0.05    | 27.5    | 24.7    | 8       | 4.60    | 18.2    |
| S005326            |                          | 6.38         | 0.005   | 0.46    | 6.18    | 4.9     | 180     | 0.77    | 0.65    | 2.53    | 0.04    | 21.5    | 21.9    | 9       | 3.66    | 14.9    |
| S005326D           |                          | <0.02        | <0.005  | 0.43    | 6.75    | 5.0     | 210     | 0.83    | 0.56    | 2.66    | 0.03    | 23.4    | 22.4    | 10      | 4.13    | 14.0    |
| S005327            |                          | 7.19         | 0.162   | 1.05    | 6.43    | 3.2     | 280     | 0.90    | 0.27    | 3.13    | 0.04    | 24.3    | 30.9    | 7       | 3.87    | 21.0    |
| S005328            |                          | 5.64         | 0.026   | 1.38    | 7.48    | 64.4    | 180     | 1.10    | 0.05    | 2.68    | 0.17    | 22.2    | 26.4    | 9       | 4.90    | 9.6     |
| S005329            |                          | 6.08         | 0.124   | 2.35    | 5.71    | 326     | 140     | 0.77    | 0.07    | 0.55    | 0.18    | 17.05   | 19.5    | 13      | 2.28    | 13.1    |
| S005330            |                          | 0.13         | 0.975   | 12.15   | 6.09    | 312     | 330     | 0.93    | 0.16    | 3.65    | 4.28    | 23.3    | 10.0    | 23      | 6.70    | 82.6    |
| S005331            |                          | 6.27         | 0.152   | 2.28    | 3.84    | 267     | 140     | 0.62    | 0.30    | 0.53    | 0.70    | 12.20   | 15.0    | 14      | 1.24    | 22.1    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S005294            |                          | 7.40    | 17.45   | 0.08    | 0.9     | 0.040   | 2.80    | 12.1    | 13.0    | 1.32    | 333     | 2.92    | 0.22    | 5.1     | 3.4     | 1360  |
| S005295            |                          | 8.77    | 19.15   | 0.07    | 0.3     | 0.062   | 3.38    | 13.9    | 9.4     | 0.84    | 388     | 2.45    | 0.11    | 4.3     | 7.1     | 1810  |
| S005296            |                          | 6.23    | 21.4    | 0.08    | 0.8     | 0.075   | 3.54    | 11.0    | 10.4    | 2.12    | 659     | 1.65    | 0.19    | 7.8     | 8.3     | 1960  |
| S005297            |                          | 7.69    | 19.50   | 0.12    | 0.6     | 0.072   | 2.90    | 13.5    | 17.5    | 3.23    | 928     | 0.77    | 0.20    | 6.9     | 9.8     | 1960  |
| S005298            |                          | 8.97    | 18.65   | 0.12    | 1.1     | 0.068   | 2.40    | 13.2    | 24.0    | 3.31    | 910     | 1.04    | 0.12    | 6.1     | 7.1     | 1700  |
| S005299            |                          | 7.02    | 20.5    | 0.12    | 0.6     | 0.080   | 2.53    | 12.0    | 29.3    | 3.01    | 895     | 0.45    | 0.14    | 7.6     | 8.2     | 1820  |
| S005300            |                          | 0.08    | 0.48    | 0.10    | 0.1     | <0.005  | 0.04    | 1.1     | 0.8     | 1.82    | 22      | 0.08    | 0.01    | 0.2     | 0.2     | 30    |
| S005301            |                          | 6.23    | 20.9    | 0.13    | 0.8     | 0.044   | 2.98    | 13.4    | 25.8    | 2.43    | 519     | 0.28    | 0.21    | 7.8     | 7.7     | 1700  |
| S005302            |                          | 7.18    | 21.2    | 0.12    | 0.5     | 0.036   | 3.07    | 14.3    | 23.2    | 2.70    | 631     | 0.71    | 0.31    | 6.8     | 7.8     | 1960  |
| S005303            |                          | 5.68    | 23.3    | 0.12    | 0.6     | 0.076   | 3.70    | 15.5    | 14.3    | 1.57    | 819     | 3.23    | 0.17    | 8.5     | 9.4     | 1820  |
| S005304            |                          | 8.18    | 21.6    | 0.12    | 0.9     | 0.063   | 3.71    | 14.0    | 12.6    | 1.82    | 792     | 4.30    | 0.14    | 6.7     | 8.5     | 1560  |
| S005305            |                          | 9.53    | 18.35   | 0.09    | 0.7     | 0.036   | 3.38    | 11.4    | 9.5     | 2.74    | 822     | 0.98    | 0.18    | 5.0     | 5.6     | 1440  |
| S005306            |                          | 9.77    | 14.60   | 0.09    | 0.3     | 0.043   | 2.72    | 8.4     | 6.2     | 2.16    | 1100    | 1.79    | 0.06    | 3.8     | 5.8     | 1140  |
| S005306D           |                          | 9.94    | 14.85   | 0.09    | 0.3     | 0.047   | 2.77    | 8.6     | 6.9     | 2.24    | 1120    | 1.48    | 0.07    | 4.0     | 5.7     | 1190  |
| S005307            |                          | 8.55    | 19.40   | 0.11    | 0.5     | 0.056   | 3.74    | 13.1    | 8.3     | 2.55    | 885     | 0.63    | 0.12    | 6.3     | 7.5     | 2140  |
| S005308            |                          | 7.45    | 21.0    | 0.10    | 1.5     | 0.064   | 3.77    | 13.1    | 10.0    | 2.60    | 710     | 0.69    | 0.12    | 6.2     | 6.3     | 1830  |
| S005309            |                          | 6.32    | 14.30   | 0.10    | 0.3     | 0.032   | 2.96    | 10.8    | 5.0     | 1.29    | 983     | 1.54    | 0.07    | 4.1     | 5.6     | 1440  |
| S005310            |                          | 4.58    | 13.05   | 0.11    | 0.9     | 0.035   | 2.80    | 13.6    | 10.7    | 0.38    | 233     | 4.82    | 0.20    | 5.6     | 13.7    | 1330  |
| S005311            |                          | 6.29    | 21.0    | 0.11    | 0.3     | 0.032   | 3.16    | 12.7    | 16.8    | 1.72    | 564     | 1.76    | 0.61    | 5.3     | 5.3     | 1450  |
| S005312            |                          | 10.75   | 20.1    | 0.11    | 0.5     | 0.050   | 2.43    | 17.3    | 21.6    | 2.10    | 648     | 2.12    | 0.58    | 5.1     | 5.4     | 2520  |
| S005313            |                          | 6.82    | 21.2    | 0.10    | 0.6     | 0.068   | 2.95    | 11.9    | 19.8    | 1.43    | 794     | 1.54    | 1.06    | 5.5     | 5.8     | 1190  |
| S005314            |                          | 10.50   | 22.8    | 0.11    | 0.6     | 0.064   | 3.05    | 10.9    | 18.4    | 0.91    | 399     | 3.87    | 1.02    | 4.9     | 5.4     | 2120  |
| S005315            |                          | 9.63    | 19.25   | 0.11    | 0.7     | 0.033   | 2.69    | 13.8    | 18.6    | 1.96    | 524     | 5.89    | 0.88    | 6.1     | 5.7     | 2750  |
| S005316            |                          | 8.70    | 17.80   | 0.10    | 1.6     | 0.040   | 2.26    | 12.0    | 25.7    | 2.39    | 584     | 1.78    | 0.59    | 5.3     | 4.4     | 1470  |
| S005317            |                          | 8.38    | 19.50   | 0.09    | 1.1     | 0.043   | 2.61    | 13.3    | 24.8    | 2.50    | 622     | 0.32    | 0.57    | 5.8     | 5.3     | 1570  |
| S005318            |                          | 7.39    | 20.0    | 0.11    | 1.0     | 0.040   | 2.85    | 12.8    | 22.2    | 2.11    | 556     | 2.08    | 1.05    | 6.6     | 5.4     | 1540  |
| S005319            |                          | 8.42    | 20.1    | 0.09    | 0.8     | 0.042   | 3.16    | 12.8    | 15.9    | 2.12    | 479     | 2.93    | 0.67    | 5.4     | 5.6     | 1450  |
| S005320            |                          | 0.07    | 0.18    | 0.10    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 2.20    | 26      | 0.06    | <0.01   | 0.1     | 0.2     | 30    |
| S005321            |                          | 8.57    | 15.60   | 0.09    | 0.5     | 0.028   | 2.67    | 9.8     | 9.3     | 1.85    | 518     | 29.6    | 0.55    | 3.4     | 4.4     | 1180  |
| S005322            |                          | 0.06    | 0.15    | 0.09    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.89    | 24      | 0.13    | <0.01   | <0.1    | 0.2     | 30    |
| S005323            |                          | 11.45   | 21.0    | 0.09    | 0.8     | 0.043   | 2.66    | 12.5    | 20.4    | 2.79    | 586     | 3.22    | 0.58    | 4.8     | 4.1     | 1280  |
| S005324            |                          | 9.34    | 19.35   | 0.07    | 0.8     | 0.025   | 2.42    | 12.7    | 20.3    | 2.09    | 491     | 2.42    | 0.67    | 3.7     | 4.9     | 1420  |
| S005325            |                          | 10.05   | 22.6    | 0.09    | 0.5     | 0.023   | 2.77    | 12.3    | 23.5    | 2.30    | 598     | 0.69    | 0.43    | 3.0     | 5.0     | 1580  |
| S005326            |                          | 9.79    | 18.05   | 0.07    | 0.5     | 0.031   | 1.98    | 9.7     | 20.0    | 2.29    | 435     | 3.75    | 0.38    | 2.1     | 3.8     | 1320  |
| S005326D           |                          | 10.25   | 19.75   | 0.08    | 1.2     | 0.028   | 2.20    | 10.8    | 21.7    | 2.46    | 465     | 3.85    | 0.39    | 2.4     | 4.1     | 1420  |
| S005327            |                          | 10.65   | 17.50   | 0.08    | 1.0     | 0.050   | 1.84    | 12.3    | 20.0    | 2.30    | 1080    | 26.9    | 0.56    | 4.9     | 4.7     | 1610  |
| S005328            |                          | 7.92    | 19.65   | 0.08    | 0.3     | 0.081   | 3.00    | 9.7     | 18.0    | 1.45    | 1390    | 2.15    | 0.37    | 4.7     | 5.0     | 1500  |
| S005329            |                          | 8.73    | 15.30   | 0.08    | 0.4     | 0.060   | 2.75    | 7.1     | 7.3     | 0.36    | 155     | 2.57    | 0.13    | 2.9     | 4.5     | 1290  |
| S005330            |                          | 3.96    | 13.00   | 0.08    | 1.1     | 0.044   | 3.94    | 11.8    | 12.1    | 0.55    | 1390    | 9.70    | 0.21    | 4.9     | 19.2    | 910   |
| S005331            |                          | 5.68    | 10.35   | 0.05    | 0.3     | 0.030   | 1.83    | 5.8     | 5.8     | 0.28    | 125     | 2.25    | 0.11    | 2.1     | 3.9     | 810   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005294            |                          | 8.4     | 137.0   | <0.002  | 3.58    | 13.35   | 29.7    | 1       | 0.9     | 157.0   | 0.29    | 0.32    | 1.95    | 0.564   | 1.72    | 0.8 |
| S005295            |                          | 101.0   | 112.0   | <0.002  | 5.58    | 63.6    | 34.2    | 1       | 1.1     | 294     | 0.24    | 0.26    | 1.80    | 0.504   | 2.35    | 0.6 |
| S005296            |                          | 29.9    | 112.5   | 0.002   | 1.86    | 52.8    | 34.1    | 1       | 1.5     | 405     | 0.49    | 0.18    | 2.01    | 0.886   | 2.47    | 1.1 |
| S005297            |                          | 5.2     | 147.0   | <0.002  | 1.22    | 9.09    | 32.0    | 1       | 1.3     | 237     | 0.41    | 0.20    | 2.34    | 0.812   | 2.19    | 0.9 |
| S005298            |                          | 2.5     | 136.5   | 0.002   | 1.84    | 5.35    | 29.8    | 1       | 1.0     | 231     | 0.35    | 0.40    | 2.19    | 0.710   | 2.17    | 0.9 |
| S005299            |                          | 2.9     | 100.5   | <0.002  | 0.99    | 2.77    | 32.0    | 1       | 1.4     | 237     | 0.43    | 0.16    | 2.04    | 0.930   | 2.38    | 1.0 |
| S005300            |                          | <0.5    | 1.7     | <0.002  | 0.04    | 0.09    | 0.4     | 1       | <0.2    | 5030    | <0.05   | <0.05   | 0.24    | 0.007   | 0.03    | 1.3 |
| S005301            |                          | 3.0     | 163.0   | <0.002  | 0.90    | 2.40    | 33.8    | 1       | 1.0     | 250     | 0.46    | 0.19    | 2.44    | 0.936   | 2.81    | 1.1 |
| S005302            |                          | 3.1     | 156.0   | <0.002  | 1.14    | 2.67    | 33.6    | 1       | 0.6     | 228     | 0.39    | 0.29    | 2.21    | 0.911   | 3.24    | 0.9 |
| S005303            |                          | 2.6     | 140.5   | 0.002   | 1.01    | 2.15    | 37.9    | 1       | 1.2     | 127.0   | 0.48    | 0.05    | 2.34    | 1.045   | 3.01    | 1.0 |
| S005304            |                          | 13.8    | 164.5   | 0.002   | 1.59    | 18.85   | 35.0    | 1       | 0.9     | 100.5   | 0.37    | 0.20    | 2.17    | 0.809   | 3.02    | 1.0 |
| S005305            |                          | 262     | 194.5   | <0.002  | 2.88    | 154.5   | 27.9    | 1       | 0.6     | 202     | 0.29    | 0.46    | 1.93    | 0.606   | 2.73    | 0.7 |
| S005306            |                          | 1430    | 145.0   | <0.002  | 4.35    | 796     | 20.7    | 1       | 0.6     | 381     | 0.22    | 0.57    | 1.43    | 0.473   | 2.00    | 0.5 |
| S005306D           |                          | 1440    | 147.0   | <0.002  | 4.32    | 810     | 20.9    | 2       | 0.6     | 383     | 0.23    | 0.56    | 1.46    | 0.492   | 2.09    | 0.6 |
| S005307            |                          | 25.5    | 190.5   | <0.002  | 2.38    | 43.6    | 30.5    | 1       | 1.1     | 501     | 0.37    | 0.46    | 2.11    | 0.763   | 2.57    | 0.8 |
| S005308            |                          | 8.9     | 205     | <0.002  | 1.84    | 22.7    | 30.6    | 1       | 1.3     | 300     | 0.36    | 0.26    | 2.18    | 0.751   | 2.81    | 0.9 |
| S005309            |                          | 4160    | 134.0   | <0.002  | 2.80    | 2140    | 24.3    | 1       | 0.5     | 338     | 0.24    | 0.35    | 1.66    | 0.555   | 2.29    | 0.6 |
| S005310            |                          | 54.8    | 123.5   | <0.002  | 4.28    | 39.4    | 14.1    | 6       | 1.9     | 138.5   | 0.31    | 0.29    | 2.49    | 0.313   | 2.30    | 0.9 |
| S005311            |                          | 7.9     | 135.0   | <0.002  | 1.04    | 7.71    | 36.1    | 1       | 0.4     | 262     | 0.32    | 0.19    | 1.97    | 0.837   | 3.35    | 0.7 |
| S005312            |                          | 5.1     | 117.5   | <0.002  | 3.34    | 2.02    | 30.4    | 1       | 1.0     | 195.0   | 0.30    | 0.47    | 2.25    | 0.594   | 2.87    | 1.2 |
| S005313            |                          | 5.6     | 105.5   | <0.002  | 2.86    | 1.64    | 30.9    | 1       | 1.0     | 198.5   | 0.31    | 0.07    | 2.29    | 0.654   | 2.96    | 1.0 |
| S005314            |                          | 13.1    | 105.5   | 0.002   | 7.96    | 6.19    | 32.2    | 1       | 1.1     | 99.4    | 0.29    | 0.15    | 2.09    | 0.556   | 2.94    | 0.9 |
| S005315            |                          | 4.2     | 151.5   | 0.002   | 2.71    | 1.42    | 30.7    | 1       | 1.0     | 263     | 0.37    | 0.64    | 2.25    | 0.713   | 2.36    | 0.9 |
| S005316            |                          | 2.6     | 123.0   | <0.002  | 1.95    | 0.82    | 26.3    | 1       | 1.1     | 232     | 0.30    | 0.40    | 1.91    | 0.677   | 1.64    | 1.0 |
| S005317            |                          | 3.1     | 161.5   | 0.002   | 1.95    | 1.46    | 29.8    | 1       | 1.1     | 181.0   | 0.33    | 0.49    | 2.21    | 0.699   | 2.18    | 1.0 |
| S005318            |                          | 3.5     | 183.0   | <0.002  | 1.43    | 1.10    | 31.0    | 1       | 1.3     | 251     | 0.37    | 0.33    | 2.23    | 0.808   | 2.54    | 0.9 |
| S005319            |                          | 3.6     | 198.0   | <0.002  | 2.07    | 3.46    | 29.1    | 1       | 1.4     | 206     | 0.29    | 0.39    | 2.04    | 0.619   | 2.31    | 0.7 |
| S005320            |                          | <0.5    | 0.8     | <0.002  | 0.06    | 0.12    | 0.3     | 1       | <0.2    | 4620    | <0.05   | <0.05   | 0.03    | 0.005   | 0.02    | 1.3 |
| S005321            |                          | 322     | 164.5   | 0.003   | 2.99    | 313     | 22.4    | 1       | 0.8     | 207     | 0.21    | 0.75    | 1.59    | 0.467   | 2.08    | 0.6 |
| S005322            |                          | 0.9     | 0.5     | <0.002  | 0.06    | 0.80    | 0.2     | 1       | <0.2    | 5210    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.4 |
| S005323            |                          | 4.5     | 170.0   | <0.002  | 2.89    | 2.26    | 27.1    | 1       | 0.9     | 238     | 0.28    | 0.63    | 2.12    | 0.576   | 2.47    | 0.8 |
| S005324            |                          | 3.7     | 131.0   | <0.002  | 2.57    | 0.77    | 28.8    | 1       | 0.5     | 224     | 0.22    | 0.68    | 2.06    | 0.547   | 2.70    | 0.8 |
| S005325            |                          | 3.4     | 106.0   | <0.002  | 2.63    | 0.51    | 32.2    | <1      | 0.4     | 204     | 0.17    | 0.55    | 2.06    | 0.521   | 3.82    | 1.0 |
| S005326            |                          | 3.1     | 102.0   | <0.002  | 3.29    | 1.31    | 24.9    | 1       | 0.5     | 191.5   | 0.13    | 0.53    | 1.72    | 0.389   | 2.65    | 0.7 |
| S005326D           |                          | 3.3     | 114.5   | <0.002  | 3.37    | 1.29    | 27.9    | 1       | 0.5     | 201     | 0.13    | 0.46    | 1.97    | 0.423   | 3.00    | 0.9 |
| S005327            |                          | 4.7     | 100.0   | 0.006   | 3.21    | 1.06    | 26.7    | 1       | 0.6     | 254     | 0.28    | 0.24    | 1.87    | 0.646   | 3.46    | 1.1 |
| S005328            |                          | 9.3     | 131.0   | <0.002  | 3.79    | 5.83    | 32.1    | 1       | 0.9     | 161.5   | 0.29    | <0.05   | 1.85    | 0.685   | 6.53    | 0.8 |
| S005329            |                          | 20.9    | 97.3    | <0.002  | 8.60    | 18.05   | 23.2    | 1       | 0.8     | 54.5    | 0.17    | <0.05   | 1.20    | 0.396   | 4.82    | 0.5 |
| S005330            |                          | 141.5   | 160.0   | 0.009   | 2.86    | 19.90   | 10.5    | 2       | 1.6     | 192.5   | 0.28    | 0.31    | 2.97    | 0.257   | 3.20    | 1.6 |
| S005331            |                          | 23.5    | 69.9    | <0.002  | 4.59    | 19.20   | 15.7    | 1       | 0.6     | 49.1    | 0.13    | 0.17    | 0.92    | 0.292   | 2.66    | 0.4 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      | Ba      | Ce      | Cr      | Cs      | Dy      | Er      | Eu      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       | 0.5     | 0.1     | 10      | 0.01    | 0.05    | 0.03    | 0.03    |
| S005294            |                          | 274     | 11.2    | 18.7    | 98      | 32.2    | 24.5    | 0.9     | 94      |         |         |         |         |         |         |         |
| S005295            |                          | 314     | 16.2    | 15.4    | 488     | 12.5    | 23.8    | 1.1     | 104     |         |         |         |         |         |         |         |
| S005296            |                          | 362     | 53.3    | 22.2    | 120     | 24.7    | 19.4    | 1.1     | 121     |         |         |         |         |         |         |         |
| S005297            |                          | 343     | 6.8     | 26.2    | 107     | 20.7    | 17.9    | 1.0     | 109     |         |         |         |         |         |         |         |
| S005298            |                          | 313     | 89.6    | 24.7    | 115     | 26.1    | 18.4    | 0.9     | 98      |         |         |         |         |         |         |         |
| S005299            |                          | 365     | 47.8    | 22.6    | 105     | 18.2    | 19.0    | 1.1     | 120     |         |         |         |         |         |         |         |
| S005300            |                          | 2       | 0.2     | 1.0     | 2       | 3.5     | 2.1     | <0.1    | 30      |         |         |         |         |         |         |         |
| S005301            |                          | 375     | 10.3    | 21.5    | 84      | 25.8    | 20.8    | 1.2     | 120     |         |         |         |         |         |         |         |
| S005302            |                          | 372     | 9.3     | 23.3    | 88      | 18.0    | 20.6    | 1.1     | 117     |         |         |         |         |         |         |         |
| S005303            |                          | 405     | 3.1     | 24.8    | 62      | 18.8    | 23.2    | 1.3     | 122     |         |         |         |         |         |         |         |
| S005304            |                          | 373     | 7.1     | 17.0    | 96      | 34.0    | 21.8    | 1.1     | 114     |         |         |         |         |         |         |         |
| S005305            |                          | 281     | 38.9    | 17.2    | 297     | 16.8    | 20.0    | 0.9     | 95      |         |         |         |         |         |         |         |
| S005306            |                          | 230     | 42.8    | 14.2    | 6510    | 9.1     | 21.0    | 0.7     | 76      |         |         |         |         |         |         |         |
| S005306D           |                          | 233     | 39.2    | 14.2    | 6100    | 11.6    | 21.4    | 0.7     | 78      |         |         |         |         |         |         |         |
| S005307            |                          | 324     | 16.8    | 24.8    | 98      | 14.0    | 18.6    | 1.0     | 103     |         |         |         |         |         |         |         |
| S005308            |                          | 316     | 17.6    | 21.8    | 79      | 18.2    | 19.2    | 1.0     | 105     |         |         |         |         |         |         |         |
| S005309            |                          | 244     | 23.7    | 15.5    | 3850    | 14.4    | 24.2    | 0.8     | 89      |         |         |         |         |         |         |         |
| S005310            |                          | 144     | 2.4     | 8.1     | 207     | 32.6    | 31.1    | 0.4     | 73      |         |         |         |         |         |         |         |
| S005311            |                          | 379     | 6.6     | 19.9    | 73      | 11.5    | 21.6    | 1.2     | 114     |         |         |         |         |         |         |         |
| S005312            |                          | 274     | 5.2     | 35.0    | 69      | 18.1    | 21.3    | 0.9     | 107     |         |         |         |         |         |         |         |
| S005313            |                          | 282     | 4.3     | 27.2    | 100     | 23.0    | 24.1    | 1.0     | 118     |         |         |         |         |         |         |         |
| S005314            |                          | 281     | 2.6     | 21.9    | 58      | 21.8    | 23.0    | 1.1     | 127     |         |         |         |         |         |         |         |
| S005315            |                          | 309     | 12.0    | 24.6    | 71      | 33.6    | 19.8    | 1.0     | 109     |         |         |         |         |         |         |         |
| S005316            |                          | 307     | 63.9    | 19.8    | 80      | 72.0    | 21.0    | 0.9     | 92      |         |         |         |         |         |         |         |
| S005317            |                          | 315     | 36.5    | 21.7    | 81      | 47.0    | 20.0    | 0.9     | 100     |         |         |         |         |         |         |         |
| S005318            |                          | 329     | 31.4    | 20.2    | 97      | 46.2    | 21.2    | 0.9     | 104     |         |         |         |         |         |         |         |
| S005319            |                          | 300     | 26.8    | 20.4    | 92      | 28.6    | 21.1    | 0.9     | 96      |         |         |         |         |         |         |         |
| S005320            |                          | 2       | 0.1     | 0.4     | <2      | 0.7     | 1.9     | <0.1    | 28      |         |         |         |         |         |         |         |
| S005321            |                          | 282     | 51.7    | 12.9    | 201     | 12.8    | 23.5    | 0.7     | 81      |         |         |         |         |         |         |         |
| S005322            |                          | 1       | 0.1     | 0.3     | <2      | 0.5     | 1.7     | <0.1    | 24      |         |         |         |         |         |         |         |
| S005323            |                          | 291     | 17.6    | 19.0    | 119     | 28.4    | 18.9    | 0.8     | 92      |         |         |         |         |         |         |         |
| S005324            |                          | 310     | 11.1    | 22.2    | 71      | 28.3    | 20.8    | 0.9     | 99      | 1150    | 24.5    | 20      | 3.85    | 5.61    | 3.63    | 1.50    |
| S005325            |                          | 347     | 18.7    | 31.2    | 72      | 14.9    | 19.0    | 1.0     | 121     |         |         |         |         |         |         |         |
| S005326            |                          | 282     | 12.6    | 18.7    | 76      | 15.0    | 22.3    | 0.9     | 89      |         |         |         |         |         |         |         |
| S005326D           |                          | 307     | 13.3    | 22.5    | 80      | 33.5    | 21.3    | 0.9     | 95      |         |         |         |         |         |         |         |
| S005327            |                          | 318     | 19.9    | 24.5    | 166     | 25.4    | 21.3    | 0.8     | 94      |         |         |         |         |         |         |         |
| S005328            |                          | 343     | 1.9     | 19.6    | 228     | 11.9    | 22.3    | 1.1     | 107     |         |         |         |         |         |         |         |
| S005329            |                          | 248     | 3.0     | 13.5    | 70      | 13.0    | 27.7    | 0.9     | 79      |         |         |         |         |         |         |         |
| S005330            |                          | 105     | 4.4     | 8.2     | 471     | 39.2    | 27.0    | 0.4     | 71      |         |         |         |         |         |         |         |
| S005331            |                          | 162     | 4.7     | 9.7     | 109     | 13.1    | 31.8    | 0.6     | 53      |         |         |         |         |         |         |         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - E  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19170594</b> |
|---|

| Sample Description                                   | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Ga<br>ppm<br>0.1 | ME-MS81<br>Gd<br>ppm<br>0.05 | ME-MS81<br>Hf<br>ppm<br>0.2 | ME-MS81<br>Ho<br>ppm<br>0.01 | ME-MS81<br>La<br>ppm<br>0.1 | ME-MS81<br>Lu<br>ppm<br>0.01 | ME-MS81<br>Nb<br>ppm<br>0.2 | ME-MS81<br>Nd<br>ppm<br>0.1 | ME-MS81<br>Pr<br>ppm<br>0.03 | ME-MS81<br>Rb<br>ppm<br>0.2 | ME-MS81<br>Sm<br>ppm<br>0.03 | ME-MS81<br>Sn<br>ppm<br>1 | ME-MS81<br>Sr<br>ppm<br>0.1 | ME-MS81<br>Ta<br>ppm<br>0.1 | ME-MS81<br>Tb<br>ppm<br>0.01 |
|--|-----------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|
| S005294<br>S005295<br>S005296<br>S005297<br>S005298  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005299<br>S005300<br>S005301<br>S005302<br>S005303  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005304<br>S005305<br>S005306<br>S005306D<br>S005307 |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005308<br>S005309<br>S005310<br>S005311<br>S005312  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005313<br>S005314<br>S005315<br>S005316<br>S005317  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005318<br>S005319<br>S005320<br>S005321<br>S005322  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |
| S005323<br>S005324<br>S005325<br>S005326<br>S005326D |                                   | 20.2                        | 5.42                         | 3.0                         | 1.31                         | 12.3                        | 0.58                         | 7.1                         | 15.6                        | 3.30                         | 131.5                       | 4.40                         | <1                        | 206                         | 0.6                         | 0.90                         |
| S005327<br>S005328<br>S005329<br>S005330<br>S005331  |                                   |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |                             |                             |                              |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - F  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description                                   | Method Analyte Units LOD | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 |
|--|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|----------|----------|----------|----------|----------|
|  |                          | Th ppm  | Tm ppm  | U ppm   | V ppm   | W ppm   | Y ppm   | Yb ppm  | Zr ppm  | SiO2 %   | Al2O3 %  | Fe2O3 %  | CaO %    | MgO %    | Na2O %   | K2O %    |
| S005294<br>S005295<br>S005296<br>S005297<br>S005298  |                          | 0.05    | 0.01    | 0.05    | 5       | 1       | 0.1     | 0.03    | 2       | 0.01     | 0.01     | 0.01     | 0.01     | 0.01     | 0.01     | 0.01     |
| S005299<br>S005300<br>S005301<br>S005302<br>S005303  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005304<br>S005305<br>S005306<br>S005306D<br>S005307 |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005308<br>S005309<br>S005310<br>S005311<br>S005312  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005313<br>S005314<br>S005315<br>S005316<br>S005317  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005318<br>S005319<br>S005320<br>S005321<br>S005322  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |
| S005323<br>S005324<br>S005325<br>S005326<br>S005326D |                          | 2.39    | 0.52    | 1.86    | 392     | 30      | 34.3    | 3.81    | 105     | 52.5     | 13.85    | 14.00    | 4.11     | 3.80     | 0.96     | 3.01     |
| S005327<br>S005328<br>S005329<br>S005330<br>S005331  |                          |         |         |         |         |         |         |         |         |          |          |          |          |          |          |          |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - G  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description                                   | Method Analyte Units LOD | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | OA-GRA05 | TOT-ICP06 |
|--|--------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|
|  |                          | Cr2O3 %  | TiO2 %   | MnO %    | P2O5 %   | SrO %    | BaO %    | LOI %    | Total %   |
| S005294<br>S005295<br>S005296<br>S005297<br>S005298  |                          | 0.002    | 0.01     | 0.01     | 0.01     | 0.01     | 0.01     | 0.01     | 0.01      |
| S005299<br>S005300<br>S005301<br>S005302<br>S005303  |                          |          |          |          |          |          |          |          |           |
| S005304<br>S005305<br>S005306<br>S005306D<br>S005307 |                          |          |          |          |          |          |          |          |           |
| S005308<br>S005309<br>S005310<br>S005311<br>S005312  |                          |          |          |          |          |          |          |          |           |
| S005313<br>S005314<br>S005315<br>S005316<br>S005317  |                          |          |          |          |          |          |          |          |           |
| S005318<br>S005319<br>S005320<br>S005321<br>S005322  |                          |          |          |          |          |          |          |          |           |
| S005323<br>S005324<br>S005325<br>S005326<br>S005326D |                          | 0.002    | 1.52     | 0.06     | 0.32     | 0.02     | 0.13     | 6.46     | 100.74    |
| S005327<br>S005328<br>S005329<br>S005330<br>S005331  |                          |          |          |          |          |          |          |          |           |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005332            |                          | 6.96         | 0.054   | 2.88    | 5.60    | 977     | 80      | 0.76    | 0.89    | 0.61    | 10.45   | 16.60   | 17.9    | 14      | 1.12    | 16.9    |
| S005333            |                          | 8.09         | 0.055   | 4.05    | 5.73    | 191.5   | 210     | 0.79    | 0.19    | 0.87    | 0.43    | 18.05   | 21.8    | 9       | 2.57    | 10.1    |
| S005334            |                          | 5.81         | 0.101   | 5.65    | 5.81    | 173.0   | 60      | 0.64    | 0.03    | 0.59    | 0.52    | 19.00   | 19.8    | 7       | 2.18    | 7.3     |
| S005335            |                          | 7.03         | 0.072   | 3.28    | 6.21    | 144.0   | 70      | 0.84    | 0.16    | 0.71    | 0.50    | 19.00   | 21.9    | 10      | 2.32    | 11.9    |
| S005336            |                          | 7.24         | 0.012   | 0.73    | 7.22    | 181.5   | 160     | 1.43    | 1.23    | 2.44    | 0.62    | 24.5    | 30.7    | 11      | 2.92    | 45.0    |
| S005337            |                          | 6.81         | <0.005  | 0.33    | 8.30    | 2.6     | 1110    | 1.11    | 0.66    | 4.13    | 0.05    | 37.3    | 38.4    | 13      | 7.75    | 31.1    |
| S005338            |                          | 7.41         | 0.011   | 0.69    | 6.89    | 34.2    | 270     | 1.64    | 0.83    | 4.11    | 0.13    | 31.5    | 32.4    | 13      | 4.92    | 39.5    |
| S005339            |                          | 7.13         | 0.012   | 1.11    | 7.66    | 1845    | 820     | 2.15    | 0.27    | 4.28    | 2.12    | 26.1    | 27.5    | 11      | 5.68    | 13.3    |
| S005340            |                          | 0.68         | <0.005  | 0.02    | 0.06    | 2.2     | 10      | <0.05   | <0.01   | 37.3    | <0.02   | 0.26    | 0.3     | <1      | <0.05   | 0.9     |
| S005341            |                          | 7.15         | 0.007   | 0.53    | 7.74    | 1000    | 490     | 1.62    | 0.46    | 4.80    | 0.27    | 26.5    | 27.6    | 11      | 6.86    | 15.4    |
| S005342            |                          | 6.91         | <0.005  | 0.39    | 7.42    | 69.1    | 890     | 1.04    | 0.45    | 5.22    | 0.10    | 28.8    | 26.9    | 10      | 6.25    | 14.1    |
| S005343            |                          | 7.77         | 0.036   | 2.27    | 7.13    | 2750    | 170     | 1.15    | 0.43    | 4.34    | 8.84    | 25.4    | 32.5    | 9       | 5.35    | 26.6    |
| S005344            |                          | 5.84         | 0.026   | 0.34    | 7.62    | 219     | 790     | 1.14    | 0.33    | 3.96    | 0.13    | 26.3    | 25.5    | 10      | 5.42    | 14.2    |
| S005345            |                          | 7.16         | <0.005  | 0.28    | 8.24    | 4.8     | 1160    | 1.27    | 0.40    | 4.34    | 0.06    | 27.4    | 33.8    | 13      | 5.12    | 24.9    |
| S005346            |                          | 6.58         | 0.020   | 0.47    | 8.56    | 229     | 2110    | 1.51    | 0.47    | 3.43    | 0.09    | 26.9    | 35.6    | 11      | 5.96    | 22.7    |
| S005346D           |                          | <0.02        | 0.019   | 0.52    | 8.60    | 233     | 2340    | 1.48    | 0.49    | 3.43    | 0.09    | 25.7    | 36.0    | 12      | 5.92    | 25.5    |
| S005347            |                          | 6.80         | <0.005  | 0.21    | 8.08    | 18.0    | 710     | 1.32    | 0.34    | 3.32    | 0.06    | 25.7    | 32.4    | 10      | 5.24    | 17.3    |
| S005348            |                          | 6.92         | <0.005  | 0.26    | 8.45    | 6.3     | 680     | 1.15    | 0.31    | 3.49    | 0.07    | 26.7    | 29.3    | 12      | 4.98    | 10.0    |
| S005349            |                          | 7.88         | <0.005  | 0.25    | 8.30    | 26.4    | 610     | 1.25    | 0.43    | 3.85    | 0.09    | 30.5    | 35.2    | 11      | 6.30    | 14.8    |
| S005350            |                          | 0.13         | 5.66    | 82.7    | 6.37    | 281     | 280     | 1.01    | 1.35    | 2.02    | 23.8    | 27.4    | 11.9    | 19      | 8.17    | 117.5   |
| S005351            |                          | 6.33         | <0.005  | 0.38    | 8.62    | 8.6     | 1780    | 1.35    | 0.35    | 3.96    | 0.09    | 28.2    | 27.1    | 12      | 5.73    | 8.4     |
| S005352            |                          | 7.42         | 0.006   | 0.56    | 8.24    | 19.9    | 110     | 1.14    | 0.60    | 2.01    | 0.10    | 25.3    | 33.5    | 11      | 5.33    | 12.1    |
| S005353            |                          | 6.81         | 0.031   | 2.43    | 7.42    | 42.1    | 60      | 1.16    | 0.08    | 1.20    | 0.14    | 19.50   | 29.7    | 10      | 5.56    | 11.7    |
| S005354            |                          | 7.34         | 0.050   | 6.51    | 7.98    | 5120    | 60      | 1.48    | 0.10    | 1.42    | 42.7    | 18.05   | 33.2    | 9       | 5.80    | 24.1    |
| S005355            |                          | 6.15         | 0.006   | 1.03    | 7.08    | 700     | 100     | 1.13    | 0.47    | 1.58    | 0.23    | 21.8    | 27.3    | 8       | 4.42    | 8.8     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S005332            |                          | 6.87    | 15.35   | 0.07    | 0.6     | 0.033   | 2.67    | 7.2     | 5.2     | 0.29    | 146     | 3.23    | 0.09    | 2.9     | 5.0     | 870   |
| S005333            |                          | 8.60    | 16.10   | 0.07    | 0.6     | 0.060   | 2.72    | 7.9     | 8.7     | 0.43    | 297     | 3.90    | 0.19    | 3.5     | 4.5     | 1170  |
| S005334            |                          | 6.99    | 16.15   | 0.08    | 0.5     | 0.068   | 2.59    | 8.6     | 11.3    | 0.25    | 237     | 3.29    | 0.16    | 4.9     | 3.0     | 1640  |
| S005335            |                          | 6.36    | 17.45   | 0.07    | 0.4     | 0.066   | 2.86    | 8.2     | 12.0    | 0.33    | 247     | 2.83    | 0.28    | 5.3     | 4.8     | 1210  |
| S005336            |                          | 8.97    | 18.90   | 0.07    | 0.5     | 0.037   | 3.51    | 10.9    | 9.5     | 0.72    | 330     | 4.93    | 1.15    | 5.5     | 7.1     | 1500  |
| S005337            |                          | 10.55   | 25.2    | 0.10    | 1.0     | 0.085   | 2.69    | 18.1    | 21.2    | 2.63    | 1060    | 1.36    | 1.77    | 10.8    | 8.5     | 2190  |
| S005338            |                          | 9.69    | 18.45   | 0.07    | 0.8     | 0.065   | 2.24    | 15.7    | 12.3    | 1.66    | 811     | 0.91    | 1.35    | 6.8     | 7.1     | 2140  |
| S005339            |                          | 7.55    | 20.5    | 0.08    | 1.4     | 0.057   | 2.64    | 12.1    | 14.0    | 1.69    | 1040    | 0.39    | 0.81    | 7.1     | 7.5     | 1410  |
| S005340            |                          | 0.06    | 0.20    | 0.07    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 2.01    | 22      | <0.05   | 0.01    | <0.1    | <0.2    | 30    |
| S005341            |                          | 7.39    | 20.0    | 0.07    | 0.7     | 0.063   | 2.60    | 12.7    | 11.1    | 1.43    | 674     | 0.63    | 1.09    | 7.5     | 6.9     | 1680  |
| S005342            |                          | 7.51    | 20.3    | 0.06    | 0.6     | 0.066   | 2.13    | 15.2    | 12.8    | 1.65    | 791     | 0.50    | 1.20    | 7.1     | 6.3     | 2200  |
| S005343            |                          | 10.80   | 20.9    | 0.06    | 1.0     | 0.058   | 2.54    | 12.0    | 12.7    | 1.67    | 748     | 0.74    | 0.83    | 6.1     | 7.1     | 1620  |
| S005344            |                          | 7.67    | 21.5    | 0.09    | 0.8     | 0.086   | 2.13    | 12.2    | 25.8    | 1.75    | 712     | 1.02    | 0.24    | 7.5     | 6.5     | 1700  |
| S005345            |                          | 8.31    | 23.3    | 0.07    | 0.6     | 0.047   | 2.30    | 12.8    | 16.5    | 1.49    | 649     | 0.67    | 1.36    | 8.6     | 8.3     | 1710  |
| S005346            |                          | 7.92    | 22.8    | 0.10    | 0.3     | 0.048   | 3.28    | 12.1    | 14.7    | 1.44    | 729     | 0.75    | 1.49    | 8.5     | 7.8     | 1880  |
| S005346D           |                          | 8.02    | 23.3    | 0.08    | 0.3     | 0.044   | 3.33    | 11.3    | 15.3    | 1.44    | 733     | 0.77    | 1.54    | 8.2     | 8.1     | 1890  |
| S005347            |                          | 7.78    | 22.2    | 0.08    | 0.6     | 0.039   | 2.99    | 11.6    | 18.4    | 1.27    | 530     | 0.78    | 0.74    | 8.0     | 7.4     | 1630  |
| S005348            |                          | 7.58    | 22.2    | 0.08    | 0.6     | 0.054   | 2.55    | 11.8    | 18.4    | 1.31    | 822     | 1.78    | 1.41    | 7.9     | 7.7     | 1580  |
| S005349            |                          | 9.04    | 22.0    | 0.09    | 0.4     | 0.045   | 2.97    | 14.2    | 21.3    | 1.39    | 750     | 0.87    | 0.63    | 7.8     | 7.3     | 1900  |
| S005350            |                          | 4.81    | 13.60   | 0.07    | 1.3     | 1.445   | 3.76    | 13.9    | 13.1    | 0.49    | 1200    | 10.35   | 0.23    | 5.6     | 16.9    | 960   |
| S005351            |                          | 7.91    | 23.1    | 0.07    | 0.5     | 0.037   | 2.63    | 13.2    | 23.9    | 1.60    | 694     | 2.76    | 0.89    | 8.1     | 7.2     | 1530  |
| S005352            |                          | 9.69    | 23.6    | 0.09    | 0.5     | 0.041   | 2.93    | 10.9    | 26.4    | 1.40    | 512     | 3.05    | 0.39    | 8.0     | 7.6     | 1780  |
| S005353            |                          | 9.92    | 19.90   | 0.09    | 0.4     | 0.101   | 3.78    | 7.8     | 16.9    | 0.69    | 661     | 4.32    | 0.10    | 3.9     | 6.1     | 1630  |
| S005354            |                          | 10.80   | 22.9    | 0.09    | 0.3     | 0.106   | 4.36    | 6.6     | 16.2    | 0.85    | 1080    | 3.49    | 0.10    | 3.7     | 6.8     | 1530  |
| S005355            |                          | 7.96    | 19.00   | 0.10    | 0.3     | 0.081   | 3.49    | 8.9     | 15.7    | 0.64    | 719     | 3.87    | 0.09    | 4.0     | 5.6     | 1170  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005332            |                          | 261     | 88.2    | <0.002  | 5.69    | 105.5   | 22.4    | 1       | 1.0     | 45.6    | 0.19    | 0.16    | 1.41    | 0.380   | 2.69    | 0.7   |
| S005333            |                          | 20.2    | 105.0   | <0.002  | 8.40    | 14.55   | 25.5    | 1       | 0.8     | 72.4    | 0.20    | <0.05   | 1.34    | 0.435   | 3.49    | 0.6   |
| S005334            |                          | 22.1    | 94.8    | <0.002  | 7.32    | 23.1    | 24.4    | <1      | 0.9     | 47.5    | 0.29    | <0.05   | 1.38    | 0.551   | 2.79    | 0.6   |
| S005335            |                          | 19.7    | 105.0   | <0.002  | 5.86    | 16.25   | 28.8    | 1       | 1.1     | 62.6    | 0.32    | 0.09    | 1.49    | 0.627   | 2.57    | 0.5   |
| S005336            |                          | 10.9    | 139.0   | <0.002  | 4.93    | 9.72    | 32.1    | 1       | 1.1     | 185.0   | 0.34    | 0.46    | 1.80    | 0.673   | 2.14    | 0.8   |
| S005337            |                          | 4.6     | 184.0   | <0.002  | 2.39    | 0.77    | 47.7    | 1       | 1.9     | 304     | 0.66    | 0.64    | 3.49    | 1.330   | 2.68    | 1.3   |
| S005338            |                          | 6.9     | 143.5   | <0.002  | 3.07    | 5.11    | 33.7    | 1       | 1.8     | 243     | 0.42    | 0.66    | 2.37    | 0.846   | 1.92    | 1.0   |
| S005339            |                          | 99.5    | 145.0   | <0.002  | 1.82    | 64.1    | 35.7    | 2       | 1.5     | 209     | 0.42    | 0.40    | 2.27    | 0.892   | 2.20    | 1.2   |
| S005340            |                          | <0.5    | 0.6     | <0.002  | 0.05    | 0.48    | 0.3     | <1      | <0.2    | 5100    | <0.05   | 0.07    | 0.03    | 0.005   | 0.02    | 1.3   |
| S005341            |                          | 9.6     | 140.0   | <0.002  | 2.35    | 17.15   | 34.4    | <1      | 1.7     | 204     | 0.44    | 0.51    | 2.25    | 0.933   | 2.24    | 1.0   |
| S005342            |                          | 8.7     | 125.5   | <0.002  | 2.23    | 4.65    | 32.9    | 1       | 1.5     | 216     | 0.43    | 0.56    | 2.24    | 0.872   | 2.00    | 1.0   |
| S005343            |                          | 249     | 171.0   | <0.002  | 4.08    | 148.5   | 32.3    | 2       | 1.6     | 220     | 0.37    | 0.76    | 2.08    | 0.736   | 2.42    | 0.9   |
| S005344            |                          | 5.3     | 126.0   | <0.002  | 2.69    | 17.35   | 35.3    | 1       | 2.0     | 92.5    | 0.45    | 0.53    | 2.12    | 0.927   | 2.42    | 1.1   |
| S005345            |                          | 4.4     | 132.5   | <0.002  | 2.14    | 1.34    | 38.8    | 1       | 1.7     | 196.5   | 0.51    | 0.55    | 2.21    | 1.010   | 2.52    | 1.1   |
| S005346            |                          | 11.4    | 137.5   | <0.002  | 1.61    | 3.91    | 39.9    | 1       | 0.9     | 254     | 0.52    | 0.32    | 2.05    | 1.050   | 2.74    | 0.9   |
| S005346D           |                          | 9.2     | 132.5   | <0.002  | 1.61    | 4.27    | 39.3    | 1       | 1.2     | 262     | 0.50    | 0.34    | 1.92    | 1.055   | 2.69    | 0.8   |
| S005347            |                          | 3.2     | 130.5   | <0.002  | 2.30    | 8.02    | 37.0    | 1       | 1.2     | 111.5   | 0.48    | 0.51    | 1.90    | 0.971   | 3.19    | 0.9   |
| S005348            |                          | 5.0     | 101.5   | <0.002  | 2.14    | 1.10    | 39.6    | <1      | 1.2     | 196.0   | 0.51    | 0.26    | 2.23    | 1.000   | 2.75    | 1.1   |
| S005349            |                          | 4.1     | 125.5   | <0.002  | 2.43    | 1.82    | 40.8    | 1       | 0.9     | 136.5   | 0.47    | 0.42    | 2.25    | 0.974   | 3.26    | 1.1   |
| S005350            |                          | 8680    | 164.5   | 0.003   | 3.05    | 80.1    | 13.3    | 3       | 4.6     | 147.5   | 0.35    | 0.32    | 3.88    | 0.256   | 3.11    | 2.0   |
| S005351            |                          | 11.9    | 126.0   | <0.002  | 1.63    | 1.21    | 40.3    | 1       | 0.7     | 204     | 0.50    | 0.42    | 2.47    | 1.040   | 3.02    | 1.0   |
| S005352            |                          | 8.0     | 97.6    | <0.002  | 4.60    | 10.20   | 40.8    | 2       | 1.2     | 90.1    | 0.49    | 0.54    | 2.09    | 0.986   | 3.71    | 1.1   |
| S005353            |                          | 15.7    | 116.5   | <0.002  | 8.35    | 22.6    | 32.9    | <1      | 1.1     | 42.3    | 0.24    | 0.05    | 1.75    | 0.547   | 4.49    | 0.8   |
| S005354            |                          | 132.0   | 120.0   | <0.002  | 7.85    | 106.5   | 37.5    | 1       | 1.2     | 83.3    | 0.21    | <0.05   | 1.55    | 0.576   | 4.57    | 0.7   |
| S005355            |                          | 15.5    | 115.5   | <0.002  | 6.78    | 35.0    | 32.8    | <1      | 1.0     | 66.0    | 0.22    | 0.07    | 1.76    | 0.566   | 4.20    | 0.8   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19170594</b> |
|---|

| Sample Description | Method Analyte Units LOD | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | pXRF-34 Si % 0.5 | pXRF-34 Ti % 0.1 | pXRF-34 Zr ppm 5 | ME-MS81 Ba ppm 0.5 | ME-MS81 Ce ppm 0.1 | ME-MS81 Cr ppm 10 | ME-MS81 Cs ppm 0.01 | ME-MS81 Dy ppm 0.05 | ME-MS81 Er ppm 0.03 | ME-MS81 Eu ppm 0.03 |
|--------------------|--------------------------|-----------------|-------------------|-------------------|------------------|--------------------|------------------|------------------|------------------|--------------------|--------------------|-------------------|---------------------|---------------------|---------------------|---------------------|
| S005332            |                          | 209             | 8.2               | 11.2              | 578              | 20.3               | 28.8             | 0.8              | 83               |                    |                    |                   |                     |                     |                     |                     |
| S005333            |                          | 253             | 2.2               | 14.4              | 87               | 22.0               | 27.0             | 0.9              | 80               |                    |                    |                   |                     |                     |                     |                     |
| S005334            |                          | 228             | 2.9               | 18.1              | 147              | 16.0               | 28.4             | 0.9              | 90               |                    |                    |                   |                     |                     |                     |                     |
| S005335            |                          | 273             | 3.2               | 14.7              | 119              | 12.2               | 28.4             | 1.0              | 93               |                    |                    |                   |                     |                     |                     |                     |
| S005336            |                          | 322             | 51.2              | 18.6              | 81               | 14.8               | 23.2             | 1.0              | 102              |                    |                    |                   |                     |                     |                     |                     |
| S005337            |                          | 464             | 15.9              | 34.7              | 124              | 38.6               | 18.4             | 1.3              | 151              |                    |                    |                   |                     |                     |                     |                     |
| S005338            |                          | 319             | 53.5              | 25.9              | 85               | 21.6               | 21.2             | 1.0              | 109              |                    |                    |                   |                     |                     |                     |                     |
| S005339            |                          | 354             | 17.7              | 28.5              | 217              | 58.4               | 21.3             | 1.0              | 106              |                    |                    |                   |                     |                     |                     |                     |
| S005340            |                          | 2               | 0.2               | 0.3               | 5                | 1.0                | 1.7              | <0.1             | 35               |                    |                    |                   |                     |                     |                     |                     |
| S005341            |                          | 360             | 21.1              | 31.3              | 79               | 18.7               | 21.3             | 1.0              | 108              |                    |                    |                   |                     |                     |                     |                     |
| S005342            |                          | 341             | 10.2              | 34.5              | 76               | 15.0               | 21.2             | 0.9              | 102              |                    |                    |                   |                     |                     |                     |                     |
| S005343            |                          | 320             | 99.9              | 26.3              | 577              | 22.1               | 20.4             | 0.9              | 96               |                    |                    |                   |                     |                     |                     |                     |
| S005344            |                          | 363             | 58.6              | 29.4              | 80               | 20.9               | 21.1             | 1.0              | 108              |                    |                    |                   |                     |                     |                     |                     |
| S005345            |                          | 388             | 13.0              | 38.5              | 80               | 18.3               | 21.0             | 1.0              | 118              |                    |                    |                   |                     |                     |                     |                     |
| S005346            |                          | 411             | 13.8              | 31.5              | 97               | 9.6                | 21.3             | 1.2              | 121              |                    |                    |                   |                     |                     |                     |                     |
| S005346D           |                          | 412             | 13.7              | 31.0              | 96               | 11.9               | 21.5             | 1.2              | 122              |                    |                    |                   |                     |                     |                     |                     |
| S005347            |                          | 383             | 16.5              | 33.6              | 72               | 12.3               | 21.7             | 1.1              | 119              |                    |                    |                   |                     |                     |                     |                     |
| S005348            |                          | 397             | 5.9               | 36.6              | 105              | 17.4               | 22.5             | 1.1              | 120              |                    |                    |                   |                     |                     |                     |                     |
| S005349            |                          | 382             | 5.8               | 40.2              | 86               | 14.2               | 21.5             | 1.1              | 118              |                    |                    |                   |                     |                     |                     |                     |
| S005350            |                          | 122             | 4.2               | 9.8               | 1850             | 43.6               | 28.2             | 0.4              | 75               |                    |                    |                   |                     |                     |                     |                     |
| S005351            |                          | 399             | 5.1               | 36.0              | 79               | 17.4               | 21.3             | 1.1              | 118              |                    |                    |                   |                     |                     |                     |                     |
| S005352            |                          | 392             | 14.7              | 37.0              | 69               | 15.6               | 21.9             | 1.1              | 118              |                    |                    |                   |                     |                     |                     |                     |
| S005353            |                          | 353             | 2.8               | 27.5              | 100              | 12.3               | 22.6             | 1.1              | 105              |                    |                    |                   |                     |                     |                     |                     |
| S005354            |                          | 384             | 13.8              | 23.5              | 2400             | 10.2               | 21.8             | 1.2              | 123              |                    |                    |                   |                     |                     |                     |                     |
| S005355            |                          | 319             | 12.1              | 23.9              | 55               | 12.6               | 24.6             | 1.0              | 103              |                    |                    |                   |                     |                     |                     |                     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - E  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19170594</b> |
|---|

| Sample Description                                   | Method | Analyte | Units | LOD | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |     |     |     |      |      |  |  |
|--|--------|---------|-------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|-----|-----|------|------|--|--|
|  |        |         |       |     | Ga      | Gd      | Hf      | Ho      | La      | Lu      | Nb      | Nd      | Pr      | Rb      | Sm      | Sn  | Sr  | Ta  | Tb   |      |  |  |
|  |        |         |       |     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm | ppm | ppm | ppm  | ppm  |  |  |
|  |        |         |       |     | 0.1     | 0.05    | 0.2     | 0.01    | 0.1     | 0.01    | 0.2     | 0.1     | 0.03    | 0.2     | 0.03    | 1   | 0.1 | 0.1 | 0.01 | 0.01 |  |  |
| S005332<br>S005333<br>S005334<br>S005335<br>S005336  |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |
| S005337<br>S005338<br>S005339<br>S005340<br>S005341  |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |
| S005342<br>S005343<br>S005344<br>S005345<br>S005346  |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |
| S005346D<br>S005347<br>S005348<br>S005349<br>S005350 |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |
| S005351<br>S005352<br>S005353<br>S005354<br>S005355  |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |
|  |        |         |       |     |         |         |         |         |         |         |         |         |         |         |         |     |     |     |      |      |  |  |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - F  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| Sample Description                                   | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Th<br>ppm<br>0.05 | ME-MS81<br>Tm<br>ppm<br>0.01 | ME-MS81<br>U<br>ppm<br>0.05 | ME-MS81<br>V<br>ppm<br>5 | ME-MS81<br>W<br>ppm<br>1 | ME-MS81<br>Y<br>ppm<br>0.1 | ME-MS81<br>Yb<br>ppm<br>0.03 | ME-MS81<br>Zr<br>ppm<br>2 | ME-ICP06<br>SiO2<br>%<br>0.01 | ME-ICP06<br>Al2O3<br>%<br>0.01 | ME-ICP06<br>Fe2O3<br>%<br>0.01 | ME-ICP06<br>CaO<br>%<br>0.01 | ME-ICP06<br>MgO<br>%<br>0.01 | ME-ICP06<br>Na2O<br>%<br>0.01 | ME-ICP06<br>K2O<br>%<br>0.01 |
|--|-----------------------------------|------------------------------|------------------------------|-----------------------------|--------------------------|--------------------------|----------------------------|------------------------------|---------------------------|-------------------------------|--------------------------------|--------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|
| S005332<br>S005333<br>S005334<br>S005335<br>S005336  |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |
| S005337<br>S005338<br>S005339<br>S005340<br>S005341  |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |
| S005342<br>S005343<br>S005344<br>S005345<br>S005346  |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |
| S005346D<br>S005347<br>S005348<br>S005349<br>S005350 |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |
| S005351<br>S005352<br>S005353<br>S005354<br>S005355  |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |
|  |                                   |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |                              |                               |                              |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 4 - G  
 Total # Pages: 4 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19170594</b> |
|---|

|                    | Method<br>Analyte<br>Units<br>LOD | ME-ICP06<br>Cr2O3<br>% | ME-ICP06<br>TiO2<br>% | ME-ICP06<br>MnO<br>% | ME-ICP06<br>P2O5<br>% | ME-ICP06<br>SrO<br>% | ME-ICP06<br>BaO<br>% | OA-GRA05<br>LOI<br>% | TOT-ICP06<br>Total<br>% |
|--------------------|-----------------------------------|------------------------|-----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|-------------------------|
| Sample Description |                                   | 0.002                  | 0.01                  | 0.01                 | 0.01                  | 0.01                 | 0.01                 | 0.01                 | 0.01                    |
| S005332            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005333            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005334            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005335            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005336            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005337            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005338            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005339            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005340            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005341            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005342            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005343            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005344            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005345            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005346            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005346D           |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005347            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005348            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005349            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005350            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005351            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005352            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005353            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005354            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
| S005355            |                                   |                        |                       |                      |                       |                      |                      |                      |                         |
|                    |                                   |                        |                       |                      |                       |                      |                      |                      |                         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 21-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170594**

| CERTIFICATE COMMENTS |   |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
|----------------------|---|-----------|----------|---------|---------|----------|---------|-----------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01    | CRU-31   | CRU-QC  | LOG-21  | LOG-21d  | LOG-23  | PUL-32m   | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC    | LOG-21   |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m   | PUL-32md |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d   | SPL-34X  |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |           |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-ICP06</td> <td>ME-MS61</td> <td>ME-MS81</td> </tr> <tr> <td>OA-GRA05</td> <td>pXRF-34</td> <td>TOT-ICP06</td> <td></td> </tr> </table>  | Au-AA23   | ME-ICP06 | ME-MS61 | ME-MS81 | OA-GRA05 | pXRF-34 | TOT-ICP06 |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-ICP06  | ME-MS61   | ME-MS81  |         |         |          |         |           |          |        |        |         |         |        |  |  |  |
| OA-GRA05             | pXRF-34   | TOT-ICP06 |          |         |         |          |         |           |          |        |        |         |         |        |  |  |  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19170681**

Project: Bowser Regional Project  
 P.O. No.: BOW-0693  
 This report is for 26 Rock samples submitted to our lab in Terrace, BC, Canada on 11-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170681**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
|                    |                          | 0.02                | 0.005          | 0.01           | 0.01         | 0.2            | 10             | 0.05           | 0.01           | 0.01         | 0.02           | 0.01           | 0.1            | 1              | 0.05           | 0.2            |
| B085523            |                          | 0.99                | <0.005         | 0.10           | 7.96         | 12.3           | 530            | 1.53           | 0.04           | 2.82         | 0.30           | 49.3           | 23.5           | 16             | 2.66           | 18.4           |
| B085524            |                          | 1.03                | <0.005         | 0.23           | 5.86         | 4.4            | 640            | 0.85           | 0.14           | 0.29         | 0.06           | 6.53           | 2.4            | 30             | 3.07           | 15.7           |
| B085525            |                          | 1.46                | 0.010          | 0.92           | 8.36         | 22.4           | 930            | 1.17           | 0.27           | 0.16         | 0.07           | 35.5           | 4.8            | 141            | 4.93           | 32.2           |
| B085526            |                          | 0.75                | <0.005         | 0.20           | 7.56         | 15.5           | 1100           | 1.09           | 0.26           | 0.03         | 0.02           | 37.5           | 7.5            | 81             | 4.51           | 42.3           |
| B085526CD          |                          | <0.02               | <0.005         | 0.20           | 7.52         | 14.8           | 1100           | 1.13           | 0.25           | 0.03         | 0.03           | 38.0           | 7.6            | 79             | 4.36           | 42.3           |
| B085527            |                          | 0.84                | <0.005         | 0.03           | 1.83         | 1.8            | 170            | 0.25           | 0.05           | 1.86         | 0.09           | 5.94           | 4.8            | 19             | 0.82           | 7.2            |
| B085528            |                          | 2.40                | <0.005         | 0.09           | 8.29         | 6.2            | 3710           | 1.51           | 0.09           | 3.64         | 0.09           | 46.7           | 10.8           | 6              | 8.85           | 7.6            |
| B085529            |                          | 1.62                | <0.005         | 0.16           | 6.58         | 9.0            | 600            | 0.83           | 0.14           | 0.48         | 0.08           | 27.4           | 5.9            | 119            | 2.89           | 35.5           |
| B085530            |                          | 0.68                | 0.006          | 0.35           | 8.98         | 23.0           | 950            | 1.71           | 0.24           | 0.20         | 0.26           | 49.7           | 37.2           | 166            | 5.80           | 96.7           |
| B085531            |                          | 0.87                | 0.005          | 0.29           | 9.05         | 16.7           | 1140           | 1.50           | 0.27           | 0.13         | 0.07           | 39.7           | 8.0            | 171            | 5.80           | 75.2           |
| B085532            |                          | 1.52                | 0.007          | 0.47           | 9.82         | 14.0           | 1910           | 1.35           | 0.64           | 1.42         | 1.48           | 34.8           | 22.2           | 3              | 6.10           | 17.7           |
| B082122            |                          | 0.81                | <0.005         | 0.03           | 1.09         | 1.2            | 160            | 0.22           | 0.05           | 4.34         | 0.03           | 5.46           | 2.7            | 30             | 0.60           | 11.0           |
| B082123            |                          | 0.66                | 0.005          | 0.21           | 7.03         | 18.4           | 630            | 0.95           | 0.18           | 0.11         | 0.05           | 31.1           | 13.0           | 44             | 3.08           | 37.5           |
| B082124            |                          | 0.74                | <0.005         | 0.03           | 1.25         | 3.2            | 150            | 0.28           | 0.06           | 6.67         | 0.03           | 13.55          | 2.8            | 19             | 0.53           | 18.3           |
| B082125            |                          | 0.77                | <0.005         | 0.09           | 3.03         | 5.9            | 340            | 0.40           | 0.09           | 1.98         | 0.07           | 21.3           | 7.0            | 34             | 1.47           | 32.6           |
| B082126            |                          | 0.87                | <0.005         | 0.45           | 1.67         | 9.6            | 170            | 0.35           | 0.04           | 3.49         | 7.63           | 8.83           | 2.2            | 30             | 0.98           | 4.3            |
| B082126CD          |                          | <0.02               | <0.005         | 0.59           | 1.79         | 11.3           | 190            | 0.35           | 0.05           | 4.06         | 7.50           | 10.35          | 2.6            | 33             | 1.19           | 5.3            |
| B082127            |                          | 0.85                | <0.005         | 0.02           | 1.73         | 1.2            | 360            | 0.42           | 0.01           | 7.83         | 0.30           | 12.45          | 17.0           | 10             | 0.92           | 0.6            |
| B082128            |                          | 1.00                | <0.005         | 0.01           | 1.24         | <0.2           | 80             | 0.17           | 0.01           | 6.57         | 0.21           | 14.00          | 10.2           | 12             | 0.27           | 0.8            |
| B082129            |                          | 0.58                | <0.005         | 0.02           | 0.68         | 3.2            | 80             | 0.38           | 0.01           | 3.46         | 0.13           | 7.13           | 4.2            | 10             | 0.75           | 1.0            |
| B082130            |                          | 0.87                | <0.005         | 0.02           | 0.73         | 2.0            | 110            | 0.22           | 0.02           | 24.8         | 0.22           | 16.80          | 0.7            | 4              | 0.37           | 2.4            |
| B082131            |                          | 0.89                | <0.005         | 0.01           | 0.17         | 1.2            | 30             | <0.05          | 0.02           | 1.81         | 0.42           | 6.51           | 0.6            | 15             | 0.15           | 1.2            |
| B082132            |                          | 0.82                | 0.009          | 0.25           | 5.66         | 358            | 510            | 1.61           | 0.07           | 0.47         | 30.2           | 20.8           | 632            | 99             | 2.77           | 14.6           |
| B082475            |                          | 0.87                | <0.005         | 0.36           | 7.09         | 484            | 500            | 0.91           | 0.01           | 2.14         | 0.45           | 31.4           | 16.4           | 6              | 6.55           | 24.9           |
| B082177            |                          | 1.09                | <0.005         | 0.06           | 0.39         | 1845           | 80             | 0.08           | 0.02           | 1.97         | 1.35           | 2.93           | 3.7            | 19             | 0.66           | 6.5            |
| B082178            |                          | 0.88                | <0.005         | 0.29           | 2.05         | 90.9           | 290            | 0.36           | 0.02           | 15.65        | 7.49           | 30.1           | 19.5           | 6              | 1.91           | 12.4           |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170681**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| B085523            |                          | 7.17    | 21.8    | 0.21    | 2.0     | 0.123   | 1.63    | 24.0    | 23.0    | 0.97    | 1210    | 0.39    | 2.76    | 11.3    | 8.4     | 1640  |
| B085524            |                          | 2.42    | 13.60   | 0.12    | 1.2     | 0.042   | 1.54    | 2.7     | 13.2    | 0.49    | 273     | 1.78    | 1.39    | 3.3     | 6.8     | 180   |
| B085525            |                          | 4.63    | 20.1    | 0.16    | 1.5     | 0.069   | 1.94    | 18.2    | 39.9    | 1.44    | 232     | 3.17    | 1.80    | 8.6     | 91.9    | 880   |
| B085526            |                          | 4.61    | 17.65   | 0.15    | 1.5     | 0.078   | 2.03    | 18.0    | 50.5    | 1.43    | 384     | 1.68    | 0.99    | 6.4     | 40.7    | 360   |
| B085526CD          |                          | 4.63    | 17.05   | 0.13    | 1.5     | 0.074   | 2.00    | 17.5    | 49.4    | 1.43    | 395     | 1.62    | 1.00    | 6.2     | 40.2    | 360   |
| B085527            |                          | 2.33    | 4.47    | 0.09    | 0.4     | 0.019   | 0.28    | 2.7     | 39.6    | 0.83    | 1170    | 0.55    | 0.09    | 1.1     | 21.1    | 130   |
| B085528            |                          | 3.87    | 21.6    | 0.19    | 3.8     | 0.042   | 1.76    | 21.5    | 57.7    | 1.15    | 673     | 0.51    | 2.94    | 8.3     | 5.9     | 1610  |
| B085529            |                          | 3.96    | 14.15   | 0.12    | 1.3     | 0.050   | 1.13    | 12.9    | 54.6    | 1.26    | 245     | 1.69    | 1.81    | 6.0     | 78.4    | 770   |
| B085530            |                          | 7.98    | 19.10   | 0.17    | 1.6     | 0.072   | 1.87    | 22.5    | 81.9    | 1.83    | 398     | 2.57    | 1.14    | 8.3     | 220     | 1340  |
| B085531            |                          | 5.75    | 20.4    | 0.11    | 1.7     | 0.074   | 2.44    | 19.1    | 50.1    | 1.49    | 163     | 2.44    | 1.37    | 8.7     | 99.3    | 930   |
| B085532            |                          | 8.14    | 21.6    | 0.14    | 2.1     | 0.097   | 1.41    | 12.1    | 33.5    | 1.27    | 934     | 4.24    | 0.86    | 8.5     | 3.3     | 1310  |
| B082122            |                          | 1.43    | 2.67    | 0.08    | 0.3     | 0.010   | 0.26    | 2.4     | 13.4    | 0.33    | 538     | 0.50    | 0.10    | 1.0     | 18.0    | 80    |
| B082123            |                          | 4.69    | 14.40   | 0.14    | 1.4     | 0.062   | 1.64    | 14.0    | 32.0    | 1.09    | 733     | 5.57    | 2.24    | 5.2     | 41.5    | 380   |
| B082124            |                          | 2.07    | 2.70    | 0.10    | 0.3     | 0.022   | 0.25    | 6.9     | 21.4    | 0.65    | 1410    | 1.93    | 0.24    | 0.9     | 15.2    | 100   |
| B082125            |                          | 2.80    | 6.29    | 0.11    | 0.9     | 0.032   | 0.68    | 10.8    | 27.2    | 0.76    | 528     | 1.23    | 0.57    | 2.2     | 29.6    | 150   |
| B082126            |                          | 2.62    | 3.47    | 0.10    | 0.4     | 0.024   | 0.41    | 4.6     | 32.4    | 0.73    | 708     | 2.53    | 0.38    | 1.0     | 10.0    | 130   |
| B082126CD          |                          | 3.12    | 3.71    | 0.09    | 0.3     | 0.026   | 0.48    | 5.4     | 32.5    | 0.89    | 818     | 2.58    | 0.36    | 1.1     | 11.7    | 140   |
| B082127            |                          | 9.44    | 4.33    | 0.06    | 0.2     | 0.070   | 0.57    | 5.0     | 5.0     | 1.00    | 3370    | 5.73    | 0.61    | 1.2     | 4.6     | 1000  |
| B082128            |                          | 5.55    | 2.44    | 0.05    | 0.1     | 0.046   | 0.18    | 5.8     | 1.2     | 1.23    | 2710    | 0.33    | 0.79    | 0.6     | 3.6     | 430   |
| B082129            |                          | 2.98    | 3.55    | <0.05   | <0.1    | 0.061   | 0.32    | 3.1     | 1.8     | 0.16    | 1600    | 1.93    | 0.04    | 0.1     | 2.0     | 60    |
| B082130            |                          | 0.80    | 1.93    | 0.06    | 0.3     | 0.022   | 0.29    | 14.1    | 5.5     | 0.21    | 3300    | 1.48    | 0.03    | 0.3     | 1.5     | 50    |
| B082131            |                          | 1.24    | 0.64    | <0.05   | <0.1    | 0.021   | 0.04    | 3.1     | 1.1     | 0.02    | 773     | 2.17    | 0.07    | 0.1     | 1.1     | 20    |
| B082132            |                          | 2.38    | 12.10   | 0.12    | 2.9     | 0.071   | 2.02    | 12.2    | 4.2     | 0.32    | 140     | 20.7    | 1.67    | 6.8     | 119.5   | 750   |
| B082475            |                          | 4.79    | 12.55   | 0.10    | 2.1     | 0.064   | 3.74    | 15.7    | 18.1    | 0.40    | 782     | 4.57    | 1.61    | 6.9     | 6.1     | 690   |
| B082177            |                          | 8.03    | 0.85    | <0.05   | 0.1     | 0.005   | 0.20    | 1.1     | 3.3     | 0.03    | 351     | 64.8    | 0.01    | 0.3     | 2.6     | 80    |
| B082178            |                          | 6.28    | 3.91    | 0.07    | 0.6     | 0.019   | 0.49    | 15.7    | 22.6    | 0.46    | 3800    | 30.0    | 0.20    | 1.9     | 3.4     | 240   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170681**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| B085523            |                          | 13.2    | 43.5    | <0.002  | 0.01    | 1.20    | 21.3    | <1      | 2.0     | 293     | 0.64    | <0.05   | 5.23    | 0.786   | 0.32    | 1.5   |
| B085524            |                          | 7.9     | 46.2    | 0.002   | 0.51    | 1.12    | 11.1    | 1       | 0.8     | 152.0   | 0.25    | 0.07    | 1.97    | 0.275   | 0.44    | 0.6   |
| B085525            |                          | 28.0    | 67.5    | 0.003   | 0.32    | 3.28    | 18.3    | 2       | 1.4     | 121.5   | 0.50    | 0.16    | 5.29    | 0.461   | 0.47    | 1.3   |
| B085526            |                          | 13.1    | 72.2    | 0.005   | 0.70    | 1.49    | 18.6    | 2       | 1.2     | 69.0    | 0.40    | 0.21    | 3.63    | 0.393   | 0.52    | 1.2   |
| B085526CD          |                          | 12.9    | 70.2    | 0.006   | 0.69    | 1.44    | 17.9    | 2       | 1.2     | 67.5    | 0.38    | 0.19    | 3.64    | 0.390   | 0.50    | 1.2   |
| B085527            |                          | 1.9     | 9.5     | <0.002  | 0.02    | 0.23    | 3.5     | <1      | 0.3     | 185.5   | 0.06    | <0.05   | 0.64    | 0.075   | 0.08    | 0.3   |
| B085528            |                          | 8.8     | 38.0    | <0.002  | 0.17    | 1.69    | 9.7     | 1       | 0.9     | 1165    | 0.43    | <0.05   | 8.67    | 0.504   | 0.42    | 3.1   |
| B085529            |                          | 9.7     | 41.3    | 0.002   | 0.04    | 1.08    | 12.5    | 1       | 1.0     | 232     | 0.38    | 0.05    | 3.96    | 0.314   | 0.27    | 1.2   |
| B085530            |                          | 15.5    | 64.6    | 0.002   | 0.14    | 3.87    | 18.3    | 2       | 1.3     | 104.0   | 0.50    | 0.12    | 5.32    | 0.421   | 0.45    | 1.6   |
| B085531            |                          | 14.8    | 81.9    | 0.002   | 0.10    | 2.57    | 18.0    | 2       | 1.6     | 94.8    | 0.55    | 0.09    | 5.54    | 0.461   | 0.56    | 1.5   |
| B085532            |                          | 20.3    | 48.3    | 0.003   | 0.87    | 2.51    | 22.4    | <1      | 1.4     | 328     | 0.49    | <0.05   | 2.36    | 0.670   | 0.53    | 1.2   |
| B082122            |                          | 3.3     | 8.9     | <0.002  | 0.03    | 0.17    | 2.2     | 1       | 0.2     | 481     | 0.05    | <0.05   | 0.57    | 0.048   | 0.06    | 0.2   |
| B082123            |                          | 18.2    | 54.5    | 0.004   | 1.99    | 2.41    | 16.1    | 3       | 1.1     | 157.5   | 0.28    | 0.23    | 2.42    | 0.359   | 0.42    | 0.9   |
| B082124            |                          | 3.5     | 7.1     | <0.002  | 0.05    | 1.13    | 3.9     | 1       | 0.2     | 547     | 0.05    | <0.05   | 0.60    | 0.064   | 0.06    | 0.2   |
| B082125            |                          | 6.3     | 19.4    | 0.003   | 0.31    | 0.81    | 6.1     | 1       | 0.4     | 138.0   | 0.13    | 0.07    | 1.39    | 0.144   | 0.15    | 0.5   |
| B082126            |                          | 197.5   | 10.2    | 0.005   | 0.21    | 6.74    | 3.4     | 2       | 0.3     | 356     | 0.06    | <0.05   | 0.58    | 0.064   | 0.17    | 0.3   |
| B082126CD          |                          | 243     | 11.7    | 0.007   | 0.27    | 7.35    | 3.8     | 2       | 0.3     | 382     | 0.06    | <0.05   | 0.69    | 0.074   | 0.18    | 0.3   |
| B082127            |                          | 2.7     | 16.1    | 0.002   | 0.03    | 0.54    | 10.5    | 1       | 0.4     | 609     | 0.08    | <0.05   | 0.64    | 0.082   | 0.13    | 0.4   |
| B082128            |                          | 1.6     | 4.0     | <0.002  | <0.01   | 0.24    | 5.6     | <1      | <0.2    | 595     | <0.05   | <0.05   | 0.31    | 0.042   | 0.04    | 0.1   |
| B082129            |                          | 1.2     | 7.5     | <0.002  | <0.01   | 0.52    | 9.5     | <1      | <0.2    | 130.5   | <0.05   | <0.05   | 0.05    | 0.007   | 0.08    | 0.2   |
| B082130            |                          | 1.1     | 7.6     | 0.002   | 0.05    | 0.94    | 2.2     | 1       | 0.2     | 1950    | <0.05   | <0.05   | 0.19    | 0.025   | 0.12    | 0.5   |
| B082131            |                          | 7.5     | 0.9     | <0.002  | <0.01   | 0.56    | 2.4     | 1       | <0.2    | 154.5   | <0.05   | <0.05   | 0.03    | 0.019   | 0.03    | 0.2   |
| B082132            |                          | 13.4    | 54.0    | 0.420   | 1.80    | 10.80   | 9.3     | 8       | 1.1     | 196.0   | 0.35    | 0.06    | 3.48    | 0.402   | 3.92    | 32.4  |
| B082475            |                          | 37.8    | 83.5    | 0.005   | 2.39    | 9.72    | 11.6    | 1       | 3.4     | 113.0   | 0.50    | <0.05   | 7.82    | 0.248   | 0.80    | 4.1   |
| B082177            |                          | 14.2    | 5.8     | 0.008   | 8.32    | 9.42    | 0.5     | 1       | <0.2    | 56.6    | <0.05   | <0.05   | 0.18    | 0.011   | 43.5    | 3.4   |
| B082178            |                          | 21.2    | 13.7    | 0.004   | 3.54    | 6.45    | 15.8    | <1      | 0.3     | 329     | 0.13    | <0.05   | 2.41    | 0.073   | 4.04    | 34.0  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170681**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Si %    | Ti %    | Zr ppm  |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| B085523            |                          | 126     | 0.5     | 27.4    | 157     | 91.6    | 23.3    | 0.8     | 214     |
| B085524            |                          | 75      | 0.4     | 7.0     | 36      | 36.3    | 34.0    | 0.3     | 99      |
| B085525            |                          | 225     | 1.5     | 9.1     | 70      | 54.7    | 27.4    | 0.5     | 119     |
| B085526            |                          | 174     | 1.1     | 7.9     | 72      | 53.5    | 29.1    | 0.5     | 115     |
| B085526CD          |                          | 173     | 1.1     | 7.7     | 75      | 52.3    | 29.2    | 0.4     | 111     |
| B085527            |                          | 32      | 0.2     | 5.8     | 60      | 14.3    | 34.8    | 0.1     | 24      |
| B085528            |                          | 116     | 0.3     | 17.6    | 64      | 132.5   | 23.8    | 0.7     | 140     |
| B085529            |                          | 140     | 1.0     | 7.8     | 81      | 42.7    | 30.7    | 0.3     | 90      |
| B085530            |                          | 194     | 1.3     | 18.7    | 208     | 59.0    | 23.0    | 0.4     | 134     |
| B085531            |                          | 198     | 1.5     | 10.3    | 125     | 53.6    | 26.9    | 0.5     | 136     |
| B085532            |                          | 190     | 0.6     | 25.6    | 151     | 72.9    | 23.6    | 0.6     | 117     |
| B082122            |                          | 24      | 0.2     | 3.1     | 24      | 10.0    | 32.9    | <0.1    | 15      |
| B082123            |                          | 130     | 0.8     | 11.0    | 53      | 49.9    | 30.3    | 0.4     | 101     |
| B082124            |                          | 27      | 0.2     | 6.4     | 34      | 10.8    | 29.6    | 0.1     | 23      |
| B082125            |                          | 61      | 0.3     | 8.2     | 72      | 29.8    | 34.2    | 0.1     | 43      |
| B082126            |                          | 35      | 0.2     | 5.4     | 787     | 12.6    | 33.2    | 0.1     | 20      |
| B082126CD          |                          | 40      | 0.2     | 5.7     | 802     | 13.3    | 32.2    | 0.1     | 21      |
| B082127            |                          | 29      | 0.2     | 30.1    | 111     | 7.2     | 22.4    | 0.1     | 30      |
| B082128            |                          | 18      | 0.1     | 19.7    | 67      | 2.7     | 25.6    | <0.1    | 10      |
| B082129            |                          | 23      | <0.1    | 21.1    | 17      | 0.6     | 31.9    | <0.1    | <5      |
| B082130            |                          | 7       | <0.1    | 17.2    | 34      | 11.0    | 12.2    | <0.1    | 24      |
| B082131            |                          | 5       | 0.1     | 11.4    | 39      | 0.5     | 38.6    | <0.1    | <5      |
| B082132            |                          | 159     | 0.7     | 16.2    | 507     | 90.5    | 33.4    | 0.4     | 97      |
| B082475            |                          | 111     | 2.1     | 12.3    | 49      | 64.2    | 25.9    | 0.3     | 109     |
| B082177            |                          | 9       | 0.1     | 1.6     | 293     | 5.5     | 32.8    | <0.1    | <5      |
| B082178            |                          | 81      | 0.8     | 43.1    | 1720    | 24.0    | 16.9    | 0.1     | 36      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19170681**

| CERTIFICATE COMMENTS |  |          |         |         |        |         |         |          |        |        |         |         |        |
|----------------------|--|----------|---------|---------|--------|---------|---------|----------|--------|--------|---------|---------|--------|
|                      | <b>ANALYTICAL COMMENTS</b>   |          |         |         |        |         |         |          |        |        |         |         |        |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61  |          |         |         |        |         |         |          |        |        |         |         |        |
|                      | <b>LABORATORY ADDRESSES</b>  |          |         |         |        |         |         |          |        |        |         |         |        |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.  |          |         |         |        |         |         |          |        |        |         |         |        |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>PUL-32m</td> <td>PUL-32md</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> <td>WEI-21</td> </tr> </table> | BAG-01   | CRU-31  | CRU-QC  | LOG-21 | LOG-21d | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |
| BAG-01               | CRU-31   | CRU-QC   | LOG-21  |         |        |         |         |          |        |        |         |         |        |
| LOG-21d              | PUL-32m  | PUL-32md | PUL-QC  |         |        |         |         |          |        |        |         |         |        |
| SPL-21               | SPL-21d  | SPL-34X  | WEI-21  |         |        |         |         |          |        |        |         |         |        |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.   |          |         |         |        |         |         |          |        |        |         |         |        |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>  | Au-AA23  | ME-MS61 | pXRF-34 |        |         |         |          |        |        |         |         |        |
| Au-AA23              | ME-MS61  | pXRF-34  |         |         |        |         |         |          |        |        |         |         |        |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19173735**

Project: Bowser Regional Project  
 P.O. No.: BOW-0702  
 This report is for 105 Drill Core samples submitted to our lab in Terrace, BC, Canada on 15-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005356            |         | 7.00      | 0.006   | 0.64    | 7.63    | 37.1    | 90      | 1.07    | 0.75    | 1.02    | 0.09    | 22.6    | 27.3    | 12      | 3.92    | 11.8    |
| S005357            |         | 7.22      | <0.005  | 0.87    | 6.26    | 1175    | 210     | 0.99    | 0.62    | 3.29    | 0.75    | 23.2    | 25.6    | 10      | 5.01    | 14.9    |
| S005358            |         | 7.03      | 0.007   | 1.32    | 7.36    | 2720    | 200     | 1.23    | 0.82    | 3.88    | 0.75    | 26.5    | 27.8    | 11      | 5.57    | 17.3    |
| S005359            |         | 7.05      | <0.005  | 1.04    | 7.65    | 873     | 230     | 1.13    | 0.82    | 4.12    | 0.54    | 28.6    | 29.2    | 10      | 4.84    | 13.8    |
| S005360            |         | 1.22      | <0.005  | 0.02    | 0.20    | 2.2     | 30      | <0.05   | 0.01    | 35.7    | <0.02   | 0.73    | 0.5     | 1       | 0.06    | 0.9     |
| S005361            |         | 6.76      | <0.005  | 0.40    | 8.07    | 4.1     | 360     | 1.15    | 0.64    | 4.11    | 0.10    | 28.0    | 28.3    | 11      | 4.75    | 12.0    |
| S005362            |         | 6.78      | <0.005  | 0.43    | 7.73    | 288     | 680     | 1.10    | 0.77    | 4.73    | 0.08    | 29.6    | 27.6    | 11      | 5.08    | 18.4    |
| S005363            |         | 6.63      | <0.005  | 0.38    | 6.92    | 2.8     | 640     | 0.89    | 0.55    | 4.62    | 0.05    | 25.0    | 25.4    | 10      | 4.20    | 19.3    |
| S005364            |         | 6.79      | <0.005  | 0.25    | 6.64    | 6.9     | 950     | 1.06    | 0.24    | 4.42    | 0.08    | 22.4    | 19.7    | 11      | 3.98    | 17.3    |
| S005365            |         | 6.92      | <0.005  | 0.15    | 7.76    | 2.5     | 1550    | 1.34    | 0.26    | 3.61    | 0.08    | 30.3    | 27.6    | 12      | 3.54    | 7.7     |
| S005366            |         | 6.46      | <0.005  | 0.33    | 6.86    | 1.4     | 450     | 1.15    | 0.78    | 3.70    | 0.06    | 26.0    | 33.1    | 10      | 4.03    | 22.9    |
| S005366CD          |         | <0.02     | <0.005  | 0.31    | 6.94    | 1.9     | 330     | 1.10    | 0.74    | 3.76    | 0.05    | 24.6    | 33.1    | 11      | 4.06    | 22.0    |
| S005367            |         | 4.00      | 0.024   | 7.53    | 6.20    | 4650    | 570     | 1.34    | 0.76    | 3.45    | 8.45    | 26.9    | 24.0    | 11      | 3.97    | 33.6    |
| S005368            |         | 2.50      | <0.005  | 0.43    | 6.96    | 8.0     | 340     | 1.14    | 1.40    | 1.43    | 0.08    | 26.4    | 28.4    | 11      | 7.16    | 17.8    |
| S005369            |         | 6.58      | <0.005  | 0.41    | 7.69    | 4.5     | 580     | 1.37    | 0.98    | 2.51    | 0.05    | 25.0    | 28.1    | 12      | 5.62    | 26.5    |
| S005370            |         | 0.11      | 1.080   | 27.1    | 5.73    | 367     | 110     | 1.19    | 0.91    | 0.64    | 1.75    | 27.4    | 13.8    | 19      | 8.09    | 109.5   |
| S005371            |         | 6.26      | <0.005  | 0.84    | 5.22    | 4.2     | 200     | 0.69    | 1.44    | 3.30    | 0.15    | 18.55   | 19.6    | 10      | 3.35    | 76.7    |
| S005372            |         | 6.52      | <0.005  | 0.48    | 6.82    | 2.9     | 280     | 1.29    | 0.99    | 2.16    | 0.05    | 26.4    | 32.7    | 11      | 5.05    | 24.2    |
| S005373            |         | 6.07      | <0.005  | 0.38    | 7.51    | 1.0     | 350     | 1.12    | 0.95    | 2.23    | 0.03    | 28.7    | 28.9    | 13      | 5.18    | 13.2    |
| S005374            |         | 5.87      | <0.005  | 0.32    | 7.47    | 1.0     | 470     | 1.14    | 0.82    | 2.68    | 0.06    | 27.1    | 29.9    | 13      | 4.38    | 10.1    |
| S005375            |         | 7.42      | <0.005  | 0.32    | 7.23    | 2.6     | 380     | 1.05    | 0.55    | 3.04    | 0.05    | 27.2    | 27.1    | 13      | 4.99    | 13.4    |
| S005376            |         | 6.17      | <0.005  | 0.16    | 7.84    | 4.5     | 930     | 1.02    | 0.40    | 1.54    | 0.03    | 29.5    | 32.3    | 13      | 5.65    | 12.6    |
| S005377            |         | 6.73      | <0.005  | 0.11    | 7.90    | 2.1     | 1030    | 1.02    | 0.32    | 1.48    | 0.06    | 27.8    | 34.9    | 13      | 7.10    | 14.8    |
| S005378            |         | 6.52      | <0.005  | 0.05    | 8.03    | 2.0     | 1410    | 1.29    | 0.21    | 1.76    | 0.05    | 28.4    | 30.2    | 13      | 7.37    | 8.0     |
| S005379            |         | 6.26      | <0.005  | 0.03    | 8.33    | 2.4     | 1770    | 1.32    | 0.15    | 1.33    | 0.05    | 31.0    | 32.5    | 13      | 7.54    | 7.2     |
| S005380            |         | 1.55      | <0.005  | 0.01    | 0.07    | 0.2     | 30      | <0.05   | 0.01    | 36.0    | <0.02   | 0.33    | 0.8     | 1       | <0.05   | 2.6     |
| S005381            |         | 6.29      | <0.005  | 0.03    | 7.56    | 2.1     | 1580    | 1.50    | 0.06    | 1.77    | 0.03    | 25.8    | 30.2    | 13      | 7.72    | 6.2     |
| S005382            |         | 6.60      | <0.005  | 0.08    | 7.70    | 1.8     | 1030    | 1.47    | 0.14    | 1.24    | 0.08    | 25.4    | 29.7    | 12      | 4.08    | 9.6     |
| S005383            |         | 6.31      | <0.005  | 0.09    | 7.62    | 1.7     | 710     | 1.38    | 0.16    | 1.43    | 0.05    | 26.4    | 30.3    | 13      | 3.05    | 11.6    |
| S005384            |         | 5.68      | <0.005  | 0.08    | 7.17    | 2.3     | 440     | 0.96    | 0.14    | 1.89    | 0.07    | 24.7    | 26.7    | 10      | 8.43    | 10.8    |
| S005385            |         | 6.50      | <0.005  | 0.05    | 6.73    | 1.7     | 450     | 0.79    | 0.08    | 2.47    | 0.04    | 22.8    | 19.9    | 10      | 9.14    | 7.8     |
| S005386            |         | 6.31      | <0.005  | 0.09    | 7.66    | 3.8     | 580     | 0.89    | 0.16    | 1.09    | 0.03    | 28.7    | 30.7    | 11      | 13.35   | 8.4     |
| S005386CD          |         | <0.02     | <0.005  | 0.11    | 7.67    | 3.2     | 580     | 0.81    | 0.16    | 1.07    | 0.03    | 26.8    | 30.3    | 10      | 13.05   | 7.7     |
| S005387            |         | 6.45      | <0.005  | 0.04    | 7.96    | 1.7     | 790     | 0.85    | 0.08    | 1.25    | 0.02    | 31.9    | 31.2    | 12      | 15.45   | 5.0     |
| S005388            |         | 5.96      | <0.005  | 0.05    | 7.42    | 6.1     | 740     | 1.05    | 0.09    | 1.83    | 0.08    | 27.1    | 28.1    | 10      | 12.50   | 8.4     |
| S005389            |         | 6.99      | <0.005  | 0.06    | 7.17    | 19.3    | 450     | 1.11    | 0.09    | 2.32    | 0.06    | 26.9    | 26.7    | 18      | 10.85   | 9.5     |
| S005390            |         | 0.14      | 0.953   | 11.95   | 6.00    | 318     | 340     | 0.99    | 0.16    | 3.61    | 4.61    | 25.1    | 11.1    | 29      | 6.96    | 84.2    |
| S005391            |         | 5.93      | <0.005  | 0.16    | 5.45    | 28.2    | 380     | 0.82    | 0.17    | 2.63    | 0.07    | 20.0    | 27.7    | 11      | 5.67    | 26.5    |
| S005392            |         | 6.46      | 0.095   | 0.79    | 4.88    | 784     | 310     | 0.87    | 0.23    | 3.08    | 0.29    | 19.95   | 26.6    | 12      | 3.97    | 60.8    |
| S005393            |         | 4.88      | <0.005  | 0.15    | 5.81    | 14.7    | 360     | 1.09    | 0.15    | 3.26    | 0.04    | 19.15   | 23.0    | 12      | 5.74    | 36.4    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method                  | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    | Analyte<br>Units<br>LOD | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                         | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S005356            |                         | 8.65    | 20.5      | 0.15      | 0.5       | 0.062     | 3.58    | 9.7       | 12.9      | 0.68    | 498       | 5.42      | 0.34    | 4.5       | 5.2       | 1020     |
| S005357            |                         | 8.83    | 19.15     | 0.14      | 0.4       | 0.030     | 2.60    | 11.6      | 9.4       | 1.31    | 764       | 9.59      | 0.24    | 5.5       | 3.7       | 1830     |
| S005358            |                         | 8.78    | 21.5      | 0.13      | 0.5       | 0.032     | 3.00    | 12.0      | 10.4      | 1.10    | 860       | 2.98      | 0.43    | 7.2       | 5.0       | 1650     |
| S005359            |                         | 10.50   | 20.3      | 0.13      | 0.7       | 0.060     | 2.54    | 14.1      | 14.0      | 1.21    | 901       | 1.94      | 0.85    | 7.3       | 5.2       | 1610     |
| S005360            |                         | 0.13    | 0.47      | 0.11      | 0.1       | <0.005    | 0.03    | <0.5      | 1.0       | 1.91    | 44        | 0.11      | 0.06    | 0.2       | 0.3       | 60       |
| S005361            |                         | 9.83    | 21.4      | 0.13      | 0.7       | 0.077     | 2.27    | 13.9      | 14.2      | 1.25    | 850       | 1.20      | 1.28    | 7.8       | 5.1       | 1540     |
| S005362            |                         | 9.37    | 23.2      | 0.12      | 1.2       | 0.061     | 2.46    | 14.6      | 14.4      | 1.40    | 591       | 3.75      | 0.75    | 7.8       | 5.3       | 1480     |
| S005363            |                         | 8.88    | 20.1      | 0.13      | 0.9       | 0.066     | 2.14    | 12.7      | 13.2      | 1.35    | 683       | 0.93      | 0.77    | 6.7       | 4.5       | 1380     |
| S005364            |                         | 6.67    | 18.60     | 0.12      | 1.1       | 0.059     | 2.15    | 11.5      | 13.4      | 1.16    | 605       | 1.60      | 0.88    | 6.7       | 6.1       | 1220     |
| S005365            |                         | 7.93    | 22.8      | 0.12      | 0.6       | 0.061     | 1.61    | 15.2      | 20.1      | 1.56    | 899       | 2.85      | 1.32    | 8.7       | 6.3       | 1800     |
| S005366            |                         | 8.90    | 20.2      | 0.12      | 0.6       | 0.034     | 2.39    | 13.3      | 15.7      | 1.31    | 512       | 2.22      | 0.56    | 7.1       | 5.7       | 1310     |
| S005366CD          |                         | 8.97    | 20.0      | 0.11      | 0.5       | 0.035     | 2.37    | 12.9      | 15.5      | 1.33    | 513       | 2.29      | 0.56    | 7.0       | 5.7       | 1310     |
| S005367            |                         | 6.78    | 17.55     | 0.10      | 0.4       | 0.030     | 2.62    | 13.5      | 10.1      | 1.28    | 627       | 7.58      | 0.57    | 6.0       | 4.7       | 1380     |
| S005368            |                         | 10.95   | 20.2      | 0.10      | 0.3       | 0.050     | 3.94    | 13.2      | 14.6      | 1.77    | 671       | 2.96      | 1.04    | 6.2       | 5.2       | 1410     |
| S005369            |                         | 9.60    | 22.2      | 0.08      | 0.5       | 0.044     | 2.81    | 12.3      | 15.6      | 1.59    | 561       | 7.86      | 1.65    | 7.2       | 6.2       | 1210     |
| S005370            |                         | 4.35    | 13.45     | 0.09      | 0.9       | 0.036     | 2.71    | 13.8      | 9.9       | 0.36    | 218       | 4.85      | 0.19    | 5.8       | 14.6      | 1260     |
| S005371            |                         | 13.90   | 14.60     | 0.10      | 0.6       | 0.040     | 1.55    | 9.6       | 8.4       | 1.31    | 583       | 9.84      | 1.49    | 4.5       | 4.0       | 1050     |
| S005372            |                         | 10.50   | 19.55     | 0.10      | 0.4       | 0.030     | 2.30    | 13.7      | 14.7      | 1.59    | 361       | 7.40      | 1.28    | 4.4       | 6.0       | 1300     |
| S005373            |                         | 10.50   | 21.4      | 0.09      | 0.5       | 0.040     | 2.68    | 14.3      | 17.0      | 1.94    | 364       | 6.14      | 1.11    | 5.1       | 6.3       | 1500     |
| S005374            |                         | 10.25   | 22.1      | 0.09      | 0.5       | 0.039     | 2.36    | 13.2      | 17.8      | 2.06    | 618       | 4.83      | 0.97    | 6.9       | 6.5       | 1570     |
| S005375            |                         | 9.10    | 20.2      | 0.09      | 0.7       | 0.051     | 2.13    | 13.8      | 15.3      | 1.92    | 660       | 1.52      | 1.20    | 7.5       | 6.1       | 1490     |
| S005376            |                         | 10.55   | 22.6      | 0.08      | 0.6       | 0.071     | 1.95    | 14.9      | 28.0      | 2.84    | 805       | 1.45      | 0.50    | 8.0       | 6.5       | 1500     |
| S005377            |                         | 11.15   | 23.3      | 0.10      | 0.8       | 0.090     | 1.82    | 13.9      | 28.8      | 3.32    | 963       | 3.34      | 0.41    | 8.9       | 6.7       | 1740     |
| S005378            |                         | 7.76    | 22.2      | 0.09      | 1.9       | 0.069     | 2.41    | 14.2      | 19.4      | 2.76    | 768       | 2.18      | 0.93    | 8.5       | 6.6       | 1730     |
| S005379            |                         | 8.07    | 23.6      | 0.11      | 2.2       | 0.060     | 2.77    | 15.8      | 23.0      | 3.24    | 743       | 1.73      | 0.80    | 9.1       | 7.2       | 1860     |
| S005380            |                         | 0.05    | 0.22      | <0.05     | <0.1      | <0.005    | 0.01    | <0.5      | 0.5       | 1.73    | 19        | 0.10      | 0.01    | 0.1       | <0.2      | 40       |
| S005381            |                         | 7.63    | 22.6      | 0.08      | 0.5       | 0.048     | 2.72    | 12.2      | 18.3      | 3.39    | 562       | 3.54      | 1.41    | 8.6       | 6.3       | 1770     |
| S005382            |                         | 8.49    | 21.2      | 0.06      | 1.0       | 0.050     | 1.23    | 12.6      | 21.4      | 3.80    | 624       | 6.28      | 1.68    | 8.1       | 5.7       | 1380     |
| S005383            |                         | 8.92    | 21.2      | 0.07      | 0.9       | 0.087     | 0.70    | 13.5      | 21.1      | 3.99    | 787       | 2.29      | 2.26    | 8.2       | 5.8       | 1590     |
| S005384            |                         | 7.81    | 19.45     | 0.06      | 0.4       | 0.069     | 1.25    | 12.4      | 14.0      | 3.52    | 892       | 0.56      | 2.70    | 7.4       | 4.6       | 1370     |
| S005385            |                         | 6.77    | 21.3      | 0.07      | 0.6       | 0.054     | 3.04    | 11.3      | 22.3      | 3.48    | 950       | 2.14      | 1.71    | 6.1       | 4.1       | 1290     |
| S005386            |                         | 8.98    | 22.6      | 0.12      | 0.9       | 0.044     | 3.76    | 14.7      | 25.2      | 3.62    | 750       | 0.78      | 2.20    | 8.9       | 5.6       | 1510     |
| S005386CD          |                         | 8.88    | 21.9      | 0.09      | 0.9       | 0.044     | 3.71    | 13.8      | 24.8      | 3.61    | 747       | 0.73      | 2.15    | 8.5       | 5.3       | 1520     |
| S005387            |                         | 9.63    | 25.9      | 0.12      | 1.0       | 0.056     | 4.02    | 16.0      | 30.9      | 3.76    | 902       | 1.71      | 1.89    | 9.0       | 5.8       | 1760     |
| S005388            |                         | 8.58    | 21.4      | 0.10      | 0.6       | 0.061     | 3.28    | 13.0      | 25.4      | 3.37    | 949       | 3.43      | 2.02    | 8.3       | 5.2       | 1690     |
| S005389            |                         | 8.24    | 20.8      | 0.10      | 1.4       | 0.070     | 3.11    | 13.4      | 24.4      | 3.39    | 1000      | 2.26      | 1.73    | 7.7       | 4.9       | 1700     |
| S005390            |                         | 3.85    | 14.25     | 0.09      | 1.1       | 0.048     | 3.82    | 13.1      | 12.7      | 0.54    | 1360      | 10.35     | 0.21    | 5.4       | 22.3      | 910      |
| S005391            |                         | 6.74    | 14.80     | 0.08      | 0.4       | 0.049     | 2.20    | 9.8       | 14.3      | 2.10    | 777       | 5.86      | 1.41    | 5.3       | 3.8       | 1300     |
| S005392            |                         | 6.64    | 12.85     | 0.08      | 0.4       | 0.057     | 1.72    | 10.3      | 10.4      | 1.73    | 827       | 5.97      | 1.52    | 4.3       | 3.1       | 1110     |
| S005393            |                         | 6.30    | 16.25     | 0.06      | 0.5       | 0.056     | 2.39    | 9.5       | 15.3      | 2.11    | 962       | 3.37      | 1.59    | 5.0       | 3.5       | 1200     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005356            |                          | 7.5     | 122.5   | <0.002  | 5.83    | 19.10   | 33.7    | 1       | 0.8     | 63.8    | 0.27    | 0.30    | 1.74    | 0.632   | 3.09    | 0.7 |
| S005357            |                          | 13.8    | 129.0   | <0.002  | 3.69    | 25.2    | 27.4    | 1       | 0.9     | 117.5   | 0.34    | 0.67    | 1.71    | 0.713   | 2.39    | 0.7 |
| S005358            |                          | 35.6    | 136.0   | <0.002  | 4.24    | 44.1    | 33.5    | 1       | 1.0     | 131.5   | 0.45    | 0.70    | 2.01    | 0.919   | 2.85    | 0.9 |
| S005359            |                          | 52.6    | 120.5   | <0.002  | 3.85    | 34.2    | 33.2    | 1       | 1.1     | 165.0   | 0.44    | 0.80    | 2.12    | 0.940   | 2.04    | 1.0 |
| S005360            |                          | <0.5    | 1.0     | 0.002   | 0.06    | 0.18    | 0.6     | 1       | <0.2    | 4940    | <0.05   | <0.05   | 0.09    | 0.012   | 0.02    | 1.4 |
| S005361            |                          | 5.2     | 121.5   | <0.002  | 2.67    | 2.59    | 35.9    | 2       | 1.4     | 185.0   | 0.48    | 0.73    | 2.19    | 1.025   | 2.11    | 1.0 |
| S005362            |                          | 4.5     | 140.0   | 0.002   | 2.60    | 2.37    | 34.7    | 1       | 1.2     | 138.0   | 0.46    | 0.86    | 2.31    | 0.949   | 2.51    | 1.2 |
| S005363            |                          | 3.6     | 121.0   | <0.002  | 2.38    | 0.66    | 30.4    | 1       | 0.9     | 117.5   | 0.40    | 0.74    | 2.08    | 0.844   | 2.08    | 1.0 |
| S005364            |                          | 4.5     | 128.5   | 0.002   | 1.57    | 0.72    | 29.9    | 1       | 1.0     | 145.5   | 0.37    | 0.35    | 1.99    | 0.768   | 2.08    | 0.9 |
| S005365            |                          | 5.8     | 88.2    | 0.002   | 1.08    | 0.44    | 36.4    | 1       | 1.0     | 191.5   | 0.50    | 0.33    | 2.35    | 0.967   | 1.69    | 1.0 |
| S005366            |                          | 3.6     | 144.0   | 0.002   | 2.49    | 0.49    | 31.4    | 2       | 1.1     | 86.8    | 0.40    | 0.74    | 2.04    | 0.780   | 2.36    | 0.8 |
| S005366CD          |                          | 3.5     | 141.5   | 0.002   | 2.52    | 0.54    | 30.5    | 2       | 1.1     | 86.0    | 0.41    | 0.68    | 1.97    | 0.792   | 2.29    | 0.8 |
| S005367            |                          | 524     | 162.0   | 0.002   | 2.23    | 288     | 27.4    | 1       | 0.9     | 185.0   | 0.34    | 0.59    | 1.85    | 0.683   | 2.00    | 0.6 |
| S005368            |                          | 8.6     | 190.0   | 0.002   | 2.84    | 1.30    | 31.3    | 1       | 0.5     | 126.0   | 0.35    | 0.63    | 1.58    | 0.835   | 3.26    | 0.5 |
| S005369            |                          | 5.1     | 153.5   | 0.002   | 2.73    | 1.02    | 35.7    | 1       | 0.8     | 212     | 0.40    | 0.72    | 1.93    | 0.865   | 2.59    | 0.7 |
| S005370            |                          | 48.7    | 129.5   | <0.002  | 4.05    | 34.4    | 13.8    | 5       | 1.8     | 131.5   | 0.32    | 0.28    | 2.33    | 0.298   | 2.21    | 0.9 |
| S005371            |                          | 4.1     | 109.5   | 0.003   | 5.96    | 2.08    | 21.6    | 2       | 0.9     | 210     | 0.24    | 1.40    | 1.39    | 0.482   | 1.42    | 0.5 |
| S005372            |                          | 3.7     | 133.5   | <0.002  | 3.25    | 0.48    | 29.7    | 1       | 0.4     | 134.0   | 0.25    | 0.72    | 1.72    | 0.588   | 2.25    | 0.7 |
| S005373            |                          | 3.3     | 133.5   | <0.002  | 3.17    | 0.40    | 33.6    | 1       | 0.6     | 137.0   | 0.29    | 0.53    | 1.91    | 0.689   | 2.57    | 0.8 |
| S005374            |                          | 3.3     | 112.5   | 0.002   | 2.89    | 0.33    | 34.6    | 1       | 0.5     | 134.0   | 0.39    | 0.34    | 1.97    | 0.861   | 2.28    | 0.9 |
| S005375            |                          | 3.6     | 116.5   | <0.002  | 2.65    | 0.31    | 34.0    | 1       | 1.0     | 146.0   | 0.43    | 0.33    | 2.12    | 0.877   | 2.21    | 0.9 |
| S005376            |                          | 3.2     | 82.4    | 0.002   | 1.94    | 2.03    | 34.6    | 1       | 0.8     | 79.6    | 0.46    | 0.08    | 2.05    | 0.933   | 1.84    | 0.8 |
| S005377            |                          | 3.4     | 70.9    | <0.002  | 1.49    | 1.74    | 36.3    | 2       | 0.8     | 82.9    | 0.50    | 0.11    | 2.08    | 1.015   | 2.18    | 0.8 |
| S005378            |                          | 4.2     | 116.5   | <0.002  | 0.65    | 0.21    | 36.1    | 1       | 0.8     | 115.5   | 0.50    | 0.11    | 2.18    | 1.000   | 2.57    | 1.0 |
| S005379            |                          | 3.5     | 136.5   | 0.002   | 0.44    | 0.19    | 37.2    | 1       | 0.8     | 99.8    | 0.51    | 0.10    | 2.50    | 1.040   | 2.71    | 1.3 |
| S005380            |                          | <0.5    | 0.5     | <0.002  | 0.05    | 0.06    | 0.3     | 1       | <0.2    | 4910    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.3 |
| S005381            |                          | 3.9     | 111.0   | <0.002  | 0.42    | 0.17    | 33.1    | 1       | 0.8     | 172.5   | 0.50    | 0.05    | 1.68    | 1.000   | 3.27    | 0.7 |
| S005382            |                          | 4.0     | 60.9    | 0.002   | 0.77    | 0.26    | 33.3    | 1       | 0.6     | 197.5   | 0.45    | 0.06    | 1.91    | 0.950   | 1.22    | 0.8 |
| S005383            |                          | 3.1     | 31.1    | <0.002  | 0.84    | 0.51    | 33.7    | 1       | 1.1     | 206     | 0.47    | <0.05   | 1.93    | 0.955   | 0.57    | 0.8 |
| S005384            |                          | 2.9     | 80.2    | <0.002  | 0.66    | 0.26    | 31.0    | 2       | 0.7     | 363     | 0.40    | 0.08    | 1.63    | 0.849   | 1.13    | 0.5 |
| S005385            |                          | 2.3     | 208     | <0.002  | 0.32    | 0.39    | 26.9    | 1       | 0.8     | 312     | 0.35    | 0.08    | 1.50    | 0.717   | 2.71    | 0.6 |
| S005386            |                          | 2.3     | 199.0   | <0.002  | 0.66    | 0.77    | 36.2    | 1       | 0.3     | 186.0   | 0.49    | 0.19    | 2.01    | 0.991   | 3.29    | 0.7 |
| S005386CD          |                          | 2.3     | 210     | <0.002  | 0.65    | 0.78    | 35.1    | 1       | 0.3     | 180.5   | 0.47    | 0.19    | 1.95    | 0.978   | 3.21    | 0.7 |
| S005387            |                          | 2.1     | 239     | 0.002   | 0.36    | 0.47    | 37.5    | 1       | 0.3     | 178.5   | 0.50    | 0.09    | 2.09    | 1.035   | 3.67    | 0.7 |
| S005388            |                          | 2.2     | 180.5   | 0.002   | 0.44    | 1.19    | 33.7    | 1       | 0.6     | 222     | 0.46    | 0.10    | 1.69    | 0.956   | 2.84    | 0.6 |
| S005389            |                          | 2.3     | 210     | 0.002   | 0.38    | 1.25    | 31.9    | 1       | 0.7     | 247     | 0.45    | 0.08    | 1.86    | 0.900   | 2.69    | 0.9 |
| S005390            |                          | 137.5   | 174.5   | 0.013   | 2.79    | 18.70   | 11.2    | 3       | 1.5     | 183.5   | 0.31    | 0.25    | 2.98    | 0.252   | 3.05    | 1.5 |
| S005391            |                          | 2.4     | 148.0   | <0.002  | 1.30    | 3.24    | 23.9    | 1       | 0.6     | 229     | 0.29    | 0.24    | 1.34    | 0.632   | 1.69    | 0.4 |
| S005392            |                          | 5.3     | 116.0   | 0.002   | 1.93    | 30.5    | 20.8    | 1       | 0.7     | 280     | 0.24    | 0.28    | 1.22    | 0.507   | 1.12    | 0.4 |
| S005393            |                          | 2.3     | 194.0   | <0.002  | 1.09    | 1.63    | 25.4    | 1       | 0.9     | 277     | 0.28    | 0.16    | 1.38    | 0.595   | 1.91    | 0.5 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|---------|-----------|-----------|----------|------------|----------|----------|----------|
|                    |                          | V ppm 1 | W ppm 0.1 | Y ppm 0.1 | Zn ppm 2 | Zr ppm 0.5 | Si % 0.5 | Ti % 0.1 | Zr ppm 5 |
| S005356            |                          | 348     | 6.8       | 19.7      | 37       | 17.2       | 24.7     | 1.1      | 116      |
| S005357            |                          | 311     | 20.0      | 28.1      | 110      | 13.6       | 22.0     | 0.8      | 93       |
| S005358            |                          | 354     | 24.6      | 31.9      | 97       | 16.2       | 20.8     | 1.0      | 104      |
| S005359            |                          | 353     | 12.8      | 35.1      | 103      | 17.9       | 20.4     | 1.0      | 112      |
| S005360            |                          | 4       | 0.1       | 0.6       | 3        | 2.8        | 1.4      | <0.1     | 50       |
| S005361            |                          | 371     | 8.3       | 37.1      | 88       | 23.6       | 19.6     | 1.0      | 120      |
| S005362            |                          | 357     | 13.0      | 36.8      | 75       | 25.5       | 20.9     | 0.9      | 112      |
| S005363            |                          | 324     | 17.2      | 32.2      | 71       | 18.2       | 20.6     | 0.8      | 108      |
| S005364            |                          | 296     | 122.5     | 29.1      | 65       | 18.9       | 22.2     | 0.9      | 109      |
| S005365            |                          | 375     | 6.4       | 38.3      | 120      | 17.5       | 21.6     | 1.0      | 126      |
| S005366            |                          | 313     | 7.3       | 32.4      | 70       | 15.2       | 22.5     | 0.9      | 110      |
| S005366CD          |                          | 317     | 9.6       | 31.3      | 71       | 13.0       | 22.3     | 0.9      | 108      |
| S005367            |                          | 294     | 30.6      | 18.8      | 547      | 12.2       | 23.3     | 0.8      | 93       |
| S005368            |                          | 331     | 1.4       | 20.3      | 102      | 11.4       | 21.9     | 1.0      | 110      |
| S005369            |                          | 361     | 31.9      | 25.7      | 85       | 20.5       | 22.0     | 1.0      | 110      |
| S005370            |                          | 136     | 2.4       | 8.4       | 191      | 31.7       | 32.6     | 0.4      | 77       |
| S005371            |                          | 225     | 180.0     | 16.0      | 92       | 16.7       | 21.0     | 0.7      | 75       |
| S005372            |                          | 306     | 10.1      | 28.2      | 59       | 18.9       | 23.0     | 0.8      | 93       |
| S005373            |                          | 346     | 11.8      | 31.4      | 51       | 20.7       | 21.6     | 1.0      | 111      |
| S005374            |                          | 365     | 3.7       | 31.1      | 59       | 19.1       | 21.3     | 1.0      | 116      |
| S005375            |                          | 350     | 35.1      | 34.5      | 60       | 19.7       | 22.1     | 0.9      | 114      |
| S005376            |                          | 370     | 16.6      | 29.5      | 99       | 18.5       | 21.4     | 1.0      | 107      |
| S005377            |                          | 393     | 4.4       | 28.2      | 130      | 35.8       | 18.6     | 1.0      | 117      |
| S005378            |                          | 377     | 1.8       | 25.7      | 97       | 46.0       | 22.8     | 1.0      | 107      |
| S005379            |                          | 395     | 2.6       | 30.8      | 97       | 64.3       | 21.6     | 1.1      | 119      |
| S005380            |                          | 2       | <0.1      | 0.4       | <2       | 1.0        | 1.1      | <0.1     | 35       |
| S005381            |                          | 383     | 2.9       | 20.1      | 89       | 19.7       | 21.1     | 1.1      | 114      |
| S005382            |                          | 366     | 2.2       | 13.4      | 99       | 54.5       | 21.9     | 1.0      | 117      |
| S005383            |                          | 367     | 2.5       | 17.2      | 127      | 36.3       | 21.7     | 1.0      | 113      |
| S005384            |                          | 329     | 1.8       | 16.7      | 105      | 16.3       | 22.1     | 0.9      | 91       |
| S005385            |                          | 306     | 8.7       | 16.7      | 143      | 22.7       | 21.0     | 0.7      | 86       |
| S005386            |                          | 388     | 2.7       | 15.4      | 98       | 29.8       | 21.4     | 1.0      | 105      |
| S005386CD          |                          | 384     | 2.7       | 14.6      | 96       | 40.2       | 21.1     | 1.0      | 108      |
| S005387            |                          | 405     | 2.0       | 19.7      | 126      | 35.8       | 20.3     | 1.0      | 118      |
| S005388            |                          | 361     | 5.6       | 19.3      | 134      | 20.2       | 20.5     | 1.0      | 102      |
| S005389            |                          | 335     | 7.0       | 22.7      | 141      | 74.0       | 20.5     | 0.9      | 105      |
| S005390            |                          | 106     | 4.5       | 9.1       | 479      | 40.2       | 27.3     | 0.4      | 70       |
| S005391            |                          | 252     | 11.8      | 15.1      | 90       | 18.4       | 24.0     | 0.7      | 78       |
| S005392            |                          | 215     | 47.0      | 13.2      | 83       | 19.3       | 24.0     | 0.6      | 69       |
| S005393            |                          | 260     | 26.7      | 15.5      | 112      | 19.7       | 23.2     | 0.7      | 75       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005394            |                          | 6.30         | <0.005  | 0.13    | 6.94    | 5.9     | 580     | 1.14    | 0.36    | 2.18    | 0.04    | 23.9    | 27.0    | 10      | 9.72    | 22.5    |
| S005395            |                          | 6.63         | <0.005  | 0.16    | 6.94    | 21.8    | 540     | 1.02    | 0.16    | 3.29    | 0.21    | 25.4    | 23.6    | 9       | 10.65   | 20.2    |
| S005396            |                          | 6.70         | 0.047   | 1.25    | 5.85    | 560     | 420     | 1.07    | 0.20    | 3.30    | 3.24    | 20.4    | 27.0    | 10      | 7.52    | 50.2    |
| S005397            |                          | 6.13         | <0.005  | 0.69    | 6.10    | 909     | 350     | 1.52    | 0.17    | 4.74    | 0.38    | 22.3    | 22.3    | 10      | 7.45    | 29.4    |
| S005398            |                          | 6.59         | <0.005  | 0.07    | 6.02    | 23.6    | 470     | 1.17    | 0.18    | 2.99    | 0.10    | 22.4    | 20.6    | 10      | 10.05   | 18.3    |
| S005399            |                          | 6.91         | <0.005  | 0.09    | 6.75    | 20.6    | 350     | 1.00    | 0.14    | 2.27    | 0.05    | 23.2    | 24.7    | 10      | 8.02    | 12.1    |
| S005400            |                          | 1.38         | <0.005  | <0.01   | 0.14    | <0.2    | 20      | <0.05   | 0.01    | 35.7    | <0.02   | 0.63    | 1.0     | 1       | 0.05    | 2.1     |
| S005401            |                          | 2.53         | <0.005  | 0.13    | 6.67    | 15.8    | 520     | 0.76    | 0.20    | 2.59    | 0.04    | 24.0    | 25.4    | 9       | 8.77    | 22.9    |
| S005402            |                          | 2.25         | 0.016   | 3.22    | 6.36    | >10000  | 370     | 1.73    | 0.21    | 5.16    | 98.1    | 23.8    | 20.2    | 8       | 5.52    | 12.9    |
| S005403            |                          | 1.08         | <0.005  | 0.03    | 0.05    | 17.0    | 10      | <0.05   | 0.01    | 35.2    | 0.12    | 0.26    | 0.9     | 1       | <0.05   | 1.9     |
| S005404            |                          | 5.72         | <0.005  | 0.10    | 6.48    | 84.5    | 320     | 0.90    | 0.11    | 3.17    | 0.28    | 22.8    | 21.1    | 9       | 5.25    | 8.1     |
| S005405            |                          | 6.57         | <0.005  | 0.09    | 6.91    | 103.0   | 310     | 1.08    | 0.13    | 2.23    | 0.13    | 25.4    | 27.6    | 9       | 7.40    | 8.0     |
| S005406            |                          | 6.57         | <0.005  | 0.11    | 7.41    | 9.5     | 580     | 1.13    | 0.14    | 2.06    | 0.09    | 28.4    | 27.9    | 10      | 11.65   | 10.0    |
| S005406CD          |                          | <0.02        | <0.005  | 0.09    | 7.29    | 11.0    | 580     | 1.08    | 0.15    | 2.05    | 0.09    | 27.9    | 28.0    | 10      | 11.60   | 9.8     |
| S005407            |                          | 6.32         | <0.005  | 0.07    | 6.60    | 56.2    | 560     | 0.94    | 0.15    | 2.08    | 0.09    | 25.0    | 25.0    | 10      | 8.45    | 8.4     |
| S005408            |                          | 7.71         | <0.005  | 0.09    | 6.86    | 1.9     | 460     | 1.01    | 0.13    | 3.32    | 0.11    | 25.9    | 24.7    | 9       | 7.57    | 9.7     |
| S005409            |                          | 6.58         | <0.005  | 0.11    | 7.27    | 8.2     | 590     | 1.27    | 0.15    | 2.84    | 0.12    | 27.6    | 26.3    | 9       | 11.20   | 11.1    |
| S005410            |                          | 0.13         | 5.38    | 77.5    | 6.03    | 288     | 450     | 1.02    | 1.20    | 1.93    | 22.5    | 26.6    | 11.4    | 22      | 7.67    | 114.5   |
| S005411            |                          | 6.46         | <0.005  | 0.14    | 6.57    | 2.7     | 700     | 1.20    | 0.10    | 2.48    | 0.06    | 24.7    | 24.6    | 10      | 8.03    | 11.7    |
| S005412            |                          | 6.32         | <0.005  | 0.08    | 7.44    | 5.4     | 1390    | 1.14    | 0.08    | 1.84    | 0.05    | 28.5    | 30.1    | 10      | 11.35   | 11.7    |
| S005413            |                          | 4.54         | <0.005  | 0.24    | 7.88    | 34.7    | 1400    | 1.44    | 0.13    | 1.77    | 0.14    | 29.7    | 27.7    | 10      | 11.95   | 16.4    |
| S005414            |                          | 5.49         | 0.026   | 6.19    | 3.36    | 9660    | 250     | 0.79    | 0.33    | 2.82    | 50.2    | 13.20   | 21.8    | 15      | 3.23    | 27.4    |
| S005415            |                          | 5.41         | 0.008   | 0.42    | 6.85    | 1935    | 500     | 1.13    | 0.13    | 2.04    | 0.51    | 25.5    | 25.0    | 9       | 9.44    | 9.6     |
| S005416            |                          | 6.98         | <0.005  | 0.07    | 7.19    | 11.3    | 650     | 1.06    | 0.10    | 1.13    | 0.06    | 29.6    | 28.2    | 9       | 11.05   | 10.5    |
| S005417            |                          | 6.78         | <0.005  | 1.37    | 6.14    | 1440    | 420     | 1.04    | 0.38    | 5.27    | 54.2    | 22.1    | 33.2    | 38      | 4.78    | 55.1    |
| S005418            |                          | 6.30         | <0.005  | 0.31    | 7.64    | 3.9     | 1220    | 0.95    | 0.39    | 9.11    | 0.21    | 18.60   | 37.2    | 147     | 2.43    | 43.6    |
| S005419            |                          | 5.84         | <0.005  | 0.22    | 5.85    | 3.1     | 880     | 0.86    | 0.30    | 8.33    | 0.15    | 21.7    | 24.2    | 17      | 5.74    | 28.1    |
| S005420            |                          | 1.42         | <0.005  | 0.03    | 0.06    | 0.2     | 10      | <0.05   | 0.01    | 35.9    | 0.02    | 0.25    | 1.0     | <1      | <0.05   | 2.0     |
| S005421            |                          | 6.95         | <0.005  | 0.16    | 7.29    | 2.4     | 580     | 1.09    | 0.29    | 2.86    | 0.09    | 29.7    | 26.0    | 10      | 9.43    | 17.8    |
| S005422            |                          | 6.97         | <0.005  | 0.13    | 7.41    | 2.3     | 440     | 0.99    | 0.23    | 1.80    | 0.05    | 29.3    | 28.6    | 10      | 11.50   | 14.6    |
| S005423            |                          | 7.47         | <0.005  | 0.52    | 6.68    | 70.0    | 490     | 0.88    | 0.24    | 3.45    | 0.22    | 24.9    | 24.2    | 10      | 7.22    | 25.5    |
| S005424            |                          | 6.03         | <0.005  | 0.11    | 6.81    | 2.0     | 520     | 0.93    | 0.16    | 3.33    | 0.11    | 25.4    | 22.8    | 9       | 7.16    | 15.7    |
| S005425            |                          | 6.16         | <0.005  | 0.09    | 6.76    | 2.1     | 730     | 0.93    | 0.14    | 2.31    | 0.09    | 24.9    | 25.0    | 9       | 8.03    | 10.6    |
| S005426            |                          | 6.63         | <0.005  | 0.11    | 7.21    | 2.4     | 710     | 1.04    | 0.16    | 1.78    | 0.06    | 27.7    | 27.6    | 9       | 10.15   | 10.1    |
| S005426CD          |                          | <0.02        | <0.005  | 0.09    | 7.35    | 2.2     | 720     | 1.05    | 0.16    | 1.81    | 0.07    | 27.8    | 27.9    | 8       | 10.25   | 9.3     |
| S005427            |                          | 6.86         | <0.005  | 0.19    | 6.58    | 21.6    | 680     | 1.02    | 0.13    | 2.36    | 0.21    | 24.5    | 24.9    | 9       | 6.57    | 13.0    |
| S005428            |                          | 7.15         | <0.005  | 0.26    | 6.51    | 106.0   | 640     | 1.04    | 0.14    | 2.93    | 0.15    | 23.5    | 23.4    | 11      | 6.13    | 9.6     |
| S005429            |                          | 7.10         | <0.005  | 0.06    | 7.31    | 1.9     | 870     | 1.22    | 0.09    | 2.17    | 0.07    | 28.6    | 26.6    | 10      | 5.03    | 7.7     |
| S005430            |                          | 0.12         | 1.180   | 28.2    | 5.80    | 364     | 110     | 1.32    | 0.98    | 0.65    | 1.86    | 29.1    | 14.3    | 19      | 8.61    | 109.5   |
| S005431            |                          | 7.07         | <0.005  | 0.08    | 8.39    | 4.7     | 1930    | 1.68    | 0.08    | 0.99    | 0.09    | 29.3    | 33.6    | 9       | 5.53    | 7.4     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005394            |         | 8.14    | 20.5    | 0.10    | 0.8     | 0.055   | 3.49    | 12.0    | 22.6    | 2.89    | 947     | 1.64    | 1.55    | 7.0     | 4.4     | 1500 |
| S005395            |         | 7.85    | 20.8    | 0.09    | 1.2     | 0.079   | 3.19    | 13.1    | 20.8    | 2.87    | 1220    | 5.44    | 1.92    | 7.1     | 3.7     | 1500 |
| S005396            |         | 6.91    | 16.95   | 0.08    | 0.8     | 0.071   | 2.31    | 9.9     | 13.9    | 1.96    | 985     | 1.77    | 1.55    | 6.2     | 4.0     | 1330 |
| S005397            |         | 6.49    | 17.20   | 0.07    | 0.8     | 0.074   | 2.55    | 11.3    | 15.9    | 2.33    | 1340    | 1.29    | 1.45    | 5.7     | 3.9     | 1350 |
| S005398            |         | 6.93    | 18.25   | 0.17    | 0.8     | 0.071   | 2.96    | 10.8    | 20.2    | 2.63    | 1100    | 1.92    | 1.40    | 6.3     | 4.3     | 1380 |
| S005399            |         | 7.82    | 19.10   | 0.16    | 0.8     | 0.073   | 2.49    | 11.2    | 19.8    | 2.70    | 1210    | 0.52    | 1.94    | 7.2     | 4.4     | 1540 |
| S005400            |         | 0.10    | 0.40    | 0.08    | <0.1    | <0.005  | 0.03    | <0.5    | 0.8     | 1.70    | 31      | 0.08    | 0.04    | 0.1     | <0.2    | 40   |
| S005401            |         | 8.71    | 20.1    | 0.14    | 0.6     | 0.074   | 3.20    | 11.4    | 17.9    | 2.99    | 1040    | 0.42    | 1.33    | 6.8     | 4.1     | 1490 |
| S005402            |         | 8.15    | 20.1    | 0.14    | 0.7     | 0.072   | 3.63    | 11.8    | 14.5    | 2.82    | 2240    | 1.40    | 0.32    | 5.6     | 3.6     | 1510 |
| S005403            |         | 0.04    | 0.20    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.77    | 20      | 0.07    | <0.01   | <0.1    | <0.2    | 40   |
| S005404            |         | 7.14    | 18.00   | 0.11    | 0.7     | 0.081   | 1.90    | 10.8    | 13.5    | 2.58    | 1090    | 0.23    | 1.94    | 6.0     | 3.5     | 1450 |
| S005405            |         | 8.33    | 19.65   | 0.12    | 1.1     | 0.055   | 1.87    | 12.5    | 16.3    | 2.92    | 1190    | 0.41    | 2.45    | 7.3     | 4.2     | 1530 |
| S005406            |         | 9.26    | 21.5    | 0.15    | 1.5     | 0.067   | 3.25    | 13.5    | 22.4    | 3.31    | 1120    | 3.34    | 2.10    | 7.8     | 4.6     | 1690 |
| S005406CD          |         | 9.13    | 21.6    | 0.16    | 0.8     | 0.064   | 3.22    | 13.6    | 22.9    | 3.28    | 1120    | 2.80    | 2.08    | 7.8     | 4.6     | 1670 |
| S005407            |         | 7.77    | 18.80   | 0.15    | 1.4     | 0.064   | 2.56    | 12.2    | 19.7    | 2.79    | 965     | 0.48    | 1.94    | 7.0     | 3.9     | 1450 |
| S005408            |         | 7.97    | 19.75   | 0.17    | 0.7     | 0.082   | 2.10    | 12.6    | 20.6    | 3.02    | 1170    | 0.73    | 2.11    | 7.0     | 4.2     | 1480 |
| S005409            |         | 8.82    | 21.1    | 0.20    | 0.9     | 0.082   | 3.46    | 13.3    | 27.9    | 3.59    | 1140    | 0.70    | 1.84    | 7.4     | 4.6     | 1670 |
| S005410            |         | 4.59    | 13.60   | 0.17    | 1.3     | 1.335   | 3.57    | 13.7    | 12.9    | 0.47    | 1130    | 9.80    | 0.23    | 5.5     | 16.5    | 940  |
| S005411            |         | 7.37    | 18.30   | 0.17    | 0.7     | 0.074   | 2.95    | 11.4    | 28.0    | 2.96    | 899     | 1.35    | 1.59    | 6.3     | 3.9     | 1490 |
| S005412            |         | 10.45   | 23.0    | 0.20    | 1.2     | 0.087   | 3.91    | 13.6    | 40.3    | 4.25    | 1060    | 1.04    | 1.08    | 8.1     | 4.9     | 1800 |
| S005413            |         | 10.60   | 24.0    | 0.21    | 0.9     | 0.075   | 4.51    | 13.8    | 37.3    | 4.19    | 1160    | 0.97    | 0.89    | 7.9     | 4.8     | 1990 |
| S005414            |         | 5.58    | 9.19    | 0.16    | 0.4     | 0.048   | 1.57    | 6.6     | 10.1    | 1.46    | 952     | 2.92    | 0.48    | 3.0     | 3.4     | 800  |
| S005415            |         | 8.16    | 19.70   | 0.17    | 0.6     | 0.069   | 2.94    | 11.9    | 17.7    | 3.03    | 995     | 1.12    | 1.78    | 6.5     | 5.7     | 1550 |
| S005416            |         | 8.51    | 21.5    | 0.22    | 1.2     | 0.057   | 2.80    | 14.1    | 23.4    | 3.33    | 782     | 3.37    | 2.15    | 7.6     | 6.3     | 1640 |
| S005417            |         | 7.47    | 17.20   | 0.19    | 0.5     | 0.068   | 2.17    | 10.0    | 12.8    | 1.92    | 1240    | 23.5    | 1.46    | 4.9     | 20.9    | 1340 |
| S005418            |         | 5.64    | 15.90   | 0.18    | 0.4     | 0.073   | 2.26    | 6.8     | 16.8    | 1.30    | 2030    | 0.49    | 2.57    | 2.8     | 53.9    | 1180 |
| S005419            |         | 6.66    | 15.95   | 0.15    | 0.8     | 0.070   | 1.83    | 10.5    | 13.9    | 1.86    | 2070    | 1.80    | 2.15    | 5.4     | 7.6     | 1500 |
| S005420            |         | 0.05    | 0.25    | 0.16    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 1.96    | 24      | 0.06    | 0.01    | <0.1    | 0.2     | 30   |
| S005421            |         | 9.00    | 21.8    | 0.14    | 0.6     | 0.075   | 2.84    | 14.4    | 20.7    | 3.33    | 1240    | 2.93    | 2.24    | 7.5     | 4.9     | 1850 |
| S005422            |         | 9.08    | 23.2    | 0.16    | 0.6     | 0.064   | 3.16    | 13.2    | 24.7    | 3.35    | 976     | 0.78    | 2.62    | 7.8     | 5.0     | 1700 |
| S005423            |         | 7.69    | 19.00   | 0.17    | 0.6     | 0.083   | 2.41    | 11.8    | 21.7    | 2.75    | 1240    | 2.19    | 1.99    | 6.4     | 4.0     | 1530 |
| S005424            |         | 7.53    | 18.15   | 0.17    | 0.7     | 0.079   | 2.25    | 12.1    | 20.5    | 2.87    | 1140    | 4.19    | 2.07    | 6.3     | 4.0     | 1520 |
| S005425            |         | 7.53    | 19.05   | 0.18    | 0.6     | 0.067   | 2.73    | 11.6    | 25.2    | 3.11    | 796     | 1.35    | 1.92    | 6.9     | 3.9     | 1440 |
| S005426            |         | 9.26    | 23.0    | 0.22    | 0.7     | 0.069   | 2.77    | 13.1    | 25.2    | 3.78    | 762     | 1.32    | 2.09    | 7.3     | 4.2     | 1600 |
| S005426CD          |         | 9.29    | 23.0    | 0.19    | 1.1     | 0.066   | 2.79    | 13.1    | 25.1    | 3.82    | 771     | 1.42    | 2.14    | 7.4     | 4.1     | 1650 |
| S005427            |         | 8.04    | 18.35   | 0.17    | 0.7     | 0.065   | 2.34    | 11.6    | 20.0    | 3.11    | 990     | 2.15    | 1.81    | 6.3     | 3.8     | 1430 |
| S005428            |         | 6.90    | 18.05   | 0.21    | 0.7     | 0.069   | 2.13    | 11.1    | 20.3    | 2.88    | 860     | 0.41    | 1.62    | 6.5     | 4.4     | 1460 |
| S005429            |         | 8.67    | 19.60   | 0.18    | 1.3     | 0.075   | 1.48    | 13.6    | 19.4    | 3.58    | 850     | 0.38    | 2.47    | 7.5     | 4.3     | 1670 |
| S005430            |         | 4.41    | 13.85   | 0.17    | 0.9     | 0.039   | 2.73    | 13.5    | 11.5    | 0.36    | 221     | 4.89    | 0.19    | 5.8     | 15.0    | 1280 |
| S005431            |         | 11.20   | 23.7    | 0.21    | 0.7     | 0.101   | 2.12    | 13.3    | 32.3    | 4.71    | 804     | 0.62    | 2.08    | 9.1     | 5.3     | 1840 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005394            |                          | 3.2     | 265     | <0.002  | 0.83    | 1.46    | 30.3    | 1       | 0.9     | 245     | 0.40    | 0.27    | 1.73    | 0.827   | 3.22    | 0.6 |
| S005395            |                          | 3.3     | 244     | 0.002   | 0.76    | 3.11    | 30.3    | 1       | 1.1     | 334     | 0.40    | 0.14    | 1.93    | 0.818   | 2.80    | 0.8 |
| S005396            |                          | 20.7    | 174.5   | <0.002  | 1.55    | 23.2    | 26.5    | 2       | 1.2     | 328     | 0.34    | 0.26    | 1.67    | 0.703   | 1.85    | 0.6 |
| S005397            |                          | 6.9     | 183.5   | <0.002  | 0.92    | 14.10   | 27.3    | 2       | 1.1     | 494     | 0.32    | 0.20    | 1.58    | 0.682   | 1.79    | 0.6 |
| S005398            |                          | 3.3     | 221     | <0.002  | 0.53    | 2.24    | 29.9    | 1       | 1.0     | 324     | 0.37    | 0.12    | 1.56    | 0.751   | 2.59    | 0.6 |
| S005399            |                          | 2.6     | 164.5   | <0.002  | 0.65    | 1.76    | 32.9    | 1       | 0.6     | 299     | 0.42    | 0.08    | 1.66    | 0.866   | 2.02    | 0.5 |
| S005400            |                          | <0.5    | 0.9     | <0.002  | 0.06    | 0.05    | 0.4     | 1       | <0.2    | 4650    | <0.05   | <0.05   | 0.06    | 0.008   | 0.02    | 1.2 |
| S005401            |                          | 3.1     | 244     | <0.002  | 0.86    | 1.97    | 29.9    | 1       | 0.8     | 288     | 0.42    | 0.18    | 1.74    | 0.825   | 2.71    | 0.5 |
| S005402            |                          | 749     | 239     | 0.002   | 1.68    | 426     | 29.0    | 1       | 1.0     | 466     | 0.35    | 0.07    | 1.74    | 0.733   | 2.16    | 0.6 |
| S005403            |                          | 1.1     | 0.7     | <0.002  | 0.04    | 0.59    | 0.2     | 1       | <0.2    | 4590    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.2 |
| S005404            |                          | 3.4     | 115.0   | <0.002  | 0.47    | 4.09    | 27.4    | 1       | 0.8     | 390     | 0.36    | 0.11    | 1.64    | 0.719   | 1.39    | 0.5 |
| S005405            |                          | 3.0     | 104.0   | <0.002  | 0.58    | 3.16    | 32.0    | 1       | 0.6     | 327     | 0.44    | 0.13    | 1.97    | 0.866   | 1.55    | 0.7 |
| S005406            |                          | 3.0     | 192.0   | 0.002   | 0.64    | 1.54    | 34.2    | 1       | 0.7     | 298     | 0.47    | 0.13    | 2.04    | 0.949   | 2.88    | 0.8 |
| S005406CD          |                          | 2.9     | 193.0   | 0.003   | 0.62    | 1.51    | 34.4    | 1       | 0.7     | 299     | 0.48    | 0.12    | 2.03    | 0.942   | 2.84    | 0.7 |
| S005407            |                          | 2.8     | 151.5   | <0.002  | 0.54    | 2.37    | 31.3    | 1       | 0.7     | 322     | 0.41    | 0.13    | 1.92    | 0.846   | 2.22    | 0.9 |
| S005408            |                          | 3.1     | 137.0   | 0.002   | 0.62    | 0.54    | 31.5    | 1       | 0.8     | 462     | 0.42    | 0.11    | 1.84    | 0.842   | 1.86    | 0.6 |
| S005409            |                          | 3.5     | 225     | <0.002  | 0.48    | 1.01    | 34.6    | 1       | 0.9     | 364     | 0.44    | 0.11    | 1.95    | 0.906   | 3.01    | 0.8 |
| S005410            |                          | 8430    | 159.0   | 0.003   | 2.92    | 71.4    | 12.4    | 3       | 3.9     | 137.5   | 0.35    | 0.24    | 3.64    | 0.246   | 3.07    | 2.0 |
| S005411            |                          | 6.3     | 184.5   | <0.002  | 0.47    | 0.93    | 30.0    | 1       | 0.8     | 312     | 0.39    | 0.07    | 1.69    | 0.792   | 2.47    | 0.6 |
| S005412            |                          | 3.1     | 210     | <0.002  | 0.46    | 1.49    | 37.3    | 1       | 0.9     | 197.5   | 0.49    | 0.05    | 1.88    | 0.983   | 3.39    | 0.8 |
| S005413            |                          | 3.9     | 270     | <0.002  | 0.69    | 5.04    | 37.8    | 1       | 1.0     | 199.0   | 0.48    | 0.12    | 2.08    | 1.010   | 3.99    | 0.7 |
| S005414            |                          | 241     | 96.0    | <0.002  | 2.10    | 153.0   | 16.6    | 2       | 0.6     | 236     | 0.19    | 0.36    | 1.01    | 0.393   | 1.03    | 0.3 |
| S005415            |                          | 10.4    | 170.5   | 0.002   | 0.70    | 10.65   | 31.7    | 1       | 0.7     | 249     | 0.39    | 0.14    | 1.81    | 0.825   | 2.19    | 0.6 |
| S005416            |                          | 2.4     | 172.5   | <0.002  | 0.54    | 1.97    | 34.7    | 2       | 0.5     | 157.0   | 0.43    | 0.09    | 1.98    | 0.904   | 2.33    | 0.7 |
| S005417            |                          | 36.7    | 142.0   | 0.004   | 2.47    | 39.4    | 29.0    | 2       | 1.2     | 403     | 0.30    | 0.47    | 1.33    | 0.653   | 1.57    | 0.5 |
| S005418            |                          | 6.3     | 83.5    | <0.002  | 1.53    | 2.12    | 35.4    | 1       | 1.1     | 574     | 0.20    | 0.35    | 0.25    | 0.791   | 0.90    | 0.1 |
| S005419            |                          | 3.9     | 111.0   | <0.002  | 1.34    | 0.71    | 26.8    | 1       | 0.8     | 444     | 0.35    | 0.32    | 1.56    | 0.702   | 1.43    | 0.6 |
| S005420            |                          | 2.0     | 0.5     | <0.002  | 0.05    | 0.08    | 0.2     | 1       | <0.2    | 4740    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.4 |
| S005421            |                          | 3.4     | 169.5   | <0.002  | 0.95    | 0.37    | 32.5    | 1       | 1.0     | 285     | 0.47    | 0.27    | 1.99    | 0.921   | 2.45    | 0.7 |
| S005422            |                          | 2.7     | 156.0   | <0.002  | 0.82    | 0.73    | 35.6    | 1       | 0.7     | 221     | 0.47    | 0.18    | 1.99    | 0.933   | 2.85    | 0.7 |
| S005423            |                          | 5.8     | 161.5   | <0.002  | 1.06    | 1.89    | 29.9    | 2       | 0.9     | 325     | 0.40    | 0.23    | 1.80    | 0.802   | 1.97    | 0.6 |
| S005424            |                          | 3.5     | 142.0   | <0.002  | 0.70    | 0.38    | 28.5    | 1       | 0.8     | 343     | 0.39    | 0.15    | 1.75    | 0.788   | 1.86    | 0.8 |
| S005425            |                          | 2.7     | 162.0   | 0.002   | 0.52    | 0.33    | 31.7    | 1       | 0.8     | 302     | 0.43    | 0.17    | 1.79    | 0.864   | 2.30    | 0.7 |
| S005426            |                          | 2.8     | 135.0   | 0.002   | 0.63    | 0.45    | 33.3    | 1       | 0.8     | 218     | 0.45    | 0.14    | 1.95    | 0.887   | 2.19    | 0.7 |
| S005426CD          |                          | 2.8     | 137.5   | 0.002   | 0.61    | 0.46    | 34.1    | 2       | 0.8     | 222     | 0.46    | 0.12    | 2.02    | 0.903   | 2.21    | 0.8 |
| S005427            |                          | 15.2    | 123.0   | <0.002  | 0.51    | 8.82    | 29.9    | 1       | 0.6     | 241     | 0.39    | 0.11    | 1.71    | 0.779   | 1.54    | 0.6 |
| S005428            |                          | 4.3     | 117.0   | <0.002  | 0.53    | 2.82    | 29.4    | 1       | 0.7     | 279     | 0.41    | 0.12    | 1.82    | 0.810   | 1.76    | 0.7 |
| S005429            |                          | 3.2     | 55.1    | 0.002   | 0.39    | 0.23    | 33.8    | 1       | 0.7     | 242     | 0.46    | 0.07    | 2.13    | 0.915   | 0.96    | 0.9 |
| S005430            |                          | 50.1    | 129.5   | <0.002  | 4.09    | 35.2    | 15.0    | 6       | 1.9     | 132.5   | 0.33    | 0.25    | 2.52    | 0.302   | 2.27    | 1.0 |
| S005431            |                          | 4.3     | 36.7    | <0.002  | 0.28    | 0.36    | 40.6    | 2       | 1.1     | 142.0   | 0.57    | <0.05   | 2.03    | 1.100   | 0.95    | 0.8 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61    | ME-MS61      | ME-MS61      | ME-MS61     | ME-MS61       | pXRF-34     | pXRF-34     | pXRF-34     |
|--------------------|--------------------------|------------|--------------|--------------|-------------|---------------|-------------|-------------|-------------|
|                    |                          | V ppm<br>1 | W ppm<br>0.1 | Y ppm<br>0.1 | Zn ppm<br>2 | Zr ppm<br>0.5 | Si %<br>0.5 | Ti %<br>0.1 | Zr ppm<br>5 |
| S005394            |                          | 331        | 12.2         | 16.1         | 160         | 37.5          | 21.0        | 0.9         | 99          |
| S005395            |                          | 323        | 17.6         | 23.2         | 177         | 36.3          | 20.6        | 0.9         | 97          |
| S005396            |                          | 270        | 35.8         | 19.4         | 280         | 32.7          | 23.2        | 0.8         | 84          |
| S005397            |                          | 297        | 38.9         | 21.1         | 118         | 23.2          | 21.4        | 0.7         | 87          |
| S005398            |                          | 307        | 10.0         | 19.7         | 138         | 22.7          | 22.9        | 0.8         | 91          |
| S005399            |                          | 332        | 4.6          | 17.0         | 115         | 27.4          | 21.5        | 1.0         | 104         |
| S005400            |                          | 2          | <0.1         | 0.7          | 3           | 1.4           | 1.4         | <0.1        | 35          |
| S005401            |                          | 319        | 6.1          | 17.7         | 142         | 28.5          | 20.6        | 0.9         | 102         |
| S005402            |                          | 308        | 69.2         | 19.6         | 6060        | 22.8          | 18.0        | 0.9         | 98          |
| S005403            |                          | 1          | 0.1          | 0.3          | 7           | 0.7           | 1.1         | 0.1         | 31          |
| S005404            |                          | 290        | 4.8          | 18.6         | 113         | 21.5          | 21.2        | 0.8         | 89          |
| S005405            |                          | 333        | 7.0          | 19.1         | 96          | 34.1          | 20.4        | 0.9         | 109         |
| S005406            |                          | 360        | 2.0          | 20.9         | 140         | 35.6          | 20.5        | 1.1         | 112         |
| S005406CD          |                          | 352        | 2.1          | 19.8         | 140         | 26.4          | 20.2        | 1.0         | 112         |
| S005407            |                          | 324        | 3.9          | 18.7         | 120         | 31.4          | 21.6        | 0.9         | 98          |
| S005408            |                          | 320        | 3.9          | 18.5         | 125         | 23.4          | 19.6        | 0.9         | 103         |
| S005409            |                          | 368        | 7.5          | 18.7         | 165         | 28.4          | 19.3        | 1.0         | 108         |
| S005410            |                          | 118        | 4.2          | 9.8          | 1750        | 42.4          | 28.6        | 0.3         | 82          |
| S005411            |                          | 311        | 6.9          | 16.3         | 135         | 22.1          | 21.0        | 0.9         | 101         |
| S005412            |                          | 379        | 6.6          | 18.8         | 203         | 35.7          | 18.6        | 1.1         | 116         |
| S005413            |                          | 386        | 7.8          | 17.7         | 226         | 34.9          | 17.7        | 1.1         | 124         |
| S005414            |                          | 168        | 23.1         | 11.2         | 3090        | 11.7          | 27.8        | 0.5         | 54          |
| S005415            |                          | 330        | 13.4         | 16.9         | 141         | 20.6          | 20.1        | 0.9         | 100         |
| S005416            |                          | 352        | 1.8          | 17.1         | 139         | 31.6          | 21.0        | 1.0         | 111         |
| S005417            |                          | 265        | 53.2         | 17.6         | 2960        | 18.9          | 19.2        | 0.8         | 82          |
| S005418            |                          | 297        | 3.6          | 21.8         | 112         | 8.1           | 16.2        | 1.1         | 60          |
| S005419            |                          | 273        | 14.1         | 21.4         | 131         | 21.0          | 16.9        | 0.8         | 90          |
| S005420            |                          | 2          | <0.1         | 0.3          | 2           | 0.5           | 1.0         | <0.1        | 36          |
| S005421            |                          | 345        | 5.4          | 26.6         | 216         | 19.1          | 19.8        | 0.9         | 111         |
| S005422            |                          | 371        | 2.5          | 21.2         | 174         | 20.9          | 19.8        | 0.9         | 109         |
| S005423            |                          | 313        | 11.2         | 21.2         | 172         | 20.6          | 20.8        | 0.8         | 93          |
| S005424            |                          | 315        | 6.2          | 23.8         | 147         | 28.3          | 20.5        | 0.9         | 97          |
| S005425            |                          | 324        | 3.8          | 26.4         | 129         | 16.9          | 20.7        | 1.0         | 108         |
| S005426            |                          | 362        | 1.7          | 25.0         | 115         | 23.9          | 19.9        | 1.0         | 112         |
| S005426CD          |                          | 365        | 2.0          | 25.6         | 115         | 38.1          | 20.5        | 0.9         | 105         |
| S005427            |                          | 313        | 15.5         | 16.6         | 116         | 19.1          | 21.1        | 0.9         | 97          |
| S005428            |                          | 297        | 8.1          | 20.1         | 99          | 25.3          | 22.0        | 0.9         | 97          |
| S005429            |                          | 340        | 2.6          | 28.9         | 112         | 42.6          | 20.4        | 1.0         | 112         |
| S005430            |                          | 139        | 2.3          | 8.8          | 195         | 32.3          | 32.0        | 0.4         | 74          |
| S005431            |                          | 422        | 1.1          | 29.8         | 168         | 26.7          | 17.8        | 1.1         | 130         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2    |
| S005432            |                          | 7.05         | <0.005  | 0.10    | 7.06    | 1.9     | 720     | 1.00    | 0.13    | 1.26    | 0.11    | 25.8    | 26.8    | 9       | 4.53    | 8.8    |
| S005433            |                          | 8.17         | <0.005  | 0.10    | 6.66    | 1.4     | 850     | 0.82    | 0.15    | 2.17    | 0.09    | 22.3    | 23.8    | 10      | 5.82    | 8.5    |
| S005434            |                          | 5.95         | <0.005  | 0.07    | 6.83    | 1.2     | 800     | 0.87    | 0.13    | 2.09    | 0.08    | 25.5    | 24.3    | 9       | 7.68    | 7.2    |
| S005435            |                          | 7.47         | 0.015   | 0.45    | 6.37    | 203     | 2120    | 0.90    | 0.29    | 1.37    | 0.09    | 22.1    | 23.8    | 11      | 8.69    | 15.9   |
| S005436            |                          | 6.62         | 0.005   | 0.15    | 6.94    | 11.5    | 1630    | 0.92    | 0.12    | 2.55    | 0.03    | 25.8    | 27.8    | 10      | 9.63    | 24.4   |
| S005437            |                          | 6.29         | <0.005  | 0.08    | 7.12    | 1.7     | 440     | 0.83    | 0.14    | 1.64    | 0.04    | 22.7    | 24.8    | 10      | 9.35    | 7.6    |
| S005438            |                          | 6.73         | <0.005  | 0.04    | 7.39    | 1.4     | 900     | 0.91    | 0.11    | 1.33    | 0.03    | 25.5    | 26.0    | 9       | 10.45   | 5.6    |
| S005439            |                          | 7.94         | <0.005  | 0.10    | 7.26    | 2.1     | 510     | 1.00    | 0.14    | 1.64    | 0.05    | 25.3    | 26.2    | 10      | 10.75   | 9.1    |
| S005440            |                          | 1.46         | <0.005  | 0.02    | 0.12    | 0.3     | 10      | <0.05   | 0.01    | 36.1    | <0.02   | 0.42    | 0.3     | 1       | 0.06    | 1.0    |
| S005441            |                          | 7.41         | <0.005  | 0.18    | 7.36    | 1.1     | 550     | 1.07    | 0.25    | 3.85    | 0.08    | 33.0    | 27.6    | 9       | 7.08    | 30.4   |
| S005442            |                          | 6.32         | 0.012   | 0.10    | 7.09    | 2.2     | 650     | 0.98    | 0.12    | 4.43    | 0.10    | 26.4    | 21.9    | 10      | 7.03    | 11.1   |
| S005443            |                          | 7.36         | <0.005  | 0.06    | 6.91    | 2.5     | 930     | 1.00    | 0.10    | 3.21    | 0.09    | 26.0    | 27.5    | 20      | 9.29    | 6.2    |
| S005444            |                          | 7.14         | <0.005  | 0.05    | 7.76    | 1.0     | 1270    | 1.19    | 0.08    | 1.88    | 0.05    | 27.7    | 30.9    | 11      | 13.00   | 5.3    |
| S005445            |                          | 6.74         | <0.005  | 0.17    | 7.29    | 23.4    | 940     | 1.11    | 0.18    | 1.82    | 0.04    | 26.4    | 33.1    | 11      | 9.51    | 21.2   |
| S005446            |                          | 7.02         | <0.005  | 0.04    | 7.17    | 3.1     | 620     | 1.05    | 0.07    | 1.93    | 0.08    | 23.9    | 27.5    | 10      | 4.10    | 7.5    |
| S005446CD          |                          | <0.02        | <0.005  | 0.04    | 7.19    | 3.1     | 620     | 1.00    | 0.08    | 1.90    | 0.08    | 24.8    | 27.7    | 10      | 3.92    | 7.5    |
| S005447            |                          | 6.08         | <0.005  | 0.04    | 6.93    | 3.2     | 590     | 1.08    | 0.07    | 1.91    | 0.09    | 24.8    | 25.5    | 10      | 2.16    | 7.8    |
| S005448            |                          | 6.10         | <0.005  | 0.02    | 7.03    | 1.1     | 820     | 1.17    | 0.06    | 2.23    | 0.10    | 25.6    | 24.1    | 11      | 2.71    | 5.2    |
| S005449            |                          | 6.63         | <0.005  | 0.02    | 7.09    | 1.6     | 870     | 1.12    | 0.05    | 2.59    | 0.11    | 25.8    | 24.4    | 10      | 3.06    | 4.1    |
| S005450            |                          | 0.13         | 0.922   | 12.00   | 5.94    | 326     | 280     | 1.07    | 0.18    | 3.68    | 4.43    | 23.5    | 10.2    | 28      | 6.88    | 83.5   |
| S005451            |                          | 7.20         | <0.005  | 0.03    | 7.25    | 2.1     | 1190    | 1.18    | 0.06    | 1.93    | 0.09    | 26.9    | 27.7    | 10      | 7.35    | 4.3    |
| S005452            |                          | 6.64         | <0.005  | 0.05    | 7.31    | 0.5     | 940     | 1.12    | 0.08    | 2.00    | 0.07    | 26.5    | 27.1    | 11      | 7.54    | 10.0   |
| S005453            |                          | 6.41         | <0.005  | 0.03    | 7.28    | 3.1     | 950     | 1.20    | 0.08    | 2.00    | 0.15    | 27.4    | 28.1    | 11      | 6.43    | 7.2    |
| S005454            |                          | 7.35         | <0.005  | 0.03    | 7.02    | 4.5     | 860     | 1.13    | 0.07    | 2.21    | 0.17    | 27.0    | 25.8    | 9       | 4.84    | 6.8    |
| S005455            |                          | 5.87         | <0.005  | 0.03    | 7.47    | 4.8     | 1030    | 1.18    | 0.08    | 2.46    | 0.19    | 27.3    | 28.7    | 10      | 5.70    | 9.1    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S005432            |                          | 8.80    | 18.60   | 0.08    | 0.6     | 0.069   | 1.41    | 12.6    | 20.4    | 3.46    | 786     | 1.81    | 2.51    | 6.9     | 6.8     | 1500  |
| S005433            |                          | 7.88    | 17.20   | 0.08    | 0.8     | 0.071   | 1.94    | 10.9    | 18.3    | 3.06    | 835     | 0.82    | 2.17    | 6.2     | 4.3     | 1450  |
| S005434            |                          | 7.94    | 18.40   | 0.08    | 0.9     | 0.087   | 2.28    | 12.5    | 18.0    | 3.19    | 882     | 0.88    | 2.17    | 6.6     | 4.5     | 1500  |
| S005435            |                          | 8.19    | 17.40   | 0.09    | 0.7     | 0.054   | 3.80    | 10.8    | 26.9    | 3.31    | 908     | 3.98    | 1.11    | 5.6     | 4.0     | 1360  |
| S005436            |                          | 8.82    | 20.1    | 0.10    | 1.3     | 0.076   | 3.69    | 12.4    | 26.8    | 3.81    | 1060    | 1.44    | 1.39    | 6.4     | 4.3     | 1620  |
| S005437            |                          | 8.06    | 19.85   | 0.10    | 1.6     | 0.059   | 3.09    | 11.0    | 29.8    | 3.96    | 889     | 1.23    | 1.96    | 6.5     | 4.2     | 1340  |
| S005438            |                          | 8.45    | 20.8    | 0.10    | 2.3     | 0.049   | 3.96    | 12.7    | 30.9    | 4.41    | 831     | 0.78    | 1.73    | 6.9     | 4.8     | 1650  |
| S005439            |                          | 8.70    | 19.80   | 0.10    | 0.7     | 0.078   | 2.81    | 12.5    | 23.0    | 4.03    | 1050    | 3.90    | 2.18    | 6.7     | 4.5     | 1520  |
| S005440            |                          | 0.08    | 0.29    | 0.08    | <0.1    | <0.005  | 0.04    | <0.5    | 0.7     | 1.70    | 25      | 0.09    | 0.01    | 0.1     | <0.2    | 40    |
| S005441            |                          | 8.67    | 21.3    | 0.11    | 0.6     | 0.084   | 2.35    | 16.7    | 24.9    | 3.25    | 1180    | 2.31    | 2.22    | 7.1     | 4.6     | 2110  |
| S005442            |                          | 8.02    | 19.00   | 0.10    | 0.8     | 0.104   | 1.89    | 13.2    | 16.0    | 3.19    | 1420    | 2.66    | 2.14    | 6.6     | 4.2     | 1680  |
| S005443            |                          | 8.55    | 19.20   | 0.10    | 1.2     | 0.087   | 2.60    | 12.5    | 17.3    | 3.59    | 1360    | 1.89    | 1.76    | 6.7     | 4.5     | 1640  |
| S005444            |                          | 9.94    | 21.2    | 0.10    | 1.5     | 0.094   | 3.54    | 13.5    | 20.6    | 4.28    | 1140    | 1.15    | 1.96    | 7.7     | 5.1     | 1670  |
| S005445            |                          | 10.00   | 20.4    | 0.09    | 0.8     | 0.062   | 2.95    | 13.1    | 23.9    | 3.16    | 971     | 4.45    | 1.61    | 7.1     | 5.4     | 1630  |
| S005446            |                          | 8.64    | 19.60   | 0.09    | 0.9     | 0.083   | 1.31    | 12.2    | 15.8    | 3.13    | 1140    | 0.66    | 2.59    | 6.9     | 4.8     | 1470  |
| S005446CD          |                          | 8.65    | 19.15   | 0.08    | 0.8     | 0.076   | 1.28    | 11.8    | 15.7    | 3.12    | 1120    | 0.59    | 2.62    | 6.8     | 4.7     | 1460  |
| S005447            |                          | 8.39    | 18.45   | 0.08    | 1.4     | 0.072   | 0.87    | 12.2    | 15.6    | 3.06    | 1160    | 0.67    | 2.59    | 6.6     | 4.6     | 1480  |
| S005448            |                          | 8.34    | 18.35   | 0.08    | 0.8     | 0.089   | 1.08    | 13.0    | 15.5    | 2.99    | 1380    | 0.80    | 2.82    | 6.7     | 4.6     | 1510  |
| S005449            |                          | 8.48    | 18.70   | 0.08    | 1.2     | 0.088   | 1.30    | 13.0    | 17.4    | 3.04    | 1520    | 0.55    | 2.64    | 6.6     | 4.8     | 1540  |
| S005450            |                          | 3.92    | 13.60   | 0.09    | 1.1     | 0.048   | 3.92    | 11.6    | 12.9    | 0.54    | 1400    | 9.32    | 0.21    | 4.8     | 20.2    | 940   |
| S005451            |                          | 8.97    | 20.2    | 0.09    | 0.7     | 0.081   | 2.31    | 12.7    | 18.4    | 3.18    | 1320    | 0.68    | 2.56    | 7.3     | 5.0     | 1580  |
| S005452            |                          | 8.69    | 19.70   | 0.09    | 0.9     | 0.074   | 2.26    | 13.1    | 16.9    | 2.92    | 1340    | 0.66    | 2.54    | 7.0     | 5.3     | 1620  |
| S005453            |                          | 8.91    | 20.1    | 0.09    | 0.9     | 0.078   | 1.80    | 13.5    | 16.7    | 2.89    | 1580    | 1.40    | 2.99    | 7.3     | 5.2     | 1590  |
| S005454            |                          | 8.65    | 19.45   | 0.09    | 0.8     | 0.096   | 1.35    | 13.5    | 15.7    | 2.67    | 1680    | 0.82    | 2.96    | 6.9     | 4.8     | 1620  |
| S005455            |                          | 9.16    | 20.4    | 0.08    | 0.8     | 0.108   | 1.57    | 13.4    | 15.4    | 2.77    | 1800    | 0.53    | 2.89    | 7.1     | 5.2     | 1730  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005432            |                          | 5.7     | 44.7    | 0.003   | 0.54    | 0.73    | 32.0    | 1       | 0.7     | 141.0   | 0.43    | 0.12    | 1.89    | 0.920   | 0.89    | 0.7   |
| S005433            |                          | 3.4     | 75.9    | <0.002  | 0.69    | 0.47    | 28.6    | 1       | 0.6     | 193.0   | 0.39    | 0.14    | 1.73    | 0.845   | 1.19    | 0.8   |
| S005434            |                          | 3.6     | 107.0   | 0.003   | 0.56    | 0.56    | 30.8    | <1      | 0.6     | 186.0   | 0.41    | 0.12    | 1.88    | 0.859   | 1.48    | 0.7   |
| S005435            |                          | 3.7     | 223     | 0.002   | 0.73    | 7.22    | 28.2    | 1       | 0.7     | 169.5   | 0.34    | 0.25    | 1.51    | 0.778   | 2.86    | 0.5   |
| S005436            |                          | 3.1     | 239     | <0.002  | 0.94    | 1.24    | 30.0    | 1       | 0.9     | 262     | 0.39    | 0.23    | 1.77    | 0.834   | 2.93    | 0.7   |
| S005437            |                          | 3.0     | 175.0   | 0.002   | 0.56    | 0.49    | 31.1    | 1       | 0.6     | 206     | 0.41    | 0.13    | 1.83    | 0.870   | 2.21    | 0.8   |
| S005438            |                          | 2.8     | 226     | <0.002  | 0.46    | 0.28    | 32.7    | <1      | 0.5     | 161.0   | 0.42    | 0.11    | 1.93    | 0.911   | 2.94    | 1.0   |
| S005439            |                          | 2.9     | 149.0   | <0.002  | 0.83    | 0.35    | 31.9    | 1       | 0.6     | 163.0   | 0.42    | 0.17    | 1.72    | 0.893   | 1.93    | 0.7   |
| S005440            |                          | 2.3     | 1.7     | <0.002  | 0.06    | 0.10    | 0.3     | 1       | <0.2    | 4890    | <0.05   | <0.05   | 0.04    | 0.007   | 0.03    | 1.2   |
| S005441            |                          | 4.4     | 173.5   | 0.002   | 1.23    | 0.47    | 34.3    | 1       | 1.2     | 335     | 0.47    | 0.33    | 2.20    | 0.918   | 1.97    | 0.7   |
| S005442            |                          | 3.8     | 129.5   | 0.002   | 0.68    | 0.57    | 31.5    | 1       | 1.5     | 313     | 0.43    | 0.13    | 1.83    | 0.878   | 1.62    | 0.7   |
| S005443            |                          | 2.9     | 159.5   | 0.002   | 0.48    | 0.27    | 31.5    | 1       | 1.0     | 229     | 0.42    | 0.10    | 1.85    | 0.855   | 2.22    | 0.8   |
| S005444            |                          | 2.9     | 150.0   | <0.002  | 0.29    | 0.20    | 36.7    | <1      | 0.8     | 174.0   | 0.49    | 0.13    | 2.14    | 0.999   | 2.35    | 1.0   |
| S005445            |                          | 3.4     | 154.0   | 0.002   | 1.54    | 1.37    | 32.5    | 2       | 0.8     | 203     | 0.45    | 0.45    | 1.95    | 0.907   | 2.47    | 0.8   |
| S005446            |                          | 3.6     | 44.3    | <0.002  | 0.27    | 0.32    | 31.6    | <1      | 0.8     | 191.0   | 0.44    | <0.05   | 1.84    | 0.895   | 0.73    | 0.8   |
| S005446CD          |                          | 3.6     | 43.4    | <0.002  | 0.26    | 0.36    | 32.6    | 1       | 0.8     | 191.5   | 0.42    | <0.05   | 1.86    | 0.895   | 0.71    | 0.8   |
| S005447            |                          | 3.6     | 21.0    | <0.002  | 0.26    | 0.33    | 31.0    | 1       | 0.8     | 186.5   | 0.40    | <0.05   | 1.97    | 0.849   | 0.35    | 0.9   |
| S005448            |                          | 2.9     | 28.7    | <0.002  | 0.18    | 0.47    | 32.5    | 1       | 0.9     | 245     | 0.41    | 0.05    | 2.01    | 0.873   | 0.47    | 0.9   |
| S005449            |                          | 3.0     | 35.4    | 0.002   | 0.22    | 0.35    | 31.3    | <1      | 1.0     | 282     | 0.40    | 0.07    | 1.99    | 0.861   | 0.57    | 0.9   |
| S005450            |                          | 154.0   | 173.0   | 0.010   | 2.84    | 18.70   | 11.2    | 2       | 1.5     | 182.0   | 0.30    | 0.31    | 3.03    | 0.259   | 2.93    | 1.6   |
| S005451            |                          | 3.3     | 67.6    | 0.002   | 0.21    | 0.30    | 34.3    | 1       | 0.9     | 228     | 0.44    | <0.05   | 1.98    | 0.929   | 1.22    | 0.8   |
| S005452            |                          | 3.2     | 77.0    | <0.002  | 0.35    | 0.27    | 33.3    | 1       | 0.9     | 218     | 0.44    | 0.09    | 2.16    | 0.901   | 1.19    | 0.9   |
| S005453            |                          | 4.1     | 47.4    | 0.003   | 0.25    | 0.26    | 34.8    | 1       | 1.0     | 189.0   | 0.45    | <0.05   | 2.21    | 0.924   | 0.79    | 1.0   |
| S005454            |                          | 3.4     | 34.7    | 0.002   | 0.26    | 0.35    | 33.2    | 1       | 1.1     | 198.0   | 0.44    | <0.05   | 2.06    | 0.882   | 0.56    | 0.9   |
| S005455            |                          | 3.3     | 38.0    | <0.002  | 0.32    | 0.52    | 33.6    | 1       | 1.1     | 204     | 0.43    | <0.05   | 2.12    | 0.915   | 0.63    | 1.0   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|---------|-----------|-----------|----------|------------|----------|----------|----------|
|                    |                          | V ppm 1 | W ppm 0.1 | Y ppm 0.1 | Zn ppm 2 | Zr ppm 0.5 | Si % 0.5 | Ti % 0.1 | Zr ppm 5 |
| S005432            |                          | 344     | 1.3       | 27.4      | 111      | 32.9       | 21.1     | 0.9      | 106      |
| S005433            |                          | 329     | 3.0       | 26.3      | 87       | 27.6       | 22.9     | 0.8      | 98       |
| S005434            |                          | 328     | 3.6       | 26.1      | 102      | 29.4       | 21.9     | 0.9      | 97       |
| S005435            |                          | 305     | 9.7       | 13.6      | 206      | 29.6       | 22.5     | 0.9      | 88       |
| S005436            |                          | 336     | 6.4       | 19.3      | 187      | 38.2       | 21.1     | 0.9      | 92       |
| S005437            |                          | 342     | 3.5       | 16.5      | 150      | 42.8       | 21.8     | 0.9      | 101      |
| S005438            |                          | 353     | 2.4       | 19.6      | 139      | 73.7       | 20.6     | 0.9      | 100      |
| S005439            |                          | 345     | 1.8       | 19.5      | 116      | 27.9       | 21.3     | 0.9      | 98       |
| S005440            |                          | 3       | 0.1       | 0.4       | 2        | 1.2        | 1.4      | <0.1     | 26       |
| S005441            |                          | 364     | 15.4      | 27.1      | 157      | 18.5       | 19.4     | 0.9      | 102      |
| S005442            |                          | 344     | 9.8       | 23.2      | 155      | 27.3       | 20.1     | 0.9      | 98       |
| S005443            |                          | 331     | 3.8       | 27.9      | 147      | 42.0       | 20.3     | 0.9      | 102      |
| S005444            |                          | 399     | 3.0       | 30.7      | 116      | 74.9       | 19.0     | 1.0      | 106      |
| S005445            |                          | 359     | 5.2       | 25.3      | 156      | 32.3       | 20.7     | 0.9      | 103      |
| S005446            |                          | 344     | 1.4       | 29.2      | 113      | 39.1       | 22.0     | 0.9      | 106      |
| S005446CD          |                          | 343     | 1.4       | 29.7      | 111      | 29.0       | 22.2     | 0.9      | 100      |
| S005447            |                          | 328     | 1.3       | 29.3      | 113      | 47.2       | 22.7     | 0.9      | 95       |
| S005448            |                          | 332     | 2.0       | 32.3      | 108      | 28.5       | 21.6     | 0.9      | 96       |
| S005449            |                          | 331     | 2.7       | 32.3      | 101      | 50.2       | 21.5     | 0.8      | 100      |
| S005450            |                          | 108     | 4.6       | 8.8       | 469      | 40.3       | 27.8     | 0.4      | 72       |
| S005451            |                          | 357     | 1.2       | 33.3      | 118      | 28.5       | 21.3     | 1.0      | 101      |
| S005452            |                          | 349     | 1.7       | 31.7      | 135      | 36.3       | 21.2     | 0.9      | 107      |
| S005453            |                          | 358     | 1.2       | 35.3      | 132      | 36.0       | 22.2     | 0.9      | 98       |
| S005454            |                          | 344     | 1.5       | 33.7      | 136      | 29.8       | 22.0     | 0.9      | 102      |
| S005455            |                          | 355     | 2.0       | 34.6      | 145      | 29.9       | 21.8     | 0.8      | 101      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19173735**

|                    | <b>CERTIFICATE COMMENTS</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|--------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
| Applies to Method: | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REE's may not be totally soluble in this method.<br/>           ME-MS61</p>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method: | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">BAG-01</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01             | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d            | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC             | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21             |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA23</td> <td style="width: 33%;">ME-MS61</td> <td style="width: 33%;">pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23            | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19175097**

Project: Bowser Regional Project  
 P.O. No.: BOW-0704  
 This report is for 14 Rock samples submitted to our lab in Terrace, BC, Canada on 17-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |
| ME-OG62  | Ore Grade Elements - Four Acid    | ICP-AES    |
| Pb-OG62  | Ore Grade Pb - Four Acid          |            |
| Zn-OG62  | Ore Grade Zn - Four Acid          |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**

Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19175097**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
|                    |                          | 0.02                | 0.005          | 0.01           | 0.01         | 0.2            | 10             | 0.05           | 0.01           | 0.01         | 0.02           | 0.01           | 0.1            | 1              | 0.05           | 0.2            |
| B085016            |                          | 0.52                | <0.005         | 0.01           | 1.29         | 1.3            | 50             | 0.07           | 0.01           | 1.31         | 0.12           | 3.47           | 4.0            | 9              | 0.40           | 1.2            |
| B085017            |                          | 0.61                | <0.005         | 0.22           | 2.61         | 12.7           | 230            | 0.51           | 0.07           | 19.00        | 0.75           | 9.53           | 7.6            | 13             | 1.31           | 19.5           |
| B085018            |                          | 0.93                | 0.140          | 0.78           | 5.04         | 87.5           | 80             | 0.69           | 2.04           | 5.41         | 546            | 27.0           | 25.6           | 34             | 2.85           | 133.5          |
| B085019            |                          | 0.97                | 0.016          | 0.08           | 1.22         | 153.0          | 130            | 0.25           | 0.09           | 17.80        | 2.46           | 15.35          | 4.2            | 10             | 1.47           | 8.3            |
| B085020            |                          | 0.66                | 0.166          | 1.00           | 0.77         | 9.7            | 130            | 0.36           | 0.03           | 17.60        | 0.88           | 15.15          | 5.2            | 5              | 0.75           | 37.2           |
| B085021            |                          | 0.81                | 0.273          | 0.72           | 7.05         | 150.0          | 580            | 1.44           | 0.06           | 5.62         | 0.65           | 47.5           | 24.4           | 35             | 5.41           | 12.4           |
| B085022            |                          | 0.74                | <0.005         | 0.13           | 1.94         | 12.4           | 400            | 0.36           | 0.02           | 29.6         | 0.63           | 29.2           | 7.1            | 4              | 0.80           | 5.9            |
| B085023            |                          | 0.79                | 0.011          | 0.32           | 7.64         | 35.1           | 940            | 0.82           | 0.04           | 5.40         | 0.28           | 34.3           | 21.9           | 23             | 2.95           | 16.1           |
| B085024            |                          | 0.83                | 1.665          | 24.0           | 1.04         | 201            | 550            | 0.24           | 0.03           | 12.20        | 159.0          | 26.4           | 8.3            | 7              | 0.73           | 52.5           |
| B085025            |                          | 0.96                | 0.908          | 8.19           | 0.80         | 5900           | 220            | 0.20           | 0.17           | 1.42         | 68.3           | 7.47           | 4.8            | 12             | 0.49           | 786            |
| B085026            |                          | 1.21                | <0.005         | 0.30           | 8.45         | 36.7           | 1130           | 2.37           | 0.35           | 4.17         | 0.43           | 44.9           | 27.6           | 4              | 14.35          | 42.9           |
| B085026CD          |                          | <0.02               | <0.005         | 0.32           | 8.34         | 39.1           | 1140           | 2.36           | 0.34           | 4.09         | 0.42           | 43.3           | 28.5           | 5              | 14.35          | 45.0           |
| B083229            |                          | 0.65                | 0.044          | 13.55          | 0.40         | >10000         | 40             | 0.15           | 0.61           | 0.35         | 34.5           | 2.28           | 7.3            | 12             | 0.37           | 53.7           |
| B083230            |                          | 1.16                | <0.005         | 0.53           | 0.80         | 128.5          | 50             | 0.12           | 0.09           | 0.55         | 0.61           | 2.78           | 66.4           | 11             | 0.40           | 125.0          |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19175097**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-----------------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    |                                   | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                                   | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| B085016            |                                   | 2.30    | 3.78      | <0.05     | 0.1       | 0.011     | 0.04    | 1.7       | 16.6      | 0.37    | 408       | 0.39      | 0.30    | 0.5       | 1.5       | 360      |
| B085017            |                                   | 6.36    | 4.83      | 0.06      | 0.4       | 0.027     | 0.42    | 4.2       | 74.9      | 3.10    | 901       | 0.27      | 0.10    | 1.9       | 11.0      | 200      |
| B085018            |                                   | 8.16    | 10.20     | 0.09      | 0.7       | 6.35      | 1.44    | 12.9      | 14.5      | 0.75    | 1420      | 1.36      | 0.17    | 4.1       | 16.2      | 360      |
| B085019            |                                   | 3.84    | 2.58      | 0.05      | 0.2       | 0.098     | 0.31    | 6.8       | 7.4       | 0.92    | 3850      | 0.25      | 0.09    | 0.8       | 6.4       | 160      |
| B085020            |                                   | 10.55   | 1.65      | 0.05      | 0.3       | 0.102     | 0.30    | 6.3       | 6.1       | 0.33    | 6720      | 1.20      | 0.03    | 0.9       | 8.6       | 210      |
| B085021            |                                   | 6.38    | 15.60     | 0.11      | 1.2       | 0.068     | 2.83    | 20.3      | 3.0       | 0.40    | 2070      | 1.61      | 1.24    | 11.3      | 26.3      | 1770     |
| B085022            |                                   | 2.72    | 4.26      | 0.07      | 0.4       | 0.034     | 0.27    | 18.0      | 5.8       | 0.25    | 7420      | 3.18      | 0.74    | 1.7       | 2.3       | 430      |
| B085023            |                                   | 7.34    | 15.20     | 0.09      | 1.3       | 0.053     | 0.79    | 16.2      | 24.3      | 0.94    | 1660      | 8.59      | 3.15    | 6.5       | 9.2       | 1910     |
| B085024            |                                   | 4.63    | 2.60      | 0.07      | 0.2       | 0.088     | 0.44    | 14.5      | 9.3       | 0.41    | 4060      | 1.71      | 0.07    | 0.8       | 2.8       | 260      |
| B085025            |                                   | 2.50    | 1.72      | <0.05     | 0.1       | 0.050     | 0.35    | 3.4       | 13.5      | 0.10    | 876       | 0.47      | 0.02    | 0.9       | 3.0       | 240      |
| B085026            |                                   | 2.24    | 16.05     | 0.25      | 5.5       | 0.075     | 3.44    | 18.7      | 10.3      | 0.40    | 588       | 3.09      | 2.44    | 21.5      | 4.2       | 2640     |
| B085026CD          |                                   | 2.23    | 16.10     | 0.22      | 5.5       | 0.082     | 3.46    | 17.6      | 10.4      | 0.40    | 582       | 3.10      | 2.44    | 21.5      | 4.4       | 2670     |
| B083229            |                                   | 7.21    | 1.15      | 0.08      | <0.1      | 0.064     | 0.18    | 1.3       | 3.9       | 0.12    | 298       | 0.48      | 0.02    | 0.3       | 1.0       | 150      |
| B083230            |                                   | 9.01    | 2.94      | 0.06      | <0.1      | 0.055     | 0.15    | 1.7       | 8.1       | 0.36    | 1420      | 0.69      | 0.05    | 0.1       | 1.3       | 140      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19175097**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| B085016            |                          | 1.0     | 1.2     | <0.002  | 0.01    | 0.24    | 2.6     | <1      | 0.3     | 128.0   | <0.05   | <0.05   | 0.20    | 0.068   | 0.03    | 0.1   |
| B085017            |                          | 48.8    | 18.0    | <0.002  | 0.69    | 9.29    | 5.4     | 1       | 0.3     | 1180    | 0.12    | <0.05   | 1.15    | 0.096   | 0.12    | 0.3   |
| B085018            |                          | 16.1    | 60.4    | <0.002  | 5.98    | 3.18    | 11.8    | 2       | 1.1     | 437     | 0.25    | 0.94    | 2.39    | 0.211   | 0.53    | 0.6   |
| B085019            |                          | 34.4    | 13.1    | <0.002  | 0.32    | 1.10    | 3.5     | 1       | 0.3     | 1555    | 0.06    | <0.05   | 0.58    | 0.043   | 0.11    | 0.2   |
| B085020            |                          | 102.0   | 8.5     | <0.002  | 0.01    | 41.4    | 3.6     | <1      | 0.2     | 115.0   | 0.05    | <0.05   | 0.33    | 0.047   | 0.14    | 0.1   |
| B085021            |                          | 21.1    | 78.1    | 0.002   | 0.99    | 13.55   | 17.0    | 1       | 1.3     | 138.0   | 0.67    | <0.05   | 2.86    | 0.534   | 0.99    | 0.6   |
| B085022            |                          | 21.9    | 9.3     | <0.002  | 0.75    | 1.81    | 8.1     | 1       | 0.3     | 847     | 0.10    | <0.05   | 0.62    | 0.149   | 0.39    | 0.3   |
| B085023            |                          | 10.6    | 26.8    | <0.002  | 1.21    | 4.18    | 21.5    | <1      | 0.8     | 284     | 0.39    | <0.05   | 2.25    | 0.604   | 0.81    | 0.8   |
| B085024            |                          | >10000  | 14.9    | <0.002  | 1.30    | 30.2    | 3.7     | 1       | 0.2     | 524     | 0.05    | 0.07    | 0.32    | 0.078   | 0.50    | 0.1   |
| B085025            |                          | 5770    | 9.0     | <0.002  | 0.54    | 2240    | 3.0     | 1       | 0.3     | 51.4    | <0.05   | <0.05   | 0.29    | 0.067   | 0.13    | 0.1   |
| B085026            |                          | 40.1    | 97.1    | <0.002  | 0.55    | 6.62    | 12.7    | 1       | 2.3     | 234     | 1.18    | 0.22    | 6.39    | 0.674   | 3.53    | 5.2   |
| B085026CD          |                          | 40.1    | 94.3    | <0.002  | 0.54    | 8.39    | 12.1    | 1       | 2.4     | 234     | 1.17    | 0.25    | 6.06    | 0.673   | 3.48    | 5.3   |
| B083229            |                          | 2890    | 6.7     | <0.002  | 4.46    | 1525    | 1.8     | 1       | <0.2    | 42.6    | <0.05   | 0.22    | 0.12    | 0.030   | 0.31    | 0.1   |
| B083230            |                          | 8.6     | 7.8     | <0.002  | 4.88    | 8.56    | 1.5     | 3       | <0.2    | 25.8    | <0.05   | 0.95    | 0.02    | 0.005   | 0.15    | <0.1  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19175097**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61       | ME-MS61         | ME-MS61         | ME-MS61        | ME-MS61          | Pb-OG62          | Zn-OG62          | pXRF-34        | pXRF-34        | pXRF-34        |
|--------------------|-----------------------------------|---------------|-----------------|-----------------|----------------|------------------|------------------|------------------|----------------|----------------|----------------|
|                    |                                   | V<br>ppm<br>1 | W<br>ppm<br>0.1 | Y<br>ppm<br>0.1 | Zn<br>ppm<br>2 | Zr<br>ppm<br>0.5 | Pb<br>%<br>0.001 | Zn<br>%<br>0.001 | Si<br>%<br>0.5 | Ti<br>%<br>0.1 | Zr<br>ppm<br>5 |
| B085016            |                                   | 52            | 0.3             | 2.7             | 43             | 4.2              |                  |                  | 36.0           | 0.1            | 10             |
| B085017            |                                   | 31            | 0.8             | 11.1            | 142            | 14.9             |                  |                  | 10.2           | 0.2            | 41             |
| B085018            |                                   | 67            | 4.7             | 10.5            | >10000         | 29.8             |                  | 1.750            | 23.1           | 0.3            | 63             |
| B085019            |                                   | 15            | 0.6             | 12.7            | 137            | 8.2              |                  |                  | 15.1           | <0.1           | 23             |
| B085020            |                                   | 28            | 2.4             | 20.3            | 114            | 6.3              |                  |                  | 11.2           | <0.1           | 15             |
| B085021            |                                   | 144           | 37.1            | 17.8            | 71             | 47.9             |                  |                  | 19.8           | 0.6            | 146            |
| B085022            |                                   | 57            | 0.7             | 13.0            | 28             | 16.6             |                  |                  | 6.0            | 0.4            | 26             |
| B085023            |                                   | 212           | 1.9             | 17.9            | 101            | 50.5             |                  |                  | 18.8           | 0.7            | 98             |
| B085024            |                                   | 30            | 1.8             | 15.3            | 8210           | 7.8              | 1.645            |                  | 19.5           | 0.1            | 25             |
| B085025            |                                   | 24            | 4.9             | 4.1             | 3550           | 4.0              |                  |                  | 34.8           | 0.1            | 15             |
| B085026            |                                   | 71            | 0.9             | 28.6            | 67             | 236              |                  |                  | 23.2           | 0.8            | 262            |
| B085026CD          |                                   | 71            | 0.9             | 26.9            | 67             | 230              |                  |                  | 23.2           | 0.8            | 260            |
| B083229            |                                   | 41            | 3.0             | 1.8             | 2050           | 2.9              |                  |                  | 37.5           | <0.1           | 11             |
| B083230            |                                   | 70            | 0.2             | 2.2             | 80             | 0.5              |                  |                  | 31.6           | <0.1           | <5             |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19175097**

| CERTIFICATE COMMENTS |  |          |         |         |         |         |         |          |        |        |         |         |        |
|----------------------|--|----------|---------|---------|---------|---------|---------|----------|--------|--------|---------|---------|--------|
|                      | <b>ANALYTICAL COMMENTS</b>   |          |         |         |         |         |         |          |        |        |         |         |        |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61  |          |         |         |         |         |         |          |        |        |         |         |        |
|                      | <b>LABORATORY ADDRESSES</b>  |          |         |         |         |         |         |          |        |        |         |         |        |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.  |          |         |         |         |         |         |          |        |        |         |         |        |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>PUL-32m</td> <td>PUL-32md</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> <td>WEI-21</td> </tr> </table> | BAG-01   | CRU-31  | CRU-QC  | LOG-21  | LOG-21d | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |
| BAG-01               | CRU-31   | CRU-QC   | LOG-21  |         |         |         |         |          |        |        |         |         |        |
| LOG-21d              | PUL-32m  | PUL-32md | PUL-QC  |         |         |         |         |          |        |        |         |         |        |
| SPL-21               | SPL-21d  | SPL-34X  | WEI-21  |         |         |         |         |          |        |        |         |         |        |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.   |          |         |         |         |         |         |          |        |        |         |         |        |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>ME-OG62</td> <td>Pb-OG62</td> </tr> <tr> <td>pXRF-34</td> <td>Zn-OG62</td> <td></td> <td></td> </tr> </table>  | Au-AA23  | ME-MS61 | ME-OG62 | Pb-OG62 | pXRF-34 | Zn-OG62 |          |        |        |         |         |        |
| Au-AA23              | ME-MS61  | ME-OG62  | Pb-OG62 |         |         |         |         |          |        |        |         |         |        |
| pXRF-34              | Zn-OG62  |          |         |         |         |         |         |          |        |        |         |         |        |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19177305**

Project: Bowser Regional Project  
 P.O. No.: BOW-0706  
 This report is for 110 Drill Core samples submitted to our lab in Terrace, BC, Canada on 19-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |
| Ag-OG62  | Ore Grade Ag - Four Acid          |            |
| ME-OG62  | Ore Grade Elements - Four Acid    | ICP-AES    |
| Pb-OG62  | Ore Grade Pb - Four Acid          |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2    |
| S005456            |                          | 6.98         | <0.005  | 0.02    | 7.46    | 3.4     | 1730    | 1.42    | 0.07    | 1.64    | 0.13    | 22.7    | 28.6    | 11      | 9.45    | 7.7    |
| S005457            |                          | 6.55         | <0.005  | 0.05    | 7.52    | 2.1     | 1550    | 1.21    | 0.10    | 1.44    | 0.09    | 27.0    | 28.6    | 10      | 10.35   | 10.2   |
| S005458            |                          | 6.49         | <0.005  | 0.06    | 7.04    | 2.2     | 1190    | 1.13    | 0.06    | 2.82    | 0.20    | 25.2    | 24.5    | 10      | 3.95    | 5.4    |
| S005459            |                          | 5.66         | <0.005  | 0.03    | 6.93    | 30.8    | 1290    | 1.24    | 0.07    | 2.36    | 0.19    | 24.5    | 26.2    | 10      | 7.45    | 6.7    |
| S005460            |                          | 1.06         | <0.005  | <0.01   | 0.05    | <0.2    | 10      | <0.05   | 0.01    | 35.7    | <0.02   | 0.24    | 1.1     | <1      | <0.05   | 1.6    |
| S005461            |                          | 7.29         | <0.005  | 0.06    | 7.07    | 37.7    | 1400    | 1.18    | 0.08    | 1.96    | 0.17    | 22.2    | 24.7    | 10      | 7.45    | 7.9    |
| S005462            |                          | 7.96         | <0.005  | 0.05    | 7.27    | 2.0     | 1370    | 1.18    | 0.09    | 1.88    | 0.20    | 23.8    | 27.0    | 12      | 7.95    | 9.3    |
| S005463            |                          | 5.58         | <0.005  | 0.05    | 7.24    | 0.3     | 1280    | 1.31    | 0.09    | 1.64    | 0.14    | 24.7    | 25.4    | 11      | 9.61    | 8.0    |
| S005464            |                          | 7.28         | 0.033   | 0.97    | 7.24    | 2990    | 1240    | 1.65    | 0.16    | 2.46    | 1.44    | 26.5    | 27.6    | 11      | 9.84    | 14.1   |
| S005465            |                          | 5.91         | <0.005  | 0.07    | 6.89    | 4.5     | 1050    | 1.21    | 0.09    | 2.14    | 0.13    | 21.6    | 27.1    | 10      | 8.05    | 12.0   |
| S005466            |                          | 7.19         | <0.005  | 0.06    | 6.87    | 2.6     | 870     | 1.17    | 0.08    | 2.08    | 0.16    | 20.9    | 26.9    | 9       | 6.44    | 9.0    |
| S005466CD          |                          | <0.02        | <0.005  | 0.06    | 7.16    | 3.3     | 870     | 1.10    | 0.09    | 2.11    | 0.15    | 22.5    | 26.9    | 10      | 6.60    | 8.9    |
| S005467            |                          | 6.44         | <0.005  | 0.02    | 6.97    | 1.9     | 1270    | 1.26    | 0.05    | 2.49    | 0.17    | 23.5    | 26.4    | 10      | 7.84    | 7.1    |
| S005468            |                          | 6.21         | <0.005  | 0.06    | 6.30    | 0.7     | 430     | 1.06    | 0.07    | 3.14    | 0.17    | 22.7    | 23.5    | 9       | 2.56    | 10.2   |
| S005469            |                          | 5.43         | <0.005  | 0.06    | 7.25    | 1.4     | 620     | 1.11    | 0.09    | 2.24    | 0.12    | 26.5    | 28.3    | 8       | 4.22    | 9.2    |
| S005470            |                          | 0.14         | 5.51    | 81.1    | 6.26    | 296     | 480     | 0.97    | 1.05    | 1.98    | 21.9    | 28.6    | 10.4    | 20      | 7.66    | 119.0  |
| S005471            |                          | 5.87         | <0.005  | 0.10    | 7.19    | 1.2     | 890     | 1.00    | 0.08    | 1.92    | 0.12    | 26.6    | 27.6    | 8       | 7.91    | 6.8    |
| S005472            |                          | 6.76         | <0.005  | 0.07    | 7.67    | 1.3     | 1050    | 1.16    | 0.10    | 1.80    | 0.17    | 27.8    | 29.5    | 8       | 9.03    | 8.0    |
| S005473            |                          | 6.00         | <0.005  | 0.06    | 7.17    | 1.6     | 1140    | 1.23    | 0.10    | 2.26    | 0.13    | 26.3    | 27.3    | 7       | 8.59    | 12.2   |
| S005474            |                          | 6.29         | <0.005  | 0.03    | 7.69    | 2.0     | 1300    | 1.20    | 0.06    | 2.40    | 0.15    | 28.2    | 26.6    | 7       | 9.70    | 5.0    |
| S005475            |                          | 5.95         | <0.005  | 0.04    | 7.22    | 2.3     | 1090    | 1.11    | 0.07    | 2.67    | 0.20    | 26.8    | 28.5    | 8       | 6.47    | 5.0    |
| S005476            |                          | 6.60         | <0.005  | 0.03    | 7.35    | 1.8     | 1390    | 1.09    | 0.05    | 2.39    | 0.19    | 26.8    | 28.3    | 6       | 8.27    | 4.8    |
| S005477            |                          | 6.80         | <0.005  | 0.04    | 7.20    | 1.7     | 1190    | 1.13    | 0.07    | 2.64    | 0.16    | 26.7    | 27.1    | 7       | 8.36    | 5.7    |
| S005478            |                          | 6.81         | <0.005  | 0.05    | 7.38    | 4.8     | 1180    | 1.19    | 0.13    | 2.29    | 0.14    | 28.2    | 29.5    | 7       | 10.55   | 9.8    |
| S005479            |                          | 6.57         | <0.005  | 0.08    | 7.40    | 0.8     | 1260    | 1.11    | 0.07    | 3.88    | 0.18    | 27.1    | 31.1    | 6       | 7.55    | 11.9   |
| S005480            |                          | 0.94         | <0.005  | <0.01   | 0.15    | <0.2    | 10      | <0.05   | <0.01   | 36.9    | <0.02   | 0.35    | 0.7     | <1      | <0.05   | 0.9    |
| S005481            |                          | 6.18         | <0.005  | 0.04    | 7.31    | 0.4     | 1300    | 1.09    | 0.07    | 2.94    | 0.13    | 27.4    | 26.6    | 6       | 10.05   | 5.2    |
| S005482            |                          | 6.43         | <0.005  | 0.04    | 7.37    | 0.4     | 1520    | 1.06    | 0.06    | 2.27    | 0.17    | 28.0    | 30.2    | 7       | 8.21    | 6.2    |
| S005483            |                          | 7.19         | <0.005  | 0.05    | 7.16    | 0.5     | 1160    | 1.38    | 0.12    | 1.69    | 0.13    | 25.3    | 26.6    | 8       | 6.52    | 8.3    |
| S005484            |                          | 6.20         | <0.005  | 0.07    | 7.65    | 3.1     | 1310    | 1.23    | 0.12    | 1.37    | 0.07    | 28.2    | 30.1    | 8       | 5.73    | 10.4   |
| S005485            |                          | 6.36         | <0.005  | 0.05    | 7.48    | 1.7     | 1850    | 0.77    | 0.06    | 1.16    | 0.06    | 24.7    | 29.2    | 8       | 2.70    | 13.0   |
| S005486            |                          | 5.52         | <0.005  | 0.06    | 8.06    | 0.5     | 1730    | 0.81    | 0.08    | 1.27    | 0.06    | 25.1    | 32.1    | 8       | 3.03    | 15.0   |
| S005486CD          |                          | <0.02        | <0.005  | 0.07    | 8.14    | 0.7     | 1740    | 0.78    | 0.07    | 1.27    | 0.06    | 26.8    | 32.4    | 8       | 3.09    | 16.1   |
| S005487            |                          | 5.88         | <0.005  | 0.08    | 8.08    | 2.4     | 1300    | 0.82    | 0.13    | 1.96    | 0.05    | 28.2    | 29.7    | 9       | 6.74    | 17.5   |
| S005488            |                          | 5.93         | <0.005  | 0.08    | 7.43    | 1.2     | 1210    | 0.75    | 0.11    | 2.39    | 0.07    | 26.1    | 27.7    | 7       | 6.19    | 11.7   |
| S005489            |                          | 5.75         | <0.005  | 0.05    | 8.25    | 0.7     | 1770    | 0.71    | 0.09    | 1.38    | 0.05    | 27.6    | 32.2    | 7       | 5.06    | 10.7   |
| S005490            |                          | 0.11         | 1.325   | 26.5    | 5.81    | 375     | 120     | 1.20    | 0.87    | 0.64    | 1.64    | 27.1    | 12.5    | 16      | 7.99    | 107.0  |
| S005491            |                          | 6.10         | <0.005  | 0.12    | 7.99    | 0.5     | 1850    | 0.75    | 0.09    | 1.37    | 0.05    | 28.4    | 30.7    | 8       | 3.68    | 12.9   |
| S005492            |                          | 6.11         | <0.005  | 0.06    | 7.95    | 1.1     | 2270    | 0.72    | 0.08    | 1.45    | 0.04    | 27.6    | 30.3    | 8       | 5.54    | 10.4   |
| S005493            |                          | 6.35         | <0.005  | 0.06    | 7.91    | 0.5     | 1880    | 0.83    | 0.09    | 1.63    | 0.04    | 26.3    | 31.6    | 9       | 6.67    | 11.5   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005456            |         | 9.60    | 21.5    | 0.15    | 0.7     | 0.079   | 3.03    | 10.2    | 20.0    | 2.95    | 1480    | 1.51    | 2.42    | 7.9     | 5.5     | 1730 |
| S005457            |         | 9.15    | 21.5    | 0.20    | 0.9     | 0.078   | 3.17    | 13.4    | 20.5    | 2.71    | 1430    | 0.78    | 2.27    | 7.6     | 5.0     | 1700 |
| S005458            |         | 8.81    | 19.70   | 0.16    | 0.8     | 0.103   | 1.62    | 11.7    | 17.8    | 2.50    | 1990    | 1.23    | 2.46    | 7.2     | 5.4     | 1640 |
| S005459            |         | 8.30    | 19.50   | 0.15    | 1.0     | 0.086   | 2.08    | 12.2    | 19.5    | 2.24    | 1640    | 0.67    | 2.29    | 6.9     | 5.3     | 1560 |
| S005460            |         | 0.04    | 0.22    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.70    | 23      | 0.05    | 0.01    | <0.1    | 0.9     | 40   |
| S005461            |         | 9.00    | 18.80   | 0.09    | 0.7     | 0.080   | 2.47    | 10.1    | 15.9    | 2.39    | 1600    | 0.67    | 2.46    | 6.9     | 4.9     | 1690 |
| S005462            |         | 9.05    | 20.3    | 0.10    | 0.7     | 0.085   | 2.41    | 10.9    | 15.6    | 2.37    | 1680    | 0.74    | 2.70    | 7.5     | 5.2     | 1720 |
| S005463            |         | 8.90    | 19.90   | 0.10    | 0.7     | 0.077   | 2.66    | 11.7    | 14.8    | 2.41    | 1580    | 0.93    | 2.53    | 7.3     | 4.8     | 1660 |
| S005464            |         | 8.89    | 20.8    | 0.14    | 1.0     | 0.072   | 3.20    | 12.7    | 25.2    | 2.62    | 1420    | 86.9    | 1.97    | 7.3     | 6.2     | 1640 |
| S005465            |         | 9.31    | 20.2    | 0.15    | 0.8     | 0.088   | 2.50    | 10.0    | 18.0    | 3.03    | 1340    | 1.20    | 2.43    | 7.4     | 4.9     | 1740 |
| S005466            |         | 8.40    | 20.2    | 0.13    | 0.8     | 0.071   | 1.75    | 9.4     | 18.5    | 2.73    | 1440    | 1.87    | 2.83    | 7.3     | 5.3     | 1610 |
| S005466CD          |         | 8.49    | 20.3    | 0.14    | 0.8     | 0.075   | 1.74    | 10.6    | 18.6    | 2.76    | 1440    | 1.78    | 2.87    | 7.3     | 5.3     | 1620 |
| S005467            |         | 8.99    | 20.7    | 0.15    | 0.7     | 0.085   | 2.23    | 11.0    | 21.0    | 2.97    | 1440    | 1.06    | 2.31    | 7.5     | 5.0     | 1700 |
| S005468            |         | 7.57    | 17.80   | 0.10    | 0.9     | 0.086   | 0.64    | 11.2    | 13.9    | 2.29    | 1620    | 1.75    | 2.56    | 6.2     | 4.1     | 1410 |
| S005469            |         | 8.94    | 17.25   | 0.13    | 0.7     | 0.071   | 1.28    | 10.7    | 16.5    | 2.68    | 1540    | 0.77    | 3.23    | 6.6     | 5.5     | 1610 |
| S005470            |         | 4.75    | 12.10   | 0.15    | 1.2     | 1.400   | 3.71    | 12.8    | 13.4    | 0.48    | 1200    | 9.27    | 0.23    | 5.2     | 15.2    | 950  |
| S005471            |         | 8.65    | 16.75   | 0.14    | 1.1     | 0.067   | 2.27    | 11.1    | 20.2    | 2.58    | 1440    | 0.97    | 2.88    | 6.5     | 4.8     | 1500 |
| S005472            |         | 9.69    | 18.20   | 0.11    | 0.7     | 0.079   | 2.61    | 11.8    | 18.6    | 2.69    | 1620    | 0.62    | 3.04    | 7.1     | 4.5     | 1650 |
| S005473            |         | 8.59    | 17.35   | 0.13    | 0.6     | 0.093   | 2.60    | 11.1    | 22.7    | 2.36    | 1460    | 7.61    | 2.58    | 6.6     | 4.0     | 1510 |
| S005474            |         | 9.13    | 18.15   | 0.14    | 0.6     | 0.096   | 2.73    | 11.8    | 22.0    | 2.50    | 1620    | 1.83    | 2.79    | 7.1     | 4.5     | 1700 |
| S005475            |         | 8.79    | 17.55   | 0.15    | 0.7     | 0.090   | 2.05    | 11.5    | 19.4    | 2.34    | 1740    | 0.56    | 2.83    | 6.7     | 4.6     | 1630 |
| S005476            |         | 9.25    | 18.15   | 0.11    | 1.0     | 0.079   | 2.66    | 11.3    | 21.0    | 2.44    | 1660    | 0.68    | 2.52    | 6.8     | 3.8     | 1550 |
| S005477            |         | 8.92    | 17.35   | 0.10    | 0.7     | 0.081   | 2.46    | 11.5    | 19.1    | 2.34    | 1670    | 0.62    | 2.51    | 6.7     | 3.8     | 1620 |
| S005478            |         | 8.86    | 17.60   | 0.12    | 0.7     | 0.077   | 2.68    | 11.8    | 17.9    | 2.29    | 1530    | 1.05    | 2.69    | 6.9     | 4.3     | 1610 |
| S005479            |         | 9.81    | 18.15   | 0.12    | 0.8     | 0.106   | 2.16    | 11.5    | 21.7    | 2.47    | 2120    | 1.66    | 2.33    | 6.6     | 4.5     | 1590 |
| S005480            |         | 0.17    | 0.33    | 0.08    | <0.1    | <0.005  | 0.01    | <0.5    | 0.8     | 1.83    | 37      | <0.05   | 0.01    | 0.1     | 0.3     | 30   |
| S005481            |         | 8.72    | 17.65   | 0.12    | 1.5     | 0.096   | 2.51    | 11.7    | 21.4    | 2.23    | 1780    | 0.87    | 2.43    | 6.9     | 4.1     | 1540 |
| S005482            |         | 9.34    | 17.90   | 0.15    | 0.8     | 0.085   | 2.79    | 11.9    | 21.8    | 2.41    | 1730    | 0.44    | 2.38    | 6.9     | 4.4     | 1590 |
| S005483            |         | 9.17    | 18.00   | 0.11    | 0.6     | 0.080   | 2.52    | 10.5    | 18.4    | 2.35    | 1650    | 1.52    | 2.47    | 6.6     | 4.2     | 1540 |
| S005484            |         | 9.32    | 18.40   | 0.13    | 0.7     | 0.070   | 2.69    | 12.1    | 19.8    | 2.33    | 1380    | 2.47    | 2.57    | 7.2     | 4.8     | 1660 |
| S005485            |         | 9.46    | 17.80   | 0.10    | 0.8     | 0.089   | 2.25    | 9.8     | 27.5    | 2.41    | 1360    | 0.50    | 2.33    | 6.8     | 4.5     | 1640 |
| S005486            |         | 10.30   | 20.5    | 0.12    | 0.8     | 0.092   | 1.84    | 10.0    | 26.9    | 2.73    | 1430    | 0.37    | 2.77    | 7.7     | 4.8     | 1850 |
| S005486CD          |         | 10.40   | 21.2    | 0.12    | 0.8     | 0.099   | 1.85    | 10.2    | 27.4    | 2.75    | 1440    | 0.38    | 2.77    | 8.0     | 5.0     | 1850 |
| S005487            |         | 9.16    | 19.90   | 0.11    | 0.9     | 0.079   | 2.44    | 11.4    | 24.8    | 2.46    | 1240    | 5.21    | 2.99    | 7.4     | 5.0     | 1810 |
| S005488            |         | 8.63    | 19.60   | 0.09    | 0.9     | 0.084   | 2.14    | 10.9    | 21.7    | 2.49    | 1460    | 12.45   | 2.70    | 7.0     | 3.7     | 1560 |
| S005489            |         | 10.50   | 21.4    | 0.09    | 0.7     | 0.090   | 2.17    | 11.2    | 28.2    | 2.95    | 1490    | 0.60    | 2.70    | 7.9     | 4.7     | 1840 |
| S005490            |         | 4.43    | 11.80   | 0.11    | 0.8     | 0.036   | 2.70    | 11.9    | 10.0    | 0.36    | 228     | 4.37    | 0.19    | 5.1     | 13.2    | 1270 |
| S005491            |         | 10.10   | 19.95   | 0.11    | 0.7     | 0.089   | 2.22    | 11.6    | 30.7    | 2.70    | 1440    | 0.73    | 2.32    | 7.5     | 4.5     | 1770 |
| S005492            |         | 9.86    | 19.55   | 0.11    | 0.8     | 0.072   | 2.95    | 11.8    | 30.9    | 2.71    | 1280    | 0.67    | 2.13    | 7.3     | 4.6     | 1710 |
| S005493            |         | 10.15   | 20.2    | 0.12    | 0.7     | 0.081   | 2.86    | 10.7    | 30.4    | 2.73    | 1450    | 1.35    | 2.23    | 7.5     | 4.9     | 1750 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005456            |                          | 3.5     | 49.6    | <0.002  | 0.23    | 0.19    | 32.6    | 1       | 1.1     | 171.0   | 0.48    | <0.05   | 1.73    | 0.937   | 1.32    | 0.9 |
| S005457            |                          | 3.0     | 72.6    | <0.002  | 0.30    | 0.15    | 34.0    | 1       | 1.0     | 161.0   | 0.44    | <0.05   | 2.15    | 0.909   | 1.34    | 1.0 |
| S005458            |                          | 3.6     | 31.9    | 0.002   | 0.26    | 0.46    | 30.9    | 1       | 1.2     | 187.0   | 0.42    | <0.05   | 1.93    | 0.849   | 0.61    | 0.9 |
| S005459            |                          | 3.3     | 54.5    | 0.002   | 0.22    | 0.59    | 31.2    | 1       | 1.2     | 195.0   | 0.42    | <0.05   | 2.00    | 0.815   | 0.87    | 1.0 |
| S005460            |                          | <0.5    | 0.3     | <0.002  | 0.04    | 0.06    | 0.2     | 1       | <0.2    | 4930    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |
| S005461            |                          | 3.3     | 42.8    | 0.002   | 0.30    | 0.52    | 27.9    | 1       | 1.1     | 192.5   | 0.43    | <0.05   | 1.67    | 0.900   | 0.97    | 0.9 |
| S005462            |                          | 3.0     | 41.9    | <0.002  | 0.29    | 0.24    | 30.8    | 1       | 1.1     | 189.5   | 0.45    | <0.05   | 1.82    | 0.917   | 0.88    | 0.9 |
| S005463            |                          | 3.3     | 61.6    | <0.002  | 0.33    | 0.27    | 31.0    | 2       | 1.0     | 175.5   | 0.44    | <0.05   | 1.90    | 0.885   | 1.17    | 0.9 |
| S005464            |                          | 70.9    | 151.5   | 0.004   | 0.71    | 78.8    | 32.8    | 1       | 1.0     | 311     | 0.43    | 0.18    | 2.01    | 0.863   | 2.06    | 1.0 |
| S005465            |                          | 3.2     | 61.3    | <0.002  | 0.43    | 1.06    | 29.9    | 2       | 1.0     | 218     | 0.44    | 0.07    | 1.54    | 0.889   | 1.50    | 0.9 |
| S005466            |                          | 3.1     | 41.2    | 0.002   | 0.30    | 0.84    | 30.0    | 1       | 0.9     | 215     | 0.43    | 0.07    | 1.55    | 0.854   | 1.02    | 0.8 |
| S005466CD          |                          | 3.0     | 49.1    | 0.002   | 0.31    | 0.89    | 30.9    | 1       | 0.9     | 219     | 0.44    | 0.08    | 1.76    | 0.882   | 0.97    | 0.9 |
| S005467            |                          | 3.3     | 56.6    | 0.002   | 0.21    | 0.67    | 30.9    | 1       | 1.0     | 244     | 0.45    | <0.05   | 1.69    | 0.882   | 1.24    | 0.9 |
| S005468            |                          | 3.1     | 21.0    | <0.002  | 0.39    | 0.35    | 27.7    | 1       | 0.7     | 272     | 0.37    | 0.09    | 1.79    | 0.730   | 0.32    | 0.8 |
| S005469            |                          | 4.4     | 33.0    | 0.002   | 0.36    | 0.60    | 31.2    | 1       | 0.7     | 221     | 0.39    | 0.09    | 1.88    | 0.903   | 0.57    | 0.8 |
| S005470            |                          | 8870    | 153.5   | 0.004   | 3.04    | 76.8    | 10.9    | 2       | 4.1     | 143.5   | 0.31    | 0.28    | 3.53    | 0.255   | 3.11    | 2.0 |
| S005471            |                          | 6.3     | 73.2    | <0.002  | 0.26    | 0.36    | 31.4    | <1      | 0.8     | 181.5   | 0.38    | 0.05    | 1.88    | 0.889   | 1.14    | 0.8 |
| S005472            |                          | 3.3     | 70.1    | <0.002  | 0.34    | 0.37    | 34.1    | 1       | 0.8     | 169.5   | 0.41    | 0.09    | 2.02    | 0.981   | 1.13    | 0.9 |
| S005473            |                          | 3.0     | 102.0   | <0.002  | 0.40    | 0.34    | 31.5    | 1       | 1.1     | 216     | 0.38    | 0.08    | 1.94    | 0.876   | 1.55    | 0.9 |
| S005474            |                          | 2.6     | 112.0   | <0.002  | 0.21    | 0.22    | 33.3    | <1      | 1.2     | 240     | 0.41    | <0.05   | 2.02    | 0.952   | 1.69    | 0.9 |
| S005475            |                          | 2.9     | 63.9    | <0.002  | 0.22    | 0.30    | 33.1    | <1      | 1.0     | 212     | 0.39    | <0.05   | 2.06    | 0.899   | 0.95    | 1.0 |
| S005476            |                          | 3.3     | 90.8    | 0.002   | 0.20    | 0.25    | 32.2    | <1      | 1.0     | 232     | 0.40    | <0.05   | 1.98    | 0.919   | 1.43    | 0.9 |
| S005477            |                          | 2.9     | 81.2    | 0.002   | 0.23    | 0.22    | 32.2    | <1      | 1.0     | 235     | 0.38    | 0.06    | 1.95    | 0.906   | 1.24    | 0.9 |
| S005478            |                          | 3.0     | 96.0    | <0.002  | 0.41    | 0.50    | 32.9    | 1       | 0.9     | 252     | 0.39    | 0.10    | 2.05    | 0.914   | 1.49    | 1.0 |
| S005479            |                          | 4.9     | 83.5    | 0.002   | 0.48    | 0.20    | 32.6    | <1      | 1.3     | 286     | 0.38    | 0.10    | 1.99    | 0.907   | 1.25    | 0.9 |
| S005480            |                          | <0.5    | 0.4     | <0.002  | 0.06    | <0.05   | 0.7     | <1      | <0.2    | 5220    | <0.05   | <0.05   | 0.03    | 0.021   | 0.02    | 1.3 |
| S005481            |                          | 3.1     | 103.0   | <0.002  | 0.24    | 0.19    | 32.5    | 1       | 1.3     | 259     | 0.39    | 0.05    | 2.04    | 0.901   | 1.53    | 0.9 |
| S005482            |                          | 2.8     | 83.1    | <0.002  | 0.25    | 0.19    | 33.1    | <1      | 1.1     | 222     | 0.39    | 0.07    | 2.05    | 0.919   | 1.40    | 0.9 |
| S005483            |                          | 3.2     | 52.7    | <0.002  | 0.46    | 0.28    | 31.3    | 1       | 1.1     | 193.0   | 0.36    | 0.05    | 1.77    | 0.888   | 0.83    | 0.8 |
| S005484            |                          | 3.5     | 52.2    | 0.002   | 0.62    | 0.21    | 35.6    | 1       | 0.9     | 185.5   | 0.40    | <0.05   | 2.05    | 0.960   | 0.78    | 0.9 |
| S005485            |                          | 4.4     | 28.6    | <0.002  | 0.58    | 0.10    | 32.1    | 1       | 0.9     | 162.5   | 0.39    | <0.05   | 1.72    | 0.937   | 0.54    | 0.9 |
| S005486            |                          | 3.7     | 18.7    | 0.002   | 0.59    | 0.11    | 36.2    | 1       | 1.0     | 162.5   | 0.46    | <0.05   | 1.72    | 1.030   | 0.50    | 0.9 |
| S005486CD          |                          | 3.8     | 19.9    | <0.002  | 0.60    | 0.13    | 37.2    | 1       | 0.9     | 164.0   | 0.42    | <0.05   | 1.74    | 1.050   | 0.48    | 0.9 |
| S005487            |                          | 2.8     | 103.0   | 0.002   | 0.71    | 0.27    | 37.5    | 2       | 0.9     | 270     | 0.43    | 0.10    | 1.95    | 0.999   | 1.43    | 0.9 |
| S005488            |                          | 3.2     | 79.9    | 0.004   | 0.53    | 0.31    | 33.3    | 1       | 0.9     | 303     | 0.39    | 0.12    | 1.68    | 0.937   | 1.17    | 0.9 |
| S005489            |                          | 3.3     | 39.9    | 0.002   | 0.50    | 0.58    | 36.3    | 1       | 1.0     | 157.0   | 0.44    | <0.05   | 1.74    | 1.065   | 0.73    | 0.9 |
| S005490            |                          | 48.5    | 120.0   | <0.002  | 4.13    | 32.7    | 12.6    | 5       | 1.8     | 131.5   | 0.28    | 0.30    | 2.18    | 0.301   | 2.25    | 0.9 |
| S005491            |                          | 3.6     | 32.2    | 0.002   | 0.58    | 0.15    | 35.2    | 1       | 1.1     | 142.5   | 0.44    | <0.05   | 1.97    | 1.005   | 0.60    | 0.9 |
| S005492            |                          | 3.2     | 68.1    | <0.002  | 0.49    | 0.14    | 34.6    | 1       | 0.8     | 162.5   | 0.41    | 0.05    | 1.89    | 0.988   | 1.16    | 0.9 |
| S005493            |                          | 3.4     | 69.6    | 0.002   | 0.53    | 0.14    | 34.2    | 1       | 0.8     | 167.5   | 0.43    | 0.07    | 1.75    | 1.000   | 1.20    | 0.8 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Ag-OG62 | Pb-OG62 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Ag ppm  | Pb %    | Si %    | Ti %    | Zr ppm  |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 1       | 0.001   | 0.5     | 0.1     | 5       |
| S005456            |                          | 371     | 0.9     | 31.0    | 159     | 24.6    |         |         | 21.7    | 1.0     | 114     |
| S005457            |                          | 354     | 1.1     | 34.0    | 143     | 29.0    |         |         | 22.5    | 1.0     | 106     |
| S005458            |                          | 336     | 3.0     | 31.3    | 149     | 27.9    |         |         | 21.9    | 0.9     | 102     |
| S005459            |                          | 319     | 3.3     | 31.6    | 146     | 27.6    |         |         | 23.0    | 0.9     | 97      |
| S005460            |                          | 2       | <0.1    | 0.3     | 2       | 0.5     |         |         | 1.3     | <0.1    | 30      |
| S005461            |                          | 350     | 2.2     | 28.3    | 147     | 23.6    |         |         | 21.5    | 1.0     | 108     |
| S005462            |                          | 357     | 1.3     | 30.6    | 153     | 25.6    |         |         | 21.7    | 0.9     | 102     |
| S005463            |                          | 348     | 1.4     | 30.5    | 134     | 29.8    |         |         | 22.8    | 0.9     | 105     |
| S005464            |                          | 343     | 27.3    | 28.0    | 198     | 30.7    |         |         | 20.8    | 1.0     | 105     |
| S005465            |                          | 351     | 14.2    | 29.5    | 126     | 27.9    |         |         | 20.5    | 1.0     | 111     |
| S005466            |                          | 341     | 1.7     | 28.5    | 115     | 28.0    |         |         | 21.7    | 0.9     | 105     |
| S005466CD          |                          | 342     | 1.8     | 30.1    | 114     | 29.0    |         |         | 22.5    | 0.9     | 104     |
| S005467            |                          | 344     | 2.3     | 30.9    | 122     | 25.7    |         |         | 20.7    | 0.9     | 105     |
| S005468            |                          | 282     | 2.1     | 28.2    | 88      | 26.2    |         |         | 22.3    | 0.7     | 84      |
| S005469            |                          | 341     | 1.3     | 33.0    | 107     | 22.0    |         |         | 21.9    | 0.9     | 105     |
| S005470            |                          | 122     | 3.9     | 9.3     | 1880    | 45.9    |         |         | 28.8    | 0.3     | 78      |
| S005471            |                          | 338     | 1.2     | 32.5    | 119     | 25.0    |         |         | 22.0    | 0.9     | 103     |
| S005472            |                          | 367     | 0.9     | 34.0    | 134     | 24.3    |         |         | 20.9    | 0.9     | 103     |
| S005473            |                          | 334     | 8.2     | 31.3    | 143     | 21.9    |         |         | 22.0    | 0.9     | 106     |
| S005474            |                          | 358     | 1.9     | 32.8    | 165     | 20.7    |         |         | 20.3    | 0.9     | 97      |
| S005475            |                          | 340     | 1.8     | 33.2    | 149     | 24.8    |         |         | 21.2    | 0.9     | 104     |
| S005476            |                          | 350     | 2.0     | 32.8    | 167     | 21.9    |         |         | 21.2    | 0.9     | 102     |
| S005477            |                          | 347     | 1.8     | 31.6    | 149     | 21.8    |         |         | 22.2    | 0.9     | 106     |
| S005478            |                          | 346     | 2.9     | 31.2    | 149     | 23.6    |         |         | 21.0    | 1.0     | 109     |
| S005479            |                          | 354     | 5.2     | 33.0    | 160     | 21.6    |         |         | 20.1    | 0.8     | 100     |
| S005480            |                          | 6       | <0.1    | 0.7     | 3       | 1.5     |         |         | 1.2     | <0.1    | 34      |
| S005481            |                          | 343     | 2.3     | 32.3    | 142     | 25.3    |         |         | 21.2    | 1.0     | 107     |
| S005482            |                          | 351     | 1.2     | 33.3    | 165     | 25.5    |         |         | 21.5    | 1.0     | 113     |
| S005483            |                          | 338     | 1.0     | 31.8    | 153     | 20.6    |         |         | 22.3    | 0.9     | 99      |
| S005484            |                          | 363     | 1.2     | 30.4    | 139     | 34.6    |         |         | 22.0    | 1.0     | 105     |
| S005485            |                          | 361     | 0.6     | 23.8    | 142     | 33.9    |         |         | 20.7    | 1.0     | 110     |
| S005486            |                          | 397     | 0.6     | 21.8    | 160     | 34.3    |         |         | 19.8    | 1.0     | 106     |
| S005486CD          |                          | 399     | 0.6     | 22.6    | 160     | 32.5    |         |         | 20.6    | 1.1     | 118     |
| S005487            |                          | 366     | 4.6     | 20.8    | 129     | 36.4    |         |         | 21.5    | 1.1     | 109     |
| S005488            |                          | 344     | 10.4    | 23.5    | 121     | 35.8    |         |         | 20.8    | 1.0     | 114     |
| S005489            |                          | 405     | 1.4     | 21.0    | 163     | 30.8    |         |         | 20.4    | 1.1     | 111     |
| S005490            |                          | 138     | 2.1     | 8.1     | 200     | 32.3    |         |         | 30.8    | 0.4     | 76      |
| S005491            |                          | 383     | 0.7     | 24.0    | 160     | 33.2    |         |         | 20.4    | 1.1     | 110     |
| S005492            |                          | 380     | 0.7     | 22.9    | 140     | 37.6    |         |         | 21.0    | 1.1     | 114     |
| S005493            |                          | 387     | 1.1     | 21.7    | 143     | 30.7    |         |         | 21.3    | 1.0     | 106     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005494            |         | 6.30      | <0.005  | 0.12    | 6.32    | 0.2     | 1110    | 0.64    | 0.11    | 3.34    | 0.08    | 23.1    | 25.2    | 7       | 3.75    | 39.8    |
| S005495            |         | 6.54      | <0.005  | 0.13    | 7.19    | 0.4     | 970     | 0.76    | 0.15    | 3.32    | 0.08    | 26.9    | 27.2    | 8       | 3.87    | 39.2    |
| S005496            |         | 5.29      | <0.005  | 0.06    | 8.17    | 0.4     | 980     | 0.70    | 0.08    | 1.51    | 0.02    | 26.0    | 31.8    | 8       | 5.31    | 12.2    |
| S005497            |         | 6.78      | <0.005  | 0.05    | 7.74    | 0.2     | 770     | 0.59    | 0.07    | 1.43    | 0.03    | 25.0    | 28.1    | 8       | 4.19    | 10.8    |
| S005498            |         | 7.06      | <0.005  | 0.04    | 7.27    | 0.6     | 760     | 0.53    | 0.05    | 1.44    | 0.03    | 27.2    | 29.8    | 9       | 4.36    | 6.4     |
| S005499            |         | 7.04      | <0.005  | 0.02    | 6.69    | 0.5     | 330     | 0.53    | 0.05    | 1.88    | 0.03    | 22.4    | 25.1    | 10      | 6.55    | 5.1     |
| S005500            |         | 1.30      | <0.005  | 0.01    | 0.06    | 0.2     | 10      | <0.05   | 0.01    | 36.0    | <0.02   | 0.62    | 0.4     | <1      | <0.05   | 0.5     |
| S005501            |         | 6.18      | <0.005  | 0.04    | 7.73    | 0.7     | 240     | 0.53    | 0.03    | 1.12    | 0.02    | 23.1    | 30.8    | 8       | 5.84    | 4.8     |
| S005502            |         | 6.66      | <0.005  | 0.07    | 7.77    | 0.6     | 200     | 0.80    | 0.06    | 1.76    | 0.05    | 25.9    | 31.6    | 9       | 8.88    | 7.6     |
| S005503            |         | 7.49      | <0.005  | 0.06    | 7.63    | 0.4     | 990     | 1.26    | 0.06    | 1.58    | 0.03    | 24.9    | 32.9    | 7       | 11.45   | 7.6     |
| S005504            |         | 6.74      | <0.005  | 0.08    | 7.43    | 0.6     | 320     | 1.12    | 0.08    | 1.80    | 0.05    | 27.9    | 26.9    | 8       | 9.66    | 8.7     |
| S005505            |         | 6.73      | <0.005  | 0.09    | 7.03    | 2.0     | 440     | 1.05    | 0.12    | 1.67    | 0.04    | 26.1    | 26.3    | 8       | 9.56    | 15.3    |
| S005506            |         | 6.02      | <0.005  | 0.04    | 7.42    | 1.0     | 260     | 1.05    | 0.06    | 1.53    | 0.04    | 25.4    | 26.2    | 8       | 11.25   | 7.6     |
| S005506CD          |         | <0.02     | <0.005  | 0.05    | 7.35    | 1.1     | 260     | 0.94    | 0.06    | 1.51    | 0.03    | 25.5    | 25.1    | 8       | 11.05   | 7.7     |
| S005507            |         | 6.07      | <0.005  | 0.04    | 7.46    | 2.1     | 220     | 1.12    | 0.06    | 1.63    | 0.07    | 27.5    | 28.2    | 9       | 3.84    | 6.5     |
| S005508            |         | 5.62      | <0.005  | 0.05    | 7.46    | 3.0     | 350     | 1.10    | 0.09    | 2.23    | 0.05    | 26.0    | 25.1    | 9       | 8.21    | 7.5     |
| S005509            |         | 6.24      | <0.005  | 0.03    | 7.32    | 0.3     | 270     | 1.10    | 0.04    | 2.62    | 0.11    | 26.1    | 22.8    | 9       | 3.16    | 1.5     |
| S005510            |         | 0.14      | 1.010   | 12.60   | 6.06    | 318     | 400     | 0.90    | 0.16    | 3.60    | 4.35    | 23.9    | 9.9     | 27      | 6.76    | 80.6    |
| S005511            |         | 6.61      | <0.005  | 0.16    | 7.20    | 1.0     | 340     | 1.09    | 0.07    | 2.11    | 0.10    | 26.6    | 24.9    | 9       | 6.82    | 5.7     |
| S005512            |         | 7.04      | <0.005  | 0.06    | 6.93    | 2.9     | 510     | 1.15    | 0.10    | 3.02    | 0.15    | 25.1    | 25.1    | 8       | 7.79    | 7.4     |
| S005513            |         | 6.91      | <0.005  | 0.06    | 7.24    | 2.4     | 1050    | 1.17    | 0.08    | 2.72    | 0.10    | 25.6    | 26.3    | 9       | 7.80    | 7.3     |
| S005514            |         | 7.17      | <0.005  | 0.06    | 7.60    | 1.7     | 1750    | 1.25    | 0.09    | 2.20    | 0.07    | 27.4    | 27.4    | 7       | 8.53    | 7.9     |
| S005515            |         | 6.97      | <0.005  | 0.03    | 7.06    | 2.4     | 830     | 1.14    | 0.08    | 3.21    | 0.18    | 25.7    | 23.5    | 7       | 4.35    | 4.8     |
| S005516            |         | 6.99      | <0.005  | 0.04    | 7.65    | 2.5     | 850     | 1.09    | 0.09    | 2.36    | 0.14    | 27.4    | 26.3    | 6       | 8.88    | 4.7     |
| S005517            |         | 6.65      | <0.005  | 0.09    | 6.79    | 2.9     | 690     | 1.03    | 0.14    | 3.11    | 0.13    | 24.1    | 24.1    | 8       | 6.52    | 19.2    |
| S005518            |         | 6.25      | <0.005  | 0.11    | 5.54    | 14.3    | 270     | 0.91    | 0.09    | 4.09    | 0.18    | 21.4    | 17.3    | 9       | 3.07    | 14.9    |
| S005519            |         | 7.37      | <0.005  | 0.13    | 5.57    | 23.3    | 150     | 0.91    | 0.07    | 4.72    | 0.21    | 19.25   | 18.1    | 8       | 1.36    | 16.3    |
| S005520            |         | 0.78      | <0.005  | 0.01    | 0.05    | 0.2     | 10      | <0.05   | 0.01    | 37.4    | <0.02   | 0.31    | 0.5     | 2       | <0.05   | 0.9     |
| S005521            |         | 6.73      | <0.005  | 0.12    | 6.84    | 1.1     | 280     | 0.92    | 0.08    | 4.65    | 0.24    | 25.4    | 19.0    | 9       | 3.76    | 8.7     |
| S005522            |         | 5.53      | <0.005  | 0.14    | 5.27    | 7.4     | 310     | 0.78    | 0.12    | 2.87    | 0.11    | 17.95   | 22.1    | 14      | 3.78    | 19.9    |
| S005523            |         | 5.98      | <0.005  | 0.11    | 7.25    | 10.5    | 600     | 1.05    | 0.15    | 2.81    | 0.13    | 26.9    | 27.1    | 8       | 8.83    | 27.9    |
| S005524            |         | 6.48      | <0.005  | 0.09    | 7.76    | 1.8     | 630     | 1.17    | 0.12    | 2.94    | 0.10    | 29.2    | 25.2    | 7       | 8.90    | 25.6    |
| S005525            |         | 5.92      | <0.005  | 0.08    | 7.63    | 3.3     | 400     | 0.90    | 0.11    | 2.54    | 0.08    | 28.0    | 27.6    | 7       | 10.55   | 8.1     |
| S005526            |         | 5.73      | <0.005  | 0.12    | 6.93    | 1.4     | 480     | 1.18    | 0.11    | 3.99    | 0.14    | 25.2    | 26.6    | 7       | 6.49    | 32.3    |
| S005526CD          |         | <0.02     | <0.005  | 0.11    | 6.79    | 1.3     | 460     | 1.15    | 0.10    | 3.96    | 0.14    | 23.5    | 25.0    | 8       | 6.14    | 30.9    |
| S005527            |         | 7.16      | <0.005  | 0.16    | 7.31    | 192.5   | 470     | 1.12    | 0.24    | 4.36    | 0.20    | 24.2    | 25.3    | 9       | 4.06    | 42.3    |
| S005528            |         | 6.47      | <0.005  | 0.15    | 6.36    | 5.5     | 340     | 1.31    | 0.13    | 6.60    | 0.21    | 22.5    | 14.6    | 7       | 4.58    | 53.0    |
| S005529            |         | 6.53      | <0.005  | 0.31    | 6.24    | 4.4     | 470     | 1.24    | 0.22    | 5.10    | 0.18    | 25.6    | 25.9    | 8       | 5.29    | 153.0   |
| S005530            |         | 0.14      | 5.65    | 82.0    | 6.24    | 303     | 320     | 0.87    | 1.11    | 1.97    | 23.5    | 26.2    | 10.3    | 23      | 7.94    | 116.5   |
| S005531            |         | 6.45      | <0.005  | 0.35    | 6.29    | 1.5     | 310     | 1.22    | 0.13    | 5.36    | 0.21    | 21.3    | 19.6    | 11      | 4.49    | 66.0    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method                  | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    | Analyte<br>Units<br>LOD | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                         | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S005494            |                         | 8.25    | 15.65     | 0.09      | 0.7       | 0.080     | 2.00    | 10.3      | 24.3      | 2.07    | 1320      | 5.64      | 1.81    | 5.5       | 3.8       | 1330     |
| S005495            |                         | 8.41    | 18.60     | 0.10      | 1.1       | 0.097     | 1.93    | 11.2      | 28.3      | 2.25    | 1400      | 10.20     | 2.21    | 6.7       | 4.1       | 1580     |
| S005496            |                         | 10.35   | 21.1      | 0.10      | 0.7       | 0.072     | 2.06    | 10.1      | 25.8      | 2.84    | 1460      | 0.88      | 2.96    | 7.8       | 4.2       | 1810     |
| S005497            |                         | 9.01    | 19.60     | 0.09      | 0.8       | 0.068     | 1.79    | 9.4       | 22.8      | 2.50    | 1200      | 0.68      | 3.07    | 7.1       | 3.9       | 1740     |
| S005498            |                         | 9.07    | 19.20     | 0.09      | 2.0       | 0.070     | 1.56    | 10.6      | 24.9      | 2.67    | 1310      | 0.86      | 2.46    | 7.3       | 4.2       | 1810     |
| S005499            |                         | 8.51    | 18.50     | 0.09      | 0.8       | 0.075     | 1.28    | 9.2       | 22.9      | 2.93    | 1290      | 2.41      | 2.32    | 5.5       | 3.9       | 1400     |
| S005500            |                         | 0.06    | 0.16      | 0.05      | <0.1      | <0.005    | 0.01    | <0.5      | 0.6       | 1.90    | 22        | 0.05      | 0.01    | <0.1      | 0.4       | 20       |
| S005501            |                         | 9.92    | 21.0      | 0.10      | 0.4       | 0.070     | 1.04    | 9.1       | 28.0      | 3.38    | 1220      | 0.42      | 2.98    | 7.3       | 4.7       | 1800     |
| S005502            |                         | 10.00   | 21.5      | 0.09      | 0.5       | 0.065     | 1.22    | 9.8       | 22.5      | 3.38    | 1370      | 0.27      | 3.19    | 8.0       | 5.2       | 1810     |
| S005503            |                         | 9.90    | 21.1      | 0.12      | 0.4       | 0.057     | 3.26    | 9.7       | 26.9      | 3.35    | 967       | 0.35      | 2.37    | 8.1       | 4.8       | 1800     |
| S005504            |                         | 9.14    | 18.60     | 0.16      | 0.7       | 0.064     | 1.61    | 13.3      | 19.0      | 3.08    | 1120      | 3.43      | 2.95    | 7.5       | 4.3       | 1640     |
| S005505            |                         | 8.18    | 18.55     | 0.15      | 0.9       | 0.059     | 2.72    | 12.4      | 27.8      | 2.86    | 826       | 1.82      | 2.19    | 6.9       | 3.7       | 1480     |
| S005506            |                         | 9.01    | 19.70     | 0.17      | 0.7       | 0.076     | 2.09    | 11.7      | 22.6      | 3.16    | 916       | 1.87      | 2.79    | 7.4       | 3.6       | 1630     |
| S005506CD          |                         | 8.95    | 19.45     | 0.16      | 0.7       | 0.072     | 2.06    | 11.8      | 22.3      | 3.12    | 916       | 2.02      | 2.77    | 7.2       | 3.7       | 1590     |
| S005507            |                         | 9.06    | 19.50     | 0.18      | 0.8       | 0.069     | 0.83    | 12.8      | 19.9      | 3.16    | 1010      | 0.47      | 3.23    | 7.7       | 3.9       | 1700     |
| S005508            |                         | 8.70    | 18.45     | 0.13      | 1.0       | 0.058     | 1.85    | 12.4      | 20.3      | 3.06    | 1320      | 2.65      | 2.78    | 7.0       | 4.1       | 1580     |
| S005509            |                         | 9.20    | 19.75     | 0.15      | 1.0       | 0.069     | 0.97    | 12.2      | 16.0      | 3.23    | 1460      | 0.29      | 3.00    | 7.5       | 4.6       | 1690     |
| S005510            |                         | 3.92    | 12.75     | 0.16      | 1.2       | 0.047     | 3.81    | 11.9      | 13.2      | 0.55    | 1380      | 9.71      | 0.21    | 5.0       | 18.6      | 910      |
| S005511            |                         | 8.57    | 18.05     | 0.17      | 1.3       | 0.058     | 1.78    | 12.7      | 18.8      | 2.95    | 1220      | 0.53      | 2.70    | 7.2       | 3.6       | 1570     |
| S005512            |                         | 8.55    | 18.20     | 0.18      | 2.0       | 0.096     | 2.23    | 12.1      | 20.3      | 2.97    | 1230      | 6.62      | 2.11    | 7.0       | 3.0       | 1550     |
| S005513            |                         | 8.86    | 18.40     | 0.17      | 1.6       | 0.080     | 2.80    | 12.2      | 21.7      | 2.95    | 1280      | 16.35     | 1.76    | 7.1       | 3.8       | 1590     |
| S005514            |                         | 9.30    | 19.65     | 0.18      | 1.4       | 0.075     | 3.52    | 13.0      | 28.9      | 3.16    | 1180      | 8.90      | 1.70    | 7.5       | 3.3       | 1650     |
| S005515            |                         | 8.53    | 17.65     | 0.16      | 1.4       | 0.090     | 2.13    | 12.3      | 19.2      | 2.96    | 1380      | 0.77      | 1.92    | 6.9       | 2.8       | 1620     |
| S005516            |                         | 9.49    | 19.90     | 0.18      | 0.9       | 0.074     | 3.20    | 12.8      | 22.4      | 3.28    | 1220      | 0.29      | 2.02    | 7.5       | 3.0       | 1770     |
| S005517            |                         | 8.03    | 16.80     | 0.17      | 1.3       | 0.079     | 2.38    | 11.3      | 19.0      | 2.69    | 1080      | 7.36      | 1.97    | 6.4       | 5.3       | 1530     |
| S005518            |                         | 6.67    | 13.90     | 0.15      | 1.0       | 0.098     | 1.03    | 10.2      | 12.6      | 2.15    | 1260      | 0.59      | 1.74    | 5.6       | 2.4       | 1250     |
| S005519            |                         | 6.24    | 13.10     | 0.14      | 1.2       | 0.091     | 0.67    | 9.1       | 10.0      | 1.93    | 1320      | 3.64      | 2.00    | 5.2       | 2.4       | 1160     |
| S005520            |                         | 0.05    | 0.16      | 0.12      | <0.1      | <0.005    | 0.01    | <0.5      | 0.5       | 1.86    | 25        | 0.08      | 0.01    | 0.1       | <0.2      | 40       |
| S005521            |                         | 8.17    | 17.65     | 0.12      | 1.4       | 0.117     | 1.33    | 12.1      | 13.8      | 2.88    | 1540      | 0.78      | 2.14    | 6.3       | 3.2       | 1490     |
| S005522            |                         | 6.27    | 11.10     | 0.10      | 1.0       | 0.056     | 1.48    | 8.6       | 11.9      | 1.84    | 853       | 0.90      | 1.67    | 4.7       | 2.2       | 1130     |
| S005523            |                         | 8.74    | 18.95     | 0.15      | 2.0       | 0.081     | 2.88    | 12.9      | 20.5      | 3.01    | 1180      | 8.62      | 2.08    | 7.2       | 3.2       | 1590     |
| S005524            |                         | 8.92    | 20.0      | 0.16      | 1.6       | 0.086     | 3.04    | 14.0      | 24.1      | 3.21    | 1380      | 11.95     | 2.38    | 7.9       | 3.2       | 1760     |
| S005525            |                         | 9.45    | 20.1      | 0.15      | 1.6       | 0.075     | 3.17    | 13.4      | 21.5      | 3.17    | 1240      | 0.62      | 2.22    | 7.4       | 3.3       | 1700     |
| S005526            |                         | 8.53    | 17.50     | 0.12      | 1.3       | 0.108     | 2.14    | 11.9      | 19.1      | 2.57    | 1520      | 6.30      | 2.06    | 6.7       | 2.9       | 1490     |
| S005526CD          |                         | 8.32    | 16.50     | 0.13      | 1.3       | 0.097     | 2.07    | 11.2      | 17.9      | 2.49    | 1500      | 6.44      | 2.01    | 6.4       | 2.9       | 1460     |
| S005527            |                         | 9.06    | 18.20     | 0.15      | 1.7       | 0.110     | 1.81    | 11.5      | 18.1      | 2.67    | 1790      | 9.96      | 2.37    | 6.8       | 3.0       | 1620     |
| S005528            |                         | 6.55    | 15.65     | 0.12      | 1.9       | 0.124     | 1.44    | 10.8      | 15.1      | 2.15    | 1880      | 14.85     | 2.17    | 5.9       | 2.4       | 1440     |
| S005529            |                         | 9.13    | 16.55     | 0.14      | 1.6       | 0.117     | 1.65    | 12.5      | 16.6      | 2.33    | 1740      | 27.7      | 2.04    | 6.7       | 3.2       | 1540     |
| S005530            |                         | 4.72    | 13.05     | 0.13      | 1.4       | 1.415     | 3.65    | 13.2      | 12.0      | 0.48    | 1180      | 10.20     | 0.23    | 5.6       | 14.8      | 960      |
| S005531            |                         | 7.25    | 15.70     | 0.13      | 1.8       | 0.128     | 1.31    | 10.2      | 16.8      | 2.29    | 1700      | 12.10     | 2.15    | 5.9       | 3.0       | 1370     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005494            |                          | 3.0     | 87.2    | <0.002  | 0.97    | 0.13    | 27.1    | 1       | 1.0     | 256     | 0.31    | 0.20    | 1.59    | 0.733   | 1.16    | 0.7 |
| S005495            |                          | 2.7     | 93.7    | 0.002   | 0.94    | 0.19    | 32.8    | 1       | 1.3     | 274     | 0.36    | 0.22    | 1.90    | 0.863   | 1.18    | 0.9 |
| S005496            |                          | 3.4     | 39.5    | 0.002   | 0.55    | 0.15    | 35.1    | 1       | 0.6     | 116.5   | 0.44    | 0.05    | 1.67    | 1.050   | 0.79    | 0.8 |
| S005497            |                          | 2.9     | 28.5    | 0.002   | 0.50    | 0.16    | 33.1    | 1       | 0.4     | 129.0   | 0.42    | 0.06    | 1.59    | 0.969   | 0.59    | 0.8 |
| S005498            |                          | 3.0     | 38.8    | 0.003   | 0.33    | 0.14    | 34.0    | <1      | 0.4     | 130.5   | 0.41    | <0.05   | 1.87    | 0.968   | 0.55    | 0.8 |
| S005499            |                          | 2.3     | 66.2    | <0.002  | 0.25    | 0.18    | 28.4    | <1      | 0.6     | 169.5   | 0.31    | 0.06    | 1.64    | 0.719   | 0.84    | 0.6 |
| S005500            |                          | <0.5    | 0.5     | <0.002  | 0.07    | <0.05   | 0.2     | 1       | <0.2    | 5130    | <0.05   | <0.05   | 0.04    | <0.005  | <0.02   | 1.3 |
| S005501            |                          | 2.1     | 20.6    | <0.002  | 0.23    | 0.18    | 32.5    | <1      | 0.4     | 103.5   | 0.42    | 0.07    | 1.37    | 0.989   | 0.76    | 0.7 |
| S005502            |                          | 2.9     | 40.3    | <0.002  | 0.38    | 0.20    | 35.9    | <1      | 0.5     | 143.0   | 0.45    | 0.11    | 1.47    | 1.035   | 1.06    | 0.6 |
| S005503            |                          | 2.5     | 108.5   | <0.002  | 0.44    | 0.28    | 36.2    | <1      | 0.5     | 173.5   | 0.44    | 0.14    | 1.36    | 1.015   | 2.43    | 0.5 |
| S005504            |                          | 4.3     | 79.0    | <0.002  | 0.39    | 0.35    | 33.5    | 1       | 0.6     | 163.5   | 0.43    | 0.11    | 1.91    | 0.945   | 1.12    | 0.7 |
| S005505            |                          | 2.6     | 161.0   | <0.002  | 0.61    | 0.40    | 31.3    | 1       | 0.6     | 202     | 0.41    | 0.13    | 1.92    | 0.854   | 2.17    | 0.7 |
| S005506            |                          | 2.4     | 102.5   | <0.002  | 0.32    | 0.25    | 33.1    | 1       | 0.7     | 129.5   | 0.44    | 0.07    | 1.80    | 0.935   | 1.52    | 0.8 |
| S005506CD          |                          | 2.5     | 100.0   | 0.002   | 0.32    | 0.25    | 32.3    | 1       | 0.8     | 129.0   | 0.43    | 0.06    | 1.81    | 0.928   | 1.54    | 0.7 |
| S005507            |                          | 3.4     | 31.5    | 0.002   | 0.30    | 0.26    | 33.6    | <1      | 0.6     | 139.5   | 0.45    | 0.05    | 1.97    | 0.968   | 0.54    | 0.9 |
| S005508            |                          | 3.2     | 116.0   | 0.002   | 0.43    | 0.24    | 31.0    | 1       | 0.5     | 167.5   | 0.42    | 0.09    | 1.92    | 0.914   | 1.45    | 1.0 |
| S005509            |                          | 3.1     | 41.6    | <0.002  | 0.08    | 0.30    | 32.6    | <1      | 0.6     | 194.0   | 0.45    | 0.05    | 1.94    | 0.962   | 0.69    | 0.8 |
| S005510            |                          | 148.5   | 164.5   | 0.011   | 2.83    | 18.60   | 11.0    | 2       | 1.4     | 189.5   | 0.29    | 0.29    | 3.04    | 0.256   | 3.09    | 1.7 |
| S005511            |                          | 4.0     | 93.1    | <0.002  | 0.36    | 0.32    | 31.9    | <1      | 0.5     | 167.5   | 0.41    | 0.07    | 2.01    | 0.892   | 1.40    | 0.9 |
| S005512            |                          | 3.3     | 133.0   | 0.002   | 0.43    | 0.31    | 31.4    | <1      | 1.0     | 195.5   | 0.43    | 0.11    | 2.06    | 0.886   | 1.79    | 1.2 |
| S005513            |                          | 2.9     | 141.0   | 0.002   | 0.46    | 0.19    | 31.3    | 1       | 0.8     | 191.5   | 0.42    | 0.09    | 2.15    | 0.898   | 1.96    | 1.2 |
| S005514            |                          | 3.0     | 166.5   | 0.002   | 0.44    | 0.23    | 34.6    | 1       | 0.8     | 190.0   | 0.45    | 0.11    | 2.11    | 0.950   | 2.22    | 1.0 |
| S005515            |                          | 2.9     | 87.8    | 0.002   | 0.44    | 0.40    | 30.9    | 1       | 0.8     | 202     | 0.40    | 0.10    | 2.03    | 0.886   | 1.22    | 1.2 |
| S005516            |                          | 2.5     | 138.5   | <0.002  | 0.40    | 0.24    | 33.2    | 1       | 0.7     | 177.5   | 0.44    | 0.11    | 1.95    | 0.956   | 2.04    | 0.9 |
| S005517            |                          | 3.2     | 148.5   | 0.002   | 0.72    | 0.34    | 29.7    | 1       | 1.2     | 245     | 0.39    | 0.13    | 1.93    | 0.836   | 1.83    | 1.0 |
| S005518            |                          | 2.9     | 61.2    | <0.002  | 0.72    | 0.54    | 24.4    | 1       | 1.2     | 253     | 0.32    | 0.13    | 1.74    | 0.710   | 0.72    | 1.0 |
| S005519            |                          | 3.5     | 35.9    | <0.002  | 0.75    | 0.61    | 23.4    | 1       | 0.6     | 268     | 0.31    | 0.14    | 1.54    | 0.655   | 0.29    | 0.9 |
| S005520            |                          | <0.5    | 0.4     | <0.002  | 0.08    | <0.05   | 0.2     | 1       | <0.2    | 5050    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.4 |
| S005521            |                          | 8.9     | 74.6    | <0.002  | 0.51    | 0.33    | 28.0    | 1       | 1.1     | 302     | 0.39    | 0.10    | 1.99    | 0.838   | 0.92    | 0.9 |
| S005522            |                          | 2.6     | 84.0    | <0.002  | 0.98    | 0.48    | 19.8    | 1       | 0.7     | 196.5   | 0.29    | 0.21    | 1.41    | 0.640   | 0.98    | 0.7 |
| S005523            |                          | 3.0     | 200     | 0.003   | 0.89    | 0.43    | 31.7    | 1       | 1.2     | 228     | 0.43    | 0.20    | 2.21    | 0.918   | 2.38    | 1.2 |
| S005524            |                          | 3.0     | 213     | 0.003   | 0.76    | 0.20    | 34.0    | 1       | 1.2     | 254     | 0.46    | 0.15    | 2.23    | 0.995   | 2.57    | 1.3 |
| S005525            |                          | 3.0     | 195.5   | <0.002  | 0.62    | 0.39    | 32.9    | 1       | 0.8     | 180.0   | 0.45    | 0.13    | 2.07    | 0.968   | 2.54    | 1.0 |
| S005526            |                          | 3.4     | 140.5   | 0.002   | 0.86    | 1.24    | 30.6    | 1       | 1.1     | 243     | 0.40    | 0.17    | 1.88    | 0.855   | 1.63    | 1.0 |
| S005526CD          |                          | 3.2     | 133.5   | 0.002   | 0.85    | 1.20    | 28.2    | 1       | 1.1     | 239     | 0.37    | 0.18    | 1.82    | 0.834   | 1.54    | 1.0 |
| S005527            |                          | 4.7     | 108.0   | <0.002  | 1.51    | 3.66    | 30.3    | 1       | 1.4     | 296     | 0.41    | 0.22    | 1.93    | 0.904   | 1.22    | 1.1 |
| S005528            |                          | 4.7     | 101.5   | 0.002   | 1.00    | 1.52    | 26.9    | 1       | 1.2     | 388     | 0.34    | 0.19    | 1.80    | 0.778   | 0.98    | 1.2 |
| S005529            |                          | 3.7     | 117.5   | 0.004   | 2.22    | 2.05    | 29.7    | 1       | 1.6     | 320     | 0.40    | 0.38    | 1.93    | 0.866   | 1.18    | 1.3 |
| S005530            |                          | 8790    | 155.5   | 0.005   | 3.03    | 73.8    | 12.1    | 3       | 4.2     | 140.0   | 0.34    | 0.26    | 3.78    | 0.259   | 3.17    | 2.1 |
| S005531            |                          | 9.1     | 89.3    | 0.002   | 1.16    | 0.60    | 26.5    | 1       | 1.6     | 321     | 0.35    | 0.26    | 1.65    | 0.763   | 0.89    | 1.2 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Ag-OG62 | Pb-OG62 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Ag      | Pb      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 1       | 0.001   | 0.5     | 0.1     | 5       |
| S005494            |                          | 296     | 4.9     | 26.8    | 112     | 22.9    |         |         | 22.5    | 0.8     | 82      |
| S005495            |                          | 333     | 4.9     | 31.8    | 132     | 32.6    |         |         | 22.1    | 0.8     | 99      |
| S005496            |                          | 400     | 1.3     | 21.7    | 144     | 27.5    |         |         | 20.8    | 1.0     | 118     |
| S005497            |                          | 345     | 1.7     | 21.0    | 124     | 30.4    |         |         | 22.1    | 0.9     | 107     |
| S005498            |                          | 340     | 1.5     | 20.4    | 128     | 57.0    |         |         | 23.5    | 1.0     | 111     |
| S005499            |                          | 340     | 1.4     | 19.7    | 89      | 31.5    |         |         | 22.6    | 0.7     | 77      |
| S005500            |                          | 2       | <0.1    | 0.3     | <2      | 0.8     |         |         | 1.0     | 0.1     | 19      |
| S005501            |                          | 386     | 1.5     | 16.9    | 111     | 13.6    |         |         | 20.3    | 1.0     | 117     |
| S005502            |                          | 393     | 1.6     | 21.1    | 79      | 13.9    |         |         | 20.0    | 1.0     | 115     |
| S005503            |                          | 383     | 2.0     | 20.8    | 95      | 14.9    |         |         | 19.3    | 1.0     | 117     |
| S005504            |                          | 361     | 2.2     | 22.7    | 76      | 24.4    |         |         | 20.2    | 1.0     | 110     |
| S005505            |                          | 326     | 7.9     | 19.6    | 123     | 22.6    |         |         | 22.1    | 0.9     | 104     |
| S005506            |                          | 358     | 3.8     | 21.4    | 122     | 24.5    |         |         | 21.4    | 0.9     | 106     |
| S005506CD          |                          | 355     | 3.9     | 21.1    | 119     | 24.2    |         |         | 21.7    | 1.0     | 102     |
| S005507            |                          | 368     | 1.1     | 30.8    | 101     | 23.9    |         |         | 21.8    | 0.9     | 110     |
| S005508            |                          | 347     | 1.6     | 31.0    | 97      | 39.9    |         |         | 21.4    | 0.9     | 107     |
| S005509            |                          | 375     | 1.1     | 32.0    | 82      | 32.8    |         |         | 20.0    | 0.9     | 103     |
| S005510            |                          | 106     | 6.8     | 8.8     | 479     | 40.2    |         |         | 26.9    | 0.4     | 81      |
| S005511            |                          | 341     | 0.9     | 30.7    | 89      | 46.2    |         |         | 21.4    | 0.9     | 102     |
| S005512            |                          | 339     | 3.1     | 28.4    | 121     | 67.6    |         |         | 20.4    | 0.9     | 104     |
| S005513            |                          | 337     | 1.5     | 29.4    | 117     | 54.6    |         |         | 20.8    | 0.9     | 96      |
| S005514            |                          | 363     | 2.0     | 33.3    | 140     | 52.6    |         |         | 20.4    | 1.0     | 105     |
| S005515            |                          | 349     | 2.5     | 31.6    | 103     | 59.8    |         |         | 20.4    | 0.9     | 106     |
| S005516            |                          | 364     | 0.8     | 32.8    | 106     | 32.1    |         |         | 20.5    | 0.9     | 106     |
| S005517            |                          | 327     | 4.7     | 28.5    | 137     | 42.8    |         |         | 21.6    | 0.8     | 89      |
| S005518            |                          | 273     | 9.1     | 23.5    | 105     | 32.6    |         |         | 24.0    | 0.7     | 78      |
| S005519            |                          | 252     | 8.4     | 21.1    | 77      | 38.8    |         |         | 22.9    | 0.7     | 74      |
| S005520            |                          | 2       | 0.1     | 0.4     | <2      | 1.0     |         |         | 1.1     | <0.1    | 23      |
| S005521            |                          | 327     | 2.3     | 28.5    | 122     | 39.6    |         |         | 20.7    | 0.8     | 86      |
| S005522            |                          | 227     | 6.1     | 20.5    | 95      | 28.3    |         |         | 26.2    | 0.6     | 73      |
| S005523            |                          | 354     | 5.0     | 32.8    | 193     | 70.4    |         |         | 21.9    | 0.9     | 101     |
| S005524            |                          | 378     | 5.7     | 36.2    | 246     | 54.7    |         |         | 20.8    | 1.0     | 116     |
| S005525            |                          | 360     | 2.2     | 27.5    | 160     | 38.8    |         |         | 20.5    | 1.0     | 104     |
| S005526            |                          | 329     | 6.0     | 25.6    | 170     | 48.4    |         |         | 21.6    | 0.8     | 97      |
| S005526CD          |                          | 318     | 5.8     | 24.5    | 163     | 48.5    |         |         | 21.2    | 0.8     | 95      |
| S005527            |                          | 349     | 6.5     | 29.5    | 183     | 49.9    |         |         | 19.8    | 0.9     | 102     |
| S005528            |                          | 303     | 8.9     | 25.7    | 145     | 42.1    |         |         | 20.2    | 0.8     | 86      |
| S005529            |                          | 318     | 8.1     | 30.3    | 164     | 80.7    |         |         | 21.2    | 0.8     | 97      |
| S005530            |                          | 124     | 4.2     | 8.9     | 1880    | 43.9    |         |         | 28.7    | 0.4     | 74      |
| S005531            |                          | 301     | 12.1    | 25.3    | 142     | 77.3    |         |         | 21.1    | 0.8     | 94      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| S005532            |                          | 6.54                | <0.005         | 0.10           | 6.81         | 1.6            | 570            | 1.06           | 0.09           | 3.85         | 0.16           | 22.6           | 20.8           | 6              | 6.08           | 19.1           |
| S005533            |                          | 4.63                | <0.005         | 0.08           | 7.33         | 1.9            | 1290           | 1.12           | 0.10           | 2.59         | 0.10           | 26.2           | 25.4           | 6              | 7.82           | 10.5           |
| S005534            |                          | 4.03                | 1.080          | 7.54           | 4.74         | >10000         | 300            | 0.87           | 0.98           | 4.23         | 10.60          | 12.45          | 15.4           | 14             | 2.04           | 59.9           |
| S005535            |                          | 4.04                | <0.005         | 0.28           | 7.21         | 39.8           | 1010           | 1.09           | 0.18           | 2.95         | 0.19           | 25.1           | 22.0           | 9              | 5.31           | 55.9           |
| S005536            |                          | 5.46                | <0.005         | 0.34           | 7.61         | 241            | 940            | 1.12           | 0.22           | 2.73         | 0.11           | 26.1           | 27.0           | 7              | 6.72           | 29.2           |
| S005537            |                          | 4.52                | 0.020          | 26.5           | 4.00         | 9110           | 150            | 1.10           | 0.25           | 3.29         | 105.5          | 13.90          | 15.1           | 12             | 2.56           | 26.7           |
| S005538            |                          | 4.62                | 0.055          | >100           | 2.99         | >10000         | 130            | 0.67           | 0.51           | 6.73         | 95.4           | 10.05          | 6.2            | 7              | 1.04           | 57.7           |
| S005539            |                          | 3.68                | <0.005         | 4.15           | 6.92         | 620            | 660            | 1.30           | 0.12           | 4.08         | 4.12           | 25.1           | 25.8           | 5              | 3.61           | 40.3           |
| S005540            |                          | 0.88                | 0.008          | 0.06           | 0.04         | 4.2            | 10             | <0.05          | 0.01           | 35.6         | 0.03           | 0.22           | 0.3            | 1              | <0.05          | 1.0            |
| S005541            |                          | 6.98                | <0.005         | 0.12           | 7.08         | 3.9            | 1020           | 1.30           | 0.09           | 2.92         | 0.09           | 26.4           | 25.7           | 5              | 5.05           | 37.1           |
| S005542            |                          | 7.06                | <0.005         | 0.06           | 7.05         | 3.2            | 770            | 1.09           | 0.10           | 3.02         | 0.06           | 24.5           | 25.1           | 5              | 5.05           | 13.6           |
| S005543            |                          | 7.05                | 0.007          | 0.10           | 7.17         | 2.8            | 880            | 1.17           | 0.15           | 2.56         | 0.06           | 24.1           | 26.1           | 5              | 7.36           | 20.7           |
| S005544            |                          | 6.69                | <0.005         | 0.13           | 6.63         | 3.2            | 560            | 0.97           | 0.15           | 3.51         | 0.08           | 22.0           | 24.7           | 7              | 4.12           | 25.9           |
| S005545            |                          | 7.25                | <0.005         | 0.23           | 6.78         | 52.6           | 820            | 1.04           | 0.19           | 2.95         | 0.08           | 23.9           | 27.6           | 6              | 9.13           | 44.1           |
| S005546            |                          | 6.49                | 0.010          | 0.16           | 6.26         | 54.9           | 800            | 0.98           | 0.18           | 3.06         | 0.11           | 22.6           | 25.1           | 8              | 4.47           | 36.9           |
| S005546CD          |                          | <0.02               | <0.005         | 0.17           | 6.24         | 52.0           | 790            | 0.98           | 0.16           | 3.06         | 0.12           | 23.2           | 24.3           | 8              | 4.44           | 37.6           |
| S005547            |                          | 6.83                | <0.005         | 0.11           | 6.23         | 4.3            | 430            | 0.97           | 0.16           | 3.52         | 0.15           | 22.6           | 23.4           | 9              | 3.90           | 15.7           |
| S005548            |                          | 6.17                | <0.005         | 0.06           | 6.86         | 4.4            | 800            | 1.01           | 0.10           | 2.88         | 0.15           | 26.1           | 25.4           | 6              | 7.12           | 6.8            |
| S005549            |                          | 7.29                | <0.005         | 0.03           | 7.52         | 1.0            | 1070           | 1.03           | 0.06           | 2.12         | 0.13           | 27.9           | 27.3           | 5              | 8.44           | 2.8            |
| S005550            |                          | 0.11                | 1.240          | 28.3           | 5.72         | 368            | 120            | 1.10           | 0.92           | 0.62         | 1.55           | 26.4           | 12.8           | 18             | 7.56           | 106.0          |
| S005551            |                          | 5.87                | 0.007          | 0.07           | 7.19         | 0.8            | 1140           | 1.09           | 0.07           | 2.06         | 0.09           | 24.7           | 27.0           | 10             | 7.86           | 4.7            |
| S005552            |                          | 7.93                | <0.005         | 0.11           | 6.99         | 1.5            | 780            | 1.18           | 0.11           | 3.41         | 0.10           | 24.9           | 24.3           | 5              | 5.04           | 27.9           |
| S005553            |                          | 6.52                | 0.018          | 0.08           | 7.31         | 81.7           | 930            | 1.12           | 0.14           | 2.11         | 0.12           | 26.7           | 27.9           | 5              | 9.43           | 11.4           |
| S005554            |                          | 6.80                | <0.005         | 0.10           | 7.23         | 3.9            | 1070           | 1.07           | 0.16           | 2.35         | 0.10           | 24.1           | 25.7           | 5              | 9.78           | 15.2           |
| S005555            |                          | 6.39                | <0.005         | 0.29           | 6.55         | 57.0           | 960            | 1.17           | 0.23           | 3.15         | 0.07           | 24.0           | 29.3           | 7              | 9.15           | 81.2           |
| S005556            |                          | 6.85                | 0.006          | 0.04           | 7.15         | 2.7            | 1140           | 0.97           | 0.09           | 2.72         | 0.14           | 24.8           | 25.6           | 5              | 9.29           | 6.1            |
| S005557            |                          | 6.96                | <0.005         | 0.05           | 6.66         | 0.7            | 1020           | 0.91           | 0.07           | 2.99         | 0.19           | 23.8           | 25.4           | 6              | 8.31           | 5.5            |
| S005558            |                          | 7.25                | <0.005         | 0.05           | 7.40         | 1.4            | 1170           | 1.05           | 0.11           | 2.41         | 0.19           | 26.3           | 28.0           | 5              | 9.04           | 7.4            |
| S005559            |                          | 6.15                | 0.007          | 0.05           | 7.55         | 1.6            | 950            | 1.03           | 0.11           | 2.18         | 0.16           | 27.2           | 28.1           | 5              | 9.66           | 8.0            |
| S005560            |                          | 0.94                | <0.005         | 0.01           | 0.05         | <0.2           | 10             | <0.05          | <0.01          | 34.0         | <0.02          | 0.20           | 0.3            | 1              | <0.05          | 0.6            |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm   |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10      |
| S005532            |                          | 8.35    | 15.95   | 0.11    | 1.0     | 0.102   | 2.04    | 10.7    | 16.6    | 2.68    | 1500    | 3.05    | 2.07    | 6.1     | 2.2     | 1510    |
| S005533            |                          | 8.89    | 18.60   | 0.15    | 0.8     | 0.076   | 3.11    | 12.3    | 18.0    | 2.82    | 1270    | 1.70    | 1.83    | 7.1     | 2.7     | 1630    |
| S005534            |                          | 6.22    | 9.48    | 0.10    | 0.8     | 0.079   | 1.81    | 5.9     | 7.6     | 1.45    | 1200    | 34.7    | 0.75    | 3.7     | 2.0     | 990     |
| S005535            |                          | 8.00    | 18.35   | 0.15    | 1.1     | 0.084   | 2.28    | 11.4    | 21.9    | 2.26    | 1340    | 10.30   | 2.33    | 6.7     | 3.4     | 1580    |
| S005536            |                          | 9.36    | 20.0    | 0.16    | 1.0     | 0.081   | 2.87    | 12.5    | 15.7    | 2.48    | 1380    | 4.49    | 2.33    | 7.5     | 3.1     | 1700    |
| S005537            |                          | 5.54    | 10.85   | 0.14    | 0.6     | 0.045   | 1.79    | 6.5     | 12.3    | 1.23    | 1180    | 18.90   | 0.34    | 3.9     | 2.0     | 860     |
| S005538            |                          | 6.73    | 7.98    | 0.07    | 0.3     | 0.042   | 1.51    | 4.6     | 9.3     | 1.78    | 3220    | 130.0   | 0.05    | 2.0     | 1.6     | 690     |
| S005539            |                          | 7.72    | 18.30   | 0.07    | 0.8     | 0.069   | 2.26    | 12.9    | 21.7    | 2.24    | 1540    | 28.7    | 1.49    | 6.1     | 2.1     | 1520    |
| S005540            |                          | 0.05    | 0.12    | <0.05   | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.68    | 21      | 0.14    | 0.01    | <0.1    | <0.2    | 40      |
| S005541            |                          | 8.47    | 19.10   | 0.10    | 0.9     | 0.084   | 2.72    | 13.3    | 24.9    | 2.52    | 1320    | 11.50   | 1.91    | 6.9     | 2.3     | 1600    |
| S005542            |                          | 8.10    | 18.30   | 0.09    | 1.1     | 0.082   | 2.26    | 12.3    | 26.9    | 2.36    | 1220    | 5.86    | 2.02    | 6.2     | 2.2     | 1480    |
| S005543            |                          | 8.34    | 19.15   | 0.08    | 0.7     | 0.077   | 2.72    | 11.4    | 20.6    | 2.37    | 1150    | 5.38    | 2.20    | 6.7     | 2.6     | 1590    |
| S005544            |                          | 7.68    | 17.25   | 0.07    | 1.2     | 0.091   | 1.49    | 10.8    | 14.3    | 2.04    | 1240    | 4.86    | 2.26    | 6.0     | 2.2     | 1420    |
| S005545            |                          | 8.34    | 18.35   | 0.09    | 1.1     | 0.095   | 2.38    | 11.9    | 15.7    | 2.13    | 1140    | 21.7    | 2.14    | 6.6     | 2.4     | 1510    |
| S005546            |                          | 7.59    | 16.55   | 0.07    | 0.8     | 0.083   | 1.86    | 11.2    | 16.8    | 1.94    | 1180    | 23.7    | 2.17    | 5.9     | 2.3     | 1370    |
| S005546CD          |                          | 7.61    | 16.60   | 0.08    | 1.0     | 0.088   | 1.85    | 11.3    | 17.1    | 1.94    | 1180    | 24.8    | 2.17    | 5.9     | 2.4     | 1370    |
| S005547            |                          | 7.27    | 16.75   | 0.07    | 1.2     | 0.091   | 1.24    | 11.2    | 12.3    | 1.81    | 1180    | 10.30   | 2.38    | 6.0     | 2.2     | 1350    |
| S005548            |                          | 8.10    | 18.60   | 0.07    | 1.0     | 0.077   | 2.26    | 13.0    | 17.4    | 2.24    | 1080    | 2.19    | 2.30    | 6.6     | 2.3     | 1550    |
| S005549            |                          | 9.13    | 19.55   | 0.10    | 0.8     | 0.075   | 3.09    | 14.0    | 21.0    | 2.55    | 1040    | 1.37    | 2.40    | 6.9     | 2.5     | 1720    |
| S005550            |                          | 4.27    | 12.00   | 0.09    | 0.8     | 0.037   | 2.59    | 12.6    | 8.9     | 0.35    | 216     | 4.30    | 0.18    | 5.1     | 12.9    | 1300    |
| S005551            |                          | 8.94    | 18.90   | 0.09    | 0.6     | 0.078   | 3.13    | 11.7    | 20.9    | 2.50    | 1080    | 1.09    | 2.08    | 7.0     | 4.5     | 1670    |
| S005552            |                          | 7.91    | 18.30   | 0.10    | 0.9     | 0.091   | 1.98    | 12.9    | 18.3    | 2.30    | 1310    | 38.9    | 2.43    | 6.6     | 2.0     | 1550    |
| S005553            |                          | 8.72    | 19.05   | 0.09    | 0.8     | 0.077   | 3.00    | 13.1    | 20.6    | 2.44    | 1150    | 3.78    | 2.41    | 7.1     | 2.4     | 1650    |
| S005554            |                          | 8.59    | 18.75   | 0.09    | 0.7     | 0.080   | 3.00    | 11.6    | 23.8    | 2.41    | 1240    | 12.50   | 2.37    | 6.6     | 2.3     | 1620    |
| S005555            |                          | 8.32    | 17.45   | 0.10    | 1.0     | 0.088   | 2.47    | 11.7    | 22.1    | 2.12    | 1240    | 16.75   | 2.21    | 6.3     | 2.3     | 1430    |
| S005556            |                          | 8.63    | 19.00   | 0.07    | 1.0     | 0.079   | 2.40    | 12.5    | 16.9    | 2.39    | 1490    | 2.70    | 2.52    | 6.5     | 2.7     | 1570    |
| S005557            |                          | 8.13    | 16.95   | 0.09    | 0.9     | 0.086   | 2.01    | 12.0    | 15.7    | 2.22    | 1540    | 5.12    | 2.45    | 6.2     | 2.3     | 1490    |
| S005558            |                          | 9.05    | 18.75   | 0.09    | 0.8     | 0.081   | 2.47    | 12.7    | 19.9    | 2.56    | 1380    | 1.08    | 2.71    | 6.9     | 2.3     | 1640    |
| S005559            |                          | 8.79    | 18.90   | 0.08    | 0.8     | 0.085   | 2.33    | 13.7    | 17.5    | 2.47    | 1330    | 0.81    | 3.00    | 6.9     | 2.4     | 1650    |
| S005560            |                          | 0.05    | 0.10    | 0.07    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.89    | 20      | <0.05   | 0.01    | <0.1    | <0.2    | 40      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005532            |                          | 3.6     | 112.0   | 0.002   | 0.55    | 0.45    | 27.0    | 1       | 1.0     | 238     | 0.37    | 0.11    | 1.78    | 0.837   | 1.37    | 1.0 |
| S005533            |                          | 3.4     | 172.5   | 0.002   | 0.53    | 0.68    | 31.5    | <1      | 0.8     | 229     | 0.41    | 0.09    | 2.04    | 0.914   | 2.24    | 0.9 |
| S005534            |                          | 257     | 64.5    | 0.004   | 2.05    | 159.0   | 16.0    | 2       | 0.9     | 423     | 0.22    | 0.29    | 1.12    | 0.577   | 0.58    | 0.7 |
| S005535            |                          | 6.3     | 156.5   | <0.002  | 1.26    | 1.78    | 29.8    | 1       | 1.3     | 312     | 0.39    | 0.19    | 1.92    | 0.879   | 1.59    | 1.0 |
| S005536            |                          | 4.6     | 180.5   | 0.002   | 1.10    | 5.12    | 33.6    | 1       | 1.0     | 299     | 0.45    | 0.19    | 2.16    | 0.977   | 2.10    | 1.0 |
| S005537            |                          | 4700    | 82.4    | 0.004   | 1.58    | 2300    | 18.2    | 1       | 0.7     | 348     | 0.23    | 0.16    | 1.12    | 0.497   | 0.71    | 0.6 |
| S005538            |                          | >10000  | 69.0    | 0.020   | 3.14    | >10000  | 11.7    | 2       | 0.6     | 669     | 0.13    | 0.07    | 0.74    | 0.297   | 1.10    | 0.4 |
| S005539            |                          | 129.5   | 138.5   | 0.006   | 0.93    | 70.5    | 31.1    | 1       | 0.9     | 352     | 0.37    | 0.13    | 1.94    | 0.788   | 1.39    | 0.9 |
| S005540            |                          | 20.3    | 0.4     | <0.002  | 0.07    | 8.28    | 0.1     | <1      | <0.2    | 4920    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |
| S005541            |                          | 10.1    | 181.5   | 0.002   | 0.75    | 3.38    | 32.4    | 1       | 1.0     | 231     | 0.39    | 0.14    | 2.14    | 0.869   | 2.02    | 1.2 |
| S005542            |                          | 5.3     | 150.0   | <0.002  | 0.50    | 1.51    | 30.1    | 1       | 1.0     | 195.5   | 0.37    | 0.11    | 1.98    | 0.771   | 1.66    | 1.0 |
| S005543            |                          | 5.2     | 193.5   | <0.002  | 0.77    | 0.90    | 32.4    | 1       | 1.1     | 207     | 0.39    | 0.13    | 1.87    | 0.852   | 2.31    | 0.8 |
| S005544            |                          | 4.4     | 104.5   | 0.002   | 0.97    | 0.72    | 28.7    | 1       | 1.0     | 227     | 0.36    | 0.16    | 1.84    | 0.747   | 1.18    | 0.9 |
| S005545            |                          | 4.3     | 186.5   | 0.002   | 1.17    | 3.50    | 31.4    | 1       | 0.9     | 212     | 0.38    | 0.21    | 1.91    | 0.800   | 2.02    | 1.0 |
| S005546            |                          | 4.6     | 118.0   | <0.002  | 1.07    | 1.53    | 28.3    | <1      | 0.9     | 216     | 0.34    | 0.19    | 1.86    | 0.724   | 1.39    | 1.0 |
| S005546CD          |                          | 5.0     | 118.0   | 0.002   | 1.09    | 2.03    | 28.8    | 1       | 0.9     | 217     | 0.33    | 0.14    | 1.81    | 0.731   | 1.33    | 0.9 |
| S005547            |                          | 8.2     | 74.1    | 0.002   | 0.68    | 1.53    | 28.9    | 1       | 1.1     | 227     | 0.37    | 0.16    | 1.86    | 0.720   | 0.91    | 0.9 |
| S005548            |                          | 3.1     | 145.5   | <0.002  | 0.43    | 0.27    | 31.7    | 1       | 1.2     | 196.0   | 0.37    | 0.06    | 2.13    | 0.834   | 1.68    | 1.0 |
| S005549            |                          | 2.8     | 159.0   | <0.002  | 0.16    | 0.21    | 34.7    | 1       | 0.8     | 157.5   | 0.40    | <0.05   | 2.10    | 0.906   | 2.19    | 1.0 |
| S005550            |                          | 51.7    | 120.0   | <0.002  | 4.00    | 34.7    | 13.7    | 5       | 1.6     | 125.5   | 0.28    | 0.26    | 2.33    | 0.278   | 2.23    | 1.1 |
| S005551            |                          | 2.7     | 157.0   | <0.002  | 0.28    | 0.22    | 32.2    | <1      | 0.9     | 173.0   | 0.41    | 0.05    | 1.86    | 0.881   | 2.32    | 0.9 |
| S005552            |                          | 3.7     | 116.0   | 0.004   | 0.73    | 0.28    | 32.2    | 1       | 1.1     | 230     | 0.41    | 0.10    | 2.03    | 0.830   | 1.41    | 1.0 |
| S005553            |                          | 3.0     | 184.5   | <0.002  | 0.54    | 0.46    | 33.9    | 1       | 0.8     | 183.0   | 0.42    | 0.09    | 2.12    | 0.875   | 2.30    | 0.9 |
| S005554            |                          | 3.4     | 196.0   | <0.002  | 0.64    | 1.14    | 32.1    | <1      | 0.8     | 207     | 0.40    | 0.11    | 1.91    | 0.851   | 2.30    | 0.8 |
| S005555            |                          | 4.7     | 189.0   | <0.002  | 1.50    | 2.24    | 29.7    | 1       | 1.1     | 241     | 0.36    | 0.26    | 1.88    | 0.764   | 1.90    | 1.0 |
| S005556            |                          | 3.1     | 138.0   | <0.002  | 0.33    | 0.64    | 31.1    | 1       | 0.8     | 174.5   | 0.37    | 0.06    | 2.00    | 0.838   | 1.69    | 0.8 |
| S005557            |                          | 3.5     | 98.6    | <0.002  | 0.27    | 0.30    | 30.3    | 1       | 1.0     | 190.5   | 0.36    | 0.05    | 1.99    | 0.793   | 1.26    | 0.9 |
| S005558            |                          | 3.5     | 83.2    | 0.002   | 0.36    | 0.45    | 32.6    | 1       | 0.9     | 169.5   | 0.40    | 0.07    | 1.96    | 0.867   | 1.05    | 0.8 |
| S005559            |                          | 3.1     | 83.2    | <0.002  | 0.40    | 0.43    | 33.7    | 1       | 0.9     | 167.5   | 0.40    | 0.08    | 2.18    | 0.885   | 1.01    | 0.9 |
| S005560            |                          | <0.5    | 0.3     | <0.002  | 0.06    | <0.05   | 0.2     | 1       | <0.2    | 4650    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Ag-OG62 | Pb-OG62 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Ag      | Pb      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 1       | 0.001   | 0.5     | 0.1     | 5       |
| S005532            |                          | 332     | 6.3     | 27.0    | 145     | 61.0    |         |         | 21.4    | 0.8     | 102     |
| S005533            |                          | 349     | 1.9     | 30.0    | 203     | 29.5    |         |         | 21.3    | 1.0     | 105     |
| S005534            |                          | 215     | 50.2    | 12.7    | 773     | 21.7    |         |         | 26.2    | 0.6     | 69      |
| S005535            |                          | 332     | 4.3     | 27.8    | 187     | 30.9    |         |         | 21.8    | 0.9     | 104     |
| S005536            |                          | 368     | 7.4     | 30.1    | 255     | 28.8    |         |         | 20.2    | 0.9     | 113     |
| S005537            |                          | 192     | 62.9    | 11.1    | 6260    | 28.3    |         |         | 27.0    | 0.5     | 58      |
| S005538            |                          | 133     | 26.7    | 9.0     | 5620    | 8.8     | 109     | 4.75    | 19.1    | 0.4     | 49      |
| S005539            |                          | 309     | 25.0    | 27.2    | 393     | 26.2    |         |         | 19.4    | 0.9     | 94      |
| S005540            |                          | 2       | <0.1    | 0.3     | 3       | <0.5    |         |         | 1.4     | <0.1    | 27      |
| S005541            |                          | 337     | 3.6     | 33.7    | 202     | 33.1    |         |         | 20.6    | 1.0     | 100     |
| S005542            |                          | 312     | 5.5     | 30.7    | 170     | 25.1    |         |         | 21.0    | 0.8     | 97      |
| S005543            |                          | 331     | 2.7     | 31.0    | 214     | 22.0    |         |         | 21.1    | 0.9     | 100     |
| S005544            |                          | 292     | 2.3     | 30.0    | 175     | 30.6    |         |         | 21.8    | 0.8     | 96      |
| S005545            |                          | 313     | 3.3     | 30.9    | 200     | 36.2    |         |         | 21.5    | 0.8     | 96      |
| S005546            |                          | 295     | 3.5     | 28.9    | 172     | 30.7    |         |         | 23.1    | 0.8     | 87      |
| S005546CD          |                          | 292     | 3.7     | 28.3    | 175     | 31.9    |         |         | 23.2    | 0.8     | 93      |
| S005547            |                          | 280     | 5.5     | 26.4    | 133     | 28.9    |         |         | 23.2    | 0.8     | 83      |
| S005548            |                          | 330     | 4.4     | 28.4    | 173     | 33.2    |         |         | 22.1    | 0.9     | 103     |
| S005549            |                          | 361     | 0.9     | 34.9    | 170     | 23.5    |         |         | 21.1    | 1.0     | 105     |
| S005550            |                          | 133     | 2.0     | 8.8     | 186     | 29.1    |         |         | 31.2    | 0.4     | 74      |
| S005551            |                          | 348     | 1.4     | 32.3    | 185     | 20.0    |         |         | 21.2    | 0.9     | 108     |
| S005552            |                          | 321     | 4.9     | 31.5    | 158     | 34.1    |         |         | 22.5    | 0.9     | 100     |
| S005553            |                          | 344     | 3.7     | 33.0    | 187     | 42.7    |         |         | 21.9    | 1.0     | 105     |
| S005554            |                          | 337     | 5.8     | 23.2    | 214     | 20.7    |         |         | 21.4    | 1.0     | 106     |
| S005555            |                          | 300     | 3.4     | 27.9    | 196     | 23.6    |         |         | 22.3    | 0.8     | 92      |
| S005556            |                          | 328     | 2.5     | 28.8    | 187     | 25.7    |         |         | 21.8    | 0.9     | 103     |
| S005557            |                          | 307     | 3.8     | 25.5    | 146     | 23.4    |         |         | 22.2    | 0.9     | 102     |
| S005558            |                          | 346     | 0.9     | 33.2    | 146     | 25.4    |         |         | 21.0    | 0.9     | 112     |
| S005559            |                          | 341     | 1.0     | 33.5    | 138     | 30.0    |         |         | 22.3    | 1.0     | 103     |
| S005560            |                          | 3       | <0.1    | 0.3     | <2      | 0.5     |         |         | 1.3     | <0.1    | 43      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 2-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19177305**

| CERTIFICATE COMMENTS |  |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
|----------------------|--|---------|----------|---------|---------|---------|---------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>   |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61  |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>  |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21  | LOG-21d | LOG-23  | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31   | CRU-QC  | LOG-21   |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23   | PUL-32m | PUL-32md |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21   | SPL-21d | SPL-34X  |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |  |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table border="0"> <tr> <td>Ag-OG62</td> <td>Au-AA23</td> <td>ME-MS61</td> <td>ME-OG62</td> </tr> <tr> <td>Pb-OG62</td> <td>pXRF-34</td> <td></td> <td></td> </tr> </table>  | Ag-OG62 | Au-AA23  | ME-MS61 | ME-OG62 | Pb-OG62 | pXRF-34 |         |          |        |        |         |         |        |  |  |  |
| Ag-OG62              | Au-AA23  | ME-MS61 | ME-OG62  |         |         |         |         |         |          |        |        |         |         |        |  |  |  |
| Pb-OG62              | pXRF-34  |         |          |         |         |         |         |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19180053**

Project: Bowser Regional Project  
 P.O. No.: BOW-0711  
 This report is for 109 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005651            |                          | 4.33         | <0.005  | 0.11    | 8.79    | 2.0     | 1060    | 1.64    | 0.35    | 0.52    | 0.02    | 37.0    | 17.6    | 47      | 5.02    | 44.0    |
| S005652            |                          | 5.40         | <0.005  | 0.07    | 9.40    | 1.2     | 1200    | 1.59    | 0.28    | 1.02    | <0.02   | 36.4    | 15.0    | 53      | 5.09    | 40.9    |
| S005653            |                          | 6.66         | <0.005  | 0.08    | 9.70    | 3.6     | 1160    | 1.78    | 0.31    | 1.22    | 0.02    | 39.6    | 17.4    | 55      | 5.83    | 46.8    |
| S005654            |                          | 5.86         | <0.005  | 0.07    | 9.14    | 5.2     | 1100    | 1.63    | 0.32    | 0.76    | 0.02    | 38.5    | 18.4    | 61      | 4.67    | 44.9    |
| S005655            |                          | 7.16         | <0.005  | 0.07    | 9.33    | 4.5     | 1130    | 1.64    | 0.28    | 1.16    | <0.02   | 37.9    | 17.2    | 56      | 5.57    | 40.6    |
| S005656            |                          | 6.13         | <0.005  | 0.08    | 9.42    | 0.8     | 1060    | 1.74    | 0.31    | 1.35    | 0.02    | 36.2    | 17.0    | 53      | 5.92    | 46.4    |
| S005657            |                          | 7.48         | <0.005  | 0.10    | 8.28    | 2.0     | 810     | 1.70    | 0.38    | 1.90    | <0.02   | 38.5    | 26.4    | 42      | 5.89    | 91.5    |
| S005658            |                          | 6.64         | <0.005  | 0.05    | 9.95    | 2.4     | 1220    | 1.98    | 0.27    | 1.28    | 0.02    | 39.1    | 15.5    | 57      | 5.78    | 34.6    |
| S005659            |                          | 6.37         | <0.005  | 0.08    | 9.72    | 6.5     | 1150    | 1.95    | 0.54    | 1.21    | 0.02    | 41.7    | 20.4    | 48      | 4.88    | 40.7    |
| S005660            |                          | 1.08         | <0.005  | <0.01   | 0.13    | 0.2     | 10      | <0.05   | <0.01   | 35.6    | <0.02   | 0.30    | 0.7     | 1       | <0.05   | 1.9     |
| S005661            |                          | 5.46         | <0.005  | 0.05    | 9.62    | 5.3     | 1210    | 1.89    | 0.26    | 0.86    | <0.02   | 37.6    | 16.2    | 50      | 4.55    | 28.1    |
| S005662            |                          | 4.42         | <0.005  | 0.04    | 9.05    | 1.4     | 1090    | 1.67    | 0.14    | 1.19    | <0.02   | 36.4    | 13.7    | 56      | 6.02    | 24.1    |
| S005663            |                          | 1.46         | <0.005  | 0.07    | 8.41    | 3.5     | 920     | 1.71    | 0.22    | 2.09    | 0.03    | 31.1    | 18.7    | 54      | 5.18    | 22.2    |
| S005664            |                          | 6.75         | <0.005  | 0.14    | 9.46    | 0.6     | 1250    | 1.60    | 0.60    | 0.85    | <0.02   | 36.7    | 21.5    | 58      | 3.80    | 43.0    |
| S005665            |                          | 7.67         | <0.005  | 0.06    | 9.01    | 2.7     | 1150    | 1.61    | 0.20    | 1.59    | 0.02    | 39.6    | 16.1    | 59      | 4.76    | 24.7    |
| S005666            |                          | 2.25         | 0.020   | 0.65    | 4.39    | 7.4     | 260     | 0.64    | 0.40    | 2.18    | 0.06    | 19.80   | 48.7    | 31      | 3.94    | 236     |
| S005666CD          |                          | <0.02        | 0.018   | 0.61    | 4.75    | 9.3     | 280     | 0.79    | 0.37    | 2.28    | 0.05    | 21.7    | 44.6    | 34      | 4.33    | 213     |
| S005667            |                          | 8.43         | <0.005  | 0.06    | 9.24    | 3.5     | 1280    | 1.51    | 0.13    | 1.56    | 0.02    | 39.9    | 17.3    | 56      | 4.65    | 27.2    |
| S005668            |                          | 6.86         | <0.005  | 0.04    | 9.12    | 3.7     | 1170    | 1.51    | 0.11    | 1.17    | <0.02   | 41.7    | 15.1    | 61      | 4.78    | 23.5    |
| S005669            |                          | 6.13         | <0.005  | 0.05    | 8.80    | 8.4     | 1050    | 1.50    | 0.20    | 1.16    | 0.02    | 41.1    | 16.8    | 60      | 4.83    | 26.8    |
| S005670            |                          | 0.14         | 0.982   | 11.65   | 5.88    | 315     | 390     | 1.06    | 0.17    | 3.64    | 4.37    | 22.0    | 10.4    | 26      | 6.53    | 86.4    |
| S005671            |                          | 5.79         | <0.005  | 0.09    | 9.96    | 7.5     | 1190    | 1.53    | 0.48    | 0.24    | 0.02    | 41.1    | 15.1    | 51      | 5.51    | 42.2    |
| S005672            |                          | 6.76         | <0.005  | 0.06    | 9.29    | 6.5     | 1050    | 1.53    | 0.31    | 1.06    | 0.03    | 40.4    | 17.0    | 51      | 4.95    | 35.9    |
| S005673            |                          | 6.02         | <0.005  | 0.05    | 9.02    | 4.3     | 980     | 1.47    | 0.16    | 1.10    | <0.02   | 37.4    | 13.8    | 54      | 5.07    | 31.0    |
| S005674            |                          | 6.02         | <0.005  | 0.06    | 9.52    | 7.4     | 1130    | 1.56    | 0.34    | 1.36    | 0.02    | 37.4    | 16.6    | 58      | 5.25    | 30.2    |
| S005675            |                          | 7.31         | <0.005  | 0.20    | 8.84    | 31.2    | 1010    | 1.44    | 0.17    | 1.34    | 0.26    | 38.9    | 15.7    | 50      | 5.10    | 26.7    |
| S005676            |                          | 3.37         | 0.050   | 0.90    | 5.69    | 1880    | 450     | 0.88    | 0.20    | 2.32    | 0.50    | 25.5    | 12.1    | 28      | 3.50    | 22.5    |
| S005677            |                          | 4.25         | 0.016   | 1.13    | 5.76    | 337     | 540     | 0.76    | 0.63    | 2.39    | 1.66    | 25.9    | 18.7    | 12      | 3.68    | 31.7    |
| S005678            |                          | 5.01         | <0.005  | 0.52    | 6.59    | 118.5   | 510     | 1.01    | 0.37    | 2.56    | 1.07    | 25.4    | 23.0    | 14      | 6.38    | 17.0    |
| S005679            |                          | 3.01         | <0.005  | 0.44    | 6.80    | 618     | 760     | 1.60    | 0.28    | 3.42    | 0.39    | 28.8    | 11.9    | 36      | 5.84    | 8.2     |
| S005680            |                          | 0.98         | <0.005  | 0.01    | 0.05    | 0.6     | 10      | <0.05   | <0.01   | 35.8    | <0.02   | 0.22    | 0.4     | 2       | <0.05   | 1.0     |
| S005681            |                          | 6.66         | <0.005  | 0.21    | 7.27    | 7.2     | 1410    | 1.17    | 0.20    | 2.30    | 0.93    | 30.7    | 7.6     | 27      | 4.42    | 11.9    |
| S005682            |                          | 5.99         | <0.005  | 0.71    | 7.14    | 1070    | 860     | 1.23    | 0.13    | 5.17    | 1.44    | 28.7    | 19.2    | 16      | 5.96    | 16.6    |
| S005683            |                          | 7.30         | <0.005  | 0.49    | 7.30    | 1960    | 1730    | 1.14    | 0.14    | 1.92    | 0.55    | 25.6    | 25.8    | 16      | 4.65    | 11.0    |
| S005684            |                          | 6.47         | <0.005  | 0.16    | 7.05    | 3.9     | 1120    | 0.90    | 0.15    | 4.88    | 0.06    | 25.7    | 23.5    | 17      | 3.42    | 7.5     |
| S005685            |                          | 4.20         | <0.005  | 0.10    | 8.81    | 2.5     | 1830    | 1.39    | 0.07    | 4.39    | 0.06    | 27.1    | 18.9    | 20      | 5.69    | 6.0     |
| S005686            |                          | 6.10         | <0.005  | 0.27    | 8.93    | 70.9    | 1930    | 1.50    | 0.32    | 2.06    | 0.11    | 32.4    | 24.3    | 20      | 4.10    | 9.1     |
| S005686CD          |                          | <0.02        | <0.005  | 0.26    | 8.95    | 70.1    | 1920    | 1.45    | 0.32    | 2.04    | 0.09    | 33.1    | 24.5    | 20      | 4.10    | 9.5     |
| S005687            |                          | 6.06         | <0.005  | 0.22    | 8.62    | 4.4     | 1210    | 1.26    | 0.29    | 0.43    | 0.03    | 31.4    | 29.8    | 20      | 4.05    | 15.6    |
| S005688            |                          | 6.48         | <0.005  | 0.14    | 8.06    | 2.2     | 2200    | 1.12    | 0.23    | 2.01    | 0.03    | 30.0    | 25.6    | 19      | 6.61    | 8.6     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method                  | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    | Analyte<br>Units<br>LOD | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                         | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S005651            |                         | 5.07    | 18.30     | 0.11      | 0.7       | 0.065     | 2.97    | 16.6      | 13.4      | 1.04    | 488       | 0.69      | 0.58    | 8.3       | 23.1      | 510      |
| S005652            |                         | 5.42    | 19.65     | 0.12      | 0.7       | 0.078     | 3.23    | 16.7      | 14.3      | 1.10    | 587       | 0.78      | 0.57    | 8.6       | 22.1      | 580      |
| S005653            |                         | 5.57    | 20.0      | 0.14      | 0.7       | 0.067     | 3.17    | 17.7      | 15.8      | 1.17    | 608       | 0.85      | 0.84    | 9.7       | 26.7      | 550      |
| S005654            |                         | 4.96    | 18.20     | 0.14      | 0.9       | 0.075     | 3.11    | 18.4      | 13.1      | 1.00    | 549       | 0.83      | 0.57    | 8.2       | 25.6      | 440      |
| S005655            |                         | 5.38    | 18.50     | 0.12      | 0.7       | 0.062     | 3.17    | 17.8      | 14.5      | 1.14    | 592       | 1.17      | 0.67    | 8.3       | 26.1      | 580      |
| S005656            |                         | 5.97    | 17.35     | 0.12      | 0.7       | 0.063     | 3.06    | 17.3      | 15.3      | 1.19    | 594       | 0.80      | 0.75    | 8.0       | 23.6      | 710      |
| S005657            |                         | 7.64    | 16.90     | 0.14      | 1.6       | 0.054     | 2.45    | 19.2      | 18.5      | 1.39    | 647       | 0.90      | 0.71    | 7.9       | 25.4      | 2560     |
| S005658            |                         | 5.59    | 21.4      | 0.13      | 0.7       | 0.076     | 3.51    | 19.6      | 16.1      | 1.16    | 629       | 0.82      | 0.73    | 10.4      | 22.6      | 510      |
| S005659            |                         | 5.57    | 20.2      | 0.14      | 0.6       | 0.061     | 3.47    | 21.7      | 14.3      | 1.12    | 553       | 0.90      | 0.73    | 10.2      | 24.6      | 870      |
| S005660            |                         | 0.08    | 0.25      | 0.13      | <0.1      | <0.005    | 0.01    | <0.5      | 0.6       | 1.81    | 19        | 0.08      | 0.01    | 0.1       | <0.2      | 40       |
| S005661            |                         | 4.61    | 21.1      | 0.14      | 0.6       | 0.069     | 3.73    | 19.1      | 12.7      | 0.98    | 357       | 0.85      | 0.61    | 9.8       | 22.7      | 490      |
| S005662            |                         | 4.81    | 19.30     | 0.15      | 0.8       | 0.057     | 3.64    | 19.0      | 14.9      | 1.04    | 338       | 1.12      | 0.60    | 8.9       | 22.5      | 580      |
| S005663            |                         | 4.77    | 17.25     | 0.11      | 0.8       | 0.038     | 3.14    | 14.0      | 16.6      | 1.11    | 364       | 2.35      | 1.24    | 8.2       | 25.1      | 1080     |
| S005664            |                         | 4.80    | 20.2      | 0.13      | 0.9       | 0.061     | 4.28    | 17.2      | 13.7      | 0.89    | 320       | 0.92      | 0.46    | 9.7       | 27.9      | 570      |
| S005665            |                         | 4.55    | 18.60     | 0.14      | 1.0       | 0.043     | 3.96    | 18.7      | 17.0      | 1.02    | 380       | 1.11      | 0.66    | 9.9       | 23.3      | 730      |
| S005666            |                         | 10.60   | 8.47      | 0.12      | 0.7       | 0.013     | 1.77    | 10.0      | 8.1       | 0.95    | 471       | 2.28      | 0.42    | 3.2       | 17.4      | 330      |
| S005666CD          |                         | 9.76    | 9.51      | 0.11      | 0.7       | 0.015     | 1.87    | 10.5      | 8.7       | 0.99    | 471       | 1.92      | 0.49    | 3.5       | 18.5      | 370      |
| S005667            |                         | 4.69    | 19.80     | 0.13      | 0.8       | 0.053     | 3.85    | 18.5      | 18.3      | 1.05    | 405       | 1.05      | 0.60    | 10.1      | 24.0      | 620      |
| S005668            |                         | 4.43    | 18.80     | 0.15      | 1.0       | 0.060     | 3.85    | 20.3      | 16.8      | 0.98    | 398       | 0.95      | 0.57    | 9.9       | 20.4      | 610      |
| S005669            |                         | 4.62    | 18.00     | 0.14      | 0.9       | 0.058     | 3.54    | 19.4      | 14.6      | 0.97    | 459       | 1.04      | 0.56    | 9.2       | 21.3      | 600      |
| S005670            |                         | 3.93    | 12.90     | 0.12      | 1.1       | 0.044     | 3.88    | 10.5      | 14.0      | 0.53    | 1390      | 9.76      | 0.21    | 5.1       | 20.2      | 920      |
| S005671            |                         | 5.03    | 20.5      | 0.15      | 0.8       | 0.071     | 4.19    | 19.1      | 14.3      | 0.88    | 292       | 0.91      | 0.37    | 9.8       | 18.3      | 540      |
| S005672            |                         | 5.09    | 18.90     | 0.15      | 0.7       | 0.064     | 3.87    | 19.3      | 14.3      | 0.98    | 540       | 0.93      | 0.36    | 8.9       | 20.8      | 660      |
| S005673            |                         | 5.28    | 18.90     | 0.10      | 0.9       | 0.062     | 3.71    | 17.3      | 15.5      | 1.10    | 519       | 1.11      | 0.32    | 8.0       | 19.7      | 730      |
| S005674            |                         | 4.96    | 21.0      | 0.11      | 0.9       | 0.067     | 4.13    | 17.8      | 15.8      | 1.02    | 543       | 1.04      | 0.32    | 8.5       | 25.5      | 520      |
| S005675            |                         | 4.99    | 18.95     | 0.10      | 1.1       | 0.058     | 4.10    | 18.2      | 6.1       | 0.95    | 439       | 1.33      | 0.20    | 8.0       | 21.5      | 540      |
| S005676            |                         | 3.89    | 11.65     | 0.07      | 1.4       | 0.018     | 2.36    | 11.7      | 5.3       | 0.64    | 327       | 11.90     | 0.49    | 4.4       | 11.9      | 640      |
| S005677            |                         | 7.44    | 14.35     | 0.07      | 0.7       | 0.020     | 2.04    | 12.7      | 4.0       | 0.88    | 441       | 6.39      | 1.13    | 4.9       | 5.3       | 1310     |
| S005678            |                         | 7.14    | 16.30     | 0.11      | 0.8       | 0.025     | 2.61    | 11.5      | 5.4       | 1.36    | 498       | 4.79      | 0.86    | 5.7       | 6.7       | 1250     |
| S005679            |                         | 3.86    | 15.55     | 0.08      | 1.3       | 0.027     | 3.02    | 13.1      | 4.0       | 1.01    | 443       | 7.03      | 0.26    | 6.3       | 18.6      | 610      |
| S005680            |                         | 0.04    | 0.14      | 0.13      | <0.1      | <0.005    | 0.01    | <0.5      | 0.4       | 1.96    | 15        | 0.06      | <0.01   | <0.1      | 0.4       | 20       |
| S005681            |                         | 4.13    | 16.50     | 0.10      | 2.0       | 0.032     | 2.63    | 16.1      | 12.8      | 1.01    | 275       | 6.58      | 1.00    | 5.6       | 18.1      | 690      |
| S005682            |                         | 5.84    | 16.75     | 0.10      | 1.1       | 0.042     | 2.96    | 12.9      | 4.5       | 1.71    | 734       | 2.66      | 0.59    | 5.8       | 8.2       | 1230     |
| S005683            |                         | 6.87    | 19.20     | 0.08      | 0.9       | 0.066     | 3.13    | 11.3      | 8.5       | 1.44    | 825       | 4.41      | 0.17    | 6.3       | 6.7       | 1330     |
| S005684            |                         | 7.41    | 19.45     | 0.08      | 2.5       | 0.067     | 2.29    | 11.6      | 24.5      | 2.75    | 1010      | 2.65      | 0.28    | 6.6       | 6.9       | 1540     |
| S005685            |                         | 6.75    | 23.6      | 0.09      | 0.6       | 0.062     | 3.57    | 11.4      | 21.6      | 2.61    | 820       | 0.69      | 0.51    | 8.5       | 7.9       | 1940     |
| S005686            |                         | 7.43    | 23.6      | 0.10      | 2.9       | 0.067     | 3.78    | 14.8      | 16.0      | 1.54    | 582       | 5.01      | 0.32    | 7.8       | 8.2       | 1560     |
| S005686CD          |                         | 7.47    | 23.5      | 0.10      | 2.4       | 0.056     | 3.73    | 14.7      | 15.6      | 1.52    | 574       | 4.73      | 0.32    | 7.6       | 8.6       | 1560     |
| S005687            |                         | 9.13    | 22.6      | 0.11      | 1.3       | 0.071     | 3.34    | 13.6      | 14.2      | 1.21    | 752       | 4.44      | 0.28    | 7.4       | 8.8       | 1540     |
| S005688            |                         | 7.63    | 21.1      | 0.11      | 2.7       | 0.052     | 3.37    | 13.5      | 16.9      | 1.80    | 705       | 2.05      | 0.38    | 7.7       | 8.6       | 1690     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005651            |                          | 7.9     | 117.0   | <0.002  | 0.76    | 0.53    | 23.5    | 1       | 0.9     | 119.0   | 0.50    | 0.10    | 4.46    | 0.384   | 1.14    | 0.7 |
| S005652            |                          | 7.5     | 120.0   | <0.002  | 0.96    | 0.82    | 24.6    | 1       | 1.1     | 135.0   | 0.52    | 0.08    | 4.72    | 0.440   | 1.26    | 0.8 |
| S005653            |                          | 7.9     | 128.0   | <0.002  | 0.86    | 0.69    | 25.7    | 1       | 1.0     | 187.5   | 0.56    | 0.09    | 4.77    | 0.464   | 1.24    | 0.8 |
| S005654            |                          | 7.7     | 121.0   | <0.002  | 0.87    | 0.69    | 25.5    | 1       | 1.1     | 130.0   | 0.49    | 0.09    | 4.75    | 0.423   | 1.05    | 0.8 |
| S005655            |                          | 7.5     | 131.5   | <0.002  | 0.85    | 0.66    | 24.2    | 1       | 0.9     | 147.5   | 0.49    | 0.10    | 4.51    | 0.441   | 1.18    | 0.8 |
| S005656            |                          | 7.1     | 127.0   | <0.002  | 1.08    | 0.58    | 23.9    | 1       | 0.9     | 170.0   | 0.50    | 0.13    | 4.54    | 0.437   | 1.31    | 0.8 |
| S005657            |                          | 7.3     | 119.0   | <0.002  | 1.73    | 0.72    | 22.2    | 1       | 0.7     | 175.5   | 0.47    | 0.15    | 4.62    | 0.372   | 1.36    | 1.0 |
| S005658            |                          | 7.1     | 142.5   | <0.002  | 0.82    | 0.70    | 25.9    | 1       | 1.1     | 169.0   | 0.59    | 0.08    | 5.23    | 0.471   | 1.56    | 0.9 |
| S005659            |                          | 7.0     | 141.0   | <0.002  | 0.85    | 0.73    | 23.0    | 1       | 0.9     | 165.0   | 0.58    | 0.15    | 5.18    | 0.461   | 1.48    | 0.9 |
| S005660            |                          | <0.5    | 0.5     | <0.002  | 0.10    | 0.06    | 0.3     | 1       | <0.2    | 4880    | <0.05   | <0.05   | 0.04    | 0.006   | <0.02   | 1.5 |
| S005661            |                          | 4.9     | 139.5   | <0.002  | 0.52    | 0.43    | 24.3    | 1       | 1.2     | 146.5   | 0.54    | 0.11    | 5.09    | 0.464   | 1.38    | 0.8 |
| S005662            |                          | 3.4     | 152.5   | <0.002  | 0.46    | 0.33    | 24.7    | 1       | 0.9     | 167.5   | 0.50    | 0.12    | 4.54    | 0.431   | 1.57    | 0.9 |
| S005663            |                          | 5.9     | 123.5   | <0.002  | 0.46    | 0.60    | 21.6    | 1       | 0.6     | 278     | 0.49    | 0.17    | 3.38    | 0.401   | 1.62    | 0.7 |
| S005664            |                          | 5.2     | 148.0   | <0.002  | 0.87    | 0.57    | 24.2    | 1       | 1.0     | 114.5   | 0.56    | 0.42    | 4.54    | 0.459   | 1.47    | 0.9 |
| S005665            |                          | 4.1     | 160.0   | <0.002  | 0.41    | 0.71    | 21.3    | 1       | 0.7     | 177.0   | 0.55    | 0.17    | 4.41    | 0.446   | 1.76    | 1.1 |
| S005666            |                          | 5.4     | 102.5   | <0.002  | 5.62    | 1.14    | 9.3     | 3       | 0.2     | 159.5   | 0.18    | 1.32    | 2.35    | 0.142   | 1.46    | 0.8 |
| S005666CD          |                          | 5.5     | 116.0   | <0.002  | 4.84    | 1.15    | 10.0    | 3       | 0.2     | 173.5   | 0.20    | 1.21    | 2.57    | 0.160   | 1.52    | 0.8 |
| S005667            |                          | 3.7     | 143.5   | <0.002  | 0.47    | 0.51    | 22.4    | 1       | 0.8     | 157.5   | 0.55    | 0.16    | 4.42    | 0.463   | 1.54    | 0.9 |
| S005668            |                          | 4.3     | 142.5   | <0.002  | 0.37    | 0.47    | 20.4    | 1       | 0.9     | 157.5   | 0.57    | 0.08    | 4.71    | 0.457   | 1.42    | 1.2 |
| S005669            |                          | 5.4     | 138.5   | <0.002  | 0.36    | 0.71    | 20.5    | 1       | 0.9     | 160.0   | 0.52    | 0.11    | 4.64    | 0.421   | 1.40    | 1.0 |
| S005670            |                          | 146.5   | 159.0   | 0.011   | 2.85    | 18.70   | 10.9    | 2       | 1.4     | 189.0   | 0.29    | 0.29    | 2.85    | 0.254   | 3.01    | 1.5 |
| S005671            |                          | 5.9     | 153.0   | <0.002  | 0.39    | 1.57    | 23.5    | 1       | 1.2     | 91.0    | 0.57    | 0.19    | 4.94    | 0.476   | 1.39    | 0.9 |
| S005672            |                          | 5.0     | 150.0   | <0.002  | 0.49    | 1.99    | 22.6    | 1       | 1.0     | 130.0   | 0.53    | 0.13    | 4.71    | 0.431   | 1.36    | 0.9 |
| S005673            |                          | 4.3     | 148.0   | <0.002  | 0.44    | 1.85    | 20.2    | 1       | 1.1     | 119.5   | 0.48    | 0.07    | 4.07    | 0.418   | 1.51    | 1.0 |
| S005674            |                          | 5.1     | 163.5   | <0.002  | 0.53    | 1.81    | 21.6    | <1      | 1.1     | 138.5   | 0.50    | 0.11    | 4.14    | 0.450   | 1.74    | 0.9 |
| S005675            |                          | 11.4    | 180.5   | <0.002  | 0.69    | 10.00   | 20.1    | 1       | 0.9     | 124.0   | 0.48    | 0.15    | 3.96    | 0.412   | 1.90    | 1.0 |
| S005676            |                          | 19.6    | 127.0   | 0.016   | 1.49    | 33.3    | 13.2    | 1       | 0.4     | 219     | 0.27    | 0.26    | 2.88    | 0.300   | 1.45    | 1.2 |
| S005677            |                          | 82.1    | 104.0   | <0.002  | 4.33    | 43.1    | 21.8    | 1       | 0.7     | 314     | 0.29    | 0.51    | 1.68    | 0.600   | 1.61    | 0.8 |
| S005678            |                          | 54.3    | 149.5   | 0.002   | 2.29    | 30.4    | 24.7    | 1       | 0.4     | 316     | 0.34    | 0.43    | 2.11    | 0.702   | 2.11    | 0.9 |
| S005679            |                          | 19.5    | 106.0   | 0.005   | 1.27    | 17.15   | 13.8    | 1       | 0.5     | 223     | 0.39    | 0.25    | 3.13    | 0.343   | 2.14    | 1.3 |
| S005680            |                          | <0.5    | 0.4     | <0.002  | 0.05    | 0.08    | 0.1     | <1      | <0.2    | 5260    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.4 |
| S005681            |                          | 13.4    | 102.0   | 0.006   | 0.87    | 22.3    | 11.9    | 1       | 0.6     | 202     | 0.36    | 0.19    | 4.04    | 0.329   | 1.85    | 2.1 |
| S005682            |                          | 57.4    | 146.5   | 0.003   | 1.70    | 57.1    | 20.6    | 1       | 0.9     | 334     | 0.37    | 0.21    | 2.63    | 0.611   | 2.40    | 1.3 |
| S005683            |                          | 14.0    | 130.0   | 0.002   | 1.72    | 20.5    | 30.3    | 1       | 1.0     | 156.5   | 0.38    | 0.11    | 1.96    | 0.824   | 2.34    | 0.9 |
| S005684            |                          | 2.7     | 148.0   | 0.002   | 1.06    | 0.88    | 28.0    | 1       | 1.2     | 250     | 0.41    | 0.23    | 2.22    | 0.833   | 1.97    | 1.4 |
| S005685            |                          | 2.8     | 161.0   | <0.002  | 0.63    | 1.37    | 34.6    | <1      | 1.4     | 304     | 0.52    | 0.15    | 2.02    | 1.090   | 3.41    | 1.0 |
| S005686            |                          | 7.4     | 172.5   | <0.002  | 2.23    | 6.78    | 34.2    | 1       | 1.2     | 183.5   | 0.47    | 0.14    | 2.69    | 0.983   | 2.88    | 1.6 |
| S005686CD          |                          | 7.0     | 172.0   | <0.002  | 2.30    | 6.80    | 35.6    | <1      | 1.2     | 179.5   | 0.44    | 0.11    | 2.64    | 0.979   | 2.84    | 1.6 |
| S005687            |                          | 4.6     | 119.5   | <0.002  | 3.08    | 4.89    | 37.3    | 1       | 1.2     | 85.6    | 0.47    | 0.10    | 2.34    | 0.987   | 2.92    | 1.2 |
| S005688            |                          | 2.9     | 171.0   | <0.002  | 1.34    | 1.61    | 33.3    | 1       | 0.7     | 189.0   | 0.47    | 0.15    | 2.52    | 1.005   | 3.62    | 1.6 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                                   | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S005651            |                                   | 122     | 2.6     | 16.1    | 53      | 25.1    | 26.3    | 0.5     | 136     |
| S005652            |                                   | 140     | 2.4     | 17.8    | 57      | 27.9    | 25.1    | 0.5     | 131     |
| S005653            |                                   | 139     | 2.6     | 19.4    | 66      | 25.1    | 24.1    | 0.5     | 140     |
| S005654            |                                   | 142     | 2.3     | 18.2    | 57      | 28.5    | 26.5    | 0.5     | 117     |
| S005655            |                                   | 139     | 2.1     | 18.9    | 69      | 27.4    | 25.3    | 0.4     | 131     |
| S005656            |                                   | 134     | 2.2     | 18.6    | 73      | 25.5    | 25.4    | 0.4     | 134     |
| S005657            |                                   | 108     | 2.5     | 26.3    | 77      | 68.2    | 25.1    | 0.4     | 129     |
| S005658            |                                   | 145     | 2.7     | 14.3    | 57      | 26.4    | 24.6    | 0.5     | 137     |
| S005659            |                                   | 135     | 3.0     | 15.2    | 47      | 24.6    | 25.8    | 0.5     | 141     |
| S005660            |                                   | 2       | <0.1    | 0.4     | <2      | 1.5     | 2.0     | <0.1    | 35      |
| S005661            |                                   | 140     | 3.7     | 12.4    | 37      | 23.5    | 26.5    | 0.6     | 145     |
| S005662            |                                   | 143     | 3.8     | 13.3    | 40      | 28.3    | 25.5    | 0.5     | 123     |
| S005663            |                                   | 137     | 5.3     | 14.4    | 56      | 30.0    | 24.9    | 0.5     | 132     |
| S005664            |                                   | 148     | 6.1     | 11.1    | 35      | 34.2    | 26.9    | 0.5     | 128     |
| S005665            |                                   | 144     | 5.7     | 13.9    | 44      | 40.0    | 25.1    | 0.5     | 135     |
| S005666            |                                   | 63      | 9.8     | 9.4     | 53      | 37.9    | 24.3    | 0.2     | 67      |
| S005666CD          |                                   | 66      | 10.6    | 10.4    | 53      | 25.0    | 24.9    | 0.3     | 67      |
| S005667            |                                   | 145     | 5.8     | 16.3    | 46      | 33.7    | 25.8    | 0.5     | 150     |
| S005668            |                                   | 142     | 4.3     | 14.3    | 46      | 38.7    | 26.1    | 0.5     | 136     |
| S005669            |                                   | 133     | 3.0     | 13.7    | 53      | 36.9    | 26.6    | 0.5     | 141     |
| S005670            |                                   | 105     | 4.6     | 8.2     | 487     | 37.5    | 28.5    | 0.3     | 79      |
| S005671            |                                   | 148     | 5.6     | 15.1    | 57      | 29.1    | 26.4    | 0.5     | 139     |
| S005672            |                                   | 136     | 6.4     | 14.8    | 64      | 27.8    | 25.9    | 0.5     | 127     |
| S005673            |                                   | 141     | 4.8     | 12.6    | 75      | 35.6    | 25.8    | 0.5     | 120     |
| S005674            |                                   | 149     | 7.6     | 13.4    | 66      | 31.4    | 24.5    | 0.5     | 133     |
| S005675            |                                   | 132     | 15.4    | 11.2    | 60      | 36.4    | 26.6    | 0.5     | 125     |
| S005676            |                                   | 110     | 1830    | 11.4    | 54      | 73.3    | 29.7    | 0.4     | 89      |
| S005677            |                                   | 228     | 28.5    | 13.8    | 149     | 28.8    | 25.3    | 0.8     | 90      |
| S005678            |                                   | 283     | 18.0    | 18.7    | 116     | 27.0    | 23.8    | 0.8     | 99      |
| S005679            |                                   | 115     | 15.3    | 12.8    | 40      | 48.6    | 25.5    | 0.4     | 123     |
| S005680            |                                   | 1       | 0.1     | 0.3     | <2      | <0.5    | 1.1     | <0.1    | 30      |
| S005681            |                                   | 114     | 4.4     | 13.8    | 120     | 69.9    | 25.7    | 0.4     | 161     |
| S005682            |                                   | 242     | 48.9    | 22.7    | 138     | 37.5    | 20.8    | 0.7     | 113     |
| S005683            |                                   | 342     | 16.2    | 20.0    | 91      | 20.5    | 25.2    | 0.9     | 100     |
| S005684            |                                   | 331     | 23.0    | 25.8    | 91      | 85.5    | 20.2    | 0.9     | 98      |
| S005685            |                                   | 406     | 17.8    | 26.0    | 94      | 20.2    | 19.8    | 1.2     | 132     |
| S005686            |                                   | 413     | 11.6    | 30.3    | 60      | 112.5   | 23.0    | 1.2     | 128     |
| S005686CD          |                                   | 409     | 10.7    | 30.1    | 59      | 113.5   | 22.5    | 1.3     | 132     |
| S005687            |                                   | 410     | 2.5     | 38.1    | 64      | 44.1    | 23.0    | 1.2     | 119     |
| S005688            |                                   | 389     | 2.3     | 31.7    | 73      | 103.5   | 23.3    | 1.1     | 116     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005689            |         | 5.58      | <0.005  | 0.15    | 6.71    | 0.6     | 1180    | 0.97    | 0.15    | 4.74    | 0.07    | 24.3    | 24.5    | 15      | 2.95    | 5.3     |
| S005690            |         | 0.14      | 5.65    | 81.3    | 6.33    | 300     | 1100    | 0.95    | 1.05    | 2.02    | 23.0    | 28.4    | 11.0    | 23      | 7.27    | 112.5   |
| S005691            |         | 6.03      | <0.005  | 0.32    | 7.75    | 2.6     | 1600    | 1.16    | 0.30    | 4.02    | 0.07    | 29.5    | 31.1    | 18      | 4.93    | 6.2     |
| S005692            |         | 6.25      | <0.005  | 0.20    | 6.23    | 3.8     | 820     | 0.74    | 0.14    | 3.24    | 0.04    | 24.0    | 30.4    | 13      | 3.04    | 11.2    |
| S005693            |         | 5.63      | 0.005   | 0.23    | 8.78    | 174.5   | 2450    | 1.42    | 0.17    | 0.91    | 0.08    | 30.0    | 25.9    | 19      | 3.77    | 8.6     |
| S005694            |         | 6.93      | <0.005  | 0.16    | 7.57    | 26.2    | 1580    | 1.16    | 0.15    | 2.33    | 0.05    | 28.6    | 22.3    | 17      | 3.55    | 7.7     |
| S005695            |         | 5.99      | <0.005  | 0.34    | 5.92    | 32.9    | 880     | 0.82    | 0.31    | 2.38    | 0.06    | 24.3    | 34.1    | 13      | 4.86    | 15.8    |
| S005696            |         | 6.43      | <0.005  | 0.11    | 6.71    | 18.8    | 1140    | 1.01    | 0.13    | 2.00    | 0.15    | 27.6    | 24.1    | 15      | 6.11    | 7.4     |
| S005697            |         | 5.89      | <0.005  | 0.14    | 6.72    | 5.6     | 1220    | 1.04    | 0.17    | 3.28    | 0.12    | 25.6    | 23.0    | 15      | 5.58    | 5.7     |
| S005698            |         | 5.47      | <0.005  | 0.29    | 6.46    | 6.8     | 1250    | 1.06    | 0.19    | 3.39    | 0.06    | 26.8    | 24.9    | 14      | 4.84    | 14.3    |
| S005699            |         | 5.95      | <0.005  | 0.16    | 7.41    | 4.1     | 1340    | 1.21    | 0.13    | 2.94    | 0.06    | 28.0    | 22.6    | 16      | 4.52    | 7.4     |
| S005700            |         | 1.09      | <0.005  | 0.02    | 0.05    | 0.4     | 10      | <0.05   | 0.01    | 35.6    | <0.02   | 0.24    | 0.5     | <1      | <0.05   | 1.0     |
| S005701            |         | 6.98      | 0.011   | 1.09    | 6.67    | 2340    | 610     | 1.20    | 0.59    | 1.93    | 0.41    | 24.5    | 40.0    | 15      | 4.46    | 24.2    |
| S005702            |         | 5.51      | <0.005  | 0.16    | 7.26    | 53.2    | 1450    | 1.10    | 0.08    | 0.89    | 0.08    | 29.1    | 24.8    | 15      | 2.40    | 9.8     |
| S005703            |         | 5.72      | <0.005  | 0.14    | 8.55    | 106.0   | 2180    | 1.34    | 0.12    | 0.88    | 0.04    | 31.8    | 28.6    | 20      | 2.99    | 8.9     |
| S005704            |         | 7.37      | 0.007   | 0.46    | 6.92    | 300     | 1350    | 1.06    | 0.19    | 2.89    | 0.29    | 25.2    | 23.0    | 15      | 4.59    | 10.2    |
| S005705            |         | 6.51      | <0.005  | 0.17    | 7.04    | 38.3    | 1180    | 1.15    | 0.11    | 3.61    | 0.08    | 25.2    | 19.6    | 15      | 4.37    | 7.6     |
| S005706            |         | 6.03      | 0.012   | 0.48    | 4.10    | 50.4    | 380     | 0.37    | 0.37    | 5.06    | 0.12    | 16.15   | 26.3    | 9       | 2.11    | 24.0    |
| S005706CD          |         | <0.02     | 0.012   | 0.45    | 4.10    | 44.7    | 390     | 0.36    | 0.41    | 5.02    | 0.12    | 15.60   | 26.1    | 9       | 2.03    | 25.5    |
| S005707            |         | 6.92      | 0.006   | 0.30    | 6.35    | 29.4    | 1010    | 1.14    | 0.31    | 3.69    | 0.05    | 25.5    | 28.8    | 14      | 3.65    | 12.3    |
| S005708            |         | 6.83      | <0.005  | 0.23    | 8.87    | 55.3    | 2400    | 1.54    | 0.34    | 3.02    | 0.06    | 29.8    | 27.2    | 20      | 4.45    | 13.0    |
| S005709            |         | 6.54      | <0.005  | 0.20    | 8.02    | 37.0    | 1410    | 1.48    | 0.14    | 3.97    | 0.05    | 26.5    | 27.1    | 18      | 4.20    | 6.3     |
| S005710            |         | 0.12      | 1.095   | 27.2    | 5.82    | 379     | 200     | 1.19    | 0.93    | 0.65    | 1.58    | 26.6    | 13.2    | 19      | 7.86    | 109.0   |
| S005711            |         | 6.70      | <0.005  | 0.48    | 6.46    | 22.4    | 840     | 1.17    | 0.43    | 2.61    | 0.07    | 20.5    | 29.0    | 14      | 4.83    | 15.3    |
| S005712            |         | 5.86      | 0.008   | 2.28    | 6.01    | 2100    | 910     | 1.09    | 0.49    | 3.68    | 33.0    | 23.8    | 20.9    | 25      | 4.21    | 22.6    |
| S005713            |         | 6.09      | <0.005  | 1.14    | 5.69    | 1105    | 840     | 0.91    | 0.21    | 5.45    | 3.25    | 28.2    | 6.7     | 22      | 3.04    | 13.2    |
| S005714            |         | 5.71      | 0.026   | 2.39    | 6.66    | 6320    | 1170    | 1.12    | 0.21    | 4.64    | 12.45   | 26.2    | 22.9    | 20      | 4.72    | 13.1    |
| S005715            |         | 5.99      | <0.005  | 1.21    | 5.65    | 1960    | 1070    | 0.93    | 0.57    | 5.19    | 2.00    | 19.50   | 26.4    | 18      | 3.51    | 22.4    |
| S005716            |         | 7.14      | 0.005   | 0.76    | 6.49    | 1455    | 1340    | 1.28    | 0.23    | 4.05    | 2.73    | 25.0    | 29.5    | 19      | 3.87    | 8.0     |
| S005717            |         | 6.31      | 0.041   | 1.18    | 7.58    | 6740    | 840     | 1.32    | 0.51    | 2.08    | 4.16    | 28.4    | 31.8    | 17      | 3.81    | 15.2    |
| S005718            |         | 6.96      | <0.005  | 0.24    | 6.38    | 274     | 2540    | 0.71    | 0.16    | 0.16    | 0.49    | 23.9    | 27.3    | 15      | 2.34    | 13.5    |
| S005719            |         | 6.86      | <0.005  | 0.21    | 8.11    | 71.2    | 100     | 0.69    | 0.09    | 0.19    | 1.51    | 24.7    | 39.5    | 19      | 3.90    | 25.1    |
| S005720            |         | 0.93      | <0.005  | 0.02    | 0.06    | 1.2     | 20      | <0.05   | <0.01   | 35.6    | <0.02   | 0.26    | 0.5     | <1      | <0.05   | 1.1     |
| S005721            |         | 6.89      | <0.005  | 0.15    | 6.71    | 37.1    | 340     | 0.65    | 0.39    | 0.13    | 0.51    | 24.9    | 31.8    | 17      | 3.13    | 15.7    |
| S005722            |         | 6.66      | <0.005  | 0.22    | 8.88    | 38.8    | 2860    | 0.88    | 0.38    | 0.20    | 0.06    | 34.1    | 32.7    | 25      | 2.91    | 13.0    |
| S005723            |         | 2.32      | <0.005  | 0.21    | 8.84    | 87.8    | 850     | 0.99    | 0.33    | 0.50    | 0.11    | 30.0    | 34.7    | 22      | 3.70    | 16.5    |
| S005724            |         | 4.50      | <0.005  | 0.31    | 6.92    | 59.0    | 160     | 0.82    | 0.44    | 0.55    | 0.12    | 22.0    | 31.8    | 17      | 3.17    | 18.6    |
| S005725            |         | 6.74      | <0.005  | 0.05    | 9.34    | 15.0    | 4070    | 1.59    | 0.13    | 1.46    | 0.09    | 32.5    | 34.8    | 20      | 3.48    | 11.8    |
| S005726            |         | 6.91      | <0.005  | 1.05    | 8.05    | 34.1    | 3000    | 1.58    | 0.15    | 2.72    | 2.70    | 27.7    | 32.6    | 17      | 5.54    | 15.4    |
| S005726CD          |         | <0.02     | <0.005  | 0.84    | 8.07    | 32.0    | 3010    | 1.63    | 0.13    | 2.75    | 2.57    | 28.7    | 34.4    | 18      | 5.66    | 15.5    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005689            |         | 8.32    | 18.70   | 0.10    | 2.0     | 0.081   | 1.96    | 10.7    | 22.5    | 3.00    | 1300    | 0.17    | 0.19    | 6.2     | 6.8     | 1490 |
| S005690            |         | 4.82    | 13.20   | 0.09    | 1.4     | 1.350   | 3.67    | 13.6    | 12.0    | 0.49    | 1180    | 9.84    | 0.23    | 5.4     | 15.7    | 950  |
| S005691            |         | 9.19    | 21.3    | 0.10    | 2.2     | 0.093   | 2.56    | 13.4    | 21.0    | 2.80    | 1340    | 1.19    | 0.34    | 7.3     | 8.7     | 1710 |
| S005692            |         | 10.30   | 18.05   | 0.07    | 1.5     | 0.059   | 1.44    | 10.3    | 24.4    | 3.10    | 1460    | 1.03    | 0.11    | 5.6     | 6.8     | 1340 |
| S005693            |         | 6.44    | 23.6    | 0.07    | 0.9     | 0.084   | 3.51    | 13.5    | 11.2    | 1.10    | 861     | 4.15    | 0.20    | 7.9     | 8.2     | 1210 |
| S005694            |         | 8.14    | 19.60   | 0.09    | 1.4     | 0.046   | 2.91    | 12.7    | 18.1    | 1.75    | 910     | 1.80    | 0.13    | 6.5     | 7.4     | 1640 |
| S005695            |         | 10.65   | 18.55   | 0.07    | 1.1     | 0.033   | 2.00    | 10.6    | 24.2    | 2.91    | 665     | 0.91    | 0.10    | 4.7     | 7.0     | 1270 |
| S005696            |         | 8.06    | 19.60   | 0.11    | 1.2     | 0.048   | 2.43    | 12.3    | 26.1    | 2.39    | 563     | 2.33    | 0.13    | 6.2     | 7.0     | 1410 |
| S005697            |         | 6.80    | 19.45   | 0.09    | 1.8     | 0.052   | 2.32    | 11.7    | 35.7    | 2.30    | 741     | 2.48    | 0.21    | 6.2     | 6.9     | 1460 |
| S005698            |         | 7.72    | 19.50   | 0.11    | 1.1     | 0.044   | 2.29    | 12.0    | 28.9    | 2.56    | 779     | 0.88    | 0.34    | 5.8     | 6.7     | 1460 |
| S005699            |         | 7.42    | 20.6    | 0.07    | 1.8     | 0.028   | 2.81    | 12.6    | 19.9    | 2.38    | 658     | 1.00    | 0.11    | 6.2     | 6.9     | 1590 |
| S005700            |         | 0.05    | 0.16    | 0.11    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.96    | 16      | 0.05    | <0.01   | <0.1    | 0.3     | 30   |
| S005701            |         | 12.40   | 18.50   | 0.08    | 1.9     | 0.031   | 2.93    | 11.0    | 9.8     | 2.10    | 605     | 2.84    | 0.08    | 4.0     | 6.7     | 1390 |
| S005702            |         | 10.15   | 19.35   | 0.07    | 0.7     | 0.083   | 2.05    | 13.0    | 23.0    | 1.46    | 2240    | 2.64    | 0.11    | 6.4     | 6.9     | 1550 |
| S005703            |         | 9.05    | 22.1    | 0.10    | 1.5     | 0.082   | 2.98    | 14.0    | 16.0    | 1.40    | 1800    | 2.40    | 0.17    | 7.9     | 7.6     | 1810 |
| S005704            |         | 7.72    | 19.60   | 0.09    | 1.0     | 0.041   | 3.00    | 11.4    | 13.2    | 2.57    | 694     | 0.74    | 0.13    | 5.9     | 6.6     | 1510 |
| S005705            |         | 6.36    | 18.60   | 0.08    | 1.6     | 0.040   | 2.71    | 11.4    | 16.2    | 2.37    | 721     | 0.48    | 0.12    | 6.1     | 5.9     | 1530 |
| S005706            |         | 11.45   | 13.65   | 0.10    | 0.3     | 0.079   | 1.14    | 8.3     | 17.1    | 3.93    | 1810    | 1.78    | 0.03    | 3.0     | 4.3     | 880  |
| S005706CD          |         | 11.40   | 13.35   | 0.08    | 0.4     | 0.077   | 1.14    | 8.0     | 16.0    | 3.90    | 1800    | 1.78    | 0.03    | 3.0     | 3.9     | 880  |
| S005707            |         | 8.27    | 17.10   | 0.10    | 1.5     | 0.041   | 2.46    | 12.7    | 22.9    | 2.42    | 598     | 2.26    | 0.07    | 5.1     | 6.9     | 1340 |
| S005708            |         | 5.97    | 22.6    | 0.11    | 0.6     | 0.043   | 3.83    | 14.8    | 26.9    | 1.72    | 504     | 1.60    | 0.11    | 5.7     | 9.2     | 1760 |
| S005709            |         | 5.53    | 20.1    | 0.12    | 0.5     | 0.032   | 3.12    | 12.8    | 34.2    | 2.00    | 600     | 1.98    | 0.10    | 6.5     | 8.2     | 1730 |
| S005710            |         | 4.45    | 12.60   | 0.12    | 0.8     | 0.035   | 2.70    | 13.3    | 10.1    | 0.36    | 225     | 4.57    | 0.19    | 5.3     | 13.4    | 1280 |
| S005711            |         | 8.73    | 16.80   | 0.11    | 0.6     | 0.028   | 2.29    | 9.8     | 56.4    | 1.96    | 520     | 0.42    | 0.06    | 4.2     | 4.8     | 1210 |
| S005712            |         | 7.72    | 15.60   | 0.10    | 0.5     | 0.032   | 2.55    | 11.7    | 20.2    | 1.95    | 539     | 3.93    | 0.05    | 3.2     | 8.7     | 1000 |
| S005713            |         | 4.26    | 13.05   | 0.11    | 1.7     | 0.023   | 2.48    | 14.7    | 4.7     | 1.78    | 547     | 8.99    | 0.12    | 4.3     | 18.5    | 670  |
| S005714            |         | 7.34    | 17.20   | 0.12    | 1.7     | 0.059   | 3.15    | 13.8    | 5.5     | 2.29    | 963     | 3.99    | 0.10    | 5.0     | 13.2    | 1020 |
| S005715            |         | 7.50    | 14.50   | 0.12    | 0.7     | 0.053   | 2.84    | 9.8     | 2.6     | 2.10    | 1220    | 5.21    | 0.06    | 4.2     | 9.1     | 1030 |
| S005716            |         | 7.91    | 17.90   | 0.12    | 0.8     | 0.039   | 3.25    | 12.4    | 5.1     | 2.22    | 1000    | 1.68    | 0.07    | 5.2     | 8.7     | 1420 |
| S005717            |         | 7.38    | 20.6    | 0.12    | 1.2     | 0.052   | 3.67    | 14.5    | 3.7     | 1.58    | 652     | 1.56    | 0.10    | 5.9     | 8.1     | 1560 |
| S005718            |         | 3.02    | 17.15   | 0.12    | 0.9     | 0.071   | 2.79    | 12.0    | 3.8     | 0.45    | 120     | 1.62    | 0.20    | 5.0     | 7.1     | 40   |
| S005719            |         | 6.94    | 22.1    | 0.14    | 0.9     | 0.130   | 3.49    | 10.2    | 5.3     | 0.43    | 106     | 4.14    | 0.36    | 5.1     | 10.4    | 40   |
| S005720            |         | 0.04    | 0.17    | 0.06    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.92    | 18      | 0.06    | <0.01   | <0.1    | <0.2    | 20   |
| S005721            |         | 3.01    | 20.8    | 0.12    | 0.8     | 0.085   | 3.11    | 11.4    | 2.9     | 0.32    | 58      | 1.47    | 0.26    | 5.9     | 7.9     | 390  |
| S005722            |         | 2.74    | 26.8    | 0.18    | 1.1     | 0.076   | 4.38    | 16.6    | 2.9     | 0.34    | 45      | 2.75    | 0.25    | 8.8     | 9.4     | 740  |
| S005723            |         | 5.02    | 25.1    | 0.15    | 0.8     | 0.100   | 4.28    | 13.3    | 12.3    | 0.58    | 297     | 1.97    | 0.24    | 8.1     | 9.6     | 1410 |
| S005724            |         | 8.20    | 19.10   | 0.14    | 0.6     | 0.086   | 3.17    | 9.2     | 5.8     | 0.63    | 455     | 1.85    | 0.17    | 5.2     | 7.7     | 1010 |
| S005725            |         | 7.52    | 24.0    | 0.13    | 1.4     | 0.100   | 3.23    | 16.0    | 46.4    | 1.90    | 1040    | 1.20    | 0.15    | 8.9     | 8.5     | 2150 |
| S005726            |         | 7.78    | 21.1    | 0.12    | 1.4     | 0.061   | 3.14    | 13.7    | 12.6    | 2.30    | 1060    | 0.82    | 0.10    | 7.7     | 8.2     | 2010 |
| S005726CD          |         | 7.83    | 21.8    | 0.14    | 0.9     | 0.064   | 3.15    | 14.1    | 13.1    | 2.31    | 1080    | 0.83    | 0.10    | 7.9     | 8.6     | 2000 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005689            |                          | 2.6     | 115.5   | <0.002  | 1.07    | 1.21    | 27.3    | 1       | 1.0     | 246     | 0.38    | 0.30    | 2.05    | 0.785   | 1.89    | 1.3   |
| S005690            |                          | 8780    | 159.5   | 0.004   | 3.04    | 78.9    | 11.0    | 3       | 4.2     | 143.5   | 0.35    | 0.25    | 3.66    | 0.258   | 3.33    | 2.1   |
| S005691            |                          | 6.7     | 145.5   | 0.002   | 1.40    | 1.73    | 32.6    | <1      | 0.9     | 229     | 0.45    | 0.52    | 2.31    | 0.943   | 2.49    | 1.4   |
| S005692            |                          | 3.2     | 80.2    | <0.002  | 1.59    | 2.36    | 24.8    | 1       | 0.5     | 181.0   | 0.35    | 0.27    | 1.91    | 0.747   | 2.00    | 1.1   |
| S005693            |                          | 5.1     | 117.5   | 0.002   | 1.50    | 14.15   | 35.8    | 1       | 1.3     | 175.0   | 0.50    | 0.05    | 2.49    | 1.030   | 2.96    | 1.1   |
| S005694            |                          | 2.4     | 141.0   | 0.002   | 1.39    | 6.61    | 31.7    | <1      | 0.6     | 183.5   | 0.41    | 0.21    | 2.18    | 0.856   | 2.87    | 1.1   |
| S005695            |                          | 2.2     | 119.0   | 0.002   | 2.64    | 6.83    | 23.6    | 1       | 0.4     | 199.5   | 0.29    | 0.68    | 1.67    | 0.613   | 2.84    | 0.9   |
| S005696            |                          | 2.3     | 123.0   | <0.002  | 1.01    | 3.34    | 29.9    | 1       | 0.6     | 190.5   | 0.39    | 0.22    | 1.85    | 0.766   | 2.70    | 1.1   |
| S005697            |                          | 2.8     | 140.0   | <0.002  | 0.87    | 4.20    | 28.4    | 1       | 0.6     | 197.5   | 0.38    | 0.25    | 2.12    | 0.765   | 2.68    | 1.0   |
| S005698            |                          | 3.2     | 123.0   | <0.002  | 2.10    | 3.05    | 26.6    | 1       | 0.8     | 168.5   | 0.34    | 0.44    | 1.96    | 0.695   | 2.41    | 0.9   |
| S005699            |                          | 2.1     | 154.5   | <0.002  | 1.47    | 2.06    | 29.0    | 1       | 0.4     | 133.0   | 0.38    | 0.28    | 2.13    | 0.845   | 3.19    | 1.2   |
| S005700            |                          | 1.0     | 0.4     | <0.002  | 0.06    | <0.05   | 0.2     | 1       | <0.2    | 4950    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.3   |
| S005701            |                          | 16.1    | 145.5   | 0.002   | 5.34    | 30.9    | 24.3    | 1       | 0.4     | 118.0   | 0.27    | 0.93    | 1.99    | 0.586   | 3.10    | 1.1   |
| S005702            |                          | 2.9     | 84.3    | <0.002  | 1.10    | 16.05   | 28.5    | 1       | 1.0     | 102.5   | 0.40    | <0.05   | 2.08    | 0.857   | 1.97    | 0.9   |
| S005703            |                          | 3.8     | 112.5   | <0.002  | 1.20    | 7.83    | 35.3    | 1       | 1.0     | 129.0   | 0.50    | 0.05    | 2.44    | 1.050   | 2.27    | 1.3   |
| S005704            |                          | 30.5    | 171.0   | 0.002   | 1.88    | 24.6    | 27.0    | <1      | 0.8     | 198.5   | 0.35    | 0.31    | 2.06    | 0.708   | 2.60    | 1.0   |
| S005705            |                          | 3.2     | 156.0   | 0.002   | 1.37    | 7.72    | 25.8    | 1       | 0.9     | 162.5   | 0.36    | 0.21    | 2.15    | 0.772   | 2.50    | 1.2   |
| S005706            |                          | 2.9     | 64.7    | 0.002   | 3.91    | 4.86    | 17.0    | 1       | 0.5     | 198.0   | 0.17    | 0.60    | 1.19    | 0.359   | 0.98    | 0.5   |
| S005706CD          |                          | 2.5     | 63.5    | 0.002   | 3.91    | 4.64    | 16.6    | 1       | 0.5     | 197.5   | 0.17    | 0.62    | 1.18    | 0.364   | 0.98    | 0.5   |
| S005707            |                          | 2.8     | 134.5   | 0.002   | 2.70    | 11.40   | 26.0    | 1       | 0.8     | 326     | 0.30    | 0.40    | 2.08    | 0.590   | 2.16    | 1.0   |
| S005708            |                          | 3.3     | 160.5   | <0.002  | 1.39    | 14.65   | 36.8    | 1       | 0.6     | 300     | 0.35    | 0.28    | 2.29    | 0.841   | 2.71    | 0.9   |
| S005709            |                          | 3.1     | 130.5   | <0.002  | 0.88    | 12.25   | 33.6    | 1       | 0.6     | 426     | 0.39    | 0.16    | 2.08    | 0.877   | 2.33    | 0.8   |
| S005710            |                          | 51.7    | 122.5   | <0.002  | 4.13    | 34.8    | 14.2    | 5       | 1.7     | 135.0   | 0.30    | 0.28    | 2.47    | 0.302   | 2.15    | 0.9   |
| S005711            |                          | 3.5     | 128.5   | <0.002  | 2.97    | 9.15    | 27.3    | 1       | 0.5     | 284     | 0.25    | 0.46    | 1.66    | 0.534   | 2.05    | 0.6   |
| S005712            |                          | 288     | 128.0   | 0.002   | 3.12    | 91.9    | 22.9    | 2       | 0.5     | 406     | 0.19    | 0.54    | 1.97    | 0.425   | 2.04    | 0.6   |
| S005713            |                          | 94.6    | 107.5   | 0.006   | 0.98    | 44.0    | 14.2    | 1       | 0.4     | 563     | 0.28    | 0.22    | 3.22    | 0.288   | 1.50    | 1.9   |
| S005714            |                          | 282     | 151.5   | 0.006   | 2.26    | 80.5    | 23.4    | 1       | 0.8     | 412     | 0.29    | 0.35    | 2.59    | 0.469   | 2.36    | 1.4   |
| S005715            |                          | 601     | 121.0   | 0.002   | 2.11    | 298     | 24.4    | 1       | 0.7     | 488     | 0.25    | 0.38    | 1.39    | 0.535   | 1.84    | 0.5   |
| S005716            |                          | 31.7    | 143.0   | <0.002  | 1.96    | 27.7    | 27.7    | 1       | 0.4     | 384     | 0.29    | 0.39    | 1.68    | 0.657   | 2.27    | 0.7   |
| S005717            |                          | 50.0    | 139.0   | <0.002  | 2.81    | 52.5    | 33.3    | 1       | 0.8     | 205     | 0.35    | 0.42    | 2.03    | 0.736   | 2.41    | 0.9   |
| S005718            |                          | 6.1     | 90.1    | <0.002  | 1.82    | 25.1    | 27.9    | 1       | 0.8     | 61.2    | 0.29    | <0.05   | 1.91    | 0.632   | 2.31    | 0.9   |
| S005719            |                          | 8.4     | 117.5   | <0.002  | 6.59    | 32.6    | 33.5    | 1       | 1.0     | 84.9    | 0.29    | <0.05   | 2.18    | 0.655   | 3.93    | 0.9   |
| S005720            |                          | <0.5    | 0.5     | <0.002  | 0.08    | 0.13    | 0.2     | 1       | <0.2    | 5610    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.2   |
| S005721            |                          | 5.0     | 110.0   | <0.002  | 2.77    | 30.8    | 32.3    | 1       | 1.0     | 77.8    | 0.34    | 0.06    | 1.93    | 0.743   | 2.74    | 0.7   |
| S005722            |                          | 4.4     | 137.0   | <0.002  | 1.71    | 17.40   | 41.3    | 1       | 1.3     | 73.1    | 0.52    | 0.20    | 2.78    | 1.090   | 2.91    | 1.0   |
| S005723            |                          | 5.9     | 134.0   | <0.002  | 2.60    | 19.60   | 38.5    | 1       | 1.5     | 101.0   | 0.47    | 0.13    | 2.27    | 1.015   | 3.16    | 1.0   |
| S005724            |                          | 6.7     | 109.5   | <0.002  | 6.12    | 22.5    | 31.7    | 1       | 1.1     | 90.1    | 0.29    | 0.05    | 1.65    | 0.656   | 2.73    | 0.8   |
| S005725            |                          | 3.2     | 110.5   | <0.002  | 0.70    | 6.94    | 40.4    | 1       | 1.4     | 121.5   | 0.50    | <0.05   | 2.62    | 1.135   | 2.84    | 1.3   |
| S005726            |                          | 185.5   | 122.5   | <0.002  | 0.62    | 81.8    | 34.5    | 1       | 0.9     | 145.0   | 0.45    | 0.06    | 2.29    | 0.966   | 2.84    | 1.3   |
| S005726CD          |                          | 190.0   | 125.0   | <0.002  | 0.64    | 87.4    | 35.6    | 1       | 0.9     | 148.0   | 0.46    | 0.07    | 2.27    | 0.976   | 2.94    | 1.1   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S005689            |                                   | 316      | 34.8       | 23.3       | 102      | 81.1       | 19.8     | 0.9      | 98       |
| S005690            |                                   | 124      | 4.0        | 9.1        | 1820     | 46.4       | 28.9     | 0.3      | 77       |
| S005691            |                                   | 362      | 10.3       | 28.2       | 98       | 85.1       | 19.7     | 1.0      | 111      |
| S005692            |                                   | 306      | 1.7        | 26.4       | 90       | 46.2       | 20.7     | 0.8      | 84       |
| S005693            |                                   | 424      | 15.4       | 22.1       | 54       | 20.3       | 23.7     | 1.2      | 133      |
| S005694            |                                   | 356      | 11.3       | 25.8       | 73       | 34.0       | 22.4     | 1.0      | 107      |
| S005695            |                                   | 277      | 11.5       | 20.8       | 112      | 29.6       | 20.3     | 0.8      | 82       |
| S005696            |                                   | 321      | 6.5        | 23.9       | 88       | 45.5       | 22.4     | 0.9      | 101      |
| S005697            |                                   | 311      | 13.3       | 23.6       | 86       | 66.3       | 21.0     | 0.9      | 104      |
| S005698            |                                   | 303      | 37.4       | 24.2       | 65       | 36.3       | 21.0     | 0.9      | 105      |
| S005699            |                                   | 344      | 3.4        | 26.9       | 71       | 72.3       | 20.9     | 1.0      | 105      |
| S005700            |                                   | 2        | <0.1       | 0.3        | <2       | <0.5       | 0.8      | <0.1     | 33       |
| S005701            |                                   | 295      | 17.9       | 19.4       | 77       | 63.9       | 20.2     | 0.8      | 95       |
| S005702            |                                   | 346      | 6.1        | 22.6       | 155      | 23.1       | 22.9     | 0.9      | 104      |
| S005703            |                                   | 413      | 5.6        | 31.7       | 101      | 49.1       | 22.7     | 1.2      | 123      |
| S005704            |                                   | 321      | 21.4       | 23.0       | 99       | 41.9       | 20.8     | 0.9      | 103      |
| S005705            |                                   | 318      | 64.9       | 22.8       | 81       | 66.5       | 20.8     | 1.0      | 110      |
| S005706            |                                   | 182      | 187.0      | 16.7       | 109      | 11.6       | 17.6     | 0.5      | 57       |
| S005706CD          |                                   | 181      | 184.0      | 17.8       | 112      | 18.9       | 17.6     | 0.5      | 65       |
| S005707            |                                   | 271      | 142.0      | 19.8       | 90       | 45.1       | 20.7     | 0.8      | 93       |
| S005708            |                                   | 405      | 12.8       | 22.9       | 67       | 22.5       | 20.7     | 1.3      | 133      |
| S005709            |                                   | 389      | 14.7       | 23.1       | 73       | 16.9       | 20.6     | 1.1      | 121      |
| S005710            |                                   | 140      | 2.2        | 10.4       | 197      | 41.2       | 31.7     | 0.4      | 77       |
| S005711            |                                   | 277      | 5.9        | 19.9       | 93       | 19.8       | 22.9     | 0.7      | 83       |
| S005712            |                                   | 220      | 16.8       | 15.4       | 1780     | 30.8       | 22.8     | 0.7      | 88       |
| S005713            |                                   | 103      | 11.5       | 16.2       | 212      | 61.3       | 21.6     | 0.4      | 116      |
| S005714            |                                   | 211      | 20.3       | 18.9       | 732      | 69.6       | 21.3     | 0.6      | 98       |
| S005715            |                                   | 245      | 18.4       | 17.0       | 161      | 16.1       | 21.7     | 0.6      | 75       |
| S005716            |                                   | 298      | 15.2       | 20.7       | 240      | 18.9       | 21.1     | 0.9      | 97       |
| S005717            |                                   | 345      | 17.6       | 22.0       | 346      | 35.9       | 22.6     | 1.1      | 108      |
| S005718            |                                   | 294      | 4.5        | 6.2        | 188      | 29.5       | 28.6     | 1.2      | 118      |
| S005719            |                                   | 395      | 2.3        | 10.7       | 569      | 32.7       | 26.6     | 1.3      | 130      |
| S005720            |                                   | 2        | <0.1       | 0.3        | 2        | 0.5        | 1.4      | <0.1     | 41       |
| S005721            |                                   | 353      | 2.9        | 9.7        | 130      | 29.4       | 30.9     | 1.3      | 118      |
| S005722            |                                   | 476      | 13.2       | 12.2       | 16       | 39.8       | 27.0     | 1.6      | 147      |
| S005723            |                                   | 463      | 6.2        | 17.0       | 41       | 28.9       | 24.3     | 1.5      | 147      |
| S005724            |                                   | 330      | 3.5        | 15.6       | 49       | 22.6       | 26.3     | 1.1      | 110      |
| S005725            |                                   | 450      | 3.3        | 35.0       | 106      | 35.8       | 21.2     | 1.3      | 130      |
| S005726            |                                   | 386      | 15.1       | 32.8       | 229      | 34.0       | 20.2     | 1.1      | 120      |
| S005726CD          |                                   | 389      | 15.3       | 33.1       | 216      | 42.3       | 19.8     | 1.1      | 118      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2    |
| S005727            |                          | 6.22         | <0.005  | 0.26    | 7.18    | 7.2     | 1900    | 1.15    | 0.15    | 2.44    | 0.36    | 26.1    | 31.8    | 14      | 4.82    | 16.8   |
| S005728            |                          | 6.80         | <0.005  | 0.09    | 8.51    | 5.0     | 2400    | 1.45    | 0.19    | 2.40    | 0.06    | 32.0    | 24.6    | 19      | 4.50    | 13.2   |
| S005729            |                          | 7.69         | <0.005  | 0.66    | 7.37    | 103.5   | 1890    | 1.14    | 0.13    | 2.21    | 1.23    | 26.4    | 27.4    | 16      | 4.00    | 10.1   |
| S005730            |                          | 0.14         | 1.040   | 11.85   | 5.97    | 317     | 520     | 1.08    | 0.16    | 3.68    | 4.39    | 23.3    | 10.8    | 27      | 6.72    | 87.7   |
| S005731            |                          | 5.64         | <0.005  | 0.11    | 8.16    | 2.8     | 2290    | 1.27    | 0.17    | 3.15    | 0.03    | 28.1    | 31.1    | 16      | 4.65    | 11.7   |
| S005732            |                          | 7.17         | <0.005  | 0.17    | 7.17    | 1.7     | 1630    | 1.05    | 0.21    | 2.96    | 0.03    | 23.7    | 35.6    | 14      | 3.95    | 23.7   |
| S005733            |                          | 7.11         | <0.005  | 0.09    | 7.23    | 2.4     | 2180    | 1.17    | 0.16    | 3.58    | 0.03    | 22.9    | 28.6    | 16      | 3.87    | 11.0   |
| S005734            |                          | 7.27         | <0.005  | 0.08    | 7.63    | 6.9     | 2260    | 1.45    | 0.18    | 3.19    | 0.05    | 27.8    | 25.2    | 15      | 4.41    | 8.6    |
| S005735            |                          | 6.72         | <0.005  | 0.06    | 8.22    | 49.0    | 2310    | 1.48    | 0.15    | 3.42    | 0.05    | 29.3    | 24.3    | 16      | 5.38    | 7.5    |
| S005736            |                          | 7.06         | <0.005  | 0.05    | 8.25    | 6.8     | 2270    | 1.27    | 0.11    | 3.56    | 0.06    | 29.8    | 28.4    | 14      | 4.97    | 7.7    |
| S005737            |                          | 7.04         | <0.005  | 0.03    | 8.29    | 4.3     | 2990    | 1.37    | 0.04    | 3.76    | 0.06    | 25.8    | 21.6    | 14      | 4.35    | 1.9    |
| S005738            |                          | 6.96         | <0.005  | 0.02    | 8.60    | 6.8     | 3390    | 1.44    | 0.04    | 3.73    | 0.06    | 26.3    | 25.5    | 15      | 4.59    | 1.9    |
| S005739            |                          | 6.85         | <0.005  | 0.05    | 8.69    | 3.2     | 2840    | 1.52    | 0.09    | 4.51    | 0.04    | 27.2    | 20.3    | 16      | 5.09    | 4.7    |
| S005740            |                          | 1.12         | <0.005  | <0.01   | 0.06    | <0.2    | 10      | <0.05   | 0.01    | 35.8    | <0.02   | 0.39    | 0.6     | 1       | <0.05   | 0.9    |
| S005741            |                          | 7.22         | <0.005  | 0.13    | 7.97    | 426     | 2270    | 1.38    | 0.12    | 3.81    | 0.07    | 32.2    | 28.5    | 15      | 5.94    | 10.6   |
| S005742            |                          | 6.36         | <0.005  | 0.07    | 8.48    | 336     | 2870    | 1.40    | 0.07    | 3.03    | 0.10    | 32.7    | 26.5    | 18      | 5.24    | 4.3    |
| S005743            |                          | 6.86         | <0.005  | 0.11    | 8.34    | 5.9     | 3220    | 1.57    | 0.17    | 3.72    | 0.05    | 30.7    | 28.4    | 20      | 5.66    | 6.7    |
| S005744            |                          | 7.28         | <0.005  | 0.15    | 7.87    | 36.9    | 2500    | 1.26    | 0.19    | 3.56    | 0.05    | 32.1    | 36.0    | 15      | 6.09    | 10.5   |
| S005745            |                          | 7.31         | <0.005  | 0.13    | 7.31    | 2.5     | 2090    | 1.04    | 0.26    | 3.38    | 0.04    | 28.5    | 32.3    | 13      | 7.50    | 9.3    |
| S005746            |                          | 7.03         | <0.005  | 0.12    | 7.34    | 1.6     | 2390    | 1.15    | 0.18    | 4.04    | 0.04    | 26.9    | 34.9    | 13      | 5.37    | 10.5   |
| S005746CD          |                          | <0.02        | <0.005  | 0.12    | 7.24    | 1.8     | 2260    | 1.16    | 0.17    | 3.78    | 0.04    | 30.8    | 35.2    | 13      | 5.93    | 10.1   |
| S005747            |                          | 7.18         | <0.005  | 0.07    | 7.84    | 1.7     | 2850    | 1.47    | 0.08    | 3.02    | 0.03    | 29.4    | 28.5    | 14      | 9.78    | 6.1    |
| S005748            |                          | 6.97         | <0.005  | 0.05    | 8.15    | 1.8     | 2950    | 1.49    | 0.06    | 3.38    | 0.04    | 29.0    | 27.7    | 16      | 7.95    | 3.8    |
| S005749            |                          | 7.29         | <0.005  | 0.12    | 7.59    | 1.6     | 2130    | 1.23    | 0.20    | 3.87    | 0.05    | 29.0    | 29.6    | 15      | 5.06    | 10.1   |
| S005750            |                          | 0.15         | 5.74    | 82.0    | 6.24    | 309     | 350     | 1.03    | 1.19    | 2.04    | 23.4    | 27.1    | 11.5    | 24      | 8.04    | 128.0  |
| S005751            |                          | 6.75         | <0.005  | 0.28    | 7.48    | 1.5     | 1950    | 1.17    | 0.65    | 3.94    | 0.06    | 30.1    | 37.2    | 14      | 4.49    | 21.6   |
| S005752            |                          | 6.89         | <0.005  | 0.06    | 8.44    | 3.9     | 3060    | 1.40    | 0.10    | 2.76    | 0.04    | 31.2    | 28.5    | 18      | 5.00    | 4.2    |
| S005753            |                          | 7.11         | <0.005  | 0.67    | 8.35    | 28.0    | 550     | 1.58    | 0.87    | 1.57    | 0.34    | 27.1    | 44.3    | 18      | 4.46    | 26.3   |
| S005754            |                          | 6.64         | 0.006   | 1.75    | 8.15    | 240     | 390     | 1.46    | 1.05    | 2.19    | 6.11    | 27.3    | 29.8    | 15      | 5.37    | 23.8   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm   |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10      |
| S005727            |                          | 8.28    | 19.60   | 0.12    | 0.4     | 0.046   | 2.23    | 12.9    | 21.3    | 2.56    | 914     | 0.62    | 0.11    | 6.6     | 6.9     | 1720    |
| S005728            |                          | 8.38    | 21.6    | 0.12    | 2.0     | 0.072   | 2.63    | 15.9    | 25.2    | 2.55    | 925     | 5.34    | 0.12    | 7.9     | 7.1     | 1820    |
| S005729            |                          | 8.32    | 19.40   | 0.12    | 0.6     | 0.054   | 2.40    | 13.0    | 22.0    | 2.43    | 1050    | 0.81    | 0.11    | 6.2     | 7.2     | 1640    |
| S005730            |                          | 3.98    | 13.50   | 0.12    | 1.1     | 0.049   | 3.88    | 11.8    | 13.9    | 0.55    | 1400    | 9.62    | 0.21    | 4.9     | 20.5    | 930     |
| S005731            |                          | 8.01    | 21.3    | 0.12    | 1.0     | 0.046   | 2.52    | 14.2    | 22.4    | 2.55    | 894     | 2.41    | 0.25    | 7.6     | 7.2     | 1860    |
| S005732            |                          | 10.10   | 18.95   | 0.11    | 0.5     | 0.048   | 1.91    | 11.2    | 23.8    | 2.79    | 825     | 1.63    | 0.32    | 6.8     | 8.4     | 1710    |
| S005733            |                          | 8.79    | 19.65   | 0.09    | 0.4     | 0.071   | 2.14    | 11.0    | 23.9    | 2.67    | 973     | 2.20    | 0.24    | 7.1     | 6.5     | 1640    |
| S005734            |                          | 7.49    | 20.7    | 0.11    | 0.5     | 0.071   | 2.32    | 13.3    | 19.6    | 2.26    | 894     | 0.99    | 0.37    | 7.9     | 6.9     | 1630    |
| S005735            |                          | 8.20    | 20.8    | 0.11    | 1.9     | 0.083   | 2.48    | 14.4    | 18.3    | 2.43    | 1020    | 2.31    | 0.27    | 8.0     | 6.8     | 1740    |
| S005736            |                          | 8.28    | 21.3    | 0.12    | 1.3     | 0.081   | 2.25    | 14.7    | 19.6    | 2.57    | 1000    | 1.44    | 0.30    | 8.1     | 6.8     | 1810    |
| S005737            |                          | 6.55    | 22.0    | 0.12    | 0.5     | 0.063   | 2.68    | 11.7    | 22.1    | 2.13    | 917     | 0.62    | 0.46    | 9.0     | 6.9     | 2070    |
| S005738            |                          | 6.43    | 22.3    | 0.12    | 0.5     | 0.053   | 2.92    | 12.4    | 21.7    | 2.04    | 735     | 1.04    | 0.36    | 8.8     | 6.9     | 2070    |
| S005739            |                          | 7.07    | 22.0    | 0.13    | 0.4     | 0.073   | 3.18    | 13.3    | 22.9    | 2.14    | 926     | 1.21    | 0.33    | 8.8     | 7.4     | 2340    |
| S005740            |                          | 0.04    | 0.20    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 2.06    | 22      | 0.07    | <0.01   | <0.1    | 0.7     | 40      |
| S005741            |                          | 7.85    | 20.5    | 0.12    | 1.9     | 0.078   | 2.90    | 15.7    | 18.5    | 2.36    | 814     | 0.65    | 0.22    | 7.3     | 6.9     | 1850    |
| S005742            |                          | 6.87    | 22.5    | 0.13    | 0.8     | 0.059   | 3.12    | 15.6    | 19.6    | 2.26    | 746     | 0.92    | 0.28    | 8.5     | 8.3     | 1860    |
| S005743            |                          | 6.75    | 22.4    | 0.13    | 0.4     | 0.063   | 3.21    | 14.0    | 17.6    | 1.81    | 772     | 1.11    | 0.48    | 9.0     | 8.8     | 2050    |
| S005744            |                          | 8.43    | 21.0    | 0.12    | 1.0     | 0.074   | 2.97    | 15.9    | 20.9    | 2.48    | 866     | 0.85    | 0.22    | 7.7     | 7.4     | 1790    |
| S005745            |                          | 8.84    | 19.10   | 0.11    | 1.1     | 0.072   | 2.91    | 14.2    | 16.1    | 3.10    | 907     | 0.25    | 0.24    | 6.5     | 6.5     | 1700    |
| S005746            |                          | 9.40    | 19.60   | 0.12    | 0.4     | 0.082   | 2.76    | 13.1    | 25.7    | 3.13    | 1020    | 0.33    | 0.21    | 7.3     | 6.8     | 1840    |
| S005746CD          |                          | 8.80    | 19.65   | 0.12    | 2.3     | 0.083   | 2.65    | 15.2    | 26.4    | 2.98    | 961     | 0.33    | 0.19    | 7.4     | 6.9     | 1720    |
| S005747            |                          | 9.01    | 20.4    | 0.13    | 0.8     | 0.069   | 3.62    | 14.3    | 28.2    | 3.59    | 855     | 0.33    | 0.24    | 7.7     | 7.2     | 1720    |
| S005748            |                          | 8.20    | 20.9    | 0.14    | 0.4     | 0.065   | 3.64    | 13.7    | 30.3    | 3.42    | 812     | 0.36    | 0.24    | 8.1     | 7.5     | 1850    |
| S005749            |                          | 8.70    | 21.2    | 0.13    | 0.7     | 0.078   | 2.78    | 13.6    | 27.5    | 3.19    | 957     | 0.29    | 0.20    | 7.5     | 7.1     | 1670    |
| S005750            |                          | 4.84    | 13.50   | 0.14    | 1.2     | 1.435   | 3.79    | 13.8    | 13.2    | 0.49    | 1200    | 10.40   | 0.24    | 5.6     | 17.0    | 970     |
| S005751            |                          | 9.86    | 19.25   | 0.12    | 1.4     | 0.074   | 2.68    | 14.7    | 21.0    | 2.68    | 1060    | 0.74    | 0.16    | 6.7     | 7.6     | 1510    |
| S005752            |                          | 6.33    | 23.4    | 0.15    | 0.4     | 0.070   | 3.60    | 14.3    | 18.4    | 1.97    | 825     | 1.63    | 0.28    | 9.4     | 7.9     | 1860    |
| S005753            |                          | 10.00   | 22.8    | 0.15    | 0.3     | 0.078   | 4.07    | 11.5    | 7.7     | 1.45    | 703     | 1.42    | 0.16    | 7.7     | 9.3     | 1850    |
| S005754            |                          | 9.95    | 18.50   | 0.13    | 0.4     | 0.060   | 3.92    | 12.8    | 7.7     | 1.38    | 738     | 2.05    | 0.17    | 4.9     | 7.2     | 1640    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005727            |                          | 24.3    | 97.3    | <0.002  | 0.98    | 5.47    | 30.9    | 1       | 0.6     | 101.5   | 0.39    | 0.19    | 2.01    | 0.832   | 2.52    | 1.0   |
| S005728            |                          | 1.9     | 107.5   | 0.002   | 0.72    | 2.86    | 38.3    | 1       | 0.9     | 119.5   | 0.47    | 0.12    | 2.62    | 1.000   | 2.76    | 1.2   |
| S005729            |                          | 66.0    | 91.0    | <0.002  | 0.66    | 33.0    | 30.4    | 1       | 0.7     | 132.0   | 0.35    | 0.05    | 1.97    | 0.812   | 2.15    | 0.8   |
| S005730            |                          | 143.0   | 162.5   | 0.012   | 2.86    | 18.40   | 11.0    | 3       | 1.5     | 192.0   | 0.28    | 0.31    | 2.97    | 0.255   | 3.07    | 1.6   |
| S005731            |                          | 1.7     | 104.5   | <0.002  | 0.69    | 1.33    | 34.5    | 1       | 0.6     | 183.5   | 0.43    | 0.11    | 2.25    | 0.994   | 2.97    | 1.0   |
| S005732            |                          | 1.9     | 72.9    | <0.002  | 1.53    | 1.23    | 30.5    | 1       | 0.5     | 243     | 0.39    | 0.21    | 1.85    | 0.868   | 2.45    | 0.9   |
| S005733            |                          | 1.9     | 62.4    | <0.002  | 0.80    | 1.33    | 30.0    | 1       | 0.7     | 203     | 0.42    | 0.09    | 1.75    | 0.926   | 2.86    | 1.0   |
| S005734            |                          | 2.9     | 87.1    | <0.002  | 0.63    | 2.51    | 32.8    | 1       | 0.7     | 238     | 0.45    | 0.06    | 2.15    | 0.975   | 2.96    | 1.0   |
| S005735            |                          | 2.4     | 111.5   | 0.002   | 0.51    | 2.28    | 35.2    | 1       | 0.8     | 232     | 0.47    | <0.05   | 2.48    | 1.030   | 3.07    | 1.4   |
| S005736            |                          | 2.3     | 94.5    | <0.002  | 0.47    | 2.65    | 35.9    | 1       | 0.9     | 259     | 0.48    | <0.05   | 2.51    | 1.030   | 2.65    | 1.3   |
| S005737            |                          | 2.5     | 70.5    | <0.002  | 0.11    | 1.98    | 34.1    | 1       | 0.8     | 299     | 0.49    | <0.05   | 1.94    | 1.140   | 3.08    | 0.9   |
| S005738            |                          | 2.3     | 91.7    | <0.002  | 0.15    | 1.75    | 36.1    | 1       | 0.7     | 266     | 0.50    | <0.05   | 2.10    | 1.125   | 3.15    | 0.9   |
| S005739            |                          | 2.5     | 117.0   | 0.002   | 0.41    | 1.21    | 37.3    | 1       | 0.8     | 299     | 0.50    | 0.11    | 2.09    | 1.115   | 3.68    | 1.0   |
| S005740            |                          | <0.5    | 0.4     | <0.002  | 0.06    | 0.09    | 0.2     | 1       | <0.2    | 4740    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.2   |
| S005741            |                          | 2.6     | 152.5   | <0.002  | 0.86    | 3.38    | 34.6    | 1       | 0.7     | 241     | 0.46    | 0.21    | 2.57    | 0.933   | 3.48    | 1.2   |
| S005742            |                          | 2.9     | 123.5   | <0.002  | 0.30    | 3.42    | 35.5    | <1      | 0.7     | 217     | 0.52    | 0.05    | 2.35    | 1.065   | 3.37    | 1.1   |
| S005743            |                          | 3.0     | 98.8    | <0.002  | 0.76    | 1.63    | 35.8    | 1       | 0.7     | 305     | 0.54    | 0.23    | 2.18    | 1.090   | 3.72    | 1.0   |
| S005744            |                          | 2.1     | 134.0   | <0.002  | 1.04    | 2.57    | 34.9    | 1       | 0.7     | 258     | 0.49    | 0.30    | 2.32    | 0.942   | 3.40    | 1.1   |
| S005745            |                          | 1.6     | 150.5   | <0.002  | 0.95    | 1.92    | 30.7    | 1       | 0.7     | 267     | 0.40    | 0.35    | 2.19    | 0.838   | 3.58    | 1.0   |
| S005746            |                          | 1.8     | 97.2    | <0.002  | 0.92    | 0.96    | 31.7    | 1       | 0.8     | 330     | 0.44    | 0.17    | 1.86    | 0.927   | 3.38    | 0.8   |
| S005746CD          |                          | 1.7     | 137.5   | <0.002  | 0.86    | 0.94    | 33.5    | 1       | 0.8     | 310     | 0.43    | 0.15    | 2.34    | 0.873   | 3.33    | 1.0   |
| S005747            |                          | 1.7     | 161.0   | <0.002  | 0.54    | 0.84    | 33.0    | 1       | 0.7     | 329     | 0.47    | 0.08    | 2.05    | 0.979   | 4.96    | 0.8   |
| S005748            |                          | 1.8     | 140.5   | <0.002  | 0.35    | 0.85    | 33.5    | <1      | 0.7     | 339     | 0.50    | 0.05    | 2.05    | 1.030   | 4.78    | 0.8   |
| S005749            |                          | 2.2     | 116.0   | <0.002  | 0.84    | 0.92    | 34.0    | 1       | 0.8     | 322     | 0.47    | 0.18    | 2.05    | 0.922   | 3.55    | 0.9   |
| S005750            |                          | 8790    | 159.0   | 0.004   | 3.08    | 76.3    | 12.4    | 3       | 4.2     | 146.0   | 0.35    | 0.30    | 3.74    | 0.251   | 3.17    | 1.9   |
| S005751            |                          | 5.7     | 132.0   | <0.002  | 1.64    | 1.46    | 32.4    | 1       | 0.6     | 249     | 0.42    | 0.24    | 2.30    | 0.841   | 3.02    | 1.1   |
| S005752            |                          | 1.9     | 116.0   | 0.002   | 0.38    | 2.76    | 38.4    | 1       | 0.9     | 254     | 0.55    | 0.08    | 2.10    | 1.105   | 3.88    | 0.8   |
| S005753            |                          | 13.4    | 121.0   | <0.002  | 3.01    | 17.40   | 38.0    | 2       | 1.2     | 186.5   | 0.48    | 0.32    | 1.92    | 0.939   | 3.67    | 0.9   |
| S005754            |                          | 53.1    | 154.5   | <0.002  | 3.18    | 27.0    | 31.8    | 1       | 0.9     | 139.0   | 0.30    | 0.26    | 2.05    | 0.688   | 3.71    | 0.8   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| Sample Description | Method Analyte Units LOD | ME-MS61    | ME-MS61      | ME-MS61      | ME-MS61     | ME-MS61       | pXRF-34     | pXRF-34     | pXRF-34     |
|--------------------|--------------------------|------------|--------------|--------------|-------------|---------------|-------------|-------------|-------------|
|                    |                          | V ppm<br>1 | W ppm<br>0.1 | Y ppm<br>0.1 | Zn ppm<br>2 | Zr ppm<br>0.5 | Si %<br>0.5 | Ti %<br>0.1 | Zr ppm<br>5 |
| S005727            |                          | 340        | 4.2          | 26.7         | 75          | 18.3          | 21.8        | 0.9         | 101         |
| S005728            |                          | 401        | 5.3          | 32.6         | 81          | 63.4          | 20.7        | 1.1         | 124         |
| S005729            |                          | 353        | 8.9          | 37.2         | 134         | 19.3          | 21.5        | 0.9         | 105         |
| S005730            |                          | 107        | 5.2          | 8.7          | 487         | 38.1          | 27.4        | 0.3         | 82          |
| S005731            |                          | 386        | 3.8          | 34.4         | 58          | 42.9          | 21.0        | 1.1         | 120         |
| S005732            |                          | 350        | 8.6          | 28.8         | 65          | 18.1          | 21.2        | 1.0         | 109         |
| S005733            |                          | 364        | 5.2          | 30.0         | 72          | 25.7          | 20.0        | 1.0         | 111         |
| S005734            |                          | 370        | 3.0          | 35.0         | 65          | 19.8          | 21.4        | 1.0         | 111         |
| S005735            |                          | 391        | 15.1         | 37.5         | 73          | 84.4          | 20.2        | 1.1         | 120         |
| S005736            |                          | 398        | 3.4          | 37.9         | 69          | 55.2          | 20.1        | 1.0         | 116         |
| S005737            |                          | 436        | 2.8          | 33.9         | 49          | 18.1          | 20.7        | 1.2         | 134         |
| S005738            |                          | 438        | 2.2          | 33.6         | 54          | 18.5          | 20.7        | 1.2         | 130         |
| S005739            |                          | 435        | 2.4          | 27.5         | 75          | 15.4          | 19.8        | 1.2         | 124         |
| S005740            |                          | 2          | <0.1         | 0.4          | <2          | 0.6           | 1.0         | 0.1         | 37          |
| S005741            |                          | 378        | 3.7          | 27.1         | 77          | 140.0         | 20.1        | 1.1         | 120         |
| S005742            |                          | 418        | 2.9          | 32.6         | 62          | 29.4          | 20.7        | 1.3         | 122         |
| S005743            |                          | 430        | 5.8          | 30.1         | 63          | 15.1          | 20.3        | 1.3         | 145         |
| S005744            |                          | 377        | 8.2          | 27.0         | 73          | 33.1          | 19.8        | 1.2         | 118         |
| S005745            |                          | 352        | 6.8          | 27.6         | 89          | 48.5          | 19.4        | 1.0         | 102         |
| S005746            |                          | 366        | 2.4          | 21.8         | 85          | 11.0          | 17.8        | 1.1         | 109         |
| S005746CD          |                          | 343        | 2.4          | 27.1         | 78          | 36.4          | 19.1        | 1.1         | 118         |
| S005747            |                          | 374        | 1.8          | 20.8         | 82          | 11.8          | 19.7        | 1.1         | 122         |
| S005748            |                          | 399        | 1.9          | 20.7         | 82          | 14.5          | 19.6        | 1.2         | 116         |
| S005749            |                          | 375        | 2.5          | 24.2         | 86          | 11.6          | 19.9        | 1.0         | 116         |
| S005750            |                          | 127        | 4.0          | 9.5          | 1900        | 43.4          | 28.6        | 0.4         | 79          |
| S005751            |                          | 351        | 6.1          | 28.3         | 76          | 20.6          | 19.8        | 1.1         | 105         |
| S005752            |                          | 428        | 3.7          | 23.1         | 61          | 13.6          | 21.8        | 1.4         | 132         |
| S005753            |                          | 433        | 7.1          | 24.5         | 47          | 13.4          | 20.6        | 1.3         | 126         |
| S005754            |                          | 377        | 8.4          | 22.4         | 386         | 15.8          | 22.2        | 1.2         | 106         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180053**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19180072**

Project: Bowser Regional Project  
 P.O. No.: BOW-0707  
 This report is for 49 Drill Core samples submitted to our lab in Terrace, BC, Canada on 23-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005561            |         | 6.86      | 0.014   | 0.11    | 7.02    | 220     | 730     | 0.99    | 0.11    | 2.54    | 0.17    | 25.6    | 27.4    | 5       | 9.23    | 11.3    |
| S005562            |         | 5.64      | <0.005  | 0.05    | 7.09    | 2.3     | 680     | 0.96    | 0.09    | 2.12    | 0.14    | 23.9    | 24.3    | 4       | 8.65    | 7.9     |
| S005563            |         | 6.21      | <0.005  | 0.04    | 7.24    | 1.3     | 680     | 1.04    | 0.07    | 1.94    | 0.15    | 24.6    | 28.7    | 4       | 12.45   | 6.0     |
| S005564            |         | 7.34      | 0.007   | 0.03    | 7.01    | 1.6     | 690     | 1.04    | 0.08    | 2.32    | 0.17    | 24.0    | 27.3    | 5       | 8.37    | 6.1     |
| S005565            |         | 6.94      | <0.005  | 0.22    | 5.80    | 23.0    | 530     | 1.60    | 0.25    | 6.28    | 0.18    | 25.9    | 20.6    | 6       | 4.21    | 74.1    |
| S005566            |         | 6.37      | <0.005  | 0.16    | 6.95    | 1.1     | 1050    | 1.49    | 0.23    | 3.13    | 0.13    | 27.1    | 27.1    | 6       | 6.53    | 41.4    |
| S005566CD          |         | <0.02     | 0.006   | 0.15    | 6.97    | 1.6     | 1050    | 1.44    | 0.21    | 3.13    | 0.12    | 26.3    | 26.7    | 5       | 6.46    | 43.0    |
| S005567            |         | 6.28      | <0.005  | 0.16    | 7.21    | 4.0     | 1250    | 1.23    | 0.18    | 2.00    | 0.13    | 26.2    | 28.0    | 5       | 7.88    | 32.9    |
| S005568            |         | 6.77      | <0.005  | 0.24    | 6.57    | 4.8     | 950     | 0.97    | 0.21    | 2.92    | 0.15    | 24.0    | 29.1    | 6       | 5.58    | 75.6    |
| S005569            |         | 7.10      | 0.008   | 0.43    | 6.44    | 336     | 660     | 1.18    | 0.21    | 3.92    | 0.20    | 23.0    | 27.2    | 5       | 4.13    | 103.5   |
| S005570            |         | 0.14      | 1.035   | 11.10   | 5.89    | 291     | 290     | 0.91    | 0.16    | 3.34    | 4.13    | 23.6    | 9.6     | 24      | 6.38    | 78.8    |
| S005571            |         | 6.93      | <0.005  | 0.16    | 7.19    | 2.0     | 1140    | 1.08    | 0.17    | 2.62    | 0.16    | 22.6    | 27.1    | 5       | 5.91    | 18.9    |
| S005572            |         | 6.51      | 0.006   | 0.11    | 7.06    | 1.4     | 1120    | 1.09    | 0.17    | 2.50    | 0.27    | 22.6    | 26.0    | 5       | 6.27    | 15.2    |
| S005573            |         | 7.11      | <0.005  | 0.16    | 6.64    | 12.7    | 1030    | 1.12    | 0.17    | 3.03    | 0.30    | 21.3    | 26.8    | 5       | 4.79    | 23.7    |
| S005574            |         | 6.32      | 0.020   | 0.15    | 6.98    | 50.7    | 1170    | 1.04    | 0.20    | 2.08    | 0.15    | 25.4    | 25.7    | 4       | 7.00    | 19.4    |
| S005575            |         | 6.69      | 0.007   | 0.29    | 7.01    | 4.2     | 1670    | 1.14    | 0.26    | 3.66    | 0.22    | 24.7    | 26.6    | 5       | 4.00    | 65.4    |
| S005576            |         | 7.20      | 0.047   | 0.23    | 6.85    | 188.0   | 1060    | 1.07    | 0.25    | 2.40    | 0.11    | 24.4    | 25.3    | 5       | 6.13    | 31.8    |
| S005577            |         | 6.30      | <0.005  | 0.11    | 6.08    | 0.7     | 640     | 0.98    | 0.11    | 3.22    | 0.26    | 21.6    | 21.3    | 11      | 4.76    | 10.5    |
| S005578            |         | 6.63      | 0.007   | 0.05    | 7.00    | 1.2     | 1280    | 1.11    | 0.08    | 1.90    | 0.16    | 24.5    | 25.9    | 7       | 9.14    | 6.1     |
| S005579            |         | 7.01      | <0.005  | 0.10    | 7.38    | 1.4     | 1430    | 1.14    | 0.12    | 1.51    | 0.09    | 23.8    | 28.3    | 5       | 9.73    | 7.8     |
| S005580            |         | 0.93      | <0.005  | 0.01    | 0.07    | 0.2     | 10      | <0.05   | 0.01    | 34.3    | <0.02   | 0.36    | 0.3     | 1       | <0.05   | 1.8     |
| S005581            |         | 7.00      | 0.009   | 0.28    | 6.94    | 8.2     | 950     | 1.11    | 0.19    | 3.79    | 0.19    | 24.9    | 26.5    | 5       | 3.88    | 51.6    |
| S005582            |         | 6.85      | <0.005  | 0.24    | 6.93    | 4.8     | 730     | 0.97    | 0.20    | 4.42    | 0.18    | 24.3    | 23.9    | 5       | 1.87    | 45.3    |
| S005583            |         | 6.59      | 0.069   | 0.22    | 6.95    | 151.0   | 1400    | 1.01    | 0.17    | 4.27    | 0.21    | 24.5    | 25.8    | 5       | 2.26    | 17.6    |
| S005584            |         | 6.64      | 0.009   | 0.16    | 6.84    | 65.8    | 1140    | 0.99    | 0.13    | 2.96    | 0.13    | 23.4    | 28.3    | 6       | 5.05    | 29.5    |
| S005585            |         | 6.63      | <0.005  | 0.22    | 6.75    | 6.2     | 1330    | 1.01    | 0.16    | 4.50    | 0.23    | 23.7    | 24.6    | 5       | 3.48    | 57.7    |
| S005586            |         | 6.96      | <0.005  | 0.24    | 5.74    | 1.8     | 1040    | 1.11    | 0.13    | 7.86    | 0.28    | 20.2    | 20.6    | 4       | 0.77    | 63.3    |
| S005586CD          |         | <0.02     | 0.008   | 0.25    | 5.74    | 1.4     | 1270    | 1.11    | 0.12    | 7.89    | 0.28    | 19.30   | 20.7    | 4       | 0.76    | 58.6    |
| S005587            |         | 6.80      | <0.005  | 0.26    | 6.81    | 10.8    | 920     | 1.00    | 0.19    | 5.85    | 0.35    | 23.8    | 26.3    | 5       | 1.82    | 41.3    |
| S005588            |         | 6.55      | 0.006   | 0.09    | 7.23    | 57.3    | 960     | 1.12    | 0.13    | 3.97    | 0.24    | 24.9    | 26.9    | 4       | 5.52    | 8.7     |
| S005589            |         | 7.08      | 0.008   | 0.04    | 7.06    | 1.8     | 950     | 1.02    | 0.07    | 3.19    | 0.21    | 23.9    | 26.0    | 5       | 5.50    | 2.3     |
| S005590            |         | 0.14      | 5.56    | 77.7    | 6.11    | 284     | 340     | 0.97    | 1.15    | 1.89    | 21.2    | 25.5    | 10.0    | 22      | 7.04    | 111.5   |
| S005591            |         | 6.80      | <0.005  | 0.06    | 7.10    | 1.3     | 1110    | 1.06    | 0.08    | 1.54    | 0.18    | 24.3    | 27.0    | 5       | 9.69    | 3.9     |
| S005592            |         | 6.86      | 0.008   | 0.08    | 7.23    | 1.4     | 1190    | 1.02    | 0.13    | 1.56    | 0.09    | 24.1    | 27.5    | 4       | 10.75   | 7.5     |
| S005593            |         | 6.47      | <0.005  | 0.23    | 6.90    | 0.8     | 1220    | 1.05    | 0.27    | 3.07    | 0.09    | 24.0    | 24.4    | 5       | 6.94    | 39.0    |
| S005594            |         | 6.07      | 0.011   | 0.52    | 6.43    | 356     | 950     | 1.04    | 0.16    | 2.73    | 0.13    | 22.6    | 25.2    | 4       | 7.85    | 40.2    |
| S005595            |         | 6.82      | 0.008   | 0.15    | 6.90    | 2.5     | 1100    | 0.99    | 0.18    | 1.69    | 0.14    | 21.4    | 27.5    | 4       | 10.85   | 12.5    |
| S005596            |         | 6.29      | <0.005  | 0.09    | 7.13    | 1.3     | 1140    | 1.07    | 0.15    | 1.61    | 0.13    | 23.8    | 27.5    | 5       | 10.15   | 9.8     |
| S005597            |         | 6.39      | <0.005  | 0.11    | 6.90    | 1.8     | 1200    | 1.03    | 0.10    | 2.10    | 0.15    | 22.6    | 25.3    | 5       | 7.85    | 17.4    |
| S005598            |         | 6.47      | 0.007   | 0.05    | 6.86    | 1.0     | 1330    | 1.13    | 0.05    | 2.02    | 0.16    | 22.3    | 25.2    | 5       | 9.35    | 3.3     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S005561            |                          | 8.52    | 19.00   | 0.09    | 0.7     | 0.096   | 1.91    | 12.7    | 14.0    | 2.45    | 1320    | 3.29    | 2.78    | 6.8     | 2.3     | 1530  |
| S005562            |                          | 8.36    | 17.25   | 0.07    | 0.9     | 0.078   | 2.15    | 11.7    | 15.1    | 2.49    | 1300    | 2.96    | 2.86    | 6.1     | 2.0     | 1480  |
| S005563            |                          | 8.91    | 20.2    | 0.09    | 0.9     | 0.075   | 2.50    | 11.6    | 17.5    | 2.59    | 1300    | 1.84    | 3.03    | 7.3     | 2.4     | 1660  |
| S005564            |                          | 8.89    | 18.75   | 0.09    | 0.9     | 0.088   | 2.21    | 11.5    | 18.3    | 2.62    | 1330    | 4.77    | 2.86    | 6.7     | 2.1     | 1620  |
| S005565            |                          | 7.78    | 14.95   | 0.07    | 1.8     | 0.125   | 1.45    | 13.0    | 12.1    | 1.85    | 1660    | 3.04    | 2.26    | 6.1     | 3.0     | 1600  |
| S005566            |                          | 8.03    | 18.05   | 0.10    | 1.9     | 0.112   | 2.37    | 13.3    | 16.2    | 2.13    | 1420    | 2.24    | 2.65    | 6.9     | 2.8     | 1600  |
| S005566CD          |                          | 8.09    | 17.60   | 0.09    | 1.1     | 0.101   | 2.37    | 13.2    | 16.0    | 2.15    | 1430    | 2.70    | 2.66    | 6.7     | 2.6     | 1610  |
| S005567            |                          | 8.94    | 18.95   | 0.09    | 0.8     | 0.091   | 2.96    | 12.9    | 17.7    | 2.42    | 1340    | 7.76    | 2.46    | 6.6     | 2.2     | 1580  |
| S005568            |                          | 8.24    | 16.40   | 0.09    | 0.9     | 0.081   | 2.21    | 12.0    | 15.4    | 2.09    | 1280    | 20.6    | 2.37    | 6.1     | 2.4     | 1440  |
| S005569            |                          | 8.09    | 16.40   | 0.07    | 1.0     | 0.109   | 1.95    | 11.5    | 16.5    | 2.12    | 1570    | 51.4    | 2.34    | 6.1     | 2.0     | 1460  |
| S005570            |                          | 3.67    | 12.10   | 0.08    | 1.0     | 0.047   | 3.65    | 12.0    | 10.8    | 0.52    | 1280    | 8.88    | 0.20    | 4.5     | 18.6    | 910   |
| S005571            |                          | 8.91    | 19.90   | 0.09    | 0.9     | 0.092   | 2.38    | 10.7    | 20.0    | 2.49    | 1640    | 2.82    | 2.81    | 6.9     | 4.0     | 1630  |
| S005572            |                          | 8.87    | 20.0    | 0.10    | 1.0     | 0.093   | 2.36    | 10.5    | 18.7    | 2.46    | 1500    | 2.49    | 2.88    | 7.0     | 2.6     | 1620  |
| S005573            |                          | 8.67    | 18.85   | 0.08    | 1.1     | 0.095   | 1.89    | 10.6    | 18.3    | 2.30    | 1520    | 7.97    | 2.82    | 6.7     | 2.3     | 1540  |
| S005574            |                          | 8.27    | 18.65   | 0.08    | 0.9     | 0.072   | 2.54    | 12.3    | 21.7    | 2.15    | 1300    | 1.59    | 2.68    | 6.7     | 2.1     | 1550  |
| S005575            |                          | 9.06    | 20.0    | 0.10    | 1.3     | 0.103   | 2.12    | 12.2    | 23.7    | 2.45    | 1700    | 26.6    | 2.77    | 6.9     | 2.4     | 1660  |
| S005576            |                          | 8.04    | 18.40   | 0.09    | 1.3     | 0.079   | 2.24    | 12.3    | 18.5    | 2.02    | 1170    | 20.2    | 2.67    | 6.6     | 2.2     | 1500  |
| S005577            |                          | 7.39    | 14.85   | 0.08    | 0.9     | 0.093   | 1.14    | 10.6    | 11.0    | 1.82    | 1560    | 3.63    | 2.78    | 5.8     | 1.9     | 1310  |
| S005578            |                          | 8.67    | 18.75   | 0.09    | 0.8     | 0.078   | 2.50    | 12.2    | 17.7    | 2.15    | 1520    | 1.32    | 2.95    | 6.8     | 2.5     | 1590  |
| S005579            |                          | 9.12    | 20.1    | 0.07    | 0.7     | 0.085   | 3.00    | 11.3    | 21.4    | 2.25    | 1520    | 1.49    | 2.98    | 7.0     | 2.4     | 1670  |
| S005580            |                          | 0.06    | 0.19    | 0.06    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.84    | 23      | 0.05    | 0.01    | <0.1    | <0.2    | 40    |
| S005581            |                          | 8.42    | 19.15   | 0.08    | 1.0     | 0.098   | 2.15    | 12.3    | 24.8    | 2.16    | 1640    | 32.1    | 2.71    | 6.7     | 2.1     | 1550  |
| S005582            |                          | 8.27    | 18.15   | 0.08    | 1.1     | 0.109   | 1.67    | 11.9    | 19.5    | 2.22    | 1830    | 17.40   | 2.85    | 6.5     | 2.0     | 1560  |
| S005583            |                          | 8.59    | 18.80   | 0.09    | 1.3     | 0.097   | 1.44    | 12.2    | 17.8    | 2.28    | 1860    | 2.40    | 2.90    | 6.9     | 2.3     | 1600  |
| S005584            |                          | 9.17    | 19.10   | 0.09    | 1.0     | 0.092   | 2.01    | 11.7    | 18.1    | 2.30    | 1760    | 3.93    | 2.78    | 6.7     | 2.3     | 1590  |
| S005585            |                          | 7.90    | 17.15   | 0.08    | 1.3     | 0.089   | 1.51    | 11.7    | 21.1    | 2.00    | 1760    | 13.30   | 2.91    | 6.5     | 2.0     | 1540  |
| S005586            |                          | 7.26    | 13.65   | 0.08    | 1.4     | 0.137   | 1.39    | 10.0    | 9.7     | 1.95    | 2390    | 10.95   | 2.32    | 5.4     | 1.8     | 1340  |
| S005586CD          |                          | 7.29    | 13.50   | 0.06    | 1.4     | 0.140   | 1.40    | 9.8     | 9.4     | 1.96    | 2400    | 11.10   | 2.31    | 5.3     | 1.8     | 1330  |
| S005587            |                          | 7.94    | 17.85   | 0.07    | 1.3     | 0.105   | 0.92    | 12.0    | 21.9    | 2.05    | 2000    | 16.60   | 3.17    | 6.4     | 2.2     | 1540  |
| S005588            |                          | 9.23    | 19.80   | 0.08    | 1.3     | 0.109   | 1.48    | 12.4    | 13.9    | 2.47    | 1730    | 0.70    | 3.13    | 7.1     | 2.5     | 1700  |
| S005589            |                          | 8.87    | 19.35   | 0.08    | 1.1     | 0.093   | 1.54    | 11.3    | 15.3    | 2.36    | 1740    | 0.66    | 3.34    | 7.0     | 2.4     | 1660  |
| S005590            |                          | 4.54    | 12.75   | 0.08    | 1.3     | 1.335   | 3.53    | 13.3    | 12.3    | 0.46    | 1130    | 9.55    | 0.22    | 5.3     | 14.9    | 970   |
| S005591            |                          | 8.58    | 18.70   | 0.09    | 0.9     | 0.076   | 2.56    | 11.7    | 16.8    | 2.28    | 1400    | 0.90    | 3.14    | 7.1     | 2.2     | 1610  |
| S005592            |                          | 9.26    | 20.6    | 0.09    | 0.8     | 0.078   | 3.09    | 11.6    | 22.1    | 2.48    | 1320    | 0.97    | 2.76    | 7.2     | 2.1     | 1670  |
| S005593            |                          | 8.09    | 18.10   | 0.08    | 0.9     | 0.082   | 2.30    | 11.6    | 19.8    | 2.12    | 1330    | 22.2    | 2.75    | 6.6     | 1.9     | 1560  |
| S005594            |                          | 7.77    | 17.35   | 0.07    | 0.9     | 0.081   | 2.16    | 11.4    | 17.7    | 1.93    | 1380    | 6.63    | 2.61    | 6.1     | 1.8     | 1440  |
| S005595            |                          | 8.76    | 20.1    | 0.08    | 0.8     | 0.075   | 2.71    | 9.6     | 19.5    | 2.29    | 1240    | 1.14    | 3.04    | 7.2     | 2.2     | 1620  |
| S005596            |                          | 8.81    | 19.45   | 0.08    | 0.8     | 0.085   | 2.73    | 11.5    | 17.2    | 2.30    | 1320    | 1.02    | 3.03    | 7.0     | 2.1     | 1630  |
| S005597            |                          | 8.28    | 18.45   | 0.08    | 0.9     | 0.081   | 2.42    | 10.4    | 17.8    | 2.17    | 1570    | 6.96    | 3.13    | 7.0     | 2.1     | 1570  |
| S005598            |                          | 8.69    | 19.10   | 0.09    | 0.9     | 0.082   | 2.50    | 10.2    | 17.7    | 2.37    | 1480    | 1.33    | 3.11    | 7.1     | 2.1     | 1610  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005561            |                          | 3.9     | 88.3    | 0.002   | 0.55    | 1.16    | 32.6    | 1       | 1.0     | 184.0   | 0.38    | 0.12    | 1.99    | 0.818   | 1.01    | 0.8   |
| S005562            |                          | 2.9     | 94.0    | <0.002  | 0.39    | 0.20    | 29.0    | <1      | 0.7     | 160.0   | 0.36    | 0.06    | 1.97    | 0.807   | 1.16    | 0.8   |
| S005563            |                          | 2.7     | 87.4    | <0.002  | 0.24    | 0.20    | 33.3    | 1       | 0.8     | 155.5   | 0.44    | 0.07    | 1.85    | 0.896   | 1.33    | 0.8   |
| S005564            |                          | 2.5     | 81.8    | <0.002  | 0.24    | 0.27    | 31.7    | <1      | 0.9     | 152.5   | 0.40    | 0.05    | 1.85    | 0.862   | 1.21    | 0.9   |
| S005565            |                          | 3.7     | 77.3    | 0.002   | 1.28    | 1.57    | 25.6    | 1       | 1.1     | 270     | 0.34    | 0.19    | 2.01    | 0.714   | 0.91    | 1.6   |
| S005566            |                          | 3.7     | 154.0   | <0.002  | 0.98    | 0.28    | 31.3    | 1       | 1.1     | 258     | 0.42    | 0.16    | 2.17    | 0.813   | 1.80    | 1.3   |
| S005566CD          |                          | 3.6     | 150.5   | <0.002  | 1.00    | 0.26    | 30.9    | 1       | 1.0     | 258     | 0.40    | 0.18    | 2.04    | 0.820   | 1.80    | 1.1   |
| S005567            |                          | 3.0     | 187.5   | 0.002   | 0.86    | 0.19    | 32.1    | 1       | 0.9     | 219     | 0.37    | 0.14    | 2.06    | 0.832   | 2.28    | 0.9   |
| S005568            |                          | 4.0     | 155.0   | 0.004   | 1.38    | 1.15    | 29.5    | 1       | 1.0     | 309     | 0.36    | 0.30    | 1.83    | 0.768   | 1.78    | 1.0   |
| S005569            |                          | 7.3     | 131.5   | 0.004   | 1.71    | 3.16    | 29.7    | 1       | 1.2     | 321     | 0.36    | 0.24    | 1.82    | 0.768   | 1.40    | 1.0   |
| S005570            |                          | 144.0   | 161.0   | 0.008   | 2.67    | 16.95   | 10.7    | 2       | 1.3     | 176.5   | 0.27    | 0.31    | 2.97    | 0.228   | 3.09    | 1.6   |
| S005571            |                          | 5.2     | 118.0   | <0.002  | 0.77    | 0.55    | 32.9    | 1       | 1.0     | 239     | 0.40    | 0.14    | 1.78    | 0.870   | 1.69    | 0.9   |
| S005572            |                          | 3.7     | 115.0   | <0.002  | 0.74    | 0.41    | 33.1    | 1       | 1.1     | 229     | 0.41    | 0.13    | 1.75    | 0.853   | 1.81    | 0.9   |
| S005573            |                          | 4.0     | 88.4    | 0.003   | 1.13    | 0.57    | 30.4    | 1       | 1.4     | 274     | 0.39    | 0.19    | 1.65    | 0.806   | 1.40    | 0.9   |
| S005574            |                          | 3.2     | 176.0   | 0.002   | 0.85    | 0.35    | 33.8    | 1       | 0.9     | 238     | 0.42    | 0.15    | 2.08    | 0.837   | 2.14    | 0.9   |
| S005575            |                          | 4.8     | 111.0   | <0.002  | 1.60    | 0.45    | 33.0    | 1       | 1.4     | 302     | 0.43    | 0.23    | 2.02    | 0.854   | 1.39    | 1.1   |
| S005576            |                          | 3.7     | 158.5   | <0.002  | 1.25    | 0.50    | 32.3    | 1       | 1.2     | 279     | 0.37    | 0.25    | 1.97    | 0.801   | 1.78    | 0.9   |
| S005577            |                          | 3.1     | 64.8    | <0.002  | 0.64    | 0.26    | 29.0    | <1      | 1.5     | 302     | 0.34    | 0.12    | 1.76    | 0.695   | 0.79    | 0.9   |
| S005578            |                          | 2.6     | 122.0   | <0.002  | 0.39    | 0.24    | 33.2    | 1       | 0.9     | 234     | 0.41    | 0.08    | 1.97    | 0.829   | 1.73    | 0.8   |
| S005579            |                          | 2.6     | 138.0   | <0.002  | 0.51    | 0.31    | 34.8    | 1       | 0.8     | 226     | 0.43    | 0.12    | 1.90    | 0.891   | 2.11    | 0.8   |
| S005580            |                          | <0.5    | 0.6     | <0.002  | 0.05    | 0.09    | 0.2     | <1      | <0.2    | 4390    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.2   |
| S005581            |                          | 6.8     | 115.5   | 0.002   | 1.69    | 0.60    | 33.0    | 1       | 1.5     | 327     | 0.39    | 0.17    | 1.94    | 0.817   | 1.08    | 1.0   |
| S005582            |                          | 6.1     | 72.2    | 0.002   | 1.85    | 0.63    | 31.7    | 1       | 1.4     | 308     | 0.40    | 0.26    | 1.93    | 0.827   | 0.71    | 1.0   |
| S005583            |                          | 5.9     | 65.6    | <0.002  | 1.02    | 0.73    | 33.1    | <1      | 1.3     | 278     | 0.41    | 0.19    | 2.09    | 0.845   | 0.72    | 1.0   |
| S005584            |                          | 3.4     | 115.5   | <0.002  | 0.87    | 1.24    | 32.4    | 1       | 1.1     | 210     | 0.40    | 0.17    | 1.88    | 0.849   | 1.43    | 0.9   |
| S005585            |                          | 4.9     | 79.3    | <0.002  | 1.23    | 0.78    | 31.4    | 1       | 1.2     | 299     | 0.39    | 0.14    | 1.92    | 0.808   | 0.81    | 1.0   |
| S005586            |                          | 6.3     | 43.4    | 0.003   | 1.47    | 0.50    | 26.4    | 1       | 1.3     | 466     | 0.32    | 0.15    | 1.73    | 0.666   | 0.40    | 1.1   |
| S005586CD          |                          | 6.2     | 41.9    | <0.002  | 1.45    | 0.50    | 26.1    | 1       | 1.3     | 468     | 0.33    | 0.16    | 1.71    | 0.685   | 0.38    | 1.0   |
| S005587            |                          | 5.4     | 38.3    | 0.002   | 1.33    | 0.76    | 32.0    | 1       | 1.4     | 401     | 0.39    | 0.14    | 2.01    | 0.795   | 0.37    | 1.0   |
| S005588            |                          | 3.0     | 77.2    | <0.002  | 0.50    | 0.40    | 34.3    | 1       | 1.2     | 297     | 0.42    | 0.09    | 2.00    | 0.873   | 1.03    | 0.9   |
| S005589            |                          | 3.0     | 63.7    | <0.002  | 0.30    | 0.36    | 32.9    | <1      | 1.1     | 197.0   | 0.41    | 0.06    | 1.89    | 0.863   | 1.05    | 0.8   |
| S005590            |                          | 8460    | 148.0   | 0.005   | 2.92    | 74.8    | 12.3    | 3       | 3.8     | 136.0   | 0.34    | 0.29    | 3.74    | 0.244   | 3.10    | 2.0   |
| S005591            |                          | 6.9     | 101.5   | 0.002   | 0.24    | 0.53    | 33.7    | 1       | 0.8     | 198.0   | 0.40    | 0.06    | 1.98    | 0.859   | 1.51    | 0.8   |
| S005592            |                          | 4.2     | 154.0   | <0.002  | 0.45    | 0.79    | 34.5    | 1       | 0.8     | 201     | 0.42    | 0.13    | 1.90    | 0.892   | 2.34    | 0.9   |
| S005593            |                          | 4.5     | 148.0   | 0.003   | 1.23    | 0.68    | 31.6    | 1       | 1.2     | 314     | 0.40    | 0.27    | 1.89    | 0.822   | 1.73    | 0.8   |
| S005594            |                          | 3.7     | 136.0   | <0.002  | 0.91    | 3.70    | 30.6    | 1       | 1.0     | 244     | 0.35    | 0.19    | 1.93    | 0.742   | 1.67    | 0.9   |
| S005595            |                          | 3.0     | 124.0   | <0.002  | 0.63    | 1.32    | 31.9    | 1       | 0.8     | 230     | 0.42    | 0.14    | 1.63    | 0.874   | 2.15    | 0.8   |
| S005596            |                          | 2.3     | 141.0   | <0.002  | 0.52    | 0.29    | 32.9    | 1       | 0.8     | 219     | 0.40    | 0.15    | 1.91    | 0.870   | 2.10    | 0.8   |
| S005597            |                          | 2.8     | 126.5   | 0.002   | 0.65    | 0.30    | 31.8    | 1       | 0.9     | 253     | 0.41    | 0.13    | 1.84    | 0.860   | 2.02    | 0.9   |
| S005598            |                          | 2.5     | 97.3    | <0.002  | 0.18    | 0.25    | 32.6    | 1       | 0.9     | 237     | 0.40    | <0.05   | 1.71    | 0.863   | 1.69    | 0.8   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method Analyte Units LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                          | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                          | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S005561            |                          | 327      | 3.8        | 30.3       | 126      | 25.2       | 22.1     | 0.9      | 98       |
| S005562            |                          | 322      | 1.2        | 29.5       | 146      | 29.3       | 22.6     | 0.9      | 89       |
| S005563            |                          | 352      | 0.9        | 32.9       | 135      | 30.1       | 21.0     | 1.0      | 106      |
| S005564            |                          | 343      | 1.1        | 31.8       | 157      | 28.5       | 21.6     | 0.9      | 109      |
| S005565            |                          | 227      | 3.4        | 32.0       | 131      | 55.0       | 19.6     | 0.8      | 94       |
| S005566            |                          | 306      | 1.7        | 34.8       | 193      | 31.7       | 21.7     | 0.9      | 105      |
| S005566CD          |                          | 309      | 1.6        | 33.4       | 194      | 31.6       | 21.8     | 0.9      | 106      |
| S005567            |                          | 329      | 1.2        | 32.7       | 198      | 26.9       | 21.9     | 1.0      | 103      |
| S005568            |                          | 301      | 1.6        | 30.3       | 206      | 31.4       | 22.6     | 0.8      | 92       |
| S005569            |                          | 304      | 4.6        | 30.6       | 206      | 34.1       | 22.0     | 0.8      | 94       |
| S005570            |                          | 97       | 4.1        | 8.4        | 448      | 35.7       | 27.6     | 0.4      | 76       |
| S005571            |                          | 339      | 1.3        | 31.5       | 232      | 26.8       | 22.0     | 0.9      | 96       |
| S005572            |                          | 333      | 1.2        | 30.7       | 226      | 27.4       | 21.7     | 0.9      | 101      |
| S005573            |                          | 318      | 2.1        | 30.0       | 222      | 29.0       | 21.3     | 0.8      | 98       |
| S005574            |                          | 325      | 1.4        | 32.0       | 246      | 24.5       | 22.7     | 0.9      | 99       |
| S005575            |                          | 332      | 2.8        | 32.5       | 252      | 30.8       | 20.5     | 0.9      | 96       |
| S005576            |                          | 311      | 4.2        | 31.5       | 217      | 47.0       | 22.9     | 0.9      | 98       |
| S005577            |                          | 277      | 3.2        | 25.3       | 136      | 33.0       | 22.4     | 0.7      | 85       |
| S005578            |                          | 326      | 1.3        | 29.7       | 163      | 43.4       | 22.1     | 0.9      | 96       |
| S005579            |                          | 352      | 1.2        | 32.0       | 183      | 22.9       | 22.0     | 1.0      | 106      |
| S005580            |                          | 2        | <0.1       | 0.4        | <2       | 0.8        | 1.1      | <0.1     | 29       |
| S005581            |                          | 320      | 4.2        | 31.6       | 207      | 25.4       | 20.9     | 0.9      | 100      |
| S005582            |                          | 322      | 4.2        | 31.6       | 189      | 27.7       | 20.9     | 0.8      | 99       |
| S005583            |                          | 333      | 2.6        | 33.0       | 226      | 30.4       | 21.0     | 0.9      | 90       |
| S005584            |                          | 330      | 2.0        | 32.8       | 230      | 26.9       | 21.4     | 0.9      | 99       |
| S005585            |                          | 307      | 1.7        | 30.1       | 199      | 33.4       | 20.0     | 0.7      | 80       |
| S005586            |                          | 263      | 2.5        | 26.4       | 141      | 33.5       | 21.0     | 0.8      | 92       |
| S005586CD          |                          | 265      | 2.6        | 26.0       | 142      | 33.1       | 19.1     | 0.7      | 84       |
| S005587            |                          | 309      | 3.3        | 32.3       | 187      | 37.0       | 19.8     | 0.8      | 92       |
| S005588            |                          | 343      | 4.0        | 34.0       | 191      | 31.6       | 20.2     | 0.9      | 101      |
| S005589            |                          | 342      | 2.0        | 31.3       | 165      | 31.6       | 21.0     | 0.9      | 106      |
| S005590            |                          | 118      | 4.1        | 9.6        | 1820     | 44.1       | 29.2     | 0.4      | 75       |
| S005591            |                          | 335      | 0.5        | 31.7       | 121      | 26.9       | 22.5     | 1.0      | 106      |
| S005592            |                          | 349      | 0.8        | 32.7       | 196      | 25.7       | 21.6     | 0.9      | 104      |
| S005593            |                          | 319      | 3.2        | 28.8       | 225      | 29.1       | 22.2     | 0.9      | 100      |
| S005594            |                          | 292      | 5.1        | 28.7       | 171      | 24.1       | 22.6     | 0.8      | 89       |
| S005595            |                          | 339      | 2.7        | 29.1       | 179      | 24.6       | 22.3     | 0.9      | 101      |
| S005596            |                          | 339      | 0.7        | 31.6       | 157      | 24.8       | 22.6     | 0.9      | 100      |
| S005597            |                          | 329      | 1.4        | 30.9       | 219      | 26.1       | 22.7     | 0.9      | 103      |
| S005598            |                          | 340      | 1.2        | 30.3       | 164      | 27.1       | 21.5     | 1.0      | 102      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21          | Au-AA23   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   |           |
|--------------------|-----------------------------------|-----------------|-----------|-----------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>% | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>% | Cd<br>ppm | Ce<br>ppm | Co<br>ppm | Cr<br>ppm | Cs<br>ppm | Cu<br>ppm |
|                    |                                   | 0.02            | 0.005     | 0.01      | 0.01    | 0.2       | 10        | 0.05      | 0.01      | 0.01    | 0.02      | 0.01      | 0.1       | 1         | 0.05      | 0.2       |
| S005599            |                                   | 5.55            | <0.005    | 0.06      | 6.65    | 24.0      | 1150      | 1.03      | 0.06      | 2.22    | 0.19      | 22.6      | 25.0      | 4         | 10.50     | 5.4       |
| S005600            |                                   | 0.96            | <0.005    | 0.02      | 0.05    | <0.2      | 10        | <0.05     | <0.01     | 35.2    | 0.02      | 0.24      | 0.3       | 1         | <0.05     | 0.8       |
| S005601            |                                   | 6.01            | 0.007     | 0.04      | 6.92    | 1.7       | 1200      | 1.08      | 0.06      | 1.98    | 0.20      | 22.3      | 27.4      | 4         | 9.80      | 5.7       |
| S005602            |                                   | 6.46            | <0.005    | 0.05      | 6.89    | 1.1       | 1300      | 0.96      | 0.09      | 1.93    | 0.14      | 23.0      | 25.5      | 4         | 9.97      | 6.3       |
| S005603            |                                   | 6.04            | <0.005    | 0.10      | 7.10    | 6.3       | 1030      | 0.89      | 0.14      | 2.03    | 0.15      | 24.0      | 26.2      | 4         | 7.51      | 10.2      |
| S005604            |                                   | 6.12            | 0.008     | 0.16      | 7.23    | 0.9       | 1280      | 1.10      | 0.22      | 2.02    | 0.09      | 25.8      | 28.7      | 5         | 9.54      | 22.5      |
| S005605            |                                   | 6.04            | <0.005    | 0.10      | 7.05    | 16.8      | 1250      | 1.10      | 0.16      | 1.80    | 0.09      | 22.1      | 28.1      | 4         | 9.79      | 15.4      |
| S005606            |                                   | 5.97            | 0.019     | 1.08      | 6.82    | 1245      | 1030      | 1.19      | 0.21      | 1.52    | 3.38      | 24.6      | 28.5      | 2         | 7.42      | 23.0      |
| S005606CD          |                                   | <0.02           | 0.010     | 1.01      | 6.88    | 1225      | 1040      | 1.08      | 0.20      | 1.51    | 2.84      | 25.1      | 27.0      | 3         | 7.42      | 21.6      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-----------------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    |                                   | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                                   | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S005599            |                                   | 8.51    | 18.15     | 0.08      | 1.0       | 0.082     | 2.01    | 11.2      | 12.6      | 2.30    | 1560      | 1.35      | 3.07    | 6.4       | 1.9       | 1540     |
| S005600            |                                   | 0.06    | 0.16      | 0.06      | <0.1      | <0.005    | 0.01    | <0.5      | 0.6       | 1.84    | 21        | 0.08      | 0.01    | <0.1      | <0.2      | 40       |
| S005601            |                                   | 8.98    | 19.05     | 0.08      | 1.1       | 0.086     | 2.04    | 10.2      | 13.1      | 2.35    | 1750      | 1.05      | 3.48    | 7.1       | 2.1       | 1630     |
| S005602            |                                   | 8.52    | 19.05     | 0.09      | 0.9       | 0.079     | 2.41    | 11.3      | 14.4      | 2.25    | 1570      | 1.10      | 3.09    | 6.9       | 2.0       | 1560     |
| S005603            |                                   | 8.41    | 18.75     | 0.08      | 0.9       | 0.088     | 2.07    | 11.7      | 16.3      | 2.16    | 1370      | 2.62      | 3.22    | 6.8       | 2.0       | 1600     |
| S005604            |                                   | 9.19    | 21.6      | 0.09      | 0.8       | 0.084     | 2.97    | 12.6      | 21.0      | 2.61    | 1340      | 6.77      | 2.69    | 7.6       | 2.4       | 1710     |
| S005605            |                                   | 9.05    | 20.5      | 0.08      | 0.8       | 0.087     | 3.07    | 10.2      | 18.6      | 2.48    | 1420      | 5.00      | 2.73    | 7.4       | 2.2       | 1670     |
| S005606            |                                   | 8.86    | 18.75     | 0.10      | 1.1       | 0.066     | 2.82    | 10.7      | 18.4      | 2.33    | 1310      | 5.89      | 2.46    | 6.2       | 2.3       | 1470     |
| S005606CD          |                                   | 8.90    | 18.75     | 0.10      | 0.9       | 0.070     | 2.88    | 11.0      | 18.1      | 2.36    | 1300      | 6.12      | 2.49    | 6.2       | 2.1       | 1510     |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   |          |
|--------------------|-----------------------------------|-----------|-----------|-----------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|-----------|----------|
|                    |                                   | Pb<br>ppm | Rb<br>ppm | Re<br>ppm | S<br>%  | Sb<br>ppm | Sc<br>ppm | Se<br>ppm | Sn<br>ppm | Sr<br>ppm | Ta<br>ppm | Te<br>ppm | Th<br>ppm | Ti<br>% | Tl<br>ppm | U<br>ppm |
|                    |                                   | 0.5       | 0.1       | 0.002     | 0.01    | 0.05      | 0.1       | 1         | 0.2       | 0.2       | 0.05      | 0.05      | 0.01      | 0.005   | 0.02      | 0.1      |
| S005599            |                                   | 2.7       | 78.1      | <0.002    | 0.26    | 0.32      | 31.1      | 1         | 0.9       | 257       | 0.39      | 0.06      | 1.87      | 0.821   | 1.15      | 0.8      |
| S005600            |                                   | 1.5       | 0.4       | <0.002    | 0.07    | 0.08      | 0.2       | 1         | <0.2      | 4960      | <0.05     | <0.05     | 0.02      | <0.005  | <0.02     | 1.4      |
| S005601            |                                   | 2.6       | 59.5      | <0.002    | 0.24    | 0.38      | 32.9      | 1         | 0.9       | 233       | 0.44      | 0.06      | 1.67      | 0.871   | 1.14      | 0.8      |
| S005602            |                                   | 2.3       | 114.0     | <0.002    | 0.33    | 0.43      | 32.9      | <1        | 1.0       | 263       | 0.42      | 0.05      | 1.87      | 0.850   | 1.69      | 0.8      |
| S005603            |                                   | 2.6       | 98.5      | <0.002    | 0.62    | 1.55      | 32.1      | 1         | 0.9       | 305       | 0.41      | 0.13      | 1.94      | 0.834   | 1.44      | 0.8      |
| S005604            |                                   | 3.3       | 178.0     | <0.002    | 0.94    | 0.54      | 36.0      | 1         | 1.1       | 293       | 0.45      | 0.22      | 2.03      | 0.904   | 2.48      | 0.9      |
| S005605            |                                   | 2.6       | 145.0     | 0.002     | 0.67    | 1.91      | 34.2      | 1         | 0.9       | 273       | 0.45      | 0.14      | 1.74      | 0.879   | 2.42      | 0.8      |
| S005606            |                                   | 80.8      | 158.0     | <0.002    | 1.08    | 45.9      | 32.2      | 1         | 0.9       | 312       | 0.35      | 0.23      | 2.12      | 0.816   | 1.96      | 0.9      |
| S005606CD          |                                   | 67.7      | 157.5     | 0.002     | 1.06    | 41.0      | 31.5      | 1         | 0.8       | 313       | 0.34      | 0.17      | 2.07      | 0.830   | 1.87      | 0.8      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19180072</b> |
|---|

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | pXRF-34<br>Si<br>%<br>0.5 | pXRF-34<br>Ti<br>%<br>0.1 | pXRF-34<br>Zr<br>ppm<br>5 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|
| S005599            |                                   | 315                      | 1.2                        | 28.0                       | 137                       | 28.3                        | 22.3                      | 0.9                       | 91                        |
| S005600            |                                   | 2                        | <0.1                       | 0.3                        | 2                         | 0.5                         | 1.0                       | <0.1                      | 32                        |
| S005601            |                                   | 337                      | 0.8                        | 30.2                       | 141                       | 31.7                        | 22.0                      | 0.9                       | 105                       |
| S005602            |                                   | 331                      | 1.5                        | 28.7                       | 183                       | 26.2                        | 20.7                      | 0.9                       | 98                        |
| S005603            |                                   | 325                      | 2.0                        | 29.3                       | 154                       | 28.6                        | 22.3                      | 0.9                       | 105                       |
| S005604            |                                   | 354                      | 1.9                        | 33.3                       | 263                       | 23.1                        | 21.0                      | 0.9                       | 107                       |
| S005605            |                                   | 343                      | 1.9                        | 29.5                       | 203                       | 22.7                        | 21.5                      | 1.0                       | 100                       |
| S005606            |                                   | 328                      | 10.9                       | 26.3                       | 354                       | 32.4                        | 22.1                      | 0.9                       | 101                       |
| S005606CD          |                                   | 331                      | 10.8                       | 26.6                       | 333                       | 28.9                        | 22.2                      | 0.9                       | 98                        |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 31-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19180072**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

**Page: 1**  
**Total # Pages: 4 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 1-AUG-2019**  
**This copy reported on**  
**7-NOV-2019**  
**Account: PREBOW**

**TR19181445**

Project: Bowser Regional Project  
 P.O. No.: BOW-0715  
 This report is for 101 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2    |
| S004251            |                          | 6.56         | <0.005  | 0.25    | 7.16    | 1.3     | 650     | 0.77    | 0.37    | 4.82    | 0.06    | 19.65   | 26.1    | 13      | 3.14    | 21.7   |
| S004252            |                          | 7.11         | <0.005  | 0.28    | 6.74    | 105.5   | 640     | 0.78    | 0.35    | 4.67    | 0.06    | 18.85   | 28.4    | 14      | 3.21    | 32.3   |
| S004253            |                          | 6.23         | <0.005  | 0.29    | 6.80    | 3.5     | 880     | 0.82    | 0.38    | 4.67    | 0.06    | 16.05   | 26.9    | 15      | 3.71    | 48.9   |
| S004254            |                          | 6.10         | <0.005  | 0.29    | 7.41    | 7.2     | 1220    | 0.94    | 0.32    | 3.68    | 0.07    | 18.40   | 36.6    | 16      | 4.47    | 51.2   |
| S004255            |                          | 5.82         | <0.005  | 0.27    | 6.21    | 2.6     | 870     | 0.81    | 0.33    | 5.79    | 0.07    | 17.45   | 22.6    | 10      | 3.32    | 62.3   |
| S004256            |                          | 7.25         | <0.005  | 0.27    | 6.43    | 2.5     | 800     | 0.79    | 0.42    | 6.35    | 0.08    | 17.00   | 21.8    | 12      | 1.78    | 42.0   |
| S004257            |                          | 6.63         | <0.005  | 0.35    | 6.78    | 1.1     | 960     | 0.79    | 0.37    | 6.57    | 0.07    | 18.30   | 26.3    | 14      | 3.47    | 53.8   |
| S004258            |                          | 6.91         | <0.005  | 0.43    | 6.51    | 0.4     | 1230    | 0.88    | 0.40    | 6.81    | 0.09    | 18.15   | 25.2    | 12      | 1.99    | 71.6   |
| S004259            |                          | 6.83         | <0.005  | 0.45    | 6.58    | 1.5     | 640     | 0.88    | 0.61    | 6.06    | 0.08    | 18.75   | 26.1    | 11      | 3.86    | 71.8   |
| S004260            |                          | 0.88         | <0.005  | <0.01   | 0.05    | <0.2    | 20      | <0.05   | 0.01    | 36.2    | <0.02   | 0.27    | 0.7     | 1       | <0.05   | 1.6    |
| S004261            |                          | 7.72         | <0.005  | 0.48    | 6.63    | 18.1    | 270     | 1.03    | 0.64    | 3.48    | 0.41    | 16.50   | 22.6    | 9       | 2.57    | 41.6   |
| S004262            |                          | 6.31         | <0.005  | 0.56    | 5.94    | 32.1    | 410     | 0.83    | 0.07    | 0.77    | 1.27    | 22.2    | 13.3    | 10      | 1.67    | 10.2   |
| S004263            |                          | 7.30         | 0.006   | 0.76    | 7.81    | 41.8    | 140     | 1.07    | 0.70    | 1.18    | 0.89    | 22.6    | 26.5    | 6       | 2.58    | 20.1   |
| S004264            |                          | 6.98         | <0.005  | 1.02    | 5.08    | 6.0     | 140     | 0.67    | 0.76    | 1.37    | 1.16    | 18.25   | 13.9    | 11      | 1.50    | 48.8   |
| S004265            |                          | 7.17         | <0.005  | 0.34    | 5.91    | 3.4     | 1210    | 0.87    | 0.41    | 6.29    | 0.07    | 19.50   | 16.9    | 3       | 4.33    | 41.5   |
| S004266            |                          | 6.64         | <0.005  | 0.20    | 5.53    | 1.8     | 1190    | 0.88    | 0.19    | 8.73    | 0.09    | 19.40   | 18.1    | 4       | 2.67    | 33.2   |
| S004266CD          |                          | <0.02        | <0.005  | 0.22    | 5.42    | 1.2     | 1130    | 0.84    | 0.18    | 8.70    | 0.11    | 20.8    | 18.8    | 3       | 2.74    | 33.4   |
| S004267            |                          | 7.89         | <0.005  | 0.28    | 6.20    | 7.5     | 1000    | 0.86    | 0.26    | 6.18    | 0.11    | 21.2    | 22.7    | 4       | 2.73    | 37.4   |
| S004268            |                          | 6.10         | <0.005  | 0.27    | 6.75    | 0.8     | 1110    | 0.91    | 0.29    | 4.69    | 0.06    | 20.7    | 19.8    | 4       | 3.08    | 41.6   |
| S004269            |                          | 6.76         | 0.006   | 0.47    | 6.21    | 113.5   | 680     | 1.01    | 0.57    | 6.19    | 0.12    | 19.60   | 21.1    | 4       | 2.44    | 65.8   |
| S004270            |                          | 0.12         | 1.380   | 27.3    | 5.86    | 376     | 170     | 1.15    | 0.99    | 0.66    | 1.70    | 28.2    | 12.9    | 19      | 8.34    | 107.5  |
| S004271            |                          | 2.17         | 3.06    | 7.06    | 5.23    | >10000  | 80      | 1.13    | 2.29    | 2.15    | 0.16    | 15.00   | 48.0    | 6       | 2.13    | 76.7   |
| S004272            |                          | 4.53         | 0.169   | 0.82    | 6.72    | 800     | 280     | 1.13    | 0.83    | 3.72    | 0.10    | 17.85   | 27.2    | 5       | 2.95    | 46.9   |
| S004273            |                          | 6.78         | <0.005  | 0.36    | 6.00    | 30.9    | 1020    | 0.80    | 0.39    | 6.63    | 0.07    | 20.5    | 21.0    | 4       | 2.53    | 62.1   |
| S004274            |                          | 6.55         | 0.005   | 0.54    | 6.16    | 31.6    | 970     | 1.04    | 0.48    | 6.62    | 0.10    | 21.9    | 26.8    | 4       | 4.10    | 70.9   |
| S004275            |                          | 6.84         | <0.005  | 0.41    | 6.44    | 5.5     | 810     | 1.10    | 0.36    | 6.58    | 0.08    | 22.4    | 23.9    | 5       | 3.54    | 66.1   |
| S004276            |                          | 6.42         | 0.014   | 0.41    | 5.05    | 89.6    | 530     | 1.03    | 0.32    | 9.57    | 0.17    | 18.25   | 23.3    | 4       | 1.68    | 77.5   |
| S004277            |                          | 6.76         | <0.005  | 0.24    | 6.67    | 3.9     | 1490    | 1.11    | 0.26    | 7.40    | 0.08    | 22.9    | 23.0    | 5       | 3.11    | 36.5   |
| S004278            |                          | 5.97         | 0.009   | 0.44    | 7.13    | 48.0    | 670     | 1.20    | 0.49    | 5.93    | 0.06    | 20.7    | 24.9    | 5       | 4.62    | 51.2   |
| S004279            |                          | 5.28         | 0.005   | 0.57    | 6.18    | 8.9     | 640     | 0.96    | 0.38    | 7.09    | 0.07    | 22.0    | 30.2    | 7       | 4.63    | 80.0   |
| S004280            |                          | 1.30         | <0.005  | <0.01   | 0.04    | <0.2    | 10      | <0.05   | <0.01   | 36.2    | <0.02   | 0.24    | 0.5     | 1       | <0.05   | 0.9    |
| S004281            |                          | 6.81         | <0.005  | 0.27    | 5.27    | 2.5     | 400     | 1.08    | 0.22    | 9.72    | 0.09    | 20.0    | 16.4    | 5       | 1.71    | 52.8   |
| S004282            |                          | 5.75         | <0.005  | 0.47    | 6.55    | 2.1     | 710     | 1.07    | 0.46    | 7.56    | 0.07    | 22.6    | 28.5    | 6       | 2.95    | 67.6   |
| S004283            |                          | 6.04         | 0.009   | 1.27    | 6.05    | 16.2    | 580     | 0.88    | 0.65    | 1.49    | 0.84    | 27.5    | 17.8    | 13      | 1.74    | 35.3   |
| S004284            |                          | 6.11         | 0.076   | 0.91    | 3.81    | 689     | 600     | 0.65    | 0.35    | 1.10    | 1.25    | 19.85   | 6.2     | 23      | 0.93    | 23.5   |
| S004285            |                          | 7.41         | 0.060   | 1.99    | 4.88    | 525     | 290     | 0.56    | 0.80    | 1.68    | 0.19    | 19.35   | 11.8    | 16      | 1.35    | 42.6   |
| S004286            |                          | 2.06         | 0.017   | 1.45    | 4.92    | 29.8    | 590     | 0.51    | 0.63    | 1.15    | 0.64    | 20.7    | 12.2    | 24      | 1.43    | 23.1   |
| S004286CD          |                          | <0.02        | 0.029   | 1.51    | 5.07    | 30.2    | 600     | 0.49    | 0.66    | 1.19    | 0.60    | 21.6    | 12.0    | 17      | 1.50    | 24.4   |
| S004287            |                          | 7.64         | 0.018   | 1.50    | 4.89    | 49.9    | 580     | 0.53    | 0.60    | 1.27    | 0.82    | 23.7    | 12.1    | 19      | 1.43    | 25.5   |
| S004288            |                          | 6.85         | 0.030   | 1.25    | 4.71    | 191.0   | 870     | 0.62    | 0.19    | 1.34    | 0.99    | 25.6    | 8.9     | 25      | 1.36    | 14.8   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S004251            |         | 7.57    | 18.00   | 0.12    | 0.8     | 0.059   | 1.64    | 9.6     | 19.2    | 2.30    | 773     | 3.79    | 0.80    | 5.4     | 2.8     | 1070 |
| S004252            |         | 7.66    | 18.30   | 0.12    | 0.6     | 0.053   | 1.55    | 8.8     | 18.2    | 2.19    | 805     | 3.55    | 0.77    | 5.4     | 2.7     | 1080 |
| S004253            |         | 7.77    | 19.75   | 0.12    | 0.6     | 0.047   | 1.97    | 7.5     | 21.8    | 2.26    | 782     | 3.07    | 0.56    | 5.5     | 2.8     | 1130 |
| S004254            |         | 7.98    | 19.75   | 0.13    | 0.5     | 0.031   | 2.12    | 8.4     | 19.8    | 1.77    | 579     | 5.26    | 1.01    | 5.6     | 3.3     | 1140 |
| S004255            |         | 7.18    | 16.35   | 0.11    | 0.7     | 0.057   | 1.58    | 8.5     | 20.7    | 2.51    | 966     | 40.2    | 0.61    | 4.6     | 2.1     | 1000 |
| S004256            |         | 6.81    | 17.20   | 0.10    | 0.7     | 0.053   | 1.07    | 7.9     | 19.4    | 2.43    | 945     | 18.10   | 0.92    | 5.1     | 2.4     | 1040 |
| S004257            |         | 7.54    | 18.35   | 0.11    | 1.0     | 0.052   | 1.40    | 8.8     | 22.4    | 2.52    | 943     | 10.85   | 0.90    | 5.3     | 2.6     | 1090 |
| S004258            |         | 7.75    | 15.30   | 0.11    | 1.1     | 0.045   | 1.28    | 8.7     | 17.3    | 2.29    | 1010    | 43.4    | 1.12    | 5.0     | 2.5     | 1030 |
| S004259            |         | 7.71    | 16.45   | 0.10    | 1.4     | 0.026   | 2.12    | 8.9     | 11.6    | 1.23    | 587     | 14.45   | 0.62    | 4.7     | 2.4     | 1030 |
| S004260            |         | 0.04    | 0.20    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.97    | 18      | 0.14    | <0.01   | <0.1    | 0.2     | 30   |
| S004261            |         | 7.02    | 18.85   | 0.09    | 0.6     | 0.028   | 2.79    | 7.3     | 7.0     | 0.44    | 291     | 9.45    | 0.93    | 4.8     | 3.1     | 1180 |
| S004262            |         | 5.06    | 14.90   | 0.13    | 1.6     | 0.034   | 2.73    | 10.7    | 3.8     | 0.24    | 185     | 18.30   | 0.22    | 3.2     | 16.8    | 900  |
| S004263            |         | 8.26    | 19.90   | 0.14    | 0.5     | 0.033   | 3.74    | 10.0    | 6.6     | 0.62    | 216     | 7.37    | 0.45    | 3.5     | 4.5     | 1240 |
| S004264            |         | 9.05    | 13.50   | 0.11    | 0.8     | 0.028   | 2.10    | 8.6     | 10.2    | 0.70    | 234     | 14.40   | 0.34    | 2.7     | 13.0    | 780  |
| S004265            |         | 6.24    | 15.15   | 0.11    | 1.7     | 0.043   | 2.17    | 9.6     | 15.9    | 2.30    | 1080    | 36.5    | 0.81    | 5.0     | 1.3     | 1090 |
| S004266            |         | 5.77    | 13.10   | 0.08    | 1.2     | 0.065   | 1.32    | 9.5     | 18.3    | 3.10    | 1600    | 102.0   | 0.78    | 4.8     | 1.6     | 930  |
| S004266CD          |         | 5.80    | 13.35   | 0.07    | 1.1     | 0.067   | 1.30    | 10.3    | 18.5    | 3.08    | 1620    | 105.5   | 0.76    | 4.8     | 1.0     | 900  |
| S004267            |         | 6.08    | 15.75   | 0.11    | 2.0     | 0.048   | 1.56    | 10.3    | 16.9    | 2.31    | 1060    | 36.5    | 0.67    | 5.4     | 1.4     | 1040 |
| S004268            |         | 6.18    | 16.90   | 0.12    | 2.3     | 0.026   | 2.15    | 9.9     | 16.9    | 1.66    | 649     | 6.78    | 0.59    | 5.7     | 1.1     | 1100 |
| S004269            |         | 7.03    | 14.70   | 0.11    | 1.9     | 0.038   | 1.70    | 9.2     | 15.9    | 1.65    | 807     | 46.5    | 0.47    | 5.1     | 1.4     | 1070 |
| S004270            |         | 4.41    | 13.25   | 0.13    | 1.0     | 0.036   | 2.68    | 13.9    | 9.9     | 0.36    | 218     | 5.07    | 0.19    | 5.7     | 13.8    | 1260 |
| S004271            |         | 10.90   | 12.95   | 0.11    | 0.3     | 0.029   | 2.42    | 6.8     | 8.5     | 0.61    | 225     | 239     | 0.23    | 2.2     | 4.5     | 800  |
| S004272            |         | 7.95    | 19.10   | 0.12    | 0.4     | 0.041   | 3.63    | 7.7     | 10.2    | 0.76    | 360     | 6.14    | 0.17    | 5.4     | 1.9     | 1270 |
| S004273            |         | 7.59    | 15.65   | 0.11    | 1.4     | 0.059   | 2.06    | 9.9     | 13.5    | 2.22    | 1130    | 9.05    | 0.46    | 5.0     | 1.5     | 1060 |
| S004274            |         | 8.32    | 14.40   | 0.09    | 1.3     | 0.036   | 1.79    | 10.9    | 15.6    | 1.67    | 797     | 31.7    | 0.78    | 4.8     | 1.7     | 1060 |
| S004275            |         | 6.65    | 15.30   | 0.10    | 1.4     | 0.027   | 1.45    | 10.9    | 13.1    | 1.13    | 647     | 16.80   | 1.14    | 5.1     | 1.4     | 1130 |
| S004276            |         | 8.32    | 12.30   | 0.07    | 1.1     | 0.077   | 0.89    | 9.2     | 15.7    | 2.92    | 1580    | 21.1    | 0.87    | 4.1     | 1.0     | 950  |
| S004277            |         | 6.23    | 15.65   | 0.09    | 1.3     | 0.059   | 2.18    | 11.3    | 18.8    | 2.54    | 1280    | 19.85   | 0.87    | 5.3     | 1.4     | 1190 |
| S004278            |         | 7.70    | 16.75   | 0.10    | 0.7     | 0.035   | 2.79    | 9.5     | 14.1    | 1.33    | 618     | 45.0    | 0.70    | 5.7     | 1.5     | 1020 |
| S004279            |         | 9.41    | 14.65   | 0.09    | 1.3     | 0.043   | 1.87    | 10.7    | 17.7    | 1.81    | 799     | 46.0    | 0.58    | 4.9     | 1.5     | 950  |
| S004280            |         | 0.03    | 0.16    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 2.01    | 19      | 0.10    | <0.01   | <0.1    | <0.2    | 40   |
| S004281            |         | 6.55    | 12.65   | 0.07    | 1.0     | 0.088   | 0.94    | 9.8     | 14.6    | 3.05    | 1650    | 45.6    | 0.82    | 4.4     | 1.1     | 910  |
| S004282            |         | 7.67    | 16.05   | 0.09    | 1.1     | 0.055   | 1.57    | 10.7    | 21.0    | 2.20    | 1200    | 61.4    | 1.09    | 5.0     | 1.7     | 1040 |
| S004283            |         | 7.95    | 14.70   | 0.11    | 1.2     | 0.024   | 2.82    | 13.9    | 6.3     | 0.43    | 169     | 14.30   | 0.43    | 3.4     | 22.7    | 1170 |
| S004284            |         | 4.08    | 8.36    | 0.08    | 1.5     | 0.021   | 1.80    | 10.9    | 3.4     | 0.19    | 87      | 19.80   | 0.18    | 3.3     | 26.7    | 540  |
| S004285            |         | 12.45   | 8.85    | 0.10    | 1.4     | 0.012   | 1.92    | 8.7     | 6.5     | 0.25    | 84      | 18.35   | 0.40    | 3.3     | 20.9    | 880  |
| S004286            |         | 7.48    | 10.65   | 0.09    | 1.6     | 0.017   | 2.08    | 10.1    | 5.1     | 0.23    | 66      | 14.90   | 0.32    | 3.6     | 26.6    | 940  |
| S004286CD          |         | 7.86    | 10.80   | 0.09    | 1.6     | 0.018   | 2.13    | 10.8    | 5.4     | 0.23    | 68      | 15.30   | 0.34    | 3.7     | 26.8    | 990  |
| S004287            |         | 6.93    | 10.25   | 0.08    | 1.6     | 0.017   | 2.26    | 11.9    | 4.7     | 0.29    | 76      | 16.20   | 0.25    | 3.8     | 26.5    | 990  |
| S004288            |         | 3.76    | 10.55   | 0.09    | 2.0     | 0.018   | 2.26    | 13.6    | 3.2     | 0.23    | 78      | 17.80   | 0.15    | 3.8     | 30.6    | 820  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004251            |                          | 1.6     | 103.5   | 0.002   | 1.77    | 0.73    | 31.8    | 1       | 0.9     | 218     | 0.31    | 0.21    | 1.49    | 0.625   | 1.24    | 0.6 |
| S004252            |                          | 1.8     | 74.5    | <0.002  | 1.91    | 0.85    | 31.0    | 1       | 0.9     | 214     | 0.30    | 0.26    | 1.34    | 0.612   | 1.22    | 0.6 |
| S004253            |                          | 2.7     | 84.5    | <0.002  | 1.98    | 0.54    | 31.4    | 1       | 1.0     | 207     | 0.31    | 0.28    | 1.25    | 0.630   | 1.51    | 0.6 |
| S004254            |                          | 3.8     | 102.5   | 0.002   | 2.11    | 0.40    | 34.1    | 1       | 0.7     | 269     | 0.31    | 0.25    | 1.39    | 0.650   | 1.64    | 0.5 |
| S004255            |                          | 4.7     | 96.6    | 0.004   | 1.82    | 0.33    | 28.0    | 1       | 1.0     | 243     | 0.27    | 0.24    | 1.26    | 0.539   | 1.19    | 0.6 |
| S004256            |                          | 4.7     | 51.0    | 0.002   | 1.82    | 0.74    | 28.2    | 1       | 0.9     | 324     | 0.29    | 0.23    | 1.25    | 0.587   | 0.69    | 0.6 |
| S004257            |                          | 2.9     | 85.2    | <0.002  | 2.03    | 0.79    | 30.9    | 1       | 1.0     | 288     | 0.30    | 0.27    | 1.40    | 0.611   | 0.84    | 0.6 |
| S004258            |                          | 4.5     | 67.2    | 0.002   | 2.25    | 0.76    | 28.5    | 1       | 1.0     | 304     | 0.29    | 0.29    | 1.43    | 0.583   | 0.66    | 0.7 |
| S004259            |                          | 4.3     | 121.0   | <0.002  | 2.94    | 1.14    | 29.0    | 1       | 1.0     | 211     | 0.26    | 0.36    | 1.49    | 0.544   | 1.13    | 0.8 |
| S004260            |                          | <0.5    | 0.5     | <0.002  | 0.06    | 0.05    | 0.3     | 1       | <0.2    | 4660    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.4 |
| S004261            |                          | 5.4     | 95.6    | <0.002  | 4.70    | 2.42    | 26.0    | 1       | 1.2     | 210     | 0.28    | 0.26    | 1.26    | 0.515   | 1.40    | 0.5 |
| S004262            |                          | 4.5     | 103.0   | 0.006   | 3.96    | 3.85    | 18.9    | 2       | 0.7     | 75.0    | 0.19    | <0.05   | 1.90    | 0.286   | 1.71    | 1.4 |
| S004263            |                          | 5.9     | 139.0   | 0.003   | 5.61    | 5.95    | 29.9    | 1       | 0.9     | 103.5   | 0.19    | 0.14    | 1.49    | 0.381   | 1.83    | 0.5 |
| S004264            |                          | 4.6     | 88.3    | 0.006   | 5.17    | 3.85    | 18.4    | 2       | 0.7     | 101.0   | 0.15    | 0.37    | 1.39    | 0.252   | 1.11    | 0.9 |
| S004265            |                          | 3.3     | 128.0   | <0.002  | 1.98    | 1.36    | 24.8    | 1       | 0.9     | 287     | 0.27    | 0.25    | 1.57    | 0.513   | 1.01    | 1.0 |
| S004266            |                          | 3.2     | 79.9    | 0.005   | 1.57    | 0.44    | 21.9    | 1       | 1.0     | 311     | 0.27    | 0.20    | 1.41    | 0.509   | 0.65    | 0.8 |
| S004266CD          |                          | 2.8     | 79.5    | 0.006   | 1.57    | 0.43    | 22.2    | 1       | 1.1     | 304     | 0.26    | 0.16    | 1.37    | 0.498   | 0.65    | 0.8 |
| S004267            |                          | 2.4     | 102.5   | 0.002   | 1.79    | 0.80    | 27.1    | 2       | 0.9     | 290     | 0.29    | 0.25    | 1.54    | 0.576   | 0.87    | 0.9 |
| S004268            |                          | 1.3     | 144.5   | <0.002  | 1.66    | 0.46    | 28.6    | 1       | 1.0     | 184.0   | 0.32    | 0.27    | 1.75    | 0.615   | 1.34    | 1.0 |
| S004269            |                          | 4.8     | 101.0   | 0.003   | 2.78    | 2.37    | 25.5    | 1       | 0.9     | 272     | 0.29    | 0.33    | 1.64    | 0.548   | 0.90    | 0.9 |
| S004270            |                          | 52.1    | 121.5   | <0.002  | 4.07    | 34.6    | 14.1    | 5       | 1.9     | 137.5   | 0.31    | 0.25    | 2.57    | 0.295   | 2.40    | 1.0 |
| S004271            |                          | 41.2    | 116.5   | 0.004   | 8.62    | 106.5   | 21.5    | 3       | 0.5     | 139.0   | 0.12    | 6.95    | 1.01    | 0.262   | 1.14    | 0.3 |
| S004272            |                          | 11.0    | 117.5   | 0.002   | 4.40    | 9.65    | 29.0    | 1       | 1.0     | 179.5   | 0.31    | 0.44    | 1.13    | 0.585   | 1.51    | 0.5 |
| S004273            |                          | 2.9     | 106.0   | <0.002  | 2.62    | 1.08    | 23.3    | 2       | 1.2     | 209     | 0.28    | 0.32    | 1.53    | 0.531   | 0.89    | 0.9 |
| S004274            |                          | 4.1     | 121.0   | <0.002  | 3.04    | 1.20    | 25.5    | 1       | 0.9     | 277     | 0.27    | 0.42    | 1.53    | 0.532   | 0.80    | 0.8 |
| S004275            |                          | 3.1     | 101.0   | 0.006   | 2.39    | 1.58    | 26.7    | 2       | 1.0     | 270     | 0.29    | 0.29    | 1.65    | 0.585   | 0.68    | 0.9 |
| S004276            |                          | 3.1     | 66.3    | <0.002  | 2.72    | 1.14    | 21.3    | 2       | 0.8     | 328     | 0.22    | 0.29    | 1.24    | 0.451   | 0.44    | 0.8 |
| S004277            |                          | 3.2     | 134.0   | 0.002   | 1.99    | 1.53    | 27.2    | 1       | 0.9     | 284     | 0.30    | 0.19    | 1.70    | 0.596   | 0.92    | 0.9 |
| S004278            |                          | 5.0     | 136.5   | 0.002   | 3.29    | 1.42    | 29.5    | 1       | 1.0     | 232     | 0.33    | 0.26    | 1.45    | 0.635   | 1.14    | 0.6 |
| S004279            |                          | 3.8     | 129.0   | 0.005   | 3.76    | 0.92    | 25.3    | 2       | 1.0     | 212     | 0.27    | 0.40    | 1.55    | 0.543   | 0.89    | 0.8 |
| S004280            |                          | <0.5    | 0.3     | <0.002  | 0.05    | <0.05   | 0.2     | 1       | <0.2    | 4940    | <0.05   | 0.05    | 0.02    | <0.005  | <0.02   | 1.4 |
| S004281            |                          | 2.7     | 66.0    | <0.002  | 1.93    | 0.73    | 24.3    | 1       | 1.0     | 341     | 0.23    | 0.22    | 1.32    | 0.469   | 0.43    | 0.8 |
| S004282            |                          | 4.6     | 111.0   | 0.003   | 2.65    | 1.22    | 30.5    | 1       | 1.0     | 333     | 0.29    | 0.34    | 1.60    | 0.556   | 0.75    | 0.9 |
| S004283            |                          | 8.8     | 113.5   | 0.009   | 4.77    | 8.80    | 20.5    | 4       | 0.7     | 127.0   | 0.20    | 0.27    | 1.95    | 0.355   | 0.94    | 1.7 |
| S004284            |                          | 6.2     | 69.9    | 0.012   | 2.43    | 10.95   | 9.6     | 2       | 0.3     | 74.5    | 0.19    | 0.25    | 2.22    | 0.230   | 0.64    | 2.4 |
| S004285            |                          | 5.7     | 75.2    | 0.015   | 6.93    | 3.14    | 12.2    | 5       | 0.3     | 154.0   | 0.19    | 0.90    | 2.11    | 0.261   | 0.84    | 2.2 |
| S004286            |                          | 6.4     | 86.0    | 0.012   | 4.33    | 2.62    | 17.8    | 5       | 0.5     | 121.5   | 0.21    | 0.43    | 2.39    | 0.324   | 1.14    | 2.4 |
| S004286CD          |                          | 6.5     | 86.3    | 0.012   | 4.49    | 2.56    | 18.1    | 5       | 0.5     | 124.5   | 0.21    | 0.46    | 2.34    | 0.324   | 1.13    | 2.5 |
| S004287            |                          | 5.5     | 90.0    | 0.014   | 4.24    | 4.45    | 15.2    | 3       | 0.5     | 121.5   | 0.22    | 0.43    | 2.46    | 0.336   | 1.26    | 2.9 |
| S004288            |                          | 3.2     | 87.1    | 0.017   | 2.32    | 5.68    | 13.6    | 3       | 0.5     | 109.0   | 0.22    | 0.11    | 2.69    | 0.319   | 1.17    | 3.3 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S004251            |                          | 300     | 6.3     | 25.9    | 86      | 24.0    | 22.5    | 0.6     | 80      |
| S004252            |                          | 287     | 4.8     | 24.1    | 88      | 18.3    | 22.1    | 0.6     | 79      |
| S004253            |                          | 306     | 10.2    | 24.1    | 94      | 18.2    | 20.9    | 0.6     | 85      |
| S004254            |                          | 322     | 17.9    | 23.7    | 88      | 17.6    | 21.5    | 0.7     | 83      |
| S004255            |                          | 276     | 48.8    | 23.5    | 93      | 21.5    | 20.9    | 0.6     | 71      |
| S004256            |                          | 285     | 12.6    | 24.3    | 85      | 21.1    | 21.2    | 0.5     | 79      |
| S004257            |                          | 307     | 67.9    | 25.8    | 86      | 30.4    | 20.1    | 0.6     | 83      |
| S004258            |                          | 281     | 14.5    | 24.7    | 73      | 34.6    | 20.4    | 0.5     | 74      |
| S004259            |                          | 252     | 19.1    | 25.2    | 46      | 53.0    | 21.5    | 0.6     | 79      |
| S004260            |                          | 2       | <0.1    | 0.3     | <2      | 0.7     | 1.4     | <0.1    | 25      |
| S004261            |                          | 265     | 32.3    | 16.3    | 75      | 16.0    | 23.5    | 0.8     | 99      |
| S004262            |                          | 188     | 2.4     | 12.6    | 207     | 61.6    | 31.1    | 0.5     | 97      |
| S004263            |                          | 283     | 6.8     | 14.3    | 108     | 16.6    | 25.5    | 0.8     | 107     |
| S004264            |                          | 179     | 9.0     | 11.8    | 154     | 26.4    | 28.5    | 0.5     | 77      |
| S004265            |                          | 244     | 18.8    | 25.3    | 66      | 63.8    | 20.2    | 0.6     | 77      |
| S004266            |                          | 241     | 110.0   | 23.3    | 77      | 59.9    | 19.3    | 0.5     | 71      |
| S004266CD          |                          | 239     | 133.0   | 25.4    | 78      | 46.9    | 19.3    | 0.5     | 70      |
| S004267            |                          | 264     | 8.6     | 25.8    | 70      | 56.4    | 22.7    | 0.6     | 80      |
| S004268            |                          | 261     | 8.2     | 27.5    | 63      | 81.1    | 23.1    | 0.6     | 88      |
| S004269            |                          | 228     | 25.3    | 24.4    | 48      | 54.7    | 21.8    | 0.5     | 76      |
| S004270            |                          | 138     | 2.8     | 8.1     | 189     | 32.5    | 32.9    | 0.4     | 76      |
| S004271            |                          | 201     | 92.8    | 10.6    | 23      | 9.0     | 26.1    | 0.6     | 72      |
| S004272            |                          | 296     | 12.9    | 17.3    | 27      | 12.2    | 23.0    | 0.8     | 98      |
| S004273            |                          | 238     | 47.5    | 24.7    | 59      | 48.6    | 21.4    | 0.6     | 74      |
| S004274            |                          | 233     | 17.3    | 24.9    | 58      | 37.2    | 20.3    | 0.6     | 78      |
| S004275            |                          | 234     | 570     | 25.6    | 44      | 61.5    | 22.0    | 0.6     | 85      |
| S004276            |                          | 245     | 22.1    | 24.1    | 77      | 43.6    | 19.2    | 0.4     | 62      |
| S004277            |                          | 276     | 15.2    | 27.6    | 70      | 44.4    | 20.5    | 0.6     | 84      |
| S004278            |                          | 262     | 32.9    | 24.4    | 46      | 20.7    | 21.0    | 0.7     | 90      |
| S004279            |                          | 246     | 259     | 25.3    | 52      | 61.0    | 19.4    | 0.5     | 77      |
| S004280            |                          | 2       | 0.3     | 0.3     | <2      | <0.5    | 1.2     | <0.1    | 29      |
| S004281            |                          | 252     | 12.4    | 24.3    | 70      | 36.2    | 18.6    | 0.5     | 69      |
| S004282            |                          | 250     | 42.3    | 28.7    | 58      | 47.6    | 18.2    | 0.6     | 88      |
| S004283            |                          | 219     | 5.8     | 14.9    | 140     | 49.8    | 28.2    | 0.6     | 98      |
| S004284            |                          | 115     | 6.6     | 11.1    | 196     | 65.1    | 33.9    | 0.3     | 75      |
| S004285            |                          | 142     | 7.8     | 13.1    | 32      | 58.0    | 25.7    | 0.5     | 92      |
| S004286            |                          | 199     | 5.3     | 12.8    | 93      | 63.5    | 29.6    | 0.5     | 92      |
| S004286CD          |                          | 200     | 5.6     | 12.8    | 87      | 66.5    | 29.4    | 0.6     | 94      |
| S004287            |                          | 173     | 5.4     | 14.0    | 132     | 71.0    | 30.2    | 0.5     | 95      |
| S004288            |                          | 164     | 6.1     | 13.7    | 169     | 74.7    | 32.3    | 0.5     | 90      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004289            |         | 6.93      | 0.030   | 0.84    | 4.79    | 635     | 800     | 0.87    | 0.37    | 2.29    | 0.13    | 22.7    | 9.3     | 21      | 1.28    | 21.8    |
| S004290            |         | 0.14      | 1.010   | 12.10   | 5.77    | 316     | 550     | 1.06    | 0.16    | 3.62    | 4.27    | 21.8    | 10.4    | 28      | 6.70    | 81.9    |
| S004291            |         | 4.51      | 0.008   | 1.56    | 4.66    | 33.0    | 810     | 0.68    | 0.18    | 0.41    | 0.53    | 33.8    | 4.4     | 22      | 1.40    | 12.8    |
| S004292            |         | 2.84      | 0.006   | 2.16    | 4.59    | 16.3    | 910     | 0.69    | 0.09    | 0.61    | 1.03    | 28.2    | 9.7     | 28      | 1.59    | 21.9    |
| S004293            |         | 4.03      | 0.030   | 2.72    | 4.05    | 41.8    | 740     | 0.59    | 0.10    | 0.27    | 1.59    | 27.1    | 5.2     | 20      | 1.45    | 17.3    |
| S004294            |         | 3.34      | 0.030   | 2.76    | 4.21    | 304     | 730     | 0.64    | 0.10    | 0.22    | 0.85    | 32.2    | 3.5     | 14      | 1.36    | 14.0    |
| S004295            |         | 6.57      | 0.008   | 0.85    | 5.78    | 163.0   | 830     | 0.99    | 0.45    | 1.84    | 0.90    | 45.2    | 6.0     | 14      | 2.26    | 27.5    |
| S004296            |         | 4.37      | <0.005  | 0.37    | 8.04    | 48.4    | 1110    | 1.47    | 0.32    | 2.46    | 1.05    | 61.8    | 9.3     | 13      | 3.12    | 25.4    |
| S004297            |         | 3.55      | <0.005  | 0.21    | 6.06    | 20.0    | 1100    | 1.26    | 0.34    | 5.00    | 0.17    | 31.8    | 7.7     | 24      | 2.32    | 32.2    |
| S004298            |         | 6.80      | <0.005  | 0.24    | 7.25    | 5.3     | 1420    | 1.51    | 0.45    | 3.04    | 0.06    | 32.9    | 8.9     | 28      | 3.31    | 24.9    |
| S004299            |         | 6.33      | <0.005  | 0.31    | 6.74    | 11.8    | 990     | 1.49    | 0.52    | 4.54    | 0.07    | 28.4    | 12.1    | 40      | 3.74    | 30.7    |
| S004300            |         | 0.99      | <0.005  | <0.01   | 0.04    | <0.2    | 10      | <0.05   | 0.01    | 35.7    | <0.02   | 0.26    | 0.4     | 1       | <0.05   | 0.8     |
| S004301            |         | 7.07      | <0.005  | 0.22    | 6.86    | 9.3     | 1340    | 1.26    | 0.40    | 3.73    | 0.24    | 34.0    | 9.1     | 26      | 3.50    | 25.6    |
| S004302            |         | 4.71      | <0.005  | 0.20    | 6.71    | 6.4     | 1490    | 1.34    | 0.47    | 4.02    | 0.09    | 29.9    | 9.3     | 29      | 3.39    | 25.7    |
| S004303            |         | 8.85      | <0.005  | 1.71    | 7.10    | 43.3    | 1330    | 1.51    | 0.37    | 3.57    | 1.40    | 34.8    | 7.4     | 37      | 3.41    | 20.6    |
| S004304            |         | 4.58      | <0.005  | 3.51    | 7.74    | 50.4    | 1520    | 1.67    | 0.44    | 2.19    | 8.77    | 39.4    | 8.2     | 36      | 3.32    | 14.7    |
| S004305            |         | 6.94      | <0.005  | 1.21    | 6.46    | 19.8    | 1390    | 1.54    | 0.42    | 3.81    | 0.76    | 33.9    | 5.8     | 31      | 2.94    | 19.7    |
| S004306            |         | 5.47      | <0.005  | 0.29    | 6.68    | 10.3    | 1170    | 1.39    | 0.59    | 3.89    | 0.08    | 44.7    | 9.6     | 27      | 3.43    | 27.0    |
| S004306CD          |         | <0.02     | <0.005  | 0.27    | 6.69    | 9.5     | 1190    | 1.42    | 0.60    | 3.90    | 0.07    | 43.4    | 9.5     | 28      | 3.49    | 27.3    |
| S004307            |         | 5.35      | <0.005  | 0.20    | 6.86    | 29.6    | 1320    | 1.48    | 0.38    | 2.97    | 0.08    | 39.4    | 8.4     | 26      | 3.28    | 20.7    |
| S004308            |         | 6.56      | <0.005  | 0.29    | 7.81    | 90.1    | 1070    | 1.52    | 0.48    | 2.52    | 0.07    | 37.1    | 10.3    | 32      | 3.63    | 24.7    |
| S004309            |         | 6.03      | <0.005  | 0.22    | 8.93    | 5.8     | 1030    | 1.50    | 0.38    | 1.82    | 0.05    | 60.1    | 13.6    | 28      | 3.73    | 19.9    |
| S004310            |         | 0.14      | 6.07    | 82.0    | 6.34    | 297     | 390     | 1.07    | 1.15    | 2.08    | 22.8    | 25.9    | 11.9    | 22      | 7.98    | 117.5   |
| S004311            |         | 6.15      | <0.005  | 0.36    | 7.08    | 2.6     | 620     | 0.98    | 0.34    | 2.67    | 0.05    | 34.8    | 12.1    | 35      | 2.68    | 17.7    |
| S004312            |         | 6.30      | <0.005  | 0.17    | 6.76    | 1.2     | 490     | 0.99    | 0.12    | 4.57    | 0.04    | 36.3    | 13.2    | 32      | 3.33    | 23.5    |
| S004313            |         | 5.56      | 0.040   | 0.11    | 7.79    | 8.3     | 610     | 1.21    | 0.16    | 2.80    | 0.03    | 37.5    | 15.2    | 48      | 3.56    | 19.7    |
| S004314            |         | 7.38      | <0.005  | 0.13    | 7.48    | 4.5     | 660     | 1.26    | 0.30    | 3.32    | 0.02    | 34.8    | 17.0    | 41      | 3.00    | 26.5    |
| S004315            |         | 6.35      | <0.005  | 0.18    | 8.79    | 4.1     | 990     | 1.36    | 0.34    | 2.51    | 0.04    | 42.2    | 19.7    | 55      | 3.67    | 34.8    |
| S004316            |         | 6.57      | <0.005  | 0.15    | 7.36    | 6.6     | 820     | 1.23    | 0.21    | 3.76    | 0.04    | 27.5    | 18.5    | 62      | 3.33    | 29.5    |
| S004317            |         | 7.02      | <0.005  | 0.30    | 7.44    | 8.2     | 680     | 1.04    | 0.31    | 3.63    | 0.17    | 33.7    | 18.2    | 58      | 3.61    | 24.4    |
| S004318            |         | 7.55      | <0.005  | 0.16    | 6.83    | 11.0    | 530     | 0.79    | 0.19    | 6.69    | 0.05    | 33.2    | 11.4    | 22      | 3.06    | 16.5    |
| S004319            |         | 5.14      | <0.005  | 0.15    | 6.67    | 4.5     | 610     | 0.86    | 0.22    | 4.09    | 0.05    | 30.8    | 11.5    | 23      | 3.07    | 15.1    |
| S004320            |         | 1.19      | <0.005  | <0.01   | 0.10    | <0.2    | 10      | <0.05   | 0.01    | 36.2    | <0.02   | 0.31    | 0.3     | 1       | <0.05   | 0.6     |
| S004321            |         | 6.64      | 0.010   | 0.20    | 8.40    | 35.9    | 1070    | 1.21    | 0.32    | 2.76    | 0.04    | 39.9    | 19.3    | 51      | 3.77    | 32.0    |
| S004322            |         | 5.74      | 0.005   | 0.21    | 8.94    | 4.5     | 1140    | 1.43    | 0.46    | 1.16    | <0.02   | 45.7    | 20.8    | 67      | 3.68    | 33.8    |
| S004323            |         | 7.30      | <0.005  | 0.23    | 9.25    | 13.1    | 1130    | 1.53    | 0.23    | 0.97    | 0.04    | 51.3    | 17.5    | 68      | 3.73    | 23.1    |
| S004324            |         | 5.91      | 0.037   | 0.58    | 6.70    | 332     | 560     | 1.01    | 0.26    | 4.19    | 0.12    | 29.2    | 10.1    | 29      | 3.45    | 23.6    |
| S004325            |         | 5.45      | 0.006   | 0.18    | 9.37    | 5.4     | 1330    | 1.42    | 0.49    | 1.49    | 0.05    | 47.4    | 14.5    | 47      | 4.18    | 23.1    |
| S004326            |         | 7.60      | 0.005   | 0.20    | 7.24    | 45.4    | 790     | 1.09    | 0.31    | 3.18    | 0.08    | 26.3    | 14.4    | 41      | 3.80    | 24.5    |
| S004326CD          |         | <0.02     | 0.005   | 0.16    | 7.34    | 47.1    | 810     | 1.13    | 0.28    | 3.25    | 0.07    | 25.4    | 13.9    | 41      | 3.73    | 23.0    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S004289            |                          | 4.82    | 10.80   | 0.09    | 1.5     | 0.012   | 2.20    | 11.9    | 3.8     | 0.30    | 118     | 9.42    | 0.32    | 4.2     | 11.5    | 860   |
| S004290            |                          | 3.89    | 12.90   | 0.10    | 1.1     | 0.044   | 3.94    | 10.6    | 12.4    | 0.52    | 1380    | 9.32    | 0.21    | 4.9     | 19.9    | 910   |
| S004291            |                          | 3.83    | 11.65   | 0.10    | 2.8     | 0.022   | 2.19    | 17.2    | 3.4     | 0.20    | 57      | 8.37    | 0.11    | 5.5     | 13.2    | 430   |
| S004292            |                          | 3.70    | 11.35   | 0.11    | 2.2     | 0.024   | 2.16    | 14.5    | 5.0     | 0.22    | 95      | 15.20   | 0.08    | 3.3     | 38.0    | 580   |
| S004293            |                          | 3.91    | 10.05   | 0.08    | 2.1     | 0.029   | 1.91    | 13.8    | 2.9     | 0.19    | 73      | 13.65   | 0.06    | 4.1     | 25.8    | 390   |
| S004294            |                          | 3.90    | 10.70   | 0.10    | 2.7     | 0.028   | 2.00    | 16.0    | 3.6     | 0.19    | 88      | 10.70   | 0.06    | 5.6     | 18.3    | 410   |
| S004295            |                          | 4.93    | 15.05   | 0.12    | 3.5     | 0.029   | 2.67    | 22.0    | 8.0     | 0.72    | 230     | 17.00   | 0.20    | 8.0     | 28.6    | 560   |
| S004296            |                          | 5.05    | 19.60   | 0.16    | 4.5     | 0.043   | 3.91    | 29.9    | 5.7     | 0.86    | 267     | 22.7    | 0.26    | 11.2    | 30.4    | 860   |
| S004297            |                          | 4.62    | 13.80   | 0.12    | 1.9     | 0.040   | 2.76    | 16.4    | 3.8     | 1.37    | 657     | 8.09    | 0.26    | 5.1     | 19.0    | 700   |
| S004298            |                          | 3.85    | 16.05   | 0.14    | 2.2     | 0.027   | 3.55    | 15.7    | 5.8     | 1.06    | 322     | 12.15   | 0.36    | 5.6     | 23.9    | 620   |
| S004299            |                          | 4.89    | 15.10   | 0.11    | 2.1     | 0.033   | 2.91    | 14.5    | 8.7     | 1.70    | 533     | 14.20   | 0.49    | 4.8     | 29.0    | 640   |
| S004300            |                          | 0.03    | 0.18    | 0.15    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.62    | 19      | 0.07    | <0.01   | <0.1    | <0.2    | 40    |
| S004301            |                          | 4.38    | 14.40   | 0.11    | 2.1     | 0.039   | 3.03    | 17.0    | 8.7     | 1.38    | 405     | 12.45   | 0.43    | 5.2     | 25.1    | 800   |
| S004302            |                          | 3.98    | 15.55   | 0.11    | 2.0     | 0.041   | 3.35    | 15.2    | 6.6     | 1.43    | 494     | 11.45   | 0.30    | 5.9     | 26.6    | 680   |
| S004303            |                          | 3.71    | 15.90   | 0.13    | 1.9     | 0.032   | 3.61    | 17.5    | 10.6    | 1.23    | 414     | 5.73    | 0.27    | 6.6     | 14.5    | 760   |
| S004304            |                          | 3.14    | 17.10   | 0.15    | 2.1     | 0.026   | 4.00    | 19.7    | 5.7     | 0.80    | 312     | 11.15   | 0.14    | 7.9     | 21.5    | 780   |
| S004305            |                          | 3.76    | 14.25   | 0.13    | 2.0     | 0.029   | 3.26    | 17.8    | 12.1    | 1.35    | 455     | 7.14    | 0.18    | 6.2     | 16.9    | 720   |
| S004306            |                          | 4.54    | 15.10   | 0.14    | 2.4     | 0.037   | 3.15    | 23.3    | 6.4     | 1.33    | 415     | 20.9    | 0.27    | 5.8     | 27.6    | 740   |
| S004306CD          |                          | 4.60    | 15.00   | 0.14    | 3.0     | 0.032   | 3.18    | 23.3    | 6.3     | 1.32    | 432     | 20.5    | 0.27    | 5.9     | 27.1    | 740   |
| S004307            |                          | 3.43    | 16.45   | 0.14    | 2.6     | 0.029   | 3.36    | 19.6    | 5.4     | 0.81    | 249     | 20.2    | 0.35    | 6.1     | 25.8    | 840   |
| S004308            |                          | 4.26    | 15.95   | 0.12    | 2.2     | 0.034   | 3.64    | 20.1    | 6.6     | 0.77    | 245     | 9.47    | 0.47    | 6.1     | 19.9    | 800   |
| S004309            |                          | 4.29    | 19.90   | 0.12    | 1.4     | 0.078   | 3.76    | 32.8    | 6.2     | 0.92    | 320     | 1.38    | 1.16    | 6.7     | 8.2     | 580   |
| S004310            |                          | 4.88    | 13.10   | 0.08    | 1.3     | 1.375   | 3.73    | 14.2    | 14.4    | 0.50    | 1200    | 10.45   | 0.24    | 5.7     | 15.9    | 960   |
| S004311            |                          | 3.89    | 12.70   | 0.09    | 1.2     | 0.030   | 1.98    | 20.2    | 9.2     | 0.57    | 369     | 1.26    | 2.18    | 5.0     | 7.5     | 730   |
| S004312            |                          | 3.60    | 12.20   | 0.10    | 1.2     | 0.037   | 2.07    | 20.3    | 13.9    | 0.81    | 610     | 1.32    | 1.55    | 5.4     | 8.9     | 760   |
| S004313            |                          | 4.25    | 15.05   | 0.08    | 0.9     | 0.057   | 1.59    | 18.4    | 22.2    | 1.19    | 652     | 0.64    | 2.15    | 6.7     | 12.3    | 870   |
| S004314            |                          | 4.41    | 14.85   | 0.08    | 0.9     | 0.044   | 1.64    | 16.0    | 21.9    | 1.05    | 627     | 0.88    | 2.17    | 6.7     | 12.7    | 740   |
| S004315            |                          | 5.11    | 17.00   | 0.09    | 1.3     | 0.061   | 2.75    | 21.0    | 20.4    | 1.13    | 544     | 0.97    | 1.50    | 7.9     | 15.9    | 910   |
| S004316            |                          | 4.67    | 15.80   | 0.09    | 1.0     | 0.050   | 2.35    | 13.1    | 17.9    | 0.99    | 669     | 0.75    | 1.80    | 7.5     | 15.8    | 940   |
| S004317            |                          | 4.68    | 14.70   | 0.11    | 1.1     | 0.042   | 2.37    | 17.5    | 13.6    | 1.10    | 707     | 1.03    | 1.45    | 6.1     | 14.3    | 920   |
| S004318            |                          | 3.91    | 11.65   | 0.09    | 1.2     | 0.041   | 1.60    | 19.3    | 11.6    | 0.86    | 1020    | 0.53    | 1.90    | 4.8     | 7.6     | 760   |
| S004319            |                          | 3.58    | 12.35   | 0.09    | 1.4     | 0.034   | 1.57    | 17.1    | 11.2    | 0.71    | 716     | 0.81    | 2.08    | 4.8     | 7.9     | 720   |
| S004320            |                          | 0.05    | 0.18    | 0.12    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 1.89    | 22      | <0.05   | 0.01    | <0.1    | <0.2    | 30    |
| S004321            |                          | 4.49    | 17.10   | 0.11    | 1.3     | 0.060   | 3.17    | 20.2    | 6.2     | 0.80    | 512     | 0.82    | 1.33    | 7.3     | 13.7    | 900   |
| S004322            |                          | 4.98    | 17.55   | 0.10    | 1.4     | 0.066   | 3.26    | 23.7    | 10.6    | 0.98    | 353     | 0.80    | 1.40    | 7.8     | 15.8    | 920   |
| S004323            |                          | 4.12    | 18.55   | 0.11    | 1.1     | 0.056   | 3.62    | 26.4    | 3.3     | 0.86    | 308     | 0.69    | 1.42    | 8.1     | 12.3    | 940   |
| S004324            |                          | 3.65    | 12.50   | 0.08    | 1.2     | 0.036   | 2.47    | 16.3    | 6.2     | 0.89    | 617     | 3.71    | 1.36    | 5.1     | 7.4     | 720   |
| S004325            |                          | 3.94    | 20.1    | 0.11    | 1.5     | 0.070   | 3.89    | 25.8    | 8.9     | 0.89    | 350     | 1.06    | 1.27    | 7.0     | 10.8    | 820   |
| S004326            |                          | 3.97    | 15.20   | 0.09    | 1.3     | 0.051   | 2.68    | 13.6    | 10.1    | 0.91    | 531     | 1.05    | 1.40    | 6.1     | 9.4     | 790   |
| S004326CD          |                          | 4.03    | 15.20   | 0.09    | 1.3     | 0.049   | 2.77    | 13.4    | 9.7     | 0.93    | 547     | 1.05    | 1.43    | 6.1     | 8.9     | 800   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1     |     |
| S004289            |                          | 3.6     | 87.9    | 0.008   | 2.84    | 3.87    | 2       | 0.6     | 167.0   | 0.25    | 0.30    | 2.37    | 0.387   | 1.02    | 1.8     |     |
| S004290            |                          | 143.5   | 153.5   | 0.009   | 2.82    | 18.80   | 3       | 1.4     | 188.0   | 0.27    | 0.33    | 2.70    | 0.248   | 2.79    | 1.6     |     |
| S004291            |                          | 6.3     | 83.7    | 0.007   | 2.51    | 4.49    | 2       | 0.8     | 59.0    | 0.35    | 0.07    | 3.60    | 0.175   | 1.27    | 2.3     |     |
| S004292            |                          | 10.4    | 84.8    | 0.018   | 2.35    | 11.20   | 3       | 0.8     | 62.9    | 0.19    | <0.05   | 3.30    | 0.218   | 1.17    | 3.8     |     |
| S004293            |                          | 15.9    | 73.7    | 0.011   | 2.93    | 6.86    | 2       | 0.9     | 37.5    | 0.25    | <0.05   | 3.19    | 0.188   | 1.46    | 3.1     |     |
| S004294            |                          | 15.8    | 75.5    | 0.014   | 2.77    | 8.57    | 1       | 1.1     | 30.8    | 0.33    | <0.05   | 3.70    | 0.169   | 1.27    | 2.8     |     |
| S004295            |                          | 8.3     | 114.0   | 0.019   | 2.76    | 13.90   | 2       | 0.9     | 114.5   | 0.44    | 0.29    | 5.03    | 0.243   | 1.05    | 4.0     |     |
| S004296            |                          | 4.5     | 153.0   | 0.036   | 2.80    | 2.23    | 2       | 1.4     | 139.0   | 0.62    | 0.14    | 7.41    | 0.372   | 1.40    | 7.2     |     |
| S004297            |                          | 2.9     | 112.5   | 0.008   | 2.03    | 1.06    | 2       | 0.9     | 263     | 0.29    | 0.11    | 3.84    | 0.298   | 1.02    | 2.4     |     |
| S004298            |                          | 3.6     | 121.5   | 0.013   | 1.89    | 1.33    | 1       | 0.8     | 157.0   | 0.34    | 0.23    | 4.05    | 0.357   | 1.44    | 3.1     |     |
| S004299            |                          | 4.2     | 117.5   | 0.018   | 2.20    | 1.31    | 1       | 0.7     | 207     | 0.28    | 0.36    | 3.49    | 0.344   | 1.28    | 3.7     |     |
| S004300            |                          | <0.5    | 0.4     | <0.002  | 0.07    | <0.05   | 1       | <0.2    | 5340    | <0.05   | 0.05    | 0.02    | <0.005  | <0.02   | 1.4     |     |
| S004301            |                          | 4.8     | 126.0   | 0.016   | 2.05    | 1.44    | 1       | 0.8     | 178.0   | 0.31    | 0.26    | 3.91    | 0.350   | 1.31    | 3.4     |     |
| S004302            |                          | 4.6     | 99.9    | 0.009   | 1.86    | 1.68    | 2       | 0.9     | 167.5   | 0.36    | 0.29    | 3.88    | 0.354   | 1.29    | 2.7     |     |
| S004303            |                          | 30.0    | 109.5   | 0.007   | 1.65    | 17.70   | 1       | 0.9     | 228     | 0.39    | 0.19    | 4.46    | 0.332   | 1.26    | 2.4     |     |
| S004304            |                          | 125.5   | 128.5   | 0.010   | 1.64    | 58.2    | 1       | 0.9     | 180.5   | 0.43    | 0.22    | 5.13    | 0.349   | 1.41    | 2.8     |     |
| S004305            |                          | 23.6    | 97.8    | 0.008   | 1.67    | 17.65   | 1       | 0.9     | 259     | 0.37    | 0.31    | 4.43    | 0.300   | 1.12    | 2.5     |     |
| S004306            |                          | 5.8     | 128.5   | 0.013   | 2.16    | 3.05    | 1       | 1.1     | 189.5   | 0.34    | 0.47    | 5.60    | 0.339   | 1.23    | 3.7     |     |
| S004306CD          |                          | 6.0     | 138.0   | 0.013   | 2.13    | 3.03    | 1       | 1.1     | 188.5   | 0.35    | 0.46    | 6.09    | 0.347   | 1.27    | 4.3     |     |
| S004307            |                          | 6.2     | 121.5   | 0.012   | 1.62    | 7.50    | 1       | 1.0     | 193.0   | 0.35    | 0.20    | 5.36    | 0.359   | 1.27    | 3.7     |     |
| S004308            |                          | 6.9     | 145.5   | 0.008   | 2.08    | 8.92    | <1      | 0.8     | 190.5   | 0.38    | 0.16    | 5.00    | 0.344   | 1.54    | 2.8     |     |
| S004309            |                          | 7.6     | 154.0   | <0.002  | 1.66    | 3.68    | <1      | 1.2     | 215     | 0.37    | 0.17    | 7.59    | 0.360   | 1.67    | 1.7     |     |
| S004310            |                          | 8690    | 159.0   | 0.004   | 3.06    | 76.1    | 2       | 4.1     | 144.0   | 0.35    | 0.26    | 3.80    | 0.256   | 3.31    | 2.1     |     |
| S004311            |                          | 14.9    | 86.4    | <0.002  | 1.75    | 0.89    | 1       | 0.7     | 253     | 0.32    | 0.21    | 4.61    | 0.292   | 0.98    | 1.8     |     |
| S004312            |                          | 8.3     | 102.5   | <0.002  | 1.12    | 0.82    | <1      | 0.8     | 289     | 0.36    | 0.09    | 4.77    | 0.272   | 1.18    | 1.8     |     |
| S004313            |                          | 8.2     | 65.1    | <0.002  | 0.65    | 0.80    | <1      | 0.8     | 349     | 0.40    | 0.08    | 3.60    | 0.363   | 0.85    | 1.0     |     |
| S004314            |                          | 9.9     | 55.0    | <0.002  | 1.03    | 0.63    | 1       | 0.7     | 365     | 0.40    | 0.10    | 3.43    | 0.354   | 0.87    | 0.9     |     |
| S004315            |                          | 11.9    | 99.0    | <0.002  | 1.37    | 1.34    | <1      | 0.9     | 231     | 0.49    | 0.10    | 4.72    | 0.435   | 1.17    | 1.4     |     |
| S004316            |                          | 8.9     | 62.2    | <0.002  | 1.22    | 1.36    | <1      | 0.7     | 342     | 0.45    | 0.07    | 2.90    | 0.407   | 1.08    | 1.0     |     |
| S004317            |                          | 14.8    | 79.3    | <0.002  | 1.17    | 3.15    | <1      | 0.7     | 301     | 0.36    | 0.13    | 3.48    | 0.336   | 1.24    | 1.2     |     |
| S004318            |                          | 10.7    | 72.9    | <0.002  | 1.09    | 1.87    | <1      | 0.6     | 480     | 0.34    | 0.12    | 4.64    | 0.240   | 0.88    | 1.7     |     |
| S004319            |                          | 11.1    | 67.1    | <0.002  | 1.03    | 0.68    | <1      | 0.6     | 380     | 0.34    | 0.11    | 4.51    | 0.240   | 0.82    | 1.8     |     |
| S004320            |                          | <0.5    | 0.5     | <0.002  | 0.08    | <0.05   | <1      | <0.2    | 4460    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.5     |     |
| S004321            |                          | 13.1    | 121.0   | <0.002  | 1.62    | 3.51    | 1       | 0.9     | 237     | 0.44    | 0.11    | 4.46    | 0.401   | 1.34    | 1.5     |     |
| S004322            |                          | 14.4    | 127.0   | <0.002  | 1.53    | 4.36    | <1      | 1.1     | 176.5   | 0.47    | 0.09    | 4.91    | 0.426   | 1.25    | 1.8     |     |
| S004323            |                          | 12.8    | 142.0   | <0.002  | 1.17    | 6.71    | <1      | 1.0     | 175.0   | 0.49    | 0.05    | 5.24    | 0.416   | 1.34    | 1.4     |     |
| S004324            |                          | 8.1     | 117.5   | <0.002  | 1.00    | 9.46    | <1      | 0.6     | 310     | 0.34    | 0.13    | 4.32    | 0.276   | 1.28    | 1.6     |     |
| S004325            |                          | 12.7    | 150.5   | <0.002  | 1.20    | 4.64    | <1      | 1.1     | 197.0   | 0.43    | 0.12    | 5.66    | 0.415   | 1.44    | 1.8     |     |
| S004326            |                          | 12.4    | 89.7    | <0.002  | 1.20    | 5.17    | 1       | 0.8     | 303     | 0.39    | 0.15    | 3.75    | 0.338   | 1.34    | 1.5     |     |
| S004326CD          |                          | 11.8    | 86.4    | <0.002  | 1.20    | 4.84    | <1      | 0.7     | 308     | 0.41    | 0.13    | 3.61    | 0.345   | 1.27    | 1.5     |     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61       | ME-MS61         | ME-MS61         | ME-MS61        | ME-MS61          | pXRF-34        | pXRF-34        | pXRF-34        |
|--------------------|-----------------------------------|---------------|-----------------|-----------------|----------------|------------------|----------------|----------------|----------------|
|                    |                                   | V<br>ppm<br>1 | W<br>ppm<br>0.1 | Y<br>ppm<br>0.1 | Zn<br>ppm<br>2 | Zr<br>ppm<br>0.5 | Si<br>%<br>0.5 | Ti<br>%<br>0.1 | Zr<br>ppm<br>5 |
| S004289            |                                   | 146           | 12.2            | 14.0            | 22             | 58.0             | 28.7           | 0.5            | 81             |
| S004290            |                                   | 106           | 4.7             | 8.2             | 473            | 38.8             | 28.3           | 0.3            | 76             |
| S004291            |                                   | 73            | 2.9             | 17.8            | 88             | 105.5            | 34.4           | 0.3            | 151            |
| S004292            |                                   | 145           | 2.3             | 11.6            | 175            | 91.9             | 34.4           | 0.4            | 102            |
| S004293            |                                   | 106           | 1.6             | 13.4            | 283            | 87.8             | 35.1           | 0.3            | 112            |
| S004294            |                                   | 49            | 1.4             | 16.9            | 150            | 123.0            | 34.4           | 0.2            | 148            |
| S004295            |                                   | 79            | 10.4            | 24.3            | 108            | 148.5            | 29.8           | 0.4            | 213            |
| S004296            |                                   | 101           | 3.9             | 29.7            | 149            | 177.5            | 26.6           | 0.6            | 268            |
| S004297            |                                   | 113           | 3.2             | 17.3            | 44             | 82.5             | 25.3           | 0.4            | 103            |
| S004298            |                                   | 130           | 4.2             | 18.2            | 41             | 84.1             | 25.8           | 0.5            | 148            |
| S004299            |                                   | 154           | 5.4             | 18.3            | 59             | 82.5             | 23.8           | 0.5            | 106            |
| S004300            |                                   | 1             | 0.1             | 0.3             | <2             | 0.5              | 1.4            | <0.1           | 32             |
| S004301            |                                   | 135           | 12.8            | 18.5            | 71             | 85.2             | 25.4           | 0.5            | 134            |
| S004302            |                                   | 163           | 3.9             | 17.3            | 52             | 78.1             | 24.8           | 0.5            | 141            |
| S004303            |                                   | 110           | 8.5             | 16.0            | 114            | 73.6             | 27.5           | 0.5            | 169            |
| S004304            |                                   | 118           | 11.9            | 14.0            | 523            | 86.1             | 25.6           | 0.4            | 173            |
| S004305            |                                   | 99            | 7.0             | 14.5            | 78             | 75.4             | 26.1           | 0.4            | 154            |
| S004306            |                                   | 123           | 8.2             | 20.5            | 50             | 97.3             | 25.3           | 0.5            | 140            |
| S004306CD          |                                   | 124           | 6.9             | 21.8            | 49             | 116.5            | 26.3           | 0.4            | 140            |
| S004307            |                                   | 112           | 4.9             | 17.9            | 37             | 99.2             | 28.4           | 0.5            | 154            |
| S004308            |                                   | 112           | 18.6            | 15.8            | 40             | 78.1             | 27.8           | 0.5            | 144            |
| S004309            |                                   | 116           | 4.5             | 17.6            | 60             | 53.5             | 25.9           | 0.5            | 178            |
| S004310            |                                   | 123           | 4.2             | 9.8             | 1870           | 44.7             | 30.0           | 0.4            | 83             |
| S004311            |                                   | 112           | 5.2             | 13.2            | 39             | 48.3             | 28.4           | 0.3            | 167            |
| S004312            |                                   | 94            | 11.9            | 15.6            | 51             | 46.4             | 26.0           | 0.3            | 115            |
| S004313            |                                   | 121           | 2.1             | 16.7            | 93             | 41.8             | 25.2           | 0.4            | 122            |
| S004314            |                                   | 110           | 1.8             | 14.6            | 79             | 34.4             | 25.5           | 0.4            | 122            |
| S004315            |                                   | 148           | 1.9             | 16.3            | 86             | 48.1             | 25.6           | 0.5            | 129            |
| S004316            |                                   | 141           | 3.4             | 12.7            | 75             | 37.7             | 24.0           | 0.4            | 134            |
| S004317            |                                   | 134           | 3.6             | 13.8            | 83             | 40.7             | 25.2           | 0.4            | 119            |
| S004318            |                                   | 103           | 2.3             | 14.3            | 63             | 44.7             | 23.5           | 0.3            | 102            |
| S004319            |                                   | 101           | 1.5             | 12.2            | 64             | 52.4             | 26.3           | 0.3            | 87             |
| S004320            |                                   | 2             | <0.1            | 0.4             | 2              | 1.0              | 1.0            | <0.1           | 24             |
| S004321            |                                   | 142           | 3.8             | 14.6            | 62             | 48.2             | 25.5           | 0.5            | 119            |
| S004322            |                                   | 148           | 1.8             | 15.4            | 77             | 51.0             | 25.9           | 0.5            | 132            |
| S004323            |                                   | 140           | 3.0             | 13.7            | 54             | 43.0             | 26.6           | 0.5            | 145            |
| S004324            |                                   | 122           | 15.4            | 12.4            | 46             | 43.6             | 26.1           | 0.3            | 122            |
| S004325            |                                   | 197           | 13.1            | 13.2            | 60             | 55.7             | 25.4           | 0.5            | 173            |
| S004326            |                                   | 147           | 5.7             | 11.9            | 45             | 50.4             | 25.8           | 0.4            | 156            |
| S004326CD          |                                   | 150           | 5.8             | 11.7            | 45             | 49.5             | 25.6           | 0.4            | 162            |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2    |
| S004327            |                          | 4.02         | <0.005  | 0.11    | 8.41    | 5.1     | 940     | 1.31    | 0.31    | 1.56    | 0.02    | 38.5    | 12.8    | 39      | 3.76    | 26.9   |
| S004328            |                          | 6.86         | <0.005  | 0.18    | 7.89    | 7.1     | 880     | 1.26    | 0.44    | 2.55    | 0.06    | 34.1    | 18.1    | 46      | 3.93    | 41.0   |
| S004329            |                          | 8.23         | 0.007   | 0.73    | 7.13    | 323     | 610     | 1.09    | 0.39    | 3.93    | 0.15    | 32.5    | 13.6    | 44      | 3.77    | 23.5   |
| S004330            |                          | 0.12         | 1.135   | 29.3    | 6.08    | 394     | 250     | 1.35    | 0.97    | 0.70    | 1.81    | 27.9    | 14.9    | 19      | 8.73    | 112.5  |
| S004331            |                          | 4.98         | <0.005  | 0.34    | 6.45    | 6.6     | 660     | 1.00    | 0.33    | 5.98    | 0.08    | 32.3    | 11.3    | 20      | 3.02    | 24.9   |
| S004332            |                          | 6.02         | 0.009   | 0.34    | 8.26    | 118.5   | 1030    | 1.32    | 0.40    | 1.86    | 0.10    | 39.1    | 16.4    | 52      | 3.77    | 27.2   |
| S004333            |                          | 6.75         | <0.005  | 0.22    | 6.12    | 29.4    | 650     | 1.13    | 0.35    | 6.56    | 0.09    | 33.2    | 11.0    | 30      | 3.18    | 18.7   |
| S004334            |                          | 7.38         | 0.020   | 0.58    | 8.52    | 92.0    | 1290    | 1.89    | 1.40    | 2.99    | 0.08    | 29.7    | 18.0    | 48      | 4.28    | 44.7   |
| S004335            |                          | 6.58         | 0.024   | 0.43    | 6.52    | 25.6    | 320     | 1.08    | 0.68    | 3.78    | 0.06    | 34.9    | 19.8    | 38      | 3.19    | 56.7   |
| S004336            |                          | 6.30         | <0.005  | 0.27    | 7.77    | 19.4    | 960     | 1.14    | 0.28    | 3.05    | 0.23    | 33.9    | 14.1    | 57      | 3.30    | 20.6   |
| S004337            |                          | 6.81         | 0.018   | 0.46    | 6.51    | 405     | 760     | 1.21    | 0.48    | 4.37    | 0.18    | 29.2    | 13.5    | 45      | 3.13    | 25.2   |
| S004338            |                          | 7.62         | 0.013   | 0.25    | 6.12    | 225     | 770     | 0.98    | 0.40    | 5.30    | 0.07    | 30.9    | 9.9     | 34      | 2.49    | 14.7   |
| S004339            |                          | 3.77         | 0.120   | 0.70    | 6.08    | 1325    | 780     | 1.52    | 0.64    | 5.52    | 0.13    | 30.3    | 13.0    | 47      | 2.59    | 22.3   |
| S004340            |                          | 0.90         | <0.005  | 0.03    | 0.05    | 0.9     | 10      | <0.05   | 0.01    | 36.9    | <0.02   | 0.29    | 0.2     | 1       | <0.05   | 0.5    |
| S004341            |                          | 5.64         | 0.014   | 0.29    | 6.56    | 206     | 920     | 1.15    | 0.46    | 5.66    | 0.07    | 29.9    | 13.4    | 50      | 3.28    | 17.6   |
| S004342            |                          | 5.49         | 0.025   | 1.27    | 7.17    | 733     | 1040    | 1.38    | 0.65    | 4.68    | 2.12    | 30.9    | 13.1    | 60      | 3.30    | 17.2   |
| S004343            |                          | 5.97         | 0.016   | 0.36    | 6.66    | 200     | 810     | 1.49    | 0.39    | 4.40    | 0.14    | 37.1    | 8.6     | 28      | 3.19    | 18.4   |
| S004344            |                          | 6.45         | <0.005  | 0.07    | 6.41    | 6.0     | 580     | 0.93    | 0.08    | 11.90   | 0.09    | 36.8    | 2.5     | 6       | 2.92    | 6.0    |
| S004345            |                          | 6.60         | <0.005  | 0.17    | 7.12    | 72.1    | 760     | 1.19    | 0.34    | 5.68    | 0.10    | 42.9    | 7.6     | 17      | 3.79    | 13.2   |
| S004346            |                          | 6.45         | 0.005   | 0.19    | 8.84    | 69.3    | 1160    | 1.72    | 0.28    | 1.62    | 0.10    | 41.1    | 10.6    | 51      | 4.62    | 20.5   |
| S004346CD          |                          | <0.02        | 0.006   | 0.19    | 8.94    | 69.5    | 1160    | 1.73    | 0.29    | 1.64    | 0.11    | 42.5    | 10.5    | 52      | 4.56    | 19.9   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S004327            |                          | 3.92    | 16.75   | 0.10    | 1.4     | 0.047   | 2.74    | 21.4    | 19.9    | 0.98    | 342     | 0.76    | 1.49    | 7.0     | 10.7    | 800   |
| S004328            |                          | 4.69    | 17.20   | 0.09    | 1.6     | 0.063   | 3.08    | 16.7    | 10.3    | 1.06    | 492     | 1.39    | 1.14    | 6.9     | 15.9    | 730   |
| S004329            |                          | 4.71    | 14.30   | 0.07    | 1.2     | 0.062   | 2.45    | 17.6    | 11.9    | 1.45    | 847     | 1.14    | 1.14    | 6.7     | 9.0     | 880   |
| S004330            |                          | 4.67    | 13.30   | 0.09    | 0.9     | 0.039   | 2.82    | 14.0    | 11.0    | 0.39    | 237     | 5.35    | 0.20    | 6.0     | 14.6    | 1320  |
| S004331            |                          | 4.17    | 12.40   | 0.11    | 1.4     | 0.054   | 1.84    | 18.3    | 9.4     | 1.20    | 948     | 1.04    | 1.15    | 5.1     | 6.5     | 570   |
| S004332            |                          | 4.69    | 16.80   | 0.10    | 1.4     | 0.046   | 3.25    | 21.3    | 8.0     | 0.78    | 328     | 1.02    | 0.77    | 6.0     | 11.6    | 710   |
| S004333            |                          | 3.69    | 11.60   | 0.10    | 1.4     | 0.044   | 2.17    | 17.4    | 4.5     | 1.14    | 1120    | 0.66    | 0.87    | 5.0     | 7.7     | 710   |
| S004334            |                          | 4.89    | 18.45   | 0.10    | 1.2     | 0.040   | 3.76    | 14.5    | 6.7     | 1.17    | 406     | 1.13    | 0.90    | 5.8     | 21.9    | 600   |
| S004335            |                          | 5.95    | 12.40   | 0.10    | 1.1     | 0.029   | 2.32    | 17.8    | 4.5     | 0.98    | 701     | 1.72    | 1.08    | 4.0     | 20.2    | 520   |
| S004336            |                          | 3.96    | 14.20   | 0.09    | 1.3     | 0.038   | 2.79    | 17.8    | 4.9     | 0.91    | 588     | 0.72    | 1.43    | 5.8     | 9.7     | 850   |
| S004337            |                          | 3.58    | 13.65   | 0.09    | 1.3     | 0.026   | 2.67    | 15.1    | 4.7     | 0.72    | 561     | 5.90    | 1.27    | 5.2     | 9.3     | 690   |
| S004338            |                          | 3.11    | 11.75   | 0.10    | 1.2     | 0.021   | 2.10    | 16.5    | 4.7     | 0.60    | 601     | 0.69    | 1.55    | 4.4     | 6.5     | 720   |
| S004339            |                          | 4.56    | 12.55   | 0.08    | 1.2     | 0.022   | 2.32    | 16.2    | 5.3     | 0.57    | 604     | 1.33    | 1.22    | 4.8     | 9.1     | 760   |
| S004340            |                          | 0.04    | 0.13    | 0.12    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 1.82    | 24      | <0.05   | 0.01    | <0.1    | <0.2    | 40    |
| S004341            |                          | 3.56    | 14.15   | 0.09    | 1.3     | 0.025   | 2.73    | 14.6    | 5.2     | 0.72    | 650     | 0.69    | 1.20    | 5.5     | 9.1     | 700   |
| S004342            |                          | 3.48    | 16.60   | 0.11    | 1.1     | 0.040   | 3.63    | 14.2    | 5.9     | 0.71    | 699     | 0.56    | 0.49    | 6.3     | 11.2    | 690   |
| S004343            |                          | 3.07    | 15.85   | 0.16    | 1.1     | 0.038   | 2.76    | 16.5    | 6.9     | 0.83    | 629     | 1.16    | 0.94    | 8.3     | 9.4     | 510   |
| S004344            |                          | 2.44    | 12.30   | 0.08    | 1.3     | 0.030   | 1.83    | 19.1    | 4.7     | 1.03    | 1480    | 0.43    | 1.66    | 7.7     | 1.3     | 540   |
| S004345            |                          | 3.14    | 16.65   | 0.19    | 1.2     | 0.029   | 2.62    | 18.6    | 4.6     | 0.69    | 642     | 1.30    | 1.79    | 10.2    | 6.0     | 540   |
| S004346            |                          | 3.24    | 21.1    | 0.21    | 1.2     | 0.069   | 3.67    | 18.7    | 6.1     | 0.78    | 321     | 0.74    | 1.01    | 9.1     | 11.9    | 440   |
| S004346CD          |                          | 3.26    | 20.6    | 0.24    | 1.2     | 0.069   | 3.68    | 19.3    | 5.8     | 0.79    | 331     | 0.72    | 1.01    | 9.0     | 12.0    | 440   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S004327            |                          | 8.2     | 112.5   | <0.002  | 0.93    | 0.71    | 16.2    | 1       | 0.8     | 247     | 0.42    | 0.09    | 5.03    | 0.370   | 1.08    | 1.9   |
| S004328            |                          | 9.9     | 108.0   | 0.002   | 1.42    | 6.44    | 16.9    | <1      | 0.9     | 257     | 0.41    | 0.20    | 3.93    | 0.371   | 1.37    | 1.8   |
| S004329            |                          | 18.2    | 103.0   | <0.002  | 1.45    | 12.95   | 13.7    | <1      | 0.8     | 310     | 0.39    | 0.11    | 4.21    | 0.460   | 1.25    | 1.5   |
| S004330            |                          | 54.8    | 128.5   | <0.002  | 4.24    | 36.3    | 15.2    | 6       | 1.9     | 140.0   | 0.33    | 0.32    | 2.78    | 0.309   | 2.52    | 1.0   |
| S004331            |                          | 10.1    | 84.2    | <0.002  | 1.62    | 2.22    | 11.3    | 1       | 0.6     | 384     | 0.31    | 0.13    | 4.58    | 0.245   | 0.78    | 1.7   |
| S004332            |                          | 10.7    | 122.5   | <0.002  | 2.51    | 6.27    | 15.4    | <1      | 0.9     | 193.5   | 0.37    | 0.09    | 4.96    | 0.352   | 1.23    | 1.7   |
| S004333            |                          | 7.4     | 97.6    | <0.002  | 1.58    | 4.55    | 10.4    | <1      | 0.6     | 387     | 0.30    | 0.10    | 3.98    | 0.246   | 0.93    | 1.4   |
| S004334            |                          | 15.6    | 110.5   | <0.002  | 2.48    | 10.20   | 20.4    | 1       | 0.9     | 273     | 0.35    | 0.37    | 3.75    | 0.305   | 1.46    | 1.1   |
| S004335            |                          | 13.0    | 95.4    | <0.002  | 3.27    | 10.35   | 13.5    | 1       | 0.6     | 315     | 0.23    | 0.21    | 3.77    | 0.199   | 0.91    | 1.2   |
| S004336            |                          | 10.6    | 102.5   | <0.002  | 1.93    | 5.87    | 13.1    | 1       | 0.8     | 318     | 0.35    | 0.09    | 4.22    | 0.341   | 1.03    | 1.5   |
| S004337            |                          | 7.2     | 90.1    | <0.002  | 1.61    | 15.10   | 9.9     | <1      | 0.7     | 360     | 0.32    | 0.17    | 3.36    | 0.262   | 1.12    | 1.4   |
| S004338            |                          | 5.8     | 74.4    | <0.002  | 1.41    | 4.73    | 7.9     | <1      | 0.9     | 424     | 0.30    | 0.18    | 3.43    | 0.206   | 0.83    | 1.3   |
| S004339            |                          | 9.3     | 76.1    | <0.002  | 2.44    | 7.68    | 9.8     | <1      | 0.6     | 380     | 0.30    | 0.29    | 3.43    | 0.255   | 0.84    | 1.4   |
| S004340            |                          | <0.5    | 0.6     | <0.002  | 0.05    | <0.05   | 0.2     | 1       | <0.2    | 4340    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.3   |
| S004341            |                          | 8.5     | 79.5    | <0.002  | 1.59    | 4.26    | 10.0    | <1      | 0.7     | 427     | 0.34    | 0.14    | 3.16    | 0.297   | 1.09    | 1.2   |
| S004342            |                          | 67.8    | 96.3    | <0.002  | 1.88    | 20.5    | 12.8    | <1      | 0.9     | 306     | 0.37    | 0.14    | 2.98    | 0.321   | 1.35    | 1.1   |
| S004343            |                          | 12.8    | 89.0    | <0.002  | 0.98    | 6.57    | 10.3    | 1       | 0.9     | 338     | 0.49    | 0.10    | 3.32    | 0.304   | 1.10    | 1.1   |
| S004344            |                          | 6.4     | 93.9    | <0.002  | 0.26    | 1.89    | 5.3     | 1       | 0.8     | 712     | 0.40    | 0.07    | 3.25    | 0.256   | 0.83    | 1.3   |
| S004345            |                          | 7.5     | 97.3    | <0.002  | 0.97    | 5.03    | 8.0     | 1       | 0.9     | 451     | 0.55    | 0.12    | 3.17    | 0.351   | 1.22    | 1.0   |
| S004346            |                          | 7.5     | 144.0   | <0.002  | 0.63    | 4.77    | 19.3    | 1       | 1.2     | 186.5   | 0.57    | 0.10    | 4.55    | 0.420   | 1.45    | 1.3   |
| S004346CD          |                          | 7.5     | 142.5   | 0.002   | 0.62    | 4.67    | 19.0    | 1       | 1.1     | 185.5   | 0.57    | 0.08    | 4.60    | 0.416   | 1.40    | 1.3   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| Sample Description | Method Analyte Units LOD | ME-MS61    | ME-MS61      | ME-MS61      | ME-MS61     | ME-MS61       | pXRF-34     | pXRF-34     | pXRF-34     |
|--------------------|--------------------------|------------|--------------|--------------|-------------|---------------|-------------|-------------|-------------|
|                    |                          | V ppm<br>1 | W ppm<br>0.1 | Y ppm<br>0.1 | Zn ppm<br>2 | Zr ppm<br>0.5 | Si %<br>0.5 | Ti %<br>0.1 | Zr ppm<br>5 |
| S004327            |                          | 143        | 4.0          | 13.8         | 63          | 55.1          | 27.5        | 0.4         | 127         |
| S004328            |                          | 145        | 6.2          | 15.9         | 79          | 54.5          | 25.2        | 0.4         | 130         |
| S004329            |                          | 203        | 11.9         | 14.4         | 81          | 41.1          | 23.7        | 0.5         | 233         |
| S004330            |                          | 143        | 2.5          | 9.1          | 206         | 32.7          | 31.6        | 0.4         | 71          |
| S004331            |                          | 88         | 3.2          | 16.8         | 66          | 61.6          | 23.8        | 0.3         | 100         |
| S004332            |                          | 164        | 4.2          | 12.4         | 52          | 50.6          | 27.0        | 0.5         | 201         |
| S004333            |                          | 89         | 6.0          | 15.4         | 50          | 51.8          | 23.8        | 0.3         | 101         |
| S004334            |                          | 146        | 8.5          | 13.1         | 61          | 45.5          | 24.5        | 0.5         | 109         |
| S004335            |                          | 99         | 5.3          | 13.6         | 47          | 39.6          | 24.7        | 0.3         | 97          |
| S004336            |                          | 151        | 4.2          | 12.5         | 69          | 49.3          | 26.0        | 0.5         | 173         |
| S004337            |                          | 114        | 14.6         | 11.6         | 44          | 48.5          | 26.1        | 0.4         | 131         |
| S004338            |                          | 79         | 4.4          | 11.8         | 33          | 43.3          | 25.2        | 0.3         | 102         |
| S004339            |                          | 107        | 7.8          | 11.7         | 33          | 44.6          | 24.3        | 0.3         | 217         |
| S004340            |                          | 2          | 0.1          | 0.3          | <2          | 0.6           | 1.0         | <0.1        | 27          |
| S004341            |                          | 116        | 7.1          | 11.2         | 42          | 43.9          | 23.5        | 0.4         | 166         |
| S004342            |                          | 122        | 6.4          | 10.0         | 164         | 42.4          | 25.0        | 0.5         | 161         |
| S004343            |                          | 72         | 4.9          | 12.5         | 52          | 42.9          | 24.8        | 0.4         | 160         |
| S004344            |                          | 39         | 4.6          | 16.6         | 54          | 51.5          | 17.3        | 0.3         | 118         |
| S004345            |                          | 57         | 6.3          | 13.7         | 53          | 43.9          | 22.3        | 0.5         | 164         |
| S004346            |                          | 120        | 5.7          | 12.5         | 59          | 43.8          | 26.6        | 0.5         | 152         |
| S004346CD          |                          | 119        | 5.5          | 12.4         | 62          | 42.8          | 26.7        | 0.5         | 157         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 1-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181445**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19181466**

Project: Bowser Regional Project  
 P.O. No.: BOW-0712  
 This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005755            |         | 7.11      | 0.066   | 0.32    | 6.67    | 6.8     | 160     | 1.14    | 0.86    | 1.05    | 0.02    | 23.1    | 26.3    | 14      | 3.60    | 16.5    |
| S005756            |         | 8.87      | <0.005  | 0.12    | 6.89    | 2.5     | 1280    | 0.83    | 0.25    | 1.87    | 0.03    | 26.9    | 21.3    | 13      | 3.43    | 8.6     |
| S005757            |         | 2.29      | <0.005  | 0.11    | 4.79    | 1.2     | 1000    | 0.52    | 0.16    | 2.20    | 0.02    | 18.65   | 21.1    | 11      | 3.77    | 6.0     |
| S005758            |         | 2.74      | <0.005  | 0.26    | 6.29    | 1.3     | 1050    | 0.61    | 0.21    | 1.91    | 0.03    | 24.0    | 27.3    | 12      | 4.04    | 10.4    |
| S005759            |         | 7.40      | <0.005  | 0.18    | 7.32    | 0.4     | 1550    | 0.87    | 0.18    | 4.12    | 0.05    | 25.0    | 27.9    | 14      | 3.92    | 9.8     |
| S005760            |         | 1.14      | <0.005  | 0.01    | 0.12    | 0.2     | 20      | <0.05   | 0.01    | 37.0    | <0.02   | 0.56    | 1.1     | 1       | 0.05    | 1.9     |
| S005761            |         | 6.79      | <0.005  | 0.23    | 6.44    | 0.3     | 1050    | 0.80    | 0.41    | 3.60    | 0.07    | 25.0    | 28.9    | 11      | 3.85    | 16.9    |
| S005762            |         | 3.92      | <0.005  | 0.22    | 6.71    | 0.7     | 1120    | 0.98    | 0.24    | 2.92    | 0.04    | 24.4    | 24.4    | 12      | 4.41    | 14.1    |
| S005763            |         | 2.58      | <0.005  | 0.37    | 6.86    | 0.7     | 350     | 0.93    | 0.92    | 2.65    | 0.09    | 24.8    | 30.1    | 15      | 7.04    | 23.7    |
| S005764            |         | 8.48      | <0.005  | 0.25    | 7.23    | 0.4     | 1500    | 0.88    | 0.30    | 3.78    | 0.07    | 27.4    | 25.1    | 15      | 4.96    | 12.4    |
| S005765            |         | 7.26      | 0.008   | 0.71    | 5.75    | 2.2     | 280     | 0.73    | 0.37    | 4.67    | 0.08    | 25.9    | 43.6    | 12      | 3.67    | 23.9    |
| S005766            |         | 6.87      | <0.005  | 0.16    | 8.16    | 1.4     | 2630    | 1.20    | 0.20    | 2.23    | 0.03    | 28.8    | 26.6    | 18      | 7.47    | 6.1     |
| S005766CD          |         | <0.02     | <0.005  | 0.14    | 7.74    | 1.6     | 2620    | 1.08    | 0.19    | 2.16    | 0.04    | 27.1    | 27.7    | 20      | 7.36    | 6.5     |
| S005767            |         | 6.93      | <0.005  | 0.21    | 7.02    | 1.5     | 1480    | 1.31    | 0.37    | 2.68    | 0.04    | 28.0    | 27.1    | 17      | 4.48    | 14.6    |
| S005768            |         | 6.62      | <0.005  | 0.23    | 7.91    | 0.3     | 1700    | 1.45    | 0.38    | 2.89    | 0.05    | 27.0    | 28.1    | 18      | 4.76    | 9.7     |
| S005769            |         | 7.07      | <0.005  | 0.25    | 7.74    | 1.1     | 1060    | 1.11    | 0.44    | 3.26    | 0.06    | 26.6    | 29.0    | 17      | 4.90    | 6.9     |
| S005770            |         | 0.12      | 1.175   | 29.2    | 5.83    | 371     | 130     | 1.38    | 0.94    | 0.67    | 1.80    | 29.7    | 14.1    | 18      | 8.68    | 112.5   |
| S005771            |         | 6.64      | <0.005  | 0.33    | 7.84    | 1.1     | 1080    | 1.48    | 0.48    | 4.23    | 0.07    | 28.6    | 25.9    | 18      | 4.83    | 9.9     |
| S005772            |         | 7.41      | <0.005  | 0.59    | 5.33    | 2.1     | 200     | 0.65    | 0.69    | 3.43    | 0.06    | 20.9    | 23.5    | 12      | 2.34    | 22.3    |
| S005773            |         | 5.90      | <0.005  | 0.53    | 6.40    | 3.2     | 240     | 1.00    | 0.59    | 3.42    | 0.06    | 23.3    | 24.5    | 13      | 3.08    | 16.8    |
| S005774            |         | 6.79      | <0.005  | 0.35    | 7.35    | 3.2     | 320     | 1.40    | 0.58    | 3.95    | 0.05    | 27.6    | 25.5    | 12      | 3.49    | 11.5    |
| S005775            |         | 7.56      | <0.005  | 0.38    | 6.90    | 17.8    | 110     | 1.27    | 0.80    | 2.76    | 0.06    | 22.3    | 27.4    | 10      | 3.57    | 9.8     |
| S005776            |         | 7.88      | 0.017   | 0.83    | 8.10    | 79.3    | 40      | 1.57    | 0.11    | 0.50    | 0.17    | 19.15   | 27.5    | 15      | 3.08    | 9.7     |
| S005777            |         | 7.52      | 0.022   | 0.97    | 8.17    | 128.5   | 30      | 1.66    | 0.08    | 0.56    | 0.35    | 18.80   | 26.4    | 16      | 2.49    | 9.0     |
| S005778            |         | 5.77      | 0.022   | 1.21    | 8.07    | 130.5   | 50      | 1.54    | 2.55    | 0.29    | 0.97    | 18.50   | 26.6    | 16      | 2.14    | 17.8    |
| S005779            |         | 2.38      | 0.034   | 2.04    | 5.11    | 6040    | 170     | 0.97    | 1.47    | 0.37    | 9.28    | 13.30   | 18.7    | 16      | 1.35    | 16.1    |
| S005780            |         | 1.37      | <0.005  | 0.02    | 0.14    | 7.9     | 20      | <0.05   | 0.01    | 35.4    | 0.02    | 0.65    | 1.3     | 2       | 0.06    | 2.1     |
| S005781            |         | 6.56      | 0.014   | 0.77    | 7.98    | 78.2    | 110     | 1.47    | 1.97    | 1.95    | 0.15    | 23.7    | 29.4    | 13      | 3.49    | 15.7    |
| S005782            |         | 8.33      | 0.018   | 0.79    | 6.10    | 76.3    | 50      | 1.07    | 0.13    | 2.04    | 0.19    | 20.2    | 19.8    | 12      | 3.67    | 13.3    |
| S005783            |         | 7.35      | <0.005  | 0.70    | 6.54    | 15.3    | 50      | 1.18    | 1.44    | 2.27    | 0.10    | 24.1    | 25.8    | 12      | 4.29    | 24.8    |
| S005784            |         | 7.62      | 0.009   | 0.48    | 7.95    | 27.0    | 1490    | 1.13    | 0.39    | 1.23    | 0.04    | 25.7    | 25.0    | 12      | 4.03    | 12.2    |
| S005785            |         | 6.70      | 0.014   | 0.52    | 7.46    | 54.1    | 410     | 1.35    | 0.04    | 0.56    | 0.07    | 23.3    | 24.0    | 10      | 3.61    | 12.0    |
| S005786            |         | 7.49      | 0.010   | 0.47    | 7.46    | 89.6    | 610     | 1.35    | 0.05    | 0.56    | 0.15    | 23.3    | 23.6    | 13      | 3.27    | 14.0    |
| S005786CD          |         | <0.02     | 0.020   | 0.47    | 7.28    | 84.9    | 320     | 1.32    | 0.05    | 0.55    | 0.14    | 20.6    | 23.0    | 13      | 3.15    | 16.7    |
| S005787            |         | 7.06      | 0.005   | 0.26    | 8.25    | 33.6    | 220     | 1.54    | 0.05    | 0.74    | 0.07    | 26.1    | 24.4    | 14      | 3.91    | 15.8    |
| S005788            |         | 7.27      | <0.005  | 0.15    | 8.27    | 13.4    | 840     | 1.44    | 0.21    | 1.15    | 0.05    | 30.8    | 24.1    | 14      | 3.99    | 13.6    |
| S005789            |         | 6.70      | 0.009   | 0.25    | 7.86    | 23.7    | 850     | 1.37    | 0.05    | 0.84    | 0.04    | 25.2    | 24.5    | 15      | 3.43    | 14.2    |
| S005790            |         | 0.14      | 1.020   | 12.85   | 5.93    | 313     | 490     | 1.08    | 0.17    | 3.65    | 4.08    | 22.2    | 9.9     | 27      | 6.44    | 92.4    |
| S005791            |         | 8.83      | 0.016   | 0.35    | 5.78    | 49.8    | 850     | 1.12    | 0.06    | 1.46    | 0.07    | 22.4    | 20.9    | 13      | 3.49    | 12.9    |
| S005792            |         | 6.43      | 0.007   | 0.15    | 7.40    | 25.0    | 820     | 1.36    | 0.05    | 2.12    | 0.08    | 29.3    | 22.5    | 15      | 4.02    | 11.6    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S005755            |                          | 10.70   | 18.05   | 0.14    | 0.5     | 0.069   | 2.59    | 10.3    | 15.1    | 1.37    | 482     | 6.96    | 0.20    | 4.7     | 6.8     | 1070  |
| S005756            |                          | 9.72    | 19.50   | 0.14    | 1.9     | 0.052   | 1.93    | 12.6    | 22.0    | 2.51    | 847     | 4.80    | 0.12    | 7.0     | 5.8     | 1480  |
| S005757            |                          | 7.23    | 14.55   | 0.14    | 0.3     | 0.041   | 1.58    | 8.8     | 21.9    | 2.82    | 742     | 3.29    | 0.11    | 4.6     | 4.1     | 1120  |
| S005758            |                          | 11.00   | 16.90   | 0.15    | 0.7     | 0.032   | 1.76    | 11.6    | 24.4    | 3.38    | 946     | 2.69    | 0.12    | 5.9     | 5.7     | 1360  |
| S005759            |                          | 9.96    | 20.6    | 0.14    | 2.2     | 0.068   | 2.41    | 11.8    | 26.9    | 3.89    | 1210    | 0.16    | 0.18    | 6.7     | 6.4     | 1670  |
| S005760            |                          | 0.08    | 0.37    | 0.07    | <0.1    | <0.005  | 0.03    | <0.5    | 0.8     | 1.79    | 27      | 0.07    | 0.01    | 0.1     | <0.2    | 40    |
| S005761            |                          | 9.82    | 18.50   | 0.12    | 1.3     | 0.055   | 2.20    | 11.9    | 22.5    | 3.26    | 1040    | 0.29    | 0.13    | 5.7     | 5.6     | 1270  |
| S005762            |                          | 8.81    | 18.65   | 0.13    | 1.0     | 0.043   | 2.45    | 11.4    | 21.9    | 2.72    | 664     | 0.30    | 0.14    | 5.4     | 5.6     | 1280  |
| S005763            |                          | 10.85   | 20.0    | 0.15    | 1.0     | 0.039   | 3.07    | 11.3    | 19.1    | 2.47    | 630     | 0.73    | 0.11    | 6.5     | 7.8     | 1460  |
| S005764            |                          | 9.23    | 21.6    | 0.13    | 1.3     | 0.052   | 2.67    | 12.8    | 22.6    | 3.22    | 963     | 0.77    | 0.13    | 6.5     | 6.6     | 1720  |
| S005765            |                          | 11.90   | 18.85   | 0.13    | 0.8     | 0.055   | 2.26    | 12.8    | 13.9    | 3.25    | 1170    | 0.22    | 0.14    | 4.1     | 6.2     | 1500  |
| S005766            |                          | 8.14    | 21.9    | 0.19    | 1.7     | 0.056   | 3.65    | 13.8    | 21.0    | 2.51    | 810     | 1.00    | 0.27    | 8.1     | 7.2     | 2990  |
| S005766CD          |                          | 8.12    | 22.9    | 0.18    | 0.8     | 0.058   | 3.62    | 12.4    | 21.6    | 2.44    | 792     | 0.95    | 0.26    | 8.3     | 7.6     | 2960  |
| S005767            |                          | 7.62    | 20.3    | 0.21    | 0.5     | 0.057   | 2.87    | 12.9    | 16.1    | 1.83    | 734     | 1.23    | 0.29    | 6.9     | 7.8     | 1970  |
| S005768            |                          | 8.23    | 24.7    | 0.19    | 0.4     | 0.101   | 3.11    | 12.0    | 19.6    | 1.93    | 998     | 0.79    | 0.38    | 8.5     | 8.5     | 2400  |
| S005769            |                          | 8.41    | 21.0    | 0.18    | 0.9     | 0.072   | 2.63    | 12.8    | 20.7    | 2.38    | 949     | 1.82    | 0.38    | 7.0     | 7.5     | 1850  |
| S005770            |                          | 4.44    | 13.95   | 0.23    | 1.1     | 0.040   | 2.70    | 13.7    | 11.2    | 0.37    | 225     | 5.31    | 0.19    | 5.9     | 14.6    | 1270  |
| S005771            |                          | 7.63    | 22.7    | 0.22    | 0.7     | 0.048   | 2.40    | 13.0    | 17.3    | 2.01    | 857     | 2.95    | 0.86    | 7.9     | 8.6     | 1900  |
| S005772            |                          | 13.40   | 19.00   | 0.16    | 0.6     | 0.055   | 0.95    | 9.6     | 24.5    | 2.99    | 593     | 3.32    | 0.87    | 4.3     | 6.0     | 1020  |
| S005773            |                          | 9.88    | 18.85   | 0.13    | 1.6     | 0.039   | 2.04    | 11.1    | 19.2    | 1.96    | 441     | 4.78    | 0.29    | 5.1     | 6.5     | 1290  |
| S005774            |                          | 8.41    | 21.1    | 0.15    | 0.7     | 0.042   | 2.26    | 12.7    | 20.2    | 1.76    | 498     | 2.27    | 0.42    | 4.9     | 6.0     | 1450  |
| S005775            |                          | 7.79    | 21.5    | 0.16    | 0.5     | 0.069   | 2.59    | 9.5     | 16.3    | 1.22    | 468     | 3.62    | 0.47    | 5.0     | 5.6     | 1620  |
| S005776            |                          | 10.95   | 24.7    | 0.20    | 1.3     | 0.099   | 4.07    | 6.7     | 5.6     | 0.28    | 138     | 4.26    | 0.13    | 4.6     | 6.6     | 1780  |
| S005777            |                          | 12.25   | 24.5    | 0.21    | 1.5     | 0.097   | 4.03    | 6.4     | 4.8     | 0.27    | 138     | 5.01    | 0.13    | 4.5     | 7.6     | 2000  |
| S005778            |                          | 9.46    | 24.7    | 0.21    | 1.3     | 0.078   | 3.99    | 6.1     | 4.1     | 0.29    | 101     | 3.22    | 0.16    | 4.1     | 7.2     | 710   |
| S005779            |                          | 5.81    | 14.90   | 0.13    | 0.9     | 0.053   | 2.40    | 5.8     | 3.6     | 0.26    | 130     | 8.96    | 0.08    | 2.5     | 4.8     | 630   |
| S005780            |                          | 0.09    | 0.44    | 0.08    | <0.1    | <0.005  | 0.03    | <0.5    | 0.9     | 1.77    | 21      | 0.11    | 0.02    | 0.1     | 1.4     | 40    |
| S005781            |                          | 10.75   | 22.8    | 0.20    | 0.7     | 0.076   | 3.43    | 9.4     | 11.0    | 0.90    | 316     | 3.64    | 0.62    | 5.7     | 6.6     | 1250  |
| S005782            |                          | 13.60   | 18.05   | 0.18    | 0.8     | 0.051   | 2.86    | 8.5     | 7.7     | 0.84    | 413     | 5.84    | 0.24    | 5.1     | 4.9     | 1920  |
| S005783            |                          | 13.10   | 20.0    | 0.15    | 0.8     | 0.065   | 2.29    | 10.4    | 22.0    | 1.74    | 506     | 3.80    | 0.59    | 4.3     | 5.5     | 1720  |
| S005784            |                          | 7.48    | 20.9    | 0.11    | 2.1     | 0.097   | 3.23    | 11.6    | 14.3    | 1.08    | 780     | 4.40    | 0.15    | 4.3     | 5.1     | 1630  |
| S005785            |                          | 7.14    | 19.40   | 0.12    | 0.8     | 0.085   | 3.46    | 10.0    | 7.7     | 0.48    | 335     | 4.12    | 0.13    | 4.6     | 3.9     | 1550  |
| S005786            |                          | 10.50   | 19.80   | 0.12    | 0.9     | 0.083   | 3.41    | 9.4     | 6.2     | 0.49    | 259     | 4.39    | 0.14    | 3.7     | 5.2     | 1440  |
| S005786CD          |                          | 10.30   | 19.10   | 0.11    | 0.8     | 0.078   | 3.34    | 8.0     | 5.9     | 0.48    | 257     | 4.23    | 0.14    | 3.6     | 5.1     | 1400  |
| S005787            |                          | 7.98    | 23.7    | 0.12    | 0.9     | 0.093   | 3.30    | 11.1    | 12.1    | 1.13    | 605     | 2.99    | 0.17    | 6.5     | 5.6     | 1820  |
| S005788            |                          | 7.52    | 23.1    | 0.12    | 2.4     | 0.089   | 2.95    | 14.5    | 12.6    | 1.59    | 826     | 3.14    | 0.15    | 8.7     | 5.5     | 1660  |
| S005789            |                          | 9.47    | 20.5    | 0.12    | 1.3     | 0.085   | 2.58    | 12.0    | 9.2     | 1.55    | 892     | 3.09    | 0.13    | 9.0     | 5.5     | 2000  |
| S005790            |                          | 3.91    | 12.75   | 0.12    | 1.1     | 0.046   | 3.87    | 11.0    | 11.8    | 0.54    | 1390    | 9.20    | 0.21    | 4.8     | 18.8    | 910   |
| S005791            |                          | 14.70   | 15.10   | 0.12    | 1.6     | 0.051   | 2.11    | 10.5    | 8.7     | 1.00    | 670     | 5.61    | 0.07    | 6.0     | 4.5     | 2310  |
| S005792            |                          | 9.80    | 19.05   | 0.11    | 1.3     | 0.073   | 2.50    | 13.9    | 11.4    | 1.52    | 1160    | 4.29    | 0.13    | 8.3     | 4.9     | 2470  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S005755            |                          | 3.5     | 103.5   | <0.002  | 3.82    | 4.16    | 29.2    | 1       | 1.3     | 79.7    | 0.28    | 0.05    | 1.94    | 0.575   | 2.72    | 0.8 |
| S005756            |                          | 2.1     | 94.7    | 0.002   | 1.50    | 1.96    | 31.9    | 1       | 0.7     | 137.0   | 0.41    | 0.09    | 2.30    | 0.857   | 2.35    | 0.9 |
| S005757            |                          | 1.4     | 82.6    | <0.002  | 0.80    | 1.23    | 22.7    | 1       | 0.4     | 291     | 0.27    | 0.19    | 1.39    | 0.561   | 2.27    | 0.6 |
| S005758            |                          | 2.6     | 86.9    | <0.002  | 1.39    | 1.33    | 26.3    | 2       | 0.3     | 219     | 0.34    | 0.25    | 1.74    | 0.759   | 2.31    | 0.7 |
| S005759            |                          | 2.3     | 111.0   | <0.002  | 1.24    | 0.84    | 31.3    | 1       | 0.5     | 336     | 0.42    | 0.22    | 2.16    | 0.894   | 2.82    | 1.2 |
| S005760            |                          | <0.5    | 1.0     | <0.002  | 0.09    | 0.05    | 0.4     | 2       | <0.2    | 4870    | <0.05   | 0.08    | 0.06    | 0.006   | 0.02    | 1.3 |
| S005761            |                          | 2.1     | 128.0   | <0.002  | 1.75    | 0.70    | 28.7    | 2       | 0.5     | 271     | 0.36    | 0.50    | 2.13    | 0.740   | 2.67    | 1.0 |
| S005762            |                          | 1.5     | 131.0   | <0.002  | 1.68    | 1.15    | 28.2    | 1       | 0.4     | 274     | 0.35    | 0.30    | 1.93    | 0.747   | 2.99    | 1.0 |
| S005763            |                          | 3.5     | 156.5   | <0.002  | 2.69    | 1.56    | 30.0    | 2       | 0.4     | 204     | 0.39    | 0.42    | 2.01    | 0.788   | 3.71    | 0.9 |
| S005764            |                          | 2.4     | 133.5   | <0.002  | 1.70    | 1.40    | 32.3    | 1       | 0.7     | 297     | 0.41    | 0.34    | 2.26    | 0.794   | 3.20    | 1.0 |
| S005765            |                          | 2.1     | 123.5   | <0.002  | 3.61    | 1.53    | 25.7    | 2       | 1.2     | 311     | 0.25    | 0.82    | 1.84    | 0.448   | 2.27    | 0.9 |
| S005766            |                          | 1.7     | 176.0   | <0.002  | 0.98    | 0.91    | 36.1    | 1       | 0.9     | 233     | 0.49    | 0.20    | 2.65    | 0.987   | 4.39    | 1.0 |
| S005766CD          |                          | 1.7     | 143.0   | <0.002  | 1.01    | 0.90    | 35.7    | 2       | 0.9     | 228     | 0.50    | 0.18    | 2.18    | 0.963   | 4.30    | 0.8 |
| S005767            |                          | 2.0     | 114.5   | <0.002  | 1.68    | 0.92    | 31.7    | 2       | 0.8     | 206     | 0.42    | 0.38    | 1.99    | 0.813   | 3.27    | 0.8 |
| S005768            |                          | 2.3     | 104.0   | <0.002  | 1.61    | 0.86    | 37.7    | 2       | 1.4     | 218     | 0.53    | 0.26    | 2.13    | 0.994   | 3.39    | 0.9 |
| S005769            |                          | 3.8     | 127.0   | 0.002   | 1.87    | 1.08    | 33.8    | 2       | 0.9     | 263     | 0.44    | 0.43    | 2.43    | 0.867   | 3.26    | 1.1 |
| S005770            |                          | 53.3    | 132.0   | <0.002  | 4.13    | 37.8    | 15.1    | 6       | 1.9     | 137.0   | 0.32    | 0.34    | 2.71    | 0.300   | 2.39    | 1.0 |
| S005771            |                          | 3.3     | 94.4    | <0.002  | 2.03    | 0.87    | 35.3    | 2       | 0.9     | 333     | 0.45    | 0.43    | 2.39    | 0.925   | 2.72    | 1.1 |
| S005772            |                          | 3.7     | 31.0    | <0.002  | 5.23    | 1.62    | 24.4    | 1       | 0.6     | 257     | 0.26    | 0.79    | 1.68    | 0.456   | 1.31    | 0.9 |
| S005773            |                          | 2.8     | 115.5   | <0.002  | 3.76    | 1.00    | 28.1    | 1       | 1.0     | 209     | 0.31    | 0.70    | 2.00    | 0.543   | 2.13    | 0.9 |
| S005774            |                          | 3.0     | 104.5   | <0.002  | 3.09    | 1.23    | 31.9    | 1       | 1.0     | 287     | 0.31    | 0.56    | 2.14    | 0.574   | 2.42    | 0.9 |
| S005775            |                          | 4.0     | 84.2    | 0.002   | 4.36    | 4.75    | 32.9    | 1       | 1.1     | 219     | 0.31    | 0.35    | 1.70    | 0.617   | 2.77    | 0.7 |
| S005776            |                          | 14.1    | 141.0   | <0.002  | >10.0   | 8.89    | 37.3    | 2       | 1.4     | 81.8    | 0.28    | 0.10    | 2.02    | 0.522   | 5.10    | 1.1 |
| S005777            |                          | 19.1    | 134.5   | <0.002  | >10.0   | 17.85   | 36.3    | 1       | 1.3     | 85.0    | 0.26    | 0.11    | 2.03    | 0.515   | 3.98    | 1.2 |
| S005778            |                          | 16.3    | 134.0   | <0.002  | 7.72    | 20.7    | 35.1    | 2       | 1.4     | 52.7    | 0.24    | 0.49    | 2.06    | 0.473   | 3.16    | 1.0 |
| S005779            |                          | 111.5   | 85.5    | 0.002   | 3.70    | 79.0    | 21.7    | 1       | 1.0     | 44.4    | 0.15    | 0.74    | 1.21    | 0.303   | 1.57    | 0.6 |
| S005780            |                          | <0.5    | 1.2     | <0.002  | 0.06    | 0.20    | 0.5     | 2       | <0.2    | 4720    | <0.05   | 0.07    | 0.08    | 0.007   | <0.02   | 1.3 |
| S005781            |                          | 12.0    | 132.5   | 0.002   | 8.22    | 15.00   | 37.7    | 2       | 1.3     | 187.5   | 0.34    | 0.44    | 1.96    | 0.666   | 3.40    | 0.8 |
| S005782            |                          | 13.3    | 116.5   | <0.002  | >10.0   | 8.81    | 26.0    | 1       | 1.0     | 217     | 0.30    | 0.07    | 1.65    | 0.527   | 3.87    | 1.0 |
| S005783            |                          | 5.3     | 92.0    | <0.002  | 8.17    | 3.05    | 27.9    | 2       | 0.9     | 191.0   | 0.27    | 0.46    | 1.95    | 0.437   | 3.80    | 0.9 |
| S005784            |                          | 9.2     | 119.5   | <0.002  | 5.32    | 9.41    | 31.8    | 1       | 1.1     | 132.0   | 0.27    | 0.15    | 2.44    | 0.561   | 3.41    | 1.4 |
| S005785            |                          | 10.8    | 116.0   | <0.002  | 6.61    | 19.50   | 30.1    | 1       | 1.0     | 120.5   | 0.29    | <0.05   | 1.93    | 0.563   | 3.61    | 0.9 |
| S005786            |                          | 9.0     | 119.0   | <0.002  | >10.0   | 15.30   | 31.0    | 1       | 1.0     | 93.9    | 0.22    | <0.05   | 1.86    | 0.444   | 4.36    | 1.0 |
| S005786CD          |                          | 8.8     | 112.5   | <0.002  | >10.0   | 14.75   | 29.1    | 1       | 1.3     | 88.6    | 0.22    | <0.05   | 1.77    | 0.427   | 4.36    | 0.9 |
| S005787            |                          | 3.2     | 106.5   | <0.002  | 4.98    | 8.17    | 33.0    | 1       | 1.2     | 113.5   | 0.40    | <0.05   | 1.98    | 0.768   | 3.30    | 0.9 |
| S005788            |                          | 1.7     | 110.0   | <0.002  | 3.04    | 2.85    | 33.2    | 1       | 1.2     | 122.5   | 0.48    | 0.05    | 2.81    | 0.926   | 2.81    | 1.6 |
| S005789            |                          | 3.4     | 85.1    | <0.002  | 4.61    | 2.29    | 32.7    | 1       | 1.2     | 87.3    | 0.48    | <0.05   | 2.20    | 0.932   | 2.51    | 1.3 |
| S005790            |                          | 147.0   | 157.5   | 0.012   | 2.86    | 17.15   | 10.9    | 2       | 1.4     | 188.0   | 0.29    | 0.32    | 2.85    | 0.256   | 2.93    | 1.7 |
| S005791            |                          | 5.2     | 84.7    | <0.002  | >10.0   | 2.50    | 24.7    | 1       | 0.8     | 66.5    | 0.35    | <0.05   | 1.90    | 0.674   | 2.85    | 1.1 |
| S005792            |                          | 3.3     | 92.4    | <0.002  | 5.36    | 1.80    | 30.8    | 1       | 1.0     | 98.3    | 0.47    | <0.05   | 2.19    | 0.865   | 2.85    | 1.2 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                          | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                          | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S005755            |                          | 298      | 3.9        | 18.6       | 32       | 18.6       | 25.1     | 1.0      | 90       |
| S005756            |                          | 323      | 2.2        | 22.3       | 65       | 37.1       | 22.7     | 1.0      | 98       |
| S005757            |                          | 229      | 1.8        | 16.2       | 79       | 12.0       | 24.8     | 0.6      | 65       |
| S005758            |                          | 292      | 2.1        | 20.1       | 89       | 23.8       | 22.4     | 0.7      | 82       |
| S005759            |                          | 342      | 3.4        | 25.7       | 97       | 65.8       | 19.0     | 0.9      | 98       |
| S005760            |                          | 3        | <0.1       | 0.5        | <2       | 1.2        | 1.4      | <0.1     | 43       |
| S005761            |                          | 294      | 3.2        | 25.8       | 81       | 36.1       | 20.9     | 0.9      | 99       |
| S005762            |                          | 302      | 1.7        | 23.2       | 65       | 32.7       | 22.9     | 0.9      | 91       |
| S005763            |                          | 307      | 2.0        | 22.3       | 64       | 36.9       | 22.2     | 1.0      | 94       |
| S005764            |                          | 321      | 12.3       | 26.6       | 83       | 44.4       | 20.3     | 1.0      | 105      |
| S005765            |                          | 255      | 31.8       | 25.6       | 83       | 20.1       | 18.1     | 0.8      | 91       |
| S005766            |                          | 371      | 3.1        | 30.0       | 78       | 63.5       | 20.7     | 1.2      | 115      |
| S005766CD          |                          | 374      | 3.0        | 26.6       | 78       | 25.4       | 21.4     | 1.2      | 122      |
| S005767            |                          | 334      | 6.3        | 24.6       | 58       | 15.2       | 22.6     | 1.1      | 110      |
| S005768            |                          | 390      | 3.9        | 29.5       | 78       | 13.7       | 20.6     | 1.2      | 129      |
| S005769            |                          | 349      | 5.9        | 26.2       | 84       | 29.0       | 20.9     | 1.1      | 106      |
| S005770            |                          | 136      | 2.4        | 9.1        | 202      | 35.6       | 32.3     | 0.4      | 74       |
| S005771            |                          | 360      | 9.1        | 30.9       | 65       | 20.6       | 21.0     | 1.1      | 117      |
| S005772            |                          | 252      | 9.8        | 20.0       | 82       | 14.2       | 20.6     | 0.7      | 80       |
| S005773            |                          | 270      | 12.8       | 22.5       | 53       | 32.7       | 22.4     | 0.8      | 92       |
| S005774            |                          | 322      | 11.3       | 22.7       | 49       | 25.8       | 21.7     | 1.0      | 102      |
| S005775            |                          | 336      | 5.6        | 24.0       | 44       | 15.4       | 23.0     | 1.1      | 107      |
| S005776            |                          | 321      | 1.9        | 20.2       | 34       | 46.1       | 23.8     | 1.2      | 121      |
| S005777            |                          | 309      | 3.0        | 21.1       | 45       | 52.2       | 22.9     | 1.2      | 130      |
| S005778            |                          | 314      | 8.1        | 13.9       | 71       | 44.8       | 23.5     | 1.2      | 130      |
| S005779            |                          | 218      | 11.4       | 9.2        | 530      | 24.9       | 31.7     | 0.8      | 79       |
| S005780            |                          | 4        | 0.2        | 0.4        | 3        | 1.4        | 1.5      | <0.1     | 35       |
| S005781            |                          | 368      | 8.0        | 20.3       | 36       | 20.4       | 21.4     | 1.2      | 116      |
| S005782            |                          | 210      | 1.6        | 21.3       | 51       | 27.1       | 21.4     | 0.9      | 94       |
| S005783            |                          | 244      | 27.9       | 23.5       | 61       | 26.3       | 20.0     | 0.9      | 106      |
| S005784            |                          | 298      | 3.6        | 19.9       | 50       | 92.6       | 24.5     | 1.1      | 120      |
| S005785            |                          | 288      | 2.1        | 19.6       | 28       | 43.1       | 25.6     | 1.1      | 114      |
| S005786            |                          | 279      | 1.4        | 18.3       | 46       | 42.4       | 25.6     | 1.1      | 117      |
| S005786CD          |                          | 275      | 1.4        | 17.3       | 44       | 33.8       | 25.1     | 1.0      | 112      |
| S005787            |                          | 316      | 1.1        | 19.3       | 98       | 31.5       | 24.5     | 1.2      | 138      |
| S005788            |                          | 316      | 2.1        | 27.4       | 86       | 100.5      | 24.8     | 1.1      | 119      |
| S005789            |                          | 301      | 1.0        | 32.8       | 110      | 47.1       | 23.7     | 1.0      | 122      |
| S005790            |                          | 106      | 12.2       | 8.4        | 477      | 40.4       | 28.2     | 0.4      | 81       |
| S005791            |                          | 215      | 10.5       | 30.8       | 73       | 53.6       | 23.6     | 0.8      | 90       |
| S005792            |                          | 280      | 1.0        | 34.2       | 99       | 62.8       | 23.5     | 0.9      | 110      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
|                    |                          | 0.02                | 0.005          | 0.01           | 0.01         | 0.2            | 10             | 0.05           | 0.01           | 0.01         | 0.02           | 0.01           | 0.1            | 1              | 0.05           | 0.2            |
| S005793            |                          | 7.15                | 0.006          | 0.19           | 7.83         | 28.8           | 540            | 1.39           | 0.14           | 1.83         | 0.08           | 31.8           | 26.2           | 13             | 3.61           | 13.1           |
| S005794            |                          | 7.15                | 0.005          | 0.18           | 7.65         | 9.0            | 650            | 1.30           | 0.30           | 2.28         | 0.08           | 28.8           | 23.9           | 15             | 4.46           | 20.1           |
| S005795            |                          | 7.82                | <0.005         | 0.30           | 7.22         | 181.0          | 1040           | 1.22           | 0.65           | 3.16         | 0.07           | 26.6           | 24.7           | 12             | 3.67           | 20.4           |
| S005796            |                          | 6.66                | <0.005         | 0.16           | 7.68         | 5.7            | 1360           | 1.29           | 0.32           | 2.87         | 0.08           | 27.4           | 24.5           | 13             | 5.88           | 14.5           |
| S005797            |                          | 7.39                | <0.005         | 0.21           | 7.11         | 3.5            | 1200           | 1.11           | 0.43           | 3.78         | 0.06           | 29.6           | 22.8           | 12             | 4.53           | 16.3           |
| S005798            |                          | 6.56                | <0.005         | 0.22           | 6.93         | 14.5           | 1090           | 1.17           | 0.38           | 3.17         | 0.06           | 28.6           | 21.2           | 12             | 4.08           | 15.1           |
| S005799            |                          | 7.05                | <0.005         | 0.97           | 6.72         | 184.0          | 970            | 1.25           | 0.24           | 2.59         | 1.80           | 27.9           | 20.7           | 14             | 4.26           | 10.7           |
| S005800            |                          | 1.11                | <0.005         | 0.01           | 0.06         | <0.2           | 20             | <0.05          | <0.01          | 35.6         | <0.02          | 0.24           | 0.5            | 1              | <0.05          | 0.7            |
| S005801            |                          | 6.77                | <0.005         | 0.22           | 6.81         | 20.4           | 980            | 1.16           | 0.22           | 1.60         | 0.04           | 23.0           | 21.2           | 12             | 4.07           | 7.5            |
| S005802            |                          | 7.36                | <0.005         | 0.16           | 7.00         | 7.6            | 1240           | 1.16           | 0.24           | 1.85         | 0.04           | 25.6           | 18.5           | 14             | 4.00           | 9.2            |
| S005803            |                          | 6.94                | <0.005         | 0.32           | 6.64         | 3.9            | 1080           | 1.09           | 0.46           | 3.13         | 0.06           | 25.8           | 21.5           | 11             | 3.85           | 19.0           |
| S005804            |                          | 6.74                | 0.072          | 1.80           | 6.40         | 4060           | 720            | 1.22           | 0.41           | 3.83         | 13.65          | 26.6           | 19.9           | 11             | 4.11           | 19.9           |
| S005805            |                          | 7.02                | 0.005          | 2.60           | 6.83         | 2040           | 120            | 1.51           | 2.22           | 2.01         | 0.78           | 22.5           | 27.9           | 11             | 3.31           | 27.8           |
| S005806            |                          | 3.21                | 0.008          | 2.44           | 6.80         | 531            | 180            | 1.55           | 1.34           | 2.77         | 0.60           | 26.6           | 27.1           | 11             | 3.25           | 29.1           |
| S005806CD          |                          | <0.02               | 0.008          | 2.29           | 6.56         | 502            | 180            | 1.53           | 1.21           | 2.61         | 0.59           | 24.3           | 25.8           | 11             | 3.02           | 27.1           |
| S005807            |                          | 2.42                | 0.056          | 4.26           | 5.50         | 4740           | 450            | 1.27           | 0.98           | 1.78         | 10.15          | 22.4           | 22.3           | 13             | 2.40           | 18.6           |
| S005808            |                          | 7.93                | 0.005          | 2.48           | 7.43         | 804            | 440            | 1.07           | 0.66           | 2.29         | 0.51           | 23.9           | 29.5           | 12             | 3.93           | 17.5           |
| S005809            |                          | 4.94                | 0.005          | 0.39           | 7.76         | 6.8            | 780            | 1.00           | 0.82           | 2.07         | 0.08           | 26.5           | 29.4           | 13             | 4.55           | 15.1           |
| S005810            |                          | 0.14                | 6.03           | 81.0           | 5.88         | 289            | 380            | 1.07           | 1.19           | 1.97         | 21.0           | 21.9           | 11.4           | 22             | 7.97           | 123.0          |
| S005811            |                          | 2.71                | 0.024          | 1.94           | 4.98         | 2830           | 300            | 0.81           | 0.69           | 2.98         | 4.76           | 21.1           | 36.4           | 11             | 3.57           | 20.4           |
| S005812            |                          | 6.30                | <0.005         | 0.37           | 7.88         | 37.0           | 910            | 1.15           | 0.62           | 2.59         | 0.11           | 28.4           | 27.8           | 13             | 4.42           | 11.2           |
| S005813            |                          | 6.93                | <0.005         | 0.21           | 7.26         | 9.9            | 1470           | 1.05           | 0.43           | 3.08         | 0.07           | 25.1           | 24.6           | 14             | 4.17           | 9.1            |
| S005814            |                          | 7.04                | <0.005         | 0.13           | 7.45         | 3.6            | 1780           | 1.11           | 0.28           | 2.99         | 0.06           | 26.2           | 25.4           | 13             | 3.68           | 8.2            |
| S005815            |                          | 7.43                | <0.005         | 0.13           | 7.39         | 7.3            | 1120           | 1.01           | 0.40           | 3.52         | 0.06           | 27.3           | 26.0           | 12             | 3.41           | 9.5            |
| S005816            |                          | 7.00                | 0.011          | 0.29           | 7.73         | 21.2           | 830            | 1.13           | 0.83           | 2.07         | 0.05           | 28.0           | 30.1           | 12             | 3.13           | 10.9           |
| S005817            |                          | 7.60                | 0.010          | 0.33           | 8.08         | 18.8           | 910            | 1.14           | 0.80           | 1.93         | 0.05           | 28.1           | 30.0           | 12             | 3.31           | 11.0           |
| S005818            |                          | 7.42                | 0.067          | 1.03           | 7.92         | 295            | 110            | 1.22           | 0.71           | 1.05         | 0.16           | 26.7           | 26.5           | 13             | 2.92           | 9.5            |
| S005819            |                          | 7.15                | 0.043          | 0.73           | 7.87         | 142.5          | 180            | 1.23           | 0.07           | 1.40         | 0.11           | 23.1           | 30.2           | 12             | 3.84           | 14.1           |
| S005820            |                          | 1.12                | 0.005          | 0.02           | 0.14         | 0.3            | 40             | <0.05          | 0.02           | 35.8         | 0.02           | 0.54           | 0.7            | 1              | <0.05          | 2.2            |
| S005821            |                          | 6.48                | 0.005          | 0.13           | 7.24         | 8.8            | 1460           | 1.10           | 0.11           | 2.62         | 0.18           | 28.8           | 27.2           | 14             | 3.34           | 11.1           |
| S005822            |                          | 6.91                | <0.005         | 0.07           | 6.98         | 2.4            | 1180           | 0.93           | 0.14           | 3.69         | 0.09           | 27.2           | 28.4           | 11             | 2.93           | 10.2           |
| S005823            |                          | 6.48                | <0.005         | 0.14           | 7.72         | 20.4           | 1380           | 1.13           | 0.42           | 3.58         | 0.07           | 31.2           | 24.1           | 12             | 3.65           | 9.9            |
| S005824            |                          | 7.93                | <0.005         | 0.26           | 7.09         | 1.4            | 1240           | 1.12           | 0.44           | 3.23         | 0.06           | 25.6           | 24.4           | 11             | 3.67           | 11.3           |
| S005825            |                          | 5.76                | <0.005         | 0.27           | 7.02         | 36.3           | 1290           | 1.04           | 0.49           | 3.37         | 0.09           | 26.0           | 24.9           | 12             | 3.65           | 9.7            |
| S005826            |                          | 7.02                | <0.005         | 0.24           | 6.87         | 2.7            | 1280           | 1.10           | 0.34           | 4.35         | 0.06           | 25.8           | 22.1           | 11             | 3.41           | 10.8           |
| S005826CD          |                          | <0.02               | <0.005         | 0.25           | 6.51         | 2.6            | 1210           | 0.94           | 0.35           | 4.18         | 0.07           | 19.70          | 21.5           | 10             | 2.84           | 9.9            |
| S005827            |                          | 6.99                | <0.005         | 0.14           | 5.13         | 6.0            | 680            | 0.73           | 0.27           | 9.22         | 0.09           | 19.90          | 16.5           | 8              | 2.10           | 9.3            |
| S005828            |                          | 2.67                | <0.005         | 0.17           | 6.47         | 8.7            | 840            | 0.91           | 0.42           | 5.13         | 0.07           | 21.0           | 19.5           | 11             | 2.91           | 10.1           |
| S005829            |                          | 4.21                | <0.005         | 0.09           | 4.90         | 3.6            | 810            | 0.68           | 0.16           | 10.35        | 0.10           | 19.45          | 17.1           | 8              | 1.98           | 8.4            |
| S005830            |                          | 0.12                | 1.210          | 27.4           | 5.65         | 355            | 220            | 1.25           | 0.97           | 0.64         | 1.77           | 27.9           | 13.8           | 19             | 8.39           | 104.0          |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| S005793            |                          | 9.20    | 20.7    | 0.13    | 1.6     | 0.069   | 2.57    | 15.4    | 11.7    | 1.74    | 1020    | 4.15    | 0.13    | 8.9     | 5.3     | 2580  |
| S005794            |                          | 9.38    | 20.5    | 0.11    | 1.5     | 0.063   | 2.60    | 14.5    | 15.0    | 2.17    | 1190    | 3.42    | 0.12    | 8.6     | 5.8     | 1870  |
| S005795            |                          | 9.51    | 18.45   | 0.11    | 1.1     | 0.070   | 2.55    | 13.3    | 18.8    | 2.61    | 1030    | 1.87    | 0.08    | 6.2     | 5.3     | 1640  |
| S005796            |                          | 8.89    | 19.85   | 0.12    | 1.5     | 0.050   | 2.54    | 13.5    | 22.4    | 2.47    | 1180    | 2.08    | 0.19    | 8.6     | 5.1     | 1500  |
| S005797            |                          | 9.72    | 19.40   | 0.11    | 0.8     | 0.195   | 2.30    | 14.7    | 23.2    | 2.73    | 1120    | 0.71    | 0.10    | 8.0     | 4.8     | 1510  |
| S005798            |                          | 8.98    | 18.30   | 0.12    | 1.7     | 0.140   | 2.36    | 14.2    | 23.5    | 2.64    | 977     | 2.74    | 0.07    | 6.6     | 5.1     | 1530  |
| S005799            |                          | 8.47    | 17.80   | 0.12    | 0.6     | 0.092   | 2.55    | 14.4    | 21.8    | 2.56    | 1140    | 2.96    | 0.06    | 6.2     | 5.4     | 1610  |
| S005800            |                          | 0.05    | 0.18    | 0.14    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.81    | 20      | <0.05   | <0.01   | <0.1    | <0.2    | 30    |
| S005801            |                          | 8.18    | 17.35   | 0.09    | 0.9     | 0.072   | 2.23    | 11.5    | 28.2    | 2.44    | 841     | 3.64    | 0.05    | 6.7     | 4.6     | 1540  |
| S005802            |                          | 7.49    | 17.95   | 0.10    | 1.2     | 0.052   | 2.57    | 13.0    | 22.9    | 2.21    | 1020    | 3.21    | 0.05    | 7.2     | 4.5     | 1580  |
| S005803            |                          | 8.17    | 16.80   | 0.10    | 0.9     | 0.053   | 2.67    | 12.5    | 14.7    | 2.32    | 896     | 3.56    | 0.09    | 5.0     | 4.5     | 1520  |
| S005804            |                          | 7.17    | 15.65   | 0.12    | 1.7     | 0.032   | 3.17    | 13.3    | 4.9     | 2.05    | 784     | 3.56    | 0.10    | 4.7     | 5.0     | 1420  |
| S005805            |                          | 11.75   | 17.95   | 0.13    | 0.5     | 0.048   | 3.31    | 10.3    | 4.6     | 0.81    | 276     | 4.70    | 0.20    | 5.0     | 5.8     | 2630  |
| S005806            |                          | 9.13    | 18.35   | 0.12    | 0.7     | 0.047   | 3.43    | 12.5    | 5.6     | 1.09    | 358     | 2.43    | 0.24    | 5.2     | 5.0     | 3900  |
| S005806CD          |                          | 8.72    | 17.80   | 0.12    | 0.6     | 0.046   | 3.32    | 11.2    | 5.3     | 1.04    | 345     | 2.30    | 0.23    | 5.0     | 4.9     | 3560  |
| S005807            |                          | 6.99    | 13.45   | 0.09    | 0.5     | 0.046   | 2.70    | 10.9    | 4.1     | 0.81    | 558     | 3.11    | 0.08    | 3.3     | 4.4     | 1080  |
| S005808            |                          | 9.36    | 19.45   | 0.12    | 0.7     | 0.071   | 3.10    | 11.4    | 16.7    | 1.96    | 946     | 2.16    | 0.11    | 3.4     | 6.1     | 1430  |
| S005809            |                          | 9.79    | 19.65   | 0.11    | 2.0     | 0.077   | 3.14    | 13.1    | 18.0    | 1.99    | 1100    | 2.26    | 0.16    | 3.5     | 6.6     | 1630  |
| S005810            |                          | 4.64    | 12.75   | 0.11    | 1.2     | 1.360   | 3.70    | 10.7    | 11.6    | 0.45    | 1180    | 9.16    | 0.23    | 5.3     | 15.1    | 930   |
| S005811            |                          | 10.15   | 13.10   | 0.10    | 0.7     | 0.045   | 2.27    | 11.2    | 4.7     | 2.17    | 860     | 14.45   | 0.16    | 2.0     | 4.3     | 1390  |
| S005812            |                          | 8.35    | 20.2    | 0.12    | 1.1     | 0.058   | 3.32    | 14.6    | 15.2    | 2.22    | 1090    | 7.81    | 0.15    | 5.6     | 5.5     | 1730  |
| S005813            |                          | 7.56    | 18.10   | 0.11    | 0.9     | 0.058   | 2.98    | 12.1    | 15.9    | 2.38    | 1250    | 11.70   | 0.12    | 5.6     | 5.2     | 1590  |
| S005814            |                          | 7.50    | 18.80   | 0.11    | 1.6     | 0.056   | 2.75    | 12.9    | 19.0    | 2.30    | 1360    | 3.94    | 0.12    | 7.0     | 5.3     | 1590  |
| S005815            |                          | 9.05    | 18.80   | 0.11    | 1.5     | 0.106   | 2.34    | 14.5    | 19.4    | 2.57    | 1100    | 1.01    | 0.06    | 7.5     | 5.3     | 1600  |
| S005816            |                          | 9.41    | 19.55   | 0.11    | 1.8     | 0.047   | 2.78    | 13.9    | 15.7    | 2.09    | 868     | 1.78    | 0.06    | 7.8     | 5.7     | 1500  |
| S005817            |                          | 9.09    | 20.1    | 0.12    | 1.9     | 0.052   | 2.96    | 13.4    | 14.7    | 2.04    | 753     | 2.22    | 0.08    | 6.4     | 5.8     | 1420  |
| S005818            |                          | 11.60   | 22.7    | 0.12    | 0.9     | 0.098   | 3.87    | 10.6    | 6.1     | 0.35    | 118     | 7.76    | 0.16    | 4.7     | 7.9     | 3240  |
| S005819            |                          | 10.10   | 22.0    | 0.13    | 0.7     | 0.097   | 3.52    | 9.6     | 9.4     | 1.03    | 539     | 7.28    | 0.15    | 5.8     | 6.6     | 2230  |
| S005820            |                          | 0.11    | 0.31    | 0.08    | <0.1    | 0.008   | 0.04    | <0.5    | 0.7     | 1.77    | 35      | 0.17    | 0.02    | 0.1     | 0.6     | 50    |
| S005821            |                          | 8.25    | 19.55   | 0.09    | 1.5     | 0.055   | 2.04    | 14.5    | 16.8    | 2.45    | 1120    | 2.07    | 0.17    | 7.2     | 6.7     | 1690  |
| S005822            |                          | 9.06    | 18.85   | 0.08    | 1.1     | 0.135   | 1.80    | 13.8    | 20.1    | 2.74    | 1150    | 3.01    | 0.11    | 7.0     | 5.9     | 1900  |
| S005823            |                          | 8.97    | 20.4    | 0.11    | 1.0     | 0.132   | 2.52    | 15.8    | 20.5    | 2.79    | 1200    | 3.29    | 0.11    | 7.7     | 5.9     | 1720  |
| S005824            |                          | 7.89    | 18.05   | 0.09    | 1.0     | 0.067   | 2.64    | 12.5    | 18.4    | 2.53    | 737     | 2.45    | 0.07    | 4.6     | 5.0     | 1570  |
| S005825            |                          | 7.49    | 18.55   | 0.10    | 1.3     | 0.074   | 2.58    | 12.8    | 19.3    | 2.72    | 722     | 3.37    | 0.07    | 4.5     | 6.0     | 1520  |
| S005826            |                          | 7.55    | 18.60   | 0.11    | 1.2     | 0.102   | 2.32    | 12.7    | 21.9    | 3.09    | 947     | 2.06    | 0.07    | 6.1     | 5.5     | 1610  |
| S005826CD          |                          | 7.29    | 18.10   | 0.09    | 0.8     | 0.095   | 2.22    | 9.4     | 21.4    | 2.99    | 915     | 1.85    | 0.07    | 5.8     | 4.7     | 1530  |
| S005827            |                          | 6.87    | 13.60   | 0.06    | 1.3     | 0.084   | 1.11    | 10.0    | 20.0    | 4.03    | 2660    | 1.03    | 0.04    | 4.3     | 3.5     | 1080  |
| S005828            |                          | 6.73    | 16.90   | 0.09    | 0.9     | 0.102   | 2.32    | 10.2    | 17.5    | 2.51    | 1200    | 1.46    | 0.10    | 5.8     | 4.9     | 1300  |
| S005829            |                          | 6.21    | 13.00   | 0.06    | 0.8     | 0.079   | 1.27    | 9.3     | 19.4    | 3.11    | 2430    | 2.32    | 0.03    | 4.6     | 3.2     | 1040  |
| S005830            |                          | 4.35    | 12.70   | 0.09    | 0.9     | 0.042   | 2.63    | 13.2    | 9.6     | 0.36    | 220     | 4.72    | 0.19    | 5.5     | 14.0    | 1240  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method       | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte      | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U       |
|                    | Units<br>LOD | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     |
|                    |              | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1     |
| S005793            |              | 3.8     | 101.0   | <0.002  | 4.14    | 2.09    | 33.6    | 1       | 1.1     | 116.0   | 0.49    | <0.05   | 2.42    | 0.916   | 2.75    | 1.3     |
| S005794            |              | 3.2     | 111.5   | <0.002  | 3.08    | 1.77    | 31.0    | 1       | 1.1     | 136.0   | 0.47    | <0.05   | 2.46    | 0.888   | 3.09    | 1.3     |
| S005795            |              | 2.9     | 114.5   | <0.002  | 2.58    | 3.55    | 27.8    | 1       | 0.8     | 186.0   | 0.37    | 0.19    | 2.13    | 0.733   | 2.65    | 1.0     |
| S005796            |              | 3.4     | 113.5   | <0.002  | 2.15    | 1.37    | 32.0    | 1       | 1.1     | 197.0   | 0.47    | 0.05    | 2.61    | 0.889   | 2.72    | 1.3     |
| S005797            |              | 2.2     | 95.2    | <0.002  | 1.77    | 1.21    | 27.9    | 1       | 1.5     | 245     | 0.43    | 0.21    | 2.13    | 0.828   | 2.51    | 1.2     |
| S005798            |              | 2.9     | 125.5   | <0.002  | 2.08    | 13.35   | 28.2    | 1       | 1.1     | 243     | 0.39    | 0.33    | 2.43    | 0.750   | 2.83    | 1.4     |
| S005799            |              | 57.2    | 133.5   | <0.002  | 2.00    | 40.6    | 27.0    | 1       | 0.9     | 255     | 0.35    | 0.23    | 2.09    | 0.709   | 2.82    | 1.0     |
| S005800            |              | <0.5    | 0.4     | <0.002  | 0.07    | 0.09    | 0.2     | 1       | <0.2    | 5030    | <0.05   | 0.05    | 0.02    | <0.005  | 0.02    | 1.3     |
| S005801            |              | 1.5     | 120.5   | <0.002  | 1.32    | 13.45   | 26.4    | 1       | 0.6     | 98.7    | 0.40    | 0.22    | 2.20    | 0.774   | 2.58    | 1.1     |
| S005802            |              | 1.7     | 129.0   | <0.002  | 1.41    | 7.54    | 27.5    | 1       | 0.5     | 126.0   | 0.39    | 0.18    | 2.21    | 0.782   | 2.78    | 1.1     |
| S005803            |              | 2.9     | 138.5   | <0.002  | 2.20    | 2.20    | 25.1    | 1       | 0.5     | 185.0   | 0.29    | 0.35    | 1.91    | 0.594   | 2.61    | 0.8     |
| S005804            |              | 274     | 173.0   | <0.002  | 3.14    | 148.0   | 25.2    | 1       | 0.6     | 261     | 0.28    | 0.31    | 2.11    | 0.544   | 2.80    | 1.1     |
| S005805            |              | 51.2    | 131.0   | <0.002  | 7.17    | 49.9    | 28.1    | 1       | 0.9     | 150.0   | 0.30    | 0.83    | 1.66    | 0.569   | 2.61    | 0.8     |
| S005806            |              | 51.1    | 124.5   | <0.002  | 5.05    | 53.7    | 26.7    | 1       | 0.9     | 222     | 0.31    | 0.59    | 1.69    | 0.608   | 2.50    | 1.0     |
| S005806CD          |              | 50.0    | 116.5   | <0.002  | 4.82    | 52.7    | 26.1    | 1       | 0.9     | 204     | 0.30    | 0.51    | 1.63    | 0.593   | 2.41    | 1.0     |
| S005807            |              | 277     | 115.0   | <0.002  | 4.32    | 128.0   | 24.4    | 1       | 0.8     | 118.0   | 0.20    | 0.53    | 1.42    | 0.438   | 1.91    | 0.5     |
| S005808            |              | 142.0   | 127.5   | <0.002  | 3.54    | 74.9    | 32.6    | 1       | 1.0     | 161.0   | 0.19    | 0.30    | 1.71    | 0.537   | 3.13    | 0.8     |
| S005809            |              | 5.5     | 137.5   | <0.002  | 3.68    | 5.51    | 32.5    | 1       | 1.0     | 152.0   | 0.21    | 0.13    | 2.17    | 0.591   | 3.49    | 1.2     |
| S005810            |              | 8550    | 143.5   | 0.004   | 2.99    | 71.2    | 11.8    | 3       | 3.9     | 141.0   | 0.32    | 0.27    | 3.07    | 0.251   | 2.91    | 1.9     |
| S005811            |              | 178.0   | 107.5   | 0.003   | 4.37    | 68.3    | 21.7    | 1       | 0.6     | 228     | 0.13    | 0.34    | 1.39    | 0.304   | 2.15    | 0.5     |
| S005812            |              | 6.9     | 153.0   | <0.002  | 2.43    | 8.54    | 33.8    | 1       | 1.0     | 202     | 0.33    | 0.17    | 2.09    | 0.785   | 3.51    | 1.0     |
| S005813            |              | 2.8     | 133.5   | <0.002  | 1.45    | 2.37    | 30.0    | 1       | 0.6     | 208     | 0.34    | 0.08    | 1.95    | 0.807   | 3.66    | 0.8     |
| S005814            |              | 3.0     | 130.5   | <0.002  | 1.37    | 1.86    | 32.3    | 1       | 0.7     | 234     | 0.42    | <0.05   | 2.15    | 0.927   | 3.67    | 1.0     |
| S005815            |              | 3.0     | 115.0   | <0.002  | 2.47    | 2.68    | 31.8    | 1       | 1.1     | 242     | 0.42    | 0.05    | 2.21    | 0.924   | 3.25    | 1.3     |
| S005816            |              | 5.7     | 133.5   | <0.002  | 4.87    | 4.99    | 34.0    | 1       | 1.0     | 82.9    | 0.43    | 0.06    | 2.26    | 0.951   | 3.64    | 1.2     |
| S005817            |              | 5.1     | 133.0   | <0.002  | 4.70    | 6.03    | 34.8    | 1       | 1.0     | 90.5    | 0.39    | 0.07    | 2.32    | 0.883   | 3.73    | 1.3     |
| S005818            |              | 13.1    | 129.0   | 0.003   | >10.0   | 39.1    | 33.5    | 1       | 1.2     | 153.5   | 0.30    | 0.05    | 2.02    | 0.522   | 4.86    | 1.0     |
| S005819            |              | 8.7     | 115.5   | 0.004   | 8.71    | 27.7    | 36.8    | 1       | 1.2     | 157.5   | 0.36    | <0.05   | 1.88    | 0.709   | 5.34    | 1.0     |
| S005820            |              | <0.5    | 1.2     | 0.002   | 0.07    | 0.20    | 0.6     | 1       | <0.2    | 4850    | <0.05   | <0.05   | 0.04    | 0.008   | 0.03    | 1.5     |
| S005821            |              | 3.9     | 92.2    | 0.002   | 1.69    | 2.97    | 32.4    | 1       | 0.8     | 219     | 0.42    | <0.05   | 2.43    | 0.897   | 3.44    | 1.1     |
| S005822            |              | 2.8     | 78.3    | 0.002   | 1.45    | 1.74    | 30.3    | 1       | 1.0     | 221     | 0.43    | <0.05   | 2.02    | 0.861   | 2.59    | 1.0     |
| S005823            |              | 2.7     | 102.0   | 0.004   | 2.02    | 1.91    | 31.8    | 1       | 1.1     | 222     | 0.46    | 0.06    | 2.16    | 0.957   | 3.07    | 1.0     |
| S005824            |              | 2.1     | 107.5   | 0.002   | 1.99    | 1.27    | 28.8    | 1       | 0.7     | 233     | 0.27    | 0.16    | 1.82    | 0.612   | 2.98    | 0.7     |
| S005825            |              | 2.3     | 123.0   | 0.002   | 1.95    | 2.13    | 30.0    | 1       | 1.0     | 246     | 0.27    | 0.18    | 1.97    | 0.548   | 2.74    | 0.9     |
| S005826            |              | 2.4     | 102.5   | 0.002   | 1.94    | 1.01    | 28.8    | 1       | 1.1     | 313     | 0.35    | 0.14    | 1.99    | 0.720   | 2.54    | 1.0     |
| S005826CD          |              | 2.3     | 61.6    | 0.002   | 1.81    | 0.97    | 24.5    | 1       | 1.1     | 300     | 0.36    | 0.16    | 1.48    | 0.673   | 2.34    | 0.8     |
| S005827            |              | 1.8     | 55.6    | <0.002  | 2.08    | 2.19    | 20.1    | 1       | 0.8     | 427     | 0.25    | 0.07    | 1.54    | 0.522   | 1.32    | 0.8     |
| S005828            |              | 1.9     | 98.2    | 0.002   | 2.68    | 1.23    | 26.1    | 1       | 1.0     | 342     | 0.34    | 0.07    | 1.83    | 0.698   | 2.31    | 0.9     |
| S005829            |              | 1.4     | 64.1    | <0.002  | 1.53    | 0.74    | 20.6    | 1       | 0.8     | 415     | 0.29    | <0.05   | 1.51    | 0.584   | 1.38    | 0.7     |
| S005830            |              | 53.2    | 123.5   | <0.002  | 4.07    | 33.8    | 14.0    | 6       | 1.8     | 130.0   | 0.32    | 0.28    | 2.56    | 0.294   | 2.32    | 0.9     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|---------|-----------|-----------|----------|------------|----------|----------|----------|
|                    |                          | V ppm 1 | W ppm 0.1 | Y ppm 0.1 | Zn ppm 2 | Zr ppm 0.5 | Si % 0.5 | Ti % 0.1 | Zr ppm 5 |
| S005793            |                          | 304     | 1.3       | 44.6      | 97       | 54.6       | 23.6     | 1.0      | 113      |
| S005794            |                          | 290     | 0.9       | 33.9      | 122      | 49.0       | 21.8     | 1.0      | 113      |
| S005795            |                          | 265     | 4.1       | 23.1      | 86       | 47.2       | 21.6     | 0.9      | 119      |
| S005796            |                          | 299     | 0.9       | 32.5      | 135      | 76.6       | 21.5     | 0.9      | 110      |
| S005797            |                          | 274     | 2.4       | 31.1      | 93       | 24.6       | 21.5     | 0.9      | 109      |
| S005798            |                          | 263     | 9.5       | 28.2      | 86       | 77.7       | 22.7     | 0.9      | 108      |
| S005799            |                          | 256     | 14.1      | 22.0      | 172      | 22.7       | 23.4     | 0.8      | 93       |
| S005800            |                          | 2       | 0.1       | 0.3       | <2       | 0.7        | 1.5      | <0.1     | 38       |
| S005801            |                          | 262     | 22.3      | 24.8      | 83       | 45.0       | 24.4     | 0.8      | 106      |
| S005802            |                          | 270     | 9.8       | 24.8      | 87       | 46.3       | 23.0     | 0.9      | 104      |
| S005803            |                          | 243     | 5.7       | 18.4      | 77       | 42.2       | 22.4     | 0.8      | 98       |
| S005804            |                          | 239     | 22.8      | 19.9      | 955      | 71.5       | 22.1     | 0.8      | 99       |
| S005805            |                          | 273     | 10.5      | 20.6      | 69       | 21.3       | 22.2     | 0.9      | 102      |
| S005806            |                          | 270     | 15.3      | 23.6      | 61       | 28.7       | 23.2     | 0.9      | 112      |
| S005806CD          |                          | 268     | 14.5      | 21.7      | 61       | 26.3       | 22.9     | 1.0      | 106      |
| S005807            |                          | 229     | 17.9      | 12.8      | 684      | 15.6       | 27.5     | 0.8      | 77       |
| S005808            |                          | 334     | 4.3       | 21.2      | 95       | 30.4       | 22.3     | 1.0      | 102      |
| S005809            |                          | 344     | 2.8       | 26.2      | 93       | 62.2       | 22.4     | 1.0      | 111      |
| S005810            |                          | 122     | 3.9       | 8.7       | 1840     | 45.5       | 29.3     | 0.4      | 77       |
| S005811            |                          | 234     | 67.0      | 16.7      | 356      | 33.1       | 22.6     | 0.6      | 74       |
| S005812            |                          | 346     | 6.2       | 25.8      | 67       | 38.1       | 22.1     | 1.0      | 109      |
| S005813            |                          | 334     | 3.3       | 25.9      | 69       | 37.3       | 21.8     | 1.0      | 99       |
| S005814            |                          | 349     | 0.7       | 31.0      | 76       | 60.6       | 23.4     | 1.0      | 105      |
| S005815            |                          | 343     | 0.7       | 35.3      | 75       | 98.5       | 21.3     | 0.9      | 102      |
| S005816            |                          | 364     | 2.1       | 36.6      | 58       | 43.9       | 22.8     | 1.0      | 106      |
| S005817            |                          | 374     | 3.0       | 35.5      | 54       | 48.8       | 22.5     | 1.1      | 117      |
| S005818            |                          | 298     | 3.4       | 25.3      | 33       | 33.9       | 22.2     | 1.2      | 130      |
| S005819            |                          | 365     | 2.1       | 26.1      | 76       | 24.6       | 22.1     | 1.2      | 117      |
| S005820            |                          | 5       | <0.1      | 0.6       | 3        | 0.9        | 2.3      | <0.1     | 38       |
| S005821            |                          | 343     | 1.1       | 33.7      | 122      | 49.8       | 22.3     | 1.0      | 101      |
| S005822            |                          | 332     | 1.2       | 33.7      | 91       | 29.6       | 21.0     | 0.8      | 96       |
| S005823            |                          | 354     | 0.8       | 33.2      | 83       | 32.4       | 22.1     | 1.0      | 107      |
| S005824            |                          | 312     | 12.2      | 22.2      | 68       | 28.1       | 22.1     | 1.1      | 102      |
| S005825            |                          | 304     | 27.3      | 20.6      | 75       | 45.0       | 23.7     | 1.0      | 99       |
| S005826            |                          | 307     | 18.0      | 26.5      | 81       | 40.6       | 21.1     | 0.9      | 96       |
| S005826CD          |                          | 293     | 16.3      | 21.7      | 78       | 21.3       | 21.6     | 0.9      | 98       |
| S005827            |                          | 233     | 4.2       | 22.0      | 98       | 32.3       | 16.4     | 0.6      | 78       |
| S005828            |                          | 297     | 12.5      | 25.1      | 69       | 30.5       | 21.6     | 1.0      | 99       |
| S005829            |                          | 229     | 6.5       | 23.3      | 91       | 25.9       | 17.2     | 0.7      | 73       |
| S005830            |                          | 136     | 2.4       | 8.2       | 195      | 31.3       | 33.4     | 0.4      | 76       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| S005831            |                          | 6.85                | 0.006          | 0.24           | 6.05         | 8.2            | 550            | 0.83           | 0.50           | 7.08         | 0.07           | 20.6           | 22.3           | 8              | 2.86           | 7.3            |
| S005832            |                          | 6.38                | 0.005          | 0.24           | 5.94         | 6.3            | 720            | 0.77           | 0.57           | 5.89         | 0.06           | 22.2           | 20.1           | 9              | 2.46           | 8.1            |
| S005833            |                          | 7.67                | 0.011          | 0.32           | 7.25         | 23.4           | 660            | 1.13           | 0.26           | 2.06         | 0.06           | 20.8           | 28.1           | 11             | 3.30           | 8.6            |
| S005834            |                          | 7.50                | 0.014          | 0.34           | 6.45         | 27.7           | 1180           | 1.07           | 0.16           | 1.96         | 0.07           | 25.4           | 24.4           | 11             | 3.16           | 7.9            |
| S005835            |                          | 7.65                | <0.005         | 0.28           | 4.07         | 15.6           | 230            | 0.55           | 1.63           | 6.36         | 0.08           | 15.75          | 15.6           | 6              | 1.73           | 3.3            |
| S005836            |                          | 7.72                | 0.012          | 0.37           | 6.05         | 35.1           | 130            | 1.13           | 0.53           | 3.22         | 0.08           | 20.6           | 24.5           | 10             | 2.95           | 10.7           |
| S005837            |                          | 6.91                | 0.010          | 0.66           | 6.48         | 33.4           | 140            | 1.35           | 1.27           | 2.53         | 0.18           | 20.5           | 25.9           | 11             | 3.35           | 20.6           |
| S005838            |                          | 5.77                | 0.021          | 2.84           | 6.60         | 992            | 140            | 1.23           | 1.25           | 2.43         | 4.16           | 20.3           | 27.5           | 11             | 3.07           | 24.4           |
| S005839            |                          | 2.41                | 0.185          | 9.48           | 6.84         | >10000         | 410            | 1.37           | 1.20           | 1.32         | 106.0          | 23.4           | 21.6           | 12             | 2.08           | 19.3           |
| S005840            |                          | 1.34                | 0.005          | 0.08           | 0.09         | 21.6           | 10             | <0.05          | 0.02           | 34.9         | 0.20           | 0.35           | 0.8            | 1              | <0.05          | 2.7            |
| S005841            |                          | 6.71                | 0.015          | 1.30           | 6.00         | 162.0          | 320            | 1.01           | 1.29           | 1.25         | 1.14           | 16.40          | 23.8           | 17             | 2.79           | 10.0           |
| S005842            |                          | 7.54                | 0.008          | 0.18           | 7.29         | 66.7           | 1290           | 1.08           | 0.04           | 1.57         | 0.35           | 23.2           | 27.9           | 8              | 3.98           | 9.7            |
| S005843            |                          | 7.54                | 0.008          | 0.21           | 7.00         | 62.1           | 210            | 1.11           | 0.08           | 0.51         | 0.10           | 21.5           | 34.8           | 10             | 4.20           | 12.1           |
| S005844            |                          | 7.59                | 0.019          | 0.21           | 7.55         | 756            | 460            | 1.21           | 0.04           | 0.77         | 0.19           | 27.0           | 31.5           | 11             | 3.59           | 12.8           |
| S005845            |                          | 7.40                | 0.011          | 0.29           | 6.34         | 78.0           | 1000           | 0.98           | 0.04           | 1.01         | 0.10           | 22.8           | 24.0           | 8              | 3.64           | 7.1            |
| S005846            |                          | 7.34                | 0.019          | 0.61           | 8.50         | 145.5          | 170            | 1.05           | 0.06           | 0.34         | 0.85           | 24.8           | 35.3           | 13             | 3.60           | 8.9            |
| S005846CD          |                          | <0.02               | 0.020          | 0.63           | 8.24         | 150.0          | 120            | 1.12           | 0.06           | 0.32         | 0.83           | 23.1           | 34.6           | 13             | 3.46           | 9.0            |
| S005847            |                          | 7.31                | 0.042          | 1.73           | 7.83         | 371            | 130            | 0.84           | 0.05           | 0.31         | 0.73           | 18.60          | 29.1           | 11             | 3.54           | 9.6            |
| S005848            |                          | 8.08                | 0.086          | 2.22           | 6.37         | 520            | 1290           | 0.64           | 0.05           | 0.38         | 0.61           | 19.75          | 20.5           | 8              | 3.12           | 10.2           |
| S005849            |                          | 7.33                | 0.192          | 3.17           | 7.10         | 301            | 280            | 0.80           | 0.06           | 0.72         | 0.41           | 27.1           | 25.3           | 25             | 4.20           | 16.0           |
| S005850            |                          | 0.14                | 0.981          | 12.35          | 5.62         | 295            | 370            | 0.98           | 0.16           | 3.52         | 4.49           | 21.2           | 10.5           | 26             | 6.82           | 82.4           |
| S005851            |                          | 8.16                | 0.266          | 6.39           | 7.16         | 298            | 300            | 0.90           | 0.06           | 1.06         | 0.34           | 23.1           | 24.1           | 17             | 4.98           | 19.7           |
| S005852            |                          | 6.64                | 0.397          | 10.75          | 4.89         | 261            | 390            | 0.77           | 0.06           | 1.46         | 0.18           | 20.3           | 17.0           | 16             | 3.74           | 20.4           |
| S005853            |                          | 6.72                | 0.163          | 3.76           | 5.61         | 397            | 380            | 0.84           | 0.04           | 0.53         | 0.29           | 16.75          | 21.8           | 16             | 2.89           | 7.9            |
| S005854            |                          | 7.26                | 0.114          | 3.95           | 6.91         | 200            | 100            | 1.09           | 0.04           | 0.43         | 0.42           | 22.2           | 26.2           | 11             | 3.29           | 9.1            |
| S005855            |                          | 7.54                | 0.220          | 6.78           | 6.98         | 219            | 820            | 0.86           | 0.02           | 0.65         | 0.25           | 17.65          | 34.1           | 91             | 3.49           | 21.9           |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S005831            |                          | 8.32    | 16.25   | 0.07    | 1.0     | 0.093   | 1.83    | 10.0    | 20.8    | 2.97    | 1780    | 2.65    | 0.05    | 5.5     | 4.1     | 1300  |
| S005832            |                          | 8.50    | 17.45   | 0.07    | 0.9     | 0.098   | 1.77    | 10.8    | 22.3    | 2.93    | 1560    | 2.50    | 0.06    | 5.1     | 4.1     | 1360  |
| S005833            |                          | 11.05   | 19.85   | 0.09    | 0.7     | 0.062   | 2.95    | 9.0     | 13.5    | 1.48    | 687     | 5.87    | 0.09    | 5.7     | 5.5     | 1180  |
| S005834            |                          | 11.05   | 17.00   | 0.10    | 1.2     | 0.082   | 2.46    | 12.0    | 11.7    | 1.40    | 755     | 10.35   | 0.09    | 4.7     | 4.9     | 610   |
| S005835            |                          | 10.05   | 10.85   | 0.07    | 0.7     | 0.092   | 0.90    | 8.0     | 16.1    | 2.68    | 2190    | 2.47    | 0.02    | 3.5     | 3.1     | 860   |
| S005836            |                          | 8.25    | 17.20   | 0.09    | 0.7     | 0.090   | 2.51    | 9.1     | 14.8    | 1.53    | 1040    | 2.59    | 0.08    | 4.8     | 4.7     | 1300  |
| S005837            |                          | 8.48    | 18.90   | 0.09    | 0.5     | 0.066   | 3.20    | 8.7     | 8.4     | 0.98    | 453     | 3.81    | 0.19    | 5.2     | 5.6     | 1660  |
| S005838            |                          | 9.93    | 19.60   | 0.09    | 0.4     | 0.063   | 3.43    | 9.0     | 7.2     | 1.19    | 467     | 5.97    | 0.18    | 4.8     | 5.7     | 1720  |
| S005839            |                          | 7.14    | 18.75   | 0.11    | 0.6     | 0.073   | 3.31    | 10.5    | 5.3     | 0.67    | 456     | 11.00   | 0.09    | 4.0     | 5.0     | 1210  |
| S005840            |                          | 0.09    | 0.24    | 0.10    | <0.1    | 0.007   | 0.01    | <0.5    | 0.4     | 1.86    | 25      | 0.09    | 0.01    | 0.1     | 0.2     | 50    |
| S005841            |                          | 12.70   | 17.50   | 0.10    | 0.5     | 0.078   | 2.97    | 6.8     | 6.3     | 0.73    | 551     | 5.10    | 0.11    | 3.8     | 4.9     | 1090  |
| S005842            |                          | 8.43    | 19.15   | 0.10    | 1.0     | 0.093   | 3.21    | 9.8     | 10.2    | 0.78    | 1360    | 3.73    | 0.20    | 5.9     | 3.6     | 1200  |
| S005843            |                          | 11.05   | 20.0    | 0.10    | 0.4     | 0.095   | 2.92    | 8.9     | 11.0    | 0.59    | 2670    | 2.83    | 0.14    | 7.1     | 5.4     | 1250  |
| S005844            |                          | 9.90    | 20.9    | 0.10    | 0.4     | 0.096   | 2.75    | 12.6    | 11.6    | 1.01    | 3630    | 2.84    | 0.14    | 7.2     | 5.2     | 1150  |
| S005845            |                          | 7.91    | 17.45   | 0.09    | 1.0     | 0.085   | 2.57    | 10.5    | 9.7     | 0.73    | 2000    | 2.63    | 0.11    | 5.8     | 3.8     | 1040  |
| S005846            |                          | 6.05    | 24.1    | 0.12    | 1.0     | 0.100   | 4.09    | 9.8     | 5.0     | 0.31    | 171     | 3.23    | 0.17    | 5.8     | 5.9     | 1140  |
| S005846CD          |                          | 6.09    | 23.5    | 0.11    | 0.9     | 0.097   | 4.03    | 8.9     | 4.9     | 0.31    | 163     | 3.26    | 0.16    | 5.5     | 5.6     | 1150  |
| S005847            |                          | 12.50   | 23.5    | 0.10    | 1.1     | 0.093   | 3.70    | 6.6     | 4.5     | 0.31    | 255     | 3.65    | 0.15    | 3.7     | 5.0     | 570   |
| S005848            |                          | 13.25   | 17.20   | 0.10    | 1.3     | 0.084   | 2.82    | 8.4     | 4.5     | 0.30    | 284     | 4.45    | 0.13    | 3.2     | 2.9     | 280   |
| S005849            |                          | 8.48    | 19.15   | 0.13    | 1.0     | 0.093   | 3.16    | 11.9    | 8.0     | 0.37    | 325     | 2.90    | 0.15    | 3.9     | 9.9     | 1280  |
| S005850            |                          | 3.75    | 12.95   | 0.10    | 1.2     | 0.048   | 3.75    | 10.1    | 12.0    | 0.51    | 1330    | 9.45    | 0.20    | 5.0     | 20.4    | 870   |
| S005851            |                          | 9.23    | 19.50   | 0.09    | 1.1     | 0.080   | 3.03    | 10.3    | 11.0    | 0.51    | 429     | 2.20    | 0.18    | 4.4     | 6.0     | 1700  |
| S005852            |                          | 12.70   | 14.40   | 0.08    | 1.4     | 0.046   | 1.75    | 10.1    | 13.2    | 0.62    | 592     | 3.18    | 0.20    | 3.3     | 4.0     | 2720  |
| S005853            |                          | 7.14    | 17.15   | 0.07    | 0.9     | 0.068   | 2.52    | 7.3     | 6.4     | 0.27    | 231     | 2.79    | 0.10    | 4.0     | 3.7     | 1110  |
| S005854            |                          | 7.02    | 19.80   | 0.10    | 0.8     | 0.085   | 3.19    | 9.9     | 5.5     | 0.26    | 154     | 3.15    | 0.13    | 4.9     | 4.1     | 1310  |
| S005855            |                          | 10.35   | 17.80   | 0.09    | 0.7     | 0.076   | 3.13    | 7.0     | 7.4     | 0.31    | 238     | 2.08    | 0.14    | 2.8     | 41.9    | 1300  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005831            |                          | 3.7     | 90.2    | <0.002  | 3.94    | 1.56    | 25.1    | <1      | 1.0     | 347     | 0.33    | 0.10    | 1.79    | 0.676   | 1.97    | 0.9   |
| S005832            |                          | 2.1     | 65.7    | <0.002  | 3.38    | 1.16    | 24.8    | 1       | 1.2     | 368     | 0.30    | 0.19    | 1.63    | 0.590   | 2.17    | 0.9   |
| S005833            |                          | 6.4     | 93.7    | 0.002   | 8.88    | 4.39    | 31.5    | <1      | 1.0     | 118.0   | 0.34    | 0.05    | 1.81    | 0.768   | 3.63    | 0.8   |
| S005834            |                          | 5.8     | 97.5    | 0.002   | 9.37    | 7.43    | 28.9    | 1       | 0.9     | 119.0   | 0.30    | <0.05   | 1.96    | 0.627   | 3.66    | 0.9   |
| S005835            |                          | 4.2     | 45.0    | <0.002  | 6.89    | 2.70    | 16.4    | <1      | 0.7     | 255     | 0.21    | 0.29    | 1.25    | 0.414   | 1.37    | 0.5   |
| S005836            |                          | 7.7     | 85.6    | 0.002   | 6.00    | 8.86    | 26.4    | 1       | 0.9     | 179.5   | 0.29    | 0.12    | 1.51    | 0.585   | 2.95    | 0.6   |
| S005837            |                          | 13.1    | 106.0   | 0.003   | 5.47    | 13.45   | 28.1    | 1       | 1.2     | 183.5   | 0.31    | 0.35    | 1.50    | 0.603   | 2.94    | 0.6   |
| S005838            |                          | 61.4    | 107.0   | 0.002   | 5.39    | 43.8    | 27.9    | 1       | 1.2     | 156.5   | 0.30    | 0.55    | 1.40    | 0.554   | 2.64    | 0.6   |
| S005839            |                          | 1155    | 120.0   | 0.002   | 4.38    | 584     | 28.1    | 1       | 1.2     | 121.0   | 0.24    | 0.44    | 1.84    | 0.465   | 2.10    | 0.7   |
| S005840            |                          | 1.6     | 0.5     | <0.002  | 0.07    | 0.84    | 0.4     | 1       | <0.2    | 4890    | <0.05   | <0.05   | 0.02    | 0.009   | 0.02    | 1.2   |
| S005841            |                          | 20.8    | 107.0   | <0.002  | >10.0   | 29.8    | 27.7    | 1       | 0.9     | 115.5   | 0.23    | 0.10    | 1.24    | 0.448   | 5.56    | 0.6   |
| S005842            |                          | 8.9     | 131.0   | 0.002   | 7.43    | 27.8    | 32.4    | 1       | 1.0     | 130.0   | 0.36    | <0.05   | 1.78    | 0.778   | 4.70    | 0.8   |
| S005843            |                          | 7.4     | 106.0   | 0.002   | 7.29    | 25.0    | 33.5    | 1       | 1.1     | 98.1    | 0.43    | <0.05   | 1.69    | 0.823   | 3.75    | 0.8   |
| S005844            |                          | 4.7     | 99.1    | 0.002   | 3.13    | 19.00   | 36.1    | 1       | 1.1     | 117.0   | 0.43    | <0.05   | 1.96    | 0.880   | 3.36    | 0.9   |
| S005845            |                          | 6.1     | 108.5   | <0.002  | 5.41    | 25.6    | 31.2    | 1       | 0.9     | 115.5   | 0.35    | <0.05   | 1.73    | 0.719   | 4.04    | 0.8   |
| S005846            |                          | 8.4     | 148.5   | <0.002  | 6.45    | 50.3    | 40.0    | 1       | 1.3     | 75.5    | 0.34    | <0.05   | 2.12    | 0.727   | 5.49    | 1.0   |
| S005846CD          |                          | 8.4     | 145.5   | 0.002   | 6.57    | 50.2    | 38.9    | 1       | 1.1     | 72.7    | 0.33    | <0.05   | 1.98    | 0.707   | 5.62    | 0.9   |
| S005847            |                          | 18.0    | 133.0   | 0.002   | >10.0   | 76.0    | 34.6    | 1       | 1.1     | 79.3    | 0.24    | <0.05   | 1.78    | 0.443   | 8.15    | 1.0   |
| S005848            |                          | 20.7    | 104.0   | <0.002  | >10.0   | 107.0   | 21.3    | 1       | 0.9     | 69.2    | 0.21    | <0.05   | 1.81    | 0.416   | 5.90    | 0.9   |
| S005849            |                          | 16.7    | 123.0   | <0.002  | 8.71    | 62.5    | 30.0    | 1       | 1.0     | 108.5   | 0.24    | <0.05   | 1.79    | 0.474   | 4.50    | 0.7   |
| S005850            |                          | 139.0   | 151.0   | 0.010   | 2.75    | 18.55   | 10.3    | 2       | 1.4     | 180.0   | 0.29    | 0.32    | 2.68    | 0.244   | 3.07    | 1.5   |
| S005851            |                          | 24.4    | 124.0   | <0.002  | 9.20    | 69.3    | 30.0    | 1       | 1.0     | 124.5   | 0.27    | <0.05   | 2.06    | 0.503   | 4.75    | 0.9   |
| S005852            |                          | 24.6    | 77.4    | <0.002  | >10.0   | 65.3    | 20.7    | 1       | 0.7     | 148.5   | 0.20    | <0.05   | 1.52    | 0.364   | 4.14    | 0.7   |
| S005853            |                          | 12.7    | 102.5   | <0.002  | 7.46    | 39.1    | 26.6    | 1       | 0.8     | 79.0    | 0.23    | <0.05   | 1.51    | 0.446   | 3.52    | 0.8   |
| S005854            |                          | 16.7    | 123.5   | <0.002  | 7.43    | 38.3    | 31.2    | <1      | 1.0     | 76.5    | 0.29    | <0.05   | 1.84    | 0.560   | 4.36    | 0.9   |
| S005855            |                          | 19.1    | 127.0   | 0.002   | >10.0   | 70.9    | 32.6    | 1       | 0.8     | 91.1    | 0.17    | <0.05   | 1.05    | 0.428   | 7.29    | 0.5   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|---------|-----------|-----------|----------|------------|----------|----------|----------|
|                    |                          | V ppm 1 | W ppm 0.1 | Y ppm 0.1 | Zn ppm 2 | Zr ppm 0.5 | Si % 0.5 | Ti % 0.1 | Zr ppm 5 |
| S005831            |                          | 272     | 3.4       | 25.6      | 88       | 35.3       | 19.1     | 0.8      | 82       |
| S005832            |                          | 278     | 15.0      | 24.8      | 89       | 34.3       | 19.4     | 0.8      | 86       |
| S005833            |                          | 341     | 5.4       | 27.8      | 64       | 25.1       | 22.6     | 1.0      | 108      |
| S005834            |                          | 293     | 3.0       | 26.4      | 62       | 44.0       | 23.9     | 1.0      | 101      |
| S005835            |                          | 181     | 10.7      | 18.3      | 82       | 23.1       | 21.0     | 0.6      | 59       |
| S005836            |                          | 290     | 6.4       | 20.6      | 63       | 23.5       | 23.4     | 0.9      | 92       |
| S005837            |                          | 296     | 16.7      | 18.0      | 48       | 17.0       | 23.1     | 1.0      | 102      |
| S005838            |                          | 317     | 30.1      | 17.0      | 250      | 20.1       | 21.2     | 1.0      | 107      |
| S005839            |                          | 274     | 32.8      | 15.1      | 5440     | 23.5       | 26.0     | 1.1      | 115      |
| S005840            |                          | 3       | 0.1       | 0.5       | 10       | 1.0        | 2.2      | <0.1     | 27       |
| S005841            |                          | 275     | 5.4       | 15.6      | 106      | 14.3       | 22.9     | 0.9      | 92       |
| S005842            |                          | 338     | 1.0       | 19.5      | 132      | 31.5       | 24.8     | 1.1      | 106      |
| S005843            |                          | 340     | 1.0       | 25.5      | 127      | 16.9       | 24.9     | 1.0      | 106      |
| S005844            |                          | 369     | 2.0       | 26.6      | 203      | 17.4       | 23.5     | 1.1      | 107      |
| S005845            |                          | 300     | 1.0       | 18.1      | 133      | 29.6       | 26.3     | 1.0      | 95       |
| S005846            |                          | 424     | 3.3       | 18.4      | 150      | 34.8       | 25.6     | 1.4      | 133      |
| S005846CD          |                          | 420     | 3.2       | 17.7      | 155      | 34.5       | 26.1     | 1.3      | 129      |
| S005847            |                          | 333     | 3.0       | 15.9      | 170      | 38.4       | 23.4     | 1.1      | 115      |
| S005848            |                          | 234     | 2.4       | 13.9      | 214      | 37.0       | 25.7     | 0.9      | 94       |
| S005849            |                          | 285     | 2.9       | 20.1      | 159      | 28.1       | 26.0     | 1.1      | 104      |
| S005850            |                          | 101     | 4.7       | 8.0       | 462      | 38.0       | 28.9     | 0.3      | 71       |
| S005851            |                          | 279     | 1.4       | 22.1      | 122      | 31.4       | 25.0     | 1.0      | 117      |
| S005852            |                          | 187     | 0.9       | 20.4      | 89       | 34.1       | 27.0     | 0.7      | 67       |
| S005853            |                          | 240     | 1.8       | 16.5      | 100      | 38.9       | 30.1     | 0.8      | 84       |
| S005854            |                          | 297     | 2.2       | 19.7      | 142      | 28.6       | 29.2     | 1.0      | 101      |
| S005855            |                          | 268     | 1.8       | 18.5      | 86       | 32.8       | 27.3     | 0.9      | 68       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181466**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19181475**

Project: Bowser Regional Project  
 P.O. No.: BOW-0713  
 This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005856            |                          | 5.53         | 0.102   | 2.70    | 7.30    | 143.0   | 120     | 1.18    | 0.11    | 0.39    | 0.63    | 22.8    | 29.4    | 14      | 3.11    | 10.0    |
| S005857            |                          | 4.04         | 0.041   | 1.96    | 7.41    | 31.5    | 360     | 1.15    | 0.22    | 0.85    | 0.08    | 25.0    | 29.4    | 8       | 3.26    | 7.5     |
| S005858            |                          | 6.82         | 0.066   | 2.33    | 7.56    | 80.7    | 150     | 1.28    | 0.19    | 0.66    | 0.11    | 25.5    | 31.7    | 9       | 2.96    | 9.6     |
| S005859            |                          | 7.02         | 0.424   | 5.63    | 6.94    | 308     | 140     | 1.01    | 0.02    | 0.95    | 0.76    | 17.00   | 33.4    | 88      | 3.49    | 23.8    |
| S005860            |                          | 0.97         | <0.005  | 0.04    | 0.06    | 0.2     | 10      | <0.05   | 0.01    | 35.5    | <0.02   | 0.30    | 0.3     | 1       | <0.05   | 0.3     |
| S005861            |                          | 7.44         | 0.153   | 4.04    | 6.83    | 304     | 150     | 1.14    | 0.04    | 0.50    | 0.31    | 20.6    | 27.3    | 10      | 3.46    | 10.2    |
| S005862            |                          | 6.72         | 0.119   | 2.83    | 6.84    | 279     | 560     | 1.11    | 0.37    | 0.43    | 0.33    | 21.0    | 26.4    | 12      | 3.56    | 11.9    |
| S005863            |                          | 6.93         | 0.060   | 1.75    | 8.06    | 193.5   | 100     | 1.53    | 0.18    | 0.32    | 0.28    | 24.6    | 33.5    | 13      | 4.40    | 10.1    |
| S005864            |                          | 6.74         | 0.058   | 1.73    | 7.34    | 168.0   | 560     | 1.29    | 0.06    | 0.39    | 1.38    | 22.8    | 27.7    | 13      | 3.53    | 8.9     |
| S005865            |                          | 9.41         | 0.069   | 1.77    | 8.13    | 169.5   | 100     | 1.54    | 0.04    | 0.50    | 0.13    | 23.2    | 33.2    | 13      | 3.95    | 12.1    |
| S005866            |                          | 10.24        | 0.089   | 2.61    | 8.28    | 589     | 130     | 1.35    | 0.21    | 0.85    | 0.19    | 24.5    | 33.8    | 11      | 3.89    | 13.5    |
| S005866CD          |                          | <0.02        | 0.084   | 2.60    | 8.17    | 602     | 110     | 1.38    | 0.21    | 0.83    | 0.19    | 24.4    | 33.1    | 11      | 3.81    | 13.5    |
| S005867            |                          | 7.83         | 0.099   | 2.38    | 7.65    | 162.0   | 150     | 1.17    | 0.42    | 0.56    | 0.31    | 24.6    | 28.8    | 15      | 2.91    | 10.7    |
| S005868            |                          | 7.34         | 0.330   | 6.15    | 6.54    | 282     | 250     | 0.94    | 0.10    | 1.16    | 1.67    | 19.15   | 27.7    | 45      | 3.18    | 19.0    |
| S005869            |                          | 3.97         | 0.651   | 15.00   | 5.68    | 765     | 510     | 0.66    | 0.34    | 1.46    | 10.60   | 12.00   | 28.0    | 111     | 3.71    | 144.0   |
| S005870            |                          | 0.14         | 5.77    | 77.8    | 6.14    | 284     | 350     | 1.17    | 1.25    | 2.03    | 23.0    | 25.0    | 11.6    | 24      | 7.75    | 118.0   |
| S005871            |                          | 3.59         | 1.260   | 38.6    | 6.22    | 549     | 440     | 0.59    | 0.96    | 0.64    | 4.93    | 12.90   | 35.0    | 135     | 2.86    | 105.0   |
| S005872            |                          | 4.25         | 1.575   | 26.9    | 6.51    | 2620    | 250     | 0.55    | 0.02    | 0.84    | 9.81    | 10.90   | 35.7    | 144     | 3.10    | 52.3    |
| S005873            |                          | 3.74         | 0.243   | 12.45   | 6.93    | 318     | 180     | 0.73    | 0.03    | 0.29    | 0.39    | 19.75   | 27.3    | 20      | 2.74    | 14.3    |
| S005874            |                          | 3.50         | 0.192   | 6.66    | 7.58    | 189.5   | 160     | 0.85    | 0.06    | 0.25    | 0.42    | 22.3    | 29.4    | 15      | 2.87    | 9.6     |
| S005875            |                          | 3.57         | 0.245   | 6.73    | 5.95    | 236     | 510     | 0.68    | 0.10    | 0.29    | 0.19    | 15.55   | 23.0    | 16      | 1.96    | 11.8    |
| S005876            |                          | 5.18         | 0.278   | 5.94    | 6.03    | 384     | 510     | 0.65    | 0.06    | 0.50    | 0.46    | 17.50   | 23.2    | 16      | 2.07    | 12.5    |
| S005877            |                          | 2.55         | 0.140   | 5.83    | 4.27    | 230     | 120     | 0.55    | 0.08    | 1.60    | 2.48    | 15.10   | 18.7    | 42      | 3.25    | 19.5    |
| S005878            |                          | 2.55         | 0.608   | 15.70   | 5.77    | 445     | 120     | 0.65    | 0.09    | 1.94    | 3.71    | 14.25   | 30.6    | 109     | 4.08    | 43.6    |
| S005879            |                          | 4.63         | 0.163   | 4.38    | 7.12    | 261     | 80      | 0.99    | 0.03    | 0.54    | 0.58    | 25.2    | 28.9    | 15      | 2.92    | 11.1    |
| S005880            |                          | 1.16         | 0.005   | 0.01    | 0.22    | 0.5     | 60      | 0.06    | 0.01    | 35.3    | <0.02   | 1.40    | 0.4     | 1       | <0.05   | 0.6     |
| S005881            |                          | 4.64         | 0.126   | 3.34    | 6.40    | 269     | 170     | 0.88    | 0.03    | 1.76    | 0.74    | 17.55   | 24.3    | 10      | 3.04    | 7.9     |
| S005882            |                          | 5.03         | 0.102   | 3.91    | 7.49    | 238     | 150     | 1.28    | 0.03    | 1.91    | 0.80    | 21.4    | 29.6    | 12      | 4.08    | 9.8     |
| S005883            |                          | 4.82         | 0.090   | 3.06    | 7.57    | 205     | 100     | 1.21    | 0.05    | 1.66    | 0.89    | 19.75   | 30.3    | 12      | 3.73    | 9.2     |
| S005884            |                          | 5.13         | 0.088   | 3.95    | 6.99    | 248     | 160     | 1.05    | 0.44    | 0.91    | 0.64    | 19.45   | 27.1    | 11      | 2.82    | 11.0    |
| S005885            |                          | 5.76         | 0.275   | 11.45   | 4.68    | 592     | 120     | 0.67    | 0.02    | 0.91    | 0.23    | 15.95   | 19.5    | 20      | 2.12    | 13.5    |
| S005886            |                          | 4.87         | 1.525   | 43.9    | 7.69    | 2590    | 80      | 0.74    | 0.01    | 0.40    | 0.23    | 18.05   | 41.2    | 157     | 3.00    | 34.4    |
| S005886CD          |                          | <0.02        | 1.380   | 45.1    | 7.87    | 2520    | 80      | 0.85    | 0.02    | 0.40    | 0.20    | 15.60   | 42.3    | 160     | 3.08    | 33.9    |
| S005887            |                          | 5.44         | 1.165   | 43.5    | 6.49    | 2940    | 60      | 0.57    | 0.01    | 1.21    | 0.46    | 10.10   | 35.6    | 137     | 2.91    | 45.6    |
| S005888            |                          | 4.82         | 1.080   | 47.3    | 6.11    | 2900    | 100     | 0.64    | 0.02    | 1.01    | 0.61    | 9.68    | 35.7    | 132     | 2.93    | 50.4    |
| S005889            |                          | 4.48         | 1.250   | 33.6    | 4.74    | 643     | 370     | 0.57    | 0.03    | 1.00    | 2.40    | 14.70   | 24.5    | 86      | 2.19    | 61.2    |
| S005890            |                          | 0.11         | 1.735   | 26.3    | 5.82    | 372     | 260     | 1.21    | 0.85    | 0.65    | 1.59    | 26.1    | 11.8    | 18      | 7.51    | 104.0   |
| S005891            |                          | 4.30         | 0.248   | 7.99    | 6.05    | 212     | 110     | 0.83    | 0.70    | 2.07    | 0.40    | 10.65   | 30.1    | 120     | 3.04    | 62.1    |
| S005892            |                          | 4.09         | 0.130   | 5.26    | 5.69    | 1675    | 50      | 0.92    | 1.73    | 2.02    | 0.25    | 8.35    | 34.8    | 129     | 2.88    | 40.6    |
| S005893            |                          | 5.38         | 0.009   | 0.74    | 6.77    | 59.6    | 350     | 1.12    | 0.54    | 1.85    | 0.29    | 26.1    | 25.4    | 10      | 4.02    | 13.0    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005856            |         | 6.44    | 20.6    | 0.09    | 0.7     | 0.086   | 3.33    | 9.7     | 5.7     | 0.34    | 152     | 2.83    | 0.14    | 5.3     | 5.5     | 1020 |
| S005857            |         | 8.18    | 21.1    | 0.07    | 0.8     | 0.086   | 2.78    | 11.5    | 19.5    | 1.46    | 1220    | 2.84    | 0.12    | 7.2     | 3.2     | 1510 |
| S005858            |         | 8.08    | 22.4    | 0.08    | 0.5     | 0.093   | 3.26    | 10.8    | 14.6    | 0.87    | 543     | 2.62    | 0.15    | 5.8     | 3.5     | 1510 |
| S005859            |         | 8.54    | 17.85   | 0.08    | 0.4     | 0.066   | 3.12    | 6.5     | 10.6    | 0.39    | 250     | 1.81    | 0.15    | 2.5     | 31.2    | 1070 |
| S005860            |         | 0.05    | 0.19    | 0.14    | <0.1    | <0.005  | 0.02    | <0.5    | 0.6     | 1.88    | 15      | <0.05   | <0.01   | <0.1    | <0.2    | 40   |
| S005861            |         | 9.48    | 19.65   | 0.08    | 0.6     | 0.082   | 3.15    | 8.0     | 5.9     | 0.30    | 135     | 2.89    | 0.12    | 4.1     | 3.2     | 1220 |
| S005862            |         | 10.30   | 19.05   | 0.10    | 1.0     | 0.083   | 3.11    | 9.4     | 7.5     | 0.32    | 142     | 3.79    | 0.12    | 3.7     | 4.2     | 1190 |
| S005863            |         | 8.73    | 23.1    | 0.09    | 0.9     | 0.087   | 3.70    | 10.3    | 7.3     | 0.33    | 106     | 3.49    | 0.16    | 4.8     | 5.8     | 1170 |
| S005864            |         | 9.34    | 19.25   | 0.08    | 1.0     | 0.089   | 3.30    | 10.3    | 7.6     | 0.37    | 123     | 2.78    | 0.15    | 3.8     | 4.9     | 1060 |
| S005865            |         | 8.92    | 23.0    | 0.10    | 1.0     | 0.096   | 3.54    | 9.7     | 14.2    | 0.75    | 288     | 3.24    | 0.19    | 4.8     | 6.0     | 1540 |
| S005866            |         | 9.75    | 23.3    | 0.08    | 0.7     | 0.103   | 3.73    | 10.5    | 14.1    | 0.88    | 554     | 3.44    | 0.16    | 5.8     | 4.9     | 1620 |
| S005866CD          |         | 9.77    | 22.9    | 0.10    | 0.5     | 0.092   | 3.66    | 10.7    | 13.6    | 0.86    | 538     | 3.30    | 0.16    | 5.3     | 4.8     | 1620 |
| S005867            |         | 7.09    | 21.0    | 0.10    | 0.7     | 0.076   | 3.46    | 11.2    | 10.9    | 0.71    | 336     | 2.90    | 0.11    | 4.8     | 4.8     | 1230 |
| S005868            |         | 7.15    | 17.80   | 0.08    | 0.6     | 0.075   | 2.87    | 8.1     | 5.4     | 0.55    | 325     | 2.11    | 0.32    | 4.0     | 15.1    | 630  |
| S005869            |         | 10.90   | 12.50   | 0.08    | 0.7     | 0.105   | 2.32    | 4.2     | 7.9     | 0.60    | 496     | 0.85    | 0.36    | 1.7     | 32.3    | 240  |
| S005870            |         | 4.79    | 13.95   | 0.07    | 1.3     | 1.385   | 3.67    | 13.3    | 13.8    | 0.49    | 1200    | 10.35   | 0.23    | 6.0     | 16.0    | 970  |
| S005871            |         | 11.80   | 14.20   | 0.07    | 0.4     | 0.112   | 2.51    | 4.3     | 9.4     | 0.38    | 229     | 1.01    | 0.39    | 1.1     | 45.0    | 300  |
| S005872            |         | 10.55   | 14.65   | 0.07    | 0.2     | 0.110   | 2.37    | 3.8     | 8.4     | 0.44    | 305     | 1.09    | 0.87    | 1.0     | 53.9    | 340  |
| S005873            |         | 8.46    | 19.95   | 0.08    | 0.6     | 0.075   | 3.26    | 7.8     | 4.8     | 0.29    | 80      | 3.28    | 0.10    | 4.0     | 7.2     | 1090 |
| S005874            |         | 8.90    | 20.9    | 0.09    | 0.8     | 0.084   | 3.57    | 9.2     | 4.0     | 0.28    | 68      | 3.50    | 0.11    | 4.3     | 6.1     | 990  |
| S005875            |         | 12.20   | 16.45   | 0.08    | 0.9     | 0.056   | 2.82    | 6.2     | 3.5     | 0.23    | 75      | 2.73    | 0.08    | 3.1     | 5.0     | 970  |
| S005876            |         | 10.05   | 16.80   | 0.06    | 0.9     | 0.060   | 2.84    | 7.2     | 4.1     | 0.26    | 116     | 2.58    | 0.09    | 2.9     | 5.3     | 620  |
| S005877            |         | 5.44    | 11.75   | 0.05    | 0.4     | 0.060   | 1.75    | 6.4     | 6.0     | 0.53    | 356     | 1.54    | 0.19    | 2.9     | 12.9    | 400  |
| S005878            |         | 12.25   | 14.25   | 0.07    | 0.2     | 0.089   | 2.02    | 5.4     | 9.2     | 0.77    | 500     | 1.22    | 0.64    | 2.2     | 47.3    | 860  |
| S005879            |         | 5.60    | 21.2    | 0.08    | 1.1     | 0.079   | 3.43    | 11.2    | 7.6     | 0.41    | 189     | 3.23    | 0.13    | 4.9     | 5.5     | 530  |
| S005880            |         | 0.11    | 0.53    | 0.10    | 0.1     | <0.005  | 0.09    | 0.6     | 0.6     | 1.57    | 33      | 0.06    | 0.06    | 0.4     | <0.2    | 50   |
| S005881            |         | 7.41    | 17.95   | 0.07    | 0.8     | 0.074   | 3.04    | 7.0     | 11.3    | 0.72    | 563     | 2.67    | 0.12    | 5.0     | 3.8     | 1620 |
| S005882            |         | 7.86    | 21.6    | 0.08    | 0.8     | 0.091   | 3.48    | 8.8     | 13.2    | 0.82    | 642     | 3.41    | 0.16    | 5.9     | 5.1     | 1590 |
| S005883            |         | 6.53    | 21.7    | 0.07    | 0.7     | 0.084   | 3.59    | 7.8     | 13.1    | 0.79    | 598     | 3.91    | 0.14    | 6.0     | 5.1     | 1460 |
| S005884            |         | 8.63    | 19.30   | 0.08    | 0.8     | 0.070   | 3.26    | 7.8     | 8.0     | 0.48    | 296     | 4.44    | 0.11    | 4.5     | 4.7     | 1180 |
| S005885            |         | 6.89    | 13.15   | 0.07    | 0.5     | 0.038   | 2.05    | 7.0     | 5.4     | 0.33    | 297     | 2.28    | 0.19    | 3.7     | 7.2     | 730  |
| S005886            |         | 12.75   | 18.85   | 0.15    | 0.2     | 0.058   | 3.12    | 5.3     | 5.9     | 0.28    | 251     | 1.10    | 0.98    | 1.2     | 73.3    | 820  |
| S005886CD          |         | 12.60   | 19.45   | 0.15    | 0.1     | 0.056   | 3.17    | 4.8     | 5.9     | 0.28    | 243     | 1.09    | 1.01    | 1.3     | 75.1    | 890  |
| S005887            |         | 10.65   | 12.75   | 0.12    | 0.1     | 0.046   | 1.98    | 3.3     | 9.2     | 0.48    | 478     | 2.83    | 1.55    | 1.2     | 56.8    | 780  |
| S005888            |         | 12.45   | 13.05   | 0.11    | 0.2     | 0.061   | 2.22    | 3.2     | 8.8     | 0.43    | 484     | 5.25    | 0.91    | 1.0     | 61.4    | 790  |
| S005889            |         | 7.33    | 10.80   | 0.11    | 0.3     | 0.059   | 1.93    | 5.4     | 5.8     | 0.26    | 289     | 1.27    | 0.36    | 1.5     | 38.7    | 710  |
| S005890            |         | 4.38    | 12.25   | 0.10    | 0.9     | 0.036   | 2.66    | 12.8    | 9.5     | 0.36    | 219     | 4.63    | 0.19    | 4.6     | 13.1    | 1270 |
| S005891            |         | 9.00    | 15.35   | 0.13    | 0.1     | 0.046   | 2.62    | 3.8     | 11.3    | 0.39    | 251     | 1.32    | 0.38    | 1.2     | 54.9    | 740  |
| S005892            |         | 10.75   | 16.45   | 0.12    | 0.1     | 0.058   | 3.16    | 2.8     | 7.0     | 0.38    | 362     | 1.43    | 0.14    | 1.4     | 65.0    | 870  |
| S005893            |         | 7.64    | 20.3    | 0.14    | 0.9     | 0.080   | 2.71    | 12.0    | 16.5    | 1.17    | 504     | 4.06    | 0.10    | 4.4     | 4.5     | 1350 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005856            |                          | 11.2    | 128.0   | <0.002  | 6.61    | 39.6    | 34.7    | 1       | 1.0     | 67.9    | 0.30    | <0.05   | 1.72    | 0.636   | 4.96    | 0.7   |
| S005857            |                          | 4.7     | 101.5   | <0.002  | 3.27    | 16.90   | 34.2    | <1      | 1.1     | 96.0    | 0.40    | <0.05   | 1.84    | 0.853   | 3.94    | 0.8   |
| S005858            |                          | 5.8     | 109.0   | <0.002  | 4.97    | 20.8    | 35.5    | 1       | 1.1     | 86.7    | 0.32    | <0.05   | 1.81    | 0.706   | 4.00    | 0.7   |
| S005859            |                          | 20.4    | 119.5   | <0.002  | 9.11    | 52.2    | 33.0    | 1       | 0.8     | 89.7    | 0.15    | <0.05   | 0.77    | 0.423   | 6.10    | 0.3   |
| S005860            |                          | <0.5    | 0.8     | <0.002  | 0.07    | 0.22    | 0.3     | 1       | <0.2    | 4720    | <0.05   | <0.05   | 0.02    | <0.005  | 0.04    | 1.3   |
| S005861            |                          | 17.2    | 125.0   | <0.002  | >10.0   | 44.4    | 31.8    | <1      | 0.9     | 60.7    | 0.23    | <0.05   | 1.68    | 0.491   | 7.10    | 0.7   |
| S005862            |                          | 13.4    | 121.0   | <0.002  | >10.0   | 40.3    | 30.9    | 1       | 0.9     | 60.0    | 0.20    | <0.05   | 1.81    | 0.460   | 5.48    | 0.9   |
| S005863            |                          | 17.1    | 148.0   | 0.002   | 9.25    | 46.5    | 38.2    | 1       | 1.1     | 64.4    | 0.26    | <0.05   | 2.00    | 0.573   | 5.23    | 0.9   |
| S005864            |                          | 16.3    | 122.0   | <0.002  | 9.85    | 42.1    | 34.3    | 1       | 0.9     | 56.0    | 0.24    | <0.05   | 1.77    | 0.503   | 4.70    | 0.7   |
| S005865            |                          | 21.7    | 122.0   | <0.002  | 7.62    | 38.8    | 36.3    | <1      | 1.1     | 78.6    | 0.28    | <0.05   | 1.93    | 0.670   | 4.63    | 0.8   |
| S005866            |                          | 18.0    | 133.5   | <0.002  | 7.83    | 36.6    | 35.9    | 1       | 1.2     | 84.0    | 0.32    | <0.05   | 1.92    | 0.700   | 5.07    | 0.9   |
| S005866CD          |                          | 18.1    | 130.5   | <0.002  | 7.84    | 36.6    | 35.7    | 1       | 1.1     | 81.8    | 0.31    | <0.05   | 1.80    | 0.650   | 5.00    | 0.8   |
| S005867            |                          | 12.8    | 125.0   | <0.002  | 5.44    | 24.7    | 34.7    | 1       | 1.1     | 55.6    | 0.27    | <0.05   | 1.80    | 0.585   | 5.34    | 0.7   |
| S005868            |                          | 24.0    | 112.0   | <0.002  | 7.54    | 36.2    | 30.9    | 1       | 0.9     | 129.0   | 0.24    | <0.05   | 1.35    | 0.577   | 7.44    | 0.6   |
| S005869            |                          | 68.3    | 88.4    | <0.002  | >10.0   | 76.5    | 25.0    | 2       | 0.9     | 130.0   | 0.11    | <0.05   | 0.27    | 0.467   | 6.55    | 0.1   |
| S005870            |                          | 8580    | 156.0   | 0.004   | 3.02    | 77.5    | 12.4    | 2       | 4.0     | 142.0   | 0.35    | 0.27    | 3.62    | 0.258   | 3.16    | 2.0   |
| S005871            |                          | 774     | 94.5    | <0.002  | >10.0   | 192.0   | 27.4    | 2       | 0.8     | 74.3    | 0.08    | <0.05   | 0.20    | 0.319   | 6.90    | 0.1   |
| S005872            |                          | 166.5   | 92.2    | <0.002  | >10.0   | 214     | 26.4    | 1       | 0.7     | 139.5   | 0.07    | <0.05   | 0.20    | 0.309   | 6.67    | <0.1  |
| S005873            |                          | 37.1    | 122.0   | <0.002  | 9.31    | 55.1    | 31.3    | <1      | 1.0     | 55.7    | 0.24    | <0.05   | 1.64    | 0.527   | 6.14    | 0.7   |
| S005874            |                          | 29.4    | 136.5   | <0.002  | 9.85    | 47.8    | 34.0    | 1       | 1.0     | 55.6    | 0.26    | <0.05   | 1.74    | 0.532   | 6.92    | 0.7   |
| S005875            |                          | 24.7    | 102.0   | <0.002  | >10.0   | 56.1    | 27.4    | 1       | 0.8     | 46.1    | 0.18    | <0.05   | 1.42    | 0.402   | 6.48    | 0.7   |
| S005876            |                          | 26.5    | 105.5   | <0.002  | >10.0   | 45.0    | 27.0    | 1       | 0.8     | 61.0    | 0.17    | <0.05   | 1.41    | 0.379   | 5.64    | 0.7   |
| S005877            |                          | 28.6    | 74.7    | <0.002  | 5.63    | 48.5    | 19.6    | 1       | 0.6     | 151.5   | 0.16    | <0.05   | 0.82    | 0.391   | 4.84    | 0.4   |
| S005878            |                          | 68.2    | 80.0    | <0.002  | >10.0   | 92.5    | 25.8    | 2       | 0.7     | 208     | 0.12    | <0.05   | 0.41    | 0.408   | 5.88    | 0.2   |
| S005879            |                          | 19.5    | 129.0   | <0.002  | 6.05    | 36.7    | 32.2    | 1       | 1.1     | 68.4    | 0.27    | <0.05   | 1.98    | 0.588   | 5.17    | 0.9   |
| S005880            |                          | <0.5    | 2.1     | 0.002   | 0.07    | 0.18    | 0.4     | 1       | <0.2    | 4880    | <0.05   | <0.05   | 0.17    | 0.013   | 0.02    | 1.3   |
| S005881            |                          | 17.6    | 100.0   | <0.002  | 7.65    | 33.4    | 28.1    | 1       | 0.9     | 118.5   | 0.32    | <0.05   | 1.48    | 0.632   | 5.58    | 0.6   |
| S005882            |                          | 15.3    | 119.5   | <0.002  | 7.99    | 32.2    | 34.5    | 1       | 1.0     | 136.0   | 0.34    | <0.05   | 1.76    | 0.722   | 5.83    | 0.7   |
| S005883            |                          | 14.1    | 121.0   | <0.002  | 6.52    | 26.4    | 34.0    | <1      | 1.1     | 121.0   | 0.34    | <0.05   | 1.78    | 0.744   | 5.90    | 0.7   |
| S005884            |                          | 16.0    | 117.5   | <0.002  | 8.49    | 31.5    | 31.5    | 1       | 0.9     | 68.8    | 0.27    | <0.05   | 1.59    | 0.567   | 5.95    | 0.6   |
| S005885            |                          | 26.7    | 77.7    | <0.002  | 7.45    | 61.8    | 22.9    | <1      | 0.6     | 69.1    | 0.21    | <0.05   | 0.94    | 0.480   | 8.61    | 0.4   |
| S005886            |                          | 91.2    | 116.0   | <0.002  | >10.0   | 157.5   | 32.2    | 1       | 0.8     | 95.7    | 0.08    | <0.05   | 0.32    | 0.303   | 16.65   | 0.1   |
| S005886CD          |                          | 91.1    | 122.0   | <0.002  | >10.0   | 156.5   | 33.4    | 1       | 0.8     | 97.4    | 0.08    | <0.05   | 0.31    | 0.321   | 16.80   | 0.1   |
| S005887            |                          | 48.9    | 70.9    | <0.002  | >10.0   | 173.0   | 27.0    | 1       | 0.6     | 226     | 0.08    | <0.05   | 0.18    | 0.391   | 14.20   | <0.1  |
| S005888            |                          | 80.4    | 81.1    | <0.002  | >10.0   | 163.0   | 26.1    | 1       | 0.6     | 159.0   | 0.07    | <0.05   | 0.20    | 0.308   | 11.80   | 0.1   |
| S005889            |                          | 96.0    | 75.2    | <0.002  | 8.03    | 78.4    | 20.0    | 2       | 0.7     | 97.5    | 0.10    | <0.05   | 0.41    | 0.309   | 5.40    | 0.2   |
| S005890            |                          | 49.8    | 115.5   | <0.002  | 4.03    | 33.9    | 12.2    | 5       | 1.8     | 130.5   | 0.27    | 0.25    | 2.65    | 0.291   | 2.24    | 0.9   |
| S005891            |                          | 25.5    | 89.7    | <0.002  | 7.14    | 32.6    | 22.9    | 1       | 0.8     | 194.0   | 0.07    | 0.09    | 0.24    | 0.292   | 4.21    | 0.1   |
| S005892            |                          | 48.5    | 92.6    | <0.002  | 9.39    | 56.5    | 23.4    | 1       | 1.0     | 140.0   | 0.09    | 0.31    | 0.24    | 0.306   | 4.56    | 0.1   |
| S005893            |                          | 7.2     | 106.0   | <0.002  | 3.48    | 10.30   | 29.8    | 1       | 1.1     | 132.5   | 0.27    | 0.10    | 1.80    | 0.626   | 2.80    | 0.8   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S005856            |                          | 336     | 2.9     | 13.5    | 117     | 25.1    | 28.8    | 1.1     | 103     |
| S005857            |                          | 353     | 7.0     | 19.3    | 165     | 80.3    | 23.5    | 1.0     | 109     |
| S005858            |                          | 368     | 4.0     | 18.3    | 99      | 20.4    | 24.6    | 1.1     | 113     |
| S005859            |                          | 301     | 2.0     | 13.5    | 178     | 12.5    | 26.6    | 0.9     | 73      |
| S005860            |                          | 2       | <0.1    | 0.3     | <2      | 0.6     | 1.2     | <0.1    | 27      |
| S005861            |                          | 318     | 1.4     | 18.3    | 98      | 25.1    | 25.8    | 1.1     | 96      |
| S005862            |                          | 313     | 2.2     | 16.8    | 111     | 30.8    | 25.2    | 1.0     | 97      |
| S005863            |                          | 371     | 1.6     | 18.6    | 82      | 36.6    | 24.8    | 1.1     | 116     |
| S005864            |                          | 333     | 1.4     | 16.4    | 275     | 30.1    | 25.9    | 0.9     | 90      |
| S005865            |                          | 390     | 1.1     | 22.9    | 102     | 30.8    | 23.3    | 1.1     | 117     |
| S005866            |                          | 391     | 4.5     | 20.1    | 83      | 21.9    | 23.1    | 1.1     | 119     |
| S005866CD          |                          | 386     | 4.3     | 20.0    | 83      | 19.6    | 23.0    | 1.1     | 114     |
| S005867            |                          | 357     | 3.3     | 14.8    | 82      | 28.2    | 26.4    | 1.1     | 108     |
| S005868            |                          | 295     | 1.9     | 13.9    | 361     | 27.6    | 28.1    | 1.0     | 82      |
| S005869            |                          | 230     | 8.3     | 8.3     | 1780    | 7.9     | 24.9    | 0.7     | 40      |
| S005870            |                          | 122     | 4.2     | 9.3     | 1860    | 44.6    | 28.8    | 0.4     | 77      |
| S005871            |                          | 247     | 4.3     | 11.0    | 1050    | 9.9     | 25.0    | 0.8     | 42      |
| S005872            |                          | 239     | 2.2     | 9.9     | 3490    | 7.1     | 25.3    | 0.8     | 44      |
| S005873            |                          | 317     | 2.0     | 17.1    | 123     | 21.9    | 27.0    | 1.0     | 100     |
| S005874            |                          | 346     | 1.6     | 19.4    | 100     | 31.6    | 26.3    | 1.1     | 101     |
| S005875            |                          | 275     | 1.4     | 16.4    | 48      | 33.3    | 27.0    | 0.9     | 82      |
| S005876            |                          | 275     | 1.4     | 12.5    | 121     | 26.4    | 27.8    | 0.9     | 83      |
| S005877            |                          | 180     | 2.3     | 12.0    | 600     | 14.9    | 30.1    | 0.6     | 54      |
| S005878            |                          | 215     | 1.4     | 13.8    | 829     | 7.5     | 24.6    | 0.7     | 47      |
| S005879            |                          | 344     | 1.6     | 18.9    | 159     | 40.2    | 27.2    | 1.1     | 107     |
| S005880            |                          | 3       | 0.1     | 0.9     | 3       | 3.0     | 1.8     | <0.1    | 35      |
| S005881            |                          | 304     | 1.5     | 21.4    | 185     | 25.7    | 25.7    | 1.0     | 92      |
| S005882            |                          | 354     | 1.4     | 27.4    | 210     | 30.2    | 23.7    | 1.1     | 111     |
| S005883            |                          | 364     | 1.5     | 24.2    | 197     | 24.8    | 24.2    | 1.2     | 110     |
| S005884            |                          | 326     | 2.2     | 22.9    | 100     | 26.0    | 25.8    | 1.1     | 99      |
| S005885            |                          | 217     | 1.1     | 17.0    | 76      | 16.4    | 29.7    | 0.7     | 63      |
| S005886            |                          | 266     | 1.3     | 10.9    | 74      | 4.1     | 23.6    | 0.9     | 60      |
| S005886CD          |                          | 272     | 1.4     | 10.8    | 76      | 3.7     | 23.9    | 0.9     | 58      |
| S005887            |                          | 245     | 1.4     | 10.6    | 237     | 3.5     | 24.7    | 0.8     | 46      |
| S005888            |                          | 222     | 1.2     | 11.8    | 309     | 3.4     | 24.7    | 0.7     | 46      |
| S005889            |                          | 177     | 1.0     | 12.0    | 748     | 11.4    | 29.2    | 0.5     | 47      |
| S005890            |                          | 136     | 2.2     | 7.2     | 187     | 31.7    | 32.1    | 0.4     | 77      |
| S005891            |                          | 215     | 6.5     | 9.6     | 62      | 3.4     | 24.2    | 0.8     | 51      |
| S005892            |                          | 225     | 13.9    | 7.3     | 26      | 3.0     | 23.2    | 0.8     | 52      |
| S005893            |                          | 317     | 16.0    | 15.0    | 78      | 34.1    | 23.1    | 1.0     | 98      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005894            |         | 6.66      | 0.020   | 0.68    | 7.60    | 75.3    | 670     | 1.20    | 0.03    | 1.58    | 0.10    | 31.4    | 28.5    | 11      | 5.64    | 12.1    |
| S005895            |         | 5.88      | 0.044   | 0.55    | 7.90    | 68.0    | 420     | 1.29    | 0.10    | 1.58    | 0.11    | 28.4    | 25.7    | 11      | 4.87    | 12.9    |
| S005896            |         | 6.94      | 0.051   | 0.62    | 6.80    | 86.4    | 430     | 1.02    | 0.44    | 1.53    | 0.08    | 21.7    | 23.9    | 12      | 3.89    | 13.8    |
| S005897            |         | 6.73      | 0.006   | 0.41    | 5.81    | 14.9    | 420     | 0.69    | 0.29    | 1.89    | 0.06    | 18.30   | 23.5    | 9       | 3.22    | 14.1    |
| S005898            |         | 7.55      | <0.005  | 0.27    | 5.98    | 7.6     | 380     | 0.78    | 0.23    | 3.23    | 0.08    | 23.2    | 17.9    | 9       | 3.25    | 8.3     |
| S005899            |         | 6.97      | <0.005  | 0.40    | 7.24    | 6.9     | 1010    | 1.09    | 0.64    | 2.60    | 0.06    | 26.9    | 27.6    | 10      | 3.90    | 17.4    |
| S005900            |         | 1.07      | 0.005   | 0.08    | 0.28    | 1.5     | 40      | 0.06    | 0.01    | 33.6    | 0.04    | 1.62    | 0.8     | 2       | 0.09    | 1.5     |
| S005901            |         | 7.09      | <0.005  | 0.63    | 6.83    | 44.1    | 700     | 1.15    | 1.08    | 3.32    | 0.07    | 26.3    | 32.5    | 9       | 3.69    | 30.3    |
| S005902            |         | 7.19      | <0.005  | 0.18    | 6.89    | 3.2     | 630     | 0.95    | 0.14    | 4.02    | 0.06    | 27.2    | 25.5    | 10      | 3.66    | 7.4     |
| S005903            |         | 6.80      | <0.005  | 0.22    | 7.25    | 2.5     | 680     | 1.14    | 0.17    | 4.79    | 0.09    | 27.4    | 25.2    | 10      | 4.08    | 8.7     |
| S005904            |         | 6.91      | <0.005  | 0.30    | 6.12    | 1.6     | 580     | 0.98    | 0.36    | 5.04    | 0.08    | 23.2    | 23.1    | 9       | 3.60    | 16.6    |
| S005905            |         | 6.75      | <0.005  | 0.46    | 6.33    | 4.8     | 660     | 1.16    | 0.99    | 3.71    | 0.08    | 23.8    | 27.5    | 9       | 3.84    | 28.0    |
| S005906            |         | 6.48      | 0.009   | 0.77    | 5.83    | 3.8     | 280     | 1.37    | 1.47    | 3.10    | 0.03    | 21.1    | 30.9    | 13      | 3.44    | 40.0    |
| S005906CD          |         | <0.02     | <0.005  | 0.72    | 5.71    | 3.2     | 370     | 1.24    | 1.51    | 3.04    | 0.05    | 20.0    | 30.4    | 10      | 3.20    | 37.9    |
| S005907            |         | 6.67      | 0.005   | 0.90    | 5.72    | 17.9    | 170     | 1.19    | 2.26    | 2.63    | 0.03    | 22.4    | 32.6    | 10      | 3.62    | 42.4    |
| S005908            |         | 6.78      | 0.012   | 0.48    | 6.84    | 61.4    | 170     | 1.31    | 0.83    | 3.70    | 0.10    | 21.9    | 25.1    | 34      | 4.18    | 14.6    |
| S005909            |         | 6.30      | <0.005  | 0.35    | 6.29    | 3.2     | 660     | 0.93    | 0.34    | 4.31    | 0.08    | 22.2    | 24.6    | 13      | 3.68    | 17.3    |
| S005910            |         | 0.14      | 0.998   | 11.50   | 5.95    | 314     | 440     | 1.08    | 0.16    | 3.55    | 4.49    | 21.4    | 9.8     | 26      | 6.45    | 83.8    |
| S005911            |         | 7.17      | <0.005  | 0.45    | 7.04    | 4.1     | 710     | 1.13    | 0.27    | 4.21    | 0.12    | 23.4    | 25.3    | 12      | 4.82    | 13.4    |
| S005912            |         | 6.94      | <0.005  | 0.29    | 6.93    | 2.4     | 670     | 0.97    | 0.29    | 4.66    | 0.11    | 28.1    | 29.0    | 12      | 3.47    | 11.3    |
| S005913            |         | 4.98      | <0.005  | 0.29    | 6.92    | 2.1     | 730     | 0.95    | 0.24    | 4.43    | 0.11    | 23.9    | 22.8    | 13      | 3.60    | 10.3    |
| S005914            |         | 4.66      | <0.005  | 0.35    | 6.05    | 1.5     | 610     | 0.89    | 0.36    | 4.88    | 0.09    | 22.6    | 22.3    | 11      | 4.15    | 13.4    |
| S005915            |         | 2.35      | 0.033   | 5.25    | 6.47    | 2910    | 650     | 1.09    | 0.35    | 4.55    | 4.60    | 27.0    | 23.4    | 12      | 4.55    | 23.6    |
| S005916            |         | 4.65      | <0.005  | 0.34    | 7.45    | 3.8     | 840     | 1.18    | 0.21    | 3.82    | 0.08    | 28.5    | 24.7    | 12      | 4.72    | 14.7    |
| S005917            |         | 4.85      | <0.005  | 0.25    | 7.30    | 1.7     | 910     | 0.98    | 0.24    | 4.25    | 0.10    | 27.0    | 25.1    | 12      | 4.41    | 10.5    |
| S005918            |         | 6.80      | <0.005  | 0.34    | 7.46    | 1.9     | 860     | 1.25    | 0.40    | 4.35    | 0.11    | 25.9    | 30.0    | 13      | 4.57    | 13.7    |
| S005919            |         | 7.41      | <0.005  | 0.31    | 6.57    | 9.6     | 580     | 1.38    | 0.52    | 5.15    | 0.07    | 22.9    | 25.2    | 12      | 3.58    | 14.9    |
| S005920            |         | 1.05      | <0.005  | <0.01   | 0.11    | <0.2    | 10      | <0.05   | <0.01   | 34.8    | <0.02   | 0.27    | 0.4     | 2       | <0.05   | 0.9     |
| S005921            |         | 6.81      | <0.005  | 0.24    | 7.13    | 3.0     | 820     | 1.26    | 0.31    | 5.02    | 0.11    | 26.7    | 24.1    | 16      | 4.69    | 6.8     |
| S005922            |         | 6.24      | <0.005  | 0.24    | 7.41    | 2.7     | 870     | 1.11    | 0.30    | 4.04    | 0.07    | 27.0    | 29.3    | 16      | 4.81    | 11.5    |
| S005923            |         | 6.29      | 0.007   | 0.36    | 8.22    | 35.2    | 500     | 1.44    | 0.33    | 2.70    | 0.16    | 29.5    | 33.4    | 16      | 5.65    | 11.7    |
| S005924            |         | 6.64      | 0.008   | 0.32    | 7.87    | 39.0    | 790     | 1.22    | 0.04    | 2.23    | 0.11    | 27.5    | 29.3    | 13      | 4.76    | 11.3    |
| S005925            |         | 6.57      | 0.010   | 0.48    | 8.57    | 29.4    | 1280    | 1.43    | 0.02    | 1.74    | 0.09    | 32.0    | 31.7    | 15      | 5.41    | 11.6    |
| S005926            |         | 6.56      | 0.169   | 2.37    | 8.00    | 210     | 360     | 1.14    | 0.12    | 2.13    | 0.28    | 20.3    | 42.1    | 82      | 4.53    | 59.2    |
| S005926CD          |         | <0.02     | 0.169   | 2.41    | 7.56    | 211     | 170     | 0.98    | 0.11    | 2.05    | 0.25    | 17.55   | 40.8    | 82      | 4.29    | 60.1    |
| S005927            |         | 7.12      | 0.144   | 1.11    | 7.74    | 40.7    | 950     | 0.94    | <0.01   | 5.08    | 0.10    | 16.15   | 43.0    | 180     | 5.55    | 76.5    |
| S005928            |         | 6.70      | 0.114   | 0.92    | 8.62    | 47.0    | 1200    | 0.85    | <0.01   | 3.23    | 0.07    | 17.90   | 56.6    | 209     | 5.73    | 45.3    |
| S005929            |         | 7.07      | 0.021   | 0.85    | 9.16    | 49.3    | 1310    | 0.95    | 0.03    | 2.12    | 0.05    | 15.65   | 58.7    | 223     | 5.20    | 57.3    |
| S005930            |         | 0.14      | 5.67    | 76.8    | 6.14    | 280     | 930     | 1.15    | 1.00    | 1.94    | 22.5    | 26.9    | 12.0    | 22      | 7.92    | 120.0   |
| S005931            |         | 6.69      | 0.021   | 0.90    | 9.77    | 43.8    | 1430    | 0.95    | <0.01   | 2.12    | 0.05    | 15.90   | 59.2    | 237     | 5.76    | 53.4    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S005894            |                          | 8.49    | 21.1    | 0.14    | 2.0     | 0.087   | 2.72    | 15.5    | 20.3    | 1.60    | 914     | 4.54    | 0.16    | 6.8     | 5.2     | 1350  |
| S005895            |                          | 8.18    | 22.2    | 0.13    | 2.3     | 0.091   | 3.01    | 13.3    | 18.4    | 1.36    | 735     | 5.68    | 0.13    | 7.1     | 4.9     | 1450  |
| S005896            |                          | 8.20    | 18.55   | 0.11    | 1.1     | 0.079   | 2.67    | 8.9     | 13.5    | 1.09    | 592     | 5.29    | 0.11    | 5.1     | 4.3     | 1240  |
| S005897            |                          | 11.50   | 16.20   | 0.11    | 1.0     | 0.064   | 1.27    | 7.8     | 15.6    | 1.96    | 1100    | 4.29    | 0.15    | 5.0     | 4.0     | 990   |
| S005898            |                          | 9.98    | 17.20   | 0.11    | 1.1     | 0.076   | 1.23    | 10.2    | 17.0    | 1.96    | 1160    | 4.41    | 0.28    | 5.4     | 3.8     | 1140  |
| S005899            |                          | 9.14    | 20.0    | 0.14    | 1.7     | 0.065   | 2.38    | 13.4    | 20.0    | 1.62    | 882     | 5.12    | 0.24    | 6.5     | 5.0     | 1210  |
| S005900            |                          | 0.17    | 0.67    | 0.13    | 0.1     | 0.005   | 0.05    | 0.8     | 1.5     | 1.66    | 27      | 0.12    | 0.08    | 0.3     | 1.5     | 90    |
| S005901            |                          | 10.80   | 19.10   | 0.13    | 1.5     | 0.079   | 2.07    | 13.0    | 18.0    | 1.48    | 652     | 3.58    | 0.45    | 6.2     | 5.0     | 1140  |
| S005902            |                          | 7.98    | 18.85   | 0.12    | 1.6     | 0.094   | 1.87    | 13.3    | 18.2    | 1.85    | 1140    | 3.22    | 0.16    | 6.3     | 4.6     | 1380  |
| S005903            |                          | 8.14    | 20.5    | 0.15    | 0.8     | 0.092   | 1.96    | 13.3    | 19.9    | 2.04    | 1300    | 3.62    | 0.19    | 6.8     | 5.1     | 1560  |
| S005904            |                          | 7.64    | 17.30   | 0.12    | 1.6     | 0.067   | 1.76    | 11.5    | 17.4    | 1.87    | 1080    | 2.01    | 0.23    | 5.4     | 4.5     | 1350  |
| S005905            |                          | 9.67    | 17.10   | 0.12    | 1.6     | 0.069   | 2.03    | 11.6    | 15.1    | 1.37    | 659     | 2.92    | 0.36    | 5.7     | 4.7     | 1280  |
| S005906            |                          | 11.20   | 15.15   | 0.11    | 1.0     | 0.063   | 1.82    | 9.1     | 9.2     | 0.61    | 447     | 4.23    | 0.61    | 5.4     | 5.4     | 1200  |
| S005906CD          |                          | 11.55   | 14.15   | 0.11    | 1.4     | 0.054   | 1.79    | 8.8     | 8.6     | 0.60    | 444     | 3.81    | 0.60    | 5.0     | 4.4     | 1170  |
| S005907            |                          | 14.45   | 15.00   | 0.13    | 0.7     | 0.056   | 1.88    | 15.00   | 9.6     | 7.3     | 367     | 4.04    | 0.54    | 4.6     | 5.0     | 1060  |
| S005908            |                          | 9.35    | 18.30   | 0.13    | 0.7     | 0.075   | 2.30    | 9.1     | 11.8    | 0.98    | 695     | 2.89    | 0.50    | 5.5     | 14.4    | 1340  |
| S005909            |                          | 8.51    | 17.85   | 0.11    | 1.1     | 0.104   | 1.76    | 10.1    | 17.2    | 1.64    | 944     | 2.21    | 0.31    | 5.1     | 6.3     | 1520  |
| S005910            |                          | 3.85    | 13.15   | 0.14    | 1.2     | 0.044   | 3.85    | 9.7     | 11.7    | 0.53    | 1340    | 9.64    | 0.21    | 4.4     | 20.0    | 900   |
| S005911            |                          | 8.18    | 19.25   | 0.14    | 1.1     | 0.098   | 1.93    | 10.1    | 19.6    | 1.96    | 1100    | 2.11    | 0.29    | 6.2     | 5.7     | 1400  |
| S005912            |                          | 8.63    | 19.40   | 0.15    | 0.9     | 0.115   | 1.82    | 14.1    | 19.5    | 1.89    | 989     | 1.03    | 0.38    | 6.3     | 6.2     | 1280  |
| S005913            |                          | 7.84    | 19.05   | 0.11    | 0.8     | 0.101   | 2.06    | 11.7    | 19.0    | 1.90    | 1100    | 1.60    | 0.37    | 6.1     | 5.6     | 1340  |
| S005914            |                          | 7.71    | 17.25   | 0.12    | 2.1     | 0.064   | 1.90    | 10.6    | 15.0    | 1.78    | 1020    | 2.33    | 0.19    | 5.2     | 5.6     | 1290  |
| S005915            |                          | 8.37    | 19.00   | 0.13    | 1.5     | 0.069   | 2.19    | 13.6    | 17.4    | 1.80    | 984     | 4.83    | 0.07    | 5.5     | 5.9     | 1470  |
| S005916            |                          | 8.70    | 21.8    | 0.15    | 1.2     | 0.074   | 2.43    | 14.3    | 21.4    | 2.12    | 922     | 1.58    | 0.09    | 6.0     | 5.8     | 1730  |
| S005917            |                          | 8.18    | 19.35   | 0.13    | 1.1     | 0.063   | 2.17    | 13.6    | 23.4    | 2.10    | 1120    | 1.54    | 0.38    | 6.2     | 5.6     | 1590  |
| S005918            |                          | 8.70    | 19.25   | 0.13    | 1.7     | 0.062   | 2.35    | 12.3    | 20.2    | 1.78    | 929     | 1.63    | 0.40    | 6.2     | 6.1     | 1610  |
| S005919            |                          | 7.69    | 17.25   | 0.12    | 1.2     | 0.079   | 2.06    | 10.2    | 11.7    | 0.92    | 954     | 1.63    | 0.38    | 5.7     | 5.5     | 1260  |
| S005920            |                          | 0.08    | 0.19    | <0.05   | <0.1    | 0.009   | 0.01    | <0.5    | 0.4     | 1.58    | 17      | 0.93    | 0.01    | 0.1     | <0.2    | 30    |
| S005921            |                          | 7.99    | 19.25   | 0.08    | 1.9     | 0.144   | 2.30    | 12.8    | 20.6    | 1.60    | 1200    | 2.10    | 0.19    | 7.0     | 6.5     | 1400  |
| S005922            |                          | 8.75    | 21.1    | 0.08    | 1.7     | 0.109   | 2.30    | 12.9    | 22.8    | 1.77    | 1080    | 3.58    | 0.36    | 7.6     | 6.4     | 1390  |
| S005923            |                          | 8.83    | 23.9    | 0.08    | 1.2     | 0.089   | 3.01    | 13.8    | 17.8    | 1.33    | 1040    | 5.59    | 0.30    | 8.9     | 7.9     | 1420  |
| S005924            |                          | 9.60    | 21.4    | 0.08    | 1.3     | 0.085   | 2.40    | 13.3    | 16.9    | 1.61    | 1190    | 4.95    | 0.27    | 8.0     | 6.6     | 1640  |
| S005925            |                          | 7.86    | 23.4    | 0.09    | 2.6     | 0.100   | 3.14    | 15.7    | 15.7    | 1.47    | 978     | 2.23    | 0.20    | 8.6     | 7.2     | 1660  |
| S005926            |                          | 10.70   | 20.0    | 0.08    | 0.5     | 0.086   | 3.00    | 7.9     | 17.3    | 1.26    | 1270    | 2.63    | 0.26    | 4.4     | 38.1    | 1010  |
| S005926CD          |                          | 10.45   | 19.75   | 0.09    | 0.5     | 0.088   | 2.91    | 6.7     | 16.2    | 1.19    | 1240    | 2.62    | 0.25    | 4.2     | 36.4    | 970   |
| S005927            |                          | 8.41    | 18.30   | 0.06    | 0.4     | 0.115   | 2.38    | 5.4     | 25.2    | 2.05    | 2220    | 0.79    | 0.64    | 3.4     | 80.1    | 1080  |
| S005928            |                          | 9.05    | 19.45   | 0.07    | 0.3     | 0.084   | 3.11    | 6.1     | 20.0    | 1.73    | 1780    | 1.12    | 0.40    | 3.3     | 99.2    | 1120  |
| S005929            |                          | 7.78    | 21.3    | 0.07    | 0.1     | 0.081   | 3.95    | 4.9     | 17.6    | 1.20    | 1820    | 1.15    | 0.30    | 3.6     | 101.0   | 1230  |
| S005930            |                          | 4.63    | 13.50   | 0.07    | 1.3     | 1.335   | 3.66    | 14.2    | 13.0    | 0.47    | 1160    | 10.10   | 0.22    | 5.7     | 17.3    | 930   |
| S005931            |                          | 9.54    | 21.5    | 0.08    | 0.2     | 0.088   | 3.75    | 5.1     | 22.4    | 1.77    | 1620    | 1.01    | 0.44    | 3.8     | 110.5   | 1270  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
| S005894            |                          | 7.3     | 111.5   | <0.002  | 3.20    | 6.40    | 34.4    | 1       | 1.1     | 129.0   | 0.41    | <0.05   | 2.36    | 0.942   | 3.95    | 1.3   |
| S005895            |                          | 6.9     | 120.0   | <0.002  | 3.58    | 6.21    | 33.3    | 1       | 1.2     | 150.5   | 0.41    | <0.05   | 2.49    | 0.953   | 3.48    | 1.4   |
| S005896            |                          | 8.5     | 100.5   | <0.002  | 4.20    | 6.67    | 28.6    | 1       | 1.1     | 118.0   | 0.31    | 0.11    | 1.73    | 0.707   | 2.73    | 0.8   |
| S005897            |                          | 4.4     | 56.8    | <0.002  | 2.88    | 6.23    | 26.4    | 1       | 0.7     | 102.5   | 0.30    | 0.09    | 1.53    | 0.675   | 1.68    | 0.7   |
| S005898            |                          | 2.9     | 61.1    | 0.002   | 1.44    | 5.41    | 26.0    | 1       | 0.8     | 186.0   | 0.33    | 0.07    | 1.73    | 0.740   | 1.87    | 0.9   |
| S005899            |                          | 4.0     | 99.9    | <0.002  | 2.10    | 5.00    | 32.7    | 1       | 1.3     | 166.0   | 0.38    | 0.18    | 2.16    | 0.889   | 2.38    | 1.1   |
| S005900            |                          | 0.8     | 1.7     | <0.002  | 0.07    | 0.31    | 0.6     | 1       | <0.2    | 4750    | <0.05   | <0.05   | 0.11    | 0.016   | 0.03    | 1.2   |
| S005901            |                          | 4.3     | 94.6    | <0.002  | 3.11    | 3.85    | 32.7    | 1       | 1.3     | 237     | 0.36    | 0.34    | 2.14    | 0.827   | 1.98    | 1.0   |
| S005902            |                          | 2.3     | 88.7    | <0.002  | 0.97    | 3.10    | 30.7    | 1       | 1.1     | 200     | 0.37    | 0.11    | 2.11    | 0.866   | 1.74    | 1.1   |
| S005903            |                          | 2.5     | 87.0    | 0.002   | 1.21    | 2.86    | 33.2    | 1       | 1.0     | 272     | 0.40    | 0.15    | 2.03    | 0.912   | 2.01    | 0.9   |
| S005904            |                          | 3.2     | 87.6    | 0.002   | 1.68    | 3.48    | 27.6    | 2       | 0.9     | 237     | 0.33    | 0.31    | 1.93    | 0.717   | 1.70    | 1.1   |
| S005905            |                          | 3.5     | 102.5   | <0.002  | 2.94    | 3.95    | 28.7    | 1       | 1.3     | 204     | 0.33    | 0.46    | 1.97    | 0.738   | 1.96    | 0.9   |
| S005906            |                          | 3.8     | 92.8    | 0.002   | 4.19    | 4.23    | 27.2    | 1       | 1.4     | 201     | 0.33    | 0.81    | 1.76    | 0.686   | 1.66    | 0.8   |
| S005906CD          |                          | 3.8     | 85.4    | <0.002  | 4.40    | 4.02    | 26.0    | 1       | 1.3     | 194.5   | 0.30    | 0.76    | 1.66    | 0.672   | 1.53    | 0.8   |
| S005907            |                          | 5.7     | 90.2    | 0.002   | 6.03    | 3.71    | 28.4    | 2       | 1.2     | 188.0   | 0.28    | 0.88    | 1.54    | 0.611   | 1.53    | 0.7   |
| S005908            |                          | 6.9     | 97.1    | <0.002  | 5.03    | 7.59    | 30.6    | 1       | 1.2     | 232     | 0.32    | 0.30    | 1.43    | 0.790   | 2.19    | 0.6   |
| S005909            |                          | 1.8     | 88.6    | <0.002  | 1.87    | 4.02    | 27.4    | 2       | 1.2     | 212     | 0.31    | 0.27    | 1.83    | 0.720   | 1.71    | 0.9   |
| S005910            |                          | 136.5   | 152.5   | 0.011   | 2.78    | 18.50   | 10.0    | 2       | 1.5     | 185.0   | 0.26    | 0.30    | 2.76    | 0.247   | 3.14    | 1.5   |
| S005911            |                          | 2.0     | 90.0    | <0.002  | 1.42    | 3.81    | 31.2    | 1       | 1.2     | 233     | 0.38    | 0.25    | 2.07    | 0.863   | 2.11    | 1.0   |
| S005912            |                          | 2.5     | 91.2    | 0.003   | 1.64    | 4.97    | 31.8    | 1       | 1.4     | 285     | 0.37    | 0.24    | 2.06    | 0.832   | 1.87    | 1.0   |
| S005913            |                          | 2.5     | 87.4    | <0.002  | 1.45    | 4.32    | 31.1    | 1       | 1.1     | 232     | 0.37    | 0.24    | 1.92    | 0.833   | 2.04    | 0.9   |
| S005914            |                          | 3.2     | 97.6    | <0.002  | 1.72    | 4.10    | 28.8    | 1       | 0.8     | 170.5   | 0.31    | 0.27    | 2.00    | 0.681   | 1.91    | 1.1   |
| S005915            |                          | 87.2    | 108.5   | 0.002   | 2.17    | 68.3    | 30.0    | 1       | 0.9     | 285     | 0.34    | 0.30    | 2.11    | 0.713   | 2.19    | 1.1   |
| S005916            |                          | 2.9     | 122.0   | <0.002  | 1.60    | 3.52    | 34.9    | 1       | 0.9     | 182.5   | 0.36    | 0.29    | 2.18    | 0.813   | 2.29    | 1.0   |
| S005917            |                          | 3.1     | 100.5   | <0.002  | 1.34    | 2.43    | 31.6    | 1       | 0.8     | 241     | 0.38    | 0.20    | 2.02    | 0.885   | 2.03    | 0.9   |
| S005918            |                          | 3.4     | 114.0   | <0.002  | 1.95    | 2.51    | 33.2    | 1       | 1.3     | 249     | 0.39    | 0.29    | 2.26    | 0.845   | 2.23    | 1.1   |
| S005919            |                          | 2.5     | 106.5   | <0.002  | 2.16    | 3.91    | 29.0    | 1       | 1.2     | 253     | 0.34    | 0.32    | 1.89    | 0.777   | 1.96    | 0.9   |
| S005920            |                          | 0.5     | 0.5     | <0.002  | 0.09    | <0.05   | 0.2     | 1       | <0.2    | 5220    | <0.05   | <0.05   | 0.04    | 0.005   | 0.02    | 1.7   |
| S005921            |                          | 2.3     | 122.0   | <0.002  | 1.20    | 4.60    | 31.7    | 1       | 1.1     | 206     | 0.41    | 0.25    | 2.25    | 0.870   | 2.25    | 1.2   |
| S005922            |                          | 2.7     | 117.0   | 0.002   | 1.68    | 5.62    | 33.7    | 1       | 1.1     | 197.0   | 0.43    | 0.28    | 2.23    | 0.898   | 2.49    | 1.2   |
| S005923            |                          | 5.6     | 109.5   | <0.002  | 3.46    | 7.39    | 38.2    | 1       | 1.3     | 179.5   | 0.51    | 0.14    | 2.12    | 1.050   | 3.25    | 1.0   |
| S005924            |                          | 5.8     | 95.7    | 0.003   | 3.43    | 7.38    | 35.2    | 1       | 1.1     | 145.0   | 0.48    | <0.05   | 2.25    | 0.991   | 3.28    | 1.2   |
| S005925            |                          | 4.7     | 121.0   | <0.002  | 2.10    | 5.44    | 38.5    | <1      | 1.2     | 121.0   | 0.52    | <0.05   | 2.84    | 1.060   | 3.16    | 1.7   |
| S005926            |                          | 21.5    | 99.6    | 0.002   | 7.05    | 18.20   | 35.7    | 1       | 1.0     | 111.0   | 0.26    | <0.05   | 1.09    | 0.797   | 3.00    | 0.4   |
| S005926CD          |                          | 21.3    | 82.4    | <0.002  | 6.96    | 17.45   | 33.2    | <1      | 1.0     | 105.0   | 0.26    | <0.05   | 0.97    | 0.773   | 2.90    | 0.4   |
| S005927            |                          | 13.6    | 57.5    | 0.002   | 1.71    | 17.65   | 37.9    | 1       | 0.9     | 263     | 0.21    | <0.05   | 0.25    | 0.921   | 3.15    | 0.1   |
| S005928            |                          | 10.7    | 86.0    | 0.002   | 2.63    | 9.99    | 39.4    | 1       | 0.9     | 186.0   | 0.21    | <0.05   | 0.30    | 0.930   | 3.47    | 0.1   |
| S005929            |                          | 9.3     | 93.6    | 0.002   | 3.05    | 8.02    | 42.2    | <1      | 1.0     | 113.5   | 0.22    | <0.05   | 0.25    | 1.035   | 4.41    | 0.1   |
| S005930            |                          | 8530    | 165.5   | 0.004   | 2.97    | 74.1    | 12.6    | 3       | 4.1     | 139.5   | 0.34    | 0.31    | 3.76    | 0.251   | 3.15    | 2.2   |
| S005931            |                          | 10.3    | 88.8    | <0.002  | 3.20    | 5.88    | 44.7    | 1       | 1.0     | 134.5   | 0.25    | <0.05   | 0.31    | 1.070   | 4.52    | 0.1   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S005894            |                                   | 357      | 1.0        | 25.5       | 181      | 75.7       | 21.8     | 1.1      | 113      |
| S005895            |                                   | 368      | 3.8        | 23.4       | 91       | 74.7       | 24.9     | 1.0      | 103      |
| S005896            |                                   | 315      | 5.4        | 17.4       | 59       | 41.6       | 25.1     | 1.0      | 99       |
| S005897            |                                   | 270      | 3.0        | 20.6       | 107      | 26.9       | 21.9     | 0.7      | 80       |
| S005898            |                                   | 281      | 0.8        | 28.8       | 95       | 42.9       | 20.7     | 0.7      | 82       |
| S005899            |                                   | 339      | 4.3        | 30.6       | 59       | 65.9       | 21.7     | 0.9      | 105      |
| S005900            |                                   | 4        | 0.1        | 1.0        | 4        | 3.2        | 1.7      | <0.1     | 34       |
| S005901            |                                   | 317      | 6.2        | 28.9       | 49       | 49.9       | 20.8     | 0.8      | 99       |
| S005902            |                                   | 325      | 1.6        | 30.3       | 76       | 60.2       | 20.6     | 0.9      | 102      |
| S005903            |                                   | 347      | 1.8        | 32.1       | 79       | 27.5       | 21.1     | 0.9      | 107      |
| S005904            |                                   | 292      | 18.6       | 28.1       | 62       | 65.0       | 20.9     | 0.7      | 91       |
| S005905            |                                   | 278      | 30.0       | 27.9       | 50       | 40.3       | 21.9     | 0.7      | 94       |
| S005906            |                                   | 247      | 22.2       | 25.6       | 21       | 43.5       | 22.9     | 0.7      | 84       |
| S005906CD          |                                   | 244      | 22.4       | 24.5       | 21       | 26.9       | 22.8     | 0.7      | 85       |
| S005907            |                                   | 243      | 13.9       | 24.5       | 17       | 28.6       | 22.3     | 0.7      | 82       |
| S005908            |                                   | 314      | 20.1       | 26.8       | 40       | 18.2       | 22.5     | 0.8      | 96       |
| S005909            |                                   | 295      | 21.7       | 28.1       | 65       | 42.2       | 21.7     | 0.7      | 91       |
| S005910            |                                   | 106      | 4.9        | 7.7        | 457      | 35.2       | 26.8     | 0.4      | 81       |
| S005911            |                                   | 333      | 9.2        | 29.7       | 83       | 27.0       | 20.5     | 0.8      | 107      |
| S005912            |                                   | 329      | 412        | 32.0       | 79       | 26.4       | 19.2     | 0.8      | 107      |
| S005913            |                                   | 325      | 5.0        | 28.6       | 80       | 18.8       | 20.0     | 0.8      | 107      |
| S005914            |                                   | 278      | 10.4       | 28.7       | 66       | 73.6       | 21.1     | 0.7      | 93       |
| S005915            |                                   | 293      | 15.3       | 30.1       | 336      | 53.4       | 21.0     | 0.8      | 102      |
| S005916            |                                   | 368      | 5.3        | 33.6       | 79       | 40.8       | 20.0     | 0.9      | 109      |
| S005917            |                                   | 340      | 1.6        | 30.4       | 84       | 34.2       | 21.0     | 0.9      | 112      |
| S005918            |                                   | 345      | 7.6        | 31.8       | 70       | 44.4       | 20.9     | 0.9      | 113      |
| S005919            |                                   | 307      | 21.4       | 28.4       | 37       | 32.4       | 22.4     | 0.8      | 101      |
| S005920            |                                   | 2        | <0.1       | 0.3        | <2       | 0.8        | 2.0      | <0.1     | 38       |
| S005921            |                                   | 326      | 21.6       | 30.2       | 79       | 56.3       | 22.1     | 0.8      | 108      |
| S005922            |                                   | 347      | 3.2        | 31.5       | 75       | 55.1       | 22.1     | 0.9      | 105      |
| S005923            |                                   | 396      | 3.5        | 34.4       | 85       | 33.5       | 22.3     | 1.1      | 119      |
| S005924            |                                   | 365      | 1.1        | 32.2       | 103      | 43.4       | 22.6     | 1.0      | 118      |
| S005925            |                                   | 399      | 2.0        | 36.9       | 127      | 113.0      | 23.6     | 1.2      | 126      |
| S005926            |                                   | 357      | 2.1        | 23.5       | 168      | 19.6       | 22.8     | 1.0      | 93       |
| S005926CD          |                                   | 356      | 2.0        | 21.7       | 166      | 16.5       | 22.8     | 1.0      | 89       |
| S005927            |                                   | 350      | 3.6        | 20.8       | 195      | 11.4       | 19.5     | 0.8      | 56       |
| S005928            |                                   | 356      | 1.3        | 20.6       | 152      | 9.2        | 20.4     | 0.9      | 64       |
| S005929            |                                   | 394      | 1.7        | 17.4       | 118      | 3.4        | 21.6     | 1.1      | 66       |
| S005930            |                                   | 120      | 4.1        | 9.3        | 1790     | 53.7       | 28.8     | 0.4      | 77       |
| S005931            |                                   | 411      | 1.1        | 21.0       | 145      | 4.2        | 20.6     | 1.1      | 71       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005932            |                          | 4.86         | 0.060   | 1.60    | 8.37    | 112.5   | 170     | 1.10    | <0.01   | 2.79    | 0.06    | 14.05   | 57.6    | 197     | 6.03    | 22.5    |
| S005933            |                          | 4.80         | 0.095   | 3.80    | 8.29    | 260     | 150     | 1.03    | 0.01    | 1.24    | 0.11    | 19.30   | 44.3    | 124     | 4.82    | 34.4    |
| S005934            |                          | 4.89         | 0.048   | 1.50    | 6.89    | 131.5   | 460     | 1.03    | 0.77    | 1.42    | 0.13    | 20.9    | 25.0    | 13      | 3.37    | 4.7     |
| S005935            |                          | 7.02         | 0.007   | 0.85    | 7.32    | 10.2    | 310     | 1.10    | 0.89    | 3.60    | 0.09    | 21.7    | 30.7    | 11      | 4.39    | 9.5     |
| S005936            |                          | 6.52         | 0.012   | 0.25    | 7.75    | 53.3    | 750     | 1.20    | 0.18    | 1.46    | 0.09    | 28.0    | 28.4    | 11      | 3.36    | 10.1    |
| S005937            |                          | 5.98         | <0.005  | 0.08    | 7.30    | 2.1     | 800     | 1.10    | 0.03    | 0.58    | 0.05    | 17.10   | 28.8    | 12      | 1.44    | 9.1     |
| S005938            |                          | 7.48         | 0.007   | 0.26    | 8.17    | 35.3    | 1160    | 1.21    | 0.35    | 2.67    | 0.06    | 28.6    | 30.4    | 12      | 4.97    | 18.1    |
| S005939            |                          | 6.68         | <0.005  | 0.14    | 7.16    | 1.8     | 810     | 0.93    | 0.14    | 3.31    | 0.07    | 25.6    | 27.1    | 10      | 3.35    | 14.2    |
| S005940            |                          | 1.27         | <0.005  | 0.02    | 0.08    | <0.2    | 20      | <0.05   | <0.01   | 35.4    | <0.02   | 0.35    | 0.3     | 1       | <0.05   | 0.4     |
| S005941            |                          | 6.53         | <0.005  | 0.23    | 8.23    | 1.5     | 1280    | 1.16    | 0.27    | 3.09    | 0.06    | 30.7    | 32.5    | 12      | 4.69    | 16.9    |
| S005942            |                          | 6.97         | <0.005  | 0.21    | 8.06    | 15.1    | 1190    | 1.11    | 0.15    | 3.52    | 0.08    | 29.4    | 30.1    | 11      | 6.18    | 14.4    |
| S005943            |                          | 6.43         | <0.005  | 0.11    | 7.31    | 1.5     | 1200    | 0.96    | 0.11    | 3.25    | 0.08    | 23.0    | 23.7    | 9       | 7.13    | 7.2     |
| S005944            |                          | 6.78         | <0.005  | 0.16    | 7.17    | 5.9     | 1070    | 0.95    | 0.15    | 2.94    | 0.07    | 23.7    | 25.5    | 11      | 8.41    | 14.3    |
| S005945            |                          | 6.56         | 0.008   | 0.12    | 7.16    | 1.8     | 1190    | 1.07    | 0.09    | 3.11    | 0.06    | 24.9    | 23.3    | 9       | 8.27    | 8.8     |
| S005946            |                          | 6.79         | 0.007   | 0.22    | 6.96    | 123.5   | 1230    | 1.09    | 0.08    | 3.45    | 0.17    | 25.3    | 24.0    | 9       | 6.31    | 13.2    |
| S005946CD          |                          | <0.02        | 0.010   | 0.21    | 6.79    | 135.0   | 1200    | 1.09    | 0.09    | 3.39    | 0.16    | 24.4    | 22.7    | 9       | 5.94    | 11.9    |
| S005947            |                          | 7.10         | <0.005  | 0.06    | 6.80    | 4.8     | 1010    | 0.89    | 0.08    | 3.50    | 0.06    | 23.3    | 28.2    | 9       | 7.07    | 3.2     |
| S005948            |                          | 6.73         | <0.005  | 0.04    | 7.09    | 12.3    | 1040    | 0.95    | 0.06    | 3.38    | 0.07    | 25.0    | 23.9    | 9       | 4.67    | 2.7     |
| S005949            |                          | 6.07         | <0.005  | 0.05    | 6.57    | 4.9     | 1060    | 0.87    | 0.08    | 3.54    | 0.10    | 23.6    | 22.3    | 8       | 5.48    | 4.3     |
| S005950            |                          | 0.11         | 1.040   | 31.6    | 5.83    | 361     | 510     | 1.17    | 0.88    | 0.66    | 1.66    | 28.2    | 13.3    | 19      | 8.16    | 110.5   |
| S005951            |                          | 6.82         | <0.005  | 0.09    | 7.12    | 6.0     | 1060    | 0.99    | 0.05    | 6.11    | 0.10    | 24.8    | 26.6    | 8       | 3.61    | 3.3     |
| S005952            |                          | 6.73         | <0.005  | 0.08    | 7.26    | 2.1     | 1280    | 1.08    | 0.06    | 4.37    | 0.08    | 27.8    | 23.8    | 9       | 4.46    | 4.8     |
| S005953            |                          | 3.12         | 0.007   | 0.41    | 7.14    | 84.5    | 1300    | 0.79    | 0.24    | 2.13    | 0.08    | 26.1    | 27.8    | 10      | 5.53    | 28.0    |
| S005954            |                          | 3.64         | 0.050   | 0.67    | 7.00    | 681     | 830     | 1.19    | 0.15    | 3.81    | 0.21    | 24.8    | 25.5    | 10      | 5.91    | 10.2    |
| S005955            |                          | 5.86         | <0.005  | 0.07    | 7.30    | 3.6     | 1150    | 0.99    | 0.12    | 4.31    | 0.12    | 28.1    | 28.5    | 10      | 3.78    | 5.9     |
| S005956            |                          | 6.94         | <0.005  | 0.05    | 8.05    | 4.0     | 1410    | 1.13    | 0.09    | 3.20    | 0.10    | 28.3    | 26.1    | 11      | 4.57    | 4.2     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S005932            |                          | 8.42    | 19.90   | 0.07    | 0.2     | 0.075   | 3.80    | 4.4     | 16.2    | 1.35    | 1120    | 0.73    | 0.28    | 2.5     | 97.6    | 1160  |
| S005933            |                          | 9.30    | 20.4    | 0.07    | 0.3     | 0.094   | 3.85    | 6.7     | 9.7     | 0.67    | 349     | 2.99    | 0.16    | 2.7     | 56.8    | 1110  |
| S005934            |                          | 8.53    | 17.70   | 0.07    | 0.4     | 0.075   | 3.17    | 8.6     | 5.9     | 0.55    | 215     | 2.49    | 0.13    | 4.5     | 5.3     | 1050  |
| S005935            |                          | 8.21    | 22.3    | 0.07    | 0.6     | 0.078   | 3.03    | 9.8     | 21.4    | 2.46    | 875     | 0.86    | 0.12    | 5.9     | 5.1     | 1270  |
| S005936            |                          | 10.85   | 20.2    | 0.07    | 1.2     | 0.092   | 2.39    | 13.8    | 14.1    | 2.31    | 810     | 0.45    | 0.11    | 6.8     | 4.8     | 1640  |
| S005937            |                          | 9.90    | 20.5    | 0.05    | 0.8     | 0.099   | 1.60    | 7.6     | 12.4    | 2.65    | 496     | 1.00    | 0.09    | 7.9     | 4.8     | 1690  |
| S005938            |                          | 9.72    | 22.6    | 0.07    | 0.7     | 0.082   | 3.17    | 14.1    | 19.6    | 2.81    | 1040    | 1.19    | 0.18    | 6.9     | 5.2     | 1860  |
| S005939            |                          | 9.94    | 19.90   | 0.05    | 0.7     | 0.089   | 1.99    | 12.3    | 24.5    | 3.14    | 1340    | 1.22    | 0.15    | 7.2     | 4.2     | 2130  |
| S005940            |                          | 0.06    | 0.18    | <0.05   | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.46    | 21      | 0.14    | <0.01   | 0.1     | <0.2    | 40    |
| S005941            |                          | 9.29    | 22.2    | 0.07    | 1.1     | 0.092   | 3.00    | 14.9    | 23.7    | 2.73    | 1020    | 0.25    | 0.32    | 7.2     | 5.1     | 1770  |
| S005942            |                          | 9.19    | 21.2    | 0.07    | 1.5     | 0.054   | 3.26    | 14.5    | 23.7    | 3.40    | 1000    | 0.50    | 0.18    | 7.1     | 4.6     | 1740  |
| S005943            |                          | 8.39    | 19.15   | 0.06    | 0.7     | 0.050   | 3.05    | 11.0    | 28.2    | 3.53    | 864     | 0.12    | 0.17    | 7.2     | 3.9     | 1590  |
| S005944            |                          | 8.56    | 18.55   | 0.05    | 1.5     | 0.055   | 3.19    | 11.4    | 28.0    | 3.57    | 887     | 0.36    | 0.17    | 6.4     | 4.5     | 1550  |
| S005945            |                          | 8.23    | 18.50   | 0.06    | 2.0     | 0.068   | 3.37    | 12.3    | 27.8    | 3.53    | 1160    | 0.53    | 0.16    | 6.8     | 4.3     | 1560  |
| S005946            |                          | 8.19    | 19.65   | 0.06    | 2.2     | 0.075   | 3.02    | 12.2    | 26.6    | 3.31    | 1090    | 4.24    | 0.15    | 6.8     | 4.1     | 1500  |
| S005946CD          |                          | 7.92    | 17.95   | 0.06    | 2.1     | 0.066   | 2.94    | 11.6    | 25.3    | 3.22    | 1050    | 3.84    | 0.15    | 6.3     | 3.8     | 1440  |
| S005947            |                          | 8.44    | 17.50   | 0.06    | 1.5     | 0.070   | 2.32    | 11.6    | 22.1    | 3.40    | 997     | 3.82    | 0.10    | 6.6     | 3.9     | 1470  |
| S005948            |                          | 8.50    | 17.95   | 0.06    | 1.2     | 0.079   | 1.93    | 12.1    | 20.1    | 3.31    | 1180    | 1.22    | 0.16    | 6.8     | 4.1     | 1500  |
| S005949            |                          | 8.01    | 17.50   | 0.06    | 1.4     | 0.072   | 1.93    | 11.3    | 20.1    | 3.29    | 1060    | 2.45    | 0.15    | 6.5     | 3.6     | 1440  |
| S005950            |                          | 4.47    | 12.70   | 0.06    | 0.9     | 0.041   | 2.70    | 13.2    | 8.5     | 0.37    | 226     | 4.72    | 0.19    | 5.7     | 13.5    | 1270  |
| S005951            |                          | 8.34    | 19.35   | 0.05    | 0.7     | 0.110   | 1.92    | 11.6    | 31.3    | 3.83    | 1600    | 0.16    | 0.29    | 7.4     | 4.1     | 1690  |
| S005952            |                          | 8.01    | 19.55   | 0.07    | 2.3     | 0.090   | 2.21    | 13.5    | 30.9    | 3.56    | 1180    | 0.27    | 0.27    | 7.4     | 4.1     | 1630  |
| S005953            |                          | 9.96    | 18.55   | 0.07    | 2.1     | 0.036   | 2.53    | 12.6    | 17.9    | 3.29    | 644     | 0.25    | 0.16    | 7.0     | 4.1     | 1670  |
| S005954            |                          | 8.20    | 17.30   | 0.08    | 2.5     | 0.050   | 2.41    | 12.4    | 11.5    | 3.38    | 1060    | 1.22    | 0.07    | 6.6     | 6.2     | 1580  |
| S005955            |                          | 9.16    | 18.75   | 0.07    | 2.3     | 0.075   | 2.00    | 13.8    | 24.3    | 4.05    | 1200    | 0.46    | 0.22    | 7.4     | 5.3     | 1720  |
| S005956            |                          | 9.03    | 20.1    | 0.07    | 2.5     | 0.060   | 2.32    | 14.4    | 25.8    | 4.03    | 1100    | 0.82    | 0.24    | 7.9     | 4.9     | 1780  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005932            |                          | 6.6     | 92.3    | 0.002   | 5.59    | 10.85   | 37.9    | 1       | 0.7     | 121.5   | 0.16    | <0.05   | 0.22    | 0.760   | 4.85    | <0.1  |
| S005933            |                          | 10.0    | 126.5   | 0.002   | 8.58    | 18.80   | 37.9    | <1      | 0.9     | 91.1    | 0.17    | <0.05   | 0.76    | 0.545   | 3.61    | 0.3   |
| S005934            |                          | 6.5     | 117.5   | 0.002   | 8.66    | 18.65   | 30.0    | 1       | 1.0     | 88.3    | 0.26    | 0.12    | 1.52    | 0.558   | 3.15    | 0.5   |
| S005935            |                          | 3.3     | 88.0    | 0.002   | 3.84    | 2.86    | 31.5    | 1       | 1.3     | 177.5   | 0.33    | 0.24    | 1.55    | 0.682   | 3.95    | 0.6   |
| S005936            |                          | 5.1     | 105.5   | <0.002  | 5.28    | 8.38    | 32.1    | 1       | 1.1     | 115.5   | 0.40    | <0.05   | 2.09    | 0.904   | 3.08    | 0.9   |
| S005937            |                          | 2.0     | 30.4    | <0.002  | 0.48    | 3.37    | 29.4    | <1      | 1.1     | 58.6    | 0.47    | <0.05   | 1.37    | 0.980   | 1.81    | 0.9   |
| S005938            |                          | 2.8     | 160.5   | 0.002   | 1.86    | 3.96    | 34.2    | 1       | 1.1     | 143.0   | 0.41    | 0.25    | 2.12    | 0.879   | 2.90    | 1.0   |
| S005939            |                          | 2.7     | 79.8    | <0.002  | 0.89    | 1.89    | 28.8    | 1       | 1.0     | 144.0   | 0.41    | 0.18    | 1.78    | 0.875   | 1.67    | 1.0   |
| S005940            |                          | 0.5     | 0.6     | <0.002  | 0.05    | <0.05   | 0.3     | 1       | <0.2    | 481.0   | <0.05   | <0.05   | 0.03    | 0.005   | 0.02    | 1.4   |
| S005941            |                          | 2.9     | 154.0   | <0.002  | 1.69    | 2.08    | 34.2    | 1       | 1.2     | 150.5   | 0.42    | 0.21    | 2.30    | 0.880   | 2.37    | 1.2   |
| S005942            |                          | 1.4     | 194.5   | <0.002  | 1.11    | 1.76    | 32.5    | <1      | 0.6     | 169.5   | 0.41    | 0.34    | 2.25    | 0.915   | 2.94    | 1.1   |
| S005943            |                          | 1.8     | 140.0   | <0.002  | 0.73    | 1.25    | 27.8    | 1       | 0.5     | 165.5   | 0.42    | 0.21    | 1.61    | 0.907   | 2.94    | 0.7   |
| S005944            |                          | 1.9     | 201     | <0.002  | 0.94    | 1.43    | 28.6    | 1       | 0.5     | 162.5   | 0.38    | 0.26    | 2.01    | 0.833   | 3.01    | 1.3   |
| S005945            |                          | 1.9     | 197.5   | 0.002   | 0.66    | 1.16    | 28.4    | <1      | 0.6     | 148.5   | 0.39    | 0.13    | 2.09    | 0.886   | 2.96    | 1.0   |
| S005946            |                          | 2.1     | 173.0   | 0.002   | 0.76    | 1.89    | 28.7    | <1      | 0.8     | 203     | 0.40    | 0.17    | 1.94    | 0.829   | 2.53    | 1.3   |
| S005946CD          |                          | 2.2     | 163.5   | <0.002  | 0.76    | 1.89    | 27.1    | <1      | 0.7     | 196.5   | 0.38    | 0.17    | 1.94    | 0.805   | 2.43    | 1.3   |
| S005947            |                          | 1.3     | 112.5   | 0.002   | 0.39    | 1.32    | 25.9    | 1       | 0.7     | 186.5   | 0.40    | 0.13    | 1.84    | 0.851   | 2.07    | 1.0   |
| S005948            |                          | 1.7     | 71.4    | 0.002   | 0.23    | 1.80    | 26.2    | 1       | 0.8     | 196.5   | 0.41    | 0.09    | 1.87    | 0.896   | 1.64    | 0.9   |
| S005949            |                          | 2.6     | 83.3    | <0.002  | 0.29    | 1.57    | 25.7    | 1       | 0.7     | 202     | 0.38    | 0.10    | 1.90    | 0.827   | 1.58    | 1.1   |
| S005950            |                          | 51.2    | 125.5   | <0.002  | 4.16    | 37.1    | 12.7    | 5       | 1.9     | 131.0   | 0.32    | 0.32    | 2.87    | 0.298   | 2.33    | 1.0   |
| S005951            |                          | 1.4     | 69.7    | <0.002  | 0.35    | 1.14    | 27.8    | <1      | 0.8     | 244     | 0.43    | 0.08    | 1.89    | 0.918   | 1.41    | 1.1   |
| S005952            |                          | 1.7     | 103.0   | <0.002  | 0.42    | 1.60    | 30.1    | <1      | 0.9     | 257     | 0.43    | 0.11    | 2.37    | 0.928   | 1.68    | 1.4   |
| S005953            |                          | 5.2     | 111.0   | <0.002  | 1.62    | 3.65    | 28.5    | 2       | 0.6     | 190.0   | 0.42    | 0.23    | 2.34    | 0.886   | 2.00    | 1.3   |
| S005954            |                          | 21.1    | 115.0   | <0.002  | 0.57    | 18.25   | 29.4    | 1       | 0.6     | 282     | 0.39    | 0.15    | 2.24    | 0.862   | 1.63    | 1.3   |
| S005955            |                          | 3.5     | 76.0    | <0.002  | 0.39    | 1.43    | 32.1    | 1       | 0.7     | 276     | 0.46    | 0.12    | 2.19    | 0.957   | 1.47    | 1.3   |
| S005956            |                          | 5.0     | 105.0   | <0.002  | 0.30    | 1.45    | 34.1    | <1      | 0.8     | 318     | 0.47    | 0.10    | 2.62    | 1.040   | 1.69    | 1.5   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S005932            |                          | 354     | 1.3     | 19.2    | 128     | 3.8     | 21.1    | 1.0     | 63      |
| S005933            |                          | 353     | 1.0     | 15.3    | 78      | 10.4    | 24.9    | 1.1     | 76      |
| S005934            |                          | 320     | 2.0     | 14.0    | 41      | 14.2    | 26.7    | 1.1     | 108     |
| S005935            |                          | 371     | 11.5    | 16.7    | 78      | 18.5    | 21.2    | 1.1     | 118     |
| S005936            |                          | 363     | 3.1     | 24.1    | 133     | 40.6    | 22.7    | 1.0     | 106     |
| S005937            |                          | 380     | 1.0     | 15.1    | 157     | 31.5    | 21.8    | 1.0     | 118     |
| S005938            |                          | 379     | 12.3    | 24.5    | 99      | 22.2    | 20.1    | 1.0     | 121     |
| S005939            |                          | 349     | 17.0    | 21.5    | 129     | 29.8    | 20.5    | 1.0     | 103     |
| S005940            |                          | 2       | <0.1    | 0.4     | <2      | 0.7     | 2.3     | <0.1    | 30      |
| S005941            |                          | 378     | 13.7    | 26.0    | 86      | 38.1    | 21.3    | 1.0     | 116     |
| S005942            |                          | 375     | 24.4    | 25.4    | 87      | 69.8    | 19.9    | 1.0     | 118     |
| S005943            |                          | 348     | 5.9     | 18.5    | 93      | 27.8    | 20.5    | 1.0     | 107     |
| S005944            |                          | 335     | 8.0     | 20.0    | 112     | 30.8    | 21.0    | 1.0     | 102     |
| S005945            |                          | 339     | 10.7    | 20.7    | 134     | 66.3    | 20.1    | 0.9     | 105     |
| S005946            |                          | 333     | 23.5    | 25.8    | 129     | 71.7    | 21.0    | 1.0     | 103     |
| S005946CD          |                          | 325     | 19.0    | 20.9    | 123     | 83.9    | 20.1    | 0.9     | 101     |
| S005947            |                          | 323     | 6.9     | 21.5    | 84      | 58.3    | 21.4    | 0.9     | 98      |
| S005948            |                          | 340     | 5.5     | 26.8    | 58      | 55.2    | 20.0    | 0.9     | 109     |
| S005949            |                          | 312     | 2.7     | 24.7    | 59      | 45.8    | 19.7    | 0.9     | 99      |
| S005950            |                          | 137     | 2.3     | 8.2     | 197     | 36.8    | 28.9    | 0.4     | 81      |
| S005951            |                          | 342     | 8.7     | 33.1    | 100     | 25.4    | 18.2    | 0.9     | 108     |
| S005952            |                          | 347     | 2.6     | 34.0    | 94      | 70.2    | 19.4    | 0.9     | 110     |
| S005953            |                          | 333     | 2.0     | 27.9    | 63      | 85.0    | 21.8    | 0.9     | 103     |
| S005954            |                          | 329     | 22.9    | 29.6    | 57      | 84.4    | 19.8    | 0.8     | 107     |
| S005955            |                          | 354     | 4.1     | 32.5    | 72      | 82.7    | 20.2    | 0.9     | 112     |
| S005956            |                          | 389     | 1.8     | 36.5    | 61      | 95.7    | 19.6    | 0.9     | 114     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 30-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181475**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

**Page: 1**  
**Total # Pages: 3 (A - D)**  
**Plus Appendix Pages**  
**Finalized Date: 29-JUL-2019**  
**This copy reported on**  
**7-NOV-2019**  
**Account: PREBOW**

**TR19181483**

Project: Bowser Regional Project  
 P.O. No.: BOW-0714  
 This report is for 46 Drill Core samples submitted to our lab in Terrace, BC, Canada on 24-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S005957            |                          | 6.05         | <0.005  | 0.03    | 7.15    | 4.9     | 1220    | 1.02    | 0.04    | 3.58    | 0.10    | 28.6    | 26.3    | 9       | 4.50    | 4.4     |
| S005958            |                          | 6.88         | 0.014   | 0.07    | 7.67    | 155.0   | 850     | 1.09    | 0.06    | 3.02    | 0.07    | 29.0    | 29.7    | 19      | 5.50    | 10.1    |
| S005959            |                          | 5.95         | <0.005  | 0.08    | 7.63    | 12.5    | 900     | 1.07    | 0.05    | 3.29    | 0.07    | 31.7    | 32.0    | 13      | 5.50    | 4.3     |
| S005960            |                          | 1.05         | <0.005  | 0.01    | 0.05    | 0.4     | 10      | <0.05   | <0.01   | 37.9    | <0.02   | 0.29    | 0.5     | 1       | <0.05   | 0.8     |
| S005961            |                          | 6.93         | <0.005  | 0.06    | 7.38    | 3.7     | 1100    | 0.98    | 0.08    | 3.11    | 0.07    | 29.8    | 26.5    | 11      | 5.07    | 2.6     |
| S005962            |                          | 7.12         | <0.005  | 0.10    | 7.14    | 3.1     | 1300    | 1.07    | 0.25    | 4.45    | 0.10    | 28.4    | 32.3    | 10      | 5.16    | 8.4     |
| S005963            |                          | 6.65         | <0.005  | 0.06    | 7.28    | 0.8     | 1220    | 1.01    | 0.10    | 4.79    | 0.10    | 31.4    | 24.5    | 11      | 4.33    | 9.3     |
| S005964            |                          | 7.34         | <0.005  | 0.14    | 6.97    | 1.3     | 1190    | 1.07    | 0.27    | 4.49    | 0.13    | 29.1    | 25.6    | 11      | 6.22    | 20.1    |
| S005965            |                          | 7.13         | <0.005  | 0.16    | 7.33    | 1.3     | 1290    | 1.11    | 0.24    | 4.31    | 0.11    | 30.5    | 27.6    | 12      | 6.66    | 17.0    |
| S005966            |                          | 5.97         | <0.005  | 0.06    | 7.64    | 6.6     | 1510    | 1.17    | 0.13    | 3.53    | 0.11    | 31.1    | 27.6    | 12      | 9.66    | 6.2     |
| S005966CD          |                          | <0.02        | <0.005  | 0.07    | 7.59    | 6.5     | 1490    | 1.10    | 0.16    | 3.53    | 0.11    | 29.7    | 26.8    | 11      | 9.31    | 6.0     |
| S005967            |                          | 7.01         | <0.005  | 0.10    | 7.04    | 2.6     | 920     | 1.03    | 0.20    | 4.56    | 0.10    | 30.5    | 27.6    | 11      | 7.14    | 8.2     |
| S005968            |                          | 6.20         | <0.005  | 0.22    | 7.59    | 2.9     | 1270    | 1.19    | 0.26    | 3.22    | 0.08    | 30.7    | 37.7    | 13      | 9.06    | 21.8    |
| S005969            |                          | 5.98         | <0.005  | 0.05    | 7.34    | 3.3     | 920     | 0.91    | 0.05    | 3.29    | 0.07    | 29.5    | 25.0    | 12      | 4.65    | 5.1     |
| S005970            |                          | 0.14         | 0.958   | 12.15   | 6.15    | 330     | 330     | 1.04    | 0.17    | 3.77    | 4.64    | 25.5    | 10.9    | 28      | 7.13    | 91.3    |
| S005971            |                          | 6.89         | <0.005  | 0.20    | 7.88    | 0.8     | 1480    | 1.31    | 0.18    | 2.92    | 0.06    | 30.5    | 26.1    | 13      | 8.14    | 14.0    |
| S005972            |                          | 4.33         | <0.005  | 0.16    | 6.97    | 67.9    | 1210    | 1.26    | 0.07    | 3.29    | 0.17    | 31.4    | 17.0    | 12      | 6.51    | 5.3     |
| S005973            |                          | 7.28         | <0.005  | 0.10    | 7.91    | 2.0     | 1070    | 1.08    | 0.16    | 2.21    | 0.04    | 33.1    | 30.0    | 13      | 5.35    | 13.3    |
| S005974            |                          | 6.70         | <0.005  | 0.05    | 7.35    | 5.7     | 940     | 1.02    | 0.07    | 0.95    | 0.02    | 24.0    | 29.1    | 14      | 2.48    | 11.5    |
| S005975            |                          | 6.98         | <0.005  | 0.09    | 7.93    | 2.5     | 1310    | 1.31    | 0.14    | 3.71    | 0.09    | 28.1    | 28.1    | 14      | 7.02    | 18.3    |
| S005976            |                          | 6.68         | <0.005  | 0.10    | 7.14    | 0.9     | 1340    | 1.07    | 0.28    | 4.64    | 0.11    | 27.7    | 29.7    | 14      | 3.79    | 19.4    |
| S005977            |                          | 6.93         | <0.005  | 0.10    | 7.17    | 3.9     | 1230    | 1.12    | 0.16    | 4.53    | 0.09    | 26.5    | 25.9    | 15      | 3.43    | 8.7     |
| S005978            |                          | 7.48         | <0.005  | 0.11    | 7.44    | 1.8     | 1440    | 1.11    | 0.16    | 2.49    | 0.06    | 24.0    | 27.7    | 18      | 3.24    | 12.1    |
| S005979            |                          | 6.52         | <0.005  | 0.04    | 7.91    | 1.8     | 1260    | 1.24    | 0.07    | 0.76    | 0.02    | 26.3    | 28.1    | 22      | 3.74    | 11.6    |
| S005980            |                          | 1.13         | <0.005  | 0.01    | 0.10    | 0.3     | 20      | <0.05   | 0.30    | 35.5    | <0.02   | 0.38    | 0.5     | 1       | <0.05   | 1.4     |
| S005981            |                          | 6.95         | <0.005  | 0.11    | 7.48    | 1.4     | 1360    | 1.17    | 0.14    | 1.75    | 0.06    | 25.1    | 29.8    | 22      | 4.77    | 12.6    |
| S005982            |                          | 6.91         | <0.005  | 0.12    | 7.96    | 7.0     | 470     | 1.25    | 0.22    | 0.90    | 0.06    | 27.3    | 31.7    | 22      | 3.64    | 15.2    |
| S005983            |                          | 7.41         | <0.005  | 0.10    | 8.20    | 6.2     | 680     | 1.39    | 0.21    | 1.71    | 0.05    | 29.9    | 32.1    | 23      | 4.06    | 12.9    |
| S005984            |                          | 3.84         | <0.005  | 0.39    | 8.01    | 3.2     | 1080    | 1.51    | 0.48    | 2.33    | 0.04    | 20.7    | 33.3    | 25      | 4.13    | 22.1    |
| S005985            |                          | 2.22         | <0.005  | 0.32    | 8.46    | 6.9     | 600     | 1.61    | 0.84    | 2.43    | 0.02    | 22.2    | 34.4    | 23      | 4.38    | 26.1    |
| S005986            |                          | 3.66         | <0.005  | 0.40    | 7.84    | 2.8     | 560     | 1.39    | 0.65    | 3.03    | 0.03    | 20.2    | 33.4    | 23      | 3.31    | 19.5    |
| S005986CD          |                          | <0.02        | <0.005  | 0.38    | 7.79    | 2.9     | 590     | 1.61    | 0.66    | 3.05    | 0.02    | 22.0    | 35.4    | 23      | 3.63    | 19.3    |
| S005987            |                          | 7.45         | <0.005  | 0.61    | 6.71    | 5.2     | 530     | 1.20    | 1.22    | 2.55    | 0.06    | 23.8    | 31.2    | 21      | 3.36    | 26.5    |
| S005988            |                          | 7.24         | <0.005  | 0.57    | 7.07    | 10.9    | 590     | 1.23    | 0.88    | 2.81    | 0.06    | 27.0    | 28.9    | 21      | 3.95    | 26.8    |
| S005989            |                          | 7.04         | 0.005   | 0.29    | 8.87    | 61.6    | 130     | 1.43    | 0.26    | 1.18    | 0.09    | 24.2    | 34.4    | 39      | 3.29    | 22.3    |
| S005990            |                          | 0.14         | 5.59    | 81.1    | 6.31    | 304     | 590     | 1.08    | 1.23    | 2.00    | 22.9    | 26.5    | 11.2    | 23      | 8.09    | 122.5   |
| S005991            |                          | 6.14         | 0.011   | 0.62    | 8.93    | 24.3    | 520     | 1.36    | 0.43    | 1.85    | 0.18    | 26.5    | 35.6    | 36      | 3.37    | 16.4    |
| S005992            |                          | 4.72         | 0.113   | 2.91    | 7.06    | 181.5   | 120     | 0.86    | 0.18    | 0.61    | 0.40    | 18.65   | 28.9    | 32      | 2.22    | 18.6    |
| S005993            |                          | 7.09         | 0.040   | 1.73    | 7.64    | 82.5    | 110     | 1.01    | 1.06    | 1.10    | 0.25    | 21.6    | 32.9    | 34      | 2.01    | 29.6    |
| S005994            |                          | 4.47         | 0.009   | 0.63    | 7.37    | 36.2    | 220     | 0.86    | 0.96    | 1.96    | 0.26    | 19.45   | 24.7    | 30      | 2.12    | 26.1    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S005957            |         | 8.31    | 19.05   | 0.12    | 2.7     | 0.083   | 2.04    | 14.2    | 27.6    | 3.68    | 1040    | 0.32    | 0.16    | 7.3     | 4.6     | 1520 |
| S005958            |         | 9.16    | 20.2    | 0.14    | 2.6     | 0.075   | 1.85    | 14.0    | 18.4    | 3.80    | 907     | 0.34    | 0.06    | 7.5     | 5.3     | 1700 |
| S005959            |         | 9.46    | 20.5    | 0.12    | 2.7     | 0.089   | 1.78    | 15.6    | 21.6    | 3.98    | 1120    | 0.31    | 0.09    | 7.4     | 5.9     | 1740 |
| S005960            |         | 0.05    | 0.20    | 0.13    | <0.1    | <0.005  | 0.01    | <0.5    | 0.3     | 1.73    | 21      | 0.13    | <0.01   | <0.1    | 0.5     | 40   |
| S005961            |         | 8.80    | 19.10   | 0.09    | 2.2     | 0.066   | 2.04    | 14.1    | 18.5    | 3.71    | 1000    | 4.39    | 0.17    | 7.4     | 5.0     | 1680 |
| S005962            |         | 8.22    | 18.95   | 0.12    | 2.4     | 0.082   | 2.49    | 14.0    | 28.3    | 3.48    | 1040    | 1.39    | 0.22    | 7.3     | 5.1     | 1690 |
| S005963            |         | 8.39    | 19.35   | 0.12    | 2.5     | 0.083   | 2.22    | 15.6    | 31.0    | 4.02    | 997     | 0.16    | 0.25    | 7.2     | 5.1     | 1660 |
| S005964            |         | 8.80    | 18.55   | 0.11    | 2.4     | 0.078   | 2.30    | 14.5    | 31.0    | 3.80    | 1090    | 0.19    | 0.28    | 7.1     | 5.2     | 1540 |
| S005965            |         | 8.97    | 19.30   | 0.15    | 2.1     | 0.075   | 2.61    | 15.3    | 30.4    | 3.75    | 1020    | 0.25    | 0.27    | 7.5     | 5.5     | 1630 |
| S005966            |         | 8.43    | 20.6    | 0.15    | 2.5     | 0.068   | 3.11    | 15.4    | 31.1    | 3.92    | 854     | 0.34    | 0.24    | 7.9     | 5.6     | 1630 |
| S005966CD          |         | 8.39    | 19.55   | 0.14    | 2.4     | 0.060   | 3.06    | 14.6    | 29.8    | 3.88    | 834     | 0.33    | 0.24    | 7.6     | 5.3     | 1610 |
| S005967            |         | 8.26    | 18.90   | 0.13    | 2.0     | 0.062   | 2.21    | 15.6    | 26.6    | 3.85    | 955     | 0.31    | 0.17    | 6.9     | 5.1     | 1510 |
| S005968            |         | 9.30    | 19.80   | 0.15    | 1.9     | 0.037   | 3.01    | 14.8    | 24.0    | 3.29    | 571     | 0.82    | 0.10    | 7.4     | 6.3     | 1530 |
| S005969            |         | 8.76    | 18.05   | 0.12    | 2.0     | 0.046   | 1.97    | 14.1    | 24.3    | 3.67    | 858     | 1.23    | 0.11    | 6.5     | 5.4     | 1660 |
| S005970            |         | 4.06    | 13.65   | 0.14    | 1.1     | 0.052   | 4.02    | 12.5    | 12.6    | 0.56    | 1420    | 10.30   | 0.22    | 5.1     | 20.9    | 930  |
| S005971            |         | 7.98    | 20.1    | 0.15    | 2.2     | 0.028   | 3.75    | 14.4    | 26.9    | 3.26    | 615     | 1.10    | 0.14    | 7.0     | 6.2     | 1760 |
| S005972            |         | 6.73    | 19.20   | 0.17    | 1.9     | 0.052   | 3.81    | 15.3    | 20.2    | 3.58    | 875     | 165.0   | 0.14    | 4.9     | 4.9     | 1490 |
| S005973            |         | 9.49    | 20.9    | 0.14    | 2.3     | 0.032   | 2.58    | 15.8    | 25.5    | 3.46    | 496     | 2.68    | 0.14    | 7.1     | 6.2     | 1870 |
| S005974            |         | 10.10   | 21.0    | 0.10    | 1.1     | 0.063   | 1.64    | 10.8    | 22.3    | 3.32    | 410     | 2.66    | 0.09    | 7.7     | 6.1     | 1680 |
| S005975            |         | 9.18    | 19.65   | 0.11    | 1.8     | 0.054   | 2.93    | 13.6    | 33.3    | 3.65    | 910     | 0.94    | 0.16    | 7.6     | 6.2     | 1730 |
| S005976            |         | 8.56    | 17.75   | 0.11    | 1.9     | 0.066   | 2.51    | 13.8    | 33.0    | 3.39    | 1130    | 0.29    | 0.19    | 6.9     | 6.0     | 1650 |
| S005977            |         | 8.36    | 18.95   | 0.11    | 2.1     | 0.071   | 2.14    | 13.0    | 31.3    | 3.53    | 1220    | 4.02    | 0.15    | 7.3     | 6.2     | 1650 |
| S005978            |         | 8.52    | 18.15   | 0.10    | 2.0     | 0.041   | 2.49    | 11.5    | 25.8    | 2.70    | 582     | 4.67    | 0.21    | 7.1     | 7.3     | 1620 |
| S005979            |         | 8.68    | 19.30   | 0.12    | 1.2     | 0.073   | 2.16    | 12.1    | 23.5    | 2.39    | 485     | 4.14    | 0.15    | 7.7     | 8.7     | 1630 |
| S005980            |         | 0.09    | 0.24    | 0.05    | <0.1    | <0.005  | 0.02    | <0.5    | 0.7     | 1.81    | 22      | 0.13    | 0.01    | 0.1     | 0.5     | 40   |
| S005981            |         | 8.34    | 18.50   | 0.11    | 1.5     | 0.043   | 2.46    | 11.8    | 20.8    | 2.35    | 844     | 3.67    | 0.23    | 7.4     | 9.7     | 1660 |
| S005982            |         | 9.70    | 19.90   | 0.10    | 1.5     | 0.078   | 2.66    | 12.3    | 16.0    | 2.05    | 675     | 3.66    | 0.24    | 7.7     | 10.2    | 1690 |
| S005983            |         | 9.01    | 20.8    | 0.12    | 1.9     | 0.072   | 2.87    | 14.2    | 17.4    | 2.10    | 984     | 2.83    | 0.25    | 7.8     | 10.5    | 1480 |
| S005984            |         | 9.38    | 21.3    | 0.12    | 0.4     | 0.052   | 3.53    | 9.2     | 17.0    | 1.79    | 459     | 3.37    | 0.33    | 2.9     | 12.5    | 1800 |
| S005985            |         | 7.25    | 18.65   | 0.12    | 0.3     | 0.046   | 3.53    | 10.1    | 7.4     | 1.01    | 277     | 5.41    | 0.98    | 3.4     | 13.2    | 1910 |
| S005986            |         | 8.23    | 19.50   | 0.12    | 0.3     | 0.055   | 3.55    | 8.9     | 13.1    | 1.31    | 457     | 1.76    | 0.30    | 2.8     | 11.1    | 1970 |
| S005986CD          |         | 8.24    | 20.7    | 0.12    | 0.4     | 0.062   | 3.49    | 10.0    | 14.2    | 1.31    | 458     | 1.90    | 0.30    | 3.1     | 11.9    | 1960 |
| S005987            |         | 10.90   | 16.10   | 0.11    | 0.5     | 0.041   | 2.70    | 11.4    | 11.3    | 1.33    | 407     | 2.63    | 0.37    | 3.6     | 10.8    | 1000 |
| S005988            |         | 9.68    | 16.50   | 0.11    | 1.0     | 0.031   | 2.72    | 12.9    | 9.5     | 1.45    | 396     | 4.99    | 0.57    | 2.1     | 12.4    | 1040 |
| S005989            |         | 9.34    | 21.7    | 0.13    | 0.4     | 0.102   | 4.19    | 10.0    | 16.2    | 0.95    | 576     | 2.91    | 0.28    | 3.1     | 18.9    | 1610 |
| S005990            |         | 4.80    | 12.65   | 0.12    | 1.2     | 1.420   | 3.76    | 13.2    | 14.4    | 0.49    | 1200    | 9.44    | 0.23    | 5.5     | 16.7    | 970  |
| S005991            |         | 5.71    | 21.4    | 0.13    | 0.4     | 0.084   | 4.12    | 12.2    | 11.6    | 0.98    | 358     | 2.79    | 0.43    | 4.1     | 18.6    | 1480 |
| S005992            |         | 8.71    | 17.65   | 0.12    | 0.6     | 0.070   | 3.51    | 7.5     | 7.6     | 0.40    | 157     | 3.14    | 0.13    | 2.9     | 14.2    | 1590 |
| S005993            |         | 9.75    | 18.30   | 0.13    | 0.4     | 0.057   | 3.51    | 8.9     | 6.5     | 0.34    | 147     | 5.89    | 0.52    | 2.8     | 16.4    | 1680 |
| S005994            |         | 6.37    | 17.35   | 0.11    | 0.5     | 0.049   | 3.36    | 8.5     | 7.2     | 0.40    | 156     | 6.75    | 0.51    | 3.4     | 13.7    | 1740 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S005957            |                          | 2.3     | 92.8    | <0.002  | 0.19    | 1.26    | 31.3    | <1      | 1.0     | 271     | 0.44    | <0.05   | 2.47    | 0.907   | 1.46    | 1.4   |
| S005958            |                          | 2.8     | 107.5   | 0.002   | 0.33    | 2.71    | 32.8    | 1       | 0.9     | 169.5   | 0.45    | 0.05    | 2.59    | 0.952   | 1.28    | 1.4   |
| S005959            |                          | 2.5     | 96.5    | <0.002  | 0.19    | 6.43    | 33.7    | 1       | 0.9     | 208     | 0.44    | 0.06    | 2.62    | 0.911   | 1.33    | 1.5   |
| S005960            |                          | <0.5    | 0.4     | <0.002  | 0.06    | 0.06    | 0.2     | 1       | <0.2    | 5650    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.2   |
| S005961            |                          | 4.2     | 98.7    | 0.002   | 0.24    | 1.74    | 30.2    | 1       | 0.7     | 245     | 0.45    | 0.09    | 2.51    | 0.935   | 1.51    | 1.4   |
| S005962            |                          | 2.6     | 115.5   | <0.002  | 0.82    | 1.07    | 30.7    | 1       | 1.0     | 356     | 0.44    | 0.31    | 2.37    | 0.888   | 1.81    | 1.2   |
| S005963            |                          | 3.2     | 98.7    | <0.002  | 0.71    | 1.17    | 32.0    | 1       | 1.4     | 374     | 0.45    | 0.12    | 2.47    | 0.905   | 1.62    | 1.4   |
| S005964            |                          | 3.5     | 110.0   | <0.002  | 1.14    | 1.03    | 29.6    | 1       | 1.0     | 296     | 0.44    | 0.33    | 2.38    | 0.864   | 1.77    | 1.3   |
| S005965            |                          | 3.6     | 124.0   | <0.002  | 1.12    | 0.93    | 31.8    | 1       | 0.7     | 299     | 0.44    | 0.36    | 2.41    | 0.909   | 1.92    | 1.3   |
| S005966            |                          | 2.9     | 143.5   | <0.002  | 0.56    | 0.85    | 33.3    | 1       | 0.6     | 291     | 0.48    | 0.16    | 2.46    | 0.971   | 2.40    | 1.3   |
| S005966CD          |                          | 2.8     | 145.0   | <0.002  | 0.56    | 0.80    | 31.8    | <1      | 0.6     | 289     | 0.46    | 0.19    | 2.54    | 0.957   | 2.39    | 1.3   |
| S005967            |                          | 2.5     | 128.5   | <0.002  | 0.81    | 0.49    | 30.8    | 1       | 0.5     | 245     | 0.43    | 0.23    | 2.23    | 0.865   | 1.89    | 1.2   |
| S005968            |                          | 3.0     | 169.0   | <0.002  | 1.34    | 0.55    | 31.9    | 2       | 0.5     | 204     | 0.45    | 0.39    | 2.26    | 0.943   | 2.46    | 1.0   |
| S005969            |                          | 1.6     | 109.0   | <0.002  | 0.36    | 0.54    | 29.3    | 1       | 0.5     | 240     | 0.39    | 0.09    | 2.04    | 0.887   | 1.42    | 1.1   |
| S005970            |                          | 150.0   | 171.0   | 0.010   | 2.90    | 19.35   | 11.2    | 2       | 1.5     | 194.0   | 0.30    | 0.34    | 3.04    | 0.250   | 3.15    | 1.6   |
| S005971            |                          | 2.5     | 228     | 0.002   | 0.84    | 0.82    | 32.6    | 1       | 0.4     | 213     | 0.42    | 0.24    | 2.33    | 0.910   | 2.90    | 1.1   |
| S005972            |                          | 2.8     | 254     | 0.013   | 0.23    | 1.99    | 29.9    | 1       | 0.5     | 282     | 0.30    | 0.08    | 2.29    | 0.636   | 2.52    | 1.1   |
| S005973            |                          | 1.9     | 153.5   | 0.002   | 0.77    | 0.60    | 34.1    | 1       | 0.5     | 153.5   | 0.44    | 0.19    | 2.32    | 0.941   | 1.77    | 1.1   |
| S005974            |                          | 1.4     | 45.0    | 0.002   | 0.42    | 0.46    | 32.9    | <1      | 0.9     | 71.0    | 0.48    | 0.05    | 1.82    | 0.996   | 0.95    | 0.9   |
| S005975            |                          | 2.7     | 167.5   | <0.002  | 0.97    | 0.44    | 35.5    | 1       | 0.6     | 202     | 0.44    | 0.16    | 2.25    | 0.977   | 2.08    | 1.3   |
| S005976            |                          | 2.1     | 131.0   | <0.002  | 1.20    | 0.60    | 31.9    | 1       | 0.7     | 244     | 0.41    | 0.34    | 2.15    | 0.886   | 1.75    | 1.2   |
| S005977            |                          | 2.5     | 109.5   | <0.002  | 0.77    | 1.15    | 33.0    | 1       | 0.6     | 304     | 0.41    | 0.24    | 2.26    | 0.900   | 1.60    | 1.2   |
| S005978            |                          | 2.7     | 114.0   | 0.002   | 1.53    | 1.15    | 33.0    | 1       | 0.7     | 249     | 0.42    | 0.14    | 2.17    | 0.929   | 1.59    | 1.0   |
| S005979            |                          | 1.5     | 93.1    | <0.002  | 1.11    | 1.09    | 36.6    | 1       | 1.0     | 80.4    | 0.45    | <0.05   | 2.37    | 0.979   | 1.26    | 1.1   |
| S005980            |                          | <0.5    | 0.7     | <0.002  | 0.05    | 0.05    | 0.4     | 1       | <0.2    | 5230    | <0.05   | <0.05   | 0.03    | 0.007   | <0.02   | 1.2   |
| S005981            |                          | 1.6     | 119.0   | <0.002  | 1.17    | 0.66    | 32.8    | 1       | 1.0     | 105.5   | 0.44    | 0.09    | 2.16    | 0.923   | 1.54    | 1.0   |
| S005982            |                          | 3.5     | 100.5   | <0.002  | 3.35    | 0.87    | 35.6    | 1       | 1.1     | 65.1    | 0.44    | <0.05   | 2.08    | 0.961   | 1.24    | 1.0   |
| S005983            |                          | 3.2     | 118.5   | <0.002  | 3.06    | 0.76    | 37.3    | 1       | 1.1     | 83.9    | 0.45    | <0.05   | 2.18    | 0.989   | 1.55    | 1.1   |
| S005984            |                          | 2.6     | 94.5    | <0.002  | 3.15    | 0.96    | 35.2    | 1       | 0.9     | 130.0   | 0.15    | 0.34    | 1.39    | 0.468   | 1.97    | 0.5   |
| S005985            |                          | 4.2     | 135.0   | 0.002   | 3.16    | 1.64    | 37.1    | 1       | 0.8     | 151.5   | 0.19    | 0.52    | 1.83    | 0.501   | 2.03    | 0.6   |
| S005986            |                          | 3.1     | 107.0   | <0.002  | 3.19    | 1.03    | 30.9    | 1       | 0.8     | 113.5   | 0.17    | 0.37    | 1.32    | 0.459   | 1.87    | 0.6   |
| S005986CD          |                          | 3.2     | 116.5   | <0.002  | 3.21    | 1.11    | 33.4    | 1       | 0.9     | 121.0   | 0.18    | 0.43    | 1.38    | 0.477   | 1.96    | 0.6   |
| S005987            |                          | 3.4     | 118.0   | <0.002  | 4.59    | 1.43    | 29.3    | 1       | 0.8     | 113.0   | 0.21    | 0.45    | 1.62    | 0.504   | 1.62    | 0.6   |
| S005988            |                          | 3.3     | 131.0   | <0.002  | 4.91    | 1.63    | 28.9    | 1       | 0.5     | 147.0   | 0.13    | 0.41    | 1.71    | 0.335   | 1.71    | 0.7   |
| S005989            |                          | 6.4     | 132.5   | <0.002  | 7.31    | 3.98    | 38.9    | 1       | 1.0     | 87.8    | 0.19    | 0.06    | 1.63    | 0.470   | 2.09    | 0.6   |
| S005990            |                          | 8910    | 159.5   | 0.004   | 3.10    | 75.6    | 12.7    | 2       | 3.8     | 148.0   | 0.33    | 0.27    | 3.57    | 0.254   | 3.17    | 1.9   |
| S005991            |                          | 9.8     | 152.0   | <0.002  | 3.39    | 4.94    | 39.1    | 1       | 1.0     | 125.5   | 0.25    | 0.13    | 1.69    | 0.560   | 2.22    | 0.5   |
| S005992            |                          | 12.4    | 123.0   | <0.002  | 9.06    | 21.7    | 31.7    | 1       | 0.8     | 65.2    | 0.17    | <0.05   | 1.42    | 0.443   | 2.09    | 0.6   |
| S005993            |                          | 6.9     | 132.0   | <0.002  | 7.84    | 10.80   | 33.7    | 1       | 0.9     | 96.6    | 0.16    | 0.20    | 1.51    | 0.423   | 1.82    | 0.5   |
| S005994            |                          | 4.1     | 126.5   | <0.002  | 4.29    | 6.21    | 30.8    | 1       | 0.8     | 111.5   | 0.19    | 0.22    | 1.43    | 0.490   | 1.45    | 0.5   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S005957            |                                   | 345      | 5.1        | 32.8       | 84       | 96.1       | 19.6     | 0.9      | 109      |
| S005958            |                                   | 370      | 2.6        | 33.1       | 103      | 94.4       | 20.2     | 0.9      | 105      |
| S005959            |                                   | 368      | 20.7       | 34.3       | 68       | 97.3       | 18.6     | 0.9      | 106      |
| S005960            |                                   | 2        | <0.1       | 0.3        | <2       | 0.5        | 1.3      | <0.1     | 32       |
| S005961            |                                   | 357      | 1.5        | 31.0       | 58       | 116.5      | 20.2     | 0.9      | 106      |
| S005962            |                                   | 341      | 7.7        | 30.8       | 69       | 64.6       | 20.3     | 0.9      | 101      |
| S005963            |                                   | 359      | 3.2        | 36.3       | 52       | 99.8       | 19.1     | 0.8      | 103      |
| S005964            |                                   | 330      | 5.3        | 33.8       | 54       | 93.2       | 20.9     | 0.8      | 92       |
| S005965            |                                   | 352      | 6.9        | 34.3       | 50       | 92.4       | 20.8     | 0.9      | 102      |
| S005966            |                                   | 371      | 1.9        | 33.1       | 53       | 97.8       | 20.8     | 1.0      | 107      |
| S005966CD          |                                   | 367      | 1.9        | 32.0       | 52       | 101.5      | 20.5     | 0.9      | 102      |
| S005967            |                                   | 341      | 16.0       | 32.8       | 67       | 62.7       | 20.2     | 0.9      | 92       |
| S005968            |                                   | 363      | 2.0        | 23.3       | 56       | 65.3       | 20.5     | 1.0      | 111      |
| S005969            |                                   | 349      | 1.6        | 21.1       | 49       | 66.9       | 20.7     | 0.9      | 108      |
| S005970            |                                   | 109      | 4.4        | 8.5        | 500      | 37.5       | 27.4     | 0.4      | 80       |
| S005971            |                                   | 373      | 1.4        | 19.8       | 90       | 89.8       | 22.4     | 1.1      | 110      |
| S005972            |                                   | 346      | 35.6       | 21.2       | 116      | 79.0       | 21.2     | 0.9      | 97       |
| S005973            |                                   | 375      | 2.0        | 21.1       | 66       | 80.3       | 20.7     | 1.0      | 106      |
| S005974            |                                   | 379      | 2.1        | 20.4       | 96       | 30.0       | 21.5     | 1.0      | 108      |
| S005975            |                                   | 378      | 6.8        | 35.7       | 101      | 76.6       | 21.0     | 0.9      | 108      |
| S005976            |                                   | 332      | 25.6       | 38.3       | 81       | 75.0       | 20.3     | 0.8      | 102      |
| S005977            |                                   | 335      | 14.6       | 35.7       | 76       | 74.6       | 18.4     | 0.8      | 104      |
| S005978            |                                   | 345      | 2.8        | 31.9       | 61       | 68.2       | 22.0     | 0.9      | 104      |
| S005979            |                                   | 366      | 1.5        | 27.4       | 111      | 54.6       | 23.2     | 1.0      | 111      |
| S005980            |                                   | 3        | <0.1       | 0.4        | 277      | 1.0        | 1.4      | <0.1     | 32       |
| S005981            |                                   | 346      | 2.1        | 26.3       | 56       | 54.8       | 22.9     | 1.0      | 101      |
| S005982            |                                   | 365      | 1.7        | 28.6       | 87       | 53.5       | 23.8     | 1.1      | 113      |
| S005983            |                                   | 374      | 1.3        | 28.4       | 79       | 69.3       | 22.7     | 1.2      | 121      |
| S005984            |                                   | 389      | 5.6        | 17.6       | 46       | 18.6       | 21.7     | 1.2      | 124      |
| S005985            |                                   | 362      | 16.2       | 20.2       | 25       | 12.6       | 22.8     | 1.3      | 124      |
| S005986            |                                   | 367      | 5.4        | 18.0       | 47       | 12.8       | 22.0     | 1.2      | 118      |
| S005986CD          |                                   | 363      | 5.7        | 19.8       | 47       | 14.4       | 22.1     | 1.2      | 118      |
| S005987            |                                   | 294      | 7.3        | 16.4       | 61       | 22.4       | 23.2     | 1.0      | 92       |
| S005988            |                                   | 290      | 9.4        | 18.4       | 59       | 21.1       | 9.7      | 0.1      | 12       |
| S005989            |                                   | 395      | 1.9        | 18.8       | 83       | 16.1       | 23.5     | 1.2      | 116      |
| S005990            |                                   | 125      | 4.1        | 9.7        | 1870     | 42.9       | 29.2     | 0.3      | 79       |
| S005991            |                                   | 390      | 4.8        | 16.4       | 59       | 15.8       | 24.3     | 1.3      | 132      |
| S005992            |                                   | 313      | 2.4        | 16.9       | 75       | 20.5       | 26.3     | 1.1      | 102      |
| S005993            |                                   | 305      | 10.5       | 17.1       | 46       | 13.8       | 25.4     | 1.0      | 111      |
| S005994            |                                   | 302      | 15.5       | 16.2       | 40       | 17.6       | 24.9     | 1.1      | 111      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-MS61<br>Ag<br>ppm | ME-MS61<br>Al<br>% | ME-MS61<br>As<br>ppm | ME-MS61<br>Ba<br>ppm | ME-MS61<br>Be<br>ppm | ME-MS61<br>Bi<br>ppm | ME-MS61<br>Ca<br>% | ME-MS61<br>Cd<br>ppm | ME-MS61<br>Ce<br>ppm | ME-MS61<br>Co<br>ppm | ME-MS61<br>Cr<br>ppm | ME-MS61<br>Cs<br>ppm | ME-MS61<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.2                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.02                 | 0.01                 | 0.1                  | 1                    | 0.05                 | 0.2                  |
| S005995            |                                   | 3.81                      | <0.005               | 0.34                 | 6.80               | 1.6                  | 1170                 | 0.97                 | 0.42                 | 4.81               | 0.08                 | 22.3                 | 26.3                 | 16                   | 3.91                 | 39.6                 |
| S005996            |                                   | 6.88                      | <0.005               | 0.24                 | 7.74               | 1.8                  | 1320                 | 0.97                 | 0.43                 | 4.39               | 0.07                 | 21.7                 | 31.2                 | 14                   | 3.81                 | 39.4                 |
| S005997            |                                   | 8.07                      | <0.005               | 0.26                 | 7.17               | 0.3                  | 1270                 | 0.94                 | 0.41                 | 5.83               | 0.06                 | 19.15                | 27.1                 | 14                   | 3.29                 | 26.0                 |
| S005998            |                                   | 6.09                      | <0.005               | 0.26                 | 7.04               | 0.8                  | 990                  | 0.88                 | 0.42                 | 5.14               | 0.06                 | 20.3                 | 25.0                 | 13                   | 3.92                 | 18.9                 |
| S005999            |                                   | 7.41                      | <0.005               | 0.29                 | 6.20               | 1.8                  | 750                  | 0.82                 | 0.38                 | 5.24               | 0.06                 | 18.40                | 28.1                 | 13                   | 2.88                 | 30.6                 |
| S006000            |                                   | 0.81                      | <0.005               | 0.04                 | 0.06               | 0.4                  | 10                   | <0.05                | <0.01                | 37.3               | <0.02                | 0.26                 | 0.5                  | 1                    | <0.05                | 1.1                  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-----------------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    |                                   | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                                   | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S005995            |                                   | 6.07    | 16.65     | 0.10      | 1.0       | 0.052     | 2.17    | 10.6      | 19.5      | 2.09    | 774       | 10.30     | 0.44    | 4.8       | 6.2       | 1130     |
| S005996            |                                   | 8.09    | 18.35     | 0.11      | 0.8       | 0.053     | 2.24    | 9.9       | 22.8      | 2.56    | 762       | 10.35     | 0.90    | 5.5       | 3.0       | 1090     |
| S005997            |                                   | 7.58    | 15.80     | 0.08      | 0.8       | 0.048     | 1.93    | 9.2       | 22.2      | 2.56    | 944       | 7.57      | 0.79    | 4.8       | 2.6       | 1090     |
| S005998            |                                   | 7.33    | 17.05     | 0.10      | 1.4       | 0.058     | 2.19    | 9.8       | 22.5      | 2.55    | 859       | 4.35      | 0.45    | 4.9       | 2.6       | 1060     |
| S005999            |                                   | 7.77    | 15.00     | 0.10      | 1.0       | 0.063     | 1.64    | 8.8       | 19.4      | 2.26    | 872       | 10.10     | 0.53    | 4.4       | 2.5       | 950      |
| S006000            |                                   | 0.06    | 0.15      | 0.06      | <0.1      | <0.005    | 0.01    | <0.5      | 0.4       | 1.70    | 22        | 0.08      | <0.01   | <0.1      | 0.2       | 50       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>Pb<br>ppm<br>0.5 | ME-MS61<br>Rb<br>ppm<br>0.1 | ME-MS61<br>Re<br>ppm<br>0.002 | ME-MS61<br>S<br>%<br>0.01 | ME-MS61<br>Sb<br>ppm<br>0.05 | ME-MS61<br>Sc<br>ppm<br>0.1 | ME-MS61<br>Se<br>ppm<br>1 | ME-MS61<br>Sn<br>ppm<br>0.2 | ME-MS61<br>Sr<br>ppm<br>0.2 | ME-MS61<br>Ta<br>ppm<br>0.05 | ME-MS61<br>Te<br>ppm<br>0.05 | ME-MS61<br>Th<br>ppm<br>0.01 | ME-MS61<br>Ti<br>%<br>0.005 | ME-MS61<br>Tl<br>ppm<br>0.02 | ME-MS61<br>U<br>ppm<br>0.1 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|----------------------------|
| S005995            |                                   | 2.3                         | 129.0                       | 0.003                         | 1.61                      | 1.21                         | 28.7                        | 1                         | 0.9                         | 180.0                       | 0.26                         | 0.26                         | 1.78                         | 0.564                       | 1.25                         | 1.1                        |
| S005996            |                                   | 1.7                         | 149.0                       | 0.002                         | 2.05                      | 0.86                         | 36.0                        | 1                         | 0.8                         | 243                         | 0.30                         | 0.25                         | 1.55                         | 0.669                       | 1.48                         | 0.6                        |
| S005997            |                                   | 2.9                         | 124.5                       | 0.002                         | 2.09                      | 0.60                         | 31.1                        | 1                         | 0.8                         | 264                         | 0.28                         | 0.19                         | 1.39                         | 0.599                       | 1.25                         | 0.6                        |
| S005998            |                                   | 2.7                         | 151.5                       | <0.002                        | 1.87                      | 0.41                         | 31.9                        | 1                         | 0.7                         | 176.5                       | 0.27                         | 0.16                         | 1.51                         | 0.593                       | 1.46                         | 0.9                        |
| S005999            |                                   | 4.0                         | 116.0                       | 0.003                         | 2.34                      | 0.45                         | 28.2                        | 1                         | 0.9                         | 189.0                       | 0.25                         | 0.18                         | 1.32                         | 0.516                       | 1.18                         | 0.7                        |
| S006000            |                                   | 2.9                         | 0.5                         | <0.002                        | 0.06                      | 0.05                         | 0.2                         | 1                         | <0.2                        | 5770                        | <0.05                        | 0.05                         | 0.01                         | <0.005                      | <0.02                        | 1.2                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | pXRF-34<br>Si<br>%<br>0.5 | pXRF-34<br>Ti<br>%<br>0.1 | pXRF-34<br>Zr<br>ppm<br>5 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|---------------------------|---------------------------|
| S005995            |                                   | 285                      | 11.1                       | 23.2                       | 79                        | 60.8                        | 23.0                      | 0.7                       | 94                        |
| S005996            |                                   | 327                      | 10.0                       | 26.7                       | 105                       | 21.8                        | 21.3                      | 0.7                       | 93                        |
| S005997            |                                   | 278                      | 6.6                        | 23.8                       | 96                        | 29.0                        | 20.9                      | 0.6                       | 82                        |
| S005998            |                                   | 285                      | 5.5                        | 27.2                       | 97                        | 57.8                        | 21.8                      | 0.6                       | 84                        |
| S005999            |                                   | 257                      | 86.6                       | 25.9                       | 90                        | 43.8                        | 22.5                      | 0.6                       | 68                        |
| S006000            |                                   | 2                        | 0.6                        | 0.4                        | <2                        | 0.6                         | 1.6                       | <0.1                      | 35                        |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 29-JUL-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19181483**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19185955**

Project: Bowser Regional Project  
 P.O. No.: BOW-0719  
 This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 29-JUL-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004351            |         | 2.99      | 0.013   | 0.52    | 8.00    | 20.5    | 960     | 1.50    | 0.17    | 1.85    | 0.30    | 42.6    | 16.0    | 38      | 6.55    | 35.9    |
| S004352            |         | 3.31      | 0.010   | 0.48    | 9.73    | 17.1    | 1210    | 1.96    | 0.22    | 1.34    | 0.23    | 41.0    | 16.0    | 50      | 8.95    | 40.2    |
| S004353            |         | 4.81      | 0.011   | 0.53    | 8.36    | 42.6    | 1110    | 1.55    | 0.19    | 2.30    | 0.12    | 40.9    | 16.2    | 44      | 6.88    | 38.3    |
| S004354            |         | 5.69      | 0.007   | 0.39    | 8.55    | 39.7    | 960     | 1.39    | 0.17    | 1.62    | 0.13    | 36.4    | 17.0    | 48      | 6.38    | 43.3    |
| S004355            |         | 5.74      | 0.005   | 0.37    | 9.49    | 16.1    | 1160    | 1.62    | 0.18    | 1.48    | 0.12    | 35.0    | 14.6    | 47      | 7.93    | 35.4    |
| S004356            |         | 5.30      | <0.005  | 0.28    | 9.48    | 16.9    | 1190    | 1.62    | 0.19    | 1.59    | 0.13    | 36.4    | 15.6    | 56      | 8.08    | 44.2    |
| S004357            |         | 6.58      | <0.005  | 0.32    | 9.85    | 11.7    | 1200    | 1.71    | 0.20    | 1.03    | 0.11    | 36.2    | 14.8    | 60      | 9.36    | 42.4    |
| S004358            |         | 5.90      | 0.007   | 0.23    | 8.88    | 15.2    | 1050    | 1.55    | 0.19    | 1.86    | 0.17    | 35.1    | 16.6    | 55      | 8.44    | 38.7    |
| S004359            |         | 6.19      | <0.005  | 0.16    | 8.23    | 16.8    | 930     | 1.33    | 0.14    | 1.49    | 0.17    | 35.9    | 13.6    | 51      | 8.93    | 30.4    |
| S004360            |         | 1.08      | 0.006   | 0.01    | 0.06    | <0.2    | 10      | <0.05   | <0.01   | 34.2    | <0.02   | 0.33    | 0.4     | 1       | <0.05   | 1.1     |
| S004361            |         | 6.26      | <0.005  | 0.20    | 8.72    | 19.9    | 1040    | 1.41    | 0.19    | 1.88    | 0.22    | 35.6    | 16.2    | 57      | 8.03    | 42.3    |
| S004362            |         | 5.96      | 0.008   | 0.22    | 9.04    | 17.0    | 1080    | 1.36    | 0.20    | 1.52    | 0.22    | 36.6    | 20.0    | 61      | 7.62    | 44.7    |
| S004363            |         | 6.69      | <0.005  | 0.15    | 8.91    | 17.0    | 1050    | 1.45    | 0.20    | 1.91    | 0.29    | 37.5    | 17.0    | 62      | 8.30    | 43.0    |
| S004364            |         | 6.47      | <0.005  | 0.10    | 8.40    | 20.5    | 980     | 1.29    | 0.21    | 2.13    | 0.20    | 34.8    | 15.7    | 65      | 7.84    | 43.7    |
| S004365            |         | 5.44      | <0.005  | 0.09    | 8.16    | 18.4    | 850     | 1.13    | 0.15    | 1.79    | 0.07    | 33.4    | 15.6    | 65      | 7.02    | 37.8    |
| S004366            |         | 5.17      | <0.005  | 0.10    | 7.07    | 16.1    | 710     | 1.04    | 0.14    | 2.75    | 0.15    | 32.9    | 13.2    | 57      | 6.45    | 36.0    |
| S004366CD          |         | <0.02     | <0.005  | 0.10    | 6.95    | 15.7    | 700     | 1.08    | 0.13    | 2.74    | 0.20    | 32.6    | 13.1    | 57      | 6.52    | 38.0    |
| S004367            |         | 4.93      | <0.005  | 0.12    | 9.18    | 16.6    | 1020    | 1.41    | 0.19    | 1.13    | 0.13    | 36.1    | 14.9    | 65      | 8.55    | 40.5    |
| S004368            |         | 5.00      | 0.006   | 0.17    | 8.03    | 49.6    | 840     | 1.23    | 0.18    | 1.64    | 0.10    | 36.2    | 15.9    | 53      | 6.97    | 38.7    |
| S004369            |         | 6.07      | <0.005  | 0.15    | 8.52    | 12.2    | 900     | 1.22    | 0.16    | 1.50    | 0.08    | 37.0    | 15.5    | 46      | 6.83    | 34.9    |
| S004370            |         | 0.15      | 1.030   | 11.95   | 5.80    | 311     | 350     | 0.96    | 0.17    | 3.45    | 4.49    | 22.1    | 10.4    | 26      | 6.80    | 79.9    |
| S004371            |         | 8.13      | 0.024   | 0.38    | 8.91    | 31.6    | 1000    | 1.34    | 0.28    | 0.94    | 0.16    | 37.3    | 13.8    | 42      | 6.88    | 33.5    |
| S004372            |         | 3.83      | 0.008   | 0.26    | 7.30    | 14.5    | 750     | 1.23    | 0.14    | 2.51    | 0.10    | 37.0    | 11.4    | 33      | 5.60    | 30.2    |
| S004373            |         | 5.43      | 0.011   | 0.29    | 8.99    | 17.9    | 1070    | 1.65    | 0.20    | 1.10    | 0.18    | 39.2    | 16.6    | 36      | 7.09    | 33.0    |
| S004374            |         | 7.23      | 0.007   | 0.22    | 9.26    | 10.4    | 1040    | 1.72    | 0.19    | 1.13    | 0.13    | 41.9    | 17.0    | 37      | 7.40    | 40.8    |
| S004375            |         | 6.45      | 0.010   | 0.24    | 8.87    | 22.3    | 990     | 1.60    | 0.21    | 1.66    | 0.11    | 43.9    | 19.8    | 36      | 6.96    | 39.3    |
| S004376            |         | 6.08      | <0.005  | 0.14    | 9.15    | 11.6    | 1040    | 1.41    | 0.22    | 1.04    | 0.10    | 39.6    | 13.8    | 50      | 6.94    | 38.4    |
| S004377            |         | 8.39      | 0.008   | 0.14    | 9.44    | 9.8     | 1050    | 1.53    | 0.17    | 1.03    | 0.06    | 40.4    | 15.1    | 49      | 7.30    | 36.4    |
| S004378            |         | 5.70      | 0.005   | 0.20    | 10.05   | 13.9    | 1160    | 1.74    | 0.24    | 0.54    | 0.21    | 43.2    | 19.5    | 45      | 8.09    | 43.5    |
| S004379            |         | 4.97      | <0.005  | 0.13    | 8.60    | 15.9    | 890     | 1.24    | 0.15    | 1.63    | 0.11    | 39.5    | 15.7    | 54      | 7.54    | 32.6    |
| S004380            |         | 1.06      | <0.005  | 0.01    | 0.05    | <0.2    | 10      | <0.05   | <0.01   | 35.3    | <0.02   | 0.28    | 0.4     | 1       | <0.05   | 1.2     |
| S004381            |         | 5.46      | 0.005   | 0.11    | 9.08    | 10.5    | 950     | 1.36    | 0.17    | 0.98    | 0.09    | 40.3    | 12.6    | 59      | 7.94    | 39.5    |
| S004382            |         | 5.01      | <0.005  | 0.10    | 9.45    | 10.2    | 1000    | 1.50    | 0.19    | 0.95    | 0.13    | 41.1    | 13.7    | 57      | 8.68    | 42.9    |
| S004383            |         | 4.60      | <0.005  | 0.13    | 9.41    | 11.8    | 990     | 1.49    | 0.18    | 1.22    | 0.13    | 41.4    | 15.3    | 53      | 8.53    | 42.3    |
| S004384            |         | 7.74      | <0.005  | 0.14    | 9.28    | 10.3    | 1060    | 1.53    | 0.16    | 1.27    | 0.28    | 42.6    | 15.2    | 45      | 8.57    | 37.3    |
| S004385            |         | 4.00      | 0.006   | 0.16    | 9.18    | 13.5    | 1020    | 1.51    | 0.24    | 1.70    | 0.42    | 42.5    | 19.1    | 46      | 8.66    | 44.5    |
| S004386            |         | 4.55      | 0.007   | 0.19    | 9.31    | 15.4    | 1080    | 1.57    | 0.19    | 1.35    | 0.52    | 44.4    | 19.4    | 41      | 8.22    | 41.7    |
| S004386CD          |         | <0.02     | 0.006   | 0.19    | 9.26    | 14.4    | 1070    | 1.52    | 0.20    | 1.35    | 0.51    | 43.2    | 18.4    | 41      | 8.02    | 40.1    |
| S004387            |         | 4.90      | 0.005   | 0.13    | 8.61    | 10.9    | 860     | 1.36    | 0.17    | 1.80    | 0.10    | 39.8    | 13.2    | 50      | 7.95    | 35.4    |
| S004388            |         | 6.20      | 0.005   | 0.11    | 8.05    | 10.0    | 780     | 1.15    | 0.15    | 1.87    | 0.14    | 38.8    | 11.5    | 56      | 6.76    | 39.0    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method                  | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61 | ME-MS61   | ME-MS61   |          |
|--------------------|-------------------------|---------|-----------|-----------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|---------|-----------|-----------|----------|
|                    | Analyte<br>Units<br>LOD | Fe<br>% | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | In<br>ppm | K<br>%  | La<br>ppm | Li<br>ppm | Mg<br>% | Mn<br>ppm | Mo<br>ppm | Na<br>% | Nb<br>ppm | Ni<br>ppm | P<br>ppm |
|                    |                         | 0.01    | 0.05      | 0.05      | 0.1       | 0.005     | 0.01    | 0.5       | 0.2       | 0.01    | 5         | 0.05      | 0.01    | 0.1       | 0.2       | 10       |
| S004351            |                         | 4.41    | 18.00     | 0.19      | 0.9       | 0.072     | 2.51    | 19.2      | 17.7      | 0.89    | 742       | 1.13      | 0.52    | 8.4       | 25.4      | 630      |
| S004352            |                         | 4.05    | 22.4      | 0.18      | 1.1       | 0.091     | 3.07    | 18.4      | 19.0      | 0.80    | 511       | 0.80      | 0.59    | 10.2      | 22.3      | 520      |
| S004353            |                         | 6.04    | 18.95     | 0.17      | 1.0       | 0.078     | 2.50    | 19.0      | 22.8      | 1.16    | 1060      | 0.78      | 0.46    | 8.2       | 23.5      | 1350     |
| S004354            |                         | 6.31    | 18.90     | 0.17      | 1.1       | 0.078     | 2.46    | 16.8      | 25.8      | 1.11    | 881       | 1.12      | 0.47    | 7.8       | 25.1      | 860      |
| S004355            |                         | 4.27    | 20.6      | 0.18      | 1.1       | 0.079     | 3.01    | 15.1      | 19.8      | 0.89    | 561       | 0.74      | 0.58    | 9.4       | 20.5      | 460      |
| S004356            |                         | 5.13    | 20.7      | 0.17      | 1.1       | 0.080     | 2.85    | 16.5      | 24.0      | 1.01    | 644       | 0.68      | 0.51    | 8.2       | 22.4      | 430      |
| S004357            |                         | 4.23    | 21.5      | 0.17      | 1.2       | 0.084     | 3.12    | 15.6      | 21.1      | 0.81    | 424       | 0.68      | 0.49    | 9.1       | 20.8      | 390      |
| S004358            |                         | 4.88    | 19.60     | 0.19      | 1.3       | 0.095     | 2.72    | 15.5      | 21.7      | 1.03    | 747       | 1.18      | 0.53    | 8.4       | 22.2      | 470      |
| S004359            |                         | 4.03    | 17.10     | 0.18      | 1.3       | 0.058     | 2.48    | 17.2      | 18.7      | 0.85    | 533       | 0.81      | 0.60    | 7.5       | 20.0      | 560      |
| S004360            |                         | 0.04    | 0.24      | 0.17      | <0.1      | <0.005    | 0.01    | <0.5      | 0.5       | 1.80    | 14        | 0.06      | <0.01   | <0.1      | <0.2      | 10       |
| S004361            |                         | 4.76    | 19.55     | 0.20      | 1.2       | 0.080     | 2.71    | 16.2      | 21.1      | 0.99    | 713       | 1.03      | 0.52    | 8.0       | 22.8      | 520      |
| S004362            |                         | 4.53    | 20.5      | 0.20      | 1.2       | 0.088     | 2.83    | 16.5      | 20.1      | 0.90    | 573       | 0.75      | 0.57    | 8.5       | 25.9      | 590      |
| S004363            |                         | 4.35    | 19.75     | 0.20      | 1.2       | 0.079     | 2.80    | 17.2      | 20.2      | 1.01    | 676       | 0.93      | 0.58    | 8.4       | 23.0      | 490      |
| S004364            |                         | 4.65    | 19.00     | 0.18      | 1.3       | 0.070     | 2.55    | 16.0      | 22.2      | 1.08    | 752       | 1.03      | 0.56    | 8.0       | 23.2      | 660      |
| S004365            |                         | 5.02    | 17.65     | 0.16      | 1.2       | 0.063     | 2.27    | 16.0      | 26.7      | 1.13    | 615       | 0.91      | 0.69    | 7.3       | 24.9      | 640      |
| S004366            |                         | 5.10    | 14.90     | 0.17      | 1.4       | 0.056     | 1.92    | 16.3      | 29.0      | 1.25    | 808       | 0.91      | 0.57    | 6.2       | 19.3      | 770      |
| S004366CD          |                         | 5.13    | 14.95     | 0.17      | 1.2       | 0.077     | 1.89    | 16.0      | 29.6      | 1.24    | 804       | 0.88      | 0.56    | 6.3       | 19.7      | 800      |
| S004367            |                         | 4.42    | 19.55     | 0.18      | 1.2       | 0.076     | 2.71    | 16.5      | 23.1      | 0.89    | 422       | 1.22      | 0.68    | 8.0       | 21.8      | 520      |
| S004368            |                         | 6.41    | 17.70     | 0.18      | 1.1       | 0.070     | 2.20    | 17.0      | 25.0      | 1.13    | 877       | 0.68      | 0.52    | 6.5       | 22.6      | 1550     |
| S004369            |                         | 5.28    | 18.45     | 0.18      | 1.3       | 0.074     | 2.40    | 17.0      | 26.3      | 1.09    | 548       | 0.73      | 0.57    | 6.9       | 22.1      | 930      |
| S004370            |                         | 3.76    | 14.05     | 0.17      | 1.1       | 0.051     | 3.80    | 10.5      | 12.2      | 0.52    | 1330      | 10.10     | 0.21    | 5.1       | 19.9      | 860      |
| S004371            |                         | 4.81    | 19.15     | 0.19      | 1.2       | 0.078     | 2.69    | 16.9      | 21.3      | 0.90    | 444       | 0.97      | 0.51    | 7.3       | 19.3      | 470      |
| S004372            |                         | 5.98    | 15.70     | 0.17      | 1.2       | 0.065     | 1.92    | 16.7      | 25.4      | 1.32    | 1020      | 1.15      | 0.56    | 6.6       | 15.8      | 700      |
| S004373            |                         | 4.63    | 19.45     | 0.19      | 1.0       | 0.077     | 2.72    | 17.4      | 19.8      | 0.86    | 517       | 0.88      | 0.65    | 8.1       | 22.7      | 340      |
| S004374            |                         | 4.95    | 20.5      | 0.18      | 1.0       | 0.088     | 2.67    | 19.0      | 26.1      | 0.98    | 511       | 1.44      | 0.71    | 8.2       | 23.8      | 350      |
| S004375            |                         | 5.57    | 19.30     | 0.20      | 1.0       | 0.111     | 2.53    | 19.9      | 25.0      | 1.08    | 709       | 1.09      | 0.72    | 7.4       | 24.6      | 710      |
| S004376            |                         | 4.59    | 19.80     | 0.18      | 1.2       | 0.077     | 2.70    | 18.6      | 24.2      | 0.97    | 407       | 0.87      | 0.68    | 7.5       | 18.3      | 390      |
| S004377            |                         | 4.75    | 20.0      | 0.18      | 1.1       | 0.091     | 2.69    | 19.0      | 25.5      | 1.00    | 407       | 0.90      | 0.76    | 8.2       | 19.0      | 390      |
| S004378            |                         | 4.30    | 21.3      | 0.18      | 1.2       | 0.083     | 2.99    | 19.8      | 24.6      | 0.82    | 272       | 0.92      | 0.78    | 9.2       | 21.2      | 350      |
| S004379            |                         | 5.08    | 17.55     | 0.18      | 1.4       | 0.067     | 2.28    | 20.1      | 29.5      | 1.18    | 593       | 1.19      | 0.89    | 7.7       | 17.8      | 560      |
| S004380            |                         | 0.03    | 0.22      | 0.20      | <0.1      | <0.005    | 0.01    | <0.5      | 0.5       | 1.80    | 17        | 0.07      | <0.01   | <0.1      | <0.2      | 10       |
| S004381            |                         | 4.76    | 19.15     | 0.23      | 1.2       | 0.071     | 2.44    | 19.3      | 28.7      | 1.03    | 363       | 0.90      | 0.82    | 7.6       | 17.9      | 560      |
| S004382            |                         | 4.68    | 20.6      | 0.21      | 1.2       | 0.076     | 2.61    | 19.5      | 28.2      | 1.01    | 350       | 0.85      | 0.82    | 8.2       | 18.5      | 510      |
| S004383            |                         | 5.28    | 20.3      | 0.20      | 1.2       | 0.076     | 2.58    | 20.3      | 31.4      | 1.15    | 485       | 1.02      | 0.76    | 8.1       | 20.0      | 520      |
| S004384            |                         | 4.63    | 20.1      | 0.20      | 1.2       | 0.080     | 2.65    | 20.2      | 25.3      | 1.02    | 507       | 1.09      | 0.77    | 8.4       | 18.7      | 480      |
| S004385            |                         | 5.07    | 20.4      | 0.20      | 1.3       | 0.085     | 2.59    | 20.6      | 27.5      | 1.17    | 645       | 1.21      | 0.75    | 8.7       | 22.1      | 460      |
| S004386            |                         | 4.57    | 20.2      | 0.20      | 1.1       | 0.091     | 2.81    | 20.8      | 22.3      | 0.98    | 527       | 0.89      | 0.73    | 8.7       | 24.0      | 380      |
| S004386CD          |                         | 4.53    | 20.0      | 0.20      | 1.2       | 0.088     | 2.72    | 20.3      | 21.6      | 0.98    | 527       | 0.87      | 0.73    | 8.4       | 23.2      | 370      |
| S004387            |                         | 5.78    | 18.35     | 0.17      | 1.2       | 0.074     | 2.20    | 19.4      | 33.9      | 1.29    | 708       | 1.15      | 0.77    | 7.5       | 18.9      | 760      |
| S004388            |                         | 6.14    | 17.25     | 0.18      | 1.3       | 0.073     | 2.01    | 19.0      | 35.9      | 1.34    | 751       | 1.11      | 0.64    | 6.9       | 18.9      | 830      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004351            |                          | 22.4    | 97.7    | 0.002   | 1.22    | 6.88    | 19.8    | 1       | 1.2     | 210     | 0.49    | 0.05    | 3.92    | 0.346   | 0.88    | 0.7 |
| S004352            |                          | 24.8    | 123.5   | 0.002   | 1.16    | 7.23    | 23.7    | <1      | 1.5     | 244     | 0.59    | 0.08    | 4.60    | 0.431   | 1.09    | 0.9 |
| S004353            |                          | 24.8    | 102.5   | <0.002  | 1.25    | 6.59    | 20.5    | 1       | 1.3     | 258     | 0.50    | 0.07    | 4.15    | 0.360   | 0.85    | 0.7 |
| S004354            |                          | 17.3    | 102.5   | <0.002  | 1.12    | 7.20    | 22.0    | 1       | 1.2     | 202     | 0.47    | 0.08    | 4.07    | 0.366   | 0.80    | 0.9 |
| S004355            |                          | 14.6    | 111.5   | <0.002  | 0.83    | 5.32    | 22.5    | 1       | 1.4     | 230     | 0.55    | 0.07    | 4.12    | 0.434   | 0.98    | 0.8 |
| S004356            |                          | 13.3    | 112.0   | <0.002  | 0.82    | 6.07    | 23.9    | 1       | 1.3     | 222     | 0.52    | 0.07    | 4.26    | 0.413   | 0.94    | 0.9 |
| S004357            |                          | 15.0    | 122.5   | <0.002  | 0.58    | 5.05    | 24.4    | 1       | 1.4     | 218     | 0.54    | 0.07    | 4.53    | 0.446   | 1.00    | 0.9 |
| S004358            |                          | 14.7    | 100.0   | <0.002  | 0.87    | 6.09    | 21.0    | 1       | 1.2     | 233     | 0.52    | 0.07    | 4.11    | 0.401   | 0.89    | 1.0 |
| S004359            |                          | 15.2    | 98.9    | <0.002  | 0.55    | 4.87    | 17.5    | <1      | 1.1     | 215     | 0.47    | 0.06    | 4.31    | 0.338   | 0.82    | 1.4 |
| S004360            |                          | <0.5    | 0.5     | <0.002  | 0.05    | <0.05   | 0.2     | 1       | <0.2    | 5360    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.2 |
| S004361            |                          | 16.7    | 108.5   | <0.002  | 0.74    | 5.93    | 21.8    | <1      | 1.3     | 256     | 0.50    | 0.07    | 4.21    | 0.391   | 0.92    | 0.9 |
| S004362            |                          | 20.4    | 116.0   | <0.002  | 0.99    | 6.83    | 23.0    | <1      | 1.3     | 207     | 0.50    | 0.07    | 4.34    | 0.400   | 1.02    | 1.0 |
| S004363            |                          | 12.9    | 109.0   | <0.002  | 0.61    | 5.66    | 22.9    | <1      | 1.3     | 229     | 0.50    | 0.08    | 4.30    | 0.402   | 0.95    | 1.1 |
| S004364            |                          | 10.7    | 97.3    | <0.002  | 0.38    | 3.82    | 20.7    | <1      | 1.1     | 224     | 0.49    | 0.09    | 4.05    | 0.387   | 0.89    | 1.2 |
| S004365            |                          | 9.6     | 84.0    | <0.002  | 0.32    | 3.29    | 18.4    | <1      | 1.0     | 202     | 0.44    | 0.08    | 3.81    | 0.356   | 0.78    | 1.2 |
| S004366            |                          | 11.9    | 81.1    | <0.002  | 0.33    | 3.31    | 16.2    | <1      | 0.9     | 479     | 0.39    | 0.06    | 3.64    | 0.318   | 0.66    | 1.3 |
| S004366CD          |                          | 11.7    | 77.6    | <0.002  | 0.32    | 3.34    | 16.1    | <1      | 0.9     | 471     | 0.39    | 0.05    | 3.41    | 0.315   | 0.65    | 1.1 |
| S004367            |                          | 11.4    | 107.5   | <0.002  | 0.57    | 4.69    | 22.1    | 1       | 1.2     | 206     | 0.49    | 0.06    | 4.27    | 0.396   | 0.92    | 1.2 |
| S004368            |                          | 14.5    | 95.5    | <0.002  | 0.87    | 5.77    | 19.5    | <1      | 1.1     | 227     | 0.41    | 0.07    | 3.79    | 0.332   | 0.75    | 1.0 |
| S004369            |                          | 14.0    | 98.0    | <0.002  | 0.73    | 5.85    | 19.8    | 1       | 1.2     | 195.5   | 0.42    | 0.06    | 3.91    | 0.340   | 0.82    | 1.0 |
| S004370            |                          | 146.0   | 155.5   | 0.010   | 2.76    | 19.30   | 10.5    | 2       | 1.5     | 186.5   | 0.30    | 0.30    | 2.82    | 0.247   | 3.25    | 1.6 |
| S004371            |                          | 22.2    | 109.0   | <0.002  | 1.12    | 6.53    | 19.9    | 1       | 1.4     | 152.5   | 0.44    | 0.07    | 4.25    | 0.362   | 1.00    | 1.0 |
| S004372            |                          | 24.3    | 80.9    | <0.002  | 1.01    | 5.59    | 16.5    | 1       | 1.1     | 243     | 0.41    | 0.06    | 3.80    | 0.295   | 0.69    | 0.9 |
| S004373            |                          | 28.2    | 108.0   | 0.002   | 1.33    | 6.28    | 20.1    | 1       | 1.4     | 192.0   | 0.49    | 0.08    | 4.06    | 0.366   | 0.90    | 0.8 |
| S004374            |                          | 25.9    | 113.0   | <0.002  | 1.03    | 6.70    | 20.5    | 1       | 1.4     | 200     | 0.49    | 0.07    | 4.25    | 0.361   | 0.90    | 0.8 |
| S004375            |                          | 26.4    | 108.5   | <0.002  | 1.26    | 7.01    | 19.8    | <1      | 1.3     | 216     | 0.46    | 0.07    | 4.10    | 0.342   | 0.86    | 0.8 |
| S004376            |                          | 10.0    | 113.0   | <0.002  | 0.48    | 4.15    | 20.2    | <1      | 1.3     | 171.0   | 0.48    | 0.07    | 4.22    | 0.374   | 0.90    | 1.0 |
| S004377            |                          | 12.5    | 113.0   | <0.002  | 0.57    | 5.47    | 20.6    | <1      | 1.4     | 184.0   | 0.50    | 0.06    | 4.20    | 0.396   | 0.87    | 0.9 |
| S004378            |                          | 17.5    | 123.5   | <0.002  | 0.76    | 6.63    | 21.0    | 1       | 1.5     | 186.5   | 0.56    | 0.09    | 4.73    | 0.416   | 1.00    | 1.0 |
| S004379            |                          | 15.6    | 94.5    | <0.002  | 0.37    | 3.70    | 15.8    | <1      | 1.1     | 213     | 0.48    | 0.06    | 4.49    | 0.352   | 0.72    | 1.5 |
| S004380            |                          | <0.5    | 0.4     | <0.002  | 0.04    | 0.05    | 0.2     | 1       | <0.2    | 5030    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |
| S004381            |                          | 10.1    | 101.5   | <0.002  | 0.32    | 4.64    | 19.8    | <1      | 1.2     | 192.0   | 0.48    | 0.08    | 4.16    | 0.374   | 0.79    | 1.1 |
| S004382            |                          | 10.3    | 109.0   | <0.002  | 0.32    | 5.00    | 21.0    | <1      | 1.3     | 201     | 0.52    | 0.06    | 4.36    | 0.404   | 0.82    | 1.0 |
| S004383            |                          | 15.3    | 105.5   | <0.002  | 0.51    | 5.01    | 19.8    | 1       | 1.3     | 199.0   | 0.50    | 0.08    | 4.33    | 0.376   | 0.79    | 1.1 |
| S004384            |                          | 14.8    | 109.0   | <0.002  | 0.52    | 5.40    | 19.7    | <1      | 1.3     | 199.0   | 0.52    | 0.07    | 4.37    | 0.382   | 0.86    | 1.0 |
| S004385            |                          | 19.3    | 111.5   | <0.002  | 0.70    | 6.63    | 20.4    | 1       | 1.3     | 209     | 0.53    | 0.09    | 4.48    | 0.384   | 0.87    | 1.0 |
| S004386            |                          | 21.7    | 114.5   | <0.002  | 0.86    | 7.19    | 21.0    | 1       | 1.4     | 200     | 0.52    | 0.10    | 4.25    | 0.387   | 0.90    | 0.9 |
| S004386CD          |                          | 21.3    | 112.5   | <0.002  | 0.84    | 7.04    | 20.4    | <1      | 1.4     | 197.5   | 0.53    | 0.09    | 4.36    | 0.383   | 0.91    | 1.0 |
| S004387            |                          | 14.2    | 91.6    | <0.002  | 0.38    | 4.07    | 17.6    | 1       | 1.2     | 214     | 0.45    | 0.06    | 4.18    | 0.348   | 0.72    | 1.2 |
| S004388            |                          | 9.9     | 82.4    | <0.002  | 0.37    | 3.57    | 17.2    | 1       | 1.0     | 199.0   | 0.42    | 0.07    | 3.88    | 0.339   | 0.64    | 1.1 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S004351            |                          | 92      | 1.6     | 10.0    | 87      | 33.7    | 26.0    | 0.4     | 132     |
| S004352            |                          | 118     | 1.1     | 11.0    | 86      | 44.0    | 25.7    | 0.5     | 143     |
| S004353            |                          | 105     | 0.9     | 14.4    | 110     | 38.8    | 23.3    | 0.5     | 129     |
| S004354            |                          | 112     | 0.9     | 13.0    | 124     | 43.3    | 25.2    | 0.5     | 123     |
| S004355            |                          | 120     | 1.1     | 10.7    | 94      | 40.8    | 25.3    | 0.5     | 138     |
| S004356            |                          | 127     | 1.0     | 11.2    | 123     | 41.7    | 25.0    | 0.5     | 125     |
| S004357            |                          | 136     | 1.1     | 11.0    | 104     | 42.3    | 26.0    | 0.6     | 134     |
| S004358            |                          | 125     | 1.0     | 11.3    | 108     | 45.7    | 25.4    | 0.5     | 122     |
| S004359            |                          | 105     | 0.9     | 11.8    | 97      | 50.2    | 26.4    | 0.4     | 116     |
| S004360            |                          | 1       | <0.1    | 0.3     | <2      | 0.8     | 1.6     | <0.1    | 24      |
| S004361            |                          | 123     | 1.0     | 11.7    | 111     | 42.6    | 24.8    | 0.5     | 120     |
| S004362            |                          | 124     | 1.0     | 11.8    | 103     | 47.3    | 27.0    | 0.5     | 112     |
| S004363            |                          | 124     | 1.1     | 12.3    | 115     | 48.6    | 25.2    | 0.5     | 130     |
| S004364            |                          | 126     | 1.0     | 13.5    | 117     | 49.0    | 25.3    | 0.5     | 111     |
| S004365            |                          | 121     | 0.9     | 12.3    | 111     | 46.4    | 25.2    | 0.4     | 118     |
| S004366            |                          | 107     | 0.9     | 12.8    | 111     | 52.0    | 24.5    | 0.4     | 104     |
| S004366CD          |                          | 108     | 0.8     | 12.5    | 119     | 44.2    | 25.1    | 0.3     | 102     |
| S004367            |                          | 129     | 1.1     | 11.4    | 98      | 45.4    | 25.8    | 0.5     | 125     |
| S004368            |                          | 114     | 0.9     | 15.7    | 117     | 43.7    | 24.5    | 0.4     | 119     |
| S004369            |                          | 102     | 0.9     | 14.8    | 111     | 47.2    | 25.3    | 0.4     | 133     |
| S004370            |                          | 99      | 4.8     | 8.0     | 469     | 37.5    | 27.9    | 0.3     | 76      |
| S004371            |                          | 103     | 1.6     | 11.5    | 102     | 45.6    | 26.5    | 0.5     | 136     |
| S004372            |                          | 80      | 0.8     | 11.8    | 103     | 45.4    | 24.7    | 0.3     | 110     |
| S004373            |                          | 101     | 1.0     | 10.6    | 86      | 36.5    | 26.3    | 0.5     | 140     |
| S004374            |                          | 107     | 1.0     | 10.9    | 102     | 37.9    | 25.3    | 0.5     | 131     |
| S004375            |                          | 103     | 0.9     | 13.1    | 99      | 38.9    | 25.1    | 0.4     | 130     |
| S004376            |                          | 119     | 1.6     | 12.4    | 105     | 42.4    | 26.2    | 0.5     | 134     |
| S004377            |                          | 125     | 1.1     | 13.1    | 107     | 43.0    | 26.1    | 0.5     | 137     |
| S004378            |                          | 119     | 1.2     | 12.5    | 98      | 43.1    | 25.9    | 0.5     | 150     |
| S004379            |                          | 113     | 1.0     | 12.2    | 97      | 54.4    | 25.4    | 0.4     | 120     |
| S004380            |                          | 1       | <0.1    | 0.3     | <2      | 0.7     | 1.2     | <0.1    | 31      |
| S004381            |                          | 120     | 1.0     | 13.0    | 110     | 42.7    | 25.9    | 0.4     | 124     |
| S004382            |                          | 125     | 1.1     | 12.8    | 109     | 45.0    | 25.9    | 0.5     | 131     |
| S004383            |                          | 125     | 1.0     | 12.9    | 118     | 45.0    | 24.4    | 0.5     | 139     |
| S004384            |                          | 120     | 1.1     | 13.4    | 105     | 44.7    | 25.8    | 0.5     | 134     |
| S004385            |                          | 121     | 1.1     | 13.5    | 118     | 47.4    | 24.9    | 0.5     | 132     |
| S004386            |                          | 116     | 1.1     | 13.9    | 107     | 43.8    | 26.5    | 0.5     | 139     |
| S004386CD          |                          | 117     | 1.2     | 13.0    | 106     | 44.3    | 25.9    | 0.5     | 145     |
| S004387            |                          | 114     | 0.9     | 13.3    | 117     | 45.8    | 25.0    | 0.4     | 115     |
| S004388            |                          | 111     | 0.9     | 13.7    | 136     | 46.1    | 24.7    | 0.4     | 115     |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004389            |         | 6.85      | 0.005   | 0.10    | 8.23    | 10.6    | 810     | 1.20    | 0.15    | 1.84    | 0.04    | 38.1    | 13.0    | 53      | 6.63    | 36.3    |
| S004390            |         | 0.13      | 5.87    | 76.4    | 6.26    | 295     | 230     | 1.04    | 1.22    | 1.93    | 23.5    | 26.7    | 11.7    | 22      | 8.03    | 117.5   |
| S004391            |         | 6.45      | 0.008   | 0.32    | 9.62    | 11.8    | 1120    | 1.60    | 0.23    | 0.75    | 0.05    | 41.5    | 14.3    | 57      | 7.63    | 45.4    |
| S004392            |         | 6.08      | 0.010   | 0.22    | 9.18    | 11.3    | 1060    | 1.50    | 0.21    | 1.25    | 0.25    | 42.9    | 17.5    | 50      | 7.45    | 45.1    |
| S004393            |         | 6.23      | 0.010   | 0.22    | 8.88    | 11.1    | 910     | 1.46    | 0.19    | 1.58    | 0.19    | 40.9    | 18.7    | 55      | 8.33    | 43.9    |
| S004394            |         | 5.63      | 0.010   | 0.25    | 8.65    | 25.6    | 900     | 1.42    | 0.21    | 1.96    | 0.12    | 43.0    | 16.8    | 54      | 6.97    | 43.1    |
| S004395            |         | 6.14      | 0.009   | 0.20    | 9.87    | 5.6     | 1110    | 1.63    | 0.22    | 1.18    | 0.21    | 43.3    | 16.4    | 58      | 7.97    | 43.1    |
| S004396            |         | 4.98      | 0.006   | 0.14    | 9.09    | 9.3     | 970     | 1.43    | 0.20    | 1.63    | 0.05    | 41.7    | 14.2    | 52      | 6.43    | 42.8    |
| S004397            |         | 7.09      | 0.007   | 0.18    | 8.90    | 4.8     | 930     | 1.31    | 0.20    | 1.51    | 0.08    | 39.8    | 15.4    | 53      | 6.31    | 40.2    |
| S004398            |         | 6.63      | 0.009   | 0.26    | 9.28    | 5.2     | 1050    | 1.40    | 0.20    | 1.04    | 0.08    | 41.0    | 13.6    | 49      | 5.90    | 41.9    |
| S004399            |         | 5.60      | 0.016   | 0.49    | 8.29    | 11.5    | 920     | 1.34    | 0.21    | 1.78    | 0.08    | 38.5    | 15.4    | 47      | 5.77    | 42.2    |
| S004400            |         | 1.11      | <0.005  | 0.02    | 0.04    | 0.2     | 10      | <0.05   | <0.01   | 35.1    | <0.02   | 0.27    | 0.4     | 1       | <0.05   | 1.2     |
| S004401            |         | 6.58      | 0.126   | 1.16    | 7.22    | 241     | 780     | 1.06    | 0.15    | 2.49    | 0.26    | 37.3    | 12.7    | 35      | 5.12    | 31.9    |
| S004402            |         | 5.30      | 1.300   | 37.5    | 7.91    | 5500    | 850     | 1.25    | 0.20    | 1.26    | 52.7    | 37.8    | 10.9    | 44      | 7.18    | 48.1    |
| S004403            |         | 6.38      | 0.007   | 0.44    | 8.23    | 15.0    | 1050    | 1.06    | 0.05    | 1.61    | 0.14    | 31.9    | 7.6     | 52      | 4.87    | 22.3    |
| S004404            |         | 5.81      | 0.013   | 0.49    | 8.14    | 27.0    | 930     | 1.24    | 0.22    | 2.33    | 0.29    | 35.6    | 18.4    | 46      | 5.42    | 57.3    |
| S004405            |         | 6.47      | 0.009   | 0.22    | 9.18    | 13.7    | 1090    | 1.51    | 0.20    | 1.74    | 0.36    | 40.7    | 14.2    | 52      | 6.43    | 42.5    |
| S004406            |         | 5.40      | 0.013   | 0.24    | 8.90    | 41.9    | 980     | 1.40    | 0.19    | 1.90    | 0.15    | 41.5    | 14.5    | 53      | 6.02    | 45.0    |
| S004406CD          |         | <0.02     | 0.012   | 0.26    | 8.90    | 37.2    | 980     | 1.44    | 0.20    | 1.91    | 0.15    | 43.2    | 14.7    | 53      | 6.15    | 46.5    |
| S004407            |         | 6.39      | 0.010   | 0.25    | 9.42    | 6.2     | 1020    | 1.51    | 0.21    | 1.02    | 0.14    | 41.3    | 15.5    | 58      | 6.33    | 43.5    |
| S004408            |         | 5.17      | 0.026   | 0.32    | 8.28    | 12.4    | 870     | 1.18    | 0.47    | 1.98    | 0.18    | 38.2    | 16.2    | 57      | 5.49    | 36.1    |
| S004409            |         | 6.17      | 0.007   | 0.14    | 7.14    | 9.6     | 660     | 0.79    | 0.07    | 2.15    | 0.05    | 32.1    | 8.9     | 64      | 4.29    | 11.3    |
| S004410            |         | 0.12      | 1.020   | 27.5    | 5.83    | 381     | 130     | 1.16    | 0.89    | 0.65    | 1.54    | 27.6    | 12.1    | 19      | 7.66    | 103.5   |
| S004411            |         | 7.15      | 0.005   | 0.15    | 7.05    | 12.5    | 660     | 0.86    | 0.06    | 2.40    | 0.13    | 30.3    | 10.0    | 60      | 4.49    | 10.5    |
| S004412            |         | 6.09      | 0.007   | 0.17    | 6.50    | 26.0    | 620     | 0.85    | 0.09    | 3.40    | 0.12    | 34.7    | 20.6    | 53      | 4.02    | 14.3    |
| S004413            |         | 7.19      | 0.008   | 0.19    | 9.70    | 6.8     | 1190    | 1.62    | 0.16    | 1.12    | 0.21    | 44.8    | 14.9    | 59      | 5.88    | 38.4    |
| S004414            |         | 5.41      | 0.012   | 0.22    | 9.21    | 7.8     | 1050    | 1.50    | 0.19    | 1.26    | 0.37    | 43.6    | 18.6    | 56      | 5.94    | 37.6    |
| S004415            |         | 7.13      | 0.008   | 0.13    | 8.61    | 6.8     | 920     | 1.32    | 0.16    | 1.38    | 0.15    | 37.5    | 12.1    | 56      | 5.08    | 34.9    |
| S004416            |         | 6.22      | 0.006   | 0.13    | 8.19    | 10.9    | 770     | 1.25    | 0.13    | 1.83    | 0.09    | 39.6    | 12.0    | 52      | 5.36    | 27.6    |
| S004417            |         | 5.66      | 0.008   | 0.17    | 7.92    | 10.6    | 780     | 1.27    | 0.15    | 2.21    | 0.16    | 40.1    | 15.5    | 52      | 4.79    | 32.9    |
| S004418            |         | 5.68      | 0.005   | 0.10    | 8.80    | 6.3     | 950     | 1.42    | 0.19    | 1.68    | 0.11    | 39.5    | 10.7    | 61      | 5.28    | 37.8    |
| S004419            |         | 7.08      | 0.006   | 0.11    | 8.60    | 7.6     | 920     | 1.29    | 0.17    | 1.44    | 0.08    | 37.2    | 10.5    | 56      | 5.01    | 37.8    |
| S004420            |         | 1.26      | 0.005   | 0.01    | 0.05    | <0.2    | 10      | <0.05   | 0.01    | 35.6    | <0.02   | 0.25    | 0.4     | 1       | <0.05   | 1.0     |
| S004421            |         | 4.53      | 0.008   | 0.15    | 9.21    | 8.9     | 980     | 1.38    | 0.20    | 1.49    | 0.18    | 41.4    | 14.0    | 57      | 5.74    | 41.1    |
| S004422            |         | 5.61      | 0.011   | 0.24    | 9.86    | 3.8     | 1140    | 2.05    | 0.21    | 1.05    | 0.37    | 42.6    | 18.6    | 49      | 6.94    | 45.1    |
| S004423            |         | 6.37      | 0.010   | 0.24    | 9.60    | 4.9     | 1070    | 1.86    | 0.21    | 1.41    | 0.28    | 40.0    | 17.3    | 49      | 6.08    | 41.6    |
| S004424            |         | 7.65      | 0.005   | 0.11    | 6.70    | 14.0    | 610     | 0.90    | 0.09    | 3.72    | 0.13    | 30.0    | 12.6    | 49      | 3.99    | 18.3    |
| S004425            |         | 3.57      | 0.005   | 0.10    | 6.99    | 12.5    | 740     | 1.05    | 0.09    | 2.99    | 0.16    | 30.3    | 11.7    | 58      | 4.34    | 16.2    |
| S004426            |         | 6.81      | 0.010   | 0.22    | 9.75    | 2.9     | 1060    | 1.81    | 0.23    | 1.22    | 0.20    | 40.2    | 16.7    | 55      | 6.16    | 41.0    |
| S004426CD          |         | <0.02     | 0.012   | 0.22    | 9.50    | 3.5     | 1050    | 1.85    | 0.23    | 1.19    | 0.18    | 43.8    | 17.3    | 54      | 6.31    | 42.4    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004389            |                          | 6.02    | 17.30   | 0.17    | 1.1     | 0.076   | 2.11    | 18.1    | 34.4    | 1.31    | 761     | 1.05    | 0.66    | 6.9     | 19.0    | 630   |
| S004390            |                          | 4.66    | 13.85   | 0.19    | 1.3     | 1.405   | 3.74    | 13.9    | 13.3    | 0.47    | 1170    | 10.55   | 0.23    | 5.7     | 16.1    | 930   |
| S004391            |                          | 4.05    | 20.3    | 0.21    | 1.1     | 0.081   | 2.85    | 20.0    | 22.7    | 0.84    | 299     | 0.91    | 0.73    | 8.1     | 19.1    | 450   |
| S004392            |                          | 4.54    | 20.2    | 0.20    | 1.1     | 0.081   | 2.77    | 20.1    | 20.9    | 0.93    | 489     | 0.91    | 0.68    | 8.0     | 21.7    | 470   |
| S004393            |                          | 5.98    | 18.90   | 0.18    | 1.1     | 0.074   | 2.50    | 19.4    | 23.9    | 1.17    | 653     | 1.02    | 0.43    | 6.9     | 26.4    | 640   |
| S004394            |                          | 7.07    | 19.15   | 0.19    | 1.1     | 0.082   | 2.37    | 20.2    | 27.1    | 1.34    | 999     | 1.03    | 0.56    | 7.5     | 26.4    | 930   |
| S004395            |                          | 4.97    | 20.9    | 0.21    | 1.2     | 0.083   | 2.92    | 19.4    | 22.1    | 1.03    | 460     | 0.77    | 0.74    | 8.9     | 25.0    | 520   |
| S004396            |                          | 5.83    | 19.90   | 0.19    | 1.2     | 0.075   | 2.56    | 19.3    | 25.8    | 1.25    | 687     | 1.22    | 0.66    | 8.0     | 22.6    | 610   |
| S004397            |                          | 5.40    | 18.90   | 0.20    | 1.3     | 0.078   | 2.51    | 18.6    | 23.6    | 1.16    | 612     | 1.26    | 0.69    | 7.7     | 21.8    | 640   |
| S004398            |                          | 4.90    | 20.0    | 0.19    | 1.1     | 0.077   | 2.93    | 18.8    | 19.2    | 1.00    | 484     | 1.11    | 0.61    | 7.6     | 20.7    | 530   |
| S004399            |                          | 6.33    | 18.35   | 0.19    | 0.9     | 0.076   | 2.91    | 18.1    | 13.4    | 1.23    | 897     | 0.80    | 0.35    | 6.5     | 23.5    | 930   |
| S004400            |                          | 0.04    | 0.20    | 0.19    | <0.1    | 0.005   | 0.01    | <0.5    | 0.5     | 1.71    | 18      | 0.07    | <0.01   | <0.1    | <0.2    | 20    |
| S004401            |                          | 6.44    | 15.95   | 0.18    | 0.8     | 0.075   | 2.58    | 17.9    | 10.8    | 1.33    | 1230    | 0.92    | 0.30    | 5.8     | 16.1    | 820   |
| S004402            |                          | 4.76    | 17.40   | 0.18    | 0.9     | 0.520   | 2.91    | 18.1    | 12.0    | 0.88    | 996     | 0.70    | 0.33    | 6.6     | 14.0    | 360   |
| S004403            |                          | 4.40    | 18.30   | 0.18    | 1.3     | 0.068   | 2.71    | 15.3    | 16.3    | 0.94    | 556     | 1.00    | 0.40    | 7.0     | 14.3    | 420   |
| S004404            |                          | 6.41    | 18.25   | 0.18    | 1.0     | 0.071   | 2.52    | 17.0    | 19.0    | 1.16    | 965     | 0.77    | 0.42    | 6.6     | 24.1    | 890   |
| S004405            |                          | 5.21    | 19.70   | 0.19    | 1.1     | 0.082   | 2.97    | 18.8    | 16.3    | 1.03    | 815     | 0.71    | 0.52    | 8.1     | 19.8    | 670   |
| S004406            |                          | 5.95    | 19.20   | 0.20    | 1.2     | 0.085   | 2.72    | 19.3    | 24.9    | 1.13    | 809     | 0.75    | 0.47    | 7.5     | 23.7    | 690   |
| S004406CD          |                          | 5.98    | 19.70   | 0.18    | 1.0     | 0.080   | 2.73    | 20.2    | 25.2    | 1.14    | 822     | 0.76    | 0.47    | 7.6     | 24.4    | 690   |
| S004407            |                          | 4.74    | 20.1    | 0.20    | 1.1     | 0.083   | 3.00    | 19.3    | 27.9    | 0.96    | 472     | 0.97    | 0.42    | 8.0     | 22.7    | 540   |
| S004408            |                          | 5.17    | 15.50   | 0.12    | 1.7     | 0.077   | 2.75    | 19.5    | 18.4    | 1.11    | 765     | 0.83    | 0.31    | 6.3     | 19.4    | 630   |
| S004409            |                          | 3.45    | 12.30   | 0.13    | 1.5     | 0.033   | 1.83    | 18.0    | 13.2    | 0.85    | 615     | 0.72    | 1.43    | 5.5     | 10.6    | 590   |
| S004410            |                          | 4.42    | 11.60   | 0.12    | 0.8     | 0.036   | 2.62    | 13.3    | 9.4     | 0.36    | 222     | 4.36    | 0.19    | 5.0     | 12.8    | 1260  |
| S004411            |                          | 3.46    | 12.60   | 0.13    | 1.5     | 0.032   | 1.78    | 15.9    | 14.0    | 0.88    | 665     | 0.78    | 1.60    | 5.6     | 13.0    | 600   |
| S004412            |                          | 3.47    | 11.15   | 0.12    | 1.4     | 0.030   | 1.68    | 18.8    | 10.4    | 1.01    | 999     | 1.20    | 1.47    | 5.5     | 16.0    | 610   |
| S004413            |                          | 3.82    | 19.65   | 0.15    | 1.2     | 0.068   | 3.08    | 21.3    | 16.8    | 0.77    | 315     | 0.72    | 1.07    | 8.2     | 17.9    | 530   |
| S004414            |                          | 4.18    | 17.60   | 0.17    | 1.3     | 0.066   | 2.72    | 21.0    | 16.8    | 0.86    | 446     | 0.91    | 1.07    | 7.3     | 22.3    | 530   |
| S004415            |                          | 4.73    | 16.45   | 0.15    | 1.2     | 0.058   | 2.39    | 18.7    | 22.5    | 1.03    | 487     | 0.73    | 1.02    | 6.5     | 17.4    | 560   |
| S004416            |                          | 5.02    | 15.35   | 0.13    | 1.5     | 0.051   | 2.02    | 20.3    | 26.1    | 1.14    | 633     | 1.11    | 1.17    | 6.5     | 16.5    | 780   |
| S004417            |                          | 5.10    | 14.90   | 0.15    | 1.1     | 0.062   | 2.05    | 19.6    | 25.6    | 1.12    | 677     | 1.33    | 0.99    | 6.2     | 19.4    | 840   |
| S004418            |                          | 4.48    | 17.35   | 0.18    | 1.3     | 0.061   | 2.43    | 19.2    | 22.9    | 1.05    | 602     | 1.09    | 1.13    | 7.1     | 16.6    | 590   |
| S004419            |                          | 4.04    | 16.65   | 0.15    | 1.2     | 0.065   | 2.41    | 17.7    | 19.6    | 0.95    | 530     | 0.87    | 1.23    | 7.0     | 16.6    | 530   |
| S004420            |                          | 0.04    | 0.19    | 0.17    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.85    | 16      | 0.08    | <0.01   | <0.1    | <0.2    | 30    |
| S004421            |                          | 4.74    | 17.85   | 0.18    | 1.3     | 0.073   | 2.57    | 19.9    | 20.5    | 1.03    | 531     | 1.14    | 1.09    | 7.2     | 20.4    | 670   |
| S004422            |                          | 4.63    | 20.0    | 0.16    | 1.0     | 0.085   | 2.95    | 19.5    | 19.3    | 0.89    | 400     | 0.63    | 1.05    | 8.3     | 22.0    | 490   |
| S004423            |                          | 4.95    | 18.95   | 0.15    | 1.0     | 0.075   | 2.79    | 18.3    | 22.3    | 0.98    | 507     | 0.80    | 1.02    | 8.3     | 21.3    | 580   |
| S004424            |                          | 4.53    | 12.00   | 0.12    | 1.3     | 0.044   | 1.61    | 16.2    | 16.4    | 1.22    | 1240    | 0.98    | 1.28    | 5.3     | 13.3    | 630   |
| S004425            |                          | 3.77    | 13.55   | 0.13    | 1.4     | 0.039   | 2.00    | 15.0    | 13.5    | 0.98    | 1020    | 1.21    | 1.20    | 5.9     | 12.6    | 540   |
| S004426            |                          | 4.98    | 19.40   | 0.15    | 1.0     | 0.080   | 2.86    | 18.4    | 22.3    | 0.99    | 505     | 0.76    | 0.96    | 8.2     | 19.9    | 570   |
| S004426CD          |                          | 4.92    | 19.40   | 0.15    | 1.0     | 0.078   | 2.84    | 20.8    | 22.0    | 0.99    | 491     | 0.74    | 0.95    | 8.5     | 20.7    | 570   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004389            |                          | 8.2     | 83.9    | <0.002  | 0.25    | 3.31    | 17.7    | 1       | 1.1     | 202     | 0.44    | 0.06    | 3.76    | 0.345   | 0.65    | 1.1 |
| S004390            |                          | 8670    | 163.5   | 0.006   | 3.01    | 76.2    | 11.5    | 3       | 4.2     | 145.0   | 0.36    | 0.28    | 3.75    | 0.250   | 3.29    | 2.1 |
| S004391            |                          | 17.3    | 119.0   | <0.002  | 0.34    | 6.26    | 20.6    | 1       | 1.4     | 171.0   | 0.49    | 0.10    | 4.43    | 0.396   | 0.94    | 1.0 |
| S004392            |                          | 17.5    | 114.0   | <0.002  | 0.81    | 6.85    | 20.2    | 1       | 1.3     | 186.0   | 0.48    | 0.10    | 4.29    | 0.378   | 0.91    | 1.0 |
| S004393            |                          | 23.7    | 106.0   | <0.002  | 1.29    | 8.79    | 19.9    | 1       | 1.2     | 244     | 0.43    | 0.08    | 4.21    | 0.342   | 0.86    | 1.0 |
| S004394            |                          | 24.1    | 102.0   | <0.002  | 1.45    | 8.05    | 19.7    | 1       | 1.2     | 216     | 0.45    | 0.09    | 4.09    | 0.328   | 0.82    | 0.9 |
| S004395            |                          | 20.8    | 118.0   | <0.002  | 1.02    | 6.74    | 21.2    | 1       | 1.4     | 194.0   | 0.56    | 0.07    | 4.48    | 0.384   | 0.97    | 1.0 |
| S004396            |                          | 13.6    | 104.0   | <0.002  | 0.74    | 4.47    | 20.0    | <1      | 1.3     | 197.0   | 0.49    | 0.09    | 4.39    | 0.365   | 0.81    | 1.0 |
| S004397            |                          | 15.8    | 105.5   | <0.002  | 0.85    | 4.72    | 20.1    | <1      | 1.2     | 188.0   | 0.48    | 0.07    | 4.33    | 0.381   | 0.88    | 1.1 |
| S004398            |                          | 11.9    | 119.5   | <0.002  | 0.70    | 4.50    | 20.4    | <1      | 1.3     | 165.5   | 0.47    | 0.08    | 4.15    | 0.365   | 1.01    | 1.0 |
| S004399            |                          | 14.6    | 121.0   | <0.002  | 1.12    | 7.05    | 19.2    | 1       | 1.2     | 175.0   | 0.40    | 0.09    | 3.72    | 0.308   | 1.11    | 0.9 |
| S004400            |                          | 0.5     | 0.4     | <0.002  | 0.06    | 0.05    | 0.2     | 1       | <0.2    | 5290    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.4 |
| S004401            |                          | 46.3    | 106.5   | <0.002  | 1.38    | 10.80   | 15.1    | 1       | 1.2     | 264     | 0.35    | 0.07    | 3.29    | 0.280   | 1.04    | 0.8 |
| S004402            |                          | 5330    | 117.0   | <0.002  | 1.64    | 585     | 17.2    | 1       | 1.8     | 182.0   | 0.42    | 0.06    | 3.69    | 0.322   | 1.16    | 0.9 |
| S004403            |                          | 10.9    | 112.0   | <0.002  | 0.30    | 3.77    | 18.4    | <1      | 1.1     | 180.0   | 0.45    | <0.05   | 3.89    | 0.364   | 0.97    | 1.0 |
| S004404            |                          | 24.8    | 106.0   | <0.002  | 1.65    | 7.83    | 19.0    | 1       | 1.1     | 224     | 0.42    | 0.09    | 3.74    | 0.323   | 0.83    | 0.8 |
| S004405            |                          | 16.0    | 119.5   | 0.002   | 1.03    | 4.87    | 20.3    | 1       | 1.3     | 190.5   | 0.49    | 0.06    | 4.25    | 0.366   | 0.92    | 0.9 |
| S004406            |                          | 20.5    | 111.5   | <0.002  | 1.35    | 6.94    | 20.1    | 1       | 1.2     | 191.5   | 0.47    | 0.08    | 4.19    | 0.348   | 0.90    | 1.0 |
| S004406CD          |                          | 19.8    | 112.0   | <0.002  | 1.36    | 6.97    | 20.4    | 1       | 1.2     | 193.5   | 0.45    | 0.08    | 4.19    | 0.345   | 0.93    | 1.0 |
| S004407            |                          | 14.3    | 122.5   | <0.002  | 0.87    | 6.32    | 21.1    | 1       | 1.3     | 149.5   | 0.50    | 0.08    | 4.36    | 0.380   | 1.03    | 1.1 |
| S004408            |                          | 11.1    | 107.0   | <0.002  | 1.11    | 4.93    | 17.8    | 1       | 1.2     | 164.5   | 0.39    | 0.10    | 4.22    | 0.329   | 1.02    | 1.4 |
| S004409            |                          | 12.4    | 71.3    | <0.002  | 0.31    | 2.46    | 8.9     | <1      | 0.7     | 205     | 0.37    | <0.05   | 4.11    | 0.254   | 0.65    | 1.8 |
| S004410            |                          | 51.7    | 119.5   | <0.002  | 4.05    | 33.5    | 13.5    | 5       | 1.7     | 129.0   | 0.28    | 0.26    | 2.35    | 0.290   | 2.22    | 0.9 |
| S004411            |                          | 15.9    | 61.8    | <0.002  | 0.26    | 2.53    | 10.3    | 1       | 0.7     | 234     | 0.39    | <0.05   | 3.80    | 0.256   | 0.61    | 1.6 |
| S004412            |                          | 22.3    | 64.2    | <0.002  | 0.20    | 5.17    | 8.7     | <1      | 0.6     | 267     | 0.37    | 0.06    | 3.91    | 0.247   | 0.55    | 1.7 |
| S004413            |                          | 15.9    | 124.5   | <0.002  | 0.85    | 6.14    | 21.3    | 1       | 1.2     | 199.0   | 0.50    | 0.06    | 4.47    | 0.406   | 0.96    | 1.1 |
| S004414            |                          | 18.4    | 107.5   | <0.002  | 0.92    | 6.53    | 19.0    | 1       | 1.1     | 182.5   | 0.46    | 0.08    | 4.38    | 0.382   | 0.91    | 1.3 |
| S004415            |                          | 10.7    | 93.5    | <0.002  | 0.54    | 4.39    | 19.5    | 1       | 1.0     | 174.0   | 0.39    | 0.06    | 3.87    | 0.350   | 0.73    | 1.1 |
| S004416            |                          | 11.8    | 80.7    | <0.002  | 0.37    | 2.80    | 15.9    | <1      | 1.0     | 202     | 0.41    | 0.05    | 4.23    | 0.322   | 0.67    | 1.5 |
| S004417            |                          | 15.5    | 83.4    | <0.002  | 0.57    | 5.29    | 17.1    | <1      | 0.9     | 243     | 0.39    | 0.05    | 3.88    | 0.305   | 0.64    | 1.2 |
| S004418            |                          | 7.5     | 99.3    | <0.002  | 0.36    | 3.81    | 20.5    | 1       | 1.1     | 186.0   | 0.41    | 0.08    | 4.03    | 0.350   | 0.81    | 1.2 |
| S004419            |                          | 6.5     | 93.6    | <0.002  | 0.29    | 4.38    | 18.7    | 1       | 1.0     | 178.0   | 0.42    | 0.07    | 3.85    | 0.361   | 0.72    | 1.1 |
| S004420            |                          | <0.5    | 0.3     | <0.002  | 0.06    | <0.05   | 0.1     | 1       | <0.2    | 5130    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |
| S004421            |                          | 12.4    | 103.5   | <0.002  | 0.70    | 6.57    | 20.0    | 1       | 1.2     | 184.0   | 0.45    | 0.06    | 4.45    | 0.367   | 0.87    | 1.3 |
| S004422            |                          | 20.1    | 118.0   | <0.002  | 1.16    | 9.79    | 23.0    | 1       | 1.4     | 189.0   | 0.51    | 0.09    | 4.35    | 0.397   | 0.98    | 0.8 |
| S004423            |                          | 19.1    | 111.0   | 0.002   | 0.98    | 8.51    | 21.0    | <1      | 1.4     | 200     | 0.48    | 0.09    | 4.20    | 0.380   | 0.93    | 0.9 |
| S004424            |                          | 14.6    | 67.3    | <0.002  | 0.20    | 2.95    | 9.8     | <1      | 0.7     | 309     | 0.34    | <0.05   | 3.63    | 0.258   | 0.53    | 1.5 |
| S004425            |                          | 12.3    | 67.5    | <0.002  | 0.24    | 3.47    | 10.7    | 1       | 0.8     | 269     | 0.39    | <0.05   | 3.50    | 0.287   | 0.64    | 1.4 |
| S004426            |                          | 13.2    | 111.5   | <0.002  | 0.77    | 6.57    | 22.0    | 1       | 1.3     | 191.0   | 0.50    | 0.08    | 4.23    | 0.394   | 0.87    | 0.9 |
| S004426CD          |                          | 13.9    | 112.5   | 0.003   | 0.83    | 7.55    | 23.1    | 1       | 1.4     | 187.5   | 0.50    | 0.10    | 4.26    | 0.393   | 0.87    | 0.9 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S004389            |                                   | 116      | 0.9        | 12.4       | 118      | 41.3       | 25.1     | 0.4      | 117      |
| S004390            |                                   | 120      | 4.3        | 9.5        | 1840     | 43.3       | 28.6     | 0.4      | 74       |
| S004391            |                                   | 127      | 1.0        | 13.2       | 91       | 42.1       | 27.1     | 0.5      | 135      |
| S004392            |                                   | 125      | 1.1        | 12.9       | 104      | 41.4       | 26.2     | 0.5      | 139      |
| S004393            |                                   | 119      | 1.1        | 11.8       | 122      | 41.1       | 25.0     | 0.4      | 123      |
| S004394            |                                   | 115      | 0.9        | 13.1       | 119      | 41.6       | 25.6     | 0.5      | 136      |
| S004395            |                                   | 127      | 1.0        | 11.3       | 114      | 42.2       | 25.0     | 0.5      | 136      |
| S004396            |                                   | 124      | 0.9        | 12.6       | 122      | 44.9       | 25.4     | 0.5      | 120      |
| S004397            |                                   | 123      | 1.0        | 12.1       | 116      | 49.4       | 25.3     | 0.4      | 122      |
| S004398            |                                   | 121      | 1.0        | 11.6       | 115      | 41.5       | 25.6     | 0.5      | 121      |
| S004399            |                                   | 109      | 2.0        | 12.2       | 121      | 32.9       | 26.2     | 0.5      | 123      |
| S004400            |                                   | 1        | <0.1       | 0.3        | <2       | 0.6        | 1.5      | <0.1     | 30       |
| S004401            |                                   | 88       | 7.8        | 13.2       | 105      | 33.9       | 23.9     | 0.4      | 109      |
| S004402            |                                   | 104      | 4.7        | 10.9       | 3050     | 35.5       | 27.0     | 0.4      | 116      |
| S004403            |                                   | 117      | 0.9        | 10.4       | 87       | 45.8       | 27.2     | 0.5      | 114      |
| S004404            |                                   | 112      | 0.9        | 12.0       | 125      | 39.2       | 25.3     | 0.4      | 112      |
| S004405            |                                   | 120      | 0.9        | 11.3       | 115      | 40.6       | 25.4     | 0.5      | 134      |
| S004406            |                                   | 117      | 1.2        | 13.4       | 113      | 43.3       | 25.1     | 0.5      | 127      |
| S004406CD          |                                   | 118      | 1.1        | 12.6       | 111      | 41.2       | 24.9     | 0.4      | 127      |
| S004407            |                                   | 125      | 2.0        | 10.9       | 116      | 41.4       | 26.3     | 0.5      | 132      |
| S004408            |                                   | 114      | 4.6        | 13.0       | 95       | 66.7       | 25.5     | 0.4      | 116      |
| S004409            |                                   | 86       | 0.8        | 10.1       | 54       | 56.9       | 27.2     | 0.3      | 120      |
| S004410            |                                   | 138      | 2.3        | 6.9        | 199      | 28.2       | 32.5     | 0.4      | 74       |
| S004411            |                                   | 91       | 0.6        | 10.2       | 73       | 53.9       | 27.7     | 0.3      | 119      |
| S004412            |                                   | 66       | 0.7        | 11.5       | 55       | 50.1       | 27.1     | 0.3      | 133      |
| S004413            |                                   | 131      | 1.0        | 12.5       | 84       | 46.6       | 26.3     | 0.6      | 127      |
| S004414            |                                   | 119      | 0.9        | 11.9       | 110      | 50.0       | 25.6     | 0.5      | 134      |
| S004415            |                                   | 120      | 0.8        | 11.4       | 117      | 42.4       | 26.3     | 0.5      | 130      |
| S004416            |                                   | 110      | 0.9        | 13.0       | 109      | 54.7       | 25.1     | 0.4      | 140      |
| S004417            |                                   | 106      | 0.8        | 11.9       | 110      | 46.4       | 24.9     | 0.4      | 130      |
| S004418            |                                   | 126      | 0.9        | 11.0       | 105      | 47.9       | 25.6     | 0.5      | 124      |
| S004419            |                                   | 123      | 0.9        | 11.4       | 95       | 43.7       | 26.7     | 0.5      | 131      |
| S004420            |                                   | 2        | <0.1       | 0.3        | <2       | 0.5        | 1.4      | <0.1     | 30       |
| S004421            |                                   | 125      | 0.9        | 12.4       | 110      | 49.1       | 25.3     | 0.5      | 134      |
| S004422            |                                   | 127      | 1.0        | 10.2       | 110      | 36.5       | 26.3     | 0.5      | 136      |
| S004423            |                                   | 121      | 1.0        | 10.7       | 111      | 38.7       | 26.2     | 0.5      | 141      |
| S004424            |                                   | 79       | 0.7        | 12.3       | 77       | 51.5       | 26.0     | 0.3      | 117      |
| S004425            |                                   | 87       | 0.8        | 10.6       | 65       | 47.9       | 25.4     | 0.4      | 129      |
| S004426            |                                   | 126      | 1.1        | 10.2       | 106      | 39.3       | 25.6     | 0.5      | 146      |
| S004426CD          |                                   | 128      | 1.1        | 10.6       | 105      | 38.8       | 26.2     | 0.5      | 143      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
|                    |                          | 0.02                | 0.005          | 0.01           | 0.01         | 0.2            | 10             | 0.05           | 0.01           | 0.01         | 0.02           | 0.01           | 0.1            | 1              | 0.05           | 0.2            |
| S004427            |                          | 4.44                | 0.011          | 0.20           | 8.01         | 6.0            | 820            | 1.37           | 0.16           | 1.59         | 0.14           | 38.4           | 12.4           | 52             | 4.64           | 32.3           |
| S004428            |                          | 6.57                | 0.005          | 0.11           | 8.25         | 10.1           | 770            | 1.36           | 0.12           | 1.77         | 0.13           | 37.3           | 11.7           | 55             | 4.66           | 28.5           |
| S004429            |                          | 7.15                | 0.006          | 0.09           | 8.66         | 8.9            | 870            | 1.38           | 0.13           | 1.67         | 0.11           | 37.3           | 10.4           | 62             | 5.18           | 30.3           |
| S004430            |                          | 0.15                | 1.030          | 11.30          | 6.10         | 330            | 390            | 1.03           | 0.17           | 3.60         | 4.10           | 23.3           | 9.8            | 26             | 6.60           | 83.4           |
| S004431            |                          | 5.83                | 0.008          | 0.22           | 7.97         | 10.2           | 830            | 1.21           | 0.14           | 3.01         | 0.27           | 41.2           | 13.8           | 49             | 4.69           | 29.1           |
| S004432            |                          | 6.75                | 0.014          | 0.20           | 7.04         | 17.5           | 700            | 1.23           | 0.13           | 4.22         | 0.23           | 44.2           | 12.3           | 34             | 4.21           | 19.2           |
| S004433            |                          | 5.75                | 0.013          | 0.21           | 7.63         | 15.5           | 810            | 1.37           | 0.15           | 3.16         | 0.23           | 44.0           | 17.5           | 38             | 4.80           | 26.5           |
| S004434            |                          | 7.31                | 0.011          | 0.24           | 9.78         | 4.5            | 1080           | 1.92           | 0.21           | 0.92         | 0.13           | 43.3           | 19.1           | 47             | 6.53           | 44.5           |
| S004435            |                          | 4.78                | 0.011          | 0.25           | 9.19         | 2.8            | 990            | 1.84           | 0.21           | 1.16         | 0.31           | 39.8           | 15.4           | 45             | 6.49           | 38.5           |
| S004436            |                          | 6.63                | 0.012          | 0.27           | 9.03         | 6.9            | 1010           | 1.79           | 0.18           | 1.65         | 0.51           | 40.6           | 19.7           | 42             | 5.97           | 36.3           |
| S004437            |                          | 5.62                | 0.015          | 0.23           | 7.59         | 20.0           | 770            | 1.30           | 0.15           | 2.86         | 0.37           | 43.2           | 15.2           | 51             | 4.85           | 30.2           |
| S004438            |                          | 5.63                | 0.011          | 0.20           | 9.28         | 6.5            | 1030           | 1.78           | 0.19           | 2.27         | 0.21           | 44.0           | 17.0           | 47             | 6.44           | 29.4           |
| S004439            |                          | 5.70                | 0.010          | 0.20           | 9.91         | 5.7            | 1080           | 1.93           | 0.21           | 1.13         | 0.15           | 44.5           | 17.3           | 53             | 6.74           | 39.8           |
| S004440            |                          | 0.97                | <0.005         | <0.01          | 0.24         | <0.2           | 10             | <0.05          | <0.01          | 34.9         | <0.02          | 0.30           | 0.5            | 1              | <0.05          | 0.9            |
| S004441            |                          | 6.16                | 0.007          | 0.11           | 7.40         | 16.9           | 700            | 0.91           | 0.09           | 2.98         | 0.10           | 38.1           | 15.3           | 51             | 4.50           | 17.8           |
| S004442            |                          | 6.65                | 0.009          | 0.11           | 8.71         | 7.2            | 930            | 1.11           | 0.16           | 1.14         | 0.16           | 39.6           | 11.1           | 56             | 5.13           | 32.9           |
| S004443            |                          | 4.21                | 0.008          | 0.14           | 9.53         | 7.7            | 1080           | 1.88           | 0.19           | 0.82         | 0.11           | 37.3           | 12.0           | 52             | 7.06           | 35.8           |
| S004444            |                          | 4.39                | 0.006          | 0.13           | 9.08         | 8.2            | 880            | 1.82           | 0.15           | 0.93         | 0.13           | 36.7           | 8.9            | 54             | 6.96           | 26.8           |
| S004445            |                          | 3.85                | 0.108          | 0.55           | 8.18         | 64.2           | 630            | 1.13           | 0.04           | 3.38         | 0.62           | 18.60          | 50.0           | 167            | 7.48           | 41.7           |
| S004446            |                          | 4.28                | 0.016          | 0.38           | 7.92         | 32.5           | 740            | 1.13           | 0.16           | 6.88         | 0.39           | 21.5           | 33.6           | 122            | 6.09           | 50.1           |
| S004446CD          |                          | <0.02               | 0.015          | 0.35           | 7.69         | 32.6           | 700            | 1.04           | 0.14           | 6.73         | 0.38           | 20.6           | 33.8           | 121            | 6.02           | 49.3           |
| S004447            |                          | 2.73                | 0.015          | 0.30           | 9.40         | 11.0           | 1050           | 1.75           | 0.18           | 1.48         | 0.24           | 44.4           | 18.5           | 53             | 6.39           | 35.3           |
| S004448            |                          | 3.77                | 0.011          | 0.18           | 7.31         | 14.2           | 730            | 1.17           | 0.10           | 3.41         | 0.22           | 37.8           | 14.8           | 58             | 4.46           | 20.8           |
| S004449            |                          | 5.84                | 0.010          | 0.16           | 6.52         | 16.1           | 600            | 0.99           | 0.08           | 3.65         | 0.21           | 34.4           | 14.8           | 55             | 3.62           | 17.0           |
| S004450            |                          | 0.14                | 6.24           | 82.8           | 6.32         | 304            | 290            | 1.14           | 1.19           | 1.98         | 23.3           | 28.9           | 11.8           | 22             | 7.85           | 122.0          |
| S004451            |                          | 6.47                | 0.013          | 0.24           | 8.83         | 7.3            | 1030           | 1.87           | 0.19           | 1.76         | 0.15           | 37.0           | 14.5           | 51             | 5.42           | 31.6           |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004427            |                          | 5.02    | 15.70   | 0.14    | 1.0     | 0.058   | 2.19    | 18.4    | 22.6    | 1.01    | 582     | 0.73    | 0.85    | 6.1     | 18.9    | 940   |
| S004428            |                          | 5.11    | 15.45   | 0.13    | 1.3     | 0.058   | 2.08    | 19.4    | 25.9    | 1.17    | 665     | 1.15    | 1.12    | 6.6     | 18.6    | 670   |
| S004429            |                          | 4.76    | 16.50   | 0.15    | 1.3     | 0.067   | 2.31    | 19.1    | 24.9    | 1.10    | 635     | 1.14    | 1.05    | 7.0     | 19.2    | 630   |
| S004430            |                          | 3.95    | 12.50   | 0.14    | 1.2     | 0.049   | 3.91    | 11.7    | 12.4    | 0.54    | 1370    | 9.16    | 0.21    | 4.7     | 19.7    | 910   |
| S004431            |                          | 5.23    | 14.90   | 0.14    | 1.2     | 0.062   | 2.26    | 19.7    | 18.2    | 1.20    | 1050    | 1.11    | 1.00    | 6.5     | 18.5    | 710   |
| S004432            |                          | 6.72    | 13.15   | 0.12    | 0.9     | 0.053   | 1.87    | 20.5    | 18.9    | 1.42    | 1400    | 0.69    | 0.88    | 5.6     | 17.1    | 970   |
| S004433            |                          | 5.51    | 14.55   | 0.12    | 0.9     | 0.056   | 2.17    | 20.7    | 15.4    | 1.20    | 1110    | 0.81    | 0.93    | 6.3     | 19.8    | 990   |
| S004434            |                          | 4.95    | 19.90   | 0.14    | 0.9     | 0.083   | 2.87    | 19.6    | 22.6    | 0.93    | 368     | 0.61    | 0.95    | 8.4     | 22.0    | 490   |
| S004435            |                          | 4.67    | 18.20   | 0.15    | 0.8     | 0.077   | 2.64    | 18.8    | 24.5    | 0.85    | 363     | 0.48    | 0.88    | 7.6     | 20.1    | 410   |
| S004436            |                          | 4.96    | 18.15   | 0.16    | 0.9     | 0.081   | 2.72    | 18.3    | 17.8    | 1.03    | 692     | 1.24    | 0.92    | 7.9     | 25.1    | 530   |
| S004437            |                          | 6.02    | 14.95   | 0.15    | 1.3     | 0.060   | 2.08    | 20.2    | 19.2    | 1.24    | 1070    | 0.92    | 0.84    | 6.2     | 21.2    | 1650  |
| S004438            |                          | 5.33    | 18.00   | 0.16    | 1.0     | 0.074   | 2.73    | 19.4    | 18.1    | 1.17    | 840     | 0.62    | 1.03    | 7.7     | 21.5    | 590   |
| S004439            |                          | 4.95    | 19.80   | 0.16    | 1.0     | 0.089   | 2.88    | 20.2    | 21.5    | 1.01    | 422     | 0.75    | 1.01    | 8.2     | 22.5    | 560   |
| S004440            |                          | 0.10    | 0.32    | 0.12    | 0.1     | <0.005  | 0.02    | <0.5    | 0.7     | 1.67    | 17      | 0.11    | 0.01    | 0.1     | <0.2    | 40    |
| S004441            |                          | 4.42    | 12.80   | 0.13    | 1.5     | 0.043   | 1.89    | 19.6    | 15.6    | 1.13    | 965     | 1.16    | 1.23    | 6.1     | 15.9    | 580   |
| S004442            |                          | 4.21    | 16.75   | 0.15    | 1.2     | 0.064   | 2.43    | 19.1    | 18.7    | 0.96    | 450     | 0.81    | 1.01    | 7.0     | 17.3    | 570   |
| S004443            |                          | 4.35    | 19.20   | 0.08    | 1.2     | 0.080   | 2.75    | 18.2    | 22.3    | 0.95    | 315     | 1.29    | 1.09    | 9.3     | 21.6    | 520   |
| S004444            |                          | 5.57    | 18.75   | 0.07    | 1.0     | 0.082   | 2.31    | 16.6    | 29.7    | 1.28    | 493     | 1.21    | 0.80    | 8.1     | 24.2    | 630   |
| S004445            |                          | 7.23    | 16.85   | 0.08    | 0.5     | 0.079   | 2.73    | 6.0     | 12.6    | 1.23    | 1380    | 0.65    | 0.82    | 3.6     | 64.7    | 1010  |
| S004446            |                          | 7.92    | 15.05   | 0.07    | 0.7     | 0.076   | 2.04    | 7.6     | 24.0    | 2.21    | 2340    | 0.65    | 0.96    | 4.1     | 42.2    | 830   |
| S004446CD          |                          | 7.81    | 14.80   | 0.07    | 0.8     | 0.080   | 1.93    | 7.4     | 24.1    | 2.18    | 2310    | 0.62    | 0.97    | 3.9     | 42.5    | 840   |
| S004447            |                          | 4.63    | 18.70   | 0.08    | 1.3     | 0.078   | 2.88    | 21.5    | 19.2    | 0.96    | 593     | 0.99    | 0.96    | 7.9     | 20.5    | 620   |
| S004448            |                          | 4.71    | 13.50   | 0.08    | 1.4     | 0.049   | 2.02    | 19.8    | 15.6    | 1.20    | 1250    | 1.42    | 1.05    | 6.5     | 17.7    | 680   |
| S004449            |                          | 4.68    | 11.20   | 0.07    | 1.4     | 0.036   | 1.68    | 18.8    | 19.8    | 1.23    | 1240    | 1.78    | 1.03    | 5.9     | 19.1    | 670   |
| S004450            |                          | 4.78    | 12.90   | 0.07    | 1.3     | 1.450   | 3.70    | 14.2    | 14.3    | 0.48    | 1160    | 9.64    | 0.24    | 5.9     | 17.0    | 960   |
| S004451            |                          | 4.67    | 17.10   | 0.09    | 1.0     | 0.068   | 2.64    | 16.7    | 17.0    | 1.04    | 685     | 0.89    | 1.00    | 8.1     | 20.1    | 520   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S004427            |                          | 15.6    | 87.3    | <0.002  | 0.99    | 7.03    | 19.7    | 1       | 1.0     | 177.0   | 0.36    | 0.08    | 3.70    | 0.309   | 0.76    | 0.9   |
| S004428            |                          | 8.4     | 83.9    | <0.002  | 0.24    | 2.40    | 17.4    | <1      | 1.0     | 185.0   | 0.41    | 0.05    | 4.34    | 0.332   | 0.68    | 1.5   |
| S004429            |                          | 8.4     | 94.7    | <0.002  | 0.26    | 3.17    | 20.1    | 1       | 1.1     | 186.5   | 0.41    | 0.07    | 4.12    | 0.358   | 0.73    | 1.3   |
| S004430            |                          | 147.0   | 164.0   | 0.010   | 2.86    | 17.60   | 10.6    | 2       | 1.4     | 188.5   | 0.27    | 0.28    | 2.78    | 0.249   | 3.09    | 1.5   |
| S004431            |                          | 25.2    | 89.3    | <0.002  | 0.97    | 5.41    | 16.2    | 1       | 0.9     | 239     | 0.41    | <0.05   | 3.93    | 0.303   | 0.70    | 1.1   |
| S004432            |                          | 29.4    | 75.0    | <0.002  | 1.75    | 6.37    | 14.3    | 1       | 0.8     | 284     | 0.36    | 0.06    | 3.51    | 0.258   | 0.60    | 0.8   |
| S004433            |                          | 28.1    | 88.1    | 0.002   | 1.49    | 7.69    | 15.6    | 1       | 1.0     | 247     | 0.38    | 0.05    | 3.71    | 0.280   | 0.64    | 0.8   |
| S004434            |                          | 20.2    | 117.5   | 0.002   | 1.10    | 8.75    | 23.2    | 1       | 1.4     | 171.5   | 0.51    | 0.10    | 4.37    | 0.385   | 0.92    | 0.8   |
| S004435            |                          | 22.5    | 109.0   | 0.002   | 1.13    | 8.76    | 21.1    | 1       | 1.3     | 205     | 0.48    | 0.09    | 4.17    | 0.357   | 0.89    | 0.7   |
| S004436            |                          | 22.4    | 104.0   | 0.002   | 1.22    | 8.74    | 21.2    | 1       | 1.3     | 187.5   | 0.47    | 0.10    | 3.91    | 0.377   | 0.87    | 0.7   |
| S004437            |                          | 29.1    | 87.4    | <0.002  | 1.67    | 7.30    | 17.3    | 1       | 1.0     | 230     | 0.38    | 0.07    | 3.83    | 0.292   | 0.69    | 1.1   |
| S004438            |                          | 24.7    | 104.0   | 0.003   | 1.24    | 8.24    | 19.6    | 1       | 1.3     | 229     | 0.49    | 0.06    | 4.25    | 0.356   | 0.88    | 0.8   |
| S004439            |                          | 16.8    | 118.5   | <0.002  | 1.04    | 7.88    | 24.1    | 1       | 1.3     | 184.0   | 0.49    | 0.09    | 4.48    | 0.396   | 0.89    | 0.9   |
| S004440            |                          | <0.5    | 0.6     | <0.002  | 0.12    | <0.05   | 0.3     | <1      | <0.2    | 5010    | <0.05   | <0.05   | 0.04    | 0.009   | 0.02    | 1.6   |
| S004441            |                          | 17.1    | 76.0    | <0.002  | 0.29    | 3.62    | 11.6    | 1       | 0.9     | 238     | 0.40    | <0.05   | 4.43    | 0.278   | 0.61    | 1.7   |
| S004442            |                          | 8.4     | 97.7    | <0.002  | 0.39    | 3.72    | 19.8    | <1      | 1.1     | 158.5   | 0.43    | 0.06    | 4.00    | 0.349   | 0.79    | 1.1   |
| S004443            |                          | 12.1    | 107.0   | 0.002   | 0.58    | 4.99    | 21.6    | <1      | 1.4     | 177.0   | 0.60    | 0.07    | 4.51    | 0.423   | 0.91    | 1.0   |
| S004444            |                          | 8.3     | 94.1    | 0.002   | 0.40    | 4.43    | 23.3    | <1      | 1.2     | 159.0   | 0.51    | 0.05    | 4.04    | 0.413   | 0.81    | 0.8   |
| S004445            |                          | 37.1    | 88.0    | <0.002  | 3.71    | 14.15   | 39.5    | 1       | 0.9     | 259     | 0.24    | <0.05   | 0.46    | 0.921   | 1.02    | 0.1   |
| S004446            |                          | 17.8    | 82.9    | <0.002  | 1.25    | 5.65    | 33.1    | 1       | 0.8     | 441     | 0.26    | 0.05    | 1.18    | 0.722   | 0.69    | 0.3   |
| S004446CD          |                          | 15.4    | 81.1    | <0.002  | 1.15    | 5.53    | 33.0    | 1       | 0.8     | 430     | 0.24    | <0.05   | 1.09    | 0.710   | 0.67    | 0.3   |
| S004447            |                          | 19.5    | 111.5   | <0.002  | 1.07    | 6.30    | 21.2    | 1       | 1.3     | 201     | 0.51    | 0.08    | 4.46    | 0.376   | 0.96    | 1.2   |
| S004448            |                          | 27.2    | 85.1    | <0.002  | 0.68    | 4.21    | 13.4    | 1       | 0.9     | 256     | 0.42    | <0.05   | 4.27    | 0.284   | 0.66    | 1.6   |
| S004449            |                          | 25.0    | 68.4    | <0.002  | 0.55    | 4.00    | 11.1    | 1       | 0.8     | 267     | 0.39    | <0.05   | 3.96    | 0.266   | 0.56    | 1.8   |
| S004450            |                          | 8760    | 158.0   | 0.005   | 3.02    | 76.5    | 12.6    | 3       | 4.1     | 144.0   | 0.36    | 0.26    | 3.75    | 0.250   | 3.27    | 2.1   |
| S004451            |                          | 19.2    | 97.0    | <0.002  | 0.92    | 7.16    | 18.9    | <1      | 1.3     | 195.0   | 0.51    | 0.07    | 4.06    | 0.380   | 0.82    | 0.9   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

| Sample Description | Method Analyte Units LOD | ME-MS61    | ME-MS61      | ME-MS61      | ME-MS61     | ME-MS61       | pXRF-34     | pXRF-34     | pXRF-34     |
|--------------------|--------------------------|------------|--------------|--------------|-------------|---------------|-------------|-------------|-------------|
|                    |                          | V ppm<br>1 | W ppm<br>0.1 | Y ppm<br>0.1 | Zn ppm<br>2 | Zr ppm<br>0.5 | Si %<br>0.5 | Ti %<br>0.1 | Zr ppm<br>5 |
| S004427            |                          | 115        | 0.8          | 12.8         | 100         | 37.6          | 27.5        | 0.4         | 112         |
| S004428            |                          | 115        | 0.9          | 12.1         | 122         | 50.6          | 25.5        | 0.4         | 141         |
| S004429            |                          | 128        | 0.9          | 11.6         | 112         | 49.0          | 25.6        | 0.5         | 126         |
| S004430            |                          | 105        | 4.4          | 8.3          | 468         | 38.0          | 28.6        | 0.4         | 78          |
| S004431            |                          | 99         | 0.8          | 12.5         | 91          | 44.1          | 25.2        | 0.4         | 115         |
| S004432            |                          | 69         | 0.7          | 12.0         | 88          | 36.5          | 23.6        | 0.3         | 114         |
| S004433            |                          | 82         | 0.7          | 12.3         | 74          | 34.9          | 24.5        | 0.4         | 117         |
| S004434            |                          | 126        | 1.0          | 9.8          | 100         | 34.6          | 25.8        | 0.5         | 141         |
| S004435            |                          | 117        | 0.9          | 9.3          | 134         | 31.1          | 24.8        | 0.5         | 131         |
| S004436            |                          | 113        | 0.9          | 9.2          | 105         | 33.8          | 26.2        | 0.5         | 137         |
| S004437            |                          | 100        | 0.8          | 14.9         | 92          | 51.4          | 24.4        | 0.4         | 123         |
| S004438            |                          | 110        | 0.9          | 10.5         | 93          | 34.8          | 24.9        | 0.5         | 134         |
| S004439            |                          | 127        | 1.0          | 11.1         | 108         | 39.2          | 26.2        | 0.5         | 140         |
| S004440            |                          | 3          | <0.1         | 0.4          | <2          | 2.1           | 1.3         | <0.1        | 41          |
| S004441            |                          | 88         | 0.8          | 12.4         | 81          | 55.3          | 25.6        | 0.4         | 118         |
| S004442            |                          | 119        | 1.0          | 10.9         | 107         | 41.7          | 27.2        | 0.5         | 124         |
| S004443            |                          | 129        | 1.1          | 10.6         | 101         | 44.8          | 27.3        | 0.5         | 151         |
| S004444            |                          | 131        | 1.0          | 11.1         | 127         | 37.1          | 27.2        | 0.5         | 118         |
| S004445            |                          | 349        | 0.4          | 7.9          | 137         | 15.4          | 21.3        | 1.1         | 66          |
| S004446            |                          | 268        | 0.4          | 11.7         | 122         | 36.0          | 16.6        | 0.8         | 76          |
| S004446CD          |                          | 261        | 0.3          | 11.7         | 118         | 25.4          | 17.5        | 0.8         | 70          |
| S004447            |                          | 127        | 0.9          | 10.2         | 87          | 49.8          | 25.3        | 0.5         | 138         |
| S004448            |                          | 92         | 0.8          | 11.6         | 74          | 52.3          | 25.2        | 0.4         | 127         |
| S004449            |                          | 87         | 0.7          | 12.2         | 85          | 61.8          | 25.6        | 0.4         | 114         |
| S004450            |                          | 124        | 4.2          | 9.3          | 1800        | 44.7          | 29.0        | 0.3         | 76          |
| S004451            |                          | 118        | 1.6          | 9.6          | 90          | 40.3          | 26.9        | 0.5         | 134         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 9-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19185955**

|                    | <b>CERTIFICATE COMMENTS</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|--------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
| Applies to Method: | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REE's may not be totally soluble in this method.<br/>           ME-MS61</p>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method: | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">BAG-01</td> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01             | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d            | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC             | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21             |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA23</td> <td style="width: 33%;">ME-MS61</td> <td style="width: 33%;">pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23            | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19193615**

Project: Bowser Regional Project  
 P.O. No.: BOW-0720  
 This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004452            |         | 4.99      | 0.011   | 0.16    | 7.52    | 16.4    | 790     | 1.21    | 0.27    | 3.42    | 0.36    | 38.5    | 14.7    | 47      | 4.68    | 36.9    |
| S004453            |         | 5.79      | 0.007   | 0.26    | 10.35   | 2.3     | 1190    | 1.78    | 0.22    | 1.06    | 0.18    | 43.0    | 17.4    | 54      | 6.71    | 49.7    |
| S004454            |         | 6.46      | <0.005  | 0.15    | 9.41    | 6.6     | 1090    | 1.56    | 0.17    | 0.82    | 0.17    | 42.0    | 14.2    | 61      | 5.94    | 37.5    |
| S004455            |         | 7.25      | <0.005  | 0.14    | 8.20    | 11.1    | 830     | 1.28    | 0.15    | 1.64    | 0.20    | 35.4    | 15.1    | 56      | 4.93    | 36.6    |
| S004456            |         | 5.72      | 0.008   | 0.14    | 8.30    | 11.3    | 920     | 1.29    | 0.17    | 2.13    | 0.12    | 35.6    | 16.1    | 56      | 5.08    | 44.2    |
| S004457            |         | 6.30      | 0.005   | 0.08    | 8.59    | 9.4     | 910     | 1.30    | 0.16    | 1.08    | 0.12    | 37.1    | 11.4    | 56      | 4.54    | 32.1    |
| S004458            |         | 6.23      | 0.005   | 0.11    | 8.38    | 10.1    | 900     | 1.33    | 0.15    | 1.16    | 0.12    | 39.7    | 12.3    | 47      | 4.62    | 32.2    |
| S004459            |         | 5.73      | 0.008   | 0.18    | 9.00    | 7.2     | 1010    | 1.54    | 0.23    | 1.24    | 0.16    | 43.4    | 17.8    | 52      | 5.22    | 42.9    |
| S004460            |         | 1.15      | <0.005  | <0.01   | 0.05    | <0.2    | 10      | <0.05   | <0.01   | 36.5    | <0.02   | 0.29    | 0.3     | 1       | <0.05   | 0.6     |
| S004461            |         | 7.18      | 0.009   | 0.15    | 9.22    | 8.0     | 1090    | 1.58    | 0.20    | 1.43    | 0.11    | 38.6    | 16.0    | 46      | 5.39    | 40.2    |
| S004462            |         | 6.54      | 0.011   | 0.18    | 9.57    | 10.2    | 1110    | 1.69    | 0.24    | 1.18    | 0.10    | 39.8    | 15.8    | 50      | 5.98    | 44.0    |
| S004463            |         | 6.29      | 0.007   | 0.12    | 9.26    | 5.8     | 1050    | 1.51    | 0.19    | 1.57    | 0.11    | 37.6    | 17.6    | 54      | 5.81    | 39.6    |
| S004464            |         | 6.51      | 0.005   | 0.12    | 8.90    | 6.1     | 1060    | 1.51    | 0.18    | 1.12    | 0.09    | 38.1    | 16.3    | 52      | 5.79    | 42.6    |
| S004465            |         | 6.78      | 0.008   | 0.15    | 9.10    | 10.0    | 1030    | 1.54    | 0.21    | 1.17    | 0.13    | 39.0    | 16.3    | 49      | 5.94    | 45.1    |
| S004466            |         | 5.75      | 0.013   | 0.17    | 8.51    | 12.7    | 920     | 1.46    | 0.20    | 1.26    | 0.11    | 37.2    | 15.1    | 45      | 5.99    | 42.9    |
| S004466CD          |         | <0.02     | 0.013   | 0.18    | 8.86    | 12.9    | 960     | 1.46    | 0.20    | 1.29    | 0.13    | 38.6    | 15.6    | 46      | 6.28    | 43.8    |
| S004467            |         | 6.00      | 0.010   | 0.17    | 8.66    | 12.9    | 1000    | 1.39    | 0.21    | 1.15    | 0.10    | 38.9    | 15.8    | 48      | 5.41    | 47.2    |
| S004468            |         | 5.11      | 0.013   | 0.19    | 8.51    | 19.9    | 960     | 1.26    | 0.24    | 1.00    | 0.12    | 38.9    | 16.9    | 44      | 5.11    | 56.8    |
| S004469            |         | 6.34      | 0.006   | 0.10    | 8.84    | 14.2    | 1350    | 1.67    | 0.18    | 1.94    | 0.89    | 36.0    | 14.8    | 50      | 6.64    | 36.7    |
| S004470            |         | 0.11      | 1.210   | 29.0    | 5.73    | 370     | 120     | 1.27    | 1.02    | 0.63    | 1.72    | 29.6    | 13.6    | 18      | 8.36    | 108.0   |
| S004471            |         | 5.86      | 0.013   | 0.31    | 7.44    | 32.9    | 640     | 1.29    | 0.16    | 2.36    | 0.24    | 35.0    | 15.7    | 40      | 5.21    | 40.8    |
| S004472            |         | 6.51      | 0.011   | 0.16    | 8.49    | 18.8    | 960     | 1.44    | 0.20    | 1.95    | 0.17    | 39.9    | 16.8    | 49      | 6.00    | 39.2    |
| S004473            |         | 4.71      | 0.008   | 0.17    | 8.67    | 28.9    | 970     | 1.48    | 0.18    | 1.50    | 0.12    | 39.2    | 18.7    | 49      | 7.03    | 40.2    |
| S004474            |         | 6.06      | 0.013   | 0.24    | 8.99    | 32.9    | 970     | 1.42    | 0.23    | 1.38    | 0.24    | 40.1    | 18.6    | 51      | 8.87    | 42.7    |
| S004475            |         | 5.73      | 0.006   | 0.51    | 9.07    | 34.2    | 1000    | 1.45    | 0.15    | 1.60    | 1.55    | 43.6    | 15.5    | 57      | 7.54    | 36.4    |
| S004476            |         | 2.12      | <0.005  | 0.98    | 8.21    | 35.9    | 870     | 1.30    | 0.12    | 1.45    | 0.56    | 40.7    | 13.9    | 55      | 6.35    | 25.2    |
| S004477            |         | 4.87      | <0.005  | 0.14    | 7.67    | 32.7    | 810     | 1.18    | 0.11    | 1.88    | 0.24    | 38.4    | 15.4    | 44      | 6.76    | 27.6    |
| S004478            |         | 4.54      | 0.005   | 0.17    | 8.01    | 27.6    | 830     | 1.29    | 0.11    | 1.84    | 0.28    | 39.6    | 15.1    | 45      | 5.44    | 27.1    |
| S004479            |         | 3.93      | 0.006   | 0.17    | 8.04    | 21.6    | 870     | 1.40    | 0.38    | 1.47    | 0.13    | 41.6    | 15.3    | 45      | 5.04    | 34.1    |
| S004480            |         | 1.40      | <0.005  | 0.01    | 0.05    | 0.2     | 10      | <0.05   | <0.01   | 35.3    | <0.02   | 0.32    | 0.3     | 1       | <0.05   | 0.7     |
| S004481            |         | 5.82      | 0.005   | 0.19    | 9.12    | 21.4    | 1110    | 1.60    | 0.32    | 1.21    | 0.10    | 42.3    | 15.0    | 52      | 5.96    | 39.0    |
| S004482            |         | 5.31      | 0.008   | 0.21    | 8.94    | 31.3    | 1100    | 1.51    | 0.18    | 1.25    | 0.16    | 43.3    | 16.0    | 54      | 6.40    | 35.5    |
| S004483            |         | 4.87      | 0.011   | 0.48    | 7.21    | 32.4    | 880     | 1.02    | 0.16    | 2.37    | 0.39    | 37.8    | 16.8    | 47      | 5.93    | 33.2    |
| S004484            |         | 3.93      | 0.027   | 0.31    | 5.83    | 28.3    | 500     | 1.02    | 0.24    | 3.61    | 0.28    | 34.6    | 15.8    | 35      | 3.72    | 49.2    |
| S004485            |         | 5.54      | 0.012   | 0.19    | 7.45    | 8.1     | 830     | 1.32    | 0.14    | 2.48    | 0.17    | 36.4    | 12.7    | 43      | 3.95    | 34.2    |
| S004486            |         | 5.71      | 0.008   | 0.18    | 9.91    | 2.8     | 1240    | 1.94    | 0.17    | 1.24    | 0.12    | 42.7    | 13.5    | 58      | 4.65    | 37.3    |
| S004486CD          |         | <0.02     | 0.007   | 0.19    | 10.10   | 2.7     | 1270    | 1.97    | 0.18    | 1.19    | 0.13    | 43.3    | 14.2    | 60      | 4.79    | 36.8    |
| S004487            |         | 6.42      | 0.007   | 0.18    | 8.83    | 2.1     | 1050    | 1.61    | 0.35    | 1.40    | 0.13    | 40.1    | 13.5    | 52      | 4.01    | 35.4    |
| S004488            |         | 8.03      | 0.009   | 0.31    | 8.97    | 17.5    | 980     | 1.76    | 0.14    | 1.50    | 0.24    | 40.8    | 16.8    | 54      | 6.00    | 32.4    |
| S004489            |         | 6.05      | 0.009   | 0.28    | 9.56    | 19.0    | 1160    | 1.93    | 0.22    | 1.20    | 0.15    | 40.3    | 22.2    | 58      | 5.12    | 43.9    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004452            |                          | 5.93    | 15.25   | 0.09    | 1.5     | 0.063   | 2.08    | 19.3    | 19.8    | 1.54    | 1240    | 1.54    | 0.72    | 6.7     | 19.6    | 890   |
| S004453            |                          | 4.90    | 21.2    | 0.07    | 1.1     | 0.083   | 3.17    | 20.1    | 16.7    | 1.02    | 439     | 0.77    | 0.98    | 8.7     | 24.5    | 580   |
| S004454            |                          | 4.35    | 20.0    | 0.10    | 1.4     | 0.066   | 2.72    | 20.8    | 19.0    | 0.95    | 367     | 1.13    | 0.89    | 8.2     | 21.2    | 580   |
| S004455            |                          | 4.61    | 17.80   | 0.07    | 1.4     | 0.055   | 2.25    | 17.3    | 27.1    | 1.05    | 553     | 1.07    | 0.91    | 7.0     | 19.8    | 570   |
| S004456            |                          | 4.73    | 19.15   | 0.09    | 1.2     | 0.061   | 2.40    | 16.7    | 29.8    | 1.13    | 503     | 0.79    | 0.80    | 7.3     | 19.9    | 660   |
| S004457            |                          | 4.32    | 17.80   | 0.06    | 1.6     | 0.057   | 2.38    | 17.8    | 22.2    | 0.97    | 476     | 0.95    | 0.91    | 7.6     | 17.9    | 590   |
| S004458            |                          | 4.11    | 17.95   | 0.09    | 1.1     | 0.058   | 2.38    | 19.3    | 25.0    | 0.93    | 485     | 0.88    | 0.94    | 7.4     | 15.9    | 570   |
| S004459            |                          | 4.83    | 19.30   | 0.09    | 1.2     | 0.063   | 2.70    | 20.5    | 35.4    | 0.98    | 531     | 0.78    | 0.81    | 7.9     | 19.7    | 590   |
| S004460            |                          | 0.04    | 0.15    | 0.07    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 2.01    | 22      | <0.05   | 0.01    | <0.1    | 0.4     | 40    |
| S004461            |                          | 5.15    | 20.7    | 0.08    | 1.0     | 0.079   | 2.84    | 17.0    | 33.1    | 1.06    | 590     | 0.86    | 0.70    | 8.3     | 20.1    | 600   |
| S004462            |                          | 5.84    | 21.3    | 0.08    | 1.1     | 0.077   | 2.82    | 18.0    | 30.5    | 1.11    | 612     | 1.01    | 0.66    | 8.5     | 22.4    | 720   |
| S004463            |                          | 5.50    | 20.5    | 0.11    | 1.1     | 0.075   | 2.71    | 17.4    | 21.5    | 1.15    | 629     | 0.98    | 0.69    | 8.1     | 25.2    | 550   |
| S004464            |                          | 4.90    | 20.4    | 0.08    | 1.1     | 0.074   | 2.55    | 17.8    | 23.6    | 1.03    | 413     | 0.80    | 0.72    | 7.8     | 24.0    | 420   |
| S004465            |                          | 5.17    | 20.9    | 0.08    | 1.0     | 0.081   | 2.64    | 17.7    | 26.0    | 0.98    | 526     | 1.04    | 0.77    | 8.3     | 22.6    | 830   |
| S004466            |                          | 5.66    | 18.95   | 0.08    | 1.1     | 0.070   | 2.36    | 17.0    | 33.7    | 1.03    | 557     | 0.71    | 0.73    | 7.3     | 20.9    | 930   |
| S004466CD          |                          | 5.76    | 19.90   | 0.09    | 1.3     | 0.066   | 2.44    | 17.8    | 33.8    | 1.06    | 578     | 0.69    | 0.76    | 7.6     | 21.7    | 860   |
| S004467            |                          | 5.43    | 19.15   | 0.09    | 1.0     | 0.069   | 2.37    | 17.9    | 42.0    | 1.01    | 521     | 0.83    | 0.79    | 7.2     | 20.5    | 860   |
| S004468            |                          | 5.46    | 19.20   | 0.09    | 1.0     | 0.060   | 2.32    | 18.3    | 33.5    | 0.97    | 459     | 0.82    | 0.81    | 7.2     | 21.6    | 810   |
| S004469            |                          | 4.46    | 21.6    | 0.10    | 0.9     | 0.088   | 2.83    | 15.7    | 82.4    | 0.97    | 489     | 0.80    | 0.62    | 8.1     | 20.4    | 410   |
| S004470            |                          | 4.40    | 14.05   | 0.08    | 1.1     | 0.034   | 2.62    | 14.4    | 11.1    | 0.36    | 222     | 5.02    | 0.19    | 5.7     | 13.9    | 1240  |
| S004471            |                          | 7.87    | 16.95   | 0.10    | 0.9     | 0.061   | 2.01    | 16.1    | 56.7    | 1.23    | 1320    | 1.01    | 0.52    | 6.4     | 21.8    | 1540  |
| S004472            |                          | 5.46    | 18.70   | 0.09    | 1.4     | 0.062   | 2.39    | 18.8    | 53.6    | 1.10    | 810     | 0.91    | 0.83    | 7.7     | 21.2    | 790   |
| S004473            |                          | 4.97    | 19.25   | 0.09    | 1.1     | 0.063   | 2.49    | 18.5    | 99.7    | 0.87    | 663     | 1.41    | 0.91    | 7.3     | 22.1    | 580   |
| S004474            |                          | 5.07    | 20.3    | 0.10    | 1.1     | 0.064   | 2.77    | 18.4    | 174.5   | 0.84    | 532     | 0.76    | 0.77    | 7.9     | 23.6    | 650   |
| S004475            |                          | 4.43    | 20.1    | 0.10    | 1.3     | 0.070   | 2.89    | 21.1    | 191.0   | 0.81    | 466     | 0.89    | 0.86    | 7.9     | 18.5    | 550   |
| S004476            |                          | 4.06    | 18.25   | 0.08    | 1.5     | 0.049   | 2.52    | 20.6    | 216     | 0.71    | 532     | 0.91    | 0.98    | 7.3     | 16.1    | 470   |
| S004477            |                          | 4.43    | 17.25   | 0.09    | 1.3     | 0.053   | 2.17    | 18.6    | 167.0   | 0.92    | 721     | 0.87    | 1.09    | 7.2     | 16.2    | 470   |
| S004478            |                          | 4.49    | 17.30   | 0.10    | 1.3     | 0.057   | 2.21    | 19.2    | 133.0   | 0.97    | 705     | 0.90    | 1.17    | 7.6     | 16.7    | 470   |
| S004479            |                          | 4.56    | 17.65   | 0.09    | 1.4     | 0.076   | 2.24    | 20.6    | 92.0    | 0.97    | 731     | 1.01    | 1.03    | 7.3     | 16.6    | 500   |
| S004480            |                          | 0.04    | 0.18    | 0.08    | <0.1    | <0.005  | 0.01    | <0.5    | 0.9     | 1.74    | 20      | <0.05   | 0.01    | <0.1    | 0.4     | 30    |
| S004481            |                          | 4.63    | 20.7    | 0.11    | 1.1     | 0.074   | 2.96    | 19.6    | 148.0   | 0.92    | 508     | 0.73    | 0.69    | 8.5     | 20.1    | 460   |
| S004482            |                          | 4.65    | 20.0    | 0.09    | 1.0     | 0.074   | 2.76    | 20.2    | 182.0   | 0.83    | 488     | 0.78    | 0.77    | 8.4     | 21.6    | 490   |
| S004483            |                          | 5.31    | 15.65   | 0.09    | 1.1     | 0.051   | 1.88    | 17.9    | 217     | 0.92    | 784     | 0.92    | 0.79    | 6.6     | 19.9    | 610   |
| S004484            |                          | 7.17    | 13.20   | 0.08    | 1.0     | 0.041   | 1.27    | 16.3    | 60.5    | 1.23    | 1100    | 1.30    | 0.78    | 5.4     | 18.9    | 2060  |
| S004485            |                          | 4.92    | 16.50   | 0.08    | 1.0     | 0.060   | 1.97    | 16.5    | 20.0    | 0.91    | 752     | 0.60    | 1.00    | 7.1     | 17.2    | 750   |
| S004486            |                          | 4.50    | 19.50   | 0.15    | 1.0     | 0.083   | 3.09    | 19.2    | 19.2    | 0.90    | 534     | 0.86    | 0.97    | 8.4     | 20.4    | 520   |
| S004486CD          |                          | 4.54    | 20.4    | 0.17    | 0.9     | 0.078   | 3.15    | 19.9    | 19.7    | 0.89    | 523     | 0.74    | 0.96    | 8.8     | 20.5    | 540   |
| S004487            |                          | 4.74    | 17.05   | 0.15    | 1.0     | 0.080   | 2.72    | 19.1    | 22.6    | 1.00    | 647     | 0.75    | 0.76    | 7.8     | 18.9    | 460   |
| S004488            |                          | 5.08    | 17.50   | 0.17    | 1.0     | 0.074   | 2.63    | 19.1    | 120.5   | 0.91    | 671     | 0.75    | 0.98    | 7.4     | 20.3    | 550   |
| S004489            |                          | 4.95    | 19.35   | 0.17    | 0.9     | 0.078   | 3.00    | 18.1    | 50.4    | 0.90    | 556     | 0.85    | 1.05    | 8.0     | 26.4    | 540   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004452            |                          | 14.3    | 83.4    | <0.002  | 0.71    | 4.71    | 15.1    | 1       | 1.1     | 243     | 0.46    | 0.05    | 4.31    | 0.317   | 0.66    | 1.4 |
| S004453            |                          | 15.4    | 120.0   | <0.002  | 0.82    | 6.31    | 23.2    | <1      | 1.5     | 193.0   | 0.57    | 0.09    | 4.64    | 0.440   | 0.95    | 1.0 |
| S004454            |                          | 9.6     | 111.5   | 0.002   | 0.35    | 2.85    | 20.8    | 1       | 1.4     | 161.0   | 0.52    | 0.05    | 4.81    | 0.394   | 0.88    | 1.5 |
| S004455            |                          | 13.9    | 84.8    | <0.002  | 0.32    | 4.03    | 16.7    | 1       | 1.1     | 204     | 0.45    | <0.05   | 4.21    | 0.334   | 0.75    | 1.5 |
| S004456            |                          | 12.4    | 85.7    | <0.002  | 0.42    | 3.95    | 19.2    | 1       | 1.2     | 252     | 0.48    | 0.05    | 4.11    | 0.356   | 0.81    | 1.2 |
| S004457            |                          | 7.4     | 93.2    | <0.002  | 0.27    | 2.35    | 18.6    | <1      | 1.2     | 158.5   | 0.49    | 0.07    | 4.61    | 0.381   | 0.77    | 1.3 |
| S004458            |                          | 8.4     | 94.7    | <0.002  | 0.30    | 2.43    | 18.0    | <1      | 1.2     | 171.5   | 0.47    | <0.05   | 4.25    | 0.368   | 0.75    | 1.1 |
| S004459            |                          | 16.4    | 109.0   | <0.002  | 0.92    | 4.86    | 20.2    | 1       | 1.3     | 175.0   | 0.51    | 0.08    | 4.57    | 0.377   | 0.89    | 1.1 |
| S004460            |                          | <0.5    | 0.4     | <0.002  | 0.05    | <0.05   | 0.2     | 1       | <0.2    | 4670    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.3 |
| S004461            |                          | 13.4    | 106.0   | <0.002  | 0.94    | 4.15    | 21.9    | 1       | 1.4     | 174.0   | 0.53    | 0.08    | 4.04    | 0.400   | 0.97    | 0.9 |
| S004462            |                          | 15.6    | 117.0   | <0.002  | 1.18    | 4.22    | 23.2    | <1      | 1.4     | 165.5   | 0.54    | 0.08    | 4.44    | 0.416   | 0.98    | 0.9 |
| S004463            |                          | 13.7    | 111.0   | 0.002   | 0.92    | 3.47    | 22.7    | 1       | 1.4     | 189.0   | 0.52    | 0.05    | 4.26    | 0.387   | 0.96    | 0.9 |
| S004464            |                          | 12.5    | 111.5   | <0.002  | 0.75    | 3.28    | 22.4    | 1       | 1.3     | 196.0   | 0.50    | 0.05    | 4.39    | 0.374   | 0.89    | 1.0 |
| S004465            |                          | 19.1    | 114.0   | <0.002  | 1.02    | 4.07    | 22.9    | 1       | 1.4     | 169.0   | 0.51    | 0.09    | 4.30    | 0.386   | 0.95    | 0.9 |
| S004466            |                          | 20.3    | 101.5   | <0.002  | 1.26    | 4.11    | 20.9    | 1       | 1.3     | 167.0   | 0.47    | 0.07    | 4.03    | 0.350   | 0.85    | 0.9 |
| S004466CD          |                          | 20.1    | 107.0   | <0.002  | 1.27    | 4.21    | 21.7    | <1      | 1.3     | 171.0   | 0.47    | 0.07    | 4.28    | 0.372   | 0.86    | 0.9 |
| S004467            |                          | 18.6    | 101.0   | <0.002  | 1.05    | 3.29    | 20.9    | 1       | 1.3     | 198.5   | 0.45    | 0.09    | 3.88    | 0.351   | 0.82    | 0.9 |
| S004468            |                          | 19.1    | 100.5   | <0.002  | 1.16    | 3.79    | 20.6    | 1       | 1.3     | 179.0   | 0.47    | 0.09    | 4.00    | 0.350   | 0.83    | 0.8 |
| S004469            |                          | 10.6    | 105.0   | <0.002  | 0.63    | 2.21    | 21.5    | 1       | 1.5     | 305     | 0.51    | 0.06    | 3.78    | 0.384   | 0.97    | 0.8 |
| S004470            |                          | 50.5    | 126.0   | <0.002  | 4.08    | 37.2    | 14.2    | 6       | 2.0     | 133.0   | 0.33    | 0.30    | 2.68    | 0.299   | 2.39    | 1.0 |
| S004471            |                          | 21.7    | 91.6    | 0.002   | 2.38    | 4.84    | 18.9    | 1       | 1.2     | 314     | 0.41    | 0.08    | 3.55    | 0.305   | 0.78    | 0.8 |
| S004472            |                          | 17.7    | 105.5   | <0.002  | 0.91    | 3.70    | 20.3    | 1       | 1.3     | 211     | 0.49    | 0.06    | 4.24    | 0.364   | 0.84    | 1.1 |
| S004473            |                          | 15.1    | 108.0   | <0.002  | 0.79    | 6.68    | 20.1    | 1       | 1.4     | 194.0   | 0.45    | 0.09    | 4.10    | 0.344   | 0.93    | 1.0 |
| S004474            |                          | 18.3    | 121.0   | <0.002  | 1.24    | 16.70   | 21.2    | 1       | 1.4     | 189.0   | 0.48    | 0.07    | 4.27    | 0.368   | 1.05    | 1.0 |
| S004475            |                          | 25.0    | 116.5   | <0.002  | 0.71    | 22.4    | 20.4    | 1       | 1.3     | 210     | 0.51    | <0.05   | 4.75    | 0.383   | 1.04    | 1.4 |
| S004476            |                          | 21.9    | 103.5   | <0.002  | 0.49    | 18.30   | 17.2    | 1       | 1.1     | 190.5   | 0.46    | <0.05   | 4.81    | 0.349   | 0.91    | 1.7 |
| S004477            |                          | 11.5    | 85.4    | <0.002  | 0.35    | 8.36    | 16.3    | 1       | 1.1     | 212     | 0.45    | <0.05   | 4.21    | 0.332   | 0.81    | 1.4 |
| S004478            |                          | 11.4    | 89.1    | <0.002  | 0.41    | 9.89    | 16.4    | 1       | 1.2     | 213     | 0.49    | 0.05    | 4.31    | 0.354   | 0.80    | 1.3 |
| S004479            |                          | 8.4     | 89.8    | <0.002  | 0.49    | 2.67    | 17.3    | <1      | 1.4     | 181.5   | 0.46    | 0.06    | 4.49    | 0.359   | 0.83    | 1.4 |
| S004480            |                          | <0.5    | 0.5     | <0.002  | 0.06    | <0.05   | 0.2     | 1       | <0.2    | 4970    | <0.05   | 0.05    | 0.03    | <0.005  | <0.02   | 1.4 |
| S004481            |                          | 8.6     | 123.0   | <0.002  | 0.86    | 9.48    | 21.4    | 1       | 1.5     | 203     | 0.53    | 0.09    | 4.68    | 0.402   | 1.10    | 1.0 |
| S004482            |                          | 14.2    | 117.0   | <0.002  | 1.08    | 16.65   | 20.8    | <1      | 1.4     | 233     | 0.53    | 0.06    | 4.39    | 0.392   | 1.05    | 1.0 |
| S004483            |                          | 29.7    | 83.1    | <0.002  | 1.24    | 19.80   | 15.9    | 1       | 1.0     | 288     | 0.41    | 0.06    | 3.77    | 0.305   | 0.76    | 1.0 |
| S004484            |                          | 19.8    | 56.2    | 0.002   | 2.19    | 5.06    | 12.7    | 2       | 0.8     | 246     | 0.33    | 0.10    | 3.17    | 0.244   | 0.49    | 0.9 |
| S004485            |                          | 19.7    | 78.3    | <0.002  | 1.15    | 2.93    | 16.6    | 1       | 1.1     | 230     | 0.45    | 0.05    | 3.53    | 0.323   | 0.68    | 0.9 |
| S004486            |                          | 11.2    | 120.0   | <0.002  | 0.90    | 2.55    | 21.8    | 1       | 1.3     | 190.5   | 0.51    | 0.06    | 3.91    | 0.431   | 0.98    | 1.0 |
| S004486CD          |                          | 11.1    | 123.5   | <0.002  | 0.97    | 2.57    | 22.2    | 1       | 1.4     | 191.0   | 0.53    | 0.08    | 4.00    | 0.442   | 1.02    | 1.0 |
| S004487            |                          | 9.2     | 105.5   | <0.002  | 0.90    | 2.43    | 20.1    | 1       | 1.3     | 171.0   | 0.46    | 0.09    | 3.60    | 0.395   | 0.88    | 0.9 |
| S004488            |                          | 14.3    | 107.0   | <0.002  | 0.99    | 7.25    | 20.2    | 1       | 1.2     | 198.5   | 0.44    | <0.05   | 3.82    | 0.378   | 0.86    | 1.0 |
| S004489            |                          | 18.8    | 115.0   | <0.002  | 1.31    | 6.38    | 21.8    | 1       | 1.2     | 204     | 0.48    | 0.10    | 3.85    | 0.395   | 0.96    | 1.0 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61    | ME-MS61      | ME-MS61      | ME-MS61     | ME-MS61       | pXRF-34     | pXRF-34     | pXRF-34     |
|--------------------|--------------------------|------------|--------------|--------------|-------------|---------------|-------------|-------------|-------------|
|                    |                          | V ppm<br>1 | W ppm<br>0.1 | Y ppm<br>0.1 | Zn ppm<br>2 | Zr ppm<br>0.5 | Si %<br>0.5 | Ti %<br>0.1 | Zr ppm<br>5 |
| S004452            |                          | 99         | 4.9          | 14.6         | 156         | 54.6          | 24.0        | 0.4         | 111         |
| S004453            |                          | 132        | 1.1          | 11.1         | 123         | 40.4          | 24.9        | 0.5         | 133         |
| S004454            |                          | 124        | 1.1          | 11.3         | 113         | 54.1          | 25.3        | 0.4         | 138         |
| S004455            |                          | 109        | 1.0          | 11.7         | 116         | 53.5          | 24.4        | 0.4         | 122         |
| S004456            |                          | 120        | 1.0          | 11.3         | 99          | 44.2          | 24.7        | 0.4         | 127         |
| S004457            |                          | 123        | 1.8          | 12.2         | 113         | 60.4          | 26.8        | 0.5         | 121         |
| S004458            |                          | 114        | 1.0          | 11.1         | 105         | 41.0          | 26.9        | 0.5         | 140         |
| S004459            |                          | 119        | 1.2          | 11.2         | 110         | 43.2          | 25.9        | 0.5         | 137         |
| S004460            |                          | 1          | <0.1         | 0.3          | <2          | 0.6           | 1.5         | <0.1        | 27          |
| S004461            |                          | 121        | 1.1          | 11.2         | 104         | 37.0          | 25.2        | 0.5         | 133         |
| S004462            |                          | 127        | 1.2          | 11.3         | 116         | 39.1          | 25.8        | 0.5         | 124         |
| S004463            |                          | 126        | 1.1          | 9.9          | 113         | 39.1          | 25.0        | 0.5         | 126         |
| S004464            |                          | 122        | 1.0          | 10.1         | 101         | 39.9          | 26.4        | 0.5         | 122         |
| S004465            |                          | 121        | 1.0          | 10.7         | 113         | 36.4          | 25.9        | 0.5         | 129         |
| S004466            |                          | 112        | 0.9          | 11.2         | 108         | 39.4          | 25.5        | 0.5         | 123         |
| S004466CD          |                          | 118        | 1.0          | 12.0         | 112         | 51.3          | 25.8        | 0.5         | 114         |
| S004467            |                          | 112        | 1.0          | 11.2         | 104         | 37.1          | 26.1        | 0.4         | 121         |
| S004468            |                          | 111        | 1.0          | 12.3         | 108         | 36.7          | 26.0        | 0.4         | 132         |
| S004469            |                          | 123        | 1.4          | 13.5         | 237         | 33.1          | 23.3        | 0.5         | 135         |
| S004470            |                          | 133        | 2.5          | 8.4          | 195         | 31.4          | 32.8        | 0.4         | 75          |
| S004471            |                          | 98         | 0.9          | 12.8         | 112         | 30.9          | 23.0        | 0.4         | 106         |
| S004472            |                          | 111        | 1.0          | 11.8         | 104         | 48.2          | 24.3        | 0.4         | 122         |
| S004473            |                          | 111        | 1.0          | 10.6         | 96          | 38.6          | 24.6        | 0.4         | 128         |
| S004474            |                          | 120        | 1.5          | 11.0         | 92          | 39.2          | 25.1        | 0.5         | 130         |
| S004475            |                          | 125        | 2.6          | 11.9         | 192         | 48.1          | 24.3        | 0.5         | 133         |
| S004476            |                          | 113        | 2.4          | 12.3         | 68          | 56.3          | 25.3        | 0.4         | 120         |
| S004477            |                          | 103        | 1.1          | 11.9         | 96          | 48.5          | 25.0        | 0.4         | 116         |
| S004478            |                          | 108        | 1.5          | 12.5         | 95          | 46.5          | 25.4        | 0.4         | 132         |
| S004479            |                          | 109        | 2.9          | 13.2         | 95          | 50.7          | 26.4        | 0.4         | 126         |
| S004480            |                          | 1          | <0.1         | 0.3          | <2          | 0.7           | 1.6         | <0.1        | 27          |
| S004481            |                          | 126        | 1.9          | 11.5         | 97          | 38.5          | 26.0        | 0.5         | 141         |
| S004482            |                          | 120        | 1.9          | 10.3         | 96          | 37.6          | 24.6        | 0.5         | 132         |
| S004483            |                          | 92         | 2.6          | 11.3         | 98          | 42.3          | 25.8        | 0.4         | 107         |
| S004484            |                          | 70         | 0.8          | 17.0         | 132         | 40.0          | 24.9        | 0.3         | 101         |
| S004485            |                          | 95         | 0.9          | 11.0         | 100         | 40.5          | 25.7        | 0.4         | 113         |
| S004486            |                          | 139        | 1.1          | 9.7          | 102         | 38.6          | 25.8        | 0.5         | 147         |
| S004486CD          |                          | 141        | 1.2          | 10.3         | 101         | 40.0          | 25.8        | 0.6         | 143         |
| S004487            |                          | 120        | 2.9          | 10.0         | 111         | 41.6          | 26.1        | 0.5         | 128         |
| S004488            |                          | 122        | 1.2          | 10.7         | 104         | 39.2          | 26.0        | 0.5         | 132         |
| S004489            |                          | 131        | 1.1          | 10.8         | 108         | 37.5          | 25.8        | 0.5         | 130         |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
| Units              |         | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
| LOD                |         | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004490            |         | 0.13      | 1.015   | 11.65   | 6.07    | 316     | 340     | 1.10    | 0.17    | 3.72    | 4.29    | 23.2    | 10.1    | 26      | 6.47    | 85.8    |
| S004491            |         | 5.69      | 0.006   | 0.16    | 8.50    | 20.5    | 910     | 1.70    | 0.13    | 1.46    | 0.21    | 39.7    | 13.6    | 61      | 4.53    | 30.9    |
| S004492            |         | 6.37      | 0.008   | 0.93    | 8.41    | 55.5    | 940     | 1.71    | 0.22    | 1.79    | 1.08    | 39.9    | 19.3    | 51      | 4.76    | 34.6    |
| S004493            |         | 6.47      | 0.005   | 0.16    | 8.32    | 19.8    | 950     | 1.62    | 0.26    | 1.71    | 0.16    | 36.7    | 11.1    | 55      | 4.82    | 30.0    |
| S004494            |         | 6.71      | 0.005   | 0.33    | 8.42    | 25.1    | 1030    | 1.65    | 0.14    | 1.57    | 0.29    | 34.4    | 13.2    | 51      | 5.88    | 30.7    |
| S004495            |         | 6.30      | 0.005   | 0.14    | 9.82    | 20.1    | 1240    | 1.72    | 0.16    | 0.80    | 0.12    | 43.7    | 13.6    | 54      | 6.07    | 35.0    |
| S004496            |         | 6.25      | 0.007   | 0.13    | 8.50    | 19.2    | 940     | 1.38    | 0.14    | 1.50    | 0.13    | 36.8    | 14.4    | 55      | 5.35    | 33.3    |
| S004497            |         | 5.99      | 0.006   | 0.10    | 8.73    | 15.1    | 960     | 1.53    | 0.13    | 1.64    | 0.15    | 38.7    | 12.5    | 50      | 4.82    | 32.6    |
| S004498            |         | 6.64      | 0.010   | 0.45    | 9.88    | 17.5    | 1270    | 1.93    | 0.18    | 1.25    | 0.38    | 46.3    | 18.7    | 62      | 5.67    | 41.5    |
| S004499            |         | 5.97      | 0.011   | 0.26    | 8.26    | 24.1    | 980     | 1.60    | 0.18    | 2.07    | 0.26    | 41.8    | 19.6    | 47      | 4.15    | 42.2    |
| S004500            |         | 1.02      | <0.005  | <0.01   | 0.06    | 0.3     | 10      | <0.05   | 0.01    | 36.0    | <0.02   | 0.35    | 0.5     | 1       | <0.05   | 1.2     |
| S004501            |         | 6.40      | 0.007   | 0.17    | 7.89    | 20.1    | 860     | 1.58    | 0.14    | 2.06    | 0.22    | 39.8    | 12.6    | 48      | 4.13    | 32.1    |
| S004502            |         | 6.62      | 0.006   | 0.28    | 9.36    | 26.5    | 1080    | 1.98    | 0.18    | 1.59    | 0.25    | 44.4    | 16.3    | 56      | 4.46    | 36.2    |
| S004503            |         | 5.34      | <0.005  | 0.38    | 9.22    | 20.1    | 1100    | 1.92    | 0.11    | 1.03    | 0.50    | 42.4    | 11.1    | 57      | 3.69    | 32.1    |
| S004504            |         | 5.20      | 0.042   | 2.32    | 9.08    | 773     | 1150    | 1.90    | 1.67    | 1.87    | 5.68    | 41.1    | 14.5    | 56      | 5.59    | 35.0    |
| S004505            |         | 5.43      | 0.016   | 0.72    | 7.64    | 666     | 740     | 1.58    | 0.61    | 3.44    | 3.06    | 37.6    | 12.8    | 49      | 7.01    | 29.2    |
| S004506            |         | 4.40      | 0.005   | 0.73    | 8.81    | 41.1    | 890     | 1.61    | 0.29    | 1.18    | 1.35    | 40.5    | 14.9    | 59      | 4.05    | 33.6    |
| S004506CD          |         | <0.02     | 0.005   | 0.72    | 8.74    | 39.7    | 880     | 1.56    | 0.29    | 1.18    | 1.47    | 41.2    | 14.8    | 59      | 4.18    | 34.7    |
| S004507            |         | 2.52      | 0.060   | 1.06    | 8.27    | 1295    | 640     | 1.78    | 1.81    | 2.71    | 2.20    | 37.8    | 13.5    | 59      | 5.08    | 32.5    |
| S004508            |         | 4.33      | <0.005  | 0.26    | 6.89    | 42.6    | 420     | 1.01    | 0.28    | 3.53    | 0.36    | 32.2    | 19.9    | 42      | 3.59    | 15.0    |
| S004509            |         | 5.99      | 0.017   | 0.37    | 6.10    | 551     | 350     | 0.69    | 0.45    | 6.59    | 4.30    | 25.3    | 19.0    | 16      | 3.13    | 13.6    |
| S004510            |         | 0.15      | 5.55    | 78.1    | 6.15    | 289     | 270     | 1.08    | 1.08    | 1.99    | 22.4    | 25.9    | 10.5    | 22      | 7.25    | 117.5   |
| S004511            |         | 5.75      | 0.052   | 1.88    | 7.80    | 750     | 870     | 1.51    | 2.03    | 1.38    | 16.30   | 37.6    | 11.3    | 47      | 3.53    | 41.2    |
| S004512            |         | 5.88      | 0.006   | 0.72    | 7.21    | 59.9    | 570     | 1.26    | 0.67    | 2.16    | 1.24    | 38.1    | 15.2    | 40      | 3.68    | 25.9    |
| S004513            |         | 5.89      | 0.009   | 0.68    | 6.18    | 446     | 490     | 1.18    | 1.74    | 3.34    | 1.64    | 31.2    | 12.9    | 25      | 3.75    | 48.8    |
| S004514            |         | 6.97      | 0.006   | 0.25    | 7.71    | 120.5   | 480     | 1.65    | 2.14    | 4.12    | 0.07    | 26.0    | 8.1     | 29      | 4.20    | 38.0    |
| S004515            |         | 4.31      | <0.005  | 0.27    | 7.59    | 72.2    | 900     | 1.45    | 1.42    | 3.29    | 0.08    | 24.0    | 9.3     | 31      | 3.72    | 32.9    |
| S004516            |         | 6.69      | 0.006   | 0.19    | 6.62    | 12.7    | 810     | 1.01    | 0.86    | 4.14    | 0.07    | 37.4    | 6.9     | 29      | 3.39    | 19.8    |
| S004517            |         | 6.02      | 0.006   | 0.38    | 6.21    | 9.5     | 740     | 1.07    | 1.85    | 5.31    | 0.05    | 26.9    | 11.3    | 33      | 3.38    | 35.4    |
| S004518            |         | 6.44      | 0.009   | 0.31    | 7.14    | 7.2     | 910     | 1.25    | 3.96    | 3.39    | 0.05    | 29.7    | 9.2     | 30      | 4.06    | 38.7    |
| S004519            |         | 6.34      | 0.008   | 0.25    | 7.78    | 3.9     | 1280    | 1.42    | 2.90    | 3.30    | 0.07    | 29.4    | 7.2     | 33      | 4.31    | 30.9    |
| S004520            |         | 1.00      | <0.005  | <0.01   | 0.10    | <0.2    | 20      | <0.05   | 0.02    | 33.7    | <0.02   | 0.42    | 0.4     | 1       | <0.05   | 1.1     |
| S004521            |         | 6.56      | 0.005   | 0.20    | 7.08    | 6.6     | 980     | 1.27    | 1.87    | 3.39    | 0.08    | 27.3    | 7.5     | 36      | 4.21    | 34.0    |
| S004522            |         | 5.42      | 0.008   | 0.23    | 7.71    | 12.4    | 1090    | 1.18    | 1.47    | 2.84    | 0.14    | 29.6    | 8.8     | 35      | 3.42    | 38.4    |
| S004523            |         | 7.60      | 0.008   | 0.22    | 7.96    | 5.9     | 1430    | 1.19    | 1.73    | 3.02    | 0.16    | 28.6    | 9.0     | 31      | 3.58    | 37.7    |
| S004524            |         | 6.66      | 0.006   | 0.21    | 7.33    | 17.4    | 1210    | 1.38    | 1.65    | 4.17    | 0.10    | 26.9    | 8.0     | 33      | 4.03    | 34.4    |
| S004525            |         | 6.60      | 0.379   | 2.47    | 6.56    | 1785    | 1030    | 1.50    | 5.19    | 3.77    | 55.5    | 24.4    | 7.0     | 26      | 3.16    | 40.1    |
| S004526            |         | 5.82      | 0.005   | 0.29    | 7.37    | 28.7    | 1220    | 1.31    | 2.28    | 3.50    | 0.16    | 28.9    | 7.5     | 26      | 3.26    | 35.6    |
| S004526CD          |         | <0.02     | 0.005   | 0.31    | 7.36    | 27.1    | 1210    | 1.32    | 2.46    | 3.46    | 0.14    | 27.4    | 7.5     | 26      | 3.31    | 35.0    |
| S004527            |         | 3.49      | 0.006   | 0.26    | 7.18    | 20.6    | 1160    | 1.27    | 2.58    | 3.06    | 0.13    | 27.1    | 8.1     | 28      | 3.89    | 38.7    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S004490            |         | 3.90    | 12.75   | 0.15    | 1.1     | 0.051   | 3.85    | 11.7    | 13.3    | 0.56    | 1400    | 9.34    | 0.21    | 4.7     | 20.7    | 910  |
| S004491            |         | 4.78    | 15.80   | 0.17    | 1.0     | 0.059   | 2.48    | 19.6    | 49.8    | 0.94    | 620     | 0.72    | 1.13    | 7.0     | 18.6    | 570  |
| S004492            |         | 4.67    | 16.10   | 0.15    | 1.0     | 0.064   | 2.87    | 18.9    | 25.2    | 0.87    | 631     | 0.98    | 0.91    | 7.0     | 22.6    | 520  |
| S004493            |         | 4.97    | 16.95   | 0.17    | 1.0     | 0.075   | 2.65    | 17.4    | 45.9    | 1.01    | 716     | 0.73    | 0.83    | 7.4     | 17.6    | 670  |
| S004494            |         | 4.28    | 17.10   | 0.15    | 1.0     | 0.069   | 2.71    | 15.8    | 108.0   | 0.75    | 589     | 0.78    | 0.93    | 7.1     | 18.6    | 440  |
| S004495            |         | 4.16    | 19.45   | 0.20    | 1.1     | 0.071   | 3.21    | 21.6    | 97.3    | 0.73    | 322     | 0.74    | 0.94    | 8.2     | 20.5    | 550  |
| S004496            |         | 4.20    | 16.25   | 0.19    | 1.2     | 0.067   | 2.55    | 17.8    | 34.9    | 0.84    | 547     | 0.80    | 1.17    | 6.9     | 19.3    | 470  |
| S004497            |         | 5.09    | 17.25   | 0.16    | 1.1     | 0.075   | 2.65    | 18.8    | 26.3    | 1.10    | 686     | 1.04    | 0.98    | 6.9     | 19.6    | 490  |
| S004498            |         | 4.94    | 20.0    | 0.17    | 0.9     | 0.089   | 3.36    | 21.5    | 9.0     | 0.90    | 513     | 0.78    | 0.90    | 8.0     | 24.4    | 570  |
| S004499            |         | 5.34    | 16.50   | 0.19    | 1.0     | 0.070   | 2.94    | 19.8    | 7.0     | 1.04    | 848     | 0.96    | 0.74    | 6.8     | 25.9    | 840  |
| S004500            |         | 0.04    | 0.24    | 0.18    | <0.1    | <0.005  | 0.02    | <0.5    | 0.7     | 1.70    | 17      | 0.06    | 0.01    | <0.1    | 0.3     | 20   |
| S004501            |         | 5.30    | 15.20   | 0.17    | 1.0     | 0.067   | 2.82    | 19.2    | 12.5    | 1.10    | 736     | 0.70    | 0.68    | 6.7     | 19.6    | 770  |
| S004502            |         | 5.18    | 18.10   | 0.18    | 0.9     | 0.079   | 3.62    | 20.7    | 5.9     | 1.01    | 569     | 0.82    | 0.52    | 7.5     | 22.3    | 560  |
| S004503            |         | 4.48    | 17.95   | 0.20    | 0.9     | 0.080   | 3.65    | 19.7    | 1.9     | 0.89    | 470     | 0.69    | 0.48    | 7.9     | 19.7    | 470  |
| S004504            |         | 4.88    | 17.95   | 0.19    | 1.2     | 0.138   | 3.73    | 18.9    | 7.8     | 0.91    | 703     | 0.72    | 0.18    | 7.4     | 21.4    | 540  |
| S004505            |         | 5.24    | 14.70   | 0.21    | 1.3     | 0.070   | 2.66    | 18.3    | 16.1    | 1.15    | 898     | 0.75    | 0.34    | 6.3     | 17.0    | 640  |
| S004506            |         | 4.47    | 16.70   | 0.17    | 1.1     | 0.070   | 3.46    | 20.4    | 4.3     | 0.86    | 387     | 0.56    | 0.50    | 7.0     | 19.8    | 480  |
| S004506CD          |         | 4.63    | 17.05   | 0.22    | 1.4     | 0.073   | 3.43    | 20.5    | 4.4     | 0.89    | 397     | 0.54    | 0.51    | 7.2     | 20.9    | 520  |
| S004507            |         | 4.71    | 15.95   | 0.20    | 1.1     | 0.087   | 3.57    | 18.6    | 6.3     | 0.93    | 764     | 0.78    | 0.19    | 6.5     | 17.3    | 540  |
| S004508            |         | 5.72    | 14.05   | 0.16    | 0.9     | 0.053   | 2.32    | 16.6    | 4.2     | 1.66    | 1160    | 1.19    | 1.24    | 5.3     | 11.1    | 670  |
| S004509            |         | 6.93    | 13.95   | 0.14    | 1.2     | 0.085   | 2.12    | 12.9    | 5.0     | 2.73    | 2050    | 1.41    | 0.98    | 4.9     | 5.0     | 1000 |
| S004510            |         | 4.63    | 12.65   | 0.15    | 1.2     | 1.385   | 3.63    | 13.2    | 12.7    | 0.48    | 1170    | 9.43    | 0.22    | 5.3     | 16.3    | 930  |
| S004511            |         | 4.03    | 16.15   | 0.17    | 1.3     | 0.160   | 3.57    | 19.2    | 3.0     | 0.67    | 384     | 1.01    | 0.16    | 5.6     | 14.0    | 370  |
| S004512            |         | 5.63    | 14.80   | 0.15    | 1.5     | 0.054   | 3.23    | 19.2    | 4.0     | 0.69    | 482     | 2.58    | 0.14    | 5.6     | 14.9    | 840  |
| S004513            |         | 5.38    | 13.65   | 0.16    | 2.5     | 0.038   | 2.29    | 17.0    | 4.3     | 1.09    | 488     | 21.6    | 0.81    | 5.0     | 42.3    | 840  |
| S004514            |         | 4.25    | 17.20   | 0.17    | 2.2     | 0.022   | 1.72    | 13.8    | 7.6     | 0.80    | 321     | 14.30   | 1.81    | 5.7     | 34.0    | 860  |
| S004515            |         | 4.30    | 15.70   | 0.16    | 1.9     | 0.019   | 1.55    | 12.1    | 9.9     | 0.80    | 288     | 13.55   | 2.08    | 5.1     | 29.1    | 980  |
| S004516            |         | 3.80    | 12.00   | 0.19    | 2.1     | 0.018   | 1.58    | 21.7    | 8.3     | 0.67    | 409     | 3.46    | 1.68    | 4.9     | 13.7    | 850  |
| S004517            |         | 4.54    | 11.70   | 0.15    | 1.3     | 0.016   | 1.53    | 14.6    | 6.1     | 0.73    | 551     | 14.15   | 1.72    | 4.4     | 22.4    | 790  |
| S004518            |         | 4.45    | 15.20   | 0.17    | 2.0     | 0.022   | 1.98    | 16.1    | 5.9     | 0.83    | 295     | 8.76    | 1.90    | 4.8     | 30.0    | 950  |
| S004519            |         | 3.76    | 16.45   | 0.19    | 2.2     | 0.022   | 2.21    | 14.9    | 6.9     | 0.78    | 283     | 9.12    | 2.14    | 5.6     | 28.7    | 1090 |
| S004520            |         | 0.04    | 0.27    | 0.10    | <0.1    | <0.005  | 0.03    | <0.5    | 0.5     | 1.71    | 17      | 0.07    | 0.03    | 0.1     | 0.5     | 20   |
| S004521            |         | 4.07    | 13.75   | 0.14    | 2.0     | 0.018   | 1.74    | 14.5    | 16.4    | 0.85    | 311     | 7.97    | 1.60    | 5.0     | 28.6    | 920  |
| S004522            |         | 4.25    | 15.20   | 0.13    | 2.1     | 0.040   | 2.18    | 16.4    | 32.3    | 0.88    | 399     | 10.95   | 0.63    | 4.6     | 29.7    | 750  |
| S004523            |         | 3.96    | 17.40   | 0.14    | 2.2     | 0.049   | 2.71    | 14.4    | 12.1    | 0.78    | 327     | 10.10   | 1.58    | 5.4     | 30.8    | 910  |
| S004524            |         | 3.72    | 15.00   | 0.15    | 2.3     | 0.025   | 2.38    | 13.3    | 6.9     | 0.72    | 379     | 13.35   | 2.05    | 5.6     | 26.8    | 950  |
| S004525            |         | 3.76    | 13.90   | 0.14    | 1.9     | 0.258   | 2.73    | 12.5    | 6.4     | 0.70    | 379     | 24.9    | 1.13    | 4.7     | 24.0    | 1050 |
| S004526            |         | 3.93    | 14.60   | 0.13    | 2.2     | 0.026   | 2.66    | 15.4    | 5.4     | 0.77    | 351     | 8.36    | 1.69    | 5.3     | 24.7    | 1100 |
| S004526CD          |         | 3.91    | 14.45   | 0.16    | 2.3     | 0.026   | 2.63    | 14.0    | 5.4     | 0.77    | 348     | 8.05    | 1.68    | 5.3     | 24.7    | 1080 |
| S004527            |         | 4.09    | 14.55   | 0.15    | 2.0     | 0.020   | 2.18    | 13.5    | 4.5     | 0.70    | 259     | 12.90   | 2.38    | 5.0     | 22.4    | 960  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004490            |                          | 141.0   | 164.0   | 0.008   | 2.83    | 19.25   | 10.3    | 3       | 1.4     | 193.0   | 0.27    | 0.34    | 2.62    | 0.257   | 3.05    | 1.6 |
| S004491            |                          | 14.8    | 99.1    | <0.002  | 0.78    | 7.81    | 18.0    | <1      | 1.0     | 185.0   | 0.44    | <0.05   | 3.84    | 0.379   | 0.78    | 1.0 |
| S004492            |                          | 33.9    | 111.5   | <0.002  | 1.06    | 16.45   | 17.4    | 1       | 1.1     | 192.5   | 0.40    | 0.05    | 3.79    | 0.358   | 0.95    | 1.0 |
| S004493            |                          | 10.6    | 97.0    | <0.002  | 0.70    | 7.29    | 18.6    | 1       | 1.2     | 179.0   | 0.44    | 0.06    | 3.55    | 0.373   | 0.88    | 1.0 |
| S004494            |                          | 11.7    | 100.5   | <0.002  | 0.52    | 11.00   | 19.5    | 1       | 1.1     | 198.0   | 0.42    | 0.07    | 3.54    | 0.370   | 0.93    | 1.0 |
| S004495            |                          | 9.1     | 129.0   | <0.002  | 0.50    | 9.01    | 23.4    | 1       | 1.2     | 175.0   | 0.47    | 0.06    | 4.40    | 0.446   | 1.01    | 1.1 |
| S004496            |                          | 9.5     | 103.0   | 0.002   | 0.43    | 6.94    | 19.3    | 1       | 1.1     | 191.5   | 0.42    | 0.06    | 3.86    | 0.386   | 0.86    | 1.2 |
| S004497            |                          | 9.3     | 102.0   | <0.002  | 0.42    | 6.83    | 19.9    | 1       | 1.1     | 185.5   | 0.42    | 0.08    | 3.78    | 0.383   | 0.88    | 1.1 |
| S004498            |                          | 21.2    | 137.0   | <0.002  | 1.15    | 15.60   | 23.5    | 1       | 1.3     | 210     | 0.47    | 0.08    | 4.06    | 0.405   | 1.13    | 0.9 |
| S004499            |                          | 22.2    | 118.5   | <0.002  | 1.28    | 16.65   | 19.4    | 1       | 1.1     | 195.0   | 0.39    | 0.11    | 3.61    | 0.340   | 1.00    | 0.9 |
| S004500            |                          | <0.5    | 0.6     | <0.002  | 0.05    | 0.06    | 0.2     | 1       | <0.2    | 5190    | <0.05   | <0.05   | 0.03    | <0.005  | 0.02    | 1.2 |
| S004501            |                          | 16.4    | 114.5   | <0.002  | 1.02    | 15.10   | 17.3    | 1       | 1.1     | 204     | 0.40    | 0.07    | 3.48    | 0.339   | 0.89    | 0.9 |
| S004502            |                          | 16.4    | 132.5   | <0.002  | 1.07    | 20.2    | 20.9    | 1       | 1.2     | 212     | 0.45    | 0.07    | 3.86    | 0.387   | 1.10    | 0.9 |
| S004503            |                          | 7.4     | 143.5   | <0.002  | 0.75    | 24.0    | 20.9    | 1       | 1.2     | 157.0   | 0.45    | <0.05   | 3.86    | 0.405   | 1.13    | 0.9 |
| S004504            |                          | 49.1    | 131.5   | <0.002  | 1.68    | 47.7    | 19.8    | 1       | 1.5     | 230     | 0.44    | 0.35    | 3.98    | 0.377   | 1.25    | 1.0 |
| S004505            |                          | 72.1    | 99.2    | <0.002  | 0.98    | 52.2    | 16.4    | 1       | 1.3     | 367     | 0.36    | 0.10    | 3.72    | 0.324   | 0.90    | 1.1 |
| S004506            |                          | 64.5    | 125.0   | <0.002  | 0.76    | 53.7    | 20.6    | 1       | 1.0     | 212     | 0.40    | 0.09    | 3.90    | 0.379   | 1.01    | 1.0 |
| S004506CD          |                          | 66.2    | 126.0   | <0.002  | 0.73    | 56.3    | 20.7    | 1       | 1.0     | 208     | 0.41    | 0.09    | 4.03    | 0.397   | 0.98    | 1.1 |
| S004507            |                          | 88.1    | 115.0   | <0.002  | 1.73    | 63.3    | 17.3    | 1       | 1.2     | 376     | 0.39    | 0.43    | 3.85    | 0.329   | 1.12    | 1.1 |
| S004508            |                          | 6.8     | 93.7    | <0.002  | 0.88    | 11.10   | 18.0    | 1       | 0.7     | 303     | 0.28    | 0.05    | 2.70    | 0.377   | 0.88    | 1.1 |
| S004509            |                          | 25.9    | 87.9    | <0.002  | 1.12    | 22.6    | 22.4    | 1       | 0.6     | 356     | 0.29    | 0.12    | 1.95    | 0.516   | 0.96    | 0.8 |
| S004510            |                          | 8490    | 155.5   | 0.005   | 2.94    | 81.0    | 11.3    | 3       | 3.9     | 144.5   | 0.31    | 0.30    | 3.26    | 0.253   | 2.95    | 2.0 |
| S004511            |                          | 110.0   | 127.0   | <0.002  | 2.24    | 69.6    | 15.8    | 1       | 1.4     | 123.0   | 0.32    | 1.33    | 3.97    | 0.275   | 1.11    | 1.1 |
| S004512            |                          | 15.3    | 117.5   | <0.002  | 3.25    | 15.85   | 19.3    | 1       | 1.0     | 147.5   | 0.34    | 0.12    | 3.46    | 0.358   | 1.12    | 1.6 |
| S004513            |                          | 11.8    | 107.5   | 0.015   | 2.68    | 15.40   | 15.3    | 3       | 0.7     | 193.5   | 0.28    | 1.33    | 3.14    | 0.319   | 1.35    | 3.6 |
| S004514            |                          | 5.3     | 72.0    | 0.015   | 1.88    | 7.35    | 17.6    | 2       | 0.6     | 318     | 0.33    | 1.62    | 3.32    | 0.350   | 1.23    | 3.0 |
| S004515            |                          | 7.8     | 59.8    | 0.013   | 1.94    | 5.95    | 15.9    | 2       | 0.6     | 270     | 0.29    | 0.81    | 2.73    | 0.352   | 1.18    | 2.2 |
| S004516            |                          | 7.7     | 76.0    | 0.005   | 1.69    | 2.91    | 9.5     | 1       | 0.5     | 271     | 0.31    | 0.39    | 5.00    | 0.252   | 1.16    | 3.1 |
| S004517            |                          | 6.7     | 74.6    | 0.006   | 2.20    | 1.60    | 12.4    | 1       | 0.5     | 251     | 0.22    | 0.93    | 2.83    | 0.332   | 1.06    | 2.1 |
| S004518            |                          | 6.3     | 90.0    | 0.015   | 2.01    | 1.44    | 16.7    | 2       | 0.6     | 196.5   | 0.26    | 2.74    | 2.97    | 0.325   | 1.33    | 2.6 |
| S004519            |                          | 6.4     | 90.9    | 0.014   | 1.54    | 1.44    | 16.1    | 2       | 0.6     | 214     | 0.34    | 2.04    | 3.20    | 0.348   | 1.52    | 2.5 |
| S004520            |                          | 0.5     | 0.5     | <0.002  | 0.06    | <0.05   | 0.2     | 1       | <0.2    | 5170    | <0.05   | <0.05   | 0.08    | <0.005  | <0.02   | 1.3 |
| S004521            |                          | 6.3     | 74.2    | 0.009   | 1.74    | 8.60    | 15.5    | 2       | 0.5     | 187.5   | 0.30    | 0.72    | 3.24    | 0.320   | 1.42    | 2.5 |
| S004522            |                          | 7.9     | 84.4    | 0.010   | 2.09    | 6.98    | 17.8    | 2       | 0.8     | 126.5   | 0.25    | 0.37    | 3.72    | 0.297   | 1.25    | 2.8 |
| S004523            |                          | 7.3     | 90.9    | 0.011   | 1.95    | 5.93    | 18.5    | 2       | 1.0     | 167.5   | 0.30    | 0.39    | 3.33    | 0.322   | 1.40    | 2.6 |
| S004524            |                          | 6.3     | 98.8    | 0.010   | 1.61    | 5.80    | 16.4    | 1       | 0.7     | 229     | 0.36    | 0.52    | 3.52    | 0.348   | 1.69    | 2.4 |
| S004525            |                          | 248     | 113.0   | 0.012   | 1.90    | 109.5   | 14.2    | 1       | 0.8     | 201     | 0.28    | 1.85    | 2.97    | 0.282   | 1.53    | 2.3 |
| S004526            |                          | 5.8     | 115.0   | 0.010   | 1.66    | 18.95   | 16.3    | 1       | 0.7     | 210     | 0.30    | 0.83    | 3.58    | 0.318   | 1.55    | 2.7 |
| S004526CD          |                          | 5.7     | 116.0   | 0.012   | 1.63    | 18.75   | 15.5    | 1       | 0.6     | 208     | 0.30    | 0.97    | 3.64    | 0.322   | 1.54    | 2.8 |
| S004527            |                          | 5.5     | 88.4    | 0.015   | 1.87    | 8.59    | 14.8    | 2       | 0.6     | 230     | 0.27    | 1.29    | 2.91    | 0.311   | 1.55    | 2.3 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S004490            |                                   | 104      | 4.9        | 7.9        | 499      | 37.9       | 27.6     | 0.3      | 87       |
| S004491            |                                   | 116      | 0.9        | 10.8       | 113      | 41.7       | 25.5     | 0.5      | 132      |
| S004492            |                                   | 109      | 2.5        | 10.3       | 140      | 41.0       | 25.9     | 0.5      | 134      |
| S004493            |                                   | 119      | 3.3        | 11.2       | 105      | 40.4       | 25.6     | 0.5      | 127      |
| S004494            |                                   | 120      | 1.4        | 10.5       | 83       | 40.6       | 25.9     | 0.5      | 128      |
| S004495            |                                   | 137      | 1.0        | 12.4       | 84       | 45.2       | 25.8     | 0.5      | 135      |
| S004496            |                                   | 121      | 0.8        | 12.1       | 89       | 45.4       | 26.6     | 0.4      | 121      |
| S004497            |                                   | 129      | 0.8        | 12.4       | 119      | 45.7       | 25.0     | 0.5      | 119      |
| S004498            |                                   | 138      | 1.6        | 12.3       | 117      | 35.8       | 24.6     | 0.5      | 142      |
| S004499            |                                   | 114      | 1.1        | 13.9       | 124      | 47.6       | 25.4     | 0.4      | 124      |
| S004500            |                                   | 1        | <0.1       | 0.3        | <2       | 0.8        | 1.1      | <0.1     | 27       |
| S004501            |                                   | 104      | 1.8        | 12.9       | 115      | 38.5       | 24.9     | 0.4      | 113      |
| S004502            |                                   | 130      | 3.2        | 11.2       | 103      | 39.7       | 24.9     | 0.5      | 138      |
| S004503            |                                   | 130      | 3.3        | 11.4       | 106      | 36.5       | 27.0     | 0.5      | 129      |
| S004504            |                                   | 128      | 17.9       | 12.3       | 375      | 44.1       | 25.9     | 0.5      | 129      |
| S004505            |                                   | 102      | 16.3       | 13.3       | 216      | 55.4       | 24.4     | 0.4      | 107      |
| S004506            |                                   | 127      | 7.5        | 10.9       | 112      | 45.7       | 26.7     | 0.5      | 111      |
| S004506CD          |                                   | 126      | 7.5        | 12.2       | 118      | 61.2       | 26.9     | 0.4      | 115      |
| S004507            |                                   | 114      | 24.7       | 10.7       | 173      | 40.4       | 25.0     | 0.4      | 130      |
| S004508            |                                   | 142      | 5.3        | 14.7       | 109      | 36.2       | 23.6     | 0.4      | 95       |
| S004509            |                                   | 204      | 10.5       | 17.0       | 408      | 34.9       | 18.6     | 0.5      | 93       |
| S004510            |                                   | 121      | 3.9        | 8.5        | 1880     | 42.4       | 28.4     | 0.3      | 84       |
| S004511            |                                   | 107      | 11.5       | 8.6        | 832      | 45.7       | 28.3     | 0.4      | 121      |
| S004512            |                                   | 147      | 9.3        | 13.7       | 127      | 65.3       | 27.0     | 0.5      | 120      |
| S004513            |                                   | 184      | 41.2       | 19.3       | 156      | 99.5       | 26.6     | 0.4      | 122      |
| S004514            |                                   | 136      | 55.4       | 18.8       | 49       | 87.1       | 25.3     | 0.4      | 128      |
| S004515            |                                   | 130      | 9.9        | 16.1       | 58       | 71.8       | 25.6     | 0.4      | 122      |
| S004516            |                                   | 93       | 14.0       | 14.8       | 54       | 75.9       | 26.3     | 0.3      | 111      |
| S004517            |                                   | 101      | 12.0       | 14.6       | 52       | 56.1       | 24.6     | 0.5      | 110      |
| S004518            |                                   | 116      | 104.5      | 16.7       | 59       | 76.9       | 26.3     | 0.4      | 124      |
| S004519            |                                   | 122      | 131.5      | 17.2       | 62       | 84.7       | 26.1     | 0.4      | 144      |
| S004520            |                                   | 1        | 0.1        | 0.3        | <2       | 0.6        | 1.4      | <0.1     | 39       |
| S004521            |                                   | 125      | 20.5       | 15.9       | 62       | 78.0       | 25.2     | 0.4      | 112      |
| S004522            |                                   | 143      | 9.3        | 14.9       | 55       | 76.9       | 26.1     | 0.5      | 114      |
| S004523            |                                   | 135      | 13.8       | 15.2       | 55       | 81.6       | 25.8     | 0.5      | 130      |
| S004524            |                                   | 132      | 24.1       | 13.8       | 52       | 79.4       | 24.6     | 0.5      | 135      |
| S004525            |                                   | 118      | 98.5       | 12.1       | 3470     | 72.8       | 25.7     | 0.4      | 115      |
| S004526            |                                   | 109      | 30.3       | 14.3       | 53       | 79.8       | 24.9     | 0.5      | 128      |
| S004526CD          |                                   | 110      | 30.7       | 16.3       | 52       | 82.3       | 25.2     | 0.5      | 123      |
| S004527            |                                   | 104      | 64.1       | 13.2       | 52       | 75.6       | 25.5     | 0.5      | 195      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004528            |                          | 2.98         | 0.007   | 0.21    | 5.81    | 9.2     | 830     | 1.02    | 1.35    | 7.82    | 0.18    | 27.5    | 6.0     | 24      | 2.51    | 27.7    |
| S004529            |                          | 5.77         | 0.008   | 0.34    | 6.43    | 4.3     | 880     | 1.19    | 0.37    | 6.44    | 1.05    | 26.5    | 7.0     | 28      | 3.27    | 34.4    |
| S004530            |                          | 0.11         | 1.395   | 25.3    | 5.63    | 355     | 110     | 1.15    | 0.84    | 0.64    | 1.67    | 27.4    | 12.4    | 18      | 7.40    | 107.0   |
| S004531            |                          | 6.27         | 0.006   | 0.33    | 6.99    | 3.2     | 1040    | 1.34    | 0.12    | 6.04    | 2.19    | 28.3    | 7.7     | 30      | 3.88    | 34.5    |
| S004532            |                          | 6.16         | 0.006   | 0.27    | 6.89    | 1.5     | 1030    | 1.35    | 0.12    | 6.19    | 2.18    | 23.9    | 8.2     | 32      | 3.90    | 36.9    |
| S004533            |                          | 6.27         | <0.005  | 0.26    | 8.00    | 0.6     | 1310    | 1.64    | 0.18    | 4.68    | 2.61    | 27.9    | 8.0     | 29      | 4.60    | 34.1    |
| S004534            |                          | 6.62         | <0.005  | 0.23    | 7.04    | 3.2     | 1030    | 1.34    | 0.48    | 5.41    | 0.61    | 32.6    | 8.6     | 35      | 4.48    | 32.4    |
| S004535            |                          | 6.38         | <0.005  | 0.20    | 7.63    | 10.3    | 1070    | 1.49    | 0.22    | 3.10    | 0.79    | 38.7    | 7.9     | 33      | 4.26    | 29.1    |
| S004536            |                          | 6.95         | <0.005  | 0.16    | 6.93    | 1.5     | 1050    | 1.32    | 0.13    | 3.11    | 1.11    | 36.7    | 6.9     | 28      | 3.66    | 22.7    |
| S004537            |                          | 6.63         | <0.005  | 0.24    | 6.56    | 1.5     | 700     | 1.07    | 0.80    | 4.54    | 0.44    | 35.6    | 10.0    | 29      | 3.47    | 23.6    |
| S004538            |                          | 6.24         | <0.005  | 0.22    | 6.84    | 1.0     | 950     | 1.25    | 0.29    | 4.79    | 0.58    | 33.5    | 10.0    | 33      | 3.62    | 23.8    |
| S004539            |                          | 6.57         | <0.005  | 0.22    | 7.71    | 1.0     | 1070    | 1.42    | 0.10    | 2.59    | 0.85    | 35.6    | 10.0    | 32      | 4.33    | 23.1    |
| S004540            |                          | 1.10         | <0.005  | <0.01   | 0.04    | <0.2    | 10      | <0.05   | 0.01    | 35.4    | <0.02   | 0.21    | 0.4     | 1       | <0.05   | 1.1     |
| S004541            |                          | 6.25         | 0.005   | 0.24    | 7.18    | 5.7     | 770     | 1.26    | 0.09    | 4.15    | 0.85    | 39.9    | 5.9     | 28      | 4.26    | 18.5    |
| S004542            |                          | 6.68         | <0.005  | 0.26    | 7.74    | 1.5     | 950     | 1.19    | 0.14    | 0.85    | 0.58    | 41.1    | 7.1     | 38      | 4.00    | 17.3    |
| S004543            |                          | 5.90         | <0.005  | 0.20    | 6.89    | 11.9    | 640     | 1.15    | 0.27    | 2.46    | 0.44    | 33.8    | 5.9     | 32      | 3.44    | 19.1    |
| S004544            |                          | 5.97         | <0.005  | 0.27    | 7.82    | 1.2     | 930     | 1.24    | 0.22    | 1.28    | 1.22    | 41.7    | 6.7     | 29      | 3.73    | 23.0    |
| S004545            |                          | 6.16         | <0.005  | 0.37    | 8.05    | 0.7     | 990     | 1.19    | 0.16    | 1.15    | 1.15    | 38.8    | 9.9     | 43      | 4.03    | 28.7    |
| S004546            |                          | 2.82         | <0.005  | 0.23    | 6.41    | 0.9     | 620     | 0.86    | 0.22    | 2.10    | 1.25    | 29.9    | 8.7     | 42      | 3.20    | 20.8    |
| S004546CD          |                          | <0.02        | <0.005  | 0.22    | 6.59    | 0.3     | 640     | 0.92    | 0.20    | 1.99    | 1.34    | 29.3    | 9.0     | 45      | 3.24    | 21.2    |
| S004547            |                          | 3.98         | <0.005  | 0.83    | 6.75    | 3.0     | 150     | 0.51    | 2.21    | 1.41    | 0.07    | 16.60   | 26.7    | 7       | 2.02    | 19.6    |
| S004548            |                          | 6.43         | <0.005  | 0.61    | 6.11    | 7.9     | 360     | 0.48    | 1.52    | 2.13    | 0.50    | 22.6    | 23.5    | 7       | 1.80    | 13.1    |
| S004549            |                          | 7.51         | <0.005  | 1.00    | 5.06    | 9.7     | 270     | 0.44    | 1.20    | 3.23    | 1.47    | 19.40   | 23.8    | 6       | 1.57    | 21.7    |
| S004550            |                          | 0.13         | 0.968   | 11.10   | 5.92    | 312     | 390     | 1.02    | 0.16    | 3.66    | 4.43    | 22.3    | 9.8     | 27      | 6.24    | 84.8    |
| S004551            |                          | 6.72         | 0.008   | 0.80    | 6.12    | 15.3    | 80      | 0.50    | 0.50    | 1.46    | 1.20    | 20.0    | 23.9    | 8       | 1.87    | 6.7     |
| S004552            |                          | 4.42         | 0.007   | 0.65    | 6.80    | 4.0     | 270     | 0.62    | 0.73    | 1.63    | 2.19    | 24.9    | 31.1    | 9       | 2.37    | 9.6     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004528            |                          | 3.62    | 11.30   | 0.13    | 2.0     | 0.036   | 1.91    | 15.5    | 4.9     | 0.68    | 732     | 7.21    | 1.31    | 3.9     | 27.4    | 720   |
| S004529            |                          | 3.82    | 12.60   | 0.14    | 2.1     | 0.058   | 2.40    | 15.4    | 6.8     | 0.71    | 555     | 9.52    | 0.75    | 4.2     | 30.4    | 710   |
| S004530            |                          | 4.25    | 11.55   | 0.11    | 0.9     | 0.035   | 2.59    | 13.0    | 9.5     | 0.35    | 216     | 4.35    | 0.18    | 4.9     | 13.6    | 1230  |
| S004531            |                          | 3.75    | 14.50   | 0.13    | 2.2     | 0.077   | 2.70    | 15.8    | 6.1     | 0.68    | 527     | 9.95    | 0.82    | 4.8     | 32.7    | 710   |
| S004532            |                          | 3.79    | 14.05   | 0.13    | 2.0     | 0.078   | 2.81    | 13.3    | 5.4     | 0.64    | 590     | 11.15   | 0.78    | 4.2     | 31.5    | 720   |
| S004533            |                          | 3.37    | 17.30   | 0.17    | 2.4     | 0.101   | 3.40    | 13.7    | 5.9     | 0.58    | 457     | 12.55   | 0.77    | 5.6     | 35.4    | 720   |
| S004534            |                          | 3.87    | 14.80   | 0.16    | 2.2     | 0.062   | 2.80    | 16.2    | 7.4     | 0.67    | 568     | 12.45   | 0.77    | 5.7     | 32.7    | 780   |
| S004535            |                          | 4.04    | 15.60   | 0.16    | 2.6     | 0.060   | 2.84    | 19.6    | 11.7    | 0.71    | 417     | 11.95   | 1.05    | 6.9     | 25.2    | 800   |
| S004536            |                          | 3.47    | 15.05   | 0.16    | 2.6     | 0.070   | 2.62    | 18.4    | 10.6    | 0.60    | 426     | 10.60   | 0.88    | 6.3     | 20.6    | 730   |
| S004537            |                          | 4.33    | 13.50   | 0.18    | 1.9     | 0.049   | 1.97    | 13.5    | 12.9    | 0.76    | 686     | 9.74    | 1.19    | 4.5     | 20.9    | 750   |
| S004538            |                          | 3.88    | 14.40   | 0.13    | 1.9     | 0.060   | 2.40    | 17.6    | 11.5    | 0.68    | 761     | 7.95    | 0.95    | 5.5     | 19.0    | 990   |
| S004539            |                          | 3.84    | 15.70   | 0.15    | 2.0     | 0.071   | 2.83    | 18.3    | 11.3    | 0.63    | 418     | 9.42    | 0.90    | 5.9     | 21.2    | 1140  |
| S004540            |                          | 0.04    | 0.19    | 0.12    | <0.1    | <0.005  | 0.01    | <0.5    | 0.6     | 1.90    | 23      | 0.07    | <0.01   | <0.1    | 0.3     | 30    |
| S004541            |                          | 4.68    | 13.55   | 0.14    | 1.9     | 0.060   | 2.20    | 22.1    | 13.3    | 0.73    | 666     | 5.14    | 0.99    | 4.7     | 13.3    | 920   |
| S004542            |                          | 4.00    | 15.35   | 0.17    | 2.2     | 0.065   | 2.70    | 22.6    | 11.0    | 0.65    | 200     | 8.75    | 1.06    | 5.6     | 19.7    | 900   |
| S004543            |                          | 3.94    | 12.70   | 0.16    | 1.7     | 0.041   | 1.79    | 18.5    | 11.7    | 0.56    | 370     | 6.12    | 1.42    | 5.0     | 16.2    | 840   |
| S004544            |                          | 3.57    | 16.50   | 0.15    | 2.3     | 0.074   | 2.74    | 22.1    | 9.2     | 0.60    | 199     | 8.23    | 1.11    | 5.9     | 21.5    | 780   |
| S004545            |                          | 4.24    | 17.85   | 0.17    | 2.0     | 0.070   | 2.87    | 20.0    | 10.1    | 0.69    | 187     | 7.47    | 0.99    | 5.0     | 21.7    | 810   |
| S004546            |                          | 4.23    | 14.10   | 0.13    | 1.9     | 0.060   | 1.93    | 16.1    | 10.1    | 0.62    | 293     | 8.18    | 1.15    | 4.4     | 22.4    | 660   |
| S004546CD          |                          | 4.22    | 14.25   | 0.13    | 1.9     | 0.063   | 1.98    | 15.4    | 10.0    | 0.63    | 288     | 8.45    | 1.18    | 4.3     | 23.4    | 680   |
| S004547            |                          | 11.40   | 15.00   | 0.08    | 0.6     | 0.055   | 1.57    | 6.1     | 4.4     | 0.21    | 144     | 3.35    | 2.76    | 3.4     | 1.9     | 1450  |
| S004548            |                          | 8.63    | 14.50   | 0.08    | 0.7     | 0.046   | 1.39    | 9.9     | 4.5     | 0.22    | 238     | 2.78    | 2.39    | 3.6     | 1.5     | 1380  |
| S004549            |                          | 14.60   | 12.55   | 0.07    | 0.5     | 0.030   | 0.98    | 7.8     | 9.0     | 0.19    | 416     | 2.81    | 1.77    | 3.8     | 1.3     | 1220  |
| S004550            |                          | 3.85    | 11.90   | 0.05    | 1.1     | 0.047   | 3.75    | 10.9    | 12.4    | 0.54    | 1380    | 9.30    | 0.20    | 4.5     | 20.0    | 900   |
| S004551            |                          | 10.80   | 13.80   | 0.09    | 0.6     | 0.038   | 1.19    | 7.8     | 12.2    | 0.28    | 229     | 2.77    | 2.04    | 4.7     | 1.4     | 1310  |
| S004552            |                          | 10.50   | 15.45   | 0.06    | 1.0     | 0.041   | 1.01    | 10.2    | 11.4    | 0.58    | 262     | 2.83    | 2.76    | 4.2     | 1.9     | 1550  |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S004528            |                          | 8.0     | 76.5    | 0.014   | 1.76    | 4.10    | 12.8    | 2       | 0.7     | 290     | 0.22    | 0.28    | 2.93    | 0.260   | 1.11    | 3.2   |
| S004529            |                          | 10.7    | 88.2    | 0.016   | 2.06    | 5.31    | 15.5    | 2       | 0.8     | 231     | 0.23    | 0.16    | 3.18    | 0.296   | 1.60    | 3.2   |
| S004530            |                          | 47.1    | 119.5   | <0.002  | 3.97    | 35.2    | 12.9    | 5       | 1.7     | 130.0   | 0.27    | 0.31    | 2.30    | 0.293   | 2.06    | 0.9   |
| S004531            |                          | 8.8     | 95.6    | 0.013   | 1.99    | 4.08    | 17.8    | 3       | 1.0     | 228     | 0.27    | 0.06    | 3.47    | 0.326   | 1.80    | 3.3   |
| S004532            |                          | 8.4     | 84.3    | 0.010   | 2.03    | 2.30    | 18.2    | 3       | 1.0     | 230     | 0.24    | 0.06    | 2.68    | 0.326   | 1.82    | 2.8   |
| S004533            |                          | 8.7     | 100.0   | 0.013   | 1.92    | 1.75    | 18.6    | 2       | 1.5     | 201     | 0.30    | 0.09    | 3.41    | 0.361   | 2.12    | 2.5   |
| S004534            |                          | 8.6     | 88.0    | 0.012   | 2.24    | 1.89    | 17.2    | 2       | 1.2     | 239     | 0.32    | 0.14    | 3.88    | 0.362   | 1.87    | 2.7   |
| S004535            |                          | 8.5     | 88.2    | 0.011   | 2.16    | 1.85    | 15.2    | 2       | 1.3     | 174.0   | 0.41    | 0.06    | 4.96    | 0.362   | 1.79    | 3.0   |
| S004536            |                          | 6.6     | 80.9    | 0.007   | 1.81    | 1.53    | 12.5    | 1       | 1.4     | 172.5   | 0.35    | <0.05   | 5.40    | 0.324   | 1.58    | 2.7   |
| S004537            |                          | 8.8     | 69.5    | 0.009   | 2.23    | 1.82    | 16.0    | 2       | 1.0     | 214     | 0.27    | 0.44    | 3.83    | 0.317   | 1.26    | 2.2   |
| S004538            |                          | 7.2     | 68.8    | 0.009   | 1.85    | 2.12    | 16.7    | 1       | 1.1     | 201     | 0.33    | 0.13    | 4.04    | 0.448   | 1.49    | 2.3   |
| S004539            |                          | 7.6     | 86.2    | 0.006   | 1.86    | 2.12    | 18.2    | 1       | 1.2     | 155.5   | 0.35    | <0.05   | 4.61    | 0.474   | 1.76    | 2.5   |
| S004540            |                          | <0.5    | 0.3     | 0.002   | 0.07    | <0.05   | 0.2     | 1       | <0.2    | 4770    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.2   |
| S004541            |                          | 8.8     | 75.8    | 0.005   | 2.54    | 2.42    | 13.2    | 1       | 0.9     | 181.5   | 0.28    | <0.05   | 4.34    | 0.323   | 1.47    | 2.2   |
| S004542            |                          | 7.8     | 88.3    | 0.008   | 2.03    | 2.43    | 12.3    | <1      | 1.2     | 88.0    | 0.33    | 0.05    | 5.51    | 0.325   | 1.62    | 2.7   |
| S004543            |                          | 5.4     | 62.1    | 0.007   | 2.06    | 1.55    | 10.7    | 1       | 0.9     | 176.0   | 0.30    | 0.09    | 4.23    | 0.277   | 1.35    | 2.1   |
| S004544            |                          | 6.8     | 89.9    | 0.010   | 1.92    | 2.01    | 15.3    | 1       | 1.4     | 109.5   | 0.35    | 0.05    | 5.65    | 0.329   | 1.91    | 2.7   |
| S004545            |                          | 8.0     | 96.5    | 0.006   | 2.26    | 2.43    | 19.8    | 1       | 1.2     | 104.5   | 0.30    | 0.06    | 4.90    | 0.332   | 2.26    | 2.2   |
| S004546            |                          | 3.6     | 70.4    | 0.008   | 1.93    | 1.36    | 15.8    | <1      | 1.0     | 165.5   | 0.26    | 0.06    | 3.85    | 0.268   | 1.80    | 2.4   |
| S004546CD          |                          | 3.9     | 73.7    | 0.010   | 1.90    | 1.87    | 16.2    | 1       | 0.9     | 154.5   | 0.25    | 0.07    | 3.87    | 0.270   | 1.77    | 2.3   |
| S004547            |                          | 4.0     | 52.4    | 0.003   | 5.03    | 0.77    | 28.4    | 2       | 0.9     | 109.0   | 0.19    | 0.43    | 1.28    | 0.478   | 1.89    | 0.6   |
| S004548            |                          | 3.2     | 47.6    | <0.002  | 3.74    | 0.68    | 26.2    | 1       | 1.0     | 144.0   | 0.21    | 0.35    | 1.27    | 0.505   | 1.51    | 0.5   |
| S004549            |                          | 8.2     | 30.1    | 0.002   | 8.39    | 2.06    | 21.4    | 1       | 0.9     | 169.5   | 0.21    | 0.29    | 1.03    | 0.486   | 1.33    | 0.4   |
| S004550            |                          | 144.5   | 157.0   | 0.010   | 2.81    | 18.10   | 10.0    | 2       | 1.4     | 188.5   | 0.27    | 0.30    | 2.67    | 0.254   | 2.90    | 1.5   |
| S004551            |                          | 8.5     | 43.2    | 0.002   | 8.15    | 3.17    | 24.8    | 1       | 0.9     | 114.5   | 0.26    | 0.13    | 1.25    | 0.633   | 1.68    | 0.6   |
| S004552            |                          | 5.2     | 41.1    | 0.002   | 5.86    | 1.59    | 29.0    | 1       | 0.9     | 160.0   | 0.23    | 0.16    | 1.45    | 0.610   | 1.19    | 0.7   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61   | ME-MS61   | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|--------------------------|---------|-----------|-----------|----------|------------|----------|----------|----------|
|                    |                          | V ppm 1 | W ppm 0.1 | Y ppm 0.1 | Zn ppm 2 | Zr ppm 0.5 | Si % 0.5 | Ti % 0.1 | Zr ppm 5 |
| S004528            |                          | 107     | 15.3      | 20.4      | 52       | 85.7       | 22.6     | 0.4      | 101      |
| S004529            |                          | 129     | 6.5       | 19.1      | 138      | 77.5       | 23.4     | 0.4      | 92       |
| S004530            |                          | 134     | 2.2       | 7.6       | 198      | 29.7       | 33.2     | 0.4      | 76       |
| S004531            |                          | 156     | 3.8       | 19.3      | 232      | 84.0       | 22.9     | 0.4      | 105      |
| S004532            |                          | 181     | 2.1       | 18.8      | 261      | 77.4       | 23.0     | 0.4      | 106      |
| S004533            |                          | 168     | 1.9       | 16.6      | 297      | 85.2       | 23.8     | 0.5      | 147      |
| S004534            |                          | 137     | 2.5       | 18.1      | 96       | 84.8       | 24.3     | 0.4      | 136      |
| S004535            |                          | 116     | 1.5       | 17.4      | 126      | 94.5       | 25.2     | 0.4      | 155      |
| S004536            |                          | 107     | 1.1       | 16.8      | 180      | 90.2       | 27.3     | 0.4      | 160      |
| S004537            |                          | 112     | 2.5       | 18.4      | 91       | 72.7       | 24.1     | 0.4      | 117      |
| S004538            |                          | 135     | 2.0       | 18.8      | 108      | 73.2       | 24.8     | 0.6      | 155      |
| S004539            |                          | 148     | 1.5       | 18.1      | 150      | 73.8       | 26.6     | 0.7      | 175      |
| S004540            |                          | 1       | <0.1      | 0.3       | <2       | 0.5        | 0.9      | <0.1     | 25       |
| S004541            |                          | 86      | 1.2       | 20.4      | 152      | 69.4       | 24.8     | 0.5      | 153      |
| S004542            |                          | 114     | 1.2       | 18.3      | 103      | 82.2       | 28.7     | 0.5      | 169      |
| S004543            |                          | 91      | 2.3       | 17.2      | 66       | 62.6       | 28.4     | 0.3      | 147      |
| S004544            |                          | 129     | 1.9       | 20.4      | 163      | 83.7       | 28.6     | 0.4      | 164      |
| S004545            |                          | 124     | 1.5       | 18.1      | 147      | 73.2       | 27.2     | 0.5      | 176      |
| S004546            |                          | 119     | 1.7       | 15.8      | 163      | 72.4       | 28.6     | 0.4      | 151      |
| S004546CD          |                          | 123     | 1.5       | 16.4      | 180      | 71.0       | 28.9     | 0.4      | 143      |
| S004547            |                          | 328     | 3.7       | 15.3      | 15       | 21.9       | 24.3     | 1.0      | 118      |
| S004548            |                          | 294     | 3.6       | 16.4      | 56       | 17.6       | 25.4     | 0.9      | 112      |
| S004549            |                          | 249     | 1.8       | 15.4      | 134      | 16.6       | 21.1     | 0.8      | 92       |
| S004550            |                          | 104     | 4.9       | 7.7       | 485      | 36.6       | 27.9     | 0.4      | 77       |
| S004551            |                          | 295     | 1.8       | 19.2      | 118      | 23.5       | 24.3     | 0.9      | 107      |
| S004552            |                          | 326     | 2.3       | 19.8      | 180      | 42.8       | 23.0     | 0.9      | 112      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193615**

|                    | <b>CERTIFICATE COMMENTS</b>   |         |         |          |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
|--------------------|---|---------|---------|----------|--|--------|---------|--------|---------|--|----------|--------|--------|---------|--|---------|--------|--|--|--|--|
| Applies to Method: | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REE's may not be totally soluble in this method.<br/>           ME-MS61</p>  |         |         |          |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| Applies to Method: | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">BAG-01</td> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%;"></td> <td style="width: 15%;">LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td></td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td></td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31  | CRU-QC   |  | LOG-21 | LOG-21d | LOG-23 | PUL-32m |  | PUL-32md | PUL-QC | SPL-21 | SPL-21d |  | SPL-34X | WEI-21 |  |  |  |  |
| BAG-01             | CRU-31  | CRU-QC  |         | LOG-21   |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| LOG-21d            | LOG-23  | PUL-32m |         | PUL-32md |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| PUL-QC             | SPL-21  | SPL-21d |         | SPL-34X  |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| WEI-21             |   |         |         |          |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| Applies to Method: | <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA23</td> <td style="width: 33%;">ME-MS61</td> <td style="width: 33%;">pXRF-34</td> <td style="width: 15%;"></td> <td style="width: 15%;"></td> </tr> </table>   | Au-AA23 | ME-MS61 | pXRF-34  |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |
| Au-AA23            | ME-MS61   | pXRF-34 |         |          |  |        |         |        |         |  |          |        |        |         |  |         |        |  |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19193621**

Project: Bowser Regional Project  
 P.O. No.: BOW-0721  
 This report is for 106 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINE WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004553            |                          | 4.50         | 0.007   | 0.81    | 6.18    | 2.8     | 340     | 0.62    | 1.83    | 2.84    | 0.14    | 24.9    | 26.5    | 31      | 3.27    | 20.9    |
| S004554            |                          | 2.77         | 0.010   | 1.04    | 4.43    | 2.9     | 140     | 0.37    | 2.14    | 2.35    | 0.10    | 25.0    | 22.3    | 24      | 2.23    | 30.0    |
| S004555            |                          | 1.77         | <0.005  | 0.31    | 6.44    | 18.0    | 690     | 0.96    | 0.68    | 3.48    | 0.06    | 34.9    | 15.1    | 27      | 4.12    | 21.2    |
| S004556            |                          | 3.83         | <0.005  | 0.35    | 7.52    | 264     | 750     | 1.06    | 0.43    | 4.76    | 0.07    | 21.2    | 23.3    | 11      | 4.75    | 10.9    |
| S004557            |                          | 4.55         | <0.005  | 0.13    | 6.10    | 3.7     | 500     | 0.84    | 0.11    | 10.25   | 0.19    | 19.35   | 20.9    | 12      | 4.89    | 5.1     |
| S004558            |                          | 4.56         | <0.005  | 0.18    | 5.84    | 2.4     | 490     | 0.63    | 0.18    | 9.96    | 0.15    | 17.45   | 23.6    | 14      | 4.86    | 6.0     |
| S004559            |                          | 4.79         | <0.005  | 0.08    | 8.30    | 6.4     | 850     | 0.96    | 0.12    | 4.14    | 0.04    | 24.5    | 27.4    | 16      | 5.85    | 1.8     |
| S004560            |                          | 0.79         | <0.005  | 0.01    | 0.05    | 0.3     | 10      | <0.05   | <0.01   | 35.1    | <0.02   | 0.27    | 0.5     | 1       | <0.05   | 0.4     |
| S004561            |                          | 7.69         | <0.005  | 0.16    | 7.59    | 14.6    | 730     | 0.70    | 0.27    | 5.19    | 0.06    | 23.9    | 35.3    | 14      | 4.63    | 5.3     |
| S004562            |                          | 3.97         | <0.005  | 0.15    | 7.40    | 1.0     | 740     | 0.83    | 0.26    | 5.00    | 0.08    | 21.1    | 28.3    | 14      | 3.96    | 5.7     |
| S004563            |                          | 5.29         | <0.005  | 0.13    | 6.18    | 2.1     | 590     | 0.68    | 0.23    | 8.09    | 0.10    | 18.85   | 22.1    | 11      | 3.55    | 3.7     |
| S004564            |                          | 5.33         | <0.005  | 0.13    | 7.74    | 3.4     | 710     | 0.82    | 0.22    | 5.48    | 0.06    | 21.9    | 26.4    | 14      | 4.77    | 4.0     |
| S004565            |                          | 2.67         | <0.005  | 0.17    | 8.94    | 2.2     | 800     | 0.95    | 0.48    | 4.09    | 0.05    | 25.5    | 33.0    | 17      | 6.25    | 6.1     |
| S004566            |                          | 5.22         | <0.005  | 0.29    | 6.76    | 5.8     | 650     | 1.01    | 0.80    | 5.18    | 0.08    | 22.7    | 30.9    | 10      | 4.31    | 8.4     |
| S004566CD          |                          | <0.02        | <0.005  | 0.33    | 6.88    | 4.3     | 660     | 0.94    | 0.81    | 5.28    | 0.08    | 22.2    | 31.4    | 9       | 4.37    | 8.5     |
| S004567            |                          | 2.95         | <0.005  | 0.27    | 8.36    | 1.3     | 1130    | 1.30    | 0.86    | 3.76    | 0.05    | 23.9    | 37.7    | 10      | 4.44    | 11.2    |
| S004568            |                          | 2.14         | <0.005  | 0.17    | 5.52    | 3.0     | 520     | 0.72    | 0.50    | 5.87    | 0.09    | 18.90   | 21.9    | 15      | 3.59    | 5.7     |
| S004569            |                          | 2.85         | <0.005  | 0.13    | 7.98    | 4.4     | 780     | 0.98    | 0.42    | 5.11    | 0.05    | 22.9    | 29.7    | 14      | 4.39    | 3.9     |
| S004570            |                          | 0.15         | 5.85    | 79.4    | 6.42    | 301     | 320     | 0.99    | 1.26    | 2.06    | 23.6    | 28.2    | 12.0    | 23      | 7.95    | 119.5   |
| S004571            |                          | 2.90         | <0.005  | 0.15    | 6.09    | 0.7     | 370     | 0.55    | 0.40    | 6.57    | 0.09    | 18.05   | 21.9    | 11      | 2.71    | 2.3     |
| S004572            |                          | 7.19         | <0.005  | 0.13    | 6.88    | 7.9     | 630     | 0.70    | 0.39    | 4.96    | 0.06    | 20.7    | 28.2    | 14      | 3.69    | 2.7     |
| S004573            |                          | 5.11         | <0.005  | 0.24    | 7.22    | 3.5     | 700     | 1.01    | 0.74    | 5.80    | 0.07    | 23.9    | 29.4    | 13      | 4.80    | 6.1     |
| S004574            |                          | 2.87         | <0.005  | 0.29    | 4.36    | 2.5     | 470     | 0.56    | 1.09    | 2.76    | 0.04    | 15.90   | 14.5    | 15      | 2.29    | 9.4     |
| S004575            |                          | 4.26         | <0.005  | 0.31    | 9.16    | 14.5    | 1300    | 1.16    | 1.46    | 4.13    | 0.06    | 26.7    | 35.4    | 5       | 4.35    | 6.7     |
| S004576            |                          | 4.99         | <0.005  | 0.22    | 7.54    | 2.3     | 710     | 0.82    | 0.88    | 5.99    | 0.07    | 25.4    | 23.6    | 4       | 3.79    | 4.4     |
| S004577            |                          | 5.92         | <0.005  | 0.26    | 7.13    | 0.3     | 690     | 0.77    | 0.79    | 5.69    | 0.09    | 23.0    | 26.0    | 4       | 3.94    | 5.8     |
| S004578            |                          | 4.87         | <0.005  | 0.67    | 8.08    | 6.2     | 1050    | 0.92    | 1.06    | 3.70    | 0.45    | 25.2    | 34.1    | 10      | 3.68    | 8.4     |
| S004579            |                          | 6.43         | 0.025   | 2.04    | 7.38    | 75.6    | 90      | 0.76    | 0.11    | 1.03    | 0.64    | 20.2    | 31.4    | 18      | 2.50    | 4.0     |
| S004580            |                          | 0.88         | <0.005  | 0.04    | 0.08    | <0.2    | 20      | <0.05   | <0.01   | 35.8    | 0.02    | 0.43    | 0.6     | 3       | <0.05   | 0.4     |
| S004581            |                          | 6.22         | 0.026   | 2.71    | 7.25    | 83.9    | 160     | 0.71    | 0.03    | 0.93    | 0.64    | 17.45   | 30.3    | 18      | 2.74    | 4.4     |
| S004582            |                          | 5.44         | 0.021   | 1.89    | 5.99    | 56.7    | 190     | 0.70    | 0.04    | 0.42    | 0.52    | 20.0    | 19.3    | 19      | 2.14    | 6.9     |
| S004583            |                          | 3.31         | 0.056   | 4.54    | 7.52    | 85.7    | 200     | 0.71    | 0.02    | 0.88    | 0.80    | 19.45   | 33.0    | 16      | 3.01    | 4.1     |
| S004584            |                          | 4.21         | 0.008   | 1.12    | 7.05    | 15.0    | 290     | 0.65    | 0.73    | 0.85    | 0.35    | 18.80   | 29.9    | 15      | 2.63    | 3.6     |
| S004585            |                          | 7.30         | <0.005  | 0.87    | 8.31    | 2.7     | 180     | 0.81    | 1.74    | 0.50    | 0.15    | 17.35   | 37.4    | 15      | 2.53    | 7.7     |
| S004586            |                          | 6.54         | <0.005  | 0.27    | 6.80    | 2.1     | 660     | 0.69    | 0.69    | 4.54    | 0.10    | 24.9    | 24.9    | 4       | 4.91    | 5.8     |
| S004586CD          |                          | <0.02        | <0.005  | 0.27    | 6.94    | 2.8     | 690     | 0.71    | 0.72    | 4.51    | 0.10    | 27.4    | 26.5    | 5       | 4.94    | 6.2     |
| S004587            |                          | 6.79         | <0.005  | 0.31    | 6.30    | 0.6     | 540     | 0.66    | 0.51    | 5.18    | 0.08    | 19.00   | 23.1    | 4       | 3.37    | 3.4     |
| S004588            |                          | 6.17         | <0.005  | 0.27    | 5.82    | 1.0     | 530     | 0.70    | 0.48    | 5.28    | 0.08    | 17.65   | 23.8    | 4       | 2.94    | 3.2     |
| S004589            |                          | 6.98         | 0.005   | 0.30    | 7.70    | 2.0     | 790     | 0.78    | 1.06    | 7.20    | 0.12    | 21.9    | 30.2    | 4       | 4.63    | 5.2     |
| S004590            |                          | 0.12         | 1.475   | 28.7    | 5.83    | 380     | 210     | 1.22    | 1.01    | 0.66    | 1.62    | 27.6    | 13.1    | 19      | 7.62    | 105.5   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S004553            |         | 8.66    | 15.30   | 0.08    | 1.3     | 0.038   | 1.82    | 10.8    | 6.2     | 0.47    | 296     | 5.72    | 1.58    | 3.4     | 19.5    | 850  |
| S004554            |         | 10.60   | 9.65    | 0.09    | 1.4     | 0.019   | 1.17    | 11.2    | 7.8     | 0.46    | 277     | 6.35    | 0.97    | 2.9     | 18.7    | 360  |
| S004555            |         | 5.55    | 17.65   | 0.07    | 2.4     | 0.058   | 2.51    | 19.1    | 15.2    | 0.93    | 385     | 8.77    | 0.17    | 5.7     | 29.9    | 550  |
| S004556            |         | 5.10    | 18.45   | 0.07    | 0.8     | 0.052   | 3.18    | 9.3     | 12.0    | 1.33    | 675     | 3.48    | 0.24    | 5.3     | 6.2     | 1000 |
| S004557            |         | 5.52    | 17.60   | 0.06    | 0.8     | 0.071   | 2.18    | 8.6     | 17.1    | 2.82    | 1990    | 0.58    | 0.21    | 3.8     | 2.2     | 1070 |
| S004558            |         | 6.11    | 16.75   | 0.06    | 0.8     | 0.065   | 2.03    | 7.8     | 16.9    | 2.90    | 2120    | 0.35    | 0.20    | 3.8     | 2.4     | 880  |
| S004559            |         | 6.34    | 21.5    | 0.06    | 1.4     | 0.066   | 3.12    | 10.6    | 17.8    | 1.69    | 1080    | 0.38    | 0.17    | 6.1     | 2.7     | 1270 |
| S004560            |         | 0.05    | 0.14    | 0.05    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.89    | 18      | 0.07    | <0.01   | <0.1    | 0.5     | 10   |
| S004561            |         | 7.11    | 20.4    | 0.08    | 1.0     | 0.069   | 2.64    | 10.6    | 18.3    | 1.78    | 1220    | 0.38    | 0.11    | 5.2     | 3.2     | 1190 |
| S004562            |         | 6.72    | 19.25   | 0.05    | 1.6     | 0.067   | 2.62    | 9.2     | 19.7    | 2.01    | 1230    | 0.36    | 0.10    | 5.0     | 2.8     | 1180 |
| S004563            |         | 5.86    | 16.45   | 0.06    | 1.0     | 0.068   | 2.09    | 8.4     | 18.9    | 2.19    | 1570    | 0.29    | 0.08    | 4.2     | 2.4     | 940  |
| S004564            |         | 6.91    | 19.80   | 0.06    | 2.0     | 0.071   | 2.73    | 9.6     | 21.6    | 2.25    | 1320    | 0.32    | 0.19    | 5.3     | 2.6     | 1170 |
| S004565            |         | 9.21    | 23.0    | 0.07    | 1.6     | 0.090   | 3.12    | 10.7    | 26.2    | 2.53    | 1290    | 0.85    | 0.39    | 6.3     | 3.4     | 1330 |
| S004566            |         | 6.51    | 16.75   | 0.07    | 1.2     | 0.060   | 2.48    | 9.5     | 16.3    | 1.75    | 1080    | 4.66    | 0.29    | 4.7     | 6.5     | 1110 |
| S004566CD          |         | 6.59    | 16.95   | 0.08    | 1.0     | 0.058   | 2.51    | 9.5     | 16.2    | 1.79    | 1100    | 4.63    | 0.29    | 4.7     | 6.5     | 1110 |
| S004567            |         | 6.89    | 21.6    | 0.07    | 0.5     | 0.073   | 3.71    | 9.5     | 12.7    | 1.36    | 642     | 4.88    | 0.22    | 4.6     | 4.8     | 1590 |
| S004568            |         | 5.75    | 14.15   | 0.06    | 1.2     | 0.053   | 1.91    | 8.4     | 15.9    | 1.87    | 1200    | 3.90    | 0.07    | 3.8     | 6.3     | 770  |
| S004569            |         | 7.94    | 20.0    | 0.05    | 1.8     | 0.070   | 2.66    | 10.0    | 24.4    | 2.37    | 1160    | 1.03    | 0.10    | 5.4     | 3.0     | 1200 |
| S004570            |         | 4.82    | 14.80   | 0.07    | 1.3     | 1.420   | 3.73    | 14.0    | 13.4    | 0.50    | 1210    | 10.70   | 0.23    | 5.9     | 17.1    | 960  |
| S004571            |         | 10.35   | 15.60   | 0.05    | 0.8     | 0.072   | 1.25    | 8.2     | 23.8    | 2.53    | 1460    | 0.61    | 0.08    | 4.6     | 2.7     | 900  |
| S004572            |         | 7.50    | 17.40   | 0.06    | 1.5     | 0.066   | 2.18    | 9.3     | 22.5    | 2.30    | 1260    | 1.24    | 0.16    | 4.9     | 3.1     | 980  |
| S004573            |         | 6.76    | 18.65   | 0.09    | 1.1     | 0.059   | 2.73    | 10.4    | 16.1    | 2.14    | 1240    | 2.71    | 0.38    | 4.3     | 3.2     | 1220 |
| S004574            |         | 5.65    | 10.95   | 0.05    | 0.8     | 0.034   | 1.69    | 6.8     | 9.1     | 0.89    | 539     | 5.99    | 0.11    | 2.4     | 7.7     | 680  |
| S004575            |         | 6.76    | 24.5    | 0.10    | 0.5     | 0.097   | 4.17    | 11.9    | 9.8     | 1.64    | 864     | 10.25   | 0.15    | 5.0     | 1.9     | 1370 |
| S004576            |         | 7.41    | 20.0    | 0.06    | 1.6     | 0.074   | 2.68    | 11.3    | 21.8    | 2.27    | 1380    | 1.96    | 0.14    | 5.7     | 1.6     | 1300 |
| S004577            |         | 7.95    | 19.10   | 0.06    | 1.6     | 0.084   | 2.47    | 10.3    | 24.1    | 2.63    | 1600    | 1.99    | 0.23    | 5.5     | 1.6     | 1180 |
| S004578            |         | 7.78    | 21.2    | 0.08    | 0.5     | 0.072   | 3.83    | 11.2    | 8.0     | 1.51    | 830     | 3.58    | 0.15    | 4.0     | 2.6     | 1410 |
| S004579            |         | 7.90    | 19.25   | 0.08    | 0.6     | 0.066   | 3.65    | 7.9     | 5.2     | 0.44    | 194     | 2.65    | 0.11    | 3.9     | 3.4     | 1210 |
| S004580            |         | 0.06    | 0.22    | <0.05   | <0.1    | <0.005  | 0.02    | <0.5    | 0.5     | 1.73    | 20      | 0.08    | 0.01    | <0.1    | 0.6     | 30   |
| S004581            |         | 7.17    | 18.65   | 0.07    | 0.7     | 0.070   | 3.49    | 6.8     | 5.2     | 0.46    | 169     | 5.99    | 0.11    | 3.3     | 3.5     | 1180 |
| S004582            |         | 6.21    | 16.00   | 0.07    | 0.9     | 0.061   | 2.81    | 8.2     | 3.6     | 0.34    | 101     | 6.38    | 0.08    | 2.9     | 7.5     | 980  |
| S004583            |         | 5.50    | 18.00   | 0.08    | 0.5     | 0.072   | 3.56    | 8.0     | 5.8     | 0.53    | 186     | 2.66    | 0.15    | 3.4     | 3.7     | 1070 |
| S004584            |         | 7.25    | 16.85   | 0.07    | 0.7     | 0.064   | 3.34    | 7.6     | 6.5     | 0.70    | 247     | 3.29    | 0.12    | 2.8     | 3.3     | 910  |
| S004585            |         | 8.61    | 20.7    | 0.08    | 0.4     | 0.081   | 4.02    | 6.3     | 5.6     | 0.52    | 141     | 3.47    | 0.12    | 3.5     | 3.5     | 1240 |
| S004586            |         | 6.76    | 18.20   | 0.07    | 0.8     | 0.063   | 2.84    | 11.0    | 13.3    | 2.14    | 1080    | 2.28    | 0.17    | 4.2     | 1.8     | 1080 |
| S004586CD          |         | 7.02    | 18.50   | 0.08    | 0.9     | 0.068   | 2.88    | 12.2    | 14.0    | 2.15    | 1080    | 2.29    | 0.17    | 4.2     | 1.7     | 1110 |
| S004587            |         | 6.64    | 14.70   | 0.15    | 0.8     | 0.056   | 2.25    | 8.6     | 20.2    | 2.24    | 1480    | 1.12    | 0.17    | 4.2     | 1.4     | 1040 |
| S004588            |         | 6.17    | 13.95   | 0.12    | 1.6     | 0.056   | 2.02    | 7.8     | 20.4    | 2.16    | 1420    | 1.62    | 0.19    | 4.2     | 1.4     | 970  |
| S004589            |         | 9.72    | 18.30   | 0.11    | 1.7     | 0.079   | 2.61    | 10.1    | 31.1    | 3.21    | 2030    | 1.83    | 0.56    | 5.7     | 1.5     | 1220 |
| S004590            |         | 4.38    | 12.30   | 0.14    | 0.9     | 0.036   | 2.69    | 13.6    | 9.8     | 0.36    | 223     | 4.57    | 0.19    | 5.2     | 13.2    | 1270 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004553            |                          | 8.1     | 70.5    | 0.006   | 3.92    | 1.54    | 19.0    | 1       | 0.9     | 163.0   | 0.21    | 0.39    | 2.42    | 0.300   | 1.80    | 1.4 |
| S004554            |                          | 11.0    | 52.2    | 0.005   | 5.65    | 2.37    | 11.9    | 2       | 0.6     | 110.5   | 0.18    | 0.51    | 3.06    | 0.168   | 1.16    | 1.6 |
| S004555            |                          | 5.1     | 93.6    | 0.014   | 2.33    | 3.60    | 15.7    | 2       | 1.1     | 146.0   | 0.36    | 0.20    | 4.26    | 0.299   | 1.64    | 3.0 |
| S004556            |                          | 3.8     | 90.6    | 0.004   | 1.77    | 3.43    | 25.7    | 1       | 1.0     | 188.5   | 0.32    | 0.24    | 1.69    | 0.574   | 1.86    | 0.9 |
| S004557            |                          | 3.2     | 104.5   | <0.002  | 1.03    | 1.04    | 26.4    | 1       | 0.8     | 570     | 0.22    | 0.09    | 1.24    | 0.458   | 1.61    | 0.5 |
| S004558            |                          | 3.4     | 100.0   | <0.002  | 1.04    | 0.87    | 26.0    | 1       | 0.6     | 459     | 0.21    | 0.08    | 1.12    | 0.452   | 1.51    | 0.4 |
| S004559            |                          | 2.4     | 138.0   | <0.002  | 0.63    | 0.64    | 39.0    | 1       | 0.6     | 173.5   | 0.35    | 0.07    | 1.76    | 0.727   | 1.96    | 0.8 |
| S004560            |                          | <0.5    | 0.4     | <0.002  | 0.07    | 0.05    | 0.2     | 2       | <0.2    | 5020    | <0.05   | 0.13    | 0.02    | <0.005  | <0.02   | 1.2 |
| S004561            |                          | 3.6     | 112.5   | <0.002  | 1.25    | 0.82    | 33.9    | 1       | 0.6     | 178.5   | 0.31    | 0.12    | 1.51    | 0.633   | 1.61    | 0.6 |
| S004562            |                          | 2.7     | 112.5   | 0.002   | 1.00    | 0.68    | 32.4    | 1       | 0.6     | 174.5   | 0.29    | 0.11    | 1.57    | 0.620   | 1.54    | 0.9 |
| S004563            |                          | 2.7     | 95.4    | <0.002  | 0.75    | 0.81    | 27.7    | 1       | 0.7     | 334     | 0.25    | 0.07    | 1.28    | 0.527   | 1.32    | 0.5 |
| S004564            |                          | 1.9     | 123.0   | <0.002  | 0.83    | 0.62    | 34.0    | 1       | 0.7     | 290     | 0.32    | 0.09    | 1.63    | 0.657   | 1.78    | 0.9 |
| S004565            |                          | 2.6     | 142.0   | 0.002   | 1.27    | 0.55    | 40.0    | 1       | 0.7     | 283     | 0.37    | 0.08    | 1.78    | 0.783   | 2.12    | 0.8 |
| S004566            |                          | 5.2     | 112.5   | 0.004   | 1.72    | 1.49    | 27.3    | 1       | 0.9     | 224     | 0.27    | 0.14    | 1.58    | 0.509   | 1.63    | 0.8 |
| S004566CD          |                          | 5.1     | 112.0   | 0.003   | 1.75    | 1.48    | 27.7    | 1       | 0.9     | 228     | 0.27    | 0.16    | 1.52    | 0.513   | 1.60    | 0.7 |
| S004567            |                          | 3.0     | 116.0   | 0.003   | 1.98    | 0.95    | 33.1    | 1       | 1.2     | 166.5   | 0.28    | 0.14    | 1.41    | 0.548   | 2.04    | 0.5 |
| S004568            |                          | 2.0     | 86.2    | 0.003   | 0.95    | 0.66    | 19.7    | 1       | 0.8     | 191.5   | 0.22    | 0.09    | 1.44    | 0.388   | 1.27    | 0.8 |
| S004569            |                          | 2.3     | 118.0   | 0.002   | 0.93    | 0.68    | 32.8    | 1       | 0.7     | 235     | 0.32    | 0.10    | 1.74    | 0.683   | 1.65    | 0.9 |
| S004570            |                          | 8860    | 162.0   | 0.007   | 3.09    | 77.7    | 12.6    | 3       | 4.4     | 150.5   | 0.36    | 0.29    | 3.76    | 0.259   | 3.26    | 2.1 |
| S004571            |                          | 5.1     | 61.4    | 0.002   | 0.67    | 0.86    | 27.0    | 1       | 0.5     | 292     | 0.28    | 0.05    | 1.25    | 0.547   | 0.92    | 0.5 |
| S004572            |                          | 3.0     | 98.9    | <0.002  | 0.71    | 0.71    | 29.4    | 1       | 0.6     | 235     | 0.28    | <0.05   | 1.56    | 0.585   | 1.38    | 0.8 |
| S004573            |                          | 3.2     | 127.5   | <0.002  | 1.31    | 1.51    | 31.7    | 1       | 1.0     | 206     | 0.25    | 0.15    | 1.63    | 0.507   | 1.82    | 0.7 |
| S004574            |                          | 2.4     | 70.8    | 0.004   | 2.17    | 3.41    | 12.9    | 1       | 0.5     | 89.8    | 0.14    | 0.13    | 1.12    | 0.247   | 0.97    | 0.6 |
| S004575            |                          | 2.7     | 141.5   | <0.002  | 1.91    | 2.81    | 37.8    | 1       | 1.2     | 145.5   | 0.30    | 0.17    | 1.66    | 0.599   | 1.95    | 0.4 |
| S004576            |                          | 2.0     | 114.5   | 0.002   | 1.15    | 1.60    | 31.9    | 1       | 0.8     | 195.5   | 0.34    | 0.10    | 1.66    | 0.665   | 1.57    | 0.9 |
| S004577            |                          | 2.6     | 106.0   | 0.002   | 1.18    | 1.57    | 30.3    | 1       | 0.8     | 218     | 0.33    | 0.10    | 1.61    | 0.638   | 1.46    | 0.8 |
| S004578            |                          | 3.6     | 130.0   | 0.003   | 2.93    | 4.14    | 37.3    | <1      | 1.2     | 169.0   | 0.23    | 0.08    | 1.39    | 0.475   | 1.69    | 0.4 |
| S004579            |                          | 10.4    | 114.5   | 0.002   | 7.57    | 19.80   | 34.1    | 1       | 0.9     | 72.8    | 0.24    | <0.05   | 0.96    | 0.506   | 1.51    | 0.4 |
| S004580            |                          | 3.4     | 0.6     | <0.002  | 0.06    | 0.11    | 0.3     | 2       | <0.2    | 5100    | <0.05   | 0.12    | 0.03    | <0.005  | <0.02   | 1.3 |
| S004581            |                          | 10.6    | 113.0   | 0.002   | 6.84    | 24.0    | 32.0    | <1      | 0.8     | 63.1    | 0.20    | <0.05   | 1.01    | 0.431   | 1.56    | 0.4 |
| S004582            |                          | 9.3     | 92.1    | 0.004   | 5.82    | 14.95   | 25.3    | 1       | 0.8     | 44.1    | 0.19    | <0.05   | 1.25    | 0.345   | 1.27    | 0.8 |
| S004583            |                          | 9.6     | 113.5   | 0.002   | 4.62    | 29.1    | 33.9    | 1       | 0.9     | 61.7    | 0.20    | <0.05   | 0.93    | 0.653   | 1.47    | 0.3 |
| S004584            |                          | 4.3     | 106.0   | 0.002   | 4.37    | 8.15    | 27.2    | 1       | 0.8     | 53.8    | 0.16    | <0.05   | 1.00    | 0.373   | 1.23    | 0.4 |
| S004585            |                          | 4.4     | 115.5   | 0.003   | 5.36    | 7.32    | 33.8    | 1       | 1.2     | 45.5    | 0.21    | 0.08    | 0.95    | 0.458   | 1.37    | 0.3 |
| S004586            |                          | 2.2     | 121.0   | 0.002   | 1.59    | 2.61    | 30.9    | <1      | 1.2     | 150.0   | 0.25    | 0.10    | 1.38    | 0.471   | 1.66    | 0.6 |
| S004586CD          |                          | 1.9     | 122.0   | 0.002   | 1.72    | 2.73    | 31.1    | 1       | 1.1     | 149.0   | 0.26    | 0.08    | 1.36    | 0.474   | 1.61    | 0.5 |
| S004587            |                          | 1.9     | 87.5    | <0.002  | 1.14    | 1.68    | 23.2    | 1       | 0.6     | 161.0   | 0.26    | 0.07    | 1.26    | 0.559   | 1.20    | 0.5 |
| S004588            |                          | 1.6     | 81.6    | <0.002  | 0.79    | 2.13    | 22.6    | 1       | 0.7     | 192.0   | 0.24    | 0.08    | 1.28    | 0.526   | 1.08    | 0.7 |
| S004589            |                          | 3.5     | 104.0   | 0.002   | 1.15    | 1.09    | 30.4    | 1       | 0.8     | 328     | 0.36    | 0.12    | 1.66    | 0.707   | 1.53    | 0.8 |
| S004590            |                          | 54.3    | 115.0   | <0.002  | 4.08    | 34.3    | 12.5    | 4       | 1.8     | 133.0   | 0.30    | 0.28    | 2.45    | 0.301   | 2.17    | 0.9 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S004553            |                                   | 190      | 5.6        | 15.8       | 33       | 44.3       | 24.1     | 0.6      | 106      |
| S004554            |                                   | 99       | 2.3        | 14.6       | 29       | 53.3       | 26.4     | 0.3      | 95       |
| S004555            |                                   | 130      | 9.3        | 17.2       | 48       | 80.2       | 26.8     | 0.4      | 118      |
| S004556            |                                   | 286      | 10.2       | 15.1       | 73       | 24.5       | 22.4     | 0.7      | 106      |
| S004557            |                                   | 241      | 7.2        | 22.0       | 155      | 26.0       | 16.3     | 0.6      | 70       |
| S004558            |                                   | 233      | 2.9        | 19.3       | 150      | 23.5       | 15.9     | 0.5      | 70       |
| S004559            |                                   | 344      | 0.7        | 22.7       | 115      | 42.6       | 21.7     | 0.8      | 91       |
| S004560            |                                   | 2        | <0.1       | 0.3        | <2       | 0.5        | 1.3      | <0.1     | 37       |
| S004561            |                                   | 306      | 0.9        | 20.7       | 118      | 27.2       | 20.7     | 0.7      | 79       |
| S004562            |                                   | 301      | 1.1        | 21.7       | 121      | 51.3       | 21.0     | 0.7      | 82       |
| S004563            |                                   | 251      | 2.0        | 20.8       | 122      | 31.7       | 19.3     | 0.6      | 68       |
| S004564            |                                   | 313      | 2.1        | 19.2       | 121      | 52.5       | 20.0     | 0.7      | 82       |
| S004565            |                                   | 365      | 0.9        | 21.1       | 148      | 74.5       | 19.8     | 0.7      | 97       |
| S004566            |                                   | 243      | 4.4        | 18.6       | 85       | 40.9       | 22.4     | 0.6      | 87       |
| S004566CD          |                                   | 249      | 4.3        | 17.8       | 86       | 35.0       | 22.2     | 0.6      | 87       |
| S004567            |                                   | 325      | 5.0        | 16.6       | 67       | 15.3       | 22.9     | 0.8      | 117      |
| S004568            |                                   | 168      | 2.9        | 16.0       | 88       | 41.0       | 23.6     | 0.4      | 78       |
| S004569            |                                   | 319      | 1.1        | 19.7       | 124      | 65.7       | 20.3     | 0.7      | 92       |
| S004570            |                                   | 126      | 4.2        | 9.5        | 1920     | 46.6       | 28.0     | 0.4      | 79       |
| S004571            |                                   | 247      | 0.7        | 14.8       | 136      | 30.9       | 17.9     | 0.6      | 73       |
| S004572            |                                   | 274      | 1.4        | 17.8       | 125      | 65.7       | 21.1     | 0.6      | 77       |
| S004573            |                                   | 284      | 5.7        | 20.8       | 119      | 31.4       | 20.2     | 0.7      | 80       |
| S004574            |                                   | 116      | 1.0        | 9.9        | 47       | 26.0       | 29.2     | 0.3      | 61       |
| S004575            |                                   | 374      | 5.8        | 18.5       | 82       | 19.2       | 20.8     | 0.9      | 117      |
| S004576            |                                   | 303      | 2.0        | 22.8       | 121      | 43.1       | 19.2     | 0.7      | 95       |
| S004577            |                                   | 286      | 0.7        | 21.2       | 137      | 69.8       | 19.3     | 0.6      | 86       |
| S004578            |                                   | 321      | 9.1        | 19.5       | 90       | 15.1       | 22.2     | 0.8      | 95       |
| S004579            |                                   | 294      | 1.5        | 13.4       | 98       | 18.2       | 26.6     | 0.8      | 80       |
| S004580            |                                   | 2        | <0.1       | 0.4        | 2        | 2.0        | 1.0      | <0.1     | 21       |
| S004581            |                                   | 281      | 1.2        | 13.0       | 125      | 23.7       | 27.8     | 0.7      | 76       |
| S004582            |                                   | 216      | 1.0        | 13.2       | 109      | 34.2       | 30.3     | 0.6      | 83       |
| S004583            |                                   | 279      | 1.2        | 12.3       | 194      | 16.3       | 27.9     | 0.7      | 75       |
| S004584            |                                   | 251      | 2.4        | 12.3       | 63       | 27.9       | 26.9     | 0.6      | 73       |
| S004585            |                                   | 315      | 5.1        | 10.4       | 22       | 10.5       | 24.9     | 0.8      | 92       |
| S004586            |                                   | 266      | 10.2       | 22.0       | 95       | 27.2       | 21.0     | 0.7      | 82       |
| S004586CD          |                                   | 271      | 12.5       | 21.5       | 99       | 40.0       | 21.7     | 0.7      | 79       |
| S004587            |                                   | 254      | 1.9        | 17.6       | 102      | 27.3       | 20.5     | 0.6      | 80       |
| S004588            |                                   | 233      | 0.9        | 18.5       | 97       | 56.4       | 21.5     | 0.6      | 77       |
| S004589            |                                   | 309      | 1.1        | 20.4       | 147      | 45.0       | 15.2     | 0.7      | 92       |
| S004590            |                                   | 136      | 2.2        | 7.6        | 198      | 31.3       | 31.9     | 0.4      | 67       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004591            |         | 6.86      | <0.005  | 0.19    | 7.46    | 3.0     | 560     | 0.76    | 0.66    | 5.63    | 0.09    | 22.5    | 28.5    | 4       | 4.38    | 3.8     |
| S004592            |         | 6.35      | <0.005  | 0.15    | 6.83    | 59.4    | 580     | 0.84    | 0.41    | 4.28    | 0.07    | 19.60   | 24.6    | 5       | 4.27    | 4.2     |
| S004593            |         | 6.81      | <0.005  | 0.16    | 6.98    | 1.7     | 660     | 0.94    | 0.45    | 4.33    | 0.05    | 20.4    | 26.2    | 4       | 3.92    | 6.6     |
| S004594            |         | 6.42      | <0.005  | 0.15    | 8.02    | 7.2     | 1010    | 1.13    | 0.51    | 2.47    | 0.02    | 20.7    | 29.3    | 5       | 3.65    | 4.7     |
| S004595            |         | 7.02      | <0.005  | 0.15    | 6.91    | 1.7     | 670     | 0.91    | 0.40    | 3.90    | 0.05    | 20.4    | 25.7    | 4       | 4.03    | 4.4     |
| S004596            |         | 7.67      | <0.005  | 0.11    | 7.44    | 5.3     | 710     | 0.78    | 0.40    | 4.46    | 0.08    | 22.6    | 29.6    | 4       | 4.70    | 4.0     |
| S004597            |         | 5.77      | <0.005  | 0.07    | 7.10    | 7.4     | 810     | 0.78    | 0.27    | 6.66    | 0.11    | 22.0    | 24.8    | 4       | 3.78    | 2.7     |
| S004598            |         | 6.60      | <0.005  | 0.18    | 7.51    | 4.6     | 800     | 0.89    | 0.88    | 2.74    | 0.04    | 20.6    | 30.3    | 4       | 4.52    | 4.9     |
| S004599            |         | 6.60      | <0.005  | 0.22    | 5.59    | 0.5     | 510     | 0.56    | 1.04    | 6.92    | 0.11    | 16.10   | 24.4    | 3       | 3.75    | 5.3     |
| S004600            |         | 1.20      | <0.005  | 0.02    | 0.05    | <0.2    | 10      | <0.05   | 0.02    | 35.9    | <0.02   | 0.28    | 0.3     | 1       | <0.05   | 0.7     |
| S004601            |         | 6.90      | <0.005  | 0.22    | 5.75    | 164.5   | 490     | 0.69    | 0.74    | 7.02    | 0.18    | 17.70   | 24.3    | 4       | 3.22    | 5.8     |
| S004602            |         | 6.25      | <0.005  | 0.06    | 7.63    | 9.3     | 650     | 1.06    | 0.27    | 6.87    | 0.13    | 24.2    | 29.2    | 3       | 3.71    | 3.2     |
| S004603            |         | 6.88      | <0.005  | 0.13    | 7.79    | 8.7     | 720     | 1.08    | 0.41    | 3.80    | 0.04    | 22.8    | 26.4    | 4       | 5.00    | 3.8     |
| S004604            |         | 6.46      | <0.005  | 0.11    | 6.88    | 5.4     | 680     | 0.90    | 0.39    | 5.49    | 0.09    | 21.1    | 21.9    | 4       | 4.08    | 3.4     |
| S004605            |         | 7.28      | <0.005  | 0.19    | 7.70    | 1.4     | 1000    | 0.97    | 0.79    | 3.04    | 0.06    | 22.9    | 30.8    | 5       | 3.67    | 5.1     |
| S004606            |         | 6.40      | <0.005  | 0.17    | 7.46    | 2.8     | 960     | 0.96    | 0.47    | 2.76    | 0.06    | 22.9    | 29.5    | 5       | 3.55    | 5.3     |
| S004606CD          |         | <0.02     | <0.005  | 0.15    | 7.53    | 2.6     | 970     | 0.91    | 0.47    | 2.76    | 0.07    | 22.2    | 28.9    | 5       | 3.49    | 4.7     |
| S004607            |         | 6.69      | <0.005  | 0.12    | 7.19    | 1.5     | 890     | 0.97    | 0.31    | 3.72    | 0.05    | 22.3    | 27.7    | 5       | 2.93    | 4.0     |
| S004608            |         | 6.29      | <0.005  | 0.11    | 6.88    | 254     | 970     | 0.88    | 0.23    | 5.34    | 0.42    | 21.8    | 24.7    | 6       | 3.61    | 2.2     |
| S004609            |         | 6.35      | <0.005  | 0.13    | 6.94    | 2.8     | 880     | 0.85    | 0.27    | 5.26    | 0.08    | 22.6    | 27.3    | 4       | 3.14    | 4.3     |
| S004610            |         | 0.14      | 1.120   | 13.30   | 6.25    | 326     | 340     | 1.05    | 0.17    | 3.74    | 4.12    | 23.7    | 10.8    | 27      | 6.32    | 85.2    |
| S004611            |         | 6.95      | 0.030   | 0.63    | 5.45    | 1720    | 170     | 0.72    | 0.75    | 5.69    | 0.66    | 18.80   | 21.5    | 4       | 2.52    | 7.7     |
| S004612            |         | 6.98      | 0.021   | 1.68    | 7.25    | 255     | 150     | 0.97    | 0.27    | 0.49    | 1.29    | 18.80   | 33.2    | 13      | 2.82    | 6.0     |
| S004613            |         | 4.06      | <0.005  | 0.67    | 7.69    | 73.0    | 200     | 0.95    | 0.66    | 0.39    | 1.50    | 16.25   | 35.1    | 17      | 2.75    | 7.4     |
| S004614            |         | 4.20      | 0.006   | 0.73    | 7.60    | 268     | 250     | 0.92    | 0.19    | 0.92    | 2.83    | 17.15   | 32.3    | 17      | 2.78    | 6.9     |
| S004615            |         | 5.39      | 0.009   | 0.79    | 4.84    | 820     | 360     | 0.69    | 0.53    | 0.47    | 1.09    | 24.7    | 6.7     | 19      | 1.55    | 16.0    |
| S004616            |         | 4.85      | <0.005  | 0.43    | 3.83    | 96.4    | 580     | 0.68    | 0.28    | 0.76    | 0.70    | 30.2    | 3.4     | 14      | 1.31    | 9.7     |
| S004617            |         | 4.88      | <0.005  | 0.40    | 3.73    | 222     | 530     | 0.58    | 0.08    | 3.41    | 0.75    | 35.8    | 1.4     | 8       | 1.43    | 4.0     |
| S004618            |         | 2.09      | <0.005  | 0.48    | 3.73    | 248     | 480     | 0.57    | 0.06    | 3.97    | 0.89    | 37.0    | 0.8     | 5       | 1.62    | 4.5     |
| S004619            |         | 5.55      | <0.005  | 0.42    | 8.50    | 93.6    | 1170    | 1.44    | 0.03    | 5.21    | 0.14    | 26.0    | 34.0    | 5       | 5.58    | 4.9     |
| S004620            |         | 0.76      | <0.005  | 0.01    | 0.11    | 0.3     | 20      | <0.05   | 0.01    | 36.2    | <0.02   | 0.47    | 0.5     | 1       | <0.05   | 1.5     |
| S004621            |         | 6.32      | <0.005  | 0.41    | 6.88    | 16.6    | 610     | 1.20    | 0.03    | 7.19    | 0.25    | 22.9    | 23.2    | 4       | 4.88    | 4.6     |
| S004622            |         | 6.16      | <0.005  | 0.26    | 8.15    | 7.5     | 1140    | 1.22    | 0.06    | 6.94    | 0.11    | 24.6    | 26.4    | 5       | 5.42    | 6.5     |
| S004623            |         | 5.72      | <0.005  | 0.08    | 7.13    | 3.0     | 970     | 1.09    | 0.02    | 7.41    | 0.16    | 22.5    | 26.0    | 4       | 3.46    | 4.5     |
| S004624            |         | 6.42      | <0.005  | 0.06    | 7.04    | 6.9     | 970     | 1.02    | 0.02    | 9.01    | 0.16    | 21.1    | 23.9    | 4       | 3.09    | 4.6     |
| S004625            |         | 6.07      | <0.005  | 0.06    | 4.96    | 2.7     | 560     | 0.66    | 0.02    | 13.80   | 0.14    | 19.25   | 17.0    | 4       | 1.99    | 3.8     |
| S004626            |         | 6.41      | <0.005  | 0.08    | 7.94    | 9.0     | 1050    | 1.20    | 0.02    | 4.67    | 0.09    | 25.1    | 28.6    | 4       | 3.55    | 4.3     |
| S004626CD          |         | <0.02     | <0.005  | 0.08    | 8.11    | 8.3     | 1080    | 1.23    | 0.02    | 4.39    | 0.06    | 25.9    | 27.8    | 5       | 3.51    | 4.1     |
| S004627            |         | 6.19      | <0.005  | 0.11    | 6.23    | 3.7     | 710     | 0.97    | 0.04    | 7.84    | 0.11    | 21.7    | 22.2    | 3       | 2.74    | 4.1     |
| S004628            |         | 6.92      | <0.005  | 0.12    | 6.26    | 3.6     | 750     | 0.89    | 0.04    | 6.24    | 0.08    | 21.6    | 22.6    | 4       | 2.20    | 5.5     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S004591            |         | 8.94    | 17.55   | 0.12    | 1.1     | 0.076   | 2.09    | 10.4    | 27.8    | 2.64    | 1720    | 1.53    | 0.66    | 5.6     | 1.5     | 1210 |
| S004592            |         | 5.95    | 16.05   | 0.13    | 1.4     | 0.061   | 2.40    | 8.8     | 19.7    | 1.73    | 1130    | 1.78    | 0.58    | 4.9     | 1.6     | 1130 |
| S004593            |         | 7.01    | 16.95   | 0.13    | 0.5     | 0.063   | 2.56    | 9.0     | 20.2    | 1.92    | 1160    | 2.04    | 0.16    | 5.2     | 1.5     | 1150 |
| S004594            |         | 6.11    | 19.75   | 0.11    | 0.4     | 0.077   | 3.59    | 9.2     | 16.1    | 1.40    | 841     | 2.91    | 0.11    | 5.9     | 1.8     | 1310 |
| S004595            |         | 6.98    | 15.85   | 0.13    | 0.7     | 0.055   | 2.56    | 9.2     | 22.8    | 2.01    | 1140    | 1.76    | 0.22    | 5.2     | 1.5     | 1250 |
| S004596            |         | 7.57    | 17.85   | 0.11    | 0.8     | 0.066   | 2.84    | 11.0    | 23.3    | 2.14    | 1180    | 2.12    | 0.15    | 5.7     | 1.6     | 1260 |
| S004597            |         | 7.47    | 17.50   | 0.14    | 1.7     | 0.067   | 2.61    | 10.2    | 27.1    | 2.64    | 1740    | 2.45    | 0.19    | 5.5     | 1.5     | 1200 |
| S004598            |         | 8.22    | 17.45   | 0.12    | 0.8     | 0.067   | 2.88    | 9.7     | 23.9    | 2.13    | 978     | 1.58    | 0.21    | 5.3     | 2.0     | 1270 |
| S004599            |         | 7.25    | 13.60   | 0.13    | 0.6     | 0.060   | 2.11    | 7.4     | 19.1    | 2.75    | 1670    | 1.92    | 0.17    | 3.6     | 1.2     | 960  |
| S004600            |         | 0.05    | 0.15    | 0.09    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.75    | 24      | 0.07    | <0.01   | <0.1    | 0.3     | 40   |
| S004601            |         | 7.24    | 13.35   | 0.09    | 0.8     | 0.060   | 2.10    | 8.4     | 17.8    | 2.84    | 1600    | 2.28    | 0.12    | 3.9     | 1.6     | 980  |
| S004602            |         | 8.12    | 18.75   | 0.11    | 2.0     | 0.062   | 2.17    | 11.4    | 31.6    | 3.00    | 1500    | 4.05    | 0.30    | 6.1     | 1.8     | 1380 |
| S004603            |         | 7.47    | 18.25   | 0.10    | 0.6     | 0.069   | 2.58    | 10.8    | 26.9    | 2.31    | 963     | 2.17    | 0.48    | 6.1     | 1.5     | 1300 |
| S004604            |         | 7.07    | 16.15   | 0.12    | 1.4     | 0.066   | 2.45    | 9.9     | 19.3    | 2.75    | 1550    | 1.78    | 0.24    | 5.1     | 1.4     | 1160 |
| S004605            |         | 6.87    | 18.50   | 0.09    | 0.7     | 0.081   | 2.98    | 10.8    | 19.4    | 2.10    | 1050    | 1.60    | 0.30    | 5.9     | 1.9     | 1300 |
| S004606            |         | 6.34    | 18.45   | 0.13    | 0.4     | 0.073   | 3.04    | 10.4    | 17.6    | 1.94    | 901     | 0.93    | 0.15    | 5.6     | 1.8     | 1300 |
| S004606CD          |         | 6.42    | 17.75   | 0.10    | 1.3     | 0.068   | 3.12    | 10.1    | 17.6    | 1.96    | 912     | 0.97    | 0.15    | 5.5     | 1.7     | 1320 |
| S004607            |         | 6.45    | 17.55   | 0.13    | 0.6     | 0.068   | 2.66    | 10.4    | 22.6    | 2.18    | 1030    | 0.56    | 0.23    | 5.7     | 1.6     | 1210 |
| S004608            |         | 5.79    | 16.75   | 0.12    | 0.5     | 0.082   | 3.18    | 10.1    | 9.2     | 2.32    | 1510    | 1.27    | 0.12    | 5.3     | 1.6     | 1180 |
| S004609            |         | 5.84    | 16.85   | 0.12    | 0.6     | 0.060   | 2.93    | 10.3    | 12.3    | 2.32    | 1340    | 1.01    | 0.12    | 5.6     | 1.8     | 1260 |
| S004610            |         | 3.98    | 12.95   | 0.09    | 1.1     | 0.044   | 3.95    | 11.9    | 12.3    | 0.57    | 1410    | 9.19    | 0.21    | 4.6     | 19.6    | 920  |
| S004611            |         | 8.37    | 12.85   | 0.11    | 0.4     | 0.047   | 2.77    | 8.8     | 3.8     | 2.14    | 1420    | 1.74    | 0.06    | 3.2     | 1.4     | 1230 |
| S004612            |         | 8.06    | 17.00   | 0.11    | 0.6     | 0.061   | 3.49    | 7.7     | 4.2     | 0.48    | 167     | 2.09    | 0.09    | 2.7     | 3.1     | 1100 |
| S004613            |         | 7.65    | 17.45   | 0.12    | 0.4     | 0.066   | 3.72    | 6.3     | 3.9     | 0.49    | 136     | 1.75    | 0.09    | 2.1     | 3.6     | 1000 |
| S004614            |         | 6.86    | 16.95   | 0.12    | 0.6     | 0.061   | 3.59    | 7.1     | 4.9     | 0.63    | 225     | 3.89    | 0.09    | 2.4     | 6.6     | 1160 |
| S004615            |         | 3.99    | 10.75   | 0.11    | 2.2     | 0.029   | 2.33    | 12.5    | 2.5     | 0.41    | 116     | 22.4    | 0.06    | 3.6     | 37.2    | 690  |
| S004616            |         | 2.81    | 9.05    | 0.10    | 2.2     | 0.032   | 1.78    | 15.8    | 2.1     | 0.22    | 110     | 11.45   | 0.06    | 4.4     | 17.1    | 330  |
| S004617            |         | 2.65    | 9.45    | 0.11    | 2.4     | 0.048   | 1.73    | 19.0    | 2.2     | 0.28    | 308     | 4.01    | 0.06    | 5.6     | 1.9     | 130  |
| S004618            |         | 2.83    | 9.06    | 0.13    | 2.7     | 0.048   | 1.74    | 19.2    | 2.3     | 0.29    | 389     | 4.07    | 0.06    | 6.3     | 1.1     | 160  |
| S004619            |         | 6.61    | 21.4    | 0.13    | 0.3     | 0.092   | 4.06    | 11.8    | 5.5     | 2.09    | 1360    | 0.62    | 0.15    | 5.4     | 1.9     | 1370 |
| S004620            |         | 0.09    | 0.25    | 0.12    | <0.1    | <0.005  | 0.02    | <0.5    | 0.4     | 1.83    | 28      | 0.07    | 0.03    | 0.1     | 0.3     | 40   |
| S004621            |         | 6.33    | 16.80   | 0.12    | 1.1     | 0.076   | 3.24    | 10.2    | 6.2     | 2.25    | 2390    | 0.92    | 0.14    | 4.1     | 1.6     | 860  |
| S004622            |         | 7.21    | 18.75   | 0.16    | 0.8     | 0.070   | 3.43    | 11.1    | 10.9    | 2.73    | 1730    | 1.46    | 0.21    | 5.8     | 1.8     | 1190 |
| S004623            |         | 6.40    | 16.50   | 0.19    | 1.6     | 0.076   | 2.71    | 10.2    | 18.5    | 2.47    | 1620    | 1.23    | 0.09    | 5.7     | 1.7     | 1020 |
| S004624            |         | 5.21    | 16.20   | 0.16    | 0.9     | 0.074   | 2.75    | 9.6     | 15.0    | 1.61    | 1380    | 1.47    | 0.09    | 5.7     | 1.7     | 940  |
| S004625            |         | 5.37    | 11.45   | 0.12    | 0.4     | 0.062   | 1.71    | 9.0     | 13.7    | 1.73    | 1990    | 1.31    | 0.07    | 3.7     | 1.2     | 830  |
| S004626            |         | 6.47    | 18.25   | 0.17    | 0.4     | 0.076   | 3.08    | 12.1    | 13.3    | 1.76    | 1200    | 1.46    | 0.11    | 6.4     | 1.9     | 1270 |
| S004626CD          |         | 6.50    | 18.65   | 0.15    | 0.5     | 0.074   | 3.17    | 12.5    | 13.2    | 1.77    | 1170    | 1.43    | 0.11    | 6.6     | 1.9     | 1260 |
| S004627            |         | 6.72    | 14.50   | 0.14    | 0.7     | 0.067   | 2.22    | 10.2    | 12.7    | 2.53    | 1940    | 1.43    | 0.09    | 4.9     | 1.5     | 1090 |
| S004628            |         | 6.68    | 14.50   | 0.16    | 1.1     | 0.068   | 2.19    | 10.1    | 15.3    | 2.24    | 1880    | 0.74    | 0.06    | 4.8     | 4.4     | 1080 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1     |     |
| S004591            |                          | 2.7     | 89.5    | 0.002   | 0.79    | 1.79    | 1       | 0.7     | 282     | 0.32    | 0.06    | 1.34    | 0.688   | 1.35    | 0.6     |     |
| S004592            |                          | 2.5     | 97.9    | <0.002  | 0.71    | 2.39    | 1       | 0.7     | 226     | 0.29    | 0.06    | 1.32    | 0.613   | 1.35    | 0.5     |     |
| S004593            |                          | 1.5     | 99.6    | <0.002  | 1.03    | 1.74    | 1       | 0.7     | 158.0   | 0.30    | 0.07    | 1.24    | 0.618   | 1.32    | 0.3     |     |
| S004594            |                          | 2.0     | 91.8    | 0.002   | 0.90    | 1.83    | <1      | 1.0     | 97.7    | 0.33    | 0.07    | 1.27    | 0.713   | 1.47    | 0.4     |     |
| S004595            |                          | 1.7     | 101.5   | 0.002   | 0.73    | 1.29    | <1      | 0.7     | 177.5   | 0.30    | 0.05    | 1.38    | 0.630   | 1.37    | 0.5     |     |
| S004596            |                          | 1.8     | 111.5   | 0.002   | 0.59    | 1.13    | 1       | 0.7     | 215     | 0.32    | <0.05   | 1.41    | 0.682   | 1.42    | 0.5     |     |
| S004597            |                          | 1.7     | 105.5   | <0.002  | 0.37    | 1.00    | 1       | 0.8     | 306     | 0.31    | <0.05   | 1.65    | 0.664   | 1.42    | 0.7     |     |
| S004598            |                          | 2.1     | 111.5   | 0.003   | 1.15    | 1.39    | 1       | 0.8     | 132.5   | 0.32    | 0.13    | 1.42    | 0.658   | 1.48    | 0.5     |     |
| S004599            |                          | 2.3     | 86.0    | <0.002  | 1.03    | 1.54    | <1      | 0.6     | 207     | 0.21    | 0.06    | 1.16    | 0.467   | 1.23    | 0.3     |     |
| S004600            |                          | <0.5    | 0.4     | <0.002  | 0.06    | 0.11    | 1       | <0.2    | 5010    | <0.05   | <0.05   | 0.02    | <0.005  | 0.02    | 1.2     |     |
| S004601            |                          | 4.5     | 87.6    | <0.002  | 0.96    | 2.96    | 1       | 0.6     | 254     | 0.23    | 0.09    | 1.21    | 0.477   | 1.14    | 0.4     |     |
| S004602            |                          | 1.7     | 82.2    | <0.002  | 0.35    | 0.77    | <1      | 0.8     | 292     | 0.36    | <0.05   | 1.86    | 0.717   | 1.14    | 1.0     |     |
| S004603            |                          | 1.7     | 97.1    | 0.002   | 0.60    | 0.74    | 1       | 0.8     | 202     | 0.36    | 0.05    | 1.62    | 0.723   | 1.36    | 0.6     |     |
| S004604            |                          | 1.4     | 94.8    | 0.002   | 0.65    | 1.05    | <1      | 0.7     | 220     | 0.30    | <0.05   | 1.61    | 0.609   | 1.19    | 0.7     |     |
| S004605            |                          | 1.6     | 113.0   | 0.002   | 1.02    | 1.00    | 1       | 0.9     | 160.5   | 0.34    | 0.16    | 1.72    | 0.688   | 1.27    | 0.6     |     |
| S004606            |                          | 1.4     | 112.5   | <0.002  | 0.94    | 1.03    | 1       | 0.9     | 114.0   | 0.33    | 0.13    | 1.57    | 0.656   | 1.27    | 0.4     |     |
| S004606CD          |                          | 1.4     | 111.5   | <0.002  | 0.94    | 1.05    | 1       | 0.9     | 113.5   | 0.33    | 0.10    | 1.78    | 0.654   | 1.24    | 0.7     |     |
| S004607            |                          | 1.3     | 97.6    | 0.002   | 0.68    | 0.88    | 1       | 0.8     | 198.5   | 0.32    | 0.11    | 1.44    | 0.669   | 1.02    | 0.5     |     |
| S004608            |                          | 7.2     | 119.0   | 0.002   | 0.58    | 3.59    | <1      | 0.9     | 181.0   | 0.30    | 0.05    | 1.47    | 0.598   | 1.37    | 0.5     |     |
| S004609            |                          | 1.6     | 104.5   | <0.002  | 0.95    | 2.09    | <1      | 0.9     | 197.5   | 0.33    | <0.05   | 1.59    | 0.633   | 1.11    | 0.5     |     |
| S004610            |                          | 148.5   | 158.5   | 0.008   | 2.90    | 18.00   | 2       | 1.5     | 193.0   | 0.28    | 0.31    | 2.95    | 0.262   | 3.00    | 1.6     |     |
| S004611            |                          | 14.7    | 92.0    | <0.002  | 4.38    | 11.15   | 1       | 0.8     | 155.0   | 0.19    | 0.06    | 1.04    | 0.403   | 1.10    | 0.3     |     |
| S004612            |                          | 11.0    | 105.0   | 0.002   | 6.84    | 22.8    | 1       | 0.9     | 49.6    | 0.16    | <0.05   | 0.95    | 0.382   | 1.29    | 0.3     |     |
| S004613            |                          | 3.7     | 106.0   | 0.002   | 4.96    | 13.75   | 1       | 0.9     | 44.7    | 0.13    | 0.05    | 0.81    | 0.320   | 1.44    | 0.2     |     |
| S004614            |                          | 3.7     | 107.5   | 0.002   | 4.33    | 14.15   | 1       | 0.8     | 62.4    | 0.14    | <0.05   | 1.11    | 0.342   | 1.28    | 0.6     |     |
| S004615            |                          | 6.3     | 69.2    | 0.015   | 2.45    | 16.85   | 2       | 0.9     | 38.9    | 0.23    | 0.05    | 2.71    | 0.229   | 0.85    | 3.1     |     |
| S004616            |                          | 3.6     | 53.1    | 0.006   | 1.67    | 10.00   | 1       | 0.9     | 65.2    | 0.27    | <0.05   | 3.04    | 0.144   | 0.72    | 2.3     |     |
| S004617            |                          | 2.3     | 52.8    | <0.002  | 1.53    | 7.24    | <1      | 1.1     | 288     | 0.36    | <0.05   | 3.25    | 0.086   | 0.79    | 1.6     |     |
| S004618            |                          | 2.9     | 56.3    | <0.002  | 1.64    | 7.51    | <1      | 1.0     | 182.0   | 0.42    | <0.05   | 3.66    | 0.092   | 0.85    | 1.8     |     |
| S004619            |                          | 2.9     | 119.5   | <0.002  | 2.61    | 6.29    | 1       | 1.2     | 302     | 0.32    | <0.05   | 1.58    | 0.611   | 1.64    | 0.5     |     |
| S004620            |                          | <0.5    | 0.6     | <0.002  | 0.04    | 0.09    | 1       | <0.2    | 5040    | <0.05   | <0.05   | 0.04    | 0.007   | <0.02   | 1.3     |     |
| S004621            |                          | 3.0     | 111.5   | 0.002   | 2.79    | 6.32    | <1      | 0.8     | 394     | 0.24    | <0.05   | 1.55    | 0.491   | 1.39    | 0.8     |     |
| S004622            |                          | 3.1     | 110.0   | 0.002   | 2.29    | 5.37    | 1       | 1.0     | 220     | 0.37    | <0.05   | 1.74    | 0.691   | 1.39    | 0.6     |     |
| S004623            |                          | 2.3     | 90.2    | 0.003   | 0.73    | 3.12    | <1      | 0.9     | 242     | 0.33    | <0.05   | 1.61    | 0.672   | 1.07    | 0.8     |     |
| S004624            |                          | 2.4     | 87.4    | 0.002   | 0.79    | 3.00    | <1      | 0.9     | 270     | 0.33    | <0.05   | 1.54    | 0.671   | 1.08    | 0.6     |     |
| S004625            |                          | 1.4     | 55.9    | 0.002   | 1.00    | 2.06    | 1       | 0.6     | 804     | 0.20    | <0.05   | 0.99    | 0.406   | 0.68    | 0.4     |     |
| S004626            |                          | 1.4     | 98.8    | <0.002  | 0.81    | 3.07    | 1       | 1.0     | 184.0   | 0.38    | <0.05   | 1.60    | 0.742   | 1.12    | 0.4     |     |
| S004626CD          |                          | 1.4     | 97.0    | 0.002   | 0.76    | 3.07    | <1      | 1.1     | 177.0   | 0.38    | <0.05   | 1.63    | 0.754   | 1.21    | 0.5     |     |
| S004627            |                          | 1.2     | 73.3    | 0.002   | 1.15    | 2.11    | 1       | 0.7     | 300     | 0.29    | <0.05   | 1.29    | 0.555   | 0.94    | 0.5     |     |
| S004628            |                          | 1.1     | 71.9    | 0.003   | 1.40    | 2.14    | 1       | 0.8     | 240     | 0.29    | <0.05   | 1.38    | 0.568   | 0.91    | 0.6     |     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Si      | Ti      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S004591            |                          | 299     | 0.9     | 18.1    | 136     | 32.9    | 18.3    | 0.7     | 91      |
| S004592            |                          | 277     | 2.5     | 35.1    | 86      | 30.7    | 21.6    | 0.7     | 85      |
| S004593            |                          | 283     | 1.5     | 16.8    | 92      | 17.2    | 21.4    | 0.6     | 85      |
| S004594            |                          | 346     | 2.8     | 16.0    | 67      | 20.4    | 22.8    | 0.9     | 105     |
| S004595            |                          | 280     | 1.8     | 19.1    | 100     | 40.9    | 21.7    | 0.7     | 86      |
| S004596            |                          | 302     | 1.5     | 19.5    | 102     | 38.9    | 20.4    | 0.7     | 92      |
| S004597            |                          | 287     | 2.4     | 22.1    | 136     | 43.9    | 17.7    | 0.7     | 88      |
| S004598            |                          | 291     | 2.5     | 15.8    | 119     | 29.0    | 21.7    | 0.7     | 94      |
| S004599            |                          | 223     | 4.8     | 16.4    | 119     | 19.9    | 19.3    | 0.5     | 67      |
| S004600            |                          | 2       | <0.1    | 0.3     | <2      | 0.5     | 1.0     | <0.1    | 47      |
| S004601            |                          | 225     | 11.2    | 16.7    | 113     | 22.0    | 19.4    | 0.5     | 75      |
| S004602            |                          | 301     | 1.2     | 24.0    | 124     | 84.0    | 16.4    | 0.7     | 94      |
| S004603            |                          | 314     | 0.9     | 21.6    | 111     | 20.0    | 20.5    | 0.8     | 101     |
| S004604            |                          | 272     | 4.7     | 21.5    | 128     | 63.4    | 19.8    | 0.6     | 81      |
| S004605            |                          | 305     | 2.5     | 19.5    | 114     | 22.9    | 22.8    | 0.8     | 103     |
| S004606            |                          | 297     | 3.0     | 18.6    | 110     | 16.0    | 23.1    | 0.7     | 103     |
| S004606CD          |                          | 299     | 3.0     | 20.2    | 109     | 49.0    | 22.9    | 0.7     | 102     |
| S004607            |                          | 288     | 2.0     | 17.5    | 116     | 18.8    | 21.8    | 0.7     | 95      |
| S004608            |                          | 271     | 6.9     | 20.4    | 116     | 18.4    | 21.0    | 0.7     | 88      |
| S004609            |                          | 270     | 2.0     | 21.0    | 97      | 16.9    | 21.1    | 0.6     | 90      |
| S004610            |                          | 108     | 5.3     | 7.9     | 500     | 39.3    | 28.1    | 0.3     | 79      |
| S004611            |                          | 214     | 6.7     | 15.8    | 110     | 13.0    | 20.2    | 0.5     | 65      |
| S004612            |                          | 280     | 4.9     | 10.3    | 127     | 24.4    | 26.4    | 0.7     | 74      |
| S004613            |                          | 294     | 5.0     | 8.3     | 125     | 7.4     | 26.3    | 0.7     | 75      |
| S004614            |                          | 286     | 3.9     | 9.2     | 250     | 20.5    | 26.5    | 0.7     | 81      |
| S004615            |                          | 137     | 4.5     | 11.2    | 98      | 83.6    | 33.3    | 0.4     | 101     |
| S004616            |                          | 59      | 2.5     | 15.3    | 76      | 87.1    | 36.5    | 0.2     | 140     |
| S004617            |                          | 14      | 1.0     | 18.8    | 96      | 94.7    | 31.6    | 0.1     | 194     |
| S004618            |                          | 11      | 1.0     | 21.5    | 126     | 112.5   | 30.9    | 0.1     | 188     |
| S004619            |                          | 343     | 1.9     | 23.6    | 108     | 12.2    | 18.9    | 0.9     | 108     |
| S004620            |                          | 4       | <0.1    | 0.4     | 2       | 0.8     | 1.8     | <0.1    | 32      |
| S004621            |                          | 273     | 0.6     | 20.9    | 96      | 41.9    | 18.5    | 0.7     | 91      |
| S004622            |                          | 329     | 2.3     | 23.5    | 100     | 26.7    | 16.7    | 0.9     | 102     |
| S004623            |                          | 287     | 0.6     | 24.4    | 130     | 58.8    | 17.2    | 0.7     | 94      |
| S004624            |                          | 282     | 0.5     | 23.7    | 109     | 40.3    | 18.7    | 0.7     | 88      |
| S004625            |                          | 195     | 0.8     | 21.6    | 97      | 15.1    | 14.5    | 0.5     | 67      |
| S004626            |                          | 326     | 0.7     | 22.6    | 106     | 16.4    | 20.7    | 0.8     | 104     |
| S004626CD          |                          | 331     | 0.7     | 22.2    | 107     | 18.2    | 20.6    | 0.8     | 106     |
| S004627            |                          | 245     | 1.3     | 22.8    | 119     | 24.0    | 18.1    | 0.6     | 80      |
| S004628            |                          | 250     | 0.7     | 22.1    | 92      | 37.7    | 19.6    | 0.6     | 79      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| S004629            |                          | 6.83                | <0.005         | 0.14           | 6.39         | 2.5            | 660            | 0.89           | 0.04           | 7.43         | 0.08           | 17.35          | 23.1           | 47             | 1.79           | 6.5            |
| S004630            |                          | 0.14                | 5.79           | 77.9           | 6.20         | 293            | 320            | 0.96           | 1.09           | 1.99         | 21.3           | 25.7           | 9.9            | 23             | 6.97           | 114.5          |
| S004631            |                          | 5.50                | <0.005         | 0.28           | 6.17         | 26.0           | 570            | 0.91           | 0.02           | 10.90        | 0.51           | 19.10          | 22.0           | 4              | 2.46           | 5.0            |
| S004632            |                          | 4.35                | <0.005         | 0.17           | 7.63         | 12.4           | 1140           | 1.31           | 0.08           | 10.70        | 0.21           | 24.9           | 23.8           | 4              | 3.28           | 4.5            |
| S004633            |                          | 2.71                | <0.005         | 0.33           | 7.44         | 21.3           | 300            | 1.26           | 0.51           | 6.82         | 0.08           | 19.30          | 33.5           | 7              | 2.57           | 11.8           |
| S004634            |                          | 6.41                | <0.005         | 0.31           | 5.10         | 15.6           | 130            | 0.92           | 0.14           | 3.51         | 1.49           | 29.0           | 7.8            | 15             | 2.39           | 18.8           |
| S004635            |                          | 6.35                | 0.021          | 0.57           | 6.59         | 37.4           | 110            | 1.13           | 0.19           | 1.84         | 1.63           | 43.4           | 8.5            | 16             | 3.70           | 21.1           |
| S004636            |                          | 6.81                | 0.021          | 0.46           | 6.84         | 38.6           | 80             | 1.19           | 0.19           | 2.49         | 1.16           | 41.5           | 8.1            | 14             | 3.91           | 18.9           |
| S004637            |                          | 7.73                | 0.013          | 0.39           | 6.59         | 26.0           | 140            | 1.10           | 0.13           | 3.12         | 1.41           | 42.2           | 8.7            | 15             | 3.85           | 21.2           |
| S004638            |                          | 1.73                | <0.005         | 0.18           | 4.44         | 4.0            | 500            | 0.72           | 0.08           | 8.00         | 1.64           | 23.9           | 7.6            | 16             | 2.32           | 17.9           |
| S004639            |                          | 4.05                | <0.005         | 0.17           | 6.75         | 15.1           | 340            | 1.08           | 0.12           | 6.41         | 0.59           | 40.9           | 19.2           | 20             | 3.50           | 20.3           |
| S004640            |                          | 0.95                | <0.005         | 0.02           | 0.13         | <0.2           | 20             | <0.05          | 0.01           | 35.7         | <0.02          | 0.68           | 0.3            | 1              | <0.05          | 0.8            |
| S004641            |                          | 6.17                | <0.005         | 0.12           | 7.19         | 30.8           | 790            | 1.02           | 0.15           | 7.93         | 0.04           | 48.2           | 19.2           | 18             | 2.79           | 18.9           |
| S004642            |                          | 5.87                | <0.005         | 0.11           | 7.07         | 2.8            | 840            | 1.16           | 0.13           | 6.76         | 0.07           | 49.7           | 17.2           | 22             | 2.89           | 18.9           |
| S004643            |                          | 6.41                | <0.005         | 0.16           | 6.75         | 1.0            | 670            | 1.07           | 0.10           | 7.35         | 0.08           | 48.4           | 16.1           | 16             | 2.92           | 17.6           |
| S004644            |                          | 6.93                | <0.005         | 0.27           | 6.57         | 189.5          | 630            | 1.07           | 0.12           | 6.85         | 0.35           | 46.3           | 15.6           | 14             | 2.67           | 16.4           |
| S004645            |                          | 6.16                | 0.005          | 0.54           | 7.62         | 1220           | 850            | 1.55           | 0.28           | 5.06         | 0.42           | 50.9           | 18.4           | 22             | 3.24           | 18.2           |
| S004646            |                          | 6.14                | <0.005         | 0.17           | 6.82         | 60.6           | 630            | 1.02           | 0.25           | 6.82         | 0.09           | 43.2           | 15.9           | 19             | 2.65           | 18.8           |
| S004646CD          |                          | <0.02               | <0.005         | 0.16           | 6.79         | 54.5           | 660            | 1.01           | 0.23           | 6.82         | 0.08           | 41.8           | 15.2           | 19             | 2.49           | 18.6           |
| S004647            |                          | 4.48                | <0.005         | 0.18           | 6.84         | 2.6            | 490            | 1.01           | 0.12           | 8.53         | 0.11           | 44.0           | 16.2           | 16             | 3.09           | 19.4           |
| S004648            |                          | 3.91                | <0.005         | 0.13           | 7.75         | 2.5            | 910            | 1.50           | 0.12           | 2.26         | 0.47           | 38.7           | 11.0           | 29             | 4.36           | 21.2           |
| S004649            |                          | 3.99                | <0.005         | 0.14           | 8.07         | 3.0            | 1110           | 1.88           | 0.11           | 3.16         | 2.52           | 35.2           | 9.1            | 34             | 5.00           | 27.0           |
| S004650            |                          | 0.12                | 1.215          | 27.7           | 5.66         | 365            | 130            | 1.11           | 0.92           | 0.65         | 1.58           | 27.3           | 11.9           | 18             | 7.31           | 104.0          |
| S004651            |                          | 7.00                | <0.005         | 0.15           | 8.52         | 4.2            | 860            | 1.97           | 0.11           | 1.04         | 1.07           | 41.4           | 10.6           | 35             | 5.20           | 25.2           |
| S004652            |                          | 2.12                | <0.005         | 0.12           | 5.99         | 11.5           | 220            | 1.19           | 0.08           | 8.66         | 1.40           | 36.1           | 16.8           | 10             | 3.08           | 16.6           |
| S004653            |                          | 4.38                | <0.005         | 0.08           | 4.40         | 11.6           | 620            | 0.93           | 0.04           | 14.70        | 1.70           | 20.3           | 15.0           | 5              | 2.00           | 11.5           |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004629            |                          | 7.54    | 13.25   | 0.14    | 0.9     | 0.056   | 1.91    | 7.6     | 18.7    | 2.38    | 1850    | 0.74    | 0.06    | 3.8     | 13.3    | 940   |
| S004630            |                          | 4.70    | 12.05   | 0.14    | 1.2     | 1.265   | 3.69    | 13.3    | 11.9    | 0.48    | 1170    | 9.04    | 0.23    | 5.1     | 14.9    | 940   |
| S004631            |                          | 6.97    | 13.80   | 0.16    | 0.6     | 0.067   | 2.52    | 8.9     | 9.9     | 1.18    | 1400    | 1.35    | 0.07    | 4.3     | 1.5     | 1100  |
| S004632            |                          | 4.70    | 17.80   | 0.15    | 0.4     | 0.076   | 3.73    | 11.5    | 4.5     | 1.17    | 1460    | 1.40    | 0.10    | 5.3     | 1.7     | 1480  |
| S004633            |                          | 8.69    | 20.1    | 0.15    | 0.6     | 0.073   | 3.95    | 7.6     | 7.4     | 1.02    | 1220    | 2.85    | 0.10    | 5.1     | 4.4     | 1400  |
| S004634            |                          | 7.37    | 13.15   | 0.16    | 1.9     | 0.053   | 2.16    | 15.1    | 8.0     | 1.13    | 1100    | 14.95   | 0.08    | 4.9     | 23.3    | 1090  |
| S004635            |                          | 7.55    | 17.40   | 0.18    | 2.3     | 0.074   | 3.03    | 21.4    | 3.9     | 0.67    | 451     | 15.05   | 0.11    | 6.4     | 26.8    | 1090  |
| S004636            |                          | 7.16    | 17.60   | 0.16    | 2.3     | 0.065   | 3.20    | 19.3    | 3.5     | 0.65    | 494     | 14.85   | 0.12    | 6.7     | 21.1    | 1100  |
| S004637            |                          | 6.53    | 16.55   | 0.15    | 2.4     | 0.071   | 3.09    | 20.0    | 2.9     | 0.56    | 515     | 17.00   | 0.12    | 7.1     | 26.9    | 1040  |
| S004638            |                          | 4.44    | 10.85   | 0.14    | 2.0     | 0.051   | 2.03    | 12.6    | 2.4     | 0.40    | 843     | 22.2    | 0.07    | 3.7     | 35.9    | 690   |
| S004639            |                          | 7.34    | 18.90   | 0.15    | 1.0     | 0.083   | 2.96    | 19.0    | 12.1    | 1.18    | 1080    | 2.91    | 0.13    | 6.8     | 10.5    | 1720  |
| S004640            |                          | 0.09    | 0.35    | 0.15    | 0.1     | <0.005  | 0.03    | <0.5    | 0.4     | 1.81    | 22      | 0.11    | 0.02    | 0.2     | 0.2     | 30    |
| S004641            |                          | 6.89    | 18.50   | 0.16    | 1.9     | 0.095   | 2.47    | 23.8    | 21.2    | 1.39    | 1190    | 1.55    | 0.10    | 8.3     | 8.0     | 1640  |
| S004642            |                          | 5.94    | 18.60   | 0.18    | 1.5     | 0.102   | 2.64    | 24.2    | 14.6    | 1.07    | 967     | 2.04    | 0.12    | 8.2     | 9.3     | 1560  |
| S004643            |                          | 7.37    | 17.65   | 0.17    | 1.7     | 0.096   | 2.48    | 24.0    | 12.7    | 1.20    | 1080    | 1.70    | 0.15    | 8.6     | 7.3     | 1480  |
| S004644            |                          | 7.72    | 17.40   | 0.14    | 1.4     | 0.086   | 2.68    | 22.3    | 6.9     | 1.35    | 1020    | 1.76    | 0.15    | 8.2     | 6.8     | 1480  |
| S004645            |                          | 6.55    | 19.65   | 0.19    | 1.2     | 0.096   | 3.42    | 24.1    | 3.3     | 1.32    | 903     | 2.48    | 0.14    | 7.9     | 10.7    | 1600  |
| S004646            |                          | 7.11    | 16.50   | 0.15    | 1.3     | 0.087   | 2.58    | 20.0    | 14.7    | 1.46    | 1120    | 2.24    | 0.12    | 6.8     | 9.6     | 1440  |
| S004646CD          |                          | 7.06    | 15.90   | 0.13    | 1.5     | 0.084   | 2.58    | 19.3    | 14.1    | 1.45    | 1120    | 2.16    | 0.12    | 6.6     | 9.1     | 1440  |
| S004647            |                          | 7.38    | 16.70   | 0.17    | 1.3     | 0.092   | 2.45    | 20.5    | 22.7    | 1.42    | 1360    | 2.63    | 0.12    | 7.4     | 9.0     | 1400  |
| S004648            |                          | 4.20    | 18.65   | 0.18    | 1.9     | 0.079   | 3.26    | 19.2    | 14.0    | 0.81    | 371     | 7.31    | 0.14    | 6.9     | 18.1    | 920   |
| S004649            |                          | 3.30    | 19.15   | 0.18    | 2.3     | 0.078   | 3.70    | 17.9    | 10.9    | 0.63    | 377     | 9.18    | 0.13    | 8.1     | 22.3    | 620   |
| S004650            |                          | 4.40    | 11.70   | 0.16    | 0.8     | 0.034   | 2.65    | 13.0    | 9.0     | 0.36    | 221     | 4.28    | 0.19    | 5.0     | 12.3    | 1260  |
| S004651            |                          | 3.86    | 18.85   | 0.17    | 2.6     | 0.067   | 3.79    | 21.1    | 9.9     | 0.60    | 228     | 12.25   | 0.13    | 7.3     | 28.3    | 760   |
| S004652            |                          | 5.34    | 13.10   | 0.14    | 0.9     | 0.065   | 2.78    | 18.0    | 8.5     | 0.63    | 1320    | 3.83    | 0.09    | 4.6     | 7.1     | 850   |
| S004653            |                          | 4.79    | 9.38    | 0.14    | 0.5     | 0.048   | 1.82    | 9.7     | 11.5    | 1.40    | 2480    | 3.23    | 0.06    | 2.9     | 2.5     | 930   |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1   |
| S004629            |                          | 1.7     | 61.7    | 0.002   | 1.72    | 2.23    | 25.3    | 1       | 0.7     | 271     | 0.24    | <0.05   | 1.01    | 0.564   | 0.79    | 0.4   |
| S004630            |                          | 8630    | 146.5   | 0.005   | 3.01    | 74.4    | 11.0    | 3       | 3.7     | 139.0   | 0.32    | 0.28    | 3.39    | 0.255   | 3.12    | 1.9   |
| S004631            |                          | 6.4     | 79.8    | 0.003   | 3.06    | 3.52    | 24.9    | <1      | 0.8     | 384     | 0.25    | <0.05   | 1.16    | 0.537   | 1.00    | 0.5   |
| S004632            |                          | 3.2     | 117.5   | 0.003   | 2.35    | 3.34    | 30.4    | <1      | 1.0     | 343     | 0.32    | <0.05   | 1.47    | 0.638   | 1.56    | 0.5   |
| S004633            |                          | 6.7     | 87.2    | 0.004   | 5.26    | 5.12    | 29.7    | 1       | 1.3     | 192.0   | 0.30    | <0.05   | 1.33    | 0.571   | 1.71    | 0.7   |
| S004634            |                          | 11.9    | 71.2    | 0.011   | 4.68    | 12.30   | 14.7    | 2       | 1.2     | 128.0   | 0.30    | <0.05   | 3.85    | 0.264   | 1.38    | 2.4   |
| S004635            |                          | 25.8    | 96.3    | 0.011   | 6.87    | 36.6    | 14.6    | 2       | 1.8     | 112.0   | 0.40    | <0.05   | 4.27    | 0.303   | 2.37    | 2.3   |
| S004636            |                          | 24.9    | 95.4    | 0.010   | 6.53    | 31.3    | 14.5    | 2       | 1.8     | 145.0   | 0.40    | <0.05   | 4.29    | 0.304   | 2.33    | 2.4   |
| S004637            |                          | 19.9    | 95.0    | 0.015   | 5.48    | 21.4    | 14.0    | 2       | 1.8     | 134.5   | 0.42    | <0.05   | 4.15    | 0.300   | 2.01    | 2.6   |
| S004638            |                          | 8.6     | 68.8    | 0.014   | 2.65    | 8.52    | 10.7    | 2       | 0.9     | 489     | 0.24    | <0.05   | 2.91    | 0.280   | 1.07    | 2.9   |
| S004639            |                          | 8.4     | 73.6    | <0.002  | 4.36    | 6.74    | 18.1    | 1       | 1.5     | 280     | 0.41    | <0.05   | 3.18    | 0.547   | 1.65    | 1.0   |
| S004640            |                          | 1.4     | 0.8     | <0.002  | 0.09    | 0.10    | 0.3     | 1       | <0.2    | 4960    | <0.05   | <0.05   | 0.06    | 0.006   | 0.02    | 1.2   |
| S004641            |                          | 3.4     | 79.1    | 0.002   | 2.35    | 3.59    | 20.4    | 1       | 1.4     | 287     | 0.48    | <0.05   | 4.23    | 0.682   | 1.24    | 1.3   |
| S004642            |                          | 3.5     | 88.4    | <0.002  | 2.18    | 3.36    | 19.5    | <1      | 1.6     | 277     | 0.48    | <0.05   | 4.21    | 0.604   | 1.19    | 1.1   |
| S004643            |                          | 3.8     | 83.4    | <0.002  | 2.87    | 4.45    | 18.4    | 1       | 1.6     | 305     | 0.48    | <0.05   | 4.06    | 0.613   | 1.01    | 1.1   |
| S004644            |                          | 4.8     | 93.6    | 0.002   | 2.74    | 6.57    | 17.4    | <1      | 1.5     | 270     | 0.48    | <0.05   | 3.84    | 0.589   | 1.14    | 0.9   |
| S004645            |                          | 6.8     | 119.5   | <0.002  | 2.80    | 12.55   | 21.5    | 1       | 1.6     | 230     | 0.49    | <0.05   | 4.13    | 0.573   | 1.55    | 1.0   |
| S004646            |                          | 3.6     | 83.4    | 0.002   | 2.92    | 6.23    | 18.8    | 1       | 1.5     | 259     | 0.41    | <0.05   | 3.76    | 0.487   | 1.23    | 1.0   |
| S004646CD          |                          | 3.4     | 80.4    | 0.002   | 2.88    | 5.89    | 17.9    | 1       | 1.4     | 257     | 0.41    | <0.05   | 3.79    | 0.494   | 1.13    | 1.1   |
| S004647            |                          | 4.8     | 77.0    | <0.002  | 3.57    | 5.49    | 19.4    | 1       | 1.5     | 296     | 0.45    | <0.05   | 3.88    | 0.523   | 1.08    | 1.0   |
| S004648            |                          | 6.5     | 104.0   | 0.008   | 2.20    | 11.70   | 18.9    | 1       | 1.6     | 155.0   | 0.41    | <0.05   | 4.16    | 0.436   | 1.50    | 1.7   |
| S004649            |                          | 9.3     | 110.5   | 0.010   | 1.92    | 10.85   | 18.1    | 2       | 1.5     | 218     | 0.48    | <0.05   | 4.26    | 0.455   | 2.00    | 2.2   |
| S004650            |                          | 54.4    | 112.5   | <0.002  | 4.08    | 32.6    | 12.6    | 5       | 1.7     | 128.0   | 0.29    | 0.25    | 2.28    | 0.304   | 2.22    | 0.9   |
| S004651            |                          | 12.1    | 125.0   | 0.013   | 2.36    | 14.40   | 19.6    | 2       | 1.5     | 82.5    | 0.45    | <0.05   | 4.80    | 0.441   | 2.17    | 3.1   |
| S004652            |                          | 12.2    | 83.6    | 0.005   | 4.09    | 12.70   | 22.7    | 2       | 0.9     | 261     | 0.28    | <0.05   | 1.63    | 0.474   | 1.51    | 0.9   |
| S004653            |                          | 7.3     | 60.7    | 0.002   | 2.83    | 8.53    | 19.7    | 1       | 0.6     | 481     | 0.17    | <0.05   | 0.95    | 0.340   | 0.90    | 0.5   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | pXRF-34 | pXRF-34 | pXRF-34 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Si %    | Ti %    | Zr ppm  |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.5     | 0.1     | 5       |
| S004629            |                          | 244     | 0.8     | 18.2    | 113     | 25.9    | 18.0    | 0.6     | 71      |
| S004630            |                          | 123     | 3.6     | 8.2     | 1840    | 40.6    | 29.4    | 0.4     | 81      |
| S004631            |                          | 251     | 0.6     | 20.6    | 132     | 26.9    | 16.5    | 0.6     | 76      |
| S004632            |                          | 309     | 2.2     | 26.7    | 52      | 16.0    | 16.2    | 0.8     | 103     |
| S004633            |                          | 335     | 6.2     | 21.9    | 20      | 21.5    | 17.7    | 0.8     | 110     |
| S004634            |                          | 124     | 0.9     | 19.3    | 200     | 72.4    | 26.6    | 0.4     | 134     |
| S004635            |                          | 126     | 0.8     | 18.4    | 225     | 81.9    | 26.9    | 0.5     | 172     |
| S004636            |                          | 85      | 1.0     | 17.8    | 171     | 83.5    | 25.8    | 0.5     | 221     |
| S004637            |                          | 119     | 1.2     | 18.6    | 199     | 86.2    | 25.9    | 0.5     | 243     |
| S004638            |                          | 167     | 0.8     | 14.9    | 247     | 80.2    | 25.1    | 0.4     | 99      |
| S004639            |                          | 143     | 0.6     | 19.3    | 147     | 40.8    | 20.2    | 0.8     | 197     |
| S004640            |                          | 2       | <0.1    | 0.8     | <2      | 4.3     | 1.1     | <0.1    | 33      |
| S004641            |                          | 143     | 0.8     | 26.1    | 100     | 89.4    | 19.4    | 0.7     | 174     |
| S004642            |                          | 130     | 1.0     | 22.8    | 100     | 54.3    | 22.2    | 0.7     | 182     |
| S004643            |                          | 120     | 0.7     | 23.9    | 122     | 69.7    | 20.5    | 0.7     | 197     |
| S004644            |                          | 117     | 2.9     | 24.0    | 120     | 52.7    | 19.8    | 0.6     | 176     |
| S004645            |                          | 137     | 5.5     | 22.6    | 82      | 50.6    | 22.2    | 0.7     | 204     |
| S004646            |                          | 123     | 1.6     | 22.5    | 89      | 50.7    | 20.8    | 0.6     | 175     |
| S004646CD          |                          | 122     | 1.6     | 22.3    | 88      | 59.6    | 20.9    | 0.6     | 174     |
| S004647            |                          | 120     | 0.5     | 24.7    | 88      | 53.2    | 19.8    | 0.6     | 182     |
| S004648            |                          | 135     | 1.5     | 15.0    | 88      | 72.3    | 27.6    | 0.6     | 166     |
| S004649            |                          | 147     | 1.7     | 15.3    | 439     | 83.0    | 26.0    | 0.6     | 152     |
| S004650            |                          | 136     | 2.2     | 7.4     | 193     | 30.4    | 31.8    | 0.4     | 80      |
| S004651            |                          | 159     | 1.3     | 16.0    | 169     | 91.4    | 28.8    | 0.6     | 158     |
| S004652            |                          | 211     | 0.4     | 18.9    | 226     | 35.5    | 21.7    | 0.6     | 82      |
| S004653            |                          | 168     | 0.2     | 20.5    | 254     | 17.8    | 15.3    | 0.4     | 56      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193621**

| CERTIFICATE COMMENTS |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|----------------------|---|---------|----------|---------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|
|                      | <b>ANALYTICAL COMMENTS</b>  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <b>LABORATORY ADDRESSES</b>   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC  | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  |
| BAG-01               | CRU-31  | CRU-QC  | LOG-21   |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| LOG-21d              | LOG-23  | PUL-32m | PUL-32md |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| PUL-QC               | SPL-21  | SPL-21d | SPL-34X  |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| WEI-21               |   |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |         |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table>   | Au-AA23 | ME-MS61  | pXRF-34 |        |         |        |         |          |        |        |         |         |        |  |  |  |
| Au-AA23              | ME-MS61   | pXRF-34 |          |         |        |         |        |         |          |        |        |         |         |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19193810**

Project: Bowser Regional Project  
 P.O. No.: BOW-0723  
 This report is for 79 Drill Core samples submitted to our lab in Terrace, BC, Canada on 6-AUG-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINA WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| SPL-21   | Split sample - riffle splitter     |
| PUL-QC   | Pulverizing QC Test                |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-23   | Pulp Login - Rcvd with Barcode     |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                       | INSTRUMENT |
|----------|-----------------------------------|------------|
| pXRF-34  | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23  | Au 30g FA-AA finish               | AAS        |
| ME-MS61  | 48 element four acid ICP-MS       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method  | WEI-21    | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004654            |         | 6.83      | <0.005  | 0.13    | 6.97    | 13.0    | 280     | 1.56    | 0.10    | 10.40   | 1.38    | 33.0    | 25.6    | 9       | 4.28    | 19.2    |
| S004655            |         | 6.34      | 0.012   | 0.31    | 8.81    | 23.6    | 760     | 2.21    | 0.20    | 0.72    | 0.76    | 38.2    | 12.2    | 35      | 5.87    | 21.4    |
| S004656            |         | 4.01      | 0.014   | 0.40    | 7.79    | 39.2    | 280     | 1.82    | 0.18    | 2.42    | 1.16    | 38.7    | 9.2     | 25      | 4.77    | 24.1    |
| S004657            |         | 2.25      | 0.005   | 0.11    | 3.08    | 59.2    | 180     | 0.74    | 0.06    | 14.70   | 0.33    | 20.3    | 7.5     | 7       | 1.57    | 15.1    |
| S004658            |         | 7.18      | 0.010   | 0.25    | 4.42    | 50.2    | 80      | 0.90    | 0.09    | 11.65   | 0.21    | 28.8    | 12.0    | 11      | 2.54    | 14.0    |
| S004659            |         | 1.23      | 0.018   | 0.42    | 7.35    | 46.5    | 60      | 1.62    | 0.24    | 2.27    | 0.54    | 31.3    | 16.1    | 29      | 5.15    | 27.2    |
| S004660            |         | 1.02      | <0.005  | 0.01    | 0.05    | <0.2    | 10      | <0.05   | 0.01    | 35.0    | <0.02   | 0.30    | 0.7     | 1       | <0.05   | 1.5     |
| S004661            |         | 5.17      | 0.012   | 0.35    | 8.71    | 32.8    | 250     | 1.92    | 0.22    | 0.90    | 1.20    | 39.9    | 11.6    | 38      | 6.29    | 31.7    |
| S004662            |         | 5.91      | 0.011   | 0.34    | 7.27    | 59.6    | 80      | 1.56    | 0.25    | 2.25    | 1.58    | 46.1    | 12.0    | 25      | 5.31    | 31.1    |
| S004663            |         | 5.10      | <0.005  | 0.20    | 5.07    | 38.5    | 130     | 0.98    | 0.13    | 3.11    | 0.90    | 29.4    | 7.8     | 12      | 3.74    | 18.8    |
| S004664            |         | 6.12      | 0.007   | 0.28    | 6.46    | 48.4    | 80      | 1.08    | 0.18    | 3.60    | 1.37    | 38.1    | 11.6    | 16      | 4.24    | 24.8    |
| S004665            |         | 6.93      | 0.006   | 0.23    | 6.76    | 52.5    | 100     | 1.23    | 0.21    | 3.94    | 1.14    | 41.5    | 8.9     | 15      | 4.71    | 22.8    |
| S004666            |         | 6.06      | <0.005  | 0.15    | 6.26    | 46.4    | 190     | 1.02    | 0.18    | 4.65    | 1.13    | 40.1    | 8.7     | 16      | 4.11    | 26.0    |
| S004666CD          |         | <0.02     | <0.005  | 0.15    | 6.14    | 44.7    | 220     | 1.08    | 0.18    | 4.64    | 1.21    | 39.5    | 9.1     | 17      | 4.22    | 24.7    |
| S004667            |         | 6.65      | <0.005  | 0.10    | 6.76    | 12.1    | 370     | 1.02    | 0.15    | 4.24    | 1.80    | 41.1    | 13.0    | 20      | 4.59    | 25.5    |
| S004668            |         | 3.84      | <0.005  | 0.12    | 6.19    | 5.8     | 450     | 0.97    | 0.14    | 2.89    | 2.82    | 38.6    | 12.3    | 22      | 4.26    | 28.7    |
| S004669            |         | 6.28      | <0.005  | 0.08    | 6.55    | 19.5    | 450     | 1.10    | 0.11    | 6.76    | 0.47    | 46.2    | 20.9    | 20      | 5.53    | 19.4    |
| S004670            |         | 0.14      | 0.946   | 12.45   | 6.15    | 315     | 480     | 0.95    | 0.17    | 3.62    | 4.35    | 25.0    | 11.2    | 25      | 7.11    | 80.7    |
| S004671            |         | 3.97      | <0.005  | 0.08    | 6.41    | 10.8    | 390     | 0.95    | 0.10    | 7.56    | 0.17    | 43.3    | 18.9    | 18      | 5.30    | 19.6    |
| S004672            |         | 3.79      | <0.005  | 0.04    | 6.89    | 3.8     | 790     | 0.98    | 0.10    | 8.28    | 0.18    | 48.3    | 20.2    | 24      | 5.73    | 21.5    |
| S004673            |         | 7.32      | <0.005  | 0.04    | 6.41    | 0.9     | 740     | 0.84    | 0.11    | 8.07    | 0.21    | 45.7    | 18.0    | 18      | 5.61    | 18.6    |
| S004674            |         | 6.15      | <0.005  | 0.10    | 6.82    | 1.1     | 720     | 0.98    | 0.12    | 4.73    | 0.29    | 47.5    | 20.5    | 19      | 5.62    | 23.2    |
| S004675            |         | 6.74      | <0.005  | 0.11    | 7.00    | 1.1     | 780     | 0.90    | 0.12    | 3.06    | 0.23    | 47.9    | 18.6    | 19      | 5.64    | 20.3    |
| S004676            |         | 6.38      | 0.007   | 0.12    | 7.32    | 5.9     | 470     | 1.05    | 0.16    | 1.85    | 0.17    | 53.3    | 21.7    | 22      | 7.09    | 24.3    |
| S004677            |         | 6.57      | <0.005  | 0.07    | 6.79    | 2.8     | 690     | 0.98    | 0.12    | 4.84    | 0.40    | 48.2    | 18.8    | 18      | 5.02    | 20.0    |
| S004678            |         | 6.40      | <0.005  | 0.06    | 6.45    | 0.9     | 690     | 0.94    | 0.10    | 3.67    | 0.27    | 48.1    | 15.6    | 16      | 5.00    | 16.4    |
| S004679            |         | 6.95      | <0.005  | 0.13    | 7.35    | 4.2     | 490     | 1.04    | 0.13    | 2.03    | 0.20    | 57.6    | 19.2    | 21      | 6.64    | 23.1    |
| S004680            |         | 0.98      | <0.005  | 0.01    | 0.09    | <0.2    | 10      | <0.05   | <0.01   | 33.2    | <0.02   | 0.35    | 0.7     | <1      | <0.05   | 1.3     |
| S004681            |         | 5.82      | 0.005   | 0.09    | 7.16    | 3.8     | 470     | 0.98    | 0.12    | 1.92    | 0.16    | 52.3    | 18.0    | 18      | 6.24    | 19.6    |
| S004682            |         | 7.25      | <0.005  | 0.10    | 6.64    | 4.0     | 620     | 0.86    | 0.13    | 2.03    | 0.36    | 45.9    | 18.1    | 18      | 5.26    | 20.5    |
| S004683            |         | 5.15      | <0.005  | 0.13    | 7.09    | 3.4     | 640     | 0.96    | 0.10    | 3.44    | 0.11    | 51.3    | 18.5    | 16      | 4.57    | 16.8    |
| S004684            |         | 1.39      | <0.005  | 0.20    | 6.12    | 12.0    | 230     | 1.14    | 0.15    | 4.69    | 0.22    | 47.8    | 17.5    | 16      | 4.50    | 23.0    |
| S004685            |         | 5.88      | 0.020   | 0.26    | 8.46    | 18.3    | 700     | 1.80    | 0.17    | 1.24    | 1.14    | 47.3    | 11.5    | 30      | 5.25    | 32.5    |
| S004686            |         | 5.75      | 0.009   | 0.58    | 8.39    | 57.0    | 1120    | 1.83    | 0.27    | 1.28    | 1.84    | 40.8    | 10.0    | 35      | 4.68    | 29.7    |
| S004686CD          |         | <0.02     | 0.006   | 0.53    | 8.65    | 61.2    | 1100    | 1.80    | 0.25    | 1.27    | 1.85    | 42.3    | 9.9     | 34      | 4.68    | 28.7    |
| S004687            |         | 4.02      | 0.011   | 0.91    | 7.85    | 186.0   | 980     | 1.66    | 4.69    | 1.54    | 1.95    | 34.7    | 13.3    | 46      | 4.03    | 32.8    |
| S004688            |         | 1.88      | 0.020   | 1.28    | 7.52    | 1335    | 510     | 1.27    | 3.64    | 1.35    | 3.52    | 39.8    | 11.7    | 41      | 3.18    | 27.8    |
| S004689            |         | 5.74      | <0.005  | 0.31    | 6.26    | 50.4    | 670     | 0.86    | 0.33    | 1.35    | 0.36    | 37.0    | 6.1     | 53      | 2.55    | 10.0    |
| S004690            |         | 0.14      | 5.62    | 76.4    | 6.04    | 284     | 330     | 1.04    | 1.19    | 1.95    | 23.4    | 26.5    | 11.6    | 22      | 8.29    | 116.0   |
| S004691            |         | 5.80      | 0.005   | 0.56    | 6.52    | 57.4    | 650     | 1.03    | 0.10    | 1.49    | 0.45    | 40.1    | 11.2    | 45      | 3.15    | 20.9    |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method  | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    | Analyte | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb      | Ni      | P    |
| Units              |         | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | ppm  |
| LOD                |         | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10   |
| S004654            |         | 6.20    | 16.65   | 0.16    | 0.9     | 0.070   | 3.11    | 16.3    | 12.2    | 0.84    | 1680    | 4.04    | 0.10    | 5.5     | 7.0     | 1200 |
| S004655            |         | 3.47    | 21.0    | 0.16    | 2.1     | 0.073   | 4.07    | 19.1    | 10.9    | 0.57    | 198     | 10.75   | 0.12    | 9.6     | 26.2    | 700  |
| S004656            |         | 4.22    | 18.80   | 0.18    | 2.4     | 0.071   | 3.46    | 19.2    | 11.8    | 0.91    | 739     | 15.35   | 0.10    | 9.9     | 27.2    | 780  |
| S004657            |         | 6.48    | 8.09    | 0.11    | 1.1     | 0.023   | 0.98    | 10.1    | 14.8    | 4.13    | 5620    | 7.13    | 0.03    | 2.8     | 9.5     | 1050 |
| S004658            |         | 7.92    | 11.95   | 0.12    | 1.0     | 0.031   | 1.62    | 13.1    | 14.7    | 3.15    | 3970    | 4.38    | 0.05    | 4.2     | 5.7     | 1370 |
| S004659            |         | 7.28    | 19.55   | 0.16    | 1.6     | 0.067   | 3.44    | 13.3    | 9.8     | 0.64    | 623     | 9.00    | 0.10    | 8.1     | 17.2    | 1260 |
| S004660            |         | 0.04    | 0.17    | 0.11    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.67    | 23      | 0.08    | <0.01   | <0.1    | 0.4     | 30   |
| S004661            |         | 4.44    | 20.2    | 0.16    | 2.0     | 0.084   | 3.98    | 20.3    | 8.5     | 0.50    | 219     | 10.20   | 0.12    | 8.7     | 25.7    | 680  |
| S004662            |         | 5.82    | 19.50   | 0.16    | 2.7     | 0.077   | 3.38    | 21.5    | 7.9     | 0.47    | 397     | 18.20   | 0.10    | 8.7     | 31.7    | 920  |
| S004663            |         | 4.70    | 14.60   | 0.13    | 2.1     | 0.064   | 2.22    | 14.0    | 5.1     | 0.36    | 518     | 14.90   | 0.07    | 6.6     | 23.5    | 770  |
| S004664            |         | 5.52    | 18.65   | 0.15    | 2.7     | 0.096   | 2.96    | 18.5    | 6.9     | 0.58    | 704     | 21.4    | 0.09    | 8.0     | 34.1    | 1120 |
| S004665            |         | 5.24    | 19.90   | 0.16    | 3.1     | 0.091   | 3.15    | 19.7    | 7.5     | 0.51    | 725     | 23.0    | 0.10    | 8.9     | 35.4    | 980  |
| S004666            |         | 4.84    | 16.80   | 0.15    | 2.8     | 0.083   | 2.68    | 20.3    | 9.9     | 0.64    | 850     | 23.0    | 0.09    | 7.2     | 34.4    | 910  |
| S004666CD          |         | 4.53    | 17.25   | 0.15    | 2.9     | 0.081   | 2.67    | 20.9    | 9.7     | 0.60    | 852     | 24.5    | 0.09    | 7.3     | 36.0    | 900  |
| S004667            |         | 4.55    | 17.60   | 0.16    | 2.8     | 0.088   | 2.90    | 21.8    | 13.0    | 0.67    | 774     | 20.4    | 0.10    | 7.1     | 36.8    | 1210 |
| S004668            |         | 4.33    | 15.25   | 0.16    | 2.9     | 0.078   | 2.68    | 20.9    | 9.2     | 0.57    | 668     | 29.6    | 0.10    | 5.6     | 51.9    | 980  |
| S004669            |         | 5.85    | 20.1    | 0.16    | 1.4     | 0.094   | 2.57    | 22.6    | 19.1    | 0.89    | 1510    | 2.76    | 0.15    | 8.9     | 9.9     | 1560 |
| S004670            |         | 3.86    | 13.20   | 0.14    | 1.1     | 0.047   | 3.80    | 12.8    | 12.5    | 0.55    | 1340    | 9.73    | 0.21    | 5.1     | 20.7    | 910  |
| S004671            |         | 5.60    | 17.70   | 0.15    | 1.7     | 0.082   | 2.29    | 21.2    | 17.7    | 0.91    | 1760    | 3.02    | 0.16    | 7.9     | 10.0    | 1420 |
| S004672            |         | 5.33    | 19.40   | 0.14    | 2.3     | 0.095   | 2.36    | 23.8    | 17.4    | 0.94    | 1960    | 2.05    | 0.12    | 9.2     | 9.7     | 1540 |
| S004673            |         | 5.11    | 17.50   | 0.14    | 2.7     | 0.083   | 2.20    | 23.0    | 13.4    | 0.90    | 1980    | 1.85    | 0.11    | 8.4     | 7.7     | 1470 |
| S004674            |         | 7.00    | 20.4    | 0.13    | 1.6     | 0.097   | 2.11    | 23.3    | 20.6    | 1.38    | 2280    | 2.63    | 0.10    | 9.6     | 10.9    | 1520 |
| S004675            |         | 7.33    | 20.0    | 0.14    | 1.3     | 0.094   | 2.29    | 23.1    | 18.0    | 1.22    | 2370    | 2.54    | 0.12    | 8.9     | 8.7     | 1510 |
| S004676            |         | 8.31    | 22.5    | 0.16    | 2.4     | 0.110   | 2.52    | 26.0    | 14.5    | 0.98    | 1720    | 2.62    | 0.13    | 10.3    | 10.8    | 1590 |
| S004677            |         | 7.32    | 20.8    | 0.14    | 1.3     | 0.094   | 2.03    | 24.3    | 20.6    | 1.58    | 3390    | 2.54    | 0.09    | 10.2    | 8.7     | 1520 |
| S004678            |         | 6.33    | 19.10   | 0.16    | 1.2     | 0.091   | 2.09    | 23.5    | 15.7    | 1.26    | 2570    | 2.34    | 0.10    | 9.3     | 6.5     | 1420 |
| S004679            |         | 7.26    | 22.6    | 0.16    | 1.2     | 0.106   | 2.78    | 28.2    | 12.5    | 0.82    | 1600    | 2.61    | 0.15    | 10.5    | 9.5     | 1610 |
| S004680            |         | 0.07    | 0.37    | 0.11    | <0.1    | <0.005  | 0.01    | <0.5    | 0.4     | 1.72    | 27      | 0.07    | <0.01   | 0.1     | 0.4     | 30   |
| S004681            |         | 6.69    | 21.6    | 0.15    | 1.3     | 0.105   | 2.82    | 25.3    | 10.0    | 0.75    | 1420    | 2.65    | 0.14    | 9.6     | 7.9     | 1610 |
| S004682            |         | 6.77    | 20.9    | 0.16    | 1.1     | 0.098   | 2.78    | 21.2    | 9.7     | 0.71    | 1100    | 2.41    | 0.13    | 8.1     | 7.9     | 1520 |
| S004683            |         | 6.86    | 21.6    | 0.18    | 1.5     | 0.106   | 2.87    | 24.7    | 15.7    | 1.28    | 1560    | 2.41    | 0.14    | 8.9     | 7.7     | 1590 |
| S004684            |         | 9.12    | 19.60   | 0.17    | 1.2     | 0.096   | 2.87    | 23.1    | 15.8    | 1.59    | 2100    | 3.25    | 0.13    | 8.2     | 10.0    | 1400 |
| S004685            |         | 4.80    | 21.5    | 0.18    | 2.4     | 0.097   | 3.89    | 23.8    | 3.3     | 0.75    | 463     | 12.40   | 0.13    | 8.0     | 27.7    | 750  |
| S004686            |         | 3.84    | 20.3    | 0.17    | 2.3     | 0.092   | 3.95    | 20.7    | 5.0     | 0.65    | 348     | 12.85   | 0.11    | 8.1     | 29.1    | 680  |
| S004686CD          |         | 3.87    | 20.2    | 0.18    | 2.3     | 0.088   | 4.01    | 21.4    | 5.1     | 0.67    | 347     | 12.85   | 0.12    | 8.1     | 28.4    | 700  |
| S004687            |         | 4.42    | 20.5    | 0.18    | 1.9     | 0.126   | 3.78    | 18.0    | 11.6    | 0.69    | 537     | 10.30   | 0.08    | 5.9     | 34.8    | 1120 |
| S004688            |         | 4.27    | 18.70   | 0.19    | 2.5     | 0.099   | 3.57    | 20.6    | 10.6    | 0.65    | 394     | 7.49    | 0.08    | 5.6     | 26.3    | 950  |
| S004689            |         | 2.91    | 12.35   | 0.14    | 1.8     | 0.027   | 2.30    | 22.1    | 20.8    | 0.52    | 438     | 1.25    | 0.07    | 6.6     | 5.8     | 460  |
| S004690            |         | 4.60    | 14.15   | 0.16    | 1.3     | 1.385   | 3.55    | 14.3    | 13.7    | 0.47    | 1140    | 10.40   | 0.22    | 5.9     | 16.7    | 920  |
| S004691            |         | 3.39    | 14.00   | 0.15    | 2.2     | 0.041   | 2.37    | 22.5    | 26.0    | 0.56    | 449     | 1.37    | 0.09    | 6.6     | 12.2    | 530  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004654            |                          | 11.1    | 104.0   | 0.003   | 4.31    | 14.20   | 30.6    | 2       | 1.1     | 313     | 0.32    | <0.05   | 1.91    | 0.524   | 1.75    | 0.9 |
| S004655            |                          | 18.6    | 140.5   | 0.010   | 2.87    | 25.8    | 21.0    | 1       | 1.6     | 81.4    | 0.54    | 0.07    | 5.01    | 0.465   | 2.71    | 2.2 |
| S004656            |                          | 21.8    | 114.5   | 0.012   | 3.57    | 31.6    | 18.5    | 2       | 1.6     | 117.0   | 0.55    | 0.06    | 4.90    | 0.390   | 2.43    | 2.3 |
| S004657            |                          | 12.5    | 35.4    | 0.004   | 4.61    | 16.55   | 9.6     | 2       | 0.5     | 574     | 0.18    | <0.05   | 2.15    | 0.166   | 0.73    | 1.1 |
| S004658            |                          | 20.3    | 56.2    | <0.002  | 6.68    | 24.5    | 13.6    | 1       | 0.8     | 424     | 0.25    | <0.05   | 2.81    | 0.268   | 1.03    | 0.8 |
| S004659            |                          | 30.9    | 105.5   | 0.004   | 7.41    | 37.3    | 20.8    | 2       | 1.5     | 125.0   | 0.45    | 0.07    | 3.93    | 0.451   | 2.42    | 1.5 |
| S004660            |                          | <0.5    | 0.4     | <0.002  | 0.09    | 0.10    | 0.2     | 1       | <0.2    | 5230    | <0.05   | 0.05    | 0.03    | <0.005  | <0.02   | 1.5 |
| S004661            |                          | 22.5    | 138.0   | 0.007   | 3.99    | 34.7    | 20.7    | 2       | 1.6     | 86.4    | 0.47    | 0.06    | 4.81    | 0.443   | 3.04    | 2.2 |
| S004662            |                          | 24.6    | 113.5   | 0.012   | 5.67    | 42.8    | 17.4    | 2       | 1.7     | 114.5   | 0.51    | 0.07    | 4.90    | 0.396   | 2.70    | 3.0 |
| S004663            |                          | 16.8    | 80.3    | 0.011   | 4.75    | 34.5    | 11.3    | 2       | 1.5     | 151.5   | 0.41    | 0.05    | 3.90    | 0.247   | 1.76    | 2.1 |
| S004664            |                          | 21.3    | 96.0    | 0.016   | 5.62    | 49.2    | 18.0    | 2       | 1.7     | 146.0   | 0.47    | 0.05    | 4.40    | 0.382   | 2.56    | 3.3 |
| S004665            |                          | 18.5    | 100.0   | 0.015   | 5.12    | 48.8    | 17.0    | 2       | 1.8     | 166.5   | 0.51    | 0.05    | 5.11    | 0.346   | 2.68    | 3.7 |
| S004666            |                          | 12.6    | 91.7    | 0.018   | 4.04    | 27.7    | 15.9    | 2       | 1.5     | 188.0   | 0.42    | <0.05   | 4.82    | 0.330   | 2.21    | 3.7 |
| S004666CD          |                          | 12.0    | 93.8    | 0.016   | 3.69    | 29.4    | 16.3    | 2       | 1.5     | 189.0   | 0.42    | <0.05   | 4.94    | 0.325   | 2.29    | 4.0 |
| S004667            |                          | 8.7     | 95.7    | 0.013   | 2.78    | 15.40   | 17.4    | 2       | 1.6     | 189.0   | 0.47    | <0.05   | 5.39    | 0.398   | 2.49    | 3.6 |
| S004668            |                          | 8.9     | 88.8    | 0.018   | 2.23    | 18.85   | 15.3    | 3       | 1.3     | 179.0   | 0.36    | <0.05   | 4.63    | 0.361   | 2.20    | 4.3 |
| S004669            |                          | 6.2     | 76.9    | 0.002   | 3.19    | 8.03    | 20.7    | 1       | 1.5     | 288     | 0.52    | <0.05   | 4.19    | 0.605   | 1.91    | 1.2 |
| S004670            |                          | 142.5   | 169.0   | 0.010   | 2.86    | 18.45   | 11.6    | 2       | 1.4     | 190.0   | 0.30    | 0.33    | 3.21    | 0.248   | 3.07    | 1.7 |
| S004671            |                          | 5.0     | 75.5    | 0.002   | 2.77    | 7.00    | 18.5    | 1       | 1.4     | 323     | 0.46    | <0.05   | 4.00    | 0.571   | 1.38    | 1.3 |
| S004672            |                          | 4.1     | 80.2    | <0.002  | 1.10    | 5.35    | 20.5    | 1       | 1.5     | 331     | 0.54    | <0.05   | 4.52    | 0.663   | 1.19    | 1.4 |
| S004673            |                          | 4.3     | 73.2    | <0.002  | 0.97    | 5.21    | 18.8    | 1       | 1.4     | 320     | 0.51    | <0.05   | 4.28    | 0.647   | 1.02    | 1.6 |
| S004674            |                          | 7.8     | 74.2    | <0.002  | 1.35    | 7.67    | 19.7    | 1       | 1.6     | 213     | 0.55    | <0.05   | 3.97    | 0.662   | 0.93    | 1.1 |
| S004675            |                          | 6.3     | 77.5    | <0.002  | 2.02    | 8.36    | 20.1    | 1       | 1.7     | 159.0   | 0.52    | <0.05   | 3.84    | 0.603   | 1.06    | 1.0 |
| S004676            |                          | 8.6     | 88.8    | 0.002   | 3.34    | 11.50   | 22.0    | 1       | 1.8     | 147.5   | 0.58    | <0.05   | 4.73    | 0.634   | 1.19    | 1.5 |
| S004677            |                          | 6.5     | 71.1    | <0.002  | 1.31    | 8.29    | 19.5    | 1       | 1.6     | 219     | 0.59    | <0.05   | 4.10    | 0.614   | 0.87    | 1.0 |
| S004678            |                          | 6.1     | 71.1    | <0.002  | 1.34    | 7.11    | 17.5    | 1       | 1.6     | 193.5   | 0.55    | <0.05   | 3.92    | 0.566   | 0.87    | 0.9 |
| S004679            |                          | 9.4     | 94.4    | <0.002  | 3.10    | 8.48    | 20.8    | 1       | 1.9     | 158.0   | 0.59    | <0.05   | 4.20    | 0.617   | 1.20    | 1.0 |
| S004680            |                          | <0.5    | 0.3     | <0.002  | 0.05    | 0.06    | 0.3     | 1       | <0.2    | 4660    | <0.05   | 0.05    | 0.03    | <0.005  | <0.02   | 1.3 |
| S004681            |                          | 8.7     | 95.1    | <0.002  | 3.14    | 7.02    | 19.5    | 1       | 1.9     | 139.0   | 0.54    | <0.05   | 4.20    | 0.541   | 1.24    | 1.0 |
| S004682            |                          | 8.2     | 88.6    | <0.002  | 3.62    | 7.57    | 18.6    | 1       | 1.7     | 140.0   | 0.46    | <0.05   | 3.82    | 0.426   | 1.30    | 0.9 |
| S004683            |                          | 6.6     | 98.5    | <0.002  | 3.20    | 7.07    | 20.5    | 1       | 1.8     | 186.0   | 0.50    | <0.05   | 4.54    | 0.527   | 1.38    | 1.1 |
| S004684            |                          | 11.0    | 83.8    | 0.003   | 5.26    | 12.80   | 21.3    | 1       | 1.5     | 232     | 0.49    | <0.05   | 3.85    | 0.469   | 1.55    | 1.1 |
| S004685            |                          | 14.7    | 142.0   | 0.010   | 2.93    | 15.90   | 20.7    | 2       | 1.6     | 100.5   | 0.46    | 0.05    | 4.83    | 0.390   | 2.24    | 2.6 |
| S004686            |                          | 12.5    | 137.0   | 0.011   | 2.17    | 17.20   | 20.0    | 2       | 1.6     | 99.4    | 0.47    | 0.05    | 4.88    | 0.393   | 2.17    | 2.6 |
| S004686CD          |                          | 12.4    | 142.5   | 0.010   | 2.24    | 17.05   | 20.2    | 2       | 1.5     | 98.1    | 0.49    | <0.05   | 4.90    | 0.407   | 2.14    | 2.6 |
| S004687            |                          | 18.0    | 130.0   | 0.012   | 2.41    | 20.4    | 19.8    | 2       | 2.0     | 82.7    | 0.34    | 0.60    | 4.00    | 0.313   | 1.46    | 2.2 |
| S004688            |                          | 13.2    | 124.0   | 0.008   | 2.67    | 26.3    | 16.4    | 2       | 1.6     | 79.3    | 0.33    | 0.34    | 4.56    | 0.278   | 1.39    | 2.6 |
| S004689            |                          | 7.4     | 81.7    | <0.002  | 1.70    | 6.73    | 6.5     | 1       | 0.8     | 71.2    | 0.41    | <0.05   | 5.40    | 0.278   | 0.83    | 2.3 |
| S004690            |                          | 8400    | 159.0   | 0.004   | 2.99    | 77.2    | 12.8    | 3       | 4.2     | 143.0   | 0.36    | 0.28    | 3.70    | 0.244   | 3.14    | 2.0 |
| S004691            |                          | 18.4    | 89.3    | <0.002  | 2.02    | 9.58    | 10.4    | <1      | 1.0     | 84.2    | 0.42    | <0.05   | 5.60    | 0.287   | 0.94    | 2.7 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S004654            |                                   | 251      | 0.5        | 25.5       | 194      | 29.2       | 16.7     | 0.7      | 89       |
| S004655            |                                   | 152      | 1.7        | 15.7       | 114      | 77.0       | 28.8     | 0.5      | 172      |
| S004656            |                                   | 131      | 1.3        | 19.4       | 170      | 86.5       | 26.6     | 0.5      | 206      |
| S004657            |                                   | 66       | 0.4        | 25.8       | 66       | 46.7       | 11.7     | 0.3      | 83       |
| S004658            |                                   | 78       | 0.5        | 27.1       | 50       | 35.4       | 13.0     | 0.5      | 112      |
| S004659            |                                   | 134      | 1.1        | 15.8       | 82       | 55.4       | 24.6     | 0.7      | 183      |
| S004660            |                                   | 2        | <0.1       | 0.4        | <2       | 0.7        | 2.0      | 0.1      | 42       |
| S004661            |                                   | 160      | 1.6        | 15.7       | 169      | 69.3       | 27.2     | 0.6      | 158      |
| S004662            |                                   | 144      | 1.2        | 20.0       | 213      | 97.1       | 26.4     | 0.5      | 186      |
| S004663            |                                   | 79       | 0.6        | 17.0       | 127      | 76.4       | 28.4     | 0.4      | 165      |
| S004664            |                                   | 139      | 1.0        | 22.2       | 212      | 99.6       | 25.8     | 0.6      | 197      |
| S004665            |                                   | 97       | 1.1        | 24.4       | 172      | 118.5      | 25.1     | 0.5      | 227      |
| S004666            |                                   | 111      | 0.9        | 23.6       | 182      | 108.0      | 25.5     | 0.5      | 177      |
| S004666CD          |                                   | 112      | 1.0        | 24.2       | 181      | 112.0      | 25.8     | 0.5      | 182      |
| S004667            |                                   | 165      | 1.0        | 22.8       | 265      | 101.0      | 25.7     | 0.6      | 169      |
| S004668            |                                   | 195      | 1.0        | 19.6       | 376      | 110.0      | 28.1     | 0.6      | 149      |
| S004669            |                                   | 138      | 0.9        | 23.2       | 117      | 53.1       | 20.9     | 0.7      | 181      |
| S004670            |                                   | 102      | 4.5        | 9.2        | 469      | 37.5       | 28.3     | 0.4      | 79       |
| S004671            |                                   | 128      | 0.9        | 22.7       | 71       | 62.5       | 21.7     | 0.7      | 171      |
| S004672            |                                   | 138      | 1.0        | 25.3       | 118      | 100.5      | 20.3     | 0.7      | 178      |
| S004673            |                                   | 131      | 0.9        | 24.8       | 119      | 107.0      | 20.2     | 0.7      | 164      |
| S004674            |                                   | 133      | 1.1        | 22.8       | 146      | 57.3       | 22.1     | 0.7      | 177      |
| S004675            |                                   | 129      | 1.1        | 18.0       | 138      | 51.0       | 23.4     | 0.7      | 194      |
| S004676            |                                   | 131      | 1.2        | 20.0       | 143      | 101.5      | 24.6     | 0.7      | 216      |
| S004677            |                                   | 120      | 1.4        | 24.6       | 160      | 50.0       | 21.8     | 0.6      | 191      |
| S004678            |                                   | 108      | 0.9        | 22.2       | 141      | 49.0       | 23.8     | 0.6      | 188      |
| S004679            |                                   | 127      | 1.0        | 20.1       | 143      | 47.2       | 24.8     | 0.7      | 219      |
| S004680            |                                   | 1        | <0.1       | 0.4        | 2        | 0.9        | 1.4      | <0.1     | 37       |
| S004681            |                                   | 123      | 0.9        | 18.4       | 138      | 52.1       | 25.5     | 0.7      | 223      |
| S004682            |                                   | 117      | 0.8        | 14.4       | 128      | 39.7       | 24.0     | 0.7      | 221      |
| S004683            |                                   | 121      | 0.8        | 20.2       | 106      | 46.0       | 22.6     | 0.7      | 211      |
| S004684            |                                   | 116      | 1.0        | 25.0       | 100      | 46.1       | 20.1     | 0.6      | 184      |
| S004685            |                                   | 150      | 3.2        | 16.9       | 174      | 85.9       | 26.9     | 0.6      | 172      |
| S004686            |                                   | 151      | 4.9        | 15.7       | 198      | 82.6       | 27.6     | 0.5      | 157      |
| S004686CD          |                                   | 156      | 5.0        | 16.1       | 205      | 79.4       | 28.0     | 0.6      | 169      |
| S004687            |                                   | 137      | 174.0      | 15.9       | 102      | 66.7       | 26.7     | 0.5      | 143      |
| S004688            |                                   | 114      | 13.1       | 15.6       | 168      | 86.4       | 28.6     | 0.4      | 170      |
| S004689            |                                   | 83       | 3.7        | 13.0       | 35       | 69.6       | 29.7     | 0.3      | 450      |
| S004690            |                                   | 119      | 4.1        | 9.8        | 1810     | 46.0       | 29.1     | 0.3      | 76       |
| S004691            |                                   | 94       | 3.3        | 14.2       | 104      | 78.6       | 30.4     | 0.4      | 373      |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| S004692            |                          | 5.96         | <0.005  | 0.38    | 8.74    | 42.7    | 1200    | 1.64    | 0.14    | 0.76    | 0.38    | 45.0    | 10.3    | 42      | 5.17    | 24.0    |
| S004693            |                          | 6.19         | <0.005  | 0.24    | 5.83    | 67.7    | 640     | 0.73    | 0.06    | 1.99    | 0.08    | 33.1    | 9.1     | 31      | 2.84    | 11.7    |
| S004694            |                          | 5.16         | <0.005  | 0.34    | 6.59    | 33.5    | 260     | 0.92    | 0.08    | 1.05    | 0.24    | 37.4    | 9.3     | 33      | 3.43    | 14.5    |
| S004695            |                          | 5.63         | <0.005  | 0.30    | 6.66    | 32.5    | 720     | 0.87    | 0.06    | 0.87    | 0.12    | 33.4    | 9.9     | 33      | 3.43    | 11.5    |
| S004696            |                          | 6.16         | <0.005  | 0.28    | 6.06    | 47.2    | 650     | 0.79    | 0.07    | 1.90    | 0.12    | 30.0    | 8.7     | 32      | 2.68    | 14.9    |
| S004697            |                          | 5.96         | <0.005  | 0.31    | 6.23    | 29.2    | 640     | 0.97    | 0.08    | 1.04    | 0.11    | 47.0    | 8.3     | 37      | 2.74    | 15.8    |
| S004698            |                          | 6.30         | <0.005  | 0.29    | 6.06    | 86.9    | 700     | 0.84    | 0.07    | 1.09    | 0.15    | 31.7    | 11.4    | 30      | 2.31    | 12.2    |
| S004699            |                          | 4.84         | 0.005   | 0.22    | 5.62    | 42.8    | 740     | 0.84    | 0.39    | 3.24    | 0.25    | 31.5    | 6.4     | 30      | 1.86    | 9.2     |
| S004700            |                          | 1.04         | <0.005  | 0.01    | 0.04    | <0.2    | 10      | <0.05   | <0.01   | 33.7    | <0.02   | 0.28    | 0.7     | 1       | <0.05   | 1.3     |
| S004701            |                          | 3.46         | 0.006   | 0.39    | 7.11    | 44.8    | 970     | 1.22    | 1.45    | 2.54    | 0.23    | 34.3    | 15.9    | 32      | 2.62    | 21.2    |
| S004702            |                          | 3.59         | <0.005  | 0.17    | 6.47    | 9.8     | 1130    | 1.14    | 0.07    | 9.46    | 0.22    | 32.3    | 7.4     | 40      | 2.58    | 18.6    |
| S004703            |                          | 6.44         | 0.005   | 0.22    | 6.80    | 13.4    | 890     | 1.29    | 0.13    | 4.76    | 0.95    | 40.5    | 10.1    | 34      | 3.08    | 23.1    |
| S004704            |                          | 6.18         | 0.006   | 0.34    | 6.45    | 30.4    | 490     | 1.23    | 0.17    | 3.72    | 3.08    | 35.2    | 10.9    | 31      | 2.45    | 29.0    |
| S004705            |                          | 2.16         | 0.016   | 0.46    | 4.72    | 37.4    | 370     | 0.86    | 0.19    | 2.25    | 3.82    | 25.5    | 8.1     | 20      | 1.92    | 31.9    |
| S004706            |                          | 3.98         | 0.006   | 0.29    | 7.49    | 8.0     | 800     | 1.26    | 0.09    | 3.34    | 0.69    | 50.4    | 19.5    | 19      | 2.80    | 20.4    |
| S004706CD          |                          | <0.02        | 0.005   | 0.29    | 7.76    | 8.6     | 790     | 1.25    | 0.10    | 3.34    | 0.70    | 51.1    | 20.3    | 20      | 2.86    | 20.7    |
| S004707            |                          | 6.11         | 0.006   | 0.90    | 6.60    | 39.6    | 540     | 1.06    | 1.28    | 3.07    | 1.22    | 37.0    | 14.2    | 17      | 2.36    | 17.8    |
| S004708            |                          | 6.42         | <0.005  | 0.04    | 7.75    | 3.5     | 1150    | 0.66    | 0.06    | 4.14    | 0.16    | 26.4    | 29.8    | 4       | 1.83    | 5.6     |
| S004709            |                          | 5.46         | <0.005  | 0.03    | 7.76    | 1.4     | 1540    | 0.91    | 0.03    | 1.50    | 0.29    | 21.3    | 34.0    | 4       | 1.35    | 4.6     |
| S004710            |                          | 0.11         | 1.460   | 28.9    | 5.77    | 380     | 190     | 1.24    | 0.96    | 0.66    | 1.70    | 28.4    | 14.2    | 18      | 8.50    | 104.5   |
| S004711            |                          | 7.03         | <0.005  | 0.05    | 7.52    | 3.2     | 2820    | 1.17    | 0.03    | 1.40    | 0.12    | 25.2    | 30.9    | 5       | 1.94    | 4.0     |
| S004712            |                          | 5.38         | <0.005  | 0.04    | 6.31    | 10.1    | 3140    | 1.09    | 0.04    | 2.66    | 0.16    | 20.2    | 24.4    | 5       | 1.75    | 3.6     |
| S004713            |                          | 6.42         | <0.005  | 0.03    | 7.24    | 4.1     | 4450    | 1.20    | 0.03    | 3.08    | 0.16    | 22.3    | 29.7    | 5       | 2.38    | 4.1     |
| S004714            |                          | 5.78         | <0.005  | 0.03    | 6.71    | 3.3     | 1950    | 0.96    | 0.02    | 4.03    | 0.18    | 20.6    | 24.8    | 4       | 1.31    | 3.7     |
| S004715            |                          | 3.20         | <0.005  | 0.05    | 5.89    | 12.8    | 1140    | 0.77    | 0.08    | 5.19    | 0.15    | 19.15   | 22.5    | 4       | 1.26    | 3.5     |
| S004716            |                          | 4.73         | <0.005  | 0.13    | 5.97    | 26.5    | 1140    | 0.76    | 0.38    | 8.05    | 0.21    | 22.9    | 21.2    | 6       | 1.45    | 6.9     |
| S004717            |                          | 4.38         | <0.005  | 0.10    | 7.02    | 3.5     | 1080    | 0.90    | 0.15    | 4.79    | 0.16    | 23.5    | 25.1    | 5       | 1.50    | 5.8     |
| S004718            |                          | 5.76         | <0.005  | 0.08    | 6.93    | 3.6     | 1030    | 0.91    | 0.03    | 4.93    | 0.32    | 23.1    | 25.0    | 5       | 1.29    | 5.4     |
| S004719            |                          | 6.44         | <0.005  | 0.10    | 5.81    | 17.6    | 1550    | 0.88    | 0.04    | 5.53    | 0.51    | 23.2    | 22.2    | 7       | 1.13    | 6.4     |
| S004720            |                          | 1.13         | <0.005  | 0.02    | 0.05    | <0.2    | 10      | <0.05   | <0.01   | 35.7    | <0.02   | 0.30    | 0.7     | 1       | <0.05   | 1.1     |
| S004721            |                          | 5.56         | <0.005  | 0.13    | 6.82    | 5.1     | 790     | 0.92    | 0.06    | 7.13    | 0.26    | 26.3    | 24.3    | 6       | 1.06    | 6.3     |
| S004722            |                          | 6.34         | <0.005  | 0.05    | 7.77    | 22.9    | 1000    | 1.11    | 0.03    | 3.47    | 0.22    | 26.0    | 29.5    | 5       | 1.46    | 5.4     |
| S004723            |                          | 6.57         | <0.005  | 0.09    | 7.50    | 2.6     | 880     | 1.02    | 0.04    | 4.41    | 0.25    | 25.3    | 29.6    | 5       | 1.28    | 5.8     |
| S004724            |                          | 5.90         | <0.005  | 0.06    | 6.40    | 3.5     | 430     | 0.88    | 0.03    | 6.37    | 0.27    | 21.3    | 22.8    | 4       | 0.86    | 4.8     |
| S004725            |                          | 6.10         | <0.005  | 0.07    | 6.38    | 2.5     | 590     | 0.76    | 0.04    | 9.83    | 0.27    | 24.3    | 24.0    | 4       | 1.07    | 5.0     |
| S004726            |                          | 5.82         | <0.005  | 0.06    | 6.82    | 2.3     | 1760    | 0.98    | 0.13    | 5.62    | 0.25    | 22.7    | 25.0    | 4       | 1.74    | 4.9     |
| S004726CD          |                          | <0.02        | <0.005  | 0.06    | 6.66    | 1.9     | 1720    | 0.99    | 0.13    | 5.47    | 0.28    | 21.9    | 24.9    | 4       | 1.72    | 4.7     |
| S004727            |                          | 6.14         | 0.007   | 0.06    | 7.44    | 10.8    | 1700    | 1.09    | 0.19    | 3.90    | 1.21    | 25.0    | 29.8    | 4       | 1.74    | 5.3     |
| S004728            |                          | 6.31         | <0.005  | 0.06    | 7.76    | 2.1     | 1510    | 1.07    | 0.04    | 4.07    | 0.21    | 24.9    | 29.8    | 4       | 1.45    | 6.1     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| S004692            |                          | 3.32    | 20.3    | 0.18    | 1.9     | 0.062   | 3.67    | 24.5    | 15.7    | 0.62    | 272     | 2.95    | 0.30    | 7.8     | 18.5    | 520   |
| S004693            |                          | 2.73    | 10.90   | 0.13    | 1.4     | 0.024   | 1.85    | 18.8    | 14.1    | 0.53    | 428     | 0.73    | 0.39    | 4.6     | 6.8     | 480   |
| S004694            |                          | 4.61    | 13.35   | 0.15    | 1.6     | 0.031   | 2.25    | 21.7    | 14.9    | 0.51    | 322     | 0.75    | 0.49    | 5.2     | 7.0     | 420   |
| S004695            |                          | 3.28    | 12.75   | 0.14    | 1.5     | 0.025   | 2.16    | 19.8    | 15.4    | 0.51    | 224     | 1.06    | 0.71    | 5.2     | 6.9     | 400   |
| S004696            |                          | 3.30    | 11.50   | 0.14    | 1.4     | 0.025   | 1.96    | 17.2    | 4.6     | 0.60    | 269     | 0.92    | 1.34    | 4.7     | 7.3     | 450   |
| S004697            |                          | 3.37    | 12.85   | 0.15    | 1.7     | 0.027   | 2.11    | 27.1    | 4.4     | 0.52    | 183     | 0.92    | 1.35    | 4.7     | 8.9     | 500   |
| S004698            |                          | 2.48    | 11.70   | 0.13    | 1.6     | 0.024   | 2.06    | 18.1    | 3.4     | 0.43    | 163     | 0.97    | 1.34    | 4.6     | 8.4     | 560   |
| S004699            |                          | 1.91    | 11.25   | 0.15    | 1.5     | 0.035   | 2.17    | 17.7    | 3.3     | 0.42    | 399     | 0.96    | 1.09    | 4.4     | 5.7     | 490   |
| S004700            |                          | 0.03    | 0.19    | 0.14    | <0.1    | <0.005  | 0.01    | <0.5    | 0.3     | 1.95    | 18      | 0.07    | <0.01   | <0.1    | 0.6     | 30    |
| S004701            |                          | 3.80    | 16.60   | 0.15    | 1.4     | 0.081   | 3.21    | 17.6    | 9.1     | 0.75    | 554     | 4.05    | 0.35    | 5.5     | 18.3    | 890   |
| S004702            |                          | 1.78    | 14.05   | 0.17    | 0.9     | 0.053   | 2.98    | 16.2    | 4.7     | 0.55    | 923     | 0.76    | 0.31    | 6.4     | 9.0     | 760   |
| S004703            |                          | 3.53    | 16.00   | 0.17    | 1.8     | 0.063   | 2.73    | 21.8    | 4.2     | 0.70    | 545     | 5.51    | 0.80    | 6.2     | 20.4    | 700   |
| S004704            |                          | 4.26    | 15.55   | 0.15    | 2.4     | 0.066   | 2.43    | 19.6    | 4.3     | 0.64    | 456     | 29.0    | 0.99    | 5.7     | 51.1    | 850   |
| S004705            |                          | 5.51    | 11.65   | 0.13    | 1.8     | 0.060   | 1.57    | 13.4    | 4.0     | 0.78    | 447     | 30.4    | 0.89    | 4.6     | 46.0    | 730   |
| S004706            |                          | 5.37    | 21.2    | 0.18    | 1.6     | 0.098   | 2.59    | 24.5    | 3.4     | 1.02    | 733     | 8.91    | 1.65    | 8.1     | 16.4    | 1610  |
| S004706CD          |                          | 5.61    | 21.8    | 0.18    | 1.6     | 0.099   | 2.66    | 25.2    | 3.5     | 1.07    | 765     | 9.48    | 1.72    | 7.8     | 17.1    | 1600  |
| S004707            |                          | 5.32    | 17.40   | 0.16    | 1.8     | 0.083   | 2.29    | 18.9    | 13.3    | 1.16    | 900     | 9.19    | 1.11    | 6.4     | 16.2    | 1360  |
| S004708            |                          | 8.89    | 21.1    | 0.10    | 0.8     | 0.077   | 0.89    | 13.0    | 40.9    | 3.07    | 1300    | 1.70    | 2.58    | 6.1     | 2.3     | 1430  |
| S004709            |                          | 10.05   | 24.1    | 0.13    | 0.7     | 0.095   | 1.07    | 8.6     | 57.3    | 3.44    | 1050    | 1.80    | 2.82    | 6.6     | 2.1     | 1200  |
| S004710            |                          | 4.41    | 13.00   | 0.13    | 0.9     | 0.037   | 2.63    | 13.6    | 10.3    | 0.37    | 218     | 4.86    | 0.19    | 5.7     | 14.0    | 1260  |
| S004711            |                          | 8.70    | 19.30   | 0.14    | 0.7     | 0.085   | 1.83    | 11.7    | 53.7    | 3.09    | 962     | 1.42    | 2.02    | 6.2     | 1.9     | 1070  |
| S004712            |                          | 6.20    | 14.50   | 0.12    | 1.1     | 0.066   | 1.95    | 9.6     | 33.1    | 2.21    | 932     | 1.27    | 1.51    | 4.8     | 1.7     | 1000  |
| S004713            |                          | 7.66    | 17.80   | 0.15    | 0.9     | 0.081   | 2.43    | 10.5    | 44.8    | 2.68    | 1070    | 1.56    | 1.37    | 5.8     | 2.0     | 1210  |
| S004714            |                          | 6.84    | 16.55   | 0.12    | 1.2     | 0.069   | 1.28    | 9.8     | 39.2    | 2.29    | 1100    | 1.06    | 2.08    | 4.8     | 1.6     | 900   |
| S004715            |                          | 5.94    | 14.25   | 0.10    | 1.0     | 0.063   | 0.90    | 9.3     | 30.9    | 2.00    | 1270    | 1.21    | 2.04    | 4.3     | 1.5     | 1060  |
| S004716            |                          | 6.01    | 15.10   | 0.11    | 0.9     | 0.066   | 1.02    | 11.3    | 21.5    | 1.78    | 1690    | 1.63    | 2.40    | 4.8     | 2.6     | 1120  |
| S004717            |                          | 7.10    | 17.95   | 0.11    | 1.0     | 0.078   | 0.95    | 11.6    | 27.2    | 2.18    | 1340    | 1.61    | 2.94    | 5.6     | 2.2     | 1220  |
| S004718            |                          | 6.97    | 17.30   | 0.11    | 1.3     | 0.071   | 0.79    | 11.1    | 27.5    | 2.16    | 1340    | 1.81    | 2.99    | 5.7     | 2.5     | 1080  |
| S004719            |                          | 5.83    | 13.45   | 0.10    | 1.3     | 0.064   | 0.92    | 11.4    | 21.6    | 1.70    | 1260    | 2.40    | 2.46    | 5.1     | 4.0     | 1290  |
| S004720            |                          | 0.05    | 0.17    | 0.10    | <0.1    | <0.005  | 0.01    | <0.5    | 0.5     | 1.74    | 20      | 0.05    | 0.01    | <0.1    | 0.4     | 40    |
| S004721            |                          | 6.30    | 15.55   | 0.09    | 1.2     | 0.076   | 0.56    | 13.0    | 21.0    | 1.87    | 1500    | 2.37    | 3.38    | 6.0     | 2.6     | 1490  |
| S004722            |                          | 8.17    | 20.8    | 0.11    | 0.9     | 0.080   | 0.80    | 12.6    | 28.7    | 2.55    | 1220    | 2.08    | 3.35    | 6.8     | 2.3     | 1270  |
| S004723            |                          | 8.07    | 19.45   | 0.10    | 1.2     | 0.080   | 0.61    | 12.4    | 25.5    | 2.33    | 1140    | 7.07    | 3.44    | 6.2     | 2.0     | 1220  |
| S004724            |                          | 6.05    | 16.65   | 0.08    | 1.2     | 0.062   | 0.30    | 10.3    | 16.6    | 1.79    | 1200    | 2.37    | 3.26    | 5.5     | 2.1     | 1040  |
| S004725            |                          | 6.62    | 15.65   | 0.08    | 1.2     | 0.070   | 0.45    | 12.2    | 19.7    | 1.97    | 1550    | 1.37    | 2.95    | 5.8     | 1.8     | 1370  |
| S004726            |                          | 7.35    | 17.10   | 0.11    | 1.1     | 0.073   | 1.24    | 11.1    | 29.7    | 2.34    | 1450    | 1.57    | 2.38    | 5.5     | 2.0     | 1160  |
| S004726CD          |                          | 7.21    | 16.60   | 0.11    | 1.2     | 0.071   | 1.20    | 10.8    | 29.1    | 2.27    | 1410    | 1.53    | 2.32    | 5.2     | 1.8     | 1150  |
| S004727            |                          | 7.85    | 19.55   | 0.12    | 0.9     | 0.080   | 1.31    | 12.3    | 30.5    | 2.30    | 1180    | 1.72    | 2.86    | 6.0     | 1.9     | 1170  |
| S004728            |                          | 8.05    | 19.50   | 0.11    | 0.8     | 0.078   | 1.14    | 12.0    | 30.9    | 2.33    | 1190    | 1.47    | 3.26    | 6.3     | 1.8     | 1230  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| S004692            |                          | 14.6    | 130.0   | 0.008   | 1.86    | 7.78    | 17.3    | 1       | 1.3     | 81.0    | 0.48    | 0.05    | 5.22    | 0.389   | 1.48    | 2.5 |
| S004693            |                          | 11.4    | 67.3    | 0.003   | 1.58    | 5.35    | 6.8     | 1       | 0.6     | 103.5   | 0.32    | <0.05   | 4.38    | 0.197   | 0.73    | 2.1 |
| S004694            |                          | 10.7    | 81.2    | <0.002  | 3.39    | 11.90   | 9.6     | 1       | 0.7     | 83.8    | 0.35    | <0.05   | 4.61    | 0.251   | 1.19    | 2.3 |
| S004695            |                          | 10.3    | 78.9    | <0.002  | 1.92    | 5.70    | 8.2     | 1       | 0.6     | 86.9    | 0.35    | <0.05   | 4.76    | 0.252   | 0.85    | 2.2 |
| S004696            |                          | 11.7    | 70.5    | <0.002  | 1.95    | 4.36    | 8.1     | 1       | 0.6     | 162.5   | 0.34    | <0.05   | 4.64    | 0.212   | 0.80    | 2.0 |
| S004697            |                          | 11.1    | 77.4    | 0.003   | 1.92    | 4.84    | 7.4     | 1       | 0.7     | 127.5   | 0.32    | <0.05   | 5.11    | 0.187   | 0.78    | 2.4 |
| S004698            |                          | 10.7    | 72.2    | 0.007   | 1.34    | 4.99    | 7.2     | <1      | 0.6     | 114.5   | 0.32    | <0.05   | 4.71    | 0.184   | 0.75    | 2.6 |
| S004699            |                          | 6.9     | 64.1    | <0.002  | 0.88    | 3.04    | 6.8     | 1       | 0.7     | 198.0   | 0.31    | <0.05   | 4.17    | 0.188   | 0.76    | 1.9 |
| S004700            |                          | <0.5    | 0.4     | <0.002  | 0.04    | 0.05    | 0.2     | 1       | <0.2    | 4650    | <0.05   | <0.05   | 0.03    | <0.005  | <0.02   | 1.2 |
| S004701            |                          | 5.5     | 108.0   | 0.005   | 1.91    | 10.25   | 21.4    | 1       | 1.2     | 140.0   | 0.32    | 0.11    | 3.75    | 0.376   | 1.37    | 1.4 |
| S004702            |                          | 3.7     | 99.0    | <0.002  | 0.56    | 3.04    | 14.4    | 1       | 1.0     | 297     | 0.38    | <0.05   | 3.07    | 0.288   | 1.04    | 0.8 |
| S004703            |                          | 6.9     | 97.8    | 0.007   | 1.86    | 5.59    | 15.4    | 1       | 1.4     | 201     | 0.38    | <0.05   | 4.62    | 0.281   | 1.31    | 2.0 |
| S004704            |                          | 7.6     | 82.1    | 0.021   | 2.44    | 9.94    | 14.9    | 3       | 1.3     | 234     | 0.36    | <0.05   | 4.47    | 0.284   | 1.86    | 3.8 |
| S004705            |                          | 10.3    | 56.9    | 0.013   | 3.15    | 12.60   | 11.2    | 4       | 0.9     | 137.0   | 0.28    | 0.05    | 2.70    | 0.238   | 1.51    | 2.9 |
| S004706            |                          | 7.5     | 93.4    | 0.006   | 2.54    | 5.48    | 22.0    | 2       | 1.7     | 221     | 0.47    | <0.05   | 4.44    | 0.484   | 1.65    | 1.8 |
| S004706CD          |                          | 7.9     | 94.1    | 0.006   | 2.72    | 5.60    | 22.7    | 2       | 1.7     | 223     | 0.46    | <0.05   | 4.56    | 0.482   | 1.70    | 1.9 |
| S004707            |                          | 22.6    | 79.1    | 0.008   | 2.26    | 11.10   | 18.1    | 1       | 1.6     | 203     | 0.36    | 0.11    | 3.34    | 0.375   | 1.17    | 1.9 |
| S004708            |                          | 2.4     | 19.7    | 0.002   | 0.13    | 0.68    | 32.1    | 1       | 0.9     | 541     | 0.38    | <0.05   | 1.40    | 0.673   | 0.30    | 0.6 |
| S004709            |                          | 3.7     | 6.9     | 0.002   | 0.07    | 0.54    | 28.0    | 1       | 1.0     | 257     | 0.38    | <0.05   | 1.07    | 0.705   | 0.32    | 0.6 |
| S004710            |                          | 48.3    | 122.5   | <0.002  | 4.12    | 35.1    | 13.8    | 6       | 1.8     | 132.0   | 0.32    | 0.27    | 2.53    | 0.296   | 2.26    | 0.9 |
| S004711            |                          | 6.4     | 22.4    | 0.002   | 0.07    | 0.66    | 33.2    | 1       | 1.1     | 290     | 0.36    | <0.05   | 1.28    | 0.665   | 0.41    | 0.5 |
| S004712            |                          | 5.5     | 32.9    | 0.002   | 0.10    | 1.04    | 25.1    | <1      | 1.0     | 321     | 0.30    | <0.05   | 1.28    | 0.527   | 0.45    | 0.5 |
| S004713            |                          | 5.0     | 38.4    | <0.002  | 0.08    | 0.71    | 30.5    | <1      | 1.2     | 340     | 0.35    | <0.05   | 1.30    | 0.627   | 0.50    | 0.5 |
| S004714            |                          | 3.6     | 21.2    | <0.002  | 0.09    | 0.62    | 26.2    | <1      | 0.9     | 480     | 0.29    | <0.05   | 1.44    | 0.527   | 0.29    | 0.7 |
| S004715            |                          | 2.7     | 22.1    | <0.002  | 0.14    | 0.80    | 23.2    | 1       | 0.9     | 374     | 0.28    | <0.05   | 1.15    | 0.463   | 0.33    | 0.5 |
| S004716            |                          | 4.5     | 28.8    | 0.003   | 0.56    | 1.72    | 22.0    | 1       | 0.8     | 465     | 0.28    | <0.05   | 1.58    | 0.485   | 0.43    | 0.7 |
| S004717            |                          | 3.4     | 25.2    | <0.002  | 0.42    | 1.27    | 27.6    | 1       | 1.0     | 351     | 0.33    | <0.05   | 1.61    | 0.569   | 0.34    | 0.7 |
| S004718            |                          | 3.8     | 15.2    | 0.002   | 0.28    | 1.22    | 27.2    | 1       | 1.0     | 360     | 0.33    | <0.05   | 1.72    | 0.569   | 0.22    | 0.8 |
| S004719            |                          | 7.4     | 17.3    | 0.004   | 0.42    | 2.15    | 21.4    | <1      | 0.8     | 454     | 0.30    | <0.05   | 1.75    | 0.494   | 0.24    | 1.0 |
| S004720            |                          | <0.5    | 0.3     | <0.002  | 0.04    | 0.05    | 0.2     | 1       | <0.2    | 4720    | <0.05   | <0.05   | 0.02    | <0.005  | <0.02   | 1.3 |
| S004721            |                          | 6.3     | 10.6    | 0.003   | 0.45    | 1.56    | 24.3    | 1       | 1.0     | 499     | 0.35    | <0.05   | 1.87    | 0.590   | 0.15    | 0.9 |
| S004722            |                          | 4.9     | 15.4    | 0.002   | 0.24    | 1.40    | 30.9    | 1       | 1.0     | 325     | 0.40    | <0.05   | 1.65    | 0.685   | 0.19    | 0.7 |
| S004723            |                          | 5.3     | 9.6     | 0.003   | 0.66    | 1.14    | 28.4    | 1       | 1.0     | 363     | 0.35    | <0.05   | 1.52    | 0.635   | 0.16    | 0.7 |
| S004724            |                          | 5.9     | 4.6     | 0.002   | 0.39    | 1.12    | 24.6    | 1       | 0.9     | 489     | 0.32    | <0.05   | 1.60    | 0.551   | 0.09    | 0.8 |
| S004725            |                          | 7.4     | 9.0     | 0.002   | 0.33    | 0.89    | 26.7    | <1      | 0.8     | 1210    | 0.33    | <0.05   | 1.59    | 0.591   | 0.14    | 0.8 |
| S004726            |                          | 5.4     | 24.8    | 0.002   | 0.22    | 0.79    | 27.5    | <1      | 0.9     | 461     | 0.34    | <0.05   | 1.56    | 0.567   | 0.31    | 0.7 |
| S004726CD          |                          | 4.6     | 24.0    | 0.002   | 0.22    | 0.72    | 27.2    | <1      | 0.9     | 449     | 0.31    | <0.05   | 1.49    | 0.555   | 0.32    | 0.7 |
| S004727            |                          | 4.8     | 23.2    | 0.002   | 0.25    | 1.08    | 31.3    | <1      | 1.0     | 363     | 0.35    | <0.05   | 1.53    | 0.616   | 0.30    | 0.6 |
| S004728            |                          | 4.5     | 17.4    | 0.002   | 0.23    | 0.69    | 32.2    | 1       | 1.0     | 381     | 0.37    | <0.05   | 1.57    | 0.666   | 0.22    | 0.6 |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    | pXRF-34  | pXRF-34  | pXRF-34  |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|----------|----------|----------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         | Si       | Ti       | Zr       |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 | %<br>0.5 | %<br>0.1 | ppm<br>5 |
| S004692            |                                   | 133      | 2.5        | 12.1       | 101      | 68.6       | 26.7     | 0.5      | 173      |
| S004693            |                                   | 76       | 1.3        | 11.1       | 30       | 50.1       | 30.7     | 0.3      | 114      |
| S004694            |                                   | 105      | 1.6        | 9.8        | 68       | 59.8       | 30.0     | 0.3      | 133      |
| S004695            |                                   | 101      | 1.5        | 8.7        | 42       | 51.8       | 31.0     | 0.3      | 160      |
| S004696            |                                   | 80       | 1.2        | 9.3        | 44       | 49.0       | 30.3     | 0.3      | 121      |
| S004697            |                                   | 86       | 1.7        | 9.9        | 46       | 62.8       | 30.7     | 0.2      | 100      |
| S004698            |                                   | 78       | 2.3        | 8.6        | 35       | 54.7       | 31.2     | 0.3      | 117      |
| S004699            |                                   | 76       | 5.0        | 8.6        | 29       | 50.7       | 28.8     | 0.3      | 118      |
| S004700            |                                   | 1        | <0.1       | 0.3        | <2       | 0.6        | 1.6      | <0.1     | 48       |
| S004701            |                                   | 178      | 11.5       | 14.5       | 69       | 48.8       | 26.9     | 0.6      | 124      |
| S004702            |                                   | 103      | 2.6        | 15.8       | 45       | 32.4       | 21.0     | 0.4      | 91       |
| S004703            |                                   | 108      | 2.0        | 15.9       | 122      | 63.6       | 24.5     | 0.4      | 143      |
| S004704            |                                   | 166      | 2.6        | 14.8       | 305      | 87.5       | 26.4     | 0.4      | 132      |
| S004705            |                                   | 156      | 2.6        | 12.8       | 364      | 68.7       | 28.6     | 0.4      | 114      |
| S004706            |                                   | 169      | 3.5        | 22.7       | 129      | 62.3       | 23.1     | 0.7      | 210      |
| S004706CD          |                                   | 173      | 3.5        | 23.2       | 132      | 62.0       | 23.9     | 0.8      | 198      |
| S004707            |                                   | 140      | 9.6        | 18.6       | 160      | 70.3       | 25.2     | 0.5      | 155      |
| S004708            |                                   | 326      | 0.7        | 19.2       | 133      | 32.5       | 18.0     | 0.7      | 99       |
| S004709            |                                   | 363      | 0.6        | 16.2       | 150      | 29.2       | 19.5     | 0.8      | 109      |
| S004710            |                                   | 136      | 2.3        | 8.5        | 194      | 31.2       | 32.5     | 0.4      | 75       |
| S004711            |                                   | 324      | 0.4        | 18.1       | 130      | 27.2       | 20.6     | 0.8      | 102      |
| S004712            |                                   | 245      | 1.0        | 19.1       | 98       | 30.8       | 24.2     | 0.6      | 77       |
| S004713            |                                   | 298      | 0.4        | 18.8       | 116      | 30.4       | 21.1     | 0.8      | 97       |
| S004714            |                                   | 265      | 0.4        | 20.0       | 106      | 61.9       | 21.1     | 0.6      | 84       |
| S004715            |                                   | 235      | 1.5        | 21.0       | 103      | 36.3       | 21.4     | 0.6      | 74       |
| S004716            |                                   | 221      | 3.2        | 23.0       | 115      | 44.8       | 18.1     | 0.6      | 79       |
| S004717            |                                   | 271      | 1.7        | 25.5       | 128      | 39.7       | 19.8     | 0.6      | 91       |
| S004718            |                                   | 263      | 0.7        | 26.4       | 132      | 40.4       | 19.6     | 0.6      | 90       |
| S004719            |                                   | 213      | 0.9        | 24.3       | 103      | 40.0       | 22.0     | 0.6      | 83       |
| S004720            |                                   | 2        | <0.1       | 0.4        | <2       | 0.5        | 1.7      | <0.1     | 31       |
| S004721            |                                   | 244      | 1.5        | 26.0       | 101      | 53.0       | 19.4     | 0.6      | 90       |
| S004722            |                                   | 312      | 1.1        | 25.7       | 128      | 33.3       | 20.0     | 0.7      | 102      |
| S004723            |                                   | 295      | 0.6        | 25.4       | 123      | 37.2       | 18.6     | 0.7      | 91       |
| S004724            |                                   | 242      | 0.5        | 23.2       | 104      | 50.1       | 19.7     | 0.6      | 79       |
| S004725            |                                   | 254      | 0.6        | 27.8       | 109      | 39.7       | 15.4     | 0.6      | 91       |
| S004726            |                                   | 273      | 1.2        | 24.7       | 124      | 53.8       | 19.2     | 0.7      | 87       |
| S004726CD          |                                   | 266      | 1.1        | 24.6       | 121      | 36.5       | 19.4     | 0.7      | 91       |
| S004727            |                                   | 298      | 4.2        | 26.2       | 148      | 31.8       | 19.4     | 0.7      | 96       |
| S004728            |                                   | 312      | 0.5        | 25.9       | 128      | 30.8       | 19.3     | 0.7      | 92       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 21-AUG-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19193810**

**CERTIFICATE COMMENTS**

|   |  |         |          |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |
|---|--|---------|----------|--------|--------|---------|--------|---------|----------|--------|--------|---------|---------|--------|--|--|--|---------|---------|---------|
| <p>Applies to Method:</p> <p>Applies to Method:</p> <p>Applies to Method:</p> | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REE's may not be totally soluble in this method.<br/>         ME-MS61</p> <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.</p> <table border="0" style="width: 100%;"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>LOG-23</td> <td>PUL-32m</td> <td>PUL-32md</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table border="0" style="width: 100%;"> <tr> <td>Au-AA23</td> <td>ME-MS61</td> <td>pXRF-34</td> </tr> </table> | BAG-01  | CRU-31   | CRU-QC | LOG-21 | LOG-21d | LOG-23 | PUL-32m | PUL-32md | PUL-QC | SPL-21 | SPL-21d | SPL-34X | WEI-21 |  |  |  | Au-AA23 | ME-MS61 | pXRF-34 |
| BAG-01  | CRU-31   | CRU-QC  | LOG-21   |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |
| LOG-21d   | LOG-23   | PUL-32m | PUL-32md |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |
| PUL-QC  | SPL-21   | SPL-21d | SPL-34X  |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |
| WEI-21  |  |         |          |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |
| Au-AA23   | ME-MS61  | pXRF-34 |          |        |        |         |        |         |          |        |        |         |         |        |  |  |  |         |         |         |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

Page: 1  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 This copy reported on  
 7-NOV-2019  
 Account: PREBOW

**TR19241756**

Project: Bowser Regional Project  
 P.O. No.: BOW-0882  
 This report is for 62 Rock samples submitted to our lab in Terrace, BC, Canada on 19-SEP-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINE WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                        |
|----------|------------------------------------|
| WEI-21   | Received Sample Weight             |
| PUL-32md | Pulverize 500g-DUP -85%<75um       |
| SPL-34X  | Pulp Split - For send out          |
| LOG-21   | Sample logging - ClientBarCode     |
| CRU-31   | Fine crushing - 70% <2mm           |
| CRU-QC   | Crushing QC Test                   |
| PUL-QC   | Pulverizing QC Test                |
| SPL-21   | Split sample - riffle splitter     |
| PUL-32m  | Pulverize 500g - 85%<75um          |
| BAG-01   | Bulk Master for Storage            |
| LOG-21d  | Sample logging - ClientBarCode Dup |
| SPL-21d  | Split sample - duplicate           |

**ANALYTICAL PROCEDURES**

| ALS CODE  | DESCRIPTION                       | INSTRUMENT |
|-----------|-----------------------------------|------------|
| pXRF-34   | pXRF - Si, Ti & Zr Add on Package | PXRF       |
| Au-AA23   | Au 30g FA-AA finish               | AAS        |
| ME-MS61   | 48 element four acid ICP-MS       |            |
| ME-OG62   | Ore Grade Elements - Four Acid    | ICP-AES    |
| Cu-OG62   | Ore Grade Cu - Four Acid          |            |
| Pb-OG62   | Ore Grade Pb - Four Acid          |            |
| Zn-OG62   | Ore Grade Zn - Four Acid          |            |
| ME-ICP06  | Whole Rock Package - ICP-AES      | ICP-AES    |
| OA-GRA05  | Loss on Ignition at 1000C         | WST-SEQ    |
| ME-MS81   | Lithium Borate Fusion ICP-MS      | ICP-MS     |
| TOT-ICP06 | Total Calculation for ICP06       |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

**Signature:**   
 Saa Traxler, General Manager, North Vancouver





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA23 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
|                    |                          | 0.02         | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| B085144            |                          | 1.07         | <0.005  | 0.23    | 4.43    | 1.5     | 2140    | 0.19    | 0.02    | 11.40   | 0.27    | 1.46    | 0.6     | 7       | 0.50    | 171.0   |
| B085145            |                          | 0.75         | <0.005  | 0.19    | 3.89    | 1.7     | 170     | 0.34    | 0.17    | 2.91    | 0.06    | 12.00   | 28.5    | 30      | 0.94    | 118.5   |
| B085146            |                          | 1.36         | <0.005  | 0.78    | 5.64    | 3.4     | 80      | 0.41    | 0.02    | 11.40   | 0.19    | 18.05   | 15.2    | 38      | 0.19    | 366     |
| B085146CD          |                          | <0.02        | <0.005  | 0.77    | 5.78    | 3.2     | 90      | 0.45    | 0.02    | 11.60   | 0.20    | 19.10   | 16.8    | 38      | 0.21    | 355     |
| B085147            |                          | 1.02         | 0.024   | 5.99    | 0.77    | 0.5     | 60      | 0.07    | 0.10    | 1.36    | 0.14    | 0.92    | 0.4     | 25      | 0.29    | 3220    |
| B085148            |                          | 0.56         | 0.074   | 43.5    | 3.02    | 3.7     | 200     | 0.46    | 3.60    | 1.06    | >1000   | 17.35   | 20.3    | 14      | 0.59    | >10000  |
| B082743            |                          | 1.05         | <0.005  | 0.36    | 6.78    | 12.1    | 770     | 1.29    | 0.05    | 0.84    | 0.72    | 56.7    | 1.1     | 5       | 3.16    | 22.0    |
| B082744            |                          | 1.19         | <0.005  | 0.04    | 8.08    | 4.3     | 1060    | 1.69    | 0.22    | 0.61    | 0.11    | 68.5    | 2.5     | 6       | 6.22    | 8.3     |
| B082745            |                          | 1.19         | <0.005  | 0.07    | 3.70    | 1.1     | 400     | 0.98    | 0.06    | 1.78    | 0.37    | 29.3    | 0.9     | 15      | 2.02    | 15.5    |
| B082746            |                          | 1.43         | <0.005  | 0.16    | 5.15    | 12.3    | 680     | 1.68    | 0.03    | 2.68    | 0.18    | 41.9    | 0.7     | 7       | 3.90    | 4.6     |
| B082746CD          |                          | <0.02        | <0.005  | 0.16    | 5.37    | 12.5    | 710     | 1.70    | 0.03    | 2.73    | 0.18    | 44.4    | 0.8     | 9       | 4.12    | 4.4     |
| B082747            |                          | 0.92         | <0.005  | 0.03    | 7.93    | 10.6    | 440     | 1.25    | 0.01    | 3.24    | 0.91    | 33.1    | 20.4    | 16      | 4.69    | 10.1    |
| B082748            |                          | 1.24         | <0.005  | 0.01    | 7.19    | 6.1     | 680     | 1.63    | 0.01    | 4.95    | 0.25    | 38.1    | 17.1    | 38      | 10.80   | 11.1    |
| B082749            |                          | 1.19         | <0.005  | 0.06    | 6.53    | 14.3    | 500     | 1.21    | 0.08    | 2.29    | 0.21    | 31.3    | 1.9     | 9       | 4.39    | 2.8     |
| B083338            |                          | 0.98         | <0.005  | 0.06    | 8.08    | 6.1     | 790     | 1.21    | 0.14    | 0.73    | 0.05    | 77.6    | 4.0     | 3       | 8.37    | 2.7     |
| B083339            |                          | 0.64         | 0.008   | 0.22    | 7.71    | 10.1    | 2400    | 1.00    | 0.17    | 0.05    | 0.09    | 62.7    | 2.0     | 4       | 4.49    | 6.4     |
| B083340            |                          | 0.67         | <0.005  | 0.27    | 0.84    | 0.4     | 190     | 0.13    | 0.36    | 0.01    | 0.38    | 2.89    | 0.3     | 18      | 0.23    | 2.1     |
| B083341            |                          | 1.05         | <0.005  | 0.49    | 8.97    | 13.3    | 1860    | 1.15    | 0.29    | 0.53    | 0.13    | 19.40   | 22.9    | 14      | 9.51    | 82.1    |
| B083342            |                          | 0.66         | <0.005  | 0.02    | 1.02    | 0.8     | 60      | 0.11    | 0.02    | 13.95   | 0.15    | 5.92    | 2.8     | 8       | 0.62    | 3.2     |
| B083343            |                          | 0.77         | <0.005  | <0.01   | 6.66    | 2.7     | 480     | 0.37    | 0.02    | 8.83    | 0.18    | 12.55   | 10.9    | 13      | 0.22    | 1.1     |
| B083344            |                          | 0.75         | 0.011   | 2.37    | 4.37    | 1.6     | 140     | 0.28    | 0.02    | 5.27    | 0.12    | 16.00   | 15.3    | 37      | 0.08    | 1340    |
| B083345            |                          | 0.48         | <0.005  | 0.01    | 2.56    | 2.1     | 200     | 0.17    | 0.05    | 23.6    | 0.47    | 9.24    | 0.9     | 5       | 3.81    | 1.8     |
| B083346            |                          | 0.71         | 0.008   | 2.98    | 4.69    | 2.6     | 310     | 1.15    | 0.59    | 3.84    | 0.91    | 36.4    | 12.2    | 13      | 1.03    | 3560    |
| B083346CD          |                          | <0.02        | 0.006   | 2.91    | 4.64    | 2.4     | 300     | 1.29    | 0.59    | 3.84    | 0.92    | 37.2    | 12.2    | 16      | 1.00    | 3580    |
| B083347            |                          | 0.95         | <0.005  | 0.06    | 7.74    | 4.2     | 1050    | 1.42    | 0.11    | 1.07    | 0.19    | 43.9    | 3.0     | 8       | 5.30    | 12.4    |
| B083348            |                          | 0.62         | <0.005  | 0.03    | 2.22    | 15.1    | 430     | 0.56    | 0.06    | 25.4    | 0.06    | 22.4    | 3.3     | 7       | 1.22    | 9.2     |
| B083349            |                          | 0.83         | <0.005  | 0.03    | 8.83    | 19.6    | 1030    | 1.48    | 0.15    | 1.05    | 0.17    | 50.7    | 14.3    | 20      | 9.60    | 20.9    |
| B083350            |                          | 0.69         | <0.005  | 0.03    | 3.79    | 19.7    | 660     | 0.88    | 0.13    | 21.0    | 0.07    | 26.0    | 4.2     | 24      | 2.18    | 11.5    |
| B084001            |                          | 0.75         | <0.005  | 0.01    | 9.29    | 8.9     | 700     | 1.43    | 0.10    | 0.60    | 0.05    | 49.5    | 14.2    | 12      | 7.16    | 12.1    |
| B084002            |                          | 0.77         | <0.005  | 0.01    | 1.33    | 2.5     | 220     | 0.36    | 0.03    | 31.0    | 0.03    | 10.45   | 1.9     | 5       | 0.82    | 4.4     |
| B084003            |                          | 0.96         | <0.005  | 0.02    | 2.29    | 3.0     | 360     | 0.56    | 0.07    | 29.5    | 0.13    | 23.0    | 3.6     | 3       | 1.99    | 1.4     |
| B084004            |                          | 0.84         | <0.005  | 0.06    | 1.49    | 1.1     | 80      | 0.22    | 0.02    | 5.98    | 0.11    | 6.51    | 2.8     | 12      | 0.99    | 3.7     |
| B084005            |                          | 0.86         | <0.005  | <0.01   | 0.09    | 1.2     | 20      | <0.05   | <0.01   | 28.9    | 0.03    | 7.50    | 0.5     | 3       | 0.13    | 1.3     |
| B084006            |                          | 0.84         | <0.005  | 0.03    | 0.71    | 1.3     | 50      | 0.07    | 0.01    | 32.7    | 0.04    | 9.93    | 1.9     | 7       | 0.30    | 7.5     |
| B084006CD          |                          | <0.02        | <0.005  | 0.01    | 0.75    | 1.1     | 60      | 0.08    | 0.01    | 35.6    | 0.05    | 10.45   | 1.8     | 7       | 0.31    | 5.4     |
| B082541            |                          | 0.72         | <0.005  | 0.11    | 0.48    | <0.2    | 70      | <0.05   | 0.14    | 0.50    | 2.47    | 1.45    | 0.7     | 13      | 0.28    | 15.8    |
| B082542            |                          | 0.73         | 0.080   | 19.35   | 5.15    | 16.5    | 9940    | 0.70    | 4.43    | 4.39    | 114.5   | 6.58    | 19.2    | 5       | 2.38    | >10000  |
| B082543            |                          | 0.87         | 0.045   | 18.00   | 7.98    | 12.8    | 1060    | 1.58    | 12.70   | 4.72    | 15.65   | 27.3    | 21.0    | 5       | 3.01    | >10000  |
| B082544            |                          | 0.78         | 0.056   | 9.17    | 6.27    | 121.0   | 1320    | 1.03    | 3.15    | 0.09    | 8.08    | 22.7    | 7.9     | 8       | 5.33    | 503     |
| B082545            |                          | 0.84         | 0.017   | 1.19    | 4.89    | 21.9    | 210     | 0.48    | 1.65    | 0.12    | 0.74    | 23.3    | 16.8    | 8       | 3.21    | 478     |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| B085144            |                          | 3.89    | 14.65   | <0.05   | 0.1     | 0.024   | 0.15    | 0.8     | 0.8     | 0.02    | 1380    | 0.14    | 0.01    | 0.1     | 0.6     | 70    |
| B085145            |                          | 6.37    | 10.50   | <0.05   | 0.6     | 0.031   | 0.13    | 5.4     | 34.7    | 2.24    | 2160    | 0.28    | 0.08    | 1.8     | 12.9    | 480   |
| B085146            |                          | 4.39    | 10.75   | 0.05    | 0.9     | 0.050   | 0.06    | 7.4     | 11.9    | 1.11    | 1220    | 0.27    | 0.64    | 2.8     | 15.2    | 820   |
| B085146CD          |                          | 4.53    | 10.95   | 0.05    | 1.0     | 0.051   | 0.07    | 7.8     | 13.1    | 1.25    | 1290    | 0.29    | 0.67    | 3.0     | 16.7    | 860   |
| B085147            |                          | 1.00    | 2.28    | <0.05   | <0.1    | <0.005  | 0.05    | 0.5     | 1.1     | 0.01    | 213     | 0.24    | 0.01    | 0.1     | 1.1     | 40    |
| B085148            |                          | 11.40   | 10.45   | 0.10    | 0.6     | 0.064   | 0.52    | 5.9     | 22.4    | 1.52    | 1800    | 1.51    | 0.02    | 3.5     | 7.3     | 560   |
| B082743            |                          | 1.60    | 14.55   | 0.09    | 2.6     | 0.032   | 2.23    | 30.1    | 13.9    | 0.29    | 255     | 3.49    | 0.74    | 12.1    | 1.9     | 120   |
| B082744            |                          | 1.63    | 17.95   | 0.10    | 1.7     | 0.051   | 2.63    | 38.8    | 12.0    | 0.55    | 166     | 0.47    | 1.66    | 13.8    | 4.2     | 60    |
| B082745            |                          | 1.14    | 8.04    | 0.07    | 1.7     | 0.020   | 1.26    | 13.3    | 3.7     | 0.15    | 857     | 0.38    | 0.71    | 7.5     | 2.0     | 210   |
| B082746            |                          | 1.22    | 9.79    | 0.10    | 1.8     | 0.020   | 1.70    | 21.6    | 8.1     | 0.31    | 1150    | 0.96    | 1.36    | 10.4    | 1.2     | 140   |
| B082746CD          |                          | 1.24    | 10.30   | 0.10    | 1.8     | 0.023   | 1.76    | 22.2    | 8.3     | 0.32    | 1150    | 1.07    | 1.40    | 10.8    | 1.2     | 140   |
| B082747            |                          | 5.88    | 15.70   | 0.09    | 2.9     | 0.056   | 1.20    | 14.8    | 31.2    | 0.84    | 1260    | 0.61    | 3.42    | 12.8    | 14.2    | 1720  |
| B082748            |                          | 5.31    | 15.15   | 0.10    | 2.1     | 0.041   | 2.39    | 17.0    | 27.2    | 0.85    | 1240    | 0.57    | 1.74    | 12.9    | 29.7    | 1710  |
| B082749            |                          | 1.57    | 12.95   | 0.09    | 2.3     | 0.029   | 1.32    | 12.8    | 2.3     | 0.11    | 476     | 2.60    | 4.00    | 15.2    | 2.3     | 50    |
| B083338            |                          | 2.55    | 13.85   | 0.14    | 5.7     | 0.038   | 3.42    | 39.2    | 5.2     | 0.45    | 441     | 4.32    | 1.76    | 19.1    | 1.0     | 360   |
| B083339            |                          | 2.41    | 13.60   | 0.14    | 6.1     | 0.050   | 4.43    | 32.1    | 3.7     | 0.28    | 156     | 6.32    | 1.65    | 17.6    | 0.6     | 420   |
| B083340            |                          | 0.50    | 0.91    | <0.05   | 0.2     | <0.005  | 0.39    | 1.3     | 0.5     | 0.01    | 140     | 0.23    | 0.35    | 1.2     | 0.8     | 10    |
| B083341            |                          | 8.12    | 20.4    | 0.11    | 1.0     | 0.081   | 3.75    | 7.3     | 26.9    | 1.83    | 1220    | 1.23    | 0.27    | 4.5     | 10.9    | 1220  |
| B083342            |                          | 1.11    | 1.65    | <0.05   | 0.1     | 0.018   | 0.14    | 2.9     | 4.6     | 0.14    | 1760    | 0.39    | 0.36    | 0.6     | 1.4     | 150   |
| B083343            |                          | 4.59    | 11.90   | 0.05    | 0.5     | 0.027   | 0.08    | 5.6     | 8.4     | 0.65    | 1620    | 0.19    | 1.32    | 1.6     | 4.7     | 550   |
| B083344            |                          | 3.65    | 7.56    | 0.06    | 0.8     | 0.040   | 0.01    | 7.0     | 12.2    | 1.11    | 753     | 0.29    | 0.35    | 2.3     | 16.2    | 720   |
| B083345            |                          | 4.52    | 6.55    | 0.05    | 0.1     | 0.042   | 0.85    | 4.3     | 6.0     | 0.18    | 2770    | 0.73    | 0.02    | 0.4     | 0.6     | 120   |
| B083346            |                          | 6.49    | 13.00   | 0.08    | 0.5     | 0.036   | 0.33    | 19.3    | 23.0    | 1.53    | 2930    | 0.76    | 0.02    | 2.1     | 4.4     | 440   |
| B083346CD          |                          | 6.46    | 13.10   | 0.08    | 0.5     | 0.037   | 0.32    | 19.8    | 23.3    | 1.49    | 2940    | 0.68    | 0.02    | 2.0     | 4.5     | 420   |
| B083347            |                          | 1.55    | 15.20   | 0.10    | 2.9     | 0.030   | 2.00    | 22.0    | 9.7     | 0.29    | 278     | 0.42    | 2.26    | 16.6    | 5.2     | 340   |
| B083348            |                          | 1.42    | 4.08    | 0.05    | 0.7     | 0.030   | 0.80    | 8.4     | 0.9     | 0.25    | 1600    | 0.28    | 0.16    | 2.7     | 2.7     | 1860  |
| B083349            |                          | 6.59    | 16.85   | 0.11    | 1.6     | 0.075   | 2.42    | 23.9    | 36.5    | 1.45    | 412     | 0.74    | 1.60    | 14.6    | 13.6    | 600   |
| B083350            |                          | 2.36    | 6.81    | 0.07    | 1.3     | 0.042   | 1.25    | 21.3    | 2.1     | 0.17    | 1640    | 0.60    | 0.50    | 5.0     | 7.6     | 1060  |
| B084001            |                          | 9.90    | 19.90   | 0.11    | 1.6     | 0.069   | 1.62    | 19.2    | 81.2    | 2.34    | 414     | 0.59    | 2.16    | 14.6    | 20.9    | 1170  |
| B084002            |                          | 1.23    | 2.52    | <0.05   | 0.4     | 0.017   | 0.42    | 4.6     | 1.8     | 0.24    | 1630    | 0.22    | 0.15    | 1.7     | 2.5     | 350   |
| B084003            |                          | 1.85    | 4.40    | 0.06    | 0.9     | 0.032   | 0.69    | 10.2    | 3.8     | 0.24    | 3200    | 2.77    | 0.25    | 3.9     | 2.6     | 120   |
| B084004            |                          | 2.10    | 3.41    | <0.05   | 0.2     | 0.025   | 0.20    | 2.6     | 24.4    | 0.30    | 907     | 0.31    | 0.12    | 0.9     | 2.8     | 90    |
| B084005            |                          | 0.62    | 0.25    | <0.05   | <0.1    | 0.018   | 0.02    | 3.4     | 2.6     | 0.18    | 2010    | 0.06    | 0.02    | 0.1     | 0.6     | 70    |
| B084006            |                          | 0.96    | 1.28    | <0.05   | 0.2     | 0.041   | 0.10    | 3.5     | 4.9     | 0.22    | 2640    | 0.81    | 0.24    | 0.7     | 5.7     | 170   |
| B084006CD          |                          | 1.05    | 1.30    | 0.05    | 0.2     | 0.042   | 0.11    | 3.6     | 5.3     | 0.24    | 2810    | 0.25    | 0.25    | 0.7     | 3.8     | 200   |
| B082541            |                          | 0.83    | 1.05    | <0.05   | 0.1     | 0.007   | 0.12    | 0.7     | 3.6     | 0.23    | 538     | 0.17    | 0.03    | 0.2     | 1.2     | 40    |
| B082542            |                          | 9.30    | 12.35   | 0.06    | 0.6     | 0.063   | 1.51    | 2.2     | 22.4    | 2.05    | 3460    | 2.81    | 0.09    | 2.1     | 2.4     | 540   |
| B082543            |                          | 11.70   | 18.90   | 0.11    | 1.1     | 0.098   | 1.94    | 13.6    | 30.1    | 2.28    | 3460    | 5.76    | 0.17    | 3.9     | 3.5     | 960   |
| B082544            |                          | 5.49    | 14.50   | 0.08    | 1.5     | 0.060   | 3.19    | 11.8    | 37.2    | 0.43    | 545     | 7.88    | 0.03    | 5.0     | 2.3     | 650   |
| B082545            |                          | 5.29    | 9.67    | 0.06    | 0.5     | 0.030   | 1.45    | 9.6     | 28.3    | 0.22    | 1580    | 4.07    | 0.04    | 3.1     | 2.5     | 680   |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U    |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm  |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1  |
| B085144            |                          | 7.2     | 3.8     | <0.002  | 0.05    | 0.59    | 2.3     | <1      | 0.2     | 1635    | <0.05   | <0.05   | 0.07    | 0.024   | 0.03    | 0.4  |
| B085145            |                          | 6.0     | 3.7     | <0.002  | 0.05    | 2.27    | 10.8    | <1      | 0.3     | 352     | 0.08    | 0.05    | 0.91    | 0.208   | 0.03    | 0.4  |
| B085146            |                          | 7.6     | 2.0     | <0.002  | <0.01   | 1.41    | 21.8    | 1       | 0.6     | 1260    | 0.14    | <0.05   | 1.13    | 0.430   | 0.02    | 0.6  |
| B085146CD          |                          | 7.8     | 2.4     | <0.002  | <0.01   | 1.39    | 23.4    | 1       | 0.6     | 1245    | 0.16    | <0.05   | 1.14    | 0.446   | 0.02    | 0.6  |
| B085147            |                          | 2.1     | 1.6     | <0.002  | 0.07    | 0.57    | 0.8     | 4       | <0.2    | 289     | <0.05   | <0.05   | 0.07    | 0.015   | 0.02    | 0.1  |
| B085148            |                          | >10000  | 22.5    | 0.003   | >10.0   | 5.61    | 8.9     | 15      | 0.5     | 118.0   | 0.21    | 0.66    | 2.33    | 0.242   | 0.24    | 0.8  |
| B082743            |                          | 36.1    | 66.8    | <0.002  | 0.50    | 2.69    | 1.8     | 1       | 1.7     | 74.9    | 0.89    | <0.05   | 5.91    | 0.100   | 0.43    | 2.2  |
| B082744            |                          | 6.2     | 79.6    | <0.002  | 0.02    | 0.59    | 4.7     | 1       | 1.8     | 109.0   | 0.94    | <0.05   | 5.35    | 0.160   | 0.37    | 0.9  |
| B082745            |                          | 24.3    | 41.4    | <0.002  | 0.01    | 0.52    | 1.7     | 1       | 0.7     | 199.5   | 0.45    | <0.05   | 3.19    | 0.073   | 0.21    | 1.2  |
| B082746            |                          | 13.0    | 41.3    | <0.002  | 0.15    | 1.02    | 1.5     | <1      | 0.7     | 287     | 0.61    | <0.05   | 3.41    | 0.078   | 0.31    | 1.2  |
| B082746CD          |                          | 12.8    | 43.5    | <0.002  | 0.14    | 1.03    | 1.5     | <1      | 0.7     | 292     | 0.63    | <0.05   | 3.59    | 0.081   | 0.32    | 1.3  |
| B082747            |                          | 9.4     | 28.4    | <0.002  | 0.01    | 2.29    | 17.2    | <1      | 1.1     | 231     | 0.68    | <0.05   | 4.25    | 0.569   | 0.26    | 2.1  |
| B082748            |                          | 6.3     | 54.1    | <0.002  | 0.02    | 2.18    | 13.4    | <1      | 0.9     | 300     | 0.70    | <0.05   | 3.90    | 0.544   | 0.35    | 1.4  |
| B082749            |                          | 16.9    | 29.0    | <0.002  | 1.17    | 1.77    | 1.9     | <1      | 1.0     | 252     | 0.91    | <0.05   | 3.31    | 0.122   | 0.29    | 1.0  |
| B083338            |                          | 5.3     | 148.5   | <0.002  | 0.60    | 1.30    | 5.9     | <1      | 1.0     | 92.2    | 1.12    | 0.09    | 19.80   | 0.176   | 0.94    | 8.3  |
| B083339            |                          | 12.4    | 173.0   | 0.002   | 0.66    | 1.30    | 5.5     | 1       | 1.0     | 92.9    | 1.03    | 0.13    | 19.35   | 0.172   | 1.24    | 8.2  |
| B083340            |                          | 27.1    | 11.2    | <0.002  | <0.01   | 0.44    | 0.2     | <1      | <0.2    | 10.5    | 0.09    | <0.05   | 1.39    | 0.005   | 0.10    | 0.6  |
| B083341            |                          | 21.1    | 80.6    | <0.002  | 0.65    | 1.64    | 40.2    | 3       | 0.8     | 80.4    | 0.21    | 0.20    | 1.23    | 0.632   | 0.83    | 0.7  |
| B083342            |                          | 1.9     | 4.6     | <0.002  | 0.12    | 0.36    | 3.5     | 1       | <0.2    | 213     | <0.05   | <0.05   | 0.39    | 0.054   | 0.03    | 0.2  |
| B083343            |                          | 13.6    | 2.3     | <0.002  | 0.01    | 2.20    | 9.6     | <1      | 0.4     | 2050    | 0.08    | <0.05   | 0.83    | 0.184   | 0.02    | 0.6  |
| B083344            |                          | 5.4     | 0.4     | <0.002  | 0.04    | 0.81    | 20.9    | 2       | 0.5     | 1005    | 0.12    | <0.05   | 1.05    | 0.366   | <0.02   | 0.5  |
| B083345            |                          | 5.1     | 31.4    | <0.002  | <0.01   | 0.54    | 7.7     | 1       | 0.2     | 668     | <0.05   | <0.05   | 0.19    | 0.066   | 0.21    | 0.2  |
| B083346            |                          | 120.5   | 12.7    | <0.002  | 0.44    | 4.97    | 12.5    | 2       | 0.4     | 841     | 0.12    | 0.08    | 1.59    | 0.196   | 0.09    | 0.9  |
| B083346CD          |                          | 122.5   | 12.4    | <0.002  | 0.45    | 4.97    | 12.6    | 1       | 0.4     | 845     | 0.11    | 0.08    | 1.52    | 0.190   | 0.10    | 0.9  |
| B083347            |                          | 2.0     | 65.5    | <0.002  | 0.08    | 1.92    | 3.4     | <1      | 1.3     | 184.5   | 0.95    | <0.05   | 6.28    | 0.177   | 0.41    | 2.3  |
| B083348            |                          | 3.4     | 27.5    | <0.002  | 0.68    | 0.66    | 3.9     | 1       | 0.4     | 1295    | 0.16    | 0.05    | 1.17    | 0.131   | 0.26    | 0.4  |
| B083349            |                          | 6.6     | 86.2    | <0.002  | 0.18    | 1.67    | 13.3    | <1      | 1.4     | 172.0   | 0.79    | 0.10    | 4.19    | 0.505   | 0.87    | 0.8  |
| B083350            |                          | 5.8     | 41.4    | <0.002  | 1.04    | 3.32    | 7.3     | 1       | 0.6     | 877     | 0.31    | <0.05   | 2.31    | 0.206   | 0.31    | 0.7  |
| B084001            |                          | 2.9     | 16.9    | <0.002  | 0.04    | 0.60    | 10.2    | <1      | 1.3     | 180.5   | 1.00    | <0.05   | 3.00    | 0.380   | 0.40    | 0.5  |
| B084002            |                          | 1.7     | 14.5    | <0.002  | 0.47    | 0.36    | 3.2     | 1       | 0.2     | 1960    | 0.09    | <0.05   | 0.71    | 0.065   | 0.11    | 0.3  |
| B084003            |                          | 3.0     | 24.1    | <0.002  | <0.01   | 0.73    | 2.8     | 1       | 0.4     | 2600    | 0.22    | <0.05   | 1.55    | 0.075   | 0.20    | 0.6  |
| B084004            |                          | 7.7     | 7.2     | <0.002  | <0.01   | 0.37    | 2.1     | <1      | 0.2     | 592     | 0.06    | <0.05   | 0.42    | 0.029   | 0.05    | 0.2  |
| B084005            |                          | 0.5     | 0.6     | <0.002  | 0.01    | 0.15    | 2.7     | 1       | <0.2    | 3110    | <0.05   | <0.05   | 0.08    | 0.005   | <0.02   | <0.1 |
| B084006            |                          | 2.5     | 3.9     | <0.002  | 0.04    | 1.02    | 7.5     | 1       | <0.2    | 3140    | 0.05    | <0.05   | 0.29    | 0.055   | 0.03    | 0.1  |
| B084006CD          |                          | 0.6     | 4.0     | <0.002  | 0.04    | 0.78    | 8.0     | 1       | <0.2    | 3460    | <0.05   | <0.05   | 0.28    | 0.059   | 0.03    | 0.1  |
| B082541            |                          | 40.0    | 5.5     | <0.002  | 0.01    | 0.27    | 0.8     | <1      | <0.2    | 14.3    | <0.05   | <0.05   | 0.14    | 0.018   | 0.05    | 0.1  |
| B082542            |                          | 1550    | 52.1    | <0.002  | 4.69    | 2.94    | 12.2    | 6       | 0.5     | 940     | 0.12    | 0.74    | 0.98    | 0.282   | 0.40    | 0.7  |
| B082543            |                          | 2570    | 40.3    | <0.002  | 2.22    | 11.45   | 22.9    | 9       | 0.8     | 1055    | 0.22    | 0.63    | 2.19    | 0.502   | 0.51    | 1.9  |
| B082544            |                          | 974     | 130.0   | <0.002  | 0.07    | 460     | 16.0    | 2       | 1.1     | 25.2    | 0.28    | 1.42    | 4.14    | 0.359   | 0.99    | 3.0  |
| B082545            |                          | 25.9    | 63.2    | 0.002   | 1.27    | 2.25    | 8.2     | 4       | 0.9     | 342     | 0.18    | 1.12    | 1.61    | 0.276   | 0.51    | 0.4  |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - D  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Cu-OG62 | Pb-OG62 | Zn-OG62 | pXRF-34 | pXRF-34 | pXRF-34 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      | Cu      | Pb      | Zn      | Si      | Ti      | Zr      | Ba      | Ce      | Cr      | Cs      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     | %       | %       | %       | %       | %       | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     | 0.001   | 0.001   | 0.001   | 0.5     | 0.1     | 5       | 0.5     | 0.1     | 10      | 0.01    |
| B085144            |                          | 249     | 0.2     | 3.4     | 2       | 2.4     |         |         |         | 24.0    | 0.1     | 23      |         |         |         |         |
| B085145            |                          | 124     | 0.9     | 6.6     | 125     | 19.1    |         |         |         | 26.2    | 0.2     | 25      |         |         |         |         |
| B085146            |                          | 188     | 0.4     | 12.9    | 37      | 26.2    |         |         |         | 21.0    | 0.4     | 63      |         |         |         |         |
| B085146CD          |                          | 190     | 0.4     | 14.7    | 41      | 28.4    |         |         |         | 19.9    | 0.4     | 60      |         |         |         |         |
| B085147            |                          | 27      | 0.2     | 0.6     | 2       | 1.4     |         |         |         | 40.3    | <0.1    | <5      |         |         |         |         |
| B085148            |                          | 82      | 1.7     | 7.3     | >10000  | 17.5    | 6.91    | 3.39    | 14.80   | 16.2    | 0.3     | 81      |         |         |         |         |
| B082743            |                          | 13      | 0.9     | 11.0    | 80      | 84.1    |         |         |         | 31.3    | 0.1     | 164     |         |         |         |         |
| B082744            |                          | 15      | 0.9     | 15.1    | 41      | 57.6    |         |         |         | 29.4    | 0.2     | 191     |         |         |         |         |
| B082745            |                          | 7       | 0.5     | 11.4    | 73      | 59.7    |         |         |         | 33.1    | 0.1     | 97      |         |         |         |         |
| B082746            |                          | 6       | 0.6     | 11.8    | 80      | 61.1    |         |         |         | 29.4    | 0.1     | 130     |         |         |         |         |
| B082746CD          |                          | 6       | 0.6     | 12.5    | 80      | 64.2    |         |         |         | 29.0    | 0.1     | 132     |         |         |         |         |
| B082747            |                          | 199     | 1.9     | 18.7    | 110     | 117.0   |         |         |         | 21.2    | 0.5     | 152     | 441     | 53.3    | 20      | 5.19    |
| B082748            |                          | 152     | 1.0     | 17.4    | 98      | 83.4    |         |         |         | 20.5    | 0.5     | 169     |         |         |         |         |
| B082749            |                          | 8       | 1.3     | 7.8     | 141     | 78.4    |         |         |         | 27.9    | 0.2     | 178     |         |         |         |         |
| B083338            |                          | 38      | 1.7     | 24.2    | 32      | 235     |         |         |         | 27.7    | 0.2     | 292     |         |         |         |         |
| B083339            |                          | 29      | 2.3     | 19.2    | 30      | 251     |         |         |         | 28.8    | 0.3     | 272     |         |         |         |         |
| B083340            |                          | 1       | 0.3     | 2.6     | 14      | 4.4     |         |         |         | 41.6    | <0.1    | 6       |         |         |         |         |
| B083341            |                          | 219     | 1.1     | 14.3    | 111     | 26.8    |         |         |         | 21.1    | 0.6     | 54      |         |         |         |         |
| B083342            |                          | 23      | 0.4     | 6.6     | 14      | 5.6     |         |         |         | 20.2    | <0.1    | 7       |         |         |         |         |
| B083343            |                          | 163     | 0.3     | 9.5     | 32      | 14.0    |         |         |         | 24.5    | 0.2     | 33      |         |         |         |         |
| B083344            |                          | 160     | 0.4     | 12.4    | 35      | 29.4    |         |         |         | 30.8    | 0.4     | 48      |         |         |         |         |
| B083345            |                          | 153     | 3.0     | 13.3    | 4       | 3.6     |         |         |         | 10.0    | 0.1     | 10      |         |         |         |         |
| B083346            |                          | 149     | 1.7     | 19.9    | 220     | 17.2    |         |         |         | 27.5    | 0.2     | 35      |         |         |         |         |
| B083346CD          |                          | 146     | 1.6     | 20.4    | 218     | 17.0    |         |         |         | 28.4    | 0.1     | 29      |         |         |         |         |
| B083347            |                          | 19      | 0.6     | 14.1    | 56      | 104.5   |         |         |         | 29.1    | 0.2     | 200     |         |         |         |         |
| B083348            |                          | 19      | 0.3     | 15.7    | 21      | 43.3    |         |         |         | 11.2    | 0.2     | 47      |         |         |         |         |
| B083349            |                          | 91      | 0.8     | 19.1    | 120     | 67.4    |         |         |         | 22.9    | 0.5     | 180     |         |         |         |         |
| B083350            |                          | 27      | 0.5     | 20.6    | 32      | 49.9    |         |         |         | 14.1    | 0.2     | 77      |         |         |         |         |
| B084001            |                          | 130     | 0.5     | 11.8    | 147     | 53.8    |         |         |         | 18.1    | 0.3     | 212     |         |         |         |         |
| B084002            |                          | 9       | 0.2     | 8.5     | 15      | 19.1    |         |         |         | 7.0     | 0.1     | 28      |         |         |         |         |
| B084003            |                          | 11      | 0.5     | 17.1    | 78      | 33.7    |         |         |         | 6.1     | 0.1     | 71      |         |         |         |         |
| B084004            |                          | 16      | 0.2     | 8.0     | 65      | 9.2     |         |         |         | 29.0    | <0.1    | 19      |         |         |         |         |
| B084005            |                          | 3       | 0.2     | 8.7     | 2       | 1.9     |         |         |         | 7.8     | <0.1    | 23      |         |         |         |         |
| B084006            |                          | 16      | 0.3     | 29.8    | 11      | 6.7     |         |         |         | 3.3     | 0.1     | 36      |         |         |         |         |
| B084006CD          |                          | 18      | 0.2     | 32.3    | 9       | 6.2     |         |         |         | 3.3     | 0.1     | 26      |         |         |         |         |
| B082541            |                          | 12      | 0.4     | 1.0     | 212     | 1.9     |         |         |         | 39.1    | <0.1    | <5      |         |         |         |         |
| B082542            |                          | 148     | 2.1     | 12.4    | >10000  | 18.2    | 2.07    |         | 1.335   |         |         |         |         |         |         |         |
| B082543            |                          | 249     | 7.5     | 18.0    | 3070    | 32.8    | 2.51    |         |         | 16.4    | 0.8     | 64      |         |         |         |         |
| B082544            |                          | 178     | 4.4     | 7.8     | 1670    | 63.4    |         |         |         | 28.4    | 0.4     | 77      |         |         |         |         |
| B082545            |                          | 123     | 4.1     | 6.0     | 134     | 15.2    |         |         |         | 29.8    | 0.8     | 50      |         |         |         |         |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - E  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Dy<br>ppm<br>0.05 | ME-MS81<br>Er<br>ppm<br>0.03 | ME-MS81<br>Eu<br>ppm<br>0.03 | ME-MS81<br>Ga<br>ppm<br>0.1 | ME-MS81<br>Gd<br>ppm<br>0.05 | ME-MS81<br>Hf<br>ppm<br>0.2 | ME-MS81<br>Ho<br>ppm<br>0.01 | ME-MS81<br>La<br>ppm<br>0.1 | ME-MS81<br>Lu<br>ppm<br>0.01 | ME-MS81<br>Nb<br>ppm<br>0.2 | ME-MS81<br>Nd<br>ppm<br>0.1 | ME-MS81<br>Pr<br>ppm<br>0.03 | ME-MS81<br>Rb<br>ppm<br>0.2 | ME-MS81<br>Sm<br>ppm<br>0.03 | ME-MS81<br>Sn<br>ppm<br>1 |
|---|-----------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|
| B085144<br>B085145<br>B085146<br>B085146CD<br>B085147 |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B085148<br>B082743<br>B082744<br>B082745<br>B082746   |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B082746CD<br>B082747<br>B082748<br>B082749<br>B083338 |                                   | 4.21                         | 2.67                         | 1.17                         | 17.3                        | 4.75                         | 4.2                         | 0.86                         | 27.0                        | 0.41                         | 12.6                        | 24.2                        | 6.34                         | 41.4                        | 5.12                         | 1                         |
| B083339<br>B083340<br>B083341<br>B083342<br>B083343   |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B083344<br>B083345<br>B083346<br>B083346CD<br>B083347 |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B083348<br>B083349<br>B083350<br>B084001<br>B084002   |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B084003<br>B084004<br>B084005<br>B084006<br>B084006CD |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B082541<br>B082542<br>B082543<br>B082544<br>B082545   |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - F  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Sr<br>ppm<br>0.1 | ME-MS81<br>Ta<br>ppm<br>0.1 | ME-MS81<br>Tb<br>ppm<br>0.01 | ME-MS81<br>Th<br>ppm<br>0.05 | ME-MS81<br>Tm<br>ppm<br>0.01 | ME-MS81<br>U<br>ppm<br>0.05 | ME-MS81<br>V<br>ppm<br>5 | ME-MS81<br>W<br>ppm<br>1 | ME-MS81<br>Y<br>ppm<br>0.1 | ME-MS81<br>Yb<br>ppm<br>0.03 | ME-MS81<br>Zr<br>ppm<br>2 | ME-ICP06<br>SiO2<br>%<br>0.01 | ME-ICP06<br>Al2O3<br>%<br>0.01 | ME-ICP06<br>Fe2O3<br>%<br>0.01 | ME-ICP06<br>CaO<br>%<br>0.01 |
|---|-----------------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|--------------------------|--------------------------|----------------------------|------------------------------|---------------------------|-------------------------------|--------------------------------|--------------------------------|------------------------------|
| B085144<br>B085145<br>B085146<br>B085146CD<br>B085147 |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B085148<br>B082743<br>B082744<br>B082745<br>B082746   |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B082746CD<br>B082747<br>B082748<br>B082749<br>B083338 |                                   | 230                         | 0.8                         | 0.71                         | 6.36                         | 0.39                         | 3.21                        | 238                      | 2                        | 24.2                       | 2.55                         | 173                       | 55.3                          | 16.15                          | 8.58                           | 4.34                         |
| B083339<br>B083340<br>B083341<br>B083342<br>B083343   |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B083344<br>B083345<br>B083346<br>B083346CD<br>B083347 |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B083348<br>B083349<br>B083350<br>B084001<br>B084002   |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B084003<br>B084004<br>B084005<br>B084006<br>B084006CD |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B082541<br>B082542<br>B082543<br>B082544<br>B082545   |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - G  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

|   |
|---|
| <b>CERTIFICATE OF ANALYSIS TR19241756</b> |
|---|

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-ICP06<br>MgO<br>% | ME-ICP06<br>Na2O<br>% | ME-ICP06<br>K2O<br>% | ME-ICP06<br>Cr2O3<br>% | ME-ICP06<br>TiO2<br>% | ME-ICP06<br>MnO<br>% | ME-ICP06<br>P2O5<br>% | ME-ICP06<br>K2O<br>% | ME-ICP06<br>SrO<br>% | ME-ICP06<br>BaO<br>% | OA-GRA05<br>LOI<br>% | TOT-ICP06<br>Total<br>% |
|---|-----------------------------------|----------------------|-----------------------|----------------------|------------------------|-----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|-------------------------|
| B085144<br>B085145<br>B085146<br>B085146CD<br>B085147 |                                   | 0.01                 | 0.01                  | 0.01                 | 0.002                  | 0.01                  | 0.01                 | 0.01                  | 0.01                 | 0.01                 | 0.01                 | 0.01                 | 0.01                    |
| B085148<br>B082743<br>B082744<br>B082745<br>B082746   |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B082746CD<br>B082747<br>B082748<br>B082749<br>B083338 |                                   | 1.57                 | 4.66                  | 1.48                 | 0.003                  | 0.93                  | 0.16                 | 0.39                  | 0.02                 | 0.05                 | 0.01                 | 6.25                 | 99.88                   |
| B083339<br>B083340<br>B083341<br>B083342<br>B083343   |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B083344<br>B083345<br>B083346<br>B083346CD<br>B083347 |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B083348<br>B083349<br>B083350<br>B084001<br>B084002   |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B084003<br>B084004<br>B084005<br>B084006<br>B084006CD |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B082541<br>B082542<br>B082543<br>B082544<br>B082545   |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - A  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-AA23 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|--------------------------|---------------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|--------------|----------------|----------------|----------------|----------------|----------------|----------------|
| B082546            |                          | 0.02                | 0.005          | 0.01           | 0.01         | 0.2            | 10             | 0.05           | 0.01           | 0.01         | 0.02           | 0.01           | 0.1            | 1              | 0.05           | 0.2            |
| B082546CD          |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B082547            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B082548            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B082549            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B082550            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085168            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085169            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085170            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085171            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085172            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085173            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085174            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085175            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085176            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085177            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085178            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085179            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085180            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085181            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085182            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |
| B085183            |                          |                     |                |                |              |                |                |                |                |              |                |                |                |                |                |                |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - B  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
|                    |                          | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1     | 0.2     | 10    |
| B082546            |                          | 5.60    | 19.15   | 0.07    | 0.4     | 0.124   | 0.55    | 7.4     | 13.7    | 0.98    | 1400    | 5.04    | 0.51    | 1.1     | 1.7     | 300   |
| B082546CD          |                          | 5.33    | 18.55   | 0.06    | 0.3     | 0.121   | 0.55    | 7.3     | 13.4    | 0.95    | 1360    | 5.12    | 0.50    | 1.1     | 1.8     | 290   |
| B082547            |                          | 6.15    | 16.30   | 0.08    | 0.5     | 0.060   | 1.02    | 19.3    | 12.0    | 0.87    | 2480    | 1.48    | 0.01    | 1.7     | 3.3     | 390   |
| B082548            |                          | 6.89    | 17.20   | 0.06    | 1.3     | 0.075   | 2.47    | 8.6     | 20.8    | 2.00    | 2240    | 0.48    | 2.55    | 4.4     | 3.8     | 1050  |
| B082549            |                          | 13.45   | 3.03    | 0.07    | 0.1     | 0.624   | 0.20    | 13.7    | 9.6     | 0.70    | 16750   | 1.57    | 0.02    | 0.5     | 2.3     | 200   |
| B082550            |                          | 4.63    | 7.00    | 0.08    | 0.3     | 0.104   | 0.42    | 1.6     | 9.3     | 0.74    | 3270    | 2.77    | 0.08    | 1.3     | 1.9     | 300   |
| B085168            |                          | 9.18    | 16.80   | 0.18    | 0.5     | 0.086   | 1.31    | 12.1    | 85.8    | 2.88    | 3150    | 3.68    | 0.01    | 2.3     | 2.8     | 600   |
| B085169            |                          | 6.80    | 20.6    | 0.09    | 2.3     | 0.126   | 4.28    | 6.8     | 7.1     | 0.69    | 219     | 11.60   | 0.04    | 8.2     | 5.0     | 450   |
| B085170            |                          | 6.67    | 16.30   | 0.11    | 1.8     | 0.062   | 4.24    | 11.3    | 9.9     | 0.76    | 419     | 4.24    | 0.04    | 8.6     | 5.8     | 1090  |
| B085171            |                          | 7.52    | 14.30   | 0.12    | 0.6     | 0.050   | 3.47    | 13.4    | 20.2    | 1.19    | 1580    | 0.93    | 1.66    | 3.6     | 3.5     | 930   |
| B085172            |                          | 8.66    | 14.45   | 0.09    | 1.0     | 0.050   | 1.40    | 16.8    | 26.3    | 1.89    | 2880    | 4.51    | 0.02    | 3.1     | 2.8     | 710   |
| B085173            |                          | 5.32    | 12.80   | 0.09    | 0.2     | 0.291   | 0.81    | 6.1     | 10.1    | 0.60    | 774     | 6.59    | 0.18    | 1.0     | 1.6     | 250   |
| B085174            |                          | 4.90    | 9.35    | 0.06    | 0.2     | 0.066   | 0.54    | 0.5     | 13.6    | 0.91    | 2170    | 0.60    | 0.04    | 0.7     | 1.5     | 160   |
| B085175            |                          | 2.40    | 7.02    | 0.06    | 1.2     | 0.041   | 0.87    | 11.0    | 10.7    | 0.41    | 1360    | 0.60    | 0.90    | 4.2     | 9.0     | 1130  |
| B085176            |                          | 6.33    | 10.10   | 0.05    | 1.1     | 0.043   | 0.93    | 3.6     | 23.9    | 1.19    | 1360    | 2.40    | 2.35    | 2.1     | 67.8    | 980   |
| B085177            |                          | 8.16    | 14.50   | 0.05    | 1.5     | 0.052   | 0.20    | 3.6     | 64.8    | 2.44    | 1800    | 0.56    | 3.01    | 2.4     | 43.5    | 950   |
| B085178            |                          | 3.41    | 18.15   | 0.08    | 0.6     | 0.068   | 1.81    | 10.1    | 18.0    | 0.84    | 1300    | 1.29    | 3.27    | 8.5     | 47.2    | 2720  |
| B085179            |                          | 4.26    | 18.60   | 0.08    | 1.5     | 0.079   | 2.51    | 17.6    | 110.0   | 0.75    | 683     | 0.69    | 0.99    | 8.7     | 11.6    | 610   |
| B085180            |                          | 4.21    | 15.70   | 0.11    | 1.5     | 0.072   | 1.88    | 21.0    | 33.0    | 0.84    | 1150    | 1.10    | 1.28    | 7.6     | 17.8    | 620   |
| B085181            |                          | 4.95    | 6.99    | 0.06    | 0.7     | 0.059   | 1.76    | 10.0    | 14.5    | 1.04    | 1880    | 0.47    | 0.05    | 3.5     | 6.4     | 500   |
| B085182            |                          | 4.52    | 20.7    | 0.09    | 1.2     | 0.074   | 4.25    | 13.5    | 2.6     | 0.21    | 666     | 0.84    | 0.24    | 9.3     | 23.4    | 480   |
| B085183            |                          | 4.63    | 19.75   | 0.09    | 1.5     | 0.086   | 2.90    | 19.6    | 28.9    | 0.97    | 524     | 0.83    | 1.22    | 10.0    | 15.7    | 630   |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - C  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |     |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U   |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1 |
| B082546            |                          | >10000  | 22.5    | <0.002  | 6.42    | 2.88    | 7.1     | 13      | 0.7     | 156.0   | 0.06    | 0.57    | 0.80    | 0.142   | 0.21    | 0.4 |
| B082546CD          |                          | >10000  | 22.2    | <0.002  | 5.98    | 2.89    | 7.1     | 14      | 0.7     | 151.0   | 0.06    | 0.57    | 0.76    | 0.142   | 0.17    | 0.4 |
| B082547            |                          | 2400    | 54.7    | <0.002  | 2.04    | 9.22    | 16.2    | 3       | 0.8     | 1135    | 0.09    | 0.72    | 1.35    | 0.211   | 0.29    | 0.8 |
| B082548            |                          | 19.2    | 40.6    | <0.002  | 0.02    | 1.72    | 21.9    | <1      | 1.0     | 585     | 0.23    | <0.05   | 1.82    | 0.563   | 0.62    | 0.8 |
| B082549            |                          | 11.3    | 7.3     | <0.002  | 0.64    | 2.09    | 5.9     | 1       | 0.6     | 186.5   | <0.05   | 0.05    | 0.34    | 0.045   | 0.07    | 0.5 |
| B082550            |                          | >10000  | 20.3    | <0.002  | 7.17    | 3.05    | 5.8     | 17      | 0.3     | 486     | 0.08    | 0.75    | 0.40    | 0.113   | 0.11    | 0.7 |
| B085168            |                          | >10000  | 45.6    | 0.013   | >10.0   | 17.30   | 12.8    | 33      | 0.6     | 46.7    | 0.13    | 4.35    | 1.83    | 0.283   | 0.34    | 0.8 |
| B085169            |                          | 189.5   | 185.5   | 0.012   | 6.12    | 4.65    | 34.1    | 4       | 2.1     | 19.3    | 0.49    | 1.46    | 6.19    | 0.589   | 1.30    | 3.6 |
| B085170            |                          | 65.5    | 182.0   | 0.007   | 4.68    | 3.97    | 22.6    | 5       | 1.3     | 19.8    | 0.54    | 4.40    | 7.86    | 0.488   | 1.09    | 4.0 |
| B085171            |                          | 75.7    | 119.0   | <0.002  | 6.61    | 2.47    | 21.0    | 16      | 1.0     | 172.0   | 0.20    | 0.74    | 1.69    | 0.480   | 1.18    | 0.6 |
| B085172            |                          | 1730    | 63.8    | 0.003   | 2.96    | 4.52    | 15.2    | 8       | 0.7     | 195.0   | 0.18    | 1.08    | 2.10    | 0.287   | 0.49    | 1.0 |
| B085173            |                          | >10000  | 35.1    | 0.060   | 7.85    | 2.39    | 5.3     | 18      | 0.6     | 118.0   | 0.05    | 0.71    | 0.69    | 0.121   | 0.25    | 0.5 |
| B085174            |                          | >10000  | 25.9    | <0.002  | 6.56    | 3.64    | 3.0     | 8       | 0.4     | 558     | <0.05   | 0.27    | 0.16    | 0.063   | 0.16    | 0.2 |
| B085175            |                          | 58.9    | 36.3    | 0.002   | 0.47    | 0.41    | 8.7     | 1       | 0.5     | 1170    | 0.26    | <0.05   | 2.15    | 0.226   | 0.23    | 0.8 |
| B085176            |                          | 29.7    | 38.6    | <0.002  | 4.52    | 0.18    | 29.0    | 1       | 0.6     | 543     | 0.11    | <0.05   | 0.34    | 0.577   | 0.21    | 0.1 |
| B085177            |                          | 18.7    | 8.3     | <0.002  | 0.03    | 0.40    | 33.3    | <1      | 0.5     | 554     | 0.14    | <0.05   | 0.41    | 0.695   | 0.05    | 0.1 |
| B085178            |                          | 11.3    | 60.1    | <0.002  | 2.10    | 0.86    | 26.5    | <1      | 1.0     | 677     | 0.44    | <0.05   | 1.40    | 0.838   | 0.48    | 0.5 |
| B085179            |                          | 9.8     | 100.5   | <0.002  | 0.29    | 2.18    | 23.4    | 1       | 1.2     | 249     | 0.53    | 0.09    | 4.93    | 0.452   | 0.65    | 1.3 |
| B085180            |                          | 10.4    | 74.6    | <0.002  | 0.18    | 2.13    | 19.2    | <1      | 1.0     | 320     | 0.49    | 0.06    | 4.58    | 0.396   | 0.50    | 1.4 |
| B085181            |                          | 298     | 56.0    | <0.002  | 0.06    | 58.6    | 8.7     | 1       | 0.4     | 410     | 0.20    | <0.05   | 2.42    | 0.166   | 0.51    | 0.8 |
| B085182            |                          | 26.8    | 153.5   | 0.002   | 1.32    | 26.3    | 25.4    | 1       | 1.4     | 78.3    | 0.57    | 0.09    | 5.08    | 0.449   | 1.30    | 1.0 |
| B085183            |                          | 8.4     | 113.0   | <0.002  | 0.17    | 2.10    | 23.0    | <1      | 1.4     | 161.5   | 0.62    | 0.06    | 4.65    | 0.486   | 0.76    | 1.2 |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - D  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | Cu-OG62 | Pb-OG62 | Zn-OG62 | pXRF-34 | pXRF-34 | pXRF-34 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | V ppm   | W ppm   | Y ppm   | Zn ppm  | Zr ppm  | Cu %    | Pb %    | Zn %    | Si %    | Ti %    | Zr ppm  | Ba ppm  | Ce ppm  | Cr ppm  | Cs ppm  |
| B082546            |                          | 88      | 1.5     | 38.7    | >10000  | 9.8     | 1.220   | 1.090   | 7.80    | 19.7    | 0.1     | 39      |         |         |         |         |
| B082546CD          |                          | 87      | 1.5     | 37.3    | >10000  | 8.4     | 1.225   | 1.165   | 8.00    | 21.1    | 0.1     | 33      |         |         |         |         |
| B082547            |                          | 191     | 0.9     | 23.5    | 4910    | 17.8    |         |         |         | 25.0    | 0.2     | 28      |         |         |         |         |
| B082548            |                          | 279     | 1.1     | 16.0    | 170     | 43.5    |         |         |         | 19.4    | 0.5     | 77      |         |         |         |         |
| B082549            |                          | 92      | 35.9    | 23.2    | 83      | 2.3     |         |         |         | 19.0    | <0.1    | 12      |         |         |         |         |
| B082550            |                          | 66      | 1.1     | 12.1    | >10000  | 8.6     | 2.26    | 2.47    | 11.10   |         |         |         |         |         |         |         |
| B085168            |                          | 146     | 1.5     | 11.2    | >10000  | 33.3    |         | 9.99    | 18.75   | 11.8    | 0.3     | 115     |         |         |         |         |
| B085169            |                          | 305     | 4.2     | 16.7    | 386     | 84.6    |         |         |         | 26.1    | 0.6     | 141     |         |         |         |         |
| B085170            |                          | 213     | 2.9     | 14.6    | 144     | 59.2    |         |         |         | 27.1    | 0.6     | 132     |         |         |         |         |
| B085171            |                          | 228     | 2.3     | 14.3    | 189     | 14.2    |         |         |         | 24.2    | 0.5     | 65      |         |         |         |         |
| B085172            |                          | 177     | 1.8     | 13.1    | 2030    | 31.8    |         |         |         | 25.9    | 0.3     | 57      |         |         |         |         |
| B085173            |                          | 69      | 0.9     | 15.1    | >10000  | 7.2     | 2.25    | 2.23    | 8.67    | 18.4    | 0.1     | 42      |         |         |         |         |
| B085174            |                          | 52      | 1.0     | 8.1     | >10000  | 4.5     | 2.19    | 2.79    | 9.00    |         |         |         |         |         |         |         |
| B085175            |                          | 36      | 0.5     | 22.7    | 171     | 43.8    |         |         |         | 15.2    | 0.2     | 68      | 591     | 24.0    | 20      | 1.83    |
| B085176            |                          | 194     | 0.2     | 14.8    | 111     | 45.6    |         |         |         | 11.0    | 0.6     | 48      |         |         |         |         |
| B085177            |                          | 261     | 0.2     | 15.7    | 160     | 44.8    |         |         |         | 12.2    | 0.6     | 55      |         |         |         |         |
| B085178            |                          | 260     | 0.2     | 17.8    | 113     | 30.6    |         |         |         | 16.4    | 0.9     | 122     |         |         |         |         |
| B085179            |                          | 143     | 1.0     | 13.8    | 118     | 57.2    |         |         |         | 25.8    | 0.5     | 140     |         |         |         |         |
| B085180            |                          | 121     | 0.9     | 16.8    | 147     | 56.7    |         |         |         | 26.5    | 0.4     | 124     | 707     | 50.2    | 60      | 7.31    |
| B085181            |                          | 60      | 18.0    | 14.3    | 282     | 23.1    |         |         |         | 24.2    | 0.2     | 68      |         |         |         |         |
| B085182            |                          | 142     | 28.0    | 9.8     | 62      | 48.5    |         |         |         | 26.3    | 0.5     | 144     |         |         |         |         |
| B085183            |                          | 131     | 1.2     | 17.1    | 143     | 58.8    |         |         |         | 25.6    | 0.5     | 147     |         |         |         |         |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - E  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Dy<br>ppm<br>0.05 | ME-MS81<br>Er<br>ppm<br>0.03 | ME-MS81<br>Eu<br>ppm<br>0.03 | ME-MS81<br>Ga<br>ppm<br>0.1 | ME-MS81<br>Gd<br>ppm<br>0.05 | ME-MS81<br>Hf<br>ppm<br>0.2 | ME-MS81<br>Ho<br>ppm<br>0.01 | ME-MS81<br>La<br>ppm<br>0.1 | ME-MS81<br>Lu<br>ppm<br>0.01 | ME-MS81<br>Nb<br>ppm<br>0.2 | ME-MS81<br>Nd<br>ppm<br>0.1 | ME-MS81<br>Pr<br>ppm<br>0.03 | ME-MS81<br>Rb<br>ppm<br>0.2 | ME-MS81<br>Sm<br>ppm<br>0.03 | ME-MS81<br>Sn<br>ppm<br>1 |
|---|-----------------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|
| B082546<br>B082546CD<br>B082547<br>B082548<br>B082549 |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B082550<br>B085168<br>B085169<br>B085170<br>B085171   |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |
| B085172<br>B085173<br>B085174<br>B085175<br>B085176   |                                   | 3.14                         | 1.95                         | 0.77                         | 8.0                         | 3.46                         | 1.6                         | 0.65                         | 12.5                        | 0.28                         | 4.5                         | 14.3                        | 3.41                         | 30.9                        | 3.32                         | <1                        |
| B085177<br>B085178<br>B085179<br>B085180<br>B085181   |                                   | 3.77                         | 2.52                         | 1.18                         | 17.1                        | 4.50                         | 3.4                         | 0.81                         | 23.3                        | 0.39                         | 8.0                         | 24.5                        | 6.22                         | 71.0                        | 5.23                         | 1                         |
| B085182<br>B085183                                    |                                   |                              |                              |                              |                             |                              |                             |                              |                             |                              |                             |                             |                              |                             |                              |                           |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - F  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Sr<br>ppm<br>0.1 | ME-MS81<br>Ta<br>ppm<br>0.1 | ME-MS81<br>Tb<br>ppm<br>0.01 | ME-MS81<br>Th<br>ppm<br>0.05 | ME-MS81<br>Tm<br>ppm<br>0.01 | ME-MS81<br>U<br>ppm<br>0.05 | ME-MS81<br>V<br>ppm<br>5 | ME-MS81<br>W<br>ppm<br>1 | ME-MS81<br>Y<br>ppm<br>0.1 | ME-MS81<br>Yb<br>ppm<br>0.03 | ME-MS81<br>Zr<br>ppm<br>2 | ME-ICP06<br>SiO2<br>%<br>0.01 | ME-ICP06<br>Al2O3<br>%<br>0.01 | ME-ICP06<br>Fe2O3<br>%<br>0.01 | ME-ICP06<br>CaO<br>%<br>0.01 |
|---|-----------------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|--------------------------|--------------------------|----------------------------|------------------------------|---------------------------|-------------------------------|--------------------------------|--------------------------------|------------------------------|
| B082546<br>B082546CD<br>B082547<br>B082548<br>B082549 |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B082550<br>B085168<br>B085169<br>B085170<br>B085171   |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |
| B085172<br>B085173<br>B085174<br>B085175<br>B085176   |                                   | 1030                        | 0.4                         | 0.52                         | 2.23                         | 0.27                         | 1.02                        | 42                       | 1                        | 22.3                       | 1.73                         | 64                        | 34.2                          | 7.09                           | 3.27                           | 26.9                         |
| B085177<br>B085178<br>B085179<br>B085180<br>B085181   |                                   | 308                         | 0.6                         | 0.66                         | 5.17                         | 0.37                         | 2.08                        | 132                      | 1                        | 22.0                       | 2.48                         | 139                       | 65.0                          | 15.55                          | 5.87                           | 2.33                         |
| B085182<br>B085183                                    |                                   |                             |                             |                              |                              |                              |                             |                          |                          |                            |                              |                           |                               |                                |                                |                              |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 3 - G  
 Total # Pages: 3 (A - G)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| Sample Description                                    | Method<br>Analyte<br>Units<br>LOD | ME-ICP06<br>MgO<br>% | ME-ICP06<br>Na2O<br>% | ME-ICP06<br>K2O<br>% | ME-ICP06<br>Cr2O3<br>% | ME-ICP06<br>TiO2<br>% | ME-ICP06<br>MnO<br>% | ME-ICP06<br>P2O5<br>% | ME-ICP06<br>K2O<br>% | ME-ICP06<br>SrO<br>% | ME-ICP06<br>BaO<br>% | OA-GRA05<br>LOI<br>% | TOT-ICP06<br>Total<br>% |
|---|-----------------------------------|----------------------|-----------------------|----------------------|------------------------|-----------------------|----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|-------------------------|
| B082546<br>B082546CD<br>B082547<br>B082548<br>B082549 |                                   | 0.01                 | 0.01                  | 0.01                 | 0.002                  | 0.01                  | 0.01                 | 0.01                  | 0.01                 | 0.01                 | 0.01                 | 0.01                 | 0.01                    |
| B082550<br>B085168<br>B085169<br>B085170<br>B085171   |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |
| B085172<br>B085173<br>B085174<br>B085175<br>B085176   |                                   | 0.67                 | 1.16                  | 0.98                 | 0.002                  | 0.35                  | 0.17                 | 0.23                  | 0.12                 | 0.07                 | 23.2                 | 98.41                |                         |
| B085177<br>B085178<br>B085179<br>B085180<br>B085181   |                                   | 1.42                 | 1.68                  | 2.20                 | 0.008                  | 0.63                  | 0.14                 | 0.13                  | 0.04                 | 0.08                 | 5.89                 | 100.97               |                         |
| B085182<br>B085183                                    |                                   |                      |                       |                      |                        |                       |                      |                       |                      |                      |                      |                      |                         |

Comments: Due to matrix samples B082542, B082550 & B085174 cannot be analyzed by pXRF-34.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19241756**

| CERTIFICATE COMMENTS |   |          |         |          |         |         |         |          |         |         |           |         |        |
|----------------------|---|----------|---------|----------|---------|---------|---------|----------|---------|---------|-----------|---------|--------|
|                      | <b>ANALYTICAL COMMENTS</b>  |          |         |          |         |         |         |          |         |         |           |         |        |
| Applies to Method:   | REE's may not be totally soluble in this method.<br>ME-MS61   |          |         |          |         |         |         |          |         |         |           |         |        |
|                      | <b>LABORATORY ADDRESSES</b>   |          |         |          |         |         |         |          |         |         |           |         |        |
| Applies to Method:   | Processed at ALS Terrace located at 2912 Molitor Street, Terrace, BC, Canada.   |          |         |          |         |         |         |          |         |         |           |         |        |
|                      | <table border="0"> <tr> <td>BAG-01</td> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> </tr> <tr> <td>LOG-21d</td> <td>PUL-32m</td> <td>PUL-32md</td> <td>PUL-QC</td> </tr> <tr> <td>SPL-21</td> <td>SPL-21d</td> <td>SPL-34X</td> <td>WEI-21</td> </tr> </table>    | BAG-01   | CRU-31  | CRU-QC   | LOG-21  | LOG-21d | PUL-32m | PUL-32md | PUL-QC  | SPL-21  | SPL-21d   | SPL-34X | WEI-21 |
| BAG-01               | CRU-31  | CRU-QC   | LOG-21  |          |         |         |         |          |         |         |           |         |        |
| LOG-21d              | PUL-32m   | PUL-32md | PUL-QC  |          |         |         |         |          |         |         |           |         |        |
| SPL-21               | SPL-21d   | SPL-34X  | WEI-21  |          |         |         |         |          |         |         |           |         |        |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  |          |         |          |         |         |         |          |         |         |           |         |        |
|                      | <table border="0"> <tr> <td>Au-AA23</td> <td>Cu-OG62</td> <td>ME-ICP06</td> <td>ME-MS61</td> </tr> <tr> <td>ME-MS81</td> <td>ME-OG62</td> <td>OA-GRA05</td> <td>Pb-OG62</td> </tr> <tr> <td>pXRF-34</td> <td>TOT-ICP06</td> <td>Zn-OG62</td> <td></td> </tr> </table> | Au-AA23  | Cu-OG62 | ME-ICP06 | ME-MS61 | ME-MS81 | ME-OG62 | OA-GRA05 | Pb-OG62 | pXRF-34 | TOT-ICP06 | Zn-OG62 |        |
| Au-AA23              | Cu-OG62   | ME-ICP06 | ME-MS61 |          |         |         |         |          |         |         |           |         |        |
| ME-MS81              | ME-OG62   | OA-GRA05 | Pb-OG62 |          |         |         |         |          |         |         |           |         |        |
| pXRF-34              | TOT-ICP06   | Zn-OG62  |         |          |         |         |         |          |         |         |           |         |        |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: **PRETIVM**  
**SUITE 2300, FOUR BENTALL CENTRE**  
**1055 DUNSMUIR STREET**  
**VANCOUVER BC V7X 1L4**

**Page: 1**  
**Total # Pages: 2 (A - C)**  
**Plus Appendix Pages**  
**Finalized Date: 13-OCT-2019**  
**This copy reported on**  
**7-NOV-2019**  
**Account: PREBOW**

**TR19253074**

Project: Bowser Regional Project  
 P.O. No.: BOW-0692  
 This report is for 1 Rock sample submitted to our lab in Terrace, BC, Canada on 8-OCT-2019.

The following have access to data associated with this certificate:

CHRISTINE ANSTEY  
 JULIANNE MADSEN

WARWICK BOARD  
 KEN MCNAUGHTON

SUSAN FLASHA  
 STEPHAINE WAFFORN

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                   |
|----------|-------------------------------|
| FND-02   | Find Sample for Addn Analysis |

**ANALYTICAL PROCEDURES**

| ALS CODE  | DESCRIPTION                  | INSTRUMENT |
|-----------|------------------------------|------------|
| ME-ICP06  | Whole Rock Package - ICP-AES | ICP-AES    |
| OA-GRA05  | Loss on Ignition at 1000C    | WST-SEQ    |
| ME-MS81   | Lithium Borate Fusion ICP-MS | ICP-MS     |
| TOT-ICP06 | Total Calculation for ICP06  |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19253074**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 | ME-MS81 |     |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
|                    |                                   | Ba      | Ce      | Cr      | Cs      | Dy      | Er      | Eu      | Ga      | Gd      | Hf      | Ho      | La      | Lu      | Nb      | Nd  |
|                    |                                   | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm |
| B082111            | 0.5                               | 0.1     | 10      | 0.01    | 0.05    | 0.03    | 0.03    | 0.1     | 0.05    | 0.2     | 0.01    | 0.1     | 0.01    | 0.2     | 0.1     |     |
|                    | 480                               | 35.3    | 50      | 5.47    | 4.65    | 3.09    | 1.36    | 14.0    | 5.16    | 2.9     | 1.01    | 18.5    | 0.43    | 7.2     | 19.4    |     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - B  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19253074**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS81<br>Pr<br>ppm<br>0.03 | ME-MS81<br>Rb<br>ppm<br>0.2 | ME-MS81<br>Sm<br>ppm<br>0.03 | ME-MS81<br>Sn<br>ppm<br>1 | ME-MS81<br>Sr<br>ppm<br>0.1 | ME-MS81<br>Ta<br>ppm<br>0.1 | ME-MS81<br>Tb<br>ppm<br>0.01 | ME-MS81<br>Th<br>ppm<br>0.05 | ME-MS81<br>Tm<br>ppm<br>0.01 | ME-MS81<br>U<br>ppm<br>0.05 | ME-MS81<br>V<br>ppm<br>5 | ME-MS81<br>W<br>ppm<br>1 | ME-MS81<br>Y<br>ppm<br>0.1 | ME-MS81<br>Yb<br>ppm<br>0.03 | ME-MS81<br>Zr<br>ppm<br>2 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|------------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|--------------------------|--------------------------|----------------------------|------------------------------|---------------------------|
| B082111            |                                   | 4.32                         | 45.5                        | 5.03                         | 1                         | 371                         | 0.4                         | 0.81                         | 4.59                         | 0.41                         | 2.02                        | 90                       | 1                        | 28.8                       | 2.85                         | 120                       |





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: PRETIVM  
 SUITE 2300, FOUR BENTALL CENTRE  
 1055 DUNSMUIR STREET  
 VANCOUVER BC V7X 1L4

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Plus Appendix Pages  
 Finalized Date: 13-OCT-2019  
 Account: PREBOW

Project: Bowser Regional Project

**CERTIFICATE OF ANALYSIS TR19253074**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | ME-ICP06 | OA-GRA05 | TOT-ICP06 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
|                    |                                   | SiO2     | Al2O3    | Fe2O3    | CaO      | MgO      | Na2O     | K2O      | Cr2O3    | TiO2     | MnO      | P2O5     | SrO      | BaO      | LOI      | Total     |
|                    |                                   | %        | %        | %        | %        | %        | %        | %        | %        | %        | %        | %        | %        | %        | %        | %         |
| B082111            |                                   | 53.0     | 13.35    | 8.74     | 8.36     | 2.31     | 1.24     | 1.34     | 0.007    | 0.51     | 0.18     | 0.16     | 0.04     | 0.06     | 10.65    | 99.95     |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



## Appendix IV. Flight Tickets from Yellowhead Helicopters

\*The cost for helicopter support for drilling was proportioned by the number of operating drill rigs in the time period covered by this assessment report:

1/3rd for Koopa Property Drilling

2/3rds for Bowser Property Drilling





# FLIGHT TICKET

91807

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 4 19  NON-REV  
MONTH DAY YEAR

## CUSTOMER INFORMATION

NAME Premium

ADDRESS

CITY  
 PROV STATE POSTAL / ZIP CODE TEL

CONTACT PERSON  
 P.O. No. / RE No.  
 CONTRACT No. Browser Exp.

## AIRCRAFT / CREW INFORMATION

LOCATION Kenilope BASE CODE SO  
 A/C GM4H A/C TYPE AS350 B3C USE CODE YS  
 PILOT 1 Jordan Halverson  
 PILOT 2  
 ENGINEER NAMES Kevin Robinson

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS  | CUSTOMER CODES | START TIME | END TIME | HOURS |
|---|----------------|------------|----------|-------|
| - Crew change from BJC                          |                | 5:42       |          |       |
| - Drill Support core, fuel, baskets, rocks,     |                |            |          |       |
| - Visit Rigs with Al, Perry & Christina         |                |            |          |       |
| - Move Rig 2 to KP-002                          |                |            |          | 6.1   |
| <u>Rugged Edge 3px to AG-004</u>                |                |            |          | 0.6   |
| <u>Gross 1/px on Koope &amp; canoe &amp; AG</u> |                |            | 18:47    | 1.6   |

|   |  |  |  |               |                                  |
|---|--|--|--|---------------|----------------------------------|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE) |  | <input type="checkbox"/> 12.9 LIMITED ACCESS | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |               | TOTAL FLIGHT HOURS<br><b>8.3</b> |
| <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES     | I (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS. | UN #   | CLASS                                    | SHIPPING NAME | QTY                              |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|------------|---------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |         | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KCP</u> | 8.3     | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |            |         |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |            |         |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |            |         |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KCP</u> | 8.3     |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |            |         |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |            |         |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

PRINT NAME OF PERSON AUTHORIZED TO SIGN AUTHORIZED SIGNATURE PILOT SIGNATURE  
 WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT



# FLIGHT TICKET

91808

P.O. BOX 190, VALEMOUNT, B.C. VOE 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 5 19  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Profilom

ADDRESS \_\_\_\_\_

### AIRCRAFT / CREW INFORMATION

LOCATION knipple BASE CODE 50  
 A/C GM44 A/C TYPE AS350 B3E USE CODE 45  
 REG GM44  
 PILOT 1 Jordan Huxman  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin Robinson

CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_

CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bowser Exp.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS  | CUSTOMER CODES | START TIME  | END TIME     | HOURS      |
|---|----------------|-------------|--------------|------------|
| <u>Pre-crew charge</u><br><u>-Drill Support Roads, Fuel, Core, Buckets, Casings, Boxes</u><br><u>-Rig 1 moved to AGCO1</u><br><u>-Finish work for Rig 2</u> |                | <u>5:45</u> | <u>17:14</u> | <u>8.4</u> |

|   |  |  |  |               |   |
|---|--|--|--|---------------|---|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE) |  | <input type="checkbox"/> 12.9 LIMITED ACCESS | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |               | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>8.4</u> |
| <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES     | (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS. | UN #   | CLASS                                    | SHIPPING NAME | QTY   |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION   | HRS/QTY    | RATE                | AMOUNT              |
|--------------------|-------|-----|----------|---------------------|------------------------|------------|------------|---------------------|---------------------|
| BREAKFAST          |       |     |          |                     | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00             | \$ 0.00             |
| LUNCH              |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL | <u>KLP</u> | <u>8.4</u> | \$ 0.00             | \$ 0.00             |
| DINNER             |       |     |          |                     | YHL FUEL               |            |            |                     |                     |
| ACCOMMODATION      |       |     |          |                     | YHL FUEL               |            |            | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| VEHICLE            |       |     |          |                     | YHL FUEL               |            |            |                     |                     |
| TRAILER / SUIPTANK |       |     |          |                     | OIL ENVIRONMENTAL FEE  | <u>KLP</u> | <u>8.4</u> |                     |                     |
| ENVIRO TANK        |       |     |          |                     | LANDING FEE            |            |            |                     |                     |
| OTHER              |       |     |          |                     | LANDING FEE            |            |            |                     |                     |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE \_\_\_\_\_  
WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT

Speed-Dee Printers Form #01 - 05/16





# FLIGHT TICKET

91809

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 6 19  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretilum

ADDRESS \_\_\_\_\_

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE CODE SO  
 A/C GM4H A/C TYPE AS350B3E USE CODE YS  
 REG GM4H TYPE AS350B3E CODE YS  
 PILOT Jordan Hakeem  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin Robinson

CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_

CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. Brewer Exp.  
 CONTRACT No. \_\_\_\_\_

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS | CUSTOMER CODES | START TIME  | END TIME     | HOURS      |
|--|----------------|-------------|--------------|------------|
| <u>Crew change AM/PM</u>                       |                | <u>5:51</u> |              |            |
| <u>-Drill support core, fuel, baskets, net</u> |                |             |              | <u>2.5</u> |
| <u>-D/O Dave + AI @ location</u>               |                |             |              |            |
| <u>-Gee's 2pc to AB + 4pc to location</u>      |                |             |              | <u>1.0</u> |
|  |                |             | <u>18:29</u> |            |

### DANGEROUS GOODS TRANSPORTED

(CHECK / COMPLETE ALL APPLICABLE)

12.9 LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

|                                      |                          |
|--------------------------------------|--------------------------|
| TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS | <u>3.5</u>               |
| TOTAL BILLABLE HOURS                 |                          |
| PILOT MINIMUMS ENGINEER MINIMUMS     | <u>0.5</u><br><u>0.5</u> |

NO  YES

I (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS

INITIALS \_\_\_\_\_

AIR WAYBILL NO (IF APPLICABLE)

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|------------|------------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KLP</u> | <u>3.5</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |            |            |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |            |            |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |            |            |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KLP</u> | <u>3.5</u> |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |            |            |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |            |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

*Christina Anstey*

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT





# FLIGHT TICKET

101138

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 07 / 07 / 2019  NON-REV  
 MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME P2ETIVM  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV BC POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bowser Exploration

### AIRCRAFT / CREW INFORMATION

LOCATION KNP CAMP BASE CODE 50  
 A/C \_\_\_\_\_ A/C TYPE \_\_\_\_\_ USE CODE 45  
 REG \_\_\_\_\_  
 PRINT PILOT 1 Jordan Maxion  
 PRINT PILOT 2 \_\_\_\_\_  
 PRINT ENGINEER NAMES Kevin R.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                       | CUSTOMER CODES | START TIME | END TIME | HOURS |
|--|----------------|------------|----------|-------|
| KNP → BOWSER CREW CHANGE → KNP                                       |                | 0545       | 0628     | 0.7   |
| KNP → BOWSER CREW → KODIA GEO'S (GETOUT) DRILL                       |                | 0815       | 1000     | 1.9   |
| SUPPORT X6 LOADS (FUEL, CO2, ROOS, BAGGAGE,)                         |                |            |          |       |
| DRILL SUPPORT X5 LIFTS → A6 → BOWSER 1PAX → A6 PLU LIFTS → BOW → KNP |                | 1108       | 1304     | 1.9   |
| KNP → BOWS → A6 DRILL AND 1PAX                                       |                | 1401       | 1412     | 0.2   |
| A6 → BOWS → KNP  |                | 1434       | 1446     | 0.2   |
| KNP → BOWS - DRILL SUPPORT X3 LOADS PLU GEO'S BOWSER                 |                | 1545       | 1703     | 1.3   |
| KNP → BOWS CREW CHANGE   |                | 1752       | 1835     | 0.7   |

### OTHER CHARGES

12.9 LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

|                      |     |
|----------------------|-----|
| TOTAL FLIGHT HOURS   | 6.9 |
| AIRCRAFT MINIMUMS    |     |
| TOTAL BILLABLE HOURS | 6.9 |
| PILOT MINIMUMS       |     |
| ENGINEER MINIMUMS    |     |

NO  YES

(THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS INITIALS \_\_\_\_\_

AIR WAYBILL NO. (IF APPLICABLE)

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION | HRS/QTY | RATE                | AMOUNT              |
|--------------------|-------|-----|----------|---------------------|------------------------|----------|---------|---------------------|---------------------|
| BREAKFAST          |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL |          |         | \$ 0.00             | \$ 0.00             |
| LUNCH              |       |     |          |                     | CUSTOMER SUPPLIED FUEL |          |         | \$ 0.00             | \$ 0.00             |
| DINNER             |       |     |          |                     | YHL FUEL               | KNP      | 6.9     | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| ACCOMMODATION      |       |     |          |                     | YHL FUEL               |          |         |                     |                     |
| VEHICLE            |       |     |          |                     | YHL FUEL               |          |         |                     |                     |
| TRAILER / SLIPTANK |       |     |          |                     | OIL ENVIRONMENTAL FEE  | KNP      | 6.9     | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| ENVIRO TANK        |       |     |          |                     | LANDING FEE            |          |         |                     |                     |
| OTHER              |       |     |          |                     | LANDING FEE            |          |         |                     |                     |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

*Christina Anstey*

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT



# FLIGHT TICKET

91811

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 8 19  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretium  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bewser Exp.

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE CODE SO  
 A/C GM4H A/C TYPE AS350B36 USE CODE YS  
 REG \_\_\_\_\_  
 PILOT 1 Jordan Hansen  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin Robinson

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                 | CUSTOMER CODES | START TIME | END TIME | HOURS |
|--|----------------|------------|----------|-------|
| - Crew change AM/PM  |                | 5:49       |          |       |
| - Dmill Support core fuel, Baskets, Dog Bone, Rods, core boxes |                |            |          | 3.9   |
| - Plan to Stewart P/O Ken                                      |                |            |          |       |
| - Stan to AB with Ken & Christina → Ben                        |                |            | 18:52    | 0.9   |

### 12.9 LIMITED ACCESS DANGEROUS GOODS TRANSPORTED (CHECK / COMPLETE ALL APPLICABLE)

12.9 LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

TOTAL FLIGHT HOURS 4.8

NO  YES  
 (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS

| UN # | CLASS | SHIPPING NAME | QTY |
|------|-------|---------------|-----|
|      |       |               |     |

TOTAL AIRCRAFT MINIMUMS  
 TOTAL BILLABLE HOURS  
 PILOT MINIMUMS  
 ENGINEER MINIMUMS

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION       | HRS/QTY | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|----------------|---------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |                | 3.7     | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KNP</u>     | 4.8     | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               | <u>Stewart</u> | 220 L   |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |                |         |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |                |         |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KNP</u>     | 4.8     |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |                |         |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |                |         |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

*Christina Anstey*

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT





# FLIGHT TICKET

91812

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 9 19 NON-REV

### CUSTOMER INFORMATION

NAME Prattlin  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Passenger Exp.

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE CODE \_\_\_\_\_  
 A/C GMVH N/C AS 350 B36 USE CODE \_\_\_\_\_  
 REG GMVH TYPE AS 350 B36 USE CODE \_\_\_\_\_  
 PILOT Josann Haxman  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Karin Robinson

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS           | CUSTOMER CODES | START TIME  | END TIME     | HOURS      |
|--|----------------|-------------|--------------|------------|
| <u>Crew Change AM/PM</u>                                 |                | <u>5:45</u> |              |            |
| <u>- Dr. 11 Support Rods, cone, Fuel, Boxes, Baskets</u> |                |             |              |            |
| <u>- Sling <del>10</del> Rods for A&amp;G + Gear</u>     |                |             |              | <u>6.2</u> |
| <u>Grease 4px - AB + Heimila</u>                         |                |             |              | <u>1.0</u> |
|  |                |             | <u>18:32</u> |            |

### DANGEROUS GOODS TRANSPORTED

(CHECK / COMPLETE ALL APPLICABLE)  
 NO  YES  
(THE PILOT IN COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)

12.9 LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS 7.2  
 TOTAL BILLABLE HOURS  
 PILOT MINIMUMS  
 ENGINEER MINIMUMS

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|------------|------------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KNP</u> | <u>7.2</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |            |            |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |            |            |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |            |            |         |         |
| TRAILER / SPLITANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KNP</u> | <u>7.2</u> |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |            |            |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |            |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Wafforn

*[Signature]*  
 AUTHORIZED SIGNATURE

*[Signature]*  
 PILOT SIGNATURE

PRINT NAME OF PERSON AUTHORIZED TO SIGN

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT





# FLIGHT TICKET

91718

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 10 2019  NON-REV  
MONTH DAY YEAR

**CUSTOMER INFORMATION**  
 NAME Proetium

**AIRCRAFT / CREW INFORMATION**  
 LOCATION Knippik BASE CODE 50  
 A/C GMYH A/C TYPE B32 USE CODE 45  
 REG GMYH  
 PILOT 1 Jeff Coenen  
 PILOT 2  
 ENGINEER NAMES Kevin Robinson

ADDRESS  
 CITY  
 PROV POSTAL / STATE ZIP CODE TEL  
 CONTACT PERSON  
 P.O. No. / RE. No. Bowser Exp.  
 CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS | CUSTOMER CODES | START TIME | END TIME | HOURS |
|--|----------------|------------|----------|-------|
|  |                | 544        |          |       |
| Crew change                                    |                | 1.5        |          |       |
| Drill support - Fuel, coe                      |                | 0.3        |          |       |
| Move 4 Geos Koopa                              |                | 0.2        |          |       |
| Pick up 2 Drillers Koopa → Knippik             |                | 0.3        |          |       |
| Bowser → AG 4 Pax recce area → Bowser          |                | 0.3        |          |       |
| Pick up Geos Koopa                             |                | 0.3        |          |       |
| 2 Pax Bruce Jack                               |                | 0.3        | 1829     | 3.4   |
| Crew change.                                   |                | 0.5        |          |       |
| - good weather                                 |                |            |          |       |

**OTHER CHARGES** PILOT ENG LOCATION AMOUNT ITEM LOCATION HRS/QTY RATE AMOUNT

BREAKFAST \$0.00 \$0.00

LUNCH \$0.00 \$0.00

DINNER

ACCOMMODATION

VEHICLE

TRAILER / SPLITANK

ENVIRO TANK


OTHER

ACCOUNTING USE ONLY

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION | HRS/QTY | RATE   | AMOUNT |
|--------------------|-------|-----|----------|--------|------------------------|----------|---------|--------|--------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |          |         | \$0.00 | \$0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | Knip     | 3.4     | \$0.00 | \$0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |          |         |        |        |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |          |         |        |        |
| VEHICLE            |       |     |          |        | YHL FUEL               |          |         |        |        |
| TRAILER / SPLITANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | ✓        | 3.4     |        |        |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |          |         |        |        |
| OTHER              |       |     |          |        | LANDING FEE            |          |         |        |        |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF  
 (I.E. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA. AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE [Signature]  
 WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT



# FLIGHT TICKET

# 91719

P.O. BOX 1190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 11 2019 NON-REV 

### CUSTOMER INFORMATION

NAME Pacific

ADDRESS \_\_\_\_\_

### AIRCRAFT / CREW INFORMATION

 LOCATION Kniffler BASE CODE 50  
 A/C G-MYH A/C TYPE B32 USE CODE 45  
 PILOT 1 Jeff Coeven  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin Robinson
CITY \_\_\_\_\_  
PROV \_\_\_\_\_ POSTAL / STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_CONTACT PERSON \_\_\_\_\_  
P.O. No. / RE. No. \_\_\_\_\_  
CONTRACT No. Bowser Exp

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                  | CUSTOMER CODES | START TIME | END TIME    | HOURS      |
|---|----------------|------------|-------------|------------|
| <u>Crew change - Drill support - Fuel, cone boxes, buckets.</u> |                | <u>555</u> |             | <u>2.9</u> |
| <u>4 Geo's out + in A6</u>                                      |                |            |             | <u>0.7</u> |
| <u>4 Pax Bowser -&gt; B-5</u>                                   |                |            |             | <u>0.3</u> |
| <u><del>3 Pax</del> 3 Pax Builders keep out in</u>              |                |            |             | <u>0.4</u> |
|   |                |            | <u>1822</u> | <u>4.3</u> |

| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPLICABLE REGULATIONS.</small> | <input type="checkbox"/> LIMITED ACCESS   |               | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |               | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>4.3</u> |  |  |  |  |  |  |  |  |  |  |  |  |                                 |  |
|--|---|---------------|--|---------------|---|--|--|--|--|--|--|--|--|--|--|--|--|---------------------------------|--|
|  | <table border="1"> <thead> <tr> <th>UN #</th> <th>CLASS</th> <th>SHIPPING NAME</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> | UN #          | CLASS                                    | SHIPPING NAME | QTY   |  |  |  |  |  |  |  |  |  |  |  |  | TOTAL BILLABLE HOURS <u>4.3</u> |  |
| UN #   | CLASS   | SHIPPING NAME | QTY                                      |               |   |  |  |  |  |  |  |  |  |  |  |  |  |                                 |  |
|  |   |               |  |               |   |  |  |  |  |  |  |  |  |  |  |  |  |                                 |  |
|  |   |               |  |               |   |  |  |  |  |  |  |  |  |  |  |  |  |                                 |  |
|  |   |               |  |               |   |  |  |  |  |  |  |  |  |  |  |  |  |                                 |  |

| OTHER CHARGES     | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |  |
|-------------------|-------|-----|----------|---------------------|------------------------|------------|------------|---------|---------|--|
| BREAKFAST         |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |  |
| LUNCH             |       |     |          |                     | CUSTOMER SUPPLIED FUEL | <u>KnP</u> | <u>4.3</u> | \$ 0.00 | \$ 0.00 |  |
| DINNER            |       |     |          |                     | YHL FUEL               |            |            |         |         |  |
| ACCOMMODATION     |       |     |          |                     | YHL FUEL               |            |            |         |         |  |
| VEHICLE           |       |     |          |                     | YHL FUEL               |            |            |         |         |  |
| TRAILER / SUPTANK |       |     |          |                     | OIL ENVIRONMENTAL FEE  | <u>KnP</u> | <u>4.3</u> |         |         |  |
| ENVIRO TANK       |       |     |          |                     | LANDING FEE            |            |            |         |         |  |
| OTHER             |       |     |          |                     | LANDING FEE            |            |            |         |         |  |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 12% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. T&CV.  
 U.S.A. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$2.00 PER KILOGRAM FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN: Christina Anstey  
 AUTHORIZED SIGNATURE: Christina Anstey  
 PILOT SIGNATURE: [Signature]

WHITE - ACCOUNTING      CANARY - INVOICE      BLUE - CUSTOMER      PINK - MISC      GREEN - PILOT





# FLIGHT TICKET

91720

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 12 2019  NON-REV  
MONTH DAY YEAR

CUSTOMER INFORMATION  
NAME Poetivm

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE CODE 50  
A/C G-MYH A/C TYPE B3e USA CODE 45  
PILOT 1 Jeff Coeven  
PILOT 2  
ENGINEER NAMES Kevin Robinson

ADDRESS  
CITY  
PROV STATE POSTAL / ZIP CODE TEL  
CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration  
CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS    | CUSTOMER CODES | START TIME  | END TIME | HOURS      |
|---|----------------|-------------|----------|------------|
| <u>Crew change Drillers - Drill support</u>       | <u>545</u>     |             |          | <u>4.7</u> |
| <u>Fuel, case, tank, boxes, AL to AG and back</u> |                |             |          | <u>1.0</u> |
| <u>Pool Builders keep - sling wet bowser</u>      |                |             |          | <u>0.8</u> |
| <u>→ Pool Builders to AG</u>                      |                |             |          |            |
| <u>2 bees to AG and back - Grizzly sighting</u>   |                |             |          |            |
| <u>4 bees to Blukky's</u>                         |                |             |          |            |
|   |                | <u>1827</u> |          | <u>6.5</u> |

Mtn tops checked in

**DANGEROUS GOODS TRANSPORTED** (CHECK / COMPLETE ALL APPLICABLE)  
 NO  YES  
(THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)

12.9 LIMITED ACCESS

**PILOT-IN-COMMAND RESPONSIBILITIES**

| UN # | CLASS | SHIPPING NAME | QTY | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS |
|------|-------|---------------|-----|--------------------------------------|
|      |       |               |     | <u>6.5</u>                           |
|      |       |               |     | <u>6.5</u>                           |
|      |       |               |     | PILOT MINIMUMS                       |
|      |       |               |     | ENGINEER MINIMUMS                    |

| OTHER CHARGES     | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION                            | HRS/QTY    | RATE    | AMOUNT  |
|-------------------|-------|-----|----------|--------|------------------------|-------------------------------------|------------|---------|---------|
| BREAKFAST         |       |     |          |        | CUSTOMER SUPPLIED FUEL |                                     |            | \$ 0.00 | \$ 0.00 |
| LUNCH             |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KnP</u>                          | <u>6.5</u> | \$ 0.00 | \$ 0.00 |
| DINNER            |       |     |          |        | YHL FUEL               |                                     |            |         |         |
| ACCOMMODATION     |       |     |          |        | YHL FUEL               |                                     |            |         |         |
| VEHICLE           |       |     |          |        | YHL FUEL               |                                     |            |         |         |
| TRAILER / SUITANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <input checked="" type="checkbox"/> | <u>6.5</u> |         |         |
| ENVIRO TANK       |       |     |          |        | LANDING FEE            |                                     |            |         |         |
| OTHER             |       |     |          |        | LANDING FEE            |                                     |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT

Speed-Data Printers Form 407 10/18





# FLIGHT TICKET

91722

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 13 2019 NON-REV

### CUSTOMER INFORMATION

NAME Pretium

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE \_\_\_\_\_  
 A/C G-M4H A/C B3e CODE \_\_\_\_\_  
 REG G-M4H TYPE B3e USE \_\_\_\_\_  
 PRINT \_\_\_\_\_ CODE \_\_\_\_\_  
 PILOT 1 Jeff Coenen  
 PRINT \_\_\_\_\_  
 PILOT 2 \_\_\_\_\_  
 PRINT \_\_\_\_\_  
 ENGINEER NAMES Kevin Robinson

ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 STATE \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bowser Exploration

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME | HOURS                 |
|--|----------------|------------|----------|-----------------------|
| Drilling<br>Crew change, Drill support Fuel case baskets<br>net, <del>AL-AG</del> - traps, Sling water line<br>AG to new location. |                | 546        |          | 3.5<br><del>4.0</del> |
| Pool Builders to AG, Sling 4 leads wood to new<br>pool, Crew change afternoon, Sling lumber<br>new pool location & leads.          |                |            |          | 2.0                   |
| Christina to American creek - Longlake<br>-> Pick up 4 Geo's -> Bowser   |                |            |          | 0.7                   |
|  |                |            | 1817     | 6.2                   |

|  |   |       |  |     |   |
|--|---|-------|--|-----|---|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>(THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)</small> | <input type="checkbox"/> LIMITED ACCESS |       | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |     | TOTAL FLIGHT HOURS<br>AIRCRAFT MINIMUMS<br><b>6.2</b> |
|  | UN #                                    | CLASS | SHIPPING NAME                            | QTY | TOTAL RELIABLE HOURS<br><b>6.2</b>                    |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION | HRS/QTY | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|----------|---------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |          |         | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | KnP      | 6.2     | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |          |         |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |          |         |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |          |         |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRON MENTAL FEE | ✓        | 6.2     |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |          |         |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |          |         |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE, INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN: Christina Anstey  
 AUTHORIZED SIGNATURE: Christina Anstey  
 PILOT SIGNATURE: [Signature]

WHITE - ACCOUNTING    CANARY - INVOICE    BLUE - CUSTOMER    PINK - MISC    GREEN - PILOT



# FLIGHT TICKET

91723

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 14 2019 NON-REV

### CUSTOMER INFORMATION

NAME Ret/VM.

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE CODE 45  
 A/C GMYH A/C TYPE B3e USE CODE 50  
 REG GMYH TYPE B3e  
 PILOT 1 Jeff Coenen  
 PILOT 2  
 ENGINEER NAMES Kevin Robinson

CITY  
 PROV POSTAL / STATE ZIP CODE TEL  
 CONTACT PERSON  
 P.O. No. / RE. No. Bowser  
 CONTRACT No. Use Explanation

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME | HOURS           |
|--|----------------|------------|----------|-----------------|
| <u>Coen change, Drill support cone, basket, Fuel A1 to A6</u>  |                | <u>547</u> |          | <u>2.6</u>      |
| <u>Pool Builders A6 + keeper Drop off + PU Sling 2x4 A6, Sling 2x4 + Box keeper, Sling Lumber around keeper.</u> |                |            |          | <u>2.2</u>      |
| <u>Geos Out Bluffy's + Mission + Pickup</u>  |                |            |          | <u>1.3</u>      |
| <u>Weather deteriorated at times.</u>  |                |            |          | <u>1818 6.1</u> |

### OTHER CHARGES

LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS 61

TOTAL BILLABLE HOURS PILOT MINIMUMS ENGINEER MINIMUMS 61

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                       | LOCATION   | HRS/QTY   | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|----------------------------|------------|-----------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL     |            |           | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL     | <u>Kup</u> | <u>61</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL                   |            |           |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL                   |            |           |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL                   |            |           |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRON-<br>MENTAL FEE | <u>✓</u>   |           |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE                |            |           |         |         |
| OTHER              |       |     |          |        | LANDING FEE                |            |           |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 3% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. "TARIFF"  
 (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

*Christina Anstey*

*[Signature]*

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT





# FLIGHT TICKET

91725

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 15 2019 NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretium

### AIRCRAFT / CREW INFORMATION

LOCATION Kniffin BASE CODE 45  
A/C REG G-MYH A/C TYPE B3e USE CODE 50  
PILOT 1 Jeff Caven  
PILOT 2  
ENGINEER NAMES Kevin Robinson

ADDRESS  
CITY  
PROV POSTAL / STATE ZIP CODE TEL  
CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration  
CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME    | HOURS      |
|--|----------------|------------|-------------|------------|
| <u>Crew change -&gt; Drill support - core, fuel, doghouse, tool, baskets. AG + keeper.</u> |                | <u>546</u> |             | <u>3.9</u> |
| <u>4 Geos Mission + Bluffs out + in Pick up 2 Geos + Paul Builders AG.</u>                 |                |            |             | <u>1.3</u> |
| <u>- Foggy in morning around Mountains.</u>  |                |            | <u>1820</u> | <u>5.2</u> |

|   |   |       |  |     |   |
|---|---|-------|--|-----|---|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>(IF THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)</small> | <input type="checkbox"/> LIMITED ACCESS |       | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |     | TOTAL FLIGHT HOURS<br>AIRCRAFT MINIMUMS<br><u>5.2</u> |
|   | UN #                                    | CLASS | SHIPPING NAME                            | QTY | TOTAL BILLABLE HOURS<br>PILOT MINIMUMS<br><u>5.2</u>  |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION                            | HRS/QTY    | RATE    | AMOUNT  |  |
|--------------------|-------|-----|----------|---------------------|------------------------|-------------------------------------|------------|---------|---------|--|
| BREAKFAST          |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL |                                     |            | \$ 0.00 | \$ 0.00 |  |
| LUNCH              |       |     |          |                     | CUSTOMER SUPPLIED FUEL | <u>Kn</u>                           | <u>5.2</u> | \$ 0.00 | \$ 0.00 |  |
| DINNER             |       |     |          |                     | YHL FUEL               |                                     |            |         |         |  |
| ACCOMMODATION      |       |     |          |                     | YHL FUEL               |                                     |            |         |         |  |
| VEHICLE            |       |     |          |                     | YHL FUEL               |                                     |            |         |         |  |
| TRAILER / SLIPTANK |       |     |          |                     | OIL ENVIRONMENTAL FEE  | <input checked="" type="checkbox"/> | <u>5.2</u> |         |         |  |
| ENVIRO TANK        |       |     |          |                     | LANDING FEE            |                                     |            |         |         |  |
| OTHER              |       |     |          |                     | LANDING FEE            |                                     |            |         |         |  |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 2% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91551

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 16 2019 NON-REV

### CUSTOMER INFORMATION

NAME Pretium

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE CODE 50  
A/C GMYH AC TYPE B3e USE CODE 45  
PILOT 1 Jeff Coenen  
PILOT 2  
ENGINEER NAMES Kevin Robinson / Jordan Gifford

CITY  
PROV  
STATE POSTAL / ZIP CODE TEL

CONTACT PERSON  
P.O. No. / RE No. Bowser Exploration  
CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS              | CUSTOMER CODES | START TIME | END TIME    | HOURS      |
|---|----------------|------------|-------------|------------|
| <u>crew change - Drill Support, fuel, case, pumps, road</u> |                | <u>547</u> |             |            |
| <u>Move A1 to Koopa - Drill Move Koopa</u>                  |                |            |             | <u>4.3</u> |
| <u>Pool Builders to A6, sling x3 loads Bowser to A6</u>     |                |            |             | <u>1.8</u> |
| <u>Fly Aaron to A6</u>                                      |                |            |             |            |
| <u>Geos - 2 Pax canoe in towt</u>                           |                |            |             |            |
| <u>2 Pax Blubby's, 2 Pax Mission out.</u>                   |                |            |             | <u>1.0</u> |
| <u>clouds - low cloud after morning train.</u>              |                |            |             |            |
|   |                |            | <u>1828</u> | <u>7.1</u> |

**OTHER CHARGES** PILOT ENG LOCATION AMOUNT ITEM LOCATION HRS/QTY RATE AMOUNT

|                    |  |  |  |                        |           |            |        |        |
|--------------------|--|--|--|------------------------|-----------|------------|--------|--------|
| BREAKFAST          |  |  |  | CUSTOMER SUPPLIED FUEL |           |            | \$0.00 | \$0.00 |
| LUNCH              |  |  |  | CUSTOMER SUPPLIED FUEL | <u>Kn</u> | <u>7.1</u> | \$0.00 | \$0.00 |
| DINNER             |  |  |  | YHL FUEL               |           |            |        |        |
| ACCOMMODATION      |  |  |  | YHL FUEL               |           |            |        |        |
| VEHICLE            |  |  |  | YHL FUEL               |           |            |        |        |
| TRAILER / SLEPTANK |  |  |  | OR ENVIRON-MENTAL FEE  | <u>Kn</u> | <u>7.1</u> |        |        |
| ENVIRO TANK        |  |  |  | LANDING FEE            |           |            |        |        |
| OTHER              |  |  |  | LANDING FEE            |           |            |        |        |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION  | HRS/QTY    | RATE   | AMOUNT |
|--------------------|-------|-----|----------|--------|------------------------|-----------|------------|--------|--------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |           |            | \$0.00 | \$0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>Kn</u> | <u>7.1</u> | \$0.00 | \$0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |           |            |        |        |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |           |            |        |        |
| VEHICLE            |       |     |          |        | YHL FUEL               |           |            |        |        |
| TRAILER / SLEPTANK |       |     |          |        | OR ENVIRON-MENTAL FEE  | <u>Kn</u> | <u>7.1</u> |        |        |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |           |            |        |        |
| OTHER              |       |     |          |        | LANDING FEE            |           |            |        |        |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 3% PER ANNUM CHARGED ON OVERDUE ACCOUNTS. NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE FOLLOWING HELICOPTER 2011-2014 I.E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICE OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Stephanie Wafforn AUTHORIZED SIGNATURE [Signature] PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT



# FLIGHT TICKET

91552

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL. 250-566-4401 • FAX 250-566-4333 • EMAIL: tickets@yhl.ca

DATE July 17 2011 NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretium

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION Knippe BASE CODE 45

A/C REG G MYH A/C TYPE B3e USE CODE 50

PILOT 1 Jeff Coenen

PILOT 2

PILOT 3

ENGINEER NAMES Jordan Olanfield

CITY  
PREV  
STATE POSTAL / ZIP CODE TEL

CONTACT PERSON  
P.O. No. / R.F. No. Bowser Exploration

CONTRACT No.

### DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS

Coen change x2 - 2 Drillers to keepa - Drill support 552  
Keepa + AG - Fuel, food, blankets, cover - Keepa 3.8

Pad Builder drop off + pickup AG - poor weather  
Pad Builders to Esam Keepa 2.0

Pass weather day 5.8

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME | HOURS |
|--|----------------|------------|----------|-------|
| Coen change x2 - 2 Drillers to keepa - Drill support 552<br>Keepa + AG - Fuel, food, blankets, cover - Keepa |                |            |          | 3.8   |
| Pad Builder drop off + pickup AG - poor weather<br>Pad Builders to Esam Keepa                                |                |            |          | 2.0   |
| Pass weather day   |                |            |          | 5.8   |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION | HRS/QTY | RATE   | AMOUNT |
|--------------------|-------|-----|----------|--------|------------------------|----------|---------|--------|--------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |          |         | \$0.00 | \$0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | Kup      | 5.8     | \$0.00 | \$0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |          |         |        |        |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |          |         |        |        |
| VEHICLE            |       |     |          |        | YHL FUEL               |          |         |        |        |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | ✓        | 5.8     |        |        |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |          |         |        |        |
| OTHER              |       |     |          |        | LANDING FEE            |          |         |        |        |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 28% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE PC

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91554

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 18 2019  NON-REV  
MONTH DAY YEAR

## CUSTOMER INFORMATION

NAME Retum

ADDRESS

CITY  
PROV POSTAL /  
STATE ZIP CODE TEL

CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration.  
CONTRACT No.

## AIRCRAFT / CREW INFORMATION

LOCATION knipke BASE CODE 50  
A/C REG GMYH A/C TYPE B3e USE CODE 45

PILOT 1 Jeff Coenen

PILOT 2  
ENGINEER NAMES Jordan Garfield

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS  | CUSTOMER CODES | START TIME  | END TIME | HOURS      |
|---|----------------|-------------|----------|------------|
| <u>Crew change x2 - Drill support, Fuel, Camp, baskets 550</u><br><u>Slings road pad to pad, Keopa, Dan to Keopa</u><br><u>Fly exhaust to Drill, in Bladdy's</u><br><u>Fly the Jaws to Bladdy's</u> |                |             |          | <u>4.9</u> |
| <u>Pad Builders - Towed #6 -&gt; Keopa out + in.</u>  |                |             |          | <u>0.8</u> |
| <u>Geos 4 Pax Bladdy's in + out.</u>  |                |             |          | <u>0.8</u> |
| <u>- low clouds</u>   |                |             |          |            |
|   |                | <u>1839</u> |          | <u>6.5</u> |

|   |   |  |               |                    |                      |
|---|---|--|---------------|--------------------|----------------------|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)   | <input type="checkbox"/> LIMITED ACCESS | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |               | TOTAL FLIGHT HOURS | <u>6.5</u>           |
| <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>(THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)</small> | UN #                                    | CLASS                                    | SHIPPING NAME | QTY                | TOTAL BILLABLE HOURS |
|   |   |  |               |                    | <u>6.5</u>           |
|   |   |  |               |                    | PILOT MINIMUMS       |
|   |   |  |               |                    | ENGINEER MINIMUMS    |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                    | LOCATION | HRS/QTY | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|-------------------------|----------|---------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL  |          |         | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL  |          |         | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL                |          |         |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL                |          |         |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL                |          |         |         |         |
| TRAILER / SUIPTANK |       |     |          |        | OIL ENVIRON. MENTAL FEE |          |         |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE             |          |         |         |         |
| OTHER              |       |     |          |        | LANDING FEE             |          |         |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 12% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (IF LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Stephanie Wafforn AUTHORIZED SIGNATURE [Signature] PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91555

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 19 2019  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretium

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE CODE 50  
A/C GMYH A/C TYPE B3e USE CODE 45  
REG GMYH TYPE B3e CODE 45  
PILOT 1 Jeff Coenen  
PILOT 2  
ENGINEER NAMES Jordan Clarkfield

CITY  
PROV STATE POSTAL / ZIP CODE TEL  
CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration  
CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME    | HOURS      |
|--|----------------|------------|-------------|------------|
| <u>Coen change x2 - Towed to sling net to Bluff drill 552</u><br><u>Drill support - cover, fuel, blankets</u><br><u>Move water pump for keep drill - Fly Dan to AG</u><br><u>+ Keep + New pad - Towed to sling water-pump to Bluff drill</u> |                |            |             | <u>5.5</u> |
| <u>3 Geos - pickup</u>   |                |            |             | <u>0.3</u> |
| <u>Pool builders - pickup AG</u>   |                |            |             | <u>0.5</u> |
|  |                |            | <u>1826</u> | <u>6.3</u> |

Low clouds around Mts

### DANGEROUS GOODS TRANSPORTED

(CHECK / COMPLETE ALL APPLICABLE)

NO  YES

(THE PILOT IN COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)

LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

| UN # | CLASS | SHIPPING NAME | QTY |
|------|-------|---------------|-----|
|      |       |               |     |

|   |            |
|---|------------|
| TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS                  | <u>6.3</u> |
| TOTAL BILLABLE HOURS PILOT MINIMUMS ENGINEER MINIMUMS | <u>6.3</u> |

| OTHER CHARGES     | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION      | HRS/QTY    | RATE    | AMOUNT  |
|-------------------|-------|-----|----------|--------|------------------------|---------------|------------|---------|---------|
| BREAKFAST         |       |     |          |        | CUSTOMER SUPPLIED FUEL |               |            | \$ 0.00 | \$ 0.00 |
| LUNCH             |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>As Kup</u> | <u>6.3</u> | \$ 0.00 | \$ 0.00 |
| DINNER            |       |     |          |        | YHL FUEL               |               |            |         |         |
| ACCOMMODATION     |       |     |          |        | YHL FUEL               |               |            |         |         |
| VEHICLE           |       |     |          |        | YHL FUEL               |               |            |         |         |
| TRAILER / SUITANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>✓</u>      | <u>6.3</u> |         |         |
| ENVIRO TANK       |       |     |          |        | LANDING FEE            |               |            |         |         |
| OTHER             |       |     |          |        | LANDING FEE            |               |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS. NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (I.E. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Wafforn

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT



# FLIGHT TICKET

91556

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 20 2019 NON-REV

### CUSTOMER INFORMATION

NAME Pretium  
ADDRESS  
CITY  
PROV POSTAL /  
STATE ZIP CODE TEL  
CONTACT PERSON  
P.O. No. / RE. No  
CONTRACT No. Bowser Et Exploration

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE CODE 45  
AX G-MPH AC TYPE B32 USE CODE 50  
PILOT 1 Jeff Coenen  
PILOT 2  
ENGINEER NAMES Jooken Olanfield

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME | END TIME    | HOURS      |
|--|----------------|------------|-------------|------------|
| <u>crew change x2 Drill support Knipke - boxes, fuel, fuel<br/>Dan to Knipke - Towed to move 16 Drills - moved Trucks<br/>- Bowser -&gt; Slings fuel on truck.</u> |                | <u>600</u> |             | <u>2.7</u> |
| <u>Gear out/in Blukky's.</u>   |                |            |             | <u>1.0</u> |
| <u>Pool Builders out in Knipke.</u>  |                |            |             | <u>0.6</u> |
| <u>Poor weather.</u>   |                |            | <u>K101</u> | <u>4.3</u> |

| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>IF THE PILOT-IN-COMMAND CANNOT<br/>         ALL DANGEROUS GOODS HAVE BEEN<br/>         NOTIFIED, INSPECTED, LOADED AND<br/>         SECURED IN ACCORDANCE WITH THE<br/>         APPROVED INSTRUCTIONS. INITIALS</small> | <input type="checkbox"/> ICAO LIMITED ACCESS<br><table border="1"> <thead> <tr> <th>UN #</th> <th>CLASS</th> <th>SHIPPING NAME</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> | UN # | CLASS | SHIPPING NAME                       | QTY |  |  |  |  |  |  |  |  |  |  |  |  | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |  | TOTAL FLIGHT HOURS<br>AIRCRAFT MINIMUMS<br><u>4.3</u> |
|--|---|------|-------|-------------------------------------|-----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
|  |   | UN # | CLASS | SHIPPING NAME                       | QTY |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|  |   |      |       |                                     |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|  |   |      |       |                                     |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|  |   |      |       |                                     |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|  |   |      |       | TOTAL BILLABLE HOURS<br><u>4.3</u>  |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |
|  |   |      |       | PILOT MINIMUMS<br>ENGINEER MINIMUMS |     |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT                 | ITEM                   | LOCATION    | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|------------------------|------------------------|-------------|------------|---------|---------|
| BREAKFAST          |       |     |          | ACCOUNTING<br>USE ONLY | CUSTOMER SUPPLIED FUEL |             |            | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |                        | CUSTOMER SUPPLIED FUEL | <u>Knip</u> | <u>2.3</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |                        | YHL FUEL               |             |            |         |         |
| ACCOMMODATION      |       |     |          |                        | YHL FUEL               |             |            |         |         |
| VEHICLE            |       |     |          |                        | YHL FUEL               |             |            |         |         |
| TRAILER / SLIPTANK |       |     |          |                        | OIL ENVIRONMENTAL FEE  | <u>Knip</u> | <u>4.3</u> |         |         |
| ENVIRO TANK        |       |     |          |                        | LANDING FEE            |             |            |         |         |
| OTHER              |       |     |          |                        | LANDING FEE            |             |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF  
IF U.S. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Wafforn

PRINT NAME OF PERSON AUTHORIZED TO SIGN AUTHORIZED SIGNATURE PILOT SIGNATURE  
WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91558

P.O. BOX 190, VALEMOUNT, B.C. V0E 2T0 • TEL 250-566-4401 • FAX 250-566-4383 • EMAIL tickets@yhl.ca

### CUSTOMER INFORMATION

DATE July 21 2019 MONTH DAY YEAR NON-REV

NAME Bret Nm

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE 50  
A/C GMYH A/E B32 COR USA  
REG GMYH TYPE B32 COR 45  
PILOT 1 Jeff Coenen  
PILOT 2  
ENGINEER NAMES Jordan Ghisfield

ADDRESS  
CITY  
PROV POSTAL / HP COR TEL  
CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration  
CONTRACT No.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS   | CUSTOMER CODES | START TIME  | END TIME | HOURS      |
|--|----------------|-------------|----------|------------|
| <u>crew change x2 Drill support - Agitka - Fuel, core boxes, dog house, dusts, rot. Fly Den Ag - Move to Drill + water pump line - Fly Den kaopa</u> |                | <u>548</u>  |          | <u>5.3</u> |
| <u>Pad Builders to kaopa - sling x2 lumber - Pad Builders to + from kaopa.</u>   |                |             |          | <u>1.0</u> |
| <u>Geos to and from kaopa 4 Pax 3 Geos to + from canoe</u>   |                |             |          | <u>1.0</u> |
| <u>Quantec crew Bump x2 + Pickup</u>   |                |             |          | <u>1.1</u> |
|  |                | <u>1800</u> |          | <u>8.4</u> |

|  |  |  |   |
|--|--|--|---|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>IF THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS.</small> | <input type="checkbox"/> 32.9 LIMITED ACCESS | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>8.4</u> |
| UN #   | CLASS  | SHIPPING NAME                            | QTY   |
|  |  |  | TOTAL RELIABLE HOURS <u>8.4</u>                 |
|  |  |  | PILOT MINIMUMS                                  |
|  |  |  | ENGINEER MINIMUMS                               |

| OTHER CHARGES     | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |
|-------------------|-------|-----|----------|--------|------------------------|------------|------------|---------|---------|
| BREAKFAST         |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |
| LUNCH             |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KnP</u> | <u>8.4</u> | \$ 0.00 | \$ 0.00 |
| DINNER            |       |     |          |        | YHL FUEL               |            |            |         |         |
| ACCOMMODATION     |       |     |          |        | YHL FUEL               |            |            |         |         |
| VEHICLE           |       |     |          |        | YHL FUEL               |            |            |         |         |
| TRAILER / SULTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KnP</u> | <u>8.4</u> |         |         |
| ENVIRO TANK       |       |     |          |        | LANDING FEE            |            |            |         |         |
| OTHER             |       |     |          |        | LANDING FEE            |            |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$5.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Stephanie Wafforn AUTHORIZED SIGNATURE [Signature] PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91559

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE July 22 2019 NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pactum

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION Knipke BASE 50  
A/C GMVH A/C TYPE B3e COOK 45  
REG GMVH TYPE B3e USE 45  
PILOT 1 Jeff Caenen  
PILOT 2  
ENGINEER NAMES Jordan Hanfield

CITY  
PROV POSTAL / ZIP CODE  
STATE ZIP CODE TEL  
CONTACT PERSON  
P.O. No. / RE. No. Bowser Exploration  
CONTRACT No.

### DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS

CUSTOMER CODES START TIME END TIME HOURS

|  |             |  |            |
|--|-------------|--|------------|
| <u>even change x2 - Drill support, fuel, breakfast, cone</u> | <u>559</u>  |  | <u>43</u>  |
| <u>Dan to keep - Drill Move keepa Drill - Dan to</u>         |             |  |            |
| <u>the Bowser</u>  |             |  |            |
| <u>Pool Builders - Sling x2 from A6 to Bowser</u>            |             |  | <u>1.5</u> |
| <u>Pool Builders to keepa out/in - Sling x4 loads around</u> |             |  |            |
| <u>Quartz - canoe</u>  |             |  | <u>0.7</u> |
| <u>- Bump x2</u>   |             |  |            |
| <u>Geos - Bonanza 4 Pax in/out</u>                           |             |  | <u>1.2</u> |
| <u>- 3 Pax in Betty drill</u>                                |             |  |            |
| <u>- nice day</u>  |             |  |            |
|  | <u>1817</u> |  | <u>7.7</u> |

**OTHER CHARGES** PILOT ENG LOCATION AMOUNT ITEM LOCATION HRS/QTY RATE AMOUNT

**OTHER CHARGES** PILOT ENG LOCATION AMOUNT ITEM LOCATION HRS/QTY RATE AMOUNT

BREAKFAST ACCOUNTING USE ONLY CUSTOMER SUPPLIED FUEL \$ 0.00 \$ 0.00

LUNCH ACCOUNTING USE ONLY CUSTOMER SUPPLIED FUEL Knip 7.7 \$ 0.00 \$ 0.00

DINNER ACCOUNTING USE ONLY YHL FUEL

ACCOMMODATION ACCOUNTING USE ONLY YHL FUEL

VEHICLE ACCOUNTING USE ONLY YHL FUEL

TRAILER / SUITANK ACCOUNTING USE ONLY OIL ENVIRON MENTAL FEE Knip 7.7

ENVIRO TANK ACCOUNTING USE ONLY LANDING FEE

OTHER ACCOUNTING USE ONLY LANDING FEE

| OTHER CHARGES     | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION    | HRS/QTY    | RATE    | AMOUNT  |
|-------------------|-------|-----|----------|--------|------------------------|-------------|------------|---------|---------|
| BREAKFAST         |       |     |          |        | CUSTOMER SUPPLIED FUEL |             |            | \$ 0.00 | \$ 0.00 |
| LUNCH             |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>Knip</u> | <u>7.7</u> | \$ 0.00 | \$ 0.00 |
| DINNER            |       |     |          |        | YHL FUEL               |             |            |         |         |
| ACCOMMODATION     |       |     |          |        | YHL FUEL               |             |            |         |         |
| VEHICLE           |       |     |          |        | YHL FUEL               |             |            |         |         |
| TRAILER / SUITANK |       |     |          |        | OIL ENVIRON MENTAL FEE | <u>Knip</u> | <u>7.7</u> |         |         |
| ENVIRO TANK       |       |     |          |        | LANDING FEE            |             |            |         |         |
| OTHER             |       |     |          |        | LANDING FEE            |             |            |         |         |

TERMS - NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS. NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF. IT IS LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Wafforn

PRINT NAME OF PERSON AUTHORIZED TO SIGN AUTHORIZED SIGNATURE PILOT SIGNATURE

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT







# FLIGHT TICKET

98324

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-8801 • FAX 250-566-4333 • EMAIL tickets@yellowhead.ca

DATE Sep 18 2019 NON-REV

### CUSTOMER INFORMATION

NAME Proetium

ADDRESS

### AIRCRAFT / CREW INFORMATION

LOCATION knappa BASE 50  
A/C FXHS A/C B2 CODE 45  
REG FXHS TYPE B2  
PILOT 1 Jeff Coenen  
PILOT 2  
PILOT 3  
ENGINEER NAME Caleb Riemer

CITY  
FRESH  
STATE  
POSTAL / ZIP CODE  
TEL

CONTACT PERSON  
P.O. No. / R.F. No.  
CONTRACT No. Bowser Exploration

### DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS | CUSTOMER CODES | START TIME | END TIME | HOURS           |
|--|----------------|------------|----------|-----------------|
| <u>Shing tool box Bowser - Hamble</u>          |                |            |          | <u>804</u>      |
| <u>Shing x 8 loads lumber kaapa - Hamble</u>   |                |            |          |                 |
| <u>Geos Bowser to kaapa</u>                    |                |            |          |                 |
| <u>Pool Builder Rick kaapa - Hamble</u>        |                |            |          |                 |
|  |                |            |          | <u>1021 2.3</u> |

|  |  |  |                                    |
|--|--|--|------------------------------------|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>IF THE PILOT-IN-COMMAND CANNOT ACCEPT RESPONSIBILITY FOR THE SAFETY OF THE GOODS, THE PILOT MUST BE ADVISED IN ADVANCE AND THE GOODS MUST BE PACKAGED IN ACCORDANCE WITH THE APPROPRIATE REGULATIONS.</small> | <input type="checkbox"/> UNLIMITED ACCESS<br>UN # CLASS SHIPPING NAME CITY |  | TOTAL PILOT HOURS<br><u>2.3</u>    |
|  |  |  | TOTAL BILLABLE HOURS<br><u>2.3</u> |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION  | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|-----------|------------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |           |            | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>kn</u> | <u>2.3</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |           |            |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |           |            |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |           |            |         |         |
| TRAILER / SLOTTANK |       |     |          |        | OIL ENVIRO             | <u>✓</u>  | <u>2.3</u> |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |           |            |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |           |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 3% PER ANNUM CHARGED ON OVERDUE ACCOUNTS. NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. FORM.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Stephanie Wafforn AUTHORIZED SIGNATURE [Signature] PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

89314

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE Sep 18 19  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME Pretium  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV \_\_\_\_\_ POSTAL / \_\_\_\_\_  
 STATE \_\_\_\_\_ ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bowser Exp.

### AIRCRAFT / CREW INFORMATION

LOCATION Knipple BASE CODE SO  
 A/C F4HA A/C TYPE AS 350 B3E USE CODE YS  
 PRINT PILOT Jordan Hawman  
 PRINT PILOT 2 \_\_\_\_\_  
 PRINT ENGINEER NAMES Tony K.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                 | CUSTOMER CODES | START TIME  | END TIME     | HOURS      |
|--|----------------|-------------|--------------|------------|
| <u>Crew change AM/PM</u>                                       |                | <u>7:00</u> |              |            |
| <u>Clean up old drill sites in AB</u>                          |                |             |              |            |
| <u>Rig move from AB-012</u>                                    |                |             |              |            |
| <u>Driller change @ AB-015</u>                                 |                |             |              | <u>7.1</u> |
| <u>Rugged edge crews to Geopra, AB<sup>(22)</sup>, Haimika</u> |                |             |              | <u>1.2</u> |
| <u>P/O geos @ Geopra</u>                                       |                |             |              | <u>0.3</u> |
|  |                |             | <u>19:13</u> |            |

|   |   |  |  |   |   |
|---|---|--|--|---|---|
| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE) |   | <input type="checkbox"/> 12.9 LIMITED ACCESS | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |   | TOTAL FLIGHT HOURS<br>AIRCRAFT MINIMUMS<br><u>8.6</u> |
| <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES     | (THE PILOT IN COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS | UN #   | CLASS                                    | SHIPPING NAME   | QTY   |
| AIR WAYBILL NO. (IF APPLICABLE)   |   |  |  | TOTAL BILLABLE HOURS<br>PILOT MINIMUMS<br>ENGINEER MINIMUMS |   |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|------------|------------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL | <u>KUP</u> | <u>8.6</u> | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               |            |            |         |         |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |            |            |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |            |            |         |         |
| TRAILER / SLIPTANK |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KUP</u> | <u>8.6</u> |         |         |
| ENVIRO TANK        |       |     |          |        | LANDING FEE            |            |            |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |            |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Stephanie Wafforn

PRINT NAME OF PERSON AUTHORIZED TO SIGN AUTHORIZED SIGNATURE PILOT SIGNATURE  
 WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT

SpecDee Printers Form #01 - 0516





# FLIGHT TICKET

101133

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

NON-REV  
 07 MONTH    04 DAY    2019 YEAR

## CUSTOMER INFORMATION

NAME PRETIUM  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV STATE BC    POSTAL / ZIP CODE \_\_\_\_\_    TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. BOWSER EXPLORATION  
 CONTRACT No. \_\_\_\_\_

## AIRCRAFT / CREW INFORMATION

STATION KNP CAMP    BASE CODE 50  
GP4M    A/C TYPE 350B2    USE CODE 45  
 1 Jordan M  
 2 \_\_\_\_\_  
 PILOT NEER NAMES KEVIN R.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                        | CUSTOMER CODES | START TIME | END TIME | HOURS |
|---|----------------|------------|----------|-------|
| KNP → BOWSER SLINK SURVIVAL SHAK 2 PICKS.                             |                | 1725       | 1750     | 0.4   |
| KNP → BOWSER → BJC → AB → KOOPA → BY → SLINK → KOOPA → KNP.           |                | 1752       | 1921     | 1.5   |
| KNP LOWLINE DRUM MOVE CANOE → KOOPA → KNP x 3                         |                | 1923       | 2030     | 1.1   |
| KNP BOWSER FUEL CANOE → KOOPA → KNP → CANOE PLU 2 PAX → BOWSER → KNP. |                | 2027       | 2102     | 0.5   |

| <b>DANGEROUS GOODS TRANSPORTED</b><br>(CHECK / COMPLETE ALL APPLICABLE)<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES<br><small>I (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS</small><br>INITIALS _____ | <input type="checkbox"/> 12.9 LIMITED ACCESS  | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |       |               | TOTAL FLIGHT HOURS<br>AIRCRAFT MINIMUMS | <u>3.5</u> |  |  |  |  |  |  |  |  |  |  |  |   |            |
|--|---|--|-------|---------------|---|------------|--|--|--|--|--|--|--|--|--|--|--|---|------------|
|  | <table border="1"> <thead> <tr> <th>UN #</th> <th>CLASS</th> <th>SHIPPING NAME</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> | UN #                                     | CLASS | SHIPPING NAME | QTY                                     |            |  |  |  |  |  |  |  |  |  |  |  | TOTAL BILLABLE HOURS<br>PILOT MINIMUMS<br>ENGINEER MINIMUMS | <u>3.5</u> |
| UN #   | CLASS   | SHIPPING NAME                            | QTY   |               |   |            |  |  |  |  |  |  |  |  |  |  |  |   |            |
|  |   |  |       |               |   |            |  |  |  |  |  |  |  |  |  |  |  |   |            |
|  |   |  |       |               |   |            |  |  |  |  |  |  |  |  |  |  |  |   |            |
|  |   |  |       |               |   |            |  |  |  |  |  |  |  |  |  |  |  |   |            |

| OTHER CHARGES    | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION              | HRS/QTY | RATE                | AMOUNT              |
|------------------|-------|-----|----------|---------------------|------------------------|-----------------------|---------|---------------------|---------------------|
| BRKFAST          |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL |                       |         | \$ 0.00             | \$ 0.00             |
| DRINK            |       |     |          |                     | CUSTOMER SUPPLIED FUEL |                       |         | \$ 0.00             | \$ 0.00             |
| FOOD             |       |     |          |                     | YHL FUEL               | KNP                   | 3.5     | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| ACCOMMODATION    |       |     |          |                     | YHL FUEL               |                       |         |                     |                     |
| VEHICLE          |       |     |          |                     | YHL FUEL               |                       |         |                     |                     |
| WATER / SLIPTANK |       |     |          |                     |                        | OIL ENVIRONMENTAL FEE | KNP     | 3.5                 |                     |
| PRO TANK         |       |     |          |                     | LANDING FEE            |                       |         |                     |                     |
| OTHER            |       |     |          |                     | LANDING FEE            |                       |         |                     |                     |

DUE DATE: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN: Christina Anstey  
 AUTHORIZED SIGNATURE: Christina Anstey  
 PILOT SIGNATURE: [Signature]

WHITE - ACCOUNTING    CANARY - INVOICE    BLUE - CUSTOMER    PINK - MISC    GREEN - PILOT





# FLIGHTTICKET

# 101134

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 07 / 05 / 2019  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME PRETIVM  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 PROV STATE BC POSTAL / ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_  
 CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. BOWSER EXPLORATION

### AIRCRAFT / CREW INFORMATION

LOCATION KNP CAMP BASE CODE 50  
 A/C C1PHM A/C TYPE 350B2 USE CODE 45  
 REG \_\_\_\_\_  
 PRINT PILOT 1 SORDAN M  
 PRINT PILOT 2 \_\_\_\_\_  
 PRINT ENGINEER NAMES KEVIN R.

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                                     | CUSTOMER CODES | START TIME | END TIME | HOURS |
|--|----------------|------------|----------|-------|
| KNP → DRILL SUPPORT & FINISH MOVE CAUSE → KOOPA<br>← BOWSER x 2 PAX → AB PAD → KNP |                | 0720       | 0850     | 1.5   |
| KNP → BOWSER GEO MOVES x 2 CREWS → SLING x 2 LOADS<br>→ AB PAD BUILDERS. → KNP.    |                | 0852       | 1023     | 1.5   |
| KNP → BOWSER 2 PAX → AB PAD BUILDERS → BOWSER → P/U GEOS                           |                | 1620       | 1720     | 1.0   |
| → BOWSER → AB P/U 4 → KOOPA → BOWSER (KOOPA → BOWS)                                |                | 1736       | 1742     | .1    |
| BOWSER CREW CHANGE HYTECH AB/KOOPA BOWSER KNP                                      |                | 1800       | 1835     | .6    |

**OTHER INFORMATION**

12.9 LIMITED ACCESS

**PILOT-IN-COMMAND RESPONSIBILITIES**

| UN # | CLASS | SHIPPING NAME | QTY | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS | TOTAL BILLABLE HOURS | PILOT MINIMUMS | ENGINEER MINIMUMS |
|------|-------|---------------|-----|--------------------------------------|----------------------|----------------|-------------------|
|      |       |               |     | 4.7                                  | 4.7                  |                |                   |

NO  YES (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS. INITIALS \_\_\_\_\_

AIR WAYBILL NO. (IF APPLICABLE) \_\_\_\_\_

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT                 | ITEM                   | LOCATION | HRS/QTY | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|------------------------|------------------------|----------|---------|---------|---------|
| BREAKFAST          |       |     |          | ACCOUNTING<br>USE ONLY | CUSTOMER SUPPLIED FUEL |          |         | \$ 0.00 | \$ 0.00 |
| LUNCH              |       |     |          |                        | CUSTOMER SUPPLIED FUEL |          |         | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |                        | YHL FUEL               | KNP      | 4.7     |         |         |
| ACCOMMODATION      |       |     |          |                        | YHL FUEL               |          |         |         |         |
| VEHICLE            |       |     |          |                        | YHL FUEL               |          |         |         |         |
| TRAILER / SLIPTANK |       |     |          |                        | OIL ENVIRONMENTAL FEE  | KNP      | 4.7     |         |         |
| ENVIRO TANK        |       |     |          |                        | LANDING FEE            |          |         |         |         |
| OTHER              |       |     |          |                        | LANDING FEE            |          |         |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN: Christina Anstey AUTHORIZED SIGNATURE: Christina Anstey PILOT SIGNATURE: [Signature]

WHITE - ACCOUNTING      CANARY - INVOICE      BLUE - CUSTOMER      PINK - MISC      GREEN - PILOT





















# FLIGHT TICKET

101150

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 07 / 13 / 2019  NON-REV

MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME PRETUM

ADDRESS \_\_\_\_\_

CITY STEWART POSTAL / STATE BC ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_

CONTACT PERSON \_\_\_\_\_

P.O. No. / RE. No. \_\_\_\_\_ CONTRACT No. Bowser Exploration

### AIRCRAFT / CREW INFORMATION

LOCATION KNP Am? BASE CODE 50

A/C REG GPHM A/C TYPE 350B2 USE CODE 45

PILOT 1 Joan M

PILOT 2 \_\_\_\_\_

ENGINEER NAMES Kevin R

### DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS                                     | CUSTOMER CODES | START TIME  | END TIME    | HOURS      |
|--|----------------|-------------|-------------|------------|
| <u>KNP -&gt; Bowser Bump 2 Groups GEO's (x6 AX) -&gt; AB -&gt; Low Lake</u>        |                | <u>0850</u> | <u>0942</u> | <u>0.9</u> |
| <u>-&gt; Bowser -&gt; KNP.</u>   |                |             |             |            |
| <u>KNP -&gt; AB Plu 2 GEO's -&gt; Newrad Plu 3 Ruled Edge -&gt; Bows -&gt; KNP</u> |                | <u>1532</u> | <u>1637</u> | <u>0.4</u> |

### OTHER INFORMATION

NO  YES (THE PILOT-IN-COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)

12.9 LIMITED ACCESS

INITIALS \_\_\_\_\_

### PILOT-IN-COMMAND RESPONSIBILITIES

| UN # | CLASS | SHIPPING NAME | QTY | TOTAL FLIGHT HOURS | TOTAL BILLABLE HOURS |
|------|-------|---------------|-----|--------------------|----------------------|
|      |       |               |     | <u>1.3</u>         | <u>1.3</u>           |

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT | ITEM                   | LOCATION   | HRS/QTY    | RATE    | AMOUNT  |
|--------------------|-------|-----|----------|--------|------------------------|------------|------------|---------|---------|
| BREAKFAST          |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            |         |         |
| LUNCH              |       |     |          |        | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00 | \$ 0.00 |
| DINNER             |       |     |          |        | YHL FUEL               | <u>KNP</u> | <u>1.3</u> | \$ 0.00 | \$ 0.00 |
| ACCOMMODATION      |       |     |          |        | YHL FUEL               |            |            |         |         |
| VEHICLE            |       |     |          |        | YHL FUEL               |            |            |         |         |
| TRAILER / SLIPTANK |       |     |          |        | YHL FUEL               |            |            |         |         |
| ENVIRO TANK        |       |     |          |        | OIL ENVIRONMENTAL FEE  | <u>KNP</u> | <u>1.3</u> |         |         |
| OTHER              |       |     |          |        | LANDING FEE            |            |            |         |         |
|                    |       |     |          |        | LANDING FEE            |            |            |         |         |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.

NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN Christina Anstey AUTHORIZED SIGNATURE Christina Anstey PILOT SIGNATURE [Signature]

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT





# FLIGHT TICKET

91827

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 07 / 14 / 2019  NON-REV  
MONTH DAY YEAR

## CUSTOMER INFORMATION

NAME PRIVIM

ADDRESS \_\_\_\_\_

CITY Stewart  
 PROV BC POSTAL / STATE BC ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_

CONTACT PERSON  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. Bowser Exploration

## AIRCRAFT / CREW INFORMATION

LOCATION KNP CAMP BASE CODE 50  
 A/C REG GPHM NC TYPE 350B2 USE CODE 45  
 PILOT 1 Jordan M  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin R

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS | CUSTOMER CODES | START TIME  | END TIME    | HOURS      |
|--|----------------|-------------|-------------|------------|
| <u>KNP → AB Drive Plu 1 Ax → Bowser → KNP</u>  |                | <u>1120</u> | <u>1140</u> | <u>0.3</u> |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |
|  |                |             |             |            |

|   |  |       |  |     |   |
|---|--|-------|--|-----|---|
| <b>1</b> (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS. INITIALS _____<br><input checked="" type="checkbox"/> NO <input type="checkbox"/> YES | <input type="checkbox"/> 12.9 LIMITED ACCESS |       | <b>PILOT-IN-COMMAND RESPONSIBILITIES</b> |     | TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>0.3</u>                           |
|   | UN #   | CLASS | SHIPPING NAME                            | QTY | TOTAL BILLABLE HOURS PILOT MINIMUMS <u>0.3</u><br>ENGINEER MINIMUMS _____ |

| OTHER CHARGES      | PILOT | ENG | LOCATION              | AMOUNT              | ITEM                   | LOCATION   | HRS/QTY    | RATE                | AMOUNT              |
|--------------------|-------|-----|-----------------------|---------------------|------------------------|------------|------------|---------------------|---------------------|
| BREAKFAST          |       |     |                       |                     | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00             | \$ 0.00             |
| LUNCH              |       |     |                       |                     | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00             | \$ 0.00             |
| DINNER             |       |     |                       | ACCOUNTING USE ONLY | YHL FUEL               | <u>KNP</u> | <u>0.3</u> | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| ACCOMMODATION      |       |     | YHL FUEL              |                     |                        |            |            |                     |                     |
| VEHICLE            |       |     | YHL FUEL              |                     |                        |            |            |                     |                     |
| TRAILER / SLIPTANK |       |     | OIL ENVIRONMENTAL FEE |                     | <u>KNP</u>             | <u>0.3</u> |            |                     |                     |
| ENVIRO TANK        |       |     |                       |                     | LANDING FEE            |            |            |                     |                     |
| OTHER              |       |     |                       |                     | LANDING FEE            |            |            |                     |                     |

**TERMS:** NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
**NOTICE OF LIMITATION OF LIABILITY:** THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN: Christina Anstey  
 AUTHORIZED SIGNATURE: Christina Anstey  
 PILOT SIGNATURE: [Signature]

WHITE - ACCOUNTING      CANARY - INVOICE      BLUE - CUSTOMER      PINK - MISC      GREEN - PILOT







# FLIGHT TICKET

# 91831

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE 07 / 16 / 2019  NON-REV  
MONTH DAY YEAR

### CUSTOMER INFORMATION

NAME PRETIVU

ADDRESS \_\_\_\_\_

CITY Stewart  
 PROV \_\_\_\_\_ POSTAL / STATE BC ZIP CODE \_\_\_\_\_ TEL \_\_\_\_\_

CONTACT PERSON \_\_\_\_\_  
 P.O. No. / RE. No. \_\_\_\_\_  
 CONTRACT No. BOWSER EXCAVATION

### AIRCRAFT / CREW INFORMATION

LOCATION KNP Camp. BASE CODE 50  
 A/C REG GP44 A/C TYPE 350B2 USE CODE 15  
 PILOT 1 Jordan M  
 PILOT 2 \_\_\_\_\_  
 ENGINEER NAMES Kevin R Jordan G

| DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS        | CUSTOMER CODES | START TIME  | END TIME    | HOURS      |
|---|----------------|-------------|-------------|------------|
| <u>KNP → PLU GEO'S X 40AX → BOWSER → KNP.</u>         |                | <u>1420</u> | <u>1455</u> | <u>0.6</u> |
| <u>KNP → Ab DRILL PLU PAD BUILDERS → BOWSER → KNP</u> |                | <u>1630</u> | <u>1700</u> | <u>0.5</u> |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |
|   |                |             |             |            |

### DANGEROUS GOODS TRANSPORTED

(CHECK / COMPLETE ALL APPLICABLE)

NO  YES

I (THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS

INITIALS \_\_\_\_\_

12.9 LIMITED ACCESS

### PILOT-IN-COMMAND RESPONSIBILITIES

| UN # | CLASS | SHIPPING NAME | QTY |
|------|-------|---------------|-----|
|      |       |               |     |
|      |       |               |     |
|      |       |               |     |

|                      |            |
|----------------------|------------|
| TOTAL FLIGHT HOURS   | <u>1.1</u> |
| AIRCRAFT MINIMUMS    |            |
| TOTAL BILLABLE HOURS | <u>1.1</u> |
| PILOT MINIMUMS       |            |
| ENGINEER MINIMUMS    |            |

AIR WAYBILL NO. (IF APPLICABLE)

| OTHER CHARGES      | PILOT | ENG | LOCATION | AMOUNT              | ITEM                   | LOCATION   | HRS/QTY    | RATE                | AMOUNT              |
|--------------------|-------|-----|----------|---------------------|------------------------|------------|------------|---------------------|---------------------|
| BREAKFAST          |       |     |          | ACCOUNTING USE ONLY | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00             | \$ 0.00             |
| LUNCH              |       |     |          |                     | CUSTOMER SUPPLIED FUEL |            |            | \$ 0.00             | \$ 0.00             |
| DINNER             |       |     |          | ACCOUNTING USE ONLY | YHL FUEL               | <u>KNP</u> | <u>1.1</u> | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| ACCOMMODATION      |       |     |          |                     | YHL FUEL               |            |            |                     |                     |
| VEHICLE            |       |     |          |                     | YHL FUEL               |            |            |                     |                     |
| TRAILER / SLIPTANK |       |     |          |                     | OIL ENVIRONMENTAL FEE  | <u>KNP</u> | <u>1.1</u> |                     |                     |
| ENVIRO TANK        |       |     |          | ACCOUNTING USE ONLY | LANDING FEE            |            |            | ACCOUNTING USE ONLY | ACCOUNTING USE ONLY |
| OTHER              |       |     |          |                     | LANDING FEE            |            |            |                     |                     |

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.  
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Christina Anstey

*Christina Anstey*

*[Signature]*

PRINT NAME OF PERSON AUTHORIZED TO SIGN

AUTHORIZED SIGNATURE

PILOT SIGNATURE

WHITE - ACCOUNTING

CANARY - INVOICE

BLUE - CUSTOMER

PINK - MISC

GREEN - PILOT



## Appendix V. Cost Statement

| Exploration Work type                  | Comment   | Days |          |             | Totals             |
|--|---|------|----------|-------------|--------------------|
| Personnel (Name)* / Position           | Field Days (list actual days)   | Days | Rate     | Subtotal*   |                    |
| Reid Simmonds/ Exploration Geologist   | 04/07/19-04/07/19   | 1    | \$325.00 | \$325.00    |                    |
| Chad Nidderly/ Exploration Geologist   | 04/07/19-04/07/19   | 1    | \$350.00 | \$350.00    |                    |
| Jon Edwards/ Exploration Geologist     | 10/07/19-10/07/19   | 1    | \$400.00 | \$400.00    |                    |
| Blake Mowbray/ Exploration Geologist   | 18/9/19-18/9/19   | 1    | \$350.00 | \$350.00    |                    |
| Sydney Copeland/ Geotechnician         | 04/07/19-04/07/19   | 1    | \$250.00 | \$250.00    |                    |
| Nick Stewart/ Geotechnician            | 04/07/19-04/07/19   | 1    | \$300.00 | \$300.00    |                    |
| Jack Wild/ Geotechnician               | 10/07/19-10/07/19   | 1    | \$275.00 | \$275.00    |                    |
| Kevin McDonough/ Geotechnician         | 18/9/19-18/9/19   | 1    | \$265.00 | \$265.00    |                    |
| Jeff Auston/ Exploration Geologist     | 06/07/19-11/07/19   | 6    | \$450.00 | \$2,700.00  |                    |
| Jon Edwards/ Exploration Geologist     | 11/07/19-15/07/19   | 5    | \$400.00 | \$2,000.00  |                    |
| Phillipe Drouin/ Exploration Geologist | 16/07/19-22/07/19   | 7    | \$375.00 | \$2,625.00  |                    |
| Hailey Spooner/ Geotechnician          | 06/07/19-11/07/19   | 6    | \$250.00 | \$1,500.00  |                    |
| Kara Ternes/ Geotechnician             | 12/07/19-15/07/19   | 4    | \$250.00 | \$1,000.00  |                    |
| Karley Fugel/ Geotechnician            | 16/07/19-18/07/19   | 3    | \$275.00 | \$825.00    |                    |
| Kara Ternes/ Geotechnician             | 19/07/19-22/07/19   | 4    | \$250.00 | \$1,000.00  |                    |
| Lucas Groves/ Core Cutter              | 06/07/19-11/07/19   | 5    | \$275.00 | \$1,375.00  |                    |
| Anthony Ferguson/ Core Cutter          | 12/07/19-22/07/19   | 11   | \$250.00 | \$2,750.00  |                    |
| Devon Babiuk/ Lead Pad Builder         | 01/07/19-12/07/19   | 12   | \$550.00 | \$6,600.00  |                    |
| Glenn Foster/ Pad Builder              | 01/07/19-09/07/19   | 9    | \$550.00 | \$4,950.00  |                    |
| Jason Ford/ Pad Builder                | 01/07/19-12/07/19   | 12   | \$550.00 | \$6,600.00  |                    |
| Darcy Repen/ Pad Builder               | 10/07/19-12/07/19   | 3    | \$550.00 | \$1,650.00  |                    |
|  |   |      |          | \$32,875.00 | <b>\$32,875.00</b> |
| <b>Office Studies</b>                  | <b>List Personnel (note - Office only, do not include field days)</b>   |      |          |             |                    |
| Literature search                      |   |      | \$0.00   | \$0.00      |                    |
| Database compilation                   |   |      | \$0.00   | \$0.00      |                    |
| Computer modelling                     |   |      | \$0.00   | \$0.00      |                    |
| Reprocessing of data                   |   |      | \$0.00   | \$0.00      |                    |
| General research                       |   |      | \$0.00   | \$0.00      |                    |
| Report preparation                     | Stephanie Wafforn (Writing)<br>11/06/2019 - 11/07/2019                  | 2.0  | \$525.00 | \$1,050.00  |                    |
| Report preparation                     | Christina Anstey (Figures)<br>11/06/2019 - 11/07/2019                   | 2.0  | \$525.00 | \$1,050.00  |                    |
| Other (specify)                        |   |      |          |             |                    |
|  |   |      |          | \$2,100.00  | <b>\$2,100.00</b>  |
| <b>Airborne Exploration Surveys</b>    | <b>Line Kilometres / Enter total invoiced amount</b>                    |      |          |             |                    |
| Aeromagnetics                          |   |      | \$0.00   | \$0.00      |                    |
| Radiometrics                           |   |      | \$0.00   | \$0.00      |                    |
| Electromagnetics                       |   |      | \$0.00   | \$0.00      |                    |
| Gravity                                |   |      | \$0.00   | \$0.00      |                    |
| Digital terrain modelling              |   |      | \$0.00   | \$0.00      |                    |
| Other (specify)                        |   |      | \$0.00   | \$0.00      |                    |
|  |   |      |          | \$0.00      | <b>\$0.00</b>      |
| <b>Remote Sensing</b>                  | <b>Area in Hectares / Enter total invoiced amount or list personnel</b> |      |          |             |                    |
| Aerial photography                     |   |      | \$0.00   | \$0.00      |                    |
| LANDSAT                                |   |      | \$0.00   | \$0.00      |                    |
| Other (specify)                        |   |      | \$0.00   | \$0.00      |                    |
|  |   |      |          | \$0.00      | <b>\$0.00</b>      |
| <b>Ground Exploration Surveys</b>      | <b>Area in Hectares/List Personnel</b>                                  |      |          |             |                    |
| Geological mapping                     |   |      |          |             |                    |
| Regional                               |   |      |          |             |                    |
| Reconnaissance                         |   |      |          |             |                    |
| Prospect                               |   |      |          |             |                    |
| Underground                            | Define by length and width  |      |          |             |                    |
| Trenches                               | Define by length and width  |      |          | \$0.00      | <b>\$0.00</b>      |
|  |   |      |          |             |                    |
| <b>Ground geophysics</b>               | <b>Line Kilometres / Enter total amount invoiced list personnel</b>     |      |          |             |                    |
| Radiometrics                           |   |      |          |             |                    |
| Magnetics                              |   |      |          |             |                    |
| Gravity                                |   |      |          |             |                    |

|                                 |  |            |             |                 |              |
|---------------------------------|--|------------|-------------|-----------------|--------------|
| Digital terrain modelling       |  |            |             |                 |              |
| Electromagnetics                | <i>note: expenditures for your crew in the field</i>                         |            |             |                 |              |
| SP/AP/EP                        | <i>should be captured above in Personnel</i>                                 |            |             |                 |              |
| IP                              | <i>field expenditures above</i>  |            |             |                 |              |
| AMT/CSAMT                       |  |            |             |                 |              |
| Resistivity                     |  |            |             |                 |              |
| Complex resistivity             |  |            |             |                 |              |
| Seismic reflection              |  |            |             |                 |              |
| Seismic refraction              |  |            |             |                 |              |
| Well logging                    | Define by total length   |            |             |                 |              |
| Geophysical interpretation      |  |            |             |                 |              |
| Petrophysics                    |  |            |             |                 |              |
| Other (specify)                 |  |            |             |                 |              |
|                                 |  |            |             | \$0.00          | \$0.00       |
| <b>Geochemical Surveying</b>    | <b>Number of Samples</b>   | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |              |
|                                 |  |            |             |                 |              |
| Drill (cuttings, core, etc.)    | S005256-5005606, S005651-S005999, S004251-S004346, S004351-S004728           | 1057.0     | \$38.55     | \$40,747.35     |              |
| Stream sediment                 |  |            | \$0.00      | \$0.00          |              |
| Soil                            |  |            | \$0.00      | \$0.00          |              |
| Rock                            | B082748, B083229-B083230, B0835016-B085018, B082110-B082121, B085512-B085523 | 30.0       | \$38.55     | \$1,156.50      |              |
| Water                           |  |            | \$0.00      | \$0.00          |              |
| Biogeochemistry                 |  |            | \$0.00      | \$0.00          |              |
| Whole rock                      |  |            | \$0.00      | \$0.00          |              |
| Petrology                       |  |            | \$0.00      | \$0.00          |              |
| Other (specify)                 |  |            | \$0.00      | \$0.00          |              |
|                                 |  |            |             | \$41,903.85     | \$41,903.85  |
| <b>Drilling</b>                 | <b>No. of Holes, Size of Core and Metres</b>                                 | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |              |
| Diamond                         | 3, HQ, 1488.0m   | 1488.0     | \$128.30    | \$190,915.66    |              |
| Reverse circulation (RC)        |  |            | \$0.00      | \$0.00          |              |
| Rotary air blast (RAB)          |  |            | \$0.00      | \$0.00          |              |
| Other (specify)                 |  |            | \$0.00      | \$0.00          |              |
|                                 |  |            |             | \$190,915.66    | \$190,915.66 |
| <b>Other Operations</b>         | <b>Clarify</b>   | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |              |
| Trenching                       |  |            | \$0.00      | \$0.00          |              |
| Bulk sampling                   |  |            | \$0.00      | \$0.00          |              |
| Underground development         |  |            | \$0.00      | \$0.00          |              |
| Other (specify)                 |  |            | \$0.00      | \$0.00          |              |
|                                 |  |            |             | \$0.00          | \$0.00       |
| <b>Reclamation</b>              | <b>Clarify</b>   | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |              |
| After drilling                  |  |            | \$0.00      | \$0.00          |              |
| Monitoring                      |  |            | \$0.00      | \$0.00          |              |
| Other (specify)                 |  |            | \$0.00      | \$0.00          |              |
|                                 |  |            |             |                 |              |
| <b>Transportation</b>           |  | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |              |
| Airfare                         |  | 6.00       | \$645.55    | \$3,873.30      |              |
| Taxi                            |  |            | \$0.00      | \$0.00          |              |
| truck rental                    | per month  | 1.00       | \$1,575.00  | \$1,575.00      |              |
| kilometers                      |  |            | \$0.00      | \$0.00          |              |
| ATV                             |  |            | \$0.00      | \$0.00          |              |
| fuel                            |  |            | \$0.00      | \$0.00          |              |
| Helicopter (hours)              |  | 38         | \$1,750.00  | \$66,150.00     |              |
| Fuel (litres/hour)              | 205L/hr  | 7749       | \$1.70      | \$13,173.30     |              |
| Other                           |  |            |             |                 |              |
|                                 |  |            |             | \$84,771.60     | \$84,771.60  |
| <b>Accommodation &amp; Food</b> | <b>Rates per day</b>   |            |             |                 |              |
| Hotel                           |  |            | \$0.00      | \$0.00          |              |
| Camp                            | \$25.00/day  | 95         | \$25.00     | \$2,375.00      |              |
| Meals                           | \$50.00/day  | 95         | \$50.00     | \$4,750.00      |              |
|                                 |  |            |             | \$7,125.00      | \$7,125.00   |



|                                  |   |    |          |            |                     |
|----------------------------------|---|----|----------|------------|---------------------|
| <b>Miscellaneous</b>             |   |    |          |            |                     |
| Telephone                        |   |    | \$0.00   | \$0.00     |                     |
| Other (Specify)                  |   |    |          |            |                     |
|                                  |   |    |          | \$0.00     | <b>\$0.00</b>       |
| <b>Equipment Rentals</b>         |   |    |          |            |                     |
| Field Gear (Specify)             |   |    | \$0.00   | \$0.00     |                     |
| Other (Specify)                  |   |    |          |            |                     |
|                                  |   |    |          | \$0.00     | <b>\$0.00</b>       |
| <b>Freight, rock samples</b>     |   |    |          |            |                     |
|                                  | Truck Rental, Gasoline, Labour<br>\$450/day | 16 | \$450.00 | \$7,200.00 |                     |
|                                  |   |    | \$0.00   | \$0.00     |                     |
|                                  |   |    |          | \$7,200.00 | <b>\$7,200.00</b>   |
|                                  |   |    |          |            |                     |
|                                  |   |    |          |            |                     |
| <b><i>TOTAL Expenditures</i></b> |   |    |          |            | <b>\$366,891.11</b> |

## **Appendix VI. Statement of Qualifications**

I, Stephanie Rachel Wafforn, of 103 – 2588 Alder Street, Vancouver, British Columbia, Canada, hereby certify that:

1. I am a graduate of The University of Texas at Austin with a PhD (Geological Sciences, 2017), and Oregon State University with a MS (Geological Sciences, 2013), and Queen's University with a BSc with Honours (Geological Sciences, 2011), and have practiced my profession continuously since graduation.
2. I have been employed in the geoscience industry since 2009, and have explored for gold and silver in Canada, Mexico, and Argentina with mid-size and junior mining companies.
3. I am not aware of any material fact or material change with respect to the subject matter of the technical report that is not reflected in the report, the omission to disclose which makes the technical report misleading.
4. I am an employee of Pretium Exploration Inc. I have been employed in exploration on behalf of Pretium Exploration Inc. since 2017.
5. I am an author of the report entitled; "Diamond Drilling and Geochemical Sampling Report on the 2019 Koopa Property Exploration Program" dated November 7, 2019. I worked on and supervised the work program reported on herein.

Dated at Vancouver, British Columbia, this 7<sup>th</sup> day of November, 2019.

Respectfully submitted,

*"Stephanie Rachel Wafforn" -signed*

Stephanie Rachel Wafforn, PhD



## Field Geologist Credentials

Jeff Auston

Northern Alberta Institute of Technology, Geological Technology, Diploma, 2008

Carleton University, Geological Sciences, B.Sc., 2013

Philippe Drouin

University of British Columbia Okanagan, Earth and Environmental Sciences, M.S, 2018

Memorial University of Newfoundland, Earth Sciences, B.Sc., 2016

Jon Edwards

Memorial University of Newfoundland, Earth Sciences, B.Sc., 2012

Blake Mowbray

Carleton University, Earth Sciences, B.Sc., 2017

Laurentian University, Geological Sciences, M.Sc. Candidate, 2020

Chad Niddery

Ohio State University, Geological Sciences, B.Sc., 2016

Reid Simmonds

University of Victoria, Earth and Ocean Sciences, B.Sc., 2018