

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Exploration Drilling

TOTAL COST: \$209,223.99

AUTHOR(S): Raymond E. Wladichuk, P.Geo

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-4-736

YEAR OF WORK: 2019

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5771964

PROPERTY NAME: OLIVINE MOUNTAIN

CLAIM NAME(S) (on which the work was done): OLIVINE MOUNTAIN, OLIVINE EAST, OLIVINE WEST, PLATINUM SUNSET

COMMODITIES SOUGHT: Cu, Pt, Pd, Ni, Au

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092HNE201, 092HSE141, 092HSE039

MINING DIVISION: SIMILKAMEEN

NTS/BCGS: 92H/7 + H/10 / 092H 046 + 056

LATITUDE: 49 ° 29 '11 " LONGITUDE: 120 ° 50 '02 " (at centre of work)

OWNER(S):

1) PLATINUM BELT RESOURCES

2)

MAILING ADDRESS:

8899 MICHAEL DRIVE, COLDSTREAM BC, V1B 2G1

OPERATOR(S) [who paid for the work]:

1) GSP RESOURCE CORP.

2)

MAILING ADDRESS:

1610 - 777 DUNSMUIR ST. VANCOUVER, BC, V7Y 1K4

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

TULAMEEN COMPLEX, INTERMONTANE, NICOLA GROUP, SHEAR ZONE, COPPER

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: AR No.: 38279

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	_____	_____	_____
Photo interpretation	_____	_____	_____
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic	_____	_____	_____
Electromagnetic	_____	_____	_____
Induced Polarization	_____	_____	_____
Radiometric	_____	_____	_____
Seismic	_____	_____	_____
Other	_____	_____	_____
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	_____	_____	_____
Silt	_____	_____	_____
Rock	DRILL CORE SEE BELOW	Olivine Mountain, Olivine East, Olivine	\$19,875.66
Other	_____	_____	_____
DRILLING (total metres; number of holes, size)			
Core	1200m	Olivine Mountain, Olivine East, Olivine	\$189,348.33
Non-core	_____	_____	_____
RELATED TECHNICAL			
Sampling/assaying	_____	_____	_____
Petrographic	_____	_____	_____
Mineralographic	_____	_____	_____
Metallurgic	_____	_____	_____
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)	_____	_____	_____
Topographic/Photogrammetric (scale, area)	_____	_____	_____
Legal surveys (scale, area)	_____	_____	_____
Road, local access (kilometres)/trail	_____	_____	_____
Trench (metres)	_____	_____	_____
Underground dev. (metres)	_____	_____	_____
Other	_____	_____	_____
		TOTAL COST:	\$209,223.99

GEOSCIENCE REPORT

OLIVINE MOUNTAIN PROJECT EXPLORATION DRILLING

**SIMILKAMEEN MINING DIVISION
BRITISH COLUMBIA, CANADA**

November 2019

CENTERED AT:

49° 29' 11"N., 120° 50' 02" W.

U.T.M.: Zone 10U, 5,483,880 N., 656,780 E.

N.T.S.: 92 H/7 + H/10

B.C.: 092H 046 + 056



AUTHOR: Raymond E. Wladichuk, P.Geol.

TABLE OF CONTENTS

1.0 INTRODUCTION AND SUMMARY	3
2.0 ACCESS AND TITLE	3
Table 1: Olivine Mountain Property Map-Staked Claims	4
3.0 PHYSIOGRAPHY AND CLIMATE	5
4.0 SUMMARY OF PREVIOUS WORK	5
5.0 GEOLOGY	7
5.1 PROPERTY GEOLOGY	7
5.2 REGIONAL GEOLOGY	8
6.0 2019 DRILLING	8
Table 2: Drill Hole Information Table	9
7.0 EXPLORATION RESULTS	9
Table 3: Significant Intersections	10
8.0 Recommendations	11
9.0 Statement of Qualifications	12

APPENDICES

- Appendix A: Figures
- Appendix B: Drill Logs and Cross Sections
- Appendix C: Regional Geology
- Appendix D: Geochemistry Results
- Appendix E: Statement of Costs
- Appendix F: References

1.0 INTRODUCTION AND SUMMARY

The Olivine Mountain Project (the “Project” or “Property”) is a 3,021.87-hectare property located approximately 25km west of Princeton BC (as the crow flies), in the Similkameen Mining Division as shown on Figure 1. The Project is being explored by GSP Resource Corp. (“GSP”), a public company based out of Vancouver BC.

From October 23 to November 29, 2019 GSP conducted a drilling exploration program consisting of seven (7) diamond drill holes totalling roughly 1200m. The drill targets were identified by GSP technical staff and qualified persons based on the results of exploration conducted in 2018.

GSP retained Raymond E. Wladichuk., P.Geo., the “Author” of this report to oversee the drilling operations, to ensure the drill targets chosen by others were drilled in the proper locations, to log the drill core, and to make and implement field decisions as required.

Of interest, drill hole DDH-04B and DDH-04 intersected significant copper-mineralized zones as discussed in section 7.0.

In addition to the drilling operations, reconnaissance was conducted in areas of the property not explored in the 2018 exploration program, surface copper mineralization was discovered in previously unknown areas.

2.0 ACCESS AND TITLE

The Property is easily accessed via Forest Service Roads from Coalmont, British Columbia (Figure 1), as the Property has been extensively logged in the past a network of logging roads makes most areas of the Property accessible by 4x4 capable vehicle. Townsite infrastructure is available at Coalmont, Tulameen, and Princeton, British Columbia.

The 3,021.87-hectare Olivine Mountain Property is comprised of 30 map-staked claims as shown in Table 1. Platinum Belt Resources Inc., a private company based out of Coldstream, British Columbia, the owner of the claims has optioned the Property to GSP.

Table 1: Olivine Mountain Property Map-Staked Claims

Title Number	Claim Name/Property	Issue Date	Good to Date	Area in Hectares	Owner
1066197		2019/Feb/01	2020/Feb/01	251.67	Platinum Belt Resources
1020623		2013/Jun/29	2025/Jan/14	20.98	Platinum Belt Resources
1020626		2013/Jun/29	2025/Jan/14	41.96	Platinum Belt Resources
1025818	Olivine Mountain	2014/Feb/09	2025/Jan/14	335.79	Platinum Belt Resources
1028756	Olivine West	2014/Jun/05	2025/Jan/14	314.85	Platinum Belt Resources
1031378	Olivine East	2014/Oct/04	2025/Jan/14	125.93	Platinum Belt Resources
1031380	Olivine East	2014/Oct/04	2025/Jan/14	125.95	Platinum Belt Resources
1031543	Hop	2014/Oct/13	2025/Jan/14	104.99	Platinum Belt Resources
1031544	Hop 2	2014/Oct/13	2025/Jan/14	83.97	Platinum Belt Resources
1031546	Hop 3	2014/Oct/13	2025/Jan/14	62.99	Platinum Belt Resources
1031549	Hop 4	2014/Oct/13	2025/Jan/14	84	Platinum Belt Resources
1032852		2014/Dec/21	2025/Jan/14	41.96	Platinum Belt Resources
1035537		2015/Apr/18	2025/Jan/14	83.96	Platinum Belt Resources
1038108	Olivine East	2015/Aug/22	2025/Jan/14	146.89	Platinum Belt Resources
1038110	Olivine East	2015/Aug/22	2025/Jan/14	41.98	Platinum Belt Resources
1039299	Hop	2015/Oct/14	2025/Jan/14	42	Platinum Belt Resources
1041162	Olv Frac	2016/Jan/10	2025/Jan/14	20.98	Platinum Belt Resources
1051332		2017/Apr/10	2025/Jan/14	20.98	Platinum Belt Resources
1051333		2017/Apr/10	2025/Jan/14	41.96	Platinum Belt Resources
1051532	Tangelwood	2017/Apr/22	2025/Jan/14	20.98	Platinum Belt Resources
1055924	Slate 1	2017/Nov/01	2025/Jan/14	356.61	Platinum Belt Resources
1056651	Hop South	2017/Nov/25	2025/Jan/14	125.98	Platinum Belt Resources
1056652	Hop East	2017/Nov/25	2025/Jan/14	125.93	Platinum Belt Resources
1057413	Olivine Ext	2018/Jan/03	2025/Jan/14	20.98	Platinum Belt Resources
1057901	Platinum Sunset	2018/Jan/24	2025/Jan/14	41.96	Platinum Belt Resources
1057916	Olivine2	2017/Aug/22	2025/Jan/14	20.98	Platinum Belt Resources
1062102	Olivine	2018/Aug/01	2025/Jan/14	230.74	Platinum Belt Resources
1060835		2018/May/29	2025/Jan/14	41.96	Platinum Belt Resources
1062557	Olivine 1	2018/Aug/23	2025/Jan/14	41.96	Platinum Belt Resources
			Total	3021.87	

3.0 PHYSIOGRAPHY AND CLIMATE

The terrain within the Property is relatively subdued and bedrock exposure is scarce due to abundant and reported to be thick Quaternary glacial sediments.

Elevations range from 1,390m in the southeastern portion of the property, to 1,820 m in the southern portion of the property.

The Property has seen extensive logging over the years and most of the Property has been clear cut. Second growth forest of Spruce, Pine, Fir, and deciduous trees like Cottonwood now cover most of the Property landscape. The forest soils generally have a well-developed B-Horizon.

Typical for south-central British Columbia, the region experiences cold, moderately dry winters, and hot dry summers. Snowfall in the winter remains on the ground typically from November to April.

A number of rivers, creeks, streams, and draws are located within the Property and could provide water sources for drilling operations

4.0 SUMMARY OF PREVIOUS WORK

In 2018 GSP Resource Corp. commissioned Max Investments Inc. of Vancouver, British Columbia, to conduct exploration on the Olivine Mountain Property. Two phases were completed, the first from May 25th to May 31st consisted of a heli-tow airborne magnetometer and time domain electromagnetic survey. Max Investments Inc. retained Balch Exploration Consulting Inc. of Rockwood, Ontario to execute the geophysical scope which was submitted to the ministry as an Assessment Report. The second phase consisted of a soil geochemical survey consisting of approximately 1750 samples over a 3km x 3km square grid. These two phases were discussed by the Author in AR No. 38279 (Wladichuk, 2018). The results of these two phases were basis for the 2019 drill target selection by GSP.

Prior to 2018 a series of systematic geochemical and geophysical surveys were conducted on the "Lode Claims" by A&M Exploration Ltd. throughout the 80's, a portion of this work occurred on the current (2019) Olivine Mountain Property.

Adjacent to the south of the current (2019) Olivine Mountain Project boundary is Lodestone Mountain which has experienced significant drilling on a magnetite resource.

No drilling was recorded to have occurred with the Property prior to 2019, Allen 1983, describes finding core on either the historic Lode I or Lode II claims which barely overlap the current claim boundary. The Author will continue to do research on the Property and on the surrounding area and will update this section or include historical drilling information in subsequent reports if required. Well documented extensive historical drilling to prove a resource is known to have occurred on Lodestone Mountain to the south of the existing claim boundary.

As described by Kerr, 2018, historical mining activities are as follows:

Extensive mineral exploration has been carried out in the Tulameen area of British Columbia over

the past 170 years. Of significance is the Tulameen Coal deposit located south of the town of Coalmont.

During the late 1800s the Tulameen District was the most important producer of platinum in North America. Platinum was recorded along with placer gold from the Tulameen River and its tributaries. The platinum occurred as a fine, hard, silver-white lustrous metal with a high specific gravity in the sluice boxes and gold pans, along with gold and heavy concentrations of black sands (magnetite and chromite). Total platinum production from the alluvial operations was estimated to be approximately 20,000 ounces from the area between 1885 and 1934 (O'Neil and Gunning, 1934).

Since the presence of semi-massive magnetite was discovered on Lodestone Mountain in the early 1900's, the area has been staked numerous times and early unrecorded, exploration is indicated by many old trenches on the property. A chronological history is as follows

1954-1955: United States Steel Corporation conducted a dip-needle survey and carried out an exploration program of drilling and trenching.

1962-1970: Imperial Metals and Power Limited conducted a series of exploration programs on the property and completed a ground magnetometer survey, trenching, and a total of 1,600 feet (487.7 m) of drilling in 60 holes. This work established the existence of the Lodestone Mountain and Tanglewood Hill magnetite resources on properties adjoining the Olivine Mountain Property. Imperial Metals commissioned Wright Engineers Ltd. to conduct a preliminary feasibility study, investigating mining iron at Lodestone Mountain. Neither resource occurs on the Olivine Mountain property, however both are within 500 metres (1,640 ft) of its boundary.

1973: Dominion Foundaries and Steel Ltd. (Dofasco) optioned the Lodestone property from Imperial Metals and Power. Dofasco completed nine diamond drill holes and 17 percussion holes for a total of 10,562 feet (3,219.3 m) of drilling.

1984-1987: Imperial Metals Corporation commenced evaluation of the platinum group element (PGE) potential of the property and area. The area was re-mapped and prospected. Silt and concentrate samples were collected from streams draining the property and rock samples were collected and analyzed for platinum, palladium and gold. Imperial undertook a program of soil geochemistry in 1987. Sixty three kilometers (38.4 mi) of grid line were established and 1,221 soil samples were collected. Grid lines were spaced 200 metres (656.1 ft) and soil samples were collected at 50 metre (164-ft) along the line and analyzed for gold, platinum, palladium and rhodium. Portions of these surveys cover the existing Olivine Mountain Property.

1987-1989: Inter Canadian Development Corp. optioned the Lode I, III and IV claim groups in the northwest portion of the Olivine Mountain Property. Soil, silt and rock-chip sampling and a magnetometer survey was conducted on the property.

1989-1993: Tiffany Resources Inc. entered into an option agreement with Imperial Metals Corp. Ten diamond drill holes, totalling 1225 metres (4,190 ft), were drilled in 1990 and 1991, samples analyzed for platinum group elements. The holes were drilled into the areas of anomalous PGE's in soil. No platinum group anomalies were detected in drill core. It is believed that all ten exploration holes were drilled in the southern portion of the Lodestone Mountain property, however one of these holes may be on the existing Olivine Mountain (GSP) Property. In 1993, PBK Engineering Ltd. was contracted by Tiffany Resources to complete a preliminary evaluation of the Lodestone iron deposit.

1998-2000: Aboriginal Investments acquired 100% interest in claims BJP 1, 2 and 3. in the western portion of the Olivine Mountain Property and conducted rock-chip and soil sampling programs, reporting values ranging to 315 ppb Pt and 633 ppm Ni and anomalous Au and Cu.

Trenching was completed over existing coincidental geophysical and geochemical anomalies. Sampling returned values up to 1.5% Cu, 50 ppb Au, 4600 ppb Ag and 30 ppb Pd in cumulate pegmatite and in narrow, copper-rich quartz veins.

2001-2003: Bright Star Ventures Ltd. acquired a large portion of the Tulameen Batholith from the northern to southern extremities, excepting the magnetite resources at Lodestone Mountain and Tangelwood Hill. In 2001, Bright Star completed a wide-spaced 367 kilometer (223.9 mi) airborne magnetic and EM survey over the entire Tulameen mafic/ultramafic body. Line spacing was 300 metres (984 ft) with some detailed 150 metre (492.1-ft) spacing in area of Olivine Mountain. In 2002 and 2003, Bright Star completed extensive grid work on the Buck claims in the eastern portion of the Olivine Mountain Property. In total, 2300 soil samples were collected and 10 kilometers (6.1 mi) of IP survey were completed. All samples were analyzed for Cu, Ni, Au, Pt and Pd. IP survey was completed on one small grid in the western portion of the property. It is verbally reported that Bright Star drilled one diamond drill hole into an IP anomaly, results were not reported or maintained.

2003-2004: Stargold Resource Corp. optioned the Lodestone property and drilled 1069 metres (3,507.2 ft) in 15 holes.

2005-Present (2017): No reported work has been done on the property.

5.0 GEOLOGY

5.1 PROPERTY GEOLOGY

Figure 2 is a geology map. Kerr, 2018 describes the property geology as follows:

“Except for the northwestern corner of the property, the claims are underlain by rocks of the Alaskan-type Tulameen Mafic/Ultramafic Complex. The mafic and ultramafic rocks were emplaced into metasedimentary and intermediate metavolcanic rocks belonging to the Upper Triassic Nicola Group during a Late Triassic deformational event. This volcanic assemblage evolved during Late Triassic arc magmatism, and these rocks are considered to be co-magmatic with the rocks of the Tulameen mafic-ultramafic suite. The Tulameen Complex and its host rocks are thought to be overlain by sedimentary and volcanic assemblages of the Early Tertiary Princeton Group and Miocene plateau basalts.

Regional structures trend roughly north-northwest and are characterized by southwest dipping foliation that parallels the eastern margin of the Eagle Plutonic Complex (Eagle Shear Zone). The Eagle Shear Zone is related to Middle-Late Jurassic contracting deformation. The Tulameen Complex forms an elongate body along the eastern margin of the shear zone and is concordant with the regional structural grain.

Much of the property is covered in glacial sediments.

The principal mafic and ultramafic units of the Tulameen Ultramafic Complex are dunite/peridotite, olivine clinopyroxenite, hornblende, and gabbroic to dioritic rocks.

Dunite is generally restricted to the northern portion of the complex at Grasshopper and Olivine Mountains and is not known to occur on the property. Concentrations of massive chromite appear to be randomly distributed within dunite as discrete layers of irregular masses. Associated with the chromite are microscopic grains of platinum. Olivine pyroxenite envelops the dunite core and extends southward along the complex's central axis and in the western margins of the property. Hornblende clinopyroxene generally occurs at the periphery of the complex; continuous along the western margin of the complex, however more discontinuous along the east and within outcrops mapped on the property. Massive magnetite mineralization is associated with hornblende clinopyroxene at Lodestone Mountain and at Tanglewood Hill.

The main mass of gabbroic rocks is distributed on the eastern side of the complex and forms the major rock-type of the property. Gabbroic rocks are in direct contact with olivine clinopyroxenite in the north. Syenodiorite is confined to the southwestern margin of the complex where it unconformably overlies Princeton Group sediments.

The Olivine Mountain property is underlain by all of the major rock units of the Tulameen Mafic/Ultramafic Complex with the exception of dunite. Mapping is incomplete due to the extensive amount of overburden cover on the property, and much of the geology has been extrapolated from limited bedrock exposure.”

5.2 REGIONAL GEOLOGY

Refer to Appendix C.

6.0 2019 DRILLING

GSP contracted Atlas Drilling Ltd. (“Atlas”) out of Kamloops, BC, to perform diamond drilling at six targets comprising seven (7) drill holes totalling about 1200m as described in Table 2 below and shown on Figure 3.

Drilling was performed with a skid mounted drill (Figure 5). Core diameter was NQ. Drilling occurred over 24 hours utilizing a day shift and night shift.

Core samples were transported from site by Atlas to a facility rented by GSP just outside Princeton (Figure 5). The core was logged and photographed by the Author with assistance from a junior geologist. Sample intervals were selected based on visual mineralization. In zones of sulphide mineralization sample lengths ranged from 0.5m to 3.0m, these were split using a core saw or chip sampled, double bagged in plastic ore bags, labelled, and sent to Bureau Veritas in Vancouver, BC. Intervals of very trace to non-visible sulphide mineralization were sampled as chip samples ranging from 4m to 10m in length.

The Author witnessed the end of each drill hole and made the on-site decision to continue drilling or to terminate the hole based on visual examination of the core.

The core boxes were properly labelled, stacked, and stored at the location rented by GSP.

Table 2: Drill Hole Information Table

Drill Hole ID	UTM coordinates		Length /(m)	Dip/Azimuth	Approximate Elevation (m)
	Easting	Northing			
DDH-01	655693	5483700	202	Vertical	1550
DDH-02	655635	5482861	200	Vertical	1590
DDH-03	656783	5483039	206	Vertical	1600
DDH-04	655373	5485822	93	70/145	1430
DDH-04B	655373	5485822	94	60/070	1430
DDH-05	657310	5483598	200	Vertical	1500
DDH-06	656538	5483286	200	Vertical	1600

7.0 EXPLORATION RESULTS

Drill results as reported by GSP in a news release on January 15, 2020 are as follows and refer to Figures 2, 3, and 4. Generalized geologic cross sections and detailed drill logs are available in Appendix B.

“

DDH 1 was a vertical hole with a length of 203.2m. It was collared at U.T.M.: 5,483,700 N., 655,693 E. near the eastern shore of a borrow pit locally named the frog pond. It is in the central part of the property area and the 2018 GSP soil grid. The diorite at that location is fractured and hosts numerous quartz, orthoclase and epidote veins, some of which are mineralized with bornite and chalcopyrite. Weak potassic alteration that is present at surface was confirmed by a 44.6 ppm concentration of molybdenum encountered in the narrow mineralized section that was present in the core (see table 3).

DDH 2 was a vertical hole with a length of 200.25m. It was collared at U.T.M.: 5,482,861 N., 655,635 E. over an airborne magnetic anomaly in the western part of the property area and the 2018 GSP soil grid. Probably, the magnetic anomaly was generated by blebs and pods of blue-black magnetite present through altered diorite and gabbro. The hole encountered no significant mineralization.

DDH 3 was a vertical hole with a length of 206.35 m. It was collared at U.T.M.: 5,483,039 N., 656,783 E. over an airborne magnetic anomaly in the central part of the property area and the 2018 GSP soil grid. Probably, the magnetic anomaly was generated by magnetite. Copper enrichment was encountered at the base of the weathering profile (see table 3). No other significant mineralization was encountered.

Drill holes 4 and 4B were drilled from two set-ups located 10m apart on a logging road where it crosses between the two ASP 14 showings in the northern part of the property area. The two showings are connected by a sub-vertical trend that strikes at about 190°.

DDH 4 was collared at U.T.M.: 5,485,882 N., 655,356 E. It was drilled southeastward (145°/-70°) for 93.2m beneath the main ASP 14 showing, an outcrop of sheared mafic rock containing copper (chalcopyrite, chalcocite, malachite, and azurite) mineralization. Previously, prospectors had reported

obtaining high palladium results from samples taken from that outcrop. DDH 4 penetrated two narrow mineralized sections (see table 3).

DDH 4B was collared at U.T.M.: 5,485,877 N., 655,373 E., about 10m east-northeast of DDH 4. It was drilled eastward (070°/-60°) for 93.5 m beneath the road under the ASP 14 quartz vein showing, a small outcrop of sheared mafic rock hosting quartz veins. The veins contain chalcopyrite. DDH 4B penetrated three significantly mineralized intersections (see table 3).

DDH 5 was a 200.25m long vertical hole, located at U.T.M.: 5,483,598 N., 657,310 E. at the eastern margin of the 2018 GSP soil grid in the central part of the property area. DDH 5 was drilled into a road-side outcrop of variously silicified diorite and gabbro with copper mineralization on fractures and chromite blebs. Reportedly, a sample of chromite-rich rock taken previously by prospectors contained 10 gm/mt palladium. The road-side outcrop was also the location of a Cretaceous-age quartz and gold-bearing shear as defined by the 2018 GSP soil survey. DDH 5 penetrated three significantly mineralized intersections (see table 3).

DDH 6 was vertical hole with a length of 200.25m. It was collared at U.T.M.: 5,483,286 N., 656,538 E. over the northern part of the same airborne magnetic anomaly that was tested by DDH 3. DDH6 is located in the central part of the property area and the 2018 GSP soil grid. Sheared and altered diorite was encountered in the upper part of the hole. Its lower part was through a dense blue-black magnetite-rich rock that hosted up to 14% iron. No significant mineralization was encountered in DDH 6.

Table 3: Significant Intersections

Drill Hole	Intersect m	Length m	Est. True Thickness m	Copper %	Silver gm/mt	Gold gm/mt	Palladium gm/mt
DDH 1	27-28	1		0.118+ 44.6 ppm Mo	0.071	0.003	0.014
DDH 3	4.5-5	0.5		0.117	0.47	0.005	0.017
DDH 4	30-32.5	2.5	1.6	0.126	1.20	0.035	0.110
	54.4-55.4	1	0.64	0.278	0.87	0.044	0.054
DDH 4B	60-67	7	4.6	0.224	0.65	0.048	0.002
including	60.5-61	0.5	0.33	0.486	1.78	0.078	0.003
	72-75	3	1.97	0.223	0.34	0.015	0.003
	81-88	7	4.6	0.096	0.31	0.008	0.003
DDH 5	4-5	1		0.310	1.65	0.102	0.002
	89.6-99.7	10.1		0.233	0.52	0.040	0.046
including	97.7-98.2	0.5		0.834	0.83	0.003	0.004
	129.2-137	7.8		0.274	1.24	0.171	0.003

“

(Qualified Person for news release: John Ostler, M.Sc., P.Geo.)

The Author notes that the estimated true thickness is very much an estimate as the strike and dip of the structure intersected in DDH-4 and DDH-4B was interpreted from very limited outcrop at surface. Detailed drilling is required to better define the geometry of this structure.

Additionally, the Author and jr. geologist performed reconnaissance in the south eastern area of the Property in the vicinity of the HOP showing. Copper mineralization in the form of malachite and possibly cuprite was found in new road cuts.

8.0 Recommendations

The next stage of exploration in 2020 should comprise two phases as described below, refer to Figure 6 recommendation map. Phase 1 should be completed as early in the spring as possible to allow time to analyze data to define targets for phase 2.

At any time prior to Phase 1 it is recommended to hire an ore deposit expert to analyze the drill core currently stored near Princeton.

Phase 1 – Surface techniques:

- Extend magnetic geophysics survey to the north into the area north of the ASP 14 survey and in the south east in the vicinity of the HOP showing as per Figure 6.
- Extend soil sampling survey to the north into the area north of the ASP 14 and perform detailed mapping and prospecting.
- Extend soil sampling survey to the south of the 2018 soil grid. The ultramafic rock types in this area and proximity to the Lodestone Mountain Resource make this the most likely area for PGM-type mineralization. Perform detailed mapping and prospecting.
- Extend soil sampling survey in the area of the HOP showing. Perform detailed mapping and prospecting. This area is a potential porphyry target area.
- As the mineralization intersected in DDH-04B was contained within a shear structure, employ a geophysical technique which can identify and trace this structure such as VLF-EM in this area.

Phase 2 – Subsurface techniques:


Details of Phase 2 can be better defined following analysis of the results of Phase 1.

- Drill 4-6 more diamond drill holes into the copper-bearing structure at ASP 14. Trenching may also be useful to trace the structure at surface.
- Drill favourable targets in the south area, and HOP showing area. Focus should be where structures intersect such as contacts and faults, in combination with geophysical and geochemical anomalies. Budget to drill 5-10 drill holes in these areas.

9.0 Statement of Qualifications

I, Raymond Edward Wladichuk, do hereby certify:


1. That I hold a Bachelor of Science Degree in Earth Sciences (B.Sc. 2013) and a Graduate Diploma in Business Administration (GDBA 2017) from Simon Fraser University.
2. That I am a practicing member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia, registered as a Professional Geoscientist.
3. That I have been working in geoscience consulting since 2011 in mineral exploration and geotechnical engineering.
4. That I am the Author of this report titled: GEOSCIENCE REPORT, OLIVINE MOUNTAIN EXPLORATION DRILLING, SIMILKAMEEN MINING DIVISION, BRITISH COLUMBIA, CANADA, NOVEMBER 2019.



Raymond E. Wladichuk, P.Geo., B.Sc., GDBA
Vernon, BC, Canada
February 12, 2020

APPENDIX A

FIGURES



Notes:

- 1) Local location map
- 2) Regional location map



Figure 1
 Location Maps

Feb-12-2020





Figure 2
Geology Map

Feb-12-2020









Figure 4
Drill Locations with TMI Map

Feb-12-2020



Notes:

- 1) Typical drill site (DDH-03)
- 2) Inside the core logging shack
- 3) Core processing and storage facility



Proposed soil survey areas

Proposed geophysics survey areas

APPENDIX B

**DRILL LOGS & CROSS
SECTIONS**

Drill hole ID: DDH-1

Date: Nov-12-2019

Coordinates: 655693 / 5483700

Azimuth/Dip: Vertical

Field Log				Lab Results				
From (m)	To (m)	Box #	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
3	7	1	Qtz gabbro - diorite, medium grained, green-black, chlorite after amphibole. Abundant qtz stringers randomly oriented throughout but predominately at 40deg tca. Trace (<1%) fine disseminated sulphides throughout. Moderately magentic. 20.95-21.95m: sub vertical vuggy qtz intrusion containing trace (<10%) sulphides. Siliceous alteration extends to approx 23m. at 27.3m 2-5cm thick subvertical qtz vein containing cpy blebs approx 2cm diam.	2632801	3	13	Chip	128.43
7	10.68	2		2632802	13	21	Chip	173.26
10.68	14.43	3		2632803	21	22	Split	135.86
14.43	18.64	4		2632804	22	25	Split	177.28
18.64	22.67	5		2632805	25	26	Split	188.8
22.67	26.77	6		2632806	26	27	Split	339.33
26.77	30.97	7		2632807	27	28	Split	1176.58
30.97	34.83	8		2632808	28	31	Split	250.04
34.83	38.16	9		2632809	31	34	Split	208.93
38.16	42.3	10		42-44m brecciated zone, nvs, red hematite alteration. approx. 80-100m adundant epidote veinlets apprix 1-5mm thick. at 97.5m 0.5m thick brecciated zone, hematite altered, gouged, subvertical veining.	2632810	34	44	Chip
42.3	45.7	11	2632811		44	54	Chip	173.85
45.7	49.7	12	2632812		54	64	CHip	211.85
49.7	53.25	13	2632813		64	74	Chip	206.32
53.25	57.25	14	2632814		74	84	Chip	149.89
57.25	61	15	2632815		84	94	Chip	119.61
61	65	16	2632816		94	104	Chip	140.28
65	68.9	17	2632817		104	114	Chip	257.44
68.9	73.04	18	2632818		114	124	Chip	427.22
73.04	77.39	19	2632819		124	134	Chip	124.98
77.39	81.38	20						
81.38	85.58	21						
85.58	89.53	22						
89.53	93.57	23						
93.57	97.82	24						
97.82	101.97	25						
101.97	106.21	26						
106.21	110.21	27						
110.21	114.36	28						
114.36	118.56	29						
118.56	122.95	30						
122.95	127.3	31						
127.3	131.75	32						

131.75	135.92	33
135.92	140.14	34
140.14	144.54	35
144.54	148.59	36
148.59	152.84	37
Data collection error, box numbers and depths not recorded.		
		203.2

EOH

199.19-3m siliceous brecciated zone with 5% sulphides.

In general - consistent rock for entire length of hole. log intentionally general. If 10m chip samples return anomalous assays re analysis of drill core is recommended.

2632820	134	144	Chip	204.54
2632821	144	154	Chip	290.1
2632822	154	164	Chip	161.9
2632823	164	174	Chip	200.83
2632824	174	184	Chip	156.8
2632825	184	194	Chip	144.97
2632826	194	199.19	Split	130.92
2632827	199.19	199.7	Split	39.7
2632828	199.7	203.2	Split	144.26

Logged by: Raymond Wladichuk

Drill Hole ID: DDH-2
Date: November-15-2019

Coordinates: 655635 / 5482861
Azimuth/Dip: Vertical

Field Log						Lab Results			
Sample ID	From (m)	To (m)	Description	CPx (%)	Px (%)	Sample ID	From (m)	To (m)	Cu PPM
2634353	0	10	No discernable sulphides. Medium green diorite, moderately silicified with zones of dark green/blue magnetic dots/blobs (magnetite?). High biotite % sometimes forming clusters (massive) and concentrating along fractures and altering to chlorite. Highly altered to chlorite throughout with white-light green clay alteration on fractures and around stringers/veins. 1-10mm width quartz + lesser carbonate stringers and veins oriented @ 30-55° TCA.	<0.1	<0.1	2634353	0	10	28.93
2634354	10	20	SAO (same as above)	<0.1	<0.1	2634354	10	20	11.97
2634355	20	30	SAO + more biotite concentration altering to chlorite. + more moderately magnetic dark green/blue blobs (magnetite?).	<0.1	<0.1	2634355	20	30	17.55
2634356	30	40	Same as 0-20m.	<0.1	<0.1	2634356	30	40	6.64
2634357	40	50	SAO + .25-.75m long fracture zones.	<0.1	<0.1	2634357	40	50	5.36
2634358	50	60	Same as 0-20m but with addition of long fractures on quartz + lesser carbonate stringers and veins at shallow angle (20° TCA).	<0.1	<0.1	2634358	50	60	5.46
2634359	60	70	SAO but with gradational shift towards darker green diorite. Weak to strong magnetic susceptibility throughout.	<0.1	<0.1	2634359	60	70	7.09
2634360	70	80	SAO but now predominantly darker green diorite with dark blue blobs. 30-50cm sections of previously seen medium green diorite. Still highly chloritized, moderately silicified. Darker areas correspond to higher magnetic susceptibility. Quartz/ carbonate stringers becoming less stratified and showing less preferential orientation leading to brecciated appearance. Still no sulphides	<0.1	<0.1	2634360	70	80	13.74
2634361	80	90	SAO	<0.1	<0.1	2634361	80	90	2.99
2634362	90	100	SAO	<0.1	<0.1	2634362	90	100	5.56
2634363	100	110	Grading back to medium green diorite. Intermittent 10-30cm sections of clay gouge. Pervasive quartz/lesser carbonate stringer-caused brecciation. Biotite clusters up to 5cm altering to chlorite.	<0.1	<0.1	2634363	100	110	9.7
2634364	110	120	SAO. Stringers showing preferential 40° TCA. Dark blue magnetic blobs growing to 1-5cm.	<0.1	<0.1	2634364	110	120	4.01
2634365	120	130	Grading to dark green. Moderate silicification and magnetic susceptibility throughout.	<0.1	<0.1	2634365	120	130	7.68
2634366	130	140	Transition to less silicified, light-medium green diorite. Slight silicification. Weakly magnetic throughout. Quartz/carbonate stringers show some preference toward ~40° TCA but generally random.	<0.1	<0.1	2634366	130	140	6.44

2634367	140	150	Grade back to dark green diorite. Quartz/lesser carbonate stringers and fractures @ 20° TCA. Fewer dark blue blobs and overall drop in magnetism. SAO SAO, reappearance of dark blue magnetic blobs. Grading in between medium and dark green diorite. Highly chloritized. Dark blue magnetic blobs sometime following/associated with quartz/lesser carbonate stringers now angled at 45° TCA. 5-20cm sections of almost pure biotite. Grade back into light-medium green diorite. Clay stringers creating brecciated sections intermittently. Weak to strong magnetism throughout. Medium-dark green diorite again. Weakly magnetic.	<0.1	<0.1	2634367	140	150	5.73
2634368	150	160		<0.1	<0.1	2634368	150	160	4.8
2634369	160	170		<0.1	<0.1	2634369	160	170	5.7
2634370	170	180		<0.1	<0.1	2634370	170	180	7.02
2634371	180	190		<0.1	<0.1	2634371	180	190	7.15
2634372	190	200.25		<0.1	<0.1	2634372	190	200.25	14.77

EOH

Logged by: Tom Dyakowski

Drill Hole ID: DDH-3

Date: Nov-18-2019

Coordinates: 656783 / 5483039

Azimuth/Dip: Vertical

Field Log				Lab Results				
From (m)	To (m)	Box #	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
3	6.63	1	Diorite? To Qtz Gabbro?, black-grey-green, chloritized, medium grained massive to weakly foliated at ~50deg tca. At 5m: Cpy+Py bleb approx 3cm diam. With malachite halo, appears to be within rock mass (not fracture). Hematite staining/alt on most fracture surfaces. Trace fine disseminated sulphides (~0-1% py+cpy). At 11.28m: trace malachite on fracture surface. 14.5-16.2m: dark grey-black fine grained rock (intrusive?), magnetic, abundant qtz banding approx 2-5mm thick, trace py+cpy associated with qtz banding. Below 16.2m: back to diorite	2632851	3	4	Split	34.34
				2632852	4	4.5	Split	54.26
				2632853	4.5	5	Split	1169.26
				2632854	5	6	Split	133.1
6.63	10.53	2	alternating zones of diorite and fine grained magnetic rock.	2632855	6	7	Split	113.2
10.53	14.66	3		2632856	7	9	Split	166.5
14.66	18.82	4		2632857	9	12	Split	126.54
				2632858	12	15	Split	114.38
				2632859	15	16	Split	41.58
				2632860	16	16.5	Split	100.11
18.82	23.02	5		2632861	16.5	17.5	Split	75.14
23.02	27.17	6		2632862	17.5	20.5	Split	128.26
27.17	31.11	7		2632863	20.5	23.5	Split	162.15
31.11	34.96	8		2632864	23.5	26.5	Split	114.96
34.96	39.01	9		2632865	26.5	29.5	Split	125.05
				2632866	29.5	32.5	Split	114.65
			2632867	32.5	35.5	Split	167.7	
			2632868	35.5	38	Split	180.09	
39.01	43.24	10	At 39.01m: qtz vein containing 5mm thick cpy+malachite blebs in vein selveges (vein within fine black rock zone)	2632869	38	39	Split	146.05
				2632870	39	39.5	Split	679.76
				2632871	39.5	40.5	Split	169.4
				2632872	40.5	42.5	Split	151.58
43.24	47.2	11	2632873	42.5	44.5	Split	109.82	
47.2	51.32	12	2632874	44.5	46.5	Split	95.62	
51.32	55.3	13	Sulphide percentage becoming more abundant. Still trace but noticeably more (~2-5%) occurring as disseminations and as concentrated bands. Becoming moderately magnetic with depth gouge zone at 57m	2632875	46.5	48.5	Split	382.41
				2632876	48.5	50.5	Split	142.21
				2632877	50.5	52.5	Split	122.81
				2632878	52.5	54.5	Split	211.2
55.3	59.65	14	2632879	54.5	56.5	Split	284.36	
59.65	63.49	15	changing in colour - becoming lighter diorite, higher percentage of felsic minerals. Zones of massive as well as foliated/banded at 30-40deg tca. Highly magnetic zones of massive magnetite occurring as blebs and bands. Siliceous alteration. Green -white-black.	2632880	56.5	58.5	Split	132.61
				2632881	58.5	60.5	Split	190.64
				2632882	60.5	62.5	Split	60.06
63.49	67.57	16	75.7-77.5m: highly broken area with significant hematite staining on fracture faces as well as obvious pyrite cubes, red-	2632883	62.5	64.5	Split	279.38

67.57	71.59	17	green alteration.
71.59	75.69	18	78-81m brecciated/stockwork zone.
75.69	79.68	19	
79.68	83.88	20	
83.88	87.93	21	
87.93	92.02	22	
92.02	96.17	23	
96.17	99.87	24	below 91m: grading back into massive to moderately foliated diorite, grey-green-white-black, banded zones with bands of magnetite, less felsic/siliceous than above. Sulphide percentage (cpy+py) seems to still be increasing in abundance, still trace (~1-3%) occurring with magnetite blebs and bands. black Magnetite blebs containing sulphides (~10mm diam) in a qtz groundmass.
99.87	104.32	25	105.8-107.4m potassic altered siliceous zone.
104.32	108.41	26	
108.41	112.56	27	
112.56	117.26	28	
117.26	121.45	29	
121.45	125.45	30	
125.45	129.6	31	
129.6	133.8	32	
133.8	137.85	33	
137.85	142.04	34	

2632884	64.5	66.5	Split	194.49
2632885	66.5	68.5	Split	244.73
2632886	68.5	70.5	Split	64.75
2632887	70.5	72.5	Split	104.22
2632888	72.5	74.5	Split	45.8
2632889	74.5	76.5	Split	23.49
2632890	76.5	77.5	Split	28.41
2632891	77.5	78.5	Split	52.85
2632892	78.5	80.5	Split	40.73
2632893	80.5	82.5	Split	71.68
2632894	82.5	84.5	Split	120
2632895	84.5	86.5	Split	26.61
2632896	86.5	88.5	Split	171.92
2632897	88.5	90.5	Split	159.81
2632898	90.5	92.5	Split	185.95
2632899	92.5	94.5	Split	286.57
2632900	94.5	96.5	Split	307.91
2634951	96.5	98.5	Split	154.74
2634952	98.5	100.5	Split	151.01
2634953	100.5	102.5	Split	129.78
2634954	102.5	104.5	Split	44.38
2634955	104.5	106.5	Split	91.99
2634956	106.5	107.5	Split	122.2
2634957	107.5	108.5	Split	176.39
2634958	108.5	110.5	Split	207.48
2634959	110.5	112.5	Split	180.36
2634960	112.5	114.5	Split	231.22
2634961	114.5	116.5	Split	419.84
2634962	116.5	118.5	Split	175.36
2634963	118.5	120.5	Split	134.1
2634964	120.5	122.5	Split	69.73
2634965	122.5	124.5	Split	248.71
2634966	124.5	126.5	Split	137.98
2634967	126.5	128.5	Split	80.26
2634968	128.5	130.5	Split	109.62
2634969	130.5	132.5	Split	62.73
2634970	132.5	133.5	Split	106.27
2634971	133.5	134.5	Split	62.86
2634972	134.5	135.5	Split	62.82
2634973	135.5	136.5	Split	138.38
2634974	136.5	138.5	Split	71.95
2634975	138.5	139.5	Split	64.59
2634976	139.5	140	Split	93.47
2634977	140	140.5	Split	117.92

142.04	146.04	35
146.04	150.09	36
150.09	154.57	37
154.57	158.08	38
158.08	162.88	39
162.88	166.72	40
166.72	171.73	41
171.33	175.67	42
175.67	180.12	43
180.12	185.22	44
185.22	188.06	45
188.06	192.43	46

below 162m: change in rock/texture to grey-white banded siliceous rock. Visible decrease in sulphides. Signs of folding within this zone. Sulphides still present however they seem to be restricted to bands/occur preferential to banding/folding.

172.8-174m: massive granitic intrusion

below 174m: diorite, grey-green-white-black, massive to weakly foliated, trace sulphides

2634978	140.5	141	Split	58.94
2634979	141	142	Split	66.72
2634980	142	143	Split	67.95
2634981	143	144	Split	39.2
2634982	144	145	Split	135.28
2634983	145	146	Split	172.6
2634984	146	147	Split	44
2634985	147	148	Split	34.84
2634986	148	149	Split	27.71
2634987	149	150	Split	30.37
2634988	150	151	Split	42.67
2634989	151	152	Split	33.3
2634990	152	153	Split	40.23
2634991	153	154	Split	48.22
2634992	154	155	Split	75.04
2634993	155	156	Split	75.69
2634994	156	157	Split	107.64
2634995	157	158	Split	130.58
2634996	158	159	Split	175.94
2634997	159	160	Split	319.38
2634998	160	161	Split	770.65
2634999	161	162	Split	446.92
2635000	162	163	Split	110.58
2634501	163	164	Split	119.83
2634502	164	165	Split	95.38
2634503	165	166	Split	110.48
2634504	166	167	Split	107.53
2634505	167	168	Split	266.23
2634506	168	169	Split	78.77
2634507	169	170	Split	175.66
2634508	170	172	Split	136.69
2634509	172	174	Split	95.98
2634510	174	176	Split	114.18
2634511	176	178	Split	98.03
2634512	178	180	Split	358.15
2634513	180	182	Split	318.58
2634514	182	184	Split	538.15
2634515	184	186	Split	59.18
2634516	186	188	Split	220.6
2634517	188	190	Split	111.65

188.00	192.43	46
192.43	196.58	47
196.58	201.05	48
201.05	205.25	49
202.25	206.35	50

199-200m breccia zone, host clasts in a qtz. Matrix.

EOH

2634518	190	192	Split	99.02
2634519	192	194	Split	129.37
2634520	194	196	Split	69.56
2634521	196	198	Split	41.56
2634522	198	200	Split	90.46
2634523	200	202	Split	76.06
2634524	202	204	Split	137.39
2634525	204	206.35	Split	112.4

Logged by: Raymond Wladichuk

Drill Hole ID: DDH-4

Coordinates: 655373 / 5485822

Date: November 08-09, 2019

Azimuth/Dip: 145 / 70

Field Log			Lab Results				
From (m)	To (m)	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
4.6	7.7	gabbro, fine grained, trace fine disseminated sulphides (Py), dark grey-black with varying amounts of plag phenos, oxidation within fractures. Highly fractured.	2634331	4.6	7.1	Split	111
7.7	9.87	brown, highly, oxidized, moderately magnetic, feldspar altering to clay minerals. Contains 1-3mm thick carbonate stringers & oxidized stringers, host rock also reactive to HCl. 8.0-8.23m gouge zone	2634301	7.1	10	Split	231
9.87	11.8	Siliceous, light grey, trace fine-medium disseminations of sulphides (Py). At 11.55m 5mm thick sulphide stringer. highly fractured, significant lost core.	2634302	10	13.73	Split	601
11.8	14.8	gabbro, fine-coarse grained, trace fine-coarse disseminations of sulphides (Py, Cpy?) some of which have oxidized to hematite nodules approx. 5mm diam., dark grey-black with varying amounts of plag phenos which range from fine to coarse grained, oxidation within fractures. Mixing texture of different grained sizes. at 14m minor malachite noted on oxidized (Hem) fracture face	2634303	13.73	14.8	Split	589
14.8	17.3	highly altered medium-coarse gabbro. Significant oxidation (Hem) stringers criss-crossing core. Grey-black-green. Trace Py. Trace black hematite throughout. 15.2-15.4m clay gouge zone reactive to HCl 15.4-15.6m white, silicious alteration with chlorite alteration.	2634304	14.8	17.4	Split	192
		Gabbro, dark grey-black-white-green, fine to coarse grained, weakly foliated at 60deg tca to massive. Plag pheno percentage varies from trace to abundant. Trace fine-medium disseminated sulphides throughout (Py, Cpy). Most fracture faces contain hematite oxidation. At 22.55m trace Malachite on fractured face.	2634306	17.4	20.3	Split	247

17.3

93.2

At 23.05m trace malachite on fractured face.

29.5.5-31m highly magnetic. Slightly more abundant Cpy (<10%), possibly trace Bornite, significant magnetite.

at 31.47m minor malachite on fracture surface.

38.06 to 38.9m fine grained black

below 38.9m becoming medium-coarse grained

at 42.7m sub vertical 2-5mm thick carbonate-hemantite vein containing trace sulphides (Py).

44.81-45.2m becoming purple with hematite and carbonate alteration,

46-50m sub vertical oxidized stringers approx 2-5mm thick.

51.91-52.32m white-green, chlorite-sericite-silica altered, crosscutting hem stringers.

54.95m 20cm thick gouge zone.

56.5-56.8m gouge zone

59.7-55.4m gouge zone

60.5-60.35m brown hem-carb altered slightly magnetic,

69.19m 10cm thick gouge zone

74.14-74.74m fine grained black

below 74.74m increasing amount of silica alteration with lesser amount of carbonate alteration, chlorite-sericite-epidote? alteration. Qtz carbonate stringers and veins more abundant up to 20cm thick randomly oriented TCA.

80.83-81m brecciated into 2mm-10mm angular clasts in a qtz-carb matrix.

81.38-82.4m fine grained black.

83-83.1m qtz pod with approx close to 10% sulphides.

2634307	20.3	22.3	Split	99
2634315	22.3	23.3	Split	650
2634308	22.3	25.3	Split	45
2634309	25.3	28.3	Split	169
2634310	28.3	29	Split	92
2634311	29	30	Split	482
2634312	30	31	Split	1115
2634313	31.47	32.5	Split	1402
2634314	32.5	32.8	Split	315
2634316	32.8	35.66	Split	75
2634318	35.66	38.25	Split	43
2634319	38.25	41.26	Split	30
2634320	41.26	44.35	Split	32.04
2634321	44.35	47.35	Split	179.62
2634322	47.35	50.1	Split	31.27
2634323	50.1	51.1	Split	17.22
2634324	51.1	52.1	Split	267.15
2634325	52.1	53.1	Split	469.75
2634326	53.1	54.4	Split	180.78
2634327	54.4	55.4	Split	2782.84
2634328	55.4	56.4	Split	316.88
2634329	56.4	59.4	Split	779.09
2634330	59.4	61.7	Split	188.22
2634332	61.7	64.7	Split	258.16
2634333	64.7	67.7	Split	362.02
2634334	67.7	70.7	Split	454.83
2634335	70.7	73.7	Split	300.68
2634336	73.7	75.35	Split	279.09
2634337	75.35	78.18	Split	137.52

			2634338	78.18	83.31	Chip	69.58
			2634339	83.31	84.31	Split	543.58
			2634340	84.31	86.31	Split	170.94
			2634341	86.31	90.2	Split	255.01
			2634342	90.2	93.2	Split	113.62

EOH

Logged by: Raymond Wladichuk

Drill Hole ID: DDH-4B

Date: November 09 - November 10, 2019

Coordinates: 655373 mE / 5485822 mN

Azimuth/Angle: 070 / 60

Field Log				Lab Results				
From (m)	To (m)	Box	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
3.05	9.08	1	Gabbro - black-white-green, fine to coarse grained, massive. Plag phenos vary from fine to coarse and vary in abundance. Plag phenos in a black hbl groundmass. Trace (<1%) fine disseminations of sulphide (py+cpy). Hem oxidation on fracture faces. 14.2-23.2m mostly fine grained black with lenses of medium-coarse grained plag phenos 10-30cm thick. weakly foliated at 35deg tca. Qtz carb stingers throughout. 28.82-31.27m fine grained black 31.27-32.9m green-black, weakly foliated at 60 deg tca. 35.3-39.31m obvious change in texture to massive medium grained. Hbl and mafic black phenos in a plag groundmass, minor potassic(?) alteration. Gabbro - black-grey, fine grained, weakly foliated at 55deg tca. Below 43.5m becoming green, chlorite altered, increase in plag content, trace fine disseminated sulphides. Qtz-carb stingers throughout. Becoming more altered with depth 50.4-52m rock is altered to being gouge and clay gouge with sections of slightly more competent.	2634051	3.05	13.05	Chip	107.18
9.08	13.43	2		2634052	13.05	23.05	Chip	107.64
13.43	17.47	3		2634053	23.05	33.05	Chip	63.1
17.47	21.92	4		2634054	33.05	43.05	Chip	53.33
21.92	26.07	5						
26.07	30.27	6						
30.27	34.36	7						
34.36	35.3	8						
35.3	38.26							
38.26	42.38	9						
42.38	46.59	10						
46.59	50.9	11	2634055	43.05	46.05	Split	56.51	
50.9	54.9	12	2634056	46.05	49.05	Split	254.85	
			2634057	49.05	52.05	Split	151.38	
54.9	59.1	13	2634058	52.05	54.05	Split	41.78	
			2634059	54.05	56.05	Split	59.89	
			2634060	56.05	57	Split	1668.08	
			2634061	57	58	Split	301.47	
59.1	62.94	14	2634062	58	59	Split	230.8	
			2634063	59	60	Split	51.58	
			2634064	60	60.5	Split	1877.08	
			2634065	60.5	61	Split	4863.22	
			2634066	61	62	Split	3344.84	
			2634067	62	63	Split	2264.49	
			2634068	63	64	Split	2674.81	
62.94	66.89	15	2634069	64	65	Split	1109.99	
			2634070	65	66	Split	751.48	
			2634071	66	67	Split	1913.88	
66.89	71.2	16	2634072	67	68	Split	164.17	
			2634073	68	69	Split	46.53	
			2634074	69	70	Split	56.37	
			2634075	70	72	Split	397.27	
			2634076	72	73	Split	1290.59	
			2634077	73	74	Split	888.23	
71.2	75.74	17	below 75m becoming less altered, transitioning back into gabbroic rock.					

				2634078	74	75	Split	1489.66
75.74	79.83	18	Gabbro, black-grey-green, trace disseminated fine sulphides throughout, massive to weakly foliated, contains some gouge zones and qtz-carb alteration. At 80.5m clay gouge zone	2634079	75	77	Split	262.07
				2634080	77	79	Split	27.84
				2634081	79	80	Split	110.52
				2634082	80	81	Split	313.15
79.83	84.03	19		2634083	81	82	Split	1484.73
			2634084	82	83	Split	407.23	
			2634085	83	84	Split	1519.34	
84.03	88.33	20	below 87m Gabbro with intermediate intrusive (diorite?). Trace fine disseminated sulphides.	2634086	84	86	Split	714.47
				2634087	86	88	Split	903.56
88.33	92.58	21		2634088	88	90	Split	33.48
				2634089	90	92	Split	37.97
92.58	93.57	22		2634090	92	93.5	Split	473.09

EOH

Logged by: Raymond Wladichuk

Drill Hole ID: DDH-5

Date: November 20-22, 2019

Coordinates: 657310 / 5483598

Azimuth/Dip: Vertical

Field Log				Lab Results				
Box #	From (m)	To (m)	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
1	3	8.58	Diorite? Grey-white-black, medium grained. Massive to very weakly foliated. 5-6m: malachite staining on fracture faces.	2634551	3	4	Split	99.93
				2634552	4	5	Split	3098.04
2	8.58	12.63	At 8.23m 35cm thick fine grained mafic intrusion. Below 11m: becoming green and more foliated - gabbro?	2634553	5	8.58	Split	476.26
				2634554	8.58	12.63	Chip	42.96
3	12.63	16.62	qtz gabbro-metadiorite(?), green-back-grey, medium grained, massive to weakly foliated at 50 deg tca, lots of chlorite-after-amphibole altered. Pinor pink potassic alteration throughout. (<1% sulphides throuhout) 23.5-26.5m: gouge zone, clay gouge and rubble. 30-60m?: rock appears lighter in colour due to alteration, potassic veining/alteration noted, trace sulphides (py+cpy) occur as disseminations, sulphides are fine to medium grained. Qtz stringers x-cutting core in randmonly orientations. Minor carbonate alteration. sulphides often occuring in association with stringers.	2634555	12.63	16.62	Chip	161.71
4	16.62	20.77		2634556	16.62	20.77	Chip	121.03
5	20.77	25.77		2634557	20.77	25.77	Chip	104.05
6	25.77	30.01		2634558	25.77	30.01	Chip	166.89
				2634559	30.01	32	Split	108.19
7	30.01	34.91		2634560	32	34	Split	112.43
				2634561	34	36	Split	99.6
8	34.91	38.93		2634562	36	38	Split	171.46
				2634563	38	40	Split	96.61
9	38.93	43.02		2634564	40	42	Split	98.18
			2634565	42	43	Split	174.5	
10	43.02	47.42	2634566	43.02	47.42	Chip	97.09	
11	47.42	51.55	2634567	47.42	51.55	Chip	109.77	
12	51.55	55.7	2634568	51.55	55.7	Chip	178.37	
13	55.7	60.05	2634569	55.7	60.05	Chip	234.46	
14	60.05	64.14	62.5-64m: highly altered zone, very soft rock.	2634570	60.05	64.14	Chip	255.3
15	64.14	69.1		2634571	64.14	69.1	Chip	197.42
16	69.1	73.39		2634572	69.1	73.39	Chip	196.76
17	73.39	77.5		2634573	73.39	77.5	Chip	145.61
18	77.5	81.58	75.64-77.5: fine grained mafic intrsuion. (x2). at 98m: chalcopyrite vein, 15mm-3mm thick. (sample # 2634579)	2634574	77.5	81.58	Chip	571.96
19	81.58	85.78		2634575	81.58	85.78	Chip	639.66
20	85.78	89.63		2634576	85.78	89.63	Chip	557
21	89.63	93.57		2634577	89.63	93.57	Chip	720.45
22	93.57	97.72		2634578	93.57	97.72	Chip	857.04
23	97.72	101.67		2634579	97.72	98.22	Split	8337.34
				2634580	98.22	98.72	Split	1016.81

					2634581	98.72	99.7	Split	705.45
24	101.67	105.8			2634582	99.7	101.67	Split	395.87
25	105.8	109.53			2634583	101.67	105.8	Chip	338.56
26	109.53	113.66			2634584	105.8	109.53	Chip	532.55
27	113.66	117.16			2634585	109.53	113.66	Chip	474.2
28	117.16	121.01			2634586	113.66	117.16	Chip	172.81
29	121.01	125			2634587	117.16	121.01	Chip	418.34
30	125	129.15	below ~130m: becoming more massive gtz-gabbro-dioritic, still green chlorite altered.		2634588	121.01	125	Chip	483.47
31	129.15	133.05			2634589	125	129.15	Chip	518.61
32	133.05	136.95	146-146.6m: fine grained mafic intrusion with abundant qtz stringers.		2634590	129.15	133.05	Chip	4376.91
33	136.95	142.14			2634591	133.05	136.95	Chip	1111.44
34	142.14	146.09	Same as above		2634592	136.95	142.14	Chip	480.92
35	146.09	150.24			2634593	142.14	146.09	Chip	447.79
36	150.24	154.4			2634594	146.09	150.24	Chip	247.12
37	154.4	158.43			2634595	150.24	154.4	Chip	60.23
38	158.43	162.68			2634596	154.43	158.43	Chip	71.51
39	162.68	166.88			2634597	158.43	162.68	Chip	97.56
					2634598	162.68	165.43	Split	317.51
					2634599	165.43	165.93	Split	91.49
40	166.88	170.92			2634600	165.93	166.43	Split	63.62
41	170.92	174.26			2634901	166.43	166.9	Split	338.2
42	174.26	178.72			2634902	166.9	170.92	Chip	77.59
43	178.72	182.67			2634903	170.92	174.26	Chip	79.69
44	182.67	186.51			2634904	174.26	178.72	Chip	101.38
45	186.51	191.01			2634905	178.72	182.67	Chip	103.08
46	191.01	194.66			2634906	182.67	186.51	Chip	230.55
47	194.66	198.76			2634907	186.51	191.01	Chip	31.8
48	198.76	200.25			2634908	191.01	194.66	Chip	74.01
					2634909	194.66	198.76	Chip	89.03
					2634910	198.76	200.25	Chip	91.67

EOH

Logged by: Raymond Wladichuk

Drill Hole ID: DDH-6

Date: Nov-24-2019

Coordinates: 656538 / 5483286

Azimuth/Dip: Vertical

Field Log				Lab Results				
Box #	From (m)	To (m)	Description	Sample ID	From (m)	To (m)	Type	Cu PPM
1	6.1	11.28	6.1-44m: Diorite - grey-white-black-green, medium grained, massive to weakly foliated. Disseminated sulphides (Py, cpym- predominately py) throughout.	2634851	6.1	11.28	Chip	75.27
2	11.28	15.8		2634852	11.28	15.8	Chip	95.12
3	15.8	20.42	At 16.5m: pink potassic qtz vein, sub-vertical, approx. 10mm thick.	2634853	15.8	20.24	Chip	134.43
4	20.42	24.47		2634854	20.42	24.47	Chip	150.18
5	24.47	28.27	29.5-30.26m: siliceous zone/fine grained, grey-banded-green, sulphides occurring as laminations a couple mm thick.	2634855	24.47	28.27	Chip	169.93
6	28.27	32.26		2634856	28.27	32.26	Chip	138.6
7	32.26	36.16		2634857	32.26	36.16	Chip	143.59
8	36.16	40.46	38.5-44m: siliceous zone/fine grained, grey-white banded with pink (iron contamination? potassic?), sulphides occurring as laminations and disseminated.	2634858	36.16	40.46	Chip	46.47
9	40.46	44.41		2634859	40.46	44.41	Chip	45.37
10	44.41	48.25	44-45.35m: black fine grained rock, qtz-carb veins/stringers throughout.	2634860	44.41	48.25	Chip	39.4
			45.35-49m: siliceous banded zone like that above, sulphides occurring as laminations. Grey-white-black-sulphide banded. Pinkish bands.					
11	48.25	52.14	59-57m: black, fine grained rock containing qtz veining and stringers. Disseminated sulphides throughout and within veins/stringers.	2634861	48.25	50.25	Split	65.7
12	52.14	56		2634862	50.25	52.14	Split	106.94
13	56	60.05		2634863	52.14	56	Chip	111.15
14	60.05	64.19	below 57-122.2m: Meta diorite?, fine grained banded -grey, siliceous, some qtz-healed brecciation and veining. Contains black magnetic bands of magnetite. Disseminated sulphides and laminations still present throughout.	2634864	56	60.05	Chip	100.89
15	64.19	69.69		2634865	60.05	64.19	Chip	95.43
16	68.69	72.59		2634866	64.19	68.69	Chip	76.91
17	72.59	76.84		67.95m: 0.3m thick qtz vein	2634867	68.69	71.69	Split
			below 73.74m: brassy magnetic sulphide (po) becoming obvious as disseminations and as blebs up to 10mm diam.	2634868	71.69	72.59	Split	88.58
				2634869	72.59	73.59	Split	97.44
18	76.84	80.93	103.62-109.6m: fine grained grey-black intrusion, medium plag phenos.	2634870	73.59	74.59	Split	51.71
				2634871	74.59	77.94	Split	87.11
				2634872	77.94	78.94	Split	94.19
				2634873	78.94	80.93	Split	109.89
				2634874	80.93	85.13	Chip	68.03
				2634875	85.13	88.78	Chip	59.44
				2634876	88.78	93	Chip	98.29
19	80.93	85.13	2634877	93	97.27	Chip	111.65	
20	85.13	88.78	2634878	97.27	101.42	Chip	97.07	
21	88.78	93	2634879	101.42	105.57	Chip	68.28	
22	93	97.27						
23	97.27	101.42						
24	101.42	105.57						

25	105.57	109.71
26	109.71	113.5
27	113.5	117.36
28	117.36	121.15
29	121.15	125.15
30	125.15	129.57
31	129.57	134.12
32	134.12	138.28
33	138.28	142.34
34	142.34	146.46
35	146.46	150.54
36	150.54	155.03
37	155.03	159.4
38	159.4	163.6
39	163.6	167.8
40	167.8	172
41	172	176.2
42	176.2	180.3
43	180.3	184.01
44	184.01	188.06
45	188.06	192.01
46	192.01	195.96
47	195.96	200
48	200	200.25

122.2m: contact with black fine to coarse grained mafic/ultra mafic-massive magnetite formation, ultramafic?. Contains trace disseminated fine-medium grained sulphides. Vuggy. Rare blebs of olivine. Sphidies seem to occur in conjunction with Olivine. Qtz stringers throughout.


2634880	105.57	109.71	Chip	179.2
2634881	109.71	113.5	Chip	67.71
2634882	113.5	117.36	Chip	47.23
2634883	117.36	121.15	Chip	66.88
2634884	121.5	122.15	Split	48.56
2634885	122.15	125.15	Split	7.05
2634886	125.15	127.15	Split	5.16
2634887	127.15	129.57	Split	4.41
2634888	129.57	134.12	Chip	7.08
2634889	134.12	138.28	Chip	4.85
2634890	138.28	142.34	Chip	18.1
2634891	142.34	145.39	Chip	604.16
2634892	145.39	145.89	Split	215.15
2634893	145.89	146.39	Split	7.63
2634894	146.46	150.54	Chip	13.56
2634895	150.54	155.03	Chip	9.44
2634896	155.03	159.4	Chip	5.59
2634897	159.4	163.6	Chip	20.47
2634898	163.6	167.8	Chip	10.1
2634899	167.8	172	Chip	5.21
2634900	172	176.2	Chip	8.99
2634201	176.2	180.3	Chip	6.26
2634202	180.3	184.01	Chip	13.05
2634203	184.01	188.06	Chip	118.85
2634204	188.06	192.01	Chip	304.14
2634205	192.01	195.96	Chip	167.45
2634206	195.96	200	Chip	14.91
2634207	200	200.25	Chip	NR

EOH

NR = Sample results not received

Logged by: Raymond Wladichuk


DDH-1




DDH-1 Cross Section Legend

- Quartz Gabbro-Diorite
- Qtz Intrusion
- Brecciated Zone
- Siliceous Brecciated Zone
- Significant Intersections








DDH-2





DDH-3



DDH-3 Cross Section Legend

-  Diorite/Quartz Gabbro, Sulphides Throughout
-  Mafic Intrusion
-  Hematite Staining with Pyrite Cubes
-  Breccia Zone
-  Potassic Altered Siliceous Zone
-  Granitic Intrusion
-  Significant Intersections


DDH-4 & DDH-4B




DDH-4 & DDH-4B Cross Section Legend

- Gabbro
- Abundant Gouge Zone
- Mafic Intrusion
- Clay Gouge
- Shear Zone
- Significant Intersections

DDH-5



DDH-6



DDH-6 Cross Section Legend

- Meta Diorite-Quartz, Sulphides Throughout
- Siliceous Zone
- Qtz Veining/Stringers
- Fine Grained Mafic Intrusion
- Fine to Coarse Grained Ultramafic
- Significant Intersections

APPENDIX C

REGIONAL GEOLOGY

Refer to Figure 2 (Appendix A) for geology map.

The Olivine Mountain property is hosted by the Tulameen Ultramafic Complex that is interpreted to have been a lower crustal slab that was obducted between the Quesnel and Cache Creek terranes along a regional-scale fault system during the Early Jurassic Period. J.W.H. Monger (1989) recorded the extent and contact relationships of the Tulameen Ultramafic Complex.

The geology of the Tulameen Ultramafic Complex was described by P.A. Smith and W.P. Yeomans, (2001) as follows:

... The Tulameen ultramafic complex is situated immediately west of the juncture between the Quesnelia tectonostratigraphic terrane with the Mount Lytton complex, and is situated within the southwestern Intermontaine Belt (Figure 5). Early Tertiary “transtensional” block faulting related to regional right-lateral transform movement that has taken place along the Fraser River - Straight Creek fault system (Monger, 1985).

The Tulameen ultramafic complex (TUC) covers an area of 64 square kilometers (23.8 mi²), which makes it the largest of all Alaskan-type ultramafic complexes that occur within the Intermontaine Belt. The TUC extends north-northwest for 20 kilometers (12.2 mi) between Grasshopper Mountain and Arrastrada Creek in the south, parallel to the contact between Upper Triassic Nicola Group volcanics and metasedimentary rocks, and the granitic terrane of the Eagle Plutonic complex located to the west. The Nicola Group volcanic host rocks in this region are generally intermediate to felsic in composition and belong to the western facies of the Upper Triassic Nicola volcanic assemblage (Nixon and Rublee, 1988). This assemblage has undergone greenschist to amphibolite grade metamorphism.

The lithologies of the TUC are Early Jurassic, elongate ultramafic to gabbroic intrusive bodies. The Tulameen ultramafic assemblage was emplaced into the Upper Triassic Nicola Group during a Late Jurassic deformation event. During this time, Nicola Group volcanics were folded along north to northwest trending fold axes ... Age dates for the complex yield a preferred age of 175 Ma (Mid-Jurassic) ... The eastern margin of the TUC and its local Nicola volcanic assemblage are unconformably overlain by terrigenous metasedimentary and metavolcanic assemblages of the Early Tertiary (Eocene) Princeton Group along with Miocene plateau basalt flows.

... The TUC displays a crude lop-sided concentric arrangement of a central dunite core surrounded by olivine-clinopyroxenite, hornblende clinopyroxenite, and gabbroic rocks (Figure 6). The tectonic history during the emplacement of the TUC intrusive assemblage was complex and a multiple stage event ...

Smith, P.A. and Yeomans, W.P; 2001: pp. 1-5 - 1-6.

A table of geological events and lithological units around the Olivine Mountain property is as follows:

Table of Geologic Events and Lithologic Units in the Olivine Mountain Area

Time	Formation or Event
Recent 0.01-0 m.y.	Valley rejuvenation: Down cutting of stream gullies through till, development of soil profiles.
Pleistocene 1.6-0.01 m.y.	Glacial erosion and deposition: Removal of Tertiary-age regolith, deposition of till and related sediments at lower elevations, smoothing of the Tertiary-age land surface.
Miocene to Pliocene 23.8-1.5 m.y.	Intrusion of basaltic dykes and deposition of flows on erosional surfaces
Eocene 56.5-35.4 m.y.	Tensional faulting: Deposition of the Princeton Group flood basalt, clastic sediments, and coal seams on the erosional surface. MINERALIZATION: Deposition of malachite and azurite on late fracture surfaces and chalcocite beneath a weathering surface in the Olivine Mountain property area. Deposition of coal seams in deltaic sediments on surface..
Eocene to Pliocene 57.1-1.6 m.y.	Erosion, and unroofing of the rocks, incision of the land surface:
Late Cretaceous to Eocene 97-57.1 m.y.	Development of the Shuswap Metamorphic Complex east of the Princeton area. Disruption of stratigraphy by northerly trending transcurrent faults, onset of regional erosion. Development of potassic alteration of varying intensity throughout the Olivine Mountain property area that is coeval with calc-alkalic porphyry development east of Princeton MINERALIZATION: Re-mobilization of base, precious, and platinum-group metals into shears and fractures at the Olivine Mountain property
Early to Middle Cretaceous 146-97 m.y.	Thrust and transcurrent faulting, and deformation of the Cache Creek terrane:
Early Jurassic to Middle Cretaceous 200-130 m.y.	Columbian Orogeny: Deformation of Cache Creek rocks in a northeastward dipping subduction zone, accretion of Nicola Group rocks to North America: progressive deformation and regional metamorphism, overriding of Cache Creek and Quesnel terrain rocks onto Kootenay Arc strata, intense deformation, uplift, regional metamorphism. The orogeny progressed from east to west. Greenschist metamorphism of the western domain on the Olivine Mountain property.
Middle to Late Jurassic 172-136 m.y.	Development of the Eagle Plutonic Complex in a shear zone west of the Tulameen Ultramafic Complex during compressive deformation.
Late Triassic Carnian to Norian 200-180 m.y.	Emplacement of the Tulameen Ultramafic Complex between the Quesnel and Cache Creek Terranes. Amphibolite-grade metamorphism throughout the Olivine Mountain property MINERALIZATION: re-mobilization of copper, other base metal, gold and platinum group metals into shears and other low-pressure zones
Late Triassic 209.6-190 m.y.	Deposition of the Nicola Group, and associated alkalic intrusions: mafic volcanics, associated sediments, and coeval dioritic sub-volcanic intrusions cut by monzonitic to dioritic stocks in an island arc environment. Development of the Tulameen Ultramafic Complex at depth in the crust. MINERALIZATION: development of Alkalic porphyry copper-gold deposits in hydrothermal systems in Nicola Group rocks. Development of cumulate layers containing high concentrations of copper, nickel, cobalt, gold and platinum group metals
	m.y. = million years ago

NOTE: Data for this table was compiled by Tom Dyakowski from various sources.

(Wladichuk, Dyakowski, 2018)

APPENDIX D

GEOCHEMISTRY
REPORTS



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 22, 2019
Report Date: December 07, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: DDH1 / DDH2
P.O. Number
Number of Samples: 48

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	48	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ250_EXT	48	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC: Simon Dyakowski


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method Analyte Unit MDL	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2632801	Drill Core	4.14	0.24	128.43	3.12	67.8	73	37.0	25.2	746	4.32	2.6	0.3	2.5	0.9	298.2	0.05	0.38	<0.02	175	2.23
2632802	Drill Core	4.55	0.50	173.26	1.69	65.9	95	30.8	26.2	887	4.44	2.2	0.6	1.3	1.2	313.3	0.05	0.25	<0.02	197	2.98
2632803	Drill Core	2.50	0.21	135.86	2.72	71.1	55	28.1	24.1	1255	4.40	2.8	0.7	3.0	1.3	318.3	0.06	0.40	<0.02	204	5.69
2632804	Drill Core	6.72	0.59	177.28	2.20	80.3	82	28.2	25.6	908	4.34	2.3	0.7	1.1	1.3	333.5	0.05	0.23	<0.02	199	2.91
2632805	Drill Core	2.24	1.58	188.80	2.15	73.4	96	16.5	21.5	954	3.59	2.2	0.5	1.6	1.2	330.7	0.06	0.20	<0.02	157	4.05
2632806	Drill Core	2.15	4.59	339.33	1.79	76.3	141	10.7	21.7	806	4.22	1.7	0.5	1.7	1.1	295.4	0.09	0.19	<0.02	206	2.43
2632807	Drill Core	2.02	44.59	1176.58	1.25	70.9	71	7.9	19.7	949	3.76	1.2	0.3	3.2	0.9	271.2	0.11	0.09	<0.02	177	3.80
2632808	Drill Core	5.94	0.49	250.04	1.15	61.0	124	18.6	18.8	688	3.87	0.9	0.3	3.0	0.7	280.7	0.03	0.11	<0.02	162	1.75
2632809	Drill Core	4.98	0.47	208.93	1.33	57.1	85	6.5	16.4	677	3.12	1.1	0.2	<0.2	0.6	275.0	0.03	0.13	<0.02	155	1.68
2632810	Drill Core	6.22	0.56	219.18	1.52	60.7	140	6.8	16.7	811	3.46	1.1	0.2	2.4	0.7	273.2	0.07	0.33	0.02	167	2.44
2632811	Drill Core	5.26	0.48	173.85	1.63	62.7	119	6.8	18.2	782	3.72	1.9	0.3	1.6	0.9	348.9	0.03	0.41	<0.02	163	2.47
2632812	Drill Core	4.72	0.66	211.85	1.74	58.8	126	6.5	16.1	720	3.44	1.2	0.2	5.0	0.7	331.8	0.02	0.13	<0.02	148	2.09
2632813	Drill Core	4.65	0.78	206.32	2.53	59.0	120	7.0	18.1	655	3.78	1.1	0.2	2.2	0.9	228.1	0.03	0.14	<0.02	162	1.28
2632814	Drill Core	4.65	0.62	149.89	2.43	69.1	75	10.6	19.5	927	4.02	2.3	1.2	0.4	2.7	222.9	0.05	0.18	<0.02	163	2.40
2632815	Drill Core	4.28	0.67	119.61	2.22	71.5	60	20.6	22.6	885	4.56	2.7	1.2	<0.2	2.4	253.4	0.02	0.14	<0.02	192	2.00
2632816	Drill Core	4.83	0.69	140.28	2.61	80.5	65	49.6	26.1	1065	4.39	2.6	0.9	0.8	2.0	294.6	0.06	0.15	<0.02	195	2.77
2632817	Drill Core	6.03	0.55	257.44	2.41	79.9	132	44.4	25.8	1003	4.63	5.0	1.1	3.7	2.5	242.8	0.04	0.37	0.02	202	2.68
2632818	Drill Core	4.60	4.98	427.22	2.37	75.2	225	12.6	21.8	990	4.37	2.7	1.1	4.4	2.4	212.0	0.10	0.30	0.03	184	3.23
2632819	Drill Core	4.04	0.92	124.98	2.19	78.4	73	12.7	21.8	1006	4.30	2.4	1.2	2.6	2.3	194.3	0.07	0.11	<0.02	187	2.54
2632820	Drill Core	4.38	0.70	204.54	7.74	65.4	112	15.4	19.5	900	4.46	2.5	1.7	7.6	3.3	209.2	0.08	0.20	0.04	202	2.60
2632821	Drill Core	4.44	0.61	290.10	10.33	82.2	170	19.4	21.4	938	4.26	3.0	1.6	51.9	3.4	220.8	0.07	0.12	0.06	173	2.55
2632822	Drill Core	6.45	0.74	161.90	2.27	64.4	88	19.4	18.9	776	4.26	2.9	1.6	4.9	2.9	172.7	0.06	0.12	0.02	193	1.90
2632823	Drill Core	4.45	0.68	200.83	2.22	72.1	136	39.4	23.0	870	4.59	2.6	1.0	3.3	2.2	280.6	0.07	0.13	0.03	193	2.84
2632824	Drill Core	4.90	2.05	156.80	1.76	71.3	80	35.9	22.2	944	4.58	2.1	1.1	3.8	2.4	266.4	0.08	0.08	<0.02	198	2.90
2632825	Drill Core	4.87	0.72	144.97	2.16	69.8	80	31.1	20.9	761	4.52	2.8	1.7	3.6	2.7	232.1	0.04	0.24	<0.02	198	2.03
2632826	Drill Core	4.30	0.64	130.92	2.28	71.0	77	34.0	24.5	926	4.82	2.7	1.2	2.1	2.4	296.4	0.04	0.26	<0.02	215	2.87
2632827	Drill Core	1.33	0.91	39.70	3.06	55.6	37	22.6	20.6	2367	4.28	2.0	0.4	2.0	1.1	654.9	0.19	0.10	<0.02	107	8.46
2632828	Drill Core	8.28	0.55	144.26	2.19	74.7	83	33.8	24.2	1065	4.59	2.4	1.0	2.7	2.2	379.5	0.05	0.16	<0.02	199	3.32
2634353	Drill Core	3.70	0.03	28.93	0.34	8.1	27	54.6	11.0	229	1.45	0.6	<0.1	1.2	<0.1	57.7	0.02	0.03	<0.02	20	2.91
2634354	Drill Core	4.91	0.03	11.97	0.16	9.3	7	54.7	11.8	175	1.49	<0.1	<0.1	1.3	<0.1	34.7	0.01	<0.02	<0.02	22	1.64



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	0.02
2632801	Drill Core	0.207	5.3	78.9	1.98	82.5	0.144	<20	1.63	0.035	1.30	0.3	7.7	0.07	0.03	262	<0.1	0.02	5.9	2.16	0.2
2632802	Drill Core	0.223	8.3	60.4	2.01	99.7	0.144	<20	1.67	0.031	1.14	0.1	10.3	0.03	<0.02	8	<0.1	<0.02	6.9	2.90	0.2
2632803	Drill Core	0.179	8.4	53.3	2.57	92.6	0.070	<20	1.97	0.016	0.81	<0.1	17.8	0.03	<0.02	9	<0.1	<0.02	8.0	3.81	0.1
2632804	Drill Core	0.227	8.2	50.9	2.24	106.4	0.147	<20	1.87	0.034	1.25	0.1	12.6	0.04	<0.02	<5	<0.1	<0.02	7.5	2.70	0.2
2632805	Drill Core	0.204	8.5	27.3	1.77	79.0	0.115	<20	1.66	0.035	1.13	<0.1	9.3	0.05	<0.02	<5	<0.1	0.03	6.4	2.17	0.2
2632806	Drill Core	0.218	9.2	7.4	1.73	98.0	0.136	<20	1.74	0.045	1.16	<0.1	10.9	0.05	0.02	13	<0.1	<0.02	7.4	1.86	0.2
2632807	Drill Core	0.193	6.9	3.8	1.60	81.6	0.137	<20	1.56	0.043	1.32	0.1	5.2	0.05	0.11	<5	<0.1	0.04	7.0	1.53	0.1
2632808	Drill Core	0.204	7.5	34.9	1.50	97.1	0.158	<20	1.35	0.044	0.97	0.1	5.0	0.04	<0.02	9	<0.1	<0.02	5.9	0.97	0.1
2632809	Drill Core	0.220	8.4	5.4	1.36	68.5	0.129	<20	1.42	0.045	0.85	<0.1	5.4	0.05	<0.02	<5	<0.1	<0.02	5.5	1.05	0.2
2632810	Drill Core	0.202	8.0	5.3	1.66	59.8	0.125	<20	1.44	0.036	0.67	0.1	8.9	0.03	0.02	45	<0.1	<0.02	6.0	1.09	0.1
2632811	Drill Core	0.199	8.4	4.2	1.52	51.7	0.153	<20	1.32	0.040	0.51	0.2	6.9	0.02	<0.02	<5	<0.1	<0.02	5.8	0.96	0.2
2632812	Drill Core	0.214	8.0	4.9	1.15	53.7	0.149	<20	1.20	0.052	0.68	0.2	4.1	0.03	<0.02	10	<0.1	<0.02	5.2	1.00	0.2
2632813	Drill Core	0.207	7.5	3.9	1.19	53.8	0.165	<20	1.30	0.069	0.84	0.2	4.6	0.04	<0.02	16	<0.1	<0.02	4.9	1.10	<0.1
2632814	Drill Core	0.191	9.4	7.5	1.63	43.6	0.152	<20	1.58	0.077	1.04	0.2	8.5	0.06	<0.02	<5	<0.1	0.02	6.5	2.61	0.2
2632815	Drill Core	0.193	8.9	20.1	1.81	74.4	0.173	<20	1.52	0.056	0.95	0.2	7.9	0.03	<0.02	<5	<0.1	0.03	6.7	2.15	0.2
2632816	Drill Core	0.183	7.8	81.4	2.70	82.1	0.148	<20	2.08	0.036	1.26	0.1	13.1	0.04	<0.02	8	<0.1	<0.02	8.4	3.45	0.2
2632817	Drill Core	0.214	9.7	64.3	2.32	67.6	0.157	<20	1.95	0.044	1.34	0.2	11.6	0.08	0.03	43	<0.1	<0.02	8.2	3.48	0.2
2632818	Drill Core	0.202	9.8	12.1	1.66	62.2	0.153	<20	1.61	0.062	1.25	0.1	8.4	0.05	<0.02	11	<0.1	0.03	7.1	2.93	0.2
2632819	Drill Core	0.208	9.9	11.7	1.72	61.6	0.164	<20	1.70	0.073	1.10	0.1	7.9	0.05	<0.02	<5	<0.1	<0.02	7.2	2.45	0.2
2632820	Drill Core	0.216	11.2	19.0	1.54	45.3	0.181	<20	1.64	0.238	0.63	0.2	8.6	0.04	<0.02	21	<0.1	<0.02	8.0	5.43	0.2
2632821	Drill Core	0.227	10.6	27.4	1.83	57.4	0.168	<20	1.82	0.100	1.02	0.2	7.7	0.03	<0.02	7	<0.1	<0.02	7.8	2.39	0.2
2632822	Drill Core	0.196	9.7	25.7	1.38	61.0	0.153	<20	1.56	0.166	0.84	0.2	6.3	0.04	<0.02	14	<0.1	<0.02	6.9	2.74	0.1
2632823	Drill Core	0.200	9.1	48.1	1.99	77.2	0.161	<20	1.70	0.086	1.01	0.1	7.4	0.04	<0.02	<5	<0.1	<0.02	7.5	2.24	0.2
2632824	Drill Core	0.191	8.5	58.4	2.00	162.9	0.193	<20	1.91	0.067	1.69	0.1	10.2	0.05	<0.02	7	<0.1	0.03	7.4	2.44	0.2
2632825	Drill Core	0.220	9.0	41.6	1.56	89.5	0.191	<20	1.42	0.082	0.79	0.2	6.2	0.03	<0.02	13	<0.1	<0.02	6.9	2.55	0.2
2632826	Drill Core	0.208	9.6	48.9	2.19	96.8	0.175	<20	1.84	0.124	0.92	0.2	9.6	0.03	<0.02	12	<0.1	<0.02	8.4	4.34	0.2
2632827	Drill Core	0.113	5.3	19.0	2.45	48.4	0.049	<20	1.96	0.064	0.45	0.2	14.5	<0.02	0.05	12	<0.1	0.03	5.4	1.38	0.1
2632828	Drill Core	0.207	8.9	52.3	2.32	106.0	0.166	<20	2.09	0.066	1.29	0.2	11.7	0.04	<0.02	10	<0.1	<0.02	8.4	2.57	0.2
2634353	Drill Core	0.002	<0.5	266.3	1.54	98.6	0.049	<20	0.45	0.016	0.22	<0.1	6.2	<0.02	<0.02	6	<0.1	<0.02	1.3	0.24	0.1
2634354	Drill Core	0.002	<0.5	180.9	1.63	58.3	0.050	<20	0.40	0.016	0.20	<0.1	5.6	<0.02	<0.02	5	<0.1	<0.02	1.1	0.19	<0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 07, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2632801	Drill Core	0.08	<0.02	41.2	0.2	<0.05	2.3	5.18	10.7	<0.02	<1	0.2	10.1	24	<2
2632802	Drill Core	0.07	<0.02	51.2	0.3	<0.05	2.2	6.86	15.8	0.02	<1	0.1	13.6	21	4
2632803	Drill Core	0.10	<0.02	36.1	0.6	<0.05	2.3	8.89	16.6	0.03	<1	0.3	18.7	<10	3
2632804	Drill Core	0.11	<0.02	50.0	0.3	<0.05	3.1	6.78	16.0	0.02	1	0.3	16.7	12	5
2632805	Drill Core	0.06	<0.02	44.2	0.2	<0.05	1.8	7.46	15.8	0.02	2	0.1	11.7	16	5
2632806	Drill Core	0.11	<0.02	45.4	0.3	<0.05	2.8	8.26	17.4	0.02	7	0.3	12.9	<10	5
2632807	Drill Core	0.06	<0.02	49.9	0.2	<0.05	1.3	6.24	13.2	<0.02	81	0.3	11.9	14	<2
2632808	Drill Core	0.10	<0.02	42.1	0.3	<0.05	3.1	6.28	14.2	<0.02	<1	<0.1	9.7	14	5
2632809	Drill Core	0.11	<0.02	42.6	0.2	<0.05	2.6	6.63	16.0	<0.02	<1	0.1	10.0	24	5
2632810	Drill Core	0.13	<0.02	31.2	0.2	<0.05	3.0	7.30	16.3	<0.02	<1	0.3	9.7	15	4
2632811	Drill Core	0.19	<0.02	24.1	0.2	<0.05	4.7	7.25	16.0	0.02	1	0.3	10.1	17	2
2632812	Drill Core	0.12	<0.02	34.1	0.2	<0.05	3.9	6.73	15.3	<0.02	<1	0.4	7.8	15	<2
2632813	Drill Core	0.21	0.02	40.8	0.2	<0.05	5.8	6.16	14.2	<0.02	<1	0.2	9.7	17	3
2632814	Drill Core	0.22	<0.02	48.4	0.2	<0.05	7.5	8.07	17.2	<0.02	<1	0.3	12.7	<10	2
2632815	Drill Core	0.24	0.03	41.5	0.2	<0.05	7.2	6.75	16.7	<0.02	<1	0.2	14.4	<10	3
2632816	Drill Core	0.16	<0.02	50.7	0.3	<0.05	4.3	7.31	14.5	0.03	<1	0.3	21.2	15	<2
2632817	Drill Core	0.20	<0.02	58.5	0.3	<0.05	5.8	8.01	18.0	0.02	<1	0.5	18.6	14	<2
2632818	Drill Core	0.17	<0.02	51.9	0.3	<0.05	6.2	7.90	18.5	<0.02	2	0.4	16.9	12	3
2632819	Drill Core	0.19	<0.02	49.7	0.3	<0.05	7.2	7.63	17.6	<0.02	<1	0.5	14.4	<10	3
2632820	Drill Core	0.05	0.04	31.6	0.4	<0.05	3.8	8.12	20.7	0.05	<1	0.5	17.8	19	3
2632821	Drill Core	0.07	0.03	50.7	0.3	<0.05	4.0	8.06	19.3	<0.02	<1	0.6	17.8	<10	3
2632822	Drill Core	0.04	0.03	42.3	0.3	<0.05	3.6	6.76	17.1	<0.02	<1	0.6	15.0	12	<2
2632823	Drill Core	0.17	<0.02	49.1	0.3	<0.05	5.6	7.44	17.8	<0.02	<1	0.5	15.9	<10	<2
2632824	Drill Core	0.10	<0.02	61.8	0.3	<0.05	3.0	6.83	16.2	<0.02	<1	0.4	14.0	15	2
2632825	Drill Core	0.21	0.04	39.5	0.3	<0.05	7.6	6.71	16.9	<0.02	<1	0.3	14.9	<10	5
2632826	Drill Core	0.17	0.03	43.6	0.3	<0.05	6.5	7.63	17.8	<0.02	<1	0.6	14.0	<10	5
2632827	Drill Core	0.04	<0.02	16.6	0.2	<0.05	1.4	9.16	10.3	0.02	<1	0.2	10.9	<10	<2
2632828	Drill Core	0.10	<0.02	55.5	0.3	<0.05	3.1	8.01	17.3	<0.02	<1	0.6	14.3	16	<2
2634353	Drill Core	0.02	<0.02	7.9	<0.1	<0.05	0.7	1.26	0.8	<0.02	<1	<0.1	3.3	<10	13
2634354	Drill Core	0.02	<0.02	6.8	<0.1	<0.05	0.6	0.83	0.6	<0.02	<1	<0.1	1.8	<10	17



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method	Analyte	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01
2634355	Drill Core	5.00	0.02	17.55	0.37	14.3	9	91.2	20.3	270	2.33	0.2	<0.1	1.6	<0.1	63.5	<0.01	0.03	<0.02	48	2.36	
2634356	Drill Core	5.14	0.02	6.64	0.20	4.3	8	27.3	7.1	173	0.99	0.3	<0.1	0.6	<0.1	49.1	<0.01	0.03	<0.02	11	2.20	
2634357	Drill Core	4.42	0.03	5.36	0.28	5.8	6	35.6	9.6	178	1.33	0.3	<0.1	0.7	<0.1	52.4	<0.01	0.03	<0.02	15	2.12	
2634358	Drill Core	5.20	0.02	5.46	0.38	7.9	5	60.6	12.6	230	1.54	0.4	<0.1	<0.2	<0.1	50.4	0.02	0.02	<0.02	16	2.13	
2634359	Drill Core	5.00	0.02	7.09	0.24	14.8	4	117.3	22.9	309	2.57	1.2	<0.1	1.2	<0.1	29.9	0.01	0.05	<0.02	30	1.51	
2634360	Drill Core	4.80	0.02	13.74	0.40	7.7	11	47.7	11.3	197	1.58	0.4	<0.1	0.4	<0.1	42.2	0.02	0.03	<0.02	18	1.97	
2634361	Drill Core	4.98	0.02	2.99	0.33	6.4	4	44.8	10.5	209	1.57	0.2	<0.1	<0.2	<0.1	54.2	<0.01	0.03	<0.02	15	2.58	
2634362	Drill Core	3.97	0.02	5.56	0.76	5.6	13	38.5	8.4	221	1.08	0.3	<0.1	0.6	<0.1	74.6	0.01	<0.02	<0.02	14	3.48	
2634363	Drill Core	4.79	0.04	9.70	0.49	9.8	11	57.6	13.0	270	1.43	0.9	<0.1	0.6	<0.1	102.6	<0.01	0.04	<0.02	33	3.83	
2634364	Drill Core	5.41	0.02	4.01	0.21	4.3	6	29.5	6.7	141	0.96	1.0	<0.1	0.8	<0.1	32.6	<0.01	0.03	<0.02	9	1.73	
2634365	Drill Core	4.35	0.02	7.68	0.36	17.8	16	59.3	19.6	234	4.04	<0.1	<0.1	1.1	<0.1	55.8	<0.01	0.05	<0.02	71	2.36	
2634366	Drill Core	4.21	0.04	6.44	0.22	11.0	4	42.0	13.2	195	1.50	0.1	<0.1	<0.2	<0.1	64.1	<0.01	0.04	<0.02	25	1.77	
2634367	Drill Core	4.63	0.03	5.73	0.28	12.6	4	68.9	22.3	309	2.71	0.5	<0.1	<0.2	<0.1	71.5	<0.01	0.03	<0.02	40	2.71	
2634368	Drill Core	5.57	0.02	4.80	0.18	9.7	<2	40.8	14.8	178	1.83	0.2	<0.1	<0.2	<0.1	40.0	<0.01	<0.02	<0.02	23	1.29	
2634369	Drill Core	4.09	0.03	5.70	0.22	9.0	4	47.8	16.4	204	2.08	0.2	<0.1	<0.2	<0.1	38.2	0.01	0.02	<0.02	31	1.37	
2634370	Drill Core	5.72	0.03	7.02	0.30	18.8	9	89.6	25.4	272	3.43	0.3	<0.1	<0.2	<0.1	63.9	<0.01	0.02	<0.02	76	1.25	
2634371	Drill Core	4.81	0.03	7.15	0.32	13.2	6	35.5	13.6	197	2.71	0.4	<0.1	<0.2	<0.1	90.7	<0.01	0.04	<0.02	43	1.76	
2634372	Drill Core	4.53	0.02	14.77	1.46	7.4	12	34.6	9.1	287	1.44	0.1	<0.1	<0.2	<0.1	183.7	0.04	0.03	<0.02	22	5.30	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
2634355	Drill Core	0.002	<0.5	307.7	2.46	127.0	0.109	<20	0.88	0.016	0.32	<0.1	6.2	<0.02	<0.02	11	<0.1	<0.02	2.1	0.33	<0.1
2634356	Drill Core	0.001	<0.5	248.9	1.21	24.4	0.029	<20	0.24	0.014	0.06	<0.1	5.7	<0.02	<0.02	13	<0.1	<0.02	0.8	0.15	<0.1
2634357	Drill Core	0.004	<0.5	387.6	1.45	58.3	0.038	<20	0.39	0.015	0.14	<0.1	5.9	<0.02	<0.02	87	<0.1	<0.02	1.2	0.27	<0.1
2634358	Drill Core	0.002	<0.5	357.3	1.90	22.7	0.037	<20	0.33	0.013	0.05	<0.1	6.5	<0.02	<0.02	6	<0.1	<0.02	1.0	0.13	0.1
2634359	Drill Core	0.001	<0.5	404.3	2.62	18.3	0.048	<20	0.31	0.017	0.03	<0.1	7.4	<0.02	<0.02	11	<0.1	<0.02	1.5	0.17	0.1
2634360	Drill Core	0.001	<0.5	368.8	1.52	43.2	0.058	<20	0.41	0.021	0.17	<0.1	6.2	<0.02	<0.02	<5	<0.1	<0.02	1.5	0.25	<0.1
2634361	Drill Core	<0.001	<0.5	391.4	1.42	35.5	0.039	<20	0.31	0.024	0.04	<0.1	7.5	<0.02	<0.02	7	<0.1	<0.02	1.2	0.16	0.1
2634362	Drill Core	0.002	<0.5	233.3	1.49	36.2	0.088	<20	0.46	0.027	0.10	<0.1	5.9	<0.02	<0.02	24	<0.1	<0.02	1.2	0.28	<0.1
2634363	Drill Core	0.002	<0.5	367.7	1.93	204.9	0.091	<20	0.70	0.035	0.51	<0.1	11.0	0.06	<0.02	95	<0.1	<0.02	1.7	0.64	<0.1
2634364	Drill Core	0.002	<0.5	258.0	1.06	23.3	0.029	<20	0.22	0.019	0.06	<0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	0.7	0.09	0.1
2634365	Drill Core	0.001	<0.5	108.6	1.35	54.5	0.114	<20	0.46	0.038	0.12	<0.1	5.7	<0.02	<0.02	7	<0.1	<0.02	2.7	0.13	0.1
2634366	Drill Core	0.002	<0.5	224.6	2.02	198.3	0.086	<20	0.77	0.052	0.62	<0.1	7.9	0.02	<0.02	8	<0.1	<0.02	2.0	0.57	0.1
2634367	Drill Core	0.002	<0.5	734.0	2.40	169.6	0.070	<20	0.48	0.035	0.24	<0.1	7.2	0.02	<0.02	15	<0.1	<0.02	2.0	0.28	<0.1
2634368	Drill Core	0.002	<0.5	300.1	1.68	27.1	0.049	<20	0.39	0.027	0.06	<0.1	5.3	<0.02	<0.02	6	<0.1	<0.02	1.4	0.08	0.1
2634369	Drill Core	0.002	<0.5	770.4	1.71	50.8	0.062	<20	0.40	0.025	0.04	<0.1	6.0	<0.02	<0.02	<5	<0.1	<0.02	1.8	0.08	<0.1
2634370	Drill Core	0.002	<0.5	445.1	2.84	330.2	0.165	<20	1.19	0.054	0.90	<0.1	7.5	0.03	<0.02	7	<0.1	<0.02	3.4	0.65	0.2
2634371	Drill Core	0.001	<0.5	148.9	1.36	80.3	0.087	<20	0.47	0.068	0.21	<0.1	7.5	<0.02	<0.02	<5	<0.1	<0.02	2.2	0.21	0.1
2634372	Drill Core	0.005	<0.5	207.4	1.29	67.5	0.073	<20	0.46	0.063	0.23	<0.1	6.0	<0.02	<0.02	7	<0.1	<0.02	1.7	0.30	0.1



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003636.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	ppb
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2634355	Drill Core	0.02	<0.02	11.7	0.1	<0.05	0.8	1.37	0.9	<0.02	<1	<0.1	2.7	<10	9
2634356	Drill Core	<0.02	<0.02	2.0	<0.1	<0.05	0.4	0.85	0.5	<0.02	<1	<0.1	1.7	<10	18
2634357	Drill Core	<0.02	<0.02	5.1	<0.1	<0.05	0.5	1.14	0.8	<0.02	<1	<0.1	2.6	<10	17
2634358	Drill Core	0.03	<0.02	1.8	<0.1	<0.05	0.6	1.09	0.7	<0.02	<1	<0.1	1.7	<10	13
2634359	Drill Core	<0.02	<0.02	1.2	<0.1	<0.05	0.4	0.89	0.5	<0.02	<1	<0.1	1.4	<10	11
2634360	Drill Core	0.03	<0.02	5.8	<0.1	<0.05	0.7	1.40	0.8	<0.02	<1	<0.1	2.9	<10	10
2634361	Drill Core	0.03	<0.02	1.5	<0.1	<0.05	0.4	1.00	0.5	<0.02	<1	<0.1	2.2	<10	4
2634362	Drill Core	0.03	<0.02	3.3	0.1	<0.05	0.7	1.50	1.0	<0.02	<1	<0.1	3.2	<10	12
2634363	Drill Core	0.02	<0.02	20.9	<0.1	<0.05	0.8	1.16	0.7	<0.02	<1	<0.1	5.4	<10	14
2634364	Drill Core	<0.02	<0.02	1.7	<0.1	<0.05	0.3	0.71	0.4	<0.02	<1	<0.1	2.2	<10	11
2634365	Drill Core	0.03	<0.02	3.6	0.1	<0.05	0.8	1.38	0.9	<0.02	<1	<0.1	1.8	<10	15
2634366	Drill Core	0.03	<0.02	21.1	<0.1	<0.05	1.1	1.47	0.9	<0.02	<1	<0.1	4.4	<10	60
2634367	Drill Core	0.02	<0.02	8.4	<0.1	<0.05	0.8	0.98	0.7	<0.02	<1	<0.1	3.1	<10	9
2634368	Drill Core	0.03	<0.02	1.9	<0.1	<0.05	0.8	0.97	0.8	<0.02	<1	<0.1	1.3	<10	18
2634369	Drill Core	0.03	<0.02	1.3	<0.1	<0.05	0.9	1.01	0.7	<0.02	<1	<0.1	1.2	<10	17
2634370	Drill Core	0.04	<0.02	30.1	0.1	<0.05	1.1	0.95	0.7	<0.02	<1	<0.1	8.3	<10	10
2634371	Drill Core	0.04	<0.02	7.2	0.1	<0.05	1.0	1.44	0.9	<0.02	<1	<0.1	2.7	<10	7
2634372	Drill Core	0.04	<0.02	7.0	<0.1	<0.05	0.6	2.18	1.1	<0.02	<1	<0.1	3.1	<10	9



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 1 of 1 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003636.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
Pulp Duplicates																					
2632821	Drill Core	4.44	0.61	290.10	10.33	82.2	170	19.4	21.4	938	4.26	3.0	1.6	51.9	3.4	220.8	0.07	0.12	0.06	173	2.55
REP 2632821	QC		0.63	288.19	9.45	78.1	151	19.4	21.6	923	4.23	2.8	1.6	5.2	3.3	216.1	0.07	0.14	0.04	164	2.49
Core Reject Duplicates																					
2632813	Drill Core	4.65	0.78	206.32	2.53	59.0	120	7.0	18.1	655	3.78	1.1	0.2	2.2	0.9	228.1	0.03	0.14	<0.02	162	1.28
DUP 2632813	QC		0.75	209.20	2.35	56.3	116	6.8	17.2	633	3.74	1.2	0.3	2.1	0.8	213.7	0.07	0.11	<0.02	161	1.34
2634371	Drill Core	4.81	0.03	7.15	0.32	13.2	6	35.5	13.6	197	2.71	0.4	<0.1	<0.2	<0.1	90.7	<0.01	0.04	<0.02	43	1.76
DUP 2634371	QC		0.03	7.81	0.30	13.6	7	36.1	14.5	197	2.79	<0.1	<0.1	<0.2	<0.1	92.8	0.01	0.04	<0.02	44	1.81
Reference Materials																					
STD BVGE001	Standard		10.69	4352.36	194.78	1745.1	2461	157.0	23.9	710	3.65	113.2	4.2	216.5	14.8	55.2	6.05	2.74	26.25	72	1.25
STD DS11	Standard		16.08	158.70	143.70	367.4	1789	82.0	13.7	1071	3.20	45.1	2.9	91.7	8.3	74.9	2.75	7.31	13.12	51	1.14
STD OREAS262	Standard		0.68	121.71	57.88	148.0	446	64.6	27.3	535	3.25	35.3	1.2	69.7	9.3	35.9	0.67	3.48	1.08	22	2.99
STD OREAS262	Standard		0.66	120.19	57.40	152.0	462	63.2	27.1	549	3.24	36.3	1.2	60.5	9.4	36.4	0.72	3.34	1.07	22	3.11
STD BVGE001 Expected			10.8	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73	1.3219
STD DS11 Expected			13.9	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OREAS262 Expected			0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5	2.98
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01
Prep Wash																					
ROCK-VAN	Prep Blank		0.72	2.23	0.98	31.4	7	0.8	3.4	535	1.83	1.4	0.5	0.6	2.0	19.7	0.01	0.04	<0.02	21	0.71
ROCK-VAN	Prep Blank		0.76	1.71	0.92	29.8	7	0.8	3.4	496	1.74	0.7	0.3	0.8	1.9	17.9	<0.01	0.03	<0.02	20	0.61



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 1 of 1 Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003636.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
2632821	Drill Core	0.227	10.6	27.4	1.83	57.4	0.168	<20	1.82	0.100	1.02	0.2	7.7	0.03	<0.02	7	<0.1	<0.02	7.8	2.39	0.2
REP 2632821	QC	0.203	10.7	26.0	1.80	55.0	0.167	<20	1.80	0.098	0.99	0.2	7.8	0.05	<0.02	<5	<0.1	<0.02	7.5	2.31	0.2
Core Reject Duplicates																					
2632813	Drill Core	0.207	7.5	3.9	1.19	53.8	0.165	<20	1.30	0.069	0.84	0.2	4.6	0.04	<0.02	16	<0.1	<0.02	4.9	1.10	<0.1
DUP 2632813	QC	0.200	7.1	3.8	1.19	53.4	0.144	<20	1.27	0.068	0.83	0.2	4.2	0.04	<0.02	12	<0.1	<0.02	5.0	1.06	0.1
2634371	Drill Core	0.001	<0.5	148.9	1.36	80.3	0.087	<20	0.47	0.068	0.21	<0.1	7.5	<0.02	<0.02	<5	<0.1	<0.02	2.2	0.21	0.1
DUP 2634371	QC	0.001	<0.5	151.0	1.37	80.5	0.088	<20	0.49	0.070	0.21	<0.1	7.7	<0.02	<0.02	<5	<0.1	<0.02	2.3	0.21	0.1
Reference Materials																					
STD BVGEO01	Standard	0.067	27.7	172.3	1.29	328.9	0.247	<20	2.24	0.187	0.89	3.6	5.9	0.62	0.64	80	4.4	0.96	6.8	6.88	0.2
STD DS11	Standard	0.071	20.0	61.5	0.90	435.0	0.098	<20	1.23	0.077	0.43	2.5	3.5	5.32	0.29	276	2.2	4.78	5.4	3.06	<0.1
STD OREAS262	Standard	0.038	16.9	45.4	1.18	245.9	0.003	<20	1.26	0.069	0.32	0.1	3.5	0.46	0.26	143	<0.1	0.23	3.9	2.61	0.1
STD OREAS262	Standard	0.040	17.6	42.5	1.19	255.9	0.003	<20	1.29	0.069	0.33	0.1	3.2	0.46	0.27	159	0.4	0.21	4.1	2.67	<0.1
STD BVGEO01 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	5.97	0.62	0.6655	100	4.84	1.02	7.37	7.36	0.15
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	3.1	4.9	0.2835	260	2.2	4.56	4.7	2.88	0.08
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	3.24	0.47	0.253	170	0.4	0.23	3.73	2.8	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
ROCK-VAN	Prep Blank	0.042	5.7	3.2	0.49	54.8	0.085	<20	0.83	0.071	0.10	<0.1	2.9	<0.02	<0.02	<5	<0.1	<0.02	3.9	0.13	<0.1
ROCK-VAN	Prep Blank	0.040	5.5	3.2	0.45	50.8	0.079	<20	0.77	0.069	0.10	<0.1	2.8	<0.02	<0.02	<5	<0.1	<0.02	3.5	0.13	<0.1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 07, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003636.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
Analyte	Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt	
Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	
MDL	0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2	
Pulp Duplicates															
2632821	Drill Core	0.07	0.03	50.7	0.3	<0.05	4.0	8.06	19.3	<0.02	<1	0.6	17.8	<10	3
REP 2632821	QC	0.07	0.03	48.3	0.3	<0.05	5.0	7.86	19.1	<0.02	<1	0.5	17.0	14	2
Core Reject Duplicates															
2632813	Drill Core	0.21	0.02	40.8	0.2	<0.05	5.8	6.16	14.2	<0.02	<1	0.2	9.7	17	3
DUP 2632813	QC	0.18	<0.02	39.1	0.2	<0.05	4.9	5.56	13.6	<0.02	<1	0.1	8.8	33	2
2634371	Drill Core	0.04	<0.02	7.2	0.1	<0.05	1.0	1.44	0.9	<0.02	<1	<0.1	2.7	<10	7
DUP 2634371	QC	0.03	<0.02	7.4	0.1	<0.05	0.9	1.44	0.9	<0.02	<1	<0.1	2.7	<10	10
Reference Materials															
STD BVGEO01	Standard	0.26	0.17	86.9	5.5	<0.05	7.7	14.64	53.0	0.48	6	0.8	21.3	173	181
STD DS11	Standard	0.07	1.05	36.6	2.2	<0.05	2.7	8.59	39.6	0.25	48	0.6	24.2	90	198
STD OREAS262	Standard	0.17	<0.02	18.1	0.5	<0.05	6.9	10.48	33.8	0.03	<1	1.3	17.2	<10	<2
STD OREAS262	Standard	0.16	<0.02	19.2	0.5	<0.05	7.0	10.62	33.8	0.04	<1	1.2	16.1	<10	3
STD BVGEO01 Expected		0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD DS11 Expected		0.06	1.2	33.6	1.8		2.4	7.82	37	0.24	50	0.67	23.3	100	172
STD OREAS262 Expected		0.27		18.6	0.5		8.3	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
ROCK-VAN	Prep Blank	0.16	0.15	2.6	0.3	<0.05	4.0	8.85	11.5	<0.02	<1	<0.1	1.7	<10	<2
ROCK-VAN	Prep Blank	0.13	0.15	2.5	0.3	<0.05	3.8	8.45	11.0	<0.02	1	0.1	1.4	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 27, 2019
Report Date: December 23, 2019
Page: 1 of 6

CERTIFICATE OF ANALYSIS

VAN19003692.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: DDH3
P.O. Number
Number of Samples: 125

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	125	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ250	125	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN
FA330	125	Fire assay fusion Au Pt Pd by ICP-ES	30		VAN
EN002	125	Environmental disposal charge-Fire assay lead waste			VAN
FA530-Au	125	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC: Simon Dyakowski


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01
2632851	Drill Core	2.19	0.07	34.34	1.69	39.0	19	30.5	24.6	528	4.86	2.1	<0.1	<0.2	0.2	128.1	0.04	0.36	<0.02	232	2.89	
2632852	Drill Core	1.16	0.07	54.26	0.54	52.0	30	48.1	21.0	608	3.17	0.5	<0.1	2.5	0.2	108.9	0.03	0.12	<0.02	126	1.62	
2632853	Drill Core	1.29	0.06	1169.26	0.50	46.0	474	47.0	22.0	491	2.91	0.4	<0.1	4.7	0.2	101.7	0.14	0.09	<0.02	122	1.47	
2632854	Drill Core	1.82	0.07	133.10	0.42	75.4	68	33.3	23.9	731	3.77	1.2	<0.1	2.3	0.3	118.1	0.04	0.21	<0.02	130	1.66	
2632855	Drill Core	2.92	0.08	113.20	0.46	69.3	53	28.3	25.3	737	3.72	1.3	<0.1	2.0	0.2	126.3	0.04	0.18	<0.02	151	1.80	
2632856	Drill Core	3.69	0.18	166.50	0.56	54.4	90	27.3	21.7	620	3.14	0.8	<0.1	6.9	0.2	116.3	0.05	0.12	<0.02	147	1.56	
2632857	Drill Core	6.82	0.26	126.54	0.55	57.4	56	27.0	22.9	737	3.36	0.7	<0.1	6.2	0.3	113.1	0.04	0.16	<0.02	137	1.86	
2632858	Drill Core	5.76	0.17	114.38	0.61	56.2	65	33.4	21.7	758	3.38	0.8	<0.1	4.5	0.2	117.6	0.04	0.15	<0.02	139	2.12	
2632859	Drill Core	2.13	0.13	41.58	0.77	65.9	32	29.0	25.3	1244	4.60	0.5	<0.1	2.7	0.2	215.8	0.07	0.08	<0.02	159	5.14	
2632860	Drill Core	1.26	0.08	100.11	0.77	65.0	91	35.1	26.4	1110	4.45	0.4	<0.1	2.9	0.1	207.1	0.08	0.09	<0.02	183	3.98	
2632861	Drill Core	2.85	0.13	75.14	0.70	55.6	48	20.3	22.4	820	3.48	0.8	0.1	1.9	0.2	127.6	0.05	0.21	<0.02	141	2.37	
2632862	Drill Core	6.18	0.12	128.26	0.61	63.0	59	26.9	21.2	675	3.20	0.7	<0.1	3.6	0.3	116.0	0.02	0.17	<0.02	129	1.41	
2632863	Drill Core	6.59	0.11	162.15	0.58	59.9	76	41.3	20.5	683	3.04	0.6	<0.1	4.8	0.2	106.1	0.02	0.07	<0.02	122	1.43	
2632864	Drill Core	6.38	0.16	114.96	0.65	60.3	70	31.0	22.8	778	3.40	0.8	<0.1	6.7	0.2	123.2	0.04	0.13	<0.02	144	1.98	
2632865	Drill Core	5.95	0.28	125.05	0.78	62.5	76	12.4	26.8	1056	4.19	0.7	<0.1	6.0	0.2	157.1	0.10	0.13	<0.02	160	4.12	
2632866	Drill Core	6.19	0.09	114.65	0.68	77.0	67	11.9	26.7	1003	4.28	0.7	<0.1	2.8	0.1	156.7	0.06	0.24	<0.02	155	3.20	
2632867	Drill Core	6.75	0.14	167.70	0.77	76.2	103	4.1	23.0	986	3.71	1.0	<0.1	4.2	0.2	134.7	0.04	0.26	<0.02	146	2.67	
2632868	Drill Core	6.18	0.11	180.09	0.85	75.5	119	4.1	23.1	1072	3.71	0.7	<0.1	4.6	0.2	155.6	0.08	0.19	<0.02	133	3.43	
2632869	Drill Core	1.49	0.12	146.05	0.98	86.3	115	3.8	23.3	1146	3.96	0.9	<0.1	6.1	0.2	154.5	0.06	0.29	<0.02	144	3.30	
2632870	Drill Core	1.08	0.29	679.76	1.81	54.6	843	2.9	18.2	1951	3.38	1.6	<0.1	1.9	0.1	318.0	0.33	0.21	0.06	92	10.04	
2632871	Drill Core	2.20	0.26	169.40	0.88	70.0	148	3.2	20.3	1047	3.36	0.6	<0.1	2.8	0.1	202.8	0.06	0.18	<0.02	114	3.29	
2632872	Drill Core	4.86	0.27	151.58	0.62	64.7	108	5.5	19.9	701	3.06	0.7	<0.1	4.2	0.2	128.1	0.03	0.25	<0.02	123	1.59	
2632873	Drill Core	4.19	0.15	109.82	0.71	80.5	60	6.7	23.7	947	3.66	1.0	<0.1	5.1	0.2	137.5	0.06	0.42	<0.02	142	2.47	
2632874	Drill Core	4.02	0.16	95.62	0.48	70.5	60	6.7	21.8	748	3.34	0.5	<0.1	3.1	0.2	127.2	0.03	0.14	<0.02	126	1.51	
2632875	Drill Core	4.17	0.18	382.41	0.39	73.4	170	5.8	21.6	799	3.38	0.4	<0.1	4.1	0.3	100.1	0.05	0.12	<0.02	118	1.72	
2632876	Drill Core	4.86	0.12	142.21	0.37	74.1	82	6.0	22.8	868	3.21	0.5	<0.1	5.9	0.1	104.4	0.02	0.12	<0.02	108	1.74	
2632877	Drill Core	4.18	0.40	122.81	0.50	67.4	63	10.0	19.9	732	3.23	0.7	<0.1	3.9	0.2	117.9	0.04	0.16	<0.02	105	1.28	
2632878	Drill Core	4.39	1.16	211.20	0.38	97.2	87	20.6	33.7	1335	5.63	0.8	0.1	3.4	0.4	57.9	0.02	0.14	<0.02	152	1.43	
2632879	Drill Core	4.69	1.39	284.36	0.33	77.0	91	17.8	33.7	1266	5.12	1.1	0.2	3.7	0.5	57.4	0.03	0.16	<0.02	146	1.46	
2632880	Drill Core	4.66	0.42	132.61	0.45	85.8	56	24.3	31.4	1043	4.45	0.5	<0.1	2.0	0.2	55.1	0.04	0.10	<0.02	156	1.31	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Pt	Pd
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	3	2	
2632851	Drill Core	0.142	1.3	43.7	2.01	485.9	0.216	<20	2.25	0.070	0.88	<0.1	13.0	0.07	<0.02	120	<0.1	<0.02	6.3	3	11
2632852	Drill Core	0.171	2.8	103.4	2.10	330.3	0.180	<20	2.25	0.092	1.36	<0.1	7.0	0.10	<0.02	29	<0.1	<0.02	5.2	8	14
2632853	Drill Core	0.164	2.6	90.7	1.79	553.1	0.191	<20	1.97	0.089	1.20	<0.1	6.0	0.09	0.12	60	0.6	<0.02	4.8	5	17
2632854	Drill Core	0.213	2.1	55.4	2.28	366.8	0.186	<20	2.55	0.054	1.17	<0.1	4.9	0.07	0.10	60	<0.1	<0.02	5.9	<3	7
2632855	Drill Core	0.212	3.6	34.0	2.10	560.2	0.208	<20	2.48	0.071	1.34	<0.1	6.7	0.09	0.06	23	<0.1	<0.02	6.0	<3	12
2632856	Drill Core	0.175	3.3	36.8	1.70	574.3	0.212	<20	2.16	0.081	1.43	<0.1	5.2	0.08	0.03	30	<0.1	<0.02	5.4	<3	13
2632857	Drill Core	0.165	2.6	32.0	1.91	543.1	0.193	<20	2.25	0.063	1.36	<0.1	6.2	0.09	<0.02	13	<0.1	0.03	5.5	<3	15
2632858	Drill Core	0.173	3.2	48.3	1.99	571.0	0.190	<20	2.33	0.063	1.44	<0.1	7.8	0.09	<0.02	27	<0.1	<0.02	5.6	3	14
2632859	Drill Core	0.149	4.3	40.7	2.61	274.1	0.082	<20	2.64	0.050	0.59	<0.1	13.9	0.05	<0.02	18	<0.1	<0.02	7.5	4	12
2632860	Drill Core	0.151	3.4	67.2	2.73	352.2	0.168	<20	2.88	0.052	1.00	<0.1	14.6	0.08	<0.02	14	<0.1	0.02	7.3	<3	12
2632861	Drill Core	0.127	2.8	40.9	1.94	350.7	0.181	<20	2.21	0.061	0.67	<0.1	8.3	0.05	0.08	18	<0.1	0.03	5.6	5	6
2632862	Drill Core	0.171	3.1	42.6	1.82	641.4	0.193	<20	2.27	0.073	1.28	<0.1	4.9	0.09	0.05	9	<0.1	<0.02	5.4	4	9
2632863	Drill Core	0.159	2.5	71.8	1.87	461.2	0.198	<20	2.31	0.067	1.47	<0.1	4.6	0.10	<0.02	11	<0.1	<0.02	5.2	7	16
2632864	Drill Core	0.161	2.7	57.3	2.13	658.1	0.195	<20	2.46	0.072	1.12	<0.1	7.4	0.07	<0.02	23	<0.1	<0.02	5.7	<3	14
2632865	Drill Core	0.140	3.6	12.3	2.15	171.6	0.117	<20	2.47	0.044	0.47	<0.1	9.1	0.05	0.08	33	<0.1	<0.02	6.4	<3	8
2632866	Drill Core	0.137	3.3	6.9	2.33	232.1	0.146	<20	2.71	0.051	0.59	<0.1	11.9	0.05	<0.02	28	<0.1	<0.02	6.6	3	6
2632867	Drill Core	0.176	4.3	2.6	2.12	284.2	0.161	<20	2.56	0.056	0.94	<0.1	9.1	0.07	<0.02	30	<0.1	0.03	6.4	<3	22
2632868	Drill Core	0.165	4.7	2.2	2.00	220.3	0.131	<20	2.54	0.055	0.78	<0.1	8.4	0.05	<0.02	48	<0.1	0.02	6.6	<3	15
2632869	Drill Core	0.180	5.2	2.5	2.11	266.9	0.134	<20	2.66	0.044	0.90	<0.1	9.7	0.06	<0.02	32	<0.1	0.02	6.6	<3	16
2632870	Drill Core	0.130	7.7	2.9	1.30	290.8	0.024	<20	1.72	0.032	0.27	0.3	5.4	<0.02	0.10	458	0.1	<0.02	4.7	<3	12
2632871	Drill Core	0.171	4.5	1.5	1.71	244.8	0.123	<20	2.20	0.050	0.85	0.1	6.6	0.05	0.03	29	<0.1	0.03	5.6	<3	12
2632872	Drill Core	0.170	3.1	5.8	1.63	479.6	0.186	<20	2.11	0.080	1.14	<0.1	5.3	0.08	0.07	19	<0.1	<0.02	5.3	<3	11
2632873	Drill Core	0.201	4.2	5.4	2.03	495.8	0.175	<20	2.46	0.046	1.05	<0.1	7.7	0.08	0.04	65	<0.1	<0.02	6.1	<3	7
2632874	Drill Core	0.194	4.1	5.9	1.87	519.4	0.210	<20	2.44	0.077	1.02	<0.1	5.4	0.08	0.03	34	<0.1	<0.02	5.5	4	9
2632875	Drill Core	0.173	3.5	5.1	1.97	539.7	0.191	<20	2.31	0.067	1.05	<0.1	5.5	0.09	0.15	62	<0.1	<0.02	5.3	3	8
2632876	Drill Core	0.201	3.4	4.4	1.90	582.4	0.178	<20	2.31	0.072	1.09	<0.1	4.4	0.08	0.04	36	<0.1	<0.02	5.1	4	7
2632877	Drill Core	0.137	5.1	11.4	1.79	640.0	0.179	<20	2.13	0.049	0.54	<0.1	3.7	0.04	0.31	28	0.2	0.05	4.9	5	9
2632878	Drill Core	0.184	4.8	25.6	2.65	115.3	0.206	<20	2.85	0.039	0.41	<0.1	5.5	0.03	1.01	77	0.9	0.12	6.6	3	7
2632879	Drill Core	0.203	5.5	13.3	2.33	105.5	0.214	<20	2.59	0.046	0.36	<0.1	4.7	0.04	1.02	461	1.2	0.16	5.8	7	10
2632880	Drill Core	0.112	2.1	40.2	2.29	102.3	0.221	<20	2.46	0.050	0.37	<0.1	5.9	0.03	0.60	63	0.3	0.07	5.4	6	7



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
2632851	Drill Core <0.9
2632852	Drill Core <0.9
2632853	Drill Core <0.9
2632854	Drill Core <0.9
2632855	Drill Core <0.9
2632856	Drill Core <0.9
2632857	Drill Core <0.9
2632858	Drill Core <0.9
2632859	Drill Core <0.9
2632860	Drill Core <0.9
2632861	Drill Core <0.9
2632862	Drill Core <0.9
2632863	Drill Core <0.9
2632864	Drill Core <0.9
2632865	Drill Core <0.9
2632866	Drill Core <0.9
2632867	Drill Core <0.9
2632868	Drill Core <0.9
2632869	Drill Core <0.9
2632870	Drill Core <0.9
2632871	Drill Core <0.9
2632872	Drill Core <0.9
2632873	Drill Core <0.9
2632874	Drill Core <0.9
2632875	Drill Core <0.9
2632876	Drill Core <0.9
2632877	Drill Core <0.9
2632878	Drill Core <0.9
2632879	Drill Core <0.9
2632880	Drill Core <0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 6 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01
2632881	Drill Core	3.33	0.28	190.64	0.39	68.7	93	13.6	27.4	781	4.35	0.7	0.1	2.7	0.3	92.9	0.04	0.13	<0.02	159	1.52	
2632882	Drill Core	4.76	0.17	60.06	0.41	53.4	29	10.6	23.8	681	3.86	0.9	<0.1	0.5	0.2	91.8	0.03	0.15	<0.02	148	1.91	
2632883	Drill Core	4.09	1.19	279.38	0.41	89.7	91	14.9	29.0	1151	4.99	1.0	0.2	6.0	0.8	65.0	0.08	0.24	<0.02	157	1.98	
2632884	Drill Core	4.39	0.69	194.49	0.26	77.9	70	15.9	32.4	839	5.25	0.8	0.2	1.3	0.4	65.4	0.02	0.15	<0.02	222	1.77	
2632885	Drill Core	4.92	0.38	244.73	0.34	56.1	80	64.1	45.0	507	3.65	0.4	<0.1	1.3	0.1	64.5	0.03	0.13	<0.02	126	1.32	
2632886	Drill Core	5.20	0.19	64.75	0.34	39.2	30	93.6	32.0	507	7.96	0.7	<0.1	<0.2	0.2	73.3	0.03	0.20	<0.02	152	1.99	
2632887	Drill Core	5.10	0.49	104.22	0.30	31.3	46	92.3	37.0	404	6.50	0.7	0.2	<0.2	0.3	69.4	<0.01	0.20	<0.02	177	1.65	
2632888	Drill Core	5.23	0.16	45.80	0.27	14.2	19	14.2	13.3	320	3.08	0.9	0.2	<0.2	0.3	65.9	0.02	0.14	<0.02	117	1.99	
2632889	Drill Core	3.40	0.22	23.49	0.35	14.0	11	13.0	8.3	547	1.42	0.8	0.2	<0.2	0.5	100.9	<0.01	0.25	<0.02	41	4.05	
2632890	Drill Core	1.34	0.27	28.41	0.30	14.4	19	9.5	9.4	407	1.72	0.6	0.2	<0.2	0.5	103.2	<0.01	0.24	<0.02	59	2.72	
2632891	Drill Core	3.95	0.22	52.85	0.27	15.0	24	8.2	9.3	346	1.74	0.7	0.2	0.3	0.4	94.6	<0.01	0.25	<0.02	50	1.93	
2632892	Drill Core	3.47	0.17	40.73	0.22	15.3	16	6.2	8.6	432	1.73	1.1	0.2	<0.2	0.3	95.2	<0.01	0.20	<0.02	45	2.54	
2632893	Drill Core	4.83	0.13	71.68	0.35	25.4	42	11.1	13.9	622	2.21	1.9	0.2	0.8	0.4	110.5	0.02	0.27	<0.02	43	3.16	
2632894	Drill Core	4.71	0.13	120.00	0.40	26.2	49	11.3	17.7	588	2.37	0.9	0.2	<0.2	0.5	98.8	0.01	0.37	<0.02	47	3.37	
2632895	Drill Core	4.89	0.18	26.61	0.52	19.9	21	10.2	9.1	550	1.62	2.4	0.3	<0.2	0.7	134.7	0.01	0.40	<0.02	36	3.85	
2632896	Drill Core	4.26	0.84	171.92	0.33	19.8	65	24.6	27.4	370	2.00	0.2	0.3	1.3	0.4	78.8	0.04	0.27	<0.02	54	2.55	
2632897	Drill Core	5.06	0.88	159.81	0.29	31.1	65	25.0	28.1	460	2.14	0.6	0.2	1.1	0.3	69.0	0.01	0.17	<0.02	49	2.00	
2632898	Drill Core	5.49	0.24	185.95	0.23	41.9	65	28.4	29.4	637	4.00	0.8	<0.1	<0.2	0.2	95.1	0.02	0.15	<0.02	119	2.30	
2632899	Drill Core	4.17	0.16	286.57	0.18	45.9	64	23.1	35.4	645	4.32	0.6	<0.1	2.8	0.1	79.2	0.01	0.18	<0.02	196	1.92	
2632900	Drill Core	4.79	0.21	307.91	0.21	38.0	75	42.6	30.9	547	5.03	0.5	0.2	1.1	0.3	70.0	<0.01	0.20	<0.02	161	1.42	
2634951	Drill Core	3.88	0.15	154.74	0.19	40.9	47	20.4	23.4	577	3.71	0.7	<0.1	<0.2	<0.1	74.1	<0.01	0.22	<0.02	176	1.34	
2634952	Drill Core	4.22	0.35	151.01	0.27	42.0	54	26.2	23.2	605	3.14	0.6	0.2	<0.2	0.3	97.1	0.02	0.22	<0.02	109	1.77	
2634953	Drill Core	4.36	0.32	129.78	0.22	36.1	45	32.9	22.8	464	2.74	0.7	0.2	<0.2	0.3	90.9	<0.01	0.17	<0.02	90	1.85	
2634954	Drill Core	3.58	0.11	44.38	0.22	26.8	39	48.4	17.7	406	2.80	0.5	0.1	<0.2	0.4	78.2	0.01	0.12	<0.02	92	1.98	
2634955	Drill Core	3.59	1.02	91.99	0.20	29.0	73	31.8	19.2	453	2.68	0.5	0.1	<0.2	0.4	74.2	<0.01	0.10	<0.02	87	1.39	
2634956	Drill Core	2.12	0.35	122.20	0.38	15.6	65	19.0	10.6	304	1.92	0.8	0.2	<0.2	0.9	50.6	<0.01	0.16	<0.02	37	1.44	
2634957	Drill Core	2.23	0.95	176.39	0.26	41.1	69	44.9	25.1	688	4.23	0.7	0.2	1.5	0.4	73.2	0.01	0.16	<0.02	99	1.87	
2634958	Drill Core	4.84	0.80	207.48	0.25	47.2	62	40.3	30.4	634	4.67	1.0	<0.1	0.5	0.2	76.8	0.01	0.19	<0.02	139	1.80	
2634959	Drill Core	4.99	0.46	180.36	0.24	17.7	55	46.3	19.3	385	3.52	0.5	0.2	0.4	0.4	94.4	0.01	0.23	<0.02	95	2.27	
2634960	Drill Core	4.83	0.46	231.22	0.20	15.1	49	15.5	16.1	274	2.30	0.5	0.2	0.6	0.3	74.7	<0.01	0.16	<0.02	65	1.37	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Pt	Pd
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	3	2	
2632881	Drill Core	0.150	2.5	23.1	1.81	926.3	0.193	<20	2.06	0.059	0.48	<0.1	6.0	0.04	0.33	42	0.3	<0.02	5.2	3	13
2632882	Drill Core	0.157	2.5	17.2	1.66	296.1	0.172	<20	2.00	0.059	0.39	<0.1	5.7	0.03	0.04	18	<0.1	<0.02	4.9	6	17
2632883	Drill Core	0.193	6.8	18.7	2.69	125.4	0.197	<20	2.80	0.046	0.56	<0.1	6.4	0.05	0.95	65	0.7	0.07	7.5	5	11
2632884	Drill Core	0.211	4.5	19.4	1.95	52.9	0.221	<20	2.30	0.053	0.24	<0.1	6.9	<0.02	0.64	25	0.4	0.04	6.2	<3	4
2632885	Drill Core	0.106	2.5	146.5	1.34	35.2	0.181	<20	1.67	0.060	0.17	<0.1	5.8	<0.02	0.85	33	1.0	0.05	4.2	<3	3
2632886	Drill Core	0.102	3.1	298.7	1.08	32.3	0.209	<20	1.60	0.051	0.17	<0.1	5.5	<0.02	0.34	24	0.7	<0.02	4.1	<3	2
2632887	Drill Core	0.151	5.4	197.9	0.91	31.6	0.202	<20	1.37	0.070	0.17	<0.1	5.2	<0.02	0.48	49	0.8	0.03	4.1	<3	3
2632888	Drill Core	0.162	5.4	169.2	0.67	29.0	0.171	<20	1.13	0.063	0.14	<0.1	4.0	<0.02	0.26	23	<0.1	0.03	3.0	<3	3
2632889	Drill Core	0.072	4.6	125.4	1.14	28.7	0.212	<20	1.34	0.046	0.12	<0.1	6.4	<0.02	0.12	33	<0.1	<0.02	3.2	<3	<2
2632890	Drill Core	0.083	5.5	96.6	1.10	33.1	0.244	<20	1.36	0.060	0.19	<0.1	7.0	<0.02	0.16	41	<0.1	<0.02	3.3	<3	3
2632891	Drill Core	0.075	5.5	77.6	1.01	28.6	0.228	<20	1.32	0.066	0.17	<0.1	6.0	<0.02	0.25	48	0.2	0.02	3.0	<3	3
2632892	Drill Core	0.067	4.3	46.8	1.10	238.6	0.167	<20	1.14	0.057	0.16	<0.1	8.5	0.03	0.14	60	<0.1	<0.02	2.8	<3	6
2632893	Drill Core	0.048	5.0	84.5	1.23	554.6	0.167	<20	1.32	0.051	0.20	<0.1	8.7	0.05	0.40	99	0.3	<0.02	3.0	<3	7
2632894	Drill Core	0.041	5.0	67.2	1.24	69.3	0.179	<20	1.43	0.037	0.13	<0.1	7.4	0.03	0.60	102	0.1	<0.02	3.6	<3	<2
2632895	Drill Core	0.008	5.9	123.2	1.14	217.8	0.160	<20	1.38	0.035	0.14	<0.1	14.0	0.06	0.15	112	<0.1	<0.02	3.3	<3	3
2632896	Drill Core	0.099	5.3	62.1	0.94	37.1	0.167	<20	1.21	0.058	0.11	<0.1	5.2	<0.02	0.76	180	2.4	0.07	3.1	<3	5
2632897	Drill Core	0.069	4.5	97.0	1.26	37.5	0.186	<20	1.54	0.049	0.12	<0.1	5.6	<0.02	0.68	129	0.8	0.02	3.4	<3	5
2632898	Drill Core	0.164	3.8	74.3	1.91	53.0	0.196	<20	2.16	0.071	0.21	<0.1	7.2	<0.02	0.70	62	0.6	0.02	5.2	6	16
2632899	Drill Core	0.092	2.5	35.7	1.93	53.9	0.231	<20	2.23	0.062	0.19	<0.1	7.1	<0.02	0.84	51	1.1	0.04	5.6	<3	9
2632900	Drill Core	0.100	3.0	96.5	1.56	39.5	0.211	<20	1.96	0.058	0.13	<0.1	4.9	<0.02	0.97	87	1.0	0.04	4.5	<3	7
2634951	Drill Core	0.069	1.9	43.2	1.82	53.1	0.197	<20	2.09	0.054	0.18	<0.1	4.8	<0.02	0.66	28	0.6	0.04	5.1	<3	4
2634952	Drill Core	0.140	2.5	55.4	1.87	78.4	0.176	<20	2.08	0.065	0.33	<0.1	5.5	0.03	0.64	35	0.3	0.04	5.2	<3	5
2634953	Drill Core	0.146	3.2	61.8	1.74	77.6	0.170	<20	1.94	0.059	0.31	<0.1	5.0	0.03	0.55	32	0.4	0.04	4.9	3	5
2634954	Drill Core	0.098	5.0	135.7	1.96	90.0	0.280	<20	2.18	0.069	0.57	0.1	6.1	0.05	0.21	20	<0.1	<0.02	5.0	<3	5
2634955	Drill Core	0.112	3.8	67.8	1.73	80.0	0.216	<20	1.88	0.070	0.38	<0.1	5.1	0.04	0.54	35	0.3	0.05	4.3	<3	3
2634956	Drill Core	0.074	4.0	16.8	0.68	41.6	0.133	<20	0.97	0.069	0.12	0.1	3.1	<0.02	0.78	76	0.5	0.05	2.8	<3	2
2634957	Drill Core	0.123	4.2	98.9	2.05	101.2	0.213	<20	2.08	0.050	0.45	<0.1	6.3	0.05	1.01	67	0.3	0.04	5.7	<3	7
2634958	Drill Core	0.125	4.4	98.1	1.83	68.0	0.219	<20	2.05	0.075	0.32	<0.1	8.2	<0.02	0.94	53	0.7	0.03	5.4	5	9
2634959	Drill Core	0.098	4.4	145.6	0.79	35.7	0.212	<20	1.23	0.058	0.14	<0.1	5.0	<0.02	0.59	53	0.3	0.04	3.4	4	2
2634960	Drill Core	0.060	3.8	81.5	0.72	48.5	0.188	<20	1.04	0.058	0.22	<0.1	4.5	<0.02	0.68	49	0.1	0.04	2.5	<3	5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
2632881	Drill Core <0.9
2632882	Drill Core <0.9
2632883	Drill Core <0.9
2632884	Drill Core <0.9
2632885	Drill Core <0.9
2632886	Drill Core <0.9
2632887	Drill Core <0.9
2632888	Drill Core <0.9
2632889	Drill Core <0.9
2632890	Drill Core <0.9
2632891	Drill Core <0.9
2632892	Drill Core <0.9
2632893	Drill Core <0.9
2632894	Drill Core <0.9
2632895	Drill Core <0.9
2632896	Drill Core <0.9
2632897	Drill Core <0.9
2632898	Drill Core <0.9
2632899	Drill Core <0.9
2632900	Drill Core <0.9
2634951	Drill Core <0.9
2634952	Drill Core <0.9
2634953	Drill Core <0.9
2634954	Drill Core <0.9
2634955	Drill Core <0.9
2634956	Drill Core <0.9
2634957	Drill Core <0.9
2634958	Drill Core <0.9
2634959	Drill Core <0.9
2634960	Drill Core <0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 23, 2019

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method Analyte	Unit	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
MDL	MDL	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
2634961	Drill Core	5.49	0.22	419.84	0.23	16.1	98	21.6	26.0	287	2.49	0.4	0.1	8.4	0.3	93.8	0.02	0.22	<0.02	59	1.75
2634962	Drill Core	4.16	0.22	175.36	0.33	34.2	59	28.2	21.2	531	3.62	1.2	0.2	1.6	0.5	99.2	0.03	0.25	<0.02	108	2.23
2634963	Drill Core	5.16	0.20	134.10	0.31	41.9	49	34.3	24.0	515	3.25	0.5	0.1	2.2	0.2	97.3	0.01	0.15	<0.02	115	1.52
2634964	Drill Core	4.94	0.23	69.73	0.29	19.8	26	17.4	14.8	317	2.33	0.3	0.2	1.0	0.4	69.1	<0.01	0.13	<0.02	75	1.68
2634965	Drill Core	5.36	0.78	248.71	0.28	41.9	105	55.8	46.9	601	4.40	0.8	<0.1	2.4	0.1	62.1	0.03	0.21	<0.02	120	1.64
2634966	Drill Core	5.52	0.35	137.98	0.29	51.1	57	144.0	39.0	709	3.78	0.6	0.1	0.6	0.3	76.8	0.03	0.10	<0.02	115	1.30
2634967	Drill Core	5.27	0.21	80.26	0.22	44.5	37	109.1	30.2	612	3.73	0.5	0.1	<0.2	0.2	43.1	<0.01	0.08	<0.02	115	0.88
2634968	Drill Core	4.98	0.29	109.62	0.29	55.4	57	20.6	30.0	596	4.22	0.3	0.2	0.4	0.3	44.8	0.01	0.12	<0.02	104	0.89
2634969	Drill Core	3.77	0.30	62.73	0.24	39.4	45	12.4	23.2	415	2.53	0.3	0.2	<0.2	0.4	38.5	<0.01	0.08	<0.02	41	0.81
2634970	Drill Core	2.30	1.16	106.27	0.35	43.8	97	22.0	27.8	484	3.83	0.4	0.5	4.4	0.8	41.9	0.02	0.22	0.03	78	0.92
2634971	Drill Core	2.44	0.56	62.86	0.37	46.8	63	13.3	23.9	526	3.77	0.5	0.3	2.9	0.8	40.7	0.01	0.20	0.02	67	0.82
2634972	Drill Core	2.38	1.02	62.82	0.34	41.0	70	27.6	25.4	430	3.51	0.5	0.3	4.3	0.6	37.5	0.01	0.24	<0.02	61	0.75
2634973	Drill Core	2.54	1.31	138.38	0.56	53.9	213	13.6	29.9	451	6.79	0.8	0.2	10.5	0.8	37.2	0.02	0.18	0.04	85	0.77
2634974	Drill Core	3.85	0.41	71.95	0.69	63.2	40	139.4	41.1	899	5.92	0.9	0.1	1.3	0.8	370.2	0.03	0.10	<0.02	201	3.11
2634975	Drill Core	2.83	1.58	64.59	0.85	57.6	126	10.0	20.2	769	6.18	0.9	0.3	5.9	0.9	58.5	0.03	0.14	0.05	81	1.95
2634976	Drill Core	1.19	2.71	93.47	0.30	57.5	148	8.1	24.5	692	8.04	<0.1	0.1	5.0	1.5	16.8	0.02	0.10	0.04	54	0.53
2634977	Drill Core	1.25	5.84	117.92	0.43	56.5	244	49.5	28.1	928	12.21	2.9	0.3	5.1	2.2	13.0	0.04	0.12	0.07	51	0.60
2634978	Drill Core	1.24	1.09	58.94	0.39	39.4	99	6.5	17.8	810	4.64	1.0	0.3	<0.2	0.7	17.9	0.02	0.08	0.04	52	0.50
2634979	Drill Core	2.15	1.26	66.72	0.48	34.4	134	9.3	17.4	690	4.59	1.6	0.2	1.6	1.6	19.7	0.01	0.09	0.08	45	0.71
2634980	Drill Core	2.00	1.48	67.95	0.52	39.7	127	5.8	18.0	700	4.83	1.3	0.2	1.9	1.3	16.3	0.01	0.09	0.09	36	0.46
2634981	Drill Core	1.96	0.86	39.20	0.44	47.5	75	2.3	15.2	980	5.25	0.1	0.1	2.9	0.9	13.9	<0.01	0.06	0.09	59	0.44
2634982	Drill Core	2.14	2.71	135.28	0.46	54.1	186	13.1	31.4	1008	9.01	1.1	0.2	4.8	0.8	8.2	0.02	0.04	0.21	31	0.40
2634983	Drill Core	2.27	1.83	172.60	0.63	39.2	230	19.8	32.6	623	6.70	1.5	0.3	3.0	1.4	23.2	0.03	0.06	0.18	42	0.77
2634984	Drill Core	2.21	1.23	44.00	1.18	46.7	122	15.6	16.6	553	4.58	0.3	0.3	0.3	1.5	40.5	0.05	0.06	0.16	34	0.80
2634985	Drill Core	2.17	0.93	34.84	1.14	41.2	103	4.9	12.1	546	3.60	0.5	0.3	0.7	1.1	25.4	0.03	0.05	0.08	44	0.67
2634986	Drill Core	1.94	0.85	27.71	0.90	41.8	59	7.6	12.1	433	2.63	0.2	0.3	<0.2	1.3	25.0	0.01	0.05	0.02	43	0.59
2634987	Drill Core	2.28	0.50	30.37	0.69	42.8	59	6.8	14.8	412	2.93	0.3	0.2	<0.2	0.7	33.9	<0.01	0.08	0.04	59	0.84
2634988	Drill Core	1.48	1.02	42.67	0.68	48.1	108	52.7	16.1	550	4.14	0.6	0.2	2.6	1.6	33.2	0.05	0.10	0.08	25	0.93
2634989	Drill Core	1.75	0.89	33.30	0.76	44.5	103	22.1	12.0	521	4.08	0.6	0.2	4.7	1.6	33.7	0.04	0.11	0.08	27	0.90
2634990	Drill Core	2.94	0.76	40.23	0.56	38.5	83	0.7	7.9	468	3.43	0.6	0.3	2.8	1.2	31.0	0.02	0.15	0.06	16	0.92



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Pt	Pd
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2
2634961	Drill Core	0.078	3.7	55.6	0.85	68.6	0.189	<20	1.09	0.050	0.22	<0.1	4.9	<0.02	1.35	107	1.3	0.05	2.5	<3	4
2634962	Drill Core	0.109	5.3	126.3	1.51	95.8	0.218	<20	1.73	0.045	0.44	<0.1	6.8	0.03	0.55	30	0.4	0.05	4.3	5	6
2634963	Drill Core	0.110	3.1	98.4	1.72	111.2	0.239	<20	1.96	0.054	0.51	<0.1	5.5	0.03	0.38	<5	0.4	0.05	4.7	4	7
2634964	Drill Core	0.076	4.6	96.3	0.94	78.1	0.234	<20	1.38	0.056	0.26	<0.1	4.8	<0.02	0.24	<5	<0.1	<0.02	3.3	<3	3
2634965	Drill Core	0.108	2.6	109.1	1.49	95.8	0.214	<20	1.77	0.056	0.40	<0.1	5.2	0.02	1.24	24	0.7	0.06	4.4	<3	4
2634966	Drill Core	0.133	2.2	392.9	2.95	181.6	0.168	<20	2.48	0.036	0.81	<0.1	4.8	0.10	0.53	13	0.4	0.05	5.9	5	8
2634967	Drill Core	0.090	2.0	250.2	2.68	163.0	0.237	<20	2.43	0.039	0.84	<0.1	5.3	0.11	0.54	32	0.4	0.07	6.3	6	8
2634968	Drill Core	0.088	2.2	30.8	2.49	106.7	0.236	<20	2.53	0.048	0.72	<0.1	3.9	0.11	1.10	64	0.4	0.15	5.9	<3	<2
2634969	Drill Core	0.091	2.2	34.6	1.74	40.4	0.182	<20	1.71	0.045	0.28	<0.1	2.7	0.06	0.83	37	0.4	0.09	4.3	<3	<2
2634970	Drill Core	0.085	1.8	64.2	2.02	45.9	0.170	<20	2.00	0.041	0.41	0.1	4.1	0.09	2.06	270	1.7	0.29	4.6	3	2
2634971	Drill Core	0.089	2.4	22.6	2.27	57.5	0.173	<20	2.07	0.029	0.57	<0.1	4.6	0.12	1.74	188	1.0	0.23	5.2	3	<2
2634972	Drill Core	0.088	1.9	43.8	2.22	68.1	0.197	<20	2.03	0.041	0.72	<0.1	4.3	0.14	1.59	39	0.7	0.17	5.5	<3	<2
2634973	Drill Core	0.080	2.8	13.6	2.19	65.8	0.167	<20	2.21	0.030	0.42	0.1	4.7	0.09	4.45	114	3.6	0.35	6.4	4	3
2634974	Drill Core	0.057	6.5	77.7	4.51	57.5	0.324	<20	4.11	0.340	0.11	<0.1	10.3	0.04	0.32	42	<0.1	<0.02	10.3	<3	<2
2634975	Drill Core	0.053	3.4	10.5	2.49	20.9	0.127	<20	2.59	0.027	0.13	<0.1	5.4	<0.02	3.42	152	2.4	0.45	6.4	6	9
2634976	Drill Core	0.060	2.9	10.0	2.41	25.2	0.168	<20	2.57	0.021	0.19	0.1	2.4	0.03	5.52	166	4.6	0.36	7.2	<3	<2
2634977	Drill Core	0.042	10.4	81.8	2.73	21.2	0.097	<20	3.23	0.006	0.17	<0.1	3.3	0.02	8.28	91	6.4	0.44	8.7	<3	3
2634978	Drill Core	0.056	2.2	4.2	1.70	19.8	0.074	<20	1.88	0.027	0.16	<0.1	3.0	0.02	3.00	111	1.7	0.28	4.4	<3	<2
2634979	Drill Core	0.040	4.4	8.5	1.59	27.5	0.064	<20	1.73	0.026	0.18	<0.1	2.7	0.04	3.28	105	1.4	0.32	4.2	<3	<2
2634980	Drill Core	0.056	3.1	7.1	1.49	45.5	0.066	<20	1.74	0.027	0.22	<0.1	3.1	0.03	3.45	120	1.5	0.35	3.9	<3	<2
2634981	Drill Core	0.051	3.5	2.3	1.93	31.7	0.102	<20	2.18	0.025	0.23	<0.1	2.7	0.03	3.37	207	1.5	0.40	5.8	<3	<2
2634982	Drill Core	0.038	6.0	10.7	1.99	42.6	0.018	<20	2.46	0.009	0.30	<0.1	1.3	0.03	6.52	167	3.2	0.49	5.6	<3	<2
2634983	Drill Core	0.066	4.2	20.7	1.34	35.7	0.039	<20	1.72	0.016	0.28	<0.1	2.0	0.03	5.14	74	2.3	0.34	3.6	<3	<2
2634984	Drill Core	0.081	4.5	25.8	1.53	27.8	0.068	<20	1.74	0.036	0.20	<0.1	3.4	<0.02	3.17	192	2.0	0.35	4.4	<3	<2
2634985	Drill Core	0.071	3.8	10.6	1.42	39.5	0.100	<20	1.57	0.047	0.29	<0.1	3.4	0.06	2.05	125	0.8	0.28	4.9	<3	<2
2634986	Drill Core	0.039	1.9	16.5	1.32	50.5	0.131	<20	1.47	0.049	0.38	<0.1	3.0	0.10	1.22	39	0.5	0.15	4.0	<3	<2
2634987	Drill Core	0.054	1.7	5.4	1.38	38.0	0.133	<20	1.48	0.040	0.46	<0.1	3.8	0.12	1.66	154	0.3	0.31	4.0	<3	<2
2634988	Drill Core	0.117	3.1	105.1	1.70	47.0	0.136	<20	1.65	0.048	0.43	0.1	4.0	0.08	2.77	94	1.2	0.32	5.0	<3	<2
2634989	Drill Core	0.088	4.2	34.2	1.62	32.8	0.180	<20	1.58	0.054	0.54	<0.1	4.4	0.12	2.80	55	0.6	0.39	5.6	<3	<2
2634990	Drill Core	0.083	4.2	2.4	1.29	55.2	0.101	<20	1.53	0.037	0.52	<0.1	3.4	0.09	2.03	42	0.6	0.24	5.0	<3	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
2634961	Drill Core	<0.9
2634962	Drill Core	<0.9
2634963	Drill Core	<0.9
2634964	Drill Core	<0.9
2634965	Drill Core	<0.9
2634966	Drill Core	<0.9
2634967	Drill Core	<0.9
2634968	Drill Core	<0.9
2634969	Drill Core	<0.9
2634970	Drill Core	<0.9
2634971	Drill Core	<0.9
2634972	Drill Core	<0.9
2634973	Drill Core	<0.9
2634974	Drill Core	<0.9
2634975	Drill Core	<0.9
2634976	Drill Core	<0.9
2634977	Drill Core	<0.9
2634978	Drill Core	<0.9
2634979	Drill Core	<0.9
2634980	Drill Core	<0.9
2634981	Drill Core	<0.9
2634982	Drill Core	<0.9
2634983	Drill Core	<0.9
2634984	Drill Core	<0.9
2634985	Drill Core	<0.9
2634986	Drill Core	<0.9
2634987	Drill Core	<0.9
2634988	Drill Core	<0.9
2634989	Drill Core	<0.9
2634990	Drill Core	<0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634991	Drill Core	1.99	0.91	48.22	1.13	55.3	73	12.7	16.0	757	4.43	1.7	0.2	1.9	1.0	294.6	0.04	0.12	0.03	100	2.60
2634992	Drill Core	2.26	0.55	75.04	0.56	46.8	94	6.2	23.2	479	4.44	0.8	0.2	3.9	0.7	40.0	0.01	0.11	0.05	70	0.95
2634993	Drill Core	3.04	0.23	75.69	0.35	49.0	65	14.1	17.4	569	4.17	0.6	0.2	<0.2	0.5	48.3	0.01	0.15	<0.02	111	0.90
2634994	Drill Core	2.50	0.23	107.64	0.29	49.0	74	13.3	19.2	604	4.24	0.5	<0.1	2.9	<0.1	38.3	<0.01	0.12	<0.02	143	0.98
2634995	Drill Core	3.05	0.32	130.58	0.34	48.5	94	16.2	30.0	681	4.83	1.3	<0.1	1.8	0.2	72.4	0.02	0.14	0.02	141	1.03
2634996	Drill Core	2.18	1.04	175.94	0.50	45.9	206	12.6	32.7	557	5.98	4.5	0.1	5.5	0.3	95.7	0.02	0.14	0.03	87	1.19
2634997	Drill Core	3.03	1.19	319.38	0.66	63.6	391	11.0	37.3	764	8.62	3.3	0.1	13.9	0.2	1008.5	0.10	0.25	0.04	164	1.76
2634998	Drill Core	2.86	1.20	770.65	0.65	75.1	758	22.8	47.4	840	10.19	2.0	<0.1	12.5	0.1	166.6	0.15	0.22	0.02	195	2.17
2634999	Drill Core	2.54	2.91	446.92	1.34	95.9	254	35.5	34.8	1389	8.06	9.5	0.3	4.3	0.4	350.8	0.12	0.42	0.02	153	6.52
2635000	Drill Core	1.93	5.36	110.58	1.66	100.6	205	30.7	17.1	1044	5.33	40.4	0.5	3.7	0.5	240.3	0.35	0.60	<0.02	99	5.24
2634501	Drill Core	1.59	9.13	119.83	1.91	88.3	206	34.2	18.9	1030	4.82	30.6	0.5	3.0	0.7	251.8	0.19	0.72	<0.02	105	5.20
2634502	Drill Core	2.72	10.62	95.38	8.91	139.9	260	31.6	11.9	793	3.73	5498.4	0.9	1.2	1.0	178.2	0.44	73.14	0.03	50	5.45
2634503	Drill Core	2.30	11.60	110.48	2.50	99.2	260	33.9	10.4	581	3.80	277.4	0.9	0.7	0.9	105.8	0.41	2.85	0.03	53	3.92
2634504	Drill Core	2.41	7.99	107.53	1.35	74.7	144	87.5	19.0	688	3.65	155.8	0.6	1.4	0.8	114.0	0.40	1.27	<0.02	71	4.12
2634505	Drill Core	2.44	13.06	266.23	1.28	30.3	210	109.0	32.6	383	3.96	23.1	0.6	1.5	0.7	90.9	0.08	0.52	<0.02	67	1.79
2634506	Drill Core	2.39	2.93	78.77	0.60	26.4	43	152.2	31.8	485	2.61	44.5	0.3	1.5	0.8	81.1	0.03	0.08	<0.02	62	2.23
2634507	Drill Core	2.23	6.40	175.66	1.05	36.9	135	96.8	27.6	510	3.73	38.3	0.3	2.0	0.7	92.2	0.19	0.35	0.03	76	2.07
2634508	Drill Core	4.26	6.73	136.69	1.02	69.9	139	38.7	14.6	291	3.17	91.6	0.7	2.3	0.6	63.2	0.45	0.45	0.02	37	1.38
2634509	Drill Core	4.55	3.01	95.98	0.87	37.9	89	20.4	16.7	408	2.81	373.3	0.5	1.7	0.6	71.0	0.23	0.51	<0.02	51	1.91
2634510	Drill Core	4.93	4.65	114.18	1.07	45.7	108	27.9	17.4	549	3.49	31.9	0.5	4.3	0.6	92.8	0.12	0.61	<0.02	54	2.64
2634511	Drill Core	4.27	1.38	98.03	0.95	40.9	80	18.8	16.8	495	3.07	52.4	0.2	1.2	0.3	80.4	0.02	0.47	<0.02	55	1.77
2634512	Drill Core	4.77	6.16	358.15	1.36	37.9	259	44.1	22.8	565	3.54	398.6	0.4	6.3	0.5	109.9	0.17	7.13	<0.02	75	2.77
2634513	Drill Core	4.42	4.22	318.58	0.96	26.8	202	51.5	23.7	437	3.04	5.7	0.4	2.9	0.5	96.7	0.10	0.43	<0.02	66	2.57
2634514	Drill Core	3.13	0.81	538.15	1.10	50.4	496	22.2	20.9	709	3.55	8.7	0.3	6.7	0.4	98.3	0.19	0.51	<0.02	93	3.21
2634515	Drill Core	3.43	0.47	59.18	2.97	74.8	64	29.4	20.4	1124	4.58	1.5	0.2	1.7	1.0	196.3	0.10	0.17	0.03	128	3.20
2634516	Drill Core	4.59	1.72	220.60	0.83	67.5	218	25.1	25.7	543	4.01	14.7	0.4	6.3	0.7	58.4	0.22	0.51	<0.02	82	1.58
2634517	Drill Core	7.36	0.59	111.65	1.01	55.9	135	15.4	21.7	437	3.24	8.4	0.4	6.4	1.1	93.1	0.09	0.56	<0.02	79	2.20
2634518	Drill Core	4.36	0.73	99.02	2.16	80.5	91	28.6	26.1	698	4.46	73.5	0.5	8.0	1.1	98.5	0.12	1.92	<0.02	104	2.50
2634519	Drill Core	4.88	0.96	129.37	2.08	66.6	99	33.3	20.9	654	4.06	44.9	0.3	6.7	0.7	92.4	0.11	2.76	<0.02	92	2.66
2634520	Drill Core	5.03	1.53	69.56	0.90	64.3	92	19.5	20.6	485	3.46	27.0	0.4	7.1	0.9	76.3	0.13	0.55	<0.02	81	2.13



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pt	Pd
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2
2634991	Drill Core	0.110	6.3	33.9	2.26	65.3	0.172	<20	2.51	0.169	0.34	<0.1	8.4	0.09	1.70	8	0.3	0.15	7.0	<3	<2
2634992	Drill Core	0.074	2.5	11.0	1.65	72.6	0.149	<20	1.70	0.038	0.74	<0.1	5.1	0.13	2.70	19	1.0	0.51	6.0	<3	<2
2634993	Drill Core	0.056	1.5	22.4	2.12	65.8	0.198	<20	2.26	0.041	0.61	<0.1	5.1	0.10	1.23	8	0.3	0.21	5.1	<3	2
2634994	Drill Core	0.045	0.8	9.6	2.27	60.6	0.246	<20	2.57	0.043	0.58	<0.1	4.9	0.08	0.76	<5	<0.1	0.27	5.3	<3	<2
2634995	Drill Core	0.041	0.9	12.6	2.62	52.5	0.211	<20	2.66	0.037	0.56	<0.1	6.2	0.09	1.43	15	0.3	0.40	5.5	<3	<2
2634996	Drill Core	0.055	1.8	12.0	2.07	90.5	0.180	<20	1.96	0.043	0.64	<0.1	7.8	0.09	3.58	<5	1.4	0.38	5.6	<3	<2
2634997	Drill Core	0.104	2.7	8.8	2.81	106.3	0.287	<20	2.68	0.052	1.67	0.1	11.7	0.24	5.55	28	3.3	0.44	8.2	<3	2
2634998	Drill Core	0.060	2.8	14.0	2.89	58.5	0.273	<20	3.33	0.034	1.31	<0.1	11.6	0.22	6.07	21	6.1	0.41	8.5	<3	4
2634999	Drill Core	0.096	7.8	63.3	2.40	88.1	0.048	<20	2.82	0.027	0.23	<0.1	19.2	0.11	3.38	50	4.6	0.22	6.7	<3	6
2635000	Drill Core	0.107	8.5	33.9	1.33	102.8	0.078	<20	1.91	0.032	0.09	<0.1	15.5	0.03	2.03	24	6.1	0.15	6.4	<3	4
2634501	Drill Core	0.118	8.3	37.3	1.32	81.9	0.044	<20	2.06	0.031	0.18	<0.1	17.0	0.10	2.16	237	6.2	0.18	6.5	<3	4
2634502	Drill Core	0.074	9.9	18.3	0.75	71.6	0.008	<20	1.32	0.024	0.15	<0.1	11.2	0.93	1.83	5477	8.8	0.13	4.7	<3	5
2634503	Drill Core	0.057	9.7	19.9	0.85	115.8	0.028	<20	1.06	0.031	0.17	<0.1	14.0	0.28	2.03	292	8.6	0.11	4.6	<3	5
2634504	Drill Core	0.087	6.8	100.5	1.47	103.5	0.064	<20	1.40	0.035	0.20	<0.1	11.8	0.40	1.52	384	5.5	0.09	4.6	<3	5
2634505	Drill Core	0.110	5.8	106.8	1.70	84.3	0.128	<20	1.41	0.046	0.18	<0.1	9.1	0.06	1.90	147	7.3	0.17	4.1	<3	7
2634506	Drill Core	0.117	4.3	189.0	2.00	75.2	0.150	<20	1.77	0.040	0.31	<0.1	6.3	0.08	0.35	11	0.4	0.05	3.9	3	5
2634507	Drill Core	0.104	4.3	117.6	2.36	92.8	0.139	<20	1.88	0.051	0.29	0.1	9.3	0.11	1.32	34	3.0	0.08	4.7	7	6
2634508	Drill Core	0.086	5.0	21.6	0.59	63.5	0.108	<20	0.87	0.050	0.10	0.1	5.7	0.05	1.82	25	7.0	0.13	3.2	5	6
2634509	Drill Core	0.094	4.2	12.8	0.68	91.2	0.125	<20	1.06	0.056	0.21	<0.1	4.9	0.04	1.05	14	3.2	0.16	3.2	4	6
2634510	Drill Core	0.127	5.8	20.6	0.95	60.8	0.161	<20	1.18	0.056	0.13	<0.1	7.9	0.05	1.14	34	3.0	0.11	3.8	<3	3
2634511	Drill Core	0.122	4.2	15.7	0.84	109.4	0.155	<20	1.24	0.055	0.24	<0.1	6.4	0.04	0.92	<5	1.3	0.11	3.7	<3	<2
2634512	Drill Core	0.120	5.1	43.5	1.30	45.2	0.130	<20	1.39	0.047	0.12	<0.1	9.2	0.24	1.20	227	3.0	0.11	4.2	<3	4
2634513	Drill Core	0.114	4.4	57.6	1.12	37.8	0.159	<20	1.27	0.052	0.20	<0.1	7.0	0.05	1.01	14	1.8	0.06	3.5	11	10
2634514	Drill Core	0.165	4.7	39.7	1.65	44.1	0.178	<20	1.84	0.055	0.33	0.1	9.1	0.12	1.01	23	1.3	0.09	5.1	<3	4
2634515	Drill Core	0.133	8.9	105.5	2.92	80.6	0.129	<20	3.16	0.207	0.17	<0.1	11.8	0.05	0.19	24	<0.1	<0.02	9.7	<3	<2
2634516	Drill Core	0.135	5.4	27.0	2.09	67.9	0.163	<20	2.50	0.035	0.31	<0.1	7.3	0.09	0.77	5	1.8	0.13	5.1	<3	3
2634517	Drill Core	0.152	6.2	21.8	1.86	60.6	0.170	<20	2.11	0.039	0.40	<0.1	6.6	0.09	0.55	77	0.2	0.09	4.9	3	4
2634518	Drill Core	0.146	9.0	29.8	2.34	66.4	0.124	<20	2.82	0.027	0.46	0.1	10.7	0.64	0.44	1350	0.2	0.14	6.9	4	3
2634519	Drill Core	0.117	6.4	44.6	1.94	56.3	0.102	<20	2.18	0.030	0.27	<0.1	10.1	0.31	0.81	634	1.5	0.16	5.5	<3	3
2634520	Drill Core	0.102	4.4	20.2	1.95	59.5	0.153	<20	2.16	0.042	0.25	0.1	6.8	0.16	0.57	52	0.5	0.10	4.7	<3	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
2634991	Drill Core	<0.9
2634992	Drill Core	<0.9
2634993	Drill Core	<0.9
2634994	Drill Core	<0.9
2634995	Drill Core	<0.9
2634996	Drill Core	<0.9
2634997	Drill Core	<0.9
2634998	Drill Core	<0.9
2634999	Drill Core	<0.9
2635000	Drill Core	<0.9
2634501	Drill Core	<0.9
2634502	Drill Core	<0.9
2634503	Drill Core	<0.9
2634504	Drill Core	<0.9
2634505	Drill Core	<0.9
2634506	Drill Core	<0.9
2634507	Drill Core	<0.9
2634508	Drill Core	<0.9
2634509	Drill Core	<0.9
2634510	Drill Core	<0.9
2634511	Drill Core	<0.9
2634512	Drill Core	<0.9
2634513	Drill Core	<0.9
2634514	Drill Core	<0.9
2634515	Drill Core	<0.9
2634516	Drill Core	<0.9
2634517	Drill Core	<0.9
2634518	Drill Core	<0.9
2634519	Drill Core	<0.9
2634520	Drill Core	<0.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634521	Drill Core	4.69	1.09	41.56	1.00	72.0	34	12.9	21.8	411	4.30	25.4	0.5	2.6	1.3	69.8	0.05	0.87	<0.02	102	1.77
2634522	Drill Core	4.19	5.70	90.46	12.42	95.1	110	44.4	22.3	1185	4.78	150.3	0.5	6.1	1.0	124.9	0.39	6.28	<0.02	84	4.68
2634523	Drill Core	4.29	0.39	76.06	1.61	69.1	85	35.3	23.2	890	4.09	10.6	0.3	6.3	0.9	150.0	0.06	1.40	<0.02	97	3.89
2634524	Drill Core	4.80	0.63	137.39	1.86	60.5	142	50.0	26.8	669	3.72	12.0	0.3	7.7	0.7	114.9	0.09	2.82	<0.02	88	3.10
2634525	Drill Core	4.86	1.12	112.40	0.87	49.4	101	29.0	23.1	425	3.15	7.3	0.5	4.8	1.7	73.9	0.05	0.44	<0.02	80	1.52



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2	
2634521	Drill Core	0.098	5.1	12.9	2.60	51.6	0.150	<20	3.02	0.026	0.35	<0.1	8.2	0.20	0.19	112	<0.1	0.04	6.0	<3	<2
2634522	Drill Core	0.126	8.1	76.4	1.73	132.0	0.003	<20	1.39	0.021	0.29	0.2	18.0	0.66	0.59	1732	0.6	0.08	3.5	<3	3
2634523	Drill Core	0.147	7.2	68.2	1.91	73.5	0.066	<20	2.11	0.030	0.44	<0.1	11.9	0.16	0.47	568	<0.1	0.06	5.3	<3	2
2634524	Drill Core	0.148	6.2	75.1	2.01	95.0	0.131	<20	2.05	0.033	0.50	<0.1	9.7	0.09	0.80	608	0.8	0.09	4.7	4	4
2634525	Drill Core	0.158	6.8	45.7	1.85	111.9	0.192	<20	1.97	0.041	0.92	0.1	5.0	0.13	0.76	102	0.9	0.09	4.7	<3	3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003692.1

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
2634521	Drill Core	<0.9
2634522	Drill Core	<0.9
2634523	Drill Core	<0.9
2634524	Drill Core	<0.9
2634525	Drill Core	<0.9



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 4 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003692.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
Pulp Duplicates																					
2632864	Drill Core	6.38	0.16	114.96	0.65	60.3	70	31.0	22.8	778	3.40	0.8	<0.1	6.7	0.2	123.2	0.04	0.13	<0.02	144	1.98
REP 2632864	QC																				
2632867	Drill Core	6.75	0.14	167.70	0.77	76.2	103	4.1	23.0	986	3.71	1.0	<0.1	4.2	0.2	134.7	0.04	0.26	<0.02	146	2.67
REP 2632867	QC		0.11	168.52	0.74	75.8	99	4.0	23.9	986	3.62	0.9	<0.1	5.7	0.2	131.0	0.04	0.25	<0.02	143	2.60
2632883	Drill Core	4.09	1.19	279.38	0.41	89.7	91	14.9	29.0	1151	4.99	1.0	0.2	6.0	0.8	65.0	0.08	0.24	<0.02	157	1.98
REP 2632883	QC																				
2632897	Drill Core	5.06	0.88	159.81	0.29	31.1	65	25.0	28.1	460	2.14	0.6	0.2	1.1	0.3	69.0	0.01	0.17	<0.02	49	2.00
REP 2632897	QC																				
2634952	Drill Core	4.22	0.35	151.01	0.27	42.0	54	26.2	23.2	605	3.14	0.6	0.2	<0.2	0.3	97.1	0.02	0.22	<0.02	109	1.77
REP 2634952	QC		0.31	157.32	0.29	43.7	51	26.7	25.3	581	3.25	0.7	0.2	<0.2	0.3	105.1	<0.01	0.20	<0.02	111	1.84
2634968	Drill Core	4.98	0.29	109.62	0.29	55.4	57	20.6	30.0	596	4.22	0.3	0.2	0.4	0.3	44.8	0.01	0.12	<0.02	104	0.89
REP 2634968	QC																				
2634981	Drill Core	1.96	0.86	39.20	0.44	47.5	75	2.3	15.2	980	5.25	0.1	0.1	2.9	0.9	13.9	<0.01	0.06	0.09	59	0.44
REP 2634981	QC																				
2634987	Drill Core	2.28	0.50	30.37	0.69	42.8	59	6.8	14.8	412	2.93	0.3	0.2	<0.2	0.7	33.9	<0.01	0.08	0.04	59	0.84
REP 2634987	QC		0.57	31.01	0.68	43.8	58	6.7	14.5	418	2.98	0.2	0.2	1.4	0.7	33.7	0.03	0.08	0.03	58	0.85
2634503	Drill Core	2.30	11.60	110.48	2.50	99.2	260	33.9	10.4	581	3.80	277.4	0.9	0.7	0.9	105.8	0.41	2.85	0.03	53	3.92
REP 2634503	QC																				
2634512	Drill Core	4.77	6.16	358.15	1.36	37.9	259	44.1	22.8	565	3.54	398.6	0.4	6.3	0.5	109.9	0.17	7.13	<0.02	75	2.77
REP 2634512	QC																				
2634517	Drill Core	7.36	0.59	111.65	1.01	55.9	135	15.4	21.7	437	3.24	8.4	0.4	6.4	1.1	93.1	0.09	0.56	<0.02	79	2.20
REP 2634517	QC		0.56	109.25	1.01	55.5	119	15.7	21.0	462	3.18	8.5	0.4	5.2	1.1	92.6	0.11	0.57	<0.02	77	2.16
2634525	Drill Core	4.86	1.12	112.40	0.87	49.4	101	29.0	23.1	425	3.15	7.3	0.5	4.8	1.7	73.9	0.05	0.44	<0.02	80	1.52
REP 2634525	QC																				
Core Reject Duplicates																					
2632854	Drill Core	1.82	0.07	133.10	0.42	75.4	68	33.3	23.9	731	3.77	1.2	<0.1	2.3	0.3	118.1	0.04	0.21	<0.02	130	1.66
DUP 2632854	QC		0.08	128.59	0.42	72.3	73	32.3	25.1	743	3.76	1.1	<0.1	2.2	0.2	111.6	0.03	0.19	<0.02	129	1.65
2632888	Drill Core	5.23	0.16	45.80	0.27	14.2	19	14.2	13.3	320	3.08	0.9	0.2	<0.2	0.3	65.9	0.02	0.14	<0.02	117	1.99



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 4 **Part:** 2 of 3

QUALITY CONTROL REPORT

VAN19003692.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2	
Pulp Duplicates																					
2632864	Drill Core	0.161	2.7	57.3	2.13	658.1	0.195	<20	2.46	0.072	1.12	<0.1	7.4	0.07	<0.02	23	<0.1	<0.02	5.7	<3	14
REP 2632864	QC																				
2632867	Drill Core	0.176	4.3	2.6	2.12	284.2	0.161	<20	2.56	0.056	0.94	<0.1	9.1	0.07	<0.02	30	<0.1	0.03	6.4	<3	22
REP 2632867	QC	0.171	4.3	2.4	2.07	271.0	0.153	<20	2.50	0.058	0.93	<0.1	8.8	0.07	<0.02	33	<0.1	<0.02	6.4		
2632883	Drill Core	0.193	6.8	18.7	2.69	125.4	0.197	<20	2.80	0.046	0.56	<0.1	6.4	0.05	0.95	65	0.7	0.07	7.5	5	11
REP 2632883	QC																			5	8
2632897	Drill Core	0.069	4.5	97.0	1.26	37.5	0.186	<20	1.54	0.049	0.12	<0.1	5.6	<0.02	0.68	129	0.8	0.02	3.4	<3	5
REP 2632897	QC																				
2634952	Drill Core	0.140	2.5	55.4	1.87	78.4	0.176	<20	2.08	0.065	0.33	<0.1	5.5	0.03	0.64	35	0.3	0.04	5.2	<3	5
REP 2634952	QC	0.137	2.6	57.3	1.96	79.6	0.185	<20	2.17	0.071	0.34	<0.1	5.8	0.03	0.66	36	0.5	<0.02	5.5		
2634968	Drill Core	0.088	2.2	30.8	2.49	106.7	0.236	<20	2.53	0.048	0.72	<0.1	3.9	0.11	1.10	64	0.4	0.15	5.9	<3	<2
REP 2634968	QC																			<3	<2
2634981	Drill Core	0.051	3.5	2.3	1.93	31.7	0.102	<20	2.18	0.025	0.23	<0.1	2.7	0.03	3.37	207	1.5	0.40	5.8	<3	<2
REP 2634981	QC																				
2634987	Drill Core	0.054	1.7	5.4	1.38	38.0	0.133	<20	1.48	0.040	0.46	<0.1	3.8	0.12	1.66	154	0.3	0.31	4.0	<3	<2
REP 2634987	QC	0.054	1.9	5.3	1.41	37.9	0.132	<20	1.51	0.043	0.46	<0.1	3.7	0.13	1.70	133	0.4	0.30	4.0		
2634503	Drill Core	0.057	9.7	19.9	0.85	115.8	0.028	<20	1.06	0.031	0.17	<0.1	14.0	0.28	2.03	292	8.6	0.11	4.6	<3	5
REP 2634503	QC																			<3	5
2634512	Drill Core	0.120	5.1	43.5	1.30	45.2	0.130	<20	1.39	0.047	0.12	<0.1	9.2	0.24	1.20	227	3.0	0.11	4.2	<3	4
REP 2634512	QC																				
2634517	Drill Core	0.152	6.2	21.8	1.86	60.6	0.170	<20	2.11	0.039	0.40	<0.1	6.6	0.09	0.55	77	0.2	0.09	4.9	3	4
REP 2634517	QC	0.156	6.2	22.1	1.81	61.1	0.175	<20	2.05	0.040	0.40	0.1	6.3	0.10	0.53	84	0.2	0.08	5.1		
2634525	Drill Core	0.158	6.8	45.7	1.85	111.9	0.192	<20	1.97	0.041	0.92	0.1	5.0	0.13	0.76	102	0.9	0.09	4.7	<3	3
REP 2634525	QC																			<3	3
Core Reject Duplicates																					
2632854	Drill Core	0.213	2.1	55.4	2.28	366.8	0.186	<20	2.55	0.054	1.17	<0.1	4.9	0.07	0.10	60	<0.1	<0.02	5.9	<3	7
DUP 2632854	QC	0.214	2.1	54.2	2.28	360.5	0.177	<20	2.54	0.056	1.17	<0.1	4.9	0.07	0.10	68	<0.1	0.02	5.4	<3	9
2632888	Drill Core	0.162	5.4	169.2	0.67	29.0	0.171	<20	1.13	0.063	0.14	<0.1	4.0	<0.02	0.26	23	<0.1	0.03	3.0	<3	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 4 Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003692.1

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
Pulp Duplicates		
2632864	Drill Core	<0.9
REP 2632864	QC	<0.9
2632867	Drill Core	<0.9
REP 2632867	QC	
2632883	Drill Core	<0.9
REP 2632883	QC	
2632897	Drill Core	<0.9
REP 2632897	QC	<0.9
2634952	Drill Core	<0.9
REP 2634952	QC	
2634968	Drill Core	<0.9
REP 2634968	QC	
2634981	Drill Core	<0.9
REP 2634981	QC	<0.9
2634987	Drill Core	<0.9
REP 2634987	QC	
2634503	Drill Core	<0.9
REP 2634503	QC	
2634512	Drill Core	<0.9
REP 2634512	QC	<0.9
2634517	Drill Core	<0.9
REP 2634517	QC	
2634525	Drill Core	<0.9
REP 2634525	QC	
Core Reject Duplicates		
2632854	Drill Core	<0.9
DUP 2632854	QC	<0.9
2632888	Drill Core	<0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	0.02	1	0.01
DUP 2632888	QC		0.17	45.91	0.26	14.1	24	14.0	13.2	325	3.27	0.7	0.2	<0.2	0.3	67.4	<0.01	0.14	<0.02	122	2.08	
2634972	Drill Core	2.38	1.02	62.82	0.34	41.0	70	27.6	25.4	430	3.51	0.5	0.3	4.3	0.6	37.5	0.01	0.24	<0.02	61	0.75	
DUP 2634972	QC		0.75	65.12	0.35	40.4	72	27.9	26.7	434	3.56	0.7	0.3	4.3	0.6	38.3	<0.01	0.23	<0.02	62	0.79	
2634506	Drill Core	2.39	2.93	78.77	0.60	26.4	43	152.2	31.8	485	2.61	44.5	0.3	1.5	0.8	81.1	0.03	0.08	<0.02	62	2.23	
DUP 2634506	QC		3.15	76.90	0.61	28.2	42	152.3	31.8	486	2.62	44.3	0.3	2.5	0.8	80.9	0.04	0.07	<0.02	62	2.24	
Reference Materials																						
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD BVGEO01	Standard		11.09	4633.96	193.38	1817.8	2691	165.4	25.1	766	3.95	119.9	3.6	230.1	14.6	51.1	6.31	2.12	23.31	75	1.34	
STD BVGEO01	Standard		11.01	4455.15	192.63	1850.5	2614	159.1	24.9	750	3.80	117.7	3.6	232.7	14.5	53.2	6.00	2.34	22.08	72	1.33	
STD DS11	Standard		14.26	148.57	123.31	335.5	1867	80.7	13.9	1042	3.09	42.5	2.2	104.0	6.4	58.1	2.11	6.64	10.38	50	1.07	
STD DS11	Standard		14.90	149.94	142.57	332.4	1559	82.4	14.1	1002	2.97	38.9	2.6	57.5	7.8	60.1	2.23	6.77	10.12	49	1.05	
STD KO74421	Standard																					
STD KO74421	Standard																					
STD OREAS262	Standard		0.67	113.41	55.57	146.4	453	64.7	26.3	551	3.23	33.5	1.2	64.4	9.1	33.9	0.66	2.85	0.92	22	2.94	
STD OREAS262	Standard		0.67	114.37	54.63	142.8	457	60.9	26.2	543	3.25	34.2	1.1	72.1	8.7	32.7	0.58	3.39	0.89	20	3.03	
STD OREAS262	Standard		0.67	120.83	59.81	156.4	483	66.0	28.8	577	3.41	39.2	1.3	71.6	9.9	33.6	0.66	2.90	0.94	22	3.15	
STD OREAS262	Standard		0.60	120.61	56.44	144.3	422	66.0	28.1	526	3.24	32.9	1.2	57.7	9.1	31.2	0.60	2.40	0.85	22	2.87	
STD OREAS683	Standard																					
STD OREAS683	Standard																					
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD PD05	Standard																					
STD PD05	Standard																					
STD PG04	Standard																					



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pt	Pd
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb
		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2
DUP 2632888	QC	0.166	5.6	177.4	0.71	29.2	0.175	<20	1.16	0.062	0.14	<0.1	4.2	<0.02	0.27	24	<0.1	<0.02	2.9	<3	<2
2634972	Drill Core	0.088	1.9	43.8	2.22	68.1	0.197	<20	2.03	0.041	0.72	<0.1	4.3	0.14	1.59	39	0.7	0.17	5.5	<3	<2
DUP 2634972	QC	0.089	2.0	45.1	2.25	69.2	0.198	<20	2.06	0.044	0.74	0.1	4.0	0.14	1.69	44	0.8	0.20	5.2	<3	<2
2634506	Drill Core	0.117	4.3	189.0	2.00	75.2	0.150	<20	1.77	0.040	0.31	<0.1	6.3	0.08	0.35	11	0.4	0.05	3.9	3	5
DUP 2634506	QC	0.120	4.5	187.8	1.95	79.0	0.151	<20	1.73	0.041	0.31	<0.1	6.2	0.08	0.35	6	0.2	0.06	3.7	4	5
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGE001	Standard	0.075	25.6	183.7	1.36	330.8	0.243	<20	2.43	0.190	0.91	3.1	5.9	0.66	0.67	112	4.7	0.97	7.4		
STD BVGE001	Standard	0.071	25.8	184.7	1.33	336.4	0.233	<20	2.36	0.191	0.89	3.1	5.5	0.63	0.64	99	4.4	1.09	7.1		
STD DS11	Standard	0.067	16.5	61.1	0.86	413.8	0.088	<20	1.17	0.074	0.40	2.4	3.0	4.83	0.29	267	2.1	4.46	4.9		
STD DS11	Standard	0.064	17.6	59.4	0.82	385.2	0.092	<20	1.15	0.072	0.39	2.6	3.1	4.89	0.26	253	1.9	4.46	4.7		
STD KO74421	Standard																			446	473
STD KO74421	Standard																			456	488
STD OREAS262	Standard	0.037	15.1	42.2	1.20	250.5	0.003	<20	1.26	0.069	0.31	<0.1	3.2	0.48	0.27	174	0.2	0.20	3.8		
STD OREAS262	Standard	0.038	15.8	41.2	1.15	235.1	0.003	<20	1.20	0.066	0.30	0.2	2.9	0.46	0.24	150	0.3	0.23	3.7		
STD OREAS262	Standard	0.039	18.6	44.3	1.24	257.0	0.003	<20	1.38	0.070	0.34	0.1	3.5	0.51	0.26	169	<0.1	0.26	4.1		
STD OREAS262	Standard	0.037	15.8	43.5	1.18	235.2	0.003	<20	1.29	0.069	0.32	<0.1	3.0	0.44	0.25	133	<0.1	0.19	3.8		
STD OREAS683	Standard																			1806	869
STD OREAS683	Standard																			1671	835
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD OXQ114	Standard																				
STD PD05	Standard																			424	596
STD PD05	Standard																			430	604
STD PG04	Standard																			910	1243



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		FA530 Au gm/t 0.9
DUP 2632888	QC	<0.9
2634972	Drill Core	<0.9
DUP 2634972	QC	<0.9
2634506	Drill Core	<0.9
DUP 2634506	QC	<0.9
Reference Materials		
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD BVGE001	Standard	
STD BVGE001	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD KO74421	Standard	
STD KO74421	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS683	Standard	
STD OREAS683	Standard	
STD OXQ114	Standard	35.5
STD OXQ114	Standard	35.3
STD OXQ114	Standard	34.6
STD OXQ114	Standard	35.1
STD PD05	Standard	
STD PD05	Standard	
STD PG04	Standard	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 4 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
STD PG04	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD AGPROOF	Expected																					
STD SP49	Expected																					
STD OXQ114	Expected																					
STD BVGEO01	Expected		10.8	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11	Expected		13.9	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262	Expected		0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
STD KO74421	Expected																					
STD PG04	Expected																					
STD PD05	Expected																					
STD OREAS683	Expected																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<0.01	<0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<0.01	<0.01	0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank		<0.01	<0.01	0.03	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank		<0.01	0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
Prep Wash																						
ROCK-VAN	Prep Blank		0.69	7.66	1.05	31.4	8	0.6	3.7	544	1.94	0.7	0.4	<0.2	2.0	24.5	0.02	0.05	<0.02	23	0.77	



QUALITY CONTROL REPORT

VAN19003692.1

		AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pt	Pd	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2	
STD PG04	Standard																			899	1225	
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD AGPROOF	Expected																					
STD SP49	Expected																					
STD OXQ114	Expected																					
STD BVGEO01	Expected	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	5.97	0.62	0.6655	100	4.84	1.02	7.37			
STD DS11	Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	3.1	4.9	0.2835	260	2.2	4.56	4.7			
STD OREAS262	Expected	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	3.24	0.47	0.253	170	0.4	0.23	3.73			
STD KO74421	Expected																			459	466	
STD PG04	Expected																			910	1210	
STD PD05	Expected																			430	596	
STD OREAS683	Expected																			1760	853	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	8	<0.1	<0.02	<0.1			
BLK	Blank																			<3	<2	
BLK	Blank																					
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	10	<0.1	<0.02	<0.1			
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	0.02	<0.1			
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	0.02	<0.1			
BLK	Blank																			<3	<2	
BLK	Blank																			<3	<2	
BLK	Blank																			<3	<2	
Prep Wash																						
ROCK-VAN	Prep Blank	0.043	6.0	4.1	0.48	70.1	0.089	<20	0.97	0.119	0.15	0.1	3.3	<0.02	<0.02	11	<0.1	<0.02	4.0	<3	<2	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		FA530 Au gm/t 0.9
STD PG04	Standard	
STD SP49	Standard	18.3
STD SP49	Standard	18.5
STD SP49	Standard	17.8
STD SP49	Standard	18.3
STD AGPROOF Expected		0
STD SP49 Expected		18.34
STD OXQ114 Expected		35.2
STD BVGEO01 Expected		
STD DS11 Expected		
STD OREAS262 Expected		
STD KO74421 Expected		
STD PG04 Expected		
STD PD05 Expected		
STD OREAS683 Expected		
BLK	Blank	<0.9
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
Prep Wash		
ROCK-VAN	Prep Blank	<0.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 4 of 4

Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003692.1

WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
ROCK-VAN	Prep Blank	0.62	4.51	0.94	27.8	5	0.8	3.2	529	1.81	0.8	0.4	0.6	2.1	21.2	0.01	0.06	<0.02	22	0.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 4 of 4

Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003692.1

	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pt	Pd
	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb
ROCK-VAN	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2
Prep Blank	0.038	5.9	3.4	0.44	71.3	0.085	<20	0.93	0.124	0.15	0.1	2.9	0.02	<0.02	9	<0.1	<0.02	3.9	<3	<2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 4 of 4

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003692.1

		FA530 Au gm/t 0.9
ROCK-VAN	Prep Blank	11.5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 12, 2019
Report Date: December 07, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

VAN19003382.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID:
P.O. Number
Number of Samples: 18

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
BAT01	1	Batch charge of <20 samples			VAN
PRP70-250	18	Crush, split and pulverize 250 g rock to 200 mesh			VAN
FA330	18	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
EN002	18	Environmental disposal charge-Fire assay lead waste			VAN
AQ300	18	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC:


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

VAN19003382.1

Method	Analyte	WGHT	FA330	FA330	FA330	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
		Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	2	3	2	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1
2634301	Drill Core	3.23	6	<3	6	<1	231	<3	57	<0.3	151	33	798	5.00	5	<2	84	<0.5	<3	<3	123
2634302	Drill Core	4.52	13	<3	18	1	601	<3	51	<0.3	52	20	530	2.73	11	<2	95	<0.5	<3	<3	77
2634303	Drill Core	2.12	86	4	16	<1	589	<3	38	<0.3	37	20	484	2.68	<2	<2	117	<0.5	<3	<3	94
2634304	Drill Core	5.42	8	<3	8	<1	192	<3	58	<0.3	31	28	858	4.03	<2	<2	105	<0.5	<3	<3	162
2634306	Drill Core	6.25	6	3	7	<1	247	<3	58	<0.3	46	28	806	4.05	<2	<2	132	<0.5	<3	<3	157
2634307	Drill Core	4.19	13	3	18	<1	99	<3	60	<0.3	26	27	863	4.28	<2	<2	173	<0.5	<3	<3	217
2634308	Drill Core	5.68	3	5	21	<1	45	<3	77	<0.3	32	34	991	5.16	<2	<2	110	<0.5	<3	<3	271
2634309	Drill Core	5.81	6	6	23	<1	169	<3	81	<0.3	28	34	951	4.76	<2	<2	120	<0.5	<3	<3	232
2634310	Drill Core	1.59	7	12	27	<1	92	<3	60	<0.3	16	26	885	7.69	<2	<2	101	<0.5	<3	<3	326
2634311	Drill Core	2.12	9	3	40	<1	482	<3	72	<0.3	32	34	885	4.55	<2	<2	117	<0.5	<3	<3	229
2634312	Drill Core	2.15	29	5	29	<1	1115	<3	75	1.0	36	36	967	4.67	<2	<2	100	<0.5	<3	<3	224
2634313	Drill Core	2.30	41	6	81	<1	1402	<3	67	1.4	32	33	905	4.40	<2	<2	101	<0.5	<3	<3	224
2634314	Drill Core	2.29	18	6	83	<1	315	<3	79	<0.3	23	30	880	4.36	<2	<2	176	<0.5	<3	<3	232
2634315	Drill Core	1.94	23	4	31	<1	650	<3	89	<0.3	37	39	1067	5.20	<2	<2	95	<0.5	<3	<3	278
2634316	Drill Core	6.24	7	3	21	<1	75	<3	73	<0.3	8	21	850	3.87	<2	<2	310	<0.5	<3	<3	179
2634318	Drill Core	4.98	5	3	8	<1	43	<3	75	<0.3	25	23	1002	4.41	<2	<2	403	<0.5	<3	<3	156
2634319	Drill Core	6.24	3	<3	14	<1	30	<3	67	<0.3	16	21	852	3.76	<2	<2	338	<0.5	<3	<3	158
2634331	Drill Core	3.85	4	<3	3	<1	111	<3	43	<0.3	66	24	529	3.17	<2	<2	96	<0.5	<3	<3	101



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

VAN19003382.1

Method	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	
2634301	Drill Core	6.39	0.116	10	113	1.73	179	0.024	<20	3.17	0.09	0.20	<2	<0.05	<1	<5	8	21
2634302	Drill Core	1.44	0.124	3	68	1.42	178	0.186	<20	2.14	0.05	0.26	<2	0.12	<1	<5	<5	5
2634303	Drill Core	1.50	0.167	3	61	1.53	113	0.197	<20	2.08	0.06	0.45	<2	0.08	<1	<5	<5	<5
2634304	Drill Core	2.49	0.132	3	43	2.94	459	0.220	<20	3.08	0.04	1.41	<2	<0.05	<1	<5	5	7
2634306	Drill Core	1.91	0.203	5	106	2.99	498	0.294	<20	3.16	0.09	1.38	<2	<0.05	<1	<5	<5	9
2634307	Drill Core	2.21	0.139	3	61	3.07	581	0.315	<20	3.21	0.13	1.84	<2	<0.05	<1	<5	<5	13
2634308	Drill Core	1.84	0.168	3	58	3.71	1196	0.374	<20	3.60	0.07	3.03	<2	<0.05	<1	9	<5	13
2634309	Drill Core	1.71	0.213	4	55	3.64	1003	0.318	<20	3.70	0.05	2.79	<2	<0.05	<1	<5	6	10
2634310	Drill Core	3.20	0.434	7	19	2.21	874	0.056	<20	2.09	0.03	1.47	<2	<0.05	<1	<5	7	10
2634311	Drill Core	1.48	0.057	1	66	3.75	772	0.445	<20	3.77	0.04	2.73	<2	<0.05	<1	<5	<5	11
2634312	Drill Core	1.58	0.090	2	75	4.12	798	0.383	<20	4.04	0.03	3.05	<2	<0.05	<1	<5	<5	10
2634313	Drill Core	1.42	0.063	1	56	3.84	887	0.422	<20	3.79	0.04	3.16	<2	0.05	<1	<5	<5	10
2634314	Drill Core	1.34	0.145	3	40	3.33	733	0.299	<20	3.55	0.04	2.63	<2	<0.05	<1	<5	6	8
2634315	Drill Core	1.34	0.075	2	72	4.29	1064	0.458	<20	4.18	0.04	3.63	<2	<0.05	<1	<5	<5	12
2634316	Drill Core	2.60	0.265	5	28	2.00	253	0.126	<20	2.58	0.05	0.71	<2	<0.05	<1	<5	7	7
2634318	Drill Core	3.76	0.206	7	23	2.62	164	0.126	<20	3.13	0.14	0.24	<2	<0.05	<1	<5	9	9
2634319	Drill Core	3.08	0.235	7	14	2.27	236	0.111	<20	2.73	0.10	0.45	<2	<0.05	<1	<5	7	8
2634331	Drill Core	1.34	0.115	4	104	2.18	118	0.213	<20	2.56	0.08	0.44	<2	<0.05	<1	<5	<5	7



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 07, 2019

Page: 1 of 1 Part: 1 of 2

QUALITY CONTROL REPORT

VAN19003382.1

Method	WGHT	FA330	FA330	FA330	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
Analyte	Wgt	Au	Pt	Pd	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	
Unit	kg	ppb	ppb	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	2	3	2	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	
Pulp Duplicates																					
2634301	Drill Core	3.23	6	<3	6	<1	231	<3	57	<0.3	151	33	798	5.00	5	<2	84	<0.5	<3	<3	123
REP 2634301	QC		6	<3	4	<1	227	<3	57	<0.3	149	32	785	4.92	4	<2	83	<0.5	<3	<3	122
Core Reject Duplicates																					
2634308	Drill Core	5.68	3	5	21	<1	45	<3	77	<0.3	32	34	991	5.16	<2	<2	110	<0.5	<3	<3	271
DUP 2634308	QC		5	<3	22	<1	45	<3	76	<0.3	32	34	987	5.14	<2	<2	112	<0.5	<3	<3	271
Reference Materials																					
STD DS11	Standard				15	158	145	358	1.7	83	14	1073	3.20	44	8	70	2.4	7	13	53	
STD OREAS262	Standard				<1	119	56	151	0.5	63	26	535	3.23	36	9	35	0.7	<3	<3	22	
STD OREAS683	Standard		221	1844	909																
STD PD05	Standard		530	438	618																
STD DS11 Expected					13.9	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	7.65	67.3	2.37	7.2	12.2	50	
STD OREAS262 Expected						118	56	154	0.45	62	26.9	530	3.284	35.8	9.33	36	0.61	3.39		22.5	
STD PD05 Expected			519	430	596																
STD OREAS683 Expected			207	1760	853																
BLK	Blank				<1	<1	<3	<1	<0.3	<1	<1	<2	<0.01	<2	<2	<1	<0.5	<3	<3	<1	
BLK	Blank		3	<3	<2																
Prep Wash																					
ROCK-VAN	Prep Blank		2	<3	3	1	6	<3	32	<0.3	2	4	562	2.04	<2	<2	24	<0.5	<3	<3	31
ROCK-VAN	Prep Blank		2	<3	3	<1	6	<3	30	<0.3	1	4	560	2.02	<2	<2	28	<0.5	<3	<3	30



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 07, 2019

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

VAN19003382.1

Method	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc	
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	
Pulp Duplicates																		
2634301	Drill Core	6.39	0.116	10	113	1.73	179	0.024	<20	3.17	0.09	0.20	<2	<0.05	<1	<5	8	21
REP 2634301	QC	6.26	0.115	10	112	1.70	176	0.025	<20	3.12	0.09	0.20	<2	<0.05	<1	<5	8	21
Core Reject Duplicates																		
2634308	Drill Core	1.84	0.168	3	58	3.71	1196	0.374	<20	3.60	0.07	3.03	<2	<0.05	<1	9	<5	13
DUP 2634308	QC	1.85	0.168	3	58	3.68	1188	0.388	<20	3.64	0.07	3.00	<2	<0.05	<1	<5	<5	13
Reference Materials																		
STD DS11	Standard	1.09	0.073	19	61	0.88	394	0.094	<20	1.23	0.08	0.41	2	0.30	<1	6	<5	<5
STD OREAS262	Standard	2.95	0.039	17	41	1.19	261	0.003	<20	1.36	0.07	0.33	<2	0.27	<1	<5	<5	<5
STD OREAS683	Standard																	
STD PD05	Standard																	
STD DS11 Expected		1.063	0.0701	18.6	61.5	0.85	417	0.0976	6	1.129	0.0694	0.4	2.9	0.2835	0.3	4.9	4.7	3.1
STD OREAS262 Expected		2.98	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312		0.253			3.73	3.24
STD PD05 Expected																		
STD OREAS683 Expected																		
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5
BLK	Blank																	
Prep Wash																		
ROCK-VAN	Prep Blank	0.70	0.042	6	3	0.57	52	0.089	<20	1.02	0.08	0.09	<2	<0.05	<1	<5	<5	<5
ROCK-VAN	Prep Blank	0.73	0.041	6	3	0.56	67	0.093	<20	1.09	0.11	0.11	<2	<0.05	<1	<5	<5	<5



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 18, 2019
Report Date: December 12, 2019
Page: 1 of 4

CERTIFICATE OF ANALYSIS

VAN19003491.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: DDH4 / DDH4B
P.O. Number
Number of Samples: 63

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC: Simon Dyakowski

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	63	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ250	63	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN
FA330	63	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
EN002	63	Environmental disposal charge-Fire assay lead waste			VAN
FA530-Au	63	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method Analyte Unit MDL	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634320	Drill Core	5.87	0.05	32.04	0.66	71.1	31	2.5	23.1	873	3.52	1.1	<0.1	0.9	0.4	362.0	0.02	0.06	<0.02	144	2.79
2634321	Drill Core	6.81	0.09	179.62	0.57	67.9	61	6.9	25.4	842	4.84	1.8	<0.1	23.6	0.4	260.7	0.02	0.05	<0.02	242	3.10
2634322	Drill Core	6.68	0.08	31.27	0.50	71.3	27	9.3	28.5	817	6.01	1.6	0.2	0.9	0.5	236.6	0.02	0.04	<0.02	262	2.80
2634323	Drill Core	2.14	0.13	17.22	0.49	69.1	11	10.4	34.5	935	7.34	2.5	0.3	1.0	0.7	258.9	0.02	0.03	<0.02	334	4.36
2634324	Drill Core	2.14	0.26	267.15	0.76	68.5	164	16.6	27.5	989	4.88	3.0	0.2	3.6	0.5	219.6	0.11	0.08	<0.02	228	4.37
2634325	Drill Core	2.31	0.22	469.75	0.72	78.7	177	20.7	33.9	935	4.67	2.5	0.3	8.0	0.4	262.9	0.04	0.12	<0.02	200	2.66
2634326	Drill Core	2.38	0.36	180.78	0.62	72.1	61	21.9	32.4	938	4.18	1.3	<0.1	3.6	0.1	245.8	0.01	0.09	<0.02	163	2.53
2634327	Drill Core	2.78	0.32	2782.84	0.49	85.8	868	33.3	40.0	956	4.85	1.4	0.2	44.3	0.3	176.0	0.21	0.06	<0.02	201	2.65
2634328	Drill Core	2.54	0.27	316.88	0.48	83.5	122	73.8	35.5	1031	4.69	1.7	0.1	11.3	0.2	204.6	0.07	0.05	<0.02	193	2.75
2634329	Drill Core	7.19	0.81	779.09	0.86	79.4	243	33.8	46.0	1089	4.68	2.2	0.2	3.3	0.3	252.9	0.07	0.05	<0.02	201	4.31
2634330	Drill Core	3.99	0.16	188.22	0.86	84.3	77	51.4	30.3	897	5.26	2.0	<0.1	8.2	0.2	149.9	0.07	0.03	<0.02	206	3.55
2634332	Drill Core	6.49	0.10	258.16	0.62	72.4	113	35.7	24.6	819	4.12	1.3	<0.1	7.5	0.2	114.4	0.07	0.05	<0.02	147	2.13
2634333	Drill Core	4.88	0.27	362.02	0.84	84.9	110	47.2	38.4	949	4.99	1.8	<0.1	6.9	0.1	108.7	0.08	0.04	<0.02	175	2.45
2634334	Drill Core	5.39	0.24	454.83	1.17	82.7	122	66.2	35.9	859	4.22	1.4	0.1	4.8	0.2	128.4	0.10	0.05	<0.02	144	2.52
2634335	Drill Core	5.25	0.16	300.68	0.85	87.6	108	26.8	32.9	932	4.71	1.3	0.2	4.8	0.2	157.2	0.10	0.02	<0.02	182	2.80
2634336	Drill Core	6.55	0.31	279.09	125.53	162.4	189	42.6	21.0	617	3.08	3.6	0.2	5.1	0.4	167.0	1.05	0.07	<0.02	100	2.45
2634337	Drill Core	6.46	0.18	137.52	1.63	48.5	56	10.6	19.8	556	3.06	1.8	<0.1	4.3	0.1	135.6	0.10	0.04	<0.02	106	2.26
2634338	Drill Core	6.09	0.51	69.58	8.68	73.5	72	95.1	28.7	831	3.90	7.3	0.1	6.4	0.2	164.0	0.12	0.02	<0.02	136	2.61
2634339	Drill Core	2.38	0.35	543.58	0.73	81.3	81	216.2	42.9	897	3.91	0.6	0.1	3.1	0.7	90.0	0.16	<0.02	<0.02	132	3.15
2634340	Drill Core	2.29	0.62	170.94	0.79	27.0	64	49.3	21.6	329	2.00	2.8	0.2	2.4	0.5	114.8	0.10	0.07	<0.02	62	2.44
2634341	Drill Core	4.53	0.23	255.01	1.03	39.8	98	56.0	21.5	496	2.49	2.8	0.3	4.7	0.3	128.3	0.18	0.08	<0.02	87	3.05
2634342	Drill Core	6.76	0.15	113.62	2.05	56.1	65	59.8	23.2	656	3.72	2.9	0.2	6.0	0.5	118.6	0.10	0.03	<0.02	124	3.38
2634051	Drill Core	5.43	0.08	107.18	1.29	76.7	43	17.9	31.0	1249	5.56	1.0	0.2	3.8	0.6	331.4	0.05	0.03	<0.02	237	5.02
2634052	Drill Core	5.80	0.08	107.64	0.81	76.1	48	73.4	35.5	1125	5.96	0.6	<0.1	4.9	0.3	255.0	0.06	<0.02	<0.02	206	4.07
2634053	Drill Core	5.03	0.15	63.10	0.96	65.5	25	41.2	24.0	684	3.76	1.6	<0.1	1.2	0.3	273.6	0.04	<0.02	<0.02	144	2.40
2634054	Drill Core	5.55	0.23	53.33	2.51	72.8	33	30.8	23.0	906	5.00	2.8	0.2	1.1	0.6	197.8	0.06	<0.02	<0.02	202	3.83
2634055	Drill Core	6.27	0.34	56.51	0.97	60.7	26	3.8	14.8	681	2.80	1.6	0.1	1.1	0.3	407.6	0.02	0.05	<0.02	136	2.19
2634056	Drill Core	6.22	0.49	254.85	1.19	66.1	80	4.0	23.1	756	3.14	2.0	<0.1	4.1	0.2	333.7	0.01	0.05	<0.02	136	2.18
2634057	Drill Core	5.77	0.32	151.38	1.36	51.3	95	12.1	17.8	931	3.19	1.8	<0.1	2.2	0.2	238.8	0.03	0.07	<0.02	112	4.63
2634058	Drill Core	4.84	0.33	41.78	1.45	71.6	51	3.3	19.1	1166	3.82	1.8	<0.1	6.5	0.5	301.7	0.04	0.07	<0.02	123	4.44



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pt	Pd	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2	
2634320	Drill Core	0.252	6.6	3.1	1.89	197.7	0.114	<20	2.49	0.044	0.46	<0.1	6.4	0.03	<0.02	<5	<0.1	<0.02	7.3	3	10
2634321	Drill Core	0.321	7.7	7.4	1.95	715.0	0.180	<20	2.55	0.040	0.72	<0.1	10.1	0.05	<0.02	<5	<0.1	<0.02	7.9	8	35
2634322	Drill Core	0.392	7.7	11.4	1.95	364.7	0.156	<20	2.62	0.038	0.95	<0.1	9.3	0.06	<0.02	5	<0.1	<0.02	7.7	13	29
2634323	Drill Core	0.877	14.6	10.9	2.10	440.4	0.061	<20	2.64	0.056	0.94	<0.1	10.2	0.06	0.05	<5	<0.1	<0.02	8.3	9	17
2634324	Drill Core	0.445	8.2	34.7	1.99	129.0	0.183	<20	2.58	0.036	0.53	<0.1	11.8	0.03	0.06	<5	<0.1	<0.02	7.8	7	24
2634325	Drill Core	0.225	4.3	32.7	2.50	311.1	0.303	<20	3.02	0.033	0.69	<0.1	9.8	0.04	0.18	12	0.1	<0.02	7.4	7	33
2634326	Drill Core	0.138	2.7	25.9	2.41	329.3	0.288	<20	3.03	0.028	0.56	<0.1	9.2	0.04	0.14	<5	<0.1	<0.02	7.1	4	8
2634327	Drill Core	0.254	4.1	70.1	2.62	524.6	0.299	<20	2.90	0.040	1.17	<0.1	8.9	0.09	0.40	14	0.7	<0.02	7.4	9	54
2634328	Drill Core	0.226	4.0	221.7	3.05	534.2	0.254	<20	3.18	0.035	1.14	<0.1	8.9	0.08	0.09	21	0.2	0.06	7.9	7	47
2634329	Drill Core	0.259	5.1	53.8	2.67	184.9	0.209	<20	2.98	0.042	0.53	<0.1	11.4	0.04	0.19	<5	0.1	<0.02	7.6	4	16
2634330	Drill Core	0.153	4.9	61.5	2.65	179.6	0.152	<20	2.98	0.047	0.66	<0.1	15.8	0.05	0.07	7	<0.1	<0.02	8.3	<3	6
2634332	Drill Core	0.139	2.6	84.0	1.92	280.3	0.293	<20	2.36	0.093	0.73	<0.1	9.9	0.05	0.10	<5	<0.1	<0.02	6.4	3	7
2634333	Drill Core	0.155	3.3	88.5	2.73	228.3	0.330	<20	2.83	0.105	0.95	<0.1	13.3	0.07	0.38	<5	0.3	<0.02	7.0	<3	13
2634334	Drill Core	0.148	3.2	172.9	2.49	166.5	0.293	<20	2.79	0.085	0.68	<0.1	10.7	0.05	0.44	10	0.4	0.02	6.5	<3	17
2634335	Drill Core	0.192	4.8	51.4	2.67	205.4	0.234	<20	2.97	0.132	0.89	<0.1	12.7	0.06	0.04	5	<0.1	<0.02	7.7	5	15
2634336	Drill Core	0.112	3.8	18.3	1.89	99.9	0.232	<20	2.15	0.191	0.37	<0.1	8.4	0.03	0.12	74	<0.1	0.03	5.1	<3	9
2634337	Drill Core	0.094	2.0	6.4	1.27	103.3	0.245	<20	1.73	0.129	0.43	<0.1	8.9	0.03	0.09	13	<0.1	<0.02	4.2	3	8
2634338	Drill Core	0.104	3.3	187.5	2.73	181.4	0.290	<20	2.92	0.167	1.13	<0.1	8.3	0.10	0.42	60	0.1	<0.02	6.7	<3	4
2634339	Drill Core	0.125	3.9	498.9	3.45	277.2	0.254	<20	3.09	0.089	2.05	<0.1	6.8	0.17	0.38	7	0.6	<0.02	7.0	4	17
2634340	Drill Core	0.107	3.2	136.9	0.53	38.5	0.223	<20	1.37	0.044	0.09	<0.1	5.5	<0.02	0.43	6	0.2	<0.02	3.5	<3	5
2634341	Drill Core	0.102	2.9	125.7	0.85	38.7	0.219	<20	1.51	0.086	0.14	<0.1	7.6	<0.02	0.29	10	0.5	0.03	4.2	<3	9
2634342	Drill Core	0.080	2.6	172.1	1.47	35.9	0.248	<20	1.78	0.144	0.21	<0.1	9.0	<0.02	0.32	<5	0.3	0.05	5.2	<3	3
2634051	Drill Core	0.294	6.6	26.6	3.08	187.7	0.154	<20	3.46	0.019	0.74	<0.1	17.7	0.08	<0.02	<5	<0.1	<0.02	8.6	6	21
2634052	Drill Core	0.133	6.2	106.2	4.38	137.9	0.110	<20	4.11	0.019	0.85	<0.1	18.8	0.07	<0.02	<5	<0.1	<0.02	10.4	13	12
2634053	Drill Core	0.165	5.8	27.7	2.32	236.0	0.209	<20	2.77	0.137	0.56	<0.1	5.6	0.04	0.07	<5	<0.1	<0.02	7.4	<3	8
2634054	Drill Core	0.192	10.2	111.9	2.18	103.6	0.347	<20	3.50	0.171	0.18	<0.1	10.1	<0.02	<0.02	<5	<0.1	<0.02	14.3	<3	4
2634055	Drill Core	0.221	5.3	5.0	1.35	176.2	0.171	<20	2.16	0.083	0.50	<0.1	4.4	0.04	0.05	<5	<0.1	<0.02	6.8	3	17
2634056	Drill Core	0.199	5.1	4.4	1.74	175.7	0.133	<20	2.16	0.058	0.64	<0.1	5.6	0.04	0.22	8	0.1	<0.02	6.9	5	67
2634057	Drill Core	0.158	6.6	15.2	1.31	762.7	0.062	<20	1.98	0.036	0.58	<0.1	8.8	0.04	0.17	9	0.1	<0.02	5.9	<3	12
2634058	Drill Core	0.231	9.6	2.7	1.59	326.0	0.041	<20	2.39	0.029	0.67	<0.1	8.1	0.06	<0.02	<5	<0.1	<0.02	6.8	<3	12



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
2634320	Drill Core <0.9
2634321	Drill Core <0.9
2634322	Drill Core <0.9
2634323	Drill Core <0.9
2634324	Drill Core <0.9
2634325	Drill Core <0.9
2634326	Drill Core <0.9
2634327	Drill Core <0.9
2634328	Drill Core <0.9
2634329	Drill Core <0.9
2634330	Drill Core <0.9
2634332	Drill Core <0.9
2634333	Drill Core <0.9
2634334	Drill Core <0.9
2634335	Drill Core <0.9
2634336	Drill Core <0.9
2634337	Drill Core <0.9
2634338	Drill Core <0.9
2634339	Drill Core <0.9
2634340	Drill Core <0.9
2634341	Drill Core <0.9
2634342	Drill Core <0.9
2634051	Drill Core <0.9
2634052	Drill Core <0.9
2634053	Drill Core <0.9
2634054	Drill Core <0.9
2634055	Drill Core <0.9
2634056	Drill Core <0.9
2634057	Drill Core <0.9
2634058	Drill Core <0.9



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634059	Drill Core	3.50	0.26	59.89	2.03	76.9	33	12.8	21.1	1184	4.48	1.9	0.1	1.5	0.4	226.9	0.05	0.09	<0.02	198	4.87
2634060	Drill Core	1.93	0.37	1668.08	1.54	73.8	720	43.7	42.4	1485	5.12	1.9	0.1	27.7	0.8	261.7	0.14	<0.02	0.05	93	6.98
2634061	Drill Core	1.86	0.49	301.47	1.47	51.2	187	6.8	16.8	1303	3.57	0.8	<0.1	6.6	0.3	190.3	0.11	<0.02	<0.02	77	6.49
2634062	Drill Core	2.20	0.35	230.80	1.96	59.3	122	4.6	13.6	1094	3.89	1.7	0.1	4.8	0.3	195.5	0.04	0.18	<0.02	214	5.30
2634063	Drill Core	2.29	0.27	51.58	2.58	67.5	32	4.5	14.5	1610	4.14	1.8	0.1	2.3	0.2	291.6	0.11	0.15	<0.02	222	8.92
2634064	Drill Core	1.22	2.44	1877.08	1.50	33.5	657	28.2	56.6	1065	4.06	0.8	0.3	32.6	0.6	245.0	0.13	0.11	0.02	88	6.06
2634065	Drill Core	1.22	1.08	4863.22	1.24	59.8	1730	47.1	60.6	898	5.66	0.1	0.3	77.8	1.4	179.8	0.21	0.10	0.03	98	4.76
2634066	Drill Core	1.82	0.78	3344.84	1.35	57.6	1184	37.2	44.1	1294	5.10	1.5	0.4	64.4	1.1	186.0	0.19	0.03	0.03	92	7.15
2634067	Drill Core	2.61	1.14	2264.49	1.20	59.1	609	34.8	33.8	1204	4.92	3.3	0.4	62.8	1.8	210.8	0.19	0.04	<0.02	139	7.35
2634068	Drill Core	2.08	0.58	2674.81	0.83	52.2	618	27.3	33.4	978	4.06	1.6	0.4	88.9	1.2	295.7	0.24	0.07	<0.02	85	5.84
2634069	Drill Core	2.09	0.86	1109.99	0.80	66.4	271	27.3	27.0	1159	4.89	2.1	0.4	22.7	1.8	281.8	0.16	0.04	0.02	121	6.56
2634070	Drill Core	2.10	7.93	751.48	1.24	74.8	217	34.4	17.7	1192	3.84	41.9	1.4	16.3	1.5	147.6	0.55	0.07	<0.02	91	6.71
2634071	Drill Core	2.31	1.96	1913.88	1.05	68.2	446	31.1	36.1	1051	4.75	3.8	0.4	28.0	1.0	205.9	0.33	0.02	<0.02	118	5.91
2634072	Drill Core	2.35	0.48	164.17	2.01	72.9	124	5.0	16.8	1328	4.18	3.5	0.2	7.0	0.4	359.6	0.10	0.05	<0.02	154	6.38
2634073	Drill Core	2.49	0.29	46.53	1.66	74.4	65	4.5	17.6	1189	4.35	3.8	0.1	2.7	0.4	358.1	0.03	0.03	<0.02	171	5.35
2634074	Drill Core	2.83	0.29	56.37	1.10	84.7	94	4.6	24.4	1318	5.16	2.4	0.1	4.1	0.4	330.0	0.03	0.02	<0.02	219	5.43
2634075	Drill Core	3.17	0.23	397.27	0.78	98.3	169	11.3	32.4	1379	5.72	2.1	0.3	8.6	0.7	267.3	0.04	0.03	<0.02	254	5.40
2634076	Drill Core	2.37	0.57	1290.59	0.68	81.1	360	14.4	34.8	1256	5.05	0.6	<0.1	15.6	0.1	151.8	0.13	<0.02	<0.02	167	4.27
2634077	Drill Core	2.05	0.51	888.23	0.76	79.2	254	15.4	33.3	1269	5.17	1.7	0.1	10.9	0.4	148.2	0.09	0.03	<0.02	195	4.28
2634078	Drill Core	2.18	0.18	1489.66	0.60	111.2	416	22.9	47.0	1233	6.59	1.1	0.1	16.7	0.3	154.4	0.07	<0.02	<0.02	253	2.98
2634079	Drill Core	4.02	0.06	262.07	0.40	75.3	67	12.3	28.2	937	4.81	1.3	0.3	5.1	0.9	225.2	0.02	0.02	<0.02	217	3.58
2634080	Drill Core	4.32	0.08	27.84	0.46	75.5	19	17.3	27.3	937	5.10	1.4	0.3	2.0	0.8	198.3	<0.01	0.02	<0.02	235	3.12
2634081	Drill Core	2.04	0.04	110.52	0.55	82.3	60	11.5	29.6	978	5.32	1.7	0.2	2.2	0.7	197.9	0.03	0.03	<0.02	243	3.51
2634082	Drill Core	2.13	0.06	313.15	0.72	94.1	130	18.0	33.3	1329	5.52	2.0	0.2	3.6	0.6	184.3	0.06	0.04	<0.02	273	4.96
2634083	Drill Core	2.10	0.15	1484.73	0.46	66.0	420	35.3	32.0	1086	4.34	0.9	0.1	10.9	0.3	215.1	0.13	0.04	<0.02	187	3.73
2634084	Drill Core	2.47	0.18	407.23	0.49	75.8	160	27.6	30.0	920	4.25	1.3	0.2	4.9	0.5	181.8	0.05	0.04	<0.02	171	2.77
2634085	Drill Core	2.41	0.57	1519.34	0.38	60.0	562	22.9	25.5	752	3.11	1.1	0.1	6.8	0.3	174.0	0.10	0.09	<0.02	135	2.71
2634086	Drill Core	4.14	0.43	714.47	0.45	60.8	190	30.5	32.0	791	3.03	0.6	<0.1	7.8	0.3	124.5	0.09	0.06	<0.02	108	2.52
2634087	Drill Core	4.69	0.23	903.56	0.41	43.6	240	16.5	35.3	578	3.96	0.8	0.2	10.2	0.5	127.0	0.11	0.08	<0.02	133	2.58
2634088	Drill Core	4.50	0.11	33.48	0.24	76.8	22	10.0	28.8	816	7.47	0.9	0.2	4.5	0.4	156.0	0.01	<0.02	<0.02	342	2.84



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Pt	Pd
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.01	0.02	0.02	5	0.1	0.02	0.1	3	2	
2634059	Drill Core	0.215	10.3	14.9	1.81	120.7	0.032	<20	2.11	0.034	0.50	<0.1	10.9	0.04	<0.02	<5	<0.1	<0.02	7.7	<3	12
2634060	Drill Core	0.195	11.5	48.3	2.75	229.3	0.006	<20	1.31	0.020	0.34	<0.1	12.9	<0.02	1.31	55	3.7	0.13	2.9	<3	36
2634061	Drill Core	0.182	8.6	3.8	2.22	334.7	0.008	<20	0.94	0.037	0.43	<0.1	5.3	<0.02	0.15	9	0.2	0.04	2.1	<3	10
2634062	Drill Core	0.216	9.8	3.4	1.29	87.8	0.020	<20	1.14	0.031	0.43	<0.1	9.8	0.03	0.03	6	<0.1	<0.02	4.2	<3	9
2634063	Drill Core	0.198	12.2	2.4	1.66	1109.7	0.033	<20	1.77	0.029	0.68	<0.1	9.5	0.05	0.05	<5	<0.1	0.02	5.9	<3	7
2634064	Drill Core	0.220	7.4	30.7	0.80	62.4	0.033	<20	1.06	0.031	0.22	<0.1	11.6	<0.02	2.63	106	15.6	0.12	3.5	4	50
2634065	Drill Core	0.320	12.9	52.5	1.38	111.8	0.069	<20	1.75	0.026	0.60	<0.1	17.6	0.05	3.45	109	16.5	0.19	5.1	<3	37
2634066	Drill Core	0.199	14.4	22.1	1.93	97.5	0.004	<20	1.09	0.022	0.41	<0.1	18.2	0.04	2.36	173	10.5	0.08	3.4	<3	29
2634067	Drill Core	0.298	20.9	7.9	1.62	109.3	0.004	<20	1.44	0.020	0.48	<0.1	23.1	0.04	2.07	182	6.8	0.13	4.7	<3	27
2634068	Drill Core	0.359	13.3	24.1	1.14	76.2	0.034	<20	1.39	0.023	0.46	<0.1	17.1	0.03	1.85	80	6.9	0.07	3.7	<3	22
2634069	Drill Core	0.298	18.6	3.7	1.49	122.0	0.006	<20	1.49	0.017	0.44	<0.1	25.4	0.03	1.73	79	3.8	0.05	4.8	<3	14
2634070	Drill Core	0.177	12.5	32.2	1.65	157.4	0.002	<20	0.84	0.010	0.18	<0.1	14.3	0.05	1.63	626	11.8	0.10	2.4	<3	7
2634071	Drill Core	0.247	12.2	31.8	1.13	145.1	0.004	<20	1.60	0.018	0.30	<0.1	20.4	0.02	2.02	168	10.9	0.11	4.9	<3	22
2634072	Drill Core	0.204	10.0	6.3	1.53	873.8	0.032	<20	1.90	0.022	0.67	<0.1	9.7	0.05	0.12	10	0.3	0.03	6.2	<3	16
2634073	Drill Core	0.264	10.2	3.9	1.60	1302.4	0.033	<20	2.38	0.024	0.73	<0.1	7.0	0.04	0.06	11	<0.1	<0.02	8.0	<3	16
2634074	Drill Core	0.262	10.0	3.9	2.30	731.5	0.054	<20	2.92	0.023	0.75	<0.1	11.3	0.04	0.09	9	<0.1	<0.02	8.7	5	37
2634075	Drill Core	0.619	12.7	8.2	2.80	236.2	0.114	<20	3.25	0.026	0.81	<0.1	17.8	0.05	0.28	28	0.4	0.03	9.0	7	23
2634076	Drill Core	0.093	3.2	16.0	3.25	165.4	0.168	<20	3.18	0.016	0.89	<0.1	14.7	0.05	1.37	71	2.0	0.09	7.1	9	34
2634077	Drill Core	0.312	7.6	16.0	3.12	414.8	0.139	<20	3.17	0.023	0.97	<0.1	16.3	0.06	0.67	46	1.6	0.07	7.4	4	14
2634078	Drill Core	0.339	7.3	33.7	4.08	469.9	0.244	<20	4.27	0.020	2.01	<0.1	16.7	0.11	0.49	29	0.9	0.08	9.2	4	33
2634079	Drill Core	0.560	9.7	12.0	2.42	359.8	0.168	<20	2.87	0.024	1.17	<0.1	10.2	0.06	<0.02	<5	<0.1	0.02	6.9	8	30
2634080	Drill Core	0.444	8.7	38.9	2.59	242.9	0.168	<20	2.86	0.025	1.02	<0.1	11.2	0.05	<0.02	<5	<0.1	<0.02	7.3	7	27
2634081	Drill Core	0.429	7.9	16.9	2.96	231.2	0.184	<20	2.95	0.022	1.02	<0.1	14.6	0.06	<0.02	7	<0.1	<0.02	7.6	4	49
2634082	Drill Core	0.349	8.4	18.9	3.47	212.0	0.123	<20	3.34	0.016	0.77	<0.1	24.0	0.04	<0.02	10	0.1	<0.02	9.0	7	33
2634083	Drill Core	0.161	4.1	49.8	2.72	1222.5	0.240	<20	2.91	0.024	1.20	<0.1	12.4	0.06	0.15	14	0.4	0.05	5.8	3	30
2634084	Drill Core	0.208	4.2	43.8	2.45	453.7	0.231	<20	2.86	0.023	1.35	<0.1	10.0	0.07	0.08	8	0.1	0.03	6.3	5	41
2634085	Drill Core	0.232	3.8	37.6	1.72	345.9	0.179	<20	2.10	0.026	0.60	<0.1	9.5	0.03	0.39	17	0.7	0.03	4.5	3	32
2634086	Drill Core	0.096	2.4	56.7	2.10	97.6	0.147	<20	2.27	0.032	0.43	<0.1	9.9	0.02	0.57	11	0.4	<0.02	4.3	4	12
2634087	Drill Core	0.259	4.0	17.1	1.30	143.8	0.188	<20	1.65	0.028	0.52	<0.1	5.9	0.03	0.92	11	0.9	0.02	4.3	6	25
2634088	Drill Core	0.472	8.5	11.5	2.00	659.6	0.065	<20	2.11	0.047	1.26	<0.1	7.5	0.07	<0.02	<5	<0.1	<0.02	7.6	15	34



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	FA530
Analyte	Au
Unit	gm/t
MDL	0.9
2634059	Drill Core <0.9
2634060	Drill Core <0.9
2634061	Drill Core <0.9
2634062	Drill Core <0.9
2634063	Drill Core <0.9
2634064	Drill Core <0.9
2634065	Drill Core <0.9
2634066	Drill Core <0.9
2634067	Drill Core <0.9
2634068	Drill Core <0.9
2634069	Drill Core <0.9
2634070	Drill Core <0.9
2634071	Drill Core <0.9
2634072	Drill Core <0.9
2634073	Drill Core <0.9
2634074	Drill Core <0.9
2634075	Drill Core <0.9
2634076	Drill Core <0.9
2634077	Drill Core <0.9
2634078	Drill Core <0.9
2634079	Drill Core <0.9
2634080	Drill Core <0.9
2634081	Drill Core <0.9
2634082	Drill Core <0.9
2634083	Drill Core <0.9
2634084	Drill Core <0.9
2634085	Drill Core <0.9
2634086	Drill Core <0.9
2634087	Drill Core <0.9
2634088	Drill Core <0.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634089	Drill Core	4.94	0.09	37.97	0.25	62.2	16	7.8	21.8	693	5.63	0.7	0.2	4.6	0.7	160.9	<0.01	<0.02	<0.02	246	2.48
2634090	Drill Core	2.97	0.07	473.09	0.31	78.8	161	38.8	27.2	829	5.25	0.9	0.2	12.1	0.5	158.6	0.03	<0.02	<0.02	224	2.53
2634343	Drill Core	5.57	0.10	161.89	0.69	49.3	59	22.6	20.6	500	2.91	1.1	<0.1	3.2	0.2	122.9	0.10	0.04	<0.02	106	2.05



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

Method	AQ250																				FA330	FA330
	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Pt	Pd		
Analyte	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb		
Unit																						
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2		
2634089	Drill Core	0.484	9.1	10.4	1.61	331.4	0.201	<20	1.91	0.043	1.01	<0.1	5.4	0.06	<0.02	8	<0.1	<0.02	6.5	12	97	
2634090	Drill Core	0.480	7.8	66.6	2.10	728.3	0.215	<20	2.31	0.048	1.54	<0.1	6.7	0.09	0.05	<5	0.2	<0.02	6.2	9	22	
2634343	Drill Core	0.090	2.3	28.7	1.26	77.4	0.223	<20	1.74	0.128	0.40	<0.1	8.3	<0.02	0.17	8	<0.1	0.04	4.2	<3	<2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003491.1

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
2634089	Drill Core	<0.9
2634090	Drill Core	<0.9
2634343	Drill Core	<0.9



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 1 of 2 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003491.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
Pulp Duplicates																					
2634330	Drill Core	3.99	0.16	188.22	0.86	84.3	77	51.4	30.3	897	5.26	2.0	<0.1	8.2	0.2	149.9	0.07	0.03	<0.02	206	3.55
REP 2634330	QC																				
2634338	Drill Core	6.09	0.51	69.58	8.68	73.5	72	95.1	28.7	831	3.90	7.3	0.1	6.4	0.2	164.0	0.12	0.02	<0.02	136	2.61
REP 2634338	QC																				
2634061	Drill Core	1.86	0.49	301.47	1.47	51.2	187	6.8	16.8	1303	3.57	0.8	<0.1	6.6	0.3	190.3	0.11	<0.02	<0.02	77	6.49
REP 2634061	QC		0.46	305.89	1.43	48.1	182	7.8	15.7	1285	3.47	0.8	<0.1	5.3	0.3	189.8	0.11	<0.02	<0.02	74	6.36
2634071	Drill Core	2.31	1.96	1913.88	1.05	68.2	446	31.1	36.1	1051	4.75	3.8	0.4	28.0	1.0	205.9	0.33	0.02	<0.02	118	5.91
REP 2634071	QC																				
2634077	Drill Core	2.05	0.51	888.23	0.76	79.2	254	15.4	33.3	1269	5.17	1.7	0.1	10.9	0.4	148.2	0.09	0.03	<0.02	195	4.28
REP 2634077	QC																				
2634343	Drill Core	5.57	0.10	161.89	0.69	49.3	59	22.6	20.6	500	2.91	1.1	<0.1	3.2	0.2	122.9	0.10	0.04	<0.02	106	2.05
REP 2634343	QC		0.08	165.63	0.74	52.5	61	23.8	22.7	531	3.06	1.2	0.1	3.6	0.2	131.5	0.11	0.04	<0.02	109	2.15
Core Reject Duplicates																					
2634339	Drill Core	2.38	0.35	543.58	0.73	81.3	81	216.2	42.9	897	3.91	0.6	0.1	3.1	0.7	90.0	0.16	<0.02	<0.02	132	3.15
DUP 2634339	QC		0.43	501.50	0.73	79.1	81	212.9	43.3	868	3.90	0.6	0.1	3.6	0.7	92.0	0.15	<0.02	<0.02	135	3.21
2634081	Drill Core	2.04	0.04	110.52	0.55	82.3	60	11.5	29.6	978	5.32	1.7	0.2	2.2	0.7	197.9	0.03	0.03	<0.02	243	3.51
DUP 2634081	QC		0.06	121.71	0.50	89.4	60	11.3	29.5	994	5.36	1.5	0.2	8.3	0.7	183.8	0.03	0.05	<0.02	244	3.49
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard		10.76	4560.16	195.22	1745.5	2647	168.8	24.8	711	3.88	119.4	3.9	206.6	15.4	57.7	6.30	2.41	26.23	78	1.35
STD DS11	Standard		14.92	147.57	140.66	354.3	1607	77.5	14.1	1031	3.13	44.2	2.6	115.2	8.0	69.4	2.39	6.38	11.86	49	1.06
STD DS11	Standard		13.72	149.00	128.95	342.6	1619	76.5	13.3	1034	3.05	43.3	2.3	60.9	7.0	66.6	2.31	7.22	11.76	49	1.03
STD KO74421	Standard																				
STD OREAS262	Standard		0.67	118.94	58.43	153.5	491	64.6	28.1	540	3.34	37.0	1.3	59.0	9.3	36.7	0.58	2.72	1.05	22	3.06
STD OREAS262	Standard		0.68	117.37	59.06	153.3	474	68.1	29.8	514	3.46	38.8	1.3	64.8	10.7	36.4	0.65	2.57	1.06	23	3.05
STD OREAS262	Standard		0.59	109.37	50.59	147.3	446	59.8	25.4	517	3.12	34.7	1.0	63.8	8.0	34.0	0.65	3.26	0.97	21	2.75
STD OREAS683	Standard																				



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 1 of 2 **Part:** 2 of 3

QUALITY CONTROL REPORT

VAN19003491.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330		
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pt	Pd		
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb		
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2		
Pulp Duplicates																						
2634330	Drill Core	0.153	4.9	61.5	2.65	179.6	0.152	<20	2.98	0.047	0.66	<0.1	15.8	0.05	0.07	7	<0.1	<0.02	8.3	<3	6	
REP 2634330	QC																					
2634338	Drill Core	0.104	3.3	187.5	2.73	181.4	0.290	<20	2.92	0.167	1.13	<0.1	8.3	0.10	0.42	60	0.1	<0.02	6.7	<3	4	
REP 2634338	QC																		<3		4	
2634061	Drill Core	0.182	8.6	3.8	2.22	334.7	0.008	<20	0.94	0.037	0.43	<0.1	5.3	<0.02	0.15	9	0.2	0.04	2.1	<3	10	
REP 2634061	QC	0.173	8.5	3.6	2.18	319.9	0.008	<20	0.88	0.034	0.41	<0.1	5.0	<0.02	0.15	6	0.1	0.03	2.0			
2634071	Drill Core	0.247	12.2	31.8	1.13	145.1	0.004	<20	1.60	0.018	0.30	<0.1	20.4	0.02	2.02	168	10.9	0.11	4.9	<3	22	
REP 2634071	QC																					
2634077	Drill Core	0.312	7.6	16.0	3.12	414.8	0.139	<20	3.17	0.023	0.97	<0.1	16.3	0.06	0.67	46	1.6	0.07	7.4	4	14	
REP 2634077	QC																		<3		13	
2634343	Drill Core	0.090	2.3	28.7	1.26	77.4	0.223	<20	1.74	0.128	0.40	<0.1	8.3	<0.02	0.17	8	<0.1	0.04	4.2	<3	<2	
REP 2634343	QC	0.098	2.5	29.7	1.30	82.3	0.233	<20	1.81	0.134	0.42	<0.1	8.7	<0.02	0.17	<5	<0.1	0.04	4.5			
Core Reject Duplicates																						
2634339	Drill Core	0.125	3.9	498.9	3.45	277.2	0.254	<20	3.09	0.089	2.05	<0.1	6.8	0.17	0.38	7	0.6	<0.02	7.0	4	17	
DUP 2634339	QC	0.111	3.9	506.8	3.44	272.8	0.248	<20	3.16	0.090	2.08	<0.1	6.7	0.17	0.35	10	0.6	0.02	6.3	5	14	
2634081	Drill Core	0.429	7.9	16.9	2.96	231.2	0.184	<20	2.95	0.022	1.02	<0.1	14.6	0.06	<0.02	7	<0.1	<0.02	7.6	4	49	
DUP 2634081	QC	0.461	7.9	17.5	2.98	228.0	0.170	<20	2.92	0.021	1.04	<0.1	15.1	0.05	<0.02	6	<0.1	0.03	7.7	10	43	
Reference Materials																						
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD BVGEO01	Standard	0.075	26.0	166.2	1.35	331.8	0.237	<20	2.40	0.204	0.90	3.7	5.9	0.63	0.67	111	5.0	1.05	7.3			
STD DS11	Standard	0.073	19.6	61.1	0.85	413.0	0.093	<20	1.21	0.075	0.41	3.0	3.5	5.12	0.28	239	2.5	4.58	4.7			
STD DS11	Standard	0.071	17.0	58.5	0.84	412.7	0.085	<20	1.13	0.071	0.39	2.6	3.2	4.92	0.27	243	2.6	4.53	4.7			
STD KO74421	Standard																				469	495
STD OREAS262	Standard	0.038	17.4	42.2	1.19	245.7	0.003	<20	1.23	0.068	0.31	0.1	3.3	0.45	0.27	145	0.3	0.25	3.7			
STD OREAS262	Standard	0.038	20.4	46.5	1.22	261.3	0.003	<20	1.43	0.070	0.35	<0.1	3.7	0.51	0.27	159	0.3	0.21	4.3			
STD OREAS262	Standard	0.036	14.8	38.6	1.15	243.6	0.003	<20	1.23	0.067	0.29	0.1	3.1	0.41	0.25	149	0.5	0.19	3.4			
STD OREAS683	Standard																				1657	801



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT **VAN19003491.1**

	Method	FA530
	Analyte	Au
	Unit	gm/t
	MDL	0.9
Pulp Duplicates		
2634330	Drill Core	<0.9
REP 2634330	QC	<0.9
2634338	Drill Core	<0.9
REP 2634338	QC	
2634061	Drill Core	<0.9
REP 2634061	QC	
2634071	Drill Core	<0.9
REP 2634071	QC	<0.9
2634077	Drill Core	<0.9
REP 2634077	QC	
2634343	Drill Core	<0.9
REP 2634343	QC	
Core Reject Duplicates		
2634339	Drill Core	<0.9
DUP 2634339	QC	<0.9
2634081	Drill Core	<0.9
DUP 2634081	QC	<0.9
Reference Materials		
STD AGPROOF	Standard	<0.9
STD AGPROOF	Standard	<0.9
STD BVGEO01	Standard	
STD DS11	Standard	
STD DS11	Standard	
STD KO74421	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS262	Standard	
STD OREAS683	Standard	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003491.1

		WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD PD05	Standard																					
STD PG04	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD AGPROOF	Expected																					
STD SP49	Expected																					
STD OXQ114	Expected																					
STD PD05	Expected																					
STD OREAS683	Expected																					
STD KO74421	Expected																					
STD PG04	Expected																					
STD BVGE001	Expected		10.8	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD DS11	Expected		13.9	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD OREAS262	Expected		0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank		<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank		<0.01	0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank		<0.01	<0.01	<0.01	<0.1	<2	0.2	<0.1	<1	<0.01	0.3	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
Prep Wash																						
ROCK-VAN	Prep Blank		0.76	2.29	1.14	32.4	4	0.6	4.2	569	1.97	1.2	0.5	0.5	2.3	25.4	0.03	0.04	<0.02	28	0.81	
ROCK-VAN	Prep Blank		1.01	2.70	1.30	32.2	5	0.6	4.2	578	2.06	1.3	0.5	0.3	2.6	27.3	0.01	0.04	<0.02	29	0.84	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003491.1

		AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	FA330	FA330		
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Pt	Pd	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	
		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	3	2	
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD PD05	Standard																			430	596	
STD PG04	Standard																			976	1253	
STD SP49	Standard																					
STD SP49	Standard																					
STD AGPROOF	Expected																					
STD SP49	Expected																					
STD OXQ114	Expected																					
STD PD05	Expected																			430	596	
STD OREAS683	Expected																			1760	853	
STD KO74421	Expected																			459	466	
STD PG04	Expected																			910	1210	
STD BVGE001	Expected	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	5.97	0.62	0.6655	100	4.84	1.02	7.37			
STD DS11	Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	3.1	4.9	0.2835	260	2.2	4.56	4.7			
STD OREAS262	Expected	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	3.24	0.47	0.253	170	0.4	0.23	3.73			
BLK	Blank																					
BLK	Blank																					
BLK	Blank																			<3	<2	
BLK	Blank																			<3	<2	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1			
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1			
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1			
Prep Wash																						
ROCK-VAN	Prep Blank	0.042	7.6	3.4	0.48	71.9	0.099	<20	0.95	0.095	0.13	<0.1	3.2	<0.02	<0.02	<5	<0.1	<0.02	4.5	<3	2	
ROCK-VAN	Prep Blank	0.044	8.3	3.7	0.50	80.8	0.109	<20	1.04	0.118	0.15	<0.1	3.7	0.02	<0.02	<5	<0.1	<0.02	4.5	<3	2	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 12, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003491.1

		FA530
		Au
		gm/t
		0.9
STD OXQ114	Standard	35.2
STD OXQ114	Standard	35.3
STD PD05	Standard	
STD PG04	Standard	
STD SP49	Standard	18.4
STD SP49	Standard	18.1
STD AGPROOF Expected		0
STD SP49 Expected		18.34
STD OXQ114 Expected		35.2
STD PD05 Expected		
STD OREAS683 Expected		
STD KO74421 Expected		
STD PG04 Expected		
STD BVGEO01 Expected		
STD DS11 Expected		
STD OREAS262 Expected		
BLK	Blank	<0.9
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
Prep Wash		
ROCK-VAN	Prep Blank	<0.9
ROCK-VAN	Prep Blank	<0.9



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 27, 2019
Report Date: December 23, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: DDH5
P.O. Number
Number of Samples: 60

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	60	Crush, split and pulverize 250 g rock to 200 mesh			VAN
AQ250_EXT	60	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC: Simon Dyakowski


KERRY JAY
Geochem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3 **Part:** 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method	Analyte	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.1	0.1	0.5	0.01	0.02	0.02	1	0.01
2634551	Drill Core	2.02	0.08	99.93	2.08	86.2	45	7.4	23.6	836	4.98	2.8	0.2	5.9	0.8	199.3	0.05	0.12	<0.02	229	2.11
2634552	Drill Core	1.91	0.09	3098.04	3.59	90.6	1650	9.7	26.5	957	4.81	1.6	0.1	102.1	0.4	175.0	0.13	0.08	0.13	237	1.98
2634553	Drill Core	4.35	0.08	476.26	0.95	113.6	252	8.5	27.9	1152	5.12	2.1	0.2	15.3	0.6	198.3	0.04	0.07	0.02	233	2.59
2634554	Drill Core	3.75	0.09	42.96	2.77	97.7	35	6.0	24.9	903	4.45	2.8	0.1	1.8	0.6	226.1	0.02	0.16	<0.02	176	2.37
2634555	Drill Core	4.16	0.28	161.71	1.60	82.9	127	5.0	15.7	816	2.98	2.2	0.3	15.7	0.9	200.6	0.04	0.08	<0.02	118	1.72
2634556	Drill Core	3.96	0.27	121.03	2.31	75.1	84	3.6	16.0	677	2.82	2.2	0.3	2.9	0.8	196.2	0.02	0.09	<0.02	112	1.47
2634557	Drill Core	3.88	0.23	104.05	1.59	75.2	78	4.1	16.6	965	3.29	3.8	0.3	2.0	1.5	157.2	0.05	0.23	0.02	120	2.37
2634558	Drill Core	4.54	0.29	166.89	2.16	67.1	89	4.0	15.0	1156	3.23	4.8	0.4	2.4	0.9	198.4	0.10	0.43	0.02	120	4.17
2634559	Drill Core	3.49	0.68	108.19	1.55	66.8	57	3.9	16.1	748	3.10	2.0	0.3	3.6	0.8	249.2	0.02	0.19	<0.02	120	2.15
2634560	Drill Core	4.01	0.76	112.43	1.66	60.5	76	3.2	15.5	793	2.96	3.0	0.3	2.3	0.7	243.3	0.04	0.22	<0.02	116	2.54
2634561	Drill Core	2.82	0.60	99.60	1.34	58.1	89	3.7	13.3	692	2.81	2.6	0.4	5.1	1.0	249.3	0.02	0.17	0.02	116	1.93
2634562	Drill Core	3.53	0.67	171.46	1.52	57.8	118	3.6	15.3	824	2.93	3.4	0.6	2.9	1.5	237.3	0.05	0.20	<0.02	120	3.13
2634563	Drill Core	3.21	1.32	96.61	1.25	70.0	92	3.9	24.3	807	3.19	2.6	0.4	28.0	0.9	248.1	0.03	0.14	<0.02	125	2.08
2634564	Drill Core	3.76	1.41	98.18	1.96	78.0	74	3.7	17.8	800	3.00	2.3	0.4	2.3	1.0	233.6	0.02	0.13	<0.02	122	1.47
2634565	Drill Core	2.12	1.44	174.50	1.15	67.5	113	3.4	14.7	759	2.90	2.4	0.4	4.7	1.1	201.6	0.03	0.11	<0.02	112	1.59
2634566	Drill Core	3.53	1.15	97.09	2.02	76.9	68	3.4	16.8	856	3.11	3.5	0.5	1.8	1.7	235.9	0.03	0.14	<0.02	124	2.11
2634567	Drill Core	3.98	0.96	109.77	1.89	85.2	73	4.2	16.4	823	3.27	3.1	0.5	3.6	1.3	256.6	0.03	0.12	<0.02	136	1.76
2634568	Drill Core	4.11	1.54	178.37	2.13	97.5	126	5.6	18.2	982	3.29	3.4	0.4	6.0	0.9	256.7	0.06	0.09	0.02	135	2.42
2634569	Drill Core	4.01	1.50	234.46	1.84	91.3	124	5.6	20.3	906	3.18	3.0	0.3	5.9	0.8	263.7	0.03	0.05	<0.02	129	2.18
2634570	Drill Core	3.58	1.08	255.30	1.39	73.2	147	6.1	20.6	879	3.30	6.2	0.3	9.3	0.6	252.3	0.04	0.08	<0.02	132	2.04
2634571	Drill Core	2.95	1.52	197.42	1.17	71.4	98	4.9	21.0	942	3.33	3.5	0.3	6.4	0.7	239.3	0.04	0.08	<0.02	134	2.00
2634572	Drill Core	3.72	1.74	196.76	1.94	83.2	125	4.9	20.5	945	3.18	3.6	0.4	7.8	0.8	294.1	0.05	0.08	<0.02	130	2.06
2634573	Drill Core	4.60	1.10	145.61	1.68	81.9	77	31.3	21.4	1017	4.55	4.4	0.3	16.2	1.0	244.4	0.04	0.12	<0.02	160	2.64
2634574	Drill Core	4.82	0.80	571.96	1.49	75.6	205	8.0	14.2	694	3.35	1.4	0.3	34.7	1.1	258.0	0.04	0.12	0.02	118	1.90
2634575	Drill Core	3.92	0.83	639.66	1.57	109.7	417	11.3	23.4	1075	7.87	3.0	0.4	42.3	1.8	247.4	0.10	0.15	0.04	252	2.45
2634576	Drill Core	4.77	1.02	557.00	1.41	71.5	225	6.7	13.1	689	3.21	1.6	0.3	19.3	1.5	222.9	0.03	0.12	0.02	119	1.60
2634577	Drill Core	3.33	0.86	720.45	1.77	90.5	261	7.4	16.5	940	3.17	2.9	0.4	40.1	1.7	249.3	0.08	0.23	0.04	120	2.28
2634578	Drill Core	4.34	0.96	857.04	1.77	79.7	457	7.1	15.1	804	3.49	2.3	0.3	27.7	1.8	250.7	0.06	0.17	0.04	132	2.28
2634579	Drill Core	1.16	0.70	8337.34	1.87	85.5	829	10.9	15.7	844	3.82	0.2	0.2	24.0	0.9	189.4	0.08	0.12	0.02	116	2.15
2634580	Drill Core	1.25	0.71	1016.81	1.68	83.9	826	8.8	16.2	833	3.78	2.5	0.2	86.2	1.0	244.0	0.05	0.19	0.07	140	2.34



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
2634551	Drill Core	0.401	5.6	8.9	1.85	115.3	0.205	<20	2.33	0.084	0.61	<0.1	7.5	0.04	<0.02	13	<0.1	<0.02	6.3	0.50	0.1
2634552	Drill Core	0.291	3.2	11.3	2.75	251.1	0.268	<20	3.00	0.135	1.15	<0.1	10.1	0.06	0.02	21	0.8	0.31	7.9	0.57	0.2
2634553	Drill Core	0.343	6.1	10.2	2.64	244.4	0.240	<20	3.00	0.095	1.41	<0.1	9.8	0.09	<0.02	8	<0.1	0.03	7.3	0.97	0.2
2634554	Drill Core	0.358	5.9	6.7	1.99	136.4	0.190	<20	2.62	0.026	1.11	<0.1	7.2	0.08	<0.02	<5	<0.1	<0.02	6.5	0.89	0.2
2634555	Drill Core	0.174	6.0	9.3	1.36	98.0	0.156	<20	1.86	0.063	1.16	0.1	5.4	0.09	<0.02	10	<0.1	0.02	6.0	0.89	0.1
2634556	Drill Core	0.169	6.0	4.0	1.32	103.1	0.137	<20	1.82	0.053	1.16	<0.1	5.1	0.10	<0.02	10	<0.1	<0.02	5.5	1.21	0.2
2634557	Drill Core	0.149	7.1	5.1	1.66	104.2	0.095	<20	1.94	0.039	0.85	<0.1	7.7	0.10	<0.02	44	<0.1	<0.02	6.2	2.06	0.1
2634558	Drill Core	0.151	7.8	4.2	1.21	116.6	0.086	<20	1.69	0.033	0.70	0.1	8.2	0.08	<0.02	90	<0.1	<0.02	5.8	2.04	<0.1
2634559	Drill Core	0.178	6.8	4.8	1.27	95.5	0.151	<20	1.83	0.060	0.91	0.1	6.6	0.07	0.04	15	<0.1	0.03	5.9	0.98	<0.1
2634560	Drill Core	0.188	6.3	3.3	1.15	77.8	0.137	<20	1.70	0.054	0.78	0.1	6.2	0.07	0.02	9	<0.1	<0.02	5.4	0.85	<0.1
2634561	Drill Core	0.192	6.6	4.7	1.10	75.4	0.149	<20	1.64	0.055	0.81	0.1	5.8	0.06	0.02	11	<0.1	0.04	5.4	0.53	0.1
2634562	Drill Core	0.189	7.1	4.6	1.18	98.4	0.139	<20	1.66	0.051	0.75	0.1	6.9	0.06	0.03	26	<0.1	<0.02	5.8	1.16	0.2
2634563	Drill Core	0.174	5.7	4.2	1.33	74.9	0.154	<20	1.86	0.060	0.95	0.1	5.6	0.07	0.15	15	<0.1	<0.02	5.8	0.86	0.2
2634564	Drill Core	0.186	6.4	4.5	1.37	92.2	0.167	<20	1.92	0.061	1.21	0.1	5.0	0.10	0.02	6	<0.1	<0.02	6.4	1.21	0.1
2634565	Drill Core	0.209	5.8	3.6	1.25	89.7	0.162	<20	1.71	0.055	1.11	0.2	4.3	0.09	0.05	15	<0.1	<0.02	5.6	0.80	0.1
2634566	Drill Core	0.182	6.5	3.7	1.53	76.7	0.146	<20	1.85	0.048	0.91	0.1	5.8	0.08	0.04	11	<0.1	<0.02	6.5	1.11	0.2
2634567	Drill Core	0.196	6.9	6.7	1.48	82.9	0.169	<20	1.98	0.060	1.06	0.1	6.4	0.10	0.02	9	<0.1	0.02	6.6	0.80	0.2
2634568	Drill Core	0.181	6.4	7.8	1.56	132.0	0.153	<20	1.99	0.050	0.97	0.2	7.1	0.11	0.05	10	<0.1	0.03	6.7	1.25	0.2
2634569	Drill Core	0.217	5.1	7.1	1.60	100.2	0.194	<20	2.08	0.062	1.16	0.2	6.6	0.15	0.21	13	0.3	0.04	6.5	0.97	0.2
2634570	Drill Core	0.220	4.9	9.6	1.56	108.7	0.191	<20	1.93	0.047	0.92	0.3	6.5	0.10	0.20	30	0.3	0.05	6.1	1.05	0.2
2634571	Drill Core	0.223	5.6	5.6	1.51	106.5	0.169	<20	1.92	0.041	1.07	0.1	6.5	0.12	0.20	23	0.5	0.04	6.1	1.16	0.2
2634572	Drill Core	0.214	5.6	5.5	1.66	113.5	0.184	<20	2.00	0.046	1.10	0.2	6.6	0.12	0.25	28	0.4	0.04	6.4	1.11	0.2
2634573	Drill Core	0.178	5.7	37.5	2.04	103.9	0.182	<20	2.11	0.074	0.92	<0.1	7.5	0.08	0.10	64	0.2	0.03	6.2	1.15	0.2
2634574	Drill Core	0.182	6.2	25.2	1.04	51.6	0.177	<20	1.47	0.055	0.54	0.1	5.8	0.05	0.06	13	0.4	0.03	5.0	0.40	0.2
2634575	Drill Core	0.182	6.9	18.2	1.39	44.2	0.197	<20	1.77	0.052	0.59	0.2	6.4	0.05	0.05	24	0.5	0.06	6.6	0.47	0.2
2634576	Drill Core	0.145	5.0	13.9	0.89	56.1	0.173	<20	1.38	0.050	0.65	0.1	4.3	0.06	0.05	18	0.2	0.05	5.2	0.44	0.2
2634577	Drill Core	0.170	6.6	16.7	1.09	44.1	0.150	<20	1.46	0.051	0.47	0.1	7.0	0.05	0.07	34	0.3	0.04	5.5	0.47	0.2
2634578	Drill Core	0.172	6.8	15.6	1.05	47.6	0.166	<20	1.42	0.051	0.45	0.2	6.1	0.04	0.07	24	0.4	0.06	5.6	0.37	0.1
2634579	Drill Core	0.144	4.4	21.6	1.02	85.1	0.172	<20	1.36	0.054	0.81	0.1	3.1	0.06	0.78	59	5.5	0.14	4.9	0.48	0.2
2634580	Drill Core	0.173	5.0	26.6	1.16	49.1	0.192	<20	1.42	0.044	0.43	0.2	6.9	0.04	0.07	25	0.5	0.08	5.4	0.44	0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb	ppb
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
2634551	Drill Core	0.20	0.02	10.8	<0.1	<0.05	3.5	8.65	12.9	0.04	<1	0.1	7.9	12	4
2634552	Drill Core	0.21	<0.02	18.5	0.3	<0.05	4.0	8.83	8.7	0.04	<1	0.2	11.1	102	8
2634553	Drill Core	0.20	<0.02	27.2	0.2	<0.05	4.4	9.44	14.6	0.04	<1	0.2	10.4	35	4
2634554	Drill Core	0.12	<0.02	26.2	<0.1	<0.05	2.6	7.62	13.8	0.03	<1	0.2	7.8	<10	6
2634555	Drill Core	0.06	<0.02	41.0	<0.1	<0.05	1.2	7.93	13.0	<0.02	<1	0.3	8.1	11	4
2634556	Drill Core	0.06	<0.02	41.9	<0.1	<0.05	1.0	7.77	12.8	<0.02	<1	0.3	6.7	<10	5
2634557	Drill Core	0.08	<0.02	31.5	0.2	<0.05	1.1	9.40	15.2	<0.02	<1	0.5	9.0	<10	3
2634558	Drill Core	0.09	<0.02	25.5	0.1	<0.05	1.3	11.22	16.2	0.03	<1	0.4	7.1	<10	3
2634559	Drill Core	0.08	<0.02	31.6	<0.1	<0.05	1.3	8.90	14.5	0.03	<1	0.4	6.3	19	5
2634560	Drill Core	0.10	<0.02	26.5	0.1	<0.05	1.4	8.88	13.7	<0.02	2	0.3	5.7	12	3
2634561	Drill Core	0.08	<0.02	28.3	0.1	<0.05	1.3	8.90	14.7	0.02	2	0.4	6.6	<10	4
2634562	Drill Core	0.10	<0.02	27.7	0.1	<0.05	1.5	9.14	14.7	<0.02	<1	0.3	7.2	13	3
2634563	Drill Core	0.06	<0.02	32.1	0.1	<0.05	1.1	7.89	12.8	<0.02	1	0.3	7.4	11	2
2634564	Drill Core	0.06	<0.02	42.5	<0.1	<0.05	1.1	8.56	13.9	<0.02	2	0.4	7.7	13	3
2634565	Drill Core	0.07	<0.02	38.8	<0.1	<0.05	0.8	7.89	12.9	<0.02	1	0.3	7.6	15	5
2634566	Drill Core	0.09	<0.02	33.1	<0.1	<0.05	1.2	8.65	14.4	<0.02	1	0.4	9.3	17	4
2634567	Drill Core	0.08	<0.02	40.1	0.1	<0.05	1.7	9.19	15.3	<0.02	1	0.4	9.1	14	5
2634568	Drill Core	0.08	<0.02	36.3	<0.1	<0.05	1.4	8.58	13.7	<0.02	4	0.5	9.6	14	4
2634569	Drill Core	0.06	<0.02	39.7	0.1	<0.05	1.1	7.49	11.0	<0.02	4	0.4	11.2	17	4
2634570	Drill Core	0.07	<0.02	29.7	0.1	<0.05	1.0	6.77	10.5	0.02	3	0.4	9.8	16	4
2634571	Drill Core	0.07	<0.02	35.2	0.1	<0.05	1.5	8.21	12.1	<0.02	3	0.3	10.9	13	5
2634572	Drill Core	0.07	<0.02	32.4	<0.1	<0.05	1.1	8.17	12.2	<0.02	4	0.4	12.6	16	4
2634573	Drill Core	0.15	<0.02	29.7	0.4	<0.05	3.7	8.26	12.8	0.02	3	0.3	14.8	17	3
2634574	Drill Core	0.13	0.04	23.5	0.4	<0.05	2.3	8.87	13.7	0.02	2	0.4	5.0	21	4
2634575	Drill Core	0.14	0.02	25.6	0.6	<0.05	2.3	10.32	16.0	0.04	2	0.3	7.4	35	2
2634576	Drill Core	0.09	0.05	27.5	0.3	<0.05	1.8	6.78	11.1	0.03	1	0.3	5.5	25	<2
2634577	Drill Core	0.11	<0.02	21.2	0.4	<0.05	2.0	8.63	14.6	0.03	2	0.4	5.5	52	5
2634578	Drill Core	0.18	0.04	19.2	0.2	<0.05	2.4	9.40	15.1	0.03	2	0.3	5.4	34	5
2634579	Drill Core	0.11	<0.02	31.5	0.2	<0.05	1.6	6.22	9.7	0.04	<1	0.2	7.1	133	7
2634580	Drill Core	0.14	0.03	17.4	0.4	<0.05	2.4	8.06	11.3	0.03	2	0.4	5.5	37	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method Analyte Unit MDL	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
2634581	Drill Core	2.06	0.89	705.45	1.29	73.9	258	8.1	14.3	836	3.17	2.6	0.2	19.9	0.8	223.8	0.05	0.19	<0.02	122	2.44
2634582	Drill Core	4.32	0.80	395.87	1.66	101.9	150	9.7	17.9	1148	3.72	4.2	0.2	19.9	1.0	265.8	0.03	0.24	<0.02	139	2.89
2634583	Drill Core	2.67	0.42	338.56	1.06	108.6	316	11.0	19.0	1220	3.62	2.6	0.2	13.5	1.1	207.2	0.04	0.14	0.04	136	3.09
2634584	Drill Core	3.35	0.53	532.55	1.50	90.2	474	8.9	15.9	819	3.25	2.0	0.2	41.3	0.9	250.6	0.05	0.12	0.05	127	1.87
2634585	Drill Core	3.14	1.67	474.20	1.31	101.6	344	8.8	18.2	1129	4.51	1.8	0.2	30.1	1.1	217.9	0.04	0.09	0.03	146	2.55
2634586	Drill Core	3.34	0.47	172.81	1.51	105.5	131	9.3	18.9	1213	3.78	2.3	0.1	104.7	0.8	238.0	0.04	0.08	<0.02	130	2.55
2634587	Drill Core	3.47	0.90	418.34	1.75	100.6	204	11.0	17.6	987	3.72	2.7	0.2	27.2	1.1	242.0	0.05	0.15	<0.02	137	2.23
2634588	Drill Core	4.24	1.50	483.47	1.64	83.5	227	8.4	15.1	815	3.37	3.6	0.2	14.1	0.8	231.1	0.06	0.13	<0.02	130	2.00
2634589	Drill Core	4.07	1.00	518.61	1.52	105.2	230	9.1	15.5	814	3.13	2.7	0.3	13.8	1.6	253.2	0.04	0.18	<0.02	123	1.74
2634590	Drill Core	4.12	0.67	4376.91	1.93	94.8	1773	9.2	23.5	837	5.54	1.7	0.3	300.2	1.3	226.3	0.41	0.17	0.37	164	1.63
2634591	Drill Core	4.24	1.30	1111.44	1.39	88.8	475	7.4	16.9	845	3.81	2.3	0.2	41.0	0.7	253.2	0.08	0.16	0.06	134	1.89
2634592	Drill Core	3.33	0.89	480.92	1.27	86.7	227	7.8	14.6	698	3.14	1.8	0.3	43.7	1.4	221.2	0.03	0.10	0.02	118	1.57
2634593	Drill Core	3.78	0.71	447.79	1.34	83.5	396	9.0	15.8	760	2.92	2.0	0.3	34.9	1.6	240.9	0.03	0.10	0.03	108	1.58
2634594	Drill Core	4.83	0.66	247.12	1.19	63.5	125	16.5	17.3	966	2.91	2.1	0.2	5.1	0.9	316.8	0.03	0.11	<0.02	109	3.25
2634595	Drill Core	4.46	0.57	60.23	1.16	67.8	40	2.5	15.7	817	2.96	2.4	0.2	1.6	0.8	305.1	<0.01	0.14	<0.02	119	1.94
2634596	Drill Core	3.04	0.77	71.51	1.30	80.2	58	18.5	17.5	1252	3.38	2.5	0.2	1.1	0.7	293.2	0.03	0.23	<0.02	124	3.28
2634597	Drill Core	4.15	0.64	97.56	1.13	53.6	77	1.6	11.8	695	2.45	1.9	0.2	1.7	0.7	334.6	0.01	0.16	<0.02	108	2.18
2634598	Drill Core	3.19	1.23	317.51	0.97	56.4	243	2.1	16.0	706	2.51	2.9	0.2	0.4	0.6	327.7	0.04	0.22	<0.02	105	2.32
2634599	Drill Core	1.16	0.86	91.49	0.67	64.5	44	1.9	17.4	1337	2.61	1.5	0.2	0.2	0.6	240.2	0.02	0.05	<0.02	100	4.68
2634600	Drill Core	1.06	0.66	63.62	0.84	70.0	49	2.3	15.1	661	2.42	1.1	0.2	1.8	0.7	255.0	<0.01	0.10	<0.02	92	1.39
2634901	Drill Core	1.20	1.54	338.20	0.68	77.7	217	1.7	33.6	1603	2.85	1.9	0.2	48.9	0.7	238.8	0.04	0.06	<0.02	91	5.53
2634902	Drill Core	3.78	0.51	77.59	1.04	59.6	66	2.1	12.6	675	2.44	2.1	0.2	2.9	0.6	300.9	0.02	0.14	<0.02	107	1.69
2634903	Drill Core	4.12	0.69	79.69	1.05	63.7	66	2.1	14.7	625	2.65	1.8	0.1	8.9	0.5	270.4	0.02	0.14	<0.02	109	1.77
2634904	Drill Core	4.14	0.72	101.38	0.99	59.7	75	2.0	13.9	548	2.47	1.7	0.1	2.7	0.5	286.0	0.01	0.13	<0.02	98	1.67
2634905	Drill Core	4.00	0.99	103.08	0.76	54.9	69	5.3	17.7	512	2.89	1.3	<0.1	2.7	0.3	238.8	<0.01	0.12	<0.02	108	1.40
2634906	Drill Core	4.06	0.25	230.55	0.58	52.6	134	21.9	24.1	577	4.88	1.3	<0.1	4.9	0.2	138.6	0.01	0.07	<0.02	172	1.32
2634907	Drill Core	4.02	0.63	31.80	1.51	67.4	26	114.0	27.6	1018	4.40	1.8	0.1	0.4	0.6	600.1	0.06	0.06	<0.02	136	2.65
2634908	Drill Core	4.13	0.64	74.01	1.27	72.5	61	3.3	14.7	754	2.98	3.3	0.2	0.8	0.7	363.9	0.02	0.14	<0.02	119	1.93
2634909	Drill Core	4.03	0.57	89.03	1.12	66.4	76	2.6	14.3	675	2.78	3.5	0.2	4.0	0.6	342.3	0.03	0.13	<0.02	114	1.58
2634910	Drill Core	2.52	0.55	91.67	1.41	69.1	70	2.7	15.2	786	2.86	6.4	0.2	7.8	0.5	432.5	0.03	0.28	<0.02	119	1.99



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	TI	S	Hg	Se	Te	Ga	Cs	Ge
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1
2634581	Drill Core	0.140	4.7	32.5	1.09	44.1	0.174	<20	1.36	0.046	0.36	0.2	6.3	0.03	0.06	19	0.3	0.04	5.3	0.30	0.2
2634582	Drill Core	0.164	5.3	16.8	1.53	87.0	0.165	<20	1.89	0.044	0.88	0.1	7.1	0.06	0.04	15	0.2	0.06	6.2	1.15	0.2
2634583	Drill Core	0.163	4.6	24.4	1.52	99.8	0.166	<20	1.84	0.049	1.08	<0.1	5.7	0.08	0.02	21	<0.1	0.03	5.6	0.99	0.2
2634584	Drill Core	0.171	4.5	15.3	1.13	68.5	0.189	<20	1.53	0.045	0.77	0.2	5.3	0.07	0.03	58	0.1	0.12	5.6	0.57	0.2
2634585	Drill Core	0.124	6.0	17.0	1.31	68.2	0.155	<20	1.62	0.052	0.52	0.2	6.7	0.04	0.04	15	0.2	0.04	5.8	0.35	0.1
2634586	Drill Core	0.140	6.0	21.9	1.52	94.0	0.136	<20	1.77	0.046	0.71	0.1	7.5	0.06	<0.02	11	<0.1	0.03	5.3	0.45	0.1
2634587	Drill Core	0.137	6.6	27.6	1.30	79.2	0.157	<20	1.71	0.055	0.78	0.1	7.9	0.07	0.04	28	0.2	0.03	5.8	0.71	0.1
2634588	Drill Core	0.126	4.8	23.7	1.03	64.7	0.168	<20	1.53	0.053	0.78	<0.1	5.5	0.07	0.05	57	<0.1	<0.02	4.9	0.62	0.2
2634589	Drill Core	0.134	5.5	18.1	1.24	74.8	0.201	<20	1.67	0.061	0.82	0.2	6.5	0.08	0.05	<5	<0.1	<0.02	5.9	0.66	0.2
2634590	Drill Core	0.133	5.8	20.4	0.87	47.0	0.179	<20	1.30	0.045	0.53	0.2	5.0	0.06	0.23	29	1.7	0.13	5.1	0.44	0.2
2634591	Drill Core	0.169	5.1	19.3	0.97	48.9	0.177	<20	1.39	0.047	0.54	0.1	6.3	0.06	0.07	26	0.3	0.05	5.6	0.40	0.2
2634592	Drill Core	0.146	5.6	17.2	0.90	62.3	0.179	<20	1.35	0.050	0.63	0.1	5.0	0.07	0.05	7	0.2	0.03	4.9	0.49	0.1
2634593	Drill Core	0.144	5.8	24.5	1.10	74.4	0.195	<20	1.49	0.052	0.70	0.1	5.7	0.08	0.04	5	<0.1	<0.02	4.6	0.61	0.1
2634594	Drill Core	0.173	6.7	23.7	1.54	1036.5	0.129	<20	1.93	0.040	1.15	<0.1	7.2	0.08	0.09	8	<0.1	<0.02	5.4	1.47	<0.1
2634595	Drill Core	0.200	7.1	2.5	1.41	168.3	0.142	<20	1.98	0.049	1.14	<0.1	6.5	0.08	<0.02	<5	<0.1	<0.02	5.7	1.01	0.1
2634596	Drill Core	0.180	6.6	46.1	1.70	151.4	0.124	<20	2.09	0.042	1.11	<0.1	6.2	0.08	0.02	<5	<0.1	<0.02	6.4	1.89	<0.1
2634597	Drill Core	0.193	6.2	2.3	1.04	113.5	0.157	<20	1.67	0.055	0.79	0.2	4.7	0.06	0.02	<5	<0.1	<0.02	5.2	0.44	0.1
2634598	Drill Core	0.198	4.9	2.3	1.16	138.4	0.156	<20	1.72	0.044	0.82	0.1	4.2	0.05	0.05	<5	<0.1	<0.02	5.2	0.54	<0.1
2634599	Drill Core	0.176	4.6	3.0	1.33	199.0	0.150	<20	1.81	0.039	1.37	<0.1	2.9	0.09	0.03	<5	<0.1	<0.02	4.5	0.65	0.1
2634600	Drill Core	0.225	6.0	2.3	1.31	205.2	0.146	<20	1.86	0.040	1.26	0.1	3.1	0.08	<0.02	<5	<0.1	<0.02	4.7	0.63	<0.1
2634901	Drill Core	0.191	5.0	2.0	1.54	269.2	0.159	<20	2.02	0.027	1.61	<0.1	2.7	0.11	0.16	5	<0.1	<0.02	4.7	1.00	0.1
2634902	Drill Core	0.190	5.9	2.0	1.14	150.3	0.141	<20	1.69	0.045	0.89	0.1	4.9	0.06	<0.02	<5	<0.1	<0.02	4.6	0.61	0.1
2634903	Drill Core	0.193	5.7	2.3	1.25	148.0	0.159	<20	1.84	0.052	1.05	0.1	4.8	0.07	0.03	5	<0.1	<0.02	5.0	0.67	0.1
2634904	Drill Core	0.209	5.9	2.5	1.05	171.5	0.145	<20	1.66	0.051	0.90	0.1	4.8	0.06	<0.02	<5	<0.1	<0.02	4.7	0.81	<0.1
2634905	Drill Core	0.191	4.5	6.7	1.43	356.5	0.185	<20	1.96	0.047	1.17	0.1	5.3	0.09	0.04	<5	<0.1	<0.02	5.1	0.70	0.1
2634906	Drill Core	0.149	3.0	29.9	2.71	204.0	0.302	<20	3.02	0.045	1.60	<0.1	7.5	0.14	0.10	<5	0.2	<0.02	7.2	1.01	0.2
2634907	Drill Core	0.140	7.8	79.3	3.92	307.5	0.204	<20	3.15	0.151	0.47	<0.1	11.5	0.05	0.05	50	<0.1	<0.02	6.7	0.96	0.1
2634908	Drill Core	0.226	5.9	2.6	1.37	142.3	0.159	<20	1.87	0.047	0.84	0.1	5.5	0.05	<0.02	<5	<0.1	<0.02	5.9	0.73	0.1
2634909	Drill Core	0.200	5.7	2.3	1.29	121.4	0.159	<20	1.88	0.054	0.94	0.1	4.4	0.06	0.02	6	<0.1	<0.02	5.8	0.70	0.2
2634910	Drill Core	0.214	7.1	2.4	1.39	129.9	0.188	<20	1.92	0.044	0.70	0.2	6.0	0.04	<0.02	<5	<0.1	<0.02	6.1	0.80	0.1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003694.1

Method Analyte	Unit	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
MDL		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppb	ppb	ppb
2634581	Drill Core	0.14	0.02	13.2	0.3	<0.05	1.9	7.74	10.7	0.03	2	0.3	5.6	28	3
2634582	Drill Core	0.09	<0.02	30.2	0.4	<0.05	1.3	8.24	11.4	0.03	2	0.4	8.5	39	3
2634583	Drill Core	0.07	<0.02	35.7	0.4	<0.05	1.1	6.49	9.5	0.03	<1	0.4	9.7	18	<2
2634584	Drill Core	0.11	<0.02	32.2	0.3	<0.05	1.6	7.32	10.1	<0.02	<1	0.2	6.1	127	3
2634585	Drill Core	0.10	<0.02	20.9	0.3	<0.05	1.5	8.27	12.0	0.04	2	0.3	7.0	31	3
2634586	Drill Core	0.07	<0.02	26.1	0.2	<0.05	0.9	8.91	12.8	0.03	<1	0.3	8.3	24	4
2634587	Drill Core	0.10	<0.02	32.4	0.3	<0.05	1.3	8.03	13.0	0.03	1	0.4	8.0	74	4
2634588	Drill Core	0.12	<0.02	34.2	0.1	<0.05	1.4	7.59	10.7	<0.02	4	0.2	6.2	13	3
2634589	Drill Core	0.12	0.03	39.7	0.3	<0.05	1.6	7.82	11.7	<0.02	2	0.3	8.2	17	3
2634590	Drill Core	0.16	0.03	25.5	0.6	<0.05	2.1	7.91	11.9	0.05	<1	0.3	6.3	32	2
2634591	Drill Core	0.12	<0.02	24.3	0.3	<0.05	2.0	8.49	11.5	0.03	2	0.3	5.4	33	3
2634592	Drill Core	0.12	0.03	31.9	0.3	<0.05	2.0	8.77	12.2	0.03	2	0.3	5.8	20	3
2634593	Drill Core	0.14	0.03	34.8	0.2	<0.05	2.0	8.16	12.6	0.02	<1	0.3	6.9	24	2
2634594	Drill Core	0.06	<0.02	30.9	<0.1	<0.05	0.8	9.00	14.1	<0.02	<1	0.3	9.6	<10	2
2634595	Drill Core	0.05	<0.02	31.4	<0.1	<0.05	0.8	9.49	14.2	<0.02	1	0.3	7.8	16	3
2634596	Drill Core	0.06	<0.02	34.1	<0.1	<0.05	0.9	9.55	14.5	<0.02	3	0.3	10.2	<10	3
2634597	Drill Core	0.08	<0.02	23.2	<0.1	<0.05	1.2	8.55	13.0	<0.02	1	0.2	4.9	<10	3
2634598	Drill Core	0.05	<0.02	22.3	<0.1	<0.05	0.8	7.25	10.7	<0.02	1	0.2	6.1	17	<2
2634599	Drill Core	0.04	<0.02	35.3	<0.1	<0.05	0.3	6.50	10.1	<0.02	1	0.2	6.6	15	<2
2634600	Drill Core	0.04	<0.02	32.5	<0.1	<0.05	0.5	7.84	13.0	<0.02	1	0.2	5.6	13	4
2634901	Drill Core	0.03	<0.02	41.4	<0.1	<0.05	0.2	6.93	11.1	<0.02	3	0.2	8.8	20	2
2634902	Drill Core	0.06	<0.02	22.5	<0.1	<0.05	1.0	7.81	13.0	<0.02	<1	0.2	6.1	10	3
2634903	Drill Core	0.06	<0.02	24.8	<0.1	<0.05	0.9	8.11	12.2	<0.02	2	0.2	5.5	13	2
2634904	Drill Core	0.06	<0.02	20.9	<0.1	<0.05	0.9	8.16	13.1	<0.02	<1	0.1	5.6	15	3
2634905	Drill Core	0.06	<0.02	29.5	<0.1	<0.05	0.8	7.27	10.4	<0.02	3	0.1	6.9	<10	3
2634906	Drill Core	0.05	<0.02	41.5	<0.1	<0.05	0.1	6.31	7.1	<0.02	<1	0.2	11.5	<10	3
2634907	Drill Core	0.13	<0.02	11.9	0.4	<0.05	4.1	9.71	18.6	0.04	<1	0.3	24.7	<10	<2
2634908	Drill Core	0.10	<0.02	20.9	<0.1	<0.05	1.8	8.34	13.0	<0.02	<1	0.2	6.6	<10	6
2634909	Drill Core	0.08	<0.02	23.5	<0.1	<0.05	1.2	7.53	12.3	<0.02	<1	0.2	5.8	<10	<2
2634910	Drill Core	0.09	<0.02	16.9	<0.1	<0.05	1.4	8.63	14.6	<0.02	<1	0.2	6.5	14	4



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 1 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003694.1

Method	WGHT	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
Unit	kg	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
MDL	0.01	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	0.02	1	0.01	
Pulp Duplicates																					
REP 2634571	QC	1.54	183.06	1.19	66.9	86	4.6	21.0	854	3.27	3.5	0.3	5.1	0.7	238.2	0.05	0.08	<0.02	133	2.11	
2634901	Drill Core	1.20	1.54	338.20	0.68	77.7	217	1.7	33.6	1603	2.85	1.9	0.2	48.9	0.7	238.8	0.04	0.06	<0.02	91	5.53
REP 2634901	QC	1.44	333.65	0.66	80.0	256	2.0	32.5	1608	2.87	1.6	0.2	0.5	0.7	228.9	0.05	0.06	<0.02	90	5.14	
Core Reject Duplicates																					
2634571	Drill Core	2.95	1.52	197.42	1.17	71.4	98	4.9	21.0	942	3.33	3.5	0.3	6.4	0.7	239.3	0.04	0.08	<0.02	134	2.00
DUP 2634571	QC	1.50	187.80	1.17	67.5	93	4.8	21.7	899	3.25	3.6	0.3	6.7	0.7	239.4	0.05	0.08	<0.02	135	2.32	
2634905	Drill Core	4.00	0.99	103.08	0.76	54.9	69	5.3	17.7	512	2.89	1.3	<0.1	2.7	0.3	238.8	<0.01	0.12	<0.02	108	1.40
DUP 2634905	QC	0.93	101.53	0.76	53.8	68	5.2	15.4	518	2.87	1.8	<0.1	1.3	0.3	230.5	0.01	0.09	<0.02	107	1.40	
Reference Materials																					
STD BVGEO01	Standard	10.15	4267.31	187.67	1688.2	2365	159.6	23.3	683	3.57	113.8	4.1	209.9	16.0	56.0	6.38	2.80	25.31	72	1.20	
STD DS11	Standard	14.24	152.62	143.09	363.7	1662	80.8	13.7	1042	3.05	44.8	2.7	137.5	8.7	70.8	2.39	8.53	12.78	50	1.09	
STD OREAS262	Standard	0.59	114.25	58.45	147.4	454	60.9	25.9	556	3.22	35.3	1.3	58.7	10.0	37.6	0.65	3.23	1.03	23	2.80	
STD OREAS262	Standard	0.62	114.29	58.70	148.2	437	63.6	26.1	516	3.15	35.4	1.3	67.6	10.3	35.4	0.70	3.34	1.04	22	2.71	
STD DS11 Expected		13.9	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
STD BVGEO01 Expected		10.8	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2	25.6	73	1.3219	
STD OREAS262 Expected		0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39	1.03	22.5	2.98	
BLK	Blank	<0.01	<0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	0.5	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
BLK	Blank	<0.01	<0.01	<0.01	<0.1	<2	<0.1	<0.1	<1	<0.01	0.2	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	<0.02	<1	<0.01	
Prep Wash																					
ROCK-VAN	Prep Blank	0.70	3.13	1.49	32.6	10	0.6	3.5	510	1.75	1.6	0.4	0.7	2.0	21.9	0.02	0.05	<0.02	24	0.71	
ROCK-VAN	Prep Blank	0.67	2.71	1.34	31.0	8	0.5	3.4	486	1.70	1.2	0.5	<0.2	2.3	20.6	<0.01	0.05	<0.02	23	0.63	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 1 Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003694.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te	Ga	Cs	Ge	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	ppm	
MDL	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	0.1	0.02	0.1	
Pulp Duplicates																					
REP 2634571	QC	0.220	5.4	5.4	1.49	107.4	0.166	<20	1.89	0.041	1.06	0.1	6.4	0.12	0.20	21	0.7	0.05	5.6	1.14	0.1
2634901	Drill Core	0.191	5.0	2.0	1.54	269.2	0.159	<20	2.02	0.027	1.61	<0.1	2.7	0.11	0.16	5	<0.1	<0.02	4.7	1.00	0.1
REP 2634901	QC	0.208	5.0	2.0	1.53	270.3	0.155	<20	2.03	0.025	1.59	<0.1	2.8	0.11	0.15	<5	<0.1	<0.02	4.7	1.00	0.1
Core Reject Duplicates																					
2634571	Drill Core	0.223	5.6	5.6	1.51	106.5	0.169	<20	1.92	0.041	1.07	0.1	6.5	0.12	0.20	23	0.5	0.04	6.1	1.16	0.2
DUP 2634571	QC	0.224	5.5	5.5	1.48	103.2	0.171	<20	1.88	0.040	1.07	0.1	6.5	0.12	0.22	28	0.7	0.05	6.4	1.17	0.1
2634905	Drill Core	0.191	4.5	6.7	1.43	356.5	0.185	<20	1.96	0.047	1.17	0.1	5.3	0.09	0.04	<5	<0.1	<0.02	5.1	0.70	0.1
DUP 2634905	QC	0.173	4.5	6.3	1.42	327.9	0.176	<20	1.96	0.046	1.17	0.1	4.8	0.08	0.04	<5	<0.1	<0.02	4.9	0.65	0.1
Reference Materials																					
STD BVGE001	Standard	0.071	28.0	164.1	1.29	326.3	0.226	<20	2.27	0.198	0.90	3.8	5.8	0.60	0.63	83	4.6	1.05	6.8	7.19	0.2
STD DS11	Standard	0.074	18.9	57.7	0.85	428.3	0.092	<20	1.15	0.073	0.41	3.1	3.4	5.21	0.29	276	2.2	4.85	4.8	3.07	<0.1
STD OREAS262	Standard	0.042	18.4	39.5	1.20	247.6	0.003	<20	1.35	0.071	0.34	<0.1	3.5	0.43	0.25	169	0.2	0.21	4.0	2.85	<0.1
STD OREAS262	Standard	0.037	19.8	40.4	1.16	254.4	0.003	<20	1.30	0.069	0.34	0.1	3.3	0.47	0.25	152	0.2	0.24	3.4	2.89	<0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	3.1	4.9	0.2835	260	2.2	4.56	4.7	2.88	0.08
STD BVGE001 Expected		0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	5.97	0.62	0.6655	100	4.84	1.02	7.37	7.36	0.15
STD OREAS262 Expected		0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	3.24	0.47	0.253	170	0.4	0.23	3.73	2.8	
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
BLK	Blank	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	<5	<0.1	<0.02	<0.1	<0.02	<0.1
Prep Wash																					
ROCK-VAN	Prep Blank	0.038	6.0	3.3	0.47	58.5	0.081	<20	0.85	0.090	0.11	0.1	3.0	<0.02	<0.02	<5	<0.1	<0.02	3.5	0.17	<0.1
ROCK-VAN	Prep Blank	0.040	6.1	3.0	0.46	53.6	0.080	<20	0.81	0.074	0.10	<0.1	3.0	<0.02	<0.02	<5	<0.1	<0.02	3.4	0.17	<0.1



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 23, 2019

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003694.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Hf	Nb	Rb	Sn	Ta	Zr	Y	Ce	In	Re	Be	Li	Pd	Pt
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppb	ppb
MDL		0.02	0.02	0.1	0.1	0.05	0.1	0.01	0.1	0.02	1	0.1	0.1	10	2
Pulp Duplicates															
REP 2634571	QC	0.06	<0.02	34.0	<0.1	<0.05	1.1	8.30	12.0	<0.02	5	0.4	11.2	15	4
2634901	Drill Core	0.03	<0.02	41.4	<0.1	<0.05	0.2	6.93	11.1	<0.02	3	0.2	8.8	20	2
REP 2634901	QC	0.02	<0.02	40.6	<0.1	<0.05	0.2	6.81	11.2	<0.02	2	0.2	8.9	12	3
Core Reject Duplicates															
2634571	Drill Core	0.07	<0.02	35.2	0.1	<0.05	1.5	8.21	12.1	<0.02	3	0.3	10.9	13	5
DUP 2634571	QC	0.08	<0.02	34.5	0.1	<0.05	1.1	8.11	11.9	<0.02	5	0.4	10.9	17	8
2634905	Drill Core	0.06	<0.02	29.5	<0.1	<0.05	0.8	7.27	10.4	<0.02	3	0.1	6.9	<10	3
DUP 2634905	QC	0.05	<0.02	27.8	<0.1	<0.05	0.8	7.27	10.1	<0.02	2	0.1	7.0	<10	4
Reference Materials															
STD BVGE001	Standard	0.25	0.23	96.1	5.6	<0.05	7.0	14.68	55.1	0.42	3	0.6	19.5	120	175
STD DS11	Standard	0.06	1.40	35.4	1.8	<0.05	2.4	7.88	38.2	0.25	51	0.7	22.4	112	179
STD OREAS262	Standard	0.15	<0.02	20.6	0.3	<0.05	5.7	10.45	38.0	0.04	2	1.2	15.6	<10	<2
STD OREAS262	Standard	0.14	<0.02	20.6	0.3	<0.05	5.5	10.89	39.3	0.03	<1	1.1	17.6	<10	2
STD DS11 Expected		0.06	1.2	33.6	1.8		2.4	7.82	37	0.24	50	0.67	23.3	100	172
STD BVGE001 Expected		0.32	0.23	95	5.64		9.1	14.5	53	0.47	4	0.69	21.4	134	182
STD OREAS262 Expected		0.27		18.6	0.5		8.3	11.2	32	0.033		1.14	17.8		
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
BLK	Blank	<0.02	<0.02	<0.1	<0.1	<0.05	<0.1	<0.01	<0.1	<0.02	<1	<0.1	<0.1	<10	<2
Prep Wash															
ROCK-VAN	Prep Blank	0.15	0.19	2.8	0.2	<0.05	2.7	8.46	12.2	<0.02	<1	0.2	1.1	<10	<2
ROCK-VAN	Prep Blank	0.15	0.23	2.8	0.1	<0.05	3.1	8.17	12.0	<0.02	<1	0.2	1.2	<10	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Submitted By: Chris Dyakowski
Receiving Lab: Canada-Vancouver
Received: November 27, 2019
Report Date: December 23, 2019
Page: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

CLIENT JOB INFORMATION

Project: None Given
Shipment ID: DDH6
P.O. Number
Number of Samples: 57

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	56	Crush, split and pulverize 250 g rock to 200 mesh			VAN
FA330	56	Fire assay fusion Au Pt Pd by ICP-ES	30	Completed	VAN
EN002	56	Environmental disposal charge-Fire assay lead waste			VAN
FA530-Au	56	Lead collection fire assay fusion - Grav finish	30		VAN
AQ250	56	1:1:1 Aqua Regia digestion Ultratrace ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4
Canada

CC: Simon Dyakowski


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

Method	WGHT	FA330	FA330	FA530	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
Analyte	Wgt	Pt	Pd	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	
Unit	kg	ppb	ppb	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	
MDL	0.01	3	2	0.9	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	
2634851	Drill Core	3.66	<3	5	<0.9	0.27	75.27	0.49	33.1	39	38.5	24.3	364	2.64	1.4	0.2	<0.2	0.4	63.7	0.02	0.15
2634852	Drill Core	4.78	<3	3	<0.9	0.57	95.12	0.50	32.0	48	29.6	23.6	384	2.38	0.7	0.1	0.5	0.2	54.5	0.03	0.13
2634853	Drill Core	5.26	15	10	<0.9	0.28	134.43	0.47	40.9	54	20.9	24.6	469	3.46	0.7	<0.1	<0.2	0.2	59.1	0.03	0.13
2634854	Drill Core	3.26	5	5	<0.9	0.25	150.18	0.58	73.4	64	48.3	31.3	868	5.25	1.1	0.1	1.1	0.2	59.4	0.02	0.10
2634855	Drill Core	3.60	<3	<2	<0.9	0.48	169.93	0.48	71.1	52	34.1	32.3	770	4.44	1.3	0.1	0.5	0.3	71.2	0.04	0.09
2634856	Drill Core	3.48	<3	4	<0.9	1.26	138.60	0.50	53.4	69	18.1	27.2	528	3.95	1.0	0.1	1.6	0.5	43.7	0.03	0.18
2634857	Drill Core	3.62	<3	6	<0.9	2.71	143.59	0.58	103.3	78	30.0	28.0	796	3.99	0.5	0.4	1.5	1.7	40.2	0.04	0.19
2634858	Drill Core	3.58	<3	7	<0.9	1.02	46.47	0.73	45.7	43	11.5	18.1	473	2.88	0.9	0.3	2.7	1.9	56.9	0.02	0.23
2634859	Drill Core	3.54	<3	2	<0.9	1.00	45.37	0.77	47.9	38	25.5	13.3	631	2.39	0.6	0.6	<0.2	3.2	43.7	0.02	0.16
2634860	Drill Core	3.66	<3	2	<0.9	0.92	39.40	0.98	59.6	35	23.3	16.2	739	3.26	0.5	0.5	2.9	3.3	58.0	0.02	0.28
2634861	Drill Core	3.87	<3	3	<0.9	1.48	65.70	0.70	55.3	60	24.1	15.3	509	2.76	5.5	0.3	<0.2	1.2	37.6	0.04	0.12
2634862	Drill Core	3.94	<3	6	<0.9	3.28	106.94	1.56	93.4	107	27.7	23.7	944	5.16	54.4	0.7	2.7	0.9	47.7	0.09	0.68
2634863	Drill Core	4.70	6	4	<0.9	0.72	111.15	1.07	95.2	78	32.1	26.3	1262	6.73	10.9	0.3	1.7	0.4	64.4	0.04	0.11
2634864	Drill Core	3.91	7	7	<0.9	6.04	100.89	2.13	93.2	136	25.1	16.7	631	4.44	109.0	0.7	0.9	0.8	63.9	0.21	1.93
2634865	Drill Core	4.60	<3	4	<0.9	6.17	95.43	1.91	56.8	93	15.7	19.6	625	3.23	187.6	0.8	<0.2	1.5	67.9	0.07	3.42
2634866	Drill Core	4.69	<3	4	<0.9	4.44	76.91	2.03	79.5	192	18.2	11.3	610	3.13	33.2	0.8	<0.2	1.4	48.2	0.29	0.54
2634867	Drill Core	5.24	6	7	<0.9	2.80	138.15	1.99	70.3	132	31.5	25.1	752	4.32	35.4	0.5	0.9	0.7	94.5	0.15	0.70
2634868	Drill Core	2.25	<3	8	<0.9	2.66	88.58	2.16	83.3	105	32.9	18.3	963	3.78	300.6	0.7	3.8	1.6	86.2	0.14	5.79
2634869	Drill Core	2.18	<3	4	<0.9	3.44	97.44	2.12	60.0	126	16.4	12.6	473	3.08	439.5	0.8	1.6	2.0	63.6	0.18	6.15
2634870	Drill Core	2.35	4	7	<0.9	2.46	51.71	1.58	74.5	55	32.2	25.1	856	3.71	266.4	0.5	<0.2	0.7	111.9	0.10	2.99
2634871	Drill Core	4.53	<3	7	<0.9	1.99	87.11	2.07	59.9	73	26.5	20.5	703	3.28	57.0	0.3	<0.2	0.4	95.3	0.09	1.60
2634872	Drill Core	2.46	<3	8	<0.9	4.76	94.19	1.82	74.5	174	40.5	17.7	491	3.22	94.9	0.8	0.7	1.1	66.8	0.32	0.62
2634873	Drill Core	4.01	4	10	<0.9	4.55	109.89	1.85	71.4	194	45.1	15.3	140	2.99	36.3	0.8	<0.2	0.9	44.1	0.34	0.39
2634874	Drill Core	4.30	<3	3	<0.9	7.19	68.03	1.81	72.5	123	46.9	13.1	193	2.25	29.5	1.0	0.6	1.2	48.1	0.26	0.42
2634875	Drill Core	3.52	<3	7	<0.9	1.97	59.44	1.17	31.4	58	56.3	19.8	241	1.89	19.9	1.1	<0.2	2.1	35.1	0.06	0.16
2634876	Drill Core	4.02	4	5	<0.9	5.35	98.29	1.28	47.1	171	46.1	19.7	428	2.62	219.6	0.9	4.4	1.7	53.7	0.32	0.24
2634877	Drill Core	3.95	<3	3	<0.9	1.24	111.65	0.68	59.5	80	60.4	29.4	505	3.60	6.0	0.3	2.8	0.8	55.9	0.06	0.15
2634878	Drill Core	4.34	<3	4	<0.9	0.39	97.07	0.67	58.2	81	56.1	29.0	462	3.58	3.8	0.6	1.8	1.2	57.7	0.04	0.16
2634879	Drill Core	3.76	<3	5	<0.9	0.51	68.28	1.97	70.5	72	46.5	24.6	683	4.07	6.0	0.4	0.5	1.4	91.1	0.08	0.23
2634880	Drill Core	4.10	<3	5	<0.9	1.95	179.20	1.29	61.0	147	58.0	21.8	552	3.93	18.6	0.3	2.9	0.6	63.5	0.10	0.39



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te
Unit		ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm
MDL		0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02
2634851	Drill Core	<0.02	85	1.11	0.094	3.3	97.5	1.45	111.2	0.177	<20	1.71	0.063	0.47	<0.1	6.4	0.05	<0.02	57	<0.1	<0.02
2634852	Drill Core	<0.02	77	1.09	0.074	2.8	77.2	1.29	86.6	0.142	<20	1.61	0.073	0.26	<0.1	6.6	0.02	0.04	64	0.2	<0.02
2634853	Drill Core	<0.02	126	1.17	0.082	3.6	44.2	1.66	109.7	0.204	<20	1.95	0.078	0.50	<0.1	7.6	0.04	0.03	38	0.1	<0.02
2634854	Drill Core	<0.02	156	1.01	0.118	3.6	108.4	2.62	74.6	0.150	<20	2.77	0.046	0.35	<0.1	8.1	0.03	<0.02	104	0.4	0.05
2634855	Drill Core	<0.02	166	1.09	0.131	3.3	62.0	2.33	108.5	0.210	<20	2.51	0.056	0.51	<0.1	7.8	0.06	0.19	45	0.5	0.03
2634856	Drill Core	<0.02	97	0.70	0.101	3.3	24.9	1.79	62.4	0.145	<20	1.95	0.049	0.34	<0.1	5.9	0.04	1.19	158	0.7	0.10
2634857	Drill Core	<0.02	99	0.92	0.099	5.5	46.3	2.42	114.5	0.178	<20	2.39	0.046	0.59	<0.1	6.6	0.08	1.22	124	0.3	0.12
2634858	Drill Core	0.09	64	0.83	0.080	4.9	16.5	1.56	127.7	0.100	<20	1.72	0.037	0.72	<0.1	5.2	0.13	1.19	194	1.1	0.22
2634859	Drill Core	0.03	39	1.53	0.068	8.1	35.6	1.35	79.0	0.066	<20	1.53	0.054	0.64	<0.1	3.5	0.13	0.70	151	<0.1	0.06
2634860	Drill Core	0.05	56	1.80	0.089	12.5	16.0	1.59	65.2	0.059	<20	1.86	0.070	0.40	<0.1	5.9	0.09	0.93	161	0.7	0.08
2634861	Drill Core	0.03	48	1.43	0.087	7.0	52.3	1.41	137.9	0.031	<20	1.63	0.034	0.37	<0.1	5.0	0.10	1.28	161	0.8	0.07
2634862	Drill Core	<0.02	113	3.33	0.110	5.8	63.6	2.38	212.2	0.079	<20	2.94	0.018	0.44	<0.1	13.8	0.24	0.73	129	1.7	0.11
2634863	Drill Core	<0.02	168	4.03	0.126	4.8	89.2	2.93	399.8	0.213	<20	3.60	0.031	1.40	<0.1	19.5	0.21	0.61	59	1.3	0.07
2634864	Drill Core	<0.02	80	2.78	0.090	6.3	36.3	1.10	192.9	0.074	<20	1.87	0.024	0.40	<0.1	13.1	1.02	1.24	677	3.3	0.08
2634865	Drill Core	<0.02	67	2.54	0.098	5.4	17.7	0.89	133.8	0.107	<20	1.33	0.038	0.28	0.3	8.4	0.87	0.99	1233	2.2	0.06
2634866	Drill Core	0.03	32	2.32	0.086	6.9	10.7	0.83	161.9	0.086	<20	1.06	0.027	0.22	<0.1	7.0	0.11	1.52	112	4.7	0.12
2634867	Drill Core	<0.02	128	4.16	0.098	5.4	46.3	1.95	98.5	0.095	<20	2.19	0.026	0.45	<0.1	15.1	0.23	1.13	145	3.3	0.04
2634868	Drill Core	0.03	74	5.19	0.090	8.7	35.2	1.14	108.4	0.042	<20	1.35	0.029	0.24	<0.1	13.1	0.38	1.53	372	4.2	0.11
2634869	Drill Core	0.02	34	2.88	0.091	8.4	11.6	0.80	124.1	0.062	<20	0.80	0.036	0.22	<0.1	8.1	0.59	1.72	577	4.5	0.12
2634870	Drill Core	<0.02	90	3.85	0.083	5.5	43.4	1.12	111.6	0.057	<20	1.40	0.034	0.26	<0.1	14.4	0.30	0.58	779	2.0	<0.02
2634871	Drill Core	<0.02	70	3.13	0.095	4.2	27.7	1.35	265.0	0.123	<20	1.55	0.034	0.46	<0.1	7.6	0.14	0.72	109	1.7	0.05
2634872	Drill Core	0.03	46	3.44	0.098	6.1	25.1	0.68	66.2	0.085	<20	0.97	0.027	0.14	0.1	7.1	0.05	1.61	60	6.5	0.11
2634873	Drill Core	0.03	22	1.16	0.095	4.9	15.3	0.27	75.6	0.122	<20	0.59	0.038	0.10	0.2	2.6	0.03	1.90	24	6.4	0.10
2634874	Drill Core	0.03	24	1.67	0.082	5.3	20.3	0.42	92.3	0.113	<20	0.73	0.027	0.18	0.2	2.6	0.13	1.10	157	4.9	0.07
2634875	Drill Core	<0.02	32	1.07	0.111	5.6	52.5	0.71	96.3	0.167	<20	0.97	0.037	0.50	<0.1	2.5	0.12	0.53	15	0.4	0.06
2634876	Drill Core	0.02	43	2.40	0.101	5.5	44.6	0.76	75.8	0.127	<20	1.07	0.038	0.26	0.1	3.9	0.08	1.10	23	3.6	0.22
2634877	Drill Core	<0.02	99	1.25	0.107	3.3	120.3	2.74	192.7	0.238	<20	2.60	0.033	0.83	<0.1	5.6	0.11	0.49	31	0.9	0.03
2634878	Drill Core	<0.02	96	1.37	0.112	3.5	115.9	2.67	116.7	0.224	<20	2.73	0.046	0.57	<0.1	6.8	0.08	0.26	15	<0.1	<0.02
2634879	Drill Core	<0.02	96	3.19	0.126	7.0	92.8	2.69	55.2	0.097	<20	2.87	0.077	0.25	<0.1	9.5	0.08	0.22	129	0.2	0.03
2634880	Drill Core	<0.02	67	2.82	0.127	4.8	43.6	2.02	73.1	0.125	<20	2.17	0.029	0.24	0.1	8.6	0.05	1.14	36	2.1	0.08



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

Method	AQ250
Analyte	Ga
Unit	ppm
MDL	0.1
2634851	Drill Core 4.0
2634852	Drill Core 3.4
2634853	Drill Core 4.7
2634854	Drill Core 7.2
2634855	Drill Core 6.0
2634856	Drill Core 4.6
2634857	Drill Core 5.2
2634858	Drill Core 4.1
2634859	Drill Core 4.0
2634860	Drill Core 5.1
2634861	Drill Core 4.1
2634862	Drill Core 6.4
2634863	Drill Core 7.9
2634864	Drill Core 5.0
2634865	Drill Core 3.9
2634866	Drill Core 3.2
2634867	Drill Core 6.2
2634868	Drill Core 4.3
2634869	Drill Core 2.9
2634870	Drill Core 4.0
2634871	Drill Core 4.2
2634872	Drill Core 2.9
2634873	Drill Core 2.0
2634874	Drill Core 1.7
2634875	Drill Core 2.5
2634876	Drill Core 3.0
2634877	Drill Core 5.9
2634878	Drill Core 5.2
2634879	Drill Core 7.2
2634880	Drill Core 4.6



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

Method	WGHT	FA330	FA330	FA530	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Pt	Pd	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	
Unit	kg	ppb	ppb	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	
MDL	0.01	3	2	0.9	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	
2634881	Drill Core	3.34	<3	<2	<0.9	2.10	67.71	1.33	56.1	150	16.5	14.6	551	3.10	23.5	0.4	11.9	1.1	50.9	0.23	0.52
2634882	Drill Core	4.71	<3	6	<0.9	0.28	47.23	0.72	83.8	48	11.2	24.9	853	4.71	8.6	0.2	2.8	0.4	39.3	0.03	0.16
2634883	Drill Core	4.62	<3	2	<0.9	0.13	66.88	0.73	68.7	34	13.5	24.5	665	4.13	11.3	0.2	2.2	0.4	59.6	0.02	0.12
2634884	Drill Core	1.91	4	4	<0.9	0.08	48.56	1.21	64.2	36	22.7	24.2	698	3.72	87.5	0.1	6.4	0.3	70.7	0.05	0.20
2634885	Drill Core	5.56	26	31	<0.9	0.07	7.05	0.61	43.3	19	24.2	37.7	531	9.81	4.0	<0.1	2.6	0.1	92.1	0.02	0.06
2634886	Drill Core	3.97	15	8	<0.9	0.04	5.16	0.28	33.5	8	28.7	32.7	365	8.14	0.4	<0.1	1.5	<0.1	72.6	<0.01	0.03
2634887	Drill Core	4.28	7	8	<0.9	0.05	4.41	0.26	28.6	8	36.8	30.8	333	9.14	0.8	<0.1	2.1	0.1	50.8	<0.01	0.05
2634888	Drill Core	6.32	34	37	<0.9	0.07	7.08	0.28	34.6	11	41.8	36.5	408	11.06	7.2	<0.1	1.6	<0.1	64.6	0.03	0.10
2634889	Drill Core	6.72	12	13	<0.9	0.08	4.85	0.53	35.1	7	47.9	38.1	370	11.88	2.1	<0.1	0.6	<0.1	55.8	<0.01	0.08
2634890	Drill Core	6.53	13	6	<0.9	0.07	18.10	0.26	36.1	14	47.7	35.1	379	10.41	11.5	<0.1	0.7	<0.1	58.7	0.01	0.14
2634891	Drill Core	3.75	51	170	<0.9	0.06	604.16	0.31	23.6	227	33.3	21.2	262	6.85	1.9	<0.1	2.7	0.1	47.6	0.06	0.11
2634892	Drill Core	1.59	10	24	<0.9	0.05	215.15	0.30	27.1	97	34.5	22.6	280	7.28	0.5	<0.1	1.9	<0.1	38.6	0.03	0.08
2634893	Drill Core	1.42	5	8	<0.9	0.06	7.63	0.22	25.5	7	34.9	23.9	297	7.48	0.3	<0.1	0.5	<0.1	39.8	<0.01	0.07
2634894	Drill Core	5.78	9	34	<0.9	0.06	13.56	0.39	30.3	15	41.1	29.8	409	7.92	0.7	<0.1	<0.2	0.2	77.5	0.01	0.07
2634895	Drill Core	4.79	6	3	<0.9	0.05	9.44	0.28	20.3	5	33.4	21.7	341	7.14	0.9	<0.1	0.9	<0.1	52.6	0.02	0.06
2634896	Drill Core	5.48	17	8	<0.9	0.06	5.59	0.29	33.7	8	45.6	29.3	437	9.20	0.7	<0.1	0.5	<0.1	60.4	0.03	0.05
2634897	Drill Core	5.54	35	27	<0.9	0.07	20.47	0.29	44.5	13	52.0	36.6	375	11.09	0.6	<0.1	0.9	<0.1	60.1	0.02	0.06
2634898	Drill Core	4.29	27	16	<0.9	0.05	10.10	0.26	26.7	12	42.6	26.5	336	8.04	1.3	<0.1	0.7	<0.1	45.3	0.03	0.05
2634899	Drill Core	5.38	25	7	<0.9	0.07	5.21	0.28	32.0	6	41.6	33.6	381	9.84	0.3	<0.1	<0.2	0.1	51.9	0.02	0.05
2634900	Drill Core	4.99	37	19	<0.9	0.06	8.99	0.46	33.9	11	45.3	31.9	542	7.70	0.9	<0.1	1.4	<0.1	93.7	0.01	0.13
2634201	Drill Core	4.05	47	28	<0.9	0.06	6.26	0.26	37.9	9	46.8	38.4	429	9.18	0.2	<0.1	0.5	<0.1	75.7	0.01	0.03
2634202	Drill Core	4.53	34	17	<0.9	0.06	13.05	0.33	35.4	8	47.7	37.2	440	10.22	0.6	<0.1	1.6	<0.1	69.4	0.02	0.04
2634203	Drill Core	4.19	27	23	<0.9	0.06	118.85	0.26	41.8	28	39.0	37.1	494	8.68	0.4	<0.1	1.3	0.2	71.9	0.02	0.04
2634204	Drill Core	4.20	30	22	<0.9	0.07	304.14	0.26	39.7	65	49.8	35.8	443	7.27	0.4	<0.1	0.9	0.3	60.9	0.02	0.05
2634205	Drill Core	4.04	30	21	<0.9	0.06	167.45	0.27	39.8	53	53.4	35.4	638	6.38	0.8	<0.1	1.0	<0.1	74.5	0.04	0.04
2634206	Drill Core	4.80	11	11	<0.9	0.05	14.91	0.30	35.1	11	43.5	32.6	495	8.55	0.6	<0.1	0.9	<0.1	65.7	<0.01	0.10
2634207	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

Method	Analyte	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
		Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Ti	S	Hg	Se	Te
Unit		ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm
MDL		0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02
2634881	Drill Core	<0.02	45	1.81	0.097	5.0	12.6	0.93	113.9	0.155	<20	1.28	0.039	0.34	0.1	5.5	0.12	1.16	102	2.2	0.13
2634882	Drill Core	<0.02	122	1.29	0.063	2.1	11.6	2.11	93.9	0.223	<20	2.82	0.046	0.55	<0.1	6.9	0.09	0.24	55	0.2	<0.02
2634883	Drill Core	<0.02	140	1.85	0.078	2.0	19.8	1.90	60.7	0.201	<20	2.46	0.056	0.25	<0.1	8.7	0.05	0.21	108	0.2	<0.02
2634884	Drill Core	<0.02	144	2.80	0.111	2.9	55.8	2.34	40.6	0.133	<20	2.27	0.041	0.08	<0.1	19.9	0.05	0.45	148	<0.1	0.02
2634885	Drill Core	<0.02	492	2.46	0.030	1.3	41.4	2.23	90.7	0.388	<20	1.87	0.272	0.36	<0.1	25.0	0.03	0.02	60	<0.1	0.03
2634886	Drill Core	<0.02	409	2.26	0.024	0.9	178.1	1.91	46.3	0.315	<20	1.36	0.270	0.18	<0.1	23.3	<0.02	<0.02	15	<0.1	0.04
2634887	Drill Core	<0.02	430	2.26	0.018	0.8	122.6	1.45	30.3	0.283	<20	0.97	0.186	0.12	<0.1	19.3	<0.02	<0.02	18	<0.1	<0.02
2634888	Drill Core	<0.02	529	2.77	0.043	1.2	38.2	1.65	42.9	0.344	<20	1.31	0.233	0.16	<0.1	21.0	<0.02	0.10	41	<0.1	0.03
2634889	Drill Core	<0.02	563	2.28	0.030	1.0	44.9	1.50	35.8	0.347	<20	1.11	0.207	0.14	<0.1	19.6	<0.02	0.04	33	<0.1	<0.02
2634890	Drill Core	<0.02	545	2.67	0.044	1.1	51.3	1.50	39.3	0.339	<20	1.16	0.204	0.14	<0.1	19.3	0.05	0.12	145	<0.1	<0.02
2634891	Drill Core	<0.02	351	2.14	0.038	1.1	105.6	1.15	23.2	0.255	<20	0.76	0.145	0.10	<0.1	15.4	<0.02	0.07	124	0.5	0.04
2634892	Drill Core	<0.02	375	1.85	0.046	1.1	173.0	1.20	28.2	0.236	<20	0.84	0.168	0.12	<0.1	16.1	<0.02	<0.02	56	<0.1	<0.02
2634893	Drill Core	<0.02	393	1.85	0.022	0.8	153.6	1.25	26.5	0.259	<20	0.84	0.165	0.11	<0.1	17.3	<0.02	<0.02	<5	<0.1	<0.02
2634894	Drill Core	<0.02	397	2.71	0.119	2.3	104.2	1.78	71.8	0.296	<20	1.47	0.244	0.24	<0.1	23.2	<0.02	<0.02	8	<0.1	<0.02
2634895	Drill Core	<0.02	352	3.27	0.033	1.3	107.5	1.36	26.5	0.262	<20	0.95	0.159	0.12	<0.1	19.8	<0.02	<0.02	14	<0.1	<0.02
2634896	Drill Core	<0.02	459	3.77	0.025	1.4	88.2	1.50	48.2	0.291	<20	1.07	0.142	0.11	<0.1	19.8	<0.02	<0.02	29	<0.1	0.02
2634897	Drill Core	<0.02	587	2.13	0.026	1.0	121.8	1.48	37.6	0.324	<20	1.07	0.156	0.11	<0.1	16.1	<0.02	0.03	12	<0.1	0.02
2634898	Drill Core	<0.02	403	2.56	0.010	0.6	288.7	1.34	25.2	0.311	<20	0.81	0.133	0.10	<0.1	15.6	<0.02	<0.02	32	<0.1	0.03
2634899	Drill Core	<0.02	504	2.57	0.013	0.9	91.9	1.41	49.8	0.315	<20	0.92	0.150	0.11	<0.1	15.4	<0.02	<0.02	16	<0.1	0.04
2634900	Drill Core	<0.02	396	3.54	0.018	1.3	140.1	1.97	43.6	0.332	<20	1.69	0.214	0.19	<0.1	28.7	<0.02	<0.02	36	<0.1	<0.02
2634201	Drill Core	<0.02	508	2.22	0.009	0.8	141.4	2.18	53.5	0.353	<20	1.52	0.266	0.20	<0.1	25.6	<0.02	<0.02	20	<0.1	<0.02
2634202	Drill Core	<0.02	563	2.51	0.017	1.0	92.0	1.87	50.5	0.324	<20	1.37	0.242	0.17	<0.1	22.8	<0.02	<0.02	22	<0.1	<0.02
2634203	Drill Core	<0.02	447	2.63	0.032	1.5	60.9	2.14	50.0	0.354	<20	1.71	0.268	0.19	<0.1	22.7	<0.02	0.03	<5	<0.1	0.02
2634204	Drill Core	<0.02	354	2.31	0.058	2.1	92.1	2.41	33.6	0.284	<20	1.52	0.183	0.12	<0.1	17.6	<0.02	0.10	22	<0.1	0.02
2634205	Drill Core	<0.02	320	4.35	0.023	1.0	130.9	2.82	46.9	0.261	<20	1.88	0.099	0.27	<0.1	17.7	<0.02	0.06	71	<0.1	0.06
2634206	Drill Core	<0.02	425	3.41	0.013	0.9	84.7	1.75	39.5	0.347	<20	1.35	0.184	0.16	<0.1	21.6	<0.02	<0.02	73	<0.1	<0.02
2634207	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

VAN19003693.1

	Method	AQ250
	Analyte	Ga
	Unit	ppm
	MDL	0.1
2634881	Drill Core	3.8
2634882	Drill Core	5.7
2634883	Drill Core	6.0
2634884	Drill Core	6.5
2634885	Drill Core	7.6
2634886	Drill Core	6.5
2634887	Drill Core	6.2
2634888	Drill Core	7.4
2634889	Drill Core	7.5
2634890	Drill Core	7.8
2634891	Drill Core	4.7
2634892	Drill Core	5.1
2634893	Drill Core	5.2
2634894	Drill Core	6.5
2634895	Drill Core	5.1
2634896	Drill Core	7.7
2634897	Drill Core	8.5
2634898	Drill Core	5.5
2634899	Drill Core	7.0
2634900	Drill Core	6.8
2634201	Drill Core	7.9
2634202	Drill Core	8.5
2634203	Drill Core	6.8
2634204	Drill Core	6.3
2634205	Drill Core	8.2
2634206	Drill Core	6.5
2634207	Drill Core	L.N.R.



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Project: None Given
Report Date: December 23, 2019

Page: 1 of 2 Part: 1 of 3

QUALITY CONTROL REPORT

VAN19003693.1

Method	WGHT	FA330	FA330	FA530	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Wgt	Pt	Pd	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	
Unit	kg	ppb	ppb	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	
MDL	0.01	3	2	0.9	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02	
Pulp Duplicates																					
2634860	Drill Core	3.66	<3	2	<0.9	0.92	39.40	0.98	59.6	35	23.3	16.2	739	3.26	0.5	0.5	2.9	3.3	58.0	0.02	0.28
REP 2634860	QC				<0.9																
2634863	Drill Core	4.70	6	4	<0.9	0.72	111.15	1.07	95.2	78	32.1	26.3	1262	6.73	10.9	0.3	1.7	0.4	64.4	0.04	0.11
REP 2634863	QC					0.77	114.32	1.04	88.3	74	32.1	25.8	1291	6.89	10.3	0.3	0.7	0.4	63.2	0.07	0.13
2634870	Drill Core	2.35	4	7	<0.9	2.46	51.71	1.58	74.5	55	32.2	25.1	856	3.71	266.4	0.5	<0.2	0.7	111.9	0.10	2.99
REP 2634870	QC		3	5																	
2634892	Drill Core	1.59	10	24	<0.9	0.05	215.15	0.30	27.1	97	34.5	22.6	280	7.28	0.5	<0.1	1.9	<0.1	38.6	0.03	0.08
REP 2634892	QC					0.05	221.64	0.33	27.7	97	36.0	24.2	281	7.40	0.3	<0.1	3.1	<0.1	39.5	0.02	0.08
2634894	Drill Core	5.78	9	34	<0.9	0.06	13.56	0.39	30.3	15	41.1	29.8	409	7.92	0.7	<0.1	<0.2	0.2	77.5	0.01	0.07
REP 2634894	QC				<0.9																
2634897	Drill Core	5.54	35	27	<0.9	0.07	20.47	0.29	44.5	13	52.0	36.6	375	11.09	0.6	<0.1	0.9	<0.1	60.1	0.02	0.06
REP 2634897	QC		32	23																	
2634206	Drill Core	4.80	11	11	<0.9	0.05	14.91	0.30	35.1	11	43.5	32.6	495	8.55	0.6	<0.1	0.9	<0.1	65.7	<0.01	0.10
REP 2634206	QC				<0.9																
Core Reject Duplicates																					
2634878	Drill Core	4.34	<3	4	<0.9	0.39	97.07	0.67	58.2	81	56.1	29.0	462	3.58	3.8	0.6	1.8	1.2	57.7	0.04	0.16
DUP 2634878	QC		<3	3	<0.9	0.37	103.16	0.69	67.2	87	59.8	26.3	488	3.49	3.1	0.4	2.4	1.1	58.8	0.04	0.17
Reference Materials																					
STD AGPROOF	Standard				<0.9																
STD AGPROOF	Standard				<0.9																
STD AGPROOF	Standard				<0.9																
STD BVGEO01	Standard					10.25	4431.33	184.72	1741.7	2384	159.5	24.9	693	3.63	106.1	3.6	209.0	14.3	50.4	5.99	1.80
STD DS11	Standard					16.26	161.35	133.30	355.2	1650	85.3	16.0	1048	3.10	44.1	2.3	60.2	8.1	65.0	2.41	6.65
STD KO74421	Standard		452	473																	
STD OREAS262	Standard					0.64	119.47	52.22	145.1	422	62.2	30.5	501	3.23	31.9	1.0	55.2	8.3	31.9	0.58	2.92
STD OREAS262	Standard					0.65	125.19	57.93	148.1	433	69.6	28.2	529	3.24	35.0	1.2	54.5	9.3	31.5	0.60	2.01
STD OREAS683	Standard		1789	876																	
STD OXQ114	Standard					35.1															



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003693.1

Method	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250
Analyte	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	
Unit	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	
MDL	0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	
Pulp Duplicates																					
2634860	Drill Core	0.05	56	1.80	0.089	12.5	16.0	1.59	65.2	0.059	<20	1.86	0.070	0.40	<0.1	5.9	0.09	0.93	161	0.7	0.08
REP 2634860	QC																				
2634863	Drill Core	<0.02	168	4.03	0.126	4.8	89.2	2.93	399.8	0.213	<20	3.60	0.031	1.40	<0.1	19.5	0.21	0.61	59	1.3	0.07
REP 2634863	QC	<0.02	169	4.03	0.117	4.7	88.6	2.98	384.6	0.211	<20	3.68	0.030	1.41	<0.1	19.0	0.22	0.59	51	1.4	0.09
2634870	Drill Core	<0.02	90	3.85	0.083	5.5	43.4	1.12	111.6	0.057	<20	1.40	0.034	0.26	<0.1	14.4	0.30	0.58	779	2.0	<0.02
REP 2634870	QC																				
2634892	Drill Core	<0.02	375	1.85	0.046	1.1	173.0	1.20	28.2	0.236	<20	0.84	0.168	0.12	<0.1	16.1	<0.02	<0.02	56	<0.1	<0.02
REP 2634892	QC	<0.02	380	1.89	0.048	1.2	176.8	1.24	29.5	0.249	<20	0.87	0.173	0.13	<0.1	17.1	<0.02	<0.02	56	<0.1	0.02
2634894	Drill Core	<0.02	397	2.71	0.119	2.3	104.2	1.78	71.8	0.296	<20	1.47	0.244	0.24	<0.1	23.2	<0.02	<0.02	8	<0.1	<0.02
REP 2634894	QC																				
2634897	Drill Core	<0.02	587	2.13	0.026	1.0	121.8	1.48	37.6	0.324	<20	1.07	0.156	0.11	<0.1	16.1	<0.02	0.03	12	<0.1	0.02
REP 2634897	QC																				
2634206	Drill Core	<0.02	425	3.41	0.013	0.9	84.7	1.75	39.5	0.347	<20	1.35	0.184	0.16	<0.1	21.6	<0.02	<0.02	73	<0.1	<0.02
REP 2634206	QC																				
Core Reject Duplicates																					
2634878	Drill Core	<0.02	96	1.37	0.112	3.5	115.9	2.67	116.7	0.224	<20	2.73	0.046	0.57	<0.1	6.8	0.08	0.26	15	<0.1	<0.02
DUP 2634878	QC	<0.02	93	1.40	0.120	3.7	112.9	2.60	117.3	0.218	<20	2.66	0.046	0.56	<0.1	6.6	0.09	0.27	21	0.3	<0.02
Reference Materials																					
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD AGPROOF	Standard																				
STD BVGEO01	Standard	21.17	72	1.28	0.068	26.1	178.1	1.29	321.1	0.235	<20	2.28	0.188	0.87	3.2	5.1	0.60	0.66	85	4.0	0.95
STD DS11	Standard	11.03	48	1.02	0.063	16.8	63.1	0.85	415.0	0.092	<20	1.14	0.074	0.40	2.7	3.4	4.96	0.28	254	1.9	4.88
STD KO74421	Standard																				
STD OREAS262	Standard	0.87	21	2.76	0.036	13.7	41.3	1.19	233.9	0.003	<20	1.22	0.069	0.31	0.1	3.1	0.42	0.26	146	0.3	0.23
STD OREAS262	Standard	0.92	22	2.95	0.038	16.1	44.3	1.17	256.7	0.003	<20	1.34	0.065	0.30	<0.1	3.1	0.45	0.26	132	0.1	0.20
STD OREAS683	Standard																				
STD OXQ114	Standard																				



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003693.1

Method	AQ250	
Analyte	Ga	
Unit	ppm	
MDL	0.1	
Pulp Duplicates		
2634860	Drill Core	5.1
REP 2634860	QC	
2634863	Drill Core	7.9
REP 2634863	QC	7.7
2634870	Drill Core	4.0
REP 2634870	QC	
2634892	Drill Core	5.1
REP 2634892	QC	5.5
2634894	Drill Core	6.5
REP 2634894	QC	
2634897	Drill Core	8.5
REP 2634897	QC	
2634206	Drill Core	6.5
REP 2634206	QC	
Core Reject Duplicates		
2634878	Drill Core	5.2
DUP 2634878	QC	5.4
Reference Materials		
STD AGPROOF	Standard	
STD AGPROOF	Standard	
STD AGPROOF	Standard	
STD BVGEO01	Standard	7.1
STD DS11	Standard	4.7
STD KO74421	Standard	
STD OREAS262	Standard	3.3
STD OREAS262	Standard	3.9
STD OREAS683	Standard	
STD OXQ114	Standard	



QUALITY CONTROL REPORT

VAN19003693.1

		WGHT	FA330	FA330	FA530	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	
		Wgt	Pt	Pd	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb
		kg	ppb	ppb	gm/t	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm
		0.01	3	2	0.9	0.01	0.01	0.01	0.1	2	0.1	0.1	1	0.01	0.1	0.1	0.2	0.1	0.5	0.01	0.02
STD OXQ114	Standard				35.5																
STD OXQ114	Standard				35.1																
STD PD05	Standard		432	606																	
STD PG04	Standard		920	1224																	
STD SP49	Standard				18.3																
STD SP49	Standard				18.3																
STD SP49	Standard				17.8																
STD PD05 Expected			430	596																	
STD OREAS683 Expected			1760	853																	
STD KO74421 Expected			459	466																	
STD PG04 Expected			910	1210																	
STD DS11 Expected						13.9	149	138	345	1710	77.7	14.2	1055	3.1	42.8	2.59	79	7.65	67.3	2.37	7.2
STD AGPROOF Expected					0																
STD SP49 Expected					18.34																
STD OXQ114 Expected					35.2																
STD BVGEO01 Expected						10.8	4415	187	1741	2530	163	25	733	3.7	121	3.77	219	14.4	55	6.5	2.2
STD OREAS262 Expected						0.68	118	56	154	450	62	26.9	530	3.284	35.8	1.22	65	9.33	36	0.61	3.39
BLK	Blank				<0.9																
BLK	Blank		<3	3																	
BLK	Blank		<3	3																	
BLK	Blank				<0.01	<0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	
BLK	Blank				<0.9																
BLK	Blank				<0.9																
BLK	Blank				<0.01	<0.01	0.02	<0.1	<2	<0.1	<0.1	<1	<0.01	<0.1	<0.1	<0.2	<0.1	<0.5	<0.01	<0.02	
Prep Wash																					
ROCK-VAN	Prep Blank		<3	<2	<0.9	0.71	4.22	1.08	28.0	8	0.7	3.6	429	1.73	0.9	0.3	<0.2	1.7	19.8	0.02	0.04
ROCK-VAN	Prep Blank		<3	3	<0.9	0.79	4.37	1.14	28.8	4	0.7	4.0	454	1.78	0.9	0.5	<0.2	1.9	21.7	0.01	0.04



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: GSP Resource Corp.
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 2 Part: 2 of 3

QUALITY CONTROL REPORT

VAN19003693.1

		AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250	AQ250		
		Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	
		ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	
		0.02	1	0.01	0.001	0.5	0.5	0.01	0.5	0.001	20	0.01	0.001	0.01	0.1	0.1	0.02	0.02	5	0.1	0.02	
STD OXQ114	Standard																					
STD OXQ114	Standard																					
STD PD05	Standard																					
STD PG04	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD SP49	Standard																					
STD PD05 Expected																						
STD OREAS683 Expected																						
STD KO74421 Expected																						
STD PG04 Expected																						
STD DS11 Expected		12.2	50	1.063	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	3.1	4.9	0.2835	260	2.2	4.56	
STD AGPROOF Expected																						
STD SP49 Expected																						
STD OXQ114 Expected																						
STD BVGEO01 Expected		25.6	73	1.3219	0.0727	25.9	171	1.2963	340	0.233		2.347	0.1924	0.89	3.5	5.97	0.62	0.6655	100	4.84	1.02	
STD OREAS262 Expected		1.03	22.5	2.98	0.04	15.9	41.7	1.17	248	0.003		1.204	0.071	0.312	0.13	3.24	0.47	0.253	170	0.4	0.23	
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	7	<0.1	<0.02	
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.02	<1	<0.01	<0.001	<0.5	<0.5	<0.01	<0.5	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.1	<0.02	<0.02	14	<0.1	<0.02	
Prep Wash																						
ROCK-VAN	Prep Blank	0.02	22	0.70	0.033	5.2	3.5	0.45	52.6	0.077	<20	0.85	0.092	0.11	0.1	2.2	<0.02	<0.02	13	<0.1	<0.02	
ROCK-VAN	Prep Blank	<0.02	24	0.67	0.036	5.7	3.9	0.46	57.1	0.083	<20	0.84	0.092	0.11	<0.1	2.7	<0.02	<0.02	<5	<0.1	<0.02	



Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **GSP Resource Corp.**
1610-777 Dunsmuir Street
Vancouver British Columbia V7Y 1K4 Canada

Project: None Given
Report Date: December 23, 2019

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

VAN19003693.1

		AQ250 Ga ppm 0.1
STD OXQ114	Standard	
STD OXQ114	Standard	
STD PD05	Standard	
STD PG04	Standard	
STD SP49	Standard	
STD SP49	Standard	
STD SP49	Standard	
STD PD05 Expected		
STD OREAS683 Expected		
STD KO74421 Expected		
STD PG04 Expected		
STD DS11 Expected		4.7
STD AGPROOF Expected		
STD SP49 Expected		
STD OXQ114 Expected		
STD BVGEO01 Expected		7.37
STD OREAS262 Expected		3.73
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.1
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.1
Prep Wash		
ROCK-VAN	Prep Blank	3.4
ROCK-VAN	Prep Blank	3.7

APPENDIX E

STATEMENT OF COSTS

<u>Category</u>	<u>Notes</u>	<u>Amount (no GST included)</u>
Fieldwork		
R. Wladichuk, P.Geo - Core Logging, Oversight (Waldo Sciences Inc.)	21 days @ 500/day	\$ 10,500.00
	10% overhead of procurement	\$ 329.08
T. Dyakowski, Jr. Geologist - Core sampling, core splitting, core logging	15 days @ \$350/day, 7 days @ \$400/day	\$ 8,050.00
Drilling		
Atlas Drilling	1195 Meters NQ + mob/demob	\$ 140,890.34
Water Truck		
	10 Days + Demob	\$ 13,800.00
Equipment & Supplies		
		\$ 3,189.50
Fuel & Transportation		
	Truck Rental, Gasoline, Propane	\$ 3,086.18
Food and Accomodation		
Meals		\$ 2,355.52
Accomodation		\$ 5,147.71
Assays & Laboratory		
Bureau Veritas		\$ 19,875.66
Geological Consulting and Reporting		
Raymond Wladichuk, P.Geo (Waldo Sciences Inc.)	Assessment Report	\$ 2,000.00

TOTAL	\$	209,223.99
--------------	-----------	-------------------

APPENDIX F

REFERENCES

References

Allen, D.G., P.Eng., 1983. GEOLOGICAL AND GEOCHEMICAL REPORT on the TULAMEEN RIVER PROPERTIES Lode I, II, Similkameen Mining Division – British Columbia, for Lodestone Mining Corporation. Assessment Report No.: 12,506. A&M Exploration Ltd.

Allen, D.G., P.Eng., 1987. GEOCHEMICAL and GEOPHYSICAL REPORT on the LODE I-IV CLAIMS, Similkameen Mining Division – British Columbia for Inter Canadian Development Corp. Assessment Report No.: 16,661. A&M Exploration Ltd.

Allen, D.G., P.Eng., Brownlee, D.J., B.Sc., 1988. GEOCHEMICAL and GEOPHYSICAL REPORT on the LODE I-IV CLAIMS, Similkameen Mining Division – British Columbia for Inter Canadian Development Corp. Assessment Report No.: 17,819. A&M Exploration Ltd.

Allen, D.G., P.Eng., Brownlee, D.J., B.Sc., 1989. GEOCHEMICAL REPORT on the LODE I-IV CLAIMS, Similkameen Mining Division – British Columbia for Inter Canadian Development Corp. Assessment Report No.: 18,675. A&M Exploration Ltd.

Gravel, J.L., M.Sc.A., Allen, D.G., P.Eng., Macquarrie, D., B.Sc., 1986. GEOLOGICAL, GEOCHEMICAL and GEOPHYSICAL ASSESSMENT on the LODE I-IV Claims, Similkameen Mining Division – British Columbia for Inter Canadian Development Corp. Assessment No.: 15,434. A&M Exploration Ltd.

Kerr J., P.Eng., TECHNICAL REPORT ON THE OLIVINE MOUNTAIN PROPERTY, Similkameen Mining Division, British Columbia.

Jury, R.G., P.Eng., 1970. SICITINE MINES LTD. (N.P.L.), Report on a Geochemical Soil Survey on the ASP 1-19 Claims, Princeton Area, B.C., Similkameen Mining Division, 120°49 NW. Assessment Report No.: 02526. Alrae Engineering Ltd.

Wladichuk, R. E., Dyakowski, T., 2018. GEOSCIENCE REPORT, GEOLOGICAL, GEOCHEMICAL, AND GEOPHYSICAL ASSESSMENT, OLIVINE MOUNTAIN PROPERTY, 2018 EXPLORATION PROGRAM AND HISTORICAL DATA ANALYSIS, SIMILKAMEEN MINING DIVISION, BRITISH COLUMBIA, CANADA. Assessment Report No.: 38279. Waldo Sciences Inc.

Property File No.: 008841. TECHNICAL AND ECONOMIC STUDY of 450,000 TONS PER ANNUM METALLIZED IRON PELLETS for LODESTONE PROJECT, IMPERIAL METALS AND POWER LTD. COALMONT, B.C. WRIGHT ENGINEERS LTD. 1970.