

Ministry of Energy and Mines
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical

TOTAL COST: 18417.90

AUTHOR(S): Corey James

SIGNATURE(S): Corey James

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): MX-1-939 / April 10, 2019

YEAR OF WORK: 2020

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5819607 / November 27, 2020

PROPERTY NAME: Cascade

CLAIM NAME(S) (on which the work was done): 1050908, 1060527, 1040173, 1026033

COMMODITIES SOUGHT: Au-Ag-Cu-Pb-Zn

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 104B031

MINING DIVISION: Skeena

NTS/BCGS: 104B01

LATITUDE: 56 ° 03 ' 57 " LONGITUDE: 130 ° 02 ' 27 " (at centre of work)

OWNER(S):

1) Pretium Exploration Inc.

2) _____

MAILING ADDRESS:

1055 Dunsmuir St. - PO Box 49334

Vancouver, BC, V7X 1L4

OPERATOR(S) [who paid for the work]:

1) Pretium Exploration Inc.

2) _____

MAILING ADDRESS:

1055 Dunsmuir St. - PO Box 49334

Vancouver, BC, V7X 1L4

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Jurassic Hazelton Group andesitic tuffs and flows on the eastern flank of the McTagg Anticlinorium. Targeting structurally hosted, precious metal bearing quartz veins and epithermal mineralization.

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 448, 12235, 13073, 17151, 36214, 38060, 38565

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil	31	1050908, 1048082	9222.95
Silt			
Rock	24	1050908, 1060527	9194.95
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			18417.90

**2020
Prospecting and Soil Sampling Program
on the
Cascade Property**

MINERAL TENURES 1050908, 1060527, 10408082

SKEENA MINING DIVISION BRITISH COLUMBIA, CANADA NTS 104B/031

Geographic Coordinates: 56° 04' 35" /130° 02' 01"

435,000E 6,214,000N NAD 83 Zone 9

Event Number: 5819607

for

Pretium Exploration Inc.
Suite 2300 – 1055 Dunsmuir St
Vancouver, B.C. V7X 1L4

By Corey A. James

October 20th, 2020

TABLE OF CONTENTS

Introduction & Summary.....	1
1.0 Location.....	1
2.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources.....	1
2.1 Accessibility.....	1
2.2 Climate & Physiography.....	2
2.3 Infrastructure and Local Resources.....	2
3.0 Mineral Tenures.....	5
4.0 History.....	5
4.1 Indian Mine Workings.....	5
4.2 Woodbine Workings.....	7
5.0 Geological Setting and Mineralization.....	7
5.1 Regional Geological Setting.....	7
5.2 Local Geology & Stratigraphy.....	9
6.0 2020 Prospecting Program.....	11
6.1 Rock Geochemistry.....	11
6.2 Soil Geochemistry.....	11
6.3 Sampling Methodology and QA/QC.....	12
7.0 Recommendations.....	12
8.0 References.....	12

FIGURES

Figure 1. Provincial and regional location map of the Cascade claims group.....	3
Figure 2. Cascade claims group location map.....	4
Figure 3. Cascade claims group mineral tenure map.....	6
Figure 4. Tectonic setting of the Cascade claims in the Northwest Cordillera.....	8
Figure 5. Regional stratigraphic setting of the Cascade claims and Sulphurets-Iskut gold camp.....	10
Figure 6. Cascade claims group, 2020 rock sample location map.....	14
Figure 7. Cascade claims group, 2020 gold geochemistry map.....	15
Figure 8. Cascade claims group, 2020 silver geochemistry map.....	16
Figure 9. Cascade claims group, 2020 copper geochemistry map.....	17
Figure 10. Cascade claims group, 2020 lead geochemistry map.....	18
Figure 11. Cascade claims group, 2020 zinc geochemistry map.....	19
Figure 12. Cascade claims group, 2020 soil geochemistry map.....	20

TABLES

Table 1. Cascade Claims Group mineral claims.....	5
Table 2. Soil Sampling Assay Highlights.....	11

APPENDICES

- Appendix I. Rock Sample Locations and Descriptions
- Appendix II. Soil Sample Locations and Descriptions
- Appendix III. Assay Certificate from ALS Laboratories
- Appendix IV. Flight Ticket from Yellowhead Helicopters
- Appendix V. Cost Statement
- Appendix VI. Statement of Qualification

Introduction and Summary

The 2020 exploration program on the Cascade Property was operated out of the municipality of Stewart, B.C. Work was completed on mineral claims 10408082, 1050908, and 1060527. Portions of the claims are subject to MX-1-939 Multi-Year Area Based exploration permit.

Between August 7 and August 10, 2020, a team of two geologists and three geotechnicians completed a series of traverses on claims 10408082, 1050908, and 1060527. The traverse lines were accessed by helicopter, and covered an elevation range from 200 to 480 meters. 24 rock samples and 31 soil samples were collected over 4 days. On mineral claim 1060527, vein samples B087689 and B087690 assayed 0.175 and 0.519 g/t Au, and 0.935% and 0.151% Cu respectively. A nearby angular float sample assayed 0.206 g/t Au, 29.9 g/t Ag, and 0.637% Cu. On mineral claim 1050908, soil samples assayed up to 0.133 g/t Au with weakly anomalous background base metal values.

Based on a review of the historic work and the results of the prospecting and soil sampling program, no additional prospecting or soil sampling is recommended on the Cascade property.

1.0 Location

The Cascade Property is located in British Columbia's precious metal rich Golden Triangle (Fig. 1). The claim block is centered approximately 2.5 km northwest of the Premier open pit, approximately 15 km northwest of Stewart and near Indian Lake and Noname Lake (Fig. 2). The Granduc Mine road cuts through the claim block.

The exploration program on the Cascade Property claims was based out of the town of Stewart, B.C. Stewart is a district municipality at the head of the Portland Canal in northwestern British Columbia, Canada near the Alaskan panhandle (Fig. 2).

2.0 Accessibility, Climate, Physiography, Infrastructure, and Local Resources

2.1 Accessibility

The town of Stewart is located 61 kilometers west of Meziadin Junction along Highway 37A and is accessible year-round. The property claims are accessible by use of the Granduc road, however due to

rugged terrain the claims are more easily accessible by chartered helicopter from the town of Stewart. The flight time from Stewart is approximately 10 minutes.

2.2 Climate and Physiography

The climate is typical of northwestern BC with cool, wet summers, and relatively moderate but wet winters. Annual temperatures range from +20°C to -20°C. The amount of precipitation is high, with heavy snowfall and accumulations ranging from 10 to 15 meters at higher elevations and 2 to 3 m along the lower river valleys. Snow packs cover the higher elevations from October to May. The optimum field season is from late June to early-October.

The tree line in the area is at approximately 1,200 meters elevation. Quite dense vegetation – cedar, fir, spruce, and alder cover the mineral claims. Topography is steep over portions of the property west of Granduc Road.

2.3 Infrastructure and Local Resources

The nearest infrastructure to the Cascade Property is the town of Stewart, located approximately 15 km to the south of the mineral claims, which has a minimum of supplies and personnel. Stewart is the most northerly ice-free shipping port in North America. The city of Terrace and town of Smithers are located further south in the same general region (Fig. 2). Both communities are directly accessible by daily air service from Vancouver, with Terrace also accessible from Prince George.


The nearest railway is the Canadian National Railway Yellowhead route, which is located approximately 220 km to the southeast. This line runs east from the terminal at the deep-water port of Prince Rupert on the west coast of B.C. A 57 km long transmission line, which connects the Brucejack Mine to the BC Hydro power grid, cuts through the eastern side of Cascade Property.




3.0 Mineral Tenures

The Cascade Property comprises 7 contiguous mineral claims within the Skeena Mining Division, totaling just under 4 km² area (Table 1). The 2020 prospecting and soil sampling program was located on mineral claims 1048082, 1050908 and 1060527 (Fig. 3).




Figure 1. Location map showing the Cascade Property in northwestern British Columbia.



 Brucejack Access Road
 Cascade Property
 Pretium Mineral Claims

0 2.5 5 10 15
Kilometers

PROJECT NO: FILE: P06_CASCADE_2100_11x17_20201021

PRETIUM 

2300-1055 Dunsmuir Street
Vancouver, BC V7X 1L4
Canada
(604) 558-1784

PROJECTION:
NAD 1983 UTM Zone 9N

REV: SCALE: DATE: 1:300,000 21 Oct 2020

PRETIUM EXPLORATION INC.

**CASCADE PROPERTY
Cascade Mineral Tenure
Claims Map**

DOCUMENT: FIGURE #:

Table 1: Claim Information, Cascade Property Claims

Tenure Number	Claim Name	Date Staked	Expiry Date*	Area (Ha)
1064466	Vein Extension	Nov 13, 2018	Jan 21, 2023	18.055
1060527	Bill	May 11, 2019	Jan 31, 2022	126.4233
1050908		Mar 23, 2017	Jan 21, 2023	36.12
1048082		Nov 27, 2016	Jan 21, 2023	18.06
1040173	Gap	Nov 26, 2015	Jan 31, 2022	126.44
1033415	Sliver	Jan 15, 2015	Jan 31, 2023	18.06
1026033		Feb 17, 2014	Jan 31, 2024	54.18

* Prior to this assessment report

4.0 History

Mining has taken place in the Stewart area since the early 1900's, and is one of the most prolific mining districts in British Columbia. Prominent properties include the past-producing Snip, Eskay Creek, Silbak-Premier and Big Missouri mines, and Pretium's active Brucejack Mine. Exploration work in the region is generally focused on the prospect of finding high grade Au-Ag mineralization, similar to the Eskay Creek and Brucejack deposits. Previous work immediately in area of the Cascade Property has primarily focused on the Indian Mine and the Woodbine workings.

4.1 Indian Mine Workings

The Indian Mine is located on the Portland No. 1 and 2 Crown Grants. Exploration on the property started in 1910, with sporadic production taking place from 1925 through to 1953. Mineralization is hosted in the Lower Hazelton Group, which comprises northwest trending and steeply dipping folded andesitic lapilli tuffs, flows, and breccias. This sequence is intruded by the Lower Jurassic Texas Creek plutonic suite of dacitic porphyry dikes, and Eocene Hyder suite of granitic intrusions. Mineralization is typically shear hosted, with faults containing pyrite, sericite, and quartz-calcite filled breccias.

Production from the mine was largely confined to the Indian vein, which pinches and swells along a known strike length of 366 m and a vertical range of at least 122 m. The Indian vein contains variable gold and silver values over narrow vein widths with low continuity. Drilling by Esso Resources in 1984 intersected 8.95 m of vein that assayed 2.14 g/t Au and 57.9 g/t Ag (McGuigan, 1984).



434,000mE

435,000mE

436,000mE

6,216,000mN

6,216,000mN

6,215,000mN

6,215,000mN

6,214,000mN

6,214,000mN

6,213,000mN

6,213,000mN

434,000mE

435,000mE


436,000mE




Figure 3.
Cascade Claims Group
Mineral Tenure Map

Date: 10/16/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9



LEGEND

 Pretivm Mineral Tenure Claim Boundary

4.2 Woodbine Workings

The Woodbine workings are located approximately 500 m NW of the Premier open pit mine. Production took place from 1926 to 1928, during which time the Woodbine Gold Mining Co. completed 900 m of underground exploration drifting. The adits follow gold and silver mineralization located on surface. In 1980 and 1981, Houston International Minerals Corp. conducted geologic mapping, soil sampling, and a magnetometer survey on the property. Esso Resources completed an IP survey on the claims in 1983 and recommended testing the property with three drill holes (Monahan and Wilson, 1983). In 1987, Esso Resources and Westmin Resources drilled 25 holes (Murrell, 1988). The results were disappointing, and no further work has been reported.

5.0 Geological Setting and Mineralization

5.1 Regional Geological Setting

The property claims are located in the western Stikine terrane (Stikinia), the largest of several allochthonous terranes in the Intermontane Belt of the Canadian Cordillera (Fig. 4). Stikinia, which is considered to be a multistage mid-Palaeozoic to Middle Jurassic island arc terrane that developed in an intra-oceanic setting isolated from the North American continental margin (Gagnon et al. 2012), underlies much of western BC (Fig. 4). Stikinia is believed to have been accreted to the North American continental margin as early as the late Middle Jurassic (c. 173 Ma).

The Stikine terrane in northwestern BC (MacDonald et al. 1996) consists of a series of unconformity-bound tectonostratigraphic elements, including:

- Paleozoic island-arc rocks of the Stikine assemblage.
- Mesozoic island-arc rocks of the Upper Triassic Stuhini Group and the Lower to Middle Jurassic Lower Hazelton Group.
- Middle to Upper Jurassic overall assemblage sedimentary rocks of the Bowser Lake Group.
- Tertiary igneous and metamorphic rocks of the Coast Plutonic Complex occur to the west of the Stikine terrane in this area.

At least four magmatic episodes and three mineralizing events have been recognized in northwestern Stikinia (Anderson et al. 2003):




Figure 4. Tectonic setting of the northwest Canadian Cordillera. From Nelson and Kyba (2014).

- Late Triassic to Early Jurassic (205 to 196 Ma) alkaline porphyry-related magmatism and associated deformed mesothermal silver-gold veins (e.g. Red Mountain, KSM).
- Early Jurassic (196 to 187 Ma) alkaline porphyry-related epithermal and mesothermal gold-silver veins and base and precious metal deposits (e.g. Premier, Sulphurets, and Bronson Creek).
- Early to Middle Jurassic (184 to 182 Ma) small and poorly mineralized porphyry intrusions.
- Middle Jurassic (175 to 172 Ma) calc-alkaline and tholeiitic back-arc magmatism and syngenetic to epigenetic back-arc basin-related stratabound base and precious metal deposits (e.g. Eskay Creek, RDN).

The northwest part of Stikinia (in particular the volcanic and sedimentary rocks of the Hazelton Group) and related Early Jurassic plutons, represent perhaps the most well-endowed metallogenic assemblage in BC. In addition to the Brucejack and Snowfield deposits, this area also includes nearby former producers such as Eskay Creek, Snip, Silbak-Premier, Big Missouri, Dolly Varden, Torbrit, Granduc, and Anyox (Fig. 5). Furthermore, adjacent properties host significant precious and base metal resources (e.g. Kerr-Sulphurets-Mitchell-Iron Cap (KSM), and Red Mountain deposits), as well as a number of high-potential mineral occurrences (e.g. Homestake Ridge, Silver Coin, Red Cliff, Clone, and Electrum Properties). These deposits represent several mineralization styles, including Au-Ag epithermal (e.g. Brucejack), Au-Ag-Cu-Pb-Zn volcanogenic massive sulphide (e.g. Eskay Creek Au-Cu-Mo) and porphyry (e.g. KSM; Fig. 5). The Brucejack, Snowfield, Eskay Creek, KSM deposits and surrounding area comprise what is commonly referred to as the Iskut-Sulphurets gold camp.

5.2 Local Geology and Stratigraphy

The property claims are predominantly underlain by the subaqueous to locally sub-aerial, arc-related volcanic, and subordinate sedimentary rocks of the lower Hazelton Group, which unconformably overlie the Stuhini Group (Fig. 5). The Unuk River Formation generally consist of thick massive plagioclase (\pm hornblende, K-feldspar, and pyroxene)-phyric andesitic and dacitic flows, breccias, and related pyroclastic fragmental rocks, with subordinate mafic and felsic rocks and minor siltstone and mudstone layers. Age dates from the lower Hazelton Group have been constrained to 194 Ma to 185 Ma (Lewis 2013).

On the Cascade Property the Lower Hazelton Group is intruded by medium to coarse grained, equigranular diorites of the Early Jurassic Texas Creek plutonic suite (195-189 Ma) (Brown et al., 1996). The plutonic rocks are subsequently cross-cut by a series of late stage intermediate dikes that are likely related to the bimodal Portland Canal dyke swam, dated around 50 Ma (Green, Greig & Friedman 1995).




Figure 5. Regional geology map showing significant mineral deposits in the district. From Nelson and Kyba (2014).

6.0 2020 Exploration Program

6.1 Rock Geochemistry

Twenty-four samples were collected from the property claims. Sample locations are shown in Figure 6, assay results are shown in Figures 7-11, and the sample descriptions are provided in Appendix 1. Eleven samples were taken from an equigranular to porphyritic diorite intrusion with weak to moderate chlorite altered hornblende and sericite altered plagioclase. Six diorite samples contained trace to 2% disseminated pyrite, and two of these also contained trace to minor magnetite. Of these diorite samples, the only one with anomalous precious or base metals was B087686, which assayed 2.93 g/t silver and 616 ppm copper. Four samples were collected from moderately chlorite and quartz-sericite-pyrite altered andesitic tuffs, none of which were anomalous with respect to precious or base metals.

Nine samples were collected from variably mineralized quartz and quartz-carbonate veins, five of which contain base metal sulphides. Sample B087690 was collected from a quartz-pyrite vein which assayed 0.5 g/t gold, 4 g/t, silver and 1510 ppm copper. Sample B087689 was collected from a chalcopyrite and tennantite-bearing, oxidized, quartz-pyrite vein which assayed 0.175 g/t gold, 12.9 g/t silver, and 0.9% Cu. Sample B086289 was taken from an angular quartz vein bearing float sample containing 2-3% chalcopyrite and malachite which assayed 0.2 g/t gold and 0.6% copper.

6.2 Soil Geochemistry

Thirty-one soil samples were collected on property claims 1050908 and 1048082 over a 50 x 50 m grid spacing on August 7th and 8th, 2020. Sample locations and assays are shown in Figure 12 and sample descriptions are provided in Appendix 2. As a result of poor soil development the overall quality of the soil samples was poor, and only two samples were anomalous for precious metals. Soil sample B084558 assayed 0.133 ppm Au and soil sample B084560 assayed 13.6 ppm Ag. An additional five soil samples were anomalous for copper and zinc. The assay highlights for these samples are found in Table 2

Table 2 Soil Sampling Assay Highlights

Sample ID	Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
B084558	0.133	8	837	539	1155
B084560	0.066	13.6	97	104	154
B084501	0.097	3.1	815	127	269
B084551	0.077	6.1	447	121	2670
B084552	0.032	3.9	324	147	1925
B084557	0.054	0.9	164	25	86
B084563	0.014	4.2	192	116	284

6.3 Sampling Methodology and QAQC

Grab samples were collected in the field, described by the geologist, and then placed into a plastic poly-ore bag. Each bag was numbered with a unique lab sample tag and sealed with a zip-tie. At the end of each day the sample descriptions were entered into a company database. All samples were bagged in rice sacks labelled with unique sample tracking numbers at Bowser West Camp. The rice sacks were placed into a canopied truck bed for daily transport to Terrace, B.C., where they were received by the ALS Laboratories facility. Each sample was analyzed using a four acid digestion 48 element ICP package (ME-MS61) and gold by fire assay and atomic absorption spectroscopy with a 30 gram pulp (Au-AA23). In addition to this, a handheld X-ray fluorescence (XRF) analyzer was used at the lab on each sample pulp to provide results for three valuable lithological elements: Si, Ti, and Zr (pXRF-34). All samples are weighed and crushed to 2mm. From this crush a 1 kg split was collected and pulverized to 75 microns for analysis. ALS Laboratory certificates are included in Appendix 2.

7.0 Recommendations

Based on the results of the 2020 exploration program, no further prospecting or soil sampling is recommended at this time. The Cascade property is densely forested with limited outcrop, steep topography, and poor soil horizon development. Further exploration might benefit from detailed biogeochemical studies which could better reflect precious and base metal anomalies in the surface substrate.

8.0 References

- Anderson, R.G., Simpson, K., Alldrick, D., Nelson, J., and Stewart, M., 2003. Evolving ideas on the Jurassic tectonic history of northwestern Stikinia, Canadian Cordillera. In: Geological Society of America Abstracts with Programs, Volume 35 No. 6, September 2003, p.89.
- Best, R.V., 1962. Assessment Report on the Cascade Creek Area, Salmon River District, Portland Canal, Skeena Mining District; British Columbia Ministry of Energy and Mines, No. 448. 22 p.
- Brown, D.A., Gunning, M.H., and Greig, C.J., 1996. The Stikine Project: Geology of Western Telegraph Creek Map Area, Northwestern British Columbia. Bulletin 95; British Columbia Geological Survey, 182 p.

- Gagnon, J.-F., Barresi, T., Waldron, J.W.F., Nelson, J.L., Poulton, T.P., and Cordey, F., 2012. Stratigraphy of the upper Hazelton Group and the Jurassic evolution of the Stikine terrane, British Columbia. *Canadian Journal of Earth Sciences*, 49(9): 1027-1052.
- Green, D., Greig, C.J., and Friedman, R.M. 1995. Geological setting, geochronology and thermal modelling of the Portland Canal dyke swarm, Stewart area, northwestern British Columbia; *Current Research 1995-E*; Geological Survey of Canada, p. 47-57
- Lewis, P.D., 2013. Iskut River Area Geology (NTS 104B/08 and part of 104B/01, 07); Geoscience BC Map 2013-05-1, 1:50,000 scale and additional notes.
- McGuigan, P.J., 1984. Assessment Report on Diamond Drilling on the Portland No. 1 (L 1980) Claim, Indian Group; British Columbia Ministry of Energy and Mines, No. 13073. 49 p.
- Macdonald, A.J., Lewis, P.D., Thompson, J.F.H., Nadaraju, G., Bartsch, R.D., Bridge, D.J, Rhys, D.A, Roth, T. Kaip, A. Godwin, C.I., and Sinclair, A.J., 1996. Metallogeny of an Early to Middle Jurassic arc, Iskut River area, northwestern British Columbia; *Economic Geology*, 91: 1098-1114.
- Monahan, M., and Wilson, L., 1983. Assessment Report on the Woodbine Prospect, Boundary Group, 1983 Exploration; British Columbia Ministry of Energy and Mines, No. 12235. 57 p.
- Murrell, M.R., 1988. Assessment Report on Diamond Drilling on the Vancouver No. 1 and Woodbine No. 1 Fr. And the Vancouver No. 2 and Vancouver No. 3, and PX Fr.; British Columbia Ministry of Energy and Mines, No. 17151. 161 p.
- Nelson, J., and Kyba, J., 2014. Structural and stratigraphic control of porphyry and related mineralization in the Treaty Glacier – KSM – Brucejack – Stewart trend of western Stikinia. In: *Geological Fieldwork 2013*, British Columbia Ministry of Energy and Mines, British Columbia Geological Survey Paper 2014-1, pp. 111-140.
- Wafforn, S.R., 2018. 2018 Prospecting Program on the Cascade Property, British Columbia Ministry of Energy, Mines and Petroleum Resources, Assessment Report No. 38060, 36 p.




Figure 6.
 Cascade 2020
 Rock
 Sample Locations

Date: 10/16/2020
 Office: Pretivm Resources
 Drawing: C. James

Projection: NAD 83 Zone 9
 0 500
 meters
 Scale: 1:15,000

LEGEND
 Claim Boundary
 Rock Samples Locations




Figure 7.

Cascade 2020
Rock Samples
Gold

Date: 10/16/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9
0 500
meters
Scale: 1:15,000

Au (ppm)
◆ 0.1-1
■ 0.01-0.1
● <0.01

LEGEND
 Cascade Claim Group
 Canada-US Border






Figure 8.

Cascade 2020
Rock Samples
Silver

Date: 10/19/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9
0 500
meters
Scale: 1:15,000

Ag (ppm)
 ◆ 5 - 50
 ■ 2. - 5
 ● < 0.5 - 2

LEGEND

Cascade Claim Group □
 Canada-US Border —






Figure 9.

Cascade 2020
Rock Samples
Copper

Date: 10/19/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9
0 500
meters
Scale: 1:15,000

Cu (ppm)
◆ 1000-10,000
■ 500-1000
● <500

LEGEND
 Cascade Claim Group
 Canada-US Border






	Figure 10. Cascade 2020 Rock Samples Lead	Date: 10/19/2020	Projection: NAD 83 Zone 9	Pb (ppm) ◆ 50 - 500 ■ 25 - 50 ● < 25	LEGEND Cascade Claim Group □ Canada-US Border —
		Office: Pretivm Resources	 meters Scale: 1:15,000		




Figure 11.

Cascade 2020
Rock Samples
Zinc

Date: 10/19/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9
0 500 meters
Scale: 1:15,000

Zn (ppm)
 ◆ 200-500
 ■ 100-200
 ● < 100

LEGEND
 Cascade Claim Group [Blue Outline]
 Canada-US Border [Red Line]



Sample	Au (ppm)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)
B084501	0.097	3.1	815	127	269
B084502	0.016	1.1	19	31	62
B084503	0.013	2.3	13	12	40
B084504	0.011	0.5	15	8	36
B084505	0.042	1.4	74	44	147
B084506	0.04	1.3	41	64	139
B084507	0.017	0.9	29	15	31
B084508	0.049	3.8	23	37	85
B084509	0.006	4.4	42	20	76
B084510	0.005	1.3	41	32	98
B084511	0.011	0.9	13	11	37
B084512	0.01	0.6	140	41	106
B084513	0.005	0.5	17	24	59
B084514	0.007	0.5	6	7	23
B084551	0.077	6.1	447	121	2670
B084552	0.032	3.9	324	147	1925
B084553	0.005	0.5	21	13	57
B084554	0.053	0.5	6	48	28
B084555	0.03	0.5	7	7	25
B084556	0.005	0.5	44	15	54
B084557	0.054	0.9	164	25	86
B084558	0.133	8	837	539	1155
B084559	0.013	2.3	70	20	83
B084560	0.066	13.6	97	104	154
B084561	0.012	4.1	135	99	60
B084562	0.053	2.4	79	26	209
B084563	0.014	4.2	192	116	284
B084564	0.013	1.5	46	39	107
B084565	0.018	4.3	112	46	78
B084566	0.011	2.4	43	66	73
B084567	0.045	0.25	27	23	89





Figure 12.
Cascade 2020
Soil Sample
Geochemistry

Date: 10/20/2020
Office: Pretivm Resources
Drawing: C. James

Projection: NAD 83 Zone 9
0 500
meters
Scale: 1:15,000

Au (ppm)
◆ 0.1-1
■ 0.01-0.1
● <0.01

LEGEND
 Cascade Claim Group
 Canada-US Border

Appendix I. Rock Sample Locations and Descriptions

Bowser Regional Rock Sample Descriptions Code Lists

Lithology Code	Description
FOS	Fossil bearing intervals
H1	quartz vein
H2	quartz-carbonate vein
H3	quartz-silicate vein
H4	quartz-sulphide vein
H6	Hydrothermal replacement
H7	Dense vein stockwork
H8	Intensely silicified zone
H9	massive sulphide
H15	Hydrothermal breccias
I2	Felsic intrusive rocks
I4	Intermediate intrusive rocks
I8	Mafic intrusive rocks
P1	Plagioclase-hornblende porphyritic rocks
P2	Potassium feldspar-hornblende-plagioclase porphyritic rocks
S3	conglomerate
S4	Sandstone/arenite
S5	Mudstone/siltstones/pelites
S5-BLG	Bowser Lake Group mudstone/siltstones/pelites
S5-SRF	Salmon River Formation mudstone/siltstones/pelites
S6	Limestone
V2	Felsic volcanic rocks
V4	Intermediate volcanic rocks
V6	Mafic dykes; cross cutting, basaltic-andesite
V8	Mafic volcanic rocks
V9	Felsic dykes
VBx	Volcanic breccia
NR	Nothing Recorded

Alteration Intensity Code	Description
1	trace
2	weak
3	weak to moderate
4	moderate
5	moderate to strong
6	strong

Alteration Form Code	Description
By	blotchy
C	clots
D	disseminated
F	fracture-controlled
L	acid-leached
OS	open-space crystallization
Pchy	patchy
Rc	clast replacement
Rm	mottled replacement
Rmx	rock matrix replacement
Rp	pervasive replacement
Rv	vein associated replacement
Rx	phenocryst replacement
Str	stringers
V	filling vugs

Textural Code	Description
abx	autobreccia
amy	amygdaloidal
aph	aphanitic
bd	banded
bx	brecciated
crn	crenulated
csp	clast supported
dk	dike
eq	equigranular
fb	flow banded
fbx	flow breccia/hyaloclastite
frag	fragmental
fs	fossiliferous
fz	fault zone
gbd	graded bedding
ibd	interbedded
ineq	inequigranular
lam	laminated
m	massive
mSP	matrix supported
ool	oolitic
plw	pillowed
por	porphyritic
qtze	quartz eye
shr	sheared
ss	soft sediment structures
vcl	volcaniclastic
vg	vuggy
vsc	vesicular
wrc	contains wallrock clasts
ws	well sorted
xbd	cross-bedded
xnl	with xenoliths

Mineralization Intensity Code	Description
1	traces
2	<0.5%
3	0.5-2.0%
4	2.0-5.0%
5	5.0-10.0%
6	10.0-20.0%
7	>20.0%

Mineralization Form Code	Description
A	aggregates
B	banded
Bl	blebs
Blv	blebs in veins
C	clots
cl	clot
ct	coatings
D	disseminated
DN	dendritic
F	fracture coating
OS	open space crystallization
Rc	clast replacement
Rm	mottled replacement
Rmx	matrix replacement
Rp	pervasive replacement
Rx	phenocryst replacement
Str	stringers
spc	specular
V	lining vugs
Vb	banded in veins
Vd	disseminated in veins
Vs	vein selvages
NR	Nothing Recorded

Sample	UTM East	UTM North	Sample Type	Sample Source	Sampled By	Date Sampled	Lithology	Texture	Alteration	Alteration Intensity	Mineralization	Mineral Intensity	Mineral Form	Description
B086287	434666	6215046	Grab	Vein	AFlower	8/7/2020	H1	vlt	chlorite	2	pyrite	2	D	Planar quartz vein crosscutting qsp altered diorite intrusive host. Anhedral fine grained pyrite on selvages otherwise barren.
B086294	434389	6214764	Grab	Vein	AFlower	8/10/2020	H1	vg	oxidized	2	pyrite	2	D	Vuggy 8cm quartz vein crosscutting diorite host with fine grained pyrite disseminated along selvages.
B087687	434755	6215111	Grab	Vein	JAuston	8/8/2020	H1	un	phyllic	1	pyrite	3	Vs	quartz vein in diorite with minor euhedral pyrite in selvaige hard to take vein orientation
B086289	434108	6214574	Float	Vein	AFlower	8/8/2020	H4	vg	phyllic	2	malachite	3	Blv	Very angular float found in creek valley, looks to be close to source. Vein hosts 2% malachite and cpy with minor pyrite. Looks like it broke off on a fracture. Moderately oxidized.
B087688	434635	6215055	Float	Vein	JAuston	8/8/2020	H4	vg	phyllic	3	pyrite	3	Blv	quartz veinn float in crystal tuff with phyllic selvages very angular suspect close to source chalcopyrite, pyrite and specularite observed as blebs in vein
B086290	434125	6214538	Grab	Vein	AFlower	8/8/2020	H9	frc	phyllic	3	chalcopyrite	4	Blv	Fracture controlled quartz vein within a mafic phyllic altered host. Vein hosts band and 2% blebs of cchalcopyrite concentrated on the fractured margins. Vein also contains a silvery mineral (possibly sulfosalt). With minor pyrite blebs.
B086291	434150	6214543	Grab	Vein	AFlower	8/9/2020	H9	vlt	oxidized	4	pyrite	3	Blv	Massive sulphide quartz-calcite vein with >35% pervasive fine grained silvery sulfosalt mineral with 2% pyrite associated. Weathered and fractured surface is intensely gossaned .
B087689	434136	6214539	Grab	Vein	JAuston	8/9/2020	H9	bd	oxidized	5	tetrahedrite	7	B	Massive tetrahedrite? With clots chalcopyrite handed in gossanous outcrop in a silicified volcanic
B087690	434135	6214537	Grab	Vein	JAuston	8/9/2020	H9	dis	chlorite	4	pyrite	5	A	Pyrite aggregate vein 3m swarm of B087689 8% pyrite in chlorite altered volcanic same gossanous outcrop as B087689
B086285	434650	6215149	Grab	Outcrop	AFlower	8/7/2020	I4	por	chlorite	3	pyrite	2	D	Equigranular intermediate salt and pepper intrusive with minor <0.5% euhedral coarse disseminated pyrite.
B086286	434634	6215048	Grab	Outcrop	AFlower	8/7/2020	I4	por	oxidized	1	NR	NR	NR	Equigranular intermediate salt and pepper intrusive with coarse plag biotite, feldspar and quartz.
B086292	434183	6214453	Grab	Outcrop	AFlower	8/9/2020	I4	eq	oxidized	4	pyrite	3	D	Coarse grained intermediate intrusive possibly diorite with up to 1cm plag hornblende mica and quartz crystals. Matrix contain fine grained disseminated pyrite and and silvery fine grained clots of what could be a sulfosalt.
B086293	434322	6214648	Grab	Outcrop	AFlower	8/9/2020	I4	eq	chlorite	2	pyrite	1	D	Medium grained intermediate intrusive possibly diorite with up to 1cm plag hornblende mica and quartz crystals. Matrix contains trace fine grained disseminated pyrite.
B086295	434320	6215361	Grab	Outcrop	AFlower	8/10/2020	I4	eq	silica	4	NR	NR	NR	Non mineralized intrusive diorite with moderate silica and chlorite alteration. Grains are well defined from alteration.
B087686	434465	6215293	Grab	Outcrop	JAuston	8/7/2020	I4	eq	limonite	4	chalcopyrite	2	D	Diorite with disseminated pyrite 2% trace chalcopyrite, moderate silica and limonite altering groundmass and on fractures
B087691	434252	6214540	Grab	Outcrop	JAuston	8/9/2020	I4	eq	calcite	4	pyrite	3	D	Silica calcitealtered diorite with 0.5-1% disseminated pyrite. Fresh surface looks aphanitic with defied plag phenos observed on weathered surface.
B087692	434208	6214459	Grab	Outcrop	JAuston	8/10/2020	I4	eq	magnetite	2	pyrite	3	D	Microdiorite with minor silica and magnetite alteration fresh surface looks more aphanitic but weathered surface shows hornblende phytic diorite close to contact?
B087693	434327	6214711	Grab	Outcrop	JAuston	8/10/2020	I4	por	magnetite	2	pyrite	1	D	Diorite with some plagioclase megacrysts patchy magnetism and chlorite replacing mafics trace pyrite disseminated
B087694	434339	6214800	Grab	Outcrop	JAuston	8/10/2020	I4	eq	chlorite	3	pyrite	3	D	Chlorite altered diorite with 0.5 - 1% py disseminated
B087685	434622	6215268	Grab	Outcrop	JAuston	8/7/2020	P1	por	chlorite	3	pyrite	1	D	Plagioclase hornblende porphyry or crystal tuff suspect porph altering to chlorite rare quartz eyes plagioclase up to 1cm wide hornblende 2mm trace disseminated euhedral pyrite
B086284	434593	6215201	Grab	Outcrop	AFlower	8/7/2020	V4	aph	phyllic	4	pyrite	4	D	Green aphanitic phyllic altered volcanic. phyllic altered is intense with 2% pyrite dissemination. Sample taken from local gossaned area in outcrop
B087684	434885	6215243	Grab	Outcrop	JAuston	8/7/2020	V4	vcl	limonite	2	pyrite	3	D	Volcanic tuff crystal lapilli ash tuff generally aphanitic with some aphanitic lithic clasts and rare crystals of plagioclase patchy disseminated pyrite minor with limonite clay
B087695	434273	6215246	Grab	Outcrop	JAuston	8/10/2020	V4	vcl	calcite	2	NR	NR	NR	Looks a little like diorite except plagioclase crystals are broken and it has a siliceous matrix. rare hornblendes and quartz eyes visible
B086288	434141	6214565	Grab	Outcrop	AFlower	8/8/2020	V8	aph	chlorite	4	NR	NR	NR	Non mineralized dark green mafic volcanic. Look aphanitic but pervasive chlorite obliterates textures. Could be an intrusive.

Appendix II. Soil Sample Locations and Descriptions

Sample	UTM_East	UTM_North	Sample_Type	Sampled_By	Date_Sampled	Description
B084501	434954	6215263	Soil	JAuston	8/7/2020	On slope near road down hill 10m
B084502	434860	6215256	Soil	JAuston	8/7/2020	Good quality sample
B084503	434806	6215268	Soil	JAuston	8/7/2020	GPS not working good today
B084504	434759	6215265	Soil	JAuston	8/7/2020	Weak c horizon development
B084505	434701	6215250	Soil	JAuston	8/7/2020	Good soil development
B084506	434655	6215253	Soil	JAuston	8/7/2020	Hard retrieve soil here
B084507	434958	6215101	Soil	JAuston	8/8/2020	Moderate soil development
B084508	434897	6215109	Soil	JAuston	8/8/2020	Moderate soil development
B084509	434858	6215100	Soil	JAuston	8/8/2020	Good soil development over 30cm of organics
B084510	434811	6215119	Soil	JAuston	8/8/2020	Moss covered boulder slope soil developed between boulders
B084511	434766	6215100	Soil	JAuston	8/8/2020	Poor soil development
B084512	434715	6215104	Soil	JAuston	8/8/2020	Good soil development but thin layer
B084513	434664	6215109	Soil	JAuston	8/8/2020	Good soil development
B084514	434608	6215108	Soil	JAuston	8/8/2020	Poor soils development
B084551	434958	6215203	Soil	AFlower	8/7/2020	Just den sipe from road
B084552	434905	6215204	Soil	AFlower	8/7/2020	Just down from steep ridge. Red clay horizon on
B084553	434861	6215210	Soil	AFlower	8/7/2020	Red clay
B084554	434812	6215209	Soil	AFlower	8/7/2020	Red clay. gps is messed
B084555	434761	6215208	Soil	AFlower	8/7/2020	Grey clay by swamp
B084556	434712	6215210	Soil	AFlower	8/7/2020	Grey clay poor quality sample
B084557	434661	6215203	Soil	AFlower	8/7/2020	Good quality rusty orange clay
B084558	434610	6215205	Soil	AFlower	8/7/2020	Orangish clay with many rocks, bad quality sample
B084559	434957	6215156	Soil	AFlower	8/8/2020	Good quality red clay
B084560	434908	6215160	Soil	AFlower	8/8/2020	Good quality red clay
B084561	434860	6215155	Soil	AFlower	8/8/2020	Grey clay with a bit of orange. Moderate quality
B084562	434811	6215155	Soil	AFlower	8/8/2020	Poor quality grey clay
B084563	434757	6215161	Soil	AFlower	8/8/2020	Good quality orange clay
B084564	434713	6215154	Soil	AFlower	8/8/2020	Moderate sample with dominantly grey clay w minor orange clay
B084565	434662	6215154	Soil	AFlower	8/9/2020	C horizon just above runoff trough
B084566	434613	6215149	Soil	AFlower	8/8/2020	
B084567	434559	6215154	Soil	AFlower	8/9/2020	

Appendix III. Assay Certificates from ALS Laboratories



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **PRETIVM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: 1
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2020
 This copy reported on
 21-OCT-2020
 Account: PREBOW

VA20179661

Project: Bowser Regional Project
 P.O. No.: BRX-0001
 This report is for 31 Soil samples submitted to our lab in Vancouver, BC, Canada on 19-AUG-2020.

The following have access to data associated with this certificate:

CHRISTINA ANSTEY
 LEANNE HAWKINS
 KEN MCNAUGHTON

JEFF AUSTON
 COREY JAMES
 STEPHAINA WAFFORN

SUSAN FLASHA
 JULIANNE MADSEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
EXTRA-01	Extra Sample received in Shipment
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - A
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179661

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
B084501		0.48	0.097	3.1	7.35	92	2120	1.3	<2	0.80	2.2	24	39	815	6.44	10
B084502		0.32	0.016	1.1	6.16	16	1710	0.7	<2	0.22	<0.5	2	16	19	1.93	20
B084503		0.36	0.013	2.3	5.66	18	1650	0.6	<2	0.18	<0.5	2	24	13	1.53	20
B084504		0.40	0.011	<0.5	4.55	19	1330	0.5	<2	0.07	<0.5	3	24	15	0.86	20
B084505		0.36	0.042	1.4	7.95	29	1710	0.8	<2	0.29	0.8	7	16	74	4.55	20
B084506		0.38	0.040	1.3	6.89	43	2110	0.9	<2	0.39	<0.5	12	27	41	3.66	20
B084507		0.36	0.017	0.9	5.94	13	2320	0.6	<2	0.10	<0.5	2	16	29	1.02	20
B084508		0.36	0.049	3.8	4.20	90	1090	<0.5	<2	0.12	0.6	5	60	23	2.63	20
B084509		0.42	0.006	4.4	6.71	287	2130	1.0	<2	0.09	<0.5	4	28	42	3.42	30
B084510		0.32	<0.005	1.3	6.98	123	1910	0.6	<2	0.20	<0.5	4	7	41	4.54	20
B084511		0.20	0.011	0.9	6.15	24	1650	<0.5	<2	0.16	<0.5	4	19	13	1.51	20
B084512		0.30	0.010	0.6	7.03	20	2970	0.6	5	1.14	<0.5	8	26	140	8.18	30
B084513		0.28	<0.005	<0.5	6.28	25	970	0.7	<2	0.22	<0.5	3	25	17	4.86	40
B084514		0.28	0.007	<0.5	5.69	<5	1570	0.6	<2	0.27	<0.5	2	18	6	1.38	20
B084515		0.24	0.077	6.1	6.60	24	1270	1.7	<2	0.90	102.5	9	34	447	2.90	20
B084516		0.28	0.032	3.9	8.19	142	1940	2.0	4	1.10	8.3	32	38	324	6.75	10
B084517		0.24	0.005	<0.5	6.43	29	1670	0.5	2	0.24	<0.5	3	16	21	3.85	30
B084518		0.26	0.053	<0.5	6.65	23	1520	0.8	3	0.36	<0.5	<1	26	6	1.30	40
B084519		0.30	0.030	<0.5	5.08	13	1760	0.6	<2	0.18	<0.5	1	18	7	0.92	20
B084520		0.24	<0.005	<0.5	5.00	29	1420	0.5	3	0.09	<0.5	4	31	44	3.55	20
B084521		0.26	0.054	0.9	6.18	93	1850	0.7	2	0.94	<0.5	7	39	164	7.72	20
B084522		0.24	0.133	8.0	4.44	212	990	0.7	8	0.34	4.1	38	56	837	14.00	10
B084523		0.30	0.013	2.3	6.83	48	2460	3.8	<2	0.62	0.6	4	7	70	3.71	20
B084524		0.20	0.066	13.6	6.61	47	1200	0.7	3	0.17	<0.5	4	44	97	9.72	20
B084525		0.36	0.012	4.1	6.66	171	1950	0.8	2	0.13	0.7	7	9	135	8.39	20
B084526		0.30	0.053	2.4	5.74	60	1530	0.6	2	0.16	0.7	5	16	79	6.61	20
B084527		0.34	0.014	4.2	6.55	71	1310	0.7	5	0.15	1.1	7	65	192	10.80	20
B084528		0.38	0.013	1.5	6.86	39	1800	0.8	<2	0.22	<0.5	4	34	46	4.40	20
B084529		0.30	0.018	4.3	5.21	344	1630	0.5	4	0.14	0.6	5	52	112	7.88	20
B084530		0.24	0.011	2.4	5.00	26	700	0.8	2	0.45	1.1	6	35	43	8.82	40
B084531		0.20	0.045	<0.5	6.73	20	1910	0.8	<2	0.67	<0.5	5	17	27	3.32	20

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - B
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179661

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
B084501		2.87	20	1.15	2640	52	1.32	29	1500	127	0.07	5	16	245	<20	0.34
B084502		2.41	20	0.19	171	5	1.37	4	430	31	0.02	<5	11	177	<20	0.54
B084503		2.12	20	0.30	159	8	0.88	5	350	12	0.02	<5	11	148	<20	0.45
B084504		1.71	20	0.29	108	3	0.80	8	190	8	0.01	<5	8	102	<20	0.39
B084505		2.03	20	0.42	581	5	0.88	7	830	44	0.04	<5	12	118	<20	0.37
B084506		2.43	20	0.69	993	7	1.37	10	740	64	0.05	<5	12	196	<20	0.44
B084507		3.25	30	0.29	136	7	0.63	4	330	15	0.03	<5	11	132	<20	0.64
B084508		1.42	10	0.34	784	8	0.29	13	410	37	0.02	<5	9	77	<20	0.31
B084509		2.68	10	0.45	251	26	1.05	6	300	20	0.03	7	16	174	<20	0.66
B084510		2.73	20	0.44	381	20	0.49	4	720	32	0.04	<5	11	102	<20	0.42
B084511		1.88	20	0.33	159	6	0.93	5	210	11	0.02	<5	12	138	<20	0.50
B084512		3.51	10	1.28	963	8	0.61	13	1290	41	0.05	<5	19	202	<20	0.80
B084513		1.45	20	0.28	188	6	1.44	5	480	24	0.03	<5	8	189	<20	0.54
B084514		2.18	20	0.35	432	1	0.59	3	230	7	0.01	<5	12	91	<20	0.71
B084515		1.07	20	0.27	26400	58	1.05	109	2750	121	0.13	<5	8	160	<20	0.26
B084522		2.32	50	0.82	3590	13	0.84	23	1660	147	0.09	<5	16	164	<20	0.27
B084523		2.02	20	0.28	189	9	0.99	3	290	13	0.02	<5	11	165	<20	0.51
B084524		2.93	30	0.24	171	15	1.56	3	370	48	0.02	<5	10	182	<20	0.69
B084525		2.43	20	0.28	124	2	0.53	5	180	7	0.01	<5	10	116	<20	0.52
B084526		1.84	10	0.34	198	17	0.41	10	300	15	0.05	7	10	94	<20	0.52
B084527		2.35	10	0.59	484	59	1.11	15	610	25	0.07	6	10	305	<20	0.52
B084528		1.45	20	0.84	3830	51	0.38	47	2090	539	0.23	9	10	83	<20	0.19
B084529		3.48	20	0.30	1690	15	0.87	4	460	20	0.05	<5	12	185	<20	0.40
B084530		1.64	20	0.41	413	19	0.71	9	920	104	0.08	<5	9	112	<20	0.31
B084531		3.09	20	0.54	409	23	1.04	5	890	99	0.06	<5	11	130	<20	0.48
B084532		2.19	20	0.28	223	12	0.97	2	500	26	0.05	<5	9	145	<20	0.47
B084533		1.66	20	0.47	528	31	0.47	15	760	116	0.07	<5	10	94	<20	0.32
B084534		2.38	20	0.55	318	11	0.96	7	350	39	0.04	<5	11	169	<20	0.45
B084535		2.42	10	0.40	288	25	0.34	10	840	46	0.07	<5	9	114	<20	0.41
B084536		0.98	20	0.23	236	21	0.58	4	1290	66	0.08	5	6	137	<20	0.56
B084567		2.36	20	0.78	506	9	1.38	4	600	23	0.05	<5	11	237	<20	0.34

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - C
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 4-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179661

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
B084501		<10	<10	149	<10	269
B084502		<10	<10	100	10	62
B084503		<10	<10	141	<10	40
B084504		<10	<10	80	<10	36
B084505		<10	<10	119	<10	147
B084506		<10	<10	151	10	139
B084507		10	<10	136	<10	31
B084508		<10	<10	201	<10	85
B084509		<10	<10	309	<10	76
B084510		10	<10	135	<10	98
B084511		10	<10	144	10	37
B084512		<10	<10	394	10	106
B084513		<10	<10	208	<10	59
B084514		<10	<10	99	<10	23
B084551		10	<10	66	<10	2670
B084552		<10	<10	99	10	1925
B084553		<10	<10	182	<10	57
B084554		<10	<10	113	10	28
B084555		<10	<10	105	<10	25
B084556		<10	<10	273	10	54
B084557		<10	<10	565	<10	86
B084558		<10	<10	243	<10	1155
B084559		<10	<10	155	<10	83
B084560		<10	<10	161	<10	154
B084561		<10	<10	139	<10	60
B084562		<10	<10	151	<10	209
B084563		<10	<10	192	<10	284
B084564		<10	<10	146	<10	107
B084565		<10	<10	217	<10	78
B084566		<10	<10	190	<10	73
B084567		<10	<10	109	<10	89

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: **PRETIVM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: **Appendix 1**
Total # Appendix Pages: **1**
Finalized Date: **4-SEP-2020**
Account: **PREBOW**

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179661

CERTIFICATE COMMENTS									
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tr><td>Au-AA23</td><td>EXTRA-01</td><td>LOG-21</td><td>ME-ICP61</td></tr><tr><td>SCR-41</td><td>WEI-21</td><td></td><td></td></tr></table>	Au-AA23	EXTRA-01	LOG-21	ME-ICP61	SCR-41	WEI-21		
Au-AA23	EXTRA-01	LOG-21	ME-ICP61						
SCR-41	WEI-21								



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **PRETIVM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: 1
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 This copy reported on
 21-OCT-2020
 Account: PREBOW

VA20179664

Project: Bowser Regional Project

This report is for 163 Rock samples submitted to our lab in Vancouver, BC, Canada on 19-AUG-2020.

The following have access to data associated with this certificate:

CHRISTINA ANSTEY
 LEANNE HAWKINS
 KEN MCNAUGHTON

JEFF AUSTON
 COREY JAMES
 STEPHAINA WAFFORN

SUSAN FLASHA
 JULIANNE MADSEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
pXRF-34	pXRF - Si, Ti & Zr Add on Package	PXRF
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
Pb-OG62	Ore Grade Pb - Four Acid	
Zn-OG62	Ore Grade Zn - Four Acid	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

Signature:

Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B086279		1.28	<0.005		0.05	7.27	11.3	1540	1.29	0.14	5.64	0.20	30.1	22.9	62	2.27
B086280		1.06	<0.005		0.05	7.19	22.7	1430	1.31	0.02	3.93	0.24	29.7	19.5	43	5.87
B086281		1.28	<0.005		0.04	7.40	25.9	2060	1.67	<0.01	3.17	0.11	33.3	17.7	9	23.7
B086282		1.02	<0.005		0.19	0.28	27.6	50	0.08	<0.01	0.62	0.85	1.51	0.7	73	0.84
B086283		0.54	0.006		0.73	5.42	991	100	1.09	0.01	3.03	0.55	22.9	9.8	14	9.10
B086284		1.94	0.012		2.23	1.55	121.5	40	0.59	1.58	1.20	0.48	12.75	14.0	53	0.15
B086285		1.26	<0.005		0.17	8.17	8.0	4250	1.38	0.19	1.14	0.06	28.8	5.9	8	6.56
B086286		1.44	<0.005		0.03	7.56	3.6	1770	1.78	0.05	1.86	0.09	46.3	8.1	22	1.24
B086287		0.94	<0.005		0.41	5.43	6.2	>10000	0.29	0.08	1.44	2.18	4.90	2.0	8	1.53
B086288		0.96	<0.005		0.05	7.52	3.0	2740	1.30	0.02	2.90	0.06	25.1	6.4	6	2.83
B086289		0.84	0.206		29.9	7.47	14.0	1440	1.34	14.15	1.27	3.04	31.8	25.1	5	3.64
B086290		1.16	0.099		4.87	5.93	1000	250	0.54	8.22	3.70	0.93	34.0	392	37	0.74
B086291		1.70	0.058		0.71	0.40	1980	10	0.05	4.78	1.50	0.04	33.9	1080	5	0.07
B086292		1.18	0.007		0.14	7.73	13.2	1980	1.52	0.66	3.74	0.10	31.3	17.1	170	2.20
B086293		1.24	<0.005		0.20	7.92	6.4	1990	1.40	0.22	0.77	0.12	40.3	7.2	11	3.78
B086294		1.00	<0.005		0.31	7.73	3.1	2020	1.49	0.57	0.43	0.35	34.1	8.1	13	4.53
B086295		1.38	<0.005		0.11	5.79	2.6	1370	0.74	0.12	1.63	0.06	23.1	4.1	14	2.33
B086296		0.94	0.007		0.38	7.32	11.6	1730	0.62	0.34	3.33	0.07	8.83	22.6	16	0.59
B086297		1.44	0.015		0.35	7.64	52.9	230	0.71	0.35	1.83	0.05	13.25	30.0	23	1.48
B086298		1.18	0.012		0.24	7.84	25.1	2600	0.97	0.09	1.47	0.09	16.95	12.3	13	2.00
B086299		1.44	0.008		0.34	8.29	21.1	630	0.82	0.09	0.87	0.02	18.25	8.7	13	1.44
B086300		1.48	0.046		0.65	3.85	1220	430	0.61	0.14	2.79	3.19	17.40	7.0	28	1.47
B086301		1.40	0.277		2.11	7.11	11.0	320	0.88	0.11	0.33	22.5	19.30	8.7	35	5.80
B086302		1.72	0.111		1.64	5.15	44.9	790	0.83	0.07	2.68	4.47	15.30	5.1	24	2.98
B086303		1.66	0.022		1.46	6.97	45.8	260	0.67	1.13	0.10	0.16	11.40	24.0	10	6.05
B086304		1.48	0.215		0.73	8.26	43.0	1610	0.99	0.12	0.27	0.33	15.60	8.6	34	12.85
B086305		1.96	0.210		2.66	7.58	112.5	210	1.14	0.13	0.94	10.75	9.51	18.0	13	11.55
B086306		0.94	0.776		3.16	6.36	84.5	400	1.08	0.09	0.07	1.29	34.8	4.1	52	7.55
B086307		1.46	0.204		0.46	7.17	5.3	800	1.08	0.25	0.76	0.60	28.2	11.6	40	2.01
B086308		1.42	0.347		2.64	7.83	42.0	280	1.46	0.05	0.48	0.21	31.6	12.1	37	11.95
B086309		1.38	0.050		4.67	0.41	91.8	40	0.15	0.07	2.49	2.65	2.59	1.1	30	0.49
B087679		1.08	<0.005		0.07	7.77	9.6	2530	1.78	0.04	5.17	0.11	40.7	17.8	32	29.4
B087680		1.20	<0.005		0.16	7.90	24.5	2060	1.39	0.11	3.08	0.17	34.0	10.5	9	11.00
B087681		1.14	<0.005		0.07	8.03	13.5	1900	1.16	0.03	5.11	0.13	37.9	20.1	35	3.75
B087682		0.88	<0.005		0.17	6.64	33.7	1340	1.51	0.22	2.40	0.51	27.1	6.5	16	16.50
B087683		0.96	<0.005		0.46	6.65	1740	690	0.91	0.28	0.37	0.09	22.5	3.1	5	7.33
B087684		1.16	<0.005		1.27	7.21	19.7	2550	1.73	0.26	0.21	1.81	41.4	13.3	47	6.41
B087685		1.06	<0.005		0.40	7.64	24.7	2920	1.22	0.51	2.18	2.23	28.8	8.0	8	5.22
B087686		1.02	0.006		2.93	7.22	12.3	2060	1.24	0.81	4.06	0.58	30.1	10.1	10	6.70
B087687		1.22	0.014		0.64	7.07	36.0	3280	1.08	0.17	0.43	0.09	26.0	5.7	10	4.04

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
B086279		28.3	5.47	17.70	0.13	2.4	0.061	1.74	14.3	48.8	2.21	1160	0.93	1.72	8.0	12.7
B086280		9.3	5.34	16.45	0.17	2.0	0.060	2.51	13.4	55.6	1.21	2010	1.04	3.35	8.3	10.7
B086281		5.2	5.26	18.65	0.18	2.3	0.060	3.68	15.6	55.7	0.98	1480	1.36	2.47	10.6	5.7
B086282		4.8	0.83	0.80	0.06	0.1	<0.005	0.08	0.8	6.6	0.03	141	5.91	0.06	0.4	1.9
B086283		61.1	9.97	12.35	0.10	1.9	0.022	2.82	10.1	29.9	0.36	642	8.81	1.26	4.2	8.7
B086284		341	12.60	7.72	0.23	0.5	0.071	0.03	9.5	5.2	3.06	1510	30.0	0.02	2.7	24.3
B086285		19.1	3.42	18.75	0.16	1.2	0.055	4.98	14.7	17.5	0.97	1140	1.32	1.24	7.2	1.5
B086286		2.2	3.05	19.30	0.17	2.1	0.028	2.53	24.5	16.7	1.03	612	3.16	2.70	9.8	6.1
B086287		25.6	1.05	9.09	0.12	0.2	0.027	5.65	2.7	5.4	0.12	853	1.57	0.17	1.1	2.9
B086288		5.8	3.50	17.85	0.17	1.1	0.044	3.32	11.6	16.7	0.96	1080	0.34	2.34	6.9	1.9
B086289		6370	7.02	17.45	0.14	0.6	0.244	2.96	15.6	21.4	1.43	839	1.84	1.02	6.1	2.4
B086290		2040	14.90	28.5	0.16	0.4	0.334	0.30	22.6	11.3	3.12	1740	3.68	1.18	2.5	32.4
B086291		376	>0	2.19	0.35	<0.1	0.147	0.02	20.3	1.2	0.17	263	1.67	0.01	0.2	195.5
B086292		67.6	6.19	18.40	0.11	1.2	0.284	2.57	16.6	15.5	3.01	1280	2.08	2.29	7.5	44.6
B086293		20.3	3.60	19.55	0.12	0.7	0.103	3.39	23.1	12.6	0.91	897	1.47	2.07	7.8	1.9
B086294		39.3	3.20	17.20	0.14	0.5	0.066	3.14	18.0	6.9	0.49	491	32.8	1.97	7.5	1.7
B086295		4.3	2.77	11.90	0.11	0.2	0.027	2.13	12.4	7.8	0.76	630	2.17	1.15	3.8	1.7
B086296		87.6	6.99	16.25	0.15	0.6	0.094	2.49	4.2	42.7	3.06	1030	0.56	2.13	3.1	11.4
B086297		102.0	7.33	15.95	0.16	0.7	0.163	3.59	5.1	27.3	2.05	966	0.64	2.65	5.8	9.6
B086298		142.5	4.58	17.10	0.15	0.8	0.065	4.81	8.0	22.8	1.38	968	1.18	1.98	8.9	6.2
B086299		99.0	4.80	14.85	0.17	0.9	0.053	4.51	8.6	11.1	0.77	384	1.70	2.52	8.6	4.8
B086300		42.1	2.97	7.89	0.15	0.9	0.086	1.49	7.7	19.5	0.24	1060	2.07	0.66	2.9	24.5
B086301		73.5	4.55	18.10	0.17	0.8	0.061	1.50	7.2	27.4	1.27	2430	13.35	3.00	3.8	15.2
B086302		36.8	3.45	10.05	0.13	1.6	0.165	2.56	7.1	7.0	0.69	1820	2.25	0.33	3.6	8.6
B086303		111.0	12.50	14.50	0.23	0.6	0.176	3.89	6.7	7.6	0.46	266	1.78	0.11	7.3	9.1
B086304		52.7	5.51	21.8	0.17	0.8	0.064	4.44	9.1	22.4	1.13	500	2.40	0.09	6.5	5.9
B086305		40.4	6.46	17.80	0.18	0.8	0.107	3.73	5.3	18.4	1.20	621	0.79	0.03	6.6	8.6
B086306		69.3	5.45	20.4	0.21	1.0	0.036	3.20	17.7	16.5	0.94	196	16.40	0.28	4.9	5.5
B086307		48.6	6.40	22.5	0.17	1.2	0.030	1.73	12.5	65.2	3.87	955	1.65	2.81	5.5	18.4
B086308		60.7	6.03	26.5	0.21	2.1	0.017	3.22	12.8	32.3	1.65	652	18.75	1.74	5.6	20.5
B086309		230	0.83	0.88	0.08	0.1	0.026	0.19	1.5	7.8	0.06	584	5.25	0.01	0.2	1.4
B087679		31.7	5.08	18.70	0.18	2.7	0.058	4.37	19.1	43.0	1.25	1860	1.41	2.06	10.6	6.4
B087680		10.4	3.66	16.80	0.16	2.3	0.038	2.42	17.4	31.7	0.87	862	1.46	2.76	8.6	2.3
B087681		26.7	6.13	18.15	0.17	2.5	0.055	3.04	17.7	42.2	1.98	1240	1.18	2.08	10.4	7.0
B087682		23.3	2.58	14.35	0.16	2.3	0.023	3.09	13.5	26.0	0.39	780	1.35	1.98	5.9	7.6
B087683		6.3	8.51	11.40	0.15	3.0	0.046	1.67	12.5	34.6	0.32	380	26.6	3.23	7.1	1.2
B087684		133.0	3.53	20.9	0.18	0.6	0.031	4.15	21.1	15.0	0.90	1160	4.01	0.42	13.2	38.8
B087685		10.0	3.91	17.75	0.18	1.1	0.050	4.15	13.8	16.2	0.94	1670	1.50	1.34	7.9	1.7
B087686		616	4.52	17.70	0.19	0.5	0.089	3.78	14.3	13.9	0.77	1590	2.10	0.81	8.1	2.0
B087687		7.0	3.18	15.05	0.17	1.2	0.031	3.95	13.8	8.6	0.71	574	1.84	1.51	8.0	2.5

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
B086279		1370	6.9	25.2	<0.002	<0.01	8.84	24.2	1	1.0	706	0.45	<0.05	2.94	0.482	0.40
B086280		1340	9.6	56.2	<0.002	<0.01	22.1	22.5	1	1.0	530	0.47	<0.05	2.89	0.476	0.46
B086281		1560	9.6	127.5	<0.002	0.01	20.8	18.8	1	1.1	441	0.61	<0.05	4.08	0.446	1.18
B086282		60	4.9	4.1	<0.002	0.01	9.03	0.8	<1	<0.2	12.9	<0.05	<0.05	0.28	0.017	0.26
B086283		350	196.0	101.0	0.004	8.94	9.32	5.0	1	0.7	405	0.34	<0.05	6.28	0.150	1.71
B086284		1970	9.3	1.1	0.089	3.51	10.25	3.9	54	0.8	8.9	0.18	0.64	1.99	0.098	0.61
B086285		1030	5.2	173.5	<0.002	0.16	1.35	11.7	1	0.9	196.0	0.46	<0.05	4.98	0.326	1.51
B086286		830	17.5	83.3	<0.002	0.02	0.42	7.2	1	1.0	618	0.74	<0.05	8.32	0.309	0.51
B086287		160	68.5	66.8	<0.002	0.06	1.17	0.8	1	0.2	480	0.08	<0.05	0.54	0.034	1.18
B086288		960	6.0	97.9	<0.002	0.04	1.91	9.0	<1	0.8	400	0.48	<0.05	3.58	0.317	0.80
B086289		1010	75.6	108.0	<0.002	1.79	3.33	9.5	3	1.0	143.0	0.39	0.65	3.73	0.280	0.74
B086290		1240	18.9	2.6	0.006	4.23	11.70	32.4	11	6.0	1010	0.14	2.30	1.14	0.214	0.45
B086291		20	8.9	0.5	0.003	>10.0	5.54	10.3	42	0.6	88.1	<0.05	1.17	0.05	0.012	0.04
B086292		1410	3.6	71.5	<0.002	1.12	2.16	26.7	1	1.6	487	0.45	0.49	3.48	0.431	0.72
B086293		960	4.4	116.0	<0.002	0.18	1.51	10.6	1	1.2	200	0.49	<0.05	6.58	0.276	0.76
B086294		870	17.4	118.0	<0.002	0.29	2.37	9.2	1	1.1	158.5	0.48	0.08	5.48	0.268	0.78
B086295		690	4.2	82.0	<0.002	0.23	0.74	7.5	1	0.6	134.0	0.26	0.05	4.91	0.169	0.51
B086296		1710	5.1	37.3	<0.002	1.74	3.69	37.2	5	0.7	261	0.18	0.11	0.42	0.482	1.01
B086297		2100	9.9	76.3	<0.002	4.36	4.83	34.1	2	0.7	343	0.31	0.09	0.88	0.420	1.68
B086298		1650	7.6	102.5	<0.002	1.77	7.23	22.7	1	0.6	398	0.48	0.23	1.73	0.282	3.29
B086299		1720	13.7	104.0	0.007	2.99	8.59	24.1	1	0.7	332	0.46	0.49	1.88	0.303	3.68
B086300		640	13.6	50.0	<0.002	0.25	31.3	7.1	2	0.5	329	0.17	0.05	1.73	0.154	0.61
B086301		870	307	85.8	0.026	1.90	2.29	11.0	13	1.5	800	0.23	<0.05	2.46	0.275	0.92
B086302		680	75.6	106.5	0.003	1.53	32.4	9.5	5	1.6	151.5	0.23	<0.05	1.75	0.189	1.12
B086303		1130	79.4	156.5	<0.002	5.32	6.01	21.1	47	1.1	32.4	0.35	0.26	1.33	0.226	2.01
B086304		1770	42.8	226	<0.002	2.04	4.99	33.5	12	1.5	28.1	0.33	0.06	1.49	0.360	3.41
B086305		1950	284	162.0	<0.002	4.98	12.85	28.1	17	1.0	23.8	0.33	0.08	1.40	0.347	2.70
B086306		650	36.8	148.5	0.068	1.50	6.62	13.9	27	2.2	18.6	0.30	0.05	1.96	0.351	1.58
B086307		1070	80.2	24.6	<0.002	2.99	1.80	12.2	10	2.2	593	0.34	<0.05	2.72	0.347	0.96
B086308		1400	13.0	148.5	0.049	2.71	4.76	20.8	17	1.2	221	0.38	0.05	2.84	0.358	1.67
B086309		60	3160	10.4	<0.002	0.28	8.18	2.0	10	<0.2	28.5	<0.05	<0.05	0.05	0.012	0.15
B087679		1410	13.2	175.5	<0.002	0.02	8.81	24.9	1	1.1	414	0.56	<0.05	4.09	0.488	1.17
B087680		840	14.4	106.0	<0.002	0.01	8.12	11.3	<1	0.9	788	0.51	<0.05	7.18	0.296	1.58
B087681		1470	8.8	72.7	<0.002	<0.01	4.31	23.6	1	0.9	591	0.54	<0.05	3.46	0.508	0.71
B087682		480	16.5	118.0	0.016	0.24	5.67	6.3	1	1.0	264	0.41	<0.05	7.72	0.188	1.07
B087683		360	42.6	66.6	0.011	6.02	22.7	3.4	1	0.9	247	0.50	<0.05	7.67	0.140	10.95
B087684		920	84.7	169.0	0.004	0.19	2.56	12.5	4	1.5	88.2	0.67	0.10	4.11	0.353	1.46
B087685		1010	23.2	119.0	<0.002	0.31	2.31	12.1	1	1.1	170.0	0.46	0.07	3.92	0.306	1.28
B087686		1070	7.7	115.5	<0.002	0.45	4.52	11.7	2	1.1	164.5	0.50	0.16	4.28	0.310	1.14
B087687		840	7.0	130.0	<0.002	0.64	4.98	10.7	1	0.6	199.0	0.46	0.05	4.13	0.300	2.11

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	pXRF-34	pXRF-34	pXRF-34
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Cu %	Pb %	Zn %	Si %	Ti %	Zr ppm
B086279		1.7	219	0.8	18.0	86	90.3					21.5	0.5	128
B086280		1.7	195	1.7	17.3	99	73.4					20.7	0.5	132
B086281		2.2	195	1.4	17.3	124	92.8					23.0	0.5	142
B086282		3.1	16	0.3	0.9	4	5.3					46.7	<0.1	8
B086283		5.1	50	0.9	9.2	57	73.1					22.7	0.2	85
B086284		2.9	188	2.2	13.8	188	14.5					25.8	0.1	44
B086285		2.5	103	2.5	14.4	60	32.2					27.1	0.5	103
B086286		4.2	75	0.3	10.6	70	74.0					29.0	0.4	136
B086287		0.2	14	0.6	4.6	192	4.5							
B086288		1.9	91	1.9	10.3	93	38.5					25.4	0.4	117
B086289		2.2	93	3.7	13.5	185	16.0					24.7	0.4	95
B086290		1.2	272	3.1	16.9	102	9.3					17.5	0.2	38
B086291		0.3	17	86.7	8.2	5	0.9					2.2	<0.1	<5
B086292		2.0	201	1.3	16.3	61	38.1					23.4	0.4	98
B086293		2.3	93	2.6	7.0	63	16.4					28.1	0.4	99
B086294		2.3	80	6.4	6.8	66	9.0					29.3	0.4	90
B086295		1.5	70	8.6	9.2	49	4.5					31.0	0.3	76
B086296		0.2	324	0.9	14.3	41	14.9					19.6	0.4	53
B086297		0.4	281	0.5	17.4	42	19.2					21.1	0.5	57
B086298		0.9	243	0.6	10.8	30	21.9					25.2	0.4	51
B086299		1.0	233	0.6	11.4	13	28.6					25.0	0.5	53
B086300		1.4	74	6.3	16.6	438	31.9					32.5	0.2	46
B086301		1.1	107	4.0	9.3	1220	26.4							
B086302		2.3	75	2.8	8.7	435	59.0					30.0	0.2	84
B086303		0.8	222	1.2	7.2	80	19.3					22.4	0.3	36
B086304		0.8	263	1.3	11.1	142	27.5					25.6	0.4	54
B086305		0.8	243	1.7	5.9	1060	23.3					25.1	0.4	51
B086306		1.4	150	5.9	3.9	176	31.7					27.1	0.4	152
B086307		1.5	148	2.3	11.3	206	35.3					23.0	0.3	125
B086308		3.0	177	4.5	9.2	116	57.3					22.8	0.6	111
B086309		<0.1	12	0.2	2.7	262	0.8					40.6	<0.1	<5
B087679		2.2	211	1.5	20.6	91	104.5					20.9	0.6	125
B087680		2.6	111	0.8	14.5	86	88.3					27.3	0.4	160
B087681		1.9	215	0.7	20.1	86	91.8					22.4	0.5	135
B087682		6.0	77	0.8	13.3	91	87.5					27.8	0.3	114
B087683		5.4	45	1.2	8.7	39	125.0					25.4	0.2	121
B087684		1.2	167	4.2	8.7	275	16.2					30.2	0.5	103
B087685		2.1	101	1.8	12.6	211	29.0					26.6	0.4	90
B087686		2.1	103	4.4	6.8	84	11.3					24.4	0.4	90
B087687		2.0	78	14.5	5.5	41	41.0					31.6	0.4	105

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 3 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B087688		0.88	0.009		0.84	3.35	54.0	960	0.48	1.12	0.45	0.06	17.20	7.6	12	1.28
B087689		2.26	0.175		12.90	1.14	7020	110	0.08	5.15	1.08	4.63	10.65	466	10	0.14
B087690		0.90	0.519		4.17	5.35	>10000	40	0.27	12.45	0.80	0.33	7.84	306	67	0.45
B087691		1.12	0.008		0.67	7.38	97.9	2780	1.41	1.14	2.07	0.30	30.9	24.5	9	2.95
B087692		1.34	0.007		0.20	8.10	34.0	1500	1.64	1.85	6.85	0.11	36.0	46.1	12	1.33
B087693		1.34	<0.005		0.28	7.78	3.4	3240	1.62	0.48	2.32	0.11	35.1	6.3	9	4.73
B087694		1.46	0.011		0.30	8.59	180.5	3190	1.72	0.75	1.15	0.37	28.1	14.4	10	4.63
B087695		1.18	0.008		0.40	7.66	7.1	2350	1.26	0.39	1.75	0.40	30.2	6.3	8	5.60
B088045		1.42	0.310		0.94	2.40	50.8	280	0.48	0.03	0.05	1.22	8.89	1.1	30	3.27
B088046		0.64	0.007		0.23	4.73	74.5	490	0.78	0.10	3.87	1.25	38.0	7.1	42	2.28
B088047		1.04	0.016		67.1	2.32	33.6	210	0.35	0.17	13.30	295	37.9	6.4	13	2.16
B088048		0.80	0.382		0.92	8.13	5.0	810	1.54	0.32	0.75	1.39	31.8	18.7	39	3.21
B088049		0.92	2.68		5.03	1.96	6690	220	0.35	0.03	0.04	0.18	3.93	0.7	15	1.29
B088050		1.20	0.034		2.04	8.26	145.0	570	1.38	0.09	0.46	0.50	21.5	3.1	17	16.80
B088408		1.46	0.326		1.59	5.10	37.8	260	0.64	0.11	0.06	0.09	9.48	1.0	29	5.74
B088409		1.52	0.038		27.0	3.07	39.3	380	0.53	0.14	3.04	147.0	18.30	6.4	13	3.07
B088410		1.12	0.017		0.27	7.44	88.6	470	0.69	0.37	5.33	0.49	11.35	12.5	33	0.37
B088411		1.44	<0.005		0.10	7.24	6.9	400	0.69	0.50	3.32	0.08	12.60	26.8	32	2.53
B088412		1.14	0.011		2.52	3.92	51.0	1440	0.47	0.03	14.85	21.0	9.61	4.3	8	2.31
B088413		0.88	1.435		2.58	8.17	4360	1380	0.99	0.06	0.53	0.11	29.5	6.0	18	10.15
B088414		1.16	0.178		1.38	2.44	51.8	810	0.49	0.92	0.08	0.58	10.55	4.1	13	1.38
B088415		0.60	0.008		0.06	2.49	3.7	160	0.36	0.02	26.7	0.39	21.5	8.4	4	1.03
B088416		0.84	0.047		2.30	4.22	239	410	0.40	0.04	18.30	0.63	13.00	55.8	15	0.16
B088417		1.44	0.013		7.75	7.66	4.5	4070	0.83	0.75	7.19	0.24	26.9	31.6	33	2.63
B088418		0.82	<0.005		0.18	3.80	2.1	2130	0.35	0.05	17.30	0.21	13.05	12.5	7	0.52
B088419		0.86	<0.005		0.67	2.10	4.6	340	0.27	0.10	14.25	0.84	19.05	11.3	9	1.38
B088420		1.16	0.157		18.40	7.35	7.7	1320	0.80	1.16	9.93	1.66	22.8	15.7	10	0.85
B088421		1.34	0.005		0.78	0.88	169.0	180	0.32	0.07	34.0	17.00	21.5	2.6	4	0.14
B088422		1.74	0.124		5.63	4.11	355	450	0.87	2.21	23.6	6.31	17.30	46.4	35	3.98
B088423		1.06	4.71		5.74	1.59	7210	160	0.20	0.18	0.22	4.31	3.10	2.9	18	2.17
B088424		1.16	0.031		0.34	8.54	50.1	2270	1.21	0.21	1.65	0.17	32.6	7.9	3	0.85
B088425		1.18	0.024		0.18	7.94	17.3	3050	0.89	0.27	2.81	0.09	12.80	15.5	17	1.15
B088426		1.26	0.099		0.23	8.46	11.8	1710	1.29	0.18	2.16	0.40	35.2	7.4	4	0.96
B088427		1.52	0.997		0.77	7.19	28.6	660	0.58	0.28	0.64	0.95	16.05	12.9	5	2.44
B088428		0.88	0.012		4.14	5.24	10.0	1370	0.72	0.21	10.70	0.17	105.0	22.0	4	1.85
B088429		0.66	0.014		0.91	4.10	10.2	2310	0.94	0.53	1.70	0.05	37.4	15.5	12	3.38
B088430		0.76	0.014		0.19	7.76	6.7	200	1.09	0.40	0.42	0.02	17.30	10.0	12	3.86
B088431		1.32	<0.005		0.27	7.49	2.1	1920	0.98	0.07	3.99	0.14	35.1	13.0	4	5.23
B088432		0.98	<0.005		0.08	2.93	6.5	290	0.42	0.03	13.85	0.09	16.40	4.2	5	1.94
B088433		1.22	0.018		0.33	7.80	6.2	230	0.92	0.83	2.19	4.17	31.1	17.4	7	3.52

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 3 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
B087688		132.5	5.36	10.55	0.14	0.6	0.388	1.17	9.7	9.6	0.52	754	2.57	1.08	3.1	1.4
B087689		9350	42.4	3.18	0.27	0.1	0.410	0.08	6.2	4.3	0.55	591	2.70	0.18	0.8	82.3
B087690		1510	21.6	17.25	0.17	0.4	0.169	0.74	3.1	25.1	3.26	1680	18.70	0.52	4.0	72.6
B087691		78.9	3.96	18.00	0.14	1.1	0.051	3.31	15.7	17.2	1.21	1080	2.78	1.87	7.7	2.1
B087692		187.5	7.21	19.55	0.14	0.8	0.187	1.91	19.1	9.4	2.30	1280	2.84	1.80	12.5	6.8
B087693		28.9	3.45	19.40	0.17	1.0	0.045	3.96	18.1	10.5	0.97	701	1.34	1.90	10.5	1.4
B087694		73.1	5.01	20.0	0.17	0.4	0.114	3.63	12.9	18.0	1.52	1040	2.22	2.37	8.7	2.8
B087695		22.2	2.71	16.40	0.16	1.0	0.040	3.32	16.6	12.9	0.65	1180	1.49	1.59	6.3	2.2
B088045		18.1	1.79	6.54	0.10	0.3	0.010	1.18	5.0	15.7	0.31	133	3.52	0.21	1.4	2.1
B088046		50.0	2.50	11.65	0.17	1.3	0.124	2.22	17.4	24.3	0.92	581	10.60	0.35	3.6	18.8
B088047		1110	2.11	6.07	0.12	0.3	0.045	1.07	21.4	6.9	0.30	2370	2.11	0.02	1.9	1.8
B088048		43.9	5.51	21.1	0.18	1.3	0.071	3.15	14.7	31.6	1.81	722	2.51	3.62	6.3	20.5
B088049		7.7	1.75	4.07	0.07	0.2	0.028	1.00	2.2	11.6	0.10	110	1.52	0.02	1.1	0.9
B088050		36.6	4.41	21.3	0.15	2.0	0.042	4.37	10.7	19.8	0.67	265	3.80	0.03	8.0	2.2
B088408		25.8	2.74	12.00	0.15	0.5	0.010	1.78	3.7	8.7	0.34	163	304	1.54	2.8	1.6
B088409		1470	1.77	6.30	0.17	0.4	0.123	1.52	10.7	7.9	0.37	469	3.34	0.02	2.9	2.0
B088410		65.5	5.28	15.10	0.13	0.9	0.082	0.62	5.4	20.7	1.75	526	1.09	2.69	3.7	13.1
B088411		129.5	6.62	12.25	0.16	0.6	0.048	5.18	5.7	23.0	2.12	1020	0.89	1.13	4.1	14.7
B088412		71.6	1.90	7.38	0.08	0.5	0.017	1.97	5.6	13.3	0.62	2020	0.84	0.78	4.2	2.0
B088413		34.2	5.64	20.8	0.16	1.9	0.067	5.10	14.6	13.1	0.64	264	2.36	0.23	8.3	3.2
B088414		164.0	5.89	6.16	0.10	0.3	0.026	1.29	5.6	4.3	0.15	295	6.25	0.02	1.0	1.6
B088415		16.0	2.68	4.96	0.08	0.4	0.020	0.21	11.0	25.6	0.81	1850	0.32	0.95	1.6	3.1
B088416		213	9.30	12.15	0.08	0.6	0.042	0.08	6.7	20.7	2.48	2340	291	0.30	1.3	26.9
B088417		6750	10.60	19.45	0.15	0.7	0.076	1.74	13.4	27.6	2.49	3580	0.96	0.03	2.8	14.5
B088418		71.4	3.46	8.63	0.06	0.5	0.035	0.79	6.4	11.2	1.06	2060	0.62	0.95	1.9	5.0
B088419		176.0	3.44	5.45	0.07	0.2	0.049	0.80	9.5	6.7	0.81	3270	8.24	0.02	0.9	3.5
B088420		>10000	7.31	20.9	0.13	1.0	0.093	0.44	11.8	11.3	1.05	1600	24.8	0.79	3.0	4.9
B088421		39.0	1.12	2.40	0.07	0.2	0.016	0.26	12.9	5.5	0.31	4570	0.20	0.26	0.5	1.0
B088422		765	6.55	12.60	0.08	0.4	0.148	1.44	10.2	37.9	0.92	2940	2.14	0.01	1.8	6.2
B088423		206	17.65	4.17	0.12	0.2	0.033	0.79	1.6	9.2	0.27	178	3.47	0.04	0.7	3.9
B088424		16.9	4.45	21.1	0.13	1.7	0.065	2.65	15.1	26.7	1.24	1130	1.04	3.87	9.1	1.8
B088425		100.5	5.35	17.30	0.13	0.8	0.066	4.37	6.3	32.1	1.86	865	1.95	2.44	9.8	5.8
B088426		26.6	4.10	23.0	0.16	1.2	0.024	2.31	16.3	20.9	1.06	627	0.78	4.28	9.4	1.5
B088427		33.2	5.08	14.00	0.17	0.9	0.044	4.57	6.8	25.8	1.09	551	1.75	1.32	7.7	2.6
B088428		2980	4.98	12.20	0.15	0.9	0.117	1.00	65.3	18.9	1.17	2050	1.79	1.48	5.0	2.5
B088429		681	2.44	8.92	0.13	1.0	0.046	1.62	22.1	18.1	0.41	794	1.74	0.42	3.1	1.4
B088430		12.9	5.38	17.60	0.17	1.2	0.015	2.68	7.4	10.5	0.92	437	2.93	2.02	9.0	3.0
B088431		48.1	4.53	14.80	0.13	1.5	0.058	3.82	19.1	2.8	1.06	1680	1.87	0.17	4.7	9.6
B088432		4.0	1.81	6.21	0.10	0.5	0.016	0.97	8.0	57.7	0.41	3150	0.76	0.44	2.5	1.8
B088433		26.2	5.13	15.95	0.12	1.1	0.034	2.16	15.2	22.3	1.61	1320	2.28	1.93	4.8	8.8

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 3 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.01	Ti % 0.005	Tl ppm 0.02
B087688		470	2.9	43.1	<0.002	0.32	1.35	4.8	2	6.6	143.5	0.19	0.42	1.96	0.121	0.45
B087689		300	51.1	2.0	<0.002	>10.0	33.3	7.9	27	1.4	65.7	<0.05	2.04	0.38	0.054	0.07
B087690		940	45.9	6.5	<0.002	>10.0	62.6	29.7	23	3.3	125.0	0.23	1.57	0.38	0.338	0.32
B087691		930	12.0	103.5	<0.002	0.45	1.67	10.9	2	0.9	232	0.46	0.58	3.96	0.294	0.87
B087692		1270	1.8	54.3	<0.002	1.28	8.68	29.4	3	2.7	1395	0.72	1.07	1.97	0.491	0.60
B087693		900	14.5	135.0	<0.002	0.04	1.39	11.1	1	0.9	409	0.66	<0.05	6.32	0.278	0.97
B087694		1200	6.4	110.0	<0.002	0.71	2.12	14.8	1	1.5	311	0.45	0.10	5.50	0.337	0.87
B087695		550	25.8	141.0	<0.002	0.07	1.38	7.6	1	0.5	159.5	0.39	<0.05	5.84	0.191	1.08
B088045		260	30.6	58.5	0.005	0.29	7.26	3.3	3	0.4	20.2	0.09	<0.05	0.90	0.093	0.53
B088046		960	1.9	84.4	0.011	0.40	40.3	10.5	1	0.6	269	0.20	<0.05	2.33	0.191	1.05
B088047		520	>10000	49.1	<0.002	2.78	70.4	8.9	7	0.2	181.0	0.11	0.06	0.49	0.083	1.24
B088048		970	133.0	83.2	0.034	3.61	1.57	14.5	16	1.9	355	0.32	0.06	3.11	0.342	1.52
B088049		260	22.0	43.3	<0.002	0.09	95.0	5.1	2	0.2	8.4	0.06	0.07	0.30	0.046	1.36
B088050		1620	133.5	241	<0.002	1.13	21.1	19.5	2	0.8	19.0	0.43	0.09	3.08	0.471	2.71
B088408		220	41.3	91.7	0.243	0.48	3.10	5.0	13	0.5	77.2	0.17	<0.05	1.07	0.193	0.92
B088409		740	>10000	60.3	0.002	1.11	30.2	9.6	36	0.6	94.0	0.16	0.08	0.74	0.119	0.97
B088410		1810	46.3	16.6	<0.002	1.58	5.15	43.8	10	1.1	181.5	0.20	0.19	0.72	0.450	0.33
B088411		1950	8.4	93.4	<0.002	3.19	5.54	40.8	3	0.7	454	0.21	0.28	0.67	0.465	2.19
B088412		790	840	72.2	<0.002	0.45	4.44	9.8	1	0.3	915	0.21	0.10	0.93	0.127	1.13
B088413		1410	18.3	189.0	<0.002	2.00	74.2	20.5	2	1.0	86.2	0.44	0.15	2.74	0.522	3.35
B088414		280	1610	42.2	<0.002	0.78	1.84	7.2	4	0.2	13.5	0.05	0.08	0.55	0.124	0.30
B088415		440	22.5	4.2	<0.002	<0.01	0.54	24.7	1	0.2	902	0.08	<0.05	0.63	0.165	0.04
B088416		420	56.5	2.1	2.04	5.34	2.32	17.0	2	0.3	646	0.07	<0.05	0.76	0.232	3.87
B088417		850	41.6	51.1	0.004	0.63	4.31	31.5	17	0.7	644	0.14	0.29	1.31	0.501	0.47
B088418		550	15.2	14.6	<0.002	0.03	1.41	11.4	1	0.3	510	0.10	<0.05	0.78	0.212	0.16
B088419		250	21.2	25.2	0.046	0.09	0.60	8.5	1	0.2	421	<0.05	<0.05	0.47	0.107	0.27
B088420		700	142.0	14.9	0.110	0.81	3.95	17.5	25	0.7	1745	0.16	2.51	1.76	0.350	0.14
B088421		200	584	6.3	<0.002	0.16	5.88	6.8	1	<0.2	471	<0.05	<0.05	0.14	0.047	0.16
B088422		650	191.5	74.0	<0.002	1.54	19.35	16.4	2	0.4	261	0.10	2.45	0.55	0.138	1.18
B088423		250	1480	41.1	<0.002	>10.0	120.0	8.0	7	0.3	19.9	<0.05	0.14	0.17	0.081	1.07
B088424		1420	22.2	65.6	<0.002	0.28	6.82	11.1	1	0.9	505	0.50	0.20	2.31	0.478	1.35
B088425		1820	10.2	89.6	0.003	1.04	7.08	24.5	1	1.4	514	0.48	0.20	0.82	0.502	1.25
B088426		1500	14.9	62.9	<0.002	1.70	2.61	12.1	5	1.6	608	0.52	0.06	2.21	0.491	0.68
B088427		1400	29.3	114.5	0.007	2.41	3.01	13.5	15	1.9	233	0.41	0.10	1.76	0.406	1.68
B088428		620	5.3	37.5	<0.002	0.66	2.98	12.9	3	0.8	357	0.31	<0.05	3.19	0.203	0.19
B088429		180	6.8	66.7	<0.002	0.34	7.77	3.2	2	0.5	141.0	0.25	0.05	3.38	0.074	0.32
B088430		620	10.3	109.5	0.022	2.49	2.76	17.9	7	0.7	487	0.53	0.36	3.04	0.559	0.70
B088431		710	12.1	130.5	<0.002	0.06	3.13	13.5	1	0.7	116.5	0.30	<0.05	3.30	0.291	1.02
B088432		350	2.8	37.8	<0.002	0.07	3.73	5.3	1	0.2	558	0.17	<0.05	1.56	0.119	0.22
B088433		770	41.8	65.2	<0.002	4.14	1.55	17.2	6	0.8	248	0.29	0.07	2.54	0.344	0.66

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	pXRF-34	pXRF-34	pXRF-34
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Cu %	Pb %	Zn %	Si %	Ti %	Zr ppm
B087688	0.1	1.0	49	92.8	7.6	45	15.1					34.6	0.1	35
B087689	0.1	0.4	30	1.1	2.8	222	2.6					8.1	<0.1	<5
B087690	1	0.5	199	9.3	11.4	91	9.5					16.0	0.3	30
B087691	1	2.3	91	1.9	12.8	93	28.4					26.9	0.4	94
B087692	1	0.9	235	3.1	23.6	48	22.0					22.3	0.5	107
B087693	1	3.6	84	2.3	14.1	51	22.3					27.7	0.4	93
B087694	1	1.7	123	3.0	15.4	125	8.4					24.5	0.5	88
B087695	1	2.3	68	2.0	9.6	109	26.6					29.5	0.3	94
B088045	1	0.4	35	2.1	1.3	101	9.0					41.2	0.1	43
B088046	1	3.6	204	3.9	12.0	208	43.5					29.7	0.2	53
B088047	1	0.3	72	0.7	38.1	>10000	9.0			5.45	3.46	18.2	0.2	<5
B088048	1	1.7	105	1.5	17.9	247	38.7					25.6	0.3	124
B088049	1	0.1	44	0.4	1.0	24	6.0					41.3	<0.1	6
B088050	1	1.6	189	8.5	10.8	88	76.6					27.3	0.5	120
B088408	1	0.7	52	3.4	2.1	24	17.7					34.4	0.2	75
B088409	1	0.5	106	0.8	4.1	>10000	12.9			1.035	1.685	33.4	0.1	17
B088410	1	0.3	315	0.4	17.2	81	24.6					25.2	0.4	44
B088411	1	0.3	292	2.3	15.7	30	14.0					20.9	0.6	51
B088412	1	0.5	93	0.9	10.4	2050	17.2					16.2	0.2	40
B088413	1	1.5	205	3.4	14.6	28	65.8					24.5	0.5	126
B088414	1	0.8	92	2.6	3.9	36	11.1					35.3	0.2	17
B088415	1	0.3	94	0.4	31.2	36	12.8					7.5	0.2	36
B088416	1	9.7	175	0.6	12.3	119	23.7					9.1	0.2	26
B088417	1	0.7	284	3.7	15.6	230	19.4					15.7	0.6	56
B088418	1	0.4	143	0.7	8.1	76	16.4					14.3	0.3	34
B088419	1	0.4	94	3.4	12.4	53	5.1					19.8	0.1	22
B088420	1	2.3	287	1.3	13.2	86	30.4		1.170			20.8	0.4	64
B088421	1	0.1	38	0.7	49.2	1380	4.5					3.3	0.1	12
B088422	1	0.3	114	1.5	37.3	539	12.6					7.5	0.2	25
B088423	1	0.1	60	1.2	4.1	466	6.1					24.8	0.1	<5
B088424	1	1.2	127	0.7	29.1	50	56.1					25.0	0.5	151
B088425	1	0.5	271	0.9	13.9	42	20.0					21.3	0.5	59
B088426	1	1.1	140	1.7	29.6	46	37.3					24.7	0.5	159
B088427	1	0.8	145	4.6	14.0	99	30.5					26.8	0.5	113
B088428	1	1.4	90	1.6	18.1	63	27.1					18.5	0.3	48
B088429	1	1.7	35	0.5	7.3	28	42.0					34.1	0.5	55
B088430	1	1.3	171	1.6	11.0	33	44.3					26.5	1.0	131
B088431	1	1.5	126	1.7	12.9	102	60.0					22.9	0.4	75
B088432	1	0.7	50	1.4	18.5	19	13.2					18.8	0.2	30
B088433	1	1.1	157	0.8	14.8	350	44.8					23.7	0.4	81

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 4 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B088434		0.86	<0.005		0.11	8.25	18.1	1700	0.76	2.85	0.13	0.04	22.8	1.8	2	4.69
B087423		0.98	<0.005		0.10	7.06	1.4	1800	0.97	0.08	2.56	0.04	27.4	5.6	2	8.96
B087424		1.44	0.009		0.03	0.73	1.6	70	0.08	0.04	26.1	0.06	34.1	1.6	14	0.24
B087425		1.56	0.006		0.82	4.11	43.8	400	0.77	0.15	5.56	2.80	16.25	6.7	60	3.22
B087426		1.02	0.006		0.83	7.63	14.5	1860	0.96	0.20	1.76	0.04	27.1	13.6	77	1.66
B087427		1.38	0.009		0.29	5.79	11.5	920	1.34	0.10	9.21	0.30	20.9	12.0	81	2.11
B087428		1.18	<0.005		0.08	7.46	7.8	480	0.70	0.02	5.75	0.18	19.10	33.3	93	0.92
B087429		1.16	0.007		0.73	5.82	6.1	920	1.27	0.42	0.69	0.15	47.1	7.9	9	3.08
B087430		0.80	0.007		0.35	7.39	21.9	710	1.11	2.81	1.77	0.28	28.4	26.0	11	3.17
B087431		0.70	0.021		1.19	8.66	46.7	160	1.32	100.5	0.48	0.05	14.40	45.4	7	4.01
B087432		1.22	0.008		0.32	1.57	4.1	650	0.39	0.73	10.70	0.25	6.59	4.6	10	0.89
B087433		0.80	0.132		60.2	0.31	4.5	170	0.09	1180	0.46	6.73	1.97	12.2	34	0.15
B087434		1.00	0.052		16.10	0.10	10.1	140	<0.05	1735	0.13	0.49	0.44	27.5	21	0.05
B087435		1.58	2.28		16.70	0.89	34.5	210	0.31	93.5	19.25	2.59	58.8	40.7	2	0.41
B087436		1.02	0.014		0.23	6.93	8.9	1590	0.73	4.60	3.59	0.06	48.4	7.4	6	0.46
B087437		2.26	0.100		23.9	2.65	19.6	80	0.20	7.17	0.29	0.80	20.2	223	10	0.53
B087438		1.14	0.034		0.83	5.25	47.5	1050	0.85	3.29	3.50	3.06	15.80	8.1	22	4.61
B087439		0.78	0.017		0.57	7.51	55.0	220	0.95	1.33	0.26	0.69	21.8	11.1	43	5.53
B087440		1.88	0.053		0.08	7.13	23.5	440	1.17	0.44	3.87	1.19	33.1	23.0	12	8.41
B087441		1.28	0.010		0.44	8.47	24.3	3130	0.94	0.87	0.04	0.17	11.75	2.8	7	9.07
B087442		1.48	0.035		0.27	8.72	12.5	2020	0.30	0.64	0.01	<0.02	20.2	2.1	13	5.01
B087443		1.06	0.031		0.12	7.82	178.0	4540	0.92	0.22	1.99	0.05	22.4	3.9	24	3.88
B087444		0.96	<0.005		0.11	8.23	21.2	6690	0.60	0.49	0.20	0.06	19.20	0.9	10	6.58
B087445		1.04	0.016		0.28	8.66	79.4	3780	0.97	0.34	2.96	0.12	27.1	1.7	12	5.88
B087446		1.16	0.045		0.41	8.43	184.0	1880	1.07	0.17	2.90	0.51	23.1	6.2	7	1.99
B087447		0.92	0.083		0.41	8.07	19.6	3730	1.18	0.08	2.21	0.28	20.8	6.7	5	12.75
B087448		1.12	0.807		16.15	7.67	386	380	0.91	8.89	0.41	0.53	12.25	13.3	29	5.22
B087449		1.76	0.027		0.54	5.66	5.1	580	0.85	0.10	0.03	<0.02	10.65	0.9	7	9.26
B087450		1.22	0.016		0.52	7.13	32.5	3250	0.64	0.09	0.06	0.02	29.7	2.6	12	5.33
B087451		1.06	<0.005		0.22	9.38	25.0	260	0.80	0.06	0.26	0.15	10.95	12.7	20	5.54
B087452		1.46	<0.005		0.03	7.77	0.8	630	0.90	0.05	4.40	0.18	16.70	13.0	23	7.75
B087453		1.14	0.011		0.39	6.07	10.1	1690	0.62	0.09	0.07	<0.02	37.6	2.3	11	3.87
B087454		1.34	0.006		0.19	7.72	13.9	1740	0.89	0.04	0.11	0.13	37.9	2.1	8	5.48
B087455		0.98	0.017		0.66	5.61	61.6	1850	0.70	0.03	4.84	0.20	32.2	5.0	8	4.42
B087456		1.14	0.303		0.78	2.50	22.3	1390	0.51	0.22	21.9	12.50	26.1	5.4	6	1.06
B087457		1.52	<0.005		0.04	7.88	1.7	1880	0.72	0.02	2.47	0.07	11.00	12.8	12	1.38
B087458		1.18	<0.005		0.15	6.71	6.8	200	0.88	0.06	2.55	0.71	32.8	30.9	5	1.00
B087459		1.30	0.012		0.24	7.76	1.9	1160	1.31	0.15	3.91	0.13	21.3	18.2	30	0.67
B087460		0.88	<0.005		0.75	7.13	51.1	1400	1.35	0.43	5.52	0.34	24.9	28.4	66	0.54
B087461		0.92	0.098		16.05	7.33	61.4	3160	0.81	0.15	1.78	2.17	10.10	25.4	65	1.93

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 4 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ca ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
B088434		6.9	2.40	16.00	0.13	1.8	0.037	1.91	11.4	21.0	1.20	352	3.17	2.25	8.1	0.6
B087423		15.8	2.79	14.10	0.11	1.7	0.031	2.48	15.1	25.3	1.00	1190	0.41	0.58	7.4	1.6
B087424		7.5	1.34	2.32	0.09	0.1	0.048	0.15	19.4	5.3	0.41	2230	1.19	0.06	0.3	8.0
B087425		81.3	3.61	9.05	0.10	0.9	0.028	1.69	8.4	40.1	1.38	720	1.67	0.43	3.7	22.2
B087426		99.8	3.86	15.70	0.13	1.3	0.030	2.74	14.6	14.9	1.24	664	4.79	2.40	8.1	38.8
B087427		94.2	3.35	12.90	0.11	1.4	0.044	2.32	11.4	18.5	1.39	834	2.21	1.25	7.7	46.8
B087428		13.6	6.80	18.20	0.09	1.7	0.059	0.66	8.7	13.0	3.37	1380	0.91	2.64	4.3	12.8
B087429		14.9	2.35	11.45	0.13	2.5	0.024	3.03	25.6	13.2	0.54	583	7.75	0.06	8.9	2.0
B087430		71.1	6.02	15.25	0.13	0.6	0.093	4.24	12.4	8.3	1.17	1450	5.55	0.49	4.0	5.8
B087431		171.5	6.69	21.1	0.12	0.6	0.064	4.60	5.0	3.6	0.47	194	4.73	0.07	2.2	8.1
B087432		8.3	4.16	2.64	0.07	0.2	0.009	0.77	3.4	6.9	3.10	3330	3.02	0.02	0.7	2.5
B087433		>10000	9.39	1.06	0.06	<0.1	5.20	0.14	1.0	1.8	0.09	534	7.42	0.04	0.2	4.6
B087434		305	10.70	0.41	0.06	<0.1	0.399	0.04	<0.5	2.8	0.05	200	2.51	0.01	0.1	4.1
B087435		66.1	15.15	2.87	0.11	0.1	2.23	0.48	29.6	0.9	0.80	16200	11.75	0.01	0.5	17.5
B087436		34.2	3.02	14.10	0.13	1.7	0.041	4.84	24.1	6.0	0.61	825	2.12	1.50	15.3	2.0
B087437		>10000	17.10	9.56	0.11	0.2	0.122	0.14	10.7	17.1	1.42	1710	9.38	0.01	1.5	5.1
B087438		76.3	1.88	11.30	0.08	0.4	0.140	1.67	7.5	3.9	0.34	975	5.71	1.62	1.7	9.5
B087439		50.7	4.44	14.95	0.11	0.9	0.031	2.33	9.8	17.3	1.03	192	0.77	1.86	1.3	13.9
B087440		83.8	3.66	15.30	0.13	1.1	0.245	2.88	18.3	16.5	0.77	1480	0.36	2.19	7.1	5.4
B087441		43.3	3.26	18.40	0.12	1.4	0.061	3.50	6.2	23.7	0.85	59	0.42	0.23	4.1	0.9
B087442		6.6	1.55	15.00	0.12	1.0	0.053	3.78	14.6	26.3	0.18	81	0.74	0.27	7.5	1.0
B087443		6.3	4.37	16.60	0.11	1.1	0.055	1.31	13.2	23.4	1.21	740	0.33	3.55	9.3	2.7
B087444		8.5	1.21	6.23	0.13	1.5	0.011	4.12	10.7	4.8	0.42	121	0.78	0.06	8.7	0.7
B087445		31.2	4.11	20.3	0.14	1.0	0.130	2.18	14.0	12.4	1.30	1380	0.24	2.11	7.7	1.8
B087446		11.8	4.71	17.75	0.11	1.0	0.063	1.04	11.6	16.5	1.49	1780	0.29	3.81	7.8	2.2
B087447		18.6	3.32	16.75	0.16	1.4	0.034	3.25	11.2	11.0	0.85	2290	0.15	1.98	8.9	2.3
B087448		367	7.39	14.80	0.13	1.1	0.113	3.74	5.8	10.6	1.05	829	4.75	1.68	7.8	14.2
B087449		2.4	1.70	13.05	0.10	1.8	0.020	3.41	6.5	12.7	0.40	43	1.49	0.03	5.2	0.7
B087450		4.8	1.70	12.00	0.12	1.8	0.030	5.01	16.4	5.4	0.19	48	1.01	0.08	5.6	1.2
B087451		10.0	6.35	20.8	0.13	1.9	0.062	1.76	4.1	53.4	2.85	639	1.21	3.37	4.8	3.9
B087452		19.7	5.07	16.05	0.10	1.0	0.054	3.07	7.2	24.4	1.37	854	0.24	1.50	3.8	4.3
B087453		5.3	2.79	11.80	0.15	1.8	0.044	5.70	21.1	13.5	0.27	75	1.02	0.06	5.2	1.4
B087454		10.2	2.02	15.70	0.13	2.3	0.026	5.67	22.2	6.2	0.26	49	1.73	0.46	6.6	1.1
B087455		13.2	2.14	10.75	0.15	1.9	0.030	4.64	18.6	4.2	0.31	959	7.56	0.08	5.9	3.0
B087456		92.4	1.94	5.32	0.10	0.8	0.021	0.66	16.0	24.0	0.27	3290	10.95	0.31	2.2	2.0
B087457		41.8	4.42	14.25	0.11	1.2	0.038	2.18	5.4	16.1	1.42	1040	0.45	3.30	4.5	7.0
B087458		31.7	9.60	22.9	0.15	4.1	0.135	0.22	15.2	11.1	1.65	1380	3.33	3.01	8.1	2.3
B087459		110.0	5.36	16.85	0.13	1.3	0.059	1.48	8.7	16.8	1.75	1080	2.67	3.19	11.6	13.7
B087460		319	7.10	15.95	0.15	1.7	0.158	1.55	14.3	28.9	1.74	1580	0.97	2.91	6.8	34.3
B087461		8960	5.78	13.70	0.14	1.0	0.149	3.08	5.2	22.6	2.40	1090	0.91	1.99	4.1	21.8

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: PRETIVM
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 1-SEP-2020
Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.01	Ti % 0.005	Tl ppm 0.02
B088434		450	9.1	63.1	0.002	0.89	2.25	12.3	8	0.6	153.0	0.53	0.56	4.58	0.341	0.85
B087423		480	11.8	76.4	<0.002	0.03	1.01	6.9	1	0.7	130.0	0.50	<0.05	5.95	0.232	0.78
B087424		50	4.8	3.8	<0.002	0.02	0.99	2.7	1	<0.2	3110	<0.05	<0.05	0.13	0.012	0.04
B087425		840	92.4	51.2	0.004	0.12	67.6	7.7	4	0.5	430	0.21	0.06	1.43	0.193	0.39
B087426		1410	10.8	62.1	0.010	0.11	5.42	13.8	3	0.8	409	0.48	0.05	2.68	0.358	0.48
B087427		1100	13.4	71.2	0.007	0.15	3.58	11.1	3	0.7	493	0.42	0.07	2.21	0.270	0.46
B087428		790	3.4	17.0	<0.002	0.02	4.84	34.5	1	0.7	515	0.22	<0.05	1.04	0.561	0.14
B087429		230	16.6	119.0	<0.002	0.80	2.27	5.5	1	1.3	29.7	0.77	0.32	16.90	0.131	0.69
B087430		1010	11.5	145.0	0.004	2.83	1.50	19.5	4	1.4	151.5	0.22	0.19	2.49	0.409	1.00
B087431		1290	15.0	147.5	0.003	6.40	2.22	35.2	7	1.8	26.8	0.12	2.45	1.99	0.291	0.85
B087432		180	11.5	27.4	0.006	0.42	1.73	3.7	1	0.3	403	<0.05	0.19	0.58	0.074	0.15
B087433		40	234	5.7	0.004	9.29	2.44	0.9	3	1.1	28.7	<0.05	30.8	0.12	0.014	0.04
B087434		10	449	1.5	<0.002	>10.0	3.99	0.2	5	0.4	10.3	<0.05	117.0	0.03	<0.005	0.03
B087435		60	212	19.8	0.005	>10.0	0.56	7.2	2	0.3	1670	<0.05	3.99	0.80	0.043	0.12
B087436		580	8.8	78.0	<0.002	0.41	2.29	9.0	1	1.6	459	0.93	0.32	14.75	0.294	0.54
B087437		190	24.0	6.7	0.007	>10.0	1.95	5.0	10	0.5	44.8	0.10	2.58	1.30	0.070	0.06
B087438		230	108.5	57.2	<0.002	1.67	3.02	3.9	5	0.4	245	0.12	0.29	1.27	0.107	1.05
B087439		760	31.3	82.6	<0.002	4.36	14.00	10.1	9	0.7	109.5	0.10	0.32	1.87	0.116	1.50
B087440		1330	8.7	95.8	<0.002	2.19	2.01	17.8	4	0.9	688	0.36	0.08	2.84	0.260	1.77
B087441		800	82.8	129.5	<0.002	1.03	28.4	22.1	7	1.3	249	0.23	0.11	3.03	0.139	3.10
B087442		490	36.5	88.7	<0.002	1.21	6.56	17.9	8	2.4	38.5	0.41	0.33	2.84	0.253	2.34
B087443		1190	15.4	38.6	<0.002	0.54	5.46	21.8	2	0.7	613	0.52	0.51	4.67	0.238	0.61
B087444		920	7.6	135.5	<0.002	0.69	4.37	9.8	5	0.7	164.0	0.43	0.28	3.97	0.232	1.83
B087445		1030	11.5	60.2	<0.002	0.56	16.45	26.0	4	0.8	552	0.39	1.43	3.23	0.327	1.25
B087446		1610	300	29.8	<0.002	0.81	17.05	18.0	2	0.7	521	0.41	1.71	2.93	0.281	0.52
B087447		940	9.8	129.0	<0.002	0.64	8.71	11.2	1	0.6	219	0.46	0.29	4.00	0.192	2.67
B087448		1600	93.2	107.0	0.003	6.19	38.7	22.7	9	1.4	144.5	0.42	23.7	2.42	0.305	2.39
B087449		160	17.4	128.5	<0.002	0.31	9.36	5.2	<1	0.7	10.6	0.37	0.05	6.44	0.169	2.89
B087450		420	11.4	88.2	<0.002	0.78	2.92	3.9	1	1.1	31.7	0.38	<0.05	7.88	0.186	2.60
B087451		1040	10.7	44.5	<0.002	0.23	1.36	37.8	1	1.0	84.3	0.27	<0.05	2.76	0.568	0.87
B087452		810	3.4	83.7	<0.002	0.01	1.06	24.2	<1	0.7	104.0	0.21	<0.05	1.89	0.433	0.48
B087453		510	5.9	105.0	<0.002	0.34	2.86	8.7	1	0.7	22.9	0.34	<0.05	7.37	0.174	1.28
B087454		440	5.5	108.0	<0.002	0.80	3.01	6.9	1	0.7	35.1	0.45	<0.05	9.95	0.195	3.31
B087455		450	25.7	84.0	<0.002	1.53	3.82	5.8	1	0.5	148.5	0.44	<0.05	7.45	0.174	2.40
B087456		230	203	21.6	<0.002	1.34	20.1	5.2	2	0.5	1025	0.15	<0.05	1.78	0.124	0.31
B087457		1390	4.4	41.4	<0.002	0.03	0.49	19.5	1	0.4	640	0.26	<0.05	1.19	0.278	0.27
B087458		1400	3.9	4.8	<0.002	0.15	1.60	35.1	1	2.3	177.5	0.52	<0.05	2.51	1.180	0.06
B087459		2070	3.0	35.5	0.011	0.58	0.70	23.8	3	0.8	797	0.69	0.10	1.60	0.464	0.26
B087460		1750	11.7	50.6	0.003	1.36	5.36	18.9	7	1.6	738	0.42	0.23	2.51	0.360	0.30
B087461		1560	4.5	61.4	<0.002	0.11	2.24	30.5	2	0.6	379	0.26	0.12	1.10	0.263	0.56

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	pXRF-34	pXRF-34	pXRF-34
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Cu %	Pb %	Zn %	Si %	Ti %	Zr ppm
B088434		1.9	104	0.9	10.3	64	73.2					27.5	0.5	140
B087423		3.0	75	0.8	11.9	63	59.5					28.3	0.3	112
B087424		0.1	19	<0.1	23.0	23	2.6					8.5	<0.1	44
B087425		0.9	100	0.9	10.8	283	32.4					24.6	0.2	55
B087426		1.5	174	1.2	12.3	34	53.4					25.1	0.5	118
B087427		1.3	160	0.6	16.0	98	53.4					18.3	0.3	79
B087428		0.5	248	0.3	23.6	91	57.6					20.0	0.5	87
B087429		5.9	63	1.6	13.6	45	66.3					32.2	0.2	84
B087430		1.0	212	46.1	10.9	119	18.8					24.6	0.6	79
B087431		1.7	316	23.9	7.3	20	18.2					24.8	0.7	81
B087432		0.4	75	1.3	10.7	89	4.2					20.1	0.1	21
B087433		0.2	10	4.9	1.8	346	1.2		2.96			31.4	<0.1	11
B087434		0.1	4	0.3	0.3	16	<0.5					35.2	<0.1	14
B087435		0.7	30	17.1	61.6	122	2.2					2.9	0.1	23
B087436		5.6	82	1.7	18.9	31	45.8					27.8	0.4	266
B087437		0.6	78	0.8	4.7	119	8.7		2.20			22.5	0.1	21
B087438		0.7	63	1.3	7.7	223	11.9					31.4	0.2	66
B087439		1.9	79	0.6	6.7	58	30.9					29.2	0.4	89
B087440		1.8	184	1.6	12.8	97	36.3					24.9	0.7	73
B087441		2.2	206	0.8	4.5	127	51.5					29.2	0.7	65
B087442		0.7	240	1.2	2.3	9	35.3					31.8	0.5	71
B087443		2.2	181	0.7	8.1	31	34.1					25.1	0.4	70
B087444		3.0	154	1.4	9.6	21	53.9					33.4	0.6	65
B087445		1.6	248	1.6	9.4	73	32.4					25.0	0.5	62
B087446		1.7	205	1.0	12.1	188	28.5					25.0	0.4	67
B087447		2.3	132	2.9	9.6	151	50.6					25.4	0.4	74
B087448		2.3	207	5.0	8.1	97	36.4					24.3	0.5	67
B087449		2.4	73	1.1	6.0	27	67.2					34.2	0.2	103
B087450		2.6	59	0.6	5.4	11	67.5					31.0	0.4	126
B087451		1.6	358	1.4	10.4	207	75.8					18.9	0.5	88
B087452		0.9	200	0.8	12.1	111	39.8					20.7	0.4	79
B087453		3.1	77	0.9	7.6	27	69.7					31.2	0.3	106
B087454		3.6	64	0.9	8.3	42	90.6					29.5	0.4	139
B087455		3.0	48	0.6	10.8	17	70.8					25.3	0.3	125
B087456		0.9	90	0.4	12.5	139	30.1					11.8	0.2	51
B087457		0.6	151	0.2	13.7	58	39.0					23.1	0.3	73
B087458		1.6	264	0.8	57.2	171	136.5					21.5	1.0	188
B087459		1.0	250	0.6	19.3	68	43.7					22.5	0.5	100
B087460		1.7	218	1.1	16.0	159	55.0					20.5	0.4	87
B087461		1.1	188	0.4	11.2	378	36.9					22.0	0.4	51

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 5 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
B087462		0.86	<0.005		0.16	7.16	10.4	1660	0.78	0.21	2.58	0.05	9.93	23.4	74	1.63
B087463		0.86	0.008		0.05	5.53	32.3	810	0.54	<0.01	9.24	0.06	8.84	14.7	47	3.21
B087464		1.18	0.019		0.53	5.56	22.6	1150	0.70	0.13	0.44	1.22	23.2	14.2	11	4.19
B087465		1.94	0.045		1.04	6.95	6.5	890	0.78	0.04	2.49	0.14	26.0	15.1	8	3.59
B086084		0.86	<0.005		0.09	3.24	8.5	780	0.60	0.06	0.08	0.14	16.05	6.4	17	2.96
B086085		0.94	5.84		9.22	2.95	185.0	300	0.45	37.1	0.07	0.60	13.10	43.5	15	0.95
B086086		1.28	0.270		62.1	2.83	17.0	340	0.35	1.81	0.05	0.88	5.60	27.8	13	0.62
B086087		1.40	0.232		69.7	3.25	114.5	680	0.40	7.07	0.13	1.25	4.85	94.3	9	0.88
B086088		0.70	>10.0	19.85	16.70	1.25	181.0	160	0.31	387	12.20	2.93	12.90	24.6	5	0.45
B086089		1.88	9.20		>100	0.49	131.0	70	0.11	1575	0.35	6.41	8.96	16.7	29	0.13
B086090		0.94	0.047		3.55	2.20	39.3	250	0.24	6.08	0.07	0.04	2.49	44.0	30	0.80
B086091		1.14	2.72		>100	0.05	114.5	40	<0.05	292	0.09	36.0	9.63	27.7	15	<0.05
B086092		0.86	0.006		1.15	7.04	13.7	210	1.13	4.42	0.53	0.14	32.1	4.5	7	6.78
B086093		1.08	0.013		0.78	2.82	38.3	300	0.49	0.50	0.34	0.25	2.60	2.2	9	3.53
B086094		0.72	0.009		1.66	5.97	23.7	980	0.95	1.67	0.35	0.54	10.85	3.8	7	6.83
B086095		1.12	<0.005		0.18	5.14	9.2	630	0.51	0.47	8.41	0.12	22.1	5.6	5	4.89
B086096		1.06	0.009		0.76	1.25	1310	490	0.34	0.24	0.03	0.03	1.18	4.3	25	1.00
B086097		0.66	0.024		19.20	1.60	39.5	990	0.53	0.28	0.22	0.52	6.13	1.9	17	1.42
B086098		0.92	<0.005		0.26	0.48	8.7	130	0.17	1.01	0.03	<0.02	2.45	0.6	37	0.47
B086099		0.82	0.016		1.35	2.72	528	470	0.60	0.08	0.08	2.60	13.95	4.5	20	10.45
B086100		0.98	0.074		4.13	3.21	141.0	1930	0.43	0.49	0.02	0.24	13.50	1.3	23	6.96
B086501		0.96	0.005		0.33	8.10	20.7	2150	0.83	0.09	0.03	0.03	38.2	1.6	4	4.65
B086502		0.64	0.015		3.90	4.60	71.7	770	0.77	0.13	0.02	0.03	25.1	1.8	9	4.35
B086503		0.86	<0.005		0.29	0.78	6.3	80	0.94	0.40	0.73	1.34	7.02	29.7	28	1.14
B086504		0.78	0.037		1.37	8.52	454	770	1.13	0.10	0.08	0.11	16.35	10.4	10	21.2
B086505		0.74	0.009		2.46	2.57	22.6	3180	0.33	0.04	3.98	0.31	7.87	9.1	22	1.50
B086506		0.80	0.894		5.08	4.41	3710	1090	0.92	0.16	7.34	0.79	22.9	8.3	14	5.34
B086507		0.80	0.043		0.59	5.28	849	1330	0.85	0.22	13.45	0.35	17.25	8.2	10	5.00
B086508		0.54	0.483		17.10	5.76	2360	510	0.96	4.05	3.11	3.31	22.3	32.3	13	7.71
B086509		1.14	0.510		4.60	1.79	2640	520	0.33	0.28	0.24	1.50	8.36	1.1	27	1.83
B086510		1.42	0.621		2.57	7.31	1050	630	0.78	0.38	0.16	0.55	13.65	5.2	19	5.62
B086511		0.80	0.691		2.57	7.82	684	230	1.16	2.13	0.35	0.08	23.1	15.0	16	8.47
B086512		1.12	4.08		67.3	1.44	374	100	0.19	30.0	0.01	0.80	3.47	7.4	15	1.10
B086513		1.22	0.523		19.25	1.59	368	230	0.27	10.35	0.01	0.99	9.49	1.4	32	0.95
B086514		1.06	0.506		32.6	2.95	269	370	0.31	2.14	0.02	0.20	7.00	17.0	17	1.73
B086515		1.08	0.798		5.45	6.85	696	1120	0.78	0.90	0.08	0.04	15.80	1.0	22	5.63
B086516		1.26	1.265		4.20	3.05	4010	470	0.41	0.20	0.09	9.80	6.04	2.2	31	2.71
B086061		0.80	0.005		0.21	8.51	30.2	2020	1.16	0.02	2.26	0.05	25.7	1.5	9	4.17
B086062		0.68	0.008		0.17	7.95	31.2	280	1.03	0.05	2.18	0.06	23.7	6.5	5	4.46
B086063		0.90	<0.005		0.12	5.66	28.9	1370	0.63	0.27	1.13	0.07	17.10	2.7	27	2.37

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 5 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
B087462		80.1	4.91	13.00	0.12	0.8	0.039	2.20	5.0	20.2	2.44	1080	0.30	2.57	4.0	27.3
B087463		28.6	4.34	8.88	0.09	0.6	0.028	1.99	4.9	8.9	1.64	1340	0.29	1.06	2.7	17.0
B087464		101.0	5.89	12.70	0.14	1.9	0.047	1.76	8.8	18.7	1.01	985	1.69	1.01	5.3	1.9
B087465		16.0	5.00	13.70	0.15	1.3	0.040	1.40	14.2	64.7	1.12	815	1.88	1.81	4.4	4.7
B086084		3.7	5.11	7.29	0.10	1.3	0.049	1.56	6.7	6.8	0.19	2680	8.07	0.03	3.9	4.1
B086085		1430	16.05	7.06	0.11	0.2	1.425	0.94	6.5	9.1	0.42	16500	2.34	0.05	1.0	7.3
B086086		>10000	12.80	7.44	0.20	0.1	0.287	0.80	2.8	10.5	0.49	1380	16.10	0.02	0.7	5.2
B086087		>10000	18.45	7.73	0.23	0.1	0.038	1.01	2.1	10.3	0.57	891	5.48	0.02	0.6	5.7
B086088		>10000	17.70	3.39	0.10	0.4	3.05	0.63	5.6	1.1	3.03	16350	11.80	0.01	1.0	5.8
B086089		>10000	17.50	1.48	0.09	<0.1	7.00	0.19	4.5	2.6	0.18	1440	30.4	0.01	0.4	4.6
B086090		252	6.56	4.16	0.06	0.6	0.027	1.15	1.1	3.2	0.13	159	6.50	0.02	2.4	2.6
B086091		>10000	28.1	0.59	0.12	<0.1	42.6	0.02	5.0	1.0	0.02	745	4.88	0.01	0.3	5.5
B086092		230	3.62	14.60	0.10	1.5	0.094	2.64	20.1	7.0	0.35	138	3.02	1.82	6.9	0.9
B086093		51.9	19.55	8.10	0.08	0.4	0.025	1.39	1.1	4.5	0.19	133	2.54	0.03	2.1	0.9
B086094		408	7.14	14.05	0.07	1.3	0.157	2.94	5.5	5.1	0.34	202	14.25	0.21	5.4	0.9
B086095		34.6	2.55	9.00	0.07	1.2	0.034	2.08	12.3	8.3	0.32	1010	1.52	0.44	5.0	0.9
B086096		400	2.69	2.90	<0.05	1.2	0.008	0.46	0.7	5.1	0.02	60	1.89	0.04	4.8	2.5
B086097		1770	0.66	3.56	<0.05	0.9	0.022	0.63	3.1	1.7	0.03	104	1.41	0.05	4.8	1.1
B086098		41.4	0.55	1.00	<0.05	1.1	0.009	0.18	1.3	4.7	0.03	89	2.80	0.01	5.9	1.2
B086099		15.8	4.96	7.27	0.06	1.4	0.028	1.52	6.9	17.7	0.23	148	5.00	0.06	3.9	1.4
B086100		90.3	2.56	7.06	0.08	0.9	0.049	2.89	5.9	12.1	0.17	76	2.42	0.03	1.8	1.6
B086501		8.4	3.53	17.95	0.12	2.5	0.041	4.74	22.1	4.9	0.28	36	0.79	0.07	7.1	0.6
B086502		25.5	6.50	10.30	0.12	1.4	0.026	2.22	13.7	10.7	0.28	87	3.59	1.28	3.9	0.9
B086503		115.0	1.09	1.30	0.07	0.2	0.040	0.26	3.2	23.2	0.09	954	1.90	0.02	0.7	10.8
B086504		16.1	5.42	17.25	0.13	1.5	0.049	4.47	6.8	13.8	0.79	110	1.25	0.52	4.2	2.2
B086505		65.3	3.14	5.02	0.08	0.6	0.020	1.25	3.9	17.9	0.56	1220	1.19	0.03	1.9	7.3
B086506		64.2	2.89	10.40	0.10	0.8	0.043	2.74	11.2	9.0	0.43	1100	2.74	0.15	2.9	6.1
B086507		72.8	4.21	11.65	0.10	1.0	0.036	2.70	7.6	13.2	0.81	2120	0.38	0.76	3.3	5.9
B086508		285	7.32	14.30	0.12	0.9	0.072	3.82	9.7	5.0	1.26	1590	2.83	0.04	3.1	9.7
B086509		35.9	2.10	3.58	0.08	0.3	0.030	1.10	5.1	12.2	0.10	106	4.22	0.02	1.6	1.8
B086510		29.1	3.30	14.05	0.13	1.3	0.028	4.34	7.2	7.0	0.44	163	1.33	0.07	4.9	5.6
B086511		15.7	6.55	19.05	0.16	1.3	0.037	4.77	11.9	6.0	0.54	169	1.65	0.04	5.0	9.6
B086512		79.9	20.9	3.57	0.29	0.2	0.080	0.77	1.9	5.1	0.11	95	2.64	0.01	0.9	1.6
B086513		31.6	1.61	4.10	0.05	0.1	0.035	0.92	5.3	11.9	0.10	102	4.50	0.02	0.8	1.7
B086514		39.9	22.7	5.66	0.28	0.4	0.052	1.82	3.6	3.5	0.23	109	1.40	0.02	1.8	3.2
B086515		14.5	3.95	18.75	0.12	1.2	0.075	4.03	9.0	6.4	0.52	156	2.63	0.04	5.2	1.3
B086516		709	2.58	6.37	0.09	0.4	0.115	1.48	2.8	10.9	0.28	169	2.19	0.01	3.8	2.6
B086061		9.3	3.46	18.25	0.14	1.4	0.041	2.31	13.3	2.9	0.28	324	1.54	2.41	8.3	0.5
B086062		14.7	3.97	17.50	0.15	1.4	0.037	2.46	10.9	2.6	0.32	309	1.52	2.01	8.1	0.6
B086063		8.3	3.36	12.60	0.11	0.7	0.032	1.79	9.6	16.2	0.62	536	2.50	1.05	5.2	1.2

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 5 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		P ppm 10	Pb ppm 0.5	Rb ppm 0.1	Re ppm 0.002	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 1	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.05	Te ppm 0.05	Th ppm 0.01	Ti % 0.005	Tl ppm 0.02
B087462		1620	2.9	37.8	<0.002	0.02	1.36	31.2	<1	0.5	346	0.24	<0.05	1.05	0.269	0.40
B087463		1060	2.4	61.4	<0.002	0.12	7.81	21.7	1	0.3	481	0.16	<0.05	0.85	0.179	0.38
B087464		1190	21.8	61.7	<0.002	0.27	4.12	12.4	1	0.8	48.5	0.30	<0.05	2.23	0.381	1.13
B087465		1000	21.6	47.9	<0.002	0.84	4.42	15.2	1	0.7	115.0	0.27	<0.05	2.57	0.425	0.33
B086084		60	12.1	44.9	<0.002	0.01	8.18	6.0	1	0.7	25.1	0.21	<0.05	1.46	0.173	0.45
B086085		340	85.6	31.6	0.002	5.88	4.08	10.5	4	0.6	76.5	<0.05	0.11	0.50	0.143	0.18
B086086		220	14.7	30.2	<0.002	2.93	1.31	7.2	48	0.3	8.3	<0.05	0.40	0.31	0.073	0.19
B086087		160	55.6	39.1	0.003	>10.0	3.27	5.1	64	<0.2	16.2	<0.05	2.75	0.23	0.070	0.26
B086088		270	341	22.6	0.006	>10.0	5.15	6.0	5	0.4	623	0.05	3.20	0.84	0.059	0.13
B086089		70	773	6.2	<0.002	>10.0	1.19	1.5	4	0.7	14.9	<0.05	4.24	0.14	0.012	0.05
B086090		120	10.5	41.9	0.005	6.29	1.57	4.4	7	0.6	6.2	0.14	2.75	1.49	0.097	0.22
B086091		<10	171.5	0.6	<0.002	>10.0	0.64	0.6	5	3.0	4.7	<0.05	1.85	0.11	<0.005	<0.02
B086092		1530	24.2	84.5	<0.002	3.31	1.68	8.0	<1	0.7	204	0.44	0.11	3.56	0.282	0.33
B086093		250	55.1	46.7	0.007	>10.0	2.02	3.4	1	0.3	178.0	0.15	<0.05	0.50	0.069	0.37
B086094		530	49.4	96.5	0.003	6.37	4.39	6.9	1	0.6	126.0	0.35	<0.05	2.53	0.224	0.45
B086095		640	8.6	71.4	<0.002	2.11	2.87	5.6	1	0.5	397	0.32	<0.05	3.10	0.207	0.27
B086096		20	8.0	16.6	<0.002	2.33	30.7	0.5	1	1.1	16.7	0.35	<0.05	1.70	0.221	0.15
B086097		620	3.6	25.8	<0.002	0.15	131.0	1.0	1	1.5	22.5	0.30	<0.05	1.88	0.181	0.22
B086098		50	2.2	6.3	<0.002	0.02	5.86	0.2	<1	0.6	5.8	0.36	<0.05	1.23	0.188	0.07
B086099		360	27.8	78.0	<0.002	0.14	23.7	7.2	1	0.5	43.5	0.22	<0.05	2.92	0.143	2.12
B086100		170	88.2	139.0	0.007	0.56	22.4	11.0	1	0.4	196.5	0.08	<0.05	1.20	0.231	2.46
B086501		270	14.5	95.9	<0.002	0.54	4.92	9.1	<1	0.9	39.4	0.55	<0.05	10.65	0.222	1.69
B086502		690	68.6	89.4	<0.002	0.95	14.50	6.1	1	0.7	120.5	0.30	0.11	5.66	0.163	2.67
B086503		90	5.1	9.8	<0.002	0.04	0.95	1.3	<1	<0.2	42.1	<0.05	<0.05	0.36	0.019	0.27
B086504		790	36.6	190.5	<0.002	1.16	9.25	25.7	<1	0.8	14.9	0.27	<0.05	2.78	0.434	0.87
B086505		420	5.5	51.9	<0.002	0.17	46.8	5.2	<1	0.3	199.5	0.10	<0.05	0.86	0.089	0.72
B086506		720	61.8	137.5	<0.002	1.84	106.5	9.8	2	0.4	230	0.17	0.34	1.42	0.139	6.03
B086507		810	28.0	141.5	<0.002	2.36	28.0	10.3	1	0.5	835	0.20	0.20	1.57	0.164	3.07
B086508		840	255	199.5	<0.002	4.97	124.0	10.8	3	0.7	217	0.20	10.90	1.55	0.159	8.50
B086509		240	581	49.5	0.002	1.01	103.0	4.5	3	0.3	31.4	0.09	1.47	0.79	0.073	3.95
B086510		760	17.0	156.0	<0.002	2.15	45.7	13.6	1	0.5	145.0	0.25	2.30	2.30	0.231	11.15
B086511		1320	14.9	248	<0.002	6.10	44.7	15.2	2	0.5	26.6	0.26	4.57	2.38	0.242	14.05
B086512		90	217	42.3	<0.002	>10.0	169.5	2.3	76	0.3	4.4	<0.05	40.2	0.21	0.033	1.10
B086513		150	286	42.8	<0.002	0.33	52.8	3.1	2	0.3	11.3	<0.05	7.93	0.35	0.028	0.90
B086514		40	98.4	90.2	0.002	>10.0	89.9	4.2	62	0.5	11.6	0.08	16.05	0.42	0.082	2.51
B086515		450	13.4	200	<0.002	0.60	37.4	13.6	6	0.6	36.6	0.26	2.79	1.95	0.251	6.54
B086516		560	302	70.1	<0.002	1.26	105.5	10.7	4	0.3	47.1	0.18	1.48	0.81	0.115	1.34
B086061		1150	10.2	64.9	<0.002	0.77	2.35	9.0	3	0.8	568	0.45	0.33	4.19	0.363	0.26
B086062		1060	11.1	67.7	0.002	3.01	2.30	8.9	3	0.7	458	0.43	0.70	3.58	0.365	0.30
B086063		720	10.8	50.3	<0.002	0.94	10.25	6.4	1	0.7	307	0.26	0.61	2.31	0.244	0.90

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	pXRF-34	pXRF-34	pXRF-34
		U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Ag ppm	Cu %	Pb %	Zn %	Si %	Ti %	Zr ppm
B087462		0.6	190	0.5	9.3	59	28.6					22.1	0.3	50
B087463		0.4	140	2.4	8.6	44	21.9					18.8	0.2	39
B087464		1.2	112	4.2	18.9	179	71.2					27.4	0.4	131
B087465		1.0	180	2.4	11.2	123	47.5					23.0	0.5	80
B086084		1.1	16	0.5	11.4	44	46.2					33.0	0.2	84
B086085		0.9	87	68.9	4.8	65	6.1					24.0	0.2	22
B086086		2.3	94	3.2	3.5	186	5.3		8.22			23.5	0.1	<5
B086087		1.0	97	4.0	3.4	111	3.2		7.49			19.7	0.2	<5
B086088		1.6	85	5.1	17.6	177	10.6		1.165			3.9	0.1	21
B086089		0.2	16	2.4	1.8	219	1.1	270	2.18			24.5	<0.1	10
B086090		0.8	60	1.1	2.8	14	21.4					35.0	0.1	42
B086091		0.3	1	0.3	2.7	1710	0.8	190	11.75			11.6	<0.1	<5
B086092		2.1	86	0.9	13.8	32	51.4					29.7	0.4	99
B086093		0.6	34	0.4	3.6	277	9.6					24.1	0.1	33
B086094		2.5	79	1.4	6.8	83	42.0					29.5	0.4	76
B086095		2.2	67	0.5	11.0	29	38.4					25.2	0.3	64
B086096		1.4	18	2.3	2.0	7	37.1					42.3	0.3	62
B086097		2.1	24	1.5	3.6	47	25.6					44.2	0.2	53
B086098		1.1	4	1.2	1.7	7	36.0					46.8	0.2	67
B086099		3.5	69	1.1	4.5	136	59.8					33.6	0.2	65
B086100		1.3	132	1.7	3.1	23	31.4					36.3	0.3	36
B086501		3.9	126	0.8	8.3	24	91.4					28.0	0.3	141
B086502		2.2	72	1.0	5.4	38	53.1					28.7	0.2	88
B086503		0.2	9	0.3	9.0	81	4.9					44.3	<0.1	6
B086504		1.1	132	5.2	7.4	58	56.6					23.9	0.5	75
B086505		0.8	50	1.7	6.4	35	16.9					31.7	0.2	25
B086506		1.1	89	4.2	12.4	108	35.6					25.2	0.2	44
B086507		1.2	101	7.3	6.5	63	37.1					16.3	0.2	58
B086508		1.3	112	5.4	9.3	416	30.8					23.2	0.2	48
B086509		0.4	34	3.1	1.6	124	8.5					40.8	0.1	25
B086510		2.0	144	2.5	5.7	43	41.7					29.3	0.4	64
B086511		1.9	160	2.6	11.6	25	43.8					28.1	0.3	59
B086512		0.3	32	0.6	1.6	74	6.7					26.4	<0.1	9
B086513		0.2	43	0.4	2.7	135	4.0					42.8	<0.1	6
B086514		0.5	71	1.0	2.1	21	12.1					21.9	0.1	16
B086515		1.6	151	2.2	3.7	24	39.7					28.0	0.3	62
B086516		0.4	82	2.6	4.0	415	14.3					37.4	0.1	26
B086061		2.3	108	0.7	14.5	51	40.9					27.1	0.5	111
B086062		2.0	112	0.8	14.8	46	45.4					27.3	0.5	108
B086063		1.0	73	0.4	9.4	40	20.4					33.7	0.3	69

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 6 - A
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	WEI-21	Au-AA23	Au-GRA21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	
		0.02	0.005	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
B086064		0.88	0.278		0.09	7.42	97.8	3030	1.16	0.42	0.06	0.02	24.0	0.8	6	4.79
B086065		0.98	0.035		1.18	5.33	27.8	1660	0.46	0.12	1.55	0.04	6.07	2.1	13	14.10
B086066		0.68	0.149		0.33	8.62	57.6	140	1.14	1.44	0.02	0.07	19.85	6.6	6	12.35

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 6 - B
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
B086064		9.6	3.04	16.30	0.12	1.2	0.034	1.61	15.6	16.3	0.38	55	6.43	0.36	8.2	0.5
B086065		26.2	1.02	9.99	0.11	0.9	0.009	2.26	2.5	8.6	0.12	461	8.11	0.19	13.4	0.8
B086066		8.8	4.35	20.1	0.15	1.2	0.125	3.44	8.8	7.4	0.43	56	5.01	0.22	9.1	1.3

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 6 - C
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm	Ti %	Tl ppm
B086064		420	28.3	44.6	<0.002	0.15	21.0	10.4	2	1.3	147.5	0.37	0.54	2.57	0.300	0.41
B086065		640	6.8	84.8	0.004	0.77	23.1	7.8	3	2.6	98.5	0.31	0.20	1.33	0.242	1.33
B086066		70	6.6	136.5	0.009	4.85	18.85	16.5	3	2.3	57.5	0.40	0.35	2.53	0.376	2.26

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: PRETIVM
 SUITE 2300, FOUR BENTALL CENTRE
 1055 DUNSMUIR STREET
 VANCOUVER BC V7X 1L4

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-SEP-2020
 Account: PREBOW

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	pXRF-34	pXRF-34	pXRF-34
		U ppm 0.1	V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	Ag ppm 1	Cu % 0.001	Pb % 0.001	Zn % 0.001	Si % 0.5	Ti % 0.1	Zr ppm 5
B086064		1.6	95	1.2	7.1	7	40.1					33.0	0.4	93
B086065		0.7	79	1.7	4.5	9	31.7					34.9	0.3	66
B086066		1.9	130	1.6	9.5	40	37.1					27.8	0.5	91

Comments: Due to sample matrix B086287 and B086301 are not suitable for pXRF-34 method.

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **PRETIVM**
SUITE 2300, FOUR BENTALL CENTRE
1055 DUNSMUIR STREET
VANCOUVER BC V7X 1L4

Page: **Appendix 1**
 Total # Appendix Pages: **1**
 Finalized Date: **1-SEP-2020**
 Account: **PREBOW**

Project: Bowser Regional Project

CERTIFICATE OF ANALYSIS VA20179664

CERTIFICATE COMMENTS																					
	ANALYTICAL COMMENTS																				
Applies to Method:	REEs may not be totally soluble in this method. ME-MS61																				
	LABORATORY ADDRESSES																				
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.																				
	<table border="0"> <tr> <td>Ag-OG62</td> <td>Au-AA23</td> <td>Au-GRA21</td> <td>BAG-01</td> </tr> <tr> <td>CRU-31</td> <td>CRU-QC</td> <td>Cu-OG62</td> <td>LOG-21</td> </tr> <tr> <td>ME-MS61</td> <td>ME-OG62</td> <td>Pb-OG62</td> <td>PUL-32m</td> </tr> <tr> <td>PUL-QC</td> <td>pXRF-34</td> <td>SPL-21</td> <td>WEI-21</td> </tr> <tr> <td>Zn-OG62</td> <td></td> <td></td> <td></td> </tr> </table>	Ag-OG62	Au-AA23	Au-GRA21	BAG-01	CRU-31	CRU-QC	Cu-OG62	LOG-21	ME-MS61	ME-OG62	Pb-OG62	PUL-32m	PUL-QC	pXRF-34	SPL-21	WEI-21	Zn-OG62			
Ag-OG62	Au-AA23	Au-GRA21	BAG-01																		
CRU-31	CRU-QC	Cu-OG62	LOG-21																		
ME-MS61	ME-OG62	Pb-OG62	PUL-32m																		
PUL-QC	pXRF-34	SPL-21	WEI-21																		
Zn-OG62																					

Appendix IV. Flight Ticket from Yellowhead Helicopters



FLIGHT TICKET

108854

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE AUG 08 2020 NON-REV
MONTH DAY YEAR

CUSTOMER INFORMATION

NAME PRETIUM
 ADDRESS _____
 CITY _____
 PROV _____ POSTAL / STATE _____ ZIP CODE _____ TEL _____
 CONTACT PERSON _____
 P.O. No. / RE. No. _____
 CONTRACT No. _____

AIRCRAFT / CREW INFORMATION

LOCATION STEWART BASE CODE 50
 A/C REG C9NME A/C TYPE AS350 USE CODE 45
 PILOT 1 RYAN MALAFFY
 PILOT 2 _____
 ENGINEER NAMES _____

DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS	CUSTOMER CODES	START TIME	END TIME	HOURS
<u>CZST → FLEW 4 CREWS INTO LONG LAKE/SALMON AREA + RETURN</u>		<u>1023</u>		<u>.4</u>
<u>→ PICK UP IN AFTERNOON</u>			<u>1639</u>	<u>.4</u>

DAANGEROUS GOODS TRANSPORTED (CHECK / COMPLETE ALL APPLICABLE)

NO YES

(THE PILOT IN COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS.

LIMITED ACCESS

PILOT-IN-COMMAND RESPONSIBILITIES

UN #	CLASS	SHIPPING NAME	QTY

TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS	<u>0.8</u>
TOTAL BILLABLE HOURS	<u>0.8</u>
PILOT MINIMUMS	
ENGINEER MINIMUMS	

OTHER CHARGES	PILOT	ENG	LOCATION	AMOUNT	ITEM	LOCATION	HRS/QTY	RATE	AMOUNT
BREAKFAST				ACCOUNTING USE ONLY	CUSTOMER SUPPLIED FUEL			\$0.00	\$0.00
LUNCH					CUSTOMER SUPPLIED FUEL			\$0.00	\$0.00
DINNER					YHL FUEL	<u>CZST</u>	<u>0.8</u>	ACCOUNTING USE ONLY	ACCOUNTING USE ONLY
ACCOMMODATION					YHL FUEL				
VEHICLE					YHL FUEL				
TRAILER / SUPTANK					OIL ENVIRONMENTAL FEE	<u>CZST</u>	<u>0.8</u>		
ENVIRO TANK					LANDING FEE				
OTHER					LANDING FEE				

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$100 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN _____ AUTHORIZED SIGNATURE _____ PILOT SIGNATURE _____
WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT



FLIGHT TICKET

108856

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE AUG 09 2020 NON-REV
MONTH DAY YEAR

CUSTOMER INFORMATION

NAME PRETIUM

ADDRESS _____

AIRCRAFT / CREW INFORMATION

LOCATION STEWART BASE CODE 50
 A/C REG FIEM A/C TYPE A5350 USE CODE 45
 PILOT 1 RYAN MAHAFFY
 PILOT 2 _____
 ENGINEER NAMES _____

CITY _____
 PROV _____ POSTAL / STATE _____ ZIP CODE _____ TEL _____

CONTACT PERSON _____
 P.O. No. / RE No. _____
 CONTRACT No. _____

DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS	CUSTOMER CODES	START TIME	END TIME	HOURS
<u>C2ST -> DROP OFF CREW + SALMON + RETURN</u>		<u>0940</u>		<u>.4</u>
<u>-> PICK UP CREW + RETURN</u>			<u>1610</u>	<u>.4</u>

DANGEROUS GOODS TRANSPORTED (CHECK / COMPLETE ALL APPLICABLE) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <small>(THE PILOT IN COMMAND CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS)</small>	<input type="checkbox"/> 22.9 LIMITED ACCESS	PILOT-IN-COMMAND RESPONSIBILITIES			TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>- 8</u>
		<small>INITIALS</small>	<small>UN #</small>	<small>CLASS</small>	<small>SHIPPING NAME</small>
<small>AIRWAYBILL NO. (IF APPLICABLE)</small>					PILOT MINIMUMS ENGINEER MINIMUMS

OTHER CHARGES	PILOT	ENG	LOCATION	AMOUNT	ITEM	LOCATION	HRS/QTY	RATE	AMOUNT
BREAKFAST				ACCOUNTING USE ONLY	CUSTOMER SUPPLIED FUEL			\$ 0.00	\$ 0.00
LUNCH					CUSTOMER SUPPLIED FUEL			\$ 0.00	\$ 0.00
DINNER					YHL FUEL	<u>C2ST</u>	<u>.8</u>		
ACCOMMODATION					YHL FUEL				
VEHICLE					YHL FUEL				
TRAILER / SUIPTANK					OIL ENVIRONMENTAL FEE	<u>C2ST</u>	<u>.8</u>		
ENVIRO TANK					LANDING FEE				
OTHER					LANDING FEE				

TERMS: NET 30 DAYS FROM INVOICE DATE, INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA, AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

PRINT NAME OF PERSON AUTHORIZED TO SIGN _____ AUTHORIZED SIGNATURE  PILOT SIGNATURE _____

WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT



FLIGHT TICKET

108858

P.O. BOX 190, VALEMOUNT, B.C. V0E 2Z0 • TEL 250-566-4401 • FAX 250-566-4333 • EMAIL tickets@yhl.ca

DATE AUG 10 2020 NON-REV
MONTH DAY YEAR

CUSTOMER INFORMATION

NAME PRETIUM
 ADDRESS _____
 CITY _____
 PROV _____ POSTAL / STATE _____ ZIP CODE _____ TEL _____
 CONTACT PERSON _____
 P.O. No. / RE. No. _____
 CONTRACT No. _____

AIRCRAFT / CREW INFORMATION

LOCATION STEWART BASE CODE SU
 A/C REG FIEM A/C TYPE A335U USE CODE 45
 PRINT PILOT 1 RYAN MALAFFY
 PRINT PILOT 2 _____
 PRINT ENGINEER NAMES _____

DESCRIPTION OF SERVICE PROVIDED AND PASSENGERS	CUSTOMER CODES	START TIME	END TIME	HOURS
<u>ZST -> FLEW CREW INTO SALMON R. + RETURN</u>	<u>CAHO</u>			<u>-4</u>
<u>-> PICK UP CREW IN AFTERNOON + RETURN</u>			<u>1605</u>	<u>-4</u>

DAANGEROUS GOODS TRANSPORTED (CHECK / COMPLETE ALL APPLICABLE) <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES <small>(THE PILOT-IN-COMMAND) CERTIFY ALL DANGEROUS GOODS HAVE BEEN ACCEPTED, INSPECTED, LOADED AND SECURED IN ACCORDANCE WITH THE APPROVED INSTRUCTIONS</small>	<input type="checkbox"/> LIMITED ACCESS	PILOT-IN-COMMAND RESPONSIBILITIES			TOTAL FLIGHT HOURS AIRCRAFT MINIMUMS <u>+8</u>														
	<table border="1"> <thead> <tr> <th>UN #</th> <th>CLASS</th> <th>SHIPPING NAME</th> <th>QTY</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>	UN #	CLASS	SHIPPING NAME	QTY													TOTAL BILLABLE HOURS <u>+8</u>	
UN #	CLASS	SHIPPING NAME	QTY																

OTHER CHARGES	PILOT	ENG	LOCATION	AMOUNT	ITEM	LOCATION	HRS/QTY	RATE	AMOUNT
BREAKFAST				ACCOUNTING USE ONLY	CUSTOMER SUPPLIED FUEL			\$0.00	\$0.00
LUNCH					CUSTOMER SUPPLIED FUEL			\$0.00	\$0.00
DINNER					YHL FUEL	<u>ZST</u>	<u>-8</u>	ACCOUNTING USE ONLY	ACCOUNTING USE ONLY
ACCOMMODATION					YHL FUEL				
VEHICLE					YHL FUEL				
TRAILER / SUPTANK					OIL ENVIRONMENTAL TIE	<u>ZST</u>	<u>-8</u>		
ENVIRO TANK					LANDING FEE				
OTHER					LANDING FEE				

TERMS: NET 30 DAYS FROM INVOICE DATE. INTEREST AT 18% PER ANNUM CHARGED ON OVERDUE ACCOUNTS.
 NOTICE OF LIMITATION OF LIABILITY: THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN THE YELLOWHEAD HELICOPTERS LTD. TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO \$1.00 PER KILOGRAM) FILED WITH THE CTA. AN EXTRACT OF WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICES OF YELLOWHEAD HELICOPTERS LTD.

Andrew Wilkins

PRINT NAME OF PERSON AUTHORIZED TO SIGN AUTHORIZED SIGNATURE PILOT SIGNATURE
 WHITE - ACCOUNTING CANARY - INVOICE BLUE - CUSTOMER PINK - MISC GREEN - PILOT

Appendix V. Cost Statement

APPENDIX V

Cost Statement

SUMMARY

Personnel	\$	8,575.00
Food & Accommodation	\$	1,000.00
Assays	\$	1,708.00
Helicopter Support + Fuel	\$	7,134.90
TOTAL COST	\$	18,417.90

Geologists, Geotechnicians, and Food & Accommodation Costs

Personnel	Position	Rate	Dates Worked		Total Days	Total
			From	To		
Jeff Auston	Project Geologist	\$ 450.00	7-Aug-20	10-Aug-20	4	\$ 1,800.00
Andy Flower	Geologist	\$ 400.00	7-Aug-20	10-Aug-20	4	\$ 1,600.00
Brock Duncan	Geotechnician	\$ 300.00	7-Aug-20	10-Aug-20	4	\$ 1,200.00
Nick Stewart	Geotechnician	\$ 350.00	7-Aug-20	10-Aug-20	4	\$ 1,400.00
Mark Chatten	Geotechnician	\$ 325.00	7-Aug-20	10-Aug-20	4	\$ 1,300.00
Corey James	Author	\$ 425.00	19-Oct-20	21-Oct-20	3	\$ 1,275.00

Food and Accommodation costs: 1 day @ \$50 per person/day

\$ 1000.00

Total

\$9,575.00

Assay Costs - ALS Canada Ltd.

Assays Certificate & Invoice Number	PO Number	Number of Samples	Net Price
VA20179661	BRX-001	31	\$ 868.00
VA20179664	BRX-002	24	\$ 840.00

Helicopter Costs - Yellowhead Helicopters Ltd.

Flight Ticket	Hours	Date	Cost
099125	1.0	07-Aug-20	\$ 2098.50
108854	0.8	08-Aug-20	\$ 1678.80
108856	0.8	09-Aug-20	\$ 1678.80
108858	0.8	10-Aug-20	\$ 1678.80

Appendix VI. Statement of Qualification

I, Corey August James, of 7 Bluestone Road, Halifax, Nova Scotia, Canada, hereby certify that:

1. I am a graduate of Memorial University with a B.Sc (Hons) Earth Sciences, 2017
2. I have been employed in the geoscience industry since 2016 in British Columbia, Newfoundland and Labrador, and Nova Scotia.
3. I am not aware of any material fact or material change with respect to the subject matter of the technical report that is not reflected in the report, the omission to disclose which makes the technical report misleading.
4. I am an employee of Pretium Exploration Inc. I have been employed in exploration on behalf of Pretium Exploration Inc. since June of 2018.
5. I am an author of the report entitled; “2020 Prospecting and Soil Sampling Program on the Cascade Property” dated October 26, 2020. I worked on the work program reported on herein.

Dated at Halifax, Nova Scotia, this 26th day of October 2020.

Respectfully submitted,

A handwritten signature in black ink that reads "Corey James". The signature is written in a cursive, flowing style.

Corey August James, B.Sc

Field Geologist Credentials

Jeffrey Auston

Carleton University, Geological and Earth Sciences, B.Sc., 2013

Northern Alberta Institute of Technology, Geological Technology, Diploma, 2008

Andrew Flower

St. Francis Xavier University, Geological Sciences, M.Sc., 2018

St. Francis Xavier University, Earth Sciences, B.Sc., 2016