



BC Geological Survey
Assessment Report
39344



Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geochemical

TOTAL COST: \$15,965

AUTHOR(S): D. Cremonese, P.Eng.

SIGNATURE(S):

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2019

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5819806

Nov. 30, 2020

PROPERTY NAME: Pacifico

CLAIM NAME(S) (on which the work was done): 1057256

COMMODITIES SOUGHT: Co, Mn

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Nanaimo

NTS/BCGS: 92L13W

LATITUDE: 50 ° 49 ' 14 " LONGITUDE: 127 ° 48 ' 14 " (at centre of work)

OWNER(S):

1) Silver Grail Resources Ltd.

2)

MAILING ADDRESS:

2130 Crescent Road

Victoria, BC V8S 2H3

OPERATOR(S) [who paid for the work]:

1) As Above

2)

MAILING ADDRESS:

As Above

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Late Triassic, Karmutsen Formation, basalt, hyaloclastite, cobalt, manganese, copper

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 38141

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (Incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt 64 stream sediment samples: 30 element ICP	Pacifico (#1057256)	\$15,964	
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core			
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
		TOTAL COST:	\$15,965

ASSESSMENT REPORT
ON
GEOCHEMICAL WORK
ON THE FOLLOWING CLAIMS

Pacifico
#1057256

Pacifico Property

STATEMENTS OF WORK - #5819806

Located
35 KM WEST OF
PORT HARDY, BC (By Road)
NANAIMO MINING
DIVISION

50 degrees 49 minutes latitude
127 degrees 48 minutes longitude
MAPSHEETS 92L/13

PROJECT PERIOD: October 2 to November 30, 2019

ON BEHALF OF
SILVR GRAIL RESOURCES LTD.
VICTORIA, B.C.

REPORT BY

D. Cremonese, P. Eng.
2130 Crescent Road, Victoria, BC

Date: March 16, 2021

TABLE OF CONTENTS

	Page
1 . INTRODUCTION	
A. Property, Location, Access and Physiography	3
B. Status of Property	3
C. History	3
D. References	4
E. Summary of Work Done	4
2. TECHNICAL DATA AND INTERPRETATION	5
A. Regional Geology	5
B. Geochemistry – Rock and Soil	5
a. Introduction	5
b. Treatment of Data	5
C. Discussion	6
D. Field Procedure, Core Details and Laboratory Technique	7
E. Conclusions	7

APPENDICES

- I Work Cost Statement
- II Certificate of Qualification
- III GPS Sample Data
- IV Assay Certificates

ILLUSTRATIONS

Fig. 1	Location Map	Report Body
Fig. 2	Claims Map	Report Body
Fig. 3	Geology Map	Report Body
Fig. 4	Stream Sediments – Co Values (ppm)	Report Body
Fig. 5	Stream Sediments – Mn Values (ppm)	Report Body

1. INTRODUCTION

A. Property, Location, Access and Physiography

The Pacifico property is located at the northern end of Vancouver Island about 35 km west of Port Hardy by road, the Cape Scott Windfarm is 12 km to the west. Nearest large city is Nanaimo, 326 km to the southeast. Access to the property is by a well-maintained series of forestry roads from Hwy 19. More remote areas of the property can be accessed by helicopter.

Climate in the area is relatively mild, with cool, wet weather for most of the year and dryer spells in the summer months. Vegetation consists of a thick underbrush consisting of salal, alder and occasional devil's club with abundant windfall in places; forest cover is primarily hemlock, yellow cedar and red cedar.

B. Status of Property

Because of favourable results over the past two years the Pacifico property has now grown to six claims. Information is found below:

Name	Tenure Number	Current Expiry Date	Area (ha)
Pacifico	1057256	2020/Oct/08	1531.45
Pacifico 2	1057459	2021/Jun/23	326.68
Pacifico 4	1069292	2021/Jun/23	612.31
Pacifico 5	1069293	2021/Jun/23	530.83
Copper 1	1072895	2020/Nov/23	285.97
Copper 2	1072898	2020/Nov/23	245.07
Copper 3	1072901	2020/Nov/23	40.86

Claim locations for the property are shown on Fig. 2. Legal title presently rests with Teuton Resources Corp. but Silver Grail Resources owns a 100% beneficial title.

C. History

The author was unable to find any record of historical work done on the property. However, some minor work was undertaken nearby, to the south of property on the former King claims. This work carried out in 1989 and 1993 consisted of prospecting and soil sampling in an area north and northeast of Lake of the Mountains. Prospecting crews discovered some minor occurrences containing copper mineralization with some samples reporting gold values. The soil geochem survey, conducted over a grid and consisting of over 400 samples, returned some weak, gold

anomalies and no base metal anomalies. A small number of isolated manganese anomalies were also detected, often associated with anomalous cobalt values.

The present work in the immediate area of the Pacifico claims was occasioned by three highly anomalous stream samples taken during a 1989 regional government geochem survey (mossmat sampling). One of them ran 580 ppm cobalt. Manganese values were also very high.

This work led to a follow-up geochemical sampling program in 2018 consisting of silt sampling as well as a small soil geochemical program over a grid and along some of the roads criss-crossing the area of interest on the property. Results confirmed and extended the highly anomalous cobalt values discovered in the BC regional survey as well as outlining some other areas anomalous in copper (Assessment Report #38141).

D. References

BILQUIST, RON (1990); “Prospecting Report on the King Mineral Claims, North Vancouver Island, BC”; Assessment Report #20,183 on file with BCMEMPR.

CREMONESE, D., P. ENG. (2019): “Assessment Report on Geochemical Work on the Pacifico and Pacifico 2 Claims”, Assessment Report #38141 on file with BCMEMPR.

DASLER, PETER (1993); “Geochemical Assessment Report on the King Mineral Claims, North Vancouver Island, BC for Westward Explorations Ltd.”; Assessment Report #22846 on file with BCMEMPR.

GRAVEL, J. L and MATYSEK, P.F. (1989): 1988 Regional Geochemical Survey, Northern Vancouver Island and Adjacent Mainland (92E, 92K, 92L, 102I), B. C. Ministry of Energy, Mines and Petroleum Resources, Geological Fieldwork 1988, Paper 1989-1, pp. 585-591.

GRAVEL, J.L, P.F. MATYSEK, P.F, DAY, S.J., SIBBICK, S, JACKAMAN, W. (2008) “A Multi-Media Analysis of Stream Geochemistry on Vancouver Island, BC: Implications for Mineral Exploration” Geofile 2008-8 BC Geological Survey, BCMEMPR

E. Summary of Work Done.

The 2019 Pacifico program was carried out in October of 2019. Two geochemical samplers, Cody Gustafson and Curtis Woods, supplied by contractor Ridgeline Exploration Services travelled to Vancouver Island by ferry and then up the east coast to Port Hardy where they were met by Barry Holmes who had travelled from Crofton BC. Mr. Holmes supervised the sampling program as he was familiar with the layout of most of the old logging roads on the property having sampled it the previous year. All three stayed in a hotel in Port Hardy and made daily trips 35 km into the property by truck

Altogether 64 silt samples were taken during the program. Traversing the stream courses proved difficult as the property has thick undergrowth and extensive windfall. Samples were run by MSA Labs in Langley by ICP. Many highly anomalous cobalt and manganese results were recorded; manganese overlimits (in excess of 50,000 ppm) were checked by geochem assay.

2. TECHNICAL DATA AND INTERPRETATION

A. Regional Geology

The Pacifico property is primarily underlain by the Karmutsen Formation composed of upper Triassic rocks consisting mostly of light to dark green basalts. Low-grade metamorphism has resulted in extensive chloritization and amygdules filled with epidote, carbonate, chlorite and quartz.

Geology is presented in this report in Fig. 3. Some hyaloclastite units have been mapped in the southwestern portion of the Pacifico property.

B. Geochemistry – Rock and Soil

a. Introduction

Locations for all of the stream sediment samples taken during the October, 2019 trip to the property were fixed with GPS handheld units. GPS coordinates are enumerated in this report in Appendix III—Sample Data.

b. Treatment of Data

Cobalt and manganese values for the stream sediment samples taken during the 2019 geochemical survey are presented in Figs. 4 and 5, respectively. Sample value ranges are represented by differently sized circles..

As in other small-scale surveys, a statistical treatment according to standard methods was not deemed practical. In lieu of such treatment, the author has simply chosen anomalous levels by reference to several stream sediment programs conducted over other properties in British Columbia over the past thirty years (with particular emphasis on the BC Regional Geochemical Survey that was run over northern Vancouver Island)..

On this basis, anomalous levels are as indicated below

<u>Element</u>	<u>Anomalous Above*</u>
Cobalt	75 ppm
Manganese	3,600 ppm

*Anomalous ranges will vary greatly according to rock type and area. For this reason, defining anomalous levels for any particular property based on regional averages is somewhat arbitrary

C. Discussion

A number of creeks were sampled during the October 2019 program, some with just a single sample and others with consecutive samples taken along the stream course. The most southerly creek was dubbed “23 Creek” and it had 8 samples taken along its lower course (23C-19-01 to 08, incl, cf. Figs. 4 & 5), all recording anomalous cobalt values ranging between 127 and 657 ppm along with anomalous manganese values ranging between 0.98 and 4.24%.

About 1.5 km to the north, 19 samples were taken from “West Creek” (WC-19-01 to 19, incl., cf. Figs. 4 & 5) over an approximate 700m length with cobalt values ranging between 67 and 280 ppm, manganese values between 0.33 and 3.01%. A little further to the north, a smaller westerly-flowing creek, “Central Creek” was sampled with 9 samples (CC-19-01 to 09, incl., cf Figs. 4 & 5). This creek registered cobalt values, some strongly anomalous, running between 22 to 942 ppm and manganese values between 0.04 and 7.14%. Although most of the higher samples were taken downstream, a few came from the upstream portions so no discernable pattern is obvious. It may be that since this was a smaller stream, it was difficult to get a good sample at certain sites. Another stream situated another 200m north, westerly-flowing until it takes a sharp turn and flows north-northeast draining into a small lake, had the same numbering system: CC-19-10 to 16, incl., 7 samples in all. These had cobalt values ranging from 8 to 1,152 ppm and manganese values from 0.02 to 9.55%. Many of these samples were highly anomalous and it is likely that the lower numbers, at least some of them, may be due to inability to take a comprehensive stream sediment sample for assay.

The final creek that was tested was “East Creek” which had two separate forks sampled. Altogether 15 samples were taken (EC-19-01 to 15, incl., cf. Figs. 4 & 5). Cobalt values ranged between 117 and 545 ppm and manganese values between 0.50 to 9.45%.

Six additional streams were tested by single samples, taken from points close to where they crossed a logging road. These samples were termed TR4-19-01 to 06, incl. (cf. Figs. 4 & 5). Three reported anomalous cobalt values and should be followed up by further sampling: 178ppm (TR4-19-01), 217 ppm (TR4-19-03) and 94 (TR4-19-04).

The field crew did not locate any rocks during the October program which could be proposed as the source for the many cobalt-manganese geochemical anomalies that were found. Likely there are a number of sources and they could be related to the many fault structures noted in the region.

D. Field Procedure, Core Details and Laboratory Analysis

Analysis of stream sediment samples collected during the 2019 program was carried out at the MSALabs facility in Langley, BC. Methodology: 0.25 g of sample is digested with aqua regia. The samples are then analyzed by inductively coupled plasma Mass Spectrometer (ICP-MS). Samples are analyzed against known calibration materials to provide quantitative analysis of the original sample. Instrument calibration is performed for each batch or work order and calibration checks are analyzed within each analytical run. Quality control materials include method blanks, replicates, duplicates and reference materials and are randomly inserted with the frequency set according to method protocols at~14%. Quality assurance measures of precision and accuracy are verified statistically using SLIM control charts

E. Conclusions

A large number of highly anomalous, cobalt-manganese anomalies were discovered in several streams during the October (2019) program. Peak values of 1,155 ppm cobalt and 9.55% manganese were discovered: any value over 600 ppm cobalt can be termed “extremely anomalous”. It is likely that these derive from distinct, separate sources given the distances between the anomalous streams.

Much more work needs to be done. This includes expanded geochemical surveys, both stream sediment and soil, as well as detailed geological mapping and prospecting. An airborne magnetometer survey may all be useful in outlining geology. Positive results from such a work program could lead to further recommendations for drilling of select targets.

Respectfully submitted,



D. Cremonese, P.Eng.
March 16, 2021

APPENDIX I - WORK COST STATEMENT

Field Personnel—October 2,7 travel; October 3-6 geochem sampling	
Cody Gustafson, Sampler--Ridgeline Exploration Services	
5 days @ \$500/day	2,500
Curtis Woods, Sampler—Ridgeline Exploration Services	
5 days @ \$500/day	2,500
Barry Holmes, -- Supervision	
5 days @ \$500/day	2,500
Food & Lodging in Port Hardy (5 nights, 3 rooms plus meals)	2,028
Truck Rental—Ridgeline Expl'n 5 days @ \$60/day	300
Mileage and Fuel Charges 1698 km @ \$0.50/km	849
Truck Charges- Barry Holmes 1344 km@ \$0.50/km	672
BC Ferries. Food while travelling	347
Field Supplies/Misc.	150
MSA Labs, Langley, BC	
Stream sediments: ICP/MS and Prep Costs	
64 samples @ \$12.15/sample	778
Stream Sediments 5 Mn Overlimit assays	91
Report and Supervision Costs	
Report and map preparation, compilation and research	
D. Cremonese, P.Eng. 1.5 days @ \$800/day	1,600
Technical Drawings and data compilation	
Nicole Barrette—33 hours @ \$50/hour	1,650
Total.....	\$15,965
Amount Claimed Per Statements of Work	
--Per SOW 5819806 -- \$ 13,437	

*Please add difference to PAC of Teuton Resources Corp.

APPENDIX II – CERTIFICATE OF QUALIFICATION

I, Dino M. Cremonese, do hereby certify that:

1. I am a mineral property consultant with an office at 2130 Crescent Road, Victoria, B.C.
2. I am a graduate of the University of British Columbia (B.A.Sc. in metallurgical engineering, 1972, and L.L.B., 1979).
3. I am a Professional Engineer registered with the Association of Professional Engineers of the Province of British Columbia as a resident member, #13876.
4. I have practiced my profession since 1979.
5. This report is based upon work carried out on the Pacifico property, Nanaimo Mining Division, in October of 2019. Reference to field notes made by the field crew is acknowledged. I have full confidence in the abilities of all personnel used in the 2019 program.
6. I am a principal of Silver Grail Resources Ltd., beneficial owner of the Pacifico property: this report was prepared solely for satisfying assessment work requirements in accordance with government regulations.

Dated at Victoria, B.C. this 16th day of March, 2021

Signed:



D. Cremonese, P.Eng.

APPENDIX III
GPS SAMPLE DATA

Sample Name	Northing	Easting
23C-19-01	5629237.955	584813.9265
23C-19-02	5629233.431	584788.8411
23C-19-03	5629208.832	584760.4179
23C-19-04	5629179.049	584727.7797
23C-19-05	5629135.251	584729.2675
23C-19-06	5629119.527	584692.524
23C-19-07	5629074.912	584657.448
23C-19-08	5629061.387	584612.2815
CC-19-01	5630888.884	584171.015
CC-19-02	5630874.586	584201.6105
CC-19-03	5630853.877	584227.8011
CC-19-04	5630872.524	584259.7659
CC-19-05	5630877.446	584302.7317
CC-19-06	5630857.463	584332.5039
CC-19-07	5630867.943	584368.3346
CC-19-08	5630866.283	584403.1644
CC-19-09	5630837.529	584447.5924
CC-19-10	5631050.181	584522.3404
CC-19-11	5631054.813	584492.5358
CC-19-12	5631055.787	584449.7577
CC-19-13	5631061.495	584417.6815
CC-19-14	5631071.643	584378.1363
CC-19-15	5631096.167	584340.3308
CC-19-16	5631127.286	584290.7951
EC-19-01	5631093.58	584988.1439
EC-19-02	5631124.444	584977.8476
EC-19-03	5631157.34	584969.4204
EC-19-04	5631208.501	584989.7192
EC-19-05	5631252.779	585010.7641
EC-19-06	5631346.193	585030.2309
EC-19-07	5631354.698	585284.9617
EC-19-08	5631345.569	585250.4523

EC-19-09	5631351.755	585200.335
EC-19-10	5631350.322	585160.3457
EC-19-11	5631353.647	585112.0365
EC-19-12	5631363.134	585080.0403
EC-19-13	5631372.979	585042.6846
EC-19-14	5631373.622	585000.3369
EC-19-15	5631369.473	584957.4334
TR4-19-01	5631281	583025
TR4-19-02	5630437	583805
TR4-19-03	5629982	583654
TR4-19-04	5629801	583817
TR4-19-05	5628833	584705
TR4-19-06	5628037	586244
WC-19-01	5630645.139	584736.8281
WC-19-02	5630666.087	584718.6623
WC-19-03	5630664.889	584686.0616
WC-19-04	5630668.229	584652.0484
WC-19-05	5630668.696	584612.3753
WC-19-06	5630660.194	584575.1024
WC-19-07	5630645.098	584522.2252
WC-19-08	5630650.095	584487.4807
WC-19-09	5630639.17	584451.6559
WC-19-10	5630639.257	584409.0297
WC-19-11	5630641.361	584332.9755
WC-19-12	5630643.84	584293.7629
WC-19-13	5630637.912	584250.4592
WC-19-14	5630660.237	584200.4279
WC-19-15	5630644.674	584166.5799
WC-19-16	5630645.073	584129.3033
WC-19-17	5630636.37	584100.0647
WC-19-18	5630639.144	584037.6681
WC-19-19	5630654.673	584000.6405

APPENDIX IV

ASSAY CERTIFICATES



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:	YVR1910701
---------------------	-------------------

Project Name: Silver Grail--Pacifico
Job Received Date: 07-Oct-2019
Job Report Date: 13-Nov-2019
Number of Samples: 82
Report Version: Final

COMMENTS:

Test results reported relate to the tested samples only on an "as received" basis. Unless otherwise stated above, sufficient sample was received for the methods requested and all samples were received in acceptable condition. Analytical results in unsigned reports marked "provisional" are subject to change, pending final QC review and approval. The customer has not provided any information than can affect the validity of the test results. Please refer to MSALABS' Schedule of Services and Fees for our complete Terms and Conditions. Preliminary results are applicable when a portion of samples in a job is 100% completed and reported or 1 of a number of methods on the same job have been completed 100%. Results cannot change, but additional results or results for additional methods can be added.

SAMPLE PREPARATION	
METHOD CODE	DESCRIPTION
PRP-757	Dry, Screen to 80 mesh, discard plus fraction

ANALYTICAL METHODS	
METHOD CODE	DESCRIPTION
ICP-130	Multi-Element, 0.5g, 3:1 Aqua Regia, ICP-AES, Trace Level

Signature:

Yvette Hsi, BSc.
Laboratory Manager
MSALABS



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico
Job Received Date: 07-Oct-2019
Job Report Date: 13-Nov-2019
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	ICP-130 Ag ppm 0.2	ICP-130 Al % 0.01	ICP-130 As ppm 2	ICP-130 B ppm 10	ICP-130 Ba ppm 10	ICP-130 Be ppm 0.5	ICP-130 Bi ppm 2	ICP-130 Ca % 0.01	ICP-130 Cd ppm 0.5	ICP-130 Co ppm 1
WC-19-01	Silt	1.42		0.2	3.77	<2	13	42	0.5	<2	1.27	<0.5	130
WC-19-02	Silt	1.17		0.4	2.71	<2	15	31	<0.5	<2	1.14	<0.5	102
WC-19-03	Silt	1.57		0.5	2.69	<2	24	70	<0.5	<2	1.15	<0.5	188
WC-19-04	Silt	1.79		0.3	3.15	<2	21	47	<0.5	3	1.20	<0.5	142
WC-19-05	Silt	1.31		<0.2	1.88	9	21	23	<0.5	5	0.62	<0.5	68
WC-19-06	Silt	1.63		0.3	2.70	<2	12	57	<0.5	7	0.95	<0.5	239
WC-19-07	Silt	1.52		0.3	2.71	<2	13	53	<0.5	10	1.04	<0.5	211
WC-19-08	Silt	1.10		<0.2	2.35	<2	<10	37	<0.5	7	0.95	<0.5	131
WC-19-09	Silt	1.78		0.4	3.09	<2	<10	24	<0.5	6	1.08	<0.5	80
WC-19-10	Silt	1.65		<0.2	2.72	<2	13	41	<0.5	6	1.09	<0.5	98
WC-19-11	Silt	1.37		<0.2	2.63	<2	13	38	<0.5	5	1.18	<0.5	82
WC-19-12	Silt	1.69		0.3	2.43	<2	23	155	<0.5	3	0.94	<0.5	280
WC-19-13	Silt	1.88		<0.2	4.23	<2	11	28	0.6	8	1.40	<0.5	67
WC-19-14	Silt	1.17		<0.2	2.60	<2	<10	55	<0.5	8	1.06	<0.5	142
WC-19-15	Silt	1.09		0.2	2.97	<2	<10	18	<0.5	<2	0.92	<0.5	89
WC-19-16	Silt	1.54		0.3	3.02	<2	17	65	<0.5	6	1.21	<0.5	149
WC-19-17	Silt	1.44		0.2	3.13	<2	12	80	<0.5	4	1.22	<0.5	181
WC-19-18	Silt	0.87		0.3	2.27	<2	13	23	<0.5	2	1.05	<0.5	86
WC-19-19	Silt	1.83		<0.2	3.05	<2	13	54	0.5	5	1.12	<0.5	141
CC-19-01	Silt	1.30		1.2	2.80	<2	38	213	<0.5	5	0.75	<0.5	942
CC-19-02	Silt	0.94		<0.2	2.59	<2	<10	13	<0.5	<2	0.64	<0.5	30
CC-19-03	Silt	0.82		0.3	2.47	<2	22	105	<0.5	7	0.47	<0.5	843
CC-19-04	Silt	0.46		0.2	3.43	<2	13	45	0.6	6	0.84	<0.5	332
CC-19-05	Silt	1.03		0.2	3.18	<2	25	157	0.6	9	0.45	<0.5	463
CC-19-06	Silt	0.84		<0.2	4.99	<2	14	20	1.1	<2	0.90	<0.5	97

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico
Job Received Date: 07-Oct-2019
Job Report Date: 13-Nov-2019
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	ICP-130 Ag ppm 0.2	ICP-130 Al % 0.01	ICP-130 As ppm 2	ICP-130 B ppm 10	ICP-130 Ba ppm 10	ICP-130 Be ppm 0.5	ICP-130 Bi ppm 2	ICP-130 Ca % 0.01	ICP-130 Cd ppm 0.5	ICP-130 Co ppm 1
CC-19-07	Silt	0.67		<0.2	3.63	<2	<10	18	0.5	<2	0.65	<0.5	56
CC-19-08	Silt	1.18		<0.2	2.44	<2	23	49	<0.5	2	0.47	<0.5	416
CC-19-09	Silt	0.77		<0.2	3.30	<2	<10	15	0.5	<2	0.56	<0.5	22
CC-19-10	Silt	1.07		<0.2	3.45	<2	19	74	0.6	9	0.61	<0.5	423
CC-19-11	Silt	0.87		1.3	2.55	<2	38	151	<0.5	5	0.34	<0.5	1152
CC-19-12	Silt	0.89		<0.2	2.71	<2	17	116	<0.5	8	0.40	<0.5	439
CC-19-13	Silt	0.98		2.2	3.29	<2	44	235	<0.5	7	0.55	<0.5	631
CC-19-14	Silt	1.18		0.7	5.10	<2	32	124	0.9	9	0.38	<0.5	648
CC-19-15	Silt	0.98		<0.2	2.79	<2	<10	11	<0.5	2	0.48	<0.5	8
CC-19-16	Silt	0.76		0.6	2.37	<2	27	117	<0.5	5	0.54	<0.5	468
EC-19-01	Silt	0.90		0.8	4.06	<2	31	204	0.6	6	1.04	<0.5	468
EC-19-02	Silt	1.02		0.9	3.36	<2	32	189	<0.5	11	0.95	<0.5	471
EC-19-03	Silt	1.05		<0.2	3.64	<2	17	70	<0.5	7	1.04	<0.5	200
EC-19-04	Silt	0.74		0.6	3.54	<2	26	132	0.5	6	0.84	<0.5	426
EC-19-05	Silt	1.29		0.2	4.40	<2	<10	36	0.5	8	0.89	<0.5	117
EC-19-06	Silt	1.09		0.8	2.97	<2	25	202	<0.5	9	0.80	<0.5	545
EC-19-07	Silt	0.95		<0.2	3.29	<2	14	23	0.6	5	0.62	<0.5	167
EC-19-08	Silt	1.07		0.2	4.41	<2	13	38	0.7	6	0.76	<0.5	169
EC-19-09	Silt	1.05		0.3	3.77	<2	25	85	0.6	5	0.58	<0.5	420
EC-19-10	Silt	0.90		2.1	3.70	<2	42	221	0.6	8	0.51	<0.5	446
EC-19-11	Silt	1.29		0.2	3.18	<2	23	180	0.6	3	0.56	<0.5	395
EC-19-12	Silt	1.25		<0.2	3.55	<2	11	43	<0.5	4	0.59	<0.5	172
EC-19-13	Silt	1.74		2.1	3.17	<2	41	224	0.5	8	0.66	<0.5	505
EC-19-14	Silt	1.38		0.9	2.47	<2	37	216	<0.5	6	0.64	<0.5	465
EC-19-15	Silt	1.53		1.1	3.46	<2	29	172	0.5	6	0.74	<0.5	327

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico
Job Received Date: 07-Oct-2019
Job Report Date: 13-Nov-2019
Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	ICP-130 Ag ppm 0.2	ICP-130 Al % 0.01	ICP-130 As ppm 2	ICP-130 B ppm 10	ICP-130 Ba ppm 10	ICP-130 Be ppm 0.5	ICP-130 Bi ppm 2	ICP-130 Ca % 0.01	ICP-130 Cd ppm 0.5	ICP-130 Co ppm 1
23C-19-01	Silt	0.91		0.4	4.25	<2	22	114	0.7	11	0.97	<0.5	474
23C-19-02	Silt	0.85		0.5	2.94	<2	26	140	<0.5	4	1.08	<0.5	472
23C-19-03	Silt	0.75		0.6	2.89	<2	30	87	<0.5	9	0.97	<0.5	335
23C-19-04	Silt	0.93		<0.2	3.34	<2	12	35	0.5	5	0.78	<0.5	127
23C-19-05	Silt	1.29		0.6	3.23	<2	22	115	0.5	6	0.97	<0.5	419
23C-19-06	Silt	0.89		0.4	3.17	<2	23	111	0.5	6	0.93	<0.5	388
23C-19-07	Silt	1.16		0.4	2.67	<2	20	71	<0.5	6	1.02	<0.5	249
23C-19-08	Silt	0.83		1.1	3.66	<2	32	206	0.6	6	1.10	<0.5	657
TR4-19-01	Silt	0.28		<0.2	2.34	<2	<10	36	<0.5	5	0.79	<0.5	178
TR4-19-02	Silt	0.43		<0.2	2.08	<2	<10	19	<0.5	<2	0.85	<0.5	33
TR4-19-03	Silt	0.26		<0.2	2.00	<2	13	49	<0.5	<2	0.80	<0.5	217
TR4-19-04	Silt	0.23		0.5	2.89	<2	<10	36	<0.5	6	1.47	<0.5	99
TR4-19-05	Silt	0.38		0.4	4.18	<2	<10	<10	<0.5	3	3.37	<0.5	29
TR4-19-06	Silt	0.26		0.3	3.72	<2	10	13	<0.5	5	2.17	<0.5	57
A0991870	Silt	0.29		<0.2	2.01	<2	<10	14	<0.5	5	0.40	<0.5	8
A0991871	Silt	0.26		0.2	3.62	<2	12	14	0.6	6	0.38	<0.5	53
A0991872	Silt	0.42		<0.2	3.74	<2	<10	<10	<0.5	<2	0.12	<0.5	<1
A0991873	Silt	0.39		<0.2	1.35	<2	<10	<10	<0.5	<2	0.21	<0.5	1
A0991874	Silt	0.31		<0.2	0.51	<2	<10	<10	<0.5	4	0.21	<0.5	<1
A0991875	Silt	0.23		<0.2	0.61	<2	<10	10	<0.5	<2	0.09	<0.5	<1
A0991876	Silt	0.51		<0.2	2.39	<2	<10	<10	<0.5	<2	0.19	<0.5	1
A0991877	Silt	0.33		<0.2	4.88	<2	<10	<10	<0.5	7	0.41	<0.5	5
A0991880	Silt	0.67		0.3	5.03	<2	<10	19	0.5	2	0.91	<0.5	21
A0991881	Silt	0.44		<0.2	0.77	<2	<10	<10	<0.5	5	0.17	<0.5	1
A0991882	Silt	0.48		<0.2	2.34	<2	<10	<10	<0.5	4	0.32	<0.5	35

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	Sample Type	PWE-100 Rec. Wt. kg 0.01	Method Analyte Units LOR	ICP-130 Ag ppm 0.2	ICP-130 Al % 0.01	ICP-130 As ppm 2	ICP-130 B ppm 10	ICP-130 Ba ppm 10	ICP-130 Be ppm 0.5	ICP-130 Bi ppm 2	ICP-130 Ca % 0.01	ICP-130 Cd ppm 0.5	ICP-130 Co ppm 1
A0991883A	Silt	0.48		0.3	4.28	<2	21	<10	<0.5	16	0.65	<0.5	5
A0991883B	Silt	0.44		<0.2	2.68	<2	19	<10	<0.5	3	0.41	<0.5	14
A0991884A	Silt	0.39		<0.2	2.34	<2	10	<10	<0.5	7	0.60	<0.5	2
A0991884B	Silt	0.39		<0.2	3.67	<2	12	<10	<0.5	<2	0.37	<0.5	4
A0991885	Silt	0.27		<0.2	0.58	<2	<10	<10	<0.5	<2	0.21	<0.5	<1
A0991886	Silt	0.28		<0.2	6.27	<2	16	<10	<0.5	<2	0.44	<0.5	45
A0991887	Silt	0.30		<0.2	2.85	<2	12	10	<0.5	3	0.45	<0.5	3
DUP CC-19-10				<0.2	3.52	<2	23	77	0.6	7	0.60	<0.5	446
DUP A0991871				<0.2	3.20	<2	<10	13	0.6	5	0.34	<0.5	48
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD BLANK				<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1
STD OREAS 24b				<0.2	3.26	5	<10	149	1.5	<2	0.45	<0.5	15
STD OREAS 601				48.6	0.78	318	<10	159	0.7	21	1.10	8.3	5

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT: YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe %	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K %	ICP-130 La ppm 10	ICP-130 Mg %	ICP-130 Mn ppm 0.01	ICP-130 Mo ppm 5	ICP-130 Na %	ICP-130 Ni ppm 1	ICP-130 P ppm 10
WC-19-01	47	60	14.19	20	<1	0.02	<10	1.40	7371	<1	0.02	42	453
WC-19-02	37	47	8.38	15	<1	0.01	<10	0.77	7397	<1	0.01	28	395
WC-19-03	37	39	9.40	<10	<1	0.01	<10	0.67	18935	<1	0.02	28	501
WC-19-04	39	43	10.64	14	<1	0.01	<10	0.89	10673	<1	0.02	32	430
WC-19-05	26	24	29.04	31	<1	<0.01	<10	0.38	4778	<1	<0.01	17	641
WC-19-06	31	39	11.63	11	<1	0.01	<10	0.64	16343	<1	0.02	28	380
WC-19-07	34	37	12.15	13	<1	0.01	<10	0.64	13501	<1	0.02	28	503
WC-19-08	33	30	7.56	10	<1	0.01	<10	0.57	8011	<1	0.02	23	327
WC-19-09	38	46	6.29	14	<1	<0.01	<10	0.76	3331	<1	0.02	27	290
WC-19-10	35	41	12.44	20	<1	0.01	<10	0.75	7573	<1	0.02	29	375
WC-19-11	34	66	6.74	12	<1	0.01	<10	0.74	5677	<1	0.02	27	321
WC-19-12	30	44	8.10	<10	<1	0.01	<10	0.50	30118	<1	0.03	56	494
WC-19-13	63	84	11.45	25	<1	0.02	<10	1.81	3889	<1	0.02	47	501
WC-19-14	32	43	8.76	11	<1	0.01	<10	0.67	11756	<1	0.02	32	479
WC-19-15	34	45	7.60	13	<1	<0.01	<10	0.66	3629	<1	0.02	22	315
WC-19-16	37	48	8.90	14	<1	0.02	<10	0.85	11885	<1	0.02	38	472
WC-19-17	37	45	9.48	14	<1	0.02	<10	0.87	14266	<1	0.02	44	431
WC-19-18	27	37	5.67	12	<1	0.01	<10	0.63	4849	<1	0.02	21	303
WC-19-19	38	48	9.79	14	<1	0.01	<10	0.73	10626	<1	0.02	32	534
CC-19-01	24	32	11.01	<10	<1	0.01	<10	0.33	>50000	<1	0.03	68	334
CC-19-02	34	31	1.81	10	<1	<0.01	<10	0.32	1218	<1	0.01	14	307
CC-19-03	28	16	15.40	<10	<1	0.01	<10	0.26	33500	<1	0.02	21	375
CC-19-04	31	111	7.18	<10	<1	0.01	<10	0.38	10642	<1	0.02	23	732
CC-19-05	29	33	21.94	21	<1	<0.01	<10	0.33	14783	<1	0.02	53	282
CC-19-06	60	72	11.71	17	<1	0.01	<10	0.88	3143	4	0.02	38	725

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT: YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe %	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K %	ICP-130 La ppm 10	ICP-130 Mg %	ICP-130 Mn ppm 0.01	ICP-130 Mo ppm 5	ICP-130 Na %	ICP-130 Ni ppm 1	ICP-130 P ppm 10
CC-19-07	36	41	4.96	11	<1	<0.01	<10	0.36	1864	<1	0.02	22	466
CC-19-08	24	16	18.69	20	<1	<0.01	<10	0.20	15030	<1	0.02	15	350
CC-19-09	37	48	2.30	<10	<1	<0.01	<10	0.28	443	<1	0.02	15	474
CC-19-10	53	23	16.26	14	<1	<0.01	<10	0.53	23666	<1	0.02	35	329
CC-19-11	32	17	15.28	<10	<1	<0.01	<10	0.16	>50000	<1	0.02	31	289
CC-19-12	34	19	25.98	26	<1	<0.01	<10	0.31	12546	<1	0.02	23	201
CC-19-13	36	32	10.64	<10	<1	0.01	<10	0.29	>50000	<1	0.03	88	281
CC-19-14	53	36	14.74	<10	<1	<0.01	<10	0.19	40759	<1	0.02	49	432
CC-19-15	42	44	2.53	13	<1	<0.01	<10	0.29	242	<1	0.02	15	191
CC-19-16	25	26	13.30	<10	<1	<0.01	<10	0.18	35124	<1	0.02	33	366
EC-19-01	48	53	12.11	<10	<1	0.01	<10	0.81	41365	<1	0.03	104	294
EC-19-02	55	50	18.03	<10	<1	<0.01	<10	1.06	39861	<1	0.03	76	273
EC-19-03	64	48	16.42	21	<1	<0.01	<10	1.29	9167	<1	0.02	49	251
EC-19-04	47	44	12.73	<10	<1	<0.01	<10	0.55	35660	<1	0.03	49	448
EC-19-05	63	63	9.80	17	<1	<0.01	<10	0.85	4967	<1	0.02	33	323
EC-19-06	39	33	12.07	<10	<1	0.01	<10	0.48	44064	<1	0.03	70	343
EC-19-07	56	28	10.64	14	<1	<0.01	<10	0.33	5345	<1	0.02	18	423
EC-19-08	76	40	12.96	16	<1	<0.01	<10	0.90	11197	<1	0.02	40	431
EC-19-09	49	24	13.22	<10	<1	<0.01	<10	0.47	30742	<1	0.02	37	338
EC-19-10	40	35	12.85	<10	<1	0.01	<10	0.29	>50000	<1	0.03	108	368
EC-19-11	45	28	19.23	11	<1	<0.01	<10	0.26	27529	<1	0.03	35	341
EC-19-12	46	45	6.54	<10	<1	<0.01	<10	0.40	13416	<1	0.02	27	660
EC-19-13	43	32	18.24	<10	<1	<0.01	<10	0.32	>50000	<1	0.04	91	429
EC-19-14	43	35	27.24	23	<1	<0.01	<10	0.52	31026	<1	0.04	43	339
EC-19-15	46	39	9.68	<10	<1	0.01	<10	0.53	44576	<1	0.03	57	458

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT: YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe %	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K %	ICP-130 La ppm 10	ICP-130 Mg %	ICP-130 Mn ppm 0.01	ICP-130 Mo ppm 5	ICP-130 Na %	ICP-130 Ni ppm 1	ICP-130 P ppm 10
23C-19-01	67	39	15.20	11	<1	<0.01	<10	0.62	26250	<1	0.03	49	590
23C-19-02	41	24	11.34	<10	<1	<0.01	<10	0.43	24269	<1	0.03	45	401
23C-19-03	46	27	11.73	<10	<1	0.01	<10	0.40	29250	<1	0.03	32	578
23C-19-04	71	41	9.70	19	<1	<0.01	<10	0.26	9788	<1	0.02	25	410
23C-19-05	35	54	11.58	<10	<1	<0.01	<10	0.36	29630	<1	0.03	45	599
23C-19-06	37	30	10.79	<10	<1	<0.01	<10	0.34	26083	<1	0.03	45	582
23C-19-07	35	25	9.89	<10	<1	<0.01	<10	0.37	17293	<1	0.02	31	530
23C-19-08	36	29	13.17	<10	<1	<0.01	<10	0.50	42385	<1	0.03	74	324
TR4-19-01	28	28	7.64	11	<1	<0.01	<10	0.49	7307	<1	0.02	28	268
TR4-19-02	23	24	3.56	<10	<1	0.01	<10	0.43	1439	<1	0.02	23	210
TR4-19-03	23	15	6.82	<10	<1	0.01	<10	0.39	11982	<1	0.02	33	212
TR4-19-04	35	48	5.97	14	<1	<0.01	<10	0.75	5933	<1	0.02	27	364
TR4-19-05	66	60	5.81	18	<1	<0.01	<10	2.47	872	<1	0.01	54	565
TR4-19-06	46	113	6.72	18	<1	0.01	<10	1.61	2482	<1	0.02	39	242
A0991870	32	11	12.87	27	<1	0.01	<10	0.20	243	<1	0.02	9	191
A0991871	53	27	13.53	23	<1	<0.01	<10	0.26	1461	<1	0.01	12	375
A0991872	71	29	10.85	43	<1	0.02	<10	0.08	70	<1	0.01	3	150
A0991873	38	8	1.85	22	<1	0.01	<10	0.09	82	<1	0.01	3	109
A0991874	23	4	1.46	22	<1	0.02	<10	0.07	56	<1	0.02	2	122
A0991875	21	9	0.59	15	<1	0.02	<10	0.02	23	<1	0.02	2	187
A0991876	47	15	3.24	20	<1	<0.01	<10	0.08	61	<1	0.01	4	119
A0991877	139	44	9.72	29	<1	<0.01	<10	0.26	111	<1	0.01	11	174
A0991880	42	122	4.33	13	<1	0.02	<10	0.75	591	<1	0.03	29	859
A0991881	27	6	3.20	28	<1	0.01	<10	0.07	64	<1	0.01	3	81
A0991882	74	27	6.17	36	<1	<0.01	<10	0.11	1937	<1	0.01	6	110

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Cr ppm 1	ICP-130 Cu ppm 1	ICP-130 Fe %	ICP-130 Ga ppm 10	ICP-130 Hg ppm 1	ICP-130 K %	ICP-130 La ppm 10	ICP-130 Mg %	ICP-130 Mn ppm 0.01	ICP-130 Mo ppm 5	ICP-130 Na %	ICP-130 Ni ppm 1	ICP-130 P ppm 10
A0991883A	136	22	17.25	53	1	<0.01	<10	0.22	173	<1	0.01	10	261
A0991883B	85	26	9.13	28	<1	<0.01	<10	0.26	560	<1	0.01	10	132
A0991884A	85	15	9.71	41	<1	<0.01	<10	0.19	125	<1	0.01	10	156
A0991884B	105	25	10.15	39	1	<0.01	<10	0.17	115	<1	0.01	8	170
A0991885	24	4	1.30	19	<1	0.01	<10	0.05	60	<1	0.01	2	108
A0991886	134	50	11.17	30	<1	0.01	<10	0.32	383	1	0.02	18	256
A0991887	80	24	1.33	19	<1	<0.01	<10	0.22	115	<1	0.01	10	208
DUP CC-19-10	54	23	16.66	14	<1	<0.01	<10	0.53	24911	<1	0.02	35	332
DUP A0991871	48	24	12.15	20	<1	<0.01	<10	0.23	1357	<1	0.01	10	356
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD BLANK	<1	<1	<0.01	<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10
STD OREAS 24b	103	36	3.94	13	<1	1.19	15	1.36	329	3	0.11	58	595
STD OREAS 601	47	1050	2.19	<10	<1	0.25	12	0.18	432	4	0.09	26	357

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Pb ppm 2	ICP-130 S %	ICP-130 Sb ppm 2	ICP-130 Sc ppm 2	ICP-130 Sr ppm 1	ICP-130 Th ppm 8	ICP-130 Ti %	ICP-130 Tl ppm 0.01	ICP-130 V ppm 10	ICP-130 W ppm 10	ICP-130 Zn ppm 1	ICP-130 Zr ppm 5
WC-19-01	12	0.04	5	10	42	<8	0.49	20	273	<10	96	22
WC-19-02	9	0.05	5	8	24	<8	0.38	11	207	<10	58	10
WC-19-03	9	0.07	<2	7	31	<8	0.34	24	217	<10	55	10
WC-19-04	14	0.05	<2	8	33	<8	0.40	17	244	<10	66	12
WC-19-05	18	0.05	7	9	14	<8	0.19	19	180	<10	32	15
WC-19-06	14	0.05	7	7	28	<8	0.33	21	201	<10	58	12
WC-19-07	12	0.07	3	7	35	<8	0.28	24	225	<10	61	10
WC-19-08	8	0.05	<2	6	29	<8	0.32	<10	179	<10	47	9
WC-19-09	11	0.04	2	9	27	<8	0.38	<10	188	<10	62	11
WC-19-10	13	0.06	3	8	41	<8	0.29	<10	209	<10	58	13
WC-19-11	12	0.04	<2	9	36	<8	0.32	<10	173	<10	58	9
WC-19-12	16	0.09	<2	7	37	<8	0.23	37	148	<10	91	6
WC-19-13	14	0.04	<2	15	37	<8	0.42	<10	260	<10	85	20
WC-19-14	14	0.08	2	7	36	<8	0.28	19	199	<10	63	8
WC-19-15	10	0.05	2	8	22	<8	0.31	<10	169	<10	47	11
WC-19-16	13	0.07	<2	8	44	<8	0.36	16	219	<10	77	11
WC-19-17	14	0.05	<2	8	46	<8	0.33	16	216	<10	83	11
WC-19-18	9	0.05	<2	6	28	<8	0.29	<10	153	<10	45	9
WC-19-19	17	0.08	<2	7	43	<8	0.31	16	225	<10	70	9
CC-19-01	16	0.05	<2	6	33	<8	0.18	64	159	13	88	8
CC-19-02	6	0.06	<2	6	14	<8	0.28	<10	98	<10	22	<5
CC-19-03	15	0.05	4	4	15	<8	0.14	44	216	<10	49	8
CC-19-04	14	0.14	<2	10	24	<8	0.16	13	111	<10	43	<5
CC-19-05	20	0.04	3	8	11	<8	0.13	25	161	<10	105	12
CC-19-06	10	0.10	3	13	25	<8	0.28	<10	241	<10	91	10

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Pb ppm 2	ICP-130 S %	ICP-130 Sb ppm 2	ICP-130 Sc ppm 2	ICP-130 Sr ppm 1	ICP-130 Th ppm 8	ICP-130 Ti %	ICP-130 Tl ppm 0.01	ICP-130 V ppm 10	ICP-130 W ppm 10	ICP-130 Zn ppm 1	ICP-130 Zr ppm 5
CC-19-07	6	0.06	2	9	17	<8	0.23	<10	119	<10	37	5
CC-19-08	20	0.07	9	5	17	<8	0.11	15	227	<10	30	8
CC-19-09	6	0.07	3	6	15	<8	0.21	<10	100	<10	26	<5
CC-19-10	17	0.05	5	8	13	<8	0.22	28	173	<10	77	10
CC-19-11	18	0.05	12	5	13	<8	0.15	73	172	<10	54	8
CC-19-12	19	0.05	6	7	9	11	0.14	23	120	<10	47	13
CC-19-13	21	0.05	6	7	22	<8	0.16	92	130	<10	132	10
CC-19-14	19	0.06	8	14	11	<8	0.14	53	176	<10	83	16
CC-19-15	7	0.02	3	7	13	<8	0.45	<10	141	<10	21	8
CC-19-16	13	0.08	<2	5	20	<8	0.11	40	107	<10	64	5
EC-19-01	19	0.05	3	9	41	<8	0.23	48	175	<10	170	12
EC-19-02	24	0.04	6	9	42	<8	0.25	52	143	<10	116	18
EC-19-03	15	0.04	8	9	34	<8	0.30	19	176	<10	85	18
EC-19-04	15	0.08	5	8	30	<8	0.19	46	172	<10	91	10
EC-19-05	14	0.05	2	12	27	<8	0.30	<10	160	<10	60	15
EC-19-06	23	0.08	4	6	35	<8	0.17	51	157	<10	125	7
EC-19-07	11	0.12	5	6	20	<8	0.18	<10	200	<10	35	5
EC-19-08	14	0.06	4	11	28	<8	0.27	18	201	<10	86	9
EC-19-09	15	0.06	4	7	17	<8	0.19	40	197	<10	72	9
EC-19-10	23	0.05	7	8	29	<8	0.16	78	139	<10	140	10
EC-19-11	17	0.05	6	8	24	<8	0.13	29	144	<10	77	9
EC-19-12	10	0.07	<2	9	16	<8	0.20	17	110	<10	44	<5
EC-19-13	19	0.05	5	8	33	<8	0.15	53	127	<10	124	9
EC-19-14	24	0.06	5	7	27	<8	0.19	36	118	<10	84	10
EC-19-15	18	0.06	3	8	25	<8	0.21	45	148	<10	97	8

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Pb ppm 2	ICP-130 S %	ICP-130 Sb ppm 2	ICP-130 Sc ppm 2	ICP-130 Sr ppm 1	ICP-130 Th ppm 8	ICP-130 Ti %	ICP-130 Tl ppm 0.01	ICP-130 V ppm 10	ICP-130 W ppm 10	ICP-130 Zn ppm 1	ICP-130 Zr ppm 5
23C-19-01	20	0.08	6	10	32	<8	0.29	31	266	<10	104	10
23C-19-02	18	0.08	9	7	33	<8	0.20	33	191	<10	92	7
23C-19-03	18	0.11	6	6	30	<8	0.21	35	223	<10	63	7
23C-19-04	14	0.08	<2	6	15	<8	0.65	13	317	<10	42	12
23C-19-05	18	0.10	<2	6	33	<8	0.20	27	222	<10	94	6
23C-19-06	19	0.11	5	6	33	<8	0.24	41	221	<10	90	6
23C-19-07	21	0.11	<2	5	31	<8	0.21	23	202	<10	67	<5
23C-19-08	22	0.04	<2	8	35	<8	0.29	49	221	<10	132	13
TR4-19-01	8	0.02	<2	5	20	<8	0.24	<10	160	<10	59	9
TR4-19-02	6	0.01	<2	4	17	<8	0.27	<10	118	<10	58	8
TR4-19-03	13	0.02	5	4	19	<8	0.18	16	146	<10	57	6
TR4-19-04	11	0.05	4	8	35	<8	0.34	<10	171	<10	75	10
TR4-19-05	7	0.02	2	17	42	<8	0.48	<10	178	<10	67	31
TR4-19-06	9	0.02	<2	11	43	<8	0.49	<10	204	<10	60	27
A0991870	10	0.07	3	4	25	<8	0.37	<10	257	<10	17	11
A0991871	13	0.06	7	6	12	<8	0.32	<10	253	<10	28	9
A0991872	15	0.06	8	9	3	<8	0.86	<10	401	<10	12	20
A0991873	9	0.03	<2	3	7	<8	0.61	<10	164	<10	8	8
A0991874	11	0.04	<2	3	6	<8	0.87	<10	197	<10	8	21
A0991875	6	0.07	<2	2	7	<8	0.44	<10	64	<10	6	<5
A0991876	12	0.04	<2	5	7	<8	0.59	<10	173	<10	11	13
A0991877	15	0.05	<2	10	6	<8	0.80	<10	319	<10	22	51
A0991880	11	0.02	4	16	20	<8	0.40	<10	149	<10	34	21
A0991881	10	0.02	<2	<2	16	<8	0.66	<10	275	<10	8	5
A0991882	9	0.03	<2	5	7	<8	0.83	<10	397	<10	16	13

***Please refer to the cover page for comments

regarding this test report. ***



MSALABS
Unit 1, 20120 102nd Avenue
Langley, BC V1M 4B4
Phone: +1-604-888-0875

To: Teuton Resources Corp
2130 Crescent Road
Victoria, BC, V8S 2H3
Canada

TEST REPORT:

YVR1910701

Project Name: Silver Grail--Pacifico

Job Received Date: 07-Oct-2019

Job Report Date: 13-Nov-2019

Report Version: Final

Sample ID	ICP-130 Pb ppm 2	ICP-130 S %	ICP-130 Sb ppm 2	ICP-130 Sc ppm 2	ICP-130 Sr ppm 1	ICP-130 Th ppm 8	ICP-130 Ti %	ICP-130 Tl ppm 0.01	ICP-130 V ppm 10	ICP-130 W ppm 10	ICP-130 Zn ppm 1	ICP-130 Zr ppm 5
A0991883A	16	0.05	4	4	4	<8	1.26	<10	582	<10	33	28
A0991883B	8	0.03	4	4	9	<8	0.80	<10	311	<10	19	20
A0991884A	18	0.03	4	4	5	<8	1.27	<10	635	<10	19	19
A0991884B	16	0.04	2	5	7	<8	1.01	<10	457	<10	25	28
A0991885	9	0.03	<2	<2	9	<8	0.79	<10	206	<10	7	6
A0991886	16	0.06	7	8	8	<8	0.69	<10	331	<10	52	35
A0991887	8	0.05	<2	10	13	<8	0.71	<10	151	<10	19	17
DUP CC-19-10	14	0.05	5	8	13	<8	0.22	29	177	<10	78	11
DUP A0991871	17	0.06	6	5	11	<8	0.29	<10	227	<10	27	9
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD BLANK	<2	<0.01	<2	<2	<1	<8	<0.01	<10	<1	<10	<1	<5
STD OREAS 24b	15	0.20	<2	10	29	9	0.20	<10	79	<10	93	25
STD OREAS 601	285	1.10	17	<2	36	<8	<0.01	<10	9	<10	1290	25

***Please refer to the cover page for comments

regarding this test report. ***




Figure 1

TEU-2019-Pacifico-LocationMap-v3
NAD 83
April 8 2019
Last updated: March 15 2021
Created by: NB

TEUTON RESOURCES CORP. (TUE:TSXV)

PACIFICO PROPERTY LOCATION MAP

0 1.25 2.5 5 Kilometers







Figure 2

TEU-2019-Pacifico-ClaimsMap-v4
NAD 83
April 10 2019
Last updated: March 15 2021
Created by: NB

SILVER GRAIL RESOURCES LTD. (SVG:TSXV)

**PACIFICO PROPERTY
CLAIMS MAP**






Figure 3

TEU-2019-Pacifico-BedrockGeology-v3
NAD 83
April 12 2019
Last updated: March 15 2021
Created by: NB

SILVER GRAIL RESOURCES LTD. (SVG:TSXV)


**PACIFICO PROPERTY
GEOLOGY MAP**



0 1 2 4 Kilometers

Fig. 4
Pacifico Property 2019 Stream Sediment Survey Cobalt Values (ppm)

SILVER GRAIL RESOURCES LTD. (SVG:TSXV)



Sample ID	Co Concentration (ppm)	Sample ID	Co Concentration (ppm)
23C-19-01	474	EC-19-09	420
23C-19-02	472	EC-19-10	446
23C-19-03	335	EC-19-11	395
23C-19-04	127	EC-19-12	172
23C-19-05	419	EC-19-13	505
23C-19-06	388	EC-19-14	465
23C-19-07	249	EC-19-15	327
23C-19-08	657	TR4-19-01	178
CC-19-01	942	TR4-19-02	33
CC-19-02	30	TR4-19-03	217
CC-19-03	843	TR4-19-04	99
CC-19-04	332	TR4-19-05	29
CC-19-05	463	TR4-19-06	57
CC-19-06	97	WC-19-01	130
CC-19-07	56	WC-19-02	102
CC-19-08	416	WC-19-03	188
CC-19-09	22	WC-19-04	142
CC-19-10	423	WC-19-05	68
CC-19-11	1152	WC-19-06	239
CC-19-12	439	WC-19-07	211
CC-19-13	631	WC-19-08	131
CC-19-14	648	WC-19-09	80
CC-19-15	8	WC-19-10	98
CC-19-16	468	WC-19-11	82
EC-19-01	468	WC-19-12	280
EC-19-02	471	WC-19-13	67
EC-19-03	200	WC-19-14	142
EC-19-04	426	WC-19-15	89
EC-19-05	117	WC-19-16	149
EC-19-06	545	WC-19-17	181
EC-19-07	167	WC-19-18	86
EC-19-08	169	WC-19-19	141





Fig. 5

Pacifico Property 2019 Stream Sediment Survey Manganese Values (ppm)

SILVER GRAIL RESOURCES LTD. (SVG:TSXV)



Sample ID	Mn Concentration (%)	Sample ID	Mn Concentration (%)
23C-19-01	2.63	EC-19-09	3.07
23C-19-02	2.43	EC-19-10	9.45
23C-19-03	2.93	EC-19-11	2.75
23C-19-04	0.98	EC-19-12	1.34
23C-19-05	2.96	EC-19-13	7.60
23C-19-06	2.61	EC-19-14	3.10
23C-19-07	1.73	EC-19-15	4.46
23C-19-08	4.24	TR4-19-01	0.73
CC-19-01	7.14	TR4-19-02	0.14
CC-19-02	0.12	TR4-19-03	1.20
CC-19-03	3.35	TR4-19-04	0.59
CC-19-04	1.06	TR4-19-05	0.09
CC-19-05	1.48	TR4-19-06	0.25
CC-19-06	0.31	WC-19-01	0.74
CC-19-07	0.19	WC-19-02	0.74
CC-19-08	1.50	WC-19-03	1.89
CC-19-09	0.04	WC-19-04	1.07
CC-19-10	2.37	WC-19-05	0.48
CC-19-11	7.35	WC-19-06	1.63
CC-19-12	1.25	WC-19-07	1.35
CC-19-13	9.55	WC-19-08	0.80
CC-19-14	4.08	WC-19-09	0.33
CC-19-15	0.02	WC-19-10	0.76
CC-19-16	3.51	WC-19-11	0.57
EC-19-01	4.14	WC-19-12	3.01
EC-19-02	3.99	WC-19-13	0.39
EC-19-03	0.92	WC-19-14	1.18
EC-19-04	3.57	WC-19-15	0.36
EC-19-05	0.50	WC-19-16	1.19
EC-19-06	4.41	WC-19-17	1.43
EC-19-07	0.53	WC-19-18	0.48
EC-19-08	1.12	WC-19-19	1.06

