

Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

Assessment Report
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: 2021 ROCK PROSPECTING AND SATELLITE ALTERATION TOTAL COST: \$44,651

AUTHOR(S): Venessa Bennett SIGNATURE(S): _____

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): _____ YEAR OF WORK: 2021

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): EVENT Number # 5856530

PROPERTY NAME: Toro Property

CLAIM NAME(S) (on which the work was done): TORO/CHURCHILL ,TORO/CHURCHILL 2 ,TORO EAST ,TORO SW ,T/C2 ,IDAHO , JOHN EXT ,SOUTH EXT, TORO NORTH, TORO SOUTH

COMMODITIES SOUGHT: Cu, Co, Ag

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 094K040, 094K057

MINING DIVISION: Liard NTS/BCGS: 094K034-35

LATITUDE: 58 ° 21 ' 37.57 " LONGITUDE: 125 ° 11 ' 42.98 " (at centre of work)

OWNER(S):
1) High Range Exploration 2) Fabled Copper Corp.

MAILING ADDRESS:
P.O. Box 722 Suite 2300-1066 West Hastings Street
Smithers, B.C. V0J 2N0 Vancouver, British Columbia, V6E 3X2

OPERATOR(S) [who paid for the work]:
1) Fabled Copper Corp 2) _____

MAILING ADDRESS:
Suite 2300-1066 West Hastings Street
Vancouver, British Columbia, V6E 3X2

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):
Copper mineralization in diabase and quartz carbonate dyke(s) cutting Aida Fomation calcareous mudstone, dolomitic slate, silty mudstone

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 33336, 28281, 105090, 28736, 6471

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping	_____	_____	_____
Photo interpretation	_____	_____	_____
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic	_____	_____	_____
Electromagnetic	_____	_____	_____
Induced Polarization	_____	_____	_____
Radiometric	_____	_____	_____
Seismic	_____	_____	_____
Other	_____	_____	_____
Airborne			
_____	_____	_____	_____
GEOCHEMICAL (number of samples analysed for...)			
Soil	_____	_____	_____
Silt	_____	_____	_____
Rock	9 samples - Multielement assay data	1023665, 1024157, 1063714	\$35651
Other	_____	_____	_____
DRILLING (total metres; number of holes, size)			
Core	_____	_____	_____
Non-core	_____	_____	_____
RELATED TECHNICAL			
Sampling/assaying	_____	_____	_____
Petrographic	_____	_____	_____
Mineralographic	_____	_____	_____
Metallurgic	_____	_____	_____
PROSPECTING (scale, area)			
_____	_____	_____	_____
PREPARATORY / PHYSICAL			
Line/grid (kilometres)	_____	_____	_____
Topographic/Photogrammetric (scale, area)	_____	_____	_____
Legal surveys (scale, area)	_____	_____	_____
Road, local access (kilometres)/trail	_____	_____	_____
Trench (metres)	_____	_____	_____
Underground dev. (metres)	_____	_____	_____
Other	GIS analysis work, drafting and report preparation		9000
		TOTAL COST:	44651

ASSESSMENT REPORT

describing

2021 ROCK PROSPECTING AND SATELLITE ALTERATION MAPPING OF THE TORO PROPERTY, NE BRITISH COLUMBIA

EVENT # 5856530

Tenure Numbers: 772742, 772802, 1023665, 1024157, 1024158, 1026684, 1026686,
854517, 1019676

NTS 94K
Latitude 58°22N; Longitude 125°12W

Liard Mining Division
British Columbia

prepared by

Venessa Bennett, Ph. D, P. Geo, Adv. Dip RS/GIS



(867) 335 5245

for

HIGH RANGE EXPLORATION (50% OWNER)

306 - 3582 - 14TH AVE.
SMITHERS, BC. V0J 2N0
&

FABLED COPPER CORP. (50% OWNER)

SUITE 2300-1066 WEST HASTINGS STREET
VANCOUVER, BRITISH COLUMBIA, V6E 3X2

TABLE OF CONTENTS

1.0 INTRODUCTION	3
2.0 PROPERTY, LOCATION AND ACCESS	6
3.0 PHYSIOGRAPHY & VEGETATION	7
4.0 PREVIOUS WORK	7
5.0 REGIONAL GEOLOGY and GEOPHYSICS	10
6.0 MINERALIZATION AND DEPOSIT MODELS	17
7.0 TORO PROPERTY GEOLOGY AND 2021 PROSPECTING RESULTS	21
8.0 ASTER ALTERATION MINERAL MAPPING - RESULTS	30
9.0 SUMMARY AND RECOMMENDATIONS	38
REFERENCES	39
APPENDIX I: STATEMENT OF QUALIFICATIONS	40
APPENDIX II: STATEMENT OF COSTS	42
APPENDIX III: ANALYSIS CERTIFICATES	43
APPENDIX IV: PROSPECTING MAPS	63

LIST OF FIGURES

FIGURE 1: Location of the Toro Property, NE BC	4
FIGURE 2: Mineral Tenure for the Toro Property	5
FIGURE 3: Regional Mineral occurrence Map	8
FIGURE 4: Regional Geological Setting	12
FIGURE 5: Stratigraphic column from Carne 2006	13
FIGURE 6: Total Residual Magnetic Field Data	15
FIGURE 7: Gravity – Bouguer Anomaly data	16
FIGURE 8: Examples of overlapping residual gravity and magnetic anomalies over known IOCG deposits	18
FIGURE 9: Regional positive Bouguer gravity anomalies in the Muskwa Region.	19
FIGURE 10: Location of positive gravity anomalies adjacent to regional aeromagnetic positive anomalies.	20
FIGURE 11: Toro property digital geological interpretation	22
FIGURE 12: Location of 13 rock prospecting samples collected on the Toro property	26
FIGURE 13: Copper in rock results for 13 rock prospecting samples collected in 2021	28
FIGURE 14: ASTER multispectral imagery scene overlapping with Toro claims.	32
FIGURE 15: Gossan anomaly probability map	34
FIGURE 16: Clay anomaly probability map	35
FIGURE 17: Silica anomaly probability map	36
FIGURE 18: Summary of mineral alteration targets	37

1.0 INTRODUCTION

The following report presents results from (i) 2021 rock prospecting and (ii) multispectral satellite alteration mineral mapping conducted across the Toro property which is located in north eastern British Columbia (**Fig. 1**). The claims are currently owned by High Range Exploration and Fabled Copper Corp. The Toro property comprises 11 mineral tenures covering approximately 1392 ha (**Fig. 2**).

The Toro property is located within the Muskwa Anticlinorium, a Proterozoic assemblage of sedimentary rocks considered to be temporally related to parts of the Wernecke Supergroup in the Yukon territory, which host significant iron-oxide copper-gold (IOCG) mineralization (Carne, 2006). Copper was originally discovered in the region during the construction of the Alaska Highway in the 1940's. Widespread exploration took place from 1950 to the early 1970s and resulted in the discovery and production of both the Magnum and Davis-Keays deposits which both saw intermittent mining until 1974.

The key objectives of the 2021 work program were to:

- i) Carry out fieldwork and prospecting at accessible locations across the Toro claims in order to verify historical assay results and assess mineralization styles.
- ii) Conduct alteration mineral mapping and targeting using Visible Near Infrared (VNIR), Shortwave Infrared (SWIR) and Thermal Infrared (TIR) Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) multispectral satellite data.

Field work was carried out by a four-person team consisting of Fabled Copper Corp. staff and Geomantia Consulting was contracted by Fabled Copper Corp. to carry remote sensing data processing, analysis and final report writing. Geomantia Consulting was also on site during the 2021 Fabled Copper Field campaign. A Statement of Qualifications appears in Appendix I and the Statements of Costs appear in Appendix II. Analytical certificates are presented in Appendix III. Field prospecting information is presented in Appendix IV. All maps are drafted in the NAD83 (CSRS) datum and projected to UTM zone 10.




FIGURE 1: Location of the Toro Property Fabled Copper, NE BC.




FIGURE 2: Mineral Tenure for the Toro Property

2.0 PROPERTY, LOCATION AND ACCESS

The Toro property is located approximately 530 km NNW of Prince George, 155 km WSW of Fort Nelson, B.C. and 53 km S of Toad River (**Fig. 1**). The claim area is centered at latitude 58°21'37.57" N, and longitude 125°11'42.98" W within the Northern Canadian Rocky Mountain Ecoregion 2, specifically in the eastern Muskwa Ecoregion. The area is flanked by the Northern Rocky Mountain Park to the east, Muncho Lake Park to the north, Dune Za Keyih Park to the west and Kwadacha Wilderness Park to the south (Carne 2006). The eleven mineral tenures of the Toro property are located in the Liard Mining Division on NTS map sheet 94K. Claim data are listed in **Table 1** while the locations of the individual tenures are shown on **Figure 2**.

Tenure_No.	Claim_Name	Owner	Issue_Date	Good-To_Date	Area_(Ha)
772742	TORO/CHURCHILL	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	13-May-10	10-Dec-23	305.5589
772802	TORO/CHURCHILL 2	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	13-May-10	10-Dec-23	84.9236
1026684	TORO EAST	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	14-Mar-14	10-Dec-23	67.8936
1026686	TORO SW	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	14-Mar-14	10-Dec-23	152.845
1019676	T/C2	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	21-May-13	10-Dec-23	50.9232
1023665	IDAHO	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	7-Nov-13	10-Dec-23	33.9804
854517		HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	14-May-11	10-Dec-23	16.9724
1024157	JOHN EXT	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	2-Dec-13	10-Dec-23	135.779
1024158	SOUTH EXT	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	2-Dec-13	10-Dec-23	67.9572
1063713	TORO NORTH	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	10-Oct-18	10-Dec-23	271.4669
1063714	TORO SOUTH	HIGH RANGE EXPLORATION LTD. /FABLED COPPER CORP.	10-Oct-18	10-Dec-23	203.9047

Table 1: Toro Property Claim Data Summary

Elevation ranges from 1120 m to 2560 m above mean sea level. Access is by helicopter from Toad River and a former haulage road extends from MacDonald Creek into the property however the bridges have been removed (Carne, 2006). During 2021 field activities attention was paid to accommodating outfitter's schedules and helicopter flight paths respected existing legislation pertaining to shared land use.

3.0 PHYSIOGRAPHY & VEGETATION

The following outline is summarized from Carne (2005) and Campbell (2016). The Toro property is characterized by significant topographic relief with pronounced peaks, jagged ridges and wide U-shaped valleys occupied by braided rivers. Lower slopes are covered by open scree grading into moderate to dense growths of spruce trees on valley bottoms. Both the Alpine Tundra and the Spruce-Willow-Birch climatic zones are represented on the Muskwa property. Tree line is at approximately 1400 m. Local glaciation has produced numerous moraines and has deposited variable thicknesses of till up to an elevation of about 1500 m. A number of glaciers still exist at high elevations particularly in north and east facing cirques. Creeks draining the property flow into the Racing River, which is a tributary of the Liard River.

This area is protected from moist Pacific air moving over the mountains to the west, however low-pressure storms in Alberta pushing moisture eastward over the Alberta Plateaus to the east can result in extreme rain events. In the winter and early spring, dense, cold Arctic air can invade this area by coming down the Interior Plains to the north.

4.0 PREVIOUS WORK

The following summary of work history in the project area is taken from Carne (2006). The discovery of copper mineralization in the Muskwa Anticlinorium in the early 1960's was followed by intense regional exploration focussed on the high grade copper bearing quartz-carbonate vein deposits. The work resulted in recognition of numerous copper occurrences, the most significant of which is the Magnum deposit (**Fig. 3**). The Eagle vein at the Davis-Keays copper prospect underwent surface and underground development at the same time as the Magnum deposit, with semi-proven reserves in 1971 of 1,119,089 tonnes grading 3.43 per cent copper (BC Minfile 094K 012).

In the southern portion of the project area, the Bronson, Book 6, Book 9/10 and Toro prospects also received advanced exploration. Subsequent to cessation of mining in 1974, major exploration activities ceased in the region until the early 2000's when Archer Cathro and Associates Ltd., carried out an regional exploration program to assess the district for Iron-Oxide-Copper-Gold (IOCG) mineral potential. The exploration program consisted of regional and detailed prospecting, regional silt and pan




FIGURE 3: Regional Mineral occurrence Map, Muskwa Region.

sampling, mapping and prospect scale-soil sampling. A small 420.6 m drill program was carried out on the Matnik occurrence.

A property-wide geophysical survey was flown by Sanders Geophysics Ltd. of Ottawa, Ontario. Approximately 9,002 line kilometres of airborne magnetic data were acquired of the project area. The traverse lines were flown at 400 m spacing and oriented at 58° with control lines at 2 km spacings and oriented at 148°. The survey was flown at a height of 150 m above the minimum drape surface. Raw magnetic data was processed by Aurora Geosciences Ltd. to remove the underlying regional magnetic gradient. Some smaller exploration programs were completed between 2005 to 2008 by Aries Resource Corp. and Action Minerals Inc. An airborne electromagnetic survey was conducted for Aries Resource Corp. during the 2005 program. A limited rock prospecting and reconnaissance drill program was also completed in 2019 by Fabled Copper Corp.

Earliest exploration on the Toro property was carried out by Canex Aerial Exploration Ltd. in 1966 on the 3.2 km long, copper bearing Toro quartz vein system. The program included geological mapping, sampling and 211 m of diamond drilling from two short adits having an aggregate length of 24.4 m (Preto, 1971). Copper grades appeared to significantly decrease at depth where the drilling intersected the veins. The drill intersections averaged 0.66% copper over 4.1 m. These disappointing drill results are difficult to reconcile with a 1970 feasibility study, by MacDonald Consultants that calculated proven and probable reserves at 1,423,860 tonnes grading 3.42% copper. In 1971, Chapman, Wood & Griswold calculated 'semi-proven' and probable reserves at 1,574,453 tonnes grading 3.38% copper. Both studies concluded that the possibility of defining more reserves at depth is excellent (BC Minfile 094K 050).

Archer Cathro and Associates Ltd. carried out a work program in 2005 which consisted of collection of 57 rock samples, 233 soil samples and 5 silt samples and 5 pan samples. These data were re-evaluated in 2019 by Fabled Copper Corp. Additionally a small prospecting program as carried out by Fabled Copper in 2019. Twenty-five samples with copper grades ranging from 0.01 to 4.34 % Cu were collected across the Toro claims. No exploration work has occurred on the Toro property since 2019.

5.0 REGIONAL GEOLOGY and GEOPHYSICS

The following description of regional geology is summarized from Carne (2006). The Toro property and surrounding Cu-Co vein occurrences are located in the Cordilleran Foreland Belt in the northern Rocky Mountains. The district is characterized by broad belt of sedimentary rocks that have undergone polyphase deformation, the youngest of which has resulted in open to tight and upright to inclined folding and a stack of northeast verging thrust or reactivated reverse faults (**Fig. 4**). The overall structural grain throughout the Rocky Mountains is predominantly northwest. The main structural feature in the Cu-Co vein district is the Muskwa Anticlinorium, a major north-northwest trending window that exposes rocks as old as Middle Proterozoic (Helikian).

The pre-Paleozoic package is collectively referred to as the Muskwa Assemblage and consists of a 6400 m thick succession of argillaceous to fine grained siliciclastic strata and carbonates. Seven formations of Proterozoic age are represented in the anticlinorium (**Fig. 5**). From oldest to youngest, with approximately true thickness, they are the Chischa Fm (940 m), Tetsa Fm (320 m), George Fm (360-530 m), Henry Creek Fm (460 m), Tuchodi Fm (1500 m), Aida Fm and Gataga Fm (3000 m together). Paleozoic units unconformably overlie the Proterozoic rocks along a Lower Cambrian erosional surface.

The Tuchodi Fm is the oldest outcropping unit occurring with the Cu-Co district. It comprises medium to thin bedded quartzite and quartz flooded dolomitic siltstone and argillite. This formation is relatively resistant to weathering and often forms an obvious bench on hill slopes where overlain by the more recessive weathering Aida Fm and Gataga Fm.

The Aida Fm conformably overlies the Tuchodi Fm and is composed of buff weathered calcareous and dolomitic siltstone and mudstone with minor amounts of sandstone. Two generations of penetrative slaty cleavage are well developed in the rocks of this formation.

The Gataga Fm conformably overlies the Aida Fm and is characterized by black carbonaceous shales. Its rocks are well cleaved and dark weathered. Their lithologies and the presence of turbidite structures and soft sediment deformation indicate that the Aida Fm and Gataga Fm were deposited in a deep water setting (Ross et al., 2001).

Paleozoic stratigraphy in the region is Cambrian to Devonian in age. These strata unconformably

overly the Proterozoic formations and are mainly composed of carbonaceous and siliceous units, including limestone, dolomite, quartzite and quartz pebble conglomerate.




FIGURE 4: Regional Geological Setting of the Toro Property. Source - Cui et al. (2017).




FIGURE 5: Stratigraphic column summarizing generalized Proterozoic stratigraphy in the Muskwa Region
 (Source – Carne, (2006))

The Proterozoic formations are crosscut by a series of apparently Hadrynian aged gabbro and diabase dykes. The dykes range between 5 to 35m in width and follow the main north-northwest structural orientation of the area. The majority of the dykes are moderately to strongly magnetic. They form prominent linear features that resist weathering.

Low grade metamorphism, mainly subgreenschist, is evident throughout the Proterozoic sedimentary package. Contact metamorphism along the periphery of the dykes is rare but, where present, is associated with sericite and chlorite alteration.

Thrust faults, reverse faults and moderate folding characterize the structural history of the area. Late Helikian or early Hadrynian structures are represented by high angle fault zones that have been intruded by dyke swarms. These structural zones are considered to be deep-seated and have been observed to be up to 180 m wide, hinting at an extensional tectonic environment. Their inferred strike lengths are in the order of tens of kilometres. Copper bearing quartz carbonate veins were emplaced along these same structures and are mainly found adjacent to the diabase units. Shearing is common along the dyke contacts with the wallrocks and veins.

Low angle, westerly dipping thrust faults have in some areas stacked Proterozoic basement rocks above the Paleozoic cover rocks. These faults are north-south trending and extend over hundreds of kilometres. Faults and folds in the Muskwa area developed during Jurassic to Tertiary times.

Regional airborne magnetic and gravity surveys are available for the project area from Natural Resources Canada (NRCAN; **Figs. 6 & 7**). The aeromagnetic data consists of residual total field and first vertical derivative data. Seven airborne gravity datasets are available including:

- i) Bouguer anomaly data
- ii) First vertical derivative
- iii) Free air gravity data
- iv) Horizontal gravity gradient data
- v) Isostatic residual gravity data
- vi) Total observed gravity data
- vii) Gravity anomaly data




FIGURE 6: Total Residual Magnetic Field Data, Muskwa Region (Source – NRCAN)




FIGURE 7: Regional Bouguer anomaly gravity data, Muskwa Region (Source – NRCAN)

Integrated gravity and magnetic data are critical targeting tools for IOCG mineralization. In many known deposits, mineralization occurs at the edge of a magnetic high and in the center of the residual positive gravity anomaly (Austin and Foss 2012; **Fig. 8**). Several small positive anomalies occur within the regional gravity dataset although they are subdued intensity as a result of the large positive gravity anomalies associated with Palaeozoic stratigraphy located on the eastern side of the data (**Fig. 9**). A comparison of the positive gravity anomalies with residual aeromagnetic data indicate some coincidence with gravity highs with the edge of regional positive magnetic anomalies although better higher resolution datasets are needed to better demonstrate this trend (**Fig. 10**).

6.0 MINERALIZATION AND DEPOSIT MODELS

Copper mineralization throughout the Muskwa region is associated primarily with copper bearing quartz iron carbonate veins emplaced along NNW, N, NNE and NE near vertical structures. The veins often have strike lengths over 1 km and range from stringer zones to widths of 4 m. Chalcopyrite and malachite are the dominant copper minerals with minor bornite and chalcocite. Mineralization consists of lenses to stringers to blebs of copper minerals in the host veins. The majority of the mineral occurrences host patchy and sporadic mineralization throughout the structures. Copper mineralization is often better developed at the contact zones between the quartz-iron carbonate vein systems and adjacent diabase dykes.

In addition to the copper-bearing quartz iron-carbonate veins, several iron oxide breccia zones have been discovered in the region. The Dieppe and Matnik occurrences have both reported the presence of hematite-bearing breccias.

The IOCG deposit model was first suggested by Archer Cathro and Associates Ltd in 2005 for the Cu-Co mineralization present in the region. Iron-Oxide-Copper-Gold deposits are considered to be (i) magmatic-hydrothermal deposits containing economic quantities of Cu and Au, (ii) are structurally controlled containing significant breccia volumes and are (iii) often associated with pre-ore sodic or sodic-calcic alteration (Groves et al. 2010). Additionally, these deposits have abundant low-Ti iron oxides and/or iron silicates associated with, but generally paragenetically older than the Cu-Fe sulphides (Groves et al. 2010). Pyrite is generally low in overall abundance and widespread quartz veining or silicification is absent (Groves et al. 2010). Finally, IOCG deposits have clear temporal relationship to major magmatic intrusions. These systems are theorized to transition into the epithermal mineralizing environment if erosion is minimal and permits preservation.




FIGURE 8: Examples of overlapping residual gravity and magnetic anomalies over known IOCG deposits
 (Source – Austin and Foss, 2012).




FIGURE 9: Regional positive Bouguer gravity anomalies in the Muskwa Region.




FIGURE 10: Location of positive gravity anomalies adjacent to regional aeromagnetic positive anomalies.

Iron oxide-copper-gold (IOCG) mineralization is associated with the pathfinder elements **Ag, As, Au, Ba, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, F, Fe, K, La, Mn, Mo, Ni, S, Sb, Se, Sn, Te, U and W** (Wang et al. 2013; Hill et al. 2014;) and are often preserved within hydrothermal alteration halos that can be linked to mineralization. As an example, an alteration signature may progress from regional Na-enriched, K-depleted alteration to camp-scale Mn, K, and Ba enrichment and Na-depleted alteration to deposit scale alteration enrichment in Ag, Au, Bi, Cu, Fe, K, Mo, Sb and U (Porter 2010). Univariate and multivariate geochemical analysis of historic rock, silt and soil data completed in 2019 indicate that pathfinder elements associated with Cu mineralization within Muskwa region are similar to pathfinders present in known IOCG deposits (Cu-S-As-Ag-Co-Fe and Ni).

7.0 TORO PROPERTY GEOLOGY AND 2021 PROSPECTING RESULTS

The Toro property is underlain by interbedded dolostone and slaty argillites of the Proterozoic Aida Formation and red-weather siliciclastic sandstones and conglomerates of the unconformably overlying Cambrian Sylvia Formation. East of the main Toro mineral occurrences clastic sedimentary rocks of the Tuchodi Formation occur. Cambrian stratigraphy occurs predominantly within the western half of the property and Proterozoic stratigraphy in the east (**Fig. 11**).

The Proterozoic sedimentary rocks are cut by several large, NNE-trending diabase dikes which, in the western area of the showings, are truncated and unconformably overlain by varicolored clastic Cambrian strata of the Sylvia Formation (Preto, 1971). Taylor et al (1973) interpreted a major northwest-trending southwest-dipping thrust fault to be located approximately one kilometer northeast of the property.

Copper mineralization occurring in the quartz-carbonate veins appears to be highly variable and discontinuous. Preto (1971) suggested that the better mineralized veins are older than the dikes, occurring either as inclusions inside dikes or as panels along or near the sides of dikes. The Toro claims encompass four mineral occurrences summarized below with information from the B.C. Minfile. The main showings outcrop on top of a 2438 m high north-south trending ridge. The remnants of an old helicopter pad on the ridge top and other old workings are still visible.




FIGURE 11: Toro property digital geological interpretation

The rocks are locally strongly folded about a northwesterly axis. Bedding strikes around 315° and dips moderately southwest or locally northeast. The structural fabric of the area strikes southeast and dips moderately to the southwest (**Fig. 11**).

A large-scale open syncline with NE-oriented axial plane and presumed WSW plunging fold axis is defined by the rotation of bedding from NNW in the south to NW in the north of the property (**Fig. 11**). Additionally a significant zone of deformation and alteration is located at along the eastern boundary of the property. The Ho mineral occurrence is located within this zone. This zone may represent a faulted contact between the Aida and the Tuchodi formation.

2021 Toro Property – Rock Prospecting Program

A total of three and half field days were spent on the Toro property reviewing the main mineral occurrences and collecting samples to verify presence of economic quantities of copper mineralization. Thirteen samples weighing between 0.5 and 2.2 kg were collected and shipped to ALS Chemex of North Vancouver, BC, for processing and analysis. A blank and two copper standards (OREAS 922 and 928) were included for Quality Control and Quality Assurance (QC/QA) purposes. Samples are placed in clear plastic bags together with a waterproof paper ticket depicting a unique sample number. Each bag is tied with cable ties and labelled with permanent marker. For sample preparation and analysis, the ALS geochemical methods Au-ICP21 and ME-ICP61 were used. Overlimit values were analysed using the ME-OG62, Cu-OG62 and Pb-OG62 methods. Details of each analytical method are provided in Appendix III. Field logs are presented below and a summary of rock geochemical results follows.

July 23: The terrain containing the Toro, John, Churchill and Ho Occurrences were overflown. The Ho Occurrence was prospected by G. Henriksen (GH), R. Campbell (RC), G. Giga (GG) and R. Grenier (RG), starting on the west branch of Churchill Creek then following an old dozer trail upwards towards the occurrence in claim 1063714. 5 samples of float were collected and traversing reached to within 65 meters of the exposed Ho Vein. Approximately 4.5 km of traversing was completed by each prospector.

August 24: GH, RC, GG and R.G prospected (approx. 4 km. of traversing each) along a valley, east and downslope of the supposed location of the John Occurrence. 3 samples of float were collected, 1 just east of the property and 2 on claim 1024157.

September 1: GH and RC were flown to the west bank of Churchill Creek, just north of the northeast corner of claim 1023665. One half a day each was spent prospecting through the eastern parts of claims 1023665 and 1063714, downslope of anomaly Target 11. Five samples of float were taken (2 in claim 1023665 and 3 just north of this claim) and each prospector performed 2 km. of prospecting.

September 2: GH and RC each spent ½ a day (1 km. of traversing each), prospecting in claim 1024158, near the location of Target 11 and upslope of the prospecting of Sept. 1. A vein was observed in place across a ravine, along strike north of the Ho Occurrence. No samples were collected, since topography was too steep and no mineralized float was observed.

September 7: GH and RC east spent ½ a day prospecting northeast along a tributary of Churchill Creek and then along a switchback dozer trail. west of the supposed location of the John Occurrence. Each prospector completed approximately 3.5 km. of traversing with claim 1024157 being reached, but the vein wasn't observed and no samples were collected.

The Ho and John Occurrences and Target 11 Anomaly on the Toro Property were prospected on July 23, Aug. 24, Sept. 1, Sept.2 and Sept. 7. Thirteen samples of float were collected (**Fig. 12**). Assay results are presented in **Table 2** and Cu assay values are displayed on **Figure 13**.

Ho – Target 11

On July 23, a prospecting traverse was started on the west branch of the Churchill Creek and continued up-slope along an old dozer switchback trail to within 65 meters, at a slope of 37 degrees, of the Ho Vein. The vein is exposed on a northeast trending rock face at an altitude of ~ 1400 meters. Five examples of quartz-carbonate float (D723211 to D723214), with Cu mineralization and shale-siltstone fragments, were sampled on claim 1063714 at elevations of 1166 to 1365 meters. Four of the five samples contained 1.155 to 1.46 % Cu and the fifth sample (D723210) collected the farthest from vein exposure, at the lowest elevation, assayed 0.664% Cu. The five samples contained 1 to 5 % chalcopyrite, abundant malachite and trace bornite.

Target 11 is comprised of 2 anomalies located 1 and 1.35 km. north of the exposure of the Ho Vein. On Sept. 1, the downslope area east of the anomalies was prospected and five samples (D723517 to D723521) of float were collected at elevations of 1111 to 1154 meters. The highest Cu content (0.97 %) was

found in sample D723518 which was comprised of weathered wacke with quartz-sulphide (1 % chalcopyrite and trace azurite and bornite). Samples D723517, 520 and 521, of quartz-carbonate veining with shale-siltstone fragments, minor chalcopyrite and trace amounts of bornite, contained 0.113, 0.299 and 0.375 % Cu, respectively. A sample (D723519) of wacke, with 3-5 % pyrite, assayed low in Cu (0.0052 %).




FIGURE 12: Location of 13 rock prospecting samples collected in 2021 on the Toro property.

SAMPLE ID	NAD83E	NAD83N	ELEV.	DATE	CLAIM	Cu %	Pb %	Zn %	Au ppm
D723210	372343	6467877	1166	23-Jul	1063714	0.664	0.0009	0.0022	0.002
D723211	372208	6468035	1277	23-Jul	1063714	1.46	0.001	0.0019	0.003
D723212	372178	6468135	1341	23-Jul	1063714	1.325	0.0018	0.0011	0.009
D723213	372120	6468131	1365	23-Jul	1063714	1.155	0.0012	0.0018	0.006
D723214	372177	6468090	1324	23-Jul	1063714	0.0089	0.0002	0.0015	<0.001
D723470	369510	6472321	1751	24-Aug	off prop.	0.0056	0.0003	0.0042	<0.001
D723471	369400	6472434	1783	24-Aug	1024157	0.0134	0.0006	0.0012	<0.001
D723472	369580	6472610	1693	24-Aug	1024157	0.0061	0.0003	0.0009	<0.001
D723517	373066	6468996	1113	1-Sep	off prop.	0.113	0.0011	0.0012	<0.001
D723518	373073	6469060	1123	1-Sep	off prop.	0.97	0.0016	0.0018	0.008
D723519	372948	6468689	1111	1-Sep	1023665	0.0052	0.0011	0.0012	0.002
D723520	372938	6468607	1114	1-Sep	1023665	0.299	0.0007	0.0002	<0.001
D723521	372975	6469060	1154	1-Sep	off prop.	0.375	0.0002	0.0006	<0.001
SAMPLE ID	Ag ppm	Al %	As ppm	Ba ppm	Ca %	Co ppm	Cr ppm	Fe %	K %
D723210	0.6	0.35	11	10	0.52	12	33	1.31	0.18
D723211	1.2	0.28	9	10	0.46	67	28	2	0.16
D723212	1	0.65	20	30	2.15	84	26	1.84	0.38
D723213	0.6	0.25	46	10	5.14	226	19	2.72	0.13
D723214	<0.5	0.02	<5	530	20.4	<1	1	0.05	0.01
D723470	<0.5	1.25	<5	400	7.36	3	14	2.61	1.1
D723471	<0.5	1.65	<5	4980	8.6	4	14	1.17	1.27
D723472	<0.5	0.62	<5	510	3.88	2	16	1.07	0.46
D723517	0.6	0.52	22	30	14.25	15	7	2.76	0.29
D723518	0.9	6.83	23	1200	0.2	87	69	4.88	3.2
D723519	<0.5	5.8	16	110	0.21	31	68	3.03	2.24
D723520	0.9	0.35	<5	30	0.07	4	13	0.67	0.16
D723521	<0.5	0.51	23	80	2.74	10	12	1.14	0.1
SAMPLE ID	Mg %	Mn ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sc ppm	Sr ppm
D723210	0.26	113	0.03	17	10	9	0.17	<1	4
D723211	0.24	107	0.02	80	10	10	0.92	<1	3
D723212	0.98	319	0.02	110	40	18	0.6	1	14
D723213	2.27	1010	0.02	251	10	12	0.87	1	22
D723214	13.45	398	0.01	<1	20	2	0.01	<1	133
D723470	3.19	1220	0.07	6	180	3	0.01	2	118
D723471	4.83	339	0.01	8	220	6	0.15	3	539
D723472	1.79	236	0.01	5	180	3	0.02	1	40
D723517	7.42	1625	0.02	19	40	11	0.23	4	60
D723518	5.47	51	0.03	96	540	16	1.65	23	173
D723519	3.29	36	0.03	44	550	11	1.09	19	10
D723520	0.06	34	0.04	2	10	7	0.29	<1	5
D723521	1.9	274	0.03	13	180	2	0.37	3	16
SAMPLE ID	Ti %	V ppm	Description						
D723210	<0.01	2	Qtz + carb. patches, abundant malachite, ≤1% cpy as dissem. trace bornite						
D723211	<0.01	1	Qtz + carb. vein, in part "box" texture, abundant mal., 5% cpy a ≤0.5% bornite						
D723212	0.02	5	Qtz + carb. vein, similar to D-723211, 1% cpy						
D723213	<0.01	2	Qtz + carb. veining, abundant mal., 5% cpy as dissem., trace bornite						
D723214	<0.01	2	Qtz + carb. vein, abundant mal., tr. azurite, vuggy, 2-3% cpy, tr. chalcocite, tr. bornite						
D723470	0.07	12	Qtz + carb., minor green fragments of shale, no apparent sulfides						
D723471	0.1	18	50% Qtz + carb. ± Fe-carb. veinlets and stringers, 50% Buff limestone						
D723472	0.02	21	Qtz + carb. + Fe-carb. + chl, minor fragments of mod. hem. altered wacke.						
D723517	0.03	9	Qtz + Fe-carb., moderate graphitic shale fragments, trace <0.5% cpy						
D723518	0.96	303	Wacke, mod. fractured-qtz + sulfide filling, mod. mal., tr. azurite., tr. bornite						
D723519	0.86	321	Wacke, moderately fractured-qtz filling, 3-5% py as patches and disseminations						
D723520	<0.01	2	White qtz, mod. mal., minor patch of cpy with hematite alteration halo						
D723521	0.03	8	White qtz + Fe-carb., minor malachite, <0.5% cpy as dissem. and patches, trace bornite						

Table 2: Toro 2021 rock prospecting results




FIGURE 13: Copper in rock results for 13 rock prospecting samples collected in 2021 on the Toro Property.

While prospecting the anomalies of Target 11 on Sept. 1 an exposed quartz vein was seen upslope to the west. On Sept. 2 the helicopter placed the crew upslope on claim 1024158 and 2 quartz veins, striking ~ 355 degrees at an altitude of 1767 meters, were observed across an east trending ravine to the north. These veins lie 1.1 km. north along strike of the Ho Vein exposure.

John

The John Occurrence wasn't found or seen in outcrop while prospecting a valley (Aug. 24) and a valley-old switchback dozer trail (Sept. 7), east and northwest, respectively, of the supposed location of the occurrence. Three examples (samples D723470-472) of quartz-carbonate float were collected at elevations of 1693 to 1783 meters. These samples contained no sulphide content and assayed low in Cu (0.0056-0.0134 %). The location where 2019 sample Y646006 was collected was found near the southern boundary of claim 1024157.

Toro and Churchill


The locations of the Toro and Churchill Occurrences were overflowed on July 23. The Toro Veins and some old workings were observed from the air, but rough terrain and lack of climbing aids prevented prospecting in the area. The plotted location of the Churchill Occurrence was also overflowed but no veining or Cu alteration was observed.

In summary, a total of 13 samples were collected across the Toro property in 2021 with grades ranging from sub anomalous to 1.46% Cu. Cobalt values were significantly anomalous at the Ho occurrence. Anomalous Ba was characteristic of samples collected at the John occurrence. Manganese is also anomalous in samples from both the John and Ho occurrence.

8.0 ASTER ALTERATION MINERAL MAPPING - RESULTS

The ASTER sensor is a spectral imaging instrument located on-board the EOS/Terra satellite which was launched by NASA in December 1999. ASTER has been designed to acquire land surface temperature, emissivity, reflectance, and elevation data and is a cooperative effort between NASA and the Japanese Ministry of Economy, Trade, and Industry (METI). ASTER consists of three separate subsystems, each acquiring data from different regions of the electromagnetic spectrum (VNIR, SWIR and TIR). Each ASTER scene covers an area of 60×60 km².

The VNIR bands have a spatial resolution of 15 m, SWIR bands 30m and the TIR bands 90 m. An additional backward-looking near-infrared band provides stereo coverage. The ASTER channels are more contiguous in the short wave infrared region than those of Landsat, yielding increased accuracy in the spectral identification of rocks and minerals (*Gabr et al. 2010*). **Table 3** provides a summary of band and wavelength information for the ASTER sensor.

ASTER Users Handbook 

Subsystem	Band No.	Spectral Range (µm)	Spatial Resolution, m	Quantization Levels
VNIR	1	0.52-0.60	15	8 bits
	2	0.63-0.69		
	3N	0.78-0.86		
	3B	0.78-0.86		
SWIR	4	1.60-1.70	30	8 bits
	5	2.145-2.185		
	6	2.185-2.225		
	7	2.235-2.285		
	8	2.295-2.365		
TIR	9	2.360-2.430	90	12 bits
	10	8.125-8.475		
	11	8.475-8.825		
	12	8.925-9.275		
	13	10.25-10.95		
	14	10.95-11.65		

Table 3: ASTER spatial, spectral and radiometric resolution (http://www.pancroma.com/downloads/aster_user_guide_v2.pdf)

ASTER can acquire data over the entire globe with an average duty cycle of 8% per orbit. This represents acquisition of about 650 scenes per day that are processed to three different levels based on final product (Level-1A, 1B and 1T). All processed scenes are transferred to the Earth Observing System Data and Information System (EOSDIS) archive at the EROS Data Center's (EDC) Land Processes Distributed Active Archive Center (LP-DAAC) for storage, distribution, and processing to higher-level data products. All ASTER data products are stored in the Hierarchical Data Format (HDF-EOS).

ASTER level 1B products (*used in this study*) represent registered radiance at the sensor product and as such contain radiometrically calibrated and geometrically co-registered data for the acquired channels. Level-1B data is produced by applying the radiometric calibration and geometric correction coefficients to the Level-1A data files. Further image pre-processing is required to generate surface

reflectance and emissivity multiband imagery that is necessary for mineral mapping and analysis. Scenes used for mineral mapping must predate April 30, 2008 when SWIR sensor overheating began resulting in erroneous data for the 6 SWIR bands.

One minimally cloud covered Aster Level 1B Scene was acquired for the Toro claim block (**Fig. 14**). The mapping area is characterized by moderate ice cover in the central portion of the claims and moderate vegetation cover at lower elevations. These image feature types, in addition to topographic shadow will significantly reduce the surface area over which spectral analysis can be carried out. The imagery was acquired on September 11, 2001 and the Canadian Digital Elevation Data (CDED) 30 m resolution DEM was acquired and used to orthorectify the ASTER Scene. Note that Crosstalk is an effect in ASTER imagery caused by data signal leakage from band 4 into adjacent bands 5 and 9. A cross talk correction is applied using open source software (ERSDAC Crosstalk 3).

Other necessary pre-processing steps after data import includes (i) Image orthorectification using available DEM, (ii) Layer stacking into VNIR-SWIR 9 band layer stack (resampled to 30 m resolution) and TIR 5 band layer stack (90 m resolution), (iii) Atmosphere Correction for VNIR-SWIR data to generate surface reflectance data (iv) Thermal atmospheric correction for TIR data to generate emissivity data (vi) trimming and mosaicking data to the Toro Claims and (vii) Snow, cloud and vegetation Masking.

The VNIR-SWIR image was atmospherically corrected using the module fast line-of-sight atmospheric analysis of spectral hypercubes (FLAASH) in ENVI 5.3. FLAASH uses MODTRAN4 radiation transfer models for the calculations. These models have been shown to be better than other atmospheric correction techniques for hydrothermal mineral mapping.

Band Ratio and Logical Operators

Selected ASTER VNIR-SWIR and TIR band ratios and logical operators are extremely effective in mapping hydrothermal alteration for reconnaissance or early stage exploration. **Table 3** summarizes various band ratio and logical operators used in this study to map specific alteration minerals. All operators listed in the table were used to generate mineral probability maps, however the following discussion focuses only on minerals that yielded credible anomalies (gossan, silica and general clay). Note vegetation was masked out of final data products to avoid generation of false anomalies.




FIGURE 14: ASTER multispectral imagery scene overlapping with Toro claims.

Vegetation has a spectral response that overlaps with clay minerals that are identified using absorption and reflection features in the SWIR portion of the electromagnetic spectrum.

Alteration Mineral	Band Ratio/Logical Operator
VNIR-SWIR	
Hematite – Goethite	B2/B1
Kaolinite	B4/B6
Sericite	(B5+B7)/B6
Clay General	(B5*B7)/(B6*B6)
Phyllic	B4/B7
Muscovite/Illite	B7/B6
Carb/Chlorite/Epidote	(B7+B9)/B8
Epidote/Chlorite/Amphibole	(B6+B9)/(B7+B8)
TIR EMISSIVITY	
Quartz Rich Rocks	B14/B12
Silica	B11/B10
SiO ₂	B13/B12

Table 3: Band ratios and logical operators used for Toro claims.

Mineral probability maps for gossan, clay and silica alteration are presented in **Figures 15-17** and a summary map of all alteration targets is presented in **Figure 18**. Where the intensity of alteration is strong image classification is divided into medium and high probability groupings. In contrast, where alteration intensity is weakly to moderately developed, a single probability classification is used.

Important observations include:

1. A significant gossan anomaly is present immediately west of the Toro mineral occurrence. This may be spatially coincident with iron oxide development at the Paleozoic/Proterozoic unconformity surface. A smaller gossan anomaly occurs ~ 1 km south west of the Ho occurrence.
2. Numerous zones of clay alteration are located adjacent to diabase dykes, the most well developed clay anomalies occur between the Toro and Churchill occurrences.
3. Nine areas of silica alteration are present in the Toro claims including a cluster of silicified zones ~ 1.5 km north of the Ho occurrence, immediately southwest of the Ho occurrence and associated with known Cu mineralization sampled in 2021, a large anomaly immediately west of the Toro occurrence and several zones located in between the Toro and Churchill occurrence.

All mineral alteration targets identified warrant field follow-up.




FIGURE 15: Gossan anomaly probability map, Toro Property.




FIGURE 16: Clay anomaly probability map.




FIGURE 17: Silica anomaly probability map.




FIGURE 18: Summary of mineral alteration targets, Toro Property.

9.0 SUMMARY AND RECOMMENDATIONS

Mineralization encountered within the Toro claims consists of copper-bearing quartz iron carbonate veining hosted in Proterozoic carbonates. A spatial correlation exists between this vein-hosted mineralization and the presence of Neoproterozoic diabase units. No data currently exists demonstrating a temporal relationship, however given the spatial coincidence of the two features and exploitation of similar structures, it is plausible they are genetically related. Reconnaissance prospecting during 2021 resulting in collection of 13 samples with Cu values ranging from sub anomalous to 1.46 % Cu.

ASTER multispectral satellite imagery was used to map hydrothermal alteration within the Toro claims. Numerous zones of anomalous gossan, clay and silica were defined that warrant field follow-up.

Key recommendations include:

1. Structural/stratigraphic mapping of the Toro claims (1: 5000) scale, with a focus on (i) identifying Jurassic-Cretaceous deformation and its' intensity (ii) understanding structural controls on vein-hosted Cu mineralization.
2. District-scale gravity survey
3. Unmanned Aerial vehicle photogrammetry surveys over the Toro claims to assist with detailed mapping and 3D modelling of known zones of copper mineralization.
4. Reconnaissance of newly defined ASTER alteration anomalies.

Respectfully submitted,
Geomantia Consulting

Venessa Bennett, *Ph. D., P.Geo. Adv. Dip RS/GIS*

REFERENCES

- Austin, J., & Foss, C. 2012. Rich, attractive and extremely dense: A geophysical review of Australian IOCGs, ASEG Extended Abstracts, 2012:1, 1-4, DOI: 10.1071/ASEG2012ab278
- Campbell, K.V., 2016. Preparatory surveys, structural study and geological remote sensing investigation of the Toro Property. Unpublished report prepared for A.R. Raven., B.C. Mineral Resources Assessment Report; 71pp.
- Carne, R.C., 2006. Assessment report describing geological mapping, prospecting, soil sampling, airborne magnetic surveys and diamond drilling at the Muskwa property; unpublished report prepared for Twenty-seven Capital Corp., B.C. Mineral Resources Assessment Report 28281; 376pp.
- Cui, Y., Miller, D., Schiarizza, P., and Diakow, L.J., 2017. British Columbia digital geology. British Columbia Ministry of Energy, Mines and Petroleum Resources, British Columbia Geological Survey Open File 2017-8, 9p. Data version 2019-12-19.
- Coetzee, G., 2007. Progress report on the geological work done at the Sox, Magnum and Missy projects plus the regional geological interpretation of Trident project. Internal company report unpublished, p34pp.
- Gabr, S., Ghulam, A., and Kusky, T. 2010. Detecting Areas of high-potential gold mineralization using ASTER data. *Ore Geology Reviews* 38: 56 -69.
- Groves, D.I., Bierlein, F.P., Meinert, L.D. and Hitzman, W.M, 2010. Iron Oxide Copper-Gold (IOCG) Deposits through Earth History: Implications for Origin, Lithospheric Setting, and Distinction from Other Epigenetic Iron Oxide Deposits: *Economic Geology*, 105, 641-654.
- Mars, J.C., and Rowan, L.C. 2006. Regional mapping of phyllic- and argillic-altered rocks in the Zagros magmatic arc, Iran, using Advanced Spaceborne Thermal Emission and Reflection Radiometer (ASTER) data and logical operator algorithms. *Geosphere* 2: 161 – 186. doi: 10.1130/GES00044.1 v. 2 no. 3 p. 161-186
- Porter, T.M., 2010 - Current Understanding of Iron Oxide Associated-Alkali Altered Mineralised Systems: Part I, An Overview; in Porter, T.M., (ed.), *Hydrothermal Iron Oxide Copper-Gold and Related Deposits: A Global Perspective*, v. 3 - Advances in the Understanding of IOCG Deposits; PGC Publishing, Adelaide, pp. 5-32
- Pour, B.A., and Hashim, M., 2012. The application of ASTER remote sensing data to porphyry copper and epithermal gold deposits. *Ore Geology Reviews* 44, 1-9.
<http://www.sciencedirect.com/science/article/pii/S0169136811001168>
- Preto, V.A. 1971 Lode Copper Deposits of the Racing River-Gataga River Area Geology, Exploration, and Mining in British Columbia British Columbia Department of Mines and Petroleum Resources, British Columbia pp. 75-104.
- Ross, et al., G.M., Villeneuve, M.E., and Theriault, R J. 2001 Isotopic provenance of the lower Muskwa assemblage (Mesoproterozoic, Rocky Mountains, British Columbia): New clues to correlation and source areas: *Precambrian Research*, v. 11 1, p. 57-77.
- Taylor, G.C., and Stott, D.F., 1973; Tuchodi Lakes Map-Area, British Columbia, Geological Survey of Canada, Memoir 373.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Venessa R.C. Bennett, geologist, with business and residential addresses in Whitehorse, Yukon Territory and, hereby certify that:

1. I graduated from the Macquarie University, Sydney, Australia in 1996 with a B.Sc. (Hons) in geology, in 2008 from Memorial University of Newfoundland with a Ph.D. majoring in geology and in 2015 from the Centre of Geographic Sciences, Nova Scotia with an advanced diploma in Geographic Information Systems and Remote Sensing.

2. I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of the Province of Alberta (registration number - 192895).

3. From 1996 to present, I have been actively engaged as a geologist in mineral exploration, geoscience research and government geoscience both internationally and nationally.

4. I was present when the fieldwork reported herein occurred and have interpreted the data resulting from this work.

Venessa R.C. Bennett Ph.D., P.Geo., Adv. Dip GIS/RS

APPENDIX II

STATEMENTS OF COSTS

ITEM	Contractor	Units	COST/RATE	Subtotals
Helicopter	QWEST Helicopters	3	7870.31	\$23,611
Personnel - Senior Geologist	Gord Henriksen	3	800.00	\$2,400
Personnel - Senior Geologist	Rob Campbell	3	1,000.00	\$3,000
Personnel - Senior Geologist	Harrison Cookenboo	1	850.00	\$850
Personnel - Geologist	George Giga	2	400.00	\$800
Personnel - Geologist	Ray Grenier	2	400.00	\$800
Accomodation	Toad River Lodge	12	146.08	\$1,753
Vehicles	2 Rental Trucks	3	276.00	\$828
Meals	Maggie Nealon	12	24.80	\$298
Analytical Services	ALS	9	42.98	\$387
Supplies	n/a	3	206.61	\$620
Travel - Flights	Aurora Geosciences	3	101.75	\$305
Map prep/Drafting	Jacques Brunelle	1	2,200.00	\$2,200
Report	Geomantia Consulting	8	850	\$6,800
		TOTAL		\$44,651
Note: this program was carried out, by the same field crew, in conjunction with other exploration in the area				
Claims worked on	1023665, 1024157, 1063714			
Field days	July 22, 23 Aug 24, 2021			
Toro Expenses-Estimate	July 4th to December 14, 2021			

APPENDIX III
ANALYTICAL CERTIFICATES



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **FABLED SILVER GOLD CORP.**
SUITE 480 – 1500 WEST GEORGIA STREET
VANCOUVER BC V6G 2Z6

Page: 1
 Total # Pages: 4 (A – C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2021
 This copy reported on
 8-NOV-2021
 Account: FASIGO

CERTIFICATE VA21227334

Project: MUSKWA PROJECT

This report is for 112 samples of Rock submitted to our lab in Vancouver, BC, Canada on 30-AUG-2021.

The following have access to data associated with this certificate:

ROBERT A. CAMPBELL	PETER HAWLEY	GORDON HENRIKSEN
--------------------	--------------	------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarCode
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login – Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements – Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu – Four Acid	
Pb-OG62	Ore Grade Pb – Four Acid	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 2 - A
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2021
 Account: FASIGO

Project: MUSKWA PROJECT

CERTIFICATE OF ANALYSIS VA21227334

Sample Description	Method	WEI-21	Au-ICP21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ca
Units		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
LOD		0.02	0.001	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
D723189		0.08	0.001	6.6	6.37	10	320	1.7	73	0.46	0.7	29	63	>10000	8.65	20
D723190		1.10	0.007	0.9	4.16	113	190	0.7	<2	0.79	6.7	54	50	564	4.05	10
D723191		2.22	0.002	<0.5	3.20	40	200	0.9	<2	0.13	1.6	6	46	47	1.70	10
D723192		0.84	0.004	6.0	3.22	28	240	0.8	<2	0.12	1.6	14	40	103	1.51	10
D723193		2.32	0.004	8.7	0.19	5	10	<0.5	<2	0.89	<0.5	10	35	>10000	6.09	<10
D723194		1.62	<0.001	0.6	6.35	25	330	0.9	<2	0.40	<0.5	38	91	1605	4.65	20
D723195		1.92	0.006	4.0	1.20	219	240	<0.5	3	0.62	5.0	66	31	9410	2.10	<10
D723196		1.20	0.001	1.7	1.13	104	120	<0.5	<2	1.93	<0.5	77	30	7380	2.09	<10
D723197		1.14	<0.001	0.6	2.33	29	670	0.7	<2	0.49	4.6	9	36	236	0.81	10
D723198		2.28	<0.001	1.3	2.32	122	620	<0.5	<2	0.28	1.1	40	64	2660	2.41	<10
D723199		0.16	<0.001	<0.5	0.04	<5	130	<0.5	<2	20.8	<0.5	<1	1	49	0.05	<10
D723200		2.26	0.001	<0.5	5.66	26	870	0.7	<2	0.21	<0.5	17	69	31	4.80	20
D723201		1.42	0.004	<0.5	3.99	24	750	0.5	<2	0.22	2.4	25	59	81	3.22	10
D723202		1.58	0.003	<0.5	3.21	10	200	<0.5	<2	0.82	<0.5	13	32	37	4.32	10
D723203		1.86	0.001	1.2	1.95	95	80	<0.5	<2	1.04	1.4	18	36	2060	1.60	<10
D723204		1.20	<0.001	<0.5	0.52	<5	50	<0.5	<2	11.10	<0.5	<1	18	22	1.69	<10
D723205		0.76	<0.001	1.1	0.20	<5	10	<0.5	<2	10.80	<0.5	<1	9	3580	2.84	<10
D723206		1.36	<0.001	<0.5	0.65	10	30	<0.5	<2	4.44	<0.5	7	23	52	0.88	<10
D723207		1.06	<0.001	<0.5	0.13	<5	10	<0.5	<2	12.10	<0.5	10	13	14	4.04	<10
D723208		1.84	<0.001	1.0	0.37	7	40	<0.5	<2	14.10	<0.5	5	7	>10000	5.98	<10
D723209		2.32	0.325	1.1	0.28	180	10	<0.5	3	1.71	<0.5	17	19	>10000	9.60	<10
D723210		1.34	0.002	0.6	0.35	11	10	<0.5	<2	0.52	<0.5	12	33	6640	1.31	<10
D723211		1.62	0.003	1.2	0.28	9	10	<0.5	<2	0.46	<0.5	67	28	>10000	2.00	<10
D723212		1.26	0.009	1.0	0.65	20	30	<0.5	2	2.15	<0.5	84	26	>10000	1.84	<10
D723213		1.44	0.006	0.6	0.25	46	10	<0.5	3	5.14	<0.5	226	19	>10000	2.72	<10
D723214		2.20	0.001	1.1	0.35	10	10	<0.5	<2	2.10	<0.5	85	23	>10000	2.00	<10
D723215		0.16	<0.001	<0.5	0.02	<5	530	<0.5	<2	20.4	<0.5	<1	1	89	0.05	<10
D723216		0.88	<0.001	<0.5	5.05	8	160	1.6	<2	6.83	<0.5	9	24	103	2.29	10
D723217		2.06	<0.001	<0.5	0.63	7	40	<0.5	<2	6.80	<0.5	6	23	2410	1.51	<10
D723218		0.86	<0.001	<0.5	3.82	8	120	1.2	<2	9.92	<0.5	10	20	234	2.39	10
D723219		1.54	0.011	2.0	0.51	20	20	<0.5	3	2.17	<0.5	6	21	>10000	4.33	<10
D723220		1.68	0.076	2.1	0.42	11	30	<0.5	<2	1.17	<0.5	5	18	>10000	7.60	<10
D723221		2.52	0.002	<0.5	0.39	<5	20	<0.5	<2	3.61	<0.5	<1	37	3630	1.16	<10
D723222		1.84	0.019	1.3	0.69	<5	30	<0.5	<2	5.02	<0.5	<1	24	>10000	3.59	<10
D723223		1.86	0.002	<0.5	1.03	<5	30	<0.5	<2	7.08	<0.5	2	20	2540	1.50	<10
D723224		1.62	0.002	<0.5	0.89	11	30	<0.5	<2	4.01	<0.5	2	25	813	0.88	<10
D723225		1.26	0.015	<0.5	1.77	116	80	0.5	3	4.47	<0.5	22	25	599	2.91	<10
D723226		1.50	0.099	1.0	0.19	9	20	<0.5	2	7.92	<0.5	1	20	3510	1.66	<10
D723227		0.06	<0.001	1.1	7.45	7	460	2.3	10	0.50	<0.5	19	77	2140	5.46	20
D723228		1.68	0.009	1.0	1.23	173	20	<0.5	5	1.60	<0.5	19	20	>10000	3.93	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 2 - B
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2021
 Account: FASIGO

Project: MUSKWA PROJECT

CERTIFICATE OF ANALYSIS VA21227334

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D723189		1.90	30	1.71	1095	1	0.18	31	540	119	1.79	<5	11	32	<20	0.32
D723190		1.09	20	3.76	600	2	0.01	43	430	783	0.18	5	8	23	<20	0.31
D723191		1.57	20	1.30	126	3	0.02	16	290	409	0.06	<5	5	6	<20	0.13
D723192		1.61	30	1.27	120	2	0.02	15	280	>10000	0.47	7	4	8	<20	0.12
D723193		0.03	<10	0.37	697	3	0.05	16	30	51	3.76	<5	1	18	<20	<0.01
D723194		2.53	<10	3.38	264	3	0.02	51	600	202	0.14	<5	25	16	<20	0.86
D723195		0.80	<10	0.41	906	2	0.01	46	130	5150	0.73	<5	6	10	<20	0.13
D723196		0.40	20	1.44	1295	2	0.01	36	250	76	0.50	<5	4	34	<20	0.04
D723197		1.70	10	0.57	384	2	0.02	10	140	2280	0.05	<5	7	15	<20	0.24
D723198		0.96	10	1.38	379	3	0.06	31	290	265	0.20	<5	10	12	<20	0.30
D723199		0.02	<10	12.80	353	<1	0.01	<1	30	8	<0.01	<5	<1	156	<20	<0.01
D723200		2.92	10	3.16	186	2	0.02	37	530	402	0.07	<5	27	15	<20	0.85
D723201		2.32	10	1.86	259	2	0.02	28	360	712	0.15	<5	18	11	<20	0.58
D723202		0.54	10	3.80	717	1	0.02	21	250	233	0.02	<5	10	16	<20	0.25
D723203		0.74	40	0.79	396	2	0.38	22	250	713	0.20	<5	3	27	<20	0.06
D723204		0.26	<10	5.95	1125	1	0.03	3	70	9	0.04	<5	1	94	<20	0.02
D723205		0.07	<10	5.01	826	1	0.02	3	10	17	0.08	<5	6	218	<20	<0.01
D723206		0.37	<10	2.23	498	1	0.03	5	60	5	0.02	<5	1	32	<20	0.02
D723207		0.07	<10	5.23	2350	1	0.02	13	30	4	<0.01	<5	1	134	<20	<0.01
D723208		0.20	<10	6.10	3120	<1	0.03	13	20	27	1.01	<5	1	123	<20	0.01
D723209		0.16	<10	0.76	197	2	0.03	145	40	138	>10.0	16	4	17	<20	<0.01
D723210		0.18	<10	0.26	113	3	0.03	17	10	9	0.17	<5	<1	4	<20	<0.01
D723211		0.16	<10	0.24	107	3	0.02	80	10	10	0.92	<5	<1	3	<20	<0.01
D723212		0.38	<10	0.98	319	3	0.02	110	40	18	0.60	<5	1	14	<20	0.02
D723213		0.13	<10	2.27	1010	2	0.02	251	10	12	0.87	<5	1	22	<20	<0.01
D723214		0.19	<10	1.04	292	3	0.02	102	10	10	1.11	<5	<1	11	<20	0.01
D723215		0.01	<10	13.45	398	<1	0.01	<1	20	2	0.01	<5	<1	133	<20	<0.01
D723216		2.44	30	5.85	510	<1	0.02	17	430	4	0.13	<5	8	100	<20	0.22
D723217		0.13	<10	4.75	398	1	0.03	5	540	<2	0.32	<5	4	153	<20	0.02
D723218		1.54	30	8.05	630	<1	0.02	16	330	7	0.14	<5	6	221	<20	0.16
D723219		0.19	<10	1.51	130	1	0.03	10	100	2	3.41	<5	2	65	<20	0.01
D723220		0.22	<10	0.44	112	1	0.03	15	1740	13	5.65	<5	2	16	<20	0.01
D723221		0.21	<10	1.71	267	3	0.03	3	840	3	0.33	<5	6	38	<20	0.01
D723222		0.39	<10	2.49	334	2	0.03	4	1850	3	1.95	<5	4	57	<20	0.02
D723223		0.55	10	3.85	560	1	0.03	3	860	2	0.31	<5	3	72	<20	0.03
D723224		0.53	<10	1.98	359	2	0.03	5	860	2	0.11	<5	8	34	<20	0.03
D723225		1.09	20	2.41	838	3	0.05	22	550	27	0.67	7	3	45	<20	0.07
D723226		0.10	<10	4.36	485	3	0.03	8	30	5	0.28	<5	10	87	<20	<0.01
D723227		2.56	40	1.56	817	1	0.43	38	670	58	0.38	<5	13	58	20	0.41
D723228		0.70	10	0.83	131	1	0.03	45	1190	5	2.87	5	4	13	<20	0.03

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 2 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-OCT-2021
 Account: FASIGO

Project: MUSKWA PROJECT

CERTIFICATE OF ANALYSIS VA21227334

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62	Pb-OG62
		Tl	U	V	W	Zn	Cu	Pb
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001	% 0.001
D723189		<10	<10	75	10	431	1.545	
D723190		<10	<10	79	<10	4830		
D723191		<10	<10	28	<10	1050		
D723192		<10	<10	24	<10	943		2.22
D723193		<10	<10	1	<10	101	5.40	
D723194		<10	<10	293	<10	115		
D723195		<10	<10	45	<10	2540		
D723196		<10	<10	15	<10	191		
D723197		<10	<10	76	<10	4030		
D723198		<10	<10	100	<10	612		
D723199		<10	<10	3	<10	29		
D723200		<10	<10	287	<10	547		
D723201		<10	<10	192	<10	1770		
D723202		<10	<10	78	<10	207		
D723203		<10	<10	15	<10	1140		
D723204		<10	<10	6	<10	21		
D723205		<10	<10	3	<10	22		
D723206		<10	<10	5	<10	7		
D723207		<10	<10	2	<10	14		
D723208		<10	<10	3	<10	30	1.150	
D723209		<10	<10	6	<10	17	2.21	
D723210		<10	<10	2	<10	22		
D723211		<10	<10	1	<10	19	1.460	
D723212		<10	<10	5	<10	11	1.325	
D723213		<10	<10	2	<10	18	1.155	
D723214		<10	<10	2	<10	22	1.455	
D723215		<10	<10	2	<10	15		
D723216		<10	<10	41	<10	17		
D723217		<10	<10	6	<10	11		
D723218		<10	<10	40	<10	23		
D723219		<10	<10	4	<10	32	4.34	
D723220		<10	<10	3	<10	65	6.84	
D723221		<10	<10	4	<10	12		
D723222		<10	<10	8	<10	19	1.900	
D723223		<10	<10	8	<10	11		
D723224		<10	<10	10	<10	6		
D723225		<10	<10	17	<10	16		
D723226		<10	<10	8	<10	6		
D723227		<10	<10	90	<10	272		
D723228		<10	<10	15	<10	22	3.76	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
SUITE 480 - 1500 WEST GEORGIA STREET
VANCOUVER BC V6G 2Z6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-OCT-2021
Account: FASIGO

Project: MUSKWA PROJECT

CERTIFICATE OF ANALYSIS VA21227334

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Au-ICP21	CRU-31	CRU-QC
LOG-21	LOG-23	ME-ICP61
Pb-OG62	PUL-31	PUL-QC
WEI-21		

Cu-OG62
ME-OG62
SPL-21



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 – 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 1
 Total # Pages: 6 (A – C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 This copy reported on
 15-NOV-2021
 Account: FASIGO

CERTIFICATE VA21244896

Project: Muskwa Project

This report is for 194 samples of Rock submitted to our lab in Vancouver, BC, Canada on 13-SEP-2021.

The following have access to data associated with this certificate:

ROBERT A. CAMPBELL	PETER HAWLEY	GORDON HENRIKSEN
--------------------	--------------	------------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging – ClientBarCode
CRU-31	Fine crushing – 70% <2mm
SPL-21	Split sample – riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um
LOG-23	Pulp Login – Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements – Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu – Four Acid	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Saa Traxler, General Manager, North Vancouver



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	WEI-21	Au-ICP21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm
		0.02	0.001	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
D723431		1.46	<0.001	<0.5	0.47	<5	20	<0.5	<2	7.66	<0.5	1	12	59	1.57	<10
D723432		1.42	<0.001	<0.5	0.26	<5	20	<0.5	<2	10.55	<0.5	<1	7	784	1.94	<10
D723433		0.08	0.004	6.0	6.74	11	330	1.8	94	0.48	0.5	33	66	>10000	8.98	20
D723434		0.76	<0.001	<0.5	0.59	<5	20	<0.5	2	8.71	<0.5	1	10	2680	1.91	<10
D723435		1.74	0.008	0.6	0.28	12	20	<0.5	<2	9.22	<0.5	3	8	9570	3.25	<10
D723436		1.72	0.001	0.5	0.52	<5	20	<0.5	<2	8.44	<0.5	1	12	>10000	2.65	<10
D723437		1.12	0.004	<0.5	0.66	5	30	<0.5	<2	10.90	<0.5	2	8	6050	2.75	<10
D723438		1.22	<0.001	<0.5	0.45	<5	30	<0.5	2	9.07	<0.5	1	8	3420	2.10	<10
D723439		1.10	<0.001	<0.5	0.07	<5	20	<0.5	<2	18.60	<0.5	3	1	61	4.54	<10
D723440		0.26	<0.001	<0.5	0.03	<5	280	<0.5	<2	20.7	<0.5	<1	1	21	0.08	<10
D723441		1.54	<0.001	<0.5	0.43	<5	20	<0.5	4	9.43	<0.5	2	11	638	2.14	<10
D723442		1.98	<0.001	<0.5	0.68	<5	20	<0.5	<2	16.75	<0.5	<1	4	37	1.81	<10
D723443		1.20	<0.001	<0.5	0.21	<5	10	<0.5	<2	4.17	<0.5	<1	12	644	0.62	<10
D723444		0.60	0.001	<0.5	0.25	8	20	<0.5	<2	7.25	<0.5	2	9	55	1.06	<10
D723445		1.14	<0.001	<0.5	1.22	<5	100	<0.5	<2	0.07	<0.5	7	19	26	2.77	<10
D723446		1.20	<0.001	<0.5	4.17	11	210	0.7	2	0.04	<0.5	3	25	11	4.49	10
D723447		1.16	<0.001	<0.5	1.11	<5	70	<0.5	2	0.07	<0.5	4	18	56	7.03	<10
D723448		0.84	<0.001	<0.5	3.10	<5	230	<0.5	2	0.18	<0.5	3	46	16	3.38	<10
D723449		0.08	<0.001	1.0	7.41	7	460	2.3	16	0.48	<0.5	20	77	2120	5.35	20
D723450		1.14	<0.001	<0.5	0.79	6	160	<0.5	<2	0.01	<0.5	6	27	20	4.02	<10
D723451		0.66	<0.001	<0.5	1.55	<5	450	<0.5	2	0.02	<0.5	<1	33	6	1.73	<10
D723452		1.26	<0.001	<0.5	0.30	5	60	<0.5	<2	0.28	<0.5	5	16	49	0.77	<10
D723453		0.98	<0.001	0.7	0.56	<5	140	<0.5	2	0.02	<0.5	1	33	47	0.75	<10
D723454		2.68	<0.001	<0.5	1.33	<5	480	<0.5	<2	0.03	<0.5	1	25	28	0.61	<10
D723455		1.46	<0.001	0.9	0.26	5	50	<0.5	<2	0.03	<0.5	5	18	57	3.70	<10
D723456		2.46	<0.001	0.5	0.32	5	50	<0.5	2	0.02	<0.5	6	27	65	1.65	<10
D723457		2.14	<0.001	<0.5	0.78	<5	2980	<0.5	2	0.02	<0.5	1	24	13	0.95	<10
D723458		0.08	0.001	0.8	7.69	8	480	2.4	14	0.50	<0.5	20	78	2220	5.60	20
D723459		1.00	<0.001	<0.5	0.44	<5	100	<0.5	<2	0.04	<0.5	1	23	23	1.01	<10
D723460		1.36	<0.001	1.1	0.58	6	200	<0.5	<2	0.07	<0.5	1	24	8570	1.62	<10
D723461		0.84	<0.001	<0.5	0.57	<5	320	<0.5	<2	0.03	<0.5	2	16	635	0.49	<10
D723462		1.54	<0.001	<0.5	0.55	<5	80	<0.5	<2	0.01	<0.5	<1	20	23	1.69	<10
D723463		0.94	<0.001	1.5	0.29	<5	30	<0.5	<2	0.23	<0.5	3	23	6830	1.25	<10
D723464		1.52	0.002	<0.5	1.81	16	220	<0.5	<2	1.04	<0.5	29	20	42	1.36	10
D723465		1.04	0.005	0.6	6.00	<5	420	1.8	4	4.26	1.1	56	8	101	11.05	30
D723466		0.24	<0.001	<0.5	0.05	<5	250	<0.5	<2	18.55	<0.5	<1	2	19	0.08	<10
D723467		1.06	<0.001	<0.5	2.30	<5	60	<0.5	<2	18.35	<0.5	13	16	76	2.64	10
D723468		0.82	<0.001	<0.5	7.99	11	380	2.2	<2	0.71	<0.5	13	53	23	4.02	20
D723469		1.94	0.029	3.5	0.77	10	60	<0.5	<2	2.64	0.7	30	17	>10000	5.46	<10
D723470		1.72	<0.001	<0.5	1.25	<5	400	<0.5	<2	7.36	<0.5	3	14	56	2.61	<10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D723431		0.22	<10	4.30	639	<1	0.04	3	410	4	0.15	<5	3	42	<20	0.01
D723432		0.12	10	5.88	983	<1	0.03	1	290	3	0.18	<5	2	55	<20	0.01
D723433		1.99	40	1.81	1150	1	0.20	33	580	127	1.89	<5	11	35	20	0.34
D723434		0.31	<10	4.65	595	<1	0.04	<1	1290	2	0.33	<5	9	50	<20	0.01
D723435		0.13	<10	4.85	799	<1	0.04	6	1480	4	1.94	<5	8	74	<20	<0.01
D723436		0.25	<10	4.44	624	<1	0.04	1	1780	5	1.18	<5	9	65	<20	0.01
D723437		0.34	10	6.13	969	<1	0.03	3	540	5	0.79	<5	5	102	<20	0.02
D723438		0.24	10	5.17	844	<1	0.03	3	1580	4	0.48	<5	4	88	<20	0.01
D723439		0.03	<10	10.95	1235	<1	0.01	4	20	4	2.89	<5	1	251	<20	<0.01
D723440		0.02	10	12.35	438	<1	0.03	<1	20	10	0.02	<5	<1	220	<20	<0.01
D723441		0.15	<10	5.83	578	<1	0.03	2	230	15	0.30	<5	5	107	<20	0.01
D723442		0.39	10	9.74	1675	<1	0.02	2	280	3	0.02	<5	3	62	<20	0.02
D723443		0.06	<10	1.03	153	<1	0.03	5	>10000	3	0.05	<5	3	54	<20	<0.01
D723444		0.11	10	3.12	1220	<1	0.03	8	280	3	0.01	<5	6	49	<20	<0.01
D723445		0.68	20	0.16	27	<1	0.01	8	30	14	2.81	<5	2	5	<20	0.18
D723446		3.08	10	0.35	26	<1	0.03	11	60	9	4.22	<5	4	18	<20	0.12
D723447		0.60	10	0.12	22	<1	0.01	5	190	9	7.24	<5	2	5	<20	0.09
D723448		3.98	10	0.05	29	<1	0.04	11	700	8	3.34	<5	3	32	<20	0.09
D723449		2.51	40	1.54	819	1	0.43	37	670	64	0.37	<5	12	59	20	0.42
D723450		0.85	<10	0.03	35	<1	0.01	8	40	17	3.62	<5	1	6	<20	0.02
D723451		1.30	10	0.11	23	<1	0.02	2	130	7	1.02	<5	2	14	<20	0.14
D723452		0.16	<10	0.17	48	<1	0.01	7	50	11	0.08	<5	1	4	<20	0.04
D723453		0.34	10	0.08	37	<1	0.01	2	30	7	0.05	<5	1	5	<20	0.06
D723454		1.08	10	0.10	19	1	0.02	<1	60	6	0.13	<5	1	10	<20	0.05
D723455		0.15	10	0.03	26	<1	0.01	8	20	20	2.68	<5	<1	4	<20	0.04
D723456		0.16	10	0.03	32	1	0.01	5	30	14	0.84	<5	<1	4	<20	0.04
D723457		0.43	10	0.08	24	<1	0.02	1	80	13	0.15	<5	1	22	<20	0.08
D723458		2.59	40	1.59	858	1	0.45	37	690	61	0.38	<5	13	61	20	0.43
D723459		0.23	10	0.06	28	<1	0.01	<1	170	2	0.36	<5	1	4	<20	0.06
D723460		0.33	10	0.08	27	7	<0.01	3	260	11	0.70	<5	1	3	<20	0.08
D723461		0.31	10	0.07	28	1	<0.01	3	40	7	0.03	<5	1	4	<20	0.06
D723462		0.30	20	0.07	21	<1	0.01	2	30	3	1.45	<5	1	4	<20	0.02
D723463		0.16	10	0.13	48	3	0.01	4	60	5	0.60	<5	1	1	<20	0.05
D723464		1.19	10	0.59	192	<1	0.03	16	70	10	0.12	<5	1	11	<20	0.04
D723465		1.65	30	2.57	1205	2	2.25	30	2590	480	1.58	8	29	99	<20	1.96
D723466		0.03	<10	12.05	357	1	0.03	<1	50	6	0.01	<5	<1	111	<20	0.01
D723467		0.10	20	2.33	1125	1	0.40	15	460	6	0.02	<5	22	625	<20	0.54
D723468		4.74	30	1.70	284	<1	0.05	32	520	15	0.02	6	12	33	<20	0.38
D723469		0.25	<10	1.69	723	1	0.02	28	800	111	3.91	<5	3	28	<20	0.06
D723470		1.10	10	3.19	1220	1	0.07	6	180	3	0.01	<5	2	118	<20	0.07



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Tl	U	V	W	Zn	Cu
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
D723431		<10	<10	4	<10	2	
D723432		<10	<10	3	<10	3	
D723433		<10	<10	80	10	444	1.550
D723434		<10	<10	8	<10	13	
D723435		<10	<10	5	<10	31	
D723436		<10	<10	7	<10	12	1.105
D723437		<10	<10	9	<10	8	
D723438		<10	<10	6	<10	5	
D723439		<10	<10	3	<10	5	
D723440		<10	<10	3	<10	36	
D723441		<10	<10	7	<10	4	
D723442		<10	<10	8	<10	4	
D723443		<10	<10	2	<10	3	
D723444		<10	<10	9	<10	5	
D723445		<10	<10	12	<10	<2	
D723446		<10	<10	33	<10	2	
D723447		<10	<10	14	<10	<2	
D723448		<10	<10	5	<10	<2	
D723449		<10	<10	89	<10	268	
D723450		<10	<10	16	<10	<2	
D723451		<10	<10	12	<10	<2	
D723452		<10	<10	4	<10	<2	
D723453		<10	<10	9	<10	12	
D723454		<10	<10	11	<10	<2	
D723455		<10	<10	6	<10	<2	
D723456		<10	<10	6	<10	4	
D723457		<10	<10	10	<10	<2	
D723458		<10	<10	93	<10	283	
D723459		<10	<10	7	<10	<2	
D723460		<10	<10	8	<10	2	
D723461		<10	<10	7	<10	<2	
D723462		<10	<10	8	<10	<2	
D723463		<10	<10	4	<10	<2	
D723464		<10	<10	16	<10	<2	
D723465		<10	<10	301	<10	407	
D723466		<10	<10	3	<10	9	
D723467		<10	<10	119	<10	31	
D723468		<10	<10	83	<10	41	
D723469		<10	<10	16	<10	64	4.12
D723470		<10	<10	12	<10	42	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.001	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
D723471		0.84	<0.001	<0.5	1.65	<5	4980	0.5	2	8.60	0.5	4	14	134	1.17	10
D723472		1.28	<0.001	<0.5	0.62	<5	510	<0.5	<2	3.88	<0.5	2	16	61	1.07	<10
D723473		0.26	0.478	8.5	0.21	1845	50	<0.5	14	0.07	0.8	216	5	>10000	13.70	<10
D723474		0.72	0.005	0.9	0.94	11	60	<0.5	<2	0.26	<0.5	7	21	9310	2.00	<10
D723475		0.08	0.004	4.7	6.08	7	300	1.6	75	0.45	<0.5	29	59	>10000	8.44	20
D723476		0.78	0.013	1.1	0.24	36	20	<0.5	<2	0.02	<0.5	6	14	7710	2.41	<10
D723477		0.20	0.005	<0.5	0.02	<5	520	<0.5	<2	18.75	<0.5	<1	6	48	0.07	<10
D723478		1.92	0.007	0.7	0.65	36	20	<0.5	<2	0.27	<0.5	14	24	>10000	2.27	<10
D723479		2.96	<0.001	<0.5	0.76	11	10	<0.5	3	4.29	<0.5	13	23	2750	1.38	<10
D723480		1.12	0.016	2.4	0.49	103	70	<0.5	6	0.36	<0.5	6	24	7870	2.30	<10
D723481		0.40	0.027	6.5	1.52	21	10	0.5	<2	0.08	0.7	15	15	>10000	7.04	10
D723482		1.28	0.001	<0.5	0.46	10	10	<0.5	2	0.02	<0.5	3	14	5070	1.19	<10
D723483		1.40	0.003	<0.5	4.88	7	70	1.0	<2	0.15	0.5	23	61	5510	4.83	20
D723484		1.60	0.074	6.3	0.89	138	20	<0.5	2	0.02	0.8	25	18	>10000	8.88	<10
D723485		0.64	<0.001	2.3	1.29	7	40	0.6	<2	0.03	<0.5	3	19	>10000	4.35	<10
D723486		0.90	0.003	<0.5	1.49	10	10	<0.5	<2	28.7	<0.5	14	14	215	1.63	10
D723487		1.90	0.001	0.6	1.02	5	30	<0.5	<2	0.46	<0.5	7	14	>10000	2.02	<10
D723488		0.96	0.003	1.0	0.95	9	60	<0.5	3	0.08	<0.5	3	20	8160	2.18	<10
D723489		1.30	0.006	<0.5	0.77	<5	20	<0.5	2	1.74	<0.5	2	19	981	1.01	<10
D723490		0.72	<0.001	<0.5	1.01	<5	90	<0.5	<2	0.02	<0.5	1	18	60	2.89	<10
D723491		1.14	<0.001	<0.5	0.57	52	3220	<0.5	<2	2.01	<0.5	126	14	4100	0.80	<10
D723492		0.08	<0.001	0.9	7.21	7	450	2.2	14	0.49	<0.5	19	78	2120	5.42	20
D723493		1.56	0.001	<0.5	0.27	<5	70	<0.5	<2	0.29	<0.5	1	33	27	2.44	<10
D723494		0.54	<0.001	<0.5	1.09	<5	30	<0.5	<2	4.97	<0.5	5	14	18	1.02	10
D723495		0.64	0.001	<0.5	0.96	12	50	<0.5	<2	12.35	<0.5	16	6	21	2.00	<10
D723496		1.16	0.003	<0.5	1.53	5	40	<0.5	2	11.35	<0.5	14	10	11	1.87	<10
D723497		1.24	<0.001	<0.5	0.68	6	40	<0.5	<2	3.45	<0.5	25	13	9	0.89	<10
D723498		0.18	0.001	<0.5	0.03	<5	110	<0.5	<2	18.80	<0.5	<1	1	7	0.09	<10
D723499		0.98	<0.001	<0.5	0.13	<5	20	<0.5	<2	10.50	<0.5	1	7	6	0.80	<10
D723500		1.30	<0.001	<0.5	1.06	<5	50	<0.5	<2	10.10	<0.5	10	10	8	1.51	<10
D723501		1.46	<0.001	<0.5	1.35	6	170	<0.5	<2	1.92	<0.5	16	15	11	0.89	10
D723502		1.02	<0.001	<0.5	0.87	<5	140	<0.5	<2	13.80	<0.5	2	9	4	1.41	<10
D723503		1.00	0.009	1.3	0.93	6	400	<0.5	<2	0.15	<0.5	16	15	>10000	2.10	<10
D723504		1.16	0.005	1.3	0.51	7	50	<0.5	<2	0.82	<0.5	11	15	>10000	2.63	<10
D723505		1.76	0.499	1.5	0.39	10	60	<0.5	<2	0.96	<0.5	24	15	>10000	3.75	<10
D723506		0.80	0.020	2.5	0.58	33	380	<0.5	2	0.25	<0.5	5	16	>10000	4.54	<10
D723507		1.42	0.064	9.5	0.56	108	70	<0.5	9	0.35	<0.5	144	12	>10000	16.10	<10
D723508		3.46	0.073	5.2	1.91	80	150	<0.5	2	1.15	0.9	41	19	>10000	8.08	10
D723509		0.26	<0.001	<0.5	0.06	<5	190	<0.5	<2	19.45	<0.5	<1	1	109	0.07	<10
D723510		0.88	0.001	<0.5	1.58	<5	10	<0.5	<2	9.02	<0.5	11	8	82	3.52	10

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D723471		1.27	10	4.83	339	1	0.01	8	220	6	0.15	<5	3	539	<20	0.10
D723472		0.46	<10	1.79	236	1	0.01	5	180	3	0.02	<5	1	40	<20	0.02
D723473		0.12	<10	0.05	72	1	0.01	321	20	184	8.67	73	<1	2	<20	<0.01
D723474		0.13	<10	1.06	74	1	0.02	17	460	3	0.51	<5	3	11	<20	0.12
D723475		1.86	30	1.69	1050	1	0.18	30	520	115	1.75	<5	10	30	<20	0.32
D723476		0.12	<10	0.05	26	1	0.02	12	30	8	1.39	<5	<1	4	<20	0.01
D723477		0.01	<10	13.00	449	1	0.01	<1	20	4	0.02	<5	<1	115	<20	<0.01
D723478		0.12	<10	0.66	78	1	0.02	17	90	6	0.29	<5	3	14	<20	0.06
D723479		0.06	10	2.97	297	1	0.02	13	840	3	0.14	<5	4	93	<20	0.04
D723480		0.22	30	0.12	21	1	0.02	13	1920	46	0.40	<5	1	12	<20	0.04
D723481		0.07	30	2.04	83	4	0.02	24	140	4	2.72	<5	4	8	<20	0.13
D723482		0.05	<10	0.56	44	2	0.03	8	20	3	0.15	<5	1	6	<20	0.03
D723483		0.23	10	6.89	81	1	0.01	54	820	11	0.17	<5	26	12	<20	0.91
D723484		0.06	10	0.97	58	5	0.02	26	240	23	2.70	<5	1	5	<20	0.04
D723485		0.14	10	0.48	33	4	0.09	8	220	5	0.64	<5	2	43	<20	0.05
D723486		0.07	10	2.03	1360	1	0.01	14	200	4	0.01	<5	9	350	<20	0.26
D723487		0.08	<10	1.47	126	2	0.02	14	160	5	0.17	<5	3	6	<20	0.05
D723488		0.22	<10	0.73	30	2	0.05	11	270	9	0.20	<5	2	9	<20	0.05
D723489		0.18	340	1.25	194	2	0.02	9	650	3	0.07	<5	1	25	<20	0.04
D723490		0.57	10	0.10	26	1	0.01	5	30	8	2.62	<5	2	5	<20	0.10
D723491		0.30	<10	0.82	95	5	0.01	77	40	5	0.22	<5	1	147	<20	0.05
D723492		2.57	40	1.56	814	1	0.43	38	650	63	0.37	5	12	57	20	0.41
D723493		0.15	<10	0.03	21	3	<0.01	2	2330	9	2.00	<5	1	7	<20	0.07
D723494		0.04	<10	4.20	475	2	0.02	4	3300	4	0.03	<5	6	67	<20	0.03
D723495		0.03	<10	8.56	1820	1	0.02	6	870	5	0.22	<5	9	107	<20	0.03
D723496		0.02	10	9.19	1290	1	0.02	8	160	3	0.05	<5	4	246	<20	0.05
D723497		0.05	10	2.78	395	1	0.02	4	960	<2	0.22	<5	2	38	<20	0.02
D723498		0.02	<10	13.55	382	<1	0.02	<1	60	2	<0.01	<5	<1	114	<20	<0.01
D723499		0.02	<10	6.36	1005	<1	0.01	<1	30	2	0.01	<5	1	226	<20	<0.01
D723500		0.03	10	7.67	1230	<1	0.02	4	200	<2	0.02	<5	5	155	<20	0.04
D723501		0.06	<10	3.13	269	<1	0.03	5	630	2	0.06	<5	3	29	<20	0.04
D723502		0.40	10	8.23	1740	<1	0.02	3	140	4	<0.01	<5	2	155	<20	0.04
D723503		0.19	<10	1.00	62	1	0.02	5	290	14	0.59	<5	2	5	<20	0.03
D723504		0.13	<10	0.72	142	1	0.03	7	30	2	1.31	<5	1	9	<20	0.01
D723505		0.13	<10	0.72	121	1	0.02	7	140	15	3.45	<5	1	9	<20	0.01
D723506		0.15	<10	0.61	84	1	0.01	6	60	20	1.00	<5	1	7	<20	0.01
D723507		0.18	10	0.48	64	2	0.01	60	1000	114	>10.0	12	3	10	<20	0.02
D723508		0.26	10	2.19	105	1	0.04	46	4830	213	5.83	<5	6	21	<20	0.12
D723509		0.03	<10	12.85	365	<1	0.04	2	50	7	0.01	<5	<1	133	<20	<0.01
D723510		0.01	<10	6.77	1110	<1	0.02	18	20	<2	0.02	<5	46	115	<20	0.05

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Tl	U	V	W	Zn	Cu
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
D723471		<10	<10	18	<10	12	
D723472		<10	<10	21	<10	9	
D723473		<10	<10	<1	10	207	14.40
D723474		<10	<10	38	<10	10	
D723475		<10	<10	71	10	417	1.515
D723476		<10	<10	3	<10	10	
D723477		<10	<10	3	<10	23	
D723478		<10	<10	20	<10	11	1.035
D723479		<10	<10	15	<10	8	
D723480		<10	<10	5	<10	25	
D723481		<10	<10	60	<10	53	5.22
D723482		<10	<10	12	<10	7	
D723483		<10	<10	298	<10	55	
D723484		<10	<10	21	<10	48	2.51
D723485		<10	<10	12	<10	31	1.400
D723486		<10	<10	76	<10	10	
D723487		<10	<10	18	<10	27	1.580
D723488		<10	<10	10	<10	14	
D723489		<10	<10	17	<10	4	
D723490		<10	<10	7	<10	<2	
D723491		<10	<10	15	<10	3	
D723492		<10	<10	86	<10	278	
D723493		<10	<10	4	<10	<2	
D723494		<10	<10	11	<10	5	
D723495		<10	<10	10	<10	4	
D723496		<10	<10	12	<10	9	
D723497		<10	<10	6	<10	2	
D723498		<10	<10	3	<10	14	
D723499		<10	<10	3	<10	3	
D723500		<10	<10	10	<10	5	
D723501		<10	<10	14	<10	5	
D723502		<10	<10	7	<10	9	
D723503		<10	<10	7	<10	37	1.120
D723504		<10	<10	2	<10	10	1.415
D723505		<10	<10	3	<10	17	2.19
D723506		<10	<10	4	<10	15	1.275
D723507		<10	<10	5	<10	28	2.12
D723508		<10	<10	27	<10	206	5.88
D723509		<10	<10	4	<10	18	
D723510		<10	<10	98	<10	7	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.001	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
D723511		0.08	0.003	6.2	6.77	12	330	1.8	98	0.49	0.6	33	64	>10000	9.13	20
D723512		0.24	0.001	<0.5	7.73	<5	340	1.2	<2	5.36	<0.5	86	86	2150	9.17	20
D723513		1.42	<0.001	<0.5	2.04	<5	60	<0.5	2	0.05	<0.5	4	21	35	2.13	10
D723514		0.72	0.003	<0.5	1.30	9	140	<0.5	<2	2.95	<0.5	13	20	29	3.43	<10
D723515		0.72	0.001	<0.5	2.19	<5	60	<0.5	<2	5.45	<0.5	54	8	66	10.80	10
D723516		1.24	<0.001	<0.5	7.05	17	450	0.7	<2	0.69	<0.5	48	33	101	6.45	30
D723517		0.58	<0.001	0.6	0.52	22	30	<0.5	<2	14.25	<0.5	15	7	1130	2.76	<10
D723518		1.74	0.008	0.9	6.83	23	1200	0.7	<2	0.20	<0.5	87	69	9700	4.88	10
D723519		0.80	0.002	<0.5	5.80	16	110	0.9	<2	0.21	<0.5	31	68	52	3.03	20
D723520		0.58	<0.001	0.9	0.35	<5	30	<0.5	<2	0.07	<0.5	4	13	2990	0.67	<10
D723521		1.78	<0.001	<0.5	0.51	23	80	<0.5	<2	2.74	<0.5	10	12	3750	1.14	<10
D723522		0.54	0.001	<0.5	1.22	<5	150	0.5	<2	0.43	<0.5	5	21	2920	0.57	<10
D723523		1.16	0.001	<0.5	1.46	<5	350	0.5	<2	0.28	<0.5	3	25	2660	0.72	<10
D723524		4.32	0.002	3.3	1.17	294	170	<0.5	2	1.15	<0.5	96	19	>10000	6.24	<10
D723525		2.66	0.043	2.5	1.08	22	20	<0.5	2	4.36	0.5	20	22	>10000	4.27	<10
D723526		1.26	0.126	13.0	0.19	461	60	<0.5	4	0.02	0.6	62	6	>10000	19.90	10
D723527		0.58	0.408	6.8	0.50	991	70	<0.5	5	0.02	0.6	222	9	>10000	13.80	<10
D723528		0.84	0.014	5.2	0.57	260	80	<0.5	<2	0.70	0.6	44	13	>10000	3.11	<10
D723529		1.40	<0.001	<0.5	0.70	8	10	<0.5	<2	0.94	<0.5	8	16	3510	0.73	<10
D723530		1.16	0.001	<0.5	5.35	13	280	1.2	3	0.34	<0.5	26	67	215	17.30	20
D723531		2.92	0.001	<0.5	2.12	31	460	<0.5	<2	0.28	<0.5	14	33	2840	2.16	10
D723532		0.88	0.002	0.7	1.20	12	550	<0.5	<2	0.10	<0.5	7	26	6700	1.73	<10
D723533		0.84	0.023	1.5	0.42	7	10	<0.5	<2	1.10	<0.5	7	14	9830	1.52	<10
D723534		0.24	0.003	<0.5	0.04	<5	260	<0.5	<2	19.85	<0.5	<1	<1	29	0.08	<10
D723535		0.90	<0.001	2.1	0.18	69	10	<0.5	<2	0.67	<0.5	36	11	>10000	1.82	<10
D723536		1.58	0.010	6.9	0.22	5	10	<0.5	7	1.51	0.8	7	7	>10000	10.15	<10
D723537		0.94	0.004	1.1	0.64	9	30	<0.5	5	1.93	<0.5	8	12	7080	1.36	<10
D723538		0.08	<0.001	0.9	7.13	6	440	2.2	8	0.49	<0.5	18	73	2140	5.41	20
D723539		0.74	0.016	2.0	0.28	9	10	<0.5	2	0.83	<0.5	4	11	8570	2.83	<10
D723540		1.22	0.003	0.9	0.22	<5	10	<0.5	<2	5.24	<0.5	10	12	>10000	2.41	<10
D723541		0.58	0.151	0.6	0.32	27	10	<0.5	2	1.91	<0.5	7	13	8050	1.87	<10
D723542		1.12	0.016	1.5	0.38	<5	20	<0.5	<2	7.63	<0.5	1	7	9300	2.28	<10
D723543		1.08	0.004	0.5	6.98	19	150	2.4	5	3.64	<0.5	47	21	127	11.15	20
D723544		0.32	<0.001	<0.5	0.18	<5	10	<0.5	<2	21.5	<0.5	<1	<1	453	2.99	<10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
D723511		2.07	40	1.84	1140	1	0.20	35	580	130	1.87	5	11	33	20	0.35
D723512		2.76	30	3.48	723	1	0.96	86	1820	6	0.14	<5	42	169	<20	2.10
D723513		0.28	10	0.74	108	1	0.72	5	120	94	0.12	<5	2	43	<20	0.05
D723514		0.58	10	1.53	1505	1	0.02	10	40	14	1.36	<5	3	110	<20	0.05
D723515		0.11	10	2.16	1350	<1	0.05	21	220	17	4.64	<5	12	49	<20	0.34
D723516		5.07	10	4.38	236	2	0.05	53	2000	83	1.95	5	29	30	<20	2.19
D723517		0.29	<10	7.42	1625	<1	0.02	19	40	11	0.23	<5	4	60	<20	0.03
D723518		3.20	10	5.47	51	1	0.03	96	540	16	1.65	<5	23	173	<20	0.96
D723519		2.24	10	3.29	36	1	0.03	44	550	11	1.09	<5	19	10	<20	0.86
D723520		0.16	<10	0.06	34	1	0.04	2	10	7	0.29	<5	<1	5	<20	<0.01
D723521		0.10	<10	1.90	274	<1	0.03	13	180	2	0.37	<5	3	16	<20	0.03
D723522		0.54	310	0.31	85	1	0.02	5	690	16	0.02	<5	4	30	<20	0.04
D723523		0.70	130	0.36	78	1	0.02	4	390	9	0.06	<5	6	20	<20	0.05
D723524		0.29	<10	1.13	352	1	0.02	46	1520	19	3.44	<5	9	30	<20	0.18
D723525		0.06	<10	1.88	346	1	0.02	13	5510	8	2.52	<5	11	126	<20	0.18
D723526		0.12	<10	0.03	29	1	0.01	207	80	58	>10.0	<5	1	2	<20	<0.01
D723527		0.29	<10	0.07	47	1	0.01	368	60	206	9.46	38	2	1	<20	0.01
D723528		0.33	10	0.17	113	1	0.02	61	40	65	1.89	<5	1	16	<20	0.01
D723529		0.10	10	0.96	218	1	0.01	5	40	8	0.12	<5	1	10	<20	0.02
D723530		0.92	10	4.84	278	1	0.16	48	1060	9	1.86	6	33	18	<20	1.43
D723531		0.50	40	1.74	90	1	0.02	16	370	28	0.30	<5	7	12	<20	0.34
D723532		0.29	<10	0.99	53	2	0.01	10	150	74	0.55	<5	4	7	<20	0.17
D723533		0.21	<10	0.63	132	1	0.02	9	30	4	0.85	<5	2	13	<20	0.01
D723534		0.04	<10	11.55	441	1	0.04	<1	20	6	0.01	<5	<1	200	<20	<0.01
D723535		0.10	<10	0.33	256	2	0.02	84	170	9	0.96	<5	1	5	<20	<0.01
D723536		0.11	<10	0.74	129	2	0.02	18	90	7	6.83	<5	1	14	<20	<0.01
D723537		0.36	<10	0.80	246	2	0.02	9	1500	5	0.79	<5	6	15	<20	0.02
D723538		2.53	40	1.55	815	1	0.43	34	640	64	0.37	<5	12	55	20	0.41
D723539		0.10	<10	0.47	97	1	0.02	10	140	16	2.13	<5	1	7	<20	<0.01
D723540		0.03	10	2.70	399	2	0.02	13	2740	7	0.54	<5	12	131	<20	<0.01
D723541		0.05	<10	1.17	165	2	0.02	28	90	2	0.69	<5	3	12	<20	<0.01
D723542		0.21	<10	3.88	583	1	0.02	2	70	2	0.57	<5	9	47	<20	<0.01
D723543		2.39	40	2.67	725	2	2.08	26	3020	70	5.43	15	34	241	<20	2.21
D723544		0.10	<10	8.60	2100	1	0.02	3	30	3	0.05	<5	<1	126	<20	0.01

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
 SUITE 480 - 1500 WEST GEORGIA STREET
 VANCOUVER BC V6G 2Z6

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 8-NOV-2021
 Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Cu-OG62
		Tl	U	V	W	Zn	Cu
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	% 0.001
D723511		<10	<10	79	10	445	1.575
D723512		<10	<10	446	<10	42	
D723513		<10	<10	10	<10	19	
D723514		<10	<10	9	<10	18	
D723515		<10	<10	130	<10	52	
D723516		<10	<10	430	<10	82	
D723517		<10	<10	9	<10	12	
D723518		<10	<10	303	<10	18	
D723519		<10	<10	321	<10	12	
D723520		<10	<10	2	<10	2	
D723521		<10	<10	8	<10	6	
D723522		<10	<10	13	<10	12	
D723523		<10	<10	19	<10	7	
D723524		<10	<10	56	<10	43	4.60
D723525		<10	<10	55	<10	24	2.95
D723526		<10	<10	<1	<10	170	22.9
D723527		<10	<10	4	<10	137	9.34
D723528		<10	<10	3	<10	244	2.42
D723529		<10	<10	8	<10	12	
D723530		<10	<10	367	<10	39	
D723531		<10	<10	96	<10	22	
D723532		<10	<10	48	<10	18	
D723533		<10	<10	8	<10	5	
D723534		<10	<10	3	<10	20	
D723535		<10	<10	1	<10	22	1.615
D723536		<10	<10	1	10	50	10.55
D723537		<10	<10	8	<10	19	
D723538		<10	<10	85	<10	279	
D723539		<10	<10	3	<10	7	
D723540		<10	<10	6	<10	6	1.230
D723541		<10	<10	4	<10	4	
D723542		<10	<10	7	<10	8	
D723543		<10	<10	319	<10	91	
D723544		<10	<10	3	<10	3	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: FABLED SILVER GOLD CORP.
SUITE 480 - 1500 WEST GEORGIA STREET
VANCOUVER BC V6G 2Z6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-NOV-2021
Account: FASIGO

Project: Muskwa Project

CERTIFICATE OF ANALYSIS VA21244896

CERTIFICATE COMMENTS													
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tbody><tr><td>Au-ICP21</td><td>CRU-31</td><td>CRU-QC</td><td>Cu-OG62</td></tr><tr><td>LOG-21</td><td>LOG-23</td><td>ME-ICP61</td><td>ME-OG62</td></tr><tr><td>PUL-31</td><td>PUL-QC</td><td>SPL-21</td><td>WEI-21</td></tr></tbody></table>	Au-ICP21	CRU-31	CRU-QC	Cu-OG62	LOG-21	LOG-23	ME-ICP61	ME-OG62	PUL-31	PUL-QC	SPL-21	WEI-21
Au-ICP21	CRU-31	CRU-QC	Cu-OG62										
LOG-21	LOG-23	ME-ICP61	ME-OG62										
PUL-31	PUL-QC	SPL-21	WEI-21										

Gold by Fire Assay

An optimal fire assay flux recipe and rigorous quality control program easily handle problem materials including chromite, base metal sulphides and oxides, selenides, and tellurides.

Choice of crushing fineness, splitting technique and pulp size can all affect the analytical outcome of fire assay gold methods. Discuss with your local ALS laboratory for more information.

CODE	ANALYTE	RANGE (ppm)	DESCRIPTION	PRICE PER SAMPLE
Trace Level				
Au-ICP21	Au	0.001-10	Au by fire assay and ICP-AES.	\$22.55
Au-ICP22			30g sample 50g sample	\$26.60
Au-AA23		0.005-10	Au by fire assay and AAS.	\$21.75
Au-AA24			30g sample 50g sample	\$25.85
Ore Grade				
Au-AA25	Au	0.01-100	Au by fire assay and AAS.	\$22.15
Au-AA26			30g sample 50g sample	\$26.15
Au-GRA21		0.05-10,000	Au by fire assay and gravimetric finish.	\$27.95
Au-GRA22			30g sample 50g sample	\$33.55

GEOCHEMICAL PROCEDURE

ME- ICP61

TRACE LEVEL METHODS USING CONVENTIONAL ICP- AES ANALYSIS

SAMPLE DECOMPOSITION

HNO₃ -HClO₄ -HF-HCl digestion, HCl Leach (GEO-4ACID)

ANALYTICAL METHOD

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP - AES)

A prepared sample (0.25 g) is digested with perchloric, nitric, hydrofluoric and hydrochloric acids. The residue is topped up with dilute hydrochloric acid and the resulting solution is analyzed by inductively coupled plasma-atomic emission spectrometry. Results are corrected for spectral interelement interferences.

NOTE: Four acid digestions are able to dissolve most minerals; however, although the term “near- total” is used, depending on the sample matrix, not all elements are quantitatively extracted.

ELEMENT	SYMBOL	UNITS	LOWER LIMIT	UPPER LIMIT	DEFAULT OVER-LIMIT METHOD
Silver	Ag	ppm	0.5	100	Ag-OG62
Aluminum	Al	%	0.01	50	
Arsenic	As	ppm	5	10,000	
Barium	Ba	ppm	10	10,000	
Beryllium	Be	ppm	0.5	1,000	
Bismuth	Bi	ppm	2	10,000	
Calcium	Ca	%	0.01	50	
Cadmium	Cd	ppm	0.5	500	
Cobalt	Co	ppm	1	10,000	Co-OG62
Chromium	Cr	ppm	1	10,000	
Copper	Cu	ppm	1	10,000	Cu-OG62
Iron	Fe	%	0.01	50	
Gallium	Ga	ppm	10	10,000	
Potassium	K	%	0.01	10	
Lanthanum	La	ppm	10	10,000	
Magnesium	Mg	%	0.01	50	
Manganese	Mn	ppm	5	100,000	




ME- ICP61

ELEMENT	SYMBOL	UNITS	LOWER LIMIT	UPPER LIMIT	DEFAULT OVER-LIMIT METHOD
Molybdenum	Mo	ppm	1	10,000	Mo-OG62
Sodium	Na	%	0.01	10	
Nickel	Ni	ppm	1	10,000	Ni-OG62
Phosphorus	P	ppm	10	10,000	
Lead	Pb	ppm	2	10,000	Pb-OG62
Sulphur	S	%	0.01	10	
Antimony	Sb	ppm	5	10,000	
Scandium	Sc	ppm	1	10,000	
Strontium	Sr	ppm	1	10,000	
Thorium	Th	ppm	20	10,000	
Titanium	Ti	%	0.01	10	
Thallium	Tl	ppm	10	10,000	
Uranium	U	ppm	10	10,000	
Vanadium	V	ppm	1	10,000	
Tungsten	W	ppm	10	10,000	
Zinc	Zn	ppm	2	10,000	Zn-OG62


ELEMENTS LISTED BELOW ARE AVAILABLE UPON REQUEST

ELEMENT	SYMBOL	UNITS	LOWER LIMIT	UPPER LIMIT	DEFAULT OVER-LIMIT METHOD
Lithium	Li	ppm	10	10,000	
Niobium	Nb	ppm	5	2,000	
Rubidium	Rb	ppm	10	10,000	
Selenium	Se	ppm	10	1,000	
Tin	Sn	ppm	10	10,000	
Tantalum	Ta	ppm	10	10,000	
Tellurium	Te	ppm	10	10,000	
Yttrium	Y	ppm	10	10,000	
Zirconium	Zr	ppm	5	500	

APPENDIX IV
FIELD PROSPECTING MAPS



SYMBOLS	
	Trench
	Adit
	Old Drill Pad
	Old Drill Hole
	Old Bulldozer Road
	Creek
	Rock Sample Location (Grab)
	Rock Sample Location (Clip)
	Rock Sample Location (Rubble/Flint)
	Sample Number (Preced by D723)
	Clip Assay (%) Width (m)
	Grab-Rubble-Flint Cu Assay (%)
	Vein
	Singer
	Shear
	Quartz
	Carbonate
	Strike & Dip
	Prospecting Traverse (with date)
	UTM Co-ordinates (NAD 83)
	Property Boundary
	Claim Boundary
	Prospecting Traverse (with date)
	1034459 Claim Number
	Survey Pin
	Old Claim Post (Observer on ground)
	Airborne E.M. Anomaly Location (with label)



Fabled Copper Corp.

Toro Project

Prospecting - Sampling Map

094K034 & 35 July-Set. 2021
 Scale 1:10,000 Map 1 of 1