

Ministry of Energy and Mines  
BC Geological Survey

Assessment Report  
Title Page and Summary

TYPE OF REPORT [type of survey(s)]: Geological, Geochemical, Geophysical

TOTAL COST: \$81,034.77

AUTHOR(S): Graham Davidson and Matt Fraser

SIGNATURE(S): mfraser

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S): N/A

YEAR OF WORK: 2022

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 5941162

PROPERTY NAME: Texada Island

CLAIM NAME(S) (on which the work was done): Angel, Angel 2, Stud Duck, Bob Creek, Frisky Bob, Long Bob, Quacker, Coppertone, Up Up and Away, High Flyer, High Flyer Bob, Long B Bob 2, Long B Bob 3, Aquarius, Taurus, Gemini, Lyia, Pisces, Scorpius, Leo, Lynx, Texada Bob, Ursa Major, Aires, West Angel, Aquila, Dora, Dora2, Angel Wings, Stargazer

COMMODITIES SOUGHT: Au, Ag, Cu, Mo, Pb, Zn

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN: 092F: 059, 108, 200, 275, 276, 305, 327, 504, 505, 506, 520

MINING DIVISION: Nanaimo

NTS/BCGS: 092F08/09

LATITUDE: 124 ° 19 ' " LONGITUDE: 49 ° 38 ' " (at centre of work)

OWNER(S):

1) Quadra Coastal Resources Ltd.

2) \_\_\_\_\_

MAILING ADDRESS:

2489 Bellevue Avenue

V7V 1E1

West Vancouver, B.C.

OPERATOR(S) [who paid for the work]:

1) Quadra Coastal Resources Ltd.

2) \_\_\_\_\_

MAILING ADDRESS:

2489 Bellevue Avenue

V7V 1E1

West Vancouver, B.C.

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Upper Cretaceous Nanaimo Group, Cretaceous intrusions within Wrangellia Terrane, Early to Mid Jurassic Island Plutonic Suite, Upper Triassic Vancouver Group Karmutsen Formation basalts, Middle to Upper Triassic Quatsino Formation limestone, shear zones, faults

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS: 10065, 10292, 12085, 13747, 13911, 14445,

14862, 14916, 16013, 17301, 17685, 17693, 18671, 19017, 19509, 20217, 26582, 26690, 27551, 27799, 28183, 29718, 29719

| TYPE OF WORK IN THIS REPORT                            | EXTENT OF WORK (IN METRIC UNITS) | ON WHICH CLAIMS    | PROJECT COSTS APPORTIONED (incl. support) |
|--|----------------------------------|--------------------|---|
| <b>GEOLOGICAL (scale, area)</b>                        |                                  |                    |   |
| <b>Ground, mapping</b>                                 | _____                            | _____              | _____                                     |
| <b>Photo interpretation</b>                            | _____                            | _____              | _____                                     |
| <b>GEOPHYSICAL (line-kilometres)</b>                   |                                  |                    |   |
| <b>Ground</b>  |                                  |                    |   |
| <b>Magnetic</b>  | _____                            | _____              | \$20,000                                  |
| <b>Electromagnetic</b>                                 | _____                            | _____              | _____                                     |
| <b>Induced Polarization</b>                            | _____                            | _____              | _____                                     |
| <b>Radiometric</b>                                     | _____                            | _____              | _____                                     |
| <b>Seismic</b>   | _____                            | _____              | _____                                     |
| <b>Other</b>   | _____                            | _____              | _____                                     |
| <b>Airborne</b>  |                                  | _____              | _____                                     |
| <b>GEOCHEMICAL (number of samples analysed for...)</b> |                                  |                    |   |
| <b>Soil</b>  | _____                            | _____              | \$30,517.39                               |
| <b>Silt</b>  | _____                            | _____              | _____                                     |
| <b>Rock</b>  | _____                            | _____              | \$30,517.38                               |
| <b>Other</b>   | _____                            | _____              | _____                                     |
| <b>DRILLING (total metres; number of holes, size)</b>  |                                  |                    |   |
| <b>Core</b>  | _____                            | _____              | _____                                     |
| <b>Non-core</b>  | _____                            | _____              | _____                                     |
| <b>RELATED TECHNICAL</b>                               |                                  |                    |   |
| <b>Sampling/assaying</b>                               | _____                            | _____              | _____                                     |
| <b>Petrographic</b>                                    | _____                            | _____              | _____                                     |
| <b>Mineralographic</b>                                 | _____                            | _____              | _____                                     |
| <b>Metallurgic</b>                                     | _____                            | _____              | _____                                     |
| <b>PROSPECTING (scale, area)</b>                       |                                  |                    | included in rock/soil costs               |
| <b>PREPARATORY / PHYSICAL</b>                          |                                  |                    |   |
| <b>Line/grid (kilometres)</b>                          | _____                            | _____              | _____                                     |
| <b>Topographic/Photogrammetric (scale, area)</b>       | _____                            | _____              | _____                                     |
| <b>Legal surveys (scale, area)</b>                     | _____                            | _____              | _____                                     |
| <b>Road, local access (kilometres)/trail</b>           | _____                            | _____              | _____                                     |
| <b>Trench (metres)</b>                                 | _____                            | _____              | _____                                     |
| <b>Underground dev. (metres)</b>                       | _____                            | _____              | _____                                     |
| <b>Other</b>   | _____                            | _____              | _____                                     |
|  |                                  | <b>TOTAL COST:</b> | \$81,034.77                               |

## Mineral Titles Online Viewer

### Exploration and Development Work / Expiry Date Change Event Detail

|                        |  |
|------------------------|--|
| <b>Event Number ID</b> | <b>5941162</b>   |
| Recorded Date          | 2022/jun/30  |
| Work Type              | Technical Work (T)   |
| Technical Items        | Geological (G), Geophysical (P), Geochemical (C), Prospecting (PR), PAC Withdrawal (up to 30% of technical work required) (W3) |
| Work Start Date        | 2022/apr/10  |
| Work Stop Date         | 2022/jun/23  |
| Total Value of Work    | \$ 81034.77  |
| Mine Permit Number     | n/a  |

#### Summary of the work value:

|                         |                |
|-------------------------|----------------|
| <b>Title Numbers</b>    | <b>1061493</b> |
| Claim Name              | ANGEL          |
| Issue Date              | 2018/jul/01    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2023/feb/01    |
| New Good To Date        | 2023/apr/01    |
| Numbers of Days Forward | 59             |
| Area in Ha              | 20.95          |
| Applied Work Value      | \$ 33.86       |
| Submission Fee          | \$ 0.00        |
| <b>Title Numbers</b>    | <b>1065984</b> |
| Claim Name              | ANGEL          |
| Issue Date              | 2019/jan/23    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2023/feb/01    |
| New Good To Date        | 2023/apr/01    |
| Numbers of Days Forward | 59             |
| Area in Ha              | 230.44         |

|                         |                |
|-------------------------|----------------|
| Applied Work Value      | \$ 372.49      |
| Submission Fee          | \$ 0.00        |
| <b>Title Numbers</b>    | <b>1067995</b> |
| Claim Name              | ANGEL 2        |
| Issue Date              | 2019/apr/18    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2023/feb/01    |
| New Good To Date        | 2023/apr/01    |
| Numbers of Days Forward | 59             |
| Area in Ha              | 41.89          |
| Applied Work Value      | \$ 67.71       |
| Submission Fee          | \$ 0.00        |
| <b>Title Numbers</b>    | <b>1068132</b> |
| Claim Name              | STUD DUCK      |
| Issue Date              | 2019/apr/25    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2020/apr/25    |
| New Good To Date        | 2023/apr/01    |
| Numbers of Days Forward | 1071           |
| Area in Ha              | 419.23         |
| Applied Work Value      | \$ 8108.93     |
| Submission Fee          | \$ 0.00        |
| <b>Title Numbers</b>    | <b>1068137</b> |
| Claim Name              | BOB CREEK      |
| Issue Date              | 2019/apr/25    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2020/apr/25    |
| New Good To Date        | 2023/apr/01    |
| Numbers of Days Forward | 1071           |
| Area in Ha              | 104.68         |
| Applied Work Value      | \$ 2024.77     |
| Submission Fee          | \$ 0.00        |
| <b>Title Numbers</b>    | <b>1068316</b> |
| Claim Name              | FRISKY BOB     |
| Issue Date              | 2019/may/04    |
| Work Performed Index    | Y              |
| Old Good To Date        | 2020/may/04    |
| New Good To             | 2023/apr/01    |

Date  
Numbers of  
Days Forward 1062  
Area in Ha 188.46  
Applied Work  
Value \$ 3598.83  
Submission  
Fee \$ 0.00

**Title Numbers 1068317**

Claim Name LONG BOB  
Issue Date 2019/may/04  
Work  
Performed Y  
Index  
Old Good To  
Date 2020/may/04  
New Good To  
Date 2023/apr/01

Numbers of  
Days Forward 1062  
Area in Ha 41.87  
Applied Work  
Value \$ 799.50  
Submission  
Fee \$ 0.00

**Title Numbers 1068318**

Claim Name QUACKER  
Issue Date 2019/may/04  
Work  
Performed Y  
Index  
Old Good To  
Date 2020/may/04  
New Good To  
Date 2023/apr/01

Numbers of  
Days Forward 1062  
Area in Ha 20.95  
Applied Work  
Value \$ 400.13  
Submission  
Fee \$ 0.00

**Title Numbers 1068443**

Claim Name COPPERTONE  
Issue Date 2019/may/09  
Work  
Performed Y  
Index  
Old Good To  
Date 2020/may/09  
New Good To  
Date 2023/apr/01

Numbers of  
Days Forward 1057  
Area in Ha 41.86  
Applied Work  
Value \$ 793.66  
Submission  
Fee \$ 0.00

**Title Numbers 1068598**

Claim Name UP, UP AND AWAY  
Issue Date 2019/may/18  
Work Y

Performed  
Index  
Old Good To  
Date 2020/may/18  
New Good To  
Date 2023/apr/01  
Numbers of  
Days Forward 1048  
Area in Ha 209.32  
Applied Work  
Value \$ 3916.83  
Submission  
Fee \$ 0.00

**Title Numbers 1068600**

Claim Name HIGH FLYER  
Issue Date 2019/may/18  
Work  
Performed Index Y  
Old Good To  
Date 2020/may/18  
New Good To  
Date 2023/apr/01  
Numbers of  
Days Forward 1048  
Area in Ha 209.28  
Applied Work  
Value \$ 3916.17  
Submission  
Fee \$ 0.00

**Title Numbers 1068601**

Claim Name HIGH FLYER BOB  
Issue Date 2019/may/18  
Work  
Performed Index Y  
Old Good To  
Date 2020/may/18  
New Good To  
Date 2023/apr/01  
Numbers of  
Days Forward 1048  
Area in Ha 188.32  
Applied Work  
Value \$ 3523.94  
Submission  
Fee \$ 0.00

**Title Numbers 1068613**

Claim Name LONG B BOB 2  
Issue Date 2019/may/19  
Work  
Performed Index Y  
Old Good To  
Date 2020/may/19  
New Good To  
Date 2023/apr/01  
Numbers of  
Days Forward 1047  
Area in Ha 481.10  
Applied Work  
Value \$ 8989.37  
Submission  
Fee \$ 0.00

**Title Numbers**      **1068614**  
Claim Name            LONG B BOB 3  
Issue Date            2019/may/19  
Work  
Performed            Y  
Index  
Old Good To  
Date                  2020/may/19  
New Good To  
Date                  2023/apr/01  
Numbers of  
Days Forward        1047  
Area in Ha            188.33  
Applied Work  
Value                \$ 3518.98  
Submission  
Fee                    \$ 0.00

**Title Numbers**      **1069511**  
Claim Name            AQUARIUS  
Issue Date            2019/jul/06  
Work  
Performed            Y  
Index  
Old Good To  
Date                  2020/jul/06  
New Good To  
Date                  2023/apr/01  
Numbers of  
Days Forward        999  
Area in Ha            419.27  
Applied Work  
Value                \$ 7282.61  
Submission  
Fee                    \$ 0.00

**Title Numbers**      **1069517**  
Claim Name            TAURUS  
Issue Date            2019/jul/06  
Work  
Performed            Y  
Index  
Old Good To  
Date                  2020/jul/06  
New Good To  
Date                  2023/apr/01  
Numbers of  
Days Forward        999  
Area in Ha            439.66  
Applied Work  
Value                \$ 7636.85  
Submission  
Fee                    \$ 0.00

**Title Numbers**      **1069518**  
Claim Name            GEMINI  
Issue Date            2019/jul/06  
Work  
Performed            Y  
Index  
Old Good To  
Date                  2020/jul/06  
New Good To  
Date                  2023/apr/01  
Numbers of  
Days Forward        999  
Area in Ha            62.86

Applied Work Value \$ 1091.87

Submission Fee \$ 0.00

**Title Numbers 1069519**

Claim Name LYIA

Issue Date 2019/jul/06

Work Performed Index Y

Old Good To Date 2020/jul/06

New Good To Date 2023/apr/01

Numbers of Days Forward 999

Area in Ha 292.99

Applied Work Value \$ 5089.14

Submission Fee \$ 0.00

**Title Numbers 1069520**

Claim Name PISCES

Issue Date 2019/jul/06

Work Performed Index Y

Old Good To Date 2020/jul/06

New Good To Date 2023/apr/01

Numbers of Days Forward 999

Area in Ha 712.11

Applied Work Value \$ 12369.28

Submission Fee \$ 0.00

**Title Numbers 1069521**

Claim Name SCORPIUS

Issue Date 2019/jul/06

Work Performed Index Y

Old Good To Date 2020/jul/06

New Good To Date 2023/apr/01

Numbers of Days Forward 999

Area in Ha 1129.23

Applied Work Value \$ 19614.65

Submission Fee \$ 0.00

**Title Numbers 1069525**

Claim Name LEO

Issue Date 2019/jul/06

Work Performed Index Y

Old Good To Date 2020/jul/06

New Good To Date 2023/apr/01  
Numbers of Days Forward 999  
Area in Ha 62.70  
Applied Work Value \$ 1089.01  
Submission Fee \$ 0.00

**Title Numbers 1072158**

Claim Name LYNX  
Issue Date 2019/oct/28  
Work Performed Index Y

Old Good To Date 2020/oct/28

New Good To Date 2023/apr/01

Numbers of Days Forward 885  
Area in Ha 711.14  
Applied Work Value \$ 10131.25  
Submission Fee \$ 0.00

**Title Numbers 1072531**

Claim Name TEXADA BOB  
Issue Date 2019/nov/06  
Work Performed Index Y

Old Good To Date 2022/may/06

New Good To Date 2023/apr/01

Numbers of Days Forward 330  
Area in Ha 41.85  
Applied Work Value \$ 272.88  
Submission Fee \$ 0.00

**Title Numbers 1085961**

Claim Name URSA MAJOR  
Issue Date 2021/dec/02  
Work Performed Index Y

Old Good To Date 2022/dec/01

New Good To Date 2023/apr/01

Numbers of Days Forward 121  
Area in Ha 605.85  
Applied Work Value \$ 1004.22  
Submission Fee \$ 0.00

**Title Numbers 1092177**

Claim Name AIRES  
Issue Date 2022/jan/28

|                         |             |
|-------------------------|-------------|
| Work Performed Index    | Y           |
| Old Good To Date        | 2023/jan/28 |
| New Good To Date        | 2023/apr/01 |
| Numbers of Days Forward | 63          |
| Area in Ha              | 439.81      |
| Applied Work Value      | \$ 379.56   |
| Submission Fee          | \$ 0.00     |

**Title Numbers 1092181**  
Claim Name WEST ANGEL  
Issue Date 2022/jan/28

|                         |             |
|-------------------------|-------------|
| Work Performed Index    | Y           |
| Old Good To Date        | 2023/jan/28 |
| New Good To Date        | 2023/apr/01 |
| Numbers of Days Forward | 63          |
| Area in Ha              | 712.45      |
| Applied Work Value      | \$ 614.85   |
| Submission Fee          | \$ 0.00     |

**Title Numbers 1092200**  
Claim Name AQUILA  
Issue Date 2022/jan/28

|                         |             |
|-------------------------|-------------|
| Work Performed Index    | Y           |
| Old Good To Date        | 2023/jan/28 |
| New Good To Date        | 2023/apr/01 |
| Numbers of Days Forward | 63          |
| Area in Ha              | 377.07      |
| Applied Work Value      | \$ 325.42   |
| Submission Fee          | \$ 0.00     |

**Title Numbers 1092243**  
Claim Name  
Issue Date 2022/jan/28

|                         |             |
|-------------------------|-------------|
| Work Performed Index    | Y           |
| Old Good To Date        | 2023/jan/28 |
| New Good To Date        | 2023/apr/01 |
| Numbers of Days Forward | 63          |
| Area in Ha              | 41.86       |
| Applied Work Value      | \$ 36.12    |
| Submission              | \$ 0.00     |

Fee

**Title Numbers 1094171**

Claim Name  
Issue Date 2022/mar/29  
Work Performed Y  
Index  
Old Good To Date 2023/mar/29  
New Good To Date 2023/apr/01  
Numbers of Days Forward 3  
Area in Ha 188.39  
Applied Work Value \$ 7.72  
Submission Fee \$ 0.00

**Title Numbers 1094172**

Claim Name STARGAZER  
Issue Date 2022/mar/29  
Work Performed Y  
Index  
Old Good To Date 2023/mar/29  
New Good To Date 2023/apr/01  
Numbers of Days Forward 3  
Area in Ha 565.86  
Applied Work Value \$ 23.19  
Submission Fee \$ 0.00

**Financial Summary:**

Total Applied Work Value: \$ 107033.79

PAC name QUADRA COASTAL RESOURCES LTD.

Debited PAC amount \$ 25999.02

Credited PAC amount \$

Total Submission Fees \$ 0.00

Total Paid \$ 0.00

**Related Summary:**

Existing Work Program  
Event Numbers

Click [here](#) to go back to the previous page  
Click [here](#) to go back to the titles search page.

# 2022 EXPLORATION REPORT ON THE TEXADA ISLAND PROPERTY

Nanaimo Mining Division  
British Columbia

NTS Map Sheet: 092F/08, 092F/09

Longitude: 124°19' W Latitude: 49°38' N  
UTM NAD 83 Zone 10 410000E E 549400N

Owner:  
QUADRA COASTAL RESOURCES LTD.  
2489 Bellevue Avenue  
West Vancouver, B.C.  
V7V 1E1

Operator:  
QUADRA COASTAL RESOURCES LTD.  
2489 Bellevue Avenue  
West Vancouver, B.C.  
V7V 1E1

Authored By:  
G.S. Davidson, P. Geol.  
M. Fraser, B. Sc.

Date Submitted: September 2022

## CONTENTS

|       |  |    |
|-------|--|----|
| 1     | Introduction.....  | 1  |
| 2     | Property Description.....                                  | 2  |
| 2.1   | Location.....  | 2  |
| 2.2   | Access.....  | 3  |
| 2.3   | Physiography and Climate.....                              | 4  |
| 2.4   | Infrastructure.....  | 5  |
| 3     | Claims and Ownership.....                                  | 5  |
| 4     | History.....   | 7  |
| 4.1   | Regional Exploration History.....                          | 7  |
| 4.2   | Texada Property Exploration History.....                   | 8  |
| 5     | Geology.....   | 10 |
| 5.1   | Regional Geologic Setting.....                             | 10 |
| 5.2   | Regional Geology.....                                      | 11 |
| 5.3   | Regional Mineralization.....                               | 15 |
| 5.4   | Property Geology.....                                      | 16 |
| 5.5   | Property Mineralization.....                               | 17 |
| 6     | Deposit Types.....   | 18 |
| 6.1   | Epithermal Gold Style Deposit.....                         | 18 |
| 6.1.1 | Low Sulphidation style Deposit.....                        | 18 |
| 6.1.2 | Arc Low Sulphidation State Deposit Style.....              | 19 |
| 7     | 2022 Exploration Program.....                              | 21 |
| 7.1   | Overview.....  | 21 |
| 7.2   | Daily Activity Log.....                                    | 22 |
| 7.3   | Rock Sampling Survey.....                                  | 22 |
| 7.4   | Soil Sampling Survey.....                                  | 23 |
| 7.5   | Drone Magnetic Survey.....                                 | 23 |
| 8     | Sampling Methodology, Analysis, and Data Verification..... | 23 |
| 8.1   | Rock Samples.....  | 23 |
| 8.2   | Soil Samples (B-Horizon).....                              | 23 |
| 8.3   | Drone Magnetic Survey.....                                 | 24 |
| 9     | 2022 Exploration Results.....                              | 26 |
| 9.1   | Rock Samples.....  | 26 |
| 9.2   | Soil Samples.....  | 26 |
| 9.3   | Drone Magnetics.....                                       | 26 |
| 10    | Discussion.....  | 27 |
| 11    | Conclusion.....  | 28 |
| 11.1  | Proposed Exploration Budget.....                           | 28 |
| 12    | References.....  | 29 |

## LIST OF FIGURES

|  |    |
|--|----|
| Figure 2-1. Texada: Property Location .....  | 2  |
| Figure 2-2. Property Access.....   | 3  |
| Figure 2-1. Texada: Property Access.....   | 5  |
| Figure 3-2. Texada: Mineral Tenures.....   | 6  |
| Figure 5-1. Regional Geologic Setting.....   | 10 |
| Figure 5-2. Simplified bedrock geology of Texada Island (modified from BCGS, 2016 and Webster and Ray, 1990).....                                      | 13 |
| Figure 5-3. Texada: LIDAR imagery and MINFILE locations.....   | 14 |
| Figure 6-1. Schematic Section of Calc-Alkaline Volcanic Arc Setting and Associated Epithermal and Related Mineralization (source: New Gold, 2014)..... | 20 |
| Figure 6-2. Conceptual model for styles of magmatic arc epithermal Au-Ag and porphyry Au-Cu mineralization (modified from Corbett, 2013).....          | 20 |

## LIST OF TABLES

|   |    |
|---|----|
| Table 1-1. Author Responsibilities .....  | 1  |
| Table 2-1. Monthly Climate Data for Powell River, 2006 (from <a href="https://climate.weather.gc.ca/">https://climate.weather.gc.ca/</a> )..... | 4  |
| Table 3-1. List of Tenures.....   | 5  |
| Table 4-1. Exploration history.....   | 8  |
| Table 5-1. Texada Property Mineral Occurrences .....  | 17 |
| Table 6-1. Epithermal Gold Deposit Types (after Sillitoe and Hedenquist 2003) .....   | 21 |
| Table 7-1. 2022 Exploration Activity Log.....   | 22 |
| Table 9-1. 2022 Rock Sample Results for Au, Ag, As, and Cu.....   | 26 |
| Table 9-2. 2022 Soil Sample Results for Au, Ag, As, and Cu.....   | 26 |

## LIST OF APPENDICES

|  |    |
|--|----|
| Appendix 1 – Statement of Costs .....                | 31 |
| Appendix 2 – Statement of Qualifications .....       | 35 |
| Appendix 3 – 2021 Rock Sampling Maps.....            | 37 |
| Appendix 3.1 – Rock Sample Locations .....           | 38 |
| Appendix 3.2 – Rock Samples: Au (ppm).....           | 39 |
| Appendix 3.3 – Rock Samples: Ag (ppm) .....          | 40 |
| Appendix 3.4 – Rock Samples: As (ppm).....           | 41 |
| Appendix 3.5 – Rock Samples: Cu (ppm).....           | 42 |
| Appendix 4 – 2021 Soil Sample Maps.....              | 43 |
| Appendix 4.1 – Soil Grid Locations.....              | 44 |
| Appendix 4.2 – Soil Grid 1: Sample IDs.....          | 45 |
| Appendix 4.3 – Soil Grid 1: Au (ppm).....            | 46 |
| Appendix 4.4 – Soil Grid 1: Ag (ppm).....            | 47 |
| Appendix 4.5 – Soil Grid 1: As (ppm) .....           | 48 |
| Appendix 4.6 – Soil Grid 1: Cu (ppm) .....           | 49 |
| Appendix 4.7 – Soil Grid 2: Sample IDs.....          | 50 |
| Appendix 4.8 – Soil Grid 2: Au (ppm).....            | 51 |
| Appendix 4.9 – Soil Grid 2: Ag (ppm).....            | 52 |
| Appendix 4.10 – Soil Grid 2: As (ppm).....           | 53 |
| Appendix 4.11 – Soil Grid 2: Cu (ppm).....           | 54 |
| Appendix 5 – Drone Magnetic Survey Maps .....        | 55 |
| Appendix 5.1 – Total Magnetism (nT) .....            | 56 |
| Appendix 5.2 – Tilt Derivative (nT/m) .....          | 57 |
| Appendix 5.3 – First Vertical Derivative (nt/m)..... | 58 |
| Appendix 5.4 – Analytic Signal (nT/m).....           | 59 |
| Appendix 6 – 2022 Rock Descriptions.....             | 60 |
| Appendix 7 – 2022 Soil Sample Descriptions.....      | 65 |
| Appendix 8 – 2022 Rock Assay Certificate .....       | 70 |
| Appendix 9 – 2022 Soil Assay Certificate.....        | 99 |

## 1 INTRODUCTION

On Aug. 30th, 2022, the authors were tasked to write an Assessment Report on the Texada Island Property in southwestern British Columbia, Canada. The information in this Report is effective as of Sept. 25, 2022.

Table 1-1. Author Responsibilities

| Qualified Person | Registration   | Title/Company                  | Sections of Responsibility |
|------------------|----------------|--------------------------------|----------------------------|
| G. S. Davidson   | P. Geol. APEGA | President, 027852 Alberta Ltd. | All sections               |
| Matt. Fraser     | B.Sc.          | Geologist                      | Drone mag survey           |

The Property is located within the Nanaimo Mining Division of British Columbia southeast of the town of Gilles Bay. The sources of information accessed in preparation of this report are listed in the References section. The authors have also relied upon information and discussions with prospector Dave Javorski.

The exploration program on the property was undertaken from May 6-23, 2022. During this visit G.S. Davidson P. Geol. was an independent consultant to the Company to appraise the Property on its mineral potential and to provide opinion on future exploration plans on the Property. There has been no further exploration work on this Property subsequent to the last site inspection.

Additional personnel who worked on the property with the author in 2022 and assisted in the preparation of this report are project geologist Malcolm Warwick, B.Sc., exploration manager Matt Fraser, B.Sc., drone pilot Ryan Dix, exploration hand James Fraser, and prospector Dave Javorski.

## 2 PROPERTY DESCRIPTION

### 2.1 LOCATION

The Texada Island Property is centered at Latitude 49°38' North, Longitude 124°19' West, in British Columbia, Canada (Figure 2-1). The Property is comprised of a smaller north group of claims, 5km southeast of Van Anda and a larger block centered around Bob's Lake approximately 20km southeast of the town of Van Anda. To the west of the Property is the Strait of Georgia and to the east the Malaspina Strait (Figure 2-2).




Figure 2-1. Texada: Property Location

2.2 ACCESS

The total distance via the Sunshine Coast Highway to Powell River from Vancouver is 178km. Three ferry crossings are necessary from Horseshoe Bay to Langdale, from Earls Cove to Saltery Bay and from Powell River to Blubber Bay on the north tip of Texada Island (Figure 2-2). Alternatively, ferry services between Comox and Powell River provide access via Vancouver Island.

Once on Texada Island the Blubber Bay road goes southeast to Van Anda, then the Gilles Bay road continues southeast to the Shelter Point Road which connects to the main Central Road that continues southeast to the claims. Numerous Forestry Service roads in variable driving conditions branch off the Central Road to access the general area. The distance from Gilles Bay to the Angel showing is 25km by road.




Figure 2-2. Property Access

### 2.3 PHYSIOGRAPHY AND CLIMATE

Texada Island lies in the Georgia Strait between Vancouver Island and coastal British Columbia part of the Sunshine Coast, an area of moderate coastal relief. The northern portion of the island where most of the residents live features rounded hills and valleys with an accessible shoreline. South-central Texada Island is fairly rugged with rocky ridges and moderately steep slopes descending to the ocean.

The Texada Property extends 15 km from the claim’s southeast end to its northwestern corner. The claims cover a broad northwest-southeast trending ridge at an elevation of approximately 600 m which drops to the northeast in moderate to steep slopes to sea-level at the Malaspina Strait. The upland ridge is serrated by a series of northwest-southeast trending gullies interpreted as normal faults on aeromagnetic and geology maps. Outcrop is widespread over the upland ridge and across the northeast facing slope to the ocean.

The area was heavily logged in the early - mid 1900’s with the development of many access trails, some of which are still usable while others are well constructed but are clogged with deadfall that could be cleared to provide access for trenching or drilling. The current re-planted forest is mature, part of the coastal Douglas Fir bio-geo-climatic zone with relatively little undergrowth providing good conditions for surface exploration. Recent logging in the claim area is limited to small blocks.

The Texada Island region features a maritime climate of warm summers and mild winters with low to moderate precipitation modified by the proximity to higher mountains on Vancouver Island. Overall, the climate is typical of the southern coast of British Columbia, temperatures range from an average annual high of 22°C to a minimum of 1°C. Monthly climate data for Powell River during 2006 is presented below in Table 2-1.

Table 2-1. Monthly Climate Data for Powell River, 2006 (from <https://climate.weather.gc.ca/>)

| Month                                      | Mean Max<br>Temp<br>°C | Mean Min<br>Temp<br>°C | Mean<br>Temp<br>°C | Extr Max<br>Temp<br>°C                              | Extr Min<br>Temp<br>°C | Total<br>Rain<br>mm | Total<br>Snow<br>cm | Total<br>Precip<br>mm |
|--|------------------------|------------------------|--------------------|---|------------------------|---------------------|---------------------|-----------------------|
| Jan  | 8.7E                   | 4.4E                   | 6.6^               | 12.5E   | 2.0E                   | 189.1               | 0.0                 | 189.1                 |
| Feb  | 7.2E                   | 1.4E                   | 4.5^               | 9.5B  | -1.5B                  | 98.2                | 5.0                 | 103.2                 |
| Mar  | 9.4E                   | 3.1E                   | 6.5^               | 13.5E   | -0.5E                  | 99.8                | 5.0                 | 104.8                 |
| Apr  | 12.2E                  | 5.9E                   | 9.0^               | 19.5E   | 3.5E                   | 56.9                | 0.0                 | 56.9                  |
| May  | 17.6E                  | 8.9E                   | 13.3^              | 27.0E   | 3.5E                   | 43.7                | 0.0                 | 43.7                  |
| Jun  | 20.7E                  | 12.8E                  | 16.7^              | 28.0E   | 10.0E                  | 37.1                | 0.0                 | 37.1                  |
| July                                       | No Data Available      |                        |                    |   |                        |                     |                     |                       |
| Aug  | 21.9E                  | 13.3E                  | 17.6^              | 27.5E   | 11.0E                  | 8.2                 | 0.0                 | 8.2                   |
| Sept                                       | 19.4E                  | 12.2E                  | 16.0^              | 24.0E   | 10.0B                  | 60.2                | 0.0                 | 60.2                  |
| Oct  | 13.3E                  | 7.9E                   | 10.5^              | 17.5E   | 1.0E                   | 49.4                | 0.0                 | 49.4                  |
| Nov  | 8.0E                   | 3.5E                   | 5.7^               | 16.0E   | -5.5E                  | 240.1E              | 3.5^                | 236.6^                |
| Dec  | 6.9E                   | 3.3E                   | 5.2^               | 10.5B   | 0.0E                   | 172.2               | 3.4                 | 175.6                 |
| Sum  |                        |                        |                    |   |                        | M                   | M                   | M                     |
| <b>Legend</b>                              |                        |                        |                    |   |                        |                     |                     |                       |
| B = More than one occurrence and estimated |                        |                        |                    | T = Trace   |                        |                     |                     |                       |
| E = Estimated                              |                        |                        |                    | [empty] = Indicates an unobserved value             |                        |                     |                     |                       |
| M = Missing                                |                        |                        |                    | ^ = The value displayed is based on incomplete data |                        |                     |                     |                       |
| S = More than one occurrence               |                        |                        |                    |   |                        |                     |                     |                       |

## 2.4 INFRASTRUCTURE

The City of Powell River on the mainland has a population of approximately 13,000 and a diversified economy driven by forestry and tourism. The town has most services and supplies available. The proximity of Vancouver to the property also provides good access and all services. Exploration work can be performed on a year-round basis. Locally the villages of Van Anda & Gilles Bay provide lodging, meals, groceries and fuel.

Electricity to the area is supplied from the BC Hydro Substation south of Gilles Bay along a 138 kV transmission line, owned and maintained by BC Hydro and Fortis that runs from the mainland to Vancouver Island. A natural gas pipeline corridor running northwest-southeast transects the claims.

## 3 CLAIMS AND OWNERSHIP

The Texada Island Property consists of 33 contiguous Mineral Claims covering 9,671.395 hectares (Figure 3-3, Table 3-1). All claims are under option to Quadra Coastal Resources Inc.

Table 3-1. List of Tenures

| Tenure Number | Claim Name      | Owner                         | Issue Date | Good To Date | Area (ha) |
|---------------|-----------------|-------------------------------|------------|--------------|-----------|
| 1061493       | ANGEL           | QUADRA COASTAL RESOURCES LTD. | 2018-07-01 | 2023-04-01   | 20.9486   |
| 1065984       | ANGEL           | QUADRA COASTAL RESOURCES LTD. | 2019-01-23 | 2023-04-01   | 230.4377  |
| 1067995       | ANGEL 2         | QUADRA COASTAL RESOURCES LTD. | 2019-04-18 | 2023-04-01   | 41.8904   |
| 1068132       | STUD DUCK       | QUADRA COASTAL RESOURCES LTD. | 2019-04-25 | 2023-04-01   | 419.2296  |
| 1068137       | BOB CREEK       | QUADRA COASTAL RESOURCES LTD. | 2019-04-25 | 2023-04-01   | 104.6802  |
| 1068316       | FRISKY BOB      | QUADRA COASTAL RESOURCES LTD. | 2019-05-04 | 2023-04-01   | 188.4609  |
| 1068317       | LONG BOB        | QUADRA COASTAL RESOURCES LTD. | 2019-05-04 | 2023-04-01   | 41.8675   |
| 1068318       | QUACKER         | QUADRA COASTAL RESOURCES LTD. | 2019-05-04 | 2023-04-01   | 20.9539   |
| 1068443       | COPPERTONE      | QUADRA COASTAL RESOURCES LTD. | 2019-05-09 | 2023-04-01   | 41.8622   |
| 1068598       | UP; UP AND AWAY | QUADRA COASTAL RESOURCES LTD. | 2019-05-18 | 2023-04-01   | 209.3181  |
| 1068600       | HIGH FLYER      | QUADRA COASTAL RESOURCES LTD. | 2019-05-18 | 2023-04-01   | 209.2827  |
| 1068601       | HIGH FLYER BOB  | QUADRA COASTAL RESOURCES LTD. | 2019-05-18 | 2023-04-01   | 188.3216  |
| 1068613       | LONG B BOB 2    | QUADRA COASTAL RESOURCES LTD. | 2019-05-19 | 2023-04-01   | 481.1025  |
| 1068614       | LONG B BOB 3    | QUADRA COASTAL RESOURCES LTD. | 2019-05-19 | 2023-04-01   | 188.3325  |
| 1069511       | AQUARIUS        | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 419.2668  |
| 1069517       | TAURUS          | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 439.661   |
| 1069518       | GEMINI          | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 62.8599   |
| 1069519       | LYIA            | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 292.9868  |
| 1069520       | PISCES          | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 712.1117  |
| 1069521       | SCORPIUS        | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 1129.2346 |
| 1069525       | LEO             | QUADRA COASTAL RESOURCES LTD. | 2019-07-06 | 2023-04-01   | 62.6955   |
| 1072158       | LYNX            | QUADRA COASTAL RESOURCES LTD. | 2019-10-28 | 2023-04-01   | 711.1357  |
| 1072531       | TEXADA BOB      | QUADRA COASTAL RESOURCES LTD. | 2021-12-02 | 2023-04-01   | 41.8498   |
| 1085961       | URSA MAJOR      | QUADRA COASTAL RESOURCES LTD. | 2022-01-28 | 2023-04-01   | 605.8493  |
| 1092177       | AIRES           | QUADRA COASTAL RESOURCES LTD. | 2022-01-28 | 2023-04-01   | 439.8129  |
| 1092181       | WEST ANGEL      | QUADRA COASTAL RESOURCES LTD. | 2022-01-28 | 2023-04-01   | 712.4484  |
| 1092200       | AQUILA          | QUADRA COASTAL RESOURCES LTD. | 2022-01-28 | 2023-04-01   | 377.0712  |
| 1092243       |                 | QUADRA COASTAL RESOURCES LTD. | 2022-01-28 | 2023-04-01   | 41.8585   |
| 1094063       | DORA            | GRANBY GOLD INC.              | 2022-03-29 | 2023-03-29   | 20.9383   |
| 1094102       | DORA2           | GRANBY GOLD INC.              | 2022-03-29 | 2023-03-29   | 355.9614  |
| 1094118       | ANGEL WINGS     | Warwick, Shane Malcolm        | 2022-03-29 | 2023-03-29   | 104.7155  |
| 1094171       |                 | QUADRA COASTAL RESOURCES LTD. | 2022-03-29 | 2023-04-01   | 188.3867  |
| 1094172       | STARGAZER       | QUADRA COASTAL RESOURCES LTD. | 2022-03-29 | 2023-04-01   | 565.8626  |
| TOTAL         |                 |                               |            |              | 9671.395  |




Figure 3-2. Texada: Mineral Tenures

## 4 HISTORY

### 4.1 REGIONAL EXPLORATION HISTORY

Exploration and mining activity in the Texada area started with the discovery of magnetite in the northern part of the island in 1873 (Webster, 1990). Numerous iron and copper-gold bearing skarn occurrences were found at the contact or within the Quatsino Formation (Marble Bay limestone) near intrusive rocks of either granitic or dioritic composition. Copper-gold skarn mineralization consisted of chalcopyrite and bornite as the main ore minerals with accessory molybdenite, pyrite, native silver, magnetite, and sphalerite in tan to light green and dark brown garnet-pyroxene-epidote-tremolite skarn with variable amounts of calcite, quartz and feldspar. Quarry activity also started in the late 1800's mining the Marble Bay limestone for gravel.

In the early 1900's mineralized quartz carbonate veins were found within or adjacent to north or northwesterly trending faults or shear zones in basalts of the Triassic Karmutsen Formation. McConnell, (1914) tabulated 54 mineral occurrences being worked or discovered on Texada Island. Shear zones at the Nancy-Bell showing on Surprise Mountain were described as 3-4m wide sections consisting of silicified volcanic rocks and a thin interbed of limestone containing gold bearing pyrite-sphalerite-chalcopyrite-galena mineralization (Webster, 1990). Early mines included the Copper Queen, Little Billie, Marble Bay and Cornell mines reported to have produced 75,000 ounces of gold, 500,000 ounces of silver and 9,500 tons of copper. Texada Mines Ltd. operated an open pit and underground mine at Welcome Bay from 1952-1976 that processed over 20 million tons of ore, producing a copper-gold concentrate containing approximately 35,000 ounces of gold. Large quarry operations extracting limestone continue to operate on the north end of the Island.

The first reported mineral exploration work over the claim area started in the 1950's by local prospectors. Falconbridge Nickel Mines Ltd. optioned a large block of claims in the Bob's Lake and Long Beach areas in 1969 and initiated surface exploration consisting of rock and soil geochemistry, IP survey followed by diamond drilling of the "Dude" occurrence located approximately 1km north of the powerline in the east-central portion of the island (Wares, 1971).

From 1983-1985, prospectors R. Johanson, R. Ducker, R. Mickle and J. Newman continued work on the Long Beach area claims before adding the Angel group of claims (Shearer, 1981, 1985). The discovery of gold bearing quartz veins near Angel Lake in 1985 initiated exploration activity in the central-south area of the island by Caribou Gold Corp, who identified the Angel and Bob's Lake fault zones and drilled one diamond drill hole on the Angel showing intersecting several narrow intervals of quartz-pyrite veining with gold values. The claims were optioned to Rhyolite Resources Ltd. in 1987 followed by an option to Echo Bay Mines Ltd. in 1988-89. Echo Bay completed widespread rock, heavy mineral stream sediment and soil sampling, mapping, excavator trenching focussed on the two fault zones and the Angel showing. Echo Bay concluded that "the surface exposures and drill results indicate that significant gold values are isolated along narrow structures within a larger shear zone" (Morris & Sarjeant, 1989). Echo Bay dropped the claim option in 1989 due to low gold values found in bulldozer trenches along several of the structures.

Exploration continued on the property operated by Rhyolite Resources and partner Nexus Resources Corp. later in 1989 performing soil and rock sampling, a small IP survey and a diamond drill program of 5 holes totaling 540m targeting the Angel fault zone. Nexus concluded "the drill holes intersected narrow intervals with anomalous gold

within a 50-95m wide portion of the Angel Fault zone, a complex disrupted interval of pyritic quartz-iron carbonate flooded and variably altered, brecciated basalt. The gold is from pyrite veins in the quartz-carbonate breccia. The Angel fault is a heterogeneous deformation zone, up to 190 m wide” (Benvenuto, 1989).

The Dude occurrence was re-evaluated by Pathfinder Resources Ltd. in 2004 in a short program of soil and rock sampling (Peters, 2004). Recommendations for a drill program on the 1970 IP and soil geochemical targets were followed in 2006 in 6 holes totalling 1,269.5m. Peter’s (2006) concluded “The results demonstrate that the area drilled hosts a large, low-grade copper system with anomalous molybdenum. No significant gold mineralization was encountered. Persistent northeast trending and sub-vertically dipping fracture zones transect the quartz diorite as well as the basalts especially near the contact. The fractures control multiple zones of sulphide mineralization including pyrite, chalcopyrite and molybdenite.”

#### 4.2 TEXADA PROPERTY EXPLORATION HISTORY

Table 4-1. Exploration history

| Year | Report               | Company                        | Claims     | Summary  | Reference                   |
|------|----------------------|--------------------------------|------------|--|-----------------------------|
| 1971 | Property File 650158 | Falconbridge Nickel Mines Ltd. | Long B     | Long B and Angel claims covered the central portion of Texada Island staked in 1969 by R. Samuelson and R. Mickle. Soil & rock samples; analyzed for gold, copper and silver, IP survey, diamond drilling of six holes totalling 490m.   | Wares R.                    |
| 1986 | 14916                | Caribou Gold Corporation       | Angel 1    | Angel showing located 24km southeast of Gilles Bay found in 1985, soil sampling and prospecting one NQ wire line drill hole totalling 137m. The Angel claims cover a new gold occurrence that had not been examined previously for gold. An aggressive program was undertaken to evaluate the significance of this showing which included 450 feet of diamond drilling in 1985. The relatively poorly defined mineralized surface samples and anomalous soil geochemistry can be correlated with several gold zones intersected in the diamond drill hole. The most significant gold intersection is between 25.50 and 26.50 meters which averaged 0.479 oz/ton. | J.T. Shearer                |
| 1987 | 16013                | J.E. Newman                    | Cisco      | Soil and rock sampling was undertaken on an extensive quartz iron carbonate alteration zone developed in chloritic Karmutsen basalt to determine if the mineralization continues to the Angel occurrence. Rock sample CIS #11880 ran 1350ppb Au.   |                             |
| 1988 | 17685                | Rhyolite Resources Inc.        | Angel      | Prospecting and collecting 40 rock samples from upper Triassic Karmutsen volcanics are intruded by diorite plugs to the east The whole sequence is cut by large regional shear zones which show extensive quartz carbonate alteration abundant pyrite and some chalcopyrite. Gold occurs in quartz stringers. The main area of interest remains the original road showing which carries samples up to 5.5 g/t gold.  | J. Kowalchuk                |
| 1988 | 18671                | Echo Bay Mines Ltd.            | Angel      | Geological mapping, rock & chip sampling, soil geochemical sampling, grid development and excavator trenching on the Angel Property area.  | D.L. Morris & P.T. Sarjeant |
| 1989 | 19509                | Nexus Resources Corp.          | Angel, Fox | A program of drilling consisting of 540m in 5 diamond drill holes, soil and trench chip sampling at the Angel showing. A detailed IP resistivity survey were conducted on the Angel Group of claims. Reconnaissance soil sampling, geologic mapping and prospecting on the Fox Group. The drill holes intersected from 7 to 14 main, narrow intervals of anomalous to highly anomalous gold within a 50 to 95 m wide portion of the Angel fault zone. The gold intercepts occur in a narrow intervals pyritic-quartz-iron carbonate-calcite veining in variably altered and brecciated basalt.   | G. Benvenuto                |

| Year | Report | Company                       | Claims                        | Summary   | Reference    |
|------|--------|-------------------------------|-------------------------------|---|--------------|
| 1992 | 22315  | CanQuest Resource Corporation | Tuscon, Magnolia, Scot, B.C., | A program of soil sampling, magnetometer survey, VLF-EM survey, geological mapping and rock sampling.   | G. Benvenuto |
| 2001 | 26582  | Homegold Resources Ltd.       | Long Beach 1-20               | Limited mapping and sampling, several excavator pits.   | J.T. Shearer |
| 2005 | 27551  | Pathfinder Resources Ltd.     | Dude                          | Rock and soil geochemistry, geological mapping.   | L.J. Peters  |
| 2004 | 27799  | Homegold Resources Ltd.       | Long Beach 1-20               | Soil sampling, drilling, electrical imaging.  | J.T. Shearer |
| 2005 |        | Pathfinder Resources Ltd.     | Dude                          | Diamond drilling, 6 holes, 1,269.5m. The results demonstrate that the area drilled hosts a large, low-grade copper system with anomalous molybdenum. No significant gold mineralization was encountered. Persistent northeast trending and sub-vertically dipping fracture zones transect the intrusives as well as the volcanics near the contact with the intrusives. The fractures control multiple zones of sulphide mineralization including pyrite, chalcopyrite and molybdenite. | L.J. Peters  |
| 2007 | 29718  | Northstar Mining Ltd.         | Dude, Tak                     | Spectral analysis   | D. McLelland |
| 2008 | 30688  | Northstar Mining Ltd.         | Dude                          | Gamma ray spectrometer survey   | D. McLelland |
| 2009 | 31312  | Northstar Mining Ltd.         | Tak                           | Spectral analysis   | D. McLelland |
| 2012 | 33754  | Northstar Mining Ltd.         | Angel, Cisco                  | Rock sampling   | J. Houle     |

5 GEOLOGY

5.1 REGIONAL GEOLOGIC SETTING

Texada Island is located within the Insular Super Terrane of Western British Columbia, an amalgamation of the Wrangellia terrane and the Alexander terrane that eventually accreted to North America between the mid-Jurassic and mid-Cretaceous. This was followed by the accretion of the Pacific terrane and the Crescent terrane during the mid-Tertiary time-period. The Property is situated in the central portion of Texada Island and is underlain by rock assemblages of the allochthonous Wrangellia terrane (Figure 5-1).




Figure 5-1. Regional Geologic Setting

The Wrangellia Terrane extends discontinuously north of Texada Island through the Queen Charlotte Islands towards central Alaska and is characterized by rocks of the Upper Paleozoic to Lower Mesozoic. In the late Carboniferous Wrangellia collided and amalgamated with the Alexander Terrane in Alaska to form the Insular Superterrane and subsequently accreted to the inboard terranes of the Coast and Intermontane belts as late as the mid-Cretaceous, or as early as the mid-Jurassic (Nixon et al. 2006). Prior to its accretion, Wrangellia was comprised of the Paleozoic Sicker and Buttle Lake Groups and the Middle Triassic Formation. The Sicker and Buttle Lake groups are composed of Devonian to early Permian island-arc volcanic, volcanoclastic, and sedimentary rocks which are known to host VMS deposits, such as Myra Falls.

The Karmutsen Formation is an approximately 6,000 m thick oceanic plateau which conformably overlies the Sicker and Buttle Lake groups; it is composed of tholeiitic flood basalts, minor pillow basalts, pillow breccia and tuff as well as inter-volcanic limestones which underlie most of Texada Island (Nixon et al. 2006). Conformably overlying the Karmutsen Formation is a shallow water carbonate layer known as the Quatsino Formation. The Quatsino Formation is composed of massive to bedded bioclastic limestone which formed during the waning stages of the Karmutsen volcanism and associated subsidence. Continued sedimentation and deeper water resulted in the deposition of the impure limestone and siliciclastic rocks of the Parsons Bay Formation (Nixon et al. 2006). A period of quiescence followed by a renewed phase of island-arc magmatism and sedimentation produced the volcanic, volcanoclastic and epiclastic strata of the Bonanza Group, along with the coeval intrusions of the Island Plutonic Suite (Nixon et al. 2006).

## 5.2 REGIONAL GEOLOGY

The geological setting of Texada Island is very similar to that of northern Vancouver Island. Described by Shearer (2001), “[u]pper Paleozoic Sicker Formation volcanics, volcanoclastic sediments and limestone are exposed on the extreme south tip. Most of the Island is underlain by Upper Triassic Karmutsen Formation of the Vancouver Group consisting of amygdaloidal, pillowed to massive basalt, breccia and aquagene tuff. This is overlain by Upper Triassic limestone (Quatsino Formation) which occurs mainly in a belt extending across the north end of the Island. Five stocks of quartz diorite to diorite are exposed on the coastline. Near Gillies Bay a fault block of Upper Cretaceous Nanaimo Group coarse clastics has been preserved.”

Wares (1971) describes the granitic intrusive exposures in the center-east area of the island as “quartz diorite with occasional granodiorite outcrop which could possibly be the result of potassic feldspar alteration as observed at the Dude occurrence. Alteration appears to vary considerably over short distances. In one locality an intensely chloritized and K-spar rich rock is adjacent to relatively fresh biotite-hornblende diorite. The Karmutsen Formation volcanic rocks are widespread in outcrop, predominantly chloritized feldspar phyric basalt with occasional epidote-quartz filled amygdules. The volcanic-intrusive contact is well exposed in the Dude area dipping steeply to the west. This contact is sharp with some suggestion of a narrow, banded, chilled margin.”

### **Vancouver Group: Upper Triassic**

#### **MPn Parson Bay Formation: Upper Triassic**

A) Medium grey to black, thinly laminated to medium bedded, impure limestone, calcareous to noncalcareous mudstone, siltstone and shale intercalated with variable proportions of grey-green lithic feldspathic/tuffaceous

wacke, minor crystal-lithic tuff and reworked equivalents, volcanoclastic breccia and debris-flow deposits, and rare vitric tuff, pebbly sandstone and conglomerate

**uTrQ Quatsino Formation: Upper Triassic**

Medium to pale grey, thinly bedded to massive micritic limestone and locally bioclastic limestone; minor silica replacement and chert nodules; rare laminated interbeds, oolitic layers and algal structures; locally fossiliferous.

**uTrK Karmutsen formation: Upper Triassic**

Undifferentiated, dark grey-green basalt flow/hyaloclastite/pillow lava.

- Dark grey-green, aphanitic to plagioclase-phyric basalt flows, commonly amygdaloidal and locally exhibiting laminar flow features (vesicle trains) and pipe vesicles; may include minor pillow lava and hyaloclastite
- Dark grey-green, plagioclase-megacrystic (1-2cm) basalt flows; commonly amygdaloidal and locally exhibiting trachytoid texture; intercalated with aphanitic or plagioclase-phyric basalt near the top of the succession
- Small outcrop of plagioclase-megacrystic (1-2cm) basalt flow, commonly amygdaloidal and locally exhibiting trachytoid texture; intercalated with aphanitic or plagioclase-phyric basalt near the top of the succession
- Dark grey-green, massive to laminated, basalt pillow breccia and hyaloclastite sandstone.
- Plagioclase-megacrystic (<2cm) basalt pillow breccia and hyaloclastite sandstone
- Dark grey-green, closely packed, pillowed basalt flows; aphanitic and variably amygdaloidal
- Plagioclase-megacrystic (<2cm) pillowed basalt flows
- Thin (<8m) beds and lenses of pale to medium grey, micritic to rarely bioclastic or oolitic limestone intercalated with basalt near the top of the flow succession


Alteration assemblages consist of widespread prehnite-pumpellyite grade, and upper greenschist or lowermost amphibolite-grade facies appear in the thermal aureoles of intrusions of the Island Plutonic Suite.

**Intrusive Rocks: Island Plutonic Suite: Lower to Middle Jurassic (ca. 197.5 to 169.9 ma)**

**Kg, Kqd, Kd** Dark grey-green to pale pinkish grey, medium to coarse-grained, equigranular quartz diorite, granodiorite, plagioclase ± hornblende porphyry and quartz-plagioclase ± biotite porphyry; biotite-bearing diorite.

The principal intrusive rock types are pale grey to buff-weathering, generally granitic rocks of the Island Plutonic Suite, medium-grained and equigranular, hornblende-bearing quartz diorite to granodiorite. Propylitic and argillic alteration assemblages and skarning are locally well developed at the margins. Crosscutting fractures and veins are commonly filled with chlorite, hematite, epidote, quartz, kaolin, pyrite, zeolites and K-feldspar.

Minor Intrusions: Tertiary; dark to pale grey, rhyolite, dacite and andesite dykes; plagioclase ± pyroxene ± quartz-phyric; Early Jurassic: dark grey-green diabase to medium-grained gabbro sill, amphibolite.



## REGIONAL STRUCTURE

The three main episodes of deformation in the Vancouver Island and Georgia Strait area as described after Nixon et al. (1993):

### Phase 1: Post-Early Jurassic to Pre-Cretaceous Deformation

The first regional deformational event was due to east to northeast-directed compressional event which resulted in the rotation and tilting of Lower Jurassic and older strata to form the western flank of the Victoria arch. This northeast directed compression resulted in northwesterly trending thrust faults and flexural slip folding that was evidenced by locally well developed, northwesterly striking, stylonitic cleavage within the Quatsino limestone.

### Phase 2: Post-Mid to Pre-Late Cretaceous Deformation

The second deformation event postdates the Coal Harbour sediments but predates the deposition of the Upper Cretaceous Nanaimo Group sediments. This event was the result of intense strike-slip faulting and to a lesser extent thrusting from northerly directed compression. Faults formed during this event have a predominant northwest trend and, in many cases, produced significant drag folding in the adjacent strata where units are well bedded. This event is evidenced by northwesterly striking, high-angle, oblique-slip faults with a dextral strike-slip and south-up sense of motion.

### Phase 3: Tertiary Deformation

The third and most recent phase of deformation in the area postdates the deposition of the Nanaimo Group sediments and produced east-northeasterly trending normal faults during the extension of the Queen Charlotte Basin. Extension is less obvious in the Quatsino-San Josef map area than further south. Tertiary dykes intruded during this final phase of deformation.




Figure 5-3. Texada: LIDAR imagery and MINFILE locations

The main structural features on Texada Island are normal faults orientated at 120-130 deg. visible on LIDAR imagery of the island (Figure 5-3). Crossing the primary structures are lineations orientated at 075-110 deg. Jointing and foliation are generally parallel to the major structural features.

### 5.3 REGIONAL MINERALIZATION

Texada Island has a long and varied history of gold, iron ore and industrial mineral mining that began in the 1880s. A summary of the past producing mines is as follows:

- Limestone of the Quatsino Formation has been mined by open-pit methods at several locations on the island.
- Between 1957-1976, Texada Iron Mines (located 3 km northwest of Gilles Bay) produced 11 million tons of iron concentrate from 19 million tons of magnetite-chalcopyrite skarn grading 0.14% Cu, 0.04 oz/t Ag, and 0.017 oz/t Au.
- Between 1896-1952, the Marble Bay, Little Billie, and Cornell Mines (located at Vananda on the northeast coast of Texada Island) produced a total of 423,350 tons of ore with an average grade of 0.18 oz/t Au, 1.2 oz/t Ag, and 2.3% Cu.
  - The ore from the Marble Bay and Cornell Mines consisted of chalcopyrite + bornite + diopside + epidote + garnet + calcite skarn occurring at the contacts of a Jurassic diorite stock in the Quatsino Formation limestone.
  - The ore from the Little Billie Mine consisted of bornite + epidote + magnetite + garnet + wollastonite + diopside skarn at the contacts of a quartz diorite dyke.

(Benvenuto, 1989)

Additional metallic mineral occurrences (excluding sedimentary limestone, shale, or aggregate) that occur in on Texada Island consist of 4 main types:

1. Skarn (iron and/or copper, silver and gold) generally related to limestones at or near contacts with intrusions, found in northwest Texada Island
2. Porphyry (copper/gold and/or copper/molybdenum) closely related to intrusions, found in eastern Texada Island
3. Quartz Veins (gold, silver) related to shear and fault structures found throughout the island, and probably genetically related to intrusions
4. Redbed (copper, silver) hosted in volcanics in the south, and probably young in age resulting from weathering and secondary re-deposition of copper and silver

(Houle, 2013)

The most significant deposits in the district are associated with intrusions of the Island Plutonic Suite estimated to be emplaced during the Early to Mid-Jurassic. Several Porphyry Copper deposits occur within the Island

Plutonic Suite in the North of Vancouver Island. Most notably, the Island Copper mine which lies northwest of Texada Island and produced 377 Mt @ 0.41% Copper.

#### 5.4 PROPERTY GEOLOGY

The claim area features widespread outcrop of basalt of the Karmutsen Formation, mainly black to dark green, aphanitic to amygdaloidal and feldspar phyric to amphibole phyric flows. Locally pillow lavas, tuffaceous and agglomerate mafic volcanics and amphibolite varieties were observed. Epidote-quartz filled amygdule's and veins are common within the basalts. Lighter green volcanic rocks occurring near granitic intrusive and along shear zones are mapped as silicified basalt and possibly andesite. Agglomeritic basalt with abundant pyrite veining was seen on lower slopes at the Frisky grid. Limited limestone and ferroan dolomite occur in shear zones and major faults seen in road cuts north of Bob's Lake.

On the Angel 1 Claim, shear-mylonite zones with a southeast orientation occur within Karmutsen Formation basalt, basaltic agglomerate and aquagene tuff. Numerous orange-brown weathering quartz-carbonate zones have been discovered along or adjacent to the major shear structures.

Intrusive rocks are mainly quartz diorite and granodiorite of the Cretaceous Island Plutonic Suite that occur in a large body at the Dude occurrence seen in many outcrops along the hillside and in a less extensive body at the Frisky grid. Quartz diorite was also seen along the road north of Bob's Lake consisting of light grey, medium crystalline relatively unoxidized outcrop. Farther to the southeast, several diorite dykes were noted lying sub-parallel to the major shear direction.

Pervasive chlorite alteration in basalt is seen as black to dark green sheens, epidote is common in veinlets and amygdules often occurring with quartz. Silicification occurs within and adjacent to southeast fault and shear zones within the basalts. Quartz veining and quartz-carbonate breccia is seen at the Angel showing and in major shear zones in association with limestone and ankerite inclusions. Hematite and manganese staining are relatively common in foliated basalt in association with quartz-pyrite veining.

#### **Structure**

The main structural features on the Property are the Angel Fault and the Bob's Lake Fault, orientated at 120-130 deg. Nexus Resources Inc. drilled several diamond drill holes on the Angel fault in 1988-89 provide the following description from drill core *"a heterogeneous deformation zone up to 190m wide with a complex history of shearing, brecciation, dyke intrusion, iron-carbonate lenses, quartz-calcite-pyrite veining with local pyrite-gold emplacement."* (Robanatu, 1989).

A third lineation orientated at 090-110 deg. has been identified through airphoto evaluation by Rhyolite Resources and Echo Bay Mines Ltd. (Aris 18671). Jointing and foliation are generally parallel to the major structural features.

## 5.5 PROPERTY MINERALIZATION

Table 5-1 displays 11 recognized mineral occurrences within the Texada claims.

Table 5-1. Texada Property Mineral Occurrences

| MINFILE Number | Name  | Status  | Commodity          | Deposit Type                   | Latitude  | Longitude   |
|----------------|---|---------|--------------------|--------------------------------|-----------|-------------|
| 092F 059       | MAY, TEXADA ISLAND                              | Showing | ZN, PB, CU, AG     |                                | 49.566111 | -124.201944 |
| 092F 108       | GRAD, BLACK PRINCE, CROWN PRINCE                | Showing | AU, CU, MA         |                                | 49.701111 | -124.438888 |
| 092F 200       | CISCO   | Showing | AU, CU             |                                | 49.573332 | -124.22861  |
| 092F 275       | VERN, OLYMPIAN, GRAD                            | Showing | CU                 |                                | 49.692777 | -124.43861  |
| 092F 276       | TEX, BOB  | Showing | MO, CU             | L04: Porphyry Cu +/- Mo +/- Au | 49.629721 | -124.311666 |
| 092F 305       | ROSE AND BELLE, CONNOISSEUR                     | Showing | CU, AU             | I06: Cu+/-Ag quartz veins      | 49.671666 | -124.363333 |
| 092F 327       | ANGEL   | Showing | AU, CU, AG         | I06: Cu+/-Ag quartz veins      | 49.577499 | -124.250833 |
| 092F 504       | LONG B, LONG BEACH, UPPER CREEK, SOUTHEAST VEIN | Showing | AU, CU, AG         | L04: Porphyry Cu +/- Mo +/- Au | 49.616388 | -124.281388 |
| 092F 505       | DAVE'S  | Showing | AU, AG             |                                | 49.603055 | -124.276943 |
| 092F 506       | FRISKY  | Showing | CU, PB, ZN, AU, AG | I06: Cu+/-Ag quartz veins      | 49.595833 | -124.260555 |
| 092F 520       | LOCALITY 6                                      | Showing | CU                 |                                | 49.711944 | -124.479166 |

Of these, the Dude and Angel showings have received the most significant exploration programs to date.

### Dude (Porphyry Occurrence)

The Dude low grade copper-molybdenum porphyry occurrence was originally drilled by Falconbridge in 1970. Pathfinder Resources Ltd. later re-evaluated the occurrence via a short program of soil and rock sampling in 2004 followed by a drill program in 2006. Peters (2006) writes “[t]he drill results demonstrate that the area hosts a large, low-grade copper system with anomalous molybdenum. No significant gold mineralization was encountered. Persistent northeast trending and sub-vertically dipping fracture zones transect the quartz diorite as well as the basalts especially near the contact. The fractures control multiple zones of sulphide mineralization including pyrite, chalcopyrite and molybdenite.”

### Angel (Vein Occurrence)

The Angel showing, discovered in April 1985 by prospector R. Mickle, is described as quartz veins with traces of malachite, pyrite and chalcopyrite in quartz-carbonate breccia within basalt in a wide zone of shearing known as the Angel Fault zone. A second important zone of shearing, the Bob’s Lake Fault zone occurs north-east of the Angel occurrence. Rhyolite Resources Inc. trenched and drilled the Angel occurrence in 1989. A comprehensive report written by geologist G. Benvenuto (1989) describes the Angel as follows:

*“The mineralized zone is parallel to very large regional fault structures which can be traced the length of the claims trending 335deg. This fault zone appears to have a relatively steep dip overall, although local variations can be seen near the alteration zones. The main showing of the Angel occurrence is at a road-cut, consisting of a network of brecciated quartz-carbonate shear zones and associated quartz-pyrite stockwork veining. The shear-mylonite zone weathers an intense orange-brown colour. Outward from the mineralized zone is an envelope of heavily fractured, chlorite alteration. Strongly anomalous gold-in-soil and gold in rock was panned from crushed vein material. Drill intersections included a 0.15m interval in hole 89-1 assayed 10.8 g/t gold and a 1.5m section in hole 89-3 assayed 1.85 g/t gold.”*

## 6 DEPOSIT TYPES

### 6.1 EPITHERMAL GOLD STYLE DEPOSIT

The Texada Property is potentially associated with an epithermal gold style mineralization. Mineralized quartz veins and breccia occur in fault structures within basalts of the Karmutsen Formation and are believed to be related to a Cu-Au porphyry or subvolcanic intrusion. In deeply eroded environments porphyry copper related mineralization may also be present. Generally, epithermal systems form at shallow crustal depths (< 1 km), typically above the level of formation of porphyry Cu-Au deposits or in association with a subvolcanic intrusion in subaerial volcanic settings (Corbett, 2002). Epithermal deposits can form in higher crustal levels later in a deposit's paragenesis, such as above an older porphyry system or as part of the same overall magmatic event (Corbett, 2002). This deposit style can be divided into two classes, low sulphidation state and high sulphidation state (Figure 6-1). These two classes can be differentiated in terms of their individual geological environment, alteration mineralogy and fluid chemistry.

Low sulphidation state epithermal deposits are spatially associated with magmas whereby ore is deposited several km above the site of an intrusion and generally display characteristic alteration assemblages of quartz-adularia-sericite and carbonate (Cooke & Simmons, 2000). However, low sulphidation state deposits can be further divided into two groups in terms of mineralogy according to depth and environment of formation, namely arc low sulphidation or rift low sulphidation state (Corbett, 2002).

Arc low sulphidation state deposits are formed from dominantly magmatic source rocks, whereas rift low sulphidation state systems are mainly derived from circulating geothermal fluid sources (Corbett, 2002). These two sub-groups are classed with decreasing crustal depth as: quartz-sulphide Au + Cu, polymetallic Au-Ag veins, carbonate-base metal Au and epithermal quartz Au-Ag at the shallowest level (Corbett, 2002). These ore types form mineralogical zones due to differences in time and depth of formation. Shallower ore styles overprint those formed at depth and show varying metal content, Cu being highest at depth, to a more Au-Ag dominant system in elevated crustal settings (Corbett, 2002). Rift Low sulphidation state comprise adularia-sericite epithermal gold systems.

High sulphidation state epithermal deposits have a closer spatial association with degassing of calcalkaline magmas and are typically characterized by residual quartz and hypogene advanced argillic alteration assemblages (quartz-alunite-kaolinite-pyrophyllite) (Cooke & Simmons, 2000).

---

#### 6.1.1 LOW SULPHIDATION STYLE DEPOSIT

Epithermal systems generally form as a result of intrusion-related hydrothermal activity related to plate subduction and magmatism in both island arc and continental arc settings and continental volcanic fields with extensional structures are common (Panteleyev, 1996). Calk-alkaline andesitic host rocks are characteristic of this style of deposit with ore zones typically being localized in structures but may also occur within permeable lithologies (Panteleyev, 1996). Ore zones are often upward-flaring and centered on structurally controlled fluid conduits which vary from large veins (> 1 m wide and hundreds of metres in strike length) to small veins and stockworks (Panteleyev, 1996). These vein systems can be laterally extensive, but ore shoots are relatively restricted in their vertical extent to ≤ 600m (Cooke & Simmons, 2000), with high-grade ore commonly confined to dilational zones in faults at flexures, splays, and in cymoid loops (Panteleyev, 1996). However, porphyry-related systems may be

telescoped outwards into the deeper epithermal environment is areas with strong dilational structures (Corbett, 2002).

Low sulphidation epithermal gold deposits are formed by the mixing of deeply circulating groundwaters with magmatic waters producing a dilute, near neutral pH fluid characterized by sulphur species reduced to H<sub>2</sub>S (Corbett, 2002). During the upward migration of fluids towards the surface, hydrothermal fluids become progressively dilute by the incorporation of increased quantities of ground waters and with increasing distance from the source of heat and magmatic components (Corbett, 2002). Ore deposition occurs during fluid cooling and is assisted by rock reactions and mixing of rising ore-bearing fluids with groundwaters, producing mineralogical differences in contrasting groundwater types and varying crustal levels (Corbett, 2002).

Low sulphidation deposits are predominantly associated with quartz and /or chalcedony, lesser adularia, calcite, rhodochrosite, K-mica (illite or sericite), chlorite, and pyrite gangue. Characteristic textures include platy calcite, crustiform and colloform bands as well as crystalline comb quartz within deeper veins. Gold mineralization typically occurs as electrum and more rarely as tellurides in association with acanthite, silver-sulfosalts, base metal sulphides and pyrite which reflect deposition within a near-neutral pH environment (Cooke & Simmons, 2000; Corbett, 2002). The distribution of hydrothermal alteration associated with high and low sulphidation state deposits varies both vertically and laterally (Figure 6.2). Propylitic alteration (albite, calcite, chlorite, epidote, and pyrite) occurs outside fluid conduit zones where there is low water: rock ratios and its mineralogy are controlled by rock composition (White & Hedenquist, 1995). Propylitic alteration tends to be dominant at depth and to the peripheral of the mineralized zone (Panteleyev, 1995). Steam-heated overprint occurs in both high and low sulphidation state environments, however, is more evident in low sulphidation systems as alteration minerals produced are markedly different from those produced by hypogene fluids (White & Hedenquist, 1995). Sinter deposits form above the zone of mineralization but are usually barren with respect to precious metals however may be enriched in arsenic, mercury, selenium and locally molybdenum.

---

#### 6.1.2 ARC LOW SULPHIDATION STATE DEPOSIT STYLE

Arc low sulphidation state deposits tend to display strong field association with intrusive rocks on the basis of varying ore (pyrite, sphalerite, galena, chalcopyrite, arsenopyrite), gangue minerals (quartz, carbonate, clay), and wall rock (clay, chlorite) mineralogies related to an increasingly shallow crustal level of formation and increasing distance from inferred magmatic source (Corbett, 2002). Quartz-sulphide deposits form close to porphyry intrusions at the deepest crustal level and are comprised of iron sulphides and quartz in veins and vein/breccias. The most commonly observed iron sulphide in these systems is pyrite, however in locally deeper and hotter conditions pyrrhotite and arsenopyrite may be present, grading to marcasite in cooler conditions (Corbett, 2002). Copper may also occur at deeper crustal levels whereas galena and sphalerite are transitional to carbonate-base metal or polymetallic gold-silver deposits and form at higher crustal levels (Corbett, 2002). Wall rock alteration is dominated by retrograde sericite-illite-pyrite and local chlorite-carbonate assemblages most commonly as halos surrounding veins (Corbett, 2002).




Figure 6-1. Schematic Section of Calc-Alkaline Volcanic Arc Setting and Associated Epithermal and Related Mineralization (source: New Gold, 2014)




Figure 6-2. Conceptual model for styles of magmatic arc epithermal Au-Ag and porphyry Au-Cu mineralization (modified from Corbett, 2013).

Table 6-1. Epithermal Gold Deposit Types (after Sillitoe and Hedenquist 2003)

|   | High sulfidation  |   | Intermediate sulfidation                                   | Low sulfidation  |   |
|---|---|---|--|--|---|
|   | Oxidized magma  | (Reduced magma) <sup>1</sup>                |  | Subalkaline magma  | Alkaline magma  |
| <b>Type example</b>                       | El Indio, Chile (vein); Yanacocha, Peru (disseminated)        | Potosí, Bolivia                             | Baguio, Philippines (Au-rich); Fresnillo, Mexico (Ag-rich) | Midas, Nevada  | Emperor, Fiji   |
| <b>Genetically related volcanic rocks</b> | Mainly andesite to rhyodacite                                 | Rhyodacite                                  | Principally andesite to rhyodacite, but locally rhyolite   | Basalt to rhyolite   | Alkali basalt to trachyte   |
| <b>Key proximal alteration minerals</b>   | Quartz-alunite/APS; quartz-pyrophyllite/dickite at depth      | Quartz-alunite/APS; quartz-dickite at depth | Sericite; adularia generally uncommon                      | Illite/smectite- adularia  | Roscoelite-illite- adularia   |
| <b>Silica gangue</b>                      | Massive fine-grained silicification and vuggy residual quartz |   | Vein-filling crustiform and comb quartz                    | Vein-filling crustiform and colloform chalcedony and quartz; carbonate- replacement texture                    | Vein-filling crustiform and colloform chalcedony and quartz; quartz deficiency common in early stages |
| <b>Carbonate gangue</b>                   | Absent  |   | Common, typically including manganiferous varieties        | Present, but typically minor and late  | Abundant, but not manganiferous   |
| <b>Other gangue</b>                       | Barite common, typically late                                 |   | Barite and manganiferous silicates present locally         | Barite uncommon; fluorite present locally  | Barite, celestite, and/or fluorite common locally   |
| <b>Sulfide abundance</b>                  | 10-90 vol %   |   | 5->20 vol. %   | Typically <1-2 vol % (but up to 20 vol % where hosted by basalt)   | 2-10 vol %  |
| <b>Key sulfide species</b>                | Enargite, luzonite, famatinite, covellite                     | Acanthite, stibnite                         | Sphalerite, galena, tetrahedrite-tennantite, chalcopyrite  | Minor to very minor arsenopyrite ± pyrrhotite; minor sphalerite, galena, tetrahedrite-tennantite, chalcopyrite |   |
| <b>Main metals</b>                        | Au-Ag, Cu, As-Sb  |   | Ag-Au, Zn, Pb, Cu  | Au±Ag  |   |
| <b>Minor metals</b>                       | Zn, Pb, Bi, W, Mo, Sn, Hg                                     | Bi, W                                       | Mo, As, Sb   | Zn, Pb, Cu, Mo, As, Sb, Hg   |   |
| <b>Te and Se species</b>                  | Tellurides common; selenides present locally                  | None known, but few data                    | Tellurides common locally; selenides uncommon              | Selenides common; tellurides present locally   | Tellurides abundant; selenides uncommon   |

APS, aluminum-phosphate-sulfate minerals

Characteristic of Blackwater Deposit

## 7 2022 EXPLORATION PROGRAM

### 7.1 OVERVIEW

An exploration crew mobilized to the claims on May 5, 2022 and initially set up camp at Bob's Lake before moving accommodation to Van Anda in order to facilitate a drone magnetic survey. From May 5-22 the crew collected 87 rock samples, 367 soil samples, and 80 geo-points on traverses across the claim area targeting the following parameters:

- 1: Epithermal or mesothermal type quartz carbonate sulphide veining, breccia and disseminated mineralization in volcanic flows and quartz diorite intrusives.
- 2: Topographical and airborne magnetic NW SE linear trends, faults and areas of structural displacement.
- 3: Alteration zones of chlorite-epidote-quartz-calcite-pyrite, sheared and faulted zones with brecciation, pyritization, quartz and carbonate flooding
- 4: Historic IP and other geophysical-geochemical targets.

A drone survey, consisting of 201.05 line-km of drone magnetics and some drone photography, was performed over areas of interest.

## 7.2 DAILY ACTIVITY LOG

Table 7-1. 2022 Exploration Activity Log

| Date      | Notes   |
|-----------|---|
| 05-May-22 | Travel to Texada Island, set up camp at Bob's Lake, poor weather.   |
| 06-May-22 | Drive to the Dude area, traverse along logging trails across quartz diorite-basalt contact, collect rock samples 1531471-1531476 and geopoints GP 22-1.   |
| 07-May-22 | Traverse through Dude area, note 2005 drill sites, collect rock samples 1531477-1531482 and geopoints GP 22-2 to GP 22-9.   |
| 08-May-22 | Traverse through Dude area, collect rock samples 1531483-1531486 and geopoints GP 22-10 to GP 22-26.  |
| 09-May-22 | Traverse north of Bob's Lake, collect rock samples 1531487-1532492 and geopoints GP 22-27-GP 22-31.   |
| 10-May-22 | Traverse north of Bob's Lake, collect rock samples 1531493-1531495 and geopoints GP 22- 32 to GP 22-35. Chip samples 62251-62264 collected at 2m intervals from road cut near Bob's Lake.   |
| 11-May-22 | Traverse in Bob's Lake area, collect rock samples 1531496-1531499 and geopoints GP 22-37 to GP 22-38. Chip samples 62265-62273 collected at 2m intervals from road cut near Bob's Lake. De'Coors crew arrives in Van Anda.                                |
| 12-May-22 | Rain day, office work, organize and bag samples.  |
| 13-May-22 | Start drone mag survey south of Angel claim. Start soil sample grid in Angel Lake area, 2 person crew collected 55 soil samples. Also rock sample 62274 and geopoints GP 22-39 to GP 22-46.   |
| 14-May-22 | Continue drone mag survey, 2 man crew collected 56 soil samples, rock samples 62275 and geopoints GP 22-47 to GP 22-49.   |
| 15-May-22 | Heavy rain all day, office and sample work.   |
| 16-May-22 | Continue drone mag survey, traverse in Frisky area, collect soil and rock samples 62276-62281 and geopoints GP 22-50 to GP 22-55.   |
| 17-May-22 | Continue drone mag survey, 2 man crew collected 55 soil samples in Frisky area and rock samples 62282-62287 and geopoints GP 22-56 to GP 22-74.   |
| 18-May-22 | Continue drone mag survey, examine Angel trenches, collect rock samples 62288-62293. Chip samples 62294-62305 at 5m intervals along road cut near Bob's Lake at location of magnetic dipole anomaly and gossanous basalt-dolomite-quartz diorite outcrop. |
| 19-May-22 | Continue drone mag survey, 2 man crew collected 65 soil samples on Angel North grid and geopoints GP 22-77 to GP 22-78.   |
| 20-May-22 | Continue drone mag survey, 2 man crew collected 55 soil samples on Angel North grid and rock samples 62306-62307.   |
| 21-May-22 | 2 man crew collected 30 soil samples on Angel North grid and one rock sample 22308, geopoints GP 22-79 to GP 22-80.   |
| 22-May-22 | Demob from Texada Island.   |

## 7.3 ROCK SAMPLING SURVEY

A total of 87 rock samples were collected on traverses throughout the claims.

Traverse across the Dude in 2022 targeted the contact between quartz diorite and basalt where sheeted quartz-pyrite veining in quartz diorite and pyrite veining in basalt was sampled in 15 locations.

In 2022, intervals of gossanous quartz-carbonate-pyrite veining in the Angel trenches were sampled at four locations. In addition, the Bob's Lake fault zone exposed in outcrop along several logging road banks was chip sampled over 42m in 2m intervals at a location 1.5km north of Bob's Lake and a second nearby location over 60m in 5m intervals.

Mineralization in the Frisky-Angel Lake-Cisco areas seen on traverses in 2022 included quartz-pyrite-arsenopyrite veins in basalt close to quartz diorite intrusions and extensive pyrite veining in agglomeritic basalt downslope of the quartz diorite intrusion. Gossanous and mineralized outcrops were sampled in fifteen locations.

#### 7.4 SOIL SAMPLING SURVEY

The 2022 geochemical coverage included collection of soil samples on two grid areas, the Frisky and Angel. The soil sampling grid partially covered a chargeability high at the site of the old Frisky prospect that generally coincides with the southeast trending magnetic features that cross the claims and have been previously mapped as faults.

A total of 367 soil samples were collected at 50 & 100m intervals along lines spaced 50m, 100m, and 200m apart. Sample quality was moderate on steeper slopes where bedrock was close to surface. In areas of less relief soil quality was good with well-developed brown-orange loam under a thin organic layer. Lesser quality soil was present in several low-lying swampy drainages across the grids.

The sampling program targeted two historic areas; the Frisky and the Angel. The Frisky grid covered covered a chargeability high at the site of the old Frisky prospect that generally coincides with the southeast trending magnetic features that cross the claims and have been previously mapped as faults. The Angel grid covered the potential extension of the Angel Fault – a structural trend hosting quartz-pyrite vein mineralization in sheared basalt.

#### 7.5 DRONE MAGNETIC SURVEY

A total of 201.05 line-km of drone magnetics was obtained from the central portion of the claims. Lines were oriented NE/SW and spaced 100 metres apart. The purpose of the survey was to explore for magnetic signatures related to a porphyritic environment (at Dude) and to help extend lineal structures that host mineralization (at Angel).

### 8 SAMPLING METHODOLOGY, ANALYSIS, AND DATA VERIFICATION

#### 8.1 ROCK SAMPLES

**Procedure** Rock samples were taken from outcrop exposures by breaking off pieces of rock using a rock hammer or geotool. Sample co-ordinates were recorded with a handheld Garmin 64 GSX GPS and photographed. Samples were then transferred into a 18” x 12” poly bag labeled with the locale (i.e. “Find”) and a unique 6 or 7-character sample ID (i.e. 62276) assigned from a barcoded Tyvek sample book. A tear-out tag with the barcode and unique sample ID was inserted in the bag with the sample and the bag was sealed with a cable tie in the field.

**Analysis** At ALS, the samples were crushed, split, and pulverized. Analysis was done via 48 element four acid ICP-MS and with a 50g Fire Assay (for gold) finish.

#### 8.2 SOIL SAMPLES (B-HORIZON)

**Procedure** Samples were collected at 50, 100, and 200m spacings. Sample sites were located using a Garmin GPS. At each site, B horizon soil, obtained from the use of a Dutch auger, was placed in a Kraft paper bag and sealed. The Kraft bag was then labelled with a Sample ID in permanent marker and transferred to a backpack. At the end of the day, samples were transferred from backpacks into rice bags. The rice bags were labelled, zip strapped, and then stored in a dry place until drop off at ALS.

**Analysis** At ALS, the soil samples were analyzed for a full multi-element geochemical suite (AuME-ST43).

### 8.3 DRONE MAGNETIC SURVEY

A typical alkali vapour magnetometer consists of a glass cell containing an evaporated alkali metal (i.e., alkali atoms). According to quantum theory, there is a set distribution of valence electrons within every population of alkali atoms. These electrons reside in two energy levels: 1 and 2. Light of a specific wavelength is applied to the vapour cell to excite electrons from level 2 to a 3rd level – level 3. This is known as polarization.

Electrons at level 3 are not stable and spontaneously decay back to levels 1 and 2. Eventually, level 1 becomes fully populated and level 2 is fully depopulated. The result is that the cell stops absorbing light and turns from opaque to transparent.

At this point, depolarization begins. Energy that corresponds to the energy difference between levels 1 and 2 is applied to move electrons from level 1 back to level 2.

The significance of depolarization is that the energy difference between levels 1 and 2 is directly proportional to the magnetic field. In the process of polarization and depolarization light is modulated and the frequency value is then converted to magnetic field units.

#### **Instrumentation**

##### Drone: DJI Matrice 600 Pro

The DJI Matrice 600 Pro (M600 Pro) is a hexacopter, or a rotary drone with 6 motors. With six actively cooled motors, flights are smooth and stable. Due to the large motors and propellers the M600 Pro can lift payloads of up to 6 kg. The six motors also make flying much safer. If a motor fails, the drone can recover itself and safely land.

Each motor is powered by a rechargeable DJI intelligent battery and 6 batteries are required per flight. After each flight the batteries must be recharged. In order to minimize charging time between flights Decoors has a set of 18 batteries and 2 charging bays. Each bay charges 6 batteries at a time.

The M600 Pro is controlled by the DJI Lightbridge 2 transmission system. This provides a long-range remote control. The pilot can maintain connection with the drone up to a maximum distance of 5 km in unobstructed areas free of any interference.

A key advantage of the M600 Pro design is its customization options. While designed primarily for filmmakers, other industries can customize the drone to suit their needs. Decoors has outfitted the M600 Pro with a GEM Systems drone magnetometer, an external GPS, and a laser altimeter.

##### Magnetometer: GEM Systems 35u UAV

GEM Systems GSMP-35U is the first lightweight, high sensitivity magnetometer specifically designed for UAVs. The sensors are based on GEM's popular optically pumped Potassium Magnetometer sensor, which offers the highest sensitivity, absolute accuracy and gradient tolerance available in the industry.

Components include:

- magnetometer sensor: tethered to the M600 Pro by a 2-metre cable
- electronics box, battery, and altimeter: installed directly beneath the drone's carbon fiber frame
- external GPS: mounted above the drone's carbon fiber frame

The magnetometer runs completely independent of the drone.

### GEM Systems GSMP-35 Base Magnetometer

The GSMP-35 is a ground system employed for subsurface investigations in numerous fields, including mineral prospecting and exploration. High data quality is assured through the GSMP-35 magnetometer's ultra-high sensitivity (0.0002 nT @ 1Hz).

#### **Procedure**

At the start of the day, the base magnetometer was set up.

The altitude above ground level (AGL) of the drone was set to 100 m. Elevation used to determine ground level was taken from the Digital Elevation Model (DEM) for British Columbia produced by GeoBC. The data consists of an ordered array of ground or reflective surface elevations, recorded in metres, at regularly spaced intervals. The spacing of the grid points is .75 arc seconds north/south.

East-west lines were flown at 25-metre spaced intervals.

At the end of each day, data was dumped from each magnetometer. The data was diurnally corrected and cleaned before being processed into maps.

#### **Analysis**

For both the drone and ground magnetic surveys, the magnetic data was diurnally corrected and maps of the total magnetic intensity (TMI) were plotted. Residual magnetics (RMI) were then calculated and reduced-to-pole (RTP). Further processing involved taking the first vertical (FVD) and tilt derivatives (TDR) of the RTP\_RMI.

## 9 2022 EXPLORATION RESULTS

### 9.1 ROCK SAMPLES

A summary of the rock sample results for selected elements is in Table 9-1.

Table 9-1. 2022 Rock Sample Results for Au, Ag, As, and Cu.

| Element | Minimum  | Maximum  | Mean      |
|---------|----------|----------|-----------|
| Au      | 2.5 ppb  | 1275 ppb | 53.7 ppb  |
| Ag      | 10 ppb   | 2420 ppb | 230 ppb   |
| As      | 0.9 ppm  | 299 ppm  | 10.9 ppm  |
| Cu      | 12.6 ppm | 5510 ppm | 343.1 ppm |

### 9.2 SOIL SAMPLES

A summary of the soil sample results for selected elements is in Table 9-2.

Table 9-2. 2022 Soil Sample Results for Au, Ag, As, and Cu.

| Element | Minimum  | Maximum  | Mean      |
|---------|----------|----------|-----------|
| Au      | 2.5 ppb  | 280 ppb  | 10 ppb    |
| Ag      | 10 ppb   | 1570 ppb | 20 ppb    |
| As      | 0.43 ppm | 1110 ppm | 14.91 ppm |
| Cu      | 2.45 ppm | 666 ppm  | 74.91 ppm |

### 9.3 DRONE MAGNETICS

The diurnally corrected magnetic data within the survey ranged from 53499.9 – 55699.7 nT.

The final magnetic data has been presented as total magnetic intensity (TMI), tilt derivative (TDR), first vertical derivative (FVD), and analytic signal (AS) maps in Appendix 3.

The TMI map is the interpolation of the diurnally corrected magnetic data. This is the standard presentation of magnetic data. It can be used to highlight major geological structures within the survey area by their magnetic signatures relative to their surroundings.

The TDR map is used for mapping shallow basement structures and mineral exploration targets.

The IVD map enhances shallow magnetic features at the expense of anomalies caused by deeper sources. Anomalies within this map are expected to be caused by rocks closer to surface.

The AS map is the sum of the squares of the derivatives in the x, y, and z directions. It is useful in locating the edges of magnetic bodies, particularly where remanence and/or low magnetic latitude complicate interpretation.

## 10 DISCUSSION

Rock and soil sample assays were received in February 2023. This report has been amended to include these results.

7 of the 8 soil samples that returned >50 ppb Au are located in soil grid #2, with a high of 277 ppb Au obtained from the northern end of a central line. Ag (up to 1.57 g/t), As (up to 1110 ppm), and Cu (up to 666 ppm) are also anomalous in the same area. This anomaly occurs in the vicinity of the Frisky mineral occurrence - an area of major shearing and faulting at and near intrusive contacts. The soil geochemical anomaly strikes northwest and is open at both ends of soil grid 2.

The highest rock sample (1.275 g/t) for Au was obtained from the Angel occurrence. 3 other rocks from the Angel occurrence returned 0.022 g/t, 0.075 g/t, and 0.39 g/t Au. The second highest rock sample (0.978 g/t Au) was obtained from the western edge of soil grid 2 (the Frisky occurrence area). Several rock samples from within grid #2 also returned higher than background gold (0.017 – 0.14 g/t Au), silver (0.29 – 1.52 g/t Ag), arsenic (23.9 – 299 ppm As), and copper (354 – 826 ppm Cu).

Results from the drone magnetic survey show a general northwest trend in linear structures. The Angel and Cisco occurrences both occur along the same structure – the Angel fault – which is identified as a sharp contact between an eastern magnetic high and a western magnetic low on the magnetic maps. Results from the drone magnetic survey suggests that this structure continues northwest past the limits of the survey.

The basalt-intrusive contact at Frisky is observed as a northwest trending magnetic break between a high on the west and low on the east.

A large, strong magnetic high was also identified between the Dave's and Long B mineral occurrences. This area is southwest of government mapped Island Plutonic Suite granodiorite and is believed to represent an extension of this unit.

## 11 CONCLUSION

The primary targets for gold mineralization are located along northwest structural trends hosting the Angel and Frisky occurrences. A detailed ground magnetics and induced polarization program is recommended to cover the structures southeast of the Bob's Lake and Angel Faults, and over the Frisky area, to target potential zones of pyrite-Au mineralization that extend along the structures.

Additional areas of interest are where base metal mineralization occurs within, or near, intrusive contacts. These are prospective for porphyry type mineralization. These include the Frisky, Dude, and Tex occurrence areas. Induced polarization is also recommended in these areas.

Further evaluation of historical compiled data, the LIDAR, and the recently acquired magnetics would provide specific targets for IP geophysical surveys. After IP, a follow up program should consist of trenching and diamond drilling high priority targets in which geophysical anomalies occur in the vicinity of geochemical highs.

### 11.1 PROPOSED EXPLORATION BUDGET

A Phase 1 budget of \$150,000 is proposed, followed by a Phase 2 budget of \$500,000 contingent on results from Phase 1:

#### Phase I \$150,000

- Geological mapping and prospecting \$20,000
- Geophysics, IP survey \$75,000, Angel and Bob's Lake Faults.
- Soil geochemistry southeast of the Frisky occurrence \$40,000
- Report and compilation, digitization, and interpretation of all available data \$15,000

#### Phase II \$500,000

- Diamond Drilling \$420,000  
10 x 150m deep holes across the Angel and Bob's Lake fault zones and any other targets identified by the Phase 1 program
- Geological mapping and prospecting \$25,000  
Detailed mapping and sampling to identify additional structural zones and investigate the potential for Au-Cu bearing mineralization throughout the Property
- Soil geochemistry \$40,000
- Report and compilation, digitization, and interpretation of all available data \$15,000

## 12 REFERENCES

- BC Geological Survey. 2016. MapPlace 2 beta GIS internet mapping system; British Columbia Ministry of Energy, Mines and Petroleum Resources, MapPlace website, URL: <<http://142.34.2.40/mapplace2/default.html>>
- B.C. Minister of Mines Annual Report, 1950, R.B. King reporting on Gordon and Williams claims, pp. A178-180.
- Corbett, G., (2002), Epithermal Gold for Exploration, AIG Journal-Applied Geoscientific Practice and Research in Australia.
- (2004), Epithermal Au-Ag- The Magmatic Connection: Comparisons between East and West Pacific Rim, The Ishihara Symposium: Granites and Associated Metallogenesis. Geoscience Australia 2004.
- (2008), Anatomy of Porphyry-Related Au-Cu-Ag-Mo Mineralized Systems: Some Exploration Implications, Australian Institute of Geoscientists North Queensland Exploration Conference June 2009, AIG Bulletin 49, p. 33-46.
- (2013), Pacific Rim Epithermal Au-Ag. World Gold Conference, Brisbane, 26-27 September 2013, Australasian Institute of Mining and Metallurgy, Bulletin 5/2004.
- Greene, A.R., Scoates, J.S., Weis, D., (2005), Wrangellia Terrane on Vancouver Island, British Columbia: Distribution of Flood Basalts with Implications for Potential Ni-Cu-PGE Mineralization in Southwestern British Columbia, British Columbia Geological Survey.
- McConnel, R.G. 1914, Texada Island, B.C., Geological Survey of Canada, Memoir 58, 112 p.
- Massey, N.W.D., 1994. Geological Compilation, Vancouver Island, British Columbia; B.C. Ministry of Energy, Mines and Petroleum Resources, Open File 1994-6.
- Mathews, W.H. 1947, Calcareous Deposits of the Georgia of Southwestern B.C. - B.C. Department of Mines, Bulletin 40.
- Morris, D. L. and Sarjeant, P. T , 1989, Assessment Report: Geological and Geochemical Surveys on the Angel Property, South Texada Island, prepared for Echo Bay Mines Ltd, March, 1989.
- Muller, J. 1977, Vancouver Island Open File, Geological Survey of Canada, 3 sheets 1:250,000.
- Nixon, G.T., et al., (2006), Preliminary Geology of the Nimpkish Map Area (NTS 092/L07), Northern Vancouver Island, British Columbia, British Columbia Geological Survey, Fieldwork 2005, Paper 2006-1.
- Nixon, Graham et al, (2006). Geology of the Holberg – Winter Harbour Area, Northern Vancouver Island (NTS 092L/12W, 102I/8, 9); Scale 1:50 000. BC Geological Survey, Geoscience Map. 2006-3.
- Panteleyev, A., 1995. Porphyry Cu- Mo- Au. Selected British Columbia Mineral Deposit Profiles, Volume 1 - Metallics and Coal, BC Ministry of Energy & Mines Open File 1995-20.
- Panteleyev, A., (1996): Epithermal Au-Ag: Low Sulphidation, in Selected British Columbia Mineral Deposit Profiles, Volume 2 - British Columbia Ministry of Employment and Investment, Open File 1996-13, pages 41-44.
- Peters, L.J., 2005. Assessment Report on the Dude Property for Pathfinder Resources Corp., Aris 27551.
2006. Assessment Report on a diamond drill program for Pathfinder Resources Corp. at the Dude Property, Aris 28183.

Shearer, J.T. 1981. Geochemical Report on the Long B Claims, Texada Island, Private Report for Carolin Mines Ltd. , 18 pp. plus maps, May 18, 1981 . Filed as assessment.

1986. Diamond Drilling and Geochemical Report on the Angel 1 Claim. Report for Caribou Gold Corp., May 1, 1986, Filed as assessment 14916.

Stevenson, J.S. 1947, Lode Gold Deposits – Southwest British Columbia, B.C. Department of Mines, Bulletin 20, Part IV, 41 pp.

Webster, I.C.L. and Ray, G.E. 1990. Geology and Mineral Deposits of Northern Texada Island (92F/9, 10 and 15). BC Geological Survey Paper 1990-1.

Wares, R. 1971, Mickle-Samuelsan Option PN 158, Falconbridge Nickel Mines Ltd. Report on Texada Island exploration program. Property File 650158.

White, N., Hedenquist, J., (1995), Epithermal Gold Deposits. Styles, Characteristics and Exploration, Mineral Resources Dept., Geological Survey of Japan, 1-1-3 Higashi, Tsukuba 305, Japan, published in SEG Newsletter, 1995, No. 23, pp.1 1, 9-13.

ARIS = Assessment Reports. Available at: <https://aris.empr.gov.bc.ca/>

PF = Property File Documents. Available at: <https://propertyfile.gov.bc.ca/>

MINFILE = Mineral Inventory of BC. Available at: <https://minfile.gov.bc.ca/searchbasic.aspx>

## APPENDIX 1 – STATEMENT OF COSTS

| Exploration Work type               | Comment   | Days        |             |                  | Totals             |
|-------------------------------------|---|-------------|-------------|------------------|--------------------|
| <b>Personnel (Name)* / Position</b> | <b>Field Days (list actual days)</b>                                    | <b>Days</b> | <b>Rate</b> | <b>Subtotal*</b> |                    |
| G.S. Davidson, B.Sc. P.Geol.        | May 6-11, 13-14, 16-21, 2022  | 14          | \$600.00    | \$8,400.00       |                    |
| G.S. Davidson, B.Sc. P.Geol.        | office/weather May 5,12,15, 2022  | 3           | \$300.00    | \$900.00         |                    |
| G.S. Davidson, B.Sc. P.Geol.        | travel days May 3-4, 22-23, 2022  | 4           | \$300.00    | \$1,200.00       |                    |
| M.Fraser, B.Sc.                     | May 4-21, 2022  | 17          | \$480.00    | \$8,160.00       |                    |
| James Fraser, Field Assistant       | April 11-15, May 11-22, 2022  | 16          | \$450.00    | \$7,200.00       |                    |
| Ryan Dix, Field Assistant           | May 11-21, 2022   | 11          | \$500.00    | \$5,500.00       |                    |
| David Javorsky, Field Assistant     | April 11-15, May 11-17  | 11          | \$300.00    | \$3,300.00       |                    |
|                                     |   |             |             | \$34,660.00      | <b>\$34,660.00</b> |
| <b>Office Studies</b>               | <b>List Personnel (note - Office only, do not include field days)</b>   |             |             |                  |                    |
| Literature search                   |   |             | \$0.00      | \$0.00           |                    |
| Database compilation                |   |             | \$0.00      | \$0.00           |                    |
| Computer modelling                  |   |             | \$0.00      | \$0.00           |                    |
| Reprocessing of data                |   |             | \$0.00      | \$0.00           |                    |
| General research                    |   |             | \$0.00      | \$0.00           |                    |
| Report preparation                  |   |             | \$0.00      | \$0.00           |                    |
| Other (specify)                     |   |             | \$0.00      | \$0.00           |                    |
|                                     |   |             |             | \$0.00           | <b>\$0.00</b>      |
| <b>Airborne Exploration Surveys</b> | <b>Line Kilometres / Enter total invoiced amount</b>                    |             |             |                  |                    |
| Aeromagnetics                       |   |             | \$0.00      | \$0.00           |                    |
| Radiometrics                        |   |             | \$0.00      | \$0.00           |                    |
| Electromagnetics                    |   |             | \$0.00      | \$0.00           |                    |
| Gravity                             |   |             | \$0.00      | \$0.00           |                    |
| Digital terrain modelling           |   |             | \$0.00      | \$0.00           |                    |
| Other (specify)                     |   |             | \$0.00      | \$0.00           |                    |
|                                     |   |             |             | \$0.00           | <b>\$0.00</b>      |
| <b>Remote Sensing</b>               | <b>Area in Hectares / Enter total invoiced amount or list personnel</b> |             |             |                  |                    |
| Aerial photography                  |   |             | \$0.00      | \$0.00           |                    |
| LANDSAT                             |   |             | \$0.00      | \$0.00           |                    |
| Other (specify)                     | Mag Drone Survey  | 201.1       | \$50.00     | \$10,052.50      |                    |
|                                     |   |             |             | \$10,052.50      | <b>\$10,052.50</b> |

| <b>Ground Exploration Surveys</b> | <b>Area in Hectares/List Personnel</b>                              |            |             |                 |             |
|-----------------------------------|---|------------|-------------|-----------------|-------------|
| Geological mapping                |   |            |             |                 |             |
| Regional                          |   |            |             |                 |             |
| Reconnaissance                    |   |            |             |                 |             |
| Prospect                          |   |            |             |                 |             |
| Underground                       | Define by length and width  |            |             |                 |             |
| Trenches                          | Define by length and width  |            |             | \$0.00          | \$0.00      |
| <b>Ground geophysics</b>          |   |            |             |                 |             |
|                                   | <b>Line Kilometres / Enter total amount invoiced list personnel</b> |            |             |                 |             |
| Radiometrics                      |   |            |             |                 |             |
| Magnetics                         | Base Mag  | 9.0        | \$100.00    | \$900.00        |             |
| Gravity                           |   |            |             |                 |             |
| Digital terrain modelling         |   |            |             |                 |             |
| Electromagnetics                  |   |            |             |                 |             |
| SP/AP/EP                          |   |            |             |                 |             |
| IP                                |   |            |             |                 |             |
| AMT/CSAMT                         |   |            |             |                 |             |
| Resistivity                       |   |            |             |                 |             |
| Complex resistivity               |   |            |             |                 |             |
| Seismic reflection                |   |            |             |                 |             |
| Seismic refraction                |   |            |             |                 |             |
| Well logging                      | Define by total length  |            |             |                 |             |
| Geophysical interpretation        |   |            |             |                 |             |
| Petrophysics                      |   |            |             |                 |             |
| Other (specify)                   |   |            |             |                 |             |
|                                   |   |            |             | \$900.00        | \$900.00    |
| <b>Geochemical Surveying</b>      | <b>Number of Samples</b>  | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b> |             |
| Drill (cuttings, core, etc.)      |   |            | \$0.00      | \$0.00          |             |
| Stream sediment                   |   |            | \$0.00      | \$0.00          |             |
| Soil                              | <i>note: This is for assays</i>                                     | 253.0      | \$70.00     | \$17,710.00     |             |
| Rock                              |   | 88.0       | \$86.47     | \$7,609.75      |             |
| Water                             |   |            | \$0.00      | \$0.00          |             |
| Biogeochemistry                   |   |            | \$0.00      | \$0.00          |             |
| Whole rock                        |   |            | \$0.00      | \$0.00          |             |
| Petrology                         |   |            | \$0.00      | \$0.00          |             |
| Other (specify)                   |   |            | \$0.00      | \$0.00          |             |
|                                   |   |            |             | \$25,319.75     | \$25,319.75 |

| <b>Drilling</b>                 | <b>No. of Holes, Size of Core and Metres</b> | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b>   |                   |
|---------------------------------|--|------------|-------------|-------------------|-------------------|
| Diamond                         |  |            | \$0.00      | \$0.00            |                   |
| Reverse circulation (RC)        |  |            | \$0.00      | \$0.00            |                   |
| Rotary air blast (RAB)          |  |            | \$0.00      | \$0.00            |                   |
| Other (specify)                 |  |            | \$0.00      | \$0.00            |                   |
|                                 |  |            |             | <b>\$0.00</b>     | <b>\$0.00</b>     |
| <b>Other Operations</b>         | <b>Clarify</b>                               | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b>   |                   |
| Trenching                       |  |            | \$0.00      | \$0.00            |                   |
| Bulk sampling                   |  |            | \$0.00      | \$0.00            |                   |
| Underground development         |  |            | \$0.00      | \$0.00            |                   |
| Other (specify)                 |  |            | \$0.00      | \$0.00            |                   |
|                                 |  |            |             | <b>\$0.00</b>     | <b>\$0.00</b>     |
| <b>Reclamation</b>              | <b>Clarify</b>                               | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b>   |                   |
| After drilling                  |  |            | \$0.00      | \$0.00            |                   |
| Monitoring                      |  |            | \$0.00      | \$0.00            |                   |
| Other (specify)                 |  |            | \$0.00      | \$0.00            |                   |
|                                 |  |            |             |                   |                   |
| <b>Transportation</b>           |  | <b>No.</b> | <b>Rate</b> | <b>Subtotal</b>   |                   |
| Airfare                         |  |            | \$0.00      | \$0.00            |                   |
| Taxi                            |  |            | \$0.00      | \$0.00            |                   |
| Truck Rental 1                  |  | 21.00      | \$50.00     | \$1,050.00        |                   |
| Truck Rental 2                  |  | 11.00      | \$100.00    | \$1,100.00        |                   |
| kilometers                      |  |            | \$0.00      | \$0.00            |                   |
| ATV                             |  |            | \$0.00      | \$0.00            |                   |
| fuel                            |  |            | \$0.00      | \$0.00            |                   |
| Helicopter (hours)              |  |            | \$0.00      | \$0.00            |                   |
| Fuel (litres/hour)              |  |            | \$0.00      | \$0.00            |                   |
| Other                           |  |            |             |                   |                   |
|                                 |  |            |             | <b>\$2,150.00</b> | <b>\$2,150.00</b> |
| <b>Accommodation &amp; Food</b> | <b>Rates per day</b>                         |            |             |                   |                   |
| Hotel                           |  |            | \$0.00      | \$0.00            |                   |
| James Trip April                |  |            |             | \$1,126.61        |                   |
| James Trip 2                    |  |            |             | \$4,350.66        |                   |
| Camp                            |  |            | \$0.00      | \$0.00            |                   |
| Meals                           | day rate or actual costs-specify             |            | \$0.00      | \$0.00            |                   |
|                                 |  |            |             | <b>\$5,477.27</b> | <b>\$5,477.27</b> |

|                              |        |            |                    |
|------------------------------|--------|------------|--------------------|
| <b>Miscellaneous</b>         |        |            |                    |
| Decoors Management Fee       |        | 2,475.25   |                    |
| Telephone                    | \$0.00 | \$0.00     |                    |
| Other (Specify)              |        |            |                    |
|                              |        | \$2,475.25 | \$2,475.25         |
| <b>Equipment Rentals</b>     |        |            |                    |
| Field Gear (Specify)         | \$0.00 | \$0.00     |                    |
| Other (Specify)              |        |            |                    |
|                              |        | \$0.00     | \$0.00             |
| <b>Freight, rock samples</b> |        |            |                    |
|                              | \$0.00 | \$0.00     |                    |
|                              | \$0.00 | \$0.00     |                    |
|                              |        | \$0.00     | \$0.00             |
| <b>TOTAL Expenditures</b>    |        |            | <b>\$81,034.77</b> |

## APPENDIX 2 – STATEMENT OF QUALIFICATIONS

I, Graham Davidson, P.Geol. (APEGA No. 42308), do hereby certify that:

- 1) I am a professional geologist, employed as a consulting geologist of 927852 Alberta Ltd., located at 53 Grandin Woods, St. Albert, AB, T8N-2Y4.
- 2) This certificate applies to the report titled '2022 Exploration Report on the Texada Property', with an effective date of Sept. 30, 2022, and a signature date of Sept. 25, 2022, prepared for Quadra Coastal Resources Inc.
- 3) I graduated with an Honours Bachelor of Geology degree from the University of Western Ontario, London Ontario in 1981.
- 4) I am a member in good standing of Association of Professional Engineers and Geoscientists of Alberta since 1985, (APEGA Member No. 42308).
- 5) I have practiced my profession as a geologist continuously since graduation, during which time I have been involved in mineral exploration, mine geology (underground), on exploration projects for gold, silver, copper, lead, zinc, vanadium, tungsten throughout Canada. Specializing in Cu-Au porphyry, Au-Ag quartz veins and Ag-Pb-Zn properties in British Columbia and the Yukon.
- 6) I prospected, mapped, and sampled areas of the Texada Property that are the subject of this Assessment Report.

Signed this 15th day of Sept. 25 2022 in St. Albert, Alberta, Canada.

(Original signed and sealed): G.S. Davidson, P. Geol



I, Matt Fraser, certify that:

I am an employee of Decoors Mining Corp. and currently reside at Apt 112, 3163 Riverwalk Ave, Vancouver, B.C.

I am a graduate of the University of Victoria with a Bachelor of Science (BSc., 2009).

I have worked continuously in Mineral Exploration in Canada since 2005 as a prospector, field hand, exploration manager, and camp manager.

I am responsible for the preparation of the report entitled ‘2022 Exploration Report on the Texada Property’ – including the conclusions reached, and the recommendations made.

As of the date of the certificate, to the best of my knowledge, the technical report contains all scientific and technical information that is required to be disclosed to make the technical report not misleading.

Dated this 25<sup>th</sup> of Sept., 2022


X *mfraser*

---


Matt Fraser  
Exploration Manager

APPENDIX 3 – 2021 ROCK SAMPLING MAPS


APPENDIX 3.1 - ROCK SAMPLE LOCATIONS




APPENDIX 3.2 - ROCK SAMPLES: AU (PPM)




APPENDIX 3.3 – ROCK SAMPLES: AG (PPM)



APPENDIX 3.4 – ROCK SAMPLES: AS (PPM)




APPENDIX 3.5 - ROCK SAMPLES: CU (PPM)




APPENDIX 4 – 2021 SOIL SAMPLE MAPS


APPENDIX 4.1 – SOIL GRID LOCATIONS




APPENDIX 4.2 – SOIL GRID 1: SAMPLE IDS




APPENDIX 4.3 - SOIL GRID 1: AU (PPM)




APPENDIX 4.4 - SOIL GRID 1: AG (PPM)




APPENDIX 4.5 – SOIL GRID 1: AS (PPM)




APPENDIX 4.6 - SOIL GRID 1: CU (PPM)




APPENDIX 4.7 – SOIL GRID 2: SAMPLE IDS




APPENDIX 4.8 - SOIL GRID 2: AU (PPM)




APPENDIX 4.9 - SOIL GRID 2: AG (PPM)



APPENDIX 4.10 - SOIL GRID 2: AS (PPM)




APPENDIX 4.11 - SOIL GRID 2: CU (PPM)




APPENDIX 5 – DRONE MAGNETIC SURVEY MAPS


APPENDIX 5.1 - TOTAL MAGNETICS (nT)




APPENDIX 5.2 – TILT DERIVATIVE (NT/M)



APPENDIX 5.3 – FIRST VERTICAL DERIVATIVE (NT/M)



APPENDIX 5.4 – ANALYTIC SIGNAL (NT/M)



**Legend**

Texada Claims Outline

**Texada Drone Mag - AS**

nT/m

High : 4.66387  
 Low : 0.11806

|   |
|---|
| Appendix 5-4  |
| Decoors Mining Corp.  |
| Texada Property<br>Nanaimo Mining Division                    |
| <b>Drone-Mag Survey</b><br><b>Analytic Signal (AS – nT/m)</b> |
| Datum: NAD83<br>Projection: UTM Zone 10                       |
| Date: 09/15/2022  |

## APPENDIX 6 – 2022 ROCK DESCRIPTIONS

| Sample_ID | Zone | UTM_E  | UTM_N   | Elv. (m) | Year | Date   | Sample_Type | Width_m | Sample_Source | Lithology      | Color     | Sampler | Description   |
|-----------|------|--------|---------|----------|------|--------|-------------|---------|---------------|----------------|-----------|---------|---|
| 1531471   | 10   | 403742 | 5498459 | 448      | 2022 | 06-May | Grab        |         | Subcrop       | Quartz Diorite | Grey      | GD      | Quartz diorite, local diorite, medium grey, fine to medium grained, magnetite-biotite schlerins, magn (3/5), limonite, trace piorite                                      |
| 1531472   | 10   | 403843 | 5497914 | 493      | 2022 | 06-May | Grab        |         | Outcrop       | Basalt         | Dark grey | GD      | Light to medium grey basalt, silicified, trace rounded phenocrysts of feldspar, hornblende laths, magn (3/5), tr-1% fine disseminated pyrite and pyrrhotite, Mn staining. |
| 1531473   | 10   | 403830 | 5497869 | 479      | 2022 | 06-May | Grab        |         | Outcrop       | Basalt         | Dark grey | GD      | Brown reddish weathering basalt, horfels alteration, feldspar phyrlic, minor quartz-calcite veining, epidote, magnetic (3/5), Mn stain.                                   |
| 1531474   | 10   | 405455 | 5498892 | 280      | 2022 | 06-May | Grab        |         | Float         | Granodiorite   | S&P       | GD      | S&P granodiorite, medium grained, heavily oxidized, sheeted quartz-pyrite veining, minor arsenopyrite, limonite.  |
| 1531475   | 10   | 405506 | 5498857 | 287      | 2022 | 06-May | Grab        |         | Float         | Quartz Diorite | Grey      | GD      | Quartz diorite, S&P, madium to coarse grained, moderately oxidized, sheeted quartz-pyrite veining, Mn and limonite staing, magnetic (2/5), green tinge (prop alt).        |
| 1531476   | 10   | 405531 | 5498843 | 289      | 2022 | 06-May | Grab        |         | Subcrop       | Quartz Diorite | Grey      | GD      | Quartz diorite, S&P, madium to coarse grained, moderately oxidized, sheeted quartz-pyrite veining, Mn and limonite staing, magnetic (2/5), green tinge (prop alt).        |
| 1531477   | 10   | 405456 | 5498642 | 354      | 2022 | 07-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | Quartz diorite, S&P, madium to coarse grained, moderately oxidized, sheeted quartz-pyrite veining, Mn and limonite staing, magnetic (1/5).                                |
| 1531478   | 10   | 405329 | 5498579 | 373      | 2022 | 07-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | Quartz diorite, S&P, fine to medium grained, moderately oxidized, hornblende laths, sheeted quartz-pyrite veining, limonite stain, magn (2/5).                            |
| 1531479   | 10   | 405968 | 5497856 | 426      | 2022 | 07-May | Grab        |         | Float         | Quartz Diorite | S&P       | GD      | Quartz diorite, S&P, fine to medium grained, moderately oxidized, hornblende laths, sheeted quartz-pyrite veining, limonite stain, magn (3/5).                            |
| 1531480   | 10   | 405512 | 5498228 | 401      | 2022 | 07-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | Quartz diorite, S&P, fine to medium grained, moderately oxidized, hornblende laths, sheeted quartz-pyrite veining, siliceous bands, magn (2/5).                           |
| 1531481   | 10   | 405512 | 5498228 | 401      | 2022 | 07-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | Duplicate of 1531480  |
| 1531482   | 10   | 405303 | 5498327 | 398      | 2022 | 07-May | Grab        |         | Outcrop       | Basalt         | Black     | GD      | Dense grey-black meta-basalt, feldspar phyrlic, magnetic (3/5), hornfels, 5% quartz-pyrite veining.   |
| 1531483   | 10   | 405243 | 5498339 | 397      | 2022 | 08-May | Grab        |         | Subcrop       | Basalt         | Dark grey | GD      | 1970's trench wall, dark grey basalt, hornfels, magnetic (3/5), 10% pyrite pyrrhotite veins, limonite-hematies staining.  |
| 1531484   | 10   | 405085 | 5498422 | 392      | 2022 | 08-May | Grab        |         | Subcrop       | Basalt         | Black     | GD      | Black feldspar phyrlic basalt, chloritic, trace calcite veining, magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining.                        |
| 1531485   | 10   | 405493 | 5498680 | 327      | 2022 | 08-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | S&P granodiorite, fine to medium grained, weakly oxidized, magnetite, light green tinge possible propylitic alteration, magnetic (3/5), 2% disseminated pyrite,           |
| 1531486   | 10   | 405804 | 5498382 | 374      | 2022 | 08-May | Grab        |         | Outcrop       | Granodiorite   | S&P       | GD      | S&P granodiorite, fine to medium grained, weakly oxidized, hornblende laths, sheeted quartz-pyrite veining, magnetic (3/5), 2% disseminated pyrite,                       |
| 1531487   | 10   | 404329 | 5497187 | 514      | 2022 | 09-May | Grab        |         | Outcrop       | Basalt         | Black     | GD      | Dark grey feldspar phyrlic basalt, slickensides, chloritic, magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining.                             |

| Sample_ID | Zone | UTM_E  | UTM_N   | Elv. (m) | Year | Date   | Sample_Type   | Width_m | Sample_Source | Lithology       | Color      | Sampler | Description   |
|-----------|------|--------|---------|----------|------|--------|---------------|---------|---------------|-----------------|------------|---------|---|
| 1531488   | 10   | 404574 | 5496928 | 557      | 2022 | 09-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey to black feldspar phyric basalt, slickensides, chloritic, magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining.   |
| 1531489   | 10   | 404630 | 5496953 | 568      | 2022 | 09-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Black feldspar phyric basalt, epidote-quartz veining, amygdules (5%), magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining. |
| 1531490   | 10   | 404938 | 5496618 | 601      | 2022 | 09-May | Grab          |         | Subcrop       | Quartz Diorite  | S&P        | GD      | Quartz diorite, mottled grey, fine to medium grained, moderately oxidized, hornblende laths, sheeted quartz-pyrite veining, limonite stain, magn (2/5). |
| 1531491   | 10   | 404938 | 5496618 | 601      | 2022 | 09-May | Grab          |         | Outcrop       | Quartz Diorite  | S&P        | GD      | Duplicate of 1531490  |
| 1531492   | 10   | 405167 | 5496753 | 625      | 2022 | 09-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Black to grey basalt, calcite veining, trace disseminated pyrite, hornfels, limonite staining, non magnetic.  |
| 1531493   | 10   | 405540 | 5496293 | 664      | 2022 | 10-May | Grab          |         | Outcrop       | Basalt          | Black      | GD      | Black feldspar phyric basalt, chloritic, trace calcite veining, magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining.       |
| 1531494   | 10   | 405765 | 5496808 | 659      | 2022 | 10-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Black feldspar phyric basalt, epidote-quartz veining, amygdules (5%), magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining. |
| 1531495   | 10   | 406233 | 5496263 | 689      | 2022 | 10-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Black feldspar phyric basalt, epidote-quartz veining, amygdules (5%), magnetic (3/5), 2% disseminated + veinlets of pyrite, moderate limonite staining. |
| 1531496   | 10   | 407631 | 5495364 | 640      | 2022 | 11-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Black feldspar phyric basalt, epidote-quartz veining, amygdules (5%), magnetic (2/5), 2% disseminated + veinlets of pyrite, moderate limonite staining. |
| 1531497   | 10   | 407723 | 5495272 | 611      | 2022 | 11-May | Grab          |         | Outcrop       | Basalt          | Dark grey  | GD      | Agglomeritic basalt, a few amygdules with epidote and quartz, 5% pyrite along fragmental margins, magnetic (2/5).                                       |
| 1531498   | 10   | 407717 | 5495256 | 624      | 2022 | 11-May | Grab          |         | Outcrop       | Feld porph dyke | Light grey | GD      | Medium grey quartz feldspar pophyry, possible dyke, limonite-quartz-epidote bands, magnetic (2/5), 5% disseminated pyrite.                              |
| 1531499   | 10   | 408228 | 5495050 | 577      | 2022 | 11-May | Grab          |         | Outcrop       | Siltstone       | Black      | GD      | Black siltstone, skarn, reddish brown garnet lenses, calcite veining, non magnetic, trace disseminated pyrite and chalcopyrite.                         |
| 1531500   | 10   | 407715 | 5495183 | 591      | 2022 | 11-May | Grab          |         | Outcrop       | Basalt          | Brown      | GD      | Black red weathering basalt, sheared, pyrite veins 2cm wide, limonite, non magnetic, old sample flags nearby in road quarry.                            |
| 62251     | 10   | 405025 | 5496502 | 614      | 2022 | 10-May | 0-2m (Chip)   | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.                          |
| 62252     | 10   | 405025 | 5496492 | 612      | 2022 | 10-May | 2-4m (Chip)   | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey basalt, brecciated by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                             |
| 62253     | 10   | 405026 | 5496494 | 611      | 2022 | 10-May | 4-6m (Chip)   | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.          |
| 62254     | 10   | 405025 | 5496496 | 606      | 2022 | 10-May | 6-8m (Chip)   | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey basalt, by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.  |
| 62255     | 10   | 405027 | 5496498 | 600      | 2022 | 10-May | 8-10m (Chip)  | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Black basalt, occassional limonite-calcite veins 2cm in width.  |
| 62256     | 10   | 405029 | 5496493 | 597      | 2022 | 10-May | 10-12m (Chip) | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Dark grey basalt, brecciated by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                             |
| 62257     | 10   | 405028 | 5496490 | 595      | 2022 | 10-May | 12-14m (Chip) | 2       | Outcrop       | Basalt          | Dark grey  | GD      | Sheared basalt, as above, heavy limonite, trace disseminated pyrite.  |

| Sample_ID | Zone | UTM_E  | UTM_N   | Elev. (m) | Year | Date   | Sample_Type   | Width_m | Sample_Source | Lithology | Color        | Sampler | Description  |
|-----------|------|--------|---------|-----------|------|--------|---------------|---------|---------------|-----------|--------------|---------|--|
| 62258     | 10   | 405030 | 5496489 | 593       | 2022 | 10-May | 14-16m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt, by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                               |
| 62259     | 10   | 405032 | 5496488 | 594       | 2022 | 10-May | 16-18m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt, by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                               |
| 62260     | 10   | 405033 | 5496487 | 595       | 2022 | 10-May | 18-20m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt, by calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                               |
| 62261     | 10   | 405033 | 5496487 | 604       | 2022 | 10-May | 18-20m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Duplicate of 62260   |
| 62262     | 10   | 405032 | 5496485 | 607       | 2022 | 10-May | 20-22m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62263     | 10   | 405033 | 5496483 | 611       | 2022 | 10-May | 22-24m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62264     | 10   | 405034 | 5496481 | 613       | 2022 | 10-May | 24-26m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62265     | 10   | 405036 | 5496480 | 610       | 2022 | 11-May | 26-28m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt, calcite veing, heavy limonite, non magnetic, gossan zone, possible "Yellow Dog" alteration.                                  |
| 62266     | 10   | 405038 | 5496480 | 607       | 2022 | 11-May | 28-30m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62267     | 10   | 405040 | 5496480 | 604       | 2022 | 11-May | 30-32m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62268     | 10   | 405041 | 5496481 | 606       | 2022 | 11-May | 32-34m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey - reddish brown basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic. |
| 62269     | 10   | 405042 | 5496481 | 609       | 2022 | 11-May | 34-36m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.                 |
| 62270     | 10   | 405043 | 5496482 | 608       | 2022 | 11-May | 36-38m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.                 |
| 62271     | 10   | 405043 | 5496482 | 608       | 2022 | 11-May | 36-38m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Duplicate of 62270   |
| 62272     | 10   | 405045 | 5496483 | 608       | 2022 | 11-May | 38-40m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.                 |
| 62273     | 10   | 405046 | 5496484 | 608       | 2022 | 11-May | 40-42m (Chip) | 2       | Outcrop       | Basalt    | Dark grey    | GD      | Dark grey basalt in shear zone, brecciated in part, heavy limonitic, calcite veining, Mn staining, trace pyrite, non magnetic.                 |
| 62274     | 10   | 408377 | 5494010 | 593       | 2022 | 13-May | Grab          |         | Subcrop       | Basalt    | Dark grey    | GD      | Brownish red basalt hosting quartz-arsenopyrite veining up to 5cm wide, coarse crystalline arsenopyrite, limonite weathering.                  |
| 62275     | 10   | 408818 | 5494653 | 481       | 2022 | 14-May | Grab          |         | Subcrop       | Basalt    | Reddish grey | GD      | Brownish red basalt hosting quartz-arsenopyrite veining up to 2cm wide, coarse crystalline arsenopyrite, grey oxide.                           |
| 62276     | 10   | 408997 | 5494397 | 487       | 2022 | 16-May | Grab          |         | Outcrop       | Basalt    | Reddish grey | GD      | Rusty brown basalt, feldspar phyrlic, non magnetic, 2-5% disseminated and veinlets of pyrite, non magnetic.                                    |
| 62277     | 10   | 408986 | 5494422 | 475       | 2022 | 16-May | Grab          |         | Subcrop       | Basalt    | Reddish grey | GD      | Reddish brown basalt with quartz-pyrite veins, up to 10% pyrite, non magnetic, horfels, heavy limonite coating.                                |

| Sample_ID | Zone | UTM_E  | UTM_N   | Elev. (m) | Year | Date   | Sample_Type   | Width_m | Sample_Source | Lithology      | Color        | Sampler | Description   |
|-----------|------|--------|---------|-----------|------|--------|---------------|---------|---------------|----------------|--------------|---------|---|
| 62278     | 10   | 408902 | 5494724 | 446       | 2022 | 16-May | Grab          |         | Talus         | Basalt         | Reddish grey | GD      | Dark grey basalt, hornfels, quartz-Kspar veining, Mn staining, 2-5% disseminated pyrite.  |
| 62279     | 10   | 408872 | 5494735 | 454       | 2022 | 16-May | Grab          |         | Outcrop       | Qtz diorite    | Grey         | GD      | Quartz diorite, mottled grey, fine to medium grained, moderately oxidized, hornblende laths, sheeted quartz-pyrite veining, limonite stain, magn (1/5). |
| 62280     | 10   | 408941 | 5494479 | 456       | 2022 | 16-May | Grab          |         | Float         | Qtz diorite    | Grey         | GD      | Diorite, S&P, quartz-epidote bands, rounded hornblende phenocrysts, trace disseminated pyrite, rare chalcopyrite.                                       |
| 62281     | 10   | 408820 | 5495694 | 478       | 2022 | 16-May | Grab          |         | Float         | Diorite-basalt | Grey         | GD      | Quartz diorite intruding basalt, S&P, quartz veining in 20% of rock, magnetic (1/5), 5% disseminated pyrite, limonite.                                  |
| 62282     | 10   | 408688 | 5494686 | 498       | 2022 | 17-May | Grab          |         | Float         | Qtz diorite    | Grey         | GD      | Orange weathering quartz diorite along edge of road, black, 5-10% disseminated and veinlets of pyrite, non magnetic, limonite.                          |
| 62283     | 10   | 408606 | 5494728 |           | 2022 | 17-May | Grab          |         | Outcrop       | Basalt         | Reddish grey | GD      | Reddish orange basalt, hornfels alt., veins of quartz + pyrite up to 5%, trace arsenopyrite,  |
| 62284     | 10   | 408550 | 5494697 | 519       | 2022 | 17-May | Grab          |         | Outcrop       | Basalt         | Reddish grey | GD      | Rusty basalt, feldspar phyrlic, hornfels, trace quartz veining, 5% disseminated and veins of pyrite, limonitic, non mag.                                |
| 62285     | 10   | 408590 | 5494712 | 519       | 2022 | 17-May | Grab          |         | Outcrop       | Qtz diorite    | Grey         | GD      | Light grey quartz diorite, fine to medium grained, light green tinge, prop. Alt, 5% disseminated pyrite..   |
| 62286     | 10   | 408484 | 5494620 | 527       | 2022 | 17-May | Grab          |         | Outcrop       | Qtz diorite    | Green        | GD      | Quartz diorite, mottled grey, fine to medium grained, moderately oxidized, hornblende laths, quartz-epidote veining, limonite stain, magn (2/5).        |
| 62287     | 10   | 408983 | 5494169 | 573       | 2022 | 17-May | Grab          |         | Outcrop       | Basalt         | Dark grey    | GD      | Dark grey basalt, feldspar phyrlic, bleached white-yellow-green alteration bands, heavy Mn staining.  |
| 62288     | 10   | 409576 | 5492501 | 605       | 2022 | 18-May | Chip          | 1.7     | Outcrop       | Basalt         | Reddish grey | GD      | Sheared basalt, dark grey, hornfels, quartz-chalcedony-calcite veining, breccia in part, limonite, trace pyrite.  |
| 62289     | 10   | 409597 | 5492482 | 610       | 2022 | 18-May | Chip          | 1       | Outcrop       | Basalt         | Reddish grey | GD      | Sheared basalt, dark grey, hornfels, quartz-chalcedony-calcite veining, epidote, limonite-hematite coating, trace pyrite.                               |
| 62290     | 10   | 409592 | 5492479 | 613       | 2022 | 18-May | Chip          | 3       | Outcrop       | Basalt         | Reddish grey | GD      | Sheared basalt, dark grey, hornfels, quartz-chalcedony-calcite veining, epidote, limonite-hematite coating, trace pyrite.                               |
| 62291     | 10   | 409574 | 5492477 | 608       | 2022 | 18-May | Chip          | 2       | Outcrop       | Basalt         | Reddish grey | GD      | Sheared basalt, dark grey, hornfels, quartz-chalcedony-calcite veining, reddish breccia interval, limonite, trace pyrite.                               |
| 62292     | 10   | 411294 | 5491974 | 609       | 2022 | 18-May | Grab          |         | Outcrop       | Basalt         | Dark grey    | GD      | Black to dark grey basalt, feldspar phyrlic, quartz carbonate veining to 5cm wide, trace disseminated pyrite, heavy limonite stain.                     |
| 62293     | 10   | 411222 | 5491986 | 606       | 2022 | 18-May | Grab          |         | Outcrop       | Basalt         | Dark grey    | GD      | Quartz lense in medium grey basalt, epidote alteration bands, no visible sulphides.   |
| 62294     | 10   | 406150 | 5495682 |           | 2022 | 18-May | 0-5m (Chip)   | 5       | Outcrop       | Basalt         | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration.        |
| 62295     | 10   | 406152 | 5495678 |           | 2022 | 18-May | 5-10m (Chip)  | 5       | Outcrop       | Basalt         | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration.        |
| 62296     | 10   | 406153 | 5495673 |           | 2022 | 18-May | 10-15m (Chip) | 5       | Outcrop       | Basalt         | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration.        |
| 62297     | 10   | 406159 | 5495665 |           | 2022 | 18-May | 15-20m (Chip) | 5       | Outcrop       | Basalt         | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration.        |

| Sample_ID | Zone | UTM_E  | UTM_N   | Elv. (m) | Year | Date   | Sample_Type   | Width_m | Sample_Source | Lithology    | Color        | Sampler | Description  |
|-----------|------|--------|---------|----------|------|--------|---------------|---------|---------------|--------------|--------------|---------|--|
| 62298     | 10   | 406163 | 5495660 |          | 2022 | 18-May | 20-25m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62299     | 10   | 406168 | 5495664 |          | 2022 | 18-May | 25-30m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62300     | 10   | 406176 | 5495662 |          | 2022 | 18-May | 30-35m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62301     | 10   | 406175 | 5495651 |          | 2022 | 18-May | 35-40m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62302     | 10   | 406177 | 5495653 |          | 2022 | 18-May | 40-45m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62303     | 10   | 406182 | 5495651 |          | 2022 | 18-May | 45-50m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62304     | 10   | 406188 | 5495655 |          | 2022 | 18-May | 50-55m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62305     | 10   | 406192 | 5495655 |          | 2022 | 18-May | 55-60m (Chip) | 5       | Outcrop       | Basalt       | Reddish grey | GD      | Dark grey basalt, brecciated calcite veing, heavy limonite, 2-5% pyrite, non magnetic, rusty ferroan dolomite, possible "Yellow Dog" alteration. |
| 62306     | 10   | 407657 | 5495055 | 621      | 2022 | 20-May | Grab          |         | Outcrop       | Granodiorite | S&P          | GD      | Granodiorite, S&P, fine to medoim grained, light green tinge, propylitic alteration, 2-5% disseminated pyrite.                                   |
| 62307     | 10   | 407252 | 5495143 | 657      | 2022 | 20-May | Grab          |         | Outcrop       | Basalt       | Reddish grey | GD      | Basalt, dark grey, epidote bands, hematite and limonite staining, 2% disseminated pyrite.  |
| 62308     | 10   | 407809 | 5494647 | 612      | 2022 | 21-May | Grab          |         | Float         | Basalt       | Reddish grey | GD      | Dark green black basalt, chloritic, 10% pyrite in veins and disseminations, limonite.  |

## APPENDIX 7 – 2022 SOIL SAMPLE DESCRIPTIONS

| Sample ID | Easting | Northing | Depth (cm) | Colour        |
|-----------|---------|----------|------------|---------------|
| GD-1      | 408400  | 5493900  | 10-50      | Reddish brown |
| GD-2      | 408400  | 5493950  | 10-50      | Reddish brown |
| GD-3      | 408400  | 5494000  | 10-50      | Reddish brown |
| GD-4      | 408400  | 5494050  | 10-50      | Reddish brown |
| GD-5      | 408400  | 5494100  | 10-50      | Reddish brown |
| GD-6      | 408400  | 5494150  | 10-50      | Reddish brown |
| GD-7      | 408400  | 5494200  | 10-50      | Reddish brown |
| GD-8      | 408400  | 5494250  | 10-50      | Reddish brown |
| GD-9      | 408400  | 5494300  | 10-50      | Reddish brown |
| GD-10     | 408400  | 5494350  | 10-50      | Reddish brown |
| GD-11     | 408400  | 5494400  | 10-50      | Reddish brown |
| GD-12     | 408400  | 5494450  | 10-50      | Reddish brown |
| GD-13     | 408400  | 5494500  | 10-50      | Reddish brown |
| GD-14     | 408400  | 5494550  | 10-50      | Reddish brown |
| GD-15     | 408400  | 5494600  | 10-50      | Reddish brown |
| GD-16     | 408400  | 5494650  | 10-50      | Reddish brown |
| GD-17     | 408400  | 5494700  | 10-50      | Reddish brown |
| GD-18     | 408400  | 5494750  | 10-50      | Reddish brown |
| GD-19     | 408400  | 5494800  | 10-50      | Reddish brown |
| GD-20     | 408700  | 5494300  | 10-50      | Reddish brown |
| GD-21     | 408700  | 5494250  | 10-50      | Reddish brown |
| GD-22     | 408700  | 5494200  | 10-50      | Reddish brown |
| GD-23     | 408700  | 5494150  | 10-50      | Reddish brown |
| GD-24     | 408700  | 5494100  | 10-50      | Reddish brown |
| GD-25     | 408700  | 5494050  | 10-50      | Reddish brown |
| GD-26     | 408700  | 5494000  | 10-50      | Reddish brown |
| GD-27     | 408700  | 5493950  | 10-50      | Reddish brown |
| GD-28     | 408700  | 5493900  | 10-50      | Reddish brown |
| GD-29     | 408800  | 5493900  | 10-50      | Reddish brown |
| GD-30     | 408800  | 5493950  | 10-50      | Reddish brown |
| GD-31     | 408800  | 5494000  | 10-50      | Reddish brown |
| GD-32     | 408800  | 5494050  | 10-50      | Reddish brown |
| GD-33     | 408800  | 5494100  | 10-50      | Reddish brown |
| GD-34     | 408800  | 5494150  | 10-50      | Reddish brown |
| GD-35     | 408800  | 5494200  | 10-50      | Reddish brown |
| GD-36     | 408800  | 5494250  | 10-50      | Reddish brown |
| GD-37     | 408800  | 5494300  | 10-50      | Reddish brown |
| GD-38     | 408800  | 5494350  | 10-50      | Reddish brown |

| Sample ID | Easting | Northing | Depth (cm) | Colour        |
|-----------|---------|----------|------------|---------------|
| GD-42     | 408800  | 5494550  | 10-50      | Reddish brown |
| GD-43     | 408800  | 5494600  | 10-50      | Reddish brown |
| GD-44     | 408800  | 5494650  | 10-50      | Reddish brown |
| GD-45     | 408800  | 5494700  | 10-50      | Reddish brown |
| GD-46     | 408800  | 5494750  | 10-50      | Reddish brown |
| GD-47     | 408900  | 5494700  | 10-50      | Reddish brown |
| GD-48     | 408900  | 5494650  | 10-50      | Reddish brown |
| GD-49     | 408900  | 5494600  | 10-50      | Reddish brown |
| GD-50     | 408900  | 5494550  | 10-50      | Reddish brown |
| GD-51     | 408900  | 5494500  | 10-50      | Reddish brown |
| GD-52     | 408900  | 5494450  | 10-50      | Reddish brown |
| GD-53     | 408900  | 5494400  | 10-50      | Reddish brown |
| GD-54     | 408900  | 5494350  | 10-50      | Reddish brown |
| GD-55     | 408900  | 5494300  | 10-50      | Reddish brown |
| GD-56     | 409000  | 5493900  | 10-50      | Reddish brown |
| GD-57     | 409000  | 5493950  | 10-50      | Reddish brown |
| GD-58     | 409000  | 5494000  | 10-50      | Reddish brown |
| GD-59     | 409000  | 5494050  | 10-50      | Reddish brown |
| GD-60     | 409000  | 5494100  | 10-50      | Reddish brown |
| GD-61     | 409000  | 5494150  | 10-50      | Reddish brown |
| GD-62     | 409000  | 5494200  | 10-50      | Reddish brown |
| GD-63     | 409000  | 5494250  | 10-50      | Reddish brown |
| GD-64     | 409000  | 5494300  | 10-50      | Reddish brown |
| GD-65     | 409000  | 5494350  | 10-50      | Reddish brown |
| GD-66     | 409000  | 5494400  | 10-50      | Reddish brown |
| GD-67     | 409000  | 5494450  | 10-50      | Reddish brown |
| GD-68     | 409000  | 5494500  | 10-50      | Reddish brown |
| GD-69     | 409000  | 5494550  | 10-50      | Reddish brown |
| GD-70     | 409000  | 5494600  | 10-50      | Reddish brown |
| GD-71     | 409000  | 5494650  | 10-50      | Reddish brown |
| GD-72     | 409000  | 5494700  | 10-50      | Reddish brown |
| GD-73     | 409300  | 5493900  | 10-50      | Reddish brown |
| GD-74     | 409300  | 5493950  | 10-50      | Reddish brown |
| GD-75     | 409300  | 5494000  | 10-50      | Reddish brown |
| GD-76     | 409300  | 5494050  | 10-50      | Reddish brown |
| GD-77     | 409300  | 5494100  | 10-50      | Reddish brown |
| GD-78     | 409300  | 5494150  | 10-50      | Reddish brown |
| GD-79     | 409300  | 5494200  | 10-50      | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| GD-39  | 408800 | 5494400 | 10-50 | Reddish brown |
| GD-40  | 408800 | 5494450 | 10-50 | Reddish brown |
| GD-41  | 408800 | 5494500 | 10-50 | Reddish brown |
| GD-83  | 409300 | 5494400 | 10-50 | Reddish brown |
| GD-100 | 407400 | 5495200 | 10-50 | Reddish brown |
| GD-101 | 407450 | 5495200 | 10-50 | Reddish brown |
| GD-102 | 407500 | 5495200 | 10-50 | Reddish brown |
| GD-103 | 407550 | 5495200 | 10-50 | Reddish brown |
| GD-104 | 407600 | 5495200 | 10-50 | Reddish brown |
| GD-105 | 407650 | 5495200 | 10-50 | Reddish brown |
| GD-106 | 407700 | 5495200 | 10-50 | Reddish brown |
| GD-107 | 407750 | 5495200 | 10-50 | Reddish brown |
| GD-108 | 407800 | 5495200 | 10-50 | Reddish brown |
| GD-109 | 407850 | 5495200 | 10-50 | Reddish brown |
| GD-110 | 407900 | 5495200 | 10-50 | Reddish brown |
| GD-111 | 408000 | 5495200 | 10-50 | Reddish brown |
| GD-112 | 408100 | 5495200 | 10-50 | Reddish brown |
| GD-113 | 408200 | 5495200 | 10-50 | Reddish brown |
| GD-114 | 408200 | 5495100 | 10-50 | Reddish brown |
| GD-115 | 408100 | 5495100 | 10-50 | Reddish brown |
| GD-116 | 408000 | 5495100 | 10-50 | Reddish brown |
| GD-117 | 407900 | 5495100 | 10-50 | Reddish brown |
| GD-118 | 407850 | 5495100 | 10-50 | Reddish brown |
| GD-119 | 407800 | 5495100 | 10-50 | Reddish brown |
| GD-120 | 407750 | 5495100 | 10-50 | Reddish brown |
| GD-121 | 407700 | 5495100 | 10-50 | Reddish brown |
| GD-122 | 407650 | 5495100 | 10-50 | Reddish brown |
| GD-123 | 407600 | 5495100 | 10-50 | Reddish brown |
| GD-124 | 407550 | 5495100 | 10-50 | Reddish brown |
| GD-125 | 407500 | 5495100 | 10-50 | Reddish brown |
| GD-126 | 407450 | 5495100 | 10-50 | Reddish brown |
| GD-127 | 407400 | 5495100 | 10-50 | Reddish brown |
| GD-128 | 407400 | 5495150 | 10-50 | Reddish brown |
| GD-129 | 407450 | 5495150 | 10-50 | Reddish brown |
| GD-130 | 407500 | 5495150 | 10-50 | Reddish brown |
| GD-131 | 407550 | 5495150 | 10-50 | Reddish brown |
| GD-132 | 407600 | 5495150 | 10-50 | Reddish brown |
| GD-133 | 407650 | 5495150 | 10-50 | Reddish brown |
| GD-134 | 407700 | 5495150 | 10-50 | Reddish brown |
| GD-135 | 407750 | 5495150 | 10-50 | Reddish brown |
| GD-136 | 407800 | 5495150 | 10-50 | Reddish brown |
| GD-137 | 407850 | 5495150 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| GD-80  | 409300 | 5494250 | 10-50 | Reddish brown |
| GD-81  | 409300 | 5494300 | 10-50 | Reddish brown |
| GD-82  | 409300 | 5494350 | 10-50 | Reddish brown |
| GD-142 | 408200 | 5495050 | 10-50 | Reddish brown |
| GD-143 | 408100 | 5495050 | 10-50 | Reddish brown |
| GD-144 | 408000 | 5495050 | 10-50 | Reddish brown |
| GD-145 | 407900 | 5495050 | 10-50 | Reddish brown |
| GD-146 | 407850 | 5495050 | 10-50 | Reddish brown |
| GD-147 | 407800 | 5495050 | 10-50 | Reddish brown |
| GD-148 | 407750 | 5495050 | 10-50 | Reddish brown |
| GD-149 | 407700 | 5495050 | 10-50 | Reddish brown |
| GD-150 | 407650 | 5495050 | 10-50 | Reddish brown |
| GD-151 | 407600 | 5495050 | 10-50 | Reddish brown |
| GD-152 | 407550 | 5495050 | 10-50 | Reddish brown |
| GD-153 | 407500 | 5495050 | 10-50 | Reddish brown |
| GD-154 | 407450 | 5495050 | 10-50 | Reddish brown |
| GD-155 | 407400 | 5495050 | 10-50 | Reddish brown |
| GD-156 | 407400 | 5494900 | 10-50 | Reddish brown |
| GD-157 | 407450 | 5494900 | 10-50 | Reddish brown |
| GD-158 | 407500 | 5494900 | 10-50 | Reddish brown |
| GD-159 | 407550 | 5494900 | 10-50 | Reddish brown |
| GD-160 | 407600 | 5494900 | 10-50 | Reddish brown |
| GD-161 | 407650 | 5494900 | 10-50 | Reddish brown |
| GD-162 | 407700 | 5494900 | 10-50 | Reddish brown |
| GD-163 | 407750 | 5494900 | 10-50 | Reddish brown |
| GD-164 | 407800 | 5494900 | 10-50 | Reddish brown |
| GD-165 | 407850 | 5494900 | 10-50 | Reddish brown |
| GD-166 | 407900 | 5494900 | 10-50 | Reddish brown |
| GD-167 | 408000 | 5494900 | 10-50 | Reddish brown |
| GD-168 | 408100 | 5494900 | 10-50 | Reddish brown |
| GD-169 | 408200 | 5494900 | 10-50 | Reddish brown |
| GD-170 | 408200 | 5494850 | 10-50 | Reddish brown |
| GD-171 | 408100 | 5494850 | 10-50 | Reddish brown |
| GD-172 | 408000 | 5494850 | 10-50 | Reddish brown |
| GD-173 | 407900 | 5494850 | 10-50 | Reddish brown |
| GD-174 | 407850 | 5494850 | 10-50 | Reddish brown |
| GD-175 | 407800 | 5494850 | 10-50 | Reddish brown |
| GD-176 | 407750 | 5494850 | 10-50 | Reddish brown |
| GD-177 | 407700 | 5494850 | 10-50 | Reddish brown |
| GD-178 | 407650 | 5494850 | 10-50 | Reddish brown |
| GD-179 | 407600 | 5494850 | 10-50 | Reddish brown |
| GD-180 | 407550 | 5494850 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| GD-138 | 407900 | 5495150 | 10-50 | Reddish brown |
| GD-139 | 408000 | 5495150 | 10-50 | Reddish brown |
| GD-140 | 408100 | 5495150 | 10-50 | Reddish brown |
| GD-141 | 408200 | 5495150 | 10-50 | Reddish brown |
| GD-185 | 407600 | 5494700 | 10-50 | Reddish brown |
| GD-186 | 407650 | 5494700 | 10-50 | Reddish brown |
| GD-187 | 407700 | 5494700 | 10-50 | Reddish brown |
| GD-188 | 407750 | 5494700 | 10-50 | Reddish brown |
| GD-189 | 407800 | 5494700 | 10-50 | Reddish brown |
| GD-190 | 407850 | 5494700 | 10-50 | Reddish brown |
| GD-191 | 407900 | 5494700 | 10-50 | Reddish brown |
| JF-1   | 408500 | 5493900 | 10-50 | Reddish brown |
| JF-2   | 408500 | 5493950 | 10-50 | Reddish brown |
| JF-3   | 408500 | 5494000 | 10-50 | Reddish brown |
| JF-4   | 408500 | 5494050 | 10-50 | Reddish brown |
| JF-5   | 408500 | 5494100 | 10-50 | Reddish brown |
| JF-6   | 408500 | 5494150 | 10-50 | Reddish brown |
| JF-7   | 408500 | 5494200 | 10-50 | Reddish brown |
| JF-8   | 408500 | 5494250 | 10-50 | Reddish brown |
| JF-9   | 408500 | 5494300 | 10-50 | Reddish brown |
| JF-10  | 408500 | 5494350 | 10-50 | Reddish brown |
| JF-11  | 408500 | 5494400 | 10-50 | Reddish brown |
| JF-12  | 408500 | 5494450 | 10-50 | Reddish brown |
| JF-13  | 408500 | 5494500 | 10-50 | Reddish brown |
| JF-14  | 408500 | 5494550 | 10-50 | Reddish brown |
| JF-15  | 408500 | 5494600 | 10-50 | Reddish brown |
| JF-16  | 408500 | 5494650 | 10-50 | Reddish brown |
| JF-17  | 408500 | 5494700 | 10-50 | Reddish brown |
| JF-18  | 408500 | 5494750 | 10-50 | Reddish brown |
| JF-19  | 408500 | 5494800 | 10-50 | Reddish brown |
| JF-20  | 408600 | 5494250 | 10-50 | Reddish brown |
| JF-21  | 408600 | 5494200 | 10-50 | Reddish brown |
| JF-22  | 408600 | 5494150 | 10-50 | Reddish brown |
| JF-23  | 408600 | 5494100 | 10-50 | Reddish brown |
| JF-24  | 408600 | 5494050 | 10-50 | Reddish brown |
| JF-25  | 408600 | 5494000 | 10-50 | Reddish brown |
| JF-26  | 408600 | 5493950 | 10-50 | Reddish brown |
| JF-27  | 408600 | 5493900 | 10-50 | Reddish brown |
| JF-28  | 408600 | 5494300 | 10-50 | Reddish brown |
| JF-29  | 408600 | 5494350 | 10-50 | Reddish brown |
| JF-30  | 408600 | 5494400 | 10-50 | Reddish brown |
| JF-31  | 408600 | 5494450 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| GD-181 | 407500 | 5494850 | 10-50 | Reddish brown |
| GD-182 | 407450 | 5494850 | 10-50 | Reddish brown |
| GD-183 | 407400 | 5494850 | 10-50 | Reddish brown |
| GD-184 | 407550 | 5494700 | 10-50 | Reddish brown |
| JF-38  | 408600 | 5494800 | 10-50 | Reddish brown |
| JF-39  | 408700 | 5494800 | 10-50 | Reddish brown |
| JF-40  | 408700 | 5494750 | 10-50 | Reddish brown |
| JF-41  | 408700 | 5494700 | 10-50 | Reddish brown |
| JF-42  | 408700 | 5494650 | 10-50 | Reddish brown |
| JF-43  | 408700 | 5494600 | 10-50 | Reddish brown |
| JF-44  | 408700 | 5494550 | 10-50 | Reddish brown |
| JF-45  | 408700 | 5494500 | 10-50 | Reddish brown |
| JF-46  | 408700 | 5494450 | 10-50 | Reddish brown |
| JF-47  | 408700 | 5494400 | 10-50 | Reddish brown |
| JF-48  | 408700 | 5494350 | 10-50 | Reddish brown |
| JF-49  | 408900 | 5494250 | 10-50 | Reddish brown |
| JF-50  | 408900 | 5494200 | 10-50 | Reddish brown |
| JF-51  | 408900 | 5494150 | 10-50 | Reddish brown |
| JF-52  | 408900 | 5494100 | 10-50 | Reddish brown |
| JF-53  | 408900 | 5494050 | 10-50 | Reddish brown |
| JF-54  | 408900 | 5494000 | 10-50 | Reddish brown |
| JF-55  | 408900 | 5493950 | 10-50 | Reddish brown |
| JF-56  | 408900 | 5493900 | 10-50 | Reddish brown |
| JF-57  | 409100 | 5493900 | 10-50 | Reddish brown |
| JF-58  | 409100 | 5493950 | 10-50 | Reddish brown |
| JF-59  | 409100 | 5494000 | 10-50 | Reddish brown |
| JF-60  | 409100 | 5494050 | 10-50 | Reddish brown |
| JF-61  | 409100 | 5494100 | 10-50 | Reddish brown |
| JF-62  | 409100 | 5494150 | 10-50 | Reddish brown |
| JF-63  | 409100 | 5494200 | 10-50 | Reddish brown |
| JF-64  | 409100 | 5494250 | 10-50 | Reddish brown |
| JF-65  | 409100 | 5494300 | 10-50 | Reddish brown |
| JF-66  | 409100 | 5494350 | 10-50 | Reddish brown |
| JF-67  | 409100 | 5494400 | 10-50 | Reddish brown |
| JF-68  | 409100 | 5494450 | 10-50 | Reddish brown |
| JF-69  | 409100 | 5494500 | 10-50 | Reddish brown |
| JF-70  | 409100 | 5494550 | 10-50 | Reddish brown |
| JF-71  | 409100 | 5494600 | 10-50 | Reddish brown |
| JF-72  | 409200 | 5494500 | 10-50 | Reddish brown |
| JF-73  | 409200 | 5494450 | 10-50 | Reddish brown |
| JF-74  | 409200 | 5494400 | 10-50 | Reddish brown |
| JF-75  | 409200 | 5494350 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| JF-32  | 408600 | 5494500 | 10-50 | Reddish brown |
| JF-33  | 408600 | 5494550 | 10-50 | Reddish brown |
| JF-34  | 408600 | 5494600 | 10-50 | Reddish brown |
| JF-35  | 408600 | 5494650 | 10-50 | Reddish brown |
| JF-36  | 408600 | 5494700 | 10-50 | Reddish brown |
| JF-37  | 408600 | 5494750 | 10-50 | Reddish brown |
| JF-81  | 409200 | 5494050 | 10-50 | Reddish brown |
| JF-82  | 409200 | 5494000 | 10-50 | Reddish brown |
| JF-83  | 409200 | 5493950 | 10-50 | Reddish brown |
| JF-84  | 409200 | 5493900 | 10-50 | Reddish brown |
| JF-85  | 409400 | 5493900 | 10-50 | Reddish brown |
| JF-86  | 409400 | 5493950 | 10-50 | Reddish brown |
| JF-87  | 409400 | 5494000 | 10-50 | Reddish brown |
| JF-88  | 409400 | 5494050 | 10-50 | Reddish brown |
| JF-89  | 409400 | 5494100 | 10-50 | Reddish brown |
| JF-90  | 409400 | 5494150 | 10-50 | Reddish brown |
| JF-91  | 409400 | 5494200 | 10-50 | Reddish brown |
| JF-92  | 409400 | 5494250 | 10-50 | Reddish brown |
| JF-93  | 409400 | 5494300 | 10-50 | Reddish brown |
| JF-94  | 409500 | 5494300 | 10-50 | Reddish brown |
| JF-95  | 409500 | 5494250 | 10-50 | Reddish brown |
| JF-96  | 409500 | 5494200 | 10-50 | Reddish brown |
| JF-97  | 409500 | 5494150 | 10-50 | Reddish brown |
| JF-98  | 409500 | 5494100 | 10-50 | Reddish brown |
| JF-99  | 409500 | 5494050 | 10-50 | Reddish brown |
| JF-100 | 409500 | 5494000 | 10-50 | Reddish brown |
| JF-101 | 409500 | 5493950 | 10-50 | Reddish brown |
| JF-102 | 409500 | 5493900 | 10-50 | Reddish brown |
| JF-103 | 409600 | 5493900 | 10-50 | Reddish brown |
| JF-104 | 409600 | 5493950 | 10-50 | Reddish brown |
| JF-105 | 409600 | 5494000 | 10-50 | Reddish brown |
| JF-106 | 409600 | 5494050 | 10-50 | Reddish brown |
| JF-107 | 409600 | 5494100 | 10-50 | Reddish brown |
| JF-108 | 409600 | 5494150 | 10-50 | Reddish brown |
| JF-109 | 409600 | 5494200 | 10-50 | Reddish brown |
| JF-110 | 407400 | 5495300 | 10-50 | Reddish brown |
| JF-111 | 407450 | 5495300 | 10-50 | Reddish brown |
| JF-112 | 407500 | 5495300 | 10-50 | Reddish brown |
| JF-113 | 407550 | 5495300 | 10-50 | Reddish brown |
| JF-114 | 407600 | 5495300 | 10-50 | Reddish brown |
| JF-115 | 407650 | 5495300 | 10-50 | Reddish brown |
| JF-116 | 407700 | 5495300 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| JF-76  | 409200 | 5494300 | 10-50 | Reddish brown |
| JF-77  | 409200 | 5494250 | 10-50 | Reddish brown |
| JF-78  | 409200 | 5494200 | 10-50 | Reddish brown |
| JF-79  | 409200 | 5494150 | 10-50 | Reddish brown |
| JF-80  | 409200 | 5494100 | 10-50 | Reddish brown |
| JF-124 | 408200 | 5495250 | 10-50 | Reddish brown |
| JF-125 | 408100 | 5495250 | 10-50 | Reddish brown |
| JF-126 | 408000 | 5495250 | 10-50 | Reddish brown |
| JF-127 | 407900 | 5495250 | 10-50 | Reddish brown |
| JF-128 | 407850 | 5495250 | 10-50 | Reddish brown |
| JF-129 | 407800 | 5495250 | 10-50 | Reddish brown |
| JF-130 | 407750 | 5495250 | 10-50 | Reddish brown |
| JF-131 | 407700 | 5495250 | 10-50 | Reddish brown |
| JF-132 | 407650 | 5495250 | 10-50 | Reddish brown |
| JF-133 | 407600 | 5495250 | 10-50 | Reddish brown |
| JF-134 | 407550 | 5495250 | 10-50 | Reddish brown |
| JF-135 | 407500 | 5495250 | 10-50 | Reddish brown |
| JF-136 | 407450 | 5495250 | 10-50 | Reddish brown |
| JF-137 | 407400 | 5495250 | 10-50 | Reddish brown |
| JF-138 | 407400 | 5495000 | 10-50 | Reddish brown |
| JF-139 | 407450 | 5495000 | 10-50 | Reddish brown |
| JF-140 | 407500 | 5495000 | 10-50 | Reddish brown |
| JF-141 | 407550 | 5495000 | 10-50 | Reddish brown |
| JF-142 | 407600 | 5495000 | 10-50 | Reddish brown |
| JF-143 | 407650 | 5495000 | 10-50 | Reddish brown |
| JF-144 | 407700 | 5495000 | 10-50 | Reddish brown |
| JF-145 | 407750 | 5495000 | 10-50 | Reddish brown |
| JF-146 | 407800 | 5495000 | 10-50 | Reddish brown |
| JF-147 | 407850 | 5495000 | 10-50 | Reddish brown |
| JF-148 | 407900 | 5495000 | 10-50 | Reddish brown |
| JF-149 | 408000 | 5495000 | 10-50 | Reddish brown |
| JF-150 | 408100 | 5495000 | 10-50 | Reddish brown |
| JF-151 | 408200 | 5495000 | 10-50 | Reddish brown |
| JF-152 | 408200 | 5494950 | 10-50 | Reddish brown |
| JF-153 | 408100 | 5494950 | 10-50 | Reddish brown |
| JF-154 | 408000 | 5494950 | 10-50 | Reddish brown |
| JF-155 | 407900 | 5494950 | 10-50 | Reddish brown |
| JF-156 | 407850 | 5494950 | 10-50 | Reddish brown |
| JF-157 | 407800 | 5494950 | 10-50 | Reddish brown |
| JF-158 | 407750 | 5494950 | 10-50 | Reddish brown |
| JF-159 | 407700 | 5494950 | 10-50 | Reddish brown |
| JF-160 | 407650 | 5494950 | 10-50 | Reddish brown |

|        |        |         |       |               |
|--------|--------|---------|-------|---------------|
| JF-161 | 407600 | 5494950 | 10-50 | Reddish brown |
| JF-162 | 407550 | 5494950 | 10-50 | Reddish brown |
| JF-163 | 407500 | 5494950 | 10-50 | Reddish brown |
| JF-164 | 407450 | 5494950 | 10-50 | Reddish brown |
| JF-165 | 407400 | 5494950 | 10-50 | Reddish brown |
| JF-166 | 407400 | 5494800 | 10-50 | Reddish brown |
| JF-167 | 407450 | 5494800 | 10-50 | Reddish brown |
| JF-168 | 407500 | 5494800 | 10-50 | Reddish brown |
| JF-169 | 407550 | 5494800 | 10-50 | Reddish brown |
| JF-170 | 407600 | 5494800 | 10-50 | Reddish brown |
| JF-171 | 407650 | 5494800 | 10-50 | Reddish brown |
| JF-172 | 407700 | 5494800 | 10-50 | Reddish brown |
| JF-173 | 407750 | 5494800 | 10-50 | Reddish brown |
| JF-174 | 407800 | 5494800 | 10-50 | Reddish brown |
| JF-175 | 407850 | 5494800 | 10-50 | Reddish brown |
| JF-176 | 407900 | 5494800 | 10-50 | Reddish brown |
| JF-177 | 408000 | 5494800 | 10-50 | Reddish brown |
| JF-178 | 408100 | 5494800 | 10-50 | Reddish brown |
| JF-179 | 408200 | 5494800 | 10-50 | Reddish brown |
| JF-180 | 408200 | 5494750 | 10-50 | Reddish brown |
| JF-181 | 408100 | 5494750 | 10-50 | Reddish brown |
| JF-182 | 408000 | 5494750 | 10-50 | Reddish brown |
| JF-183 | 407900 | 5494750 | 10-50 | Reddish brown |
| JF-184 | 407850 | 5494750 | 10-50 | Reddish brown |
| JF-185 | 407800 | 5494750 | 10-50 | Reddish brown |
| JF-186 | 407750 | 5494750 | 10-50 | Reddish brown |
| JF-187 | 407700 | 5494750 | 10-50 | Reddish brown |
| JF-188 | 407650 | 5494750 | 10-50 | Reddish brown |
| JF-189 | 407600 | 5494750 | 10-50 | Reddish brown |
| JF-190 | 407550 | 5494750 | 10-50 | Reddish brown |
| JF-191 | 407500 | 5494750 | 10-50 | Reddish brown |
| JF-192 | 407450 | 5494750 | 10-50 | Reddish brown |
| JF-193 | 407400 | 5494750 | 10-50 | Reddish brown |

APPENDIX 8 – 2022 ROCK ASSAY CERTIFICATE



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**CERTIFICATE VA22145299**

Project: Texada

This report is for 88 samples of Rock submitted to our lab in Vancouver, BC, Canada on 1-JUN-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                    |
|--------------------|------------------------------------|
| ALS CODE           | DESCRIPTION                        |
| WEI-21             | Received Sample Weight             |
| DISP-01            | Disposal of all sample fractions   |
| CRU-QC             | Crushing QC Test                   |
| PUL-QC             | Pulverizing QC Test                |
| LOG-21             | Sample logging - ClientBarCode     |
| CRU-31             | Fine crushing - 70% <2mm           |
| SPL-21             | Split sample - riffle splitter     |
| PUL-31             | Pulverize up to 250g 85% <75 um    |
| LOG-21d            | Sample logging - ClientBarCode Dup |
| SPL-34             | Pulp Splitting Charge              |

| ANALYTICAL PROCEDURES |                             |            |
|-----------------------|-----------------------------|------------|
| ALS CODE              | DESCRIPTION                 | INSTRUMENT |
| ME-MS61               | 48 element four acid ICP-MS |            |
| Au-AA24               | Au 50g FA AA finish         | AAS        |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | WEI-21       | Au-AA24 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                          | Recvd Wt. kg | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  |
| 1531471            |                          | 1.32         | <0.005  | 0.12    | 9.61    | 2.0     | 150     | 0.45    | 0.02    | 8.79    | 0.19    | 10.45   | 25.4    | 6       | 0.06    | 113.5   |
| 1531472            |                          | 1.68         | <0.005  | 0.02    | 7.84    | 4.4     | 140     | 0.52    | 0.01    | 6.54    | 0.10    | 20.9    | 41.2    | 172     | 0.17    | 89.6    |
| 1531473            |                          | 3.26         | <0.005  | 0.02    | 7.91    | 3.4     | 110     | 0.49    | 0.01    | 6.87    | 0.10    | 19.85   | 40.2    | 191     | 0.10    | 43.6    |
| 1531474            |                          | 1.20         | 0.041   | 0.42    | 3.36    | 2.9     | 340     | 0.43    | 3.77    | 0.97    | 0.07    | 13.65   | 9.4     | 18      | 0.18    | 145.5   |
| 1531475            |                          | 3.08         | 0.009   | 0.38    | 5.65    | 9.9     | 400     | 0.42    | 3.15    | 4.30    | 0.09    | 24.9    | 30.1    | 12      | 0.25    | 126.5   |
| 1531476            |                          | 2.06         | <0.005  | 0.78    | 8.03    | 6.6     | 1450    | 0.96    | 0.64    | 2.32    | 0.10    | 27.9    | 7.4     | 16      | 0.47    | 690     |
| 1531477            |                          | 2.70         | 0.011   | 0.89    | 7.56    | 6.0     | 510     | 1.02    | 0.37    | 2.10    | 0.08    | 21.5    | 20.2    | 13      | 0.74    | 1355    |
| 1531478            |                          | 0.74         | <0.005  | 0.12    | 8.05    | 1.6     | 790     | 1.08    | 0.09    | 2.55    | 0.02    | 37.7    | 8.0     | 14      | 0.34    | 166.0   |
| 1531479            |                          | 3.04         | 0.017   | 0.24    | 7.16    | 2.1     | 610     | 0.97    | 0.05    | 3.11    | 0.07    | 36.4    | 12.9    | 19      | 0.54    | 404     |
| 1531480            |                          | 1.90         | 0.020   | 0.43    | 8.69    | 4.1     | 200     | 0.83    | 0.41    | 1.99    | 0.03    | 24.6    | 47.2    | 14      | 0.29    | 484     |
| 1531481            |                          | <0.02        | 0.018   | 0.41    | 8.32    | 3.6     | 200     | 0.86    | 0.40    | 1.93    | 0.04    | 24.0    | 46.7    | 14      | 0.29    | 464     |
| 1531482            |                          | 1.36         | 0.011   | 0.39    | 8.09    | 2.7     | 280     | 1.01    | 0.12    | 5.29    | 0.08    | 21.5    | 26.5    | 155     | 0.43    | 783     |
| 1531483            |                          | 2.40         | 0.040   | 1.24    | 5.89    | 4.4     | 90      | 0.60    | 0.69    | 4.49    | 0.08    | 19.85   | 165.5   | 154     | 0.42    | 2040    |
| 1531484            |                          | 2.22         | 0.006   | 0.05    | 7.86    | 2.6     | 70      | 0.52    | 0.16    | 6.42    | 0.08    | 21.4    | 34.8    | 212     | 0.30    | 101.0   |
| 1531485            |                          | 1.76         | 0.008   | 0.26    | 7.16    | 2.6     | 750     | 1.00    | 0.23    | 3.36    | 0.07    | 42.0    | 8.0     | 13      | 0.31    | 246     |
| 1531486            |                          | 2.34         | <0.005  | 0.22    | 7.91    | 3.6     | 700     | 0.91    | 0.46    | 3.47    | 0.06    | 37.0    | 6.0     | 15      | 0.50    | 82.5    |
| 1531487            |                          | 1.94         | <0.005  | 0.03    | 8.20    | 2.0     | 90      | 0.53    | 0.01    | 5.41    | 0.14    | 21.9    | 39.7    | 107     | 0.29    | 172.5   |
| 1531488            |                          | 2.12         | <0.005  | 0.05    | 7.61    | 1.2     | 50      | 0.44    | 0.01    | 4.79    | 0.17    | 22.2    | 43.9    | 93      | 0.08    | 167.0   |
| 1531489            |                          | 2.50         | <0.005  | 0.05    | 7.30    | 1.8     | 30      | 0.50    | 0.01    | 6.98    | 0.05    | 23.8    | 38.2    | 98      | 0.07    | 149.0   |
| 1531490            |                          | 2.76         | <0.005  | 0.02    | 7.99    | 4.2     | 510     | 0.51    | 0.04    | 4.06    | 0.06    | 16.10   | 11.0    | 6       | 0.38    | 21.6    |
| 1531491            |                          | <0.02        | <0.005  | 0.03    | 8.09    | 3.8     | 510     | 0.58    | 0.04    | 4.04    | 0.06    | 16.25   | 11.2    | 5       | 0.40    | 21.6    |
| 1531492            |                          | 2.54         | 0.018   | 0.33    | 8.15    | 7.7     | 50      | 0.50    | 0.03    | 3.45    | 0.10    | 22.2    | 43.5    | 124     | 1.14    | 836     |
| 1531493            |                          | 1.92         | <0.005  | 0.07    | 8.78    | 1.0     | 110     | 0.66    | 0.01    | 8.30    | 0.10    | 22.3    | 36.1    | 226     | 0.46    | 260     |
| 1531494            |                          | 1.74         | 0.009   | 0.11    | 8.08    | 5.2     | 70      | 0.55    | 0.03    | 9.07    | 0.13    | 19.35   | 36.9    | 140     | 0.22    | 331     |
| 1531495            |                          | 1.62         | <0.005  | 0.06    | 8.54    | 5.4     | 50      | 0.51    | 0.08    | 12.45   | 0.32    | 24.1    | 22.6    | 106     | 0.08    | 142.0   |
| 1531496            |                          | 2.42         | <0.005  | 0.05    | 8.10    | 2.6     | 300     | 0.49    | 0.11    | 6.02    | 0.07    | 22.3    | 25.9    | 228     | 0.46    | 80.2    |
| 1531497            |                          | 2.36         | 0.055   | 0.25    | 7.99    | 8.0     | 100     | 0.49    | 0.47    | 5.61    | 0.08    | 25.5    | 41.0    | 169     | 0.29    | 109.5   |
| 1531498            |                          | 3.00         | 0.142   | 0.08    | 8.95    | 10.8    | 1110    | 0.77    | 1.06    | 2.64    | <0.02   | 39.0    | 17.5    | 9       | 0.62    | 20.6    |
| 1531499            |                          | 2.62         | 0.009   | 0.15    | 8.58    | 13.5    | 170     | 0.86    | 0.15    | 10.10   | 0.52    | 22.5    | 36.0    | 225     | 0.86    | 162.0   |
| 1531500            |                          | 2.08         | 0.530   | 0.94    | 7.79    | 137.5   | 360     | 0.65    | 1.14    | 0.84    | 0.10    | 17.30   | 50.6    | 214     | 0.88    | 175.0   |
| 62251              |                          | 3.22         | <0.005  | 0.09    | 8.23    | 3.5     | 90      | 0.53    | 0.04    | 0.75    | 0.13    | 21.1    | 57.0    | 190     | 0.44    | 139.5   |
| 62252              |                          | 3.26         | <0.005  | 0.08    | 8.97    | 2.0     | 150     | 0.51    | 0.02    | 1.42    | 0.09    | 18.90   | 42.9    | 217     | 0.95    | 178.0   |
| 62253              |                          | 2.72         | 0.005   | 0.09    | 8.22    | 1.8     | 180     | 0.53    | 0.02    | 2.75    | 0.10    | 17.95   | 38.4    | 159     | 0.99    | 217     |
| 62254              |                          | 2.92         | 0.005   | 0.11    | 6.57    | 1.4     | 70      | 0.40    | 0.02    | 8.02    | 0.09    | 17.60   | 41.9    | 116     | 0.66    | 155.0   |
| 62255              |                          | 2.94         | <0.005  | 0.03    | 7.28    | 1.3     | 60      | 0.40    | 0.01    | 8.41    | 0.07    | 15.45   | 43.3    | 192     | 0.78    | 48.5    |
| 62256              |                          | 3.86         | <0.005  | 0.15    | 5.91    | 0.9     | 50      | 0.38    | 0.01    | 11.05   | 0.10    | 12.45   | 36.1    | 142     | 0.69    | 148.5   |
| 62257              |                          | 2.58         | <0.005  | 0.15    | 7.13    | 2.9     | 80      | 0.40    | 0.01    | 0.78    | 0.08    | 11.95   | 49.8    | 262     | 0.39    | 387     |
| 62258              |                          | 3.36         | 0.008   | 0.21    | 6.57    | 1.0     | 90      | 0.31    | 0.02    | 6.73    | 0.11    | 14.30   | 37.0    | 177     | 0.71    | 476     |
| 62259              |                          | 3.04         | <0.005  | 0.06    | 7.00    | 1.5     | 150     | 0.37    | 0.01    | 1.40    | 0.05    | 12.65   | 40.0    | 354     | 0.88    | 188.0   |
| 62260              |                          | 2.84         | <0.005  | 0.01    | 7.47    | 3.2     | 80      | 0.45    | 0.01    | 0.68    | 0.05    | 8.92    | 59.0    | 383     | 0.42    | 64.2    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| 1531471            |                          | 7.21    | 20.1    | 0.10    | 0.5     | 0.055   | 0.10    | 3.9     | 3.3     | 2.23    | 1260    | 0.27    | 1.65    | 0.8     | 6.4     | 560   |
| 1531472            |                          | 8.98    | 19.60   | 0.11    | 2.0     | 0.083   | 0.45    | 8.4     | 10.0    | 3.72    | 1300    | 0.41    | 2.84    | 10.8    | 94.5    | 720   |
| 1531473            |                          | 8.89    | 22.8    | 0.11    | 2.4     | 0.077   | 0.19    | 7.8     | 6.2     | 3.56    | 1470    | 0.41    | 2.81    | 9.7     | 91.1    | 670   |
| 1531474            |                          | 3.81    | 6.90    | 0.07    | 0.3     | 0.017   | 1.13    | 6.9     | 2.9     | 0.44    | 247     | 49.5    | 1.02    | 3.1     | 3.6     | 360   |
| 1531475            |                          | 10.40   | 14.10   | 0.10    | 0.4     | 0.156   | 0.90    | 12.4    | 7.0     | 0.86    | 2450    | 4.25    | 0.09    | 5.5     | 4.4     | 600   |
| 1531476            |                          | 4.96    | 17.45   | 0.14    | 0.8     | 0.066   | 3.28    | 14.1    | 8.1     | 1.16    | 1015    | 57.0    | 1.89    | 8.6     | 5.6     | 1080  |
| 1531477            |                          | 7.43    | 18.75   | 0.11    | 0.7     | 0.022   | 1.64    | 11.4    | 9.6     | 1.08    | 421     | 29.8    | 2.49    | 4.7     | 10.0    | 930   |
| 1531478            |                          | 3.96    | 17.25   | 0.12    | 0.7     | 0.015   | 1.47    | 18.2    | 6.7     | 1.08    | 503     | 15.15   | 2.79    | 8.8     | 6.1     | 920   |
| 1531479            |                          | 4.58    | 17.05   | 0.14    | 0.7     | 0.027   | 1.34    | 16.8    | 9.5     | 1.36    | 517     | 19.25   | 2.34    | 7.7     | 7.7     | 1050  |
| 1531480            |                          | 6.07    | 17.60   | 0.13    | 0.6     | 0.168   | 0.66    | 12.0    | 5.0     | 1.22    | 419     | 1.86    | 5.00    | 6.8     | 9.9     | 1030  |
| 1531481            |                          | 5.92    | 17.50   | 0.12    | 0.7     | 0.161   | 0.65    | 11.4    | 4.9     | 1.21    | 417     | 1.55    | 4.93    | 6.7     | 9.9     | 1020  |
| 1531482            |                          | 6.83    | 18.65   | 0.12    | 0.9     | 0.159   | 1.07    | 9.2     | 3.2     | 3.26    | 887     | 4.80    | 2.98    | 10.4    | 70.0    | 650   |
| 1531483            |                          | 12.65   | 16.05   | 0.12    | 0.9     | 0.105   | 1.32    | 6.3     | 2.8     | 3.17    | 655     | 13.05   | 1.91    | 7.3     | 172.5   | 460   |
| 1531484            |                          | 8.06    | 17.45   | 0.11    | 1.2     | 0.082   | 0.51    | 8.8     | 4.0     | 4.07    | 1230    | 0.41    | 2.74    | 10.2    | 94.6    | 690   |
| 1531485            |                          | 3.23    | 18.45   | 0.14    | 0.7     | 0.042   | 1.93    | 20.4    | 6.3     | 1.05    | 632     | 4.17    | 2.44    | 9.9     | 6.1     | 930   |
| 1531486            |                          | 4.51    | 18.85   | 0.14    | 0.4     | 0.044   | 2.11    | 17.9    | 8.3     | 1.33    | 787     | 6.19    | 2.53    | 8.4     | 4.6     | 990   |
| 1531487            |                          | 8.77    | 19.10   | 0.11    | 2.2     | 0.082   | 0.25    | 8.8     | 8.3     | 4.17    | 1545    | 0.30    | 3.29    | 11.4    | 75.3    | 750   |
| 1531488            |                          | 9.31    | 17.60   | 0.11    | 2.3     | 0.081   | 0.08    | 8.7     | 8.8     | 3.96    | 1515    | 0.81    | 2.85    | 10.8    | 74.7    | 760   |
| 1531489            |                          | 9.06    | 19.70   | 0.10    | 2.6     | 0.086   | 0.04    | 9.9     | 5.3     | 3.91    | 1235    | 0.75    | 3.09    | 11.4    | 76.3    | 800   |
| 1531490            |                          | 3.75    | 14.15   | 0.11    | 1.6     | 0.032   | 1.06    | 7.3     | 15.7    | 1.36    | 1015    | 0.44    | 2.63    | 2.9     | 2.9     | 430   |
| 1531491            |                          | 3.75    | 14.10   | 0.12    | 1.7     | 0.032   | 1.09    | 7.4     | 15.6    | 1.36    | 1005    | 0.42    | 2.71    | 2.8     | 2.9     | 410   |
| 1531492            |                          | 9.63    | 20.9    | 0.12    | 2.2     | 0.078   | 0.39    | 9.2     | 23.7    | 4.72    | 1345    | 0.65    | 2.46    | 12.5    | 89.6    | 760   |
| 1531493            |                          | 7.46    | 20.2    | 0.12    | 0.7     | 0.093   | 0.72    | 8.9     | 11.0    | 1.52    | 1035    | 0.28    | 3.13    | 11.2    | 90.1    | 800   |
| 1531494            |                          | 7.89    | 31.4    | 0.09    | 2.0     | 0.072   | 0.28    | 7.8     | 7.4     | 3.38    | 1310    | 0.65    | 2.25    | 8.9     | 78.8    | 620   |
| 1531495            |                          | 7.80    | 36.6    | 0.10    | 2.5     | 0.115   | 0.14    | 10.2    | 2.8     | 1.89    | 1545    | 0.58    | 1.72    | 12.0    | 50.0    | 650   |
| 1531496            |                          | 8.57    | 18.95   | 0.11    | 1.1     | 0.087   | 0.98    | 9.0     | 8.2     | 4.49    | 1405    | 0.43    | 2.25    | 11.1    | 93.1    | 730   |
| 1531497            |                          | 8.83    | 17.60   | 0.10    | 1.3     | 0.072   | 0.36    | 11.1    | 6.8     | 3.96    | 1135    | 1.08    | 2.64    | 9.5     | 79.8    | 870   |
| 1531498            |                          | 7.35    | 17.75   | 0.15    | 0.4     | 0.044   | 2.78    | 19.3    | 6.9     | 1.39    | 472     | 0.53    | 2.94    | 4.4     | 12.0    | 1630  |
| 1531499            |                          | 9.02    | 23.9    | 0.14    | 1.1     | 0.197   | 0.59    | 9.1     | 14.5    | 1.30    | 1945    | 1.54    | 1.45    | 11.0    | 100.5   | 750   |
| 1531500            |                          | 12.10   | 19.55   | 0.15    | 1.1     | 0.074   | 1.16    | 6.7     | 52.8    | 3.87    | 1110    | 0.75    | 0.33    | 10.2    | 89.2    | 680   |
| 62251              |                          | 9.91    | 20.7    | 0.14    | 2.4     | 0.081   | 0.46    | 8.8     | 22.1    | 3.72    | 1555    | 0.26    | 2.02    | 10.4    | 107.5   | 700   |
| 62252              |                          | 8.85    | 20.9    | 0.18    | 1.4     | 0.088   | 1.44    | 7.3     | 26.4    | 3.82    | 1280    | 0.27    | 0.78    | 9.6     | 91.0    | 740   |
| 62253              |                          | 7.69    | 18.15   | 0.15    | 1.2     | 0.082   | 1.59    | 7.0     | 20.2    | 2.98    | 1665    | 0.30    | 0.40    | 8.5     | 90.5    | 680   |
| 62254              |                          | 7.76    | 15.35   | 0.15    | 1.0     | 0.069   | 0.56    | 6.8     | 22.5    | 2.83    | 1340    | 0.16    | 1.06    | 7.4     | 86.1    | 570   |
| 62255              |                          | 7.62    | 15.60   | 0.14    | 1.2     | 0.060   | 0.48    | 5.9     | 23.1    | 3.04    | 1210    | 0.15    | 1.48    | 6.7     | 98.5    | 500   |
| 62256              |                          | 6.98    | 12.80   | 0.10    | 0.9     | 0.055   | 0.57    | 4.6     | 26.0    | 4.05    | 1520    | 0.17    | 0.15    | 5.2     | 65.9    | 440   |
| 62257              |                          | 7.78    | 15.65   | 0.14    | 0.5     | 0.070   | 0.56    | 3.9     | 19.6    | 3.61    | 1095    | 0.76    | 1.90    | 6.8     | 109.0   | 550   |
| 62258              |                          | 7.64    | 14.90   | 0.13    | 1.0     | 0.066   | 0.74    | 5.4     | 25.2    | 4.35    | 1160    | 0.30    | 0.57    | 5.3     | 76.2    | 480   |
| 62259              |                          | 7.02    | 15.60   | 0.15    | 1.0     | 0.060   | 0.95    | 5.3     | 25.8    | 3.36    | 1045    | 0.74    | 0.88    | 4.7     | 112.0   | 470   |
| 62260              |                          | 8.16    | 16.95   | 0.15    | 0.5     | 0.066   | 0.44    | 3.0     | 28.9    | 4.06    | 1030    | 0.24    | 1.91    | 6.2     | 155.0   | 520   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                    |                          | Pb      | Rb      | Re      | S       | Sb      | Sc      | Se      | Sn      | Sr      | Ta      | Te      | Th      | Ti      | Tl      | U    |
|                    |                          | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm  |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.01    | 0.005   | 0.02    | 0.1  |
| 1531471            |                          | 2.2     | 0.5     | <0.002  | 0.08    | 0.34    | 22.0    | 1       | 0.5     | 580     | <0.05   | <0.05   | 0.08    | 0.499   | 0.02    | <0.1 |
| 1531472            |                          | 0.8     | 10.4    | <0.002  | <0.01   | 0.45    | 37.7    | <1      | 1.1     | 472     | 0.57    | <0.05   | 0.49    | 1.150   | 0.02    | 0.2  |
| 1531473            |                          | 0.9     | 4.2     | <0.002  | <0.01   | 0.40    | 36.9    | 1       | 1.0     | 329     | 0.55    | <0.05   | 0.48    | 1.095   | <0.02   | 0.2  |
| 1531474            |                          | 3.3     | 26.3    | 0.002   | 2.13    | 0.29    | 3.2     | 1       | 0.5     | 187.5   | 0.20    | 1.43    | 1.19    | 0.120   | 0.12    | 0.8  |
| 1531475            |                          | 10.0    | 32.3    | <0.002  | 4.64    | 2.10    | 5.6     | 1       | 0.7     | 477     | 0.36    | 1.47    | 2.03    | 0.198   | 0.17    | 1.1  |
| 1531476            |                          | 3.6     | 68.9    | 0.004   | 1.01    | 0.42    | 9.1     | 2       | 0.9     | 656     | 0.48    | 0.12    | 3.87    | 0.314   | 0.32    | 1.8  |
| 1531477            |                          | 3.3     | 44.7    | 0.008   | 3.94    | 0.26    | 8.8     | 3       | 0.8     | 551     | 0.26    | 0.23    | 2.74    | 0.246   | 0.21    | 6.7  |
| 1531478            |                          | 3.1     | 32.8    | 0.002   | 0.60    | 0.22    | 8.7     | 1       | 0.6     | 581     | 0.51    | <0.05   | 3.15    | 0.283   | 0.14    | 1.5  |
| 1531479            |                          | 2.4     | 48.7    | 0.012   | 0.81    | 0.22    | 13.2    | 1       | 0.7     | 481     | 0.43    | 0.08    | 3.07    | 0.322   | 0.17    | 1.2  |
| 1531480            |                          | 2.9     | 22.9    | <0.002  | 3.04    | 0.53    | 9.7     | 3       | 0.7     | 336     | 0.42    | 0.34    | 3.68    | 0.290   | 0.10    | 1.3  |
| 1531481            |                          | 2.8     | 22.7    | <0.002  | 3.04    | 0.52    | 9.6     | 2       | 0.7     | 321     | 0.40    | 0.39    | 3.75    | 0.292   | 0.11    | 1.2  |
| 1531482            |                          | 2.5     | 32.2    | 0.002   | 1.77    | 0.54    | 26.9    | 2       | 2.2     | 353     | 0.58    | 0.19    | 1.14    | 0.754   | 0.15    | 0.9  |
| 1531483            |                          | 1.4     | 68.3    | 0.005   | 7.64    | 0.79    | 30.0    | 4       | 2.4     | 292     | 0.44    | 0.51    | 0.63    | 0.738   | 0.32    | 0.7  |
| 1531484            |                          | 1.3     | 17.6    | <0.002  | 0.84    | 0.53    | 34.9    | 1       | 1.8     | 257     | 0.58    | 0.12    | 0.63    | 0.983   | 0.10    | 0.4  |
| 1531485            |                          | 3.1     | 49.6    | <0.002  | 0.71    | 0.32    | 8.9     | 1       | 1.2     | 456     | 0.56    | 0.14    | 3.03    | 0.279   | 0.20    | 1.9  |
| 1531486            |                          | 3.5     | 63.0    | 0.005   | 0.52    | 0.48    | 12.6    | 1       | 0.8     | 482     | 0.49    | 0.13    | 3.68    | 0.362   | 0.35    | 1.8  |
| 1531487            |                          | 0.7     | 5.1     | 0.002   | <0.01   | 0.20    | 38.5    | <1      | 1.1     | 399     | 0.63    | <0.05   | 0.57    | 1.130   | 0.02    | 0.2  |
| 1531488            |                          | 0.7     | 1.2     | <0.002  | <0.01   | 0.22    | 38.3    | <1      | 1.1     | 190.0   | 0.58    | <0.05   | 0.61    | 1.100   | <0.02   | 0.2  |
| 1531489            |                          | 0.8     | 0.6     | <0.002  | 0.18    | 0.17    | 36.8    | 1       | 1.1     | 111.0   | 0.61    | <0.05   | 0.60    | 1.100   | <0.02   | 0.2  |
| 1531490            |                          | 5.2     | 18.7    | <0.002  | 0.01    | 0.28    | 13.8    | <1      | 0.4     | 394     | 0.22    | <0.05   | 0.98    | 0.273   | 0.12    | 0.5  |
| 1531491            |                          | 5.1     | 17.1    | <0.002  | 0.01    | 0.29    | 14.5    | <1      | 0.4     | 395     | 0.22    | <0.05   | 1.06    | 0.265   | 0.12    | 0.5  |
| 1531492            |                          | 1.1     | 7.9     | <0.002  | 0.05    | 5.28    | 40.8    | 1       | 1.2     | 51.8    | 0.66    | 0.08    | 0.56    | 1.265   | 0.06    | 0.2  |
| 1531493            |                          | 0.8     | 16.2    | <0.002  | 0.01    | 0.23    | 41.4    | 1       | 1.2     | 445     | 0.62    | <0.05   | 0.41    | 1.255   | 0.04    | 0.1  |
| 1531494            |                          | 1.7     | 5.9     | 0.002   | 0.13    | 1.55    | 31.9    | 1       | 1.0     | 365     | 0.50    | 0.05    | 0.47    | 0.924   | 0.04    | 0.1  |
| 1531495            |                          | 3.6     | 2.1     | <0.002  | 0.01    | 2.23    | 30.2    | 1       | 1.2     | 287     | 0.66    | 0.05    | 0.67    | 1.025   | <0.02   | 0.2  |
| 1531496            |                          | 1.4     | 20.9    | 0.003   | 0.30    | 0.44    | 36.8    | 1       | 1.2     | 316     | 0.61    | 0.07    | 0.63    | 1.080   | 0.12    | 0.2  |
| 1531497            |                          | 2.3     | 15.0    | 0.009   | 2.37    | 2.58    | 32.0    | 2       | 1.0     | 404     | 0.51    | 0.92    | 0.67    | 0.889   | 0.06    | 0.2  |
| 1531498            |                          | 2.7     | 90.8    | 0.002   | 2.93    | 1.84    | 13.5    | 1       | 0.8     | 307     | 0.22    | 0.68    | 1.25    | 0.391   | 0.52    | 0.6  |
| 1531499            |                          | 8.6     | 9.2     | 0.003   | 0.01    | 3.46    | 40.8    | 1       | 1.6     | 241     | 0.65    | 0.10    | 0.59    | 1.085   | 0.06    | 0.2  |
| 1531500            |                          | 6.2     | 23.7    | <0.002  | 3.97    | 15.70   | 36.7    | 3       | 1.1     | 62.9    | 0.56    | 67.0    | 0.53    | 0.947   | 0.21    | 0.3  |
| 62251              |                          | 1.6     | 11.2    | <0.002  | 0.01    | 1.21    | 46.8    | 1       | 0.9     | 105.0   | 0.65    | 0.12    | 0.71    | 1.040   | 0.06    | 0.2  |
| 62252              |                          | 1.2     | 31.1    | <0.002  | <0.01   | 0.70    | 47.9    | 1       | 0.9     | 59.1    | 0.58    | <0.05   | 0.62    | 1.025   | 0.12    | 0.2  |
| 62253              |                          | 1.1     | 30.7    | <0.002  | 0.01    | 0.65    | 42.4    | 1       | 0.9     | 60.5    | 0.56    | 0.19    | 0.50    | 0.982   | 0.12    | 0.2  |
| 62254              |                          | 1.2     | 14.6    | <0.002  | 0.01    | 0.66    | 36.0    | 1       | 0.7     | 109.0   | 0.46    | <0.05   | 0.45    | 0.811   | 0.07    | 0.1  |
| 62255              |                          | 1.0     | 11.7    | <0.002  | <0.01   | 0.52    | 39.6    | 1       | 0.6     | 127.0   | 0.40    | <0.05   | 0.43    | 0.768   | 0.06    | 0.1  |
| 62256              |                          | 1.1     | 12.2    | <0.002  | 0.01    | 0.54    | 30.4    | 1       | 0.5     | 118.0   | 0.31    | <0.05   | 0.38    | 0.587   | 0.04    | 0.1  |
| 62257              |                          | 1.1     | 5.9     | <0.002  | <0.01   | 0.57    | 37.6    | 1       | 0.7     | 73.5    | 0.41    | <0.05   | 0.35    | 0.737   | 0.04    | 0.1  |
| 62258              |                          | 0.8     | 19.0    | <0.002  | 0.01    | 0.51    | 33.9    | 1       | 0.6     | 106.0   | 0.32    | <0.05   | 0.37    | 0.617   | 0.07    | 0.1  |
| 62259              |                          | 0.5     | 25.0    | <0.002  | <0.01   | 0.40    | 39.6    | <1      | 0.5     | 48.5    | 0.32    | <0.05   | 0.41    | 0.549   | 0.06    | 0.1  |
| 62260              |                          | 0.9     | 3.4     | <0.002  | <0.01   | 0.78    | 39.6    | <1      | 0.6     | 80.9    | 0.40    | <0.05   | 0.25    | 0.678   | 0.04    | 0.1  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|
|                    |                          | V       | W       | Y       | Zn      | Zr      |
|                    |                          | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    |                          | 1       | 0.1     | 0.1     | 2       | 0.5     |
| 1531471            |                          | 339     | 0.9     | 12.8    | 88      | 11.7    |
| 1531472            |                          | 348     | 0.4     | 23.7    | 101     | 59.4    |
| 1531473            |                          | 350     | 0.7     | 23.2    | 91      | 72.6    |
| 1531474            |                          | 40      | 57.5    | 4.7     | 29      | 5.6     |
| 1531475            |                          | 82      | 7.8     | 10.6    | 148     | 6.8     |
| 1531476            |                          | 114     | 1.3     | 14.5    | 119     | 13.7    |
| 1531477            |                          | 102     | 2.1     | 11.7    | 39      | 13.7    |
| 1531478            |                          | 99      | 1.2     | 14.4    | 37      | 15.2    |
| 1531479            |                          | 124     | 0.9     | 17.9    | 45      | 14.9    |
| 1531480            |                          | 137     | 1.9     | 13.2    | 42      | 12.2    |
| 1531481            |                          | 136     | 2.0     | 13.1    | 41      | 13.6    |
| 1531482            |                          | 266     | 2.2     | 18.5    | 61      | 19.5    |
| 1531483            |                          | 245     | 2.7     | 19.0    | 41      | 15.2    |
| 1531484            |                          | 324     | 5.0     | 22.6    | 81      | 34.6    |
| 1531485            |                          | 92      | 4.4     | 16.3    | 50      | 11.8    |
| 1531486            |                          | 144     | 0.7     | 17.2    | 73      | 6.6     |
| 1531487            |                          | 366     | 0.2     | 24.9    | 104     | 66.2    |
| 1531488            |                          | 369     | 0.2     | 23.7    | 105     | 63.3    |
| 1531489            |                          | 346     | 0.3     | 27.1    | 85      | 87.1    |
| 1531490            |                          | 121     | 0.3     | 12.5    | 58      | 58.2    |
| 1531491            |                          | 120     | 0.3     | 12.6    | 58      | 57.9    |
| 1531492            |                          | 403     | 0.4     | 25.5    | 110     | 62.0    |
| 1531493            |                          | 406     | 0.2     | 23.7    | 273     | 20.2    |
| 1531494            |                          | 296     | 0.2     | 21.4    | 77      | 52.5    |
| 1531495            |                          | 335     | 0.2     | 23.8    | 73      | 86.7    |
| 1531496            |                          | 352     | 0.3     | 23.0    | 88      | 25.5    |
| 1531497            |                          | 296     | 0.8     | 23.6    | 67      | 31.3    |
| 1531498            |                          | 93      | 2.6     | 22.9    | 37      | 8.4     |
| 1531499            |                          | 331     | 0.2     | 22.6    | 177     | 33.2    |
| 1531500            |                          | 314     | 4.2     | 20.7    | 107     | 25.7    |
| 62251              |                          | 376     | 0.5     | 21.7    | 135     | 81.6    |
| 62252              |                          | 364     | 0.7     | 17.2    | 109     | 49.0    |
| 62253              |                          | 363     | 0.8     | 17.9    | 93      | 40.6    |
| 62254              |                          | 290     | 0.9     | 19.4    | 108     | 34.8    |
| 62255              |                          | 276     | 0.6     | 17.4    | 101     | 52.3    |
| 62256              |                          | 219     | 0.5     | 13.6    | 98      | 28.1    |
| 62257              |                          | 288     | 0.2     | 10.9    | 87      | 16.3    |
| 62258              |                          | 252     | 0.2     | 15.9    | 78      | 22.6    |
| 62259              |                          | 265     | 0.2     | 14.6    | 68      | 46.8    |
| 62260              |                          | 307     | 0.1     | 10.4    | 102     | 18.1    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method  | WEI-21    | Au-AA24 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|---------|-----------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    | Analyte | Recvd Wt. | Au      | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      |
|                    | Units   | kg        | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     |
|                    | LOD     | 0.02      | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     |
| 62261              |         | <0.02     | <0.005  | 0.02    | 7.78    | 2.9     | 90      | 0.42    | 0.01    | 0.73    | 0.06    | 9.46    | 58.9    | 397     | 0.45    | 59.4    |
| 62262              |         | 2.90      | <0.005  | 0.07    | 8.35    | 3.3     | 190     | 0.49    | 0.03    | 0.68    | 0.07    | 13.55   | 56.0    | 370     | 0.73    | 255     |
| 62263              |         | 3.26      | 0.005   | 0.05    | 6.85    | 1.9     | 80      | 0.41    | 0.01    | 0.66    | 0.09    | 15.55   | 42.3    | 277     | 0.83    | 211     |
| 62264              |         | 3.82      | 0.009   | 0.33    | 6.38    | 1.3     | 150     | 0.31    | 0.02    | 5.51    | 0.09    | 12.85   | 34.9    | 244     | 0.64    | 885     |
| 62265              |         | 1.98      | 0.013   | 0.63    | 6.76    | 2.0     | 140     | 0.37    | 0.04    | 1.88    | 0.05    | 11.50   | 34.4    | 322     | 0.69    | 1125    |
| 62266              |         | 2.50      | <0.005  | 0.04    | 7.48    | 1.1     | 90      | 0.30    | 0.01    | 4.34    | 0.07    | 12.10   | 42.7    | 411     | 0.51    | 112.0   |
| 62267              |         | 2.44      | <0.005  | 0.02    | 7.50    | 1.5     | 120     | 0.29    | <0.01   | 2.26    | 0.09    | 8.41    | 44.5    | 359     | 0.51    | 38.7    |
| 62268              |         | 2.10      | <0.005  | 0.07    | 7.69    | 1.8     | 130     | 0.37    | 0.01    | 1.65    | 0.16    | 13.15   | 42.6    | 290     | 0.91    | 133.0   |
| 62269              |         | 2.50      | <0.005  | 0.07    | 6.32    | 1.6     | 40      | 0.32    | 0.01    | 0.69    | 0.12    | 14.55   | 41.8    | 213     | 0.39    | 113.0   |
| 62270              |         | 2.46      | <0.005  | 0.03    | 7.54    | 3.5     | 50      | 0.43    | 0.03    | 1.66    | 0.06    | 11.30   | 48.7    | 287     | 0.24    | 48.7    |
| 62271              |         | <0.02     | <0.005  | 0.03    | 7.71    | 3.8     | 50      | 0.40    | 0.02    | 1.72    | 0.07    | 12.05   | 50.4    | 290     | 0.26    | 52.0    |
| 62272              |         | 2.86      | <0.005  | 0.03    | 7.68    | 5.1     | 50      | 0.50    | 0.01    | 0.72    | 0.06    | 10.05   | 48.4    | 306     | 0.37    | 42.5    |
| 62273              |         | 2.58      | <0.005  | 0.02    | 7.49    | 4.7     | 50      | 0.54    | 0.01    | 0.43    | 0.07    | 9.75    | 52.1    | 292     | 0.34    | 47.0    |
| 62274              |         | 1.40      | 0.978   | 1.52    | 5.74    | 299     | 270     | 0.34    | 2.46    | 0.31    | 0.06    | 14.10   | 8.3     | 113     | 0.37    | 204     |
| 62275              |         | 2.94      | 0.140   | 0.21    | 6.74    | 3.9     | 80      | 0.60    | 1.04    | 4.16    | 0.06    | 21.2    | 65.9    | 83      | 1.11    | 281     |
| 62276              |         | 2.32      | 0.061   | 0.41    | 7.94    | 49.1    | 290     | 0.56    | 1.50    | 4.31    | 0.27    | 19.35   | 26.5    | 40      | 2.21    | 388     |
| 62277              |         | 4.18      | 0.017   | 0.18    | 7.15    | 9.6     | 90      | 0.54    | 3.44    | 6.05    | 0.19    | 23.3    | 44.3    | 76      | 0.48    | 223     |
| 62278              |         | 3.72      | 0.006   | 0.17    | 6.44    | 2.5     | 70      | 0.38    | 0.10    | 4.43    | 0.22    | 15.80   | 33.3    | 58      | 0.36    | 226     |
| 62279              |         | 2.70      | <0.005  | 0.04    | 8.43    | 3.8     | 380     | 1.16    | 0.05    | 5.47    | 0.35    | 20.2    | 5.0     | 4       | 1.05    | 21.8    |
| 62280              |         | 2.68      | 0.007   | 0.10    | 8.32    | 3.9     | 360     | 0.86    | 0.38    | 7.00    | 0.24    | 30.8    | 37.5    | 86      | 1.17    | 98.0    |
| 62281              |         | 2.46      | 0.011   | 0.12    | 4.73    | 5.7     | 140     | 0.73    | 0.20    | 9.24    | 0.15    | 27.4    | 25.5    | 50      | 0.23    | 162.0   |
| 62282              |         | 1.62      | 0.036   | 0.29    | 7.77    | 9.0     | 280     | 0.73    | 0.37    | 6.34    | 0.22    | 33.3    | 47.8    | 162     | 0.36    | 354     |
| 62283              |         | 1.66      | 0.037   | 0.78    | 7.09    | 33.9    | 100     | 0.60    | 0.69    | 4.83    | 0.18    | 26.9    | 95.5    | 66      | 0.24    | 636     |
| 62284              |         | 4.26      | 0.013   | 0.20    | 7.29    | 21.8    | 150     | 0.51    | 0.44    | 6.52    | 0.18    | 24.4    | 66.1    | 158     | 0.34    | 418     |
| 62285              |         | 1.72      | 0.013   | 0.22    | 7.61    | 20.9    | 350     | 0.93    | 0.31    | 4.77    | 0.23    | 24.9    | 21.1    | 16      | 0.35    | 247     |
| 62286              |         | 1.94      | 0.039   | 0.09    | 5.33    | 23.9    | 230     | 0.41    | 0.04    | 3.26    | 0.22    | 17.35   | 6.5     | 15      | 0.59    | 12.6    |
| 62287              |         | 2.84      | 0.010   | 0.02    | 7.84    | 8.9     | 70      | 0.47    | 0.03    | 8.70    | 0.17    | 17.35   | 17.6    | 43      | 0.16    | 112.0   |
| 62288              |         | 3.76      | 1.275   | 0.11    | 6.83    | 4.9     | 140     | 0.50    | 0.01    | 1.73    | 0.22    | 18.40   | 28.4    | 52      | 0.55    | 92.2    |
| 62289              |         | 3.66      | 0.390   | 0.10    | 3.88    | 5.5     | 40      | 0.25    | 0.05    | 2.50    | 0.18    | 9.69    | 24.9    | 153     | 0.36    | 36.2    |
| 62290              |         | 5.04      | 0.075   | 0.24    | 2.51    | 3.2     | 40      | 0.21    | 0.01    | 6.01    | 0.32    | 7.43    | 18.6    | 71      | 0.39    | 398     |
| 62291              |         | 4.48      | 0.022   | 1.05    | 4.52    | 2.8     | 30      | 0.43    | 0.04    | 1.28    | 0.14    | 17.95   | 21.2    | 76      | 0.42    | 1425    |
| 62292              |         | 2.48      | 0.007   | 0.06    | 6.80    | 3.0     | 40      | 0.72    | 0.02    | 8.16    | 0.10    | 19.10   | 35.5    | 66      | 0.18    | 170.0   |
| 62293              |         | 1.48      | 0.005   | 0.01    | 4.93    | 3.5     | 20      | 0.25    | 0.02    | 5.45    | 0.06    | 4.18    | 7.1     | 21      | 0.17    | 23.8    |
| 62294              |         | 4.76      | <0.005  | 0.08    | 7.53    | 2.3     | 70      | 0.76    | 0.01    | 3.27    | 0.08    | 16.30   | 38.3    | 198     | 0.86    | 344     |
| 62295              |         | 3.96      | 0.005   | 0.04    | 7.49    | 1.9     | 50      | 0.69    | 0.01    | 3.30    | 0.09    | 18.15   | 37.2    | 163     | 0.73    | 214     |
| 62296              |         | 4.00      | 0.005   | 0.04    | 6.66    | 2.3     | 70      | 0.59    | 0.01    | 5.96    | 0.09    | 19.35   | 28.8    | 118     | 1.00    | 187.5   |
| 62297              |         | 4.88      | <0.005  | 0.04    | 6.32    | 2.4     | 70      | 0.56    | 0.01    | 8.64    | 0.08    | 15.05   | 24.3    | 106     | 0.89    | 134.5   |
| 62298              |         | 4.08      | 0.006   | 0.05    | 7.34    | 2.6     | 50      | 0.55    | 0.01    | 1.79    | 0.07    | 17.75   | 27.0    | 136     | 0.94    | 205     |
| 62299              |         | 3.86      | 0.005   | 0.03    | 7.47    | 2.3     | 50      | 0.54    | 0.01    | 4.63    | 0.07    | 16.35   | 28.9    | 146     | 0.94    | 170.0   |
| 62300              |         | 4.88      | 0.007   | 0.11    | 7.01    | 8.0     | 50      | 0.47    | 0.01    | 3.99    | 0.11    | 17.45   | 33.7    | 136     | 0.91    | 430     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Fe %    | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm |
| 62261              |                          | 8.35    | 17.00   | 0.14    | 0.5     | 0.067   | 0.47    | 3.3     | 28.8    | 4.13    | 1040    | 0.32    | 1.95    | 6.0     | 154.5   | 530   |
| 62262              |                          | 10.00   | 19.30   | 0.17    | 0.3     | 0.083   | 0.59    | 5.1     | 24.5    | 3.20    | 1020    | 0.20    | 2.83    | 6.6     | 140.0   | 620   |
| 62263              |                          | 7.68    | 15.20   | 0.15    | 1.5     | 0.065   | 0.79    | 5.7     | 24.9    | 2.82    | 1060    | 0.81    | 0.80    | 4.8     | 104.5   | 470   |
| 62264              |                          | 7.87    | 13.20   | 0.14    | 0.5     | 0.063   | 0.72    | 5.4     | 24.8    | 4.18    | 1240    | 0.46    | 0.70    | 4.4     | 92.1    | 430   |
| 62265              |                          | 6.39    | 13.75   | 0.14    | 1.1     | 0.053   | 0.92    | 4.3     | 19.2    | 2.73    | 890     | 0.42    | 1.23    | 4.1     | 99.6    | 420   |
| 62266              |                          | 7.58    | 15.00   | 0.15    | 0.4     | 0.057   | 0.53    | 4.5     | 28.8    | 3.54    | 1070    | 0.51    | 1.75    | 5.4     | 130.0   | 470   |
| 62267              |                          | 7.26    | 16.05   | 0.14    | 0.4     | 0.057   | 0.85    | 3.0     | 26.3    | 3.28    | 754     | 0.29    | 1.49    | 4.7     | 108.5   | 490   |
| 62268              |                          | 7.72    | 15.90   | 0.16    | 1.2     | 0.067   | 1.28    | 4.8     | 25.9    | 3.67    | 1190    | 0.50    | 0.74    | 5.4     | 95.0    | 520   |
| 62269              |                          | 7.32    | 14.30   | 0.15    | 1.1     | 0.060   | 0.34    | 5.9     | 18.7    | 3.45    | 1050    | 0.65    | 1.73    | 6.5     | 86.3    | 480   |
| 62270              |                          | 8.87    | 16.30   | 0.14    | 0.7     | 0.069   | 0.16    | 4.0     | 20.0    | 4.41    | 910     | 0.26    | 3.04    | 7.9     | 119.5   | 600   |
| 62271              |                          | 8.99    | 16.70   | 0.17    | 0.7     | 0.072   | 0.17    | 4.4     | 20.7    | 4.47    | 930     | 0.28    | 3.03    | 8.2     | 122.0   | 610   |
| 62272              |                          | 8.15    | 16.55   | 0.16    | 0.8     | 0.071   | 0.20    | 3.3     | 21.7    | 4.45    | 1005    | 0.30    | 3.07    | 7.7     | 119.5   | 560   |
| 62273              |                          | 8.40    | 18.40   | 0.15    | 1.0     | 0.078   | 0.14    | 3.2     | 24.4    | 4.35    | 1085    | 0.24    | 3.01    | 8.6     | 121.0   | 580   |
| 62274              |                          | 11.75   | 16.90   | 0.19    | 0.9     | 0.069   | 1.46    | 5.3     | 13.8    | 2.12    | 586     | 1.11    | 0.07    | 5.9     | 36.1    | 410   |
| 62275              |                          | 7.97    | 17.65   | 0.17    | 2.1     | 0.055   | 0.32    | 8.6     | 8.4     | 2.65    | 1360    | 1.17    | 1.88    | 11.1    | 43.7    | 650   |
| 62276              |                          | 9.29    | 17.70   | 0.17    | 0.7     | 0.047   | 1.17    | 8.5     | 11.2    | 2.25    | 786     | 1.79    | 1.02    | 5.0     | 35.7    | 770   |
| 62277              |                          | 9.20    | 19.30   | 0.18    | 1.2     | 0.068   | 0.37    | 9.6     | 10.4    | 3.25    | 1435    | 1.00    | 1.47    | 11.4    | 61.4    | 770   |
| 62278              |                          | 7.93    | 21.4    | 0.15    | 1.4     | 0.063   | 0.20    | 5.7     | 7.5     | 2.29    | 1340    | 0.98    | 2.66    | 7.8     | 45.0    | 520   |
| 62279              |                          | 3.03    | 19.05   | 0.22    | 1.4     | 0.023   | 0.74    | 8.5     | 21.5    | 1.06    | 771     | 1.21    | 2.87    | 6.2     | 0.9     | 1360  |
| 62280              |                          | 8.46    | 18.00   | 0.19    | 1.7     | 0.119   | 0.67    | 13.1    | 14.7    | 3.83    | 1480    | 0.60    | 1.97    | 5.9     | 37.5    | 1090  |
| 62281              |                          | 8.48    | 12.95   | 0.14    | 1.7     | 0.102   | 0.20    | 11.6    | 7.6     | 4.11    | 1990    | 1.43    | 1.07    | 7.3     | 26.5    | 620   |
| 62282              |                          | 10.40   | 19.40   | 0.19    | 1.7     | 0.092   | 0.49    | 14.3    | 12.3    | 3.86    | 1640    | 1.78    | 1.94    | 11.7    | 73.1    | 810   |
| 62283              |                          | 12.30   | 21.4    | 0.18    | 1.4     | 0.114   | 0.31    | 10.8    | 12.8    | 2.78    | 1345    | 1.47    | 2.11    | 10.8    | 74.7    | 730   |
| 62284              |                          | 10.75   | 18.55   | 0.17    | 1.2     | 0.093   | 0.44    | 10.4    | 11.9    | 3.70    | 1610    | 1.33    | 1.61    | 11.2    | 74.2    | 940   |
| 62285              |                          | 4.91    | 17.05   | 0.19    | 0.8     | 0.023   | 0.39    | 10.9    | 13.8    | 1.79    | 696     | 0.65    | 2.56    | 5.0     | 21.9    | 1230  |
| 62286              |                          | 1.99    | 10.95   | 0.18    | 0.9     | 0.019   | 2.52    | 9.4     | 4.6     | 0.59    | 559     | 1.03    | 0.05    | 3.5     | 3.6     | 290   |
| 62287              |                          | 6.84    | 39.2    | 0.16    | 1.9     | 0.058   | 0.21    | 6.6     | 4.7     | 1.89    | 1140    | 0.57    | 1.35    | 7.0     | 26.1    | 480   |
| 62288              |                          | 6.28    | 16.45   | 0.11    | 0.7     | 0.063   | 0.85    | 7.0     | 30.6    | 2.31    | 849     | 0.78    | 0.98    | 6.6     | 31.3    | 630   |
| 62289              |                          | 6.12    | 9.77    | 0.08    | 0.4     | 0.034   | 0.43    | 4.1     | 27.6    | 2.40    | 598     | 1.44    | 0.06    | 3.4     | 45.7    | 330   |
| 62290              |                          | 4.69    | 7.02    | 0.05    | 0.5     | 0.025   | 0.56    | 2.9     | 10.4    | 2.29    | 1180    | 0.93    | 0.08    | 3.4     | 25.8    | 250   |
| 62291              |                          | 4.66    | 12.45   | 0.10    | 1.1     | 0.055   | 0.57    | 7.2     | 24.5    | 1.86    | 831     | 0.91    | 0.10    | 7.3     | 34.7    | 460   |
| 62292              |                          | 8.19    | 21.6    | 0.11    | 2.6     | 0.075   | 0.05    | 6.9     | 5.2     | 2.73    | 1680    | 0.51    | 2.36    | 7.6     | 62.6    | 620   |
| 62293              |                          | 3.07    | 24.6    | 0.08    | 0.4     | 0.019   | 0.04    | 2.0     | 3.9     | 0.48    | 696     | 0.79    | 0.42    | 1.4     | 11.4    | 130   |
| 62294              |                          | 7.34    | 17.60   | 0.10    | 0.3     | 0.064   | 0.40    | 5.6     | 19.2    | 3.42    | 1160    | 0.39    | 1.01    | 8.6     | 77.2    | 630   |
| 62295              |                          | 7.20    | 19.40   | 0.12    | 0.3     | 0.073   | 0.27    | 6.4     | 20.6    | 3.06    | 1120    | 0.32    | 1.05    | 9.8     | 86.7    | 650   |
| 62296              |                          | 6.39    | 16.65   | 0.13    | 1.4     | 0.070   | 0.39    | 7.4     | 17.2    | 3.35    | 1085    | 0.45    | 0.75    | 8.5     | 50.8    | 520   |
| 62297              |                          | 6.30    | 14.30   | 0.07    | 1.0     | 0.052   | 0.37    | 6.0     | 14.2    | 4.32    | 1230    | 0.22    | 0.69    | 7.2     | 41.8    | 480   |
| 62298              |                          | 6.01    | 16.65   | 0.11    | 1.9     | 0.064   | 0.41    | 6.5     | 19.0    | 2.93    | 1040    | 0.30    | 0.62    | 8.8     | 47.8    | 540   |
| 62299              |                          | 6.11    | 17.25   | 0.14    | 0.6     | 0.064   | 0.34    | 5.9     | 19.9    | 3.48    | 1105    | 0.44    | 0.79    | 9.6     | 60.5    | 610   |
| 62300              |                          | 6.72    | 16.50   | 0.11    | 0.5     | 0.069   | 0.34    | 6.2     | 17.9    | 3.41    | 1180    | 0.59    | 0.73    | 9.3     | 56.3    | 610   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                    |                          | Pb ppm  | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm |
|                    |                          | 0.5     | 0.1     | 0.002   | 0.01    | 0.05    | 0.1     | 1       | 0.2     | 0.2     | 0.05    | 0.05    | 0.005   | 0.02    | 0.1     |       |
| 62261              |                          | 0.8     | 4.0     | <0.002  | <0.01   | 0.78    | 40.5    | 1       | 0.6     | 82.1    | 0.38    | <0.05   | 0.26    | 0.679   | 0.04    | 0.1   |
| 62262              |                          | 0.8     | 5.4     | <0.002  | <0.01   | 0.80    | 46.8    | 1       | 0.7     | 98.7    | 0.41    | 0.14    | 0.38    | 0.713   | 0.05    | 0.1   |
| 62263              |                          | 0.6     | 21.1    | <0.002  | <0.01   | 0.58    | 39.6    | 1       | 0.5     | 43.4    | 0.29    | <0.05   | 0.44    | 0.528   | 0.06    | 0.1   |
| 62264              |                          | 0.5     | 17.6    | <0.002  | 0.01    | 0.51    | 33.9    | 1       | 0.5     | 100.0   | 0.28    | <0.05   | 0.33    | 0.515   | 0.05    | 0.1   |
| 62265              |                          | 0.5     | 21.7    | <0.002  | 0.01    | 0.59    | 33.8    | 1       | 0.5     | 86.1    | 0.26    | <0.05   | 0.33    | 0.500   | 0.06    | 0.1   |
| 62266              |                          | 0.5     | 9.7     | <0.002  | <0.01   | 0.62    | 40.2    | <1      | 0.5     | 92.6    | 0.34    | <0.05   | 0.35    | 0.646   | 0.04    | 0.1   |
| 62267              |                          | 0.6     | 11.5    | <0.002  | <0.01   | 0.70    | 34.1    | 1       | 0.5     | 79.2    | 0.31    | <0.05   | 0.28    | 0.569   | 0.06    | 0.1   |
| 62268              |                          | 0.8     | 31.3    | <0.002  | <0.01   | 0.76    | 41.9    | 1       | 0.6     | 41.1    | 0.35    | <0.05   | 0.47    | 0.621   | 0.09    | 0.1   |
| 62269              |                          | 1.0     | 7.4     | <0.002  | <0.01   | 0.54    | 37.1    | 1       | 0.6     | 65.2    | 0.41    | <0.05   | 0.44    | 0.726   | 0.02    | 0.1   |
| 62270              |                          | 1.0     | 0.9     | <0.002  | <0.01   | 1.03    | 38.8    | 1       | 0.8     | 141.5   | 0.50    | <0.05   | 0.30    | 0.943   | <0.02   | 0.1   |
| 62271              |                          | 1.0     | 1.0     | <0.002  | <0.01   | 1.07    | 40.6    | 1       | 0.8     | 145.0   | 0.50    | <0.05   | 0.33    | 0.935   | <0.02   | 0.1   |
| 62272              |                          | 1.2     | 1.1     | <0.002  | <0.01   | 1.58    | 39.1    | 1       | 0.7     | 170.5   | 0.47    | <0.05   | 0.28    | 0.880   | 0.02    | 0.1   |
| 62273              |                          | 1.1     | 0.6     | <0.002  | <0.01   | 2.24    | 40.4    | 1       | 0.8     | 140.5   | 0.54    | <0.05   | 0.28    | 0.935   | <0.02   | 0.2   |
| 62274              |                          | 5.8     | 34.1    | <0.002  | 6.49    | 2.56    | 27.9    | 5       | 1.1     | 10.3    | 0.38    | 2.01    | 0.56    | 0.605   | 0.21    | 0.2   |
| 62275              |                          | 2.0     | 12.8    | 0.002   | 1.16    | 2.22    | 35.2    | 2       | 0.9     | 207     | 0.66    | 0.83    | 0.60    | 1.215   | 0.17    | 0.2   |
| 62276              |                          | 2.1     | 39.4    | 0.003   | 3.69    | 1.55    | 24.8    | 2       | 1.7     | 99.4    | 0.29    | 1.25    | 0.96    | 0.579   | 0.60    | 0.3   |
| 62277              |                          | 2.5     | 12.0    | 0.002   | 2.24    | 1.30    | 38.2    | 2       | 1.2     | 183.5   | 0.64    | 3.07    | 0.70    | 1.160   | 0.12    | 0.2   |
| 62278              |                          | 3.8     | 6.8     | <0.002  | 0.01    | 0.89    | 27.8    | 1       | 0.7     | 220     | 0.47    | 0.05    | 0.45    | 0.843   | 0.04    | 0.1   |
| 62279              |                          | 6.3     | 8.4     | <0.002  | 0.08    | 0.57    | 11.0    | 1       | 0.9     | 540     | 0.34    | 0.05    | 1.59    | 0.390   | 0.21    | 0.8   |
| 62280              |                          | 2.6     | 18.5    | <0.002  | 0.45    | 1.26    | 47.2    | 1       | 1.0     | 391     | 0.28    | 0.30    | 1.64    | 0.765   | 0.18    | 0.7   |
| 62281              |                          | 1.8     | 4.5     | 0.002   | 0.53    | 2.72    | 21.2    | 1       | 1.4     | 245     | 0.55    | 0.08    | 2.52    | 0.543   | 0.04    | 0.8   |
| 62282              |                          | 3.4     | 9.8     | 0.002   | 1.40    | 2.19    | 45.7    | 2       | 1.6     | 404     | 0.61    | 0.26    | 1.47    | 1.335   | 0.08    | 0.6   |
| 62283              |                          | 3.6     | 8.2     | 0.005   | 2.56    | 13.60   | 35.3    | 3       | 1.1     | 193.5   | 0.64    | 0.62    | 0.68    | 1.115   | 0.16    | 0.2   |
| 62284              |                          | 2.4     | 12.4    | 0.005   | 2.65    | 3.87    | 45.8    | 2       | 1.7     | 332     | 0.67    | 0.35    | 0.80    | 1.350   | 0.12    | 0.4   |
| 62285              |                          | 6.4     | 5.5     | <0.002  | 1.01    | 1.65    | 16.8    | 1       | 0.8     | 580     | 0.30    | 0.25    | 2.16    | 0.403   | 0.10    | 1.0   |
| 62286              |                          | 1.8     | 62.0    | <0.002  | 0.27    | 1.90    | 4.3     | <1      | 0.3     | 53.6    | 0.30    | 0.05    | 4.71    | 0.115   | 0.28    | 1.3   |
| 62287              |                          | 4.7     | 4.3     | <0.002  | <0.01   | 1.88    | 23.8    | <1      | 0.9     | 315     | 0.44    | <0.05   | 0.55    | 0.761   | 0.02    | 0.2   |
| 62288              |                          | 5.3     | 20.9    | <0.002  | 0.19    | 1.59    | 29.1    | 1       | 0.9     | 138.5   | 0.41    | <0.05   | 0.78    | 0.684   | 0.09    | 0.3   |
| 62289              |                          | 11.4    | 11.1    | 0.002   | 1.49    | 2.18    | 18.9    | 2       | 0.5     | 34.7    | 0.22    | 0.16    | 0.22    | 0.457   | 0.06    | 0.1   |
| 62290              |                          | 1.2     | 12.9    | <0.002  | 0.30    | 3.12    | 10.2    | 1       | 0.4     | 62.0    | 0.20    | <0.05   | 0.23    | 0.384   | 0.06    | 0.1   |
| 62291              |                          | 2.1     | 15.6    | <0.002  | 0.04    | 3.30    | 24.0    | 1       | 0.8     | 45.5    | 0.45    | <0.05   | 0.43    | 0.770   | 0.06    | 0.1   |
| 62292              |                          | 1.2     | 1.9     | <0.002  | 0.01    | 0.18    | 34.4    | 1       | 1.0     | 152.0   | 0.49    | <0.05   | 0.58    | 0.949   | <0.02   | 0.2   |
| 62293              |                          | 2.1     | 1.5     | <0.002  | <0.01   | 0.54    | 5.6     | <1      | 0.3     | 115.5   | 0.09    | <0.05   | 0.11    | 0.167   | 0.02    | <0.1  |
| 62294              |                          | 0.8     | 3.8     | <0.002  | 0.01    | 0.43    | 40.1    | 1       | 0.9     | 268     | 0.55    | <0.05   | 0.44    | 0.944   | 0.02    | 0.1   |
| 62295              |                          | 0.8     | 2.4     | <0.002  | 0.02    | 0.63    | 40.5    | 1       | 1.0     | 244     | 0.62    | <0.05   | 0.44    | 1.020   | 0.02    | 0.1   |
| 62296              |                          | 0.6     | 10.6    | <0.002  | 0.01    | 0.74    | 34.9    | 1       | 1.0     | 249     | 0.54    | <0.05   | 0.59    | 0.826   | 0.02    | 0.2   |
| 62297              |                          | 0.6     | 10.0    | <0.002  | 0.01    | 0.82    | 31.0    | <1      | 0.8     | 278     | 0.45    | <0.05   | 0.48    | 0.781   | 0.02    | 0.1   |
| 62298              |                          | 0.9     | 9.3     | <0.002  | 0.01    | 0.81    | 34.6    | 1       | 1.0     | 144.0   | 0.57    | <0.05   | 0.67    | 0.964   | 0.04    | 0.2   |
| 62299              |                          | 0.7     | 3.4     | <0.002  | 0.01    | 0.66    | 37.2    | <1      | 1.0     | 254     | 0.59    | <0.05   | 0.45    | 1.005   | 0.02    | 0.1   |
| 62300              |                          | 0.8     | 3.8     | <0.002  | 0.03    | 1.01    | 33.4    | 1       | 0.9     | 200     | 0.60    | <0.05   | 0.50    | 0.951   | 0.03    | 0.1   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61  | ME-MS61    | ME-MS61    | ME-MS61  | ME-MS61    |
|--------------------|-----------------------------------|----------|------------|------------|----------|------------|
|                    |                                   | V        | W          | Y          | Zn       | Zr         |
|                    |                                   | ppm<br>1 | ppm<br>0.1 | ppm<br>0.1 | ppm<br>2 | ppm<br>0.5 |
| 62261              |                                   | 310      | 0.1        | 11.0       | 101      | 14.9       |
| 62262              |                                   | 356      | 0.2        | 14.4       | 91       | 12.1       |
| 62263              |                                   | 255      | 0.2        | 16.0       | 72       | 55.8       |
| 62264              |                                   | 241      | 0.2        | 14.2       | 63       | 10.0       |
| 62265              |                                   | 247      | 0.1        | 12.0       | 68       | 31.3       |
| 62266              |                                   | 269      | 0.4        | 12.5       | 82       | 10.5       |
| 62267              |                                   | 257      | 0.4        | 7.8        | 106      | 12.5       |
| 62268              |                                   | 272      | 0.2        | 15.2       | 114      | 42.2       |
| 62269              |                                   | 264      | 0.2        | 14.3       | 116      | 31.1       |
| 62270              |                                   | 319      | 0.3        | 11.4       | 95       | 19.7       |
| 62271              |                                   | 323      | 0.3        | 12.2       | 96       | 20.1       |
| 62272              |                                   | 310      | 0.2        | 11.9       | 89       | 23.8       |
| 62273              |                                   | 324      | 0.3        | 12.4       | 89       | 28.1       |
| 62274              |                                   | 267      | 0.4        | 8.1        | 61       | 28.0       |
| 62275              |                                   | 331      | 0.8        | 23.8       | 74       | 49.8       |
| 62276              |                                   | 226      | 0.7        | 18.2       | 92       | 27.9       |
| 62277              |                                   | 357      | 0.7        | 25.9       | 95       | 24.6       |
| 62278              |                                   | 252      | 0.1        | 18.2       | 96       | 53.7       |
| 62279              |                                   | 105      | 0.3        | 16.5       | 77       | 55.6       |
| 62280              |                                   | 340      | 0.3        | 31.0       | 107      | 47.6       |
| 62281              |                                   | 173      | 0.4        | 24.8       | 86       | 46.5       |
| 62282              |                                   | 408      | 0.9        | 35.2       | 99       | 44.0       |
| 62283              |                                   | 347      | 0.4        | 26.1       | 104      | 25.2       |
| 62284              |                                   | 385      | 1.4        | 27.8       | 90       | 33.5       |
| 62285              |                                   | 150      | 0.9        | 16.3       | 62       | 18.4       |
| 62286              |                                   | 60       | 0.8        | 6.0        | 16       | 33.0       |
| 62287              |                                   | 238      | 0.1        | 17.8       | 46       | 63.0       |
| 62288              |                                   | 243      | 0.2        | 9.5        | 59       | 23.6       |
| 62289              |                                   | 194      | 0.2        | 6.3        | 57       | 12.5       |
| 62290              |                                   | 156      | 0.1        | 7.3        | 27       | 19.6       |
| 62291              |                                   | 238      | 0.2        | 7.7        | 35       | 34.9       |
| 62292              |                                   | 329      | 0.1        | 24.0       | 80       | 87.1       |
| 62293              |                                   | 94       | <0.1       | 4.2        | 20       | 13.3       |
| 62294              |                                   | 308      | 0.1        | 15.3       | 87       | 12.1       |
| 62295              |                                   | 327      | 0.1        | 16.1       | 71       | 12.1       |
| 62296              |                                   | 252      | 0.1        | 18.3       | 45       | 45.3       |
| 62297              |                                   | 237      | 0.1        | 15.2       | 41       | 52.5       |
| 62298              |                                   | 260      | 0.2        | 16.7       | 46       | 57.9       |
| 62299              |                                   | 286      | 0.2        | 13.4       | 49       | 22.6       |
| 62300              |                                   | 279      | 0.1        | 13.2       | 53       | 19.4       |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

|                         |            |
|-------------------------|------------|
| CERTIFICATE OF ANALYSIS | VA22145299 |
|-------------------------|------------|

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21<br>Recvd Wt.<br>kg | Au-AA24<br>Au<br>ppm | ME-MS61<br>Ag<br>ppm | ME-MS61<br>Al<br>% | ME-MS61<br>As<br>ppm | ME-MS61<br>Ba<br>ppm | ME-MS61<br>Be<br>ppm | ME-MS61<br>Bi<br>ppm | ME-MS61<br>Ca<br>% | ME-MS61<br>Cd<br>ppm | ME-MS61<br>Ce<br>ppm | ME-MS61<br>Co<br>ppm | ME-MS61<br>Cr<br>ppm | ME-MS61<br>Cs<br>ppm | ME-MS61<br>Cu<br>ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
|                    |                                   | 0.02                      | 0.005                | 0.01                 | 0.01               | 0.2                  | 10                   | 0.05                 | 0.01                 | 0.01               | 0.02                 | 0.01                 | 0.1                  | 1                    | 0.05                 | 0.2                  |
| 62301              |                                   | 4.66                      | 0.005                | 0.06                 | 5.84               | 4.0                  | 40                   | 0.45                 | 0.01                 | 1.12               | 0.16                 | 14.25                | 40.0                 | 114                  | 0.45                 | 722                  |
| 62302              |                                   | 4.14                      | 0.005                | 0.03                 | 8.33               | 3.2                  | 100                  | 0.60                 | 0.01                 | 1.17               | 0.08                 | 20.6                 | 34.4                 | 163                  | 0.98                 | 276                  |
| 62303              |                                   | 4.66                      | 0.005                | 0.03                 | 8.82               | 6.3                  | 100                  | 0.63                 | 0.01                 | 2.04               | 0.13                 | 18.25                | 38.3                 | 219                  | 1.13                 | 193.5                |
| 62304              |                                   | 4.66                      | 0.005                | 0.05                 | 7.10               | 19.5                 | 60                   | 0.55                 | 0.02                 | 6.38               | 0.08                 | 14.80                | 42.1                 | 213                  | 0.73                 | 164.5                |
| 62305              |                                   | 4.10                      | <0.005               | 0.02                 | 7.27               | 4.2                  | 40                   | 0.50                 | 0.01                 | 3.68               | 0.10                 | 14.25                | 29.9                 | 237                  | 0.78                 | 107.0                |
| 62306              |                                   | 1.64                      | 0.006                | 0.09                 | 6.92               | 4.2                  | 710                  | 1.02                 | 0.11                 | 2.14               | 0.06                 | 26.6                 | 13.3                 | 11                   | 0.57                 | 74.3                 |
| 62307              |                                   | 1.34                      | 0.379                | 2.42                 | 7.75               | 10.2                 | 100                  | 0.79                 | 0.17                 | 5.87               | 0.68                 | 24.5                 | 55.2                 | 233                  | 0.65                 | 5510                 |
| 62308              |                                   | 2.94                      | 0.078                | 0.77                 | 1.88               | 44.1                 | <10                  | 0.16                 | 2.06                 | 3.87               | 0.25                 | 15.75                | 82.5                 | 39                   | 0.12                 | 826                  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

|                         |            |
|-------------------------|------------|
| CERTIFICATE OF ANALYSIS | VA22145299 |
|-------------------------|------------|

| Sample Description | Method | Analyte | Units | LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |       |     |
|--------------------|--------|---------|-------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|-------|-----|
|                    |        |         |       |     | Fe      | Ga      | Ge      | Hf      | In      | K       | La      | Li      | Mg      | Mn      | Mo      | Na      | Nb   | Ni    | P   |
|                    |        |         |       |     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm     | ppm     | %       | ppm  | ppm   | ppm |
|                    |        |         |       |     | 0.01    | 0.05    | 0.05    | 0.1     | 0.005   | 0.01    | 0.5     | 0.2     | 0.01    | 5       | 0.05    | 0.01    | 0.1  | 0.2   | 10  |
| 62301              |        |         |       |     | 8.59    | 12.90   | 0.06    | 1.3     | 0.049   | 0.26    | 5.5     | 16.4    | 4.69    | 1550    | 0.43    | 0.25    | 7.0  | 60.0  | 410 |
| 62302              |        |         |       |     | 8.33    | 18.35   | 0.10    | 1.5     | 0.073   | 0.59    | 7.7     | 23.0    | 4.00    | 1400    | 0.24    | 0.45    | 9.5  | 62.8  | 630 |
| 62303              |        |         |       |     | 7.62    | 19.40   | 0.13    | 0.6     | 0.070   | 0.59    | 6.8     | 24.6    | 3.58    | 1235    | 0.35    | 0.94    | 9.0  | 77.5  | 700 |
| 62304              |        |         |       |     | 7.34    | 16.20   | 0.12    | 0.4     | 0.067   | 0.41    | 5.4     | 20.5    | 3.97    | 1130    | 0.25    | 0.78    | 7.8  | 82.1  | 570 |
| 62305              |        |         |       |     | 7.43    | 16.10   | 0.09    | 0.4     | 0.060   | 0.27    | 5.4     | 25.6    | 4.39    | 1225    | 0.28    | 0.51    | 7.3  | 53.1  | 560 |
| 62306              |        |         |       |     | 2.78    | 15.05   | 0.24    | 0.7     | 0.008   | 1.43    | 13.2    | 7.2     | 0.65    | 187     | 0.47    | 2.91    | 7.1  | 6.6   | 640 |
| 62307              |        |         |       |     | 9.33    | 18.60   | 0.13    | 1.4     | 0.185   | 0.32    | 9.3     | 11.8    | 2.04    | 1440    | 0.43    | 2.49    | 10.1 | 100.5 | 720 |
| 62308              |        |         |       |     | 17.50   | 10.00   | 0.05    | 0.5     | 0.261   | 0.03    | 6.9     | 3.0     | 3.67    | 1290    | 0.48    | 0.08    | 3.1  | 119.5 | 230 |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

|                         |            |
|-------------------------|------------|
| CERTIFICATE OF ANALYSIS | VA22145299 |
|-------------------------|------------|

| Sample Description | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>Pb<br>ppm<br>0.5 | ME-MS61<br>Rb<br>ppm<br>0.1 | ME-MS61<br>Re<br>ppm<br>0.002 | ME-MS61<br>S<br>%<br>0.01 | ME-MS61<br>Sb<br>ppm<br>0.05 | ME-MS61<br>Sc<br>ppm<br>0.1 | ME-MS61<br>Se<br>ppm<br>1 | ME-MS61<br>Sn<br>ppm<br>0.2 | ME-MS61<br>Sr<br>ppm<br>0.2 | ME-MS61<br>Ta<br>ppm<br>0.05 | ME-MS61<br>Te<br>ppm<br>0.05 | ME-MS61<br>Th<br>ppm<br>0.01 | ME-MS61<br>Ti<br>%<br>0.005 | ME-MS61<br>Tl<br>ppm<br>0.02 | ME-MS61<br>U<br>ppm<br>0.1 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|----------------------------|
| 62301              |                                   | 1.1                         | 6.5                         | 0.005                         | 0.01                      | 0.92                         | 27.6                        | 1                         | 0.7                         | 65.5                        | 0.45                         | <0.05                        | 0.51                         | 0.772                       | 0.03                         | 0.2                        |
| 62302              |                                   | 1.2                         | 13.8                        | <0.002                        | 0.01                      | 0.87                         | 39.7                        | 1                         | 1.0                         | 117.5                       | 0.60                         | <0.05                        | 0.67                         | 1.060                       | 0.08                         | 0.2                        |
| 62303              |                                   | 1.2                         | 10.6                        | <0.002                        | 0.01                      | 0.65                         | 43.5                        | <1                        | 1.0                         | 231                         | 0.58                         | <0.05                        | 0.52                         | 1.040                       | 0.06                         | 0.1                        |
| 62304              |                                   | 1.3                         | 4.5                         | 0.002                         | 0.10                      | 0.76                         | 40.2                        | 1                         | 0.9                         | 235                         | 0.51                         | <0.05                        | 0.40                         | 0.874                       | 0.04                         | 0.1                        |
| 62305              |                                   | 0.8                         | 5.3                         | 0.003                         | 0.02                      | 0.94                         | 38.8                        | <1                        | 0.8                         | 171.0                       | 0.48                         | <0.05                        | 0.45                         | 0.836                       | <0.02                        | 0.1                        |
| 62306              |                                   | 2.9                         | 39.7                        | <0.002                        | 0.61                      | 0.48                         | 4.6                         | 1                         | 0.3                         | 362                         | 0.45                         | 0.05                         | 2.60                         | 0.224                       | 0.18                         | 0.7                        |
| 62307              |                                   | 3.3                         | 6.4                         | <0.002                        | 0.55                      | 5.10                         | 40.1                        | 6                         | 1.3                         | 539                         | 0.66                         | 1.72                         | 0.67                         | 1.080                       | 0.05                         | 0.2                        |
| 62308              |                                   | 5.4                         | 0.3                         | <0.002                        | 9.05                      | 5.99                         | 13.6                        | 1                         | 1.2                         | 18.0                        | 0.20                         | 2.08                         | 0.25                         | 0.289                       | 0.02                         | 0.1                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

|  |
|--|
| <b>CERTIFICATE OF ANALYSIS    VA22145299</b> |
|--|

|       | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 |
|-------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|
| 62301 |                                   | 271                      | 0.3                        | 15.1                       | 90                        | 52.2                        |
| 62302 |                                   | 322                      | 0.3                        | 19.8                       | 72                        | 93.0                        |
| 62303 |                                   | 349                      | 0.2                        | 18.8                       | 74                        | 22.1                        |
| 62304 |                                   | 296                      | 0.2                        | 14.9                       | 50                        | 13.9                        |
| 62305 |                                   | 260                      | 0.2                        | 12.8                       | 41                        | 15.2                        |
| 62306 |                                   | 53                       | 0.1                        | 10.1                       | 19                        | 13.2                        |
| 62307 |                                   | 338                      | 0.2                        | 25.1                       | 118                       | 40.7                        |
| 62308 |                                   | 216                      | 0.1                        | 16.8                       | 83                        | 12.9                        |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145299**

|                    | <b>CERTIFICATE COMMENTS</b>  |         |         |        |  |        |         |         |         |        |        |        |        |  |  |  |        |
|--------------------|--|---------|---------|--------|--|--------|---------|---------|---------|--------|--------|--------|--------|--|--|--|--------|
| Applies to Method: | <p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REEs may not be totally soluble in this method.<br/>           ME-MS61</p>  |         |         |        |  |        |         |         |         |        |        |        |        |  |  |  |        |
| Applies to Method: | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA24</td> <td style="width: 33%;">CRU-31</td> <td style="width: 33%;">CRU-QC</td> <td style="width: 15%;"></td> </tr> <tr> <td>LOG-21</td> <td>LOG-21d</td> <td>ME-MS61</td> <td>DISP-01</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-34</td> <td>PUL-31</td> </tr> <tr> <td></td> <td></td> <td></td> <td>WEI-21</td> </tr> </table> | Au-AA24 | CRU-31  | CRU-QC |  | LOG-21 | LOG-21d | ME-MS61 | DISP-01 | PUL-QC | SPL-21 | SPL-34 | PUL-31 |  |  |  | WEI-21 |
| Au-AA24            | CRU-31   | CRU-QC  |         |        |  |        |         |         |         |        |        |        |        |  |  |  |        |
| LOG-21             | LOG-21d  | ME-MS61 | DISP-01 |        |  |        |         |         |         |        |        |        |        |  |  |  |        |
| PUL-QC             | SPL-21   | SPL-34  | PUL-31  |        |  |        |         |         |         |        |        |        |        |  |  |  |        |
|                    |  |         | WEI-21  |        |  |        |         |         |         |        |        |        |        |  |  |  |        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**QC CERTIFICATE VA22145299**

Project: Texada

This report is for 88 samples of Rock submitted to our lab in Vancouver, BC, Canada on 1-JUN-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                    |
|--------------------|------------------------------------|
| ALS CODE           | DESCRIPTION                        |
| WEI-21             | Received Sample Weight             |
| DISP-01            | Disposal of all sample fractions   |
| CRU-QC             | Crushing QC Test                   |
| PUL-QC             | Pulverizing QC Test                |
| LOG-21             | Sample logging - ClientBarCode     |
| CRU-31             | Fine crushing - 70% <2mm           |
| SPL-21             | Split sample - riffle splitter     |
| PUL-31             | Pulverize up to 250g 85% <75 um    |
| LOG-21d            | Sample logging - ClientBarCode Dup |
| SPL-34             | Pulp Splitting Charge              |

| ANALYTICAL PROCEDURES |                             |            |
|-----------------------|-----------------------------|------------|
| ALS CODE              | DESCRIPTION                 | INSTRUMENT |
| ME-MS61               | 48 element four acid ICP-MS |            |
| Au-AA24               | Au 50g FA AA finish         | AAS        |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | Au-AA24<br>Au<br>ppm<br>0.005 | ME-MS61<br>Ag<br>ppm<br>0.01 | ME-MS61<br>Al<br>%<br>0.01 | ME-MS61<br>As<br>ppm<br>0.2 | ME-MS61<br>Ba<br>ppm<br>10 | ME-MS61<br>Be<br>ppm<br>0.05 | ME-MS61<br>Bi<br>ppm<br>0.01 | ME-MS61<br>Ca<br>%<br>0.01 | ME-MS61<br>Cd<br>ppm<br>0.02 | ME-MS61<br>Ce<br>ppm<br>0.01 | ME-MS61<br>Co<br>ppm<br>0.1 | ME-MS61<br>Cr<br>ppm<br>1 | ME-MS61<br>Cs<br>ppm<br>0.05 | ME-MS61<br>Cu<br>ppm<br>0.2 | ME-MS61<br>Fe<br>%<br>0.01 |
|----------------------------|--------------------------|-------------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-----------------------------|---------------------------|------------------------------|-----------------------------|----------------------------|
| <b>STANDARDS</b>           |                          |                               |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| CDN-GS-4N                  |                          | 3.65                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| CDN-GS-4N                  |                          | 3.68                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Target Range - Lower Bound |                          | 3.64                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Upper Bound                |                          | 4.12                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| EMOG-17                    |                          |                               | 69.8                         | 4.87                       | 606                         | 710                        | 1.78                         | 5.46                         | 2.04                       | 20.7                         | 47.8                         | 791                         | 61                        | 6.91                         | 8630                        | 5.07                       |
| Target Range - Lower Bound |                          |                               | 60.9                         | 4.18                       | 522                         | 310                        | 1.60                         | 5.31                         | 1.72                       | 18.15                        | 42.9                         | 686                         | 49                        | 6.56                         | 7750                        | 4.42                       |
| Upper Bound                |                          |                               | 74.5                         | 5.13                       | 638                         | 440                        | 2.06                         | 6.51                         | 2.12                       | 22.2                         | 52.5                         | 838                         | 62                        | 8.12                         | 8910                        | 5.42                       |
| KIP-19                     |                          | 2.48                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Target Range - Lower Bound |                          | 2.28                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Upper Bound                |                          | 2.58                          |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| MRGeo08                    |                          |                               | 4.22                         | 7.10                       | 31.6                        | 1070                       | 3.39                         | 0.64                         | 2.63                       | 2.15                         | 61.0                         | 19.8                        | 94                        | 12.55                        | 622                         | 3.89                       |
| MRGeo08                    |                          |                               | 4.41                         | 6.96                       | 33.2                        | 1080                       | 3.28                         | 0.63                         | 2.62                       | 2.29                         | 65.5                         | 18.5                        | 97                        | 11.90                        | 612                         | 3.89                       |
| Target Range - Lower Bound |                          |                               | 3.93                         | 6.64                       | 29.5                        | 920                        | 2.98                         | 0.58                         | 2.35                       | 2.00                         | 66.2                         | 17.7                        | 81                        | 11.20                        | 587                         | 3.55                       |
| Upper Bound                |                          |                               | 4.83                         | 8.14                       | 36.5                        | 1270                       | 3.76                         | 0.73                         | 2.90                       | 2.48                         | 81.0                         | 21.9                        | 102                       | 13.80                        | 675                         | 4.37                       |
| OREAS 231                  |                          | 0.540                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Target Range - Lower Bound |                          | 0.504                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Upper Bound                |                          | 0.580                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| OREAS 906                  |                          |                               | 0.74                         | 7.57                       | 22.1                        | 2830                       | 3.12                         | 11.80                        | 0.59                       | 0.41                         | 91.2                         | 24.6                        | 11                        | 6.79                         | 3130                        | 5.63                       |
| OREAS 906                  |                          |                               | 0.76                         | 7.12                       | 22.4                        | 2710                       | 2.84                         | 10.55                        | 0.57                       | 0.41                         | 93.2                         | 22.8                        | 9                         | 6.69                         | 3010                        | 5.26                       |
| Target Range - Lower Bound |                          |                               | 0.67                         | 6.61                       | 20.3                        | 2300                       | 2.60                         | 9.98                         | 0.50                       | 0.36                         | 83.7                         | 21.7                        | 7                         | 6.07                         | 2880                        | 4.94                       |
| Upper Bound                |                          |                               | 0.84                         | 8.11                       | 25.3                        | 3130                       | 3.28                         | 12.20                        | 0.63                       | 0.48                         | 102.5                        | 26.7                        | 11                        | 7.53                         | 3320                        | 6.06                       |
| OREAS 920                  |                          |                               | 0.11                         | 8.03                       | 5.6                         | 570                        | 2.57                         | 0.62                         | 0.52                       | 0.06                         | 101.0                        | 15.5                        | 90                        | 9.35                         | 114.5                       | 4.19                       |
| Target Range - Lower Bound |                          |                               | 0.08                         | 6.91                       | 4.6                         | 450                        | 2.54                         | 0.61                         | 0.44                       | 0.04                         | 84.6                         | 13.9                        | 75                        | 7.72                         | 104.0                       | 3.72                       |
| Upper Bound                |                          |                               | 0.13                         | 8.47                       | 6.1                         | 640                        | 3.22                         | 0.77                         | 0.56                       | 0.12                         | 103.5                        | 17.3                        | 93                        | 9.54                         | 120.0                       | 4.56                       |
| TAZ-20                     |                          | 0.313                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| TAZ-20                     |                          | 0.299                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Target Range - Lower Bound |                          | 0.279                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |
| Upper Bound                |                          | 0.325                         |                              |                            |                             |                            |                              |                              |                            |                              |                              |                             |                           |                              |                             |                            |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |        |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
|                            |                          | Ga ppm  | Ge ppm  | Hf ppm  | In ppm  | K %     | La ppm  | Li ppm  | Mg %    | Mn ppm  | Mo ppm  | Na %    | Nb ppm  | Ni ppm  | P ppm   | Pb ppm |
| <b>STANDARDS</b>           |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| CDN-GS-4N                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| CDN-GS-4N                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| EMOG-17                    |                          | 11.70   | 0.14    | 1.9     | 0.914   | 1.73    | 23.0    | 26.0    | 0.99    | 760     | 1095    | 1.15    | 15.6    | 7850    | 840     | 7640   |
| Target Range - Lower Bound |                          | 10.75   | 0.06    | 1.6     | 0.823   | 1.49    | 20.7    | 23.9    | 0.86    | 670     | 997     | 0.99    | 12.7    | 6820    | 700     | 6570   |
| Upper Bound                |                          | 13.25   | 0.30    | 2.2     | 1.015   | 1.85    | 26.4    | 29.7    | 1.08    | 830     | 1220    | 1.23    | 15.7    | 8330    | 880     | 8030   |
| KIP-19                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| MRGeo08                    |                          | 17.60   | 0.22    | 3.1     | 0.176   | 3.14    | 28.0    | 32.1    | 1.29    | 549     | 14.15   | 1.99    | 21.0    | 702     | 1030    | 1070   |
| MRGeo08                    |                          | 17.60   | 0.21    | 3.0     | 0.175   | 3.05    | 30.5    | 32.9    | 1.27    | 545     | 14.00   | 1.94    | 20.1    | 678     | 1010    | 1045   |
| Target Range - Lower Bound |                          | 17.50   | <0.05   | 2.8     | 0.155   | 2.79    | 31.1    | 29.5    | 1.17    | 497     | 13.65   | 1.76    | 19.0    | 622     | 930     | 971    |
| Upper Bound                |                          | 21.5    | 0.28    | 3.6     | 0.201   | 3.43    | 39.1    | 36.5    | 1.45    | 619     | 16.75   | 2.18    | 23.4    | 760     | 1160    | 1185   |
| OREAS 231                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| OREAS 906                  |                          | 29.2    | 0.25    | 6.9     | 1.280   | 2.93    | 44.6    | 20.5    | 0.27    | 376     | 3.85    | 2.54    | 18.7    | 5.2     | 280     | 35.7   |
| OREAS 906                  |                          | 25.8    | 0.21    | 6.6     | 1.250   | 2.79    | 46.3    | 18.3    | 0.26    | 355     | 3.65    | 2.33    | 17.3    | 4.5     | 260     | 34.4   |
| Target Range - Lower Bound |                          | 25.5    | 0.07    | 6.2     | 1.100   | 2.55    | 41.5    | 17.2    | 0.24    | 328     | 3.60    | 2.17    | 15.9    | 4.2     | 230     | 32.0   |
| Upper Bound                |                          | 31.3    | 0.31    | 7.8     | 1.360   | 3.13    | 51.9    | 21.4    | 0.31    | 412     | 4.51    | 2.67    | 19.7    | 5.6     | 310     | 40.2   |
| OREAS 920                  |                          | 19.70   | 0.20    | 4.5     | 0.089   | 3.03    | 48.7    | 28.9    | 1.43    | 616     | 0.41    | 0.68    | 18.6    | 41.0    | 770     | 21.1   |
| Target Range - Lower Bound |                          | 18.65   | <0.05   | 4.0     | 0.070   | 2.59    | 41.0    | 26.0    | 1.23    | 535     | 0.34    | 0.56    | 15.6    | 37.4    | 670     | 20.7   |
| Upper Bound                |                          | 22.9    | 0.29    | 5.2     | 0.098   | 3.19    | 51.2    | 32.2    | 1.53    | 665     | 0.58    | 0.71    | 19.2    | 46.2    | 840     | 26.4   |
| TAZ-20                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| TAZ-20                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |       |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|                            |                          | Rb ppm  | Re ppm  | S %     | Sb ppm  | Sc ppm  | Se ppm  | Sn ppm  | Sr ppm  | Ta ppm  | Te ppm  | Th ppm  | Ti %    | Tl ppm  | U ppm   | V ppm |
| <b>STANDARDS</b>           |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| CDN-GS-4N                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| CDN-GS-4N                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| EMOG-17                    |                          | 112.0   | 0.309   | 3.31    | 824     | 7.3     | 7       | 2.6     | 215     | 0.92    | 1.41    | 10.70   | 0.336   | 2.07    | 2.9     | 77    |
| Target Range - Lower Bound |                          | 98.9    | 0.286   | 2.91    | 643     | 7.2     | 4       | 2.2     | 184.5   | 0.78    | 1.10    | 10.35   | 0.294   | 1.89    | 2.8     | 67    |
| Upper Bound                |                          | 121.0   | 0.354   | 3.57    | 869     | 9.0     | 9       | 3.2     | 226     | 1.08    | 1.46    | 12.65   | 0.370   | 2.61    | 3.7     | 84    |
| KIP-19                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| MRGeo08                    |                          | 169.0   | 0.009   | 0.30    | 4.20    | 10.9    | 1       | 3.6     | 302     | 1.45    | <0.05   | 16.70   | 0.485   | 1.03    | 4.8     | 109   |
| MRGeo08                    |                          | 174.5   | 0.008   | 0.29    | 4.20    | 11.0    | 1       | 4.0     | 290     | 1.45    | <0.05   | 17.55   | 0.479   | 1.02    | 4.6     | 107   |
| Target Range - Lower Bound |                          | 173.5   | 0.004   | 0.27    | 3.89    | 11.1    | <1      | 3.5     | 277     | 1.39    | <0.05   | 17.90   | 0.443   | 0.86    | 4.9     | 97    |
| Upper Bound                |                          | 212     | 0.013   | 0.35    | 5.39    | 13.7    | 4       | 4.7     | 339     | 1.81    | 0.12    | 21.9    | 0.553   | 1.21    | 6.2     | 121   |
| OREAS 231                  |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| OREAS 906                  |                          | 139.5   | <0.002  | 0.04    | 2.32    | 4.7     | 5       | 3.9     | 161.5   | 1.29    | 0.13    | 14.95   | 0.115   | 0.72    | 4.9     | 6     |
| OREAS 906                  |                          | 133.5   | <0.002  | 0.04    | 2.32    | 4.3     | 5       | 4.2     | 151.0   | 1.24    | 0.13    | 13.95   | 0.109   | 0.66    | 4.8     | 5     |
| Target Range - Lower Bound |                          | 124.0   | <0.002  | 0.02    | 1.96    | 4.0     | 3       | 3.7     | 140.0   | 1.17    | <0.05   | 13.30   | 0.097   | 0.58    | 4.5     | 3     |
| Upper Bound                |                          | 152.0   | 0.004   | 0.06    | 2.76    | 5.2     | 7       | 5.0     | 172.0   | 1.54    | 0.25    | 16.30   | 0.129   | 0.84    | 5.7     | 8     |
| OREAS 920                  |                          | 184.0   | <0.002  | 0.03    | 1.52    | 13.9    | 1       | 5.0     | 83.8    | 1.29    | <0.05   | 19.10   | 0.493   | 0.88    | 3.5     | 101   |
| Target Range - Lower Bound |                          | 158.5   | <0.002  | <0.01   | 1.22    | 12.8    | <1      | 4.3     | 73.6    | 1.17    | <0.05   | 17.35   | 0.434   | 0.73    | 3.3     | 86    |
| Upper Bound                |                          | 193.5   | 0.004   | 0.05    | 1.76    | 15.8    | 2       | 5.7     | 90.4    | 1.55    | 0.12    | 21.2    | 0.542   | 1.03    | 4.2     | 108   |
| TAZ-20                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| TAZ-20                     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Target Range - Lower Bound |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |
| Upper Bound                |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |       |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | ME-MS61 W ppm | ME-MS61 Y ppm | ME-MS61 Zn ppm | ME-MS61 Zr ppm |
|----------------------------|--------------------------|---------------|---------------|----------------|----------------|
|                            |                          | 0.1           | 0.1           | 2              | 0.5            |
| <b>STANDARDS</b>           |                          |               |               |                |                |
| CDN-GS-4N                  |                          |               |               |                |                |
| CDN-GS-4N                  |                          |               |               |                |                |
| Target Range - Lower Bound |                          |               |               |                |                |
| Upper Bound                |                          |               |               |                |                |
| EMOG-17                    |                          | 3.8           | 15.9          | 7750           | 69.8           |
| Target Range - Lower Bound |                          | 3.3           | 14.3          | 6800           | 55.6           |
| Upper Bound                |                          | 4.7           | 17.7          | 8320           | 76.4           |
| KIP-19                     |                          |               |               |                |                |
| Target Range - Lower Bound |                          |               |               |                |                |
| Upper Bound                |                          |               |               |                |                |
| MRGeo08                    |                          | 4.5           | 24.3          | 801            | 104.5          |
| MRGeo08                    |                          | 4.5           | 24.9          | 780            | 103.5          |
| Target Range - Lower Bound |                          | 4.1           | 23.8          | 722            | 92.2           |
| Upper Bound                |                          | 5.8           | 29.3          | 886            | 126.0          |
| OREAS 231                  |                          |               |               |                |                |
| Target Range - Lower Bound |                          |               |               |                |                |
| Upper Bound                |                          |               |               |                |                |
| OREAS 906                  |                          | 2.6           | 16.4          | 168            | 261            |
| OREAS 906                  |                          | 2.5           | 16.4          | 154            | 251            |
| Target Range - Lower Bound |                          | 2.2           | 14.1          | 145            | 221            |
| Upper Bound                |                          | 3.2           | 17.5          | 181            | 301            |
| OREAS 920                  |                          | 3.0           | 34.0          | 123            | 164.5          |
| Target Range - Lower Bound |                          | 2.5           | 29.8          | 102            | 128.0          |
| Upper Bound                |                          | 3.7           | 36.6          | 130            | 174.0          |
| TAZ-20                     |                          |               |               |                |                |
| TAZ-20                     |                          |               |               |                |                |
| Target Range - Lower Bound |                          |               |               |                |                |
| Upper Bound                |                          |               |               |                |                |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Method Analyte Units LOD   | Au-AA24 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |  |
|----------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--|
| Sample Description         | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  | Fe %    |  |
|                            | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     | 0.01    |  |
| <b>BLANKS</b>              |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| BLANK                      | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| BLANK                      | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| BLANK                      | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Target Range - Lower Bound | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Upper Bound                | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| BLANK                      |         | <0.01   | <0.01   | <0.2    | <10     | <0.05   | <0.01   | <0.01   | <0.02   | <0.01   | <0.1    | <1      | <0.05   | <0.2    | <0.01   |  |
| BLANK                      |         | <0.01   | <0.01   | <0.2    | <10     | <0.05   | <0.01   | <0.01   | <0.02   | <0.01   | <0.1    | <1      | <0.05   | <0.2    | <0.01   |  |
| BLANK                      |         | <0.01   | <0.01   | 0.4     | <10     | <0.05   | <0.01   | <0.01   | <0.02   | 0.01    | <0.1    | <1      | <0.05   | <0.2    | <0.01   |  |
| Target Range - Lower Bound |         | <0.01   | <0.01   | <0.2    | <10     | <0.05   | <0.01   | <0.01   | <0.02   | <0.01   | <0.1    | <1      | <0.05   | <0.2    | <0.01   |  |
| Upper Bound                |         | 0.02    | 0.02    | 0.4     | 20      | 0.10    | 0.02    | 0.02    | 0.04    | 0.02    | 0.2     | 2       | 0.10    | 0.4     | 0.02    |  |
| <b>DUPLICATES</b>          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| ORIGINAL                   | 0.013   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| DUP                        | 0.012   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Target Range - Lower Bound | 0.007   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Upper Bound                | 0.018   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| ORIGINAL                   | 0.007   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| DUP                        | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Target Range - Lower Bound | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Upper Bound                | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| ORIGINAL                   | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| DUP                        | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Target Range - Lower Bound | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Upper Bound                | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| ORIGINAL                   | 0.598   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| DUP                        | 0.559   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Target Range - Lower Bound | 0.545   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| Upper Bound                | 0.612   |         |         |         |         |         |         |         |         |         |         |         |         |         |         |  |
| 1531472                    |         | 0.02    | 7.84    | 4.4     | 140     | 0.52    | 0.01    | 6.54    | 0.10    | 20.9    | 41.2    | 172     | 0.17    | 89.6    | 8.98    |  |
| DUP                        |         | 0.02    | 7.82    | 4.2     | 140     | 0.51    | 0.01    | 6.53    | 0.10    | 21.3    | 41.4    | 172     | 0.17    | 88.9    | 8.98    |  |
| Target Range - Lower Bound |         | <0.01   | 7.43    | 3.9     | 120     | 0.44    | <0.01   | 6.20    | 0.08    | 20.0    | 39.1    | 162     | 0.11    | 85.9    | 8.52    |  |
| Upper Bound                |         | 0.03    | 8.23    | 4.7     | 160     | 0.59    | 0.02    | 6.87    | 0.13    | 22.2    | 43.5    | 182     | 0.23    | 92.6    | 9.44    |  |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | ME-MS61<br>Ga<br>ppm<br>0.05 | ME-MS61<br>Ge<br>ppm<br>0.05 | ME-MS61<br>Hf<br>ppm<br>0.1 | ME-MS61<br>In<br>ppm<br>0.005 | ME-MS61<br>K<br>%<br>0.01 | ME-MS61<br>La<br>ppm<br>0.5 | ME-MS61<br>Li<br>ppm<br>0.2 | ME-MS61<br>Mg<br>%<br>0.01 | ME-MS61<br>Mn<br>ppm<br>5 | ME-MS61<br>Mo<br>ppm<br>0.05 | ME-MS61<br>Na<br>%<br>0.01 | ME-MS61<br>Nb<br>ppm<br>0.1 | ME-MS61<br>Ni<br>ppm<br>0.2 | ME-MS61<br>P<br>ppm<br>10 | ME-MS61<br>Pb<br>ppm<br>0.5 |
|----------------------------|-----------------------------------|------------------------------|------------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|
| <b>BLANKS</b>              |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| BLANK                      |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| BLANK                      |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| BLANK                      |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Target Range - Lower Bound |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Upper Bound                |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| BLANK                      |                                   | <0.05                        | 0.06                         | <0.1                        | <0.005                        | <0.01                     | <0.5                        | <0.2                        | <0.01                      | <5                        | <0.05                        | <0.01                      | <0.1                        | <0.2                        | <10                       | <0.5                        |
| BLANK                      |                                   | <0.05                        | <0.05                        | <0.1                        | <0.005                        | <0.01                     | <0.5                        | 0.3                         | <0.01                      | <5                        | <0.05                        | <0.01                      | <0.1                        | <0.2                        | <10                       | <0.5                        |
| BLANK                      |                                   | <0.05                        | 0.05                         | <0.1                        | <0.005                        | <0.01                     | <0.5                        | 0.2                         | <0.01                      | <5                        | <0.05                        | <0.01                      | <0.1                        | <0.2                        | <10                       | <0.5                        |
| Target Range - Lower Bound |                                   | <0.05                        | <0.05                        | <0.1                        | <0.005                        | <0.01                     | <0.5                        | <0.2                        | <0.01                      | <5                        | <0.05                        | <0.01                      | <0.1                        | <0.2                        | <10                       | <0.5                        |
| Upper Bound                |                                   | 0.10                         | 0.10                         | 0.2                         | 0.010                         | 0.02                      | 1.0                         | 0.4                         | 0.02                       | 10                        | 0.10                         | 0.02                       | 0.2                         | 0.4                         | 20                        | 1.0                         |
| <b>DUPLICATES</b>          |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| ORIGINAL                   |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| DUP                        |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Target Range - Lower Bound |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Upper Bound                |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| ORIGINAL                   |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| DUP                        |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Target Range - Lower Bound |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Upper Bound                |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| ORIGINAL                   |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| DUP                        |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Target Range - Lower Bound |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| Upper Bound                |                                   |                              |                              |                             |                               |                           |                             |                             |                            |                           |                              |                            |                             |                             |                           |                             |
| 1531472                    |                                   | 19.60                        | 0.11                         | 2.0                         | 0.083                         | 0.45                      | 8.4                         | 10.0                        | 3.72                       | 1300                      | 0.41                         | 2.84                       | 10.8                        | 94.5                        | 720                       | 0.8                         |
| DUP                        |                                   | 19.55                        | 0.12                         | 2.1                         | 0.085                         | 0.45                      | 8.4                         | 9.4                         | 3.72                       | 1310                      | 0.40                         | 2.85                       | 10.6                        | 95.0                        | 720                       | 0.8                         |
| Target Range - Lower Bound |                                   | 18.55                        | 0.06                         | 1.8                         | 0.075                         | 0.42                      | 7.5                         | 9.0                         | 3.52                       | 1235                      | 0.33                         | 2.69                       | 10.1                        | 89.8                        | 670                       | <0.5                        |
| Upper Bound                |                                   | 20.6                         | 0.17                         | 2.3                         | 0.093                         | 0.48                      | 9.3                         | 10.4                        | 3.92                       | 1375                      | 0.48                         | 3.00                       | 11.3                        | 99.7                        | 770                       | 1.0                         |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | ME-MS61 Rb ppm | ME-MS61 Re ppm | ME-MS61 S % | ME-MS61 Sb ppm | ME-MS61 Sc ppm | ME-MS61 Se ppm | ME-MS61 Sn ppm | ME-MS61 Sr ppm | ME-MS61 Ta ppm | ME-MS61 Te ppm | ME-MS61 Th ppm | ME-MS61 Ti % | ME-MS61 Tl ppm | ME-MS61 U ppm | ME-MS61 V ppm |
|----------------------------|--------------------------|----------------|----------------|-------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--------------|----------------|---------------|---------------|
| <b>BLANKS</b>              |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| BLANK                      |                          | <0.1           | <0.002         | <0.01       | 0.05           | <0.1           | <1             | <0.2           | <0.2           | <0.05          | <0.05          | <0.01          | <0.005       | <0.02          | <0.1          | <1            |
| BLANK                      |                          | <0.1           | <0.002         | <0.01       | <0.05          | <0.1           | 1              | <0.2           | <0.2           | <0.05          | <0.05          | <0.01          | <0.005       | <0.02          | <0.1          | <1            |
| BLANK                      |                          | <0.1           | <0.002         | <0.01       | <0.05          | <0.1           | <1             | <0.2           | <0.2           | <0.05          | <0.05          | <0.01          | <0.005       | <0.02          | <0.1          | <1            |
| Target Range - Lower Bound |                          | <0.1           | <0.002         | <0.01       | <0.05          | <0.1           | <1             | <0.2           | <0.2           | <0.05          | <0.05          | <0.01          | <0.005       | <0.02          | <0.1          | <1            |
| Upper Bound                |                          | 0.2            | 0.004          | 0.02        | 0.10           | 0.2            | 2              | 0.4            | 0.4            | 0.10           | 0.10           | 0.02           | 0.010        | 0.04           | 0.2           | 2             |
| <b>DUPLICATES</b>          |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| ORIGINAL                   |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| DUP                        |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| Target Range - Lower Bound |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| Upper Bound                |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| ORIGINAL                   |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| DUP                        |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| Target Range - Lower Bound |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| Upper Bound                |                          |                |                |             |                |                |                |                |                |                |                |                |              |                |               |               |
| 1531472                    |                          | 10.4           | <0.002         | <0.01       | 0.45           | 37.7           | <1             | 1.1            | 472            | 0.57           | <0.05          | 0.49           | 1.150        | 0.02           | 0.2           | 348           |
| DUP                        |                          | 10.4           | <0.002         | <0.01       | 0.45           | 38.0           | 1              | 1.1            | 470            | 0.59           | <0.05          | 0.51           | 1.155        | 0.03           | 0.2           | 349           |
| Target Range - Lower Bound |                          | 9.8            | <0.002         | <0.01       | 0.37           | 35.9           | <1             | 0.8            | 447            | 0.50           | <0.05          | 0.47           | 1.090        | <0.02          | <0.1          | 330           |
| Upper Bound                |                          | 11.0           | 0.004          | 0.02        | 0.53           | 39.8           | 2              | 1.4            | 495            | 0.66           | 0.10           | 0.54           | 1.215        | 0.04           | 0.3           | 367           |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 |
|----------------------------|--------------------------|-------------------|-------------------|------------------|--------------------|
| <b>BLANKS</b>              |                          |                   |                   |                  |                    |
| BLANK                      |                          |                   |                   |                  |                    |
| BLANK                      |                          |                   |                   |                  |                    |
| BLANK                      |                          |                   |                   |                  |                    |
| Target Range - Lower Bound |                          |                   |                   |                  |                    |
| Upper Bound                |                          |                   |                   |                  |                    |
| BLANK                      |                          | <0.1              | <0.1              | <2               | <0.5               |
| BLANK                      |                          | 0.1               | <0.1              | <2               | <0.5               |
| BLANK                      |                          | <0.1              | <0.1              | <2               | <0.5               |
| Target Range - Lower Bound |                          | <0.1              | <0.1              | <2               | <0.5               |
| Upper Bound                |                          | 0.2               | 0.2               | 4                | 1.0                |
| <b>DUPLICATES</b>          |                          |                   |                   |                  |                    |
| ORIGINAL                   |                          |                   |                   |                  |                    |
| DUP                        |                          |                   |                   |                  |                    |
| Target Range - Lower Bound |                          |                   |                   |                  |                    |
| Upper Bound                |                          |                   |                   |                  |                    |
| ORIGINAL                   |                          |                   |                   |                  |                    |
| DUP                        |                          |                   |                   |                  |                    |
| Target Range - Lower Bound |                          |                   |                   |                  |                    |
| Upper Bound                |                          |                   |                   |                  |                    |
| ORIGINAL                   |                          |                   |                   |                  |                    |
| DUP                        |                          |                   |                   |                  |                    |
| Target Range - Lower Bound |                          |                   |                   |                  |                    |
| Upper Bound                |                          |                   |                   |                  |                    |
| 1531472                    |                          | 0.4               | 23.7              | 101              | 59.4               |
| DUP                        |                          | 0.1               | 24.0              | 101              | 59.6               |
| Target Range - Lower Bound |                          | <0.1              | 22.6              | 94               | 54.5               |
| Upper Bound                |                          | 0.4               | 25.1              | 108              | 64.5               |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description         | Method Analyte Units LOD | Au-AA24 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |      |
|----------------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
|                            |                          | Au ppm  | Ag ppm  | Al %    | As ppm  | Ba ppm  | Be ppm  | Bi ppm  | Ca %    | Cd ppm  | Ce ppm  | Co ppm  | Cr ppm  | Cs ppm  | Cu ppm  | Fe % |
|                            |                          | 0.005   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     | 0.01 |
| <b>DUPLICATES</b>          |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| 1531484                    |                          | 0.006   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| DUP                        |                          | 0.006   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Target Range - Lower Bound |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Upper Bound                |                          | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| 62254                      |                          | 0.005   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| DUP                        |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Target Range - Lower Bound |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Upper Bound                |                          | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| 62258                      |                          |         | 0.21    | 6.57    | 1.0     | 90      | 0.31    | 0.02    | 6.73    | 0.11    | 14.30   | 37.0    | 177     | 0.71    | 476     | 7.64 |
| DUP                        |                          |         | 0.21    | 6.40    | 1.4     | 60      | 0.32    | 0.02    | 6.51    | 0.11    | 14.70   | 38.4    | 172     | 0.74    | 463     | 7.48 |
| Target Range - Lower Bound |                          |         | 0.19    | 6.15    | 0.9     | 60      | 0.25    | <0.01   | 6.28    | 0.08    | 13.75   | 35.7    | 165     | 0.64    | 453     | 7.17 |
| Upper Bound                |                          |         | 0.23    | 6.82    | 1.5     | 90      | 0.38    | 0.03    | 6.96    | 0.14    | 15.25   | 39.7    | 184     | 0.81    | 486     | 7.95 |
| 62292                      |                          | 0.007   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| DUP                        |                          | 0.006   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Target Range - Lower Bound |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Upper Bound                |                          | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| ORIGINAL                   |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| DUP                        |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Target Range - Lower Bound |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Upper Bound                |                          | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| ORIGINAL                   |                          | 0.005   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| DUP                        |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Target Range - Lower Bound |                          | <0.005  |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| Upper Bound                |                          | 0.010   |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| <b>PREP DUPLICATES</b>     |                          |         |         |         |         |         |         |         |         |         |         |         |         |         |         |      |
| 62276                      |                          | 0.061   | 0.41    | 7.94    | 49.1    | 290     | 0.56    | 1.50    | 4.31    | 0.27    | 19.35   | 26.5    | 40      | 2.21    | 388     | 9.29 |
| 62276 PREP DUP             |                          | 0.060   | 0.41    | 7.66    | 45.9    | 280     | 0.50    | 1.43    | 4.17    | 0.27    | 19.65   | 22.8    | 40      | 2.18    | 370     | 8.75 |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description   | Method<br>Analyte<br>Units<br>LOD | ME-MS61                          | ME-MS61                      | ME-MS61                  | ME-MS61                          | ME-MS61                      | ME-MS61                  | ME-MS61                      | ME-MS61                      | ME-MS61                      | ME-MS61                      | ME-MS61                      | ME-MS61                  | ME-MS61                      | ME-MS61                  |                           |
|--|-----------------------------------|----------------------------------|------------------------------|--------------------------|----------------------------------|------------------------------|--------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|--------------------------|------------------------------|--------------------------|---------------------------|
|  |                                   | Ga<br>ppm<br>0.05                | Ge<br>ppm<br>0.05            | Hf<br>ppm<br>0.1         | In<br>ppm<br>0.005               | K<br>%<br>0.01               | La<br>ppm<br>0.5         | Li<br>ppm<br>0.2             | Mg<br>%<br>0.01              | Mn<br>ppm<br>5               | Mo<br>ppm<br>0.05            | Na<br>%<br>0.01              | Nb<br>ppm<br>0.1         | Ni<br>ppm<br>0.2             | P<br>ppm<br>10           | Pb<br>ppm<br>0.5          |
| <b>DUPLICATES</b>  |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| 1531484<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| 62254<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| 62258<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   | 14.90<br>15.50<br>14.40<br>16.00 | 0.13<br>0.12<br>0.07<br>0.18 | 1.0<br>0.7<br>0.7<br>1.0 | 0.066<br>0.072<br>0.061<br>0.077 | 0.74<br>0.71<br>0.68<br>0.77 | 5.4<br>5.6<br>4.7<br>6.3 | 25.2<br>26.1<br>24.2<br>27.1 | 4.35<br>4.22<br>4.06<br>4.51 | 1160<br>1115<br>1075<br>1200 | 0.30<br>0.39<br>0.28<br>0.41 | 0.57<br>0.56<br>0.53<br>0.60 | 5.3<br>5.2<br>4.9<br>5.6 | 76.2<br>79.3<br>73.7<br>81.8 | 480<br>470<br>440<br>510 | 0.8<br>0.8<br><0.5<br>1.0 |
| 62292<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| <b>PREP DUPLICATES</b>                                       |                                   |                                  |                              |                          |                                  |                              |                          |                              |                              |                              |                              |                              |                          |                              |                          |                           |
| 62276<br>62276 PREP DUP                                      |                                   | 17.70<br>16.60                   | 0.17<br>0.05                 | 0.7<br>0.6               | 0.047<br>0.046                   | 1.17<br>1.11                 | 8.5<br>8.1               | 11.2<br>10.0                 | 2.25<br>2.19                 | 786<br>761                   | 1.79<br>1.72                 | 1.02<br>0.96                 | 5.0<br>4.5               | 35.7<br>33.2                 | 770<br>730               | 2.1<br>2.0                |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description   | Method Analyte Units LOD | ME-MS61                      | ME-MS61                             | ME-MS61                       | ME-MS61                      | ME-MS61                      | ME-MS61           | ME-MS61                  | ME-MS61                          | ME-MS61                      | ME-MS61                         | ME-MS61                      | ME-MS61                          | ME-MS61                      | ME-MS61                   |                          |
|--|--------------------------|------------------------------|-------------------------------------|-------------------------------|------------------------------|------------------------------|-------------------|--------------------------|----------------------------------|------------------------------|---------------------------------|------------------------------|----------------------------------|------------------------------|---------------------------|--------------------------|
|  |                          | Rb ppm                       | Re ppm                              | S %                           | Sb ppm                       | Sc ppm                       | Se ppm            | Sn ppm                   | Sr ppm                           | Ta ppm                       | Te ppm                          | Th ppm                       | Ti %                             | Tl ppm                       | U ppm                     | V ppm                    |
| <b>DUPLICATES</b>  |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| 1531484<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| 62254<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| 62258<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          | 19.0<br>19.2<br>18.0<br>20.2 | <0.002<br><0.002<br><0.002<br>0.004 | 0.01<br>0.01<br><0.01<br>0.02 | 0.51<br>0.49<br>0.41<br>0.59 | 33.9<br>35.8<br>33.0<br>36.7 | 1<br>1<br><1<br>2 | 0.6<br>0.5<br>0.3<br>0.8 | 106.0<br>106.5<br>100.5<br>112.0 | 0.32<br>0.33<br>0.26<br>0.39 | <0.05<br><0.05<br><0.05<br>0.10 | 0.37<br>0.40<br>0.36<br>0.41 | 0.617<br>0.583<br>0.565<br>0.635 | 0.07<br>0.07<br>0.04<br>0.10 | 0.1<br>0.1<br><0.1<br>0.2 | 252<br>244<br>235<br>261 |
| 62292<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| <b>PREP DUPLICATES</b>                                       |                          |                              |                                     |                               |                              |                              |                   |                          |                                  |                              |                                 |                              |                                  |                              |                           |                          |
| 62276<br>62276 PREP DUP                                      |                          | 39.4<br>45.0                 | 0.003<br>0.003                      | 3.69<br>3.51                  | 1.55<br>1.52                 | 24.8<br>22.5                 | 2<br>2            | 1.7<br>1.7               | 99.4<br>94.3                     | 0.29<br>0.28                 | 1.25<br>1.19                    | 0.96<br>0.99                 | 0.579<br>0.553                   | 0.60<br>0.57                 | 0.3<br>0.3                | 226<br>213               |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| Sample Description   | Method Analyte Units LOD | ME-MS61<br>W<br>ppm<br>0.1 | ME-MS61<br>Y<br>ppm<br>0.1   | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5  |
|--|--------------------------|----------------------------|------------------------------|---------------------------|------------------------------|
| <b>DUPLICATES</b>  |                          |                            |                              |                           |                              |
| 1531484<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                          |                            |                              |                           |                              |
| 62254<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          |                            |                              |                           |                              |
| 62258<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          | 0.2<br>0.1<br><0.1<br>0.2  | 15.9<br>14.2<br>14.2<br>15.9 | 78<br>75<br>71<br>82      | 22.6<br>26.7<br>22.3<br>27.0 |
| 62292<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                          |                            |                              |                           |                              |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                          |                            |                              |                           |                              |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                          |                            |                              |                           |                              |
| <b>PREP DUPLICATES</b>                                       |                          |                            |                              |                           |                              |
| 62276<br>62276 PREP DUP                                      |                          | 0.7<br>0.6                 | 18.2<br>17.1                 | 92<br>86                  | 27.9<br>18.6                 |
|  |                          |                            |                              |                           |                              |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
 Total # Appendix Pages: 1  
 Finalized Date: 20-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145299**

| CERTIFICATE COMMENTS |  |         |         |        |         |        |         |         |        |        |        |        |        |
|----------------------|--|---------|---------|--------|---------|--------|---------|---------|--------|--------|--------|--------|--------|
|                      | <b>ANALYTICAL COMMENTS</b>   |         |         |        |         |        |         |         |        |        |        |        |        |
| Applies to Method:   | REEs may not be totally soluble in this method.<br>ME-MS61   |         |         |        |         |        |         |         |        |        |        |        |        |
|                      | <b>LABORATORY ADDRESSES</b>  |         |         |        |         |        |         |         |        |        |        |        |        |
| Applies to Method:   | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.   |         |         |        |         |        |         |         |        |        |        |        |        |
|                      | <table border="0"> <tr> <td>Au-AA24</td> <td>CRU-31</td> <td>CRU-QC</td> <td>DISP-01</td> </tr> <tr> <td>LOG-21</td> <td>LOG-21d</td> <td>ME-MS61</td> <td>PUL-31</td> </tr> <tr> <td>PUL-QC</td> <td>SPL-21</td> <td>SPL-34</td> <td>WEI-21</td> </tr> </table> | Au-AA24 | CRU-31  | CRU-QC | DISP-01 | LOG-21 | LOG-21d | ME-MS61 | PUL-31 | PUL-QC | SPL-21 | SPL-34 | WEI-21 |
| Au-AA24              | CRU-31   | CRU-QC  | DISP-01 |        |         |        |         |         |        |        |        |        |        |
| LOG-21               | LOG-21d  | ME-MS61 | PUL-31  |        |         |        |         |         |        |        |        |        |        |
| PUL-QC               | SPL-21   | SPL-34  | WEI-21  |        |         |        |         |         |        |        |        |        |        |

APPENDIX 9 – 2022 SOIL ASSAY CERTIFICATE



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 1  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**CERTIFICATE VA22145304**

Project: Texada

This report is for 253 samples of Soil submitted to our lab in Vancouver, BC, Canada on 31-MAY-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                       |
|--------------------|---------------------------------------|
| ALS CODE           | DESCRIPTION                           |
| WEI-21             | Received Sample Weight                |
| LOG-22             | Sample login - Rcd w/o BarCode        |
| SCR-41             | Screen to -180um and save both        |
| DIS-PUL21          | Disposal of M/+ Split after analysis. |

| ANALYTICAL PROCEDURES |  |            |
|-----------------------|--|------------|
| ALS CODE              | DESCRIPTION                            | INSTRUMENT |
| AuME-ST43             | 25g Super Trace Au + Multi Element PKG |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.  
 \*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
| GD 1               |                          | 0.60         | 0.0028    | 0.121     | 3.89      | 2.77      | <2        | 78.7      | 0.339     | 0.0978    | 0.15      | 0.107     | 10.70     | 12.25     | 46.2      | 0.748     |
| GD 2               |                          | 0.70         | 0.0086    | 0.066     | 4.00      | 4.12      | <2        | 42.9      | 0.376     | 0.1180    | 0.16      | 0.128     | 10.85     | 13.15     | 43.5      | 0.909     |
| GD 3               |                          | 0.62         | 0.0458    | 0.164     | 4.42      | 6.21      | 2         | 46.6      | 0.320     | 0.1450    | 0.17      | 0.254     | 12.80     | 11.70     | 47.4      | 0.768     |
| GD 4               |                          | 0.54         | 0.0117    | 0.285     | 3.53      | 4.63      | <2        | 33.9      | 0.261     | 0.1380    | 0.13      | 0.137     | 4.50      | 8.28      | 34.9      | 0.821     |
| GD 5               |                          | 0.70         | 0.0042    | 0.144     | 4.45      | 7.09      | <2        | 31.4      | 0.335     | 0.1555    | 0.15      | 0.127     | 5.54      | 9.03      | 45.4      | 1.035     |
| GD 6               |                          | 0.46         | 0.0098    | 0.091     | 2.42      | 4.51      | <2        | 22.6      | 0.152     | 0.211     | 0.17      | 0.068     | 4.71      | 5.26      | 30.4      | 0.784     |
| GD 7               |                          | 0.60         | 0.0075    | 0.201     | 4.03      | 5.22      | <2        | 33.3      | 0.297     | 0.1085    | 0.13      | 0.130     | 5.03      | 9.47      | 43.1      | 1.225     |
| GD 8               |                          | 0.58         | 0.0223    | 0.128     | 3.79      | 5.04      | <2        | 32.0      | 0.282     | 0.1580    | 0.12      | 0.144     | 3.86      | 7.01      | 37.1      | 1.340     |
| GD 9               |                          | 0.70         | 0.0104    | 0.189     | 3.75      | 9.95      | <2        | 22.3      | 0.230     | 0.1495    | 0.15      | 0.201     | 3.86      | 7.98      | 37.1      | 0.969     |
| GD 10              |                          | 0.56         | 0.0093    | 0.309     | 4.72      | 12.90     | <2        | 28.8      | 0.284     | 0.1855    | 0.14      | 0.147     | 4.22      | 10.90     | 39.9      | 1.260     |
| GD 11              |                          | 0.72         | 0.0083    | 0.162     | 5.19      | 18.10     | <2        | 29.4      | 0.396     | 0.1690    | 0.13      | 0.100     | 8.06      | 11.40     | 47.3      | 1.120     |
| GD 12              |                          | 0.78         | 0.0053    | 0.266     | 4.36      | 42.5      | 2         | 55.6      | 0.736     | 0.219     | 0.37      | 0.898     | 15.30     | 26.6      | 39.6      | 1.640     |
| GD 13              |                          | 0.80         | 0.0050    | 0.187     | 3.10      | 15.60     | <2        | 44.9      | 0.502     | 0.1660    | 0.30      | 0.524     | 13.10     | 15.70     | 30.6      | 1.435     |
| GD 14              |                          | 0.74         | 0.0068    | 0.174     | 2.74      | 31.8      | <2        | 24.3      | 0.476     | 0.1950    | 0.17      | 0.147     | 8.52      | 11.90     | 31.6      | 1.100     |
| GD 15              |                          | 0.70         | 0.0072    | 0.238     | 1.59      | 8.72      | <2        | 14.60     | 0.115     | 0.1225    | 0.14      | 0.089     | 3.86      | 4.22      | 22.1      | 0.890     |
| GD 16              |                          | 0.64         | 0.0093    | 0.139     | 3.15      | 8.17      | <2        | 28.4      | 0.237     | 0.1670    | 0.13      | 0.107     | 4.20      | 9.39      | 38.2      | 0.769     |
| GD 17              |                          | 0.78         | 0.0096    | 0.117     | 1.78      | 37.0      | <2        | 46.5      | 0.284     | 0.301     | 0.16      | 0.145     | 4.49      | 10.95     | 25.8      | 1.295     |
| GD 18              |                          | 0.66         | 0.0061    | 0.230     | 2.64      | 3.97      | <2        | 23.5      | 0.186     | 0.1350    | 0.11      | 0.093     | 3.46      | 7.04      | 31.6      | 0.816     |
| GD 19              |                          | 0.54         | 0.0094    | 0.088     | 3.41      | 5.28      | <2        | 21.9      | 0.213     | 0.1945    | 0.16      | 0.083     | 4.18      | 7.78      | 38.0      | 1.280     |
| GD 20              |                          | 0.68         | 0.0146    | 0.432     | 1.39      | 7.97      | <2        | 16.20     | 0.083     | 0.286     | 0.40      | 0.242     | 5.64      | 7.79      | 24.0      | 0.518     |
| GD 21              |                          | 0.50         | 0.0059    | 0.260     | 4.29      | 10.05     | <2        | 27.1      | 0.275     | 0.1680    | 0.10      | 0.151     | 3.70      | 6.41      | 36.0      | 0.928     |
| GD 22              |                          | 0.50         | 0.0141    | 0.186     | 2.27      | 14.90     | <2        | 26.4      | 0.191     | 0.1735    | 0.14      | 0.122     | 4.78      | 7.26      | 25.3      | 1.055     |
| GD 23              |                          | 0.52         | 0.0064    | 0.085     | 1.16      | 9.71      | <2        | 7.11      | 0.051     | 0.220     | 0.08      | 0.041     | 6.19      | 2.94      | 21.7      | 0.212     |
| GD 24              |                          | 0.70         | 0.0388    | 0.596     | 3.59      | 1110      | <2        | 36.3      | 0.322     | 0.1500    | 0.10      | 0.131     | 9.00      | 12.55     | 35.7      | 0.857     |
| GD 25              |                          | 0.62         | 0.0110    | 0.104     | 1.70      | 27.5      | <2        | 13.15     | 0.165     | 0.0842    | 0.16      | 0.157     | 5.47      | 5.33      | 27.8      | 0.647     |
| GD 26              |                          | 0.52         | 0.0168    | 0.049     | 2.78      | 4.03      | <2        | 26.5      | 0.219     | 0.0656    | 0.13      | 0.123     | 6.16      | 7.36      | 33.5      | 0.555     |
| GD 27              |                          | 0.72         | 0.0312    | 0.104     | 2.04      | 4.24      | <2        | 22.0      | 0.305     | 0.0947    | 0.21      | 0.127     | 7.51      | 8.63      | 27.5      | 1.015     |
| GD 28              |                          | 0.62         | 0.0040    | 0.083     | 2.82      | 3.10      | <2        | 48.2      | 0.350     | 0.0626    | 0.16      | 0.097     | 16.85     | 12.55     | 37.6      | 0.685     |
| GD 29              |                          | 0.36         | 0.0073    | 0.262     | 1.56      | 11.20     | 2         | 22.9      | 0.145     | 0.1075    | 0.13      | 0.090     | 6.68      | 5.27      | 21.7      | 0.930     |
| GD 30              |                          | 0.56         | 0.0031    | 0.159     | 1.91      | 7.12      | <2        | 24.4      | 0.165     | 0.1470    | 0.12      | 0.074     | 5.67      | 6.37      | 24.3      | 0.851     |
| GD 31              |                          | 0.46         | 0.0095    | 0.281     | 3.59      | 4.17      | <2        | 36.9      | 0.336     | 0.0584    | 0.13      | 0.088     | 12.05     | 11.35     | 40.9      | 0.693     |
| GD 32              |                          | 0.62         | 0.0095    | 0.220     | 4.09      | 6.18      | <2        | 28.7      | 0.302     | 0.0802    | 0.12      | 0.173     | 4.50      | 10.45     | 42.9      | 0.815     |
| GD 33              |                          | 0.72         | 0.0071    | 0.117     | 4.09      | 8.53      | <2        | 43.9      | 0.528     | 0.1265    | 0.28      | 0.226     | 7.16      | 26.6      | 47.1      | 1.600     |
| GD 34              |                          | 0.54         | 0.0138    | 0.180     | 3.43      | 7.27      | <2        | 24.3      | 0.223     | 0.1015    | 0.13      | 0.141     | 6.52      | 7.87      | 41.1      | 0.845     |
| GD 35              |                          | 0.38         | 0.0245    | 0.509     | 3.53      | 49.2      | <2        | 24.4      | 0.330     | 0.333     | 0.15      | 0.230     | 5.55      | 15.45     | 31.7      | 1.165     |
| GD 36              |                          | 0.64         | 0.0033    | 0.657     | 3.44      | 47.3      | <2        | 37.8      | 0.238     | 0.1930    | 0.10      | 0.206     | 4.17      | 23.1      | 50.0      | 1.425     |
| GD 37              |                          | 0.58         | 0.0062    | 0.765     | 2.93      | 207       | <2        | 26.7      | 0.211     | 0.312     | 0.36      | 0.255     | 3.63      | 8.17      | 22.8      | 0.710     |
| GD 38              |                          | 0.52         | 0.0111    | 0.679     | 5.90      | 91.4      | 2         | 36.4      | 0.391     | 0.1905    | 0.13      | 0.242     | 4.59      | 22.1      | 49.7      | 1.395     |
| GD 39              |                          | 0.62         | 0.0315    | 1.060     | 4.14      | 29.2      | <2        | 27.9      | 0.293     | 0.374     | 0.11      | 0.246     | 4.82      | 16.95     | 31.5      | 1.960     |
| GD 40              |                          | 0.50         | 0.0081    | 0.284     | 2.95      | 14.35     | <2        | 17.10     | 0.180     | 0.285     | 0.12      | 0.095     | 3.51      | 6.90      | 33.4      | 0.954     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb        |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       |
| GD 1               | 0.01                     | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002     |           |
| GD 2               | 95.2                     | 3.24      | 7.55      | 0.037     | 0.302     | 0.062     | 0.029     | 0.02      | 3.94      | 12.6      | 0.42      | 168.5     | 1.735     | 0.013     | 0.882     |           |
| GD 3               | 122.0                    | 3.69      | 9.29      | 0.039     | 0.279     | 0.099     | 0.035     | 0.02      | 3.70      | 11.6      | 0.53      | 476       | 1.150     | 0.012     | 0.910     |           |
| GD 4               | 161.0                    | 4.10      | 9.97      | 0.041     | 0.420     | 0.110     | 0.037     | 0.02      | 3.18      | 10.9      | 0.61      | 231       | 0.784     | 0.012     | 1.065     |           |
| GD 5               | 63.4                     | 3.69      | 10.15     | 0.031     | 0.239     | 0.097     | 0.031     | 0.01      | 2.42      | 11.2      | 0.34      | 139.0     | 0.708     | 0.010     | 1.315     |           |
| GD 6               | 100.5                    | 4.53      | 11.15     | 0.040     | 0.426     | 0.098     | 0.037     | 0.02      | 2.59      | 11.5      | 0.45      | 171.0     | 0.957     | 0.011     | 1.180     |           |
| GD 7               | 57.7                     | 4.48      | 14.75     | 0.034     | 0.144     | 0.060     | 0.027     | 0.02      | 2.31      | 9.3       | 0.30      | 145.0     | 2.28      | 0.014     | 1.800     |           |
| GD 8               | 84.3                     | 4.06      | 9.46      | 0.033     | 0.342     | 0.072     | 0.034     | 0.02      | 2.28      | 11.1      | 0.38      | 153.5     | 0.887     | 0.011     | 1.770     |           |
| GD 9               | 55.8                     | 4.32      | 10.35     | 0.034     | 0.248     | 0.071     | 0.038     | 0.02      | 1.875     | 12.9      | 0.30      | 158.0     | 0.967     | 0.011     | 1.750     |           |
| GD 10              | 96.8                     | 4.04      | 8.06      | 0.032     | 0.322     | 0.102     | 0.034     | 0.02      | 1.700     | 9.7       | 0.41      | 170.0     | 0.848     | 0.011     | 1.845     |           |
| GD 11              | 85.1                     | 4.20      | 10.75     | 0.036     | 0.261     | 0.147     | 0.032     | 0.02      | 2.01      | 11.1      | 0.45      | 195.5     | 0.899     | 0.011     | 1.455     |           |
| GD 12              | 107.0                    | 4.30      | 10.90     | 0.042     | 0.439     | 0.072     | 0.035     | 0.02      | 3.11      | 12.1      | 0.45      | 181.5     | 0.939     | 0.011     | 1.035     |           |
| GD 13              | 178.5                    | 4.58      | 9.64      | 0.054     | 0.174     | 0.039     | 0.037     | 0.04      | 6.62      | 16.4      | 0.55      | 896       | 0.905     | 0.020     | 0.825     |           |
| GD 14              | 129.5                    | 3.23      | 7.23      | 0.047     | 0.052     | 0.074     | 0.025     | 0.02      | 6.91      | 14.7      | 0.48      | 946       | 1.430     | 0.015     | 0.846     |           |
| GD 15              | 71.7                     | 2.92      | 8.45      | 0.034     | 0.113     | 0.089     | 0.026     | 0.02      | 4.52      | 10.8      | 0.25      | 224       | 1.125     | 0.009     | 1.075     |           |
| GD 16              | 25.6                     | 2.56      | 7.30      | 0.022     | 0.068     | 0.102     | 0.015     | 0.02      | 1.875     | 7.5       | 0.19      | 110.0     | 0.655     | 0.007     | 0.925     |           |
| GD 17              | 84.2                     | 3.16      | 8.06      | 0.025     | 0.192     | 0.077     | 0.025     | 0.02      | 1.800     | 8.4       | 0.38      | 229       | 0.565     | 0.008     | 0.941     |           |
| GD 18              | 46.9                     | 3.84      | 9.81      | 0.027     | 0.028     | 0.086     | 0.030     | 0.02      | 2.11      | 11.2      | 0.23      | 1240      | 0.906     | 0.009     | 1.090     |           |
| GD 19              | 38.3                     | 3.18      | 8.13      | 0.025     | 0.166     | 0.116     | 0.026     | 0.01      | 1.550     | 8.1       | 0.25      | 193.0     | 0.857     | 0.007     | 1.310     |           |
| GD 20              | 84.5                     | 3.61      | 11.45     | 0.028     | 0.223     | 0.077     | 0.030     | 0.02      | 1.925     | 13.9      | 0.36      | 158.5     | 0.811     | 0.013     | 1.720     |           |
| GD 21              | 34.9                     | 3.56      | 7.77      | 0.028     | 0.066     | 0.112     | 0.031     | 0.01      | 2.42      | 9.2       | 0.32      | 168.5     | 1.000     | 0.009     | 1.210     |           |
| GD 22              | 66.1                     | 3.95      | 12.60     | 0.030     | 0.192     | 0.073     | 0.042     | 0.02      | 1.770     | 12.8      | 0.25      | 115.0     | 1.210     | 0.007     | 2.03      |           |
| GD 23              | 34.4                     | 3.58      | 10.10     | 0.028     | 0.085     | 0.056     | 0.034     | 0.02      | 2.20      | 9.6       | 0.26      | 300       | 0.758     | 0.010     | 1.240     |           |
| GD 24              | 12.90                    | 3.20      | 13.15     | 0.049     | 0.033     | 0.039     | 0.024     | 0.01      | 3.02      | 4.1       | 0.29      | 128.5     | 0.622     | 0.010     | 1.440     |           |
| GD 25              | 111.5                    | 5.16      | 8.40      | 0.041     | 0.156     | 0.083     | 0.058     | 0.02      | 3.75      | 12.0      | 0.36      | 278       | 0.725     | 0.007     | 0.610     |           |
| GD 26              | 23.0                     | 2.78      | 7.94      | 0.028     | 0.105     | 0.026     | 0.020     | 0.01      | 3.27      | 9.8       | 0.20      | 77.4      | 0.617     | 0.008     | 1.000     |           |
| GD 27              | 71.4                     | 2.78      | 7.15      | 0.026     | 0.229     | 0.032     | 0.020     | 0.02      | 2.25      | 8.4       | 0.36      | 124.5     | 0.626     | 0.009     | 1.430     |           |
| GD 28              | 34.5                     | 2.45      | 6.46      | 0.028     | 0.094     | 0.052     | 0.018     | 0.01      | 3.55      | 9.4       | 0.22      | 278       | 0.707     | 0.008     | 0.858     |           |
| GD 29              | 88.8                     | 2.78      | 6.66      | 0.031     | 0.152     | 0.059     | 0.021     | 0.02      | 4.43      | 10.9      | 0.42      | 257       | 0.527     | 0.010     | 0.722     |           |
| GD 30              | 43.0                     | 2.65      | 5.90      | 0.027     | 0.070     | 0.111     | 0.024     | 0.02      | 3.18      | 8.3       | 0.13      | 191.5     | 0.411     | 0.009     | 0.809     |           |
| GD 31              | 58.2                     | 3.14      | 8.71      | 0.027     | 0.117     | 0.052     | 0.023     | 0.02      | 2.53      | 9.7       | 0.22      | 222       | 0.593     | 0.007     | 1.035     |           |
| GD 32              | 103.5                    | 3.09      | 7.91      | 0.033     | 0.351     | 0.118     | 0.020     | 0.02      | 3.53      | 10.0      | 0.49      | 210       | 0.546     | 0.009     | 1.415     |           |
| GD 33              | 81.1                     | 3.52      | 8.20      | 0.028     | 0.276     | 0.091     | 0.035     | 0.01      | 1.905     | 10.2      | 0.38      | 240       | 0.914     | 0.007     | 1.180     |           |
| GD 34              | 39.6                     | 4.21      | 9.60      | 0.036     | 0.094     | 0.035     | 0.034     | 0.02      | 2.40      | 18.8      | 0.47      | 945       | 2.09      | 0.008     | 0.995     |           |
| GD 35              | 92.5                     | 3.52      | 9.17      | 0.032     | 0.312     | 0.075     | 0.033     | 0.02      | 2.34      | 10.4      | 0.47      | 172.5     | 0.739     | 0.009     | 1.610     |           |
| GD 36              | 92.5                     | 5.95      | 11.10     | 0.062     | 0.126     | 0.100     | 0.046     | 0.02      | 2.55      | 11.8      | 0.45      | 319       | 2.45      | 0.011     | 1.920     |           |
| GD 37              | 105.5                    | 5.60      | 11.30     | 0.047     | 0.056     | 0.147     | 0.067     | 0.02      | 1.840     | 14.2      | 0.93      | 1320      | 0.887     | 0.011     | 0.854     |           |
| GD 38              | 44.9                     | 4.27      | 10.15     | 0.031     | 0.121     | 0.086     | 0.027     | 0.02      | 1.805     | 11.4      | 0.28      | 200       | 1.065     | 0.011     | 1.875     |           |
| GD 39              | 251                      | 4.63      | 12.00     | 0.037     | 0.246     | 0.174     | 0.045     | 0.02      | 1.965     | 17.6      | 0.58      | 568       | 1.355     | 0.009     | 0.776     |           |
| GD 40              | 112.0                    | 5.76      | 12.15     | 0.040     | 0.083     | 0.129     | 0.050     | 0.02      | 2.24      | 20.6      | 0.47      | 268       | 1.475     | 0.007     | 0.869     |           |
| GD 40              | 59.4                     | 4.87      | 11.60     | 0.035     | 0.137     | 0.099     | 0.036     | 0.01      | 1.690     | 10.6      | 0.25      | 179.0     | 1.140     | 0.009     | 1.680     |           |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| GD 1               |                          | 30.4      | 0.0201    | 5.74      | 0.002     | 0.001     | 4.32      | <0.0002   | 0.008     | 0.219     | 4.17      | 0.159     | 0.57      | 11.00     | <0.005    | 0.024 |
| GD 2               |                          | 27.8      | 0.0523    | 7.72      | 0.005     | 0.001     | 4.76      | <0.0002   | 0.013     | 0.376     | 7.37      | 0.368     | 0.67      | 11.10     | <0.005    | 0.046 |
| GD 3               |                          | 26.3      | 0.0415    | 5.18      | 0.005     | 0.001     | 3.53      | <0.0002   | 0.011     | 0.420     | 7.73      | 0.367     | 0.59      | 11.05     | <0.005    | 0.119 |
| GD 4               |                          | 17.60     | 0.0417    | 6.21      | 0.002     | 0.001     | 3.25      | <0.0002   | 0.014     | 0.332     | 2.82      | 0.334     | 0.64      | 7.18      | <0.005    | 0.040 |
| GD 5               |                          | 19.80     | 0.0445    | 5.20      | 0.004     | 0.001     | 4.96      | <0.0002   | 0.029     | 0.344     | 4.78      | 0.340     | 0.68      | 9.78      | <0.005    | 0.062 |
| GD 6               |                          | 10.35     | 0.0405    | 11.60     | 0.002     | 0.001     | 2.61      | <0.0002   | 0.018     | 0.435     | 2.16      | 0.166     | 0.93      | 15.25     | <0.005    | 0.046 |
| GD 7               |                          | 19.40     | 0.0426    | 4.54      | 0.002     | 0.001     | 5.04      | <0.0002   | 0.018     | 0.354     | 4.11      | 0.336     | 0.58      | 7.49      | <0.005    | 0.047 |
| GD 8               |                          | 14.45     | 0.0517    | 7.33      | 0.002     | 0.001     | 5.48      | <0.0002   | 0.021     | 0.379     | 2.39      | 0.318     | 0.72      | 7.15      | <0.005    | 0.046 |
| GD 9               |                          | 16.35     | 0.0432    | 6.05      | 0.003     | 0.001     | 3.78      | <0.0002   | 0.023     | 0.702     | 3.62      | 0.404     | 0.55      | 11.70     | <0.005    | 0.081 |
| GD 10              |                          | 21.0      | 0.0427    | 6.71      | 0.004     | 0.001     | 5.26      | <0.0002   | 0.021     | 0.714     | 3.15      | 0.436     | 0.62      | 7.94      | <0.005    | 0.094 |
| GD 11              |                          | 24.0      | 0.0332    | 4.73      | 0.003     | 0.001     | 4.76      | <0.0002   | 0.017     | 0.601     | 6.93      | 0.299     | 0.62      | 7.66      | <0.005    | 0.080 |
| GD 12              |                          | 48.6      | 0.0603    | 6.40      | 0.001     | 0.001     | 7.90      | <0.0002   | 0.010     | 1.185     | 6.15      | 0.342     | 0.54      | 16.05     | <0.005    | 0.132 |
| GD 13              |                          | 31.9      | 0.0336    | 7.20      | <0.001    | 0.001     | 5.83      | 0.0003    | 0.011     | 0.858     | 3.37      | 0.447     | 0.50      | 13.85     | <0.005    | 0.095 |
| GD 14              |                          | 21.7      | 0.0402    | 13.05     | 0.001     | 0.001     | 4.63      | <0.0002   | 0.011     | 0.923     | 3.05      | 0.277     | 0.68      | 9.67      | <0.005    | 0.047 |
| GD 15              |                          | 7.97      | 0.0242    | 5.51      | <0.001    | 0.001     | 3.05      | <0.0002   | 0.008     | 0.901     | 1.660     | 0.258     | 0.53      | 7.78      | <0.005    | 0.036 |
| GD 16              |                          | 18.95     | 0.0335    | 8.31      | 0.001     | 0.001     | 4.47      | <0.0002   | 0.012     | 0.801     | 3.29      | 0.212     | 0.60      | 6.73      | <0.005    | 0.070 |
| GD 17              |                          | 12.25     | 0.0602    | 16.50     | 0.001     | 0.001     | 5.67      | <0.0002   | 0.017     | 0.778     | 2.03      | 0.283     | 0.81      | 8.85      | <0.005    | 0.107 |
| GD 18              |                          | 13.60     | 0.0356    | 8.47      | 0.001     | 0.001     | 3.53      | <0.0002   | 0.011     | 0.411     | 2.12      | 0.404     | 0.59      | 6.55      | <0.005    | 0.035 |
| GD 19              |                          | 16.60     | 0.0628    | 5.33      | 0.002     | 0.001     | 4.29      | <0.0002   | 0.018     | 0.513     | 3.10      | 0.297     | 0.65      | 7.61      | <0.005    | 0.061 |
| GD 20              |                          | 9.85      | 0.0243    | 9.87      | 0.001     | 0.001     | 2.57      | <0.0002   | 0.012     | 1.330     | 2.68      | 0.187     | 1.10      | 8.96      | <0.005    | 0.100 |
| GD 21              |                          | 14.15     | 0.0679    | 5.58      | 0.001     | 0.001     | 3.47      | <0.0002   | 0.024     | 0.450     | 2.41      | 0.363     | 0.65      | 7.12      | <0.005    | 0.066 |
| GD 22              |                          | 10.40     | 0.0455    | 7.69      | 0.001     | 0.001     | 4.16      | <0.0002   | 0.015     | 0.391     | 2.65      | 0.162     | 0.66      | 14.65     | <0.005    | 0.046 |
| GD 23              |                          | 7.14      | 0.0332    | 10.85     | <0.001    | 0.001     | 0.893     | <0.0002   | 0.018     | 0.582     | 2.78      | 0.139     | 0.94      | 5.01      | <0.005    | 0.047 |
| GD 24              |                          | 29.7      | 0.0199    | 7.56      | 0.002     | 0.001     | 4.78      | <0.0002   | 0.016     | 1.695     | 6.77      | 0.465     | 0.48      | 7.09      | <0.005    | 0.100 |
| GD 25              |                          | 9.68      | 0.0168    | 3.48      | 0.001     | 0.001     | 2.71      | <0.0002   | 0.008     | 0.197     | 2.13      | 0.180     | 0.46      | 8.20      | <0.005    | 0.024 |
| GD 26              |                          | 17.65     | 0.0170    | 3.12      | 0.002     | 0.001     | 3.12      | <0.0002   | 0.016     | 0.233     | 3.61      | 0.215     | 0.42      | 7.61      | <0.005    | 0.033 |
| GD 27              |                          | 13.80     | 0.0287    | 5.12      | <0.001    | 0.001     | 5.13      | <0.0002   | 0.010     | 0.268     | 2.46      | 0.172     | 0.41      | 8.75      | <0.005    | 0.021 |
| GD 28              |                          | 24.5      | 0.0409    | 4.32      | 0.001     | <0.001    | 3.97      | <0.0002   | 0.009     | 0.201     | 5.02      | 0.249     | 0.39      | 10.35     | <0.005    | 0.020 |
| GD 29              |                          | 9.34      | 0.0377    | 6.26      | <0.001    | 0.001     | 6.20      | <0.0002   | 0.013     | 5.95      | 2.64      | 0.211     | 0.53      | 8.42      | <0.005    | 0.014 |
| GD 30              |                          | 10.20     | 0.0347    | 6.46      | 0.002     | 0.001     | 4.94      | <0.0002   | 0.011     | 2.53      | 2.72      | 0.354     | 0.71      | 6.19      | <0.005    | 0.013 |
| GD 31              |                          | 25.7      | 0.0321    | 2.85      | 0.004     | 0.001     | 4.60      | <0.0002   | 0.013     | 0.216     | 7.38      | 0.333     | 0.45      | 8.16      | <0.005    | 0.024 |
| GD 32              |                          | 18.95     | 0.0614    | 3.10      | 0.001     | 0.001     | 3.76      | <0.0002   | 0.015     | 0.277     | 3.55      | 0.219     | 0.45      | 6.33      | <0.005    | 0.021 |
| GD 33              |                          | 26.2      | 0.0556    | 3.75      | <0.001    | <0.001    | 5.60      | 0.0002    | 0.013     | 0.421     | 3.33      | 0.525     | 0.54      | 11.00     | <0.005    | 0.068 |
| GD 34              |                          | 18.15     | 0.0454    | 3.99      | 0.003     | 0.001     | 3.84      | <0.0002   | 0.018     | 0.283     | 5.05      | 0.418     | 0.49      | 8.29      | <0.005    | 0.044 |
| GD 35              |                          | 14.35     | 0.1010    | 9.34      | 0.003     | 0.001     | 4.90      | 0.0002    | 0.031     | 0.844     | 3.41      | 0.544     | 0.69      | 7.62      | 0.005     | 0.279 |
| GD 36              |                          | 30.5      | 0.0674    | 16.95     | 0.003     | 0.001     | 4.57      | <0.0002   | 0.022     | 1.030     | 7.04      | 0.654     | 0.67      | 25.0      | <0.005    | 0.179 |
| GD 37              |                          | 9.10      | 0.0638    | 10.10     | <0.001    | 0.001     | 3.55      | <0.0002   | 0.023     | 0.715     | 2.37      | 0.443     | 0.60      | 19.15     | <0.005    | 0.171 |
| GD 38              |                          | 46.7      | 0.0948    | 10.55     | 0.002     | 0.001     | 4.69      | <0.0002   | 0.018     | 0.797     | 4.71      | 0.484     | 0.65      | 9.95      | <0.005    | 0.143 |
| GD 39              |                          | 19.90     | 0.0703    | 11.15     | 0.001     | 0.001     | 6.10      | <0.0002   | 0.020     | 1.435     | 4.01      | 0.288     | 0.76      | 7.63      | <0.005    | 0.197 |
| GD 40              |                          | 11.60     | 0.0595    | 12.65     | 0.001     | 0.001     | 2.40      | <0.0002   | 0.021     | 0.742     | 2.54      | 0.196     | 0.79      | 7.97      | <0.005    | 0.083 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                                   | Th        | Ti        | Tl        | U         | V         | W         | Y         | Zn        | Zr    |
|                    |                                   | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                                   | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01  |
| GD 1               |                                   | 1.800     | 0.200     | 0.0449    | 0.346     | 88.2      | 0.041     | 1.955     | 29.8      | 10.65 |
| GD 2               |                                   | 1.790     | 0.219     | 0.0574    | 0.472     | 103.5     | 0.062     | 2.83      | 50.6      | 9.89  |
| GD 3               |                                   | 1.315     | 0.264     | 0.0407    | 0.377     | 126.0     | 0.048     | 3.37      | 46.9      | 12.85 |
| GD 4               |                                   | 0.765     | 0.214     | 0.0497    | 0.1985    | 108.0     | 0.022     | 1.440     | 39.1      | 8.16  |
| GD 5               |                                   | 1.175     | 0.246     | 0.0652    | 0.305     | 128.5     | 0.029     | 1.890     | 52.7      | 13.80 |
| GD 6               |                                   | 0.610     | 0.237     | 0.0352    | 0.1355    | 148.5     | 0.017     | 1.385     | 31.7      | 5.14  |
| GD 7               |                                   | 1.025     | 0.220     | 0.0530    | 0.254     | 115.5     | 0.060     | 1.700     | 47.6      | 10.70 |
| GD 8               |                                   | 0.750     | 0.208     | 0.0636    | 0.1760    | 118.0     | 0.042     | 1.075     | 54.2      | 8.38  |
| GD 9               |                                   | 0.952     | 0.206     | 0.0433    | 0.261     | 111.0     | 0.046     | 1.375     | 48.4      | 10.30 |
| GD 10              |                                   | 0.824     | 0.235     | 0.0653    | 0.213     | 115.5     | 0.049     | 1.540     | 53.1      | 8.16  |
| GD 11              |                                   | 1.365     | 0.233     | 0.0529    | 0.361     | 124.5     | 0.027     | 3.32      | 43.9      | 14.00 |
| GD 12              |                                   | 1.205     | 0.1680    | 0.0964    | 0.341     | 106.0     | 0.046     | 8.34      | 180.5     | 5.94  |
| GD 13              |                                   | 0.750     | 0.1470    | 0.0760    | 0.242     | 84.3      | 0.048     | 8.08      | 56.1      | 2.09  |
| GD 14              |                                   | 0.695     | 0.1665    | 0.0495    | 0.205     | 96.8      | 0.033     | 4.38      | 43.3      | 4.00  |
| GD 15              |                                   | 0.434     | 0.1520    | 0.0355    | 0.1040    | 89.3      | 0.018     | 0.959     | 23.9      | 2.38  |
| GD 16              |                                   | 0.780     | 0.1800    | 0.0573    | 0.200     | 97.0      | 0.024     | 1.410     | 43.9      | 6.00  |
| GD 17              |                                   | 0.480     | 0.1525    | 0.0759    | 0.1225    | 115.0     | 0.052     | 1.355     | 49.7      | 1.16  |
| GD 18              |                                   | 0.680     | 0.207     | 0.0427    | 0.1735    | 99.3      | 0.046     | 0.968     | 39.8      | 5.49  |
| GD 19              |                                   | 0.694     | 0.225     | 0.0642    | 0.1690    | 108.0     | 0.033     | 1.665     | 39.6      | 7.04  |
| GD 20              |                                   | 0.347     | 0.1805    | 0.0456    | 0.0604    | 102.5     | 0.021     | 1.530     | 38.7      | 1.97  |
| GD 21              |                                   | 0.730     | 0.1885    | 0.0381    | 0.209     | 111.0     | 0.057     | 1.170     | 44.1      | 6.30  |
| GD 22              |                                   | 0.599     | 0.1505    | 0.0663    | 0.1270    | 108.5     | 0.038     | 1.395     | 60.2      | 2.82  |
| GD 23              |                                   | 0.536     | 0.223     | 0.0179    | 0.0857    | 158.5     | 0.038     | 0.871     | 20.2      | 1.22  |
| GD 24              |                                   | 0.980     | 0.0790    | 0.0805    | 0.302     | 89.6      | 0.035     | 3.41      | 40.1      | 5.43  |
| GD 25              |                                   | 0.578     | 0.1525    | 0.0260    | 0.1480    | 96.9      | 0.017     | 2.57      | 65.1      | 3.25  |
| GD 26              |                                   | 0.938     | 0.1850    | 0.0291    | 0.223     | 86.2      | 0.042     | 1.585     | 29.3      | 6.95  |
| GD 27              |                                   | 0.669     | 0.1255    | 0.0443    | 0.223     | 79.4      | 0.030     | 2.86      | 33.7      | 3.29  |
| GD 28              |                                   | 1.270     | 0.1750    | 0.0377    | 0.311     | 83.5      | 0.048     | 4.38      | 34.3      | 5.93  |
| GD 29              |                                   | 0.570     | 0.0548    | 0.0757    | 0.1160    | 73.0      | 0.239     | 1.320     | 35.1      | 2.50  |
| GD 30              |                                   | 0.555     | 0.0818    | 0.0448    | 0.1260    | 97.7      | 0.023     | 1.625     | 33.2      | 4.20  |
| GD 31              |                                   | 1.420     | 0.209     | 0.0340    | 0.371     | 93.2      | 0.096     | 3.23      | 35.7      | 10.90 |
| GD 32              |                                   | 1.030     | 0.219     | 0.0273    | 0.302     | 104.0     | 0.081     | 1.535     | 45.9      | 9.41  |
| GD 33              |                                   | 0.736     | 0.1900    | 0.0747    | 0.273     | 128.0     | 0.049     | 2.51      | 111.5     | 3.69  |
| GD 34              |                                   | 1.105     | 0.218     | 0.0398    | 0.330     | 108.0     | 0.052     | 1.965     | 45.8      | 9.73  |
| GD 35              |                                   | 0.686     | 0.248     | 0.0634    | 0.1655    | 137.0     | 0.141     | 1.575     | 109.5     | 4.17  |
| GD 36              |                                   | 0.503     | 0.1315    | 0.1025    | 0.1240    | 161.0     | 0.070     | 1.930     | 92.8      | 2.03  |
| GD 37              |                                   | 0.522     | 0.1285    | 0.0581    | 0.1335    | 119.0     | 0.058     | 1.415     | 66.7      | 3.96  |
| GD 38              |                                   | 1.075     | 0.210     | 0.0554    | 0.332     | 122.5     | 0.072     | 1.715     | 106.0     | 7.88  |
| GD 39              |                                   | 0.673     | 0.0804    | 0.0959    | 0.1545    | 131.0     | 0.057     | 1.315     | 82.9      | 2.87  |
| GD 40              |                                   | 0.627     | 0.201     | 0.0593    | 0.1395    | 126.5     | 0.029     | 0.919     | 44.5      | 4.55  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |      |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm |      |
| GD 41              |                          | 0.50         | 0.0066    | 0.171     | 3.02      | 8.76      | <2        | 46.3      | 0.578     | 0.1520    | 0.28      | 0.666     | 7.09      | 17.60     | 29.7      | 2.05   |      |
| GD 42              |                          | 0.56         | 0.0070    | 0.155     | 2.23      | 7.41      | <2        | 18.55     | 0.151     | 0.245     | 0.16      | 0.145     | 4.03      | 5.23      | 28.1      | 1.175  |      |
| GD 43              |                          | 0.46         | 0.0085    | 0.160     | 3.51      | 9.63      | <2        | 29.6      | 0.270     | 0.263     | 0.15      | 0.194     | 5.94      | 10.60     | 36.8      | 1.690  |      |
| GD 44              |                          | 0.46         | 0.0054    | 0.133     | 1.30      | 5.74      | <2        | 26.5      | 0.207     | 0.281     | 0.18      | 0.192     | 5.89      | 8.22      | 18.95     | 0.953  |      |
| GD 45              |                          | 0.58         | 0.0049    | 0.064     | 3.28      | 5.54      | <2        | 19.40     | 0.224     | 0.1470    | 0.13      | 0.101     | 4.50      | 5.42      | 33.7      | 1.025  |      |
| GD 46              |                          | 0.38         | 0.0048    | 0.101     | 2.59      | 10.55     | <2        | 18.10     | 0.181     | 0.276     | 0.13      | 0.117     | 4.49      | 4.22      | 31.0      | 0.911  |      |
| GD 47              |                          | 0.52         | 0.0062    | 0.230     | 5.49      | 9.87      | <2        | 35.1      | 0.432     | 0.217     | 0.17      | 0.169     | 5.65      | 10.30     | 32.3      | 1.625  |      |
| GD 48              |                          | 0.52         | 0.0030    | 0.096     | 1.28      | 4.49      | <2        | 24.7      | 0.113     | 0.1280    | 0.24      | 0.068     | 4.65      | 3.91      | 15.90     | 0.955  |      |
| GD 49              |                          | 0.52         | 0.0121    | 0.076     | 1.94      | 5.86      | <2        | 20.0      | 0.159     | 0.1755    | 0.13      | 0.218     | 4.19      | 7.02      | 27.3      | 0.814  |      |
| GD 50              |                          | 0.60         | 0.0224    | 0.783     | 4.18      | 138.5     | 3         | 52.7      | 0.747     | 0.582     | 0.37      | 2.68      | 36.3      | 179.0     | 34.1      | 5.34   |      |
| GD 51              |                          | 0.48         | 0.0254    | 0.265     | 2.82      | 43.5      | 2         | 35.5      | 0.300     | 0.517     | 0.36      | 0.520     | 13.35     | 23.3      | 34.3      | 1.165  |      |
| GD 52              |                          | 0.58         | 0.0696    | 1.085     | 5.70      | 197.0     | 2         | 51.4      | 0.795     | 2.28      | 0.60      | 1.595     | 30.0      | 75.7      | 32.5      | 2.46   |      |
| GD 53              |                          | 0.60         | 0.0232    | 0.562     | 5.53      | 57.9      | 2         | 43.1      | 0.489     | 0.463     | 0.14      | 0.184     | 21.4      | 19.60     | 47.6      | 1.110  |      |
| GD 54              |                          | 0.48         | 0.0201    | 0.484     | 5.46      | 48.2      | 2         | 30.1      | 0.466     | 0.949     | 0.13      | 0.261     | 4.86      | 20.5      | 38.7      | 1.925  |      |
| GD 55              |                          | 0.50         | 0.0258    | 1.335     | 2.82      | 57.6      | <2        | 26.2      | 0.136     | 1.585     | 0.11      | 0.343     | 26.2      | 4.87      | 10.70     | 24.6   | 2.30 |
| GD 56              |                          | 0.56         | 0.0246    | 0.098     | 4.96      | 9.83      | 2         | 34.9      | 0.309     | 0.1040    | 0.15      | 0.113     | 8.99      | 10.70     | 57.4      | 0.930  |      |
| GD 57              |                          | 0.54         | 0.0083    | 0.901     | 3.05      | 5.39      | <2        | 36.7      | 0.198     | 0.1250    | 0.13      | 0.140     | 7.93      | 8.53      | 30.1      | 0.977  |      |
| GD 58              |                          | 0.52         | 0.0105    | 0.182     | 3.82      | 7.09      | 2         | 40.5      | 0.335     | 0.0773    | 0.15      | 0.176     | 19.90     | 15.35     | 45.2      | 0.871  |      |
| GD 59              |                          | 0.64         | 0.0036    | 0.364     | 4.07      | 5.92      | 2         | 54.0      | 0.289     | 0.1030    | 0.16      | 0.122     | 6.44      | 9.51      | 40.9      | 0.863  |      |
| GD 60              |                          | 0.50         | 0.0084    | 0.089     | 4.70      | 6.61      | 2         | 33.9      | 0.346     | 0.1080    | 0.15      | 0.100     | 13.60     | 11.85     | 47.1      | 0.794  |      |
| GD 61              |                          | 0.46         | 0.0067    | 0.251     | 3.77      | 7.19      | 2         | 34.0      | 0.226     | 0.1570    | 0.18      | 0.126     | 5.96      | 9.76      | 34.0      | 0.929  |      |
| GD 62              |                          | 0.58         | 0.0112    | 0.205     | 2.61      | 5.57      | <2        | 19.30     | 0.120     | 0.1800    | 0.19      | 0.074     | 5.45      | 5.31      | 30.7      | 0.563  |      |
| GD 63              |                          | 0.62         | 0.0093    | 0.145     | 5.01      | 13.80     | 2         | 165.5     | 0.469     | 0.1675    | 0.15      | 0.128     | 22.0      | 25.7      | 44.9      | 0.663  |      |
| GD 64              |                          | 0.62         | 0.0076    | 0.210     | 6.01      | 13.00     | 2         | 45.8      | 0.397     | 0.1875    | 0.17      | 0.163     | 7.42      | 16.20     | 40.7      | 1.130  |      |
| GD 65              |                          | 0.64         | 0.1345    | 0.537     | 4.33      | 47.9      | 2         | 64.1      | 0.351     | 2.18      | 0.23      | 0.290     | 5.23      | 28.6      | 27.1      | 1.810  |      |
| GD 66              |                          | 0.62         | 0.0300    | 0.243     | 3.81      | 23.8      | 2         | 27.6      | 0.226     | 0.643     | 0.16      | 0.103     | 4.92      | 11.90     | 35.2      | 1.475  |      |
| GD 67              |                          | 0.58         | 0.0098    | 0.236     | 2.27      | 22.1      | 2         | 33.1      | 0.159     | 0.568     | 0.18      | 0.358     | 5.18      | 8.91      | 23.8      | 0.901  |      |
| GD 68              |                          | 0.60         | 0.0082    | 0.125     | 3.12      | 14.30     | <2        | 19.70     | 0.226     | 0.1815    | 0.12      | 0.161     | 3.91      | 6.53      | 31.3      | 0.901  |      |
| GD 69              |                          | 0.50         | 0.0096    | 0.151     | 4.33      | 21.8      | <2        | 16.50     | 0.344     | 0.290     | 0.14      | 0.224     | 5.59      | 10.10     | 40.2      | 1.175  |      |
| GD 70              |                          | 0.56         | 0.277     | 0.362     | 3.98      | 68.8      | <2        | 22.0      | 0.419     | 0.356     | 0.24      | 0.373     | 4.67      | 12.90     | 35.6      | 1.925  |      |
| GD 71              |                          | 0.60         | 0.0382    | 0.290     | 2.91      | 17.15     | 2         | 33.5      | 0.167     | 0.1445    | 0.24      | 0.284     | 4.63      | 11.00     | 25.0      | 1.155  |      |
| GD 72              |                          | 0.46         | 0.0070    | 0.446     | 2.33      | 16.45     | 2         | 24.6      | 0.181     | 0.1780    | 0.17      | 0.196     | 3.55      | 6.40      | 22.5      | 1.190  |      |
| GD 73              |                          | 0.56         | 0.0137    | 0.075     | 3.32      | 2.77      | 2         | 53.6      | 0.328     | 0.0873    | 0.22      | 0.109     | 15.90     | 12.65     | 48.3      | 0.585  |      |
| GD 74              |                          | 0.68         | 0.0025    | 0.103     | 3.44      | 2.98      | 2         | 39.8      | 0.304     | 0.0884    | 0.20      | 0.075     | 8.61      | 10.30     | 36.1      | 0.603  |      |
| GD 75              |                          | 0.60         | 0.0077    | 0.038     | 2.82      | 4.48      | <2        | 65.9      | 0.249     | 0.1320    | 0.17      | 0.063     | 7.86      | 8.88      | 27.3      | 0.599  |      |
| GD 76              |                          | 0.50         | 0.0030    | 0.058     | 2.91      | 3.41      | 2         | 33.9      | 0.236     | 0.0823    | 0.23      | 0.114     | 7.73      | 10.60     | 33.7      | 0.631  |      |
| GD 77              |                          | 0.66         | 0.0022    | 0.159     | 4.35      | 7.47      | <2        | 58.1      | 0.313     | 0.0978    | 0.14      | 0.141     | 7.60      | 12.65     | 35.8      | 0.942  |      |
| GD 78              |                          | 0.74         | 0.0035    | 0.215     | 4.24      | 9.06      | 2         | 53.2      | 0.331     | 0.1990    | 0.24      | 0.227     | 7.29      | 18.75     | 41.2      | 1.650  |      |
| GD 79              |                          | 0.62         | 0.0038    | 0.221     | 2.63      | 7.78      | <2        | 36.3      | 0.252     | 0.220     | 0.18      | 0.167     | 6.51      | 11.50     | 29.7      | 1.480  |      |
| GD 80              |                          | 0.60         | 0.0036    | 0.190     | 2.28      | 9.94      | 2         | 28.3      | 0.226     | 0.1715    | 0.23      | 0.173     | 5.16      | 9.05      | 26.3      | 1.635  |      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                                   | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                                   | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
| GD 41              |                                   | 228       | 3.68      | 8.31      | 0.041     | 0.096     | 0.046     | 0.027     | 0.03      | 3.98      | 33.6      | 0.51      | 463       | 2.72      | 0.014     | 1.110 |
| GD 42              |                                   | 36.5      | 3.57      | 9.71      | 0.029     | 0.083     | 0.078     | 0.027     | 0.02      | 1.940     | 9.7       | 0.25      | 214       | 0.858     | 0.011     | 1.465 |
| GD 43              |                                   | 100.0     | 4.06      | 12.45     | 0.025     | 0.198     | 0.067     | 0.036     | 0.02      | 2.26      | 15.6      | 0.37      | 168.5     | 1.645     | 0.012     | 1.550 |
| GD 44              |                                   | 43.0      | 2.64      | 8.50      | 0.022     | 0.069     | 0.030     | 0.022     | 0.02      | 2.58      | 7.8       | 0.17      | 129.5     | 0.568     | 0.013     | 1.355 |
| GD 45              |                                   | 74.5      | 3.54      | 10.15     | 0.029     | 0.234     | 0.047     | 0.020     | 0.01      | 1.915     | 9.4       | 0.26      | 116.0     | 0.907     | 0.010     | 1.295 |
| GD 46              |                                   | 39.2      | 3.71      | 11.60     | 0.028     | 0.157     | 0.114     | 0.032     | 0.02      | 1.990     | 10.2      | 0.17      | 143.0     | 0.869     | 0.009     | 2.00  |
| GD 47              |                                   | 237       | 5.13      | 17.60     | 0.042     | 0.270     | 0.135     | 0.035     | 0.03      | 2.43      | 19.6      | 0.38      | 198.5     | 1.940     | 0.012     | 2.37  |
| GD 48              |                                   | 21.8      | 2.39      | 7.29      | 0.027     | 0.084     | 0.023     | 0.013     | 0.02      | 1.990     | 7.8       | 0.21      | 129.0     | 0.430     | 0.016     | 1.035 |
| GD 49              |                                   | 28.0      | 3.18      | 9.30      | 0.028     | 0.072     | 0.037     | 0.020     | 0.02      | 1.775     | 8.9       | 0.21      | 237       | 0.695     | 0.009     | 1.250 |
| GD 50              |                                   | 666       | 4.86      | 10.20     | 0.068     | 0.106     | 0.104     | 0.046     | 0.04      | 6.77      | 42.8      | 0.63      | 2470      | 4.34      | 0.020     | 0.945 |
| GD 51              |                                   | 179.0     | 4.09      | 7.23      | 0.053     | 0.080     | 0.098     | 0.033     | 0.03      | 5.06      | 19.3      | 0.65      | 676       | 1.415     | 0.020     | 0.863 |
| GD 52              |                                   | 248       | 8.80      | 10.75     | 0.097     | 0.117     | 0.182     | 0.052     | 0.04      | 6.58      | 35.4      | 0.37      | 520       | 2.21      | 0.023     | 1.205 |
| GD 53              |                                   | 193.5     | 5.22      | 10.70     | 0.068     | 0.388     | 0.116     | 0.036     | 0.03      | 7.24      | 14.0      | 0.65      | 350       | 1.470     | 0.014     | 1.155 |
| GD 54              |                                   | 244       | 6.26      | 10.70     | 0.052     | 0.187     | 0.125     | 0.059     | 0.02      | 2.06      | 21.0      | 0.50      | 430       | 1.765     | 0.009     | 1.230 |
| GD 55              |                                   | 37.8      | 4.47      | 10.05     | 0.047     | 0.061     | 0.126     | 0.046     | 0.02      | 2.35      | 11.9      | 0.56      | 317       | 1.200     | 0.009     | 0.630 |
| GD 56              |                                   | 112.0     | 4.07      | 11.00     | 0.052     | 0.558     | 0.137     | 0.044     | 0.02      | 3.34      | 11.8      | 0.54      | 270       | 0.926     | 0.009     | 1.200 |
| GD 57              |                                   | 39.9      | 2.65      | 8.28      | 0.033     | 0.141     | 0.111     | 0.033     | 0.02      | 3.63      | 10.3      | 0.26      | 250       | 0.573     | 0.011     | 0.935 |
| GD 58              |                                   | 150.5     | 3.75      | 8.27      | 0.047     | 0.293     | 0.087     | 0.039     | 0.03      | 3.40      | 11.5      | 0.66      | 592       | 0.577     | 0.010     | 1.120 |
| GD 59              |                                   | 63.2      | 3.55      | 9.30      | 0.038     | 0.230     | 0.051     | 0.035     | 0.03      | 2.80      | 10.0      | 0.33      | 353       | 0.554     | 0.012     | 1.105 |
| GD 60              |                                   | 139.0     | 4.27      | 10.45     | 0.053     | 0.484     | 0.069     | 0.034     | 0.03      | 4.62      | 13.1      | 0.63      | 259       | 0.900     | 0.013     | 1.775 |
| GD 61              |                                   | 110.0     | 4.26      | 11.95     | 0.043     | 0.248     | 0.084     | 0.038     | 0.03      | 2.73      | 12.7      | 0.45      | 221       | 0.865     | 0.013     | 1.790 |
| GD 62              |                                   | 25.3      | 2.84      | 9.16      | 0.033     | 0.151     | 0.079     | 0.031     | 0.02      | 2.52      | 7.9       | 0.26      | 127.5     | 0.451     | 0.010     | 1.405 |
| GD 63              |                                   | 261       | 6.29      | 10.70     | 0.075     | 0.231     | 0.107     | 0.041     | 0.03      | 4.89      | 15.8      | 1.21      | 444       | 0.665     | 0.011     | 0.173 |
| GD 64              |                                   | 152.0     | 5.33      | 13.20     | 0.058     | 0.267     | 0.073     | 0.046     | 0.02      | 3.00      | 16.2      | 0.63      | 367       | 1.015     | 0.012     | 1.075 |
| GD 65              |                                   | 142.5     | 6.73      | 14.05     | 0.063     | 0.094     | 0.154     | 0.043     | 0.03      | 2.26      | 18.6      | 0.69      | 823       | 1.035     | 0.016     | 1.010 |
| GD 66              |                                   | 101.5     | 4.76      | 11.15     | 0.048     | 0.161     | 0.066     | 0.033     | 0.02      | 2.31      | 15.3      | 0.46      | 238       | 3.13      | 0.014     | 1.045 |
| GD 67              |                                   | 34.9      | 3.43      | 9.05      | 0.033     | 0.054     | 0.117     | 0.045     | 0.02      | 2.44      | 9.7       | 0.31      | 1335      | 0.721     | 0.011     | 1.210 |
| GD 68              |                                   | 51.3      | 3.46      | 7.69      | 0.033     | 0.181     | 0.049     | 0.031     | 0.01      | 1.735     | 7.8       | 0.22      | 136.0     | 0.728     | 0.007     | 1.190 |
| GD 69              |                                   | 134.5     | 4.37      | 9.51      | 0.044     | 0.284     | 0.074     | 0.032     | 0.02      | 2.35      | 12.4      | 0.50      | 181.5     | 1.220     | 0.009     | 1.560 |
| GD 70              |                                   | 92.5      | 5.26      | 12.70     | 0.053     | 0.171     | 0.065     | 0.043     | 0.03      | 2.29      | 25.0      | 0.37      | 228       | 1.395     | 0.012     | 1.530 |
| GD 71              |                                   | 138.0     | 3.41      | 9.28      | 0.045     | 0.129     | 0.050     | 0.029     | 0.02      | 1.965     | 13.8      | 0.49      | 201       | 0.868     | 0.016     | 1.130 |
| GD 72              |                                   | 89.4      | 3.74      | 10.20     | 0.040     | 0.136     | 0.078     | 0.033     | 0.03      | 1.685     | 16.1      | 0.26      | 182.5     | 1.070     | 0.010     | 2.74  |
| GD 73              |                                   | 62.6      | 3.83      | 9.01      | 0.051     | 0.435     | 0.073     | 0.035     | 0.02      | 4.55      | 7.9       | 0.44      | 273       | 0.531     | 0.010     | 1.200 |
| GD 74              |                                   | 54.6      | 2.99      | 8.31      | 0.041     | 0.258     | 0.077     | 0.028     | 0.02      | 2.91      | 8.7       | 0.31      | 242       | 0.383     | 0.011     | 1.325 |
| GD 75              |                                   | 63.5      | 2.56      | 6.82      | 0.037     | 0.135     | 0.041     | 0.025     | 0.03      | 3.37      | 8.0       | 0.33      | 175.5     | 0.200     | 0.013     | 1.015 |
| GD 76              |                                   | 58.9      | 2.91      | 7.53      | 0.042     | 0.240     | 0.056     | 0.031     | 0.02      | 2.98      | 7.6       | 0.41      | 301       | 0.331     | 0.012     | 1.110 |
| GD 77              |                                   | 61.9      | 3.24      | 9.57      | 0.046     | 0.162     | 0.055     | 0.030     | 0.02      | 3.08      | 12.6      | 0.52      | 362       | 0.586     | 0.009     | 0.902 |
| GD 78              |                                   | 113.0     | 4.04      | 11.95     | 0.049     | 0.185     | 0.106     | 0.034     | 0.03      | 3.23      | 14.4      | 0.49      | 715       | 0.660     | 0.012     | 0.745 |
| GD 79              |                                   | 45.6      | 4.17      | 9.66      | 0.048     | 0.077     | 0.063     | 0.042     | 0.03      | 3.09      | 14.9      | 0.34      | 609       | 0.693     | 0.010     | 1.015 |
| GD 80              |                                   | 75.7      | 3.81      | 8.63      | 0.042     | 0.143     | 0.073     | 0.031     | 0.02      | 2.40      | 10.5      | 0.24      | 486       | 0.584     | 0.012     | 1.375 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001     |       |
| GD 41              |                          | 115.0     | 0.0478    | 13.35     | 0.002     | <0.001    | 5.58      | <0.0002   | 0.011     | 0.463     | 3.42      | 0.549     | 0.54      | 16.50     | <0.005    | 0.068 |
| GD 42              |                          | 9.90      | 0.0712    | 17.40     | 0.001     | 0.001     | 3.76      | <0.0002   | 0.017     | 0.585     | 2.28      | 0.334     | 0.82      | 8.89      | <0.005    | 0.058 |
| GD 43              |                          | 18.45     | 0.0411    | 11.55     | 0.001     | 0.001     | 6.25      | <0.0002   | 0.015     | 0.657     | 3.47      | 0.302     | 0.87      | 12.25     | <0.005    | 0.089 |
| GD 44              |                          | 8.96      | 0.0226    | 20.1      | 0.002     | 0.001     | 3.72      | <0.0002   | 0.011     | 0.641     | 1.835     | 0.179     | 1.03      | 12.90     | <0.005    | 0.036 |
| GD 45              |                          | 11.50     | 0.0545    | 4.29      | 0.002     | 0.001     | 4.02      | <0.0002   | 0.021     | 0.355     | 3.20      | 0.325     | 0.61      | 7.86      | <0.005    | 0.046 |
| GD 46              |                          | 8.60      | 0.0805    | 15.15     | 0.001     | 0.001     | 2.86      | <0.0002   | 0.023     | 0.637     | 2.38      | 0.405     | 0.89      | 7.88      | <0.005    | 0.080 |
| GD 47              |                          | 20.2      | 0.0827    | 6.62      | 0.003     | 0.001     | 5.79      | <0.0002   | 0.027     | 0.503     | 3.59      | 0.727     | 0.84      | 24.3      | <0.005    | 0.072 |
| GD 48              |                          | 6.94      | 0.0192    | 5.32      | 0.001     | 0.001     | 4.19      | <0.0002   | 0.008     | 0.274     | 2.24      | 0.111     | 0.56      | 9.83      | <0.005    | 0.026 |
| GD 49              |                          | 12.05     | 0.0322    | 7.73      | <0.001    | 0.001     | 3.32      | <0.0002   | 0.010     | 0.421     | 1.880     | 0.120     | 0.68      | 7.86      | <0.005    | 0.057 |
| GD 50              |                          | 275       | 0.0839    | 8.84      | 0.006     | 0.001     | 5.70      | 0.0008    | 0.017     | 0.882     | 6.43      | 1.205     | 0.52      | 25.3      | <0.005    | 0.427 |
| GD 51              |                          | 43.7      | 0.0606    | 8.62      | 0.004     | 0.001     | 2.82      | 0.0005    | 0.013     | 0.772     | 5.73      | 0.436     | 0.45      | 28.9      | <0.005    | 0.618 |
| GD 52              |                          | 67.6      | 0.0861    | 10.45     | <0.001    | 0.001     | 5.06      | 0.0006    | 0.024     | 1.070     | 6.68      | 1.080     | 0.63      | 46.5      | <0.005    | 1.355 |
| GD 53              |                          | 36.6      | 0.0562    | 9.08      | 0.007     | 0.002     | 3.97      | <0.0002   | 0.017     | 0.868     | 12.15     | 0.486     | 0.62      | 14.10     | <0.005    | 0.412 |
| GD 54              |                          | 40.6      | 0.0944    | 13.75     | 0.002     | 0.002     | 4.24      | <0.0002   | 0.018     | 1.175     | 4.44      | 0.430     | 0.83      | 15.65     | <0.005    | 0.510 |
| GD 55              |                          | 12.75     | 0.0468    | 31.4      | 0.001     | 0.001     | 4.15      | <0.0002   | 0.008     | 0.558     | 4.84      | 0.264     | 0.57      | 22.1      | <0.005    | 0.738 |
| GD 56              |                          | 26.4      | 0.0532    | 6.66      | 0.004     | 0.001     | 4.20      | <0.0002   | 0.014     | 0.364     | 8.32      | 0.496     | 0.70      | 9.17      | <0.005    | 0.031 |
| GD 57              |                          | 14.10     | 0.0352    | 6.71      | 0.001     | 0.001     | 4.04      | <0.0002   | 0.008     | 0.239     | 3.03      | 0.193     | 0.62      | 8.07      | <0.005    | 0.017 |
| GD 58              |                          | 32.0      | 0.0884    | 4.19      | 0.003     | 0.002     | 5.23      | <0.0002   | 0.011     | 0.290     | 8.56      | 0.362     | 0.50      | 10.30     | <0.005    | 0.068 |
| GD 59              |                          | 20.2      | 0.0545    | 5.22      | 0.002     | 0.001     | 5.09      | <0.0002   | 0.014     | 0.295     | 3.95      | 0.187     | 0.62      | 10.80     | <0.005    | 0.016 |
| GD 60              |                          | 25.5      | 0.0570    | 6.41      | 0.004     | 0.002     | 4.86      | <0.0002   | 0.019     | 0.401     | 10.30     | 0.366     | 0.67      | 10.25     | <0.005    | 0.030 |
| GD 61              |                          | 19.25     | 0.0715    | 8.84      | 0.002     | 0.001     | 5.08      | <0.0002   | 0.017     | 0.448     | 4.73      | 0.202     | 0.85      | 12.75     | <0.005    | 0.039 |
| GD 62              |                          | 12.25     | 0.0449    | 13.85     | <0.001    | 0.001     | 2.68      | <0.0002   | 0.010     | 0.530     | 2.35      | 0.158     | 0.86      | 8.67      | <0.005    | 0.034 |
| GD 63              |                          | 42.6      | 0.0424    | 6.21      | 0.008     | 0.001     | 4.30      | <0.0002   | 0.008     | 0.487     | 11.10     | 0.360     | 0.61      | 22.6      | <0.005    | 0.120 |
| GD 64              |                          | 25.8      | 0.0872    | 5.65      | 0.004     | 0.001     | 5.53      | <0.0002   | 0.017     | 0.512     | 6.33      | 0.310     | 0.71      | 18.35     | <0.005    | 0.080 |
| GD 65              |                          | 26.2      | 0.1380    | 13.65     | 0.002     | 0.001     | 5.40      | <0.0002   | 0.020     | 1.375     | 4.78      | 0.438     | 0.85      | 45.7      | <0.005    | 1.775 |
| GD 66              |                          | 19.80     | 0.1470    | 6.04      | 0.002     | 0.001     | 5.83      | 0.0004    | 0.017     | 0.402     | 3.22      | 0.288     | 0.70      | 11.00     | <0.005    | 0.344 |
| GD 67              |                          | 11.90     | 0.0756    | 35.9      | 0.003     | 0.001     | 4.29      | <0.0002   | 0.011     | 0.954     | 2.74      | 0.283     | 1.15      | 10.35     | <0.005    | 0.144 |
| GD 68              |                          | 12.35     | 0.0517    | 6.66      | 0.002     | 0.001     | 3.90      | <0.0002   | 0.010     | 0.486     | 2.64      | 0.209     | 0.57      | 6.40      | <0.005    | 0.101 |
| GD 69              |                          | 19.55     | 0.0574    | 4.37      | 0.004     | 0.001     | 4.40      | <0.0002   | 0.014     | 0.474     | 4.35      | 0.649     | 0.54      | 9.39      | <0.005    | 0.260 |
| GD 70              |                          | 21.9      | 0.0585    | 14.95     | 0.001     | 0.001     | 5.55      | <0.0002   | 0.014     | 0.789     | 4.00      | 0.282     | 0.90      | 11.75     | <0.005    | 0.155 |
| GD 71              |                          | 19.10     | 0.0322    | 4.68      | 0.001     | 0.001     | 2.48      | <0.0002   | 0.008     | 0.363     | 3.07      | 0.280     | 0.46      | 41.3      | <0.005    | 0.100 |
| GD 72              |                          | 11.60     | 0.0620    | 8.03      | 0.002     | 0.001     | 3.41      | <0.0002   | 0.018     | 0.450     | 2.32      | 0.312     | 0.78      | 10.50     | <0.005    | 0.066 |
| GD 73              |                          | 28.1      | 0.0396    | 4.12      | 0.001     | 0.001     | 3.82      | <0.0002   | 0.007     | 0.204     | 8.24      | 0.287     | 0.66      | 9.55      | <0.005    | 0.021 |
| GD 74              |                          | 21.6      | 0.0457    | 5.75      | 0.001     | 0.001     | 4.26      | <0.0002   | 0.009     | 0.228     | 3.92      | 0.218     | 0.59      | 9.86      | <0.005    | 0.022 |
| GD 75              |                          | 18.10     | 0.0342    | 4.93      | 0.001     | 0.001     | 4.78      | <0.0002   | 0.008     | 0.261     | 3.38      | 0.179     | 0.43      | 9.46      | <0.005    | 0.054 |
| GD 76              |                          | 20.2      | 0.0357    | 5.24      | 0.002     | 0.001     | 3.99      | <0.0002   | 0.010     | 0.350     | 3.86      | 0.187     | 0.57      | 11.05     | <0.005    | 0.030 |
| GD 77              |                          | 24.3      | 0.0567    | 6.32      | 0.002     | 0.001     | 4.93      | <0.0002   | 0.008     | 0.304     | 4.28      | 0.172     | 0.55      | 9.13      | <0.005    | 0.037 |
| GD 78              |                          | 29.6      | 0.0747    | 13.00     | 0.002     | 0.001     | 6.79      | <0.0002   | 0.011     | 0.401     | 4.37      | 0.150     | 0.88      | 13.75     | <0.005    | 0.039 |
| GD 79              |                          | 13.80     | 0.0677    | 12.90     | 0.001     | 0.001     | 6.25      | <0.0002   | 0.012     | 0.553     | 2.90      | 0.136     | 0.81      | 14.25     | <0.005    | 0.039 |
| GD 80              |                          | 12.35     | 0.0620    | 9.74      | 0.002     | 0.001     | 3.87      | <0.0002   | 0.015     | 0.483     | 2.73      | 0.273     | 0.82      | 10.80     | <0.005    | 0.071 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43           | AuME-ST43         | AuME-ST43           | AuME-ST43          | AuME-ST43        | AuME-ST43         | AuME-ST43         | AuME-ST43        |                   |
|--------------------|-----------------------------------|---------------------|-------------------|---------------------|--------------------|------------------|-------------------|-------------------|------------------|-------------------|
|                    |                                   | Th<br>ppm<br>0.0005 | Ti<br>%<br>0.0001 | Tl<br>ppm<br>0.0005 | U<br>ppm<br>0.0005 | V<br>ppm<br>0.05 | W<br>ppm<br>0.001 | Y<br>ppm<br>0.001 | Zn<br>ppm<br>0.1 | Zr<br>ppm<br>0.01 |
| GD 41              |                                   | 0.625               | 0.1680            | 0.0464              | 0.1905             | 84.2             | 0.047             | 4.63              | 259              | 3.18              |
| GD 42              |                                   | 0.578               | 0.205             | 0.0551              | 0.1460             | 113.0            | 0.037             | 1.230             | 40.7             | 3.34              |
| GD 43              |                                   | 0.873               | 0.219             | 0.0747              | 0.215              | 125.5            | 0.044             | 1.745             | 55.4             | 6.35              |
| GD 44              |                                   | 0.555               | 0.1300            | 0.0546              | 0.1220             | 92.0             | 0.014             | 1.700             | 40.3             | 2.42              |
| GD 45              |                                   | 1.060               | 0.1770            | 0.0564              | 0.274              | 113.0            | 0.033             | 1.510             | 30.7             | 7.97              |
| GD 46              |                                   | 0.757               | 0.1575            | 0.0501              | 0.1835             | 119.0            | 0.046             | 1.360             | 32.0             | 5.76              |
| GD 47              |                                   | 0.967               | 0.249             | 0.0627              | 0.308              | 142.0            | 0.059             | 2.53              | 53.6             | 9.18              |
| GD 48              |                                   | 0.450               | 0.1835            | 0.0544              | 0.0992             | 82.5             | 0.011             | 1.890             | 28.4             | 2.57              |
| GD 49              |                                   | 0.504               | 0.1750            | 0.0508              | 0.1160             | 108.0            | 0.035             | 1.135             | 38.2             | 2.50              |
| GD 50              |                                   | 0.989               | 0.1530            | 0.1940              | 0.391              | 96.7             | 0.087             | 10.30             | 175.5            | 3.38              |
| GD 51              |                                   | 0.956               | 0.1615            | 0.0639              | 0.335              | 103.5            | 0.053             | 7.51              | 64.1             | 3.44              |
| GD 52              |                                   | 1.315               | 0.0925            | 0.1645              | 0.494              | 148.5            | 0.060             | 11.00             | 202              | 4.33              |
| GD 53              |                                   | 1.275               | 0.246             | 0.0469              | 0.376              | 151.0            | 0.077             | 12.45             | 49.2             | 12.35             |
| GD 54              |                                   | 0.967               | 0.1635            | 0.0801              | 0.378              | 155.0            | 0.059             | 1.865             | 99.6             | 6.53              |
| GD 55              |                                   | 0.570               | 0.0848            | 0.0816              | 0.1180             | 137.0            | 0.038             | 1.400             | 115.0            | 2.14              |
| GD 56              |                                   | 1.645               | 0.262             | 0.0452              | 0.532              | 132.5            | 0.061             | 3.07              | 43.5             | 18.65             |
| GD 57              |                                   | 0.949               | 0.1360            | 0.0563              | 0.264              | 76.7             | 0.023             | 1.760             | 40.2             | 5.29              |
| GD 58              |                                   | 1.430               | 0.217             | 0.0413              | 0.393              | 114.0            | 0.097             | 3.53              | 68.5             | 10.25             |
| GD 59              |                                   | 1.070               | 0.1585            | 0.0532              | 0.281              | 107.0            | 0.017             | 1.940             | 54.6             | 7.62              |
| GD 60              |                                   | 1.385               | 0.238             | 0.0433              | 0.411              | 137.0            | 0.070             | 5.71              | 44.4             | 14.20             |
| GD 61              |                                   | 0.894               | 0.250             | 0.0593              | 0.261              | 125.0            | 0.022             | 2.20              | 53.0             | 7.99              |
| GD 62              |                                   | 0.689               | 0.257             | 0.0389              | 0.1955             | 102.0            | 0.015             | 1.345             | 33.5             | 5.28              |
| GD 63              |                                   | 1.680               | 0.213             | 0.0431              | 0.395              | 167.0            | 0.055             | 6.91              | 62.4             | 8.28              |
| GD 64              |                                   | 1.090               | 0.237             | 0.0574              | 0.330              | 153.0            | 0.053             | 3.50              | 60.6             | 9.13              |
| GD 65              |                                   | 0.623               | 0.1995            | 0.1070              | 0.1540             | 148.5            | 0.064             | 2.52              | 103.5            | 3.21              |
| GD 66              |                                   | 0.860               | 0.1915            | 0.1065              | 0.225              | 123.5            | 0.091             | 1.485             | 60.8             | 5.96              |
| GD 67              |                                   | 0.681               | 0.1545            | 0.1560              | 0.1685             | 109.0            | 0.011             | 1.615             | 54.1             | 2.19              |
| GD 68              |                                   | 0.735               | 0.1850            | 0.0504              | 0.1820             | 108.0            | 0.023             | 1.375             | 41.6             | 6.45              |
| GD 69              |                                   | 0.996               | 0.242             | 0.0389              | 0.278              | 126.0            | 0.051             | 2.81              | 39.0             | 9.28              |
| GD 70              |                                   | 0.704               | 0.240             | 0.0627              | 0.219              | 148.5            | 0.020             | 2.30              | 86.0             | 5.44              |
| GD 71              |                                   | 0.519               | 0.216             | 0.0363              | 0.1360             | 102.0            | 0.046             | 2.32              | 51.4             | 4.06              |
| GD 72              |                                   | 0.464               | 0.233             | 0.0534              | 0.1255             | 110.5            | 0.100             | 1.265             | 53.2             | 4.08              |
| GD 73              |                                   | 1.200               | 0.348             | 0.0364              | 0.346              | 136.0            | 0.060             | 5.82              | 37.6             | 15.05             |
| GD 74              |                                   | 1.235               | 0.257             | 0.0538              | 0.303              | 92.9             | 0.044             | 1.885             | 46.5             | 8.91              |
| GD 75              |                                   | 1.320               | 0.1580            | 0.0679              | 0.306              | 68.3             | 0.043             | 2.12              | 38.7             | 4.16              |
| GD 76              |                                   | 1.150               | 0.253             | 0.0626              | 0.304              | 92.7             | 0.027             | 2.65              | 39.7             | 8.08              |
| GD 77              |                                   | 1.400               | 0.1740            | 0.0478              | 0.409              | 94.1             | 0.067             | 1.800             | 47.6             | 5.77              |
| GD 78              |                                   | 1.060               | 0.262             | 0.0775              | 0.285              | 110.0            | 0.008             | 2.45              | 61.4             | 6.77              |
| GD 79              |                                   | 0.613               | 0.1800            | 0.0924              | 0.1460             | 114.0            | 0.019             | 1.780             | 48.3             | 2.92              |
| GD 80              |                                   | 0.669               | 0.275             | 0.0583              | 0.1685             | 114.5            | 0.011             | 1.805             | 48.9             | 4.95              |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
|                    |                          | 0.02         | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     |
| GD 81              |                          | 0.64         | 0.0028    | 0.300     | 3.64      | 11.00     | 2         | 69.0      | 0.326     | 0.1070    | 0.21      | 0.202     | 8.87      | 15.25     | 33.9      | 0.936     |
| GD 82              |                          | 0.68         | 0.0039    | 0.264     | 2.52      | 10.00     | <2        | 22.4      | 0.149     | 0.1390    | 0.16      | 0.134     | 4.26      | 5.75      | 23.1      | 0.724     |
| GD 83              |                          | 0.66         | 0.0026    | 0.117     | 2.79      | 22.4      | <2        | 29.9      | 0.178     | 0.1470    | 0.18      | 0.116     | 5.29      | 6.77      | 27.7      | 0.622     |
| JF 1               |                          | 0.32         | 0.0029    | 0.090     | 3.52      | 4.31      | <2        | 45.5      | 0.306     | 0.1195    | 0.15      | 0.130     | 6.94      | 9.98      | 40.1      | 1.025     |
| JF 2               |                          | 0.28         | 0.0053    | 0.211     | 3.35      | 3.50      | <2        | 42.3      | 0.320     | 0.1245    | 0.14      | 0.103     | 7.78      | 8.97      | 34.5      | 1.095     |
| JF 3               |                          | 0.30         | 0.0082    | 0.121     | 3.58      | 3.31      | 2         | 44.4      | 0.353     | 0.1115    | 0.18      | 0.159     | 7.85      | 12.70     | 39.1      | 0.941     |
| JF 4               |                          | 0.26         | 0.0560    | 0.223     | 2.56      | 4.45      | 2         | 21.7      | 0.143     | 0.226     | 0.14      | 0.170     | 5.13      | 5.10      | 30.3      | 1.085     |
| JF 5               |                          | 0.40         | 0.0073    | 0.122     | 1.97      | 4.97      | <2        | 31.3      | 0.198     | 0.1025    | 0.20      | 0.094     | 7.25      | 17.40     | 29.5      | 1.240     |
| JF 6               |                          | 0.34         | 0.0300    | 0.237     | 3.34      | 13.95     | <2        | 24.6      | 0.230     | 0.264     | 0.13      | 0.116     | 5.98      | 6.79      | 37.1      | 1.510     |
| JF 7               |                          | 0.32         | 0.0163    | 0.078     | 2.75      | 107.5     | <2        | 28.2      | 0.330     | 0.243     | 0.16      | 0.116     | 14.00     | 10.25     | 31.4      | 1.515     |
| JF 8               |                          | 0.30         | 0.0169    | 1.570     | 8.02      | 26.2      | 2         | 42.3      | 0.789     | 0.226     | 0.14      | 0.357     | 11.10     | 25.0      | 49.4      | 2.21      |
| JF 9               |                          | 0.20         | 0.0023    | 0.086     | 0.49      | 2.04      | 2         | 17.75     | 0.042     | 0.1825    | 0.23      | 0.105     | 5.14      | 0.946     | 3.51      | 0.106     |
| JF 10              |                          | 0.32         | 0.0095    | 0.155     | 4.26      | 7.27      | <2        | 23.9      | 0.216     | 0.1495    | 0.15      | 0.114     | 5.02      | 9.25      | 43.4      | 1.140     |
| JF 11              |                          | 0.30         | 0.0118    | 0.129     | 5.82      | 8.65      | 2         | 42.1      | 0.401     | 0.1390    | 0.13      | 0.167     | 5.68      | 15.70     | 55.4      | 0.993     |
| JF 12              |                          | 0.46         | 0.0071    | 0.161     | 2.82      | 4.79      | <2        | 19.80     | 0.320     | 0.1440    | 0.20      | 0.237     | 8.27      | 22.5      | 34.8      | 1.390     |
| JF 13              |                          | 0.24         | 0.0139    | 0.316     | 3.05      | 10.40     | <2        | 32.1      | 0.156     | 0.212     | 0.20      | 0.152     | 5.86      | 10.10     | 33.1      | 0.881     |
| JF 14              |                          | 0.38         | 0.0056    | 0.337     | 3.34      | 10.15     | <2        | 30.2      | 0.252     | 0.1610    | 0.16      | 0.145     | 5.26      | 9.50      | 35.9      | 1.275     |
| JF 15              |                          | 0.28         | 0.0076    | 0.223     | 4.14      | 23.2      | 3         | 46.4      | 0.430     | 0.1795    | 0.34      | 0.182     | 6.76      | 16.75     | 33.4      | 0.934     |
| JF 16              |                          | 0.30         | 0.0558    | 0.248     | 3.52      | 52.4      | 2         | 38.3      | 0.399     | 0.296     | 0.25      | 0.274     | 15.45     | 29.3      | 44.2      | 0.951     |
| JF 17              |                          | 0.28         | 0.0072    | 0.095     | 2.92      | 7.74      | 2         | 23.2      | 0.168     | 0.1405    | 0.17      | 0.094     | 4.88      | 7.74      | 40.7      | 1.140     |
| JF 18              |                          | 0.34         | 0.0072    | 0.078     | 3.47      | 7.16      | <2        | 27.0      | 0.286     | 0.1590    | 0.18      | 0.085     | 6.73      | 10.05     | 34.9      | 0.958     |
| JF 19              |                          | 0.26         | 0.0065    | 0.107     | 3.93      | 16.05     | 2         | 30.6      | 0.266     | 0.1700    | 0.16      | 0.142     | 5.78      | 13.10     | 44.0      | 0.965     |
| JF 20              |                          | 0.18         | 0.0036    | 0.690     | 1.54      | 19.20     | 2         | 48.6      | 0.163     | 0.435     | 0.23      | 0.307     | 5.63      | 7.65      | 24.6      | 0.462     |
| JF 21              |                          | 0.28         | 0.0265    | 0.449     | 2.62      | 4.67      | 2         | 34.5      | 0.381     | 0.0948    | 0.22      | 0.183     | 25.8      | 18.95     | 33.3      | 0.805     |
| JF 22              |                          | 0.26         | 0.0218    | 0.109     | 0.46      | 1.33      | <2        | 6.79      | 0.032     | 0.1995    | 0.18      | 0.049     | 6.35      | 1.895     | 11.90     | 0.130     |
| JF 23              |                          | 0.30         | 0.0042    | 0.162     | 1.06      | 1.16      | <2        | 13.90     | 0.069     | 0.1090    | 0.13      | 0.061     | 6.24      | 2.72      | 16.70     | 0.604     |
| JF 24              |                          | 0.22         | 0.0061    | 0.101     | 1.26      | 1.59      | <2        | 13.70     | 0.065     | 0.1070    | 0.10      | 0.055     | 4.85      | 2.81      | 16.60     | 0.797     |
| JF 25              |                          | 0.28         | 0.0042    | 0.149     | 4.21      | 3.99      | 2         | 22.7      | 0.224     | 0.1230    | 0.11      | 0.120     | 5.80      | 7.66      | 46.0      | 1.065     |
| JF 26              |                          | 0.32         | 0.0045    | 0.077     | 2.54      | 2.72      | <2        | 31.3      | 0.194     | 0.0807    | 0.14      | 0.072     | 6.61      | 6.33      | 30.5      | 0.719     |
| JF 27              |                          | 0.34         | 0.0066    | 0.216     | 1.88      | 4.42      | <2        | 31.5      | 0.167     | 0.1370    | 0.20      | 0.105     | 7.16      | 7.35      | 25.0      | 1.030     |
| JF 28              |                          | 0.36         | 0.0549    | 0.159     | 4.22      | 20.7      | 2         | 53.2      | 0.579     | 0.1965    | 0.34      | 1.145     | 28.0      | 39.0      | 51.2      | 1.210     |
| JF 29              |                          | 0.30         | 0.0061    | 0.173     | 3.70      | 6.60      | 2         | 28.7      | 0.262     | 0.1605    | 0.17      | 0.125     | 6.90      | 10.90     | 36.4      | 0.904     |
| JF 30              |                          | 0.28         | 0.0064    | 0.212     | 2.04      | 5.28      | <2        | 22.4      | 0.111     | 0.1680    | 0.19      | 0.136     | 5.37      | 5.20      | 20.0      | 1.110     |
| JF 31              |                          | 0.40         | 0.0092    | 0.207     | 3.84      | 7.01      | <2        | 23.9      | 0.172     | 0.1255    | 0.18      | 0.130     | 5.19      | 8.15      | 42.5      | 0.921     |
| JF 32              |                          | 0.34         | 0.0076    | 0.135     | 2.34      | 6.63      | <2        | 22.6      | 0.151     | 0.258     | 0.18      | 0.118     | 5.52      | 6.94      | 24.6      | 0.947     |
| JF 33              |                          | 0.32         | 0.0053    | 0.200     | 3.23      | 9.67      | 2         | 32.5      | 0.275     | 0.320     | 0.17      | 0.262     | 4.29      | 8.56      | 25.0      | 1.375     |
| JF 34              |                          | 0.32         | 0.0112    | 0.237     | 1.42      | 4.56      | <2        | 19.20     | 0.133     | 0.218     | 0.20      | 0.159     | 5.68      | 7.06      | 23.4      | 1.445     |
| JF 35              |                          | 0.40         | 0.0046    | 0.100     | 4.04      | 12.90     | 2         | 29.5      | 0.395     | 0.1655    | 0.19      | 0.155     | 5.89      | 14.90     | 40.9      | 1.455     |
| JF 36              |                          | 0.34         | 0.0039    | 0.150     | 2.93      | 11.30     | <2        | 25.1      | 0.239     | 0.1410    | 0.14      | 0.150     | 5.22      | 7.65      | 26.6      | 0.797     |
| JF 37              |                          | 0.36         | 0.0069    | 0.148     | 1.57      | 11.25     | <2        | 13.65     | 0.087     | 0.1820    | 0.18      | 0.073     | 6.56      | 3.22      | 21.0      | 0.596     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
|                    |                          | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002 |
| GD 81              |                          | 117.0     | 3.73      | 8.77      | 0.045     | 0.182     | 0.074     | 0.029     | 0.03      | 2.76      | 12.0      | 0.57      | 433       | 0.573     | 0.014     | 0.831 |
| GD 82              |                          | 20.9      | 2.70      | 7.40      | 0.032     | 0.121     | 0.091     | 0.028     | 0.02      | 2.08      | 9.8       | 0.24      | 178.0     | 0.560     | 0.009     | 1.600 |
| GD 83              |                          | 33.8      | 2.97      | 8.24      | 0.036     | 0.132     | 0.051     | 0.027     | 0.02      | 2.36      | 8.5       | 0.27      | 169.5     | 0.868     | 0.010     | 1.330 |
| JF 1               |                          | 50.5      | 3.54      | 9.23      | 0.043     | 0.173     | 0.035     | 0.035     | 0.02      | 3.21      | 14.0      | 0.38      | 234       | 0.542     | 0.009     | 0.739 |
| JF 2               |                          | 52.3      | 3.13      | 8.66      | 0.039     | 0.203     | 0.091     | 0.030     | 0.02      | 3.65      | 10.7      | 0.24      | 205       | 0.805     | 0.009     | 0.829 |
| JF 3               |                          | 78.5      | 3.42      | 8.30      | 0.034     | 0.202     | 0.064     | 0.031     | 0.02      | 3.71      | 11.6      | 0.45      | 282       | 0.625     | 0.010     | 1.330 |
| JF 4               |                          | 42.9      | 3.38      | 9.84      | 0.036     | 0.195     | 0.078     | 0.027     | 0.02      | 2.65      | 9.0       | 0.22      | 102.5     | 0.888     | 0.009     | 1.915 |
| JF 5               |                          | 37.3      | 2.91      | 7.37      | 0.033     | 0.061     | 0.044     | 0.028     | 0.01      | 3.66      | 12.9      | 0.66      | 373       | 0.572     | 0.009     | 1.035 |
| JF 6               |                          | 51.6      | 4.38      | 11.80     | 0.042     | 0.227     | 0.099     | 0.038     | 0.02      | 3.00      | 12.9      | 0.31      | 163.0     | 1.250     | 0.010     | 1.195 |
| JF 7               |                          | 81.5      | 3.97      | 11.15     | 0.052     | 0.128     | 0.056     | 0.036     | 0.02      | 6.30      | 16.9      | 0.25      | 174.5     | 1.600     | 0.011     | 1.420 |
| JF 8               |                          | 172.0     | 5.98      | 15.10     | 0.066     | 0.270     | 0.279     | 0.065     | 0.03      | 5.16      | 32.3      | 0.57      | 523       | 5.43      | 0.014     | 1.755 |
| JF 9               |                          | 2.45      | 0.720     | 4.67      | 0.016     | 0.026     | 0.047     | 0.016     | 0.02      | 2.83      | 0.5       | 0.06      | 74.5      | 0.376     | 0.014     | 1.210 |
| JF 10              |                          | 106.0     | 4.29      | 10.90     | 0.047     | 0.236     | 0.054     | 0.039     | 0.02      | 2.42      | 13.1      | 0.43      | 159.0     | 0.725     | 0.010     | 1.370 |
| JF 11              |                          | 169.5     | 4.62      | 11.85     | 0.057     | 0.451     | 0.126     | 0.045     | 0.02      | 2.71      | 14.1      | 0.57      | 249       | 2.72      | 0.009     | 1.130 |
| JF 12              |                          | 55.0      | 3.26      | 9.74      | 0.044     | 0.116     | 0.062     | 0.033     | 0.02      | 3.68      | 10.8      | 0.31      | 276       | 1.135     | 0.011     | 0.928 |
| JF 13              |                          | 86.0      | 3.49      | 9.42      | 0.039     | 0.137     | 0.067     | 0.029     | 0.02      | 2.87      | 13.4      | 0.54      | 166.0     | 0.676     | 0.014     | 1.330 |
| JF 14              |                          | 48.2      | 3.84      | 10.85     | 0.050     | 0.175     | 0.084     | 0.034     | 0.02      | 2.86      | 12.4      | 0.31      | 204       | 1.285     | 0.010     | 1.250 |
| JF 15              |                          | 81.3      | 3.54      | 8.56      | 0.045     | 0.233     | 0.094     | 0.035     | 0.02      | 3.82      | 12.3      | 0.42      | 357       | 1.260     | 0.014     | 1.735 |
| JF 16              |                          | 198.5     | 4.97      | 10.30     | 0.064     | 0.166     | 0.103     | 0.044     | 0.04      | 5.10      | 14.7      | 0.79      | 564       | 2.21      | 0.015     | 1.005 |
| JF 17              |                          | 40.1      | 3.58      | 10.05     | 0.036     | 0.140     | 0.063     | 0.026     | 0.02      | 2.50      | 12.5      | 0.42      | 141.0     | 0.712     | 0.011     | 1.290 |
| JF 18              |                          | 74.2      | 3.66      | 10.35     | 0.042     | 0.163     | 0.060     | 0.028     | 0.02      | 2.90      | 13.3      | 0.42      | 175.0     | 1.060     | 0.012     | 1.185 |
| JF 19              |                          | 112.5     | 3.84      | 9.20      | 0.043     | 0.233     | 0.063     | 0.038     | 0.02      | 2.44      | 13.1      | 0.54      | 226       | 0.953     | 0.012     | 1.510 |
| JF 20              |                          | 47.7      | 2.99      | 6.67      | 0.043     | 0.112     | 0.207     | 0.041     | 0.02      | 2.80      | 5.0       | 0.23      | 135.0     | 1.070     | 0.012     | 2.44  |
| JF 21              |                          | 95.8      | 2.50      | 7.85      | 0.051     | 0.174     | 0.062     | 0.025     | 0.02      | 7.58      | 11.4      | 0.53      | 257       | 0.686     | 0.010     | 1.060 |
| JF 22              |                          | 3.95      | 1.180     | 6.18      | 0.019     | 0.040     | 0.036     | 0.014     | 0.01      | 3.25      | 1.2       | 0.10      | 121.5     | 0.237     | 0.011     | 0.688 |
| JF 23              |                          | 16.55     | 2.05      | 6.39      | 0.025     | 0.074     | 0.092     | 0.021     | 0.01      | 3.27      | 6.4       | 0.14      | 76.9      | 0.371     | 0.007     | 1.140 |
| JF 24              |                          | 17.85     | 2.01      | 5.93      | 0.024     | 0.101     | 0.060     | 0.018     | 0.01      | 2.53      | 5.6       | 0.14      | 68.1      | 0.524     | 0.007     | 1.415 |
| JF 25              |                          | 54.6      | 4.03      | 10.80     | 0.045     | 0.282     | 0.109     | 0.041     | 0.02      | 3.13      | 11.8      | 0.38      | 170.0     | 1.180     | 0.008     | 1.380 |
| JF 26              |                          | 34.2      | 2.73      | 7.28      | 0.036     | 0.136     | 0.042     | 0.022     | 0.01      | 3.49      | 8.5       | 0.25      | 120.0     | 0.488     | 0.009     | 1.050 |
| JF 27              |                          | 41.2      | 2.40      | 6.72      | 0.033     | 0.121     | 0.056     | 0.024     | 0.02      | 3.93      | 10.3      | 0.30      | 157.0     | 0.432     | 0.011     | 1.135 |
| JF 28              |                          | 185.0     | 5.39      | 9.73      | 0.068     | 0.157     | 0.098     | 0.058     | 0.02      | 7.36      | 23.0      | 0.74      | 1180      | 2.54      | 0.016     | 1.115 |
| JF 29              |                          | 106.5     | 4.06      | 9.73      | 0.045     | 0.282     | 0.136     | 0.033     | 0.02      | 2.82      | 11.4      | 0.50      | 270       | 1.445     | 0.011     | 2.36  |
| JF 30              |                          | 22.6      | 2.94      | 8.72      | 0.033     | 0.113     | 0.118     | 0.026     | 0.02      | 2.84      | 8.7       | 0.24      | 188.0     | 0.997     | 0.011     | 2.16  |
| JF 31              |                          | 68.2      | 4.08      | 11.10     | 0.045     | 0.170     | 0.045     | 0.034     | 0.02      | 2.63      | 12.1      | 0.40      | 143.5     | 1.000     | 0.010     | 1.215 |
| JF 32              |                          | 68.2      | 4.04      | 9.90      | 0.047     | 0.168     | 0.049     | 0.023     | 0.01      | 2.73      | 7.7       | 0.21      | 128.5     | 4.95      | 0.010     | 1.490 |
| JF 33              |                          | 104.0     | 3.66      | 8.43      | 0.038     | 0.221     | 0.070     | 0.026     | 0.02      | 2.30      | 13.6      | 0.32      | 135.5     | 1.830     | 0.010     | 2.69  |
| JF 34              |                          | 39.3      | 2.72      | 8.26      | 0.034     | 0.055     | 0.053     | 0.025     | 0.02      | 3.28      | 9.6       | 0.16      | 143.0     | 2.60      | 0.011     | 1.325 |
| JF 35              |                          | 104.5     | 4.14      | 10.20     | 0.049     | 0.267     | 0.035     | 0.033     | 0.02      | 2.61      | 14.2      | 0.45      | 171.5     | 1.885     | 0.012     | 1.185 |
| JF 36              |                          | 42.4      | 3.24      | 8.54      | 0.038     | 0.196     | 0.055     | 0.027     | 0.02      | 2.57      | 10.3      | 0.24      | 151.0     | 0.804     | 0.009     | 1.645 |
| JF 37              |                          | 16.90     | 2.48      | 9.59      | 0.035     | 0.104     | 0.061     | 0.021     | 0.01      | 3.38      | 6.4       | 0.19      | 89.1      | 0.651     | 0.012     | 1.070 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| GD 81              |                          | 26.1      | 0.0675    | 5.26      | 0.003     | 0.001     | 4.68      | <0.0002   | 0.008     | 0.304     | 4.50      | 0.232     | 0.58      | 12.70     | <0.005    | 0.041 |
| GD 82              |                          | 10.40     | 0.0546    | 9.23      | 0.002     | 0.001     | 3.27      | <0.0002   | 0.012     | 0.383     | 2.28      | 0.201     | 0.62      | 7.44      | <0.005    | 0.023 |
| GD 83              |                          | 13.30     | 0.0597    | 14.05     | 0.001     | 0.001     | 3.10      | <0.0002   | 0.010     | 0.427     | 2.48      | 0.180     | 0.67      | 8.80      | <0.005    | 0.029 |
| JF 1               |                          | 22.9      | 0.0776    | 5.31      | 0.001     | 0.001     | 5.21      | <0.0002   | 0.010     | 0.196     | 3.21      | 0.180     | 0.63      | 9.03      | <0.005    | 0.020 |
| JF 2               |                          | 18.55     | 0.0489    | 5.34      | 0.001     | 0.001     | 5.46      | <0.0002   | 0.010     | 0.212     | 3.36      | 0.207     | 0.63      | 8.47      | <0.005    | 0.038 |
| JF 3               |                          | 27.7      | 0.0395    | 5.77      | <0.001    | 0.001     | 6.31      | <0.0002   | 0.011     | 0.247     | 3.84      | 0.293     | 0.58      | 12.65     | <0.005    | 0.039 |
| JF 4               |                          | 12.35     | 0.0278    | 5.96      | <0.001    | 0.001     | 3.91      | <0.0002   | 0.018     | 0.344     | 2.40      | 0.227     | 0.68      | 8.88      | <0.005    | 0.117 |
| JF 5               |                          | 22.3      | 0.0218    | 6.09      | <0.001    | 0.001     | 5.07      | <0.0002   | 0.012     | 0.312     | 3.86      | 0.164     | 0.48      | 13.00     | <0.005    | 0.019 |
| JF 6               |                          | 12.80     | 0.0562    | 6.88      | 0.001     | 0.001     | 4.55      | <0.0002   | 0.019     | 0.517     | 3.90      | 0.267     | 0.92      | 8.26      | <0.005    | 0.057 |
| JF 7               |                          | 14.85     | 0.0490    | 6.86      | 0.002     | 0.001     | 5.63      | 0.0002    | 0.016     | 0.462     | 4.59      | 0.364     | 0.81      | 9.56      | <0.005    | 0.074 |
| JF 8               |                          | 31.7      | 0.1165    | 9.40      | 0.006     | 0.002     | 6.50      | 0.0003    | 0.031     | 0.495     | 6.04      | 0.879     | 0.71      | 16.25     | <0.005    | 0.115 |
| JF 9               |                          | 1.38      | 0.0133    | 19.20     | 0.001     | 0.001     | 0.817     | <0.0002   | 0.015     | 0.797     | 1.465     | 0.075     | 0.70      | 23.1      | <0.005    | 0.020 |
| JF 10              |                          | 20.3      | 0.0463    | 7.76      | <0.001    | 0.001     | 5.44      | <0.0002   | 0.013     | 0.569     | 3.59      | 0.240     | 0.73      | 8.52      | <0.005    | 0.057 |
| JF 11              |                          | 31.7      | 0.0466    | 5.12      | 0.002     | 0.002     | 4.83      | <0.0002   | 0.017     | 0.455     | 5.59      | 0.572     | 0.63      | 10.95     | <0.005    | 0.099 |
| JF 12              |                          | 19.35     | 0.0314    | 5.73      | 0.001     | 0.001     | 4.48      | <0.0002   | 0.009     | 0.801     | 3.04      | 0.107     | 0.59      | 10.10     | <0.005    | 0.040 |
| JF 13              |                          | 19.55     | 0.0223    | 5.80      | <0.001    | 0.001     | 5.42      | <0.0002   | 0.012     | 0.513     | 3.84      | 0.236     | 0.53      | 17.60     | <0.005    | 0.096 |
| JF 14              |                          | 18.10     | 0.0473    | 7.21      | 0.001     | 0.001     | 5.31      | <0.0002   | 0.010     | 0.485     | 3.21      | 0.313     | 0.76      | 10.60     | <0.005    | 0.049 |
| JF 15              |                          | 24.9      | 0.0582    | 7.32      | 0.001     | 0.001     | 4.24      | 0.0003    | 0.021     | 0.504     | 4.68      | 0.510     | 0.50      | 20.2      | <0.005    | 0.079 |
| JF 16              |                          | 35.5      | 0.0500    | 7.80      | 0.005     | 0.002     | 6.20      | <0.0002   | 0.021     | 0.822     | 11.20     | 0.687     | 0.49      | 15.70     | <0.005    | 0.222 |
| JF 17              |                          | 21.7      | 0.0441    | 6.95      | 0.001     | 0.001     | 4.86      | <0.0002   | 0.011     | 0.561     | 2.63      | 0.202     | 0.65      | 10.90     | <0.005    | 0.051 |
| JF 18              |                          | 19.50     | 0.0447    | 7.29      | 0.002     | 0.001     | 4.09      | <0.0002   | 0.011     | 0.600     | 3.82      | 0.311     | 0.67      | 11.10     | <0.005    | 0.058 |
| JF 19              |                          | 27.0      | 0.0372    | 10.30     | <0.001    | 0.001     | 4.60      | <0.0002   | 0.013     | 0.802     | 3.72      | 0.316     | 0.64      | 11.00     | <0.005    | 0.098 |
| JF 20              |                          | 12.55     | 0.0442    | 35.3      | <0.001    | 0.002     | 2.17      | <0.0002   | 0.024     | 1.325     | 2.84      | 0.504     | 1.18      | 22.7      | 0.005     | 0.107 |
| JF 21              |                          | 27.8      | 0.0229    | 4.72      | <0.001    | 0.001     | 2.73      | <0.0002   | 0.009     | 0.401     | 6.06      | 0.226     | 0.42      | 13.60     | <0.005    | 0.037 |
| JF 22              |                          | 3.35      | 0.0109    | 9.39      | <0.001    | 0.002     | 0.762     | <0.0002   | 0.006     | 0.708     | 1.770     | 0.025     | 0.84      | 8.58      | <0.005    | 0.014 |
| JF 23              |                          | 5.97      | 0.0134    | 4.29      | <0.001    | 0.001     | 2.50      | <0.0002   | 0.005     | 0.317     | 1.605     | 0.084     | 0.54      | 7.08      | <0.005    | 0.011 |
| JF 24              |                          | 6.44      | 0.0116    | 5.41      | <0.001    | 0.001     | 2.50      | <0.0002   | 0.008     | 0.290     | 1.530     | 0.088     | 0.57      | 6.27      | <0.005    | 0.019 |
| JF 25              |                          | 16.15     | 0.0490    | 5.96      | 0.001     | 0.001     | 3.54      | <0.0002   | 0.017     | 0.366     | 4.15      | 0.229     | 0.72      | 7.62      | <0.005    | 0.023 |
| JF 26              |                          | 14.75     | 0.0303    | 3.78      | <0.001    | 0.001     | 3.38      | <0.0002   | 0.007     | 0.232     | 2.43      | 0.140     | 0.49      | 8.58      | <0.005    | 0.027 |
| JF 27              |                          | 15.30     | 0.0246    | 11.00     | <0.001    | 0.001     | 4.37      | <0.0002   | 0.006     | 0.372     | 2.65      | 0.125     | 0.57      | 12.05     | <0.005    | 0.026 |
| JF 28              |                          | 41.8      | 0.0484    | 14.80     | 0.004     | 0.001     | 5.22      | 0.0025    | 0.030     | 0.702     | 8.50      | 0.860     | 0.56      | 21.2      | <0.005    | 0.152 |
| JF 29              |                          | 20.5      | 0.0565    | 8.57      | 0.005     | 0.002     | 3.84      | 0.0008    | 0.023     | 0.458     | 4.75      | 0.537     | 0.67      | 11.05     | <0.005    | 0.076 |
| JF 30              |                          | 9.22      | 0.0337    | 10.80     | <0.001    | 0.001     | 4.12      | <0.0002   | 0.014     | 0.492     | 1.950     | 0.268     | 0.71      | 11.80     | <0.005    | 0.039 |
| JF 31              |                          | 17.65     | 0.0380    | 5.04      | 0.001     | 0.001     | 3.50      | <0.0002   | 0.013     | 0.389     | 3.06      | 0.115     | 0.67      | 11.40     | <0.005    | 0.040 |
| JF 32              |                          | 11.90     | 0.0402    | 8.64      | 0.002     | 0.002     | 3.07      | <0.0002   | 0.011     | 0.547     | 2.70      | 0.195     | 0.83      | 10.25     | <0.005    | 0.078 |
| JF 33              |                          | 17.00     | 0.0511    | 11.65     | 0.002     | 0.001     | 4.09      | <0.0002   | 0.025     | 0.568     | 2.50      | 0.282     | 0.68      | 18.75     | <0.005    | 0.167 |
| JF 34              |                          | 10.75     | 0.0264    | 11.80     | 0.001     | 0.001     | 3.99      | <0.0002   | 0.010     | 0.695     | 1.885     | 0.321     | 0.78      | 9.78      | <0.005    | 0.101 |
| JF 35              |                          | 26.4      | 0.0324    | 3.95      | <0.001    | 0.001     | 4.46      | <0.0002   | 0.008     | 0.660     | 3.79      | 0.284     | 0.55      | 12.05     | <0.005    | 0.116 |
| JF 36              |                          | 12.80     | 0.0428    | 6.09      | 0.001     | <0.001    | 3.93      | <0.0002   | 0.014     | 0.348     | 2.84      | 0.296     | 0.57      | 9.56      | <0.005    | 0.047 |
| JF 37              |                          | 6.70      | 0.0266    | 7.48      | 0.001     | 0.001     | 2.24      | <0.0002   | 0.010     | 0.513     | 2.22      | 0.130     | 0.73      | 8.81      | <0.005    | 0.027 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Th        | Ti        | Tl        | U         | V         | W         | Y         | Zn        | Zr    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01  |
| GD 81              |                          | 0.991     | 0.213     | 0.0517    | 0.251     | 107.5     | 0.021     | 2.56      | 62.2      | 6.42  |
| GD 82              |                          | 0.603     | 0.1770    | 0.0465    | 0.1775    | 82.6      | 0.023     | 1.240     | 41.4      | 4.03  |
| GD 83              |                          | 0.865     | 0.1970    | 0.0461    | 0.261     | 98.8      | 0.038     | 1.440     | 42.6      | 4.51  |
| JF 1               |                          | 1.230     | 0.1755    | 0.0571    | 0.249     | 98.2      | 0.053     | 1.525     | 61.1      | 6.38  |
| JF 2               |                          | 1.415     | 0.1620    | 0.0690    | 0.322     | 84.7      | 0.029     | 1.805     | 41.6      | 7.59  |
| JF 3               |                          | 1.410     | 0.1845    | 0.0606    | 0.299     | 95.4      | 0.039     | 2.00      | 51.2      | 7.44  |
| JF 4               |                          | 0.772     | 0.205     | 0.0477    | 0.1540    | 109.0     | 0.021     | 1.280     | 32.4      | 6.08  |
| JF 5               |                          | 0.602     | 0.1160    | 0.0548    | 0.1380    | 92.5      | 0.027     | 2.57      | 65.8      | 2.10  |
| JF 6               |                          | 0.934     | 0.1725    | 0.0623    | 0.214     | 129.5     | 0.017     | 1.815     | 51.7      | 7.66  |
| JF 7               |                          | 0.708     | 0.1780    | 0.0661    | 0.1975    | 118.5     | 0.026     | 7.13      | 87.7      | 4.44  |
| JF 8               |                          | 1.000     | 0.1635    | 0.0563    | 0.272     | 136.5     | 0.129     | 7.15      | 115.0     | 8.29  |
| JF 9               |                          | 0.227     | 0.0854    | 0.0183    | 0.0934    | 43.8      | 0.006     | 1.780     | 9.2       | 0.75  |
| JF 10              |                          | 0.803     | 0.204     | 0.0588    | 0.1965    | 121.0     | 0.015     | 1.610     | 47.1      | 7.08  |
| JF 11              |                          | 1.445     | 0.248     | 0.0474    | 0.400     | 135.0     | 0.053     | 2.15      | 54.6      | 14.30 |
| JF 12              |                          | 0.658     | 0.1805    | 0.0558    | 0.1985    | 112.0     | 0.010     | 3.08      | 50.0      | 3.96  |
| JF 13              |                          | 0.646     | 0.0916    | 0.0700    | 0.1530    | 112.5     | 0.046     | 2.16      | 35.5      | 4.32  |
| JF 14              |                          | 0.879     | 0.231     | 0.0442    | 0.216     | 117.0     | 0.025     | 1.605     | 50.2      | 5.87  |
| JF 15              |                          | 1.190     | 0.1575    | 0.0413    | 0.326     | 95.2      | 0.061     | 4.67      | 43.4      | 8.47  |
| JF 16              |                          | 1.070     | 0.1410    | 0.0620    | 0.320     | 141.5     | 0.055     | 7.48      | 60.3      | 5.91  |
| JF 17              |                          | 0.686     | 0.1765    | 0.0684    | 0.1600    | 112.0     | 0.021     | 1.285     | 40.7      | 4.57  |
| JF 18              |                          | 0.767     | 0.200     | 0.0459    | 0.215     | 110.0     | 0.034     | 2.05      | 37.7      | 5.21  |
| JF 19              |                          | 1.040     | 0.205     | 0.0645    | 0.266     | 112.5     | 0.047     | 1.610     | 49.3      | 7.39  |
| JF 20              |                          | 0.379     | 0.1970    | 0.0324    | 0.1110    | 94.8      | 0.105     | 2.96      | 41.1      | 3.28  |
| JF 21              |                          | 1.080     | 0.1765    | 0.0370    | 0.312     | 70.2      | 0.046     | 9.28      | 49.7      | 6.34  |
| JF 22              |                          | 0.453     | 0.1775    | 0.0183    | 0.0708    | 81.0      | <0.001    | 1.095     | 11.4      | 1.25  |
| JF 23              |                          | 0.570     | 0.1370    | 0.0320    | 0.0925    | 77.2      | 0.006     | 1.115     | 18.0      | 2.27  |
| JF 24              |                          | 0.526     | 0.1435    | 0.0365    | 0.1025    | 68.4      | 0.013     | 0.982     | 17.1      | 3.30  |
| JF 25              |                          | 1.135     | 0.200     | 0.0401    | 0.333     | 120.5     | 0.015     | 1.675     | 39.5      | 8.98  |
| JF 26              |                          | 1.045     | 0.1500    | 0.0444    | 0.216     | 83.7      | 0.025     | 1.460     | 29.2      | 4.87  |
| JF 27              |                          | 0.799     | 0.1510    | 0.0426    | 0.1720    | 72.7      | 0.021     | 2.32      | 42.1      | 4.05  |
| JF 28              |                          | 1.135     | 0.206     | 0.0596    | 0.376     | 136.5     | 0.032     | 13.85     | 53.7      | 6.02  |
| JF 29              |                          | 0.988     | 0.218     | 0.0460    | 0.276     | 116.0     | 0.044     | 2.91      | 48.9      | 9.10  |
| JF 30              |                          | 0.574     | 0.1745    | 0.0532    | 0.1430    | 93.4      | 0.023     | 1.480     | 42.5      | 3.81  |
| JF 31              |                          | 0.687     | 0.1915    | 0.0483    | 0.1750    | 131.5     | 0.008     | 1.515     | 46.2      | 5.74  |
| JF 32              |                          | 0.711     | 0.237     | 0.0433    | 0.1910    | 133.5     | 0.014     | 2.22      | 38.8      | 5.15  |
| JF 33              |                          | 1.025     | 0.1680    | 0.0495    | 0.229     | 99.6      | 0.073     | 1.470     | 43.5      | 6.88  |
| JF 34              |                          | 0.441     | 0.1200    | 0.0598    | 0.1140    | 99.5      | 0.005     | 1.985     | 29.0      | 1.99  |
| JF 35              |                          | 1.065     | 0.220     | 0.0364    | 0.291     | 113.5     | 0.050     | 2.12      | 46.3      | 8.04  |
| JF 36              |                          | 0.979     | 0.1535    | 0.0397    | 0.245     | 98.2      | 0.038     | 1.510     | 41.2      | 6.29  |
| JF 37              |                          | 0.685     | 0.1965    | 0.0347    | 0.1550    | 105.0     | 0.006     | 1.685     | 18.3      | 3.30  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 5 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
| JF 38              |                          | 0.30         | 0.0040    | 0.072     | 1.69      | 9.57      | 2         | 18.40     | 0.121     | 0.223     | 0.17      | 0.136     | 4.30      | 4.80      | 25.7      | 0.900     |
| JF 39              |                          | 0.42         | 0.0069    | 0.091     | 3.31      | 11.65     | <2        | 22.4      | 0.253     | 0.1675    | 0.13      | 0.132     | 4.42      | 7.90      | 36.2      | 0.880     |
| JF 40              |                          | 0.42         | 0.0164    | 1.025     | 3.76      | 13.15     | <2        | 32.9      | 0.322     | 0.391     | 0.12      | 0.140     | 5.36      | 19.05     | 36.2      | 1.240     |
| JF 41              |                          | 0.34         | 0.0130    | 0.337     | 2.15      | 19.40     | <2        | 25.8      | 0.172     | 0.456     | 0.19      | 0.183     | 4.77      | 8.28      | 25.4      | 0.862     |
| JF 42              |                          | 0.34         | 0.0042    | 0.099     | 4.14      | 7.54      | <2        | 25.5      | 0.237     | 0.1890    | 0.13      | 0.105     | 4.63      | 7.78      | 36.6      | 0.886     |
| JF 43              |                          | 0.40         | 0.0301    | 0.219     | 3.17      | 10.50     | 2         | 35.4      | 0.819     | 0.329     | 0.30      | 0.763     | 7.98      | 21.1      | 33.2      | 2.78      |
| JF 44              |                          | 0.40         | 0.0058    | 0.196     | 5.84      | 7.92      | 2         | 24.3      | 0.274     | 0.1530    | 0.11      | 0.104     | 4.58      | 9.07      | 51.9      | 1.165     |
| JF 45              |                          | 0.40         | 0.0066    | 0.360     | 2.49      | 5.54      | <2        | 22.1      | 0.134     | 0.1940    | 0.15      | 0.095     | 4.26      | 7.57      | 30.5      | 1.110     |
| JF 46              |                          | 0.36         | 0.0043    | 0.166     | 2.79      | 6.57      | <2        | 20.6      | 0.155     | 0.1745    | 0.11      | 0.077     | 3.98      | 8.17      | 43.9      | 0.749     |
| JF 47              |                          | 0.26         | 0.0044    | 0.141     | 1.31      | 4.22      | <2        | 14.85     | 0.088     | 0.1425    | 0.16      | 0.074     | 4.31      | 4.84      | 23.0      | 0.509     |
| JF 48              |                          | 0.36         | 0.0064    | 0.700     | 2.21      | 8.45      | <2        | 22.2      | 0.140     | 0.234     | 0.15      | 0.176     | 4.90      | 6.58      | 30.2      | 0.927     |
| JF 49              |                          | 0.36         | 0.0055    | 0.236     | 3.37      | 20.4      | <2        | 28.0      | 0.184     | 0.243     | 0.16      | 0.120     | 5.33      | 10.55     | 36.5      | 0.955     |
| JF 50              |                          | 0.42         | 0.0061    | 0.224     | 4.67      | 8.63      | 2         | 46.4      | 0.506     | 0.0925    | 0.18      | 0.181     | 22.3      | 19.90     | 48.8      | 0.818     |
| JF 51              |                          | 0.38         | 0.0074    | 0.085     | 2.21      | 4.31      | <2        | 16.30     | 0.143     | 0.1715    | 0.12      | 0.069     | 5.17      | 4.51      | 25.7      | 0.873     |
| JF 52              |                          | 0.36         | 0.0073    | 0.074     | 2.22      | 3.61      | <2        | 16.60     | 0.139     | 0.1505    | 0.12      | 0.065     | 4.49      | 4.00      | 30.3      | 0.613     |
| JF 53              |                          | 0.30         | 0.0034    | 0.191     | 2.48      | 11.65     | <2        | 24.5      | 0.144     | 0.284     | 0.13      | 0.113     | 5.01      | 5.13      | 32.1      | 0.771     |
| JF 54              |                          | 0.34         | 0.0042    | 0.509     | 2.88      | 4.76      | <2        | 27.9      | 0.160     | 0.1275    | 0.13      | 0.102     | 6.13      | 7.58      | 33.3      | 0.987     |
| JF 55              |                          | 0.36         | 0.0075    | 0.264     | 3.58      | 4.29      | 2         | 57.3      | 0.302     | 0.0870    | 0.15      | 0.149     | 13.70     | 15.45     | 42.7      | 0.700     |
| JF 56              |                          | 0.36         | 0.0051    | 0.111     | 4.77      | 6.55      | <2        | 40.2      | 0.304     | 0.0716    | 0.11      | 0.083     | 6.46      | 9.09      | 48.8      | 0.714     |
| JF 57              |                          | 0.38         | 0.0073    | 0.286     | 3.56      | 6.18      | <2        | 38.5      | 0.229     | 0.1605    | 0.14      | 0.107     | 4.83      | 10.25     | 38.0      | 1.140     |
| JF 58              |                          | 0.32         | 0.0051    | 0.164     | 4.67      | 9.72      | <2        | 42.6      | 0.346     | 0.1440    | 0.12      | 0.098     | 6.42      | 11.30     | 45.4      | 0.978     |
| JF 59              |                          | 0.38         | 0.0136    | 0.146     | 5.06      | 19.40     | 2         | 37.5      | 0.342     | 0.0900    | 0.13      | 0.122     | 6.38      | 13.95     | 49.0      | 0.936     |
| JF 60              |                          | 0.38         | 0.0138    | 0.069     | 2.87      | 5.30      | <2        | 28.7      | 0.147     | 0.1045    | 0.14      | 0.079     | 5.77      | 7.86      | 34.4      | 0.671     |
| JF 61              |                          | 0.40         | 0.0044    | 0.082     | 2.76      | 5.05      | 2         | 98.4      | 0.246     | 0.0680    | 0.19      | 0.064     | 8.39      | 10.45     | 28.9      | 0.405     |
| JF 62              |                          | 0.38         | 0.0042    | 0.095     | 3.13      | 3.67      | <2        | 39.9      | 0.247     | 0.0894    | 0.15      | 0.068     | 6.82      | 8.73      | 28.5      | 0.664     |
| JF 63              |                          | 0.32         | 0.0029    | 0.207     | 5.34      | 8.48      | <2        | 104.5     | 0.340     | 0.1145    | 0.10      | 0.107     | 6.28      | 21.6      | 42.8      | 0.925     |
| JF 64              |                          | 0.38         | 0.0052    | 0.195     | 4.00      | 7.98      | <2        | 52.9      | 0.291     | 0.1230    | 0.14      | 0.120     | 6.58      | 10.40     | 27.4      | 0.873     |
| JF 65              |                          | 0.38         | 0.0226    | 0.351     | 2.97      | 11.15     | 2         | 24.0      | 0.196     | 0.1645    | 0.16      | 0.160     | 4.41      | 8.59      | 28.6      | 0.691     |
| JF 66              |                          | 0.38         | 0.0089    | 0.442     | 3.11      | 17.40     | 2         | 24.2      | 0.184     | 0.1255    | 0.20      | 0.185     | 6.79      | 11.65     | 33.0      | 0.503     |
| JF 67              |                          | 0.44         | 0.1540    | 0.650     | 1.71      | 22.9      | <2        | 27.2      | 0.125     | 2.22      | 0.24      | 0.118     | 5.07      | 10.30     | 20.0      | 0.859     |
| JF 68              |                          | 0.40         | 0.0109    | 0.216     | 3.24      | 15.90     | <2        | 24.1      | 0.168     | 0.296     | 0.16      | 0.180     | 4.25      | 7.51      | 34.2      | 1.000     |
| JF 69              |                          | 0.34         | 0.0116    | 0.093     | 4.40      | 13.95     | 2         | 31.9      | 0.355     | 0.313     | 0.15      | 0.110     | 12.90     | 14.10     | 47.8      | 0.620     |
| JF 70              |                          | 0.40         | 0.0085    | 0.457     | 3.92      | 35.0      | <2        | 27.5      | 0.197     | 0.249     | 0.15      | 0.147     | 4.35      | 8.43      | 34.1      | 0.901     |
| JF 71              |                          | 0.28         | 0.0047    | 0.107     | 3.05      | 10.15     | <2        | 20.4      | 0.218     | 0.1500    | 0.16      | 0.115     | 5.69      | 8.04      | 33.4      | 0.919     |
| JF 72              |                          | 0.42         | 0.0034    | 0.137     | 2.10      | 63.0      | <2        | 25.1      | 0.219     | 0.1040    | 0.28      | 0.545     | 6.20      | 8.55      | 30.7      | 0.971     |
| JF 73              |                          | 0.40         | 0.0060    | 0.241     | 2.63      | 19.10     | <2        | 31.2      | 0.213     | 0.1035    | 0.20      | 0.158     | 8.47      | 8.16      | 28.7      | 0.725     |
| JF 74              |                          | 0.46         | 0.0138    | 0.206     | 3.18      | 62.1      | 2         | 48.3      | 0.259     | 0.1325    | 0.20      | 0.316     | 11.20     | 13.40     | 36.7      | 0.576     |
| JF 75              |                          | 0.42         | 0.0032    | 0.164     | 2.62      | 37.4      | 2         | 21.7      | 0.173     | 0.1565    | 0.21      | 0.105     | 3.99      | 8.06      | 24.8      | 0.884     |
| JF 76              |                          | 0.38         | 0.0099    | 1.185     | 3.17      | 436       | 3         | 40.6      | 0.393     | 0.1275    | 0.43      | 0.449     | 13.70     | 14.80     | 71.7      | 1.040     |
| JF 77              |                          | 0.38         | 0.0025    | 0.194     | 1.58      | 5.35      | <2        | 18.60     | 0.123     | 0.1310    | 0.16      | 0.106     | 3.45      | 5.82      | 17.25     | 0.732     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 5 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb        |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       |
| JF 38              |                          | 32.6      | 2.94      | 7.53      | 0.035     | 0.108     | 0.049     | 0.029     | 0.02      | 2.27      | 6.4       | 0.21      | 107.0     | 0.577     | 0.011     | 1.840     |
| JF 39              |                          | 67.3      | 3.81      | 9.90      | 0.039     | 0.205     | 0.038     | 0.029     | 0.02      | 2.03      | 11.7      | 0.29      | 122.0     | 1.320     | 0.009     | 0.910     |
| JF 40              |                          | 92.9      | 4.77      | 9.09      | 0.046     | 0.159     | 0.186     | 0.052     | 0.02      | 2.48      | 17.8      | 0.44      | 225       | 1.250     | 0.009     | 0.939     |
| JF 41              |                          | 60.6      | 3.23      | 7.93      | 0.033     | 0.120     | 0.079     | 0.024     | 0.02      | 2.12      | 9.9       | 0.32      | 195.0     | 0.911     | 0.011     | 1.850     |
| JF 42              |                          | 50.7      | 3.58      | 9.86      | 0.038     | 0.269     | 0.072     | 0.029     | 0.02      | 1.995     | 12.2      | 0.33      | 145.5     | 0.973     | 0.009     | 1.805     |
| JF 43              |                          | 130.5     | 4.68      | 8.42      | 0.046     | 0.097     | 0.051     | 0.041     | 0.02      | 4.95      | 22.6      | 0.37      | 347       | 1.095     | 0.011     | 1.470     |
| JF 44              |                          | 116.0     | 4.31      | 11.55     | 0.051     | 0.394     | 0.163     | 0.037     | 0.02      | 2.10      | 12.8      | 0.35      | 166.0     | 1.360     | 0.007     | 1.375     |
| JF 45              |                          | 41.4      | 2.88      | 8.18      | 0.033     | 0.115     | 0.115     | 0.022     | 0.02      | 2.03      | 8.6       | 0.31      | 290       | 0.687     | 0.009     | 1.325     |
| JF 46              |                          | 64.6      | 3.93      | 10.30     | 0.043     | 0.149     | 0.099     | 0.026     | 0.01      | 1.900     | 9.4       | 0.30      | 181.0     | 1.445     | 0.006     | 1.610     |
| JF 47              |                          | 29.0      | 2.78      | 6.46      | 0.029     | 0.085     | 0.055     | 0.013     | 0.01      | 2.00      | 5.8       | 0.30      | 135.0     | 0.856     | 0.010     | 0.962     |
| JF 48              |                          | 41.4      | 3.53      | 9.11      | 0.038     | 0.158     | 0.154     | 0.021     | 0.02      | 2.32      | 9.4       | 0.29      | 152.0     | 1.045     | 0.010     | 1.460     |
| JF 49              |                          | 77.9      | 3.82      | 10.30     | 0.045     | 0.156     | 0.056     | 0.029     | 0.02      | 2.53      | 11.2      | 0.39      | 352       | 0.678     | 0.011     | 1.155     |
| JF 50              |                          | 130.5     | 3.73      | 8.63      | 0.058     | 0.309     | 0.064     | 0.035     | 0.02      | 5.42      | 13.3      | 0.59      | 305       | 0.975     | 0.012     | 0.790     |
| JF 51              |                          | 27.7      | 3.01      | 8.32      | 0.035     | 0.127     | 0.100     | 0.023     | 0.01      | 2.50      | 9.7       | 0.17      | 177.5     | 0.556     | 0.009     | 1.130     |
| JF 52              |                          | 27.8      | 3.10      | 8.47      | 0.035     | 0.166     | 0.046     | 0.025     | 0.01      | 2.13      | 6.5       | 0.19      | 111.0     | 0.504     | 0.009     | 1.140     |
| JF 53              |                          | 36.7      | 3.89      | 12.20     | 0.042     | 0.123     | 0.076     | 0.040     | 0.02      | 2.46      | 10.0      | 0.24      | 176.5     | 0.796     | 0.008     | 1.865     |
| JF 54              |                          | 35.6      | 3.34      | 9.36      | 0.038     | 0.122     | 0.133     | 0.027     | 0.02      | 2.78      | 10.6      | 0.21      | 460       | 0.479     | 0.007     | 0.894     |
| JF 55              |                          | 101.5     | 3.53      | 8.51      | 0.048     | 0.298     | 0.094     | 0.029     | 0.02      | 4.19      | 11.2      | 0.59      | 573       | 0.593     | 0.009     | 1.205     |
| JF 56              |                          | 77.2      | 3.69      | 9.35      | 0.039     | 0.374     | 0.048     | 0.030     | 0.02      | 2.43      | 10.0      | 0.42      | 181.0     | 0.651     | 0.006     | 0.919     |
| JF 57              |                          | 58.6      | 3.51      | 11.10     | 0.041     | 0.224     | 0.082     | 0.031     | 0.02      | 2.22      | 12.8      | 0.29      | 373       | 0.586     | 0.009     | 1.430     |
| JF 58              |                          | 79.2      | 3.45      | 10.90     | 0.045     | 0.190     | 0.085     | 0.033     | 0.03      | 3.04      | 12.3      | 0.36      | 654       | 0.620     | 0.007     | 1.090     |
| JF 59              |                          | 105.5     | 3.85      | 10.50     | 0.045     | 0.301     | 0.060     | 0.035     | 0.02      | 2.69      | 11.4      | 0.58      | 336       | 0.590     | 0.007     | 0.793     |
| JF 60              |                          | 46.7      | 2.87      | 8.21      | 0.041     | 0.172     | 0.078     | 0.024     | 0.02      | 2.62      | 9.6       | 0.39      | 172.5     | 0.376     | 0.008     | 1.330     |
| JF 61              |                          | 62.2      | 2.58      | 6.56      | 0.044     | 0.195     | 0.074     | 0.018     | 0.03      | 2.63      | 7.3       | 0.52      | 295       | 0.271     | 0.011     | 1.330     |
| JF 62              |                          | 37.2      | 2.56      | 7.40      | 0.033     | 0.160     | 0.027     | 0.015     | 0.02      | 3.05      | 8.2       | 0.28      | 203       | 0.361     | 0.011     | 0.805     |
| JF 63              |                          | 130.0     | 5.05      | 14.25     | 0.058     | 0.114     | 0.090     | 0.040     | 0.02      | 2.88      | 20.2      | 0.97      | 437       | 0.785     | 0.009     | 0.701     |
| JF 64              |                          | 75.0      | 3.08      | 9.44      | 0.041     | 0.159     | 0.061     | 0.021     | 0.02      | 2.96      | 12.0      | 0.35      | 211       | 0.531     | 0.012     | 1.240     |
| JF 65              |                          | 56.7      | 3.29      | 8.74      | 0.044     | 0.151     | 0.072     | 0.028     | 0.02      | 1.925     | 8.4       | 0.31      | 337       | 0.530     | 0.009     | 1.350     |
| JF 66              |                          | 74.5      | 3.47      | 7.49      | 0.043     | 0.185     | 0.101     | 0.025     | 0.02      | 1.870     | 7.6       | 0.45      | 432       | 0.551     | 0.011     | 1.770     |
| JF 67              |                          | 38.0      | 3.27      | 6.90      | 0.038     | 0.040     | 0.091     | 0.029     | 0.02      | 2.44      | 10.9      | 0.35      | 422       | 0.592     | 0.014     | 0.832     |
| JF 68              |                          | 59.8      | 3.61      | 9.86      | 0.042     | 0.186     | 0.045     | 0.033     | 0.02      | 2.03      | 11.0      | 0.35      | 143.0     | 0.783     | 0.011     | 1.375     |
| JF 69              |                          | 166.5     | 3.88      | 8.43      | 0.053     | 0.503     | 0.067     | 0.030     | 0.02      | 3.13      | 10.5      | 0.66      | 216       | 0.864     | 0.010     | 1.855     |
| JF 70              |                          | 83.3      | 3.68      | 9.89      | 0.045     | 0.190     | 0.073     | 0.029     | 0.02      | 2.02      | 12.0      | 0.38      | 220       | 0.860     | 0.011     | 1.470     |
| JF 71              |                          | 87.9      | 3.45      | 8.11      | 0.044     | 0.213     | 0.097     | 0.024     | 0.02      | 2.12      | 9.7       | 0.43      | 174.0     | 0.836     | 0.011     | 1.710     |
| JF 72              |                          | 80.0      | 2.87      | 6.58      | 0.042     | 0.115     | 0.025     | 0.025     | 0.02      | 3.13      | 12.9      | 0.29      | 167.5     | 1.230     | 0.012     | 0.788     |
| JF 73              |                          | 24.3      | 2.50      | 7.29      | 0.040     | 0.126     | 0.048     | 0.019     | 0.01      | 3.53      | 9.1       | 0.23      | 143.5     | 1.005     | 0.009     | 0.823     |
| JF 74              |                          | 67.6      | 3.16      | 8.12      | 0.052     | 0.132     | 0.085     | 0.028     | 0.02      | 3.74      | 9.5       | 0.55      | 558       | 0.675     | 0.010     | 0.826     |
| JF 75              |                          | 22.2      | 2.53      | 8.17      | 0.030     | 0.099     | 0.066     | 0.021     | 0.02      | 1.905     | 11.7      | 0.26      | 256       | 1.025     | 0.009     | 1.365     |
| JF 76              |                          | 97.7      | 3.66      | 9.23      | 0.054     | 0.194     | 0.189     | 0.029     | 0.02      | 5.52      | 37.9      | 0.38      | 287       | 1.400     | 0.013     | 2.20      |
| JF 77              |                          | 26.8      | 2.10      | 5.76      | 0.023     | 0.096     | 0.063     | 0.013     | 0.01      | 1.640     | 7.2       | 0.18      | 233       | 0.367     | 0.008     | 1.290     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 5 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| JF 38              |                          | 10.25     | 0.0448    | 16.30     | <0.001    | 0.001     | 4.14      | <0.0002   | 0.015     | 0.618     | 2.02      | 0.190     | 0.71      | 9.09      | <0.005    | 0.048 |
| JF 39              |                          | 14.95     | 0.0372    | 5.10      | 0.002     | 0.001     | 3.43      | <0.0002   | 0.007     | 0.399     | 2.85      | 0.176     | 0.59      | 7.45      | <0.005    | 0.064 |
| JF 40              |                          | 24.2      | 0.0525    | 6.75      | 0.002     | 0.001     | 6.24      | <0.0002   | 0.013     | 0.990     | 4.75      | 0.494     | 0.52      | 7.06      | <0.005    | 0.194 |
| JF 41              |                          | 13.15     | 0.0374    | 12.35     | 0.002     | 0.001     | 3.14      | <0.0002   | 0.014     | 0.675     | 2.77      | 0.358     | 0.71      | 10.45     | <0.005    | 0.199 |
| JF 42              |                          | 15.95     | 0.0494    | 7.87      | 0.001     | 0.001     | 3.35      | <0.0002   | 0.016     | 0.458     | 2.84      | 0.327     | 0.65      | 9.88      | <0.005    | 0.054 |
| JF 43              |                          | 39.3      | 0.0406    | 11.45     | <0.001    | 0.001     | 6.69      | 0.0005    | 0.012     | 0.695     | 2.87      | 0.254     | 0.74      | 15.90     | <0.005    | 0.101 |
| JF 44              |                          | 17.35     | 0.0666    | 7.28      | 0.003     | 0.001     | 4.37      | <0.0002   | 0.023     | 0.509     | 3.78      | 0.566     | 0.71      | 7.10      | <0.005    | 0.056 |
| JF 45              |                          | 13.45     | 0.0405    | 12.20     | 0.001     | 0.001     | 3.07      | <0.0002   | 0.010     | 0.512     | 2.48      | 0.200     | 0.66      | 8.33      | <0.005    | 0.044 |
| JF 46              |                          | 13.80     | 0.0558    | 7.97      | 0.002     | 0.001     | 3.07      | <0.0002   | 0.014     | 0.429     | 2.28      | 0.277     | 0.71      | 6.86      | <0.005    | 0.053 |
| JF 47              |                          | 8.96      | 0.0235    | 7.66      | 0.001     | 0.001     | 2.20      | 0.0002    | 0.009     | 0.384     | 2.16      | 0.156     | 0.52      | 7.77      | <0.005    | 0.036 |
| JF 48              |                          | 12.20     | 0.0423    | 7.16      | 0.002     | 0.001     | 3.24      | <0.0002   | 0.011     | 0.521     | 2.76      | 0.224     | 0.76      | 8.89      | <0.005    | 0.073 |
| JF 49              |                          | 18.75     | 0.0562    | 9.39      | <0.001    | 0.001     | 4.60      | <0.0002   | 0.012     | 0.442     | 3.38      | 0.263     | 0.69      | 9.81      | <0.005    | 0.091 |
| JF 50              |                          | 30.9      | 0.0432    | 3.71      | 0.002     | 0.001     | 3.89      | <0.0002   | 0.011     | 0.273     | 5.78      | 0.484     | 0.42      | 13.15     | <0.005    | 0.059 |
| JF 51              |                          | 7.64      | 0.0434    | 7.90      | <0.001    | 0.001     | 3.77      | <0.0002   | 0.012     | 0.382     | 1.960     | 0.194     | 0.69      | 6.39      | <0.005    | 0.031 |
| JF 52              |                          | 8.29      | 0.0343    | 6.74      | 0.002     | 0.001     | 2.89      | <0.0002   | 0.016     | 0.377     | 2.34      | 0.091     | 0.66      | 6.01      | <0.005    | 0.025 |
| JF 53              |                          | 9.34      | 0.0820    | 15.60     | 0.001     | 0.001     | 2.91      | <0.0002   | 0.017     | 0.661     | 2.02      | 0.211     | 0.97      | 23.0      | <0.005    | 0.056 |
| JF 54              |                          | 12.40     | 0.0471    | 6.09      | 0.001     | 0.001     | 4.46      | <0.0002   | 0.010     | 0.255     | 2.84      | 0.216     | 0.64      | 7.61      | <0.005    | 0.021 |
| JF 55              |                          | 25.4      | 0.0525    | 6.73      | 0.004     | 0.001     | 4.22      | <0.0002   | 0.010     | 0.269     | 7.67      | 0.395     | 0.51      | 9.66      | <0.005    | 0.032 |
| JF 56              |                          | 19.35     | 0.0481    | 3.79      | 0.001     | 0.001     | 4.71      | <0.0002   | 0.011     | 0.256     | 4.47      | 0.289     | 0.56      | 6.44      | <0.005    | 0.021 |
| JF 57              |                          | 16.70     | 0.0526    | 8.18      | <0.001    | 0.002     | 4.91      | <0.0002   | 0.012     | 0.244     | 2.80      | 0.220     | 0.92      | 8.33      | <0.005    | 0.021 |
| JF 58              |                          | 22.2      | 0.0823    | 5.59      | 0.002     | 0.001     | 5.62      | <0.0002   | 0.009     | 0.304     | 4.01      | 0.278     | 0.72      | 7.88      | <0.005    | 0.024 |
| JF 59              |                          | 24.2      | 0.0654    | 5.06      | 0.001     | 0.001     | 6.37      | 0.0002    | 0.013     | 0.297     | 5.43      | 0.224     | 0.60      | 7.62      | <0.005    | 0.032 |
| JF 60              |                          | 16.75     | 0.0312    | 6.31      | 0.002     | 0.001     | 4.32      | <0.0002   | 0.010     | 0.314     | 3.14      | 0.205     | 0.52      | 8.24      | <0.005    | 0.022 |
| JF 61              |                          | 18.60     | 0.0381    | 4.77      | 0.001     | 0.001     | 3.23      | <0.0002   | 0.011     | 0.265     | 3.76      | 0.311     | 0.41      | 10.65     | <0.005    | 0.027 |
| JF 62              |                          | 15.30     | 0.0459    | 4.33      | <0.001    | 0.001     | 4.61      | <0.0002   | 0.010     | 0.227     | 2.63      | 0.117     | 0.48      | 8.58      | <0.005    | 0.029 |
| JF 63              |                          | 42.4      | 0.1435    | 4.69      | 0.003     | 0.001     | 5.88      | <0.0002   | 0.011     | 0.259     | 7.77      | 0.236     | 0.53      | 9.69      | <0.005    | 0.031 |
| JF 64              |                          | 18.60     | 0.0582    | 7.06      | 0.001     | 0.001     | 6.20      | <0.0002   | 0.012     | 0.318     | 3.56      | 0.235     | 0.59      | 9.85      | <0.005    | 0.044 |
| JF 65              |                          | 12.50     | 0.0663    | 8.66      | <0.001    | 0.001     | 3.26      | <0.0002   | 0.010     | 0.423     | 2.65      | 0.215     | 0.62      | 11.10     | <0.005    | 0.039 |
| JF 66              |                          | 16.45     | 0.0655    | 7.84      | 0.003     | 0.002     | 2.65      | <0.0002   | 0.014     | 0.482     | 2.92      | 0.306     | 0.53      | 11.75     | <0.005    | 0.070 |
| JF 67              |                          | 11.95     | 0.0559    | 18.75     | 0.001     | 0.001     | 4.34      | <0.0002   | 0.010     | 0.913     | 2.96      | 0.245     | 0.80      | 10.05     | <0.005    | 0.842 |
| JF 68              |                          | 14.80     | 0.0504    | 16.85     | 0.001     | 0.001     | 3.58      | <0.0002   | 0.012     | 0.989     | 2.57      | 0.184     | 0.85      | 12.15     | <0.005    | 0.092 |
| JF 69              |                          | 27.6      | 0.0363    | 6.06      | 0.004     | 0.002     | 3.33      | <0.0002   | 0.014     | 0.398     | 8.03      | 0.676     | 0.44      | 12.40     | <0.005    | 0.252 |
| JF 70              |                          | 15.35     | 0.0533    | 13.80     | 0.002     | 0.001     | 3.54      | <0.0002   | 0.013     | 0.692     | 2.83      | 0.279     | 0.82      | 7.68      | <0.005    | 0.068 |
| JF 71              |                          | 15.60     | 0.0467    | 6.03      | 0.002     | 0.001     | 3.25      | <0.0002   | 0.020     | 0.466     | 3.58      | 0.429     | 0.53      | 9.58      | <0.005    | 0.084 |
| JF 72              |                          | 20.7      | 0.0189    | 3.88      | 0.001     | <0.001    | 3.57      | 0.0003    | 0.003     | 0.423     | 2.83      | 0.238     | 0.42      | 15.40     | <0.005    | 0.050 |
| JF 73              |                          | 13.25     | 0.0264    | 5.06      | 0.001     | 0.001     | 3.05      | <0.0002   | 0.004     | 0.388     | 2.71      | 0.187     | 0.56      | 11.95     | <0.005    | 0.022 |
| JF 74              |                          | 21.4      | 0.0462    | 12.70     | 0.003     | 0.001     | 3.30      | <0.0002   | 0.008     | 0.350     | 5.68      | 0.282     | 0.54      | 10.75     | <0.005    | 0.031 |
| JF 75              |                          | 13.45     | 0.0749    | 11.10     | <0.001    | 0.001     | 3.79      | <0.0002   | 0.010     | 0.454     | 1.985     | 0.187     | 0.65      | 8.69      | <0.005    | 0.039 |
| JF 76              |                          | 24.8      | 0.0351    | 10.05     | 0.010     | 0.001     | 2.13      | 0.0006    | 0.017     | 0.735     | 6.16      | 0.913     | 0.63      | 17.50     | <0.005    | 0.046 |
| JF 77              |                          | 8.65      | 0.0365    | 5.66      | <0.001    | 0.001     | 3.21      | <0.0002   | 0.009     | 0.254     | 1.645     | 0.172     | 0.53      | 6.40      | <0.005    | 0.018 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 5 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Th ppm    | Ti %      | Tl ppm    | U ppm     | V ppm     | W ppm     | Y ppm     | Zn ppm    | Zr ppm |
| JF 38              |                          | 0.572     | 0.1660    | 0.0497    | 0.1160    | 99.5      | 0.028     | 1.155     | 34.4      | 3.58   |
| JF 39              |                          | 0.780     | 0.209     | 0.0419    | 0.207     | 118.5     | 0.022     | 1.305     | 44.1      | 6.26   |
| JF 40              |                          | 0.784     | 0.1260    | 0.0630    | 0.210     | 121.5     | 0.059     | 1.695     | 54.3      | 5.44   |
| JF 41              |                          | 0.554     | 0.1890    | 0.0442    | 0.1500    | 105.0     | 0.041     | 1.905     | 40.3      | 3.82   |
| JF 42              |                          | 1.100     | 0.1890    | 0.0462    | 0.282     | 108.5     | 0.028     | 1.260     | 46.4      | 8.47   |
| JF 43              |                          | 0.856     | 0.1670    | 0.0713    | 0.218     | 105.5     | 0.044     | 4.87      | 104.0     | 3.42   |
| JF 44              |                          | 1.215     | 0.234     | 0.0513    | 0.417     | 128.0     | 0.043     | 1.530     | 41.5      | 12.15  |
| JF 45              |                          | 0.557     | 0.1810    | 0.0474    | 0.1430    | 97.8      | 0.019     | 1.215     | 38.4      | 3.77   |
| JF 46              |                          | 0.744     | 0.237     | 0.0445    | 0.1910    | 133.5     | 0.033     | 1.105     | 40.3      | 4.74   |
| JF 47              |                          | 0.412     | 0.1515    | 0.0460    | 0.0923    | 97.4      | 0.005     | 1.230     | 29.4      | 2.81   |
| JF 48              |                          | 0.596     | 0.233     | 0.0510    | 0.1470    | 105.5     | 0.023     | 1.430     | 49.5      | 5.10   |
| JF 49              |                          | 0.784     | 0.1905    | 0.0535    | 0.1890    | 122.0     | 0.037     | 1.600     | 60.6      | 5.06   |
| JF 50              |                          | 1.430     | 0.208     | 0.0382    | 0.475     | 117.0     | 0.069     | 6.66      | 52.3      | 10.35  |
| JF 51              |                          | 0.725     | 0.1680    | 0.0482    | 0.1345    | 100.5     | 0.020     | 0.992     | 30.7      | 4.59   |
| JF 52              |                          | 0.639     | 0.1570    | 0.0396    | 0.1315    | 108.5     | 0.008     | 1.070     | 28.9      | 5.57   |
| JF 53              |                          | 0.699     | 0.1905    | 0.0501    | 0.1605    | 122.5     | 0.031     | 1.050     | 36.6      | 4.93   |
| JF 54              |                          | 0.807     | 0.1805    | 0.0654    | 0.1855    | 100.5     | 0.011     | 1.400     | 40.4      | 4.66   |
| JF 55              |                          | 1.255     | 0.1965    | 0.0440    | 0.315     | 111.0     | 0.042     | 4.86      | 48.0      | 10.20  |
| JF 56              |                          | 1.265     | 0.1855    | 0.0392    | 0.372     | 117.5     | 0.054     | 1.860     | 36.4      | 11.75  |
| JF 57              |                          | 0.724     | 0.351     | 0.0697    | 0.204     | 111.5     | 0.013     | 1.585     | 57.8      | 8.62   |
| JF 58              |                          | 1.270     | 0.211     | 0.0605    | 0.411     | 103.0     | 0.038     | 1.805     | 55.2      | 6.96   |
| JF 59              |                          | 1.125     | 0.221     | 0.0543    | 0.352     | 118.0     | 0.031     | 2.33      | 59.1      | 10.25  |
| JF 60              |                          | 0.771     | 0.1725    | 0.0552    | 0.1870    | 90.3      | 0.023     | 1.480     | 39.8      | 5.53   |
| JF 61              |                          | 1.255     | 0.218     | 0.0452    | 0.327     | 80.3      | 0.068     | 2.12      | 37.4      | 6.30   |
| JF 62              |                          | 1.115     | 0.1600    | 0.0616    | 0.282     | 80.4      | 0.049     | 1.690     | 39.3      | 5.02   |
| JF 63              |                          | 1.245     | 0.1170    | 0.0746    | 0.385     | 143.0     | 0.020     | 2.35      | 78.5      | 3.85   |
| JF 64              |                          | 1.150     | 0.1910    | 0.0629    | 0.276     | 91.1      | 0.049     | 2.05      | 59.6      | 5.00   |
| JF 65              |                          | 0.641     | 0.202     | 0.0419    | 0.1825    | 108.5     | 0.034     | 1.495     | 40.3      | 4.94   |
| JF 66              |                          | 0.664     | 0.245     | 0.0309    | 0.1985    | 124.0     | 0.081     | 1.620     | 36.2      | 6.41   |
| JF 67              |                          | 0.446     | 0.1650    | 0.0803    | 0.1075    | 88.5      | 0.026     | 1.735     | 50.8      | 1.59   |
| JF 68              |                          | 0.717     | 0.209     | 0.0673    | 0.1840    | 123.5     | 0.007     | 1.045     | 41.6      | 6.12   |
| JF 69              |                          | 1.290     | 0.240     | 0.0330    | 0.346     | 123.5     | 0.088     | 4.23      | 43.2      | 15.05  |
| JF 70              |                          | 0.704     | 0.236     | 0.0537    | 0.223     | 115.5     | 0.021     | 1.405     | 49.4      | 6.14   |
| JF 71              |                          | 0.871     | 0.1930    | 0.0408    | 0.248     | 104.5     | 0.045     | 1.745     | 30.3      | 6.68   |
| JF 72              |                          | 0.585     | 0.1770    | 0.0503    | 0.1790    | 97.9      | 0.019     | 3.27      | 47.9      | 3.68   |
| JF 73              |                          | 0.766     | 0.1805    | 0.0390    | 0.249     | 90.8      | 0.013     | 2.82      | 32.1      | 4.23   |
| JF 74              |                          | 0.946     | 0.1945    | 0.0420    | 0.263     | 105.5     | 0.032     | 3.96      | 54.4      | 5.01   |
| JF 75              |                          | 0.611     | 0.1865    | 0.0371    | 0.1930    | 82.1      | 0.055     | 1.160     | 55.9      | 3.31   |
| JF 76              |                          | 0.968     | 0.251     | 0.0267    | 0.419     | 130.0     | 0.087     | 10.55     | 49.5      | 6.56   |
| JF 77              |                          | 0.473     | 0.1880    | 0.0399    | 0.1150    | 64.7      | 0.024     | 1.175     | 31.8      | 3.07   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 6 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm |
| JF 78              |                          | 0.44         | 0.0141    | 0.413     | 4.83      | 21.4      | 2         | 103.5     | 0.427     | 0.0842    | 0.06      | 0.152     | 13.35     | 16.80     | 38.6      | 2.05   |
| JF 79              |                          | 0.34         | 0.0047    | 0.094     | 4.19      | 8.17      | 2         | 50.7      | 0.306     | 0.1190    | 0.10      | 0.081     | 5.06      | 8.38      | 49.5      | 0.690  |
| JF 80              |                          | 0.40         | 0.0194    | 0.085     | 3.65      | 3.91      | 2         | 59.9      | 0.342     | 0.0884    | 0.16      | 0.094     | 11.85     | 12.30     | 42.1      | 0.575  |
| JF 81              |                          | 0.42         | 0.0031    | 0.034     | 2.05      | 2.74      | 2         | 62.4      | 0.177     | 0.0554    | 0.28      | 0.069     | 7.07      | 8.69      | 27.8      | 0.338  |
| JF 82              |                          | 0.38         | 0.0380    | 0.102     | 3.10      | 2.89      | 2         | 30.5      | 0.262     | 0.0687    | 0.21      | 0.088     | 6.46      | 11.65     | 39.2      | 0.440  |
| JF 83              |                          | 0.40         | 0.0028    | 0.138     | 3.04      | 2.74      | 2         | 35.2      | 0.327     | 0.1600    | 0.14      | 0.078     | 7.56      | 8.59      | 36.2      | 0.825  |
| JF 84              |                          | 0.34         | 0.0025    | 0.095     | 2.42      | 4.90      | <2        | 26.2      | 0.192     | 0.1415    | 0.14      | 0.087     | 4.80      | 7.53      | 30.1      | 0.793  |
| JF 85              |                          | 0.32         | 0.0102    | 0.065     | 4.03      | 4.31      | 3         | 49.9      | 0.370     | 0.0693    | 0.24      | 0.109     | 13.05     | 13.90     | 47.9      | 0.445  |
| JF 86              |                          | 0.38         | 0.0074    | 0.127     | 4.40      | 4.21      | 2         | 43.4      | 0.268     | 0.0736    | 0.17      | 0.085     | 5.45      | 12.30     | 35.6      | 0.610  |
| JF 87              |                          | 0.36         | 0.0103    | 0.770     | 3.27      | 3.95      | 2         | 38.5      | 0.271     | 0.0720    | 0.24      | 0.173     | 7.98      | 13.05     | 38.3      | 0.525  |
| JF 88              |                          | 0.38         | 0.0207    | 0.336     | 2.75      | 10.10     | 2         | 33.5      | 0.221     | 0.0732    | 0.19      | 0.162     | 8.00      | 10.40     | 29.5      | 0.852  |
| JF 89              |                          | 0.36         | 0.0054    | 0.247     | 3.52      | 5.42      | 2         | 40.4      | 0.280     | 0.1185    | 0.19      | 0.324     | 5.85      | 13.35     | 34.1      | 0.822  |
| JF 90              |                          | 0.44         | 0.0507    | 0.687     | 3.63      | 14.70     | 2         | 39.4      | 0.278     | 0.213     | 0.14      | 0.274     | 7.38      | 20.9      | 31.7      | 1.905  |
| JF 91              |                          | 0.38         | 0.0029    | 0.420     | 3.45      | 6.45      | 2         | 22.3      | 0.197     | 0.1220    | 0.21      | 0.176     | 3.26      | 9.77      | 37.8      | 1.220  |
| JF 92              |                          | 0.44         | 0.1400    | 0.417     | 3.28      | 213       | 3         | 43.7      | 0.617     | 0.220     | 0.19      | 1.010     | 28.6      | 39.2      | 68.5      | 1.015  |
| JF 93              |                          | 0.38         | 0.0090    | 0.284     | 3.07      | 16.45     | 2         | 26.1      | 0.246     | 0.1815    | 0.17      | 0.177     | 4.60      | 8.90      | 30.2      | 0.950  |
| JF 94              |                          | 0.40         | 0.0049    | 0.333     | 2.49      | 6.28      | 2         | 39.4      | 0.222     | 0.1220    | 0.18      | 0.164     | 6.86      | 10.75     | 30.7      | 1.025  |
| JF 95              |                          | 0.34         | 0.0043    | 0.068     | 3.72      | 9.82      | 2         | 20.0      | 0.216     | 0.1110    | 0.18      | 0.114     | 3.20      | 6.53      | 40.3      | 1.875  |
| JF 96              |                          | 0.36         | 0.0047    | 0.398     | 2.91      | 5.47      | 2         | 31.1      | 0.250     | 0.1410    | 0.14      | 0.160     | 7.25      | 7.95      | 30.4      | 1.570  |
| JF 97              |                          | 0.34         | 0.0048    | 0.221     | 3.21      | 8.70      | 2         | 55.3      | 0.335     | 0.1515    | 0.22      | 0.170     | 17.40     | 14.75     | 33.8      | 0.939  |
| JF 98              |                          | 0.36         | 0.0159    | 0.245     | 1.82      | 5.08      | 2         | 19.40     | 0.153     | 0.239     | 0.19      | 0.125     | 3.88      | 5.42      | 23.0      | 0.887  |
| JF 99              |                          | 0.44         | 0.0231    | 0.243     | 4.08      | 6.84      | 2         | 39.3      | 0.309     | 0.1725    | 0.23      | 0.215     | 6.16      | 17.55     | 43.2      | 1.670  |
| JF 100             |                          | 0.34         | 0.0107    | 0.385     | 2.65      | 3.62      | 2         | 24.0      | 0.153     | 0.1845    | 0.23      | 0.184     | 5.10      | 9.77      | 26.9      | 0.965  |
| JF 101             |                          | 0.46         | 0.0041    | 0.115     | 4.56      | 6.90      | 2         | 61.5      | 0.448     | 0.0815    | 0.22      | 0.117     | 13.85     | 17.85     | 53.7      | 0.626  |
| JF 102             |                          | 0.42         | 0.0026    | 0.489     | 1.58      | 5.79      | 2         | 18.50     | 0.116     | 0.1830    | 0.21      | 0.136     | 4.67      | 5.09      | 25.1      | 0.694  |
| JF 103             |                          | 0.38         | 0.0060    | 0.137     | 3.60      | 5.35      | 3         | 45.8      | 0.415     | 0.0753    | 0.33      | 0.151     | 21.7      | 17.50     | 51.4      | 0.593  |
| JF 104             |                          | 0.38         | 0.0190    | 0.190     | 1.74      | 19.40     | 2         | 21.5      | 0.178     | 0.1815    | 0.22      | 0.188     | 5.74      | 8.27      | 24.5      | 0.651  |
| JF 105             |                          | 0.36         | 0.0020    | 0.127     | 1.86      | 5.42      | 2         | 19.70     | 0.167     | 0.1755    | 0.20      | 0.177     | 3.59      | 7.88      | 26.4      | 0.918  |
| JF 106             |                          | 0.36         | 0.0064    | 0.203     | 1.32      | 2.45      | 2         | 14.35     | 0.145     | 0.217     | 0.21      | 0.119     | 4.54      | 6.31      | 23.4      | 1.245  |
| JF 107             |                          | 0.30         | 0.0079    | 0.111     | 2.39      | 9.12      | 2         | 19.95     | 0.206     | 0.212     | 0.17      | 0.213     | 3.54      | 7.81      | 32.9      | 0.884  |
| JF 108             |                          | 0.44         | 0.0078    | 0.317     | 3.19      | 3.76      | 2         | 26.2      | 0.202     | 0.1180    | 0.20      | 0.123     | 4.40      | 8.58      | 35.6      | 1.065  |
| JF 109             |                          | 0.40         | 0.0438    | 0.344     | 2.41      | 18.20     | 2         | 27.1      | 0.124     | 0.1610    | 0.20      | 0.155     | 4.22      | 8.29      | 19.15     | 1.865  |
| JF 110             |                          | 0.38         | 0.0032    | 0.092     | 4.61      | 5.00      | 2         | 26.9      | 0.320     | 0.1640    | 0.14      | 0.070     | 5.32      | 7.39      | 37.3      | 1.325  |
| JF 111             |                          | 0.40         | 0.0088    | 0.040     | 4.27      | 5.93      | <2        | 30.8      | 0.383     | 0.1070    | 0.14      | 0.080     | 9.56      | 17.15     | 37.1      | 1.205  |
| JF 112             |                          | 0.38         | 0.1220    | 0.156     | 4.45      | 9.79      | <2        | 30.1      | 0.404     | 0.226     | 0.17      | 0.937     | 8.26      | 27.8      | 45.0      | 1.010  |
| JF 113             |                          | 0.54         | 0.0022    | 0.044     | 3.64      | 6.29      | <2        | 47.8      | 0.501     | 0.1385    | 0.23      | 0.471     | 6.47      | 11.00     | 33.8      | 1.035  |
| JF 114             |                          | 0.38         | 0.0232    | 0.036     | 4.31      | 4.61      | <2        | 23.3      | 0.225     | 0.1220    | 0.12      | 0.116     | 6.35      | 7.60      | 49.2      | 0.974  |
| JF 115             |                          | 0.36         | 0.0108    | 0.209     | 3.86      | 3.80      | <2        | 43.4      | 0.340     | 0.1290    | 0.12      | 0.104     | 4.67      | 12.75     | 42.7      | 1.290  |
| JF 116             |                          | 0.42         | 0.0112    | 0.233     | 3.45      | 2.79      | <2        | 27.4      | 0.316     | 0.1475    | 0.17      | 0.124     | 5.02      | 9.56      | 43.1      | 1.495  |
| JF 117             |                          | 0.50         | 0.0107    | 0.329     | 1.76      | 1.70      | <2        | 19.35     | 0.251     | 0.253     | 0.22      | 0.099     | 4.39      | 26.4      | 30.8      | 2.06   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 6 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |     |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb  |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm |
| JF 78              | 131.5                    | 4.74      | 11.20     | 0.058     | 0.134     | 0.097     | 0.033     | 0.05      | 5.30      | 17.0      | 1.20      | 665       | 0.501     | 0.010     | 0.660     |     |
| JF 79              | 73.8                     | 2.87      | 8.70      | 0.036     | 0.222     | 0.048     | 0.021     | 0.03      | 2.30      | 10.8      | 0.42      | 187.5     | 0.740     | 0.008     | 1.490     |     |
| JF 80              | 57.6                     | 3.35      | 9.33      | 0.046     | 0.317     | 0.069     | 0.023     | 0.02      | 3.59      | 9.2       | 0.41      | 197.0     | 0.566     | 0.009     | 1.175     |     |
| JF 81              | 50.9                     | 2.37      | 5.25      | 0.040     | 0.219     | 0.033     | 0.019     | 0.02      | 2.77      | 4.6       | 0.38      | 181.0     | 0.229     | 0.011     | 1.140     |     |
| JF 82              | 47.4                     | 3.07      | 7.65      | 0.038     | 0.319     | 0.044     | 0.022     | 0.01      | 2.10      | 6.0       | 0.32      | 344       | 0.322     | 0.006     | 1.325     |     |
| JF 83              | 54.2                     | 3.21      | 8.62      | 0.037     | 0.248     | 0.108     | 0.029     | 0.02      | 2.96      | 7.1       | 0.21      | 268       | 0.581     | 0.007     | 0.962     |     |
| JF 84              | 29.8                     | 3.23      | 8.85      | 0.033     | 0.158     | 0.046     | 0.028     | 0.02      | 2.27      | 8.8       | 0.22      | 369       | 0.450     | 0.007     | 0.977     |     |
| JF 85              | 82.5                     | 3.66      | 9.20      | 0.051     | 0.360     | 0.065     | 0.030     | 0.02      | 3.13      | 8.5       | 0.52      | 399       | 0.403     | 0.010     | 0.885     |     |
| JF 86              | 42.9                     | 2.76      | 8.08      | 0.036     | 0.192     | 0.105     | 0.021     | 0.02      | 2.15      | 10.1      | 0.42      | 382       | 0.480     | 0.010     | 1.200     |     |
| JF 87              | 133.5                    | 3.15      | 7.55      | 0.039     | 0.168     | 0.053     | 0.024     | 0.02      | 2.49      | 7.8       | 0.41      | 1015      | 0.503     | 0.009     | 0.855     |     |
| JF 88              | 43.3                     | 2.97      | 7.13      | 0.033     | 0.241     | 0.117     | 0.020     | 0.02      | 2.75      | 8.7       | 0.34      | 257       | 0.396     | 0.008     | 1.300     |     |
| JF 89              | 63.8                     | 2.90      | 8.09      | 0.037     | 0.192     | 0.093     | 0.025     | 0.02      | 2.32      | 10.9      | 0.37      | 705       | 0.552     | 0.008     | 1.005     |     |
| JF 90              | 69.6                     | 3.85      | 9.31      | 0.042     | 0.052     | 0.116     | 0.043     | 0.03      | 3.14      | 19.3      | 0.42      | 1360      | 0.601     | 0.007     | 0.636     |     |
| JF 91              | 51.3                     | 3.11      | 6.98      | 0.034     | 0.195     | 0.095     | 0.022     | 0.02      | 1.545     | 11.0      | 0.37      | 258       | 0.496     | 0.009     | 1.145     |     |
| JF 92              | 214                      | 6.49      | 9.11      | 0.114     | 0.076     | 0.182     | 0.087     | 0.04      | 10.40     | 13.5      | 1.15      | 3210      | 2.16      | 0.006     | 0.510     |     |
| JF 93              | 81.2                     | 3.22      | 7.68      | 0.036     | 0.198     | 0.111     | 0.030     | 0.02      | 1.820     | 9.5       | 0.32      | 258       | 0.605     | 0.008     | 1.620     |     |
| JF 94              | 66.0                     | 3.39      | 8.00      | 0.041     | 0.130     | 0.107     | 0.028     | 0.02      | 2.57      | 9.4       | 0.38      | 414       | 0.540     | 0.008     | 1.025     |     |
| JF 95              | 49.2                     | 3.95      | 9.48      | 0.043     | 0.242     | 0.078     | 0.033     | 0.02      | 1.490     | 8.8       | 0.28      | 156.0     | 0.722     | 0.006     | 1.645     |     |
| JF 96              | 55.6                     | 3.34      | 9.09      | 0.043     | 0.171     | 0.078     | 0.026     | 0.02      | 2.90      | 9.5       | 0.28      | 159.5     | 0.753     | 0.006     | 1.165     |     |
| JF 97              | 99.2                     | 3.28      | 6.95      | 0.054     | 0.173     | 0.122     | 0.033     | 0.03      | 4.89      | 10.1      | 0.53      | 458       | 0.513     | 0.009     | 1.480     |     |
| JF 98              | 50.2                     | 3.06      | 7.84      | 0.032     | 0.077     | 0.091     | 0.028     | 0.02      | 1.875     | 7.9       | 0.19      | 447       | 0.525     | 0.009     | 1.290     |     |
| JF 99              | 134.5                    | 4.13      | 10.60     | 0.046     | 0.206     | 0.123     | 0.038     | 0.03      | 2.53      | 13.7      | 0.51      | 573       | 0.553     | 0.008     | 1.000     |     |
| JF 100             | 46.4                     | 2.90      | 8.49      | 0.038     | 0.197     | 0.125     | 0.030     | 0.02      | 2.35      | 9.4       | 0.31      | 253       | 0.443     | 0.008     | 1.145     |     |
| JF 101             | 111.5                    | 4.09      | 9.56      | 0.054     | 0.461     | 0.066     | 0.035     | 0.03      | 3.22      | 11.7      | 0.51      | 422       | 0.594     | 0.008     | 1.020     |     |
| JF 102             | 22.9                     | 3.07      | 8.83      | 0.033     | 0.106     | 0.147     | 0.031     | 0.02      | 2.27      | 9.1       | 0.19      | 319       | 0.510     | 0.008     | 1.205     |     |
| JF 103             | 117.5                    | 4.37      | 9.04      | 0.069     | 0.366     | 0.082     | 0.033     | 0.03      | 4.88      | 9.8       | 0.66      | 537       | 0.703     | 0.014     | 0.868     |     |
| JF 104             | 54.9                     | 3.50      | 7.16      | 0.039     | 0.127     | 0.054     | 0.034     | 0.02      | 2.33      | 7.9       | 0.30      | 212       | 0.454     | 0.014     | 0.888     |     |
| JF 105             | 29.2                     | 3.36      | 7.12      | 0.036     | 0.143     | 0.105     | 0.032     | 0.01      | 1.635     | 6.9       | 0.21      | 487       | 0.417     | 0.006     | 1.350     |     |
| JF 106             | 39.2                     | 3.62      | 8.17      | 0.041     | 0.114     | 0.077     | 0.024     | 0.01      | 2.10      | 8.2       | 0.21      | 273       | 0.635     | 0.009     | 0.847     |     |
| JF 107             | 54.7                     | 3.94      | 8.67      | 0.040     | 0.096     | 0.115     | 0.033     | 0.02      | 1.690     | 10.7      | 0.30      | 231       | 0.778     | 0.009     | 1.965     |     |
| JF 108             | 49.2                     | 3.44      | 8.45      | 0.036     | 0.206     | 0.094     | 0.030     | 0.02      | 1.955     | 8.9       | 0.32      | 233       | 0.534     | 0.007     | 1.190     |     |
| JF 109             | 36.8                     | 3.09      | 7.29      | 0.032     | 0.083     | 0.088     | 0.028     | 0.02      | 2.00      | 10.1      | 0.57      | 363       | 0.581     | 0.007     | 0.996     |     |
| JF 110             | 69.1                     | 4.14      | 11.85     | 0.047     | 0.233     | 0.211     | 0.032     | 0.02      | 2.54      | 13.7      | 0.30      | 143.5     | 0.717     | 0.009     | 1.675     |     |
| JF 111             | 92.5                     | 3.23      | 8.13      | 0.040     | 0.129     | 0.089     | 0.022     | 0.02      | 3.95      | 15.4      | 0.51      | 264       | 0.731     | 0.010     | 1.705     |     |
| JF 112             | 65.5                     | 3.37      | 9.46      | 0.033     | 0.224     | 0.109     | 0.039     | 0.02      | 3.54      | 16.2      | 0.28      | 652       | 1.415     | 0.010     | 1.755     |     |
| JF 113             | 70.5                     | 3.25      | 9.48      | 0.033     | 0.090     | 0.063     | 0.028     | 0.02      | 3.41      | 17.9      | 0.45      | 421       | 0.682     | 0.009     | 1.250     |     |
| JF 114             | 116.5                    | 3.92      | 10.05     | 0.035     | 0.422     | 0.050     | 0.031     | 0.02      | 2.44      | 10.7      | 0.44      | 206       | 1.180     | 0.008     | 1.645     |     |
| JF 115             | 86.4                     | 3.24      | 8.43      | 0.031     | 0.187     | 0.057     | 0.022     | 0.03      | 2.09      | 11.0      | 0.47      | 253       | 0.847     | 0.008     | 1.295     |     |
| JF 116             | 78.5                     | 3.60      | 9.25      | 0.032     | 0.219     | 0.099     | 0.024     | 0.02      | 2.41      | 11.6      | 0.39      | 154.5     | 0.943     | 0.009     | 1.500     |     |
| JF 117             | 142.5                    | 2.89      | 6.64      | 0.027     | 0.059     | 0.054     | 0.019     | 0.01      | 2.27      | 13.0      | 0.33      | 154.5     | 1.005     | 0.009     | 1.180     |     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 6 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                                   | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                                   | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
| JF 78              |                                   | 25.8      | 0.0601    | 6.05      | 0.001     | 0.002     | 13.35     | <0.0002   | 0.011     | 0.596     | 7.51      | 0.566     | 0.39      | 12.30     | <0.005    | 0.031 |
| JF 79              |                                   | 21.7      | 0.0501    | 6.48      | 0.002     | 0.001     | 4.15      | <0.0002   | 0.013     | 0.440     | 3.08      | 0.270     | 0.54      | 6.63      | <0.005    | 0.064 |
| JF 80              |                                   | 25.2      | 0.0417    | 3.67      | 0.001     | 0.001     | 5.21      | <0.0002   | 0.010     | 0.326     | 6.05      | 0.250     | 0.59      | 9.37      | <0.005    | 0.033 |
| JF 81              |                                   | 17.75     | 0.0185    | 3.42      | <0.001    | 0.001     | 2.81      | <0.0002   | 0.006     | 0.246     | 4.20      | 0.142     | 0.45      | 12.05     | <0.005    | 0.014 |
| JF 82              |                                   | 21.4      | 0.0427    | 3.17      | <0.001    | 0.001     | 3.25      | <0.0002   | 0.008     | 0.188     | 4.15      | 0.202     | 0.53      | 7.41      | <0.005    | 0.019 |
| JF 83              |                                   | 14.75     | 0.0422    | 7.38      | 0.001     | 0.001     | 4.97      | <0.0002   | 0.014     | 0.280     | 3.63      | 0.179     | 0.73      | 7.44      | <0.005    | 0.016 |
| JF 84              |                                   | 13.35     | 0.0695    | 6.00      | <0.001    | 0.001     | 3.69      | <0.0002   | 0.009     | 0.307     | 2.57      | 0.154     | 0.72      | 7.48      | <0.005    | 0.025 |
| JF 85              |                                   | 28.9      | 0.0414    | 4.06      | 0.002     | 0.001     | 3.72      | <0.0002   | 0.013     | 0.286     | 8.15      | 0.305     | 0.59      | 9.58      | <0.005    | 0.026 |
| JF 86              |                                   | 21.8      | 0.0476    | 3.75      | <0.001    | 0.001     | 3.92      | <0.0002   | 0.011     | 0.268     | 2.96      | 0.260     | 0.49      | 9.41      | <0.005    | 0.024 |
| JF 87              |                                   | 20.3      | 0.0500    | 4.76      | 0.001     | 0.001     | 4.61      | <0.0002   | 0.007     | 0.286     | 4.45      | 0.189     | 0.51      | 12.40     | <0.005    | 0.021 |
| JF 88              |                                   | 17.50     | 0.0458    | 10.60     | <0.001    | 0.001     | 4.42      | <0.0002   | 0.007     | 0.259     | 4.20      | 0.221     | 0.55      | 8.38      | <0.005    | 0.022 |
| JF 89              |                                   | 22.4      | 0.0766    | 9.19      | 0.002     | 0.001     | 5.19      | <0.0002   | 0.008     | 0.394     | 3.20      | 0.202     | 0.65      | 9.04      | <0.005    | 0.035 |
| JF 90              |                                   | 21.8      | 0.0719    | 13.85     | 0.001     | 0.001     | 8.82      | <0.0002   | 0.016     | 0.540     | 4.60      | 0.273     | 0.75      | 7.65      | <0.005    | 0.038 |
| JF 91              |                                   | 19.20     | 0.0622    | 6.20      | 0.001     | 0.001     | 2.64      | <0.0002   | 0.011     | 0.388     | 2.46      | 0.222     | 0.57      | 8.73      | <0.005    | 0.022 |
| JF 92              |                                   | 56.7      | 0.0963    | 21.5      | 0.014     | 0.003     | 4.84      | <0.0002   | 0.012     | 1.320     | 20.3      | 0.549     | 0.38      | 9.88      | <0.005    | 0.066 |
| JF 93              |                                   | 16.95     | 0.0645    | 13.10     | 0.001     | 0.002     | 2.91      | <0.0002   | 0.020     | 0.523     | 3.07      | 0.275     | 0.69      | 7.37      | <0.005    | 0.037 |
| JF 94              |                                   | 17.85     | 0.0442    | 7.01      | 0.002     | 0.001     | 3.87      | <0.0002   | 0.008     | 0.392     | 4.04      | 0.238     | 0.56      | 8.04      | <0.005    | 0.025 |
| JF 95              |                                   | 12.85     | 0.0702    | 7.31      | 0.001     | 0.001     | 2.85      | <0.0002   | 0.017     | 0.493     | 2.53      | 0.266     | 0.68      | 9.78      | <0.005    | 0.054 |
| JF 96              |                                   | 14.05     | 0.0406    | 6.49      | 0.001     | 0.001     | 4.20      | <0.0002   | 0.010     | 0.391     | 3.54      | 0.268     | 0.67      | 7.26      | <0.005    | 0.026 |
| JF 97              |                                   | 26.2      | 0.0479    | 11.65     | <0.001    | 0.001     | 4.06      | 0.0002    | 0.011     | 0.512     | 4.74      | 0.403     | 0.63      | 10.75     | <0.005    | 0.040 |
| JF 98              |                                   | 8.83      | 0.0640    | 13.40     | 0.001     | 0.001     | 2.86      | <0.0002   | 0.014     | 0.575     | 2.03      | 0.186     | 0.90      | 8.58      | <0.005    | 0.038 |
| JF 99              |                                   | 24.8      | 0.0715    | 8.24      | 0.002     | 0.001     | 4.91      | <0.0002   | 0.013     | 0.426     | 4.61      | 0.285     | 0.83      | 12.65     | <0.005    | 0.030 |
| JF 100             |                                   | 15.45     | 0.0428    | 11.15     | 0.001     | 0.001     | 4.51      | <0.0002   | 0.008     | 0.485     | 3.14      | 0.192     | 0.84      | 11.00     | <0.005    | 0.021 |
| JF 101             |                                   | 33.6      | 0.0829    | 4.74      | 0.003     | 0.002     | 3.71      | 0.0002    | 0.011     | 0.271     | 8.66      | 0.379     | 0.66      | 9.61      | <0.005    | 0.023 |
| JF 102             |                                   | 9.75      | 0.0592    | 8.78      | 0.001     | 0.001     | 3.22      | <0.0002   | 0.008     | 0.464     | 2.13      | 0.168     | 0.91      | 8.06      | <0.005    | 0.021 |
| JF 103             |                                   | 33.1      | 0.0532    | 6.12      | 0.004     | 0.001     | 3.16      | <0.0002   | 0.012     | 0.245     | 9.71      | 0.347     | 0.59      | 14.85     | <0.005    | 0.021 |
| JF 104             |                                   | 14.20     | 0.0363    | 13.25     | 0.001     | 0.002     | 4.25      | <0.0002   | 0.008     | 0.737     | 4.00      | 0.207     | 0.73      | 7.42      | <0.005    | 0.034 |
| JF 105             |                                   | 10.05     | 0.0440    | 10.05     | <0.001    | 0.001     | 2.67      | <0.0002   | 0.013     | 0.574     | 2.05      | 0.221     | 0.73      | 6.93      | <0.005    | 0.033 |
| JF 106             |                                   | 8.31      | 0.0332    | 9.33      | 0.002     | 0.001     | 2.36      | 0.0002    | 0.010     | 0.515     | 2.21      | 0.110     | 0.89      | 10.55     | <0.005    | 0.014 |
| JF 107             |                                   | 12.80     | 0.0800    | 10.20     | <0.001    | 0.001     | 2.28      | <0.0002   | 0.027     | 0.537     | 2.49      | 0.268     | 0.84      | 8.38      | <0.005    | 0.054 |
| JF 108             |                                   | 15.35     | 0.0487    | 6.95      | 0.001     | 0.001     | 3.75      | <0.0002   | 0.012     | 0.379     | 3.13      | 0.168     | 0.67      | 8.43      | <0.005    | 0.016 |
| JF 109             |                                   | 11.45     | 0.0325    | 39.7      | <0.001    | 0.001     | 3.59      | <0.0002   | 0.014     | 0.490     | 3.59      | 0.167     | 0.59      | 28.4      | <0.005    | 0.024 |
| JF 110             |                                   | 13.35     | 0.0819    | 7.66      | 0.002     | 0.001     | 4.71      | <0.0002   | 0.039     | 0.432     | 3.65      | 0.672     | 0.68      | 7.05      | <0.005    | 0.033 |
| JF 111             |                                   | 27.5      | 0.0644    | 5.29      | 0.001     | 0.001     | 4.03      | 0.0003    | 0.028     | 0.433     | 4.21      | 0.698     | 0.59      | 10.35     | <0.005    | 0.057 |
| JF 112             |                                   | 20.5      | 0.0409    | 19.05     | 0.003     | 0.002     | 3.32      | <0.0002   | 0.027     | 1.100     | 3.33      | 0.482     | 0.92      | 9.13      | <0.005    | 0.097 |
| JF 113             |                                   | 31.2      | 0.0432    | 9.82      | <0.001    | 0.001     | 5.45      | 0.0005    | 0.012     | 0.775     | 2.91      | 0.340     | 0.66      | 13.30     | <0.005    | 0.071 |
| JF 114             |                                   | 17.50     | 0.0509    | 4.46      | 0.006     | 0.001     | 4.86      | <0.0002   | 0.022     | 0.502     | 6.16      | 0.305     | 0.61      | 7.89      | <0.005    | 0.110 |
| JF 115             |                                   | 25.4      | 0.0451    | 4.82      | 0.002     | 0.001     | 7.81      | <0.0002   | 0.012     | 0.549     | 3.30      | 0.267     | 0.63      | 11.10     | <0.005    | 0.246 |
| JF 116             |                                   | 20.5      | 0.0521    | 4.31      | 0.002     | 0.001     | 6.65      | 0.0002    | 0.015     | 0.371     | 3.34      | 0.262     | 0.64      | 11.50     | <0.005    | 0.158 |
| JF 117             |                                   | 29.4      | 0.0278    | 5.09      | <0.001    | 0.001     | 4.82      | 0.0002    | 0.009     | 0.527     | 2.17      | 0.212     | 0.52      | 9.76      | <0.005    | 0.139 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 6 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Th        | Ti        | Tl        | U         | V         | W         | Y         | Zn        | Zr    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01  |
| JF 78              |                          | 0.456     | 0.0826    | 0.0797    | 0.1585    | 96.2      | 0.041     | 4.47      | 81.4      | 3.94  |
| JF 79              |                          | 1.755     | 0.1765    | 0.0507    | 0.545     | 86.3      | 0.112     | 1.475     | 37.7      | 6.39  |
| JF 80              |                          | 1.255     | 0.277     | 0.0462    | 0.332     | 112.5     | 0.088     | 4.08      | 42.0      | 10.10 |
| JF 81              |                          | 0.827     | 0.255     | 0.0344    | 0.209     | 76.0      | 0.039     | 3.10      | 27.5      | 7.30  |
| JF 82              |                          | 0.760     | 0.302     | 0.0427    | 0.211     | 102.0     | 0.035     | 2.20      | 35.7      | 10.75 |
| JF 83              |                          | 1.110     | 0.1920    | 0.0676    | 0.323     | 100.5     | 0.018     | 2.06      | 39.7      | 8.72  |
| JF 84              |                          | 0.742     | 0.216     | 0.0558    | 0.1680    | 96.8      | 0.030     | 1.380     | 43.6      | 5.97  |
| JF 85              |                          | 1.085     | 0.321     | 0.0415    | 0.305     | 119.5     | 0.046     | 3.99      | 43.1      | 12.40 |
| JF 86              |                          | 1.120     | 0.223     | 0.0444    | 0.381     | 84.6      | 0.069     | 1.485     | 42.7      | 5.99  |
| JF 87              |                          | 1.040     | 0.226     | 0.0512    | 0.312     | 101.5     | 0.040     | 2.57      | 39.5      | 6.30  |
| JF 88              |                          | 0.748     | 0.251     | 0.0411    | 0.214     | 92.3      | 0.054     | 3.03      | 41.2      | 8.09  |
| JF 89              |                          | 0.919     | 0.236     | 0.0499    | 0.259     | 89.9      | 0.057     | 1.580     | 54.9      | 6.32  |
| JF 90              |                          | 0.600     | 0.0997    | 0.0906    | 0.1535    | 101.5     | 0.023     | 1.555     | 82.3      | 1.87  |
| JF 91              |                          | 0.553     | 0.268     | 0.0285    | 0.1575    | 98.2      | 0.020     | 1.470     | 37.5      | 5.96  |
| JF 92              |                          | 0.792     | 0.1070    | 0.0421    | 0.227     | 134.5     | 0.096     | 21.3      | 104.5     | 3.16  |
| JF 93              |                          | 0.695     | 0.207     | 0.0397    | 0.1965    | 99.6      | 0.029     | 1.755     | 48.6      | 6.51  |
| JF 94              |                          | 0.674     | 0.1980    | 0.0470    | 0.1825    | 106.0     | 0.020     | 2.53      | 43.8      | 4.76  |
| JF 95              |                          | 0.637     | 0.298     | 0.0343    | 0.207     | 130.5     | 0.039     | 1.160     | 29.4      | 8.21  |
| JF 96              |                          | 0.787     | 0.218     | 0.0395    | 0.225     | 107.0     | 0.033     | 2.89      | 41.0      | 5.73  |
| JF 97              |                          | 0.914     | 0.205     | 0.0473    | 0.245     | 95.8      | 0.065     | 6.41      | 47.9      | 5.68  |
| JF 98              |                          | 0.505     | 0.207     | 0.0449    | 0.1460    | 95.8      | 0.018     | 1.235     | 36.1      | 3.01  |
| JF 99              |                          | 0.827     | 0.306     | 0.0659    | 0.227     | 118.0     | 0.024     | 2.54      | 62.0      | 7.13  |
| JF 100             |                          | 0.603     | 0.302     | 0.0513    | 0.1775    | 89.2      | 0.015     | 1.790     | 47.3      | 6.62  |
| JF 101             |                          | 1.205     | 0.310     | 0.0347    | 0.363     | 130.0     | 0.049     | 4.45      | 52.9      | 15.90 |
| JF 102             |                          | 0.649     | 0.259     | 0.0412    | 0.1530    | 98.8      | 0.030     | 1.280     | 34.7      | 3.83  |
| JF 103             |                          | 1.105     | 0.297     | 0.0327    | 0.300     | 146.5     | 0.049     | 9.45      | 45.3      | 13.15 |
| JF 104             |                          | 0.456     | 0.1435    | 0.0512    | 0.1210    | 105.5     | 0.012     | 2.21      | 46.7      | 4.48  |
| JF 105             |                          | 0.507     | 0.236     | 0.0419    | 0.1240    | 107.0     | 0.022     | 1.190     | 33.6      | 4.69  |
| JF 106             |                          | 0.486     | 0.286     | 0.0346    | 0.1265    | 112.0     | 0.006     | 1.560     | 27.4      | 4.15  |
| JF 107             |                          | 0.471     | 0.234     | 0.0321    | 0.1565    | 115.0     | 0.032     | 1.310     | 36.1      | 3.82  |
| JF 108             |                          | 0.610     | 0.255     | 0.0462    | 0.1890    | 110.0     | 0.019     | 1.740     | 37.0      | 6.70  |
| JF 109             |                          | 0.396     | 0.1595    | 0.0591    | 0.1250    | 86.4      | 0.024     | 1.620     | 43.4      | 2.57  |
| JF 110             |                          | 0.818     | 0.1685    | 0.0581    | 0.223     | 118.0     | 0.031     | 2.34      | 35.6      | 7.02  |
| JF 111             |                          | 0.874     | 0.1935    | 0.0592    | 0.341     | 99.4      | 0.116     | 4.47      | 50.2      | 4.54  |
| JF 112             |                          | 0.775     | 0.1870    | 0.0575    | 0.213     | 117.0     | 0.026     | 3.90      | 201       | 6.84  |
| JF 113             |                          | 0.796     | 0.1615    | 0.0447    | 0.243     | 93.2      | 0.078     | 3.35      | 137.5     | 3.19  |
| JF 114             |                          | 1.770     | 0.237     | 0.0379    | 0.558     | 114.5     | 0.058     | 2.28      | 45.8      | 13.35 |
| JF 115             |                          | 0.924     | 0.208     | 0.0521    | 0.251     | 98.2      | 0.192     | 1.590     | 54.3      | 5.79  |
| JF 116             |                          | 1.095     | 0.1965    | 0.0623    | 0.285     | 102.0     | 0.068     | 1.780     | 39.4      | 7.21  |
| JF 117             |                          | 0.475     | 0.1630    | 0.0398    | 0.1270    | 81.2      | 0.073     | 1.885     | 52.7      | 1.90  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 7 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
|                    |                          | 0.02         | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     |
| JF 118             |                          | 0.46         | 0.0034    | 0.194     | 2.42      | 1.86      | <2        | 30.6      | 0.174     | 0.1260    | 0.15      | 0.070     | 5.03      | 6.71      | 30.8      | 0.901     |
| JF 119             |                          | 0.38         | 0.0074    | 0.294     | 3.16      | 5.33      | <2        | 37.0      | 0.689     | 0.354     | 0.46      | 1.070     | 13.90     | 17.15     | 43.4      | 1.335     |
| JF 120             |                          | 0.42         | 0.0050    | 0.153     | 2.10      | 1.66      | <2        | 24.3      | 0.180     | 0.1540    | 0.16      | 0.089     | 5.86      | 5.97      | 35.6      | 0.840     |
| JF 121             |                          | 0.40         | 0.0067    | 0.536     | 3.13      | 3.66      | <2        | 25.5      | 0.160     | 0.1435    | 0.16      | 0.108     | 5.35      | 10.60     | 42.4      | 1.115     |
| JF 122             |                          | 0.30         | 0.0043    | 0.133     | 2.84      | 10.10     | <2        | 23.7      | 0.196     | 0.203     | 0.14      | 0.107     | 4.88      | 6.41      | 42.9      | 1.520     |
| JF 123             |                          | 0.34         | 0.0027    | 0.154     | 3.09      | 6.45      | <2        | 23.6      | 0.357     | 0.1595    | 0.21      | 0.330     | 4.66      | 10.90     | 38.5      | 1.630     |
| JF 124             |                          | 0.36         | 0.0030    | 0.215     | 2.24      | 6.93      | <2        | 30.7      | 0.227     | 0.323     | 0.22      | 0.253     | 5.11      | 10.55     | 39.2      | 1.125     |
| JF 125             |                          | 0.36         | 0.0054    | 0.039     | 2.74      | 3.56      | <2        | 23.7      | 0.201     | 0.1115    | 0.17      | 0.093     | 4.92      | 7.10      | 34.5      | 1.080     |
| JF 126             |                          | 0.30         | 0.0040    | 0.326     | 3.85      | 3.11      | <2        | 36.1      | 0.260     | 0.0859    | 0.19      | 0.118     | 4.68      | 11.35     | 37.1      | 0.934     |
| JF 127             |                          | 0.40         | 0.0106    | 0.488     | 1.94      | 2.22      | <2        | 15.60     | 0.182     | 0.1070    | 0.83      | 0.192     | 5.13      | 5.82      | 37.3      | 0.829     |
| JF 128             |                          | 0.42         | 0.0059    | 0.148     | 2.95      | 3.36      | <2        | 37.2      | 0.269     | 0.1585    | 0.21      | 0.274     | 8.68      | 13.00     | 48.3      | 0.833     |
| JF 129             |                          | 0.44         | 0.0072    | 0.062     | 2.07      | 2.14      | <2        | 36.5      | 0.150     | 0.1335    | 0.14      | 0.101     | 6.94      | 5.75      | 23.5      | 0.685     |
| JF 130             |                          | 0.48         | 0.0067    | 0.313     | 3.37      | 2.50      | <2        | 29.1      | 0.207     | 0.1070    | 0.13      | 0.075     | 4.47      | 7.50      | 39.1      | 1.045     |
| JF 131             |                          | 0.38         | 0.0028    | 0.407     | 3.31      | 2.68      | <2        | 40.4      | 0.230     | 0.1270    | 0.13      | 0.112     | 4.89      | 7.66      | 33.7      | 1.105     |
| JF 132             |                          | 0.46         | 0.0041    | 0.180     | 3.45      | 8.93      | <2        | 37.1      | 0.314     | 0.433     | 0.12      | 0.148     | 7.07      | 14.30     | 35.2      | 1.170     |
| JF 133             |                          | 0.56         | 0.0174    | 0.449     | 4.86      | 4.05      | <2        | 36.0      | 0.339     | 0.1330    | 0.14      | 0.228     | 4.57      | 13.10     | 61.5      | 1.215     |
| JF 134             |                          | 0.46         | 0.0433    | 0.073     | 2.12      | 3.58      | <2        | 23.7      | 0.157     | 0.1740    | 0.15      | 0.216     | 4.36      | 7.30      | 32.7      | 1.145     |
| JF 135             |                          | 0.32         | 0.0082    | 0.117     | 2.81      | 10.75     | <2        | 37.6      | 0.188     | 0.516     | 0.15      | 0.243     | 5.42      | 5.29      | 30.8      | 0.869     |
| JF 136             |                          | 0.40         | 0.0133    | 0.058     | 4.04      | 4.24      | 2         | 23.8      | 0.293     | 0.1335    | 0.19      | 0.223     | 6.85      | 7.63      | 45.6      | 1.135     |
| JF 137             |                          | 0.44         | 0.0040    | 0.070     | 3.98      | 4.88      | <2        | 20.7      | 0.233     | 0.1420    | 0.13      | 0.070     | 4.87      | 4.27      | 35.9      | 1.070     |
| JF 138             |                          | 0.38         | 0.0030    | 0.094     | 3.39      | 2.10      | <2        | 32.6      | 0.280     | 0.1215    | 0.15      | 0.079     | 4.35      | 9.73      | 55.8      | 1.205     |
| JF 139             |                          | 0.48         | 0.0036    | 0.056     | 6.29      | 4.47      | <2        | 37.3      | 0.367     | 0.1190    | 0.15      | 0.093     | 6.17      | 10.45     | 56.9      | 0.886     |
| JF 140             |                          | 0.46         | 0.0052    | 0.111     | 3.04      | 4.50      | <2        | 26.1      | 0.165     | 0.1865    | 0.17      | 0.076     | 4.92      | 7.08      | 38.8      | 1.030     |
| JF 141             |                          | 0.42         | 0.0176    | 0.067     | 3.32      | 2.40      | <2        | 19.40     | 0.202     | 0.1055    | 0.16      | 0.110     | 6.36      | 5.87      | 45.0      | 0.989     |
| JF 142             |                          | 0.40         | 0.0025    | 0.058     | 4.23      | 2.49      | <2        | 31.4      | 0.257     | 0.0966    | 0.13      | 0.075     | 5.47      | 8.52      | 45.8      | 1.055     |
| JF 143             |                          | 0.44         | 0.0044    | 0.078     | 2.43      | 2.27      | <2        | 17.70     | 0.232     | 0.1525    | 0.36      | 0.120     | 4.61      | 5.86      | 38.0      | 0.763     |
| JF 144             |                          | 0.42         | 0.0071    | 0.010     | 2.54      | 1.42      | <2        | 13.30     | 0.092     | 0.1020    | 0.12      | 0.049     | 4.12      | 4.06      | 43.5      | 0.603     |
| JF 145             |                          | 0.40         | 0.0049    | 0.085     | 3.24      | 5.23      | <2        | 24.0      | 0.211     | 0.1835    | 0.17      | 0.109     | 4.80      | 7.69      | 40.1      | 0.792     |
| JF 146             |                          | 0.42         | 0.0367    | 0.298     | 3.11      | 7.25      | <2        | 38.0      | 0.290     | 0.305     | 0.19      | 0.200     | 11.45     | 12.50     | 47.7      | 1.025     |
| JF 147             |                          | 0.40         | 0.0183    | 0.222     | 3.53      | 4.66      | <2        | 23.5      | 0.170     | 0.1570    | 0.15      | 0.090     | 5.50      | 7.51      | 43.4      | 1.080     |
| JF 148             |                          | 0.38         | 0.0025    | 0.057     | 2.35      | 3.40      | <2        | 17.10     | 0.103     | 0.1515    | 0.14      | 0.066     | 4.43      | 4.70      | 40.9      | 0.666     |
| JF 149             |                          | 0.50         | 0.0033    | 0.031     | 3.83      | 2.74      | <2        | 17.60     | 0.174     | 0.1095    | 0.12      | 0.050     | 4.06      | 5.16      | 35.6      | 0.962     |
| JF 150             |                          | 0.38         | 0.0149    | 0.040     | 0.94      | 2.34      | <2        | 14.20     | 0.063     | 0.217     | 0.18      | 0.081     | 4.77      | 3.01      | 24.6      | 0.337     |
| JF 151             |                          | 0.32         | 0.0049    | 0.081     | 2.97      | 2.71      | <2        | 19.70     | 0.197     | 0.1355    | 0.17      | 0.069     | 5.07      | 5.14      | 41.1      | 0.939     |
| JF 152             |                          | 0.46         | 0.0034    | 0.088     | 3.00      | 4.20      | <2        | 49.9      | 0.644     | 0.1315    | 0.46      | 0.224     | 21.5      | 14.85     | 34.8      | 2.04      |
| JF 153             |                          | 0.48         | 0.0044    | 0.157     | 4.61      | 4.81      | <2        | 29.6      | 0.211     | 0.1130    | 0.17      | 0.080     | 4.99      | 10.40     | 52.3      | 1.090     |
| JF 154             |                          | 0.34         | 0.0064    | 0.211     | 0.95      | 2.44      | <2        | 14.60     | 0.056     | 0.1540    | 0.13      | 0.067     | 4.69      | 2.67      | 19.05     | 0.328     |
| JF 155             |                          | 0.40         | 0.0055    | 0.069     | 3.28      | 3.36      | <2        | 24.9      | 0.181     | 0.1255    | 0.14      | 0.076     | 4.65      | 6.35      | 37.8      | 0.996     |
| JF 156             |                          | 0.34         | 0.0111    | 0.284     | 2.48      | 6.28      | <2        | 24.9      | 0.148     | 0.1240    | 0.16      | 0.059     | 4.27      | 5.15      | 39.1      | 0.627     |
| JF 157             |                          | 0.34         | 0.0068    | 0.149     | 3.44      | 4.56      | <2        | 43.0      | 0.434     | 0.1160    | 0.22      | 0.137     | 9.05      | 12.00     | 34.7      | 1.020     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 7 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
| JF 118             |                          | 43.5      | 2.79      | 6.94      | 0.025     | 0.131     | 0.140     | 0.022     | 0.02      | 2.30      | 11.2      | 0.25      | 202       | 0.591     | 0.008     | 0.808 |
| JF 119             |                          | 78.4      | 3.74      | 7.48      | 0.041     | 0.081     | 0.091     | 0.036     | 0.02      | 5.84      | 23.1      | 0.28      | 393       | 0.937     | 0.012     | 1.905 |
| JF 120             |                          | 39.5      | 3.44      | 8.08      | 0.025     | 0.109     | 0.061     | 0.023     | 0.01      | 2.65      | 11.6      | 0.25      | 106.0     | 0.677     | 0.009     | 0.828 |
| JF 121             |                          | 52.2      | 2.93      | 8.03      | 0.026     | 0.113     | 0.122     | 0.026     | 0.02      | 2.52      | 12.2      | 0.50      | 298       | 0.587     | 0.012     | 0.648 |
| JF 122             |                          | 49.9      | 3.85      | 9.93      | 0.029     | 0.138     | 0.045     | 0.033     | 0.02      | 2.35      | 13.4      | 0.30      | 129.0     | 0.925     | 0.008     | 1.090 |
| JF 123             |                          | 66.0      | 3.41      | 6.53      | 0.033     | 0.135     | 0.045     | 0.029     | 0.02      | 2.25      | 30.2      | 0.28      | 138.5     | 1.360     | 0.013     | 1.520 |
| JF 124             |                          | 117.0     | 3.76      | 9.80      | 0.033     | 0.161     | 0.123     | 0.042     | 0.03      | 2.24      | 12.1      | 0.36      | 345       | 1.340     | 0.012     | 2.16  |
| JF 125             |                          | 62.5      | 3.18      | 7.95      | 0.028     | 0.179     | 0.075     | 0.022     | 0.02      | 2.24      | 11.3      | 0.33      | 128.5     | 0.950     | 0.012     | 1.280 |
| JF 126             |                          | 67.1      | 3.12      | 7.51      | 0.028     | 0.186     | 0.202     | 0.023     | 0.02      | 2.14      | 12.0      | 0.49      | 406       | 0.722     | 0.011     | 1.265 |
| JF 127             |                          | 37.2      | 2.69      | 7.65      | 0.030     | 0.051     | 0.073     | 0.022     | 0.01      | 2.72      | 11.4      | 0.21      | 94.1      | 0.680     | 0.009     | 1.650 |
| JF 128             |                          | 93.7      | 3.75      | 8.06      | 0.037     | 0.186     | 0.085     | 0.031     | 0.02      | 2.83      | 12.2      | 0.50      | 261       | 0.890     | 0.011     | 1.325 |
| JF 129             |                          | 56.9      | 2.29      | 6.41      | 0.025     | 0.107     | 0.041     | 0.015     | 0.02      | 2.99      | 8.2       | 0.35      | 151.5     | 0.901     | 0.009     | 1.115 |
| JF 130             |                          | 68.9      | 3.39      | 8.39      | 0.031     | 0.201     | 0.234     | 0.027     | 0.02      | 2.08      | 12.4      | 0.36      | 134.5     | 0.692     | 0.007     | 1.190 |
| JF 131             |                          | 54.3      | 3.31      | 8.40      | 0.031     | 0.169     | 0.191     | 0.023     | 0.02      | 2.39      | 15.2      | 0.28      | 137.5     | 0.850     | 0.009     | 1.355 |
| JF 132             |                          | 45.5      | 5.64      | 10.40     | 0.043     | 0.054     | 0.075     | 0.045     | 0.02      | 3.24      | 17.6      | 0.62      | 200       | 4.23      | 0.008     | 0.755 |
| JF 133             |                          | 208       | 4.38      | 12.10     | 0.035     | 0.289     | 0.060     | 0.032     | 0.02      | 1.755     | 14.9      | 0.65      | 215       | 1.260     | 0.008     | 1.030 |
| JF 134             |                          | 37.7      | 2.91      | 7.18      | 0.024     | 0.068     | 0.047     | 0.019     | 0.02      | 2.07      | 11.0      | 0.36      | 232       | 0.580     | 0.009     | 1.055 |
| JF 135             |                          | 67.4      | 3.30      | 9.28      | 0.027     | 0.191     | 0.170     | 0.055     | 0.02      | 2.57      | 9.0       | 0.24      | 725       | 0.925     | 0.010     | 1.655 |
| JF 136             |                          | 79.4      | 3.50      | 9.07      | 0.033     | 0.282     | 0.131     | 0.030     | 0.02      | 2.67      | 9.6       | 0.43      | 308       | 0.894     | 0.012     | 1.580 |
| JF 137             |                          | 59.7      | 3.77      | 9.50      | 0.031     | 0.348     | 0.159     | 0.026     | 0.02      | 2.11      | 9.2       | 0.23      | 111.5     | 0.737     | 0.010     | 1.590 |
| JF 138             |                          | 47.9      | 4.73      | 6.86      | 0.022     | 0.138     | 0.085     | 0.027     | 0.02      | 2.17      | 16.4      | 0.53      | 186.5     | 1.275     | 0.010     | 1.430 |
| JF 139             |                          | 85.9      | 4.17      | 12.15     | 0.038     | 0.372     | 0.092     | 0.036     | 0.02      | 2.49      | 14.2      | 0.59      | 265       | 1.280     | 0.008     | 1.440 |
| JF 140             |                          | 47.3      | 2.92      | 8.70      | 0.030     | 0.151     | 0.069     | 0.027     | 0.02      | 2.24      | 9.7       | 0.39      | 201       | 0.546     | 0.009     | 1.080 |
| JF 141             |                          | 67.2      | 3.52      | 9.63      | 0.033     | 0.277     | 0.124     | 0.027     | 0.01      | 2.77      | 9.5       | 0.34      | 151.0     | 0.662     | 0.010     | 1.595 |
| JF 142             |                          | 67.9      | 3.40      | 9.28      | 0.032     | 0.243     | 0.068     | 0.026     | 0.02      | 2.53      | 10.8      | 0.40      | 163.5     | 0.667     | 0.009     | 1.305 |
| JF 143             |                          | 34.0      | 3.55      | 9.15      | 0.032     | 0.128     | 0.079     | 0.024     | 0.02      | 2.39      | 8.8       | 0.25      | 151.0     | 0.908     | 0.011     | 1.495 |
| JF 144             |                          | 37.1      | 2.40      | 8.31      | 0.023     | 0.103     | 0.027     | 0.016     | 0.01      | 1.980     | 7.5       | 0.26      | 85.1      | 0.569     | 0.008     | 0.853 |
| JF 145             |                          | 122.0     | 5.15      | 12.05     | 0.040     | 0.134     | 0.101     | 0.032     | 0.02      | 2.29      | 11.6      | 0.37      | 139.0     | 1.185     | 0.011     | 1.800 |
| JF 146             |                          | 177.0     | 3.97      | 8.25      | 0.041     | 0.167     | 0.165     | 0.030     | 0.02      | 3.46      | 11.1      | 0.49      | 279       | 1.000     | 0.013     | 1.295 |
| JF 147             |                          | 82.7      | 3.27      | 9.72      | 0.032     | 0.152     | 0.231     | 0.031     | 0.02      | 2.56      | 11.2      | 0.46      | 178.5     | 0.570     | 0.010     | 1.215 |
| JF 148             |                          | 31.6      | 2.78      | 10.50     | 0.027     | 0.078     | 0.070     | 0.021     | 0.01      | 2.18      | 8.1       | 0.30      | 113.0     | 0.530     | 0.008     | 1.460 |
| JF 149             |                          | 47.1      | 3.23      | 9.64      | 0.029     | 0.201     | 0.047     | 0.028     | 0.01      | 1.970     | 9.7       | 0.28      | 107.0     | 0.838     | 0.007     | 1.155 |
| JF 150             |                          | 8.91      | 2.48      | 9.62      | 0.023     | 0.040     | 0.029     | 0.011     | 0.01      | 2.28      | 3.2       | 0.19      | 108.0     | 0.456     | 0.011     | 0.980 |
| JF 151             |                          | 52.2      | 3.85      | 7.81      | 0.025     | 0.213     | 0.060     | 0.028     | 0.02      | 2.33      | 10.2      | 0.27      | 166.5     | 0.870     | 0.012     | 1.440 |
| JF 152             |                          | 95.4      | 2.67      | 6.82      | 0.041     | 0.067     | 0.060     | 0.026     | 0.02      | 7.59      | 25.9      | 0.48      | 813       | 0.840     | 0.015     | 0.998 |
| JF 153             |                          | 106.5     | 3.67      | 10.30     | 0.032     | 0.339     | 0.111     | 0.030     | 0.02      | 2.31      | 14.5      | 0.67      | 205       | 0.654     | 0.011     | 1.160 |
| JF 154             |                          | 14.70     | 1.800     | 5.65      | 0.020     | 0.047     | 0.050     | 0.017     | 0.01      | 2.29      | 3.5       | 0.17      | 76.0      | 0.354     | 0.008     | 0.973 |
| JF 155             |                          | 52.9      | 3.21      | 9.56      | 0.030     | 0.159     | 0.053     | 0.029     | 0.02      | 2.24      | 10.2      | 0.30      | 214       | 0.567     | 0.009     | 1.265 |
| JF 156             |                          | 51.0      | 3.17      | 8.45      | 0.025     | 0.180     | 0.069     | 0.024     | 0.01      | 2.03      | 8.2       | 0.29      | 110.5     | 0.448     | 0.009     | 1.440 |
| JF 157             |                          | 63.5      | 3.15      | 7.72      | 0.037     | 0.213     | 0.067     | 0.027     | 0.02      | 4.16      | 10.7      | 0.38      | 499       | 1.180     | 0.010     | 1.195 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 7 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
| JF 118             |                          | 13.85     | 0.0376    | 4.88      | 0.001     | 0.001     | 5.60      | <0.0002   | 0.009     | 0.695     | 2.92      | 0.184     | 0.62      | 6.64      | <0.005    | 0.028 |
| JF 119             |                          | 32.4      | 0.0343    | 14.55     | <0.001    | 0.001     | 5.65      | 0.0013    | 0.021     | 0.624     | 4.14      | 0.452     | 0.91      | 19.90     | <0.005    | 0.146 |
| JF 120             |                          | 12.55     | 0.0208    | 4.51      | <0.001    | 0.001     | 4.33      | 0.0002    | 0.009     | 0.342     | 2.44      | 0.129     | 0.67      | 8.59      | <0.005    | 0.058 |
| JF 121             |                          | 21.0      | 0.0460    | 7.04      | 0.001     | 0.001     | 3.99      | <0.0002   | 0.009     | 0.433     | 3.36      | 0.190     | 0.68      | 10.15     | <0.005    | 0.057 |
| JF 122             |                          | 14.75     | 0.0579    | 9.13      | 0.001     | 0.001     | 5.30      | <0.0002   | 0.011     | 0.745     | 2.64      | 0.170     | 0.95      | 9.81      | <0.005    | 0.086 |
| JF 123             |                          | 27.1      | 0.0243    | 7.73      | <0.001    | 0.001     | 4.59      | <0.0002   | 0.010     | 0.786     | 2.29      | 0.218     | 0.68      | 9.48      | <0.005    | 0.041 |
| JF 124             |                          | 19.25     | 0.0368    | 33.9      | 0.002     | 0.002     | 3.93      | <0.0002   | 0.013     | 0.872     | 3.37      | 0.360     | 1.27      | 13.45     | <0.005    | 0.070 |
| JF 125             |                          | 14.90     | 0.0246    | 6.38      | 0.001     | 0.001     | 3.60      | 0.0002    | 0.012     | 0.493     | 2.84      | 0.251     | 0.62      | 9.94      | <0.005    | 0.045 |
| JF 126             |                          | 21.9      | 0.0460    | 4.89      | 0.001     | 0.001     | 4.69      | <0.0002   | 0.013     | 0.336     | 3.43      | 0.489     | 0.53      | 12.60     | <0.005    | 0.041 |
| JF 127             |                          | 12.55     | 0.0177    | 3.63      | 0.001     | 0.001     | 1.745     | 0.0030    | 0.023     | 0.481     | 2.62      | 0.484     | 0.49      | 21.9      | <0.005    | 0.039 |
| JF 128             |                          | 25.5      | 0.0216    | 5.96      | 0.001     | 0.002     | 4.49      | 0.0002    | 0.011     | 0.670     | 5.07      | 0.347     | 0.82      | 12.65     | <0.005    | 0.100 |
| JF 129             |                          | 13.15     | 0.0138    | 4.90      | 0.001     | 0.001     | 3.77      | <0.0002   | 0.007     | 0.323     | 2.84      | 0.180     | 0.46      | 9.90      | <0.005    | 0.068 |
| JF 130             |                          | 16.55     | 0.0381    | 3.95      | 0.002     | 0.001     | 5.64      | <0.0002   | 0.010     | 0.665     | 3.27      | 0.333     | 0.56      | 7.69      | <0.005    | 0.051 |
| JF 131             |                          | 15.70     | 0.0454    | 4.86      | 0.002     | 0.001     | 6.07      | <0.0002   | 0.012     | 0.692     | 2.55      | 0.349     | 0.64      | 8.46      | <0.005    | 0.044 |
| JF 132             |                          | 14.45     | 0.0564    | 8.01      | <0.001    | 0.001     | 8.72      | <0.0002   | 0.013     | 0.655     | 3.66      | 0.366     | 0.69      | 8.96      | <0.005    | 0.603 |
| JF 133             |                          | 31.3      | 0.0434    | 4.03      | 0.002     | 0.002     | 6.02      | <0.0002   | 0.014     | 0.478     | 4.27      | 0.264     | 0.75      | 8.34      | <0.005    | 0.204 |
| JF 134             |                          | 14.10     | 0.0354    | 4.80      | <0.001    | 0.001     | 5.21      | 0.0002    | 0.012     | 0.406     | 2.05      | 0.166     | 0.60      | 8.84      | <0.005    | 0.242 |
| JF 135             |                          | 12.90     | 0.0610    | 43.9      | 0.002     | 0.001     | 3.25      | <0.0002   | 0.029     | 1.300     | 3.41      | 0.688     | 1.61      | 10.80     | <0.005    | 0.117 |
| JF 136             |                          | 17.05     | 0.0753    | 9.69      | 0.003     | 0.001     | 3.66      | 0.0002    | 0.028     | 0.474     | 5.54      | 0.368     | 0.68      | 9.11      | <0.005    | 0.052 |
| JF 137             |                          | 9.79      | 0.0638    | 7.11      | 0.003     | 0.001     | 3.41      | <0.0002   | 0.054     | 0.367     | 3.93      | 0.538     | 0.67      | 7.52      | <0.005    | 0.042 |
| JF 138             |                          | 21.1      | 0.0448    | 5.08      | 0.001     | 0.001     | 5.07      | <0.0002   | 0.015     | 0.345     | 1.620     | 0.257     | 0.77      | 7.79      | <0.005    | 0.024 |
| JF 139             |                          | 24.1      | 0.0612    | 7.93      | 0.002     | 0.001     | 4.91      | <0.0002   | 0.021     | 0.394     | 5.26      | 0.322     | 0.74      | 10.30     | <0.005    | 0.035 |
| JF 140             |                          | 15.85     | 0.0382    | 13.55     | 0.001     | 0.001     | 3.95      | <0.0002   | 0.013     | 0.604     | 3.05      | 0.146     | 0.80      | 8.90      | <0.005    | 0.033 |
| JF 141             |                          | 13.75     | 0.0441    | 4.52      | 0.003     | 0.002     | 3.31      | <0.0002   | 0.018     | 0.312     | 4.38      | 0.379     | 0.65      | 9.36      | <0.005    | 0.024 |
| JF 142             |                          | 19.25     | 0.0392    | 4.87      | 0.002     | 0.001     | 4.70      | <0.0002   | 0.016     | 0.304     | 3.44      | 0.246     | 0.63      | 8.20      | <0.005    | 0.025 |
| JF 143             |                          | 11.30     | 0.0364    | 9.66      | 0.001     | 0.001     | 3.51      | 0.0005    | 0.014     | 0.358     | 2.63      | 0.245     | 0.75      | 11.65     | <0.005    | 0.034 |
| JF 144             |                          | 10.80     | 0.0152    | 5.51      | 0.001     | 0.002     | 2.16      | <0.0002   | 0.012     | 0.369     | 2.22      | 0.059     | 0.60      | 6.41      | <0.005    | 0.022 |
| JF 145             |                          | 14.65     | 0.0713    | 4.67      | 0.001     | 0.001     | 3.06      | 0.0002    | 0.028     | 0.493     | 3.51      | 0.451     | 0.82      | 13.10     | <0.005    | 0.156 |
| JF 146             |                          | 20.6      | 0.0394    | 5.55      | 0.006     | 0.002     | 4.45      | 0.0002    | 0.018     | 0.919     | 4.97      | 0.417     | 0.56      | 15.00     | <0.005    | 0.299 |
| JF 147             |                          | 16.75     | 0.0459    | 7.22      | 0.001     | 0.001     | 5.38      | <0.0002   | 0.015     | 0.477     | 3.65      | 0.490     | 0.55      | 9.62      | <0.005    | 0.614 |
| JF 148             |                          | 11.10     | 0.0339    | 7.50      | <0.001    | 0.002     | 3.06      | <0.0002   | 0.014     | 0.408     | 2.11      | 0.203     | 0.61      | 8.12      | <0.005    | 0.049 |
| JF 149             |                          | 10.65     | 0.0384    | 5.32      | 0.001     | 0.001     | 3.90      | <0.0002   | 0.015     | 0.325     | 2.56      | 0.164     | 0.62      | 6.48      | <0.005    | 0.046 |
| JF 150             |                          | 6.76      | 0.0176    | 11.75     | <0.001    | 0.001     | 1.215     | <0.0002   | 0.007     | 0.490     | 1.900     | 0.103     | 0.80      | 6.87      | <0.005    | 0.020 |
| JF 151             |                          | 11.30     | 0.0523    | 5.75      | 0.001     | 0.001     | 3.69      | <0.0002   | 0.016     | 0.411     | 2.84      | 0.223     | 0.76      | 8.70      | <0.005    | 0.042 |
| JF 152             |                          | 31.9      | 0.0303    | 11.15     | <0.001    | 0.001     | 5.97      | 0.0003    | 0.012     | 0.373     | 3.88      | 0.274     | 0.51      | 18.15     | <0.005    | 0.028 |
| JF 153             |                          | 26.4      | 0.0406    | 4.42      | 0.002     | 0.001     | 4.38      | <0.0002   | 0.014     | 0.411     | 4.46      | 0.284     | 0.61      | 9.95      | <0.005    | 0.069 |
| JF 154             |                          | 6.44      | 0.0192    | 9.34      | <0.001    | 0.001     | 1.740     | <0.0002   | 0.008     | 0.579     | 1.600     | 0.188     | 0.64      | 6.97      | <0.005    | 0.035 |
| JF 155             |                          | 13.95     | 0.0409    | 6.83      | <0.001    | 0.001     | 4.39      | <0.0002   | 0.015     | 0.358     | 2.80      | 0.168     | 0.62      | 7.69      | <0.005    | 0.053 |
| JF 156             |                          | 13.05     | 0.0231    | 5.47      | 0.001     | 0.001     | 2.49      | <0.0002   | 0.015     | 0.385     | 2.48      | 0.213     | 0.60      | 8.57      | <0.005    | 0.086 |
| JF 157             |                          | 21.0      | 0.0332    | 7.92      | <0.001    | <0.001    | 4.21      | 0.0002    | 0.012     | 0.669     | 4.50      | 0.460     | 0.51      | 13.30     | <0.005    | 0.101 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 7 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

|                         |            |
|-------------------------|------------|
| CERTIFICATE OF ANALYSIS | VA22145304 |
|-------------------------|------------|

| Sample Description | Method       | AuME-ST43     | AuME-ST43   | AuME-ST43     | AuME-ST43     | AuME-ST43   | AuME-ST43    | AuME-ST43    | AuME-ST43  |             |
|--------------------|--------------|---------------|-------------|---------------|---------------|-------------|--------------|--------------|------------|-------------|
|                    | Analyte      | Th            | Ti          | Ti            | U             | V           | W            | Y            | Zn         |             |
|                    | Units<br>LOD | ppm<br>0.0005 | %<br>0.0001 | ppm<br>0.0005 | ppm<br>0.0005 | ppm<br>0.05 | ppm<br>0.001 | ppm<br>0.001 | ppm<br>0.1 | ppm<br>0.01 |
| JF 118             |              | 0.679         | 0.1075      | 0.0521        | 0.1705        | 83.4        | 0.034        | 1.695        | 35.2       | 5.16        |
| JF 119             |              | 0.764         | 0.1550      | 0.0603        | 0.335         | 95.4        | 0.055        | 7.37         | 135.0      | 3.01        |
| JF 120             |              | 0.719         | 0.1590      | 0.0523        | 0.1480        | 112.5       | 0.029        | 1.545        | 42.2       | 3.98        |
| JF 121             |              | 0.769         | 0.1595      | 0.0531        | 0.285         | 90.8        | 0.026        | 1.370        | 40.2       | 4.09        |
| JF 122             |              | 0.836         | 0.200       | 0.0592        | 0.1780        | 114.0       | 0.060        | 1.095        | 41.7       | 4.93        |
| JF 123             |              | 0.559         | 0.1815      | 0.0521        | 0.1265        | 108.0       | 0.033        | 2.06         | 44.7       | 3.90        |
| JF 124             |              | 0.666         | 0.247       | 0.0566        | 0.1670        | 126.0       | 0.045        | 2.46         | 55.8       | 4.68        |
| JF 125             |              | 0.901         | 0.1860      | 0.0426        | 0.1945        | 102.0       | 0.047        | 1.510        | 28.5       | 6.13        |
| JF 126             |              | 0.847         | 0.1780      | 0.0382        | 0.253         | 89.9        | 0.056        | 1.670        | 44.3       | 6.49        |
| JF 127             |              | 0.354         | 0.1310      | 0.0237        | 0.1790        | 86.3        | 0.038        | 3.28         | 33.6       | 1.84        |
| JF 128             |              | 0.920         | 0.1625      | 0.0388        | 0.235         | 113.0       | 0.061        | 3.32         | 56.6       | 6.46        |
| JF 129             |              | 1.190         | 0.1340      | 0.0384        | 0.249         | 72.5        | 0.051        | 1.710        | 29.4       | 3.53        |
| JF 130             |              | 0.770         | 0.1560      | 0.0566        | 0.202         | 101.0       | 0.048        | 1.425        | 33.3       | 7.02        |
| JF 131             |              | 0.794         | 0.1575      | 0.0582        | 0.1960        | 90.1        | 0.064        | 1.310        | 41.8       | 5.94        |
| JF 132             |              | 0.825         | 0.0217      | 0.0724        | 0.1635        | 85.6        | 0.063        | 2.17         | 48.9       | 1.98        |
| JF 133             |              | 0.922         | 0.271       | 0.0488        | 0.295         | 130.5       | 0.034        | 1.825        | 55.8       | 9.86        |
| JF 134             |              | 0.528         | 0.1380      | 0.0712        | 0.1225        | 84.8        | 0.044        | 1.015        | 55.0       | 2.27        |
| JF 135             |              | 1.170         | 0.1340      | 0.0647        | 0.283         | 91.0        | 0.025        | 1.745        | 43.9       | 6.90        |
| JF 136             |              | 1.165         | 0.210       | 0.0525        | 0.340         | 104.5       | 0.034        | 2.96         | 47.1       | 10.15       |
| JF 137             |              | 1.320         | 0.1460      | 0.0525        | 0.300         | 109.0       | 0.028        | 1.955        | 31.2       | 11.65       |
| JF 138             |              | 0.593         | 0.232       | 0.0569        | 0.1405        | 132.5       | 0.033        | 1.275        | 41.1       | 4.69        |
| JF 139             |              | 1.440         | 0.227       | 0.0470        | 0.541         | 125.0       | 0.052        | 1.910        | 45.1       | 12.20       |
| JF 140             |              | 0.753         | 0.1700      | 0.0553        | 0.233         | 93.9        | 0.017        | 1.260        | 32.9       | 5.29        |
| JF 141             |              | 1.035         | 0.1985      | 0.0375        | 0.288         | 109.0       | 0.020        | 2.82         | 26.8       | 9.15        |
| JF 142             |              | 1.025         | 0.206       | 0.0569        | 0.253         | 104.5       | 0.038        | 1.625        | 40.1       | 8.12        |
| JF 143             |              | 0.738         | 0.1750      | 0.0411        | 0.1655        | 114.0       | 0.028        | 2.10         | 33.3       | 4.56        |
| JF 144             |              | 0.536         | 0.1305      | 0.0337        | 0.1335        | 95.8        | 0.010        | 1.040        | 14.8       | 3.74        |
| JF 145             |              | 0.520         | 0.1370      | 0.0362        | 0.1525        | 152.5       | 0.056        | 1.890        | 37.3       | 3.73        |
| JF 146             |              | 0.971         | 0.1510      | 0.0488        | 0.243         | 112.0       | 0.048        | 3.78         | 53.7       | 5.78        |
| JF 147             |              | 0.904         | 0.1410      | 0.0655        | 0.239         | 102.0       | 0.027        | 1.425        | 41.9       | 4.68        |
| JF 148             |              | 0.538         | 0.1660      | 0.0409        | 0.1360        | 97.7        | 0.034        | 1.060        | 27.9       | 2.41        |
| JF 149             |              | 0.901         | 0.1620      | 0.0483        | 0.258         | 96.1        | 0.031        | 1.055        | 26.0       | 6.36        |
| JF 150             |              | 0.479         | 0.1670      | 0.0229        | 0.0986        | 104.0       | 0.013        | 1.275        | 17.0       | 1.38        |
| JF 151             |              | 0.961         | 0.1995      | 0.0430        | 0.246         | 120.0       | 0.026        | 1.925        | 30.2       | 6.97        |
| JF 152             |              | 0.689         | 0.1325      | 0.0805        | 0.247         | 84.3        | 0.033        | 7.86         | 69.3       | 2.36        |
| JF 153             |              | 1.160         | 0.230       | 0.0470        | 0.298         | 103.0       | 0.030        | 1.540        | 39.5       | 10.15       |
| JF 154             |              | 0.475         | 0.1630      | 0.0243        | 0.0907        | 80.3        | 0.015        | 0.998        | 20.3       | 1.64        |
| JF 155             |              | 0.767         | 0.1600      | 0.0560        | 0.1895        | 98.3        | 0.023        | 1.385        | 31.9       | 5.42        |
| JF 156             |              | 0.592         | 0.1715      | 0.0391        | 0.1270        | 101.0       | 0.015        | 1.240        | 29.7       | 5.43        |
| JF 157             |              | 1.145         | 0.1590      | 0.0552        | 0.297         | 87.3        | 0.044        | 4.46         | 45.7       | 7.24        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 8 - A  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
|                    |                          | 0.02         | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     |
| JF 158             |                          | 0.50         | 0.0039    | 0.213     | 2.05      | 4.72      | <2        | 17.35     | 0.115     | 0.1310    | 0.14      | 0.061     | 4.75      | 3.90      | 32.5      | 0.652     |
| JF 159             |                          | 0.34         | 0.0039    | 0.177     | 1.85      | 1.99      | <2        | 15.05     | 0.088     | 0.1265    | 0.14      | 0.084     | 4.33      | 4.05      | 33.0      | 0.590     |
| JF 160             |                          | 0.38         | 0.0040    | 0.200     | 4.11      | 3.51      | <2        | 29.8      | 0.253     | 0.1075    | 0.17      | 0.139     | 3.96      | 7.99      | 46.8      | 1.090     |
| JF 161             |                          | 0.40         | 0.0039    | 0.142     | 5.96      | 3.23      | <2        | 31.3      | 0.317     | 0.0992    | 0.18      | 0.152     | 4.59      | 12.05     | 67.6      | 1.065     |
| JF 162             |                          | 0.38         | 0.0060    | 0.170     | 4.77      | 3.64      | <2        | 31.0      | 0.290     | 0.1510    | 0.19      | 0.124     | 5.21      | 8.66      | 53.4      | 1.685     |
| JF 163             |                          | 0.42         | 0.0064    | 0.163     | 4.35      | 2.72      | <2        | 47.0      | 0.294     | 0.0768    | 0.11      | 0.105     | 6.31      | 20.7      | 80.1      | 1.910     |
| JF 164             |                          | 0.48         | 0.0057    | 0.092     | 4.14      | 2.59      | <2        | 34.4      | 0.474     | 0.1600    | 0.16      | 0.095     | 4.81      | 13.00     | 50.3      | 1.560     |
| JF 165             |                          | 0.38         | 0.0046    | 0.054     | 2.27      | 3.26      | <2        | 29.2      | 0.192     | 0.219     | 0.20      | 0.131     | 5.70      | 7.02      | 39.8      | 1.020     |
| JF 166             |                          | 0.34         | 0.0080    | 0.042     | 2.18      | 4.37      | <2        | 31.6      | 0.152     | 0.1750    | 0.19      | 0.088     | 4.74      | 6.40      | 36.1      | 0.899     |
| JF 167             |                          | 0.46         | 0.0053    | 0.074     | 5.55      | 3.03      | 2         | 37.1      | 0.586     | 0.0947    | 0.21      | 0.102     | 9.33      | 15.95     | 52.8      | 1.190     |
| JF 168             |                          | 0.38         | 0.0033    | 0.172     | 3.86      | 2.88      | <2        | 29.8      | 0.413     | 0.1030    | 0.20      | 0.093     | 5.31      | 10.70     | 42.5      | 1.150     |
| JF 169             |                          | 0.36         | 0.0093    | 0.170     | 2.24      | 6.89      | <2        | 32.1      | 0.220     | 0.270     | 0.18      | 0.139     | 7.78      | 8.08      | 33.7      | 0.718     |
| JF 170             |                          | 0.36         | 0.0044    | 0.031     | 4.04      | 4.18      | <2        | 48.0      | 0.358     | 0.0989    | 0.15      | 0.070     | 12.30     | 11.30     | 48.5      | 0.806     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 8 - B  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
|                    |                          | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002 |
| JF 158             |                          | 21.8      | 3.04      | 9.32      | 0.026     | 0.128     | 0.062     | 0.022     | 0.01      | 2.33      | 7.9       | 0.19      | 92.2      | 0.550     | 0.009     | 0.798 |
| JF 159             |                          | 19.50     | 2.81      | 9.56      | 0.024     | 0.066     | 0.047     | 0.019     | 0.01      | 2.17      | 8.0       | 0.23      | 91.7      | 0.922     | 0.009     | 0.838 |
| JF 160             |                          | 66.1      | 3.51      | 9.84      | 0.029     | 0.270     | 0.109     | 0.025     | 0.02      | 1.925     | 11.9      | 0.45      | 311       | 0.944     | 0.008     | 2.25  |
| JF 161             |                          | 138.0     | 4.32      | 11.55     | 0.034     | 0.295     | 0.076     | 0.036     | 0.02      | 2.05      | 14.6      | 0.57      | 202       | 0.900     | 0.010     | 0.963 |
| JF 162             |                          | 92.5      | 4.63      | 13.10     | 0.039     | 0.261     | 0.090     | 0.042     | 0.02      | 2.45      | 14.9      | 0.50      | 190.5     | 1.020     | 0.012     | 1.980 |
| JF 163             |                          | 160.5     | 5.45      | 12.70     | 0.047     | 0.059     | 0.092     | 0.047     | 0.03      | 2.70      | 29.5      | 1.23      | 456       | 0.597     | 0.006     | 0.387 |
| JF 164             |                          | 78.1      | 4.34      | 12.35     | 0.035     | 0.214     | 0.071     | 0.035     | 0.02      | 2.20      | 16.4      | 0.52      | 243       | 1.345     | 0.009     | 1.320 |
| JF 165             |                          | 45.4      | 3.60      | 10.85     | 0.033     | 0.122     | 0.072     | 0.036     | 0.02      | 2.65      | 10.4      | 0.39      | 331       | 0.685     | 0.010     | 1.280 |
| JF 166             |                          | 34.4      | 3.19      | 11.45     | 0.026     | 0.105     | 0.085     | 0.026     | 0.02      | 2.32      | 9.9       | 0.34      | 464       | 0.584     | 0.010     | 0.897 |
| JF 167             |                          | 122.0     | 4.06      | 12.00     | 0.040     | 0.199     | 0.053     | 0.032     | 0.02      | 3.47      | 14.1      | 0.57      | 309       | 0.766     | 0.009     | 1.060 |
| JF 168             |                          | 91.2      | 3.67      | 7.85      | 0.028     | 0.213     | 0.079     | 0.028     | 0.02      | 2.77      | 12.4      | 0.44      | 222       | 0.645     | 0.009     | 1.335 |
| JF 169             |                          | 62.1      | 2.76      | 7.01      | 0.035     | 0.187     | 0.158     | 0.032     | 0.02      | 3.37      | 7.6       | 0.38      | 157.0     | 0.578     | 0.011     | 1.915 |
| JF 170             |                          | 108.0     | 3.74      | 10.05     | 0.041     | 0.437     | 0.082     | 0.028     | 0.02      | 3.57      | 11.5      | 0.56      | 208       | 0.882     | 0.009     | 1.120 |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 8 - C  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| JF 158             |                          | 8.76      | 0.0285    | 6.49      | <0.001    | 0.001     | 2.56      | <0.0002   | 0.010     | 0.401     | 2.06      | 0.097     | 0.68      | 7.74      | <0.005    | 0.098 |
| JF 159             |                          | 9.46      | 0.0216    | 6.26      | 0.001     | 0.001     | 1.955     | <0.0002   | 0.009     | 0.354     | 1.820     | 0.070     | 0.61      | 8.85      | <0.005    | 0.042 |
| JF 160             |                          | 18.30     | 0.0645    | 6.11      | 0.001     | 0.001     | 5.06      | <0.0002   | 0.022     | 0.301     | 3.29      | 0.475     | 0.60      | 9.03      | <0.005    | 0.106 |
| JF 161             |                          | 30.7      | 0.0456    | 5.18      | <0.001    | 0.001     | 4.23      | <0.0002   | 0.016     | 0.315     | 3.76      | 0.261     | 0.60      | 8.67      | <0.005    | 0.056 |
| JF 162             |                          | 18.55     | 0.0718    | 6.83      | 0.003     | 0.001     | 5.31      | 0.0002    | 0.021     | 0.474     | 4.75      | 0.328     | 0.74      | 11.40     | <0.005    | 0.045 |
| JF 163             |                          | 44.6      | 0.0459    | 4.55      | 0.003     | 0.002     | 11.70     | <0.0002   | 0.012     | 0.300     | 7.98      | 0.232     | 0.49      | 12.00     | <0.005    | 0.034 |
| JF 164             |                          | 25.5      | 0.0548    | 10.45     | 0.002     | 0.001     | 6.95      | <0.0002   | 0.014     | 0.354     | 3.89      | 0.217     | 0.71      | 13.75     | <0.005    | 0.044 |
| JF 165             |                          | 14.75     | 0.0377    | 18.10     | 0.001     | 0.001     | 4.23      | 0.0002    | 0.008     | 0.532     | 3.16      | 0.184     | 0.95      | 12.85     | <0.005    | 0.031 |
| JF 166             |                          | 11.90     | 0.0901    | 9.34      | <0.001    | 0.002     | 3.40      | <0.0002   | 0.009     | 0.385     | 2.74      | 0.155     | 0.76      | 9.04      | <0.005    | 0.022 |
| JF 167             |                          | 27.4      | 0.0758    | 5.60      | <0.001    | <0.001    | 5.00      | <0.0002   | 0.012     | 0.292     | 4.69      | 0.305     | 0.57      | 11.95     | <0.005    | 0.021 |
| JF 168             |                          | 20.2      | 0.0544    | 5.97      | 0.001     | 0.001     | 5.15      | <0.0002   | 0.012     | 0.358     | 3.08      | 0.239     | 0.56      | 11.50     | <0.005    | 0.025 |
| JF 169             |                          | 16.25     | 0.0271    | 22.7      | 0.001     | 0.001     | 4.23      | 0.0002    | 0.018     | 0.894     | 3.63      | 0.380     | 0.87      | 12.60     | <0.005    | 0.056 |
| JF 170             |                          | 26.0      | 0.0410    | 4.64      | 0.004     | 0.001     | 4.66      | 0.0002    | 0.013     | 0.276     | 8.93      | 0.549     | 0.58      | 10.15     | <0.005    | 0.030 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 8 - D  
 Total # Pages: 8 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Th        | Ti        | Tl        | U         | V         | W         | Y         | Zn        | Zr    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01  |
| JF 158             |                          | 0.547     | 0.208     | 0.0293    | 0.1155    | 102.5     | 0.007     | 1.035     | 22.4      | 3.81  |
| JF 159             |                          | 0.434     | 0.1550    | 0.0265    | 0.0974    | 94.3      | 0.009     | 1.015     | 21.7      | 2.29  |
| JF 160             |                          | 0.889     | 0.216     | 0.0529    | 0.276     | 104.5     | 0.083     | 1.180     | 48.0      | 8.55  |
| JF 161             |                          | 0.876     | 0.263     | 0.0449    | 0.275     | 122.0     | 0.020     | 1.585     | 49.2      | 8.53  |
| JF 162             |                          | 0.992     | 0.238     | 0.0755    | 0.261     | 130.5     | 0.031     | 2.25      | 49.9      | 8.23  |
| JF 163             |                          | 0.466     | 0.0290    | 0.1035    | 0.1135    | 137.0     | 0.019     | 2.46      | 75.2      | 1.82  |
| JF 164             |                          | 0.756     | 0.235     | 0.0667    | 0.213     | 128.0     | 0.048     | 1.985     | 56.6      | 6.40  |
| JF 165             |                          | 0.766     | 0.1995    | 0.0519    | 0.1675    | 117.0     | 0.013     | 1.780     | 41.7      | 3.74  |
| JF 166             |                          | 0.673     | 0.1880    | 0.0470    | 0.1675    | 107.0     | 0.009     | 1.340     | 38.0      | 3.76  |
| JF 167             |                          | 0.850     | 0.207     | 0.0405    | 0.359     | 117.5     | 0.045     | 3.95      | 49.5      | 6.16  |
| JF 168             |                          | 0.884     | 0.211     | 0.0375    | 0.277     | 108.0     | 0.053     | 2.31      | 33.1      | 6.99  |
| JF 169             |                          | 0.634     | 0.1670    | 0.0419    | 0.1915    | 88.7      | 0.046     | 3.79      | 48.2      | 5.80  |
| JF 170             |                          | 1.570     | 0.238     | 0.0444    | 0.416     | 124.0     | 0.097     | 3.99      | 39.3      | 14.70 |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
2489 BELLEVUE AVENUE  
WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 3-JUL-2022  
Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145304**

|                    | <b>CERTIFICATE COMMENTS</b>  |           |           |        |        |        |  |  |  |
|--------------------|--|-----------|-----------|--------|--------|--------|--|--|--|
| Applies to Method: | <p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table><tr><td>AuME-ST43</td><td>DIS-PUL21</td><td>LOG-22</td><td>SCR-41</td></tr><tr><td>WEI-21</td><td></td><td></td><td></td></tr></table> | AuME-ST43 | DIS-PUL21 | LOG-22 | SCR-41 | WEI-21 |  |  |  |
| AuME-ST43          | DIS-PUL21  | LOG-22    | SCR-41    |        |        |        |  |  |  |
| WEI-21             |  |           |           |        |        |        |  |  |  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: **QUADRA COASTAL RESOURCES**  
**2489 BELLEVUE AVENUE**  
**WEST VANCOUVER BC V7V 1E1**

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**QC CERTIFICATE VA22145304**

Project: Texada

This report is for 253 samples of Soil submitted to our lab in Vancouver, BC, Canada on 31-MAY-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                       |
|--------------------|---------------------------------------|
| ALS CODE           | DESCRIPTION                           |
| WEI-21             | Received Sample Weight                |
| LOG-22             | Sample login - Rcd w/o BarCode        |
| SCR-41             | Screen to -180um and save both        |
| DIS-PUL21          | Disposal of M/+ Split after analysis. |

| ANALYTICAL PROCEDURES |  |            |
|-----------------------|--|------------|
| ALS CODE              | DESCRIPTION                            | INSTRUMENT |
| AuME-ST43             | 25g Super Trace Au + Multi Element PKG |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            |                          | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    | Cu ppm |
| <b>STANDARDS</b>           |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| MGeo08                     |                          | 0.0041    | 4.48      | 2.57      | 32.6      | 4         | 190.5     | 0.723     | 0.628     | 0.99      | 2.17      | 69.6      | 18.75     | 86.0      | 10.15     | 624    |
| MGeo08                     |                          | 0.0038    | 4.20      | 2.61      | 32.4      | 4         | 205       | 0.732     | 0.622     | 1.02      | 2.34      | 72.1      | 19.55     | 89.4      | 10.60     | 634    |
| MGeo08                     |                          | 0.0039    | 4.45      | 2.52      | 33.4      | 5         | 132.5     | 0.691     | 0.650     | 0.99      | 2.25      | 70.2      | 18.85     | 92.9      | 10.35     | 632    |
| MGeo08                     |                          | 0.0038    | 4.62      | 2.59      | 33.5      | 4         | 163.0     | 0.698     | 0.621     | 1.02      | 2.26      | 69.1      | 18.35     | 90.1      | 9.89      | 607    |
| Target Range - Lower Bound |                          | 0.0032    | 4.01      | 2.23      | 29.7      | <2        | 112.0     | 0.607     | 0.585     | 0.86      | 2.02      | 66.2      | 17.10     | 79.7      | 9.49      | 587    |
| Upper Bound                |                          | 0.0042    | 4.91      | 2.75      | 36.3      | 8         | 151.5     | 0.753     | 0.717     | 1.08      | 2.47      | 81.0      | 20.9      | 97.5      | 11.60     | 675    |
| OREAS 47                   |                          | 0.0285    | 0.103     | 0.80      | 9.08      | 2         | 61.3      | 0.178     | 0.1345    | 0.54      | 0.501     | 44.4      | 47.3      | 29.0      | 1.195     | 160.0  |
| OREAS 47                   |                          | 0.0292    | 0.110     | 0.77      | 9.35      | <2        | 59.7      | 0.175     | 0.1345    | 0.51      | 0.481     | 45.0      | 49.0      | 29.1      | 1.155     | 157.0  |
| OREAS 47                   |                          | 0.0260    | 0.101     | 0.78      | 9.25      | <2        | 58.3      | 0.173     | 0.1325    | 0.53      | 0.482     | 40.2      | 46.2      | 27.9      | 1.100     | 152.0  |
| OREAS 47                   |                          | 0.0268    | 0.099     | 0.73      | 9.11      | <2        | 57.8      | 0.166     | 0.1265    | 0.48      | 0.481     | 41.3      | 44.1      | 28.7      | 1.060     | 154.5  |
| Target Range - Lower Bound |                          | 0.0257    | 0.095     | 0.72      | 8.57      |           | 52.7      | 0.155     | 0.1265    | 0.48      | 0.449     | 38.1      | 42.7      | 27.4      | 1.005     | 149.0  |
| Upper Bound                |                          | 0.0317    | 0.119     | 0.90      | 10.50     |           | 71.4      | 0.201     | 0.1555    | 0.61      | 0.551     | 46.5      | 52.3      | 33.5      | 1.235     | 171.0  |
| OREAS 906                  |                          | 0.0488    | 0.713     | 0.73      | 20.7      | 2         | 220       | 0.860     | 11.55     | 0.30      | 0.435     | 79.3      | 22.9      | 8.73      | 1.105     | 3150   |
| OREAS 906                  |                          | 0.0485    | 0.720     | 0.70      | 19.65     | 3         | 215       | 0.848     | 10.50     | 0.30      | 0.403     | 74.9      | 22.4      | 8.35      | 1.010     | 3140   |
| OREAS 906                  |                          | 0.0472    | 0.705     | 0.74      | 20.4      | 2         | 218       | 0.858     | 10.80     | 0.31      | 0.405     | 71.9      | 22.2      | 8.67      | 1.035     | 3060   |
| OREAS 906                  |                          | 0.0471    | 0.706     | 0.68      | 19.90     | 2         | 203       | 0.809     | 10.55     | 0.29      | 0.396     | 71.2      | 21.6      | 8.27      | 1.035     | 2950   |
| Target Range - Lower Bound |                          | 0.0430    | 0.661     | 0.63      | 18.35     | <2        | 180.0     | 0.805     | 9.90      | 0.27      | 0.368     | 67.3      | 20.5      | 7.94      | 0.943     | 2930   |
| Upper Bound                |                          | 0.0528    | 0.810     | 0.79      | 22.5      | 7         | 244       | 0.995     | 12.10     | 0.36      | 0.452     | 82.3      | 25.1      | 9.72      | 1.155     | 3370   |
| OREAS-45h                  |                          | 0.0341    | 0.081     | 3.65      | 7.28      | 4         | 270       | 0.863     | 0.1205    | 0.10      | 0.008     | 16.65     | 77.7      | 478       | 0.976     | 694    |
| OREAS-45h                  |                          | 0.0380    | 0.079     | 3.63      | 7.02      | 4         | 271       | 0.848     | 0.1220    | 0.10      | 0.009     | 17.85     | 80.2      | 484       | 1.070     | 716    |
| OREAS-45h                  |                          | 0.0368    | 0.074     | 3.32      | 6.43      | 6         | 263       | 0.809     | 0.1165    | 0.10      | 0.009     | 15.95     | 72.0      | 464       | 0.927     | 689    |
| OREAS-45h                  |                          | 0.0375    | 0.085     | 3.62      | 6.59      | 3         | 264       | 0.836     | 0.1140    | 0.10      | 0.008     | 16.65     | 71.7      | 477       | 0.915     | 683    |
| Target Range - Lower Bound |                          | 0.0332    | 0.071     | 3.27      | 6.40      | <2        | 230       | 0.794     | 0.1140    | 0.08      | 0.009     | 15.75     | 68.3      | 424       | 0.893     | 653    |
| Upper Bound                |                          | 0.0408    | 0.089     | 4.01      | 7.84      | 4         | 312       | 0.982     | 0.1400    | 0.13      | 0.014     | 19.25     | 83.5      | 518       | 1.095     | 751    |
| <b>BLANKS</b>              |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | 0.05      | <0.005    | <0.0005   | <0.01     | 0.001     | <0.001    | <0.001    | 0.01      | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.01      | <0.001    | 0.01   |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | 0.01      | <0.001    | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | 0.01      | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.01      | <0.001    | 0.01   |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.01      | <0.001    | 0.01   |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | 0.01      | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | 0.001     | <0.001    | <0.001    | <0.01     | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | 0.001     | <0.001    | <0.001    | <0.01     | <0.001    | 0.02   |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | 0.01      | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.01      | <0.001    | 0.01   |
| Target Range - Lower Bound |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | <0.01     | <0.001    | <0.01  |
| Upper Bound                |                          | 0.0002    | 0.002     | 0.02      | 0.02      | 4         | 0.10      | 0.010     | 0.0010    | 0.02      | 0.002     | 0.002     | 0.002     | 0.02      | 0.002     | 0.02   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            |                          | Fe %      | Ga ppm    | Ge ppm    | Hf ppm    | Hg ppm    | In ppm    | K %       | La ppm    | Li ppm    | Mg %      | Mn ppm    | Mo ppm    | Na %      | Nb ppm    | Ni ppm |
|                            |                          | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002     | 0.02   |
| <b>STANDARDS</b>           |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| MRGeo08                    |                          | 3.61      | 9.38      | 0.132     | 0.487     | 0.065     | 0.150     | 1.26      | 35.3      | 32.9      | 1.16      | 395       | 13.65     | 0.319     | 0.268     | 697    |
| MRGeo08                    |                          | 3.58      | 9.11      | 0.127     | 0.469     | 0.062     | 0.150     | 1.24      | 38.2      | 33.2      | 1.15      | 398       | 14.55     | 0.332     | 0.323     | 711    |
| MRGeo08                    |                          | 3.54      | 9.40      | 0.160     | 0.490     | 0.062     | 0.144     | 1.23      | 34.1      | 32.8      | 1.15      | 393       | 15.90     | 0.303     | 0.239     | 708    |
| MRGeo08                    |                          | 3.45      | 8.91      | 0.135     | 0.542     | 0.065     | 0.155     | 1.22      | 33.3      | 33.0      | 1.11      | 379       | 14.75     | 0.307     | 0.334     | 678    |
| Target Range - Lower Bound |                          | 3.23      | 8.77      | 0.111     | 0.404     | 0.050     | 0.137     | 1.12      | 32.6      | 29.1      | 1.01      | 346       | 13.10     | 0.277     | 0.237     | 623    |
| Upper Bound                |                          | 3.95      | 10.75     | 0.161     | 0.552     | 0.072     | 0.179     | 1.40      | 39.8      | 35.7      | 1.25      | 423       | 16.05     | 0.341     | 0.325     | 761    |
| OREAS 47                   |                          | 1.590     | 2.69      | 0.078     | 0.150     | 0.014     | 0.035     | 0.11      | 26.4      | 8.7       | 0.46      | 262       | 13.10     | 0.081     | 0.302     | 79.5   |
| OREAS 47                   |                          | 1.540     | 2.74      | 0.089     | 0.146     | 0.015     | 0.032     | 0.10      | 26.3      | 8.5       | 0.44      | 256       | 12.35     | 0.077     | 0.312     | 75.7   |
| OREAS 47                   |                          | 1.500     | 2.76      | 0.071     | 0.155     | 0.016     | 0.031     | 0.10      | 23.8      | 8.4       | 0.43      | 245       | 12.15     | 0.074     | 0.285     | 74.6   |
| OREAS 47                   |                          | 1.450     | 2.71      | 0.075     | 0.139     | 0.014     | 0.030     | 0.10      | 22.8      | 8.2       | 0.41      | 235       | 12.00     | 0.071     | 0.277     | 75.1   |
| Target Range - Lower Bound |                          | 1.410     | 2.58      | 0.058     | 0.120     | 0.012     | 0.025     | 0.09      | 22.7      | 7.8       | 0.40      | 222       | 11.45     | 0.071     | 0.250     | 72.0   |
| Upper Bound                |                          | 1.730     | 3.16      | 0.093     | 0.166     | 0.024     | 0.049     | 0.14      | 27.7      | 9.8       | 0.51      | 272       | 13.95     | 0.089     | 0.344     | 88.0   |
| OREAS 906                  |                          | 4.81      | 8.45      | 0.117     | 0.431     | 0.007     | 1.200     | 0.26      | 39.3      | 3.6       | 0.12      | 325       | 3.94      | 0.083     | 0.107     | 4.86   |
| OREAS 906                  |                          | 4.73      | 7.69      | 0.110     | 0.575     | 0.009     | 1.110     | 0.25      | 37.6      | 3.5       | 0.12      | 322       | 3.47      | 0.082     | 0.125     | 4.31   |
| OREAS 906                  |                          | 4.76      | 8.35      | 0.115     | 0.455     | 0.007     | 1.150     | 0.26      | 36.2      | 3.7       | 0.12      | 314       | 3.71      | 0.082     | 0.105     | 4.57   |
| OREAS 906                  |                          | 4.51      | 8.18      | 0.108     | 0.676     | 0.008     | 1.100     | 0.24      | 35.1      | 3.4       | 0.11      | 303       | 3.53      | 0.077     | 0.108     | 4.50   |
| Target Range - Lower Bound |                          | 4.48      | 8.08      | 0.084     | 0.516     | 0.003     | 1.040     | 0.23      | 34.1      | 3.1       | 0.09      | 290       | 3.46      | 0.075     | 0.083     | 4.06   |
| Upper Bound                |                          | 5.48      | 9.88      | 0.126     | 0.702     | 0.013     | 1.280     | 0.30      | 41.7      | 4.1       | 0.14      | 354       | 4.24      | 0.093     | 0.117     | 5.00   |
| OREAS-45h                  |                          | 18.40     | 14.95     | 0.137     | 0.309     | 0.023     | 0.081     | 0.08      | 7.91      | 5.6       | 0.15      | 225       | 0.657     | 0.042     | 0.023     | 344    |
| OREAS-45h                  |                          | 18.35     | 15.80     | 0.192     | 0.300     | 0.024     | 0.082     | 0.08      | 8.86      | 5.7       | 0.14      | 228       | 0.701     | 0.035     | 0.026     | 352    |
| OREAS-45h                  |                          | 17.65     | 15.45     | 0.191     | 0.316     | 0.024     | 0.074     | 0.07      | 8.00      | 5.0       | 0.14      | 220       | 0.679     | 0.027     | 0.025     | 333    |
| OREAS-45h                  |                          | 17.75     | 14.95     | 0.142     | 0.386     | 0.024     | 0.079     | 0.07      | 8.08      | 5.5       | 0.14      | 224       | 0.765     | 0.034     | 0.027     | 334    |
| Target Range - Lower Bound |                          | 16.30     | 13.85     | 0.133     | 0.303     | 0.018     | 0.068     | 0.06      | 7.61      | 4.9       | 0.11      | 202       | 0.652     | 0.031     | 0.020     | 313    |
| Upper Bound                |                          | 19.90     | 16.95     | 0.191     | 0.415     | 0.030     | 0.096     | 0.11      | 9.31      | 6.2       | 0.17      | 247       | 0.802     | 0.041     | 0.034     | 383    |
| <b>BLANKS</b>              |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| BLANK                      |                          | <0.001    | 0.005     | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | 0.001     | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | 0.001     | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | 0.02   |
| BLANK                      |                          | <0.001    | 0.007     | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | 0.004     | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | 0.1       | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| Target Range - Lower Bound |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| Upper Bound                |                          | 0.002     | 0.008     | 0.010     | 0.004     | 0.004     | 0.010     | 0.02      | 0.004     | 0.2       | 0.02      | 0.2       | 0.004     | 0.002     | 0.004     | 0.04   |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method                  | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            | Analyte<br>Units<br>LOD | P<br>%    | Pb<br>ppm | Pd<br>ppm | Pt<br>ppm | Rb<br>ppm | Re<br>ppm | S<br>%    | Sb<br>ppm | Sc<br>ppm | Se<br>ppm | Sn<br>ppm | Sr<br>ppm | Ta<br>ppm | Te<br>ppm | Th<br>ppm |
|                            |                         | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001     | 0.0005    |
| <b>STANDARDS</b>           |                         |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| MRGeo08                    |                         | 0.0951    | 1040      | 0.002     | 0.001     | 141.5     | 0.0086    | 0.292     | 2.57      | 7.24      | 0.785     | 3.02      | 74.6      | <0.005    | 0.022     | 19.75     |
| MRGeo08                    |                         | 0.0984    | 1050      | 0.001     | 0.001     | 154.5     | 0.0084    | 0.284     | 2.47      | 6.82      | 0.794     | 3.17      | 81.7      | <0.005    | 0.019     | 20.7      |
| MRGeo08                    |                         | 0.0967    | 1050      | <0.001    | 0.001     | 156.5     | 0.0077    | 0.285     | 2.43      | 7.49      | 0.739     | 3.22      | 75.5      | <0.005    | 0.022     | 19.75     |
| MRGeo08                    |                         | 0.0939    | 1020      | <0.001    | 0.002     | 148.5     | 0.0088    | 0.274     | 2.90      | 7.03      | 0.724     | 3.36      | 73.4      | <0.005    | 0.022     | 20.0      |
| Target Range - Lower Bound |                         | 0.0913    | 946       | 0.002     | <0.001    | 132.5     | 0.0070    | 0.250     | 2.35      | 6.57      | 0.673     | 2.89      | 66.8      | <0.005    | 0.019     | 19.30     |
| Upper Bound                |                         | 0.1125    | 1155      | 0.006     | 0.004     | 161.5     | 0.0090    | 0.310     | 3.19      | 8.04      | 0.827     | 3.56      | 81.6      | 0.015     | 0.025     | 23.6      |
| OREAS 47                   |                         | 0.0552    | 284       | 0.040     | 0.025     | 6.85      | 0.0003    | 0.044     | 0.206     | 2.78      | 0.084     | 2.22      | 29.8      | <0.005    | 0.016     | 2.97      |
| OREAS 47                   |                         | 0.0542    | 278       | 0.046     | 0.026     | 6.89      | 0.0004    | 0.048     | 0.176     | 2.79      | 0.082     | 2.14      | 29.0      | <0.005    | 0.016     | 2.86      |
| OREAS 47                   |                         | 0.0516    | 270       | 0.041     | 0.024     | 6.63      | 0.0002    | 0.043     | 0.187     | 2.75      | 0.073     | 2.05      | 28.5      | <0.005    | 0.011     | 2.92      |
| OREAS 47                   |                         | 0.0520    | 271       | 0.041     | 0.024     | 6.28      | 0.0004    | 0.045     | 0.178     | 2.72      | 0.077     | 2.02      | 28.3      | <0.005    | 0.014     | 2.80      |
| Target Range - Lower Bound |                         | 0.0490    | 256       | 0.038     | 0.022     | 6.10      | <0.0002   | 0.042     | 0.168     | 2.62      | 0.072     | 1.97      | 27.4      | <0.005    | 0.010     | 2.78      |
| Upper Bound                |                         | 0.0610    | 312       | 0.048     | 0.030     | 7.46      | 0.0010    | 0.056     | 0.232     | 3.22      | 0.092     | 2.43      | 33.5      | 0.010     | 0.016     | 3.40      |
| OREAS 906                  |                         | 0.0214    | 22.5      | 0.001     | <0.001    | 14.70     | <0.0002   | 0.031     | 1.625     | 1.510     | 4.62      | 1.54      | 11.35     | <0.005    | 0.126     | 8.33      |
| OREAS 906                  |                         | 0.0221    | 20.3      | 0.001     | <0.001    | 14.00     | <0.0002   | 0.031     | 1.405     | 1.400     | 4.45      | 1.40      | 10.85     | <0.005    | 0.120     | 7.44      |
| OREAS 906                  |                         | 0.0210    | 21.6      | <0.001    | <0.001    | 14.70     | <0.0002   | 0.033     | 1.500     | 1.440     | 4.53      | 1.45      | 11.10     | <0.005    | 0.121     | 7.77      |
| OREAS 906                  |                         | 0.0208    | 20.5      | <0.001    | <0.001    | 14.35     | <0.0002   | 0.032     | 1.425     | 1.385     | 4.40      | 1.38      | 11.15     | <0.005    | 0.115     | 7.61      |
| Target Range - Lower Bound |                         | 0.0194    | 19.15     | <0.001    | <0.001    | 13.50     | <0.0002   | 0.027     | 1.290     | 1.250     | 4.00      | 1.35      | 10.60     | <0.005    | 0.105     | 7.23      |
| Upper Bound                |                         | 0.0248    | 23.4      | 0.002     | 0.002     | 16.50     | 0.0004    | 0.039     | 1.750     | 1.540     | 4.90      | 1.67      | 13.00     | 0.015     | 0.131     | 8.83      |
| OREAS-45h                  |                         | 0.0150    | 9.19      | 0.088     | 0.076     | 9.55      | <0.0002   | 0.028     | 0.132     | 50.5      | 0.535     | 1.18      | 14.90     | <0.005    | 0.039     | 5.00      |
| OREAS-45h                  |                         | 0.0163    | 9.87      | 0.090     | 0.084     | 9.97      | <0.0002   | 0.028     | 0.133     | 52.9      | 0.536     | 1.26      | 16.00     | <0.005    | 0.040     | 5.09      |
| OREAS-45h                  |                         | 0.0156    | 8.88      | 0.085     | 0.079     | 8.83      | <0.0002   | 0.025     | 0.134     | 48.0      | 0.409     | 1.19      | 14.10     | <0.005    | 0.037     | 5.09      |
| OREAS-45h                  |                         | 0.0157    | 9.27      | 0.088     | 0.082     | 9.18      | 0.0002    | 0.028     | 0.170     | 48.0      | 0.392     | 1.26      | 14.45     | <0.005    | 0.038     | 5.44      |
| Target Range - Lower Bound |                         | 0.0140    | 8.49      | 0.075     | 0.070     | 8.82      |           | 0.022     | 0.132     | 46.1      | 0.516     | 1.11      | 13.95     | <0.005    | 0.037     | 4.64      |
| Upper Bound                |                         | 0.0182    | 10.40     | 0.093     | 0.088     | 10.80     |           | 0.032     | 0.184     | 56.3      | 0.635     | 1.37      | 17.05     | 0.014     | 0.047     | 5.68      |
| <b>BLANKS</b>              |                         |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| BLANK                      |                         | <0.0005   | <0.005    | 0.001     | <0.001    | <0.005    | <0.0002   | <0.002    | 0.002     | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | 0.005     | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | 0.002     | <0.005    | 0.003     | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | 0.006     | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| BLANK                      |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| Target Range - Lower Bound |                         | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005   |
| Upper Bound                |                         | 0.0010    | 0.010     | 0.002     | 0.002     | 0.010     | 0.0004    | 0.004     | 0.004     | 0.010     | 0.004     | 0.02      | 0.02      | 0.010     | 0.002     | 0.0010    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Ti<br>%   | Ti<br>ppm | U<br>ppm  | V<br>ppm  | W<br>ppm  | Y<br>ppm  | Zn<br>ppm | Zr<br>ppm |
|                            |                                   | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01      |
| <b>STANDARDS</b>           |                                   |           |           |           |           |           |           |           |           |
| MGeo08                     |                                   | 0.331     | 0.753     | 5.15      | 97.5      | 1.930     | 18.10     | 770       | 16.55     |
| MGeo08                     |                                   | 0.331     | 0.753     | 5.13      | 102.0     | 2.02      | 19.20     | 777       | 16.40     |
| MGeo08                     |                                   | 0.333     | 0.742     | 5.45      | 102.5     | 2.22      | 18.45     | 770       | 16.65     |
| MGeo08                     |                                   | 0.332     | 0.748     | 5.51      | 99.2      | 2.22      | 17.80     | 726       | 18.05     |
| Target Range - Lower Bound |                                   | 0.292     | 0.663     | 4.98      | 88.6      | 1.835     | 16.95     | 679       | 14.00     |
| Upper Bound                |                                   | 0.358     | 0.898     | 6.08      | 108.5     | 2.49      | 20.7      | 831       | 19.00     |
| OREAS 47                   |                                   | 0.0655    | 0.0724    | 0.406     | 22.4      | 0.097     | 5.46      | 209       | 5.52      |
| OREAS 47                   |                                   | 0.0629    | 0.0743    | 0.378     | 23.3      | 0.091     | 5.05      | 209       | 5.17      |
| OREAS 47                   |                                   | 0.0650    | 0.0688    | 0.393     | 22.2      | 0.095     | 4.99      | 195.0     | 5.47      |
| OREAS 47                   |                                   | 0.0577    | 0.0692    | 0.383     | 21.7      | 0.094     | 4.85      | 196.0     | 4.75      |
| Target Range - Lower Bound |                                   | 0.0563    | 0.0616    | 0.374     | 21.2      | 0.085     | 4.72      | 191.5     | 4.56      |
| Upper Bound                |                                   | 0.0691    | 0.0845    | 0.458     | 26.0      | 0.117     | 5.78      | 234       | 6.20      |
| OREAS 906                  |                                   | 0.0133    | 0.0891    | 2.07      | 3.06      | 0.616     | 6.77      | 83.8      | 19.60     |
| OREAS 906                  |                                   | 0.0133    | 0.0826    | 1.780     | 3.08      | 0.551     | 5.95      | 81.7      | 25.8      |
| OREAS 906                  |                                   | 0.0136    | 0.0846    | 1.945     | 2.99      | 0.614     | 6.20      | 82.0      | 20.3      |
| OREAS 906                  |                                   | 0.0125    | 0.0833    | 1.875     | 2.91      | 0.595     | 5.80      | 79.5      | 30.5      |
| Target Range - Lower Bound |                                   | 0.0107    | 0.0752    | 1.775     | 2.65      | 0.543     | 5.71      | 73.5      | 20.4      |
| Upper Bound                |                                   | 0.0133    | 0.1030    | 2.17      | 3.35      | 0.737     | 6.99      | 90.1      | 27.6      |
| OREAS-45h                  |                                   | 0.0662    | 0.0710    | 0.803     | 211       | 0.004     | 6.85      | 25.2      | 12.85     |
| OREAS-45h                  |                                   | 0.0651    | 0.0709    | 0.835     | 215       | <0.001    | 7.21      | 25.0      | 12.20     |
| OREAS-45h                  |                                   | 0.0625    | 0.0645    | 0.783     | 208       | 0.005     | 6.57      | 22.9      | 12.40     |
| OREAS-45h                  |                                   | 0.0663    | 0.0711    | 0.818     | 216       | 0.004     | 6.57      | 23.6      | 15.35     |
| Target Range - Lower Bound |                                   | 0.0609    | 0.0624    | 0.749     | 191.0     | 0.016     | 6.33      | 21.1      | 12.35     |
| Upper Bound                |                                   | 0.0747    | 0.0856    | 0.917     | 233       | 0.024     | 7.74      | 26.0      | 16.75     |
| <b>BLANKS</b>              |                                   |           |           |           |           |           |           |           |           |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.05      | 0.002     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | <0.001    | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | 0.001     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.06      | 0.001     | 0.001     | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.06      | 0.003     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | 0.002     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | 0.002     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | <0.001    | <0.001    | <0.1      | <0.01     |
| Target Range - Lower Bound |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | <0.001    | <0.001    | <0.1      | <0.01     |
| Upper Bound                |                                   | 0.0002    | 0.0010    | 0.0010    | 0.10      | 0.002     | 0.002     | 0.2       | 0.02      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Au<br>ppm | Ag<br>ppm | Al<br>%   | As<br>ppm | B<br>ppm  | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%   | Cd<br>ppm | Ce<br>ppm | Co<br>ppm | Cr<br>ppm | Cs<br>ppm | Cu<br>ppm |
|                            |                                   | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.001     | 0.001     |           |
| <b>DUPLICATES</b>          |                                   |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| ORIGINAL                   |                                   | 0.0005    | 0.034     | 2.47      | 4.83      | 6         | 63.5      | 0.315     | 0.1210    | 1.35      | 0.146     | 44.9      | 5.45      | 11.30     | 1.005     | 11.85     |
| DUP                        |                                   | 0.0005    | 0.036     | 2.57      | 4.60      | 6         | 65.9      | 0.328     | 0.1230    | 1.39      | 0.142     | 45.9      | 5.42      | 11.15     | 0.997     | 11.90     |
| Target Range - Lower Bound |                                   | 0.0004    | 0.032     | 2.38      | 4.47      | 4         | 59.8      | 0.300     | 0.1155    | 1.29      | 0.136     | 43.1      | 5.16      | 10.65     | 0.950     | 11.45     |
| Upper Bound                |                                   | 0.0006    | 0.038     | 2.66      | 4.96      | 8         | 69.6      | 0.343     | 0.1285    | 1.45      | 0.152     | 47.7      | 5.71      | 11.80     | 1.050     | 12.30     |
| GD 25                      |                                   | 0.0110    | 0.104     | 1.70      | 27.5      | <2        | 13.15     | 0.165     | 0.0842    | 0.16      | 0.157     | 5.47      | 5.33      | 27.8      | 0.647     | 23.0      |
| DUP                        |                                   | 0.0065    | 0.098     | 1.76      | 26.5      | <2        | 13.75     | 0.169     | 0.0828    | 0.16      | 0.162     | 5.18      | 5.25      | 28.2      | 0.654     | 22.7      |
| Target Range - Lower Bound |                                   | 0.0080    | 0.095     | 1.63      | 25.6      | <2        | 12.40     | 0.154     | 0.0788    | 0.14      | 0.151     | 5.06      | 5.02      | 26.6      | 0.617     | 22.0      |
| Upper Bound                |                                   | 0.0095    | 0.107     | 1.83      | 28.4      | 4         | 14.50     | 0.180     | 0.0882    | 0.18      | 0.168     | 5.59      | 5.56      | 29.4      | 0.684     | 23.7      |
| GD 59                      |                                   | 0.0036    | 0.364     | 4.07      | 5.92      | 2         | 54.0      | 0.289     | 0.1030    | 0.16      | 0.122     | 6.44      | 9.51      | 40.9      | 0.863     | 63.2      |
| DUP                        |                                   | 0.0025    | 0.357     | 3.99      | 5.69      | 2         | 52.8      | 0.283     | 0.0985    | 0.15      | 0.122     | 6.24      | 9.09      | 39.4      | 0.856     | 60.4      |
| Target Range - Lower Bound |                                   | 0.0027    | 0.341     | 3.82      | 5.50      | <2        | 49.3      | 0.267     | 0.0952    | 0.14      | 0.115     | 6.02      | 8.83      | 38.1      | 0.816     | 59.6      |
| Upper Bound                |                                   | 0.0034    | 0.380     | 4.24      | 6.11      | 4         | 57.5      | 0.305     | 0.1065    | 0.17      | 0.129     | 6.66      | 9.77      | 42.2      | 0.903     | 64.0      |
| JF 12                      |                                   | 0.0071    | 0.161     | 2.82      | 4.79      | <2        | 19.80     | 0.320     | 0.1440    | 0.20      | 0.237     | 8.27      | 22.5      | 34.8      | 1.390     | 55.0      |
| DUP                        |                                   | 0.0125    | 0.159     | 2.72      | 4.27      | <2        | 19.00     | 0.310     | 0.1380    | 0.19      | 0.219     | 7.62      | 21.0      | 32.3      | 1.280     | 49.6      |
| Target Range - Lower Bound |                                   | 0.0090    | 0.151     | 2.62      | 4.29      | <2        | 17.90     | 0.294     | 0.1335    | 0.18      | 0.216     | 7.55      | 20.7      | 31.9      | 1.265     | 50.5      |
| Upper Bound                |                                   | 0.0106    | 0.169     | 2.92      | 4.77      | 4         | 20.9      | 0.336     | 0.1485    | 0.21      | 0.240     | 8.34      | 22.8      | 35.2      | 1.405     | 54.1      |
| JF 48                      |                                   | 0.0064    | 0.700     | 2.21      | 8.45      | <2        | 22.2      | 0.140     | 0.234     | 0.15      | 0.176     | 4.90      | 6.58      | 30.2      | 0.927     | 41.4      |
| DUP                        |                                   | 0.0089    | 0.702     | 2.16      | 8.05      | <2        | 21.6      | 0.135     | 0.236     | 0.13      | 0.164     | 4.65      | 6.30      | 29.0      | 0.915     | 40.1      |
| Target Range - Lower Bound |                                   | 0.0070    | 0.665     | 2.07      | 7.83      | <2        | 20.2      | 0.126     | 0.223     | 0.12      | 0.161     | 4.54      | 6.12      | 28.1      | 0.874     | 39.3      |
| Upper Bound                |                                   | 0.0083    | 0.737     | 2.30      | 8.67      | 4         | 23.6      | 0.149     | 0.247     | 0.16      | 0.180     | 5.01      | 6.76      | 31.1      | 0.968     | 42.2      |
| JF 84                      |                                   | 0.0025    | 0.095     | 2.42      | 4.90      | <2        | 26.2      | 0.192     | 0.1415    | 0.14      | 0.087     | 4.80      | 7.53      | 30.1      | 0.793     | 29.8      |
| DUP                        |                                   | 0.0318    | 0.094     | 2.35      | 4.96      | 2         | 25.5      | 0.186     | 0.1420    | 0.14      | 0.089     | 5.01      | 7.64      | 30.3      | 0.830     | 30.4      |
| Target Range - Lower Bound |                                   | 0.0158    | 0.089     | 2.26      | 4.67      | <2        | 23.9      | 0.175     | 0.1340    | 0.12      | 0.083     | 4.66      | 7.20      | 28.7      | 0.770     | 29.0      |
| Upper Bound                |                                   | 0.0185    | 0.100     | 2.51      | 5.19      | 4         | 27.8      | 0.203     | 0.1495    | 0.16      | 0.093     | 5.15      | 7.97      | 31.7      | 0.853     | 31.2      |
| JF 120                     |                                   | 0.0050    | 0.153     | 2.10      | 1.66      | <2        | 24.3      | 0.180     | 0.1540    | 0.16      | 0.089     | 5.86      | 5.97      | 35.6      | 0.840     | 39.5      |
| DUP                        |                                   | 0.0088    | 0.162     | 2.12      | 1.61      | <2        | 24.2      | 0.187     | 0.1590    | 0.15      | 0.094     | 5.74      | 6.12      | 37.1      | 0.887     | 40.9      |
| Target Range - Lower Bound |                                   | 0.0063    | 0.149     | 1.99      | 1.54      | <2        | 22.4      | 0.169     | 0.1480    | 0.14      | 0.086     | 5.51      | 5.74      | 34.5      | 0.819     | 38.8      |
| Upper Bound                |                                   | 0.0075    | 0.166     | 2.23      | 1.73      | 4         | 26.1      | 0.198     | 0.1650    | 0.17      | 0.097     | 6.09      | 6.35      | 38.2      | 0.908     | 41.6      |
| JF 156                     |                                   | 0.0111    | 0.284     | 2.48      | 6.28      | <2        | 24.9      | 0.148     | 0.1240    | 0.16      | 0.059     | 4.27      | 5.15      | 39.1      | 0.627     | 51.0      |
| DUP                        |                                   | 0.0097    | 0.290     | 2.42      | 6.20      | <2        | 24.0      | 0.146     | 0.1300    | 0.16      | 0.067     | 4.53      | 5.32      | 40.9      | 0.640     | 53.2      |
| Target Range - Lower Bound |                                   | 0.0095    | 0.272     | 2.32      | 5.92      | <2        | 22.6      | 0.135     | 0.1200    | 0.14      | 0.059     | 4.18      | 4.97      | 38.0      | 0.601     | 50.3      |
| Upper Bound                |                                   | 0.0113    | 0.302     | 2.58      | 6.56      | 4         | 26.3      | 0.159     | 0.1340    | 0.18      | 0.067     | 4.62      | 5.50      | 42.0      | 0.666     | 53.9      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            |                          | Fe %      | Ga ppm    | Ge ppm    | Hf ppm    | Hg ppm    | In ppm    | K %       | La ppm    | Li ppm    | Mg %      | Mn ppm    | Mo ppm    | Na %      | Nb ppm    | Ni ppm |
|                            |                          | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002     | 0.02   |
| <b>DUPLICATES</b>          |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| ORIGINAL                   |                          | 2.06      | 5.65      | 0.085     | 0.185     | 0.011     | 0.029     | 0.10      | 20.2      | 7.7       | 0.09      | 227       | 1.600     | 0.297     | 0.075     | 5.28   |
| DUP                        |                          | 2.12      | 5.76      | 0.084     | 0.200     | 0.012     | 0.028     | 0.11      | 20.5      | 8.1       | 0.10      | 235       | 1.615     | 0.311     | 0.078     | 5.31   |
| Target Range - Lower Bound |                          | 1.985     | 5.42      | 0.073     | 0.176     | 0.009     | 0.022     | 0.09      | 19.35     | 7.4       | 0.08      | 219       | 1.525     | 0.288     | 0.069     | 5.01   |
| Upper Bound                |                          | 2.20      | 5.99      | 0.096     | 0.209     | 0.014     | 0.035     | 0.12      | 21.4      | 8.4       | 0.11      | 243       | 1.690     | 0.320     | 0.084     | 5.58   |
| GD 25                      |                          | 2.78      | 7.94      | 0.028     | 0.105     | 0.026     | 0.020     | 0.01      | 3.27      | 9.8       | 0.20      | 77.4      | 0.617     | 0.008     | 1.000     | 9.68   |
| DUP                        |                          | 2.88      | 8.82      | 0.031     | 0.100     | 0.027     | 0.021     | 0.01      | 3.21      | 9.9       | 0.20      | 78.0      | 0.630     | 0.009     | 1.030     | 9.63   |
| Target Range - Lower Bound |                          | 2.69      | 7.96      | 0.022     | 0.093     | 0.023     | 0.014     | <0.01     | 3.08      | 9.3       | 0.18      | 73.7      | 0.590     | 0.007     | 0.937     | 9.15   |
| Upper Bound                |                          | 2.97      | 8.80      | 0.037     | 0.112     | 0.030     | 0.027     | 0.02      | 3.40      | 10.4      | 0.22      | 81.7      | 0.657     | 0.010     | 1.095     | 10.15  |
| GD 59                      |                          | 3.55      | 9.30      | 0.038     | 0.230     | 0.051     | 0.035     | 0.03      | 2.80      | 10.0      | 0.33      | 353       | 0.554     | 0.012     | 1.105     | 20.2   |
| DUP                        |                          | 3.50      | 9.19      | 0.038     | 0.223     | 0.048     | 0.031     | 0.03      | 2.75      | 9.8       | 0.33      | 346       | 0.538     | 0.011     | 1.035     | 19.50  |
| Target Range - Lower Bound |                          | 3.35      | 8.78      | 0.030     | 0.208     | 0.044     | 0.026     | 0.02      | 2.63      | 9.3       | 0.30      | 332       | 0.517     | 0.010     | 0.988     | 18.85  |
| Upper Bound                |                          | 3.70      | 9.71      | 0.046     | 0.245     | 0.055     | 0.040     | 0.04      | 2.92      | 10.5      | 0.36      | 367       | 0.575     | 0.013     | 1.150     | 20.9   |
| JF 12                      |                          | 3.26      | 9.74      | 0.044     | 0.116     | 0.062     | 0.033     | 0.02      | 3.68      | 10.8      | 0.31      | 276       | 1.135     | 0.011     | 0.928     | 19.35  |
| DUP                        |                          | 3.16      | 9.02      | 0.040     | 0.108     | 0.049     | 0.023     | 0.02      | 3.35      | 10.3      | 0.30      | 266       | 1.060     | 0.010     | 0.974     | 17.65  |
| Target Range - Lower Bound |                          | 3.05      | 8.91      | 0.034     | 0.102     | 0.049     | 0.022     | <0.01     | 3.34      | 9.9       | 0.28      | 257       | 1.040     | 0.009     | 0.878     | 17.55  |
| Upper Bound                |                          | 3.37      | 9.85      | 0.050     | 0.122     | 0.062     | 0.034     | 0.03      | 3.69      | 11.2      | 0.33      | 285       | 1.155     | 0.012     | 1.025     | 19.45  |
| JF 48                      |                          | 3.53      | 9.11      | 0.038     | 0.158     | 0.154     | 0.021     | 0.02      | 2.32      | 9.4       | 0.29      | 152.0     | 1.045     | 0.010     | 1.460     | 12.20  |
| DUP                        |                          | 3.42      | 8.59      | 0.042     | 0.157     | 0.150     | 0.024     | 0.01      | 2.24      | 9.1       | 0.29      | 148.5     | 1.060     | 0.009     | 1.540     | 11.90  |
| Target Range - Lower Bound |                          | 3.30      | 8.40      | 0.032     | 0.144     | 0.139     | 0.016     | <0.01     | 2.16      | 8.7       | 0.27      | 142.5     | 0.998     | 0.008     | 1.385     | 11.45  |
| Upper Bound                |                          | 3.65      | 9.30      | 0.048     | 0.171     | 0.165     | 0.029     | 0.02      | 2.40      | 9.8       | 0.31      | 158.0     | 1.105     | 0.011     | 1.615     | 12.65  |
| JF 84                      |                          | 3.23      | 8.85      | 0.033     | 0.158     | 0.046     | 0.028     | 0.02      | 2.27      | 8.8       | 0.22      | 369       | 0.450     | 0.007     | 0.977     | 13.35  |
| DUP                        |                          | 3.12      | 8.87      | 0.039     | 0.149     | 0.049     | 0.025     | 0.02      | 2.39      | 8.6       | 0.21      | 358       | 0.461     | 0.007     | 0.897     | 13.65  |
| Target Range - Lower Bound |                          | 3.02      | 8.41      | 0.028     | 0.140     | 0.042     | 0.020     | <0.01     | 2.21      | 8.2       | 0.19      | 345       | 0.431     | 0.006     | 0.865     | 12.80  |
| Upper Bound                |                          | 3.33      | 9.31      | 0.044     | 0.167     | 0.053     | 0.033     | 0.03      | 2.45      | 9.2       | 0.24      | 382       | 0.480     | 0.008     | 1.010     | 14.20  |
| JF 120                     |                          | 3.44      | 8.08      | 0.025     | 0.109     | 0.061     | 0.023     | 0.01      | 2.65      | 11.6      | 0.25      | 106.0     | 0.677     | 0.009     | 0.828     | 12.55  |
| DUP                        |                          | 3.51      | 9.13      | 0.032     | 0.115     | 0.064     | 0.027     | 0.01      | 2.67      | 11.3      | 0.25      | 106.5     | 0.747     | 0.010     | 0.934     | 12.90  |
| Target Range - Lower Bound |                          | 3.30      | 8.17      | 0.021     | 0.102     | 0.056     | 0.019     | <0.01     | 2.53      | 10.8      | 0.23      | 101.0     | 0.674     | 0.008     | 0.813     | 12.05  |
| Upper Bound                |                          | 3.65      | 9.04      | 0.036     | 0.122     | 0.069     | 0.031     | 0.02      | 2.80      | 12.1      | 0.27      | 111.5     | 0.750     | 0.011     | 0.949     | 13.40  |
| JF 156                     |                          | 3.17      | 8.45      | 0.025     | 0.180     | 0.069     | 0.024     | 0.01      | 2.03      | 8.2       | 0.29      | 110.5     | 0.448     | 0.009     | 1.440     | 13.05  |
| DUP                        |                          | 3.06      | 8.70      | 0.028     | 0.181     | 0.075     | 0.024     | 0.01      | 2.18      | 8.1       | 0.29      | 106.5     | 0.456     | 0.008     | 1.420     | 13.30  |
| Target Range - Lower Bound |                          | 2.96      | 8.14      | 0.020     | 0.165     | 0.065     | 0.018     | <0.01     | 2.000     | 7.6       | 0.27      | 103.0     | 0.427     | 0.007     | 1.320     | 12.50  |
| Upper Bound                |                          | 3.27      | 9.01      | 0.033     | 0.196     | 0.079     | 0.030     | 0.02      | 2.21      | 8.7       | 0.31      | 114.0     | 0.477     | 0.010     | 1.540     | 13.85  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method  | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            | Analyte | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te        | Th     |
|                            | Units   | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm    |
|                            | LOD     | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001     | 0.0005 |
| <b>DUPLICATES</b>          |         |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| ORIGINAL                   |         | 0.0726    | 4.45      | <0.001    | <0.001    | 8.64      | 0.0004    | 0.023     | 0.270     | 3.72      | 0.031     | 1.06      | 142.5     | <0.005    | 0.008     | 3.05   |
| DUP                        |         | 0.0745    | 4.54      | <0.001    | <0.001    | 8.73      | 0.0005    | 0.023     | 0.284     | 3.79      | 0.029     | 1.08      | 147.0     | <0.005    | 0.008     | 3.11   |
| Target Range - Lower Bound |         | 0.0694    | 4.27      | <0.001    | <0.001    | 8.25      | <0.0002   | 0.020     | 0.254     | 3.56      | 0.027     | 1.01      | 137.5     | <0.005    | 0.007     | 2.93   |
| Upper Bound                |         | 0.0777    | 4.72      | 0.002     | 0.002     | 9.12      | 0.0007    | 0.026     | 0.300     | 3.95      | 0.034     | 1.13      | 152.0     | 0.010     | 0.009     | 3.23   |
| GD 25                      |         | 0.0168    | 3.48      | 0.001     | 0.001     | 2.71      | <0.0002   | 0.008     | 0.197     | 2.13      | 0.180     | 0.46      | 8.20      | <0.005    | 0.024     | 0.578  |
| DUP                        |         | 0.0174    | 3.51      | <0.001    | 0.001     | 2.64      | <0.0002   | 0.009     | 0.196     | 2.31      | 0.186     | 0.45      | 8.00      | <0.005    | 0.026     | 0.570  |
| Target Range - Lower Bound |         | 0.0157    | 3.32      | <0.001    | <0.001    | 2.54      | <0.0002   | 0.006     | 0.180     | 2.10      | 0.172     | 0.42      | 7.69      | <0.005    | 0.023     | 0.545  |
| Upper Bound                |         | 0.0185    | 3.67      | 0.002     | 0.002     | 2.81      | 0.0004    | 0.011     | 0.213     | 2.34      | 0.194     | 0.49      | 8.52      | 0.010     | 0.027     | 0.603  |
| GD 59                      |         | 0.0545    | 5.22      | 0.002     | 0.001     | 5.09      | <0.0002   | 0.014     | 0.295     | 3.95      | 0.187     | 0.62      | 10.80     | <0.005    | 0.016     | 1.070  |
| DUP                        |         | 0.0538    | 5.08      | 0.002     | 0.001     | 4.92      | <0.0002   | 0.014     | 0.287     | 3.87      | 0.161     | 0.57      | 10.25     | <0.005    | 0.021     | 1.040  |
| Target Range - Lower Bound |         | 0.0509    | 4.89      | <0.001    | <0.001    | 4.75      | <0.0002   | 0.011     | 0.267     | 3.71      | 0.163     | 0.56      | 9.99      | <0.005    | 0.017     | 1.000  |
| Upper Bound                |         | 0.0574    | 5.41      | 0.003     | 0.002     | 5.26      | 0.0004    | 0.017     | 0.315     | 4.11      | 0.185     | 0.63      | 11.05     | 0.010     | 0.020     | 1.110  |
| JF 12                      |         | 0.0314    | 5.73      | 0.001     | 0.001     | 4.48      | <0.0002   | 0.009     | 0.801     | 3.04      | 0.107     | 0.59      | 10.10     | <0.005    | 0.040     | 0.658  |
| DUP                        |         | 0.0307    | 5.50      | 0.001     | 0.001     | 4.12      | <0.0002   | 0.008     | 0.783     | 2.73      | 0.139     | 0.56      | 8.92      | <0.005    | 0.047     | 0.620  |
| Target Range - Lower Bound |         | 0.0290    | 5.33      | <0.001    | <0.001    | 4.08      | <0.0002   | 0.006     | 0.731     | 2.74      | 0.115     | 0.54      | 9.02      | <0.005    | 0.040     | 0.607  |
| Upper Bound                |         | 0.0331    | 5.90      | 0.002     | 0.002     | 4.52      | 0.0004    | 0.011     | 0.853     | 3.03      | 0.131     | 0.61      | 10.00     | 0.010     | 0.047     | 0.671  |
| JF 48                      |         | 0.0423    | 7.16      | 0.002     | 0.001     | 3.24      | <0.0002   | 0.011     | 0.521     | 2.76      | 0.224     | 0.76      | 8.89      | <0.005    | 0.073     | 0.596  |
| DUP                        |         | 0.0422    | 7.30      | 0.002     | 0.001     | 3.19      | <0.0002   | 0.009     | 0.528     | 2.54      | 0.314     | 0.76      | 8.42      | <0.005    | 0.102     | 0.579  |
| Target Range - Lower Bound |         | 0.0396    | 6.86      | <0.001    | <0.001    | 3.05      | <0.0002   | 0.008     | 0.483     | 2.51      | 0.254     | 0.71      | 8.21      | <0.005    | 0.082     | 0.558  |
| Upper Bound                |         | 0.0449    | 7.60      | 0.003     | 0.002     | 3.38      | 0.0004    | 0.013     | 0.566     | 2.79      | 0.284     | 0.81      | 9.10      | 0.010     | 0.093     | 0.617  |
| JF 84                      |         | 0.0695    | 6.00      | <0.001    | 0.001     | 3.69      | <0.0002   | 0.009     | 0.307     | 2.57      | 0.154     | 0.72      | 7.48      | <0.005    | 0.025     | 0.742  |
| DUP                        |         | 0.0671    | 6.12      | 0.001     | 0.001     | 3.75      | <0.0002   | 0.009     | 0.325     | 2.59      | 0.166     | 0.72      | 7.85      | <0.005    | 0.025     | 0.781  |
| Target Range - Lower Bound |         | 0.0644    | 5.75      | <0.001    | <0.001    | 3.53      | <0.0002   | 0.007     | 0.290     | 2.45      | 0.150     | 0.67      | 7.27      | <0.005    | 0.023     | 0.723  |
| Upper Bound                |         | 0.0722    | 6.37      | 0.002     | 0.002     | 3.91      | 0.0004    | 0.011     | 0.342     | 2.71      | 0.170     | 0.77      | 8.06      | 0.010     | 0.027     | 0.800  |
| JF 120                     |         | 0.0208    | 4.51      | <0.001    | 0.001     | 4.33      | 0.0002    | 0.009     | 0.342     | 2.44      | 0.129     | 0.67      | 8.59      | <0.005    | 0.058     | 0.719  |
| DUP                        |         | 0.0214    | 4.61      | <0.001    | 0.001     | 4.37      | <0.0002   | 0.010     | 0.376     | 2.73      | 0.125     | 0.71      | 8.35      | <0.005    | 0.057     | 0.731  |
| Target Range - Lower Bound |         | 0.0195    | 4.33      | <0.001    | <0.001    | 4.13      | <0.0002   | 0.007     | 0.330     | 2.45      | 0.119     | 0.65      | 8.04      | <0.005    | 0.054     | 0.688  |
| Upper Bound                |         | 0.0227    | 4.79      | 0.002     | 0.002     | 4.57      | 0.0004    | 0.012     | 0.388     | 2.72      | 0.135     | 0.73      | 8.90      | 0.010     | 0.061     | 0.762  |
| JF 156                     |         | 0.0231    | 5.47      | 0.001     | 0.001     | 2.49      | <0.0002   | 0.015     | 0.385     | 2.48      | 0.213     | 0.60      | 8.57      | <0.005    | 0.086     | 0.592  |
| DUP                        |         | 0.0222    | 5.58      | 0.001     | 0.001     | 2.55      | <0.0002   | 0.012     | 0.418     | 2.60      | 0.207     | 0.61      | 9.08      | <0.005    | 0.087     | 0.627  |
| Target Range - Lower Bound |         | 0.0210    | 5.24      | <0.001    | <0.001    | 2.39      | <0.0002   | 0.011     | 0.369     | 2.41      | 0.198     | 0.56      | 8.37      | <0.005    | 0.081     | 0.579  |
| Upper Bound                |         | 0.0243    | 5.81      | 0.002     | 0.002     | 2.65      | 0.0004    | 0.016     | 0.434     | 2.67      | 0.223     | 0.65      | 9.28      | 0.010     | 0.092     | 0.640  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-JUL-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Ti<br>%   | Ti<br>ppm | U<br>ppm  | V<br>ppm  | W<br>ppm  | Y<br>ppm  | Zn<br>ppm | Zr<br>ppm |
|                            |                                   | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01      |
| <b>DUPLICATES</b>          |                                   |           |           |           |           |           |           |           |           |
| ORIGINAL                   |                                   | 0.1140    | 0.0789    | 0.435     | 93.5      | 0.263     | 13.35     | 38.2      | 7.65      |
| DUP                        |                                   | 0.1175    | 0.0826    | 0.443     | 93.3      | 0.261     | 13.25     | 38.0      | 7.70      |
| Target Range - Lower Bound |                                   | 0.1100    | 0.0742    | 0.417     | 88.7      | 0.241     | 12.65     | 36.1      | 7.09      |
| Upper Bound                |                                   | 0.1215    | 0.0873    | 0.461     | 98.1      | 0.283     | 13.95     | 40.1      | 8.26      |
| GD 25                      |                                   | 0.1525    | 0.0260    | 0.1480    | 96.9      | 0.017     | 2.57      | 65.1      | 3.25      |
| DUP                        |                                   | 0.1595    | 0.0243    | 0.1475    | 98.9      | 0.017     | 2.56      | 64.5      | 3.18      |
| Target Range - Lower Bound |                                   | 0.1480    | 0.0228    | 0.1400    | 93.0      | 0.015     | 2.44      | 61.5      | 2.96      |
| Upper Bound                |                                   | 0.1640    | 0.0275    | 0.1555    | 103.0     | 0.019     | 2.69      | 68.1      | 3.47      |
| GD 59                      |                                   | 0.1585    | 0.0532    | 0.281     | 107.0     | 0.017     | 1.940     | 54.6      | 7.62      |
| DUP                        |                                   | 0.1570    | 0.0538    | 0.275     | 104.5     | 0.020     | 1.870     | 52.0      | 7.34      |
| Target Range - Lower Bound |                                   | 0.1500    | 0.0490    | 0.264     | 100.5     | 0.016     | 1.810     | 50.5      | 6.91      |
| Upper Bound                |                                   | 0.1655    | 0.0580    | 0.292     | 111.0     | 0.021     | 2.00      | 56.1      | 8.05      |
| JF 12                      |                                   | 0.1805    | 0.0558    | 0.1985    | 112.0     | 0.010     | 3.08      | 50.0      | 3.96      |
| DUP                        |                                   | 0.1770    | 0.0513    | 0.1840    | 105.0     | 0.015     | 2.75      | 46.8      | 3.78      |
| Target Range - Lower Bound |                                   | 0.1695    | 0.0490    | 0.1810    | 103.0     | 0.011     | 2.77      | 45.9      | 3.57      |
| Upper Bound                |                                   | 0.1880    | 0.0581    | 0.201     | 114.0     | 0.014     | 3.06      | 50.9      | 4.17      |
| JF 48                      |                                   | 0.233     | 0.0510    | 0.1470    | 105.5     | 0.023     | 1.430     | 49.5      | 5.10      |
| DUP                        |                                   | 0.224     | 0.0508    | 0.1405    | 102.5     | 0.028     | 1.390     | 48.2      | 5.24      |
| Target Range - Lower Bound |                                   | 0.217     | 0.0466    | 0.1360    | 98.8      | 0.023     | 1.340     | 46.3      | 4.77      |
| Upper Bound                |                                   | 0.240     | 0.0552    | 0.1515    | 109.5     | 0.028     | 1.480     | 51.4      | 5.57      |
| JF 84                      |                                   | 0.216     | 0.0558    | 0.1680    | 96.8      | 0.030     | 1.380     | 43.6      | 5.97      |
| DUP                        |                                   | 0.207     | 0.0563    | 0.1790    | 97.1      | 0.029     | 1.385     | 43.9      | 5.80      |
| Target Range - Lower Bound |                                   | 0.201     | 0.0513    | 0.1645    | 92.1      | 0.026     | 1.310     | 41.5      | 5.43      |
| Upper Bound                |                                   | 0.222     | 0.0608    | 0.1825    | 102.0     | 0.033     | 1.455     | 46.0      | 6.34      |
| JF 120                     |                                   | 0.1590    | 0.0523    | 0.1480    | 112.5     | 0.029     | 1.545     | 42.2      | 3.98      |
| DUP                        |                                   | 0.1630    | 0.0484    | 0.1500    | 116.0     | 0.038     | 1.535     | 42.4      | 4.14      |
| Target Range - Lower Bound |                                   | 0.1530    | 0.0461    | 0.1410    | 108.5     | 0.030     | 1.460     | 40.1      | 3.75      |
| Upper Bound                |                                   | 0.1690    | 0.0546    | 0.1570    | 120.0     | 0.037     | 1.620     | 44.5      | 4.37      |
| JF 156                     |                                   | 0.1715    | 0.0391    | 0.1270    | 101.0     | 0.015     | 1.240     | 29.7      | 5.43      |
| DUP                        |                                   | 0.1665    | 0.0408    | 0.1315    | 101.5     | 0.013     | 1.290     | 30.9      | 5.52      |
| Target Range - Lower Bound |                                   | 0.1605    | 0.0365    | 0.1225    | 96.1      | 0.012     | 1.200     | 28.7      | 5.05      |
| Upper Bound                |                                   | 0.1775    | 0.0434    | 0.1360    | 106.5     | 0.016     | 1.330     | 31.9      | 5.90      |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
2489 BELLEVUE AVENUE  
WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 3-JUL-2022  
Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145304**

**CERTIFICATE COMMENTS**

**LABORATORY ADDRESSES**

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  
AuME-ST43  
WEI-21

DIS-PUL21

LOG-22

SCR-41



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: **QUADRA COASTAL RESOURCES**  
**2489 BELLEVUE AVENUE**  
**WEST VANCOUVER BC V7V 1E1**

Page: 1  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**CERTIFICATE VA22145308**

Project: Texada

This report is for 112 samples of Soil submitted to our lab in Vancouver, BC, Canada on 31-MAY-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                       |
|--------------------|---------------------------------------|
| ALS CODE           | DESCRIPTION                           |
| WEI-21             | Received Sample Weight                |
| LOG-22             | Sample login - Rcd w/o BarCode        |
| SCR-41             | Screen to -180um and save both        |
| DIS-PUL21          | Disposal of M/+ Split after analysis. |

| ANALYTICAL PROCEDURES |  |            |
|-----------------------|--|------------|
| ALS CODE              | DESCRIPTION                            | INSTRUMENT |
| AuME-ST43             | 25g Super Trace Au + Multi Element PKG |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.  
 \*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
| GD 100             |                          | 0.46         | 0.0041    | 0.014     | 3.91      | 5.24      | 2         | 23.2      | 0.211     | 0.1225    | 0.15      | 0.079     | 9.66      | 6.28      | 45.3      | 0.813     |
| GD 101             |                          | 0.50         | 0.0063    | 0.026     | 4.97      | 9.87      | <2        | 22.6      | 0.296     | 0.211     | 0.15      | 0.208     | 4.62      | 6.00      | 47.6      | 1.180     |
| GD 102             |                          | 0.52         | 0.0030    | 0.046     | 3.51      | 7.82      | <2        | 39.1      | 0.543     | 0.312     | 0.13      | 0.267     | 8.76      | 8.80      | 34.8      | 1.440     |
| GD 103             |                          | 0.72         | 0.0047    | 0.084     | 2.36      | 2.29      | <2        | 39.7      | 0.176     | 0.1040    | 0.14      | 0.213     | 7.05      | 14.60     | 40.5      | 1.280     |
| GD 104             |                          | 0.54         | 0.0039    | 0.057     | 2.87      | 2.48      | <2        | 50.7      | 0.284     | 0.0857    | 0.22      | 0.154     | 7.58      | 12.05     | 33.9      | 1.110     |
| GD 105             |                          | 0.68         | 0.0038    | 0.295     | 3.17      | 2.32      | <2        | 30.3      | 0.204     | 0.1070    | 0.17      | 0.206     | 5.63      | 8.54      | 39.7      | 1.190     |
| GD 106             |                          | 0.62         | 0.0083    | 0.240     | 3.76      | 3.03      | <2        | 34.4      | 0.205     | 0.1610    | 0.15      | 0.167     | 4.65      | 7.51      | 42.6      | 1.420     |
| GD 107             |                          | 0.60         | 0.0047    | 0.094     | 2.80      | 1.99      | <2        | 21.2      | 0.189     | 0.0698    | 0.13      | 0.153     | 3.86      | 6.30      | 31.0      | 0.772     |
| GD 108             |                          | 0.52         | 0.0058    | 0.041     | 3.90      | 4.73      | <2        | 19.75     | 0.181     | 0.243     | 0.11      | 0.102     | 5.21      | 6.39      | 47.4      | 0.834     |
| GD 109             |                          | 0.58         | 0.0061    | 0.103     | 4.35      | 2.66      | <2        | 33.2      | 0.282     | 0.0963    | 0.12      | 0.084     | 8.64      | 9.66      | 45.0      | 0.865     |
| GD 110             |                          | 0.62         | 0.0058    | 0.508     | 3.37      | 2.04      | <2        | 32.7      | 0.235     | 0.0853    | 0.12      | 0.102     | 5.77      | 10.40     | 39.9      | 0.939     |
| GD 111             |                          | 0.56         | 0.0032    | 0.130     | 3.12      | 2.58      | <2        | 35.2      | 0.240     | 0.1145    | 0.11      | 0.063     | 4.21      | 6.43      | 33.5      | 0.987     |
| GD 112             |                          | 0.66         | 0.0041    | 0.087     | 4.83      | 3.29      | <2        | 35.2      | 0.634     | 0.1295    | 0.15      | 0.091     | 6.28      | 15.50     | 52.6      | 1.875     |
| GD 113             |                          | 0.62         | 0.0049    | 0.118     | 3.22      | 3.60      | <2        | 22.3      | 0.180     | 0.1210    | 0.14      | 0.105     | 3.67      | 6.20      | 35.6      | 1.075     |
| GD 114             |                          | 0.62         | 0.0060    | 0.106     | 2.90      | 2.79      | <2        | 19.80     | 0.217     | 0.1325    | 0.18      | 0.099     | 6.09      | 8.23      | 34.8      | 1.300     |
| GD 115             |                          | 0.52         | 0.0042    | 0.063     | 2.82      | 3.62      | <2        | 25.1      | 0.203     | 0.1705    | 0.17      | 0.116     | 5.95      | 5.59      | 45.4      | 1.300     |
| GD 116             |                          | 0.54         | 0.0022    | 0.054     | 3.05      | 1.10      | 2         | 31.1      | 0.269     | 0.1135    | 0.15      | 0.057     | 6.90      | 6.35      | 35.8      | 0.958     |
| GD 117             |                          | 0.62         | 0.0044    | 0.118     | 4.27      | 3.32      | <2        | 23.5      | 0.243     | 0.1170    | 0.14      | 0.085     | 4.79      | 7.55      | 45.4      | 1.000     |
| GD 118             |                          | 0.56         | 0.0036    | 0.058     | 1.94      | 2.94      | <2        | 17.75     | 0.128     | 0.1515    | 0.18      | 0.040     | 4.89      | 5.24      | 35.8      | 0.820     |
| GD 119             |                          | 0.56         | 0.0040    | 0.163     | 3.50      | 1.81      | <2        | 27.6      | 0.172     | 0.0870    | 0.14      | 0.073     | 4.82      | 7.37      | 43.2      | 1.250     |
| GD 120             |                          | 0.56         | 0.0032    | 0.228     | 3.63      | 2.90      | <2        | 34.5      | 0.302     | 0.1350    | 0.14      | 0.074     | 6.29      | 9.71      | 44.2      | 1.425     |
| GD 121             |                          | 0.52         | 0.0053    | 0.235     | 2.58      | 2.25      | <2        | 35.1      | 0.164     | 0.221     | 0.09      | 0.123     | 7.37      | 9.39      | 31.9      | 1.830     |
| GD 122             |                          | 0.54         | 0.0070    | 0.209     | 2.36      | 2.04      | <2        | 36.7      | 0.160     | 0.1895    | 0.10      | 0.120     | 6.49      | 8.15      | 39.2      | 1.605     |
| GD 123             |                          | 0.56         | 0.0049    | 0.080     | 2.96      | 4.68      | <2        | 19.20     | 0.196     | 0.1990    | 0.14      | 0.091     | 4.89      | 6.67      | 49.5      | 1.240     |
| GD 124             |                          | 0.62         | 0.0034    | 0.115     | 4.24      | 3.86      | 2         | 46.0      | 0.276     | 0.1670    | 0.13      | 0.117     | 4.63      | 10.60     | 44.8      | 1.205     |
| GD 125             |                          | 0.64         | 0.0025    | 0.059     | 2.36      | 3.03      | 2         | 62.2      | 0.422     | 0.1530    | 0.35      | 0.254     | 9.54      | 14.60     | 33.8      | 1.240     |
| GD 126             |                          | 0.62         | 0.0037    | 0.055     | 2.22      | 2.44      | <2        | 24.7      | 0.150     | 0.1045    | 0.15      | 0.058     | 4.90      | 4.76      | 28.0      | 0.839     |
| GD 127             |                          | 0.60         | 0.0045    | 0.037     | 4.23      | 2.44      | <2        | 27.1      | 0.298     | 0.0850    | 0.12      | 0.071     | 5.12      | 8.43      | 42.6      | 1.085     |
| GD 128             |                          | 0.54         | 0.0040    | 0.046     | 4.67      | 3.02      | 2         | 41.0      | 0.321     | 0.0859    | 0.14      | 0.072     | 7.85      | 10.65     | 46.7      | 1.120     |
| GD 129             |                          | 0.68         | 0.0088    | 0.075     | 2.53      | 1.32      | <2        | 87.2      | 0.174     | 0.1070    | 0.17      | 0.101     | 6.60      | 10.45     | 25.8      | 2.15      |
| GD 130             |                          | 0.54         | 0.0027    | 0.092     | 2.26      | 0.82      | <2        | 50.9      | 0.162     | 0.0897    | 0.17      | 0.097     | 6.40      | 8.66      | 25.8      | 1.785     |
| GD 131             |                          | 0.66         | 0.0054    | 0.104     | 2.08      | 8.67      | <2        | 25.7      | 0.116     | 0.1210    | 0.18      | 0.100     | 4.53      | 6.28      | 28.4      | 0.929     |
| GD 132             |                          | 0.60         | 0.0077    | 0.198     | 2.99      | 2.28      | <2        | 41.2      | 0.282     | 0.0746    | 0.17      | 0.158     | 6.27      | 11.85     | 35.5      | 1.200     |
| GD 133             |                          | 0.70         | 0.0031    | 0.489     | 2.15      | 1.61      | <2        | 25.0      | 0.158     | 0.1095    | 0.15      | 0.228     | 5.06      | 5.58      | 28.2      | 1.135     |
| GD 134             |                          | 0.62         | 0.0084    | 0.464     | 3.99      | 3.88      | <2        | 38.1      | 0.181     | 0.1520    | 0.14      | 0.168     | 5.11      | 13.65     | 35.0      | 1.265     |
| GD 135             |                          | 0.58         | 0.0040    | 0.330     | 3.63      | 2.40      | <2        | 31.4      | 0.225     | 0.1165    | 0.14      | 0.108     | 5.29      | 8.24      | 41.9      | 0.876     |
| GD 136             |                          | 0.68         | 0.0077    | 0.105     | 2.45      | 1.62      | <2        | 18.10     | 0.136     | 0.1155    | 0.15      | 0.064     | 4.92      | 5.72      | 36.1      | 1.265     |
| GD 137             |                          | 0.58         | 0.0043    | 0.334     | 1.84      | 1.63      | <2        | 21.6      | 0.140     | 0.1340    | 0.13      | 0.097     | 4.85      | 5.67      | 30.5      | 1.065     |
| GD 138             |                          | 0.64         | 0.0025    | 0.406     | 3.26      | 3.02      | <2        | 24.9      | 0.161     | 0.1110    | 0.14      | 0.092     | 4.39      | 6.40      | 40.5      | 0.993     |
| GD 139             |                          | 0.68         | 0.0053    | 0.069     | 3.83      | 2.45      | <2        | 26.5      | 0.248     | 0.0934    | 0.15      | 0.069     | 5.34      | 7.27      | 41.5      | 1.210     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
|                    |                          | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002 |
| GD 100             |                          | 137.0     | 3.57      | 9.60      | 0.035     | 0.398     | 0.095     | 0.027     | 0.02      | 3.06      | 8.9       | 0.39      | 176.0     | 0.771     | 0.013     | 1.850 |
| GD 101             |                          | 69.3      | 4.05      | 10.95     | 0.031     | 0.276     | 0.122     | 0.044     | 0.02      | 2.11      | 12.5      | 0.28      | 1190      | 1.080     | 0.010     | 1.170 |
| GD 102             |                          | 74.4      | 3.52      | 9.61      | 0.032     | 0.220     | 0.118     | 0.041     | 0.02      | 4.45      | 10.1      | 0.29      | 871       | 0.770     | 0.012     | 1.500 |
| GD 103             |                          | 50.0      | 3.67      | 6.97      | 0.029     | 0.041     | 0.063     | 0.041     | 0.02      | 3.26      | 15.6      | 0.49      | 341       | 0.672     | 0.010     | 0.342 |
| GD 104             |                          | 99.9      | 3.01      | 6.65      | 0.028     | 0.135     | 0.041     | 0.021     | 0.02      | 3.51      | 14.5      | 0.46      | 223       | 0.906     | 0.015     | 0.718 |
| GD 105             |                          | 74.5      | 3.14      | 8.18      | 0.024     | 0.128     | 0.082     | 0.031     | 0.02      | 2.62      | 12.4      | 0.42      | 174.5     | 0.482     | 0.012     | 0.780 |
| GD 106             |                          | 53.6      | 3.62      | 9.94      | 0.025     | 0.169     | 0.061     | 0.033     | 0.02      | 2.25      | 13.5      | 0.34      | 152.5     | 0.862     | 0.010     | 1.190 |
| GD 107             |                          | 41.7      | 2.44      | 5.98      | 0.024     | 0.166     | 0.043     | 0.018     | 0.01      | 1.810     | 7.4       | 0.27      | 105.0     | 0.462     | 0.007     | 0.915 |
| GD 108             |                          | 104.0     | 4.20      | 11.40     | 0.031     | 0.317     | 0.112     | 0.035     | 0.02      | 2.16      | 9.4       | 0.39      | 125.0     | 0.933     | 0.009     | 1.875 |
| GD 109             |                          | 115.0     | 3.23      | 8.62      | 0.031     | 0.299     | 0.060     | 0.024     | 0.02      | 2.48      | 11.8      | 0.54      | 187.0     | 0.726     | 0.008     | 0.968 |
| GD 110             |                          | 77.0      | 3.13      | 8.22      | 0.028     | 0.139     | 0.176     | 0.022     | 0.02      | 2.47      | 11.1      | 0.51      | 248       | 0.568     | 0.008     | 0.739 |
| GD 111             |                          | 37.8      | 3.31      | 9.38      | 0.025     | 0.224     | 0.093     | 0.021     | 0.02      | 1.950     | 11.0      | 0.30      | 148.0     | 0.939     | 0.008     | 1.450 |
| GD 112             |                          | 122.0     | 4.24      | 10.15     | 0.038     | 0.230     | 0.111     | 0.035     | 0.02      | 2.86      | 17.9      | 0.56      | 377       | 1.320     | 0.010     | 1.360 |
| GD 113             |                          | 49.6      | 3.22      | 9.01      | 0.023     | 0.139     | 0.075     | 0.023     | 0.02      | 1.765     | 10.6      | 0.30      | 147.5     | 0.702     | 0.009     | 1.170 |
| GD 114             |                          | 109.5     | 4.34      | 11.75     | 0.034     | 0.133     | 0.023     | 0.034     | 0.02      | 2.75      | 12.6      | 0.48      | 193.5     | 1.230     | 0.012     | 0.749 |
| GD 115             |                          | 63.7      | 3.91      | 11.25     | 0.027     | 0.167     | 0.101     | 0.034     | 0.02      | 2.60      | 9.4       | 0.31      | 203       | 0.846     | 0.012     | 1.455 |
| GD 116             |                          | 56.7      | 3.60      | 9.48      | 0.029     | 0.213     | 0.024     | 0.024     | 0.05      | 3.02      | 5.5       | 0.28      | 261       | 0.453     | 0.022     | 0.791 |
| GD 117             |                          | 74.4      | 3.67      | 12.25     | 0.028     | 0.241     | 0.061     | 0.026     | 0.02      | 2.16      | 10.1      | 0.36      | 190.5     | 0.512     | 0.010     | 1.600 |
| GD 118             |                          | 26.2      | 3.16      | 9.47      | 0.023     | 0.095     | 0.047     | 0.019     | 0.01      | 2.34      | 9.3       | 0.25      | 159.5     | 0.459     | 0.011     | 0.737 |
| GD 119             |                          | 59.6      | 3.31      | 8.89      | 0.027     | 0.139     | 0.086     | 0.023     | 0.02      | 2.18      | 10.4      | 0.42      | 154.5     | 0.455     | 0.009     | 0.746 |
| GD 120             |                          | 77.8      | 3.41      | 10.95     | 0.031     | 0.170     | 0.087     | 0.024     | 0.02      | 3.06      | 13.7      | 0.50      | 170.5     | 0.874     | 0.010     | 0.802 |
| GD 121             |                          | 50.5      | 3.87      | 11.10     | 0.030     | 0.054     | 0.068     | 0.022     | 0.02      | 3.57      | 18.0      | 0.54      | 219       | 1.735     | 0.008     | 0.865 |
| GD 122             |                          | 46.1      | 3.69      | 10.95     | 0.027     | 0.062     | 0.072     | 0.020     | 0.02      | 3.11      | 15.8      | 0.43      | 195.5     | 1.610     | 0.009     | 0.911 |
| GD 123             |                          | 73.1      | 3.93      | 10.40     | 0.028     | 0.136     | 0.152     | 0.040     | 0.02      | 2.31      | 10.8      | 0.35      | 193.0     | 0.787     | 0.010     | 1.540 |
| GD 124             |                          | 75.3      | 3.61      | 9.21      | 0.027     | 0.203     | 0.102     | 0.033     | 0.02      | 2.07      | 13.3      | 0.45      | 254       | 0.697     | 0.009     | 1.525 |
| GD 125             |                          | 39.7      | 2.99      | 6.79      | 0.033     | 0.041     | 0.090     | 0.024     | 0.02      | 4.67      | 11.6      | 0.44      | 1410      | 0.403     | 0.012     | 0.732 |
| GD 126             |                          | 24.9      | 2.86      | 7.20      | 0.026     | 0.111     | 0.071     | 0.018     | 0.02      | 2.31      | 9.1       | 0.25      | 150.0     | 0.462     | 0.009     | 1.175 |
| GD 127             |                          | 69.6      | 3.41      | 9.17      | 0.030     | 0.258     | 0.069     | 0.027     | 0.02      | 2.17      | 9.7       | 0.41      | 184.0     | 0.649     | 0.008     | 1.070 |
| GD 128             |                          | 153.5     | 3.83      | 9.73      | 0.039     | 0.296     | 0.117     | 0.034     | 0.02      | 2.52      | 12.2      | 0.54      | 350       | 0.923     | 0.010     | 1.070 |
| GD 129             |                          | 34.6      | 2.20      | 6.31      | 0.025     | 0.046     | 0.060     | 0.019     | 0.02      | 3.11      | 11.5      | 0.36      | 938       | 0.421     | 0.012     | 0.461 |
| GD 130             |                          | 22.8      | 2.28      | 6.06      | 0.025     | 0.061     | 0.090     | 0.017     | 0.02      | 2.82      | 11.8      | 0.27      | 720       | 0.303     | 0.010     | 0.380 |
| GD 131             |                          | 41.6      | 2.64      | 5.44      | 0.025     | 0.057     | 0.072     | 0.019     | 0.02      | 2.06      | 9.0       | 0.31      | 188.5     | 0.567     | 0.009     | 0.856 |
| GD 132             |                          | 70.8      | 3.37      | 7.17      | 0.034     | 0.120     | 0.074     | 0.034     | 0.02      | 2.63      | 11.4      | 0.43      | 253       | 0.594     | 0.010     | 0.729 |
| GD 133             |                          | 39.3      | 2.76      | 6.32      | 0.024     | 0.086     | 0.089     | 0.018     | 0.02      | 2.39      | 9.1       | 0.26      | 130.0     | 0.591     | 0.011     | 0.884 |
| GD 134             |                          | 86.4      | 3.80      | 9.23      | 0.036     | 0.089     | 0.080     | 0.025     | 0.03      | 2.35      | 14.0      | 0.54      | 313       | 0.798     | 0.011     | 0.886 |
| GD 135             |                          | 50.1      | 3.66      | 9.79      | 0.033     | 0.173     | 0.060     | 0.028     | 0.02      | 2.40      | 12.2      | 0.39      | 148.5     | 0.939     | 0.010     | 1.110 |
| GD 136             |                          | 56.5      | 3.26      | 9.41      | 0.030     | 0.111     | 0.030     | 0.024     | 0.02      | 2.31      | 10.9      | 0.32      | 186.5     | 0.807     | 0.009     | 0.913 |
| GD 137             |                          | 34.1      | 2.75      | 6.84      | 0.028     | 0.095     | 0.073     | 0.021     | 0.02      | 2.19      | 7.9       | 0.26      | 233       | 0.435     | 0.009     | 1.115 |
| GD 138             |                          | 43.6      | 3.19      | 7.69      | 0.030     | 0.135     | 0.121     | 0.028     | 0.02      | 2.02      | 9.1       | 0.33      | 276       | 0.494     | 0.007     | 1.210 |
| GD 139             |                          | 108.5     | 3.48      | 9.67      | 0.034     | 0.187     | 0.060     | 0.024     | 0.02      | 2.25      | 11.4      | 0.43      | 157.5     | 0.741     | 0.010     | 1.100 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| GD 100             |                          | 15.25     | 0.0802    | 5.21      | 0.006     | 0.001     | 3.88      | <0.0002   | 0.072     | 0.394     | 6.82      | 0.851     | 0.60      | 9.41      | <0.005    | 0.054 |
| GD 101             |                          | 13.20     | 0.252     | 8.27      | 0.002     | 0.001     | 3.76      | <0.0002   | 0.021     | 0.681     | 4.44      | 0.498     | 0.82      | 8.80      | <0.005    | 0.101 |
| GD 102             |                          | 14.90     | 0.0663    | 24.3      | 0.002     | 0.001     | 5.21      | <0.0002   | 0.019     | 1.010     | 4.65      | 0.446     | 1.00      | 8.33      | <0.005    | 0.081 |
| GD 103             |                          | 18.90     | 0.0229    | 3.73      | 0.001     | 0.001     | 10.85     | <0.0002   | 0.005     | 0.316     | 4.67      | 0.210     | 0.39      | 7.83      | <0.005    | 0.037 |
| GD 104             |                          | 22.1      | 0.0243    | 5.55      | 0.001     | 0.001     | 5.26      | 0.0002    | 0.002     | 0.389     | 3.11      | 0.182     | 0.45      | 12.65     | <0.005    | 0.028 |
| GD 105             |                          | 17.30     | 0.0279    | 5.40      | 0.002     | 0.001     | 5.74      | <0.0002   | 0.008     | 0.599     | 3.40      | 0.126     | 0.53      | 10.40     | <0.005    | 0.040 |
| GD 106             |                          | 15.30     | 0.0409    | 4.66      | 0.001     | 0.001     | 5.37      | <0.0002   | 0.009     | 0.389     | 2.41      | 0.159     | 0.61      | 9.65      | <0.005    | 0.072 |
| GD 107             |                          | 12.35     | 0.0207    | 4.34      | <0.001    | 0.001     | 3.14      | <0.0002   | 0.004     | 0.449     | 2.03      | 0.123     | 0.37      | 8.66      | <0.005    | 0.051 |
| GD 108             |                          | 14.35     | 0.0359    | 9.26      | 0.004     | 0.002     | 3.22      | <0.0002   | 0.027     | 0.547     | 4.19      | 0.304     | 0.70      | 8.48      | <0.005    | 0.125 |
| GD 109             |                          | 22.1      | 0.0421    | 3.78      | 0.002     | 0.001     | 3.70      | <0.0002   | 0.020     | 0.303     | 5.85      | 0.403     | 0.49      | 9.67      | <0.005    | 0.050 |
| GD 110             |                          | 20.0      | 0.0351    | 3.10      | 0.001     | 0.001     | 4.19      | <0.0002   | 0.009     | 0.201     | 4.62      | 0.384     | 0.49      | 7.83      | <0.005    | 0.028 |
| GD 111             |                          | 13.65     | 0.0370    | 4.52      | <0.001    | 0.001     | 5.51      | <0.0002   | 0.010     | 0.294     | 2.46      | 0.322     | 0.58      | 7.32      | <0.005    | 0.033 |
| GD 112             |                          | 30.0      | 0.0552    | 5.05      | 0.003     | 0.001     | 5.44      | <0.0002   | 0.012     | 0.542     | 4.34      | 0.530     | 0.54      | 11.65     | <0.005    | 0.072 |
| GD 113             |                          | 12.50     | 0.0660    | 5.42      | 0.001     | 0.001     | 3.86      | <0.0002   | 0.012     | 0.345     | 2.22      | 0.220     | 0.58      | 8.17      | <0.005    | 0.043 |
| GD 114             |                          | 16.85     | 0.0385    | 4.33      | 0.002     | 0.001     | 4.61      | <0.0002   | 0.008     | 0.405     | 5.00      | 0.174     | 0.67      | 12.65     | <0.005    | 0.039 |
| GD 115             |                          | 12.70     | 0.0645    | 10.25     | 0.002     | 0.001     | 3.32      | <0.0002   | 0.018     | 0.580     | 4.61      | 0.408     | 0.66      | 8.23      | <0.005    | 0.069 |
| GD 116             |                          | 12.50     | 0.0600    | 5.42      | 0.002     | 0.001     | 5.10      | <0.0002   | 0.003     | 0.248     | 4.95      | 0.043     | 0.67      | 8.52      | <0.005    | 0.014 |
| GD 117             |                          | 15.40     | 0.0633    | 5.42      | 0.003     | 0.002     | 4.34      | <0.0002   | 0.021     | 0.311     | 3.65      | 0.254     | 0.62      | 8.77      | <0.005    | 0.039 |
| GD 118             |                          | 9.91      | 0.0422    | 5.57      | 0.001     | 0.002     | 3.46      | <0.0002   | 0.004     | 0.270     | 2.07      | 0.138     | 0.67      | 8.03      | <0.005    | 0.032 |
| GD 119             |                          | 16.85     | 0.0319    | 4.21      | 0.001     | 0.001     | 5.84      | <0.0002   | 0.007     | 0.264     | 2.84      | 0.235     | 0.51      | 8.13      | <0.005    | 0.025 |
| GD 120             |                          | 20.2      | 0.0458    | 6.05      | <0.001    | 0.001     | 5.33      | <0.0002   | 0.011     | 0.294     | 3.46      | 0.232     | 0.64      | 9.25      | <0.005    | 0.033 |
| GD 121             |                          | 11.00     | 0.0456    | 8.04      | 0.001     | 0.001     | 7.17      | <0.0002   | 0.008     | 0.290     | 2.78      | 0.211     | 0.68      | 9.13      | <0.005    | 0.063 |
| GD 122             |                          | 10.95     | 0.0455    | 6.00      | <0.001    | 0.001     | 5.79      | <0.0002   | 0.007     | 0.266     | 2.71      | 0.194     | 0.62      | 17.35     | <0.005    | 0.052 |
| GD 123             |                          | 13.50     | 0.0677    | 9.36      | 0.003     | 0.002     | 3.60      | <0.0002   | 0.023     | 0.495     | 3.84      | 0.303     | 0.83      | 7.42      | <0.005    | 0.040 |
| GD 124             |                          | 23.3      | 0.0415    | 9.38      | 0.001     | 0.001     | 5.22      | <0.0002   | 0.011     | 0.596     | 2.98      | 0.333     | 0.70      | 9.72      | <0.005    | 0.035 |
| GD 125             |                          | 21.2      | 0.0367    | 11.65     | 0.001     | <0.001    | 7.03      | 0.0002    | 0.006     | 0.393     | 3.18      | 0.212     | 0.58      | 15.45     | <0.005    | 0.031 |
| GD 126             |                          | 10.05     | 0.0396    | 3.89      | 0.001     | 0.001     | 3.89      | 0.0002    | 0.008     | 0.252     | 1.815     | 0.204     | 0.56      | 8.51      | <0.005    | 0.019 |
| GD 127             |                          | 18.35     | 0.0443    | 4.12      | 0.001     | 0.001     | 6.49      | <0.0002   | 0.011     | 0.301     | 3.68      | 0.276     | 0.58      | 6.99      | <0.005    | 0.025 |
| GD 128             |                          | 21.6      | 0.0612    | 4.04      | 0.003     | 0.001     | 5.52      | <0.0002   | 0.014     | 0.295     | 5.14      | 0.683     | 0.56      | 8.52      | <0.005    | 0.034 |
| GD 129             |                          | 15.95     | 0.0319    | 6.15      | 0.001     | 0.001     | 10.05     | <0.0002   | 0.005     | 0.226     | 2.24      | 0.096     | 0.53      | 9.53      | <0.005    | 0.014 |
| GD 130             |                          | 13.40     | 0.0283    | 3.58      | <0.001    | 0.003     | 7.39      | 0.0002    | 0.005     | 0.306     | 2.38      | 0.126     | 0.47      | 8.93      | <0.005    | 0.011 |
| GD 131             |                          | 13.55     | 0.0307    | 8.56      | <0.001    | 0.001     | 3.79      | <0.0002   | 0.005     | 0.691     | 1.915     | 0.228     | 0.53      | 9.08      | <0.005    | 0.038 |
| GD 132             |                          | 19.60     | 0.0473    | 5.74      | 0.002     | 0.001     | 6.19      | <0.0002   | 0.003     | 0.317     | 3.44      | 0.222     | 0.47      | 17.60     | <0.005    | 0.047 |
| GD 133             |                          | 11.30     | 0.0217    | 5.39      | 0.001     | 0.001     | 4.70      | <0.0002   | 0.006     | 0.308     | 1.820     | 0.175     | 0.54      | 8.04      | <0.005    | 0.030 |
| GD 134             |                          | 18.25     | 0.0449    | 3.29      | 0.002     | 0.001     | 6.75      | <0.0002   | 0.014     | 0.274     | 2.86      | 0.375     | 0.46      | 11.75     | <0.005    | 0.130 |
| GD 135             |                          | 17.85     | 0.0336    | 4.45      | 0.001     | 0.001     | 5.24      | <0.0002   | 0.009     | 0.296     | 2.72      | 0.301     | 0.57      | 9.32      | <0.005    | 0.043 |
| GD 136             |                          | 11.60     | 0.0332    | 3.54      | 0.002     | 0.001     | 5.60      | <0.0002   | 0.006     | 0.384     | 2.52      | 0.155     | 0.57      | 7.44      | <0.005    | 0.038 |
| GD 137             |                          | 10.70     | 0.0278    | 8.09      | 0.001     | 0.001     | 4.30      | <0.0002   | 0.007     | 0.382     | 2.03      | 0.109     | 0.58      | 6.49      | <0.005    | 0.036 |
| GD 138             |                          | 13.50     | 0.0483    | 6.73      | 0.001     | 0.001     | 4.99      | <0.0002   | 0.010     | 0.380     | 2.46      | 0.448     | 0.55      | 8.00      | <0.005    | 0.041 |
| GD 139             |                          | 17.35     | 0.0411    | 3.78      | 0.003     | 0.001     | 4.47      | <0.0002   | 0.014     | 0.326     | 3.44      | 0.322     | 0.51      | 9.76      | <0.005    | 0.055 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                                   | Th        | Ti        | Tl        | U         | V         | W         | Y         | Zn        | Zr    |
|                    |                                   | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                                   | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01  |
| GD 100             |                                   | 1.760     | 0.1780    | 0.0434    | 0.451     | 108.5     | 0.090     | 3.81      | 32.9      | 13.95 |
| GD 101             |                                   | 1.535     | 0.1640    | 0.0698    | 0.438     | 113.0     | 0.034     | 1.670     | 53.9      | 10.35 |
| GD 102             |                                   | 1.300     | 0.1680    | 0.0873    | 0.350     | 103.5     | 0.035     | 4.56      | 47.6      | 8.07  |
| GD 103             |                                   | 0.561     | 0.0301    | 0.0919    | 0.1010    | 94.9      | 0.028     | 1.545     | 49.3      | 1.42  |
| GD 104             |                                   | 0.925     | 0.1320    | 0.0396    | 0.246     | 87.3      | 0.036     | 2.92      | 42.4      | 4.20  |
| GD 105             |                                   | 0.733     | 0.1105    | 0.0715    | 0.1855    | 89.0      | 0.012     | 1.740     | 45.1      | 4.08  |
| GD 106             |                                   | 0.715     | 0.1630    | 0.0484    | 0.1815    | 100.5     | 0.034     | 1.235     | 52.2      | 5.70  |
| GD 107             |                                   | 0.831     | 0.1475    | 0.0281    | 0.210     | 71.4      | 0.039     | 1.500     | 21.2      | 5.77  |
| GD 108             |                                   | 1.100     | 0.1950    | 0.0440    | 0.267     | 127.0     | 0.031     | 2.03      | 26.8      | 9.52  |
| GD 109             |                                   | 1.215     | 0.1985    | 0.0363    | 0.364     | 92.3      | 0.062     | 2.60      | 35.7      | 10.35 |
| GD 110             |                                   | 0.829     | 0.1780    | 0.0353    | 0.246     | 91.7      | 0.034     | 2.64      | 41.8      | 5.42  |
| GD 111             |                                   | 0.821     | 0.1815    | 0.0569    | 0.218     | 92.2      | 0.078     | 1.290     | 33.3      | 8.09  |
| GD 112             |                                   | 1.145     | 0.214     | 0.0647    | 0.298     | 115.5     | 0.100     | 2.99      | 58.3      | 8.17  |
| GD 113             |                                   | 0.684     | 0.1755    | 0.0500    | 0.1895    | 95.5      | 0.044     | 1.095     | 37.6      | 5.11  |
| GD 114             |                                   | 0.804     | 0.1560    | 0.0536    | 0.1895    | 136.0     | 0.017     | 2.88      | 36.6      | 4.65  |
| GD 115             |                                   | 1.020     | 0.1565    | 0.0524    | 0.257     | 119.5     | 0.026     | 2.42      | 33.8      | 6.57  |
| GD 116             |                                   | 0.950     | 0.1695    | 0.0699    | 0.260     | 103.5     | 0.017     | 2.78      | 34.2      | 7.47  |
| GD 117             |                                   | 0.831     | 0.1475    | 0.0663    | 0.218     | 106.5     | 0.015     | 1.900     | 35.6      | 7.40  |
| GD 118             |                                   | 0.545     | 0.1540    | 0.0564    | 0.1125    | 102.0     | 0.013     | 1.110     | 27.2      | 3.16  |
| GD 119             |                                   | 0.757     | 0.1655    | 0.0563    | 0.1960    | 97.4      | 0.014     | 1.375     | 33.7      | 5.20  |
| GD 120             |                                   | 0.888     | 0.1955    | 0.0647    | 0.229     | 95.3      | 0.023     | 2.19      | 41.9      | 5.62  |
| GD 121             |                                   | 0.753     | 0.0459    | 0.0664    | 0.1555    | 101.5     | 0.047     | 1.395     | 44.7      | 2.12  |
| GD 122             |                                   | 0.704     | 0.0672    | 0.0619    | 0.1530    | 104.0     | 0.047     | 1.350     | 40.9      | 2.32  |
| GD 123             |                                   | 0.703     | 0.1665    | 0.0550    | 0.1955    | 122.0     | 0.023     | 1.800     | 35.0      | 4.58  |
| GD 124             |                                   | 0.871     | 0.1820    | 0.0552    | 0.240     | 106.0     | 0.052     | 1.295     | 44.6      | 6.99  |
| GD 125             |                                   | 0.546     | 0.1465    | 0.0834    | 0.1470    | 90.0      | 0.031     | 5.68      | 52.7      | 1.62  |
| GD 126             |                                   | 0.684     | 0.1480    | 0.0511    | 0.1410    | 87.5      | 0.019     | 1.105     | 28.5      | 3.65  |
| GD 127             |                                   | 1.260     | 0.1850    | 0.0691    | 0.348     | 98.3      | 0.031     | 1.405     | 38.4      | 8.76  |
| GD 128             |                                   | 1.675     | 0.213     | 0.0653    | 0.458     | 115.5     | 0.068     | 1.915     | 43.9      | 10.60 |
| GD 129             |                                   | 0.764     | 0.1470    | 0.1030    | 0.1620    | 64.8      | 0.017     | 1.830     | 45.5      | 1.82  |
| GD 130             |                                   | 0.695     | 0.1140    | 0.0817    | 0.1485    | 65.8      | 0.007     | 1.490     | 45.9      | 2.13  |
| GD 131             |                                   | 0.555     | 0.1075    | 0.0397    | 0.1235    | 79.4      | 0.039     | 0.979     | 27.6      | 1.94  |
| GD 132             |                                   | 0.919     | 0.1680    | 0.0536    | 0.226     | 97.3      | 0.057     | 2.69      | 70.0      | 4.14  |
| GD 133             |                                   | 0.712     | 0.1470    | 0.0479    | 0.1455    | 80.3      | 0.061     | 1.255     | 65.0      | 2.98  |
| GD 134             |                                   | 0.718     | 0.1360    | 0.0468    | 0.1910    | 94.9      | 0.039     | 1.365     | 55.4      | 3.03  |
| GD 135             |                                   | 0.993     | 0.1820    | 0.0366    | 0.210     | 106.0     | 0.043     | 1.435     | 41.3      | 5.54  |
| GD 136             |                                   | 0.724     | 0.1625    | 0.0538    | 0.1515    | 100.0     | 0.021     | 1.220     | 30.1      | 3.71  |
| GD 137             |                                   | 0.628     | 0.1405    | 0.0491    | 0.1260    | 88.8      | 0.019     | 1.245     | 31.0      | 3.00  |
| GD 138             |                                   | 0.733     | 0.1485    | 0.0623    | 0.1730    | 97.4      | 0.026     | 1.300     | 35.9      | 4.37  |
| GD 139             |                                   | 1.035     | 0.1790    | 0.0506    | 0.252     | 101.5     | 0.027     | 2.00      | 32.5      | 5.99  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | WEI-21          | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%   | As<br>ppm | B<br>ppm  | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%   | Cd<br>ppm | Ce<br>ppm | Co<br>ppm | Cr<br>ppm | Cs<br>ppm |
| GD 140             |                                   | 0.66            | 0.0027    | 0.073     | 2.62      | 2.94      | <2        | 31.3      | 0.266     | 0.1365    | 0.17      | 0.083     | 4.82      | 10.85     | 32.6      | 1.100     |
| GD 141             |                                   | 0.58            | 0.0045    | 0.051     | 4.00      | 4.81      | <2        | 23.2      | 0.282     | 0.1745    | 0.11      | 0.090     | 6.92      | 5.71      | 39.8      | 1.155     |
| GD 142             |                                   | 0.66            | 0.0055    | 0.148     | 3.10      | 3.85      | <2        | 22.0      | 0.211     | 0.1295    | 0.11      | 0.078     | 4.58      | 6.39      | 36.6      | 1.075     |
| GD 143             |                                   | 0.64            | 0.0058    | 0.194     | 3.53      | 3.26      | <2        | 28.4      | 0.182     | 0.1420    | 0.15      | 0.120     | 4.77      | 9.70      | 39.7      | 0.969     |
| GD 144             |                                   | 0.56            | 0.0053    | 0.052     | 4.26      | 3.44      | <2        | 19.95     | 0.194     | 0.1105    | 0.14      | 0.077     | 5.42      | 6.94      | 44.8      | 0.973     |
| GD 145             |                                   | 0.62            | 0.0055    | 0.029     | 4.50      | 4.99      | <2        | 27.9      | 0.252     | 0.1445    | 0.15      | 0.085     | 9.61      | 9.60      | 55.3      | 0.805     |
| GD 146             |                                   | 0.62            | 0.0040    | 0.070     | 5.95      | 3.96      | <2        | 22.8      | 0.270     | 0.1075    | 0.11      | 0.066     | 5.60      | 6.61      | 60.7      | 1.045     |
| GD 147             |                                   | 0.64            | 0.0078    | 0.142     | 3.43      | 3.60      | <2        | 34.5      | 0.214     | 0.1095    | 0.14      | 0.068     | 9.92      | 10.75     | 46.8      | 0.724     |
| GD 148             |                                   | 0.60            | 0.0041    | 0.101     | 2.52      | 1.70      | <2        | 25.3      | 0.173     | 0.1195    | 0.18      | 0.122     | 4.59      | 8.04      | 51.7      | 0.849     |
| GD 149             |                                   | 0.58            | 0.0037    | 0.369     | 0.89      | 1.57      | <2        | 11.15     | 0.047     | 0.1365    | 0.16      | 0.052     | 4.28      | 2.31      | 15.95     | 0.440     |
| GD 150             |                                   | 0.70            | 0.0033    | 0.106     | 3.54      | 1.93      | <2        | 24.4      | 0.176     | 0.1155    | 0.13      | 0.064     | 4.37      | 7.15      | 44.0      | 1.200     |
| GD 151             |                                   | 0.72            | 0.0034    | 0.064     | 1.92      | 1.74      | <2        | 30.0      | 0.249     | 0.0887    | 0.26      | 0.119     | 6.44      | 11.05     | 31.5      | 1.150     |
| GD 152             |                                   | 0.64            | 0.0035    | 0.069     | 4.64      | 3.62      | <2        | 28.4      | 0.430     | 0.1285    | 0.13      | 0.097     | 9.42      | 8.76      | 50.0      | 1.275     |
| GD 153             |                                   | 0.56            | 0.0031    | 0.064     | 3.89      | 2.25      | <2        | 33.8      | 0.239     | 0.1260    | 0.14      | 0.085     | 5.77      | 8.79      | 39.8      | 1.175     |
| GD 154             |                                   | 0.72            | 0.0029    | 0.060     | 4.35      | 2.80      | <2        | 34.0      | 0.444     | 0.1355    | 0.15      | 0.086     | 6.43      | 9.51      | 48.4      | 1.445     |
| GD 155             |                                   | 0.66            | 0.0423    | 0.057     | 4.06      | 2.03      | <2        | 35.7      | 0.281     | 0.0790    | 0.16      | 0.062     | 6.64      | 8.98      | 43.7      | 1.090     |
| GD 156             |                                   | 0.60            | 0.0028    | 0.045     | 3.07      | 3.27      | <2        | 25.5      | 0.187     | 0.1110    | 0.16      | 0.088     | 4.44      | 8.09      | 43.7      | 0.914     |
| GD 157             |                                   | 0.56            | 0.0023    | 0.053     | 0.98      | 2.02      | <2        | 13.60     | 0.071     | 0.0883    | 0.08      | 0.061     | 2.70      | 3.00      | 20.7      | 0.565     |
| GD 158             |                                   | 0.54            | 0.0310    | 0.090     | 2.61      | 1.81      | <2        | 20.0      | 0.189     | 0.1190    | 0.09      | 0.071     | 3.56      | 5.05      | 32.9      | 0.846     |
| GD 159             |                                   | 0.60            | 0.0065    | 0.088     | 4.63      | 3.10      | <2        | 27.2      | 0.293     | 0.0739    | 0.10      | 0.098     | 4.33      | 9.96      | 57.8      | 1.000     |
| GD 160             |                                   | 0.64            | 0.0025    | 0.080     | 2.12      | 3.87      | <2        | 16.00     | 0.090     | 0.1065    | 0.11      | 0.096     | 3.25      | 4.57      | 34.8      | 0.748     |
| GD 161             |                                   | 0.50            | 0.0040    | 0.141     | 2.52      | 2.74      | <2        | 26.2      | 0.180     | 0.1050    | 0.11      | 0.096     | 4.14      | 6.04      | 36.5      | 0.826     |
| GD 162             |                                   | 0.64            | 0.0043    | 0.111     | 1.69      | 5.60      | <2        | 28.5      | 0.237     | 0.0608    | 0.20      | 0.105     | 8.93      | 11.30     | 33.2      | 0.944     |
| GD 163             |                                   | 0.62            | 0.0039    | 0.061     | 5.38      | 12.10     | <2        | 31.9      | 0.307     | 0.1145    | 0.11      | 0.066     | 4.23      | 9.74      | 60.4      | 1.135     |
| GD 164             |                                   | 0.66            | 0.0012    | 0.104     | 1.39      | 1.89      | <2        | 11.95     | 0.087     | 0.0530    | 0.04      | 0.032     | 1.510     | 2.51      | 14.45     | 0.403     |
| GD 165             |                                   | 0.60            | 0.0035    | 0.134     | 3.95      | 4.92      | <2        | 22.0      | 0.225     | 0.1370    | 0.11      | 0.092     | 4.38      | 7.24      | 43.8      | 1.095     |
| GD 166             |                                   | 0.68            | 0.0273    | 0.283     | 2.63      | 2.53      | <2        | 26.8      | 0.189     | 0.1390    | 0.12      | 0.079     | 5.32      | 6.94      | 31.8      | 1.490     |
| GD 167             |                                   | 0.64            | 0.0037    | 0.112     | 2.70      | 3.41      | <2        | 25.8      | 0.203     | 0.1120    | 0.12      | 0.089     | 4.52      | 6.60      | 37.6      | 0.882     |
| GD 168             |                                   | 0.74            | 0.0034    | 0.104     | 2.57      | 3.18      | <2        | 33.8      | 0.195     | 0.0980    | 0.19      | 0.089     | 4.54      | 8.13      | 35.1      | 0.823     |
| GD 169             |                                   | 0.54            | 0.0026    | 0.067     | 0.69      | 1.78      | <2        | 7.56      | 0.062     | 0.0980    | 0.07      | 0.056     | 1.710     | 1.655     | 12.25     | 0.412     |
| GD 170             |                                   | 0.54            | 0.0098    | 0.124     | 1.38      | 5.53      | <2        | 20.4      | 0.120     | 0.300     | 0.16      | 0.099     | 4.22      | 4.22      | 24.8      | 0.708     |
| GD 171             |                                   | 0.52            | 0.0106    | 0.044     | 3.87      | 3.77      | 2         | 26.7      | 0.256     | 0.1060    | 0.12      | 0.072     | 10.05     | 8.72      | 51.4      | 0.894     |
| GD 172             |                                   | 0.58            | 0.0024    | 0.241     | 3.09      | 2.12      | <2        | 22.6      | 0.173     | 0.1295    | 0.13      | 0.059     | 4.65      | 5.28      | 47.1      | 0.948     |
| GD 173             |                                   | 0.48            | 0.0039    | 0.110     | 2.88      | 4.40      | <2        | 29.6      | 0.210     | 0.228     | 0.17      | 0.079     | 5.42      | 7.17      | 35.0      | 0.710     |
| GD 174             |                                   | 0.54            | 0.0032    | 0.036     | 4.42      | 7.58      | <2        | 34.4      | 0.228     | 0.1520    | 0.10      | 0.072     | 3.81      | 6.03      | 44.9      | 0.963     |
| GD 175             |                                   | 0.74            | 0.0031    | 0.449     | 2.32      | 3.25      | <2        | 21.6      | 0.136     | 0.1245    | 0.14      | 0.083     | 4.79      | 6.85      | 35.2      | 1.075     |
| GD 176             |                                   | 0.66            | 0.0043    | 0.106     | 5.37      | 3.34      | <2        | 42.1      | 0.320     | 0.1070    | 0.12      | 0.087     | 5.53      | 8.88      | 52.1      | 1.090     |
| GD 177             |                                   | 0.66            | 0.0024    | 0.134     | 5.19      | 4.90      | <2        | 45.1      | 0.301     | 0.1100    | 0.14      | 0.078     | 5.00      | 10.15     | 52.9      | 0.969     |
| GD 178             |                                   | 0.78            | 0.0054    | 0.056     | 3.64      | 5.05      | <2        | 52.6      | 0.470     | 0.0645    | 0.14      | 0.095     | 24.8      | 14.70     | 41.7      | 0.866     |
| GD 179             |                                   | 0.64            | 0.0038    | 0.153     | 4.71      | 14.00     | <2        | 31.7      | 0.236     | 0.1120    | 0.12      | 0.076     | 3.98      | 7.63      | 51.5      | 1.175     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                                   | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                                   | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
|                    |                                   | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002 |
| GD 140             |                                   | 51.6      | 3.16      | 7.65      | 0.027     | 0.075     | 0.055     | 0.022     | 0.02      | 2.15      | 11.1      | 0.31      | 343       | 0.540     | 0.010     | 1.005 |
| GD 141             |                                   | 84.1      | 3.84      | 10.45     | 0.037     | 0.266     | 0.147     | 0.034     | 0.02      | 2.64      | 12.6      | 0.28      | 115.5     | 1.120     | 0.009     | 1.685 |
| GD 142             |                                   | 56.2      | 3.61      | 8.58      | 0.030     | 0.161     | 0.073     | 0.028     | 0.02      | 2.02      | 10.4      | 0.32      | 132.5     | 0.885     | 0.008     | 1.425 |
| GD 143             |                                   | 51.7      | 3.13      | 7.56      | 0.031     | 0.110     | 0.072     | 0.032     | 0.03      | 2.11      | 11.1      | 0.40      | 637       | 0.621     | 0.009     | 0.682 |
| GD 144             |                                   | 86.6      | 3.74      | 11.00     | 0.033     | 0.281     | 0.123     | 0.030     | 0.02      | 2.32      | 10.8      | 0.45      | 163.5     | 0.834     | 0.010     | 1.170 |
| GD 145             |                                   | 118.5     | 4.41      | 12.25     | 0.045     | 0.363     | 0.082     | 0.037     | 0.02      | 3.37      | 12.3      | 0.67      | 219       | 0.851     | 0.012     | 1.405 |
| GD 146             |                                   | 114.5     | 4.49      | 13.25     | 0.042     | 0.511     | 0.100     | 0.044     | 0.02      | 2.23      | 12.4      | 0.44      | 150.5     | 1.060     | 0.009     | 1.705 |
| GD 147             |                                   | 98.4      | 3.79      | 11.05     | 0.042     | 0.192     | 0.079     | 0.027     | 0.03      | 2.89      | 11.5      | 0.66      | 243       | 0.737     | 0.010     | 1.205 |
| GD 148             |                                   | 84.2      | 3.38      | 9.89      | 0.029     | 0.095     | 0.035     | 0.019     | 0.02      | 2.17      | 10.2      | 0.38      | 136.0     | 0.550     | 0.012     | 1.110 |
| GD 149             |                                   | 9.67      | 1.700     | 5.18      | 0.018     | 0.041     | 0.071     | 0.011     | 0.01      | 2.03      | 3.8       | 0.15      | 73.3      | 0.350     | 0.008     | 0.788 |
| GD 150             |                                   | 61.0      | 3.68      | 10.15     | 0.032     | 0.153     | 0.038     | 0.026     | 0.02      | 2.02      | 10.7      | 0.37      | 155.0     | 0.827     | 0.008     | 1.090 |
| GD 151             |                                   | 44.0      | 2.79      | 5.88      | 0.032     | 0.073     | 0.046     | 0.019     | 0.02      | 3.32      | 9.3       | 0.47      | 666       | 0.597     | 0.011     | 0.875 |
| GD 152             |                                   | 95.9      | 3.78      | 8.86      | 0.040     | 0.288     | 0.122     | 0.037     | 0.02      | 3.58      | 13.0      | 0.36      | 285       | 0.921     | 0.010     | 1.940 |
| GD 153             |                                   | 62.5      | 3.14      | 9.20      | 0.030     | 0.152     | 0.088     | 0.024     | 0.02      | 2.53      | 10.9      | 0.41      | 471       | 0.668     | 0.010     | 1.130 |
| GD 154             |                                   | 53.9      | 4.11      | 10.45     | 0.038     | 0.216     | 0.161     | 0.033     | 0.02      | 2.85      | 11.2      | 0.32      | 438       | 0.956     | 0.010     | 1.425 |
| GD 155             |                                   | 96.8      | 3.67      | 9.68      | 0.036     | 0.301     | 0.138     | 0.029     | 0.02      | 2.75      | 11.8      | 0.47      | 218       | 0.760     | 0.011     | 0.945 |
| GD 156             |                                   | 57.8      | 3.43      | 9.05      | 0.031     | 0.195     | 0.050     | 0.028     | 0.02      | 1.825     | 9.1       | 0.43      | 229       | 0.607     | 0.010     | 1.125 |
| GD 157             |                                   | 12.30     | 2.25      | 6.57      | 0.014     | 0.045     | 0.068     | 0.013     | 0.01      | 1.310     | 4.3       | 0.12      | 178.5     | 0.333     | 0.004     | 0.860 |
| GD 158             |                                   | 36.4      | 3.08      | 7.53      | 0.017     | 0.145     | 0.047     | 0.024     | 0.01      | 1.715     | 7.4       | 0.29      | 104.0     | 0.781     | 0.002     | 1.095 |
| GD 159             |                                   | 83.8      | 3.69      | 10.90     | 0.024     | 0.374     | 0.063     | 0.026     | 0.02      | 1.700     | 9.7       | 0.60      | 180.5     | 0.804     | 0.007     | 1.385 |
| GD 160             |                                   | 24.4      | 2.74      | 7.96      | 0.017     | 0.096     | 0.062     | 0.019     | 0.01      | 1.605     | 7.7       | 0.26      | 192.5     | 0.536     | 0.007     | 0.838 |
| GD 161             |                                   | 52.2      | 2.81      | 7.30      | 0.017     | 0.127     | 0.067     | 0.023     | 0.01      | 2.16      | 7.7       | 0.32      | 103.5     | 0.904     | 0.006     | 1.000 |
| GD 162             |                                   | 60.5      | 2.15      | 5.47      | 0.021     | 0.030     | 0.048     | 0.015     | 0.01      | 3.71      | 7.3       | 0.47      | 672       | 0.856     | 0.004     | 0.522 |
| GD 163             |                                   | 94.2      | 4.10      | 12.50     | 0.025     | 0.297     | 0.049     | 0.036     | 0.02      | 1.805     | 12.2      | 0.53      | 174.5     | 0.676     | 0.007     | 0.858 |
| GD 164             |                                   | 14.80     | 1.270     | 3.43      | 0.009     | 0.086     | 0.051     | 0.009     | 0.01      | 0.737     | 3.7       | 0.10      | 60.0      | 0.239     | <0.001    | 0.420 |
| GD 165             |                                   | 73.4      | 3.33      | 9.89      | 0.023     | 0.240     | 0.126     | 0.031     | 0.02      | 1.915     | 9.1       | 0.40      | 232       | 0.705     | 0.008     | 1.195 |
| GD 166             |                                   | 38.8      | 3.14      | 10.25     | 0.023     | 0.102     | 0.071     | 0.019     | 0.02      | 2.54      | 11.2      | 0.42      | 171.5     | 0.818     | 0.008     | 0.773 |
| GD 167             |                                   | 48.5      | 3.42      | 9.81      | 0.022     | 0.155     | 0.076     | 0.022     | 0.02      | 2.13      | 9.5       | 0.34      | 129.0     | 0.728     | 0.008     | 1.410 |
| GD 168             |                                   | 47.5      | 3.09      | 7.99      | 0.019     | 0.112     | 0.059     | 0.019     | 0.02      | 2.14      | 9.2       | 0.44      | 190.0     | 0.476     | 0.009     | 1.100 |
| GD 169             |                                   | 17.00     | 1.220     | 3.73      | 0.008     | 0.059     | 0.035     | 0.012     | 0.01      | 0.805     | 2.9       | 0.09      | 60.6      | 0.217     | <0.001    | 0.440 |
| GD 170             |                                   | 24.5      | 2.71      | 7.64      | 0.018     | 0.076     | 0.065     | 0.027     | 0.02      | 2.05      | 5.9       | 0.20      | 156.0     | 0.597     | 0.012     | 1.065 |
| GD 171             |                                   | 92.9      | 4.18      | 12.70     | 0.032     | 0.283     | 0.050     | 0.026     | 0.03      | 3.14      | 10.1      | 0.55      | 202       | 0.847     | 0.009     | 1.485 |
| GD 172             |                                   | 46.2      | 4.05      | 13.50     | 0.024     | 0.206     | 0.104     | 0.030     | 0.02      | 2.20      | 12.0      | 0.31      | 140.5     | 0.880     | 0.009     | 1.110 |
| GD 173             |                                   | 49.8      | 3.06      | 8.33      | 0.023     | 0.164     | 0.153     | 0.034     | 0.02      | 2.27      | 7.7       | 0.35      | 257       | 0.675     | 0.010     | 1.770 |
| GD 174             |                                   | 50.0      | 3.75      | 12.85     | 0.025     | 0.324     | 0.062     | 0.029     | 0.02      | 1.840     | 9.8       | 0.32      | 131.0     | 1.010     | 0.007     | 1.625 |
| GD 175             |                                   | 36.6      | 2.82      | 8.08      | 0.022     | 0.085     | 0.202     | 0.022     | 0.02      | 2.27      | 9.5       | 0.33      | 229       | 0.484     | 0.010     | 0.889 |
| GD 176             |                                   | 74.6      | 3.73      | 11.65     | 0.027     | 0.398     | 0.094     | 0.026     | 0.02      | 2.47      | 11.1      | 0.42      | 172.0     | 0.751     | 0.009     | 0.999 |
| GD 177             |                                   | 67.4      | 3.97      | 12.00     | 0.029     | 0.279     | 0.076     | 0.036     | 0.02      | 2.30      | 13.2      | 0.51      | 234       | 0.712     | 0.010     | 1.015 |
| GD 178             |                                   | 119.0     | 3.23      | 8.75      | 0.048     | 0.312     | 0.078     | 0.023     | 0.03      | 6.97      | 11.3      | 0.64      | 219       | 1.200     | 0.010     | 0.823 |
| GD 179             |                                   | 50.9      | 3.58      | 12.15     | 0.027     | 0.171     | 0.164     | 0.028     | 0.02      | 1.940     | 12.6      | 0.41      | 163.5     | 0.928     | 0.008     | 1.210 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| GD 140             |                          | 14.45     | 0.0438    | 5.72      | 0.001     | 0.001     | 4.82      | <0.0002   | 0.008     | 0.354     | 2.09      | 0.204     | 0.54      | 8.63      | <0.005    | 0.053 |
| GD 141             |                          | 12.95     | 0.0684    | 7.02      | 0.004     | 0.001     | 4.42      | <0.0002   | 0.030     | 0.353     | 5.00      | 0.784     | 0.69      | 6.78      | <0.005    | 0.048 |
| GD 142             |                          | 13.65     | 0.0624    | 6.16      | 0.001     | 0.001     | 3.88      | <0.0002   | 0.009     | 0.345     | 2.93      | 0.380     | 0.63      | 7.25      | <0.005    | 0.042 |
| GD 143             |                          | 17.55     | 0.0446    | 10.80     | 0.001     | 0.001     | 5.27      | <0.0002   | 0.008     | 0.479     | 2.52      | 0.263     | 0.67      | 9.21      | <0.005    | 0.046 |
| GD 144             |                          | 15.55     | 0.0648    | 4.88      | 0.002     | 0.001     | 4.14      | <0.0002   | 0.019     | 0.335     | 4.50      | 0.408     | 0.64      | 7.94      | <0.005    | 0.047 |
| GD 145             |                          | 22.3      | 0.0656    | 9.02      | 0.004     | 0.002     | 3.98      | <0.0002   | 0.032     | 0.445     | 7.65      | 0.690     | 0.66      | 10.05     | <0.005    | 0.070 |
| GD 146             |                          | 15.70     | 0.0754    | 4.20      | 0.004     | 0.001     | 3.98      | 0.0002    | 0.031     | 0.292     | 7.22      | 0.684     | 0.58      | 7.47      | <0.005    | 0.057 |
| GD 147             |                          | 22.0      | 0.0590    | 4.67      | 0.004     | 0.001     | 4.07      | <0.0002   | 0.012     | 0.309     | 5.61      | 0.477     | 0.56      | 10.80     | <0.005    | 0.058 |
| GD 148             |                          | 17.50     | 0.0277    | 5.43      | 0.002     | 0.002     | 3.97      | <0.0002   | 0.009     | 0.238     | 2.25      | 0.214     | 0.51      | 13.25     | <0.005    | 0.034 |
| GD 149             |                          | 4.82      | 0.0160    | 7.98      | <0.001    | 0.001     | 1.945     | <0.0002   | 0.004     | 0.359     | 1.245     | 0.109     | 0.52      | 10.80     | <0.005    | 0.045 |
| GD 150             |                          | 14.45     | 0.0404    | 4.26      | 0.001     | 0.001     | 5.52      | <0.0002   | 0.008     | 0.263     | 2.53      | 0.199     | 0.58      | 7.48      | <0.005    | 0.029 |
| GD 151             |                          | 16.50     | 0.0248    | 6.87      | <0.001    | 0.001     | 6.45      | <0.0002   | 0.004     | 0.280     | 2.58      | 0.145     | 0.42      | 10.40     | <0.005    | 0.021 |
| GD 152             |                          | 17.05     | 0.0870    | 7.37      | 0.004     | 0.001     | 5.19      | <0.0002   | 0.027     | 0.401     | 7.10      | 0.539     | 0.62      | 7.42      | <0.005    | 0.034 |
| GD 153             |                          | 17.35     | 0.0472    | 8.27      | 0.001     | 0.001     | 5.59      | <0.0002   | 0.011     | 0.356     | 2.84      | 0.280     | 0.63      | 9.29      | <0.005    | 0.025 |
| GD 154             |                          | 17.05     | 0.1030    | 5.82      | 0.002     | 0.001     | 6.43      | <0.0002   | 0.020     | 0.325     | 4.18      | 0.362     | 0.64      | 8.30      | <0.005    | 0.035 |
| GD 155             |                          | 21.1      | 0.0352    | 3.68      | 0.002     | 0.001     | 6.18      | <0.0002   | 0.010     | 0.243     | 4.87      | 0.491     | 0.56      | 11.25     | <0.005    | 0.019 |
| GD 156             |                          | 17.60     | 0.0481    | 5.87      | 0.001     | 0.001     | 4.51      | <0.0002   | 0.009     | 0.359     | 2.94      | 0.298     | 0.59      | 8.54      | <0.005    | 0.026 |
| GD 157             |                          | 5.28      | 0.0182    | 4.51      | 0.001     | 0.001     | 2.35      | <0.0002   | 0.003     | 0.248     | 1.105     | 0.166     | 0.49      | 4.80      | <0.005    | 0.020 |
| GD 158             |                          | 9.10      | 0.0308    | 3.68      | 0.001     | 0.001     | 3.49      | <0.0002   | 0.006     | 0.269     | 2.21      | 0.312     | 0.49      | 7.39      | <0.005    | 0.020 |
| GD 159             |                          | 22.3      | 0.0488    | 3.68      | 0.004     | 0.001     | 4.98      | <0.0002   | 0.011     | 0.286     | 5.00      | 0.337     | 0.57      | 7.62      | <0.005    | 0.029 |
| GD 160             |                          | 10.50     | 0.0268    | 5.22      | 0.001     | 0.001     | 3.28      | <0.0002   | 0.006     | 0.333     | 1.715     | 0.184     | 0.60      | 6.47      | <0.005    | 0.024 |
| GD 161             |                          | 13.45     | 0.0258    | 5.69      | 0.002     | 0.001     | 3.11      | <0.0002   | 0.005     | 0.262     | 2.55      | 0.276     | 0.56      | 7.92      | <0.005    | 0.022 |
| GD 162             |                          | 18.50     | 0.0238    | 3.20      | 0.001     | <0.001    | 3.82      | 0.0003    | 0.008     | 0.193     | 4.12      | 0.358     | 0.33      | 12.15     | <0.005    | 0.055 |
| GD 163             |                          | 22.6      | 0.0631    | 3.81      | 0.001     | 0.001     | 5.13      | <0.0002   | 0.019     | 0.303     | 4.48      | 0.311     | 0.60      | 8.72      | <0.005    | 0.172 |
| GD 164             |                          | 5.49      | 0.0220    | 2.16      | 0.001     | <0.001    | 1.535     | <0.0002   | <0.002    | 0.123     | 1.050     | 0.149     | 0.25      | 2.65      | <0.005    | 0.025 |
| GD 165             |                          | 16.25     | 0.0476    | 8.70      | 0.002     | 0.001     | 4.33      | <0.0002   | 0.013     | 0.485     | 3.81      | 0.339     | 0.70      | 7.92      | <0.005    | 0.054 |
| GD 166             |                          | 16.15     | 0.0359    | 5.39      | 0.002     | 0.001     | 4.72      | <0.0002   | 0.010     | 0.302     | 2.84      | 0.254     | 0.65      | 10.75     | <0.005    | 0.043 |
| GD 167             |                          | 14.30     | 0.0360    | 5.55      | 0.002     | 0.001     | 4.42      | <0.0002   | 0.012     | 0.492     | 2.91      | 0.332     | 0.62      | 7.61      | <0.005    | 0.055 |
| GD 168             |                          | 16.95     | 0.0423    | 6.26      | 0.002     | 0.001     | 4.19      | <0.0002   | 0.007     | 0.296     | 3.13      | 0.250     | 0.55      | 10.75     | <0.005    | 0.053 |
| GD 169             |                          | 3.73      | 0.0260    | 4.45      | 0.001     | 0.001     | 1.250     | <0.0002   | <0.002    | 0.254     | 1.135     | 0.113     | 0.37      | 2.61      | <0.005    | 0.024 |
| GD 170             |                          | 8.10      | 0.0275    | 19.50     | 0.001     | 0.001     | 3.33      | 0.0002    | 0.009     | 0.828     | 1.980     | 0.202     | 0.99      | 6.46      | <0.005    | 0.044 |
| GD 171             |                          | 19.00     | 0.0630    | 4.28      | 0.004     | 0.001     | 5.07      | <0.0002   | 0.027     | 0.265     | 8.74      | 0.394     | 0.64      | 8.90      | <0.005    | 0.037 |
| GD 172             |                          | 11.70     | 0.0441    | 5.46      | 0.002     | 0.002     | 3.50      | <0.0002   | 0.014     | 0.426     | 3.31      | 0.388     | 0.86      | 7.99      | <0.005    | 0.031 |
| GD 173             |                          | 14.30     | 0.0383    | 18.65     | 0.002     | 0.001     | 3.74      | <0.0002   | 0.019     | 0.712     | 3.30      | 0.368     | 0.93      | 9.58      | <0.005    | 0.085 |
| GD 174             |                          | 15.05     | 0.0449    | 6.33      | 0.002     | 0.001     | 4.51      | <0.0002   | 0.015     | 0.410     | 2.74      | 0.298     | 0.78      | 6.67      | <0.005    | 0.059 |
| GD 175             |                          | 11.75     | 0.0516    | 6.13      | 0.001     | 0.001     | 4.28      | <0.0002   | 0.009     | 0.396     | 2.53      | 0.208     | 0.59      | 7.87      | <0.005    | 0.111 |
| GD 176             |                          | 21.1      | 0.0423    | 4.84      | 0.002     | 0.001     | 4.71      | <0.0002   | 0.016     | 0.269     | 4.82      | 0.309     | 0.64      | 8.61      | <0.005    | 0.037 |
| GD 177             |                          | 22.7      | 0.0498    | 4.81      | 0.002     | 0.001     | 4.95      | <0.0002   | 0.013     | 0.309     | 3.94      | 0.277     | 0.66      | 8.77      | <0.005    | 0.078 |
| GD 178             |                          | 27.4      | 0.0321    | 3.59      | 0.003     | 0.001     | 4.82      | <0.0002   | 0.012     | 0.254     | 11.30     | 0.436     | 0.49      | 11.45     | <0.005    | 0.058 |
| GD 179             |                          | 17.85     | 0.0659    | 5.54      | 0.001     | 0.001     | 5.17      | <0.0002   | 0.013     | 0.328     | 2.78      | 0.315     | 0.69      | 7.81      | <0.005    | 0.127 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method<br>Analyte<br>Units<br>LOD | AuME-ST43           | AuME-ST43         | AuME-ST43           | AuME-ST43          | AuME-ST43        | AuME-ST43         | AuME-ST43         | AuME-ST43        |                   |
|--------------------|-----------------------------------|---------------------|-------------------|---------------------|--------------------|------------------|-------------------|-------------------|------------------|-------------------|
|                    |                                   | Th<br>ppm<br>0.0005 | Ti<br>%<br>0.0001 | Tl<br>ppm<br>0.0005 | U<br>ppm<br>0.0005 | V<br>ppm<br>0.05 | W<br>ppm<br>0.001 | Y<br>ppm<br>0.001 | Zn<br>ppm<br>0.1 | Zr<br>ppm<br>0.01 |
| GD 140             |                                   | 0.733               | 0.1670            | 0.0689              | 0.1510             | 92.8             | 0.051             | 1.360             | 44.9             | 2.76              |
| GD 141             |                                   | 1.450               | 0.1590            | 0.0616              | 0.405              | 109.0            | 0.046             | 2.82              | 26.9             | 8.93              |
| GD 142             |                                   | 0.926               | 0.1875            | 0.0382              | 0.240              | 109.0            | 0.074             | 1.440             | 34.8             | 5.74              |
| GD 143             |                                   | 0.744               | 0.1790            | 0.0656              | 0.1950             | 94.2             | 0.022             | 1.250             | 40.6             | 3.72              |
| GD 144             |                                   | 1.275               | 0.1940            | 0.0434              | 0.345              | 114.5            | 0.022             | 1.960             | 29.2             | 9.31              |
| GD 145             |                                   | 1.620               | 0.209             | 0.0382              | 0.410              | 128.5            | 0.036             | 3.78              | 38.8             | 11.15             |
| GD 146             |                                   | 2.06                | 0.200             | 0.0461              | 0.553              | 124.5            | 0.035             | 2.04              | 34.6             | 15.45             |
| GD 147             |                                   | 1.300               | 0.213             | 0.0356              | 0.312              | 110.5            | 0.046             | 2.65              | 39.3             | 6.46              |
| GD 148             |                                   | 0.679               | 0.1680            | 0.0480              | 0.1325             | 110.5            | 0.027             | 1.330             | 57.8             | 2.98              |
| GD 149             |                                   | 0.428               | 0.1395            | 0.0309              | 0.0779             | 69.3             | 0.010             | 0.952             | 12.9             | 1.26              |
| GD 150             |                                   | 0.886               | 0.1940            | 0.0532              | 0.204              | 105.0            | 0.037             | 1.105             | 32.3             | 4.95              |
| GD 151             |                                   | 0.494               | 0.1435            | 0.0556              | 0.1275             | 83.6             | 0.031             | 3.07              | 40.7             | 2.41              |
| GD 152             |                                   | 1.265               | 0.1620            | 0.0570              | 0.408              | 107.0            | 0.048             | 4.68              | 38.6             | 9.78              |
| GD 153             |                                   | 0.964               | 0.1770            | 0.0622              | 0.279              | 95.1             | 0.023             | 1.680             | 36.3             | 5.48              |
| GD 154             |                                   | 1.265               | 0.1760            | 0.0856              | 0.317              | 114.0            | 0.021             | 2.47              | 48.5             | 7.91              |
| GD 155             |                                   | 1.315               | 0.211             | 0.0620              | 0.349              | 109.0            | 0.029             | 2.40              | 33.2             | 10.50             |
| GD 156             |                                   | 0.831               | 0.239             | 0.0446              | 0.1995             | 110.5            | 0.028             | 1.430             | 39.4             | 7.02              |
| GD 157             |                                   | 0.332               | 0.1455            | 0.0289              | 0.0720             | 84.4             | 0.026             | 0.594             | 18.1             | 1.62              |
| GD 158             |                                   | 0.657               | 0.1405            | 0.0430              | 0.1705             | 90.8             | 0.024             | 1.235             | 27.2             | 4.74              |
| GD 159             |                                   | 0.919               | 0.273             | 0.0355              | 0.345              | 115.5            | 0.072             | 1.990             | 44.3             | 11.20             |
| GD 160             |                                   | 0.427               | 0.1680            | 0.0389              | 0.1075             | 94.2             | 0.011             | 0.805             | 20.1             | 3.36              |
| GD 161             |                                   | 0.632               | 0.1410            | 0.0432              | 0.1755             | 84.6             | 0.021             | 1.180             | 30.1             | 4.25              |
| GD 162             |                                   | 0.504               | 0.1165            | 0.0469              | 0.1700             | 66.1             | 0.031             | 4.86              | 38.3             | 1.34              |
| GD 163             |                                   | 1.135               | 0.211             | 0.0592              | 0.317              | 123.0            | 0.043             | 1.400             | 45.2             | 9.80              |
| GD 164             |                                   | 0.301               | 0.0722            | 0.0167              | 0.1005             | 38.2             | 0.012             | 0.487             | 15.6             | 2.78              |
| GD 165             |                                   | 0.954               | 0.1860            | 0.0446              | 0.298              | 106.0            | 0.032             | 1.390             | 38.0             | 7.70              |
| GD 166             |                                   | 0.732               | 0.1270            | 0.0505              | 0.203              | 90.0             | 0.026             | 1.520             | 36.7             | 3.63              |
| GD 167             |                                   | 0.733               | 0.1790            | 0.0435              | 0.1855             | 109.0            | 0.041             | 1.475             | 43.1             | 5.36              |
| GD 168             |                                   | 0.685               | 0.1685            | 0.0592              | 0.1795             | 94.9             | 0.037             | 1.460             | 44.1             | 3.99              |
| GD 169             |                                   | 0.246               | 0.0908            | 0.0218              | 0.0618             | 41.2             | 0.006             | 0.646             | 13.0             | 2.06              |
| GD 170             |                                   | 0.515               | 0.1625            | 0.0595              | 0.1125             | 92.9             | 0.012             | 1.240             | 29.6             | 2.74              |
| GD 171             |                                   | 1.280               | 0.224             | 0.0466              | 0.382              | 132.0            | 0.035             | 3.63              | 35.1             | 9.44              |
| GD 172             |                                   | 0.670               | 0.1745            | 0.0419              | 0.1960             | 115.5            | 0.010             | 1.520             | 31.1             | 6.91              |
| GD 173             |                                   | 0.710               | 0.1605            | 0.0475              | 0.212              | 100.0            | 0.028             | 2.13              | 31.0             | 5.92              |
| GD 174             |                                   | 1.175               | 0.204             | 0.0472              | 0.360              | 118.5            | 0.066             | 0.929             | 29.4             | 10.85             |
| GD 175             |                                   | 0.565               | 0.1290            | 0.0582              | 0.1390             | 88.5             | 0.024             | 1.080             | 35.8             | 2.83              |
| GD 176             |                                   | 1.350               | 0.205             | 0.0491              | 0.390              | 115.5            | 0.047             | 1.710             | 39.6             | 13.10             |
| GD 177             |                                   | 1.115               | 0.212             | 0.0492              | 0.312              | 116.5            | 0.037             | 1.585             | 43.4             | 8.74              |
| GD 178             |                                   | 1.585               | 0.210             | 0.0405              | 0.451              | 104.5            | 0.065             | 8.92              | 38.9             | 10.60             |
| GD 179             |                                   | 0.665               | 0.210             | 0.0552              | 0.214              | 106.0            | 0.032             | 1.035             | 41.9             | 5.52              |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - A  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | WEI-21       | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|--------------------|--------------------------|--------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                    |                          | Recvd Wt. kg | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    |
|                    |                          | 0.02         | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     |
| GD 180             |                          | 0.60         | 0.0026    | 0.060     | 3.39      | 6.12      | <2        | 34.8      | 0.195     | 0.1230    | 0.17      | 0.068     | 4.88      | 7.24      | 42.8      | 1.205     |
| GD 184             |                          | 0.56         | 0.0030    | 0.083     | 3.31      | 1.96      | 2         | 60.3      | 0.667     | 0.0919    | 0.24      | 0.046     | 20.2      | 18.25     | 40.0      | 1.025     |
| GD 185             |                          | 0.62         | 0.0035    | 0.023     | 1.59      | 2.12      | <2        | 26.0      | 0.130     | 0.0699    | 0.19      | 0.073     | 5.90      | 5.97      | 22.8      | 1.005     |
| GD 186             |                          | 0.62         | 0.0033    | 0.016     | 4.59      | 2.39      | <2        | 27.7      | 0.327     | 0.0837    | 0.12      | 0.047     | 4.92      | 7.35      | 45.9      | 0.917     |
| GD 187             |                          | 0.56         | 0.0040    | 0.027     | 2.06      | 0.87      | <2        | 13.15     | 0.159     | 0.1845    | 0.14      | 0.046     | 5.57      | 2.64      | 29.9      | 0.706     |
| GD 188             |                          | 0.56         | 0.0276    | 0.064     | 3.04      | 3.32      | <2        | 24.0      | 0.193     | 0.1815    | 0.21      | 0.101     | 5.30      | 5.58      | 46.7      | 1.125     |
| GD 189             |                          | 0.74         | 0.0074    | 0.087     | 3.93      | 2.57      | <2        | 29.8      | 0.272     | 0.1075    | 0.15      | 0.109     | 5.76      | 9.40      | 47.0      | 1.075     |
| GD 190             |                          | 0.58         | 0.0042    | 0.107     | 2.26      | 1.11      | <2        | 21.4      | 0.198     | 0.1410    | 0.18      | 0.089     | 5.29      | 5.99      | 31.8      | 0.992     |
| GD 191             |                          | 0.68         | 0.0029    | 0.033     | 4.80      | 2.43      | <2        | 23.1      | 0.244     | 0.1360    | 0.12      | 0.066     | 5.17      | 5.62      | 46.9      | 1.035     |
| JF 171             |                          | 0.46         | 0.0030    | 0.041     | 5.02      | 3.13      | <2        | 55.7      | 0.362     | 0.0881    | 0.14      | 0.069     | 7.70      | 10.80     | 46.1      | 0.808     |
| JF 172             |                          | 0.50         | 0.0026    | 0.145     | 5.86      | 2.95      | <2        | 42.6      | 0.305     | 0.0975    | 0.13      | 0.070     | 4.81      | 12.15     | 50.0      | 0.964     |
| JF 173             |                          | 0.44         | 0.0025    | 0.067     | 4.50      | 2.89      | <2        | 41.8      | 0.346     | 0.0854    | 0.13      | 0.074     | 6.89      | 9.66      | 43.9      | 0.910     |
| JF 174             |                          | 0.48         | 0.0030    | 0.161     | 2.88      | 3.43      | <2        | 21.7      | 0.198     | 0.1850    | 0.15      | 0.065     | 5.02      | 5.18      | 27.4      | 0.780     |
| JF 175             |                          | 0.32         | 0.0165    | 0.066     | 3.94      | 2.13      | <2        | 29.8      | 0.259     | 0.1115    | 0.12      | 0.068     | 4.78      | 8.56      | 39.5      | 1.020     |
| JF 176             |                          | 0.38         | 0.0030    | 0.057     | 3.22      | 2.37      | <2        | 22.0      | 0.165     | 0.1645    | 0.14      | 0.054     | 5.59      | 5.11      | 33.1      | 0.936     |
| JF 177             |                          | 0.44         | 0.0073    | 0.107     | 2.61      | 4.39      | <2        | 31.3      | 0.162     | 0.232     | 0.12      | 0.078     | 4.27      | 6.31      | 30.3      | 0.963     |
| JF 178             |                          | 0.36         | 0.0040    | 0.098     | 1.37      | 9.20      | <2        | 43.8      | 0.176     | 0.443     | 0.20      | 0.135     | 5.40      | 10.10     | 21.0      | 0.677     |
| JF 179             |                          | 0.38         | 0.0057    | 0.055     | 1.23      | 4.74      | <2        | 22.8      | 0.103     | 0.325     | 0.17      | 0.093     | 5.17      | 3.71      | 22.9      | 0.478     |
| JF 180             |                          | 0.58         | 0.0074    | 0.191     | 5.45      | 11.20     | 2         | 47.0      | 1.230     | 0.1655    | 0.25      | 0.197     | 19.50     | 60.9      | 41.6      | 2.00      |
| JF 181             |                          | 0.50         | 0.0107    | 0.041     | 3.26      | 2.75      | <2        | 27.0      | 0.207     | 0.0659    | 0.12      | 0.063     | 11.50     | 8.60      | 32.1      | 0.820     |
| JF 182             |                          | 0.44         | 0.0069    | 0.049     | 5.02      | 4.39      | <2        | 22.1      | 0.349     | 0.1115    | 0.12      | 0.059     | 13.10     | 5.59      | 40.6      | 0.908     |
| JF 183             |                          | 0.40         | 0.0053    | 0.016     | 0.50      | 0.43      | <2        | 28.7      | 0.130     | 0.0770    | 0.21      | 0.073     | 6.00      | 1.205     | 8.23      | 0.069     |
| JF 184             |                          | 0.40         | 0.0044    | 0.027     | 5.60      | 4.35      | 2         | 39.4      | 0.416     | 0.1130    | 0.16      | 0.072     | 7.32      | 13.70     | 55.7      | 0.841     |
| JF 185             |                          | 0.54         | 0.0018    | 0.046     | 4.84      | 2.23      | <2        | 33.1      | 0.250     | 0.0879    | 0.15      | 0.069     | 4.47      | 9.69      | 45.8      | 1.085     |
| JF 186             |                          | 0.42         | 0.0137    | 0.048     | 3.62      | 2.62      | <2        | 26.9      | 0.229     | 0.1365    | 0.14      | 0.073     | 4.62      | 9.01      | 36.0      | 1.005     |
| JF 187             |                          | 0.46         | 0.0024    | 0.063     | 0.98      | 1.19      | <2        | 9.75      | 0.066     | 0.1400    | 0.18      | 0.045     | 4.07      | 2.98      | 22.5      | 0.392     |
| JF 188             |                          | 0.38         | 0.0069    | 0.038     | 5.69      | 4.32      | <2        | 31.0      | 0.352     | 0.1385    | 0.12      | 0.092     | 9.80      | 8.25      | 48.2      | 1.130     |
| JF 189             |                          | 0.42         | 0.0035    | 0.053     | 4.59      | 5.70      | 2         | 31.1      | 0.273     | 0.1650    | 0.16      | 0.134     | 5.49      | 9.21      | 45.1      | 0.917     |
| JF 190             |                          | 0.42         | 0.0022    | 0.043     | 2.59      | 2.85      | <2        | 29.0      | 0.174     | 0.0856    | 0.15      | 0.124     | 5.32      | 7.67      | 30.8      | 0.798     |
| JF 191             |                          | 0.50         | 0.0028    | 0.022     | 3.07      | 2.98      | <2        | 46.1      | 0.271     | 0.0527    | 0.16      | 0.083     | 9.65      | 12.15     | 45.4      | 0.665     |
| JF 192             |                          | 0.48         | 0.0027    | 0.069     | 3.75      | 2.46      | <2        | 36.0      | 0.208     | 0.1095    | 0.13      | 0.099     | 4.24      | 7.75      | 37.9      | 0.881     |
| JF 193             |                          | 0.52         | 0.0075    | 0.118     | 3.29      | 3.65      | <2        | 41.4      | 0.213     | 0.1185    | 0.15      | 0.098     | 5.19      | 8.95      | 34.1      | 1.270     |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - B  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Cu        | Fe        | Ga        | Ge        | Hf        | Hg        | In        | K         | La        | Li        | Mg        | Mn        | Mo        | Na        | Nb    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm       | ppm       | %         | ppm   |
|                    |                          | 0.01      | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002 |
| GD 180             |                          | 63.2      | 3.46      | 10.20     | 0.026     | 0.163     | 0.064     | 0.024     | 0.02      | 2.39      | 10.5      | 0.43      | 192.5     | 0.540     | 0.012     | 1.020 |
| GD 184             |                          | 116.5     | 2.97      | 9.28      | 0.037     | 0.113     | 0.066     | 0.026     | 0.03      | 7.32      | 16.0      | 0.65      | 384       | 0.866     | 0.014     | 1.015 |
| GD 185             |                          | 20.2      | 2.57      | 8.01      | 0.022     | 0.072     | 0.032     | 0.018     | 0.01      | 2.97      | 9.3       | 0.28      | 194.5     | 1.320     | 0.009     | 0.756 |
| GD 186             |                          | 67.6      | 3.65      | 10.15     | 0.028     | 0.338     | 0.073     | 0.027     | 0.02      | 2.21      | 9.3       | 0.33      | 158.0     | 0.667     | 0.008     | 0.892 |
| GD 187             |                          | 25.5      | 3.35      | 13.15     | 0.025     | 0.135     | 0.054     | 0.024     | 0.01      | 2.61      | 7.5       | 0.14      | 89.3      | 0.541     | 0.011     | 0.575 |
| GD 188             |                          | 51.6      | 4.03      | 14.80     | 0.030     | 0.282     | 0.098     | 0.036     | 0.02      | 2.50      | 10.9      | 0.32      | 155.0     | 0.680     | 0.016     | 1.550 |
| GD 189             |                          | 92.5      | 3.74      | 12.40     | 0.026     | 0.275     | 0.071     | 0.029     | 0.02      | 2.42      | 11.9      | 0.56      | 171.5     | 0.637     | 0.010     | 1.070 |
| GD 190             |                          | 48.8      | 3.18      | 10.65     | 0.024     | 0.143     | 0.047     | 0.021     | 0.01      | 2.55      | 9.9       | 0.19      | 150.5     | 0.500     | 0.012     | 0.802 |
| GD 191             |                          | 68.7      | 4.10      | 13.15     | 0.029     | 0.364     | 0.059     | 0.029     | 0.01      | 2.28      | 9.8       | 0.31      | 120.0     | 1.055     | 0.008     | 0.852 |
| JF 171             |                          | 75.8      | 3.53      | 10.85     | 0.032     | 0.339     | 0.073     | 0.027     | 0.02      | 2.73      | 11.7      | 0.53      | 242       | 0.638     | 0.009     | 1.100 |
| JF 172             |                          | 64.4      | 3.97      | 12.45     | 0.030     | 0.203     | 0.206     | 0.029     | 0.02      | 2.29      | 16.8      | 0.46      | 446       | 1.090     | 0.008     | 0.584 |
| JF 173             |                          | 68.9      | 3.43      | 10.35     | 0.028     | 0.274     | 0.074     | 0.029     | 0.02      | 2.71      | 10.9      | 0.48      | 180.0     | 1.055     | 0.009     | 1.075 |
| JF 174             |                          | 36.8      | 2.89      | 8.37      | 0.024     | 0.152     | 0.124     | 0.027     | 0.02      | 2.32      | 8.5       | 0.28      | 129.5     | 0.960     | 0.009     | 1.515 |
| JF 175             |                          | 49.4      | 3.48      | 9.72      | 0.033     | 0.211     | 0.148     | 0.023     | 0.02      | 2.35      | 10.2      | 0.38      | 186.0     | 0.841     | 0.010     | 1.135 |
| JF 176             |                          | 36.3      | 3.05      | 9.85      | 0.026     | 0.158     | 0.069     | 0.024     | 0.02      | 2.59      | 9.8       | 0.30      | 135.0     | 0.687     | 0.012     | 1.110 |
| JF 177             |                          | 38.3      | 3.08      | 7.57      | 0.027     | 0.126     | 0.063     | 0.032     | 0.02      | 2.07      | 9.2       | 0.28      | 166.5     | 0.816     | 0.010     | 1.440 |
| JF 178             |                          | 34.3      | 2.69      | 7.00      | 0.032     | 0.024     | 0.101     | 0.042     | 0.02      | 2.52      | 4.5       | 0.20      | 2290      | 0.468     | 0.020     | 1.180 |
| JF 179             |                          | 21.0      | 2.96      | 9.28      | 0.023     | 0.038     | 0.078     | 0.026     | 0.01      | 2.52      | 7.1       | 0.18      | 338       | 0.526     | 0.015     | 1.140 |
| JF 180             |                          | 126.0     | 4.30      | 9.72      | 0.050     | 0.129     | 0.101     | 0.038     | 0.03      | 6.14      | 21.9      | 0.62      | 1650      | 2.33      | 0.016     | 1.565 |
| JF 181             |                          | 94.7      | 3.14      | 6.57      | 0.036     | 0.279     | 0.092     | 0.023     | 0.02      | 3.27      | 8.4       | 0.47      | 316       | 0.694     | 0.011     | 1.140 |
| JF 182             |                          | 96.4      | 2.63      | 7.23      | 0.039     | 0.640     | 0.139     | 0.029     | 0.02      | 3.98      | 9.1       | 0.35      | 118.5     | 0.737     | 0.014     | 2.46  |
| JF 183             |                          | 7.11      | 0.138     | 4.94      | 0.014     | 0.077     | 0.033     | 0.013     | 0.01      | 3.33      | 1.9       | 0.03      | 33.0      | 0.250     | 0.011     | 0.662 |
| JF 184             |                          | 144.5     | 3.99      | 10.65     | 0.036     | 0.380     | 0.077     | 0.037     | 0.02      | 2.40      | 12.8      | 0.69      | 351       | 0.878     | 0.013     | 1.690 |
| JF 185             |                          | 64.6      | 3.40      | 9.94      | 0.032     | 0.214     | 0.045     | 0.025     | 0.02      | 2.06      | 13.0      | 0.54      | 209       | 0.708     | 0.012     | 1.310 |
| JF 186             |                          | 52.6      | 3.25      | 8.23      | 0.029     | 0.172     | 0.083     | 0.026     | 0.02      | 2.19      | 11.2      | 0.43      | 243       | 0.716     | 0.011     | 1.385 |
| JF 187             |                          | 13.50     | 2.12      | 7.01      | 0.021     | 0.058     | 0.053     | 0.015     | 0.01      | 1.995     | 4.2       | 0.20      | 98.3      | 0.394     | 0.013     | 0.800 |
| JF 188             |                          | 100.5     | 4.08      | 10.30     | 0.041     | 0.490     | 0.107     | 0.034     | 0.02      | 3.13      | 12.6      | 0.45      | 217       | 1.360     | 0.011     | 2.08  |
| JF 189             |                          | 90.4      | 3.98      | 10.15     | 0.035     | 0.259     | 0.061     | 0.067     | 0.02      | 2.28      | 11.8      | 0.50      | 593       | 1.025     | 0.011     | 1.140 |
| JF 190             |                          | 44.9      | 3.01      | 6.84      | 0.027     | 0.081     | 0.044     | 0.023     | 0.02      | 2.25      | 8.9       | 0.35      | 537       | 0.501     | 0.011     | 1.040 |
| JF 191             |                          | 104.5     | 3.58      | 7.76      | 0.037     | 0.269     | 0.038     | 0.024     | 0.02      | 2.91      | 9.9       | 0.74      | 261       | 0.472     | 0.013     | 1.035 |
| JF 192             |                          | 47.6      | 3.14      | 8.30      | 0.027     | 0.231     | 0.059     | 0.026     | 0.02      | 2.08      | 9.7       | 0.42      | 162.0     | 0.432     | 0.009     | 1.015 |
| JF 193             |                          | 52.2      | 3.01      | 7.12      | 0.026     | 0.103     | 0.087     | 0.030     | 0.02      | 2.59      | 12.6      | 0.48      | 210       | 0.460     | 0.010     | 0.757 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - C  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |       |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------|
|                    |                          | Ni        | P         | Pb        | Pd        | Pt        | Rb        | Re        | S         | Sb        | Sc        | Se        | Sn        | Sr        | Ta        | Te    |
|                    |                          | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | %         | ppm       | ppm       | ppm       | ppm       | ppm       | ppm       | ppm   |
|                    |                          | 0.02      | 0.0005    | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001 |
| GD 180             |                          | 16.20     | 0.0411    | 6.48      | 0.001     | 0.001     | 5.27      | <0.0002   | 0.011     | 0.464     | 3.13      | 0.284     | 0.67      | 11.60     | <0.005    | 0.033 |
| GD 184             |                          | 32.6      | 0.0284    | 6.09      | <0.001    | 0.001     | 4.69      | 0.0002    | 0.011     | 0.219     | 6.22      | 0.292     | 0.61      | 15.05     | <0.005    | 0.014 |
| GD 185             |                          | 9.47      | 0.0177    | 4.10      | 0.002     | <0.001    | 3.19      | <0.0002   | 0.009     | 0.251     | 2.47      | 0.127     | 0.46      | 10.35     | <0.005    | 0.015 |
| GD 186             |                          | 17.00     | 0.0387    | 3.95      | 0.002     | 0.001     | 4.35      | <0.0002   | 0.011     | 0.302     | 3.46      | 0.208     | 0.62      | 7.64      | <0.005    | 0.023 |
| GD 187             |                          | 5.53      | 0.0237    | 6.82      | 0.001     | 0.002     | 2.67      | <0.0002   | 0.010     | 0.298     | 2.67      | 0.055     | 0.95      | 6.64      | <0.005    | 0.010 |
| GD 188             |                          | 12.55     | 0.0450    | 10.00     | 0.002     | 0.003     | 4.06      | <0.0002   | 0.023     | 0.446     | 3.66      | 0.152     | 1.04      | 9.42      | <0.005    | 0.029 |
| GD 189             |                          | 21.1      | 0.0256    | 5.78      | 0.003     | 0.001     | 4.76      | <0.0002   | 0.013     | 0.317     | 5.37      | 0.203     | 0.73      | 10.10     | <0.005    | 0.035 |
| GD 190             |                          | 9.86      | 0.0231    | 5.62      | 0.001     | 0.002     | 3.36      | <0.0002   | 0.009     | 0.361     | 2.68      | 0.067     | 0.81      | 10.60     | <0.005    | 0.023 |
| GD 191             |                          | 12.10     | 0.0535    | 5.18      | 0.001     | 0.001     | 3.83      | <0.0002   | 0.015     | 0.358     | 4.16      | 0.133     | 0.83      | 6.74      | <0.005    | 0.041 |
| JF 171             |                          | 24.6      | 0.0467    | 4.66      | 0.002     | 0.001     | 4.62      | <0.0002   | 0.011     | 0.278     | 5.99      | 0.286     | 0.60      | 10.20     | <0.005    | 0.023 |
| JF 172             |                          | 24.8      | 0.0575    | 4.48      | 0.001     | 0.001     | 5.34      | <0.0002   | 0.012     | 0.295     | 3.32      | 0.335     | 0.70      | 9.42      | <0.005    | 0.041 |
| JF 173             |                          | 20.2      | 0.0387    | 4.21      | 0.002     | 0.001     | 4.89      | <0.0002   | 0.011     | 0.283     | 5.08      | 0.317     | 0.60      | 10.30     | <0.005    | 0.026 |
| JF 174             |                          | 9.95      | 0.0340    | 13.20     | <0.001    | 0.001     | 3.62      | <0.0002   | 0.013     | 0.609     | 2.44      | 0.311     | 0.79      | 10.25     | <0.005    | 0.037 |
| JF 175             |                          | 17.35     | 0.0405    | 5.58      | 0.002     | 0.001     | 5.46      | <0.0002   | 0.012     | 0.271     | 2.85      | 0.368     | 0.65      | 7.25      | <0.005    | 0.024 |
| JF 176             |                          | 10.95     | 0.0459    | 7.71      | 0.001     | 0.001     | 3.80      | <0.0002   | 0.014     | 0.336     | 2.70      | 0.189     | 0.73      | 7.78      | <0.005    | 0.026 |
| JF 177             |                          | 13.05     | 0.0291    | 15.90     | 0.002     | 0.001     | 4.24      | <0.0002   | 0.011     | 0.540     | 2.15      | 0.332     | 0.86      | 6.40      | <0.005    | 0.039 |
| JF 178             |                          | 9.50      | 0.0541    | 38.3      | 0.002     | 0.001     | 2.69      | <0.0002   | 0.024     | 0.987     | 1.955     | 0.470     | 1.24      | 10.00     | <0.005    | 0.073 |
| JF 179             |                          | 7.51      | 0.0297    | 19.30     | 0.001     | 0.002     | 1.640     | <0.0002   | 0.011     | 0.916     | 1.850     | 0.148     | 1.11      | 6.71      | <0.005    | 0.039 |
| JF 180             |                          | 45.2      | 0.0645    | 9.74      | <0.001    | 0.001     | 7.70      | 0.0010    | 0.028     | 0.647     | 5.32      | 0.751     | 0.59      | 13.80     | <0.005    | 0.071 |
| JF 181             |                          | 18.50     | 0.0497    | 3.40      | 0.007     | 0.001     | 3.44      | <0.0002   | 0.013     | 0.228     | 8.06      | 0.574     | 0.40      | 9.60      | <0.005    | 0.023 |
| JF 182             |                          | 12.85     | 0.0612    | 4.72      | 0.010     | 0.001     | 2.84      | <0.0002   | 0.044     | 0.376     | 10.00     | 0.977     | 0.54      | 6.36      | <0.005    | 0.037 |
| JF 183             |                          | 2.88      | 0.0095    | 7.62      | 0.001     | <0.001    | 0.449     | <0.0002   | 0.047     | 0.235     | 1.415     | 0.042     | 0.40      | 13.40     | <0.005    | 0.003 |
| JF 184             |                          | 27.9      | 0.0632    | 8.45      | 0.002     | 0.001     | 4.49      | <0.0002   | 0.026     | 0.367     | 5.12      | 0.368     | 0.69      | 12.05     | <0.005    | 0.036 |
| JF 185             |                          | 21.1      | 0.0425    | 4.35      | 0.002     | 0.001     | 5.57      | <0.0002   | 0.016     | 0.271     | 3.05      | 0.193     | 0.59      | 8.77      | <0.005    | 0.021 |
| JF 186             |                          | 17.45     | 0.0321    | 7.55      | 0.001     | 0.001     | 5.72      | <0.0002   | 0.014     | 0.409     | 2.92      | 0.183     | 0.63      | 7.75      | <0.005    | 0.031 |
| JF 187             |                          | 6.44      | 0.0175    | 5.73      | 0.001     | 0.002     | 1.545     | <0.0002   | 0.010     | 0.338     | 1.835     | 0.079     | 0.73      | 8.29      | <0.005    | 0.014 |
| JF 188             |                          | 17.70     | 0.0756    | 7.37      | 0.004     | 0.001     | 5.90      | <0.0002   | 0.029     | 0.402     | 9.28      | 0.836     | 0.66      | 8.57      | <0.005    | 0.044 |
| JF 189             |                          | 19.10     | 0.0568    | 15.30     | 0.002     | 0.001     | 4.48      | <0.0002   | 0.013     | 0.477     | 4.31      | 0.267     | 0.77      | 10.10     | <0.005    | 0.085 |
| JF 190             |                          | 15.10     | 0.0259    | 6.01      | 0.002     | 0.001     | 3.57      | <0.0002   | 0.011     | 0.363     | 2.46      | 0.196     | 0.54      | 9.16      | <0.005    | 0.019 |
| JF 191             |                          | 25.6      | 0.0244    | 3.33      | 0.003     | 0.001     | 3.84      | <0.0002   | 0.010     | 0.249     | 6.27      | 0.320     | 0.53      | 11.20     | <0.005    | 0.018 |
| JF 192             |                          | 18.40     | 0.0282    | 7.58      | 0.001     | 0.001     | 4.66      | <0.0002   | 0.010     | 0.350     | 2.69      | 0.150     | 0.55      | 8.05      | <0.005    | 0.023 |
| JF 193             |                          | 17.40     | 0.0377    | 6.31      | 0.001     | 0.001     | 7.67      | <0.0002   | 0.010     | 0.443     | 2.84      | 0.234     | 0.52      | 9.59      | <0.005    | 0.023 |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 4 - D  
 Total # Pages: 4 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|--------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                    |                          | Th ppm    | Ti %      | Ti ppm    | U ppm     | V ppm     | W ppm     | Y ppm     | Zn ppm    | Zr ppm |
|                    |                          | 0.0005    | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01   |
| GD 180             |                          | 0.797     | 0.1760    | 0.0682    | 0.1940    | 101.0     | 0.018     | 1.295     | 42.9      | 5.16   |
| GD 184             |                          | 1.300     | 0.1710    | 0.0617    | 0.357     | 85.5      | 0.032     | 7.22      | 41.6      | 4.12   |
| GD 185             |                          | 0.649     | 0.1395    | 0.0315    | 0.1580    | 91.3      | 0.017     | 1.940     | 23.8      | 2.35   |
| GD 186             |                          | 1.355     | 0.201     | 0.0500    | 0.373     | 115.5     | 0.029     | 1.320     | 29.1      | 11.35  |
| GD 187             |                          | 0.736     | 0.1175    | 0.0385    | 0.1640    | 104.0     | 0.004     | 1.500     | 20.0      | 4.88   |
| GD 188             |                          | 0.838     | 0.1890    | 0.0628    | 0.1905    | 132.0     | 0.007     | 1.835     | 46.4      | 9.73   |
| GD 189             |                          | 1.045     | 0.216     | 0.0550    | 0.288     | 116.0     | 0.009     | 1.670     | 37.8      | 8.33   |
| GD 190             |                          | 0.596     | 0.1685    | 0.0573    | 0.1325    | 96.0      | 0.004     | 1.565     | 41.9      | 4.67   |
| GD 191             |                          | 1.155     | 0.203     | 0.0487    | 0.372     | 123.0     | 0.012     | 1.930     | 30.3      | 12.10  |
| JF 171             |                          | 1.520     | 0.1995    | 0.0506    | 0.438     | 107.5     | 0.051     | 2.10      | 36.9      | 11.30  |
| JF 172             |                          | 0.991     | 0.1985    | 0.0562    | 0.329     | 111.0     | 0.016     | 1.225     | 38.1      | 6.68   |
| JF 173             |                          | 1.195     | 0.202     | 0.0477    | 0.364     | 103.5     | 0.034     | 2.15      | 34.5      | 9.22   |
| JF 174             |                          | 0.720     | 0.1505    | 0.0492    | 0.213     | 87.4      | 0.023     | 1.505     | 26.8      | 4.89   |
| JF 175             |                          | 0.940     | 0.210     | 0.0636    | 0.263     | 101.5     | 0.039     | 1.295     | 43.5      | 7.43   |
| JF 176             |                          | 0.774     | 0.1845    | 0.0575    | 0.213     | 96.5      | 0.018     | 1.635     | 27.4      | 5.16   |
| JF 177             |                          | 0.591     | 0.1790    | 0.0599    | 0.1430    | 91.9      | 0.029     | 1.315     | 41.0      | 4.56   |
| JF 178             |                          | 0.357     | 0.1555    | 0.0866    | 0.1425    | 78.3      | 0.028     | 1.920     | 42.7      | 0.82   |
| JF 179             |                          | 0.528     | 0.1915    | 0.0393    | 0.1310    | 107.5     | 0.007     | 1.345     | 26.2      | 1.57   |
| JF 180             |                          | 0.890     | 0.207     | 0.1130    | 0.289     | 111.5     | 0.064     | 8.12      | 50.1      | 4.37   |
| JF 181             |                          | 1.490     | 0.1810    | 0.0472    | 0.472     | 87.9      | 0.085     | 4.02      | 33.1      | 9.85   |
| JF 182             |                          | 1.330     | 0.1925    | 0.0489    | 0.489     | 78.2      | 0.061     | 6.30      | 27.8      | 20.5   |
| JF 183             |                          | 0.236     | 0.0431    | 0.0228    | 0.0895    | 13.65     | 0.004     | 2.58      | 5.2       | 0.76   |
| JF 184             |                          | 1.375     | 0.245     | 0.0508    | 0.448     | 120.5     | 0.041     | 1.935     | 41.0      | 12.25  |
| JF 185             |                          | 0.777     | 0.211     | 0.0553    | 0.224     | 98.2      | 0.019     | 1.325     | 36.5      | 6.62   |
| JF 186             |                          | 0.761     | 0.1805    | 0.0628    | 0.1975    | 93.6      | 0.025     | 1.425     | 37.0      | 5.76   |
| JF 187             |                          | 0.419     | 0.214     | 0.0277    | 0.0983    | 92.0      | 0.005     | 1.025     | 15.2      | 1.92   |
| JF 188             |                          | 1.550     | 0.1975    | 0.0659    | 0.547     | 118.0     | 0.052     | 3.58      | 39.8      | 15.45  |
| JF 189             |                          | 1.290     | 0.205     | 0.0689    | 0.346     | 118.5     | 0.029     | 1.620     | 58.1      | 8.77   |
| JF 190             |                          | 0.645     | 0.1525    | 0.0502    | 0.1545    | 85.6      | 0.025     | 1.405     | 37.6      | 3.08   |
| JF 191             |                          | 1.070     | 0.228     | 0.0318    | 0.272     | 107.5     | 0.046     | 3.18      | 37.8      | 9.13   |
| JF 192             |                          | 0.884     | 0.1700    | 0.0486    | 0.237     | 92.3      | 0.024     | 1.190     | 36.5      | 6.84   |
| JF 193             |                          | 0.586     | 0.0824    | 0.0649    | 0.1475    | 76.3      | 0.032     | 1.355     | 40.6      | 3.38   |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
2489 BELLEVUE AVENUE  
WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 24-JUN-2022  
Account: QUCORE

Project: Texada

**CERTIFICATE OF ANALYSIS VA22145308**

**CERTIFICATE COMMENTS**

**LABORATORY ADDRESSES**

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  
AuME-ST43  
WEI-21

DIS-PUL21

LOG-22

SCR-41



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: **QUADRA COASTAL RESOURCES**  
**2489 BELLEVUE AVENUE**  
**WEST VANCOUVER BC V7V 1E1**

Page: 1  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 This copy reported on 6-FEB-2023  
 Account: QUCORE

**QC CERTIFICATE VA22145308**

Project: Texada

This report is for 112 samples of Soil submitted to our lab in Vancouver, BC, Canada on 31-MAY-2022.

The following have access to data associated with this certificate:

|        |                 |             |
|--------|-----------------|-------------|
| MALCOM | GRAHAM DAVIDSON | HUGH MADDIN |
|--------|-----------------|-------------|

| SAMPLE PREPARATION |                                       |
|--------------------|---------------------------------------|
| ALS CODE           | DESCRIPTION                           |
| WEI-21             | Received Sample Weight                |
| LOG-22             | Sample login - Rcd w/o BarCode        |
| SCR-41             | Screen to -180um and save both        |
| DIS-PUL21          | Disposal of M/+ Split after analysis. |

| ANALYTICAL PROCEDURES |  |            |
|-----------------------|--|------------|
| ALS CODE              | DESCRIPTION                            | INSTRUMENT |
| AuME-ST43             | 25g Super Trace Au + Multi Element PKG |            |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.  
 \*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

**Signature:**   
 Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            |                          | Au ppm    | Ag ppm    | Al %      | As ppm    | B ppm     | Ba ppm    | Be ppm    | Bi ppm    | Ca %      | Cd ppm    | Ce ppm    | Co ppm    | Cr ppm    | Cs ppm    | Cu ppm |
|                            |                          | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     | 0.01   |
| <b>STANDARDS</b>           |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| MRGeo08                    |                          | 0.0041    | 4.35      | 2.60      | 32.2      | 4         | 156.0     | 0.715     | 0.633     | 1.04      | 2.35      | 69.2      | 18.25     | 89.1      | 10.35     | 603    |
| MRGeo08                    |                          | 0.0040    | 4.41      | 2.58      | 31.5      | 4         | 127.0     | 0.707     | 0.600     | 1.02      | 2.11      | 70.1      | 18.50     | 89.0      | 9.84      | 594    |
| MRGeo08                    |                          | 0.0041    | 4.48      | 2.57      | 32.6      | 4         | 190.5     | 0.723     | 0.628     | 0.99      | 2.17      | 69.6      | 18.75     | 86.0      | 10.15     | 624    |
| Target Range - Lower Bound |                          | 0.0032    | 4.01      | 2.23      | 29.7      | <2        | 112.0     | 0.607     | 0.585     | 0.86      | 2.02      | 66.2      | 17.10     | 79.7      | 9.49      | 587    |
| Upper Bound                |                          | 0.0042    | 4.91      | 2.75      | 36.3      | 8         | 151.5     | 0.753     | 0.717     | 1.08      | 2.47      | 81.0      | 20.9      | 97.5      | 11.60     | 675    |
| OREAS 47                   |                          | 0.0291    | 0.106     | 0.74      | 8.76      | <2        | 57.9      | 0.171     | 0.1300    | 0.49      | 0.473     | 41.5      | 44.8      | 27.5      | 1.140     | 152.0  |
| Target Range - Lower Bound |                          | 0.0257    | 0.095     | 0.72      | 8.57      |           | 52.7      | 0.155     | 0.1265    | 0.48      | 0.449     | 38.1      | 42.7      | 27.4      | 1.005     | 149.0  |
| Upper Bound                |                          | 0.0317    | 0.119     | 0.90      | 10.50     |           | 71.4      | 0.201     | 0.1555    | 0.61      | 0.551     | 46.5      | 52.3      | 33.5      | 1.235     | 171.0  |
| OREAS 906                  |                          | 0.0448    | 0.681     | 0.64      | 20.8      | 2         | 199.5     | 0.820     | 10.25     | 0.28      | 0.380     | 70.0      | 21.2      | 8.26      | 0.954     | 2930   |
| Target Range - Lower Bound |                          | 0.0430    | 0.661     | 0.63      | 18.35     | <2        | 180.0     | 0.805     | 9.90      | 0.27      | 0.368     | 67.3      | 20.5      | 7.94      | 0.943     | 2930   |
| Upper Bound                |                          | 0.0528    | 0.810     | 0.79      | 22.5      | 7         | 244       | 0.995     | 12.10     | 0.36      | 0.452     | 82.3      | 25.1      | 9.72      | 1.155     | 3370   |
| OREAS-45h                  |                          | 0.0357    | 0.080     | 3.61      | 7.00      | 4         | 264       | 0.831     | 0.1220    | 0.10      | 0.008     | 17.20     | 74.9      | 477       | 1.035     | 675    |
| OREAS-45h                  |                          | 0.0359    | 0.082     | 3.43      | 6.70      | 3         | 259       | 0.810     | 0.1150    | 0.11      | 0.014     | 17.40     | 73.6      | 463       | 0.948     | 660    |
| OREAS-45h                  |                          | 0.0341    | 0.081     | 3.65      | 7.28      | 4         | 270       | 0.863     | 0.1205    | 0.10      | 0.008     | 16.65     | 77.7      | 478       | 0.976     | 694    |
| Target Range - Lower Bound |                          | 0.0332    | 0.071     | 3.27      | 6.40      | <2        | 230       | 0.794     | 0.1140    | 0.08      | 0.009     | 15.75     | 68.3      | 424       | 0.893     | 653    |
| Upper Bound                |                          | 0.0408    | 0.089     | 4.01      | 7.84      | 4         | 312       | 0.982     | 0.1400    | 0.13      | 0.014     | 19.25     | 83.5      | 518       | 1.095     | 751    |
| <b>BLANKS</b>              |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| BLANK                      |                          | <0.0001   | 0.001     | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.01      | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | 0.01      | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | 0.02      | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | 0.001     | <0.001    | <0.001    | 0.01      | <0.001    | <0.01  |
| BLANK                      |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | 0.05      | <0.005    | <0.0005   | <0.01     | 0.001     | <0.001    | <0.001    | 0.01      | <0.001    | <0.01  |
| Target Range - Lower Bound |                          | <0.0001   | <0.001    | <0.01     | <0.01     | <2        | <0.05     | <0.005    | <0.0005   | <0.01     | <0.001    | <0.001    | <0.001    | <0.01     | <0.001    | <0.01  |
| Upper Bound                |                          | 0.0002    | 0.002     | 0.02      | 0.02      | 4         | 0.10      | 0.010     | 0.0010    | 0.02      | 0.002     | 0.002     | 0.002     | 0.02      | 0.002     | 0.02   |
| <b>DUPLICATES</b>          |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| ORIGINAL                   |                          | 0.0005    | 0.034     | 2.47      | 4.83      | 6         | 63.5      | 0.315     | 0.1210    | 1.35      | 0.146     | 44.9      | 5.45      | 11.30     | 1.005     | 11.85  |
| DUP                        |                          | 0.0005    | 0.036     | 2.57      | 4.60      | 6         | 65.9      | 0.328     | 0.1230    | 1.39      | 0.142     | 45.9      | 5.42      | 11.15     | 0.997     | 11.90  |
| Target Range - Lower Bound |                          | 0.0004    | 0.032     | 2.38      | 4.47      | 4         | 59.8      | 0.300     | 0.1155    | 1.29      | 0.136     | 43.1      | 5.16      | 10.65     | 0.950     | 11.45  |
| Upper Bound                |                          | 0.0006    | 0.038     | 2.66      | 4.96      | 8         | 69.6      | 0.343     | 0.1285    | 1.45      | 0.152     | 47.7      | 5.71      | 11.80     | 1.050     | 12.30  |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |        |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------|
|                            |                          | Fe %      | Ga ppm    | Ge ppm    | Hf ppm    | Hg ppm    | In ppm    | K %       | La ppm    | Li ppm    | Mg %      | Mn ppm    | Mo ppm    | Na %      | Nb ppm    | Ni ppm |
|                            |                          | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002     | 0.02   |
| <b>STANDARDS</b>           |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| MRGeo08                    |                          | 3.54      | 9.68      | 0.122     | 0.550     | 0.061     | 0.154     | 1.24      | 34.6      | 32.5      | 1.14      | 383       | 14.20     | 0.333     | 0.425     | 687    |
| MRGeo08                    |                          | 3.51      | 9.62      | 0.131     | 0.467     | 0.057     | 0.156     | 1.23      | 33.4      | 32.4      | 1.12      | 386       | 13.70     | 0.326     | 0.251     | 679    |
| MRGeo08                    |                          | 3.61      | 9.38      | 0.132     | 0.487     | 0.065     | 0.150     | 1.26      | 35.3      | 32.9      | 1.16      | 395       | 13.65     | 0.319     | 0.268     | 697    |
| Target Range - Lower Bound |                          | 3.23      | 8.77      | 0.111     | 0.404     | 0.050     | 0.137     | 1.12      | 32.6      | 29.1      | 1.01      | 346       | 13.10     | 0.277     | 0.237     | 623    |
| Upper Bound                |                          | 3.95      | 10.75     | 0.161     | 0.552     | 0.072     | 0.179     | 1.40      | 39.8      | 35.7      | 1.25      | 423       | 16.05     | 0.341     | 0.325     | 761    |
| OREAS 47                   |                          | 1.490     | 2.56      | 0.064     | 0.137     | 0.019     | 0.032     | 0.10      | 24.9      | 8.0       | 0.43      | 245       | 12.30     | 0.074     | 0.294     | 73.3   |
| Target Range - Lower Bound |                          | 1.410     | 2.58      | 0.058     | 0.120     | 0.012     | 0.025     | 0.09      | 22.7      | 7.8       | 0.40      | 222       | 11.45     | 0.071     | 0.250     | 72.0   |
| Upper Bound                |                          | 1.730     | 3.16      | 0.093     | 0.166     | 0.024     | 0.049     | 0.14      | 27.7      | 9.8       | 0.51      | 272       | 13.95     | 0.089     | 0.344     | 88.0   |
| OREAS 906                  |                          | 4.57      | 7.93      | 0.092     | 0.614     | 0.009     | 1.065     | 0.23      | 35.9      | 3.2       | 0.11      | 304       | 3.49      | 0.081     | 0.119     | 4.21   |
| Target Range - Lower Bound |                          | 4.48      | 8.08      | 0.084     | 0.516     | 0.003     | 1.040     | 0.23      | 34.1      | 3.1       | 0.09      | 290       | 3.46      | 0.075     | 0.083     | 4.06   |
| Upper Bound                |                          | 5.48      | 9.88      | 0.126     | 0.702     | 0.013     | 1.280     | 0.30      | 41.7      | 4.1       | 0.14      | 354       | 4.24      | 0.093     | 0.117     | 5.00   |
| OREAS-45h                  |                          | 18.00     | 15.40     | 0.140     | 0.301     | 0.024     | 0.074     | 0.07      | 7.86      | 5.7       | 0.14      | 224       | 0.752     | 0.039     | 0.025     | 338    |
| OREAS-45h                  |                          | 17.65     | 15.05     | 0.134     | 0.297     | 0.020     | 0.082     | 0.07      | 7.65      | 5.4       | 0.14      | 218       | 0.738     | 0.039     | 0.029     | 327    |
| OREAS-45h                  |                          | 18.40     | 14.95     | 0.137     | 0.309     | 0.023     | 0.081     | 0.08      | 7.91      | 5.6       | 0.15      | 225       | 0.657     | 0.042     | 0.023     | 344    |
| Target Range - Lower Bound |                          | 16.30     | 13.85     | 0.133     | 0.303     | 0.018     | 0.068     | 0.06      | 7.61      | 4.9       | 0.11      | 202       | 0.652     | 0.031     | 0.020     | 313    |
| Upper Bound                |                          | 19.90     | 16.95     | 0.191     | 0.415     | 0.030     | 0.096     | 0.11      | 9.31      | 6.2       | 0.17      | 247       | 0.802     | 0.041     | 0.034     | 383    |
| <b>BLANKS</b>              |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | 0.1       | <0.01     | 0.1       | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | 0.004     | 0.005     | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | 0.1       | <0.01     | 0.1       | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| BLANK                      |                          | <0.001    | 0.005     | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | 0.001     | <0.002    | <0.02  |
| Target Range - Lower Bound |                          | <0.001    | <0.004    | <0.005    | <0.002    | <0.002    | <0.005    | <0.01     | <0.002    | <0.1      | <0.01     | <0.1      | <0.002    | <0.001    | <0.002    | <0.02  |
| Upper Bound                |                          | 0.002     | 0.008     | 0.010     | 0.004     | 0.004     | 0.010     | 0.02      | 0.004     | 0.2       | 0.02      | 0.2       | 0.004     | 0.002     | 0.004     | 0.04   |
| <b>DUPLICATES</b>          |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |        |
| ORIGINAL                   |                          | 2.06      | 5.65      | 0.085     | 0.185     | 0.011     | 0.029     | 0.10      | 20.2      | 7.7       | 0.09      | 227       | 1.600     | 0.297     | 0.075     | 5.28   |
| DUP                        |                          | 2.12      | 5.76      | 0.084     | 0.200     | 0.012     | 0.028     | 0.11      | 20.5      | 8.1       | 0.10      | 235       | 1.615     | 0.311     | 0.078     | 5.31   |
| Target Range - Lower Bound |                          | 1.985     | 5.42      | 0.073     | 0.176     | 0.009     | 0.022     | 0.09      | 19.35     | 7.4       | 0.08      | 219       | 1.525     | 0.288     | 0.069     | 5.01   |
| Upper Bound                |                          | 2.20      | 5.99      | 0.096     | 0.209     | 0.014     | 0.035     | 0.12      | 21.4      | 8.4       | 0.11      | 243       | 1.690     | 0.320     | 0.084     | 5.58   |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method Analyte Units LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |         |
|----------------------------|--------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|---------|
|                            |                          | P %       | Pb ppm    | Pd ppm    | Pt ppm    | Rb ppm    | Re ppm    | S %       | Sb ppm    | Sc ppm    | Se ppm    | Sn ppm    | Sr ppm    | Ta ppm    | Te ppm    | Th ppm  |
| <b>STANDARDS</b>           |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |         |
| MRGeo08                    |                          | 0.0958    | 1015      | 0.004     | 0.001     | 142.5     | 0.0088    | 0.275     | 2.78      | 7.10      | 0.740     | 3.17      | 76.7      | 0.005     | 0.023     | 20.5    |
| MRGeo08                    |                          | 0.0954    | 1005      | <0.001    | 0.001     | 145.5     | 0.0070    | 0.271     | 2.50      | 6.88      | 0.810     | 2.92      | 74.9      | <0.005    | 0.021     | 21.0    |
| MRGeo08                    |                          | 0.0951    | 1040      | 0.002     | 0.001     | 141.5     | 0.0086    | 0.292     | 2.57      | 7.24      | 0.785     | 3.02      | 74.6      | <0.005    | 0.022     | 19.75   |
| Target Range - Lower Bound |                          | 0.0913    | 946       | 0.002     | <0.001    | 132.5     | 0.0070    | 0.250     | 2.35      | 6.57      | 0.673     | 2.89      | 66.8      | <0.005    | 0.019     | 19.30   |
| Upper Bound                |                          | 0.1125    | 1155      | 0.006     | 0.004     | 161.5     | 0.0090    | 0.310     | 3.19      | 8.04      | 0.827     | 3.56      | 81.6      | 0.015     | 0.025     | 23.6    |
| OREAS 47                   |                          | 0.0516    | 271       | 0.042     | 0.024     | 6.75      | 0.0004    | 0.043     | 0.197     | 2.69      | 0.074     | 2.13      | 28.0      | <0.005    | 0.011     | 2.84    |
| Target Range - Lower Bound |                          | 0.0490    | 256       | 0.038     | 0.022     | 6.10      | <0.0002   | 0.042     | 0.168     | 2.62      | 0.072     | 1.97      | 27.4      | <0.005    | 0.010     | 2.78    |
| Upper Bound                |                          | 0.0610    | 312       | 0.048     | 0.030     | 7.46      | 0.0010    | 0.056     | 0.232     | 3.22      | 0.092     | 2.43      | 33.5      | 0.010     | 0.016     | 3.40    |
| OREAS 906                  |                          | 0.0209    | 19.60     | <0.001    | <0.001    | 13.70     | 0.0002    | 0.030     | 1.490     | 1.435     | 4.63      | 1.41      | 11.10     | <0.005    | 0.109     | 7.36    |
| Target Range - Lower Bound |                          | 0.0194    | 19.15     | <0.001    | <0.001    | 13.50     | <0.0002   | 0.027     | 1.290     | 1.250     | 4.00      | 1.35      | 10.60     | <0.005    | 0.105     | 7.23    |
| Upper Bound                |                          | 0.0248    | 23.4      | 0.002     | 0.002     | 16.50     | 0.0004    | 0.039     | 1.750     | 1.540     | 4.90      | 1.67      | 13.00     | 0.015     | 0.131     | 8.83    |
| OREAS-45h                  |                          | 0.0157    | 9.33      | 0.081     | 0.078     | 9.30      | 0.0002    | 0.023     | 0.167     | 49.7      | 0.556     | 1.19      | 14.90     | <0.005    | 0.040     | 5.06    |
| OREAS-45h                  |                          | 0.0157    | 9.21      | 0.079     | 0.078     | 9.37      | 0.0002    | 0.024     | 0.165     | 48.6      | 0.529     | 1.16      | 14.75     | <0.005    | 0.044     | 5.34    |
| OREAS-45h                  |                          | 0.0150    | 9.19      | 0.088     | 0.076     | 9.55      | <0.0002   | 0.028     | 0.132     | 50.5      | 0.535     | 1.18      | 14.90     | <0.005    | 0.039     | 5.00    |
| Target Range - Lower Bound |                          | 0.0140    | 8.49      | 0.075     | 0.070     | 8.82      |           | 0.022     | 0.132     | 46.1      | 0.516     | 1.11      | 13.95     | <0.005    | 0.037     | 4.64    |
| Upper Bound                |                          | 0.0182    | 10.40     | 0.093     | 0.088     | 10.80     |           | 0.032     | 0.184     | 56.3      | 0.635     | 1.37      | 17.05     | 0.014     | 0.047     | 5.68    |
| <b>BLANKS</b>              |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |         |
| BLANK                      |                          | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005 |
| BLANK                      |                          | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005 |
| BLANK                      |                          | <0.0005   | <0.005    | 0.001     | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005 |
| BLANK                      |                          | <0.0005   | <0.005    | 0.001     | <0.001    | <0.005    | <0.0002   | <0.002    | 0.002     | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005 |
| Target Range - Lower Bound |                          | <0.0005   | <0.005    | <0.001    | <0.001    | <0.005    | <0.0002   | <0.002    | <0.002    | <0.005    | <0.002    | <0.01     | <0.01     | <0.005    | <0.001    | <0.0005 |
| Upper Bound                |                          | 0.0010    | 0.010     | 0.002     | 0.002     | 0.010     | 0.0004    | 0.004     | 0.004     | 0.010     | 0.004     | 0.02      | 0.02      | 0.010     | 0.002     | 0.0010  |
| <b>DUPLICATES</b>          |                          |           |           |           |           |           |           |           |           |           |           |           |           |           |           |         |
| ORIGINAL                   |                          | 0.0726    | 4.45      | <0.001    | <0.001    | 8.64      | 0.0004    | 0.023     | 0.270     | 3.72      | 0.031     | 1.06      | 142.5     | <0.005    | 0.008     | 3.05    |
| DUP                        |                          | 0.0745    | 4.54      | <0.001    | <0.001    | 8.73      | 0.0005    | 0.023     | 0.284     | 3.79      | 0.029     | 1.08      | 147.0     | <0.005    | 0.008     | 3.11    |
| Target Range - Lower Bound |                          | 0.0694    | 4.27      | <0.001    | <0.001    | 8.25      | <0.0002   | 0.020     | 0.254     | 3.56      | 0.027     | 1.01      | 137.5     | <0.005    | 0.007     | 2.93    |
| Upper Bound                |                          | 0.0777    | 4.72      | 0.002     | 0.002     | 9.12      | 0.0007    | 0.026     | 0.300     | 3.95      | 0.034     | 1.13      | 152.0     | 0.010     | 0.009     | 3.23    |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Ti<br>%   | Tl<br>ppm | U<br>ppm  | V<br>ppm  | W<br>ppm  | Y<br>ppm  | Zn<br>ppm | Zr<br>ppm |
|                            |                                   | 0.0001    | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01      |
| <b>STANDARDS</b>           |                                   |           |           |           |           |           |           |           |           |
| MGeo08                     |                                   | 0.332     | 0.761     | 5.33      | 98.9      | 2.04      | 18.35     | 753       | 18.85     |
| MGeo08                     |                                   | 0.329     | 0.730     | 5.08      | 100.0     | 2.04      | 17.95     | 740       | 15.60     |
| MGeo08                     |                                   | 0.331     | 0.753     | 5.15      | 97.5      | 1.930     | 18.10     | 770       | 16.55     |
| Target Range - Lower Bound |                                   | 0.292     | 0.663     | 4.98      | 88.6      | 1.835     | 16.95     | 679       | 14.00     |
| Upper Bound                |                                   | 0.358     | 0.898     | 6.08      | 108.5     | 2.49      | 20.7      | 831       | 19.00     |
| OREAS 47                   |                                   | 0.0598    | 0.0722    | 0.391     | 21.8      | 0.098     | 4.93      | 201       | 4.88      |
| Target Range - Lower Bound |                                   | 0.0563    | 0.0616    | 0.374     | 21.2      | 0.085     | 4.72      | 191.5     | 4.56      |
| Upper Bound                |                                   | 0.0691    | 0.0845    | 0.458     | 26.0      | 0.117     | 5.78      | 234       | 6.20      |
| OREAS 906                  |                                   | 0.0114    | 0.0777    | 1.810     | 2.95      | 0.602     | 5.86      | 78.1      | 26.8      |
| Target Range - Lower Bound |                                   | 0.0107    | 0.0752    | 1.775     | 2.65      | 0.543     | 5.71      | 73.5      | 20.4      |
| Upper Bound                |                                   | 0.0133    | 0.1030    | 2.17      | 3.35      | 0.737     | 6.99      | 90.1      | 27.6      |
| OREAS-45h                  |                                   | 0.0664    | 0.0734    | 0.810     | 213       | 0.003     | 6.86      | 24.5      | 13.20     |
| OREAS-45h                  |                                   | 0.0641    | 0.0714    | 0.793     | 210       | 0.005     | 6.74      | 23.9      | 12.35     |
| OREAS-45h                  |                                   | 0.0662    | 0.0710    | 0.803     | 211       | 0.004     | 6.85      | 25.2      | 12.85     |
| Target Range - Lower Bound |                                   | 0.0609    | 0.0624    | 0.749     | 191.0     | 0.016     | 6.33      | 21.1      | 12.35     |
| Upper Bound                |                                   | 0.0747    | 0.0856    | 0.917     | 233       | 0.024     | 7.74      | 26.0      | 16.75     |
| <b>BLANKS</b>              |                                   |           |           |           |           |           |           |           |           |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | 0.001     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.05      | 0.001     | <0.001    | 0.1       | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.05      | 0.001     | <0.001    | <0.1      | <0.01     |
| BLANK                      |                                   | <0.0001   | <0.0005   | <0.0005   | 0.05      | 0.002     | <0.001    | <0.1      | <0.01     |
| Target Range - Lower Bound |                                   | <0.0001   | <0.0005   | <0.0005   | <0.05     | <0.001    | <0.001    | <0.1      | <0.01     |
| Upper Bound                |                                   | 0.0002    | 0.0010    | 0.0010    | 0.10      | 0.002     | 0.002     | 0.2       | 0.02      |
| <b>DUPLICATES</b>          |                                   |           |           |           |           |           |           |           |           |
| ORIGINAL                   |                                   | 0.1140    | 0.0789    | 0.435     | 93.5      | 0.263     | 13.35     | 38.2      | 7.65      |
| DUP                        |                                   | 0.1175    | 0.0826    | 0.443     | 93.3      | 0.261     | 13.25     | 38.0      | 7.70      |
| Target Range - Lower Bound |                                   | 0.1100    | 0.0742    | 0.417     | 88.7      | 0.241     | 12.65     | 36.1      | 7.09      |
| Upper Bound                |                                   | 0.1215    | 0.0873    | 0.461     | 98.1      | 0.283     | 13.95     | 40.1      | 8.26      |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Au<br>ppm | Ag<br>ppm | Al<br>%   | As<br>ppm | B<br>ppm  | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%   | Cd<br>ppm | Ce<br>ppm | Co<br>ppm | Cr<br>ppm | Cs<br>ppm | Cu<br>ppm |
|                            |                                   | 0.0001    | 0.001     | 0.01      | 0.01      | 2         | 0.05      | 0.005     | 0.0005    | 0.01      | 0.001     | 0.001     | 0.001     | 0.01      | 0.001     |           |
| <b>DUPLICATES</b>          |                                   |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| GD 100                     |                                   | 0.0041    | 0.014     | 3.91      | 5.24      | 2         | 23.2      | 0.211     | 0.1225    | 0.15      | 0.079     | 9.66      | 6.28      | 45.3      | 0.813     | 137.0     |
| DUP                        |                                   | 0.0049    | 0.013     | 3.72      | 5.06      | 2         | 22.4      | 0.202     | 0.1160    | 0.12      | 0.077     | 8.68      | 5.96      | 42.7      | 0.716     | 130.0     |
| Target Range - Lower Bound |                                   | 0.0041    | 0.012     | 3.61      | 4.88      | <2        | 21.0      | 0.191     | 0.1130    | 0.12      | 0.073     | 8.71      | 5.81      | 41.8      | 0.725     | 129.0     |
| Upper Bound                |                                   | 0.0049    | 0.015     | 4.02      | 5.42      | 4         | 24.6      | 0.222     | 0.1255    | 0.15      | 0.083     | 9.63      | 6.43      | 46.2      | 0.804     | 138.0     |
| GD 130                     |                                   | 0.0027    | 0.092     | 2.26      | 0.82      | <2        | 50.9      | 0.162     | 0.0897    | 0.17      | 0.097     | 6.40      | 8.66      | 25.8      | 1.785     | 22.8      |
| DUP                        |                                   | 0.0026    | 0.088     | 2.15      | 0.82      | <2        | 49.2      | 0.154     | 0.0887    | 0.14      | 0.099     | 5.39      | 8.63      | 25.5      | 1.610     | 22.0      |
| Target Range - Lower Bound |                                   | 0.0024    | 0.085     | 2.08      | 0.77      | <2        | 46.2      | 0.145     | 0.0842    | 0.14      | 0.092     | 5.60      | 8.21      | 24.4      | 1.610     | 21.6      |
| Upper Bound                |                                   | 0.0029    | 0.096     | 2.33      | 0.87      | 4         | 53.9      | 0.171     | 0.0942    | 0.17      | 0.104     | 6.19      | 9.08      | 26.9      | 1.785     | 23.2      |
| GD 166                     |                                   | 0.0273    | 0.283     | 2.63      | 2.53      | <2        | 26.8      | 0.189     | 0.1390    | 0.12      | 0.079     | 5.32      | 6.94      | 31.8      | 1.490     | 38.8      |
| DUP                        |                                   | 0.0158    | 0.284     | 2.53      | 2.30      | <2        | 26.3      | 0.186     | 0.1400    | 0.12      | 0.080     | 5.39      | 6.87      | 31.7      | 1.435     | 38.2      |
| Target Range - Lower Bound |                                   | 0.0198    | 0.268     | 2.44      | 2.28      | <2        | 24.5      | 0.173     | 0.1320    | 0.10      | 0.075     | 5.09      | 6.56      | 30.2      | 1.390     | 37.1      |
| Upper Bound                |                                   | 0.0233    | 0.299     | 2.72      | 2.55      | 4         | 28.6      | 0.202     | 0.1470    | 0.14      | 0.084     | 5.62      | 7.25      | 33.3      | 1.535     | 39.9      |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Fe<br>%   | Ga<br>ppm | Ge<br>ppm | Hf<br>ppm | Hg<br>ppm | In<br>ppm | K<br>%    | La<br>ppm | Li<br>ppm | Mg<br>%   | Mn<br>ppm | Mo<br>ppm | Na<br>%   | Nb<br>ppm | Ni<br>ppm |
|                            |                                   | 0.001     | 0.004     | 0.005     | 0.002     | 0.002     | 0.005     | 0.01      | 0.002     | 0.1       | 0.01      | 0.1       | 0.002     | 0.001     | 0.002     | 0.02      |
| <b>DUPLICATES</b>          |                                   |           |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| GD 100                     |                                   | 3.57      | 9.60      | 0.035     | 0.398     | 0.095     | 0.027     | 0.02      | 3.06      | 8.9       | 0.39      | 176.0     | 0.771     | 0.013     | 1.850     | 15.25     |
| DUP                        |                                   | 3.45      | 9.12      | 0.034     | 0.363     | 0.087     | 0.025     | 0.02      | 2.67      | 8.4       | 0.37      | 168.5     | 0.739     | 0.011     | 1.775     | 14.50     |
| Target Range - Lower Bound |                                   | 3.33      | 8.89      | 0.027     | 0.350     | 0.082     | 0.020     | <0.01     | 2.72      | 8.1       | 0.35      | 163.5     | 0.715     | 0.010     | 1.675     | 14.10     |
| Upper Bound                |                                   | 3.69      | 9.83      | 0.042     | 0.411     | 0.100     | 0.032     | 0.03      | 3.01      | 9.2       | 0.41      | 181.0     | 0.795     | 0.014     | 1.950     | 15.65     |
| GD 130                     |                                   | 2.28      | 6.06      | 0.025     | 0.061     | 0.090     | 0.017     | 0.02      | 2.82      | 11.8      | 0.27      | 720       | 0.303     | 0.010     | 0.380     | 13.40     |
| DUP                        |                                   | 2.24      | 5.64      | 0.025     | 0.068     | 0.087     | 0.013     | 0.02      | 2.38      | 10.5      | 0.26      | 701       | 0.305     | 0.008     | 0.491     | 12.90     |
| Target Range - Lower Bound |                                   | 2.15      | 5.55      | 0.018     | 0.058     | 0.080     | 0.009     | <0.01     | 2.47      | 10.5      | 0.24      | 675       | 0.287     | 0.008     | 0.401     | 12.45     |
| Upper Bound                |                                   | 2.37      | 6.15      | 0.032     | 0.071     | 0.097     | 0.021     | 0.03      | 2.73      | 11.8      | 0.29      | 746       | 0.321     | 0.010     | 0.470     | 13.85     |
| GD 166                     |                                   | 3.14      | 10.25     | 0.023     | 0.102     | 0.071     | 0.019     | 0.02      | 2.54      | 11.2      | 0.42      | 171.5     | 0.818     | 0.008     | 0.773     | 16.15     |
| DUP                        |                                   | 3.09      | 10.20     | 0.023     | 0.104     | 0.068     | 0.021     | 0.02      | 2.56      | 11.1      | 0.41      | 171.0     | 0.791     | 0.008     | 0.775     | 16.10     |
| Target Range - Lower Bound |                                   | 2.96      | 9.71      | 0.016     | 0.093     | 0.062     | 0.014     | <0.01     | 2.42      | 10.5      | 0.38      | 162.5     | 0.762     | 0.007     | 0.714     | 15.30     |
| Upper Bound                |                                   | 3.27      | 10.75     | 0.030     | 0.113     | 0.077     | 0.026     | 0.03      | 2.68      | 11.8      | 0.45      | 180.0     | 0.847     | 0.009     | 0.834     | 16.95     |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43         | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |           |
|----------------------------|-----------------------------------|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | P<br>%            | Pb<br>ppm | Pd<br>ppm | Pt<br>ppm | Rb<br>ppm | Re<br>ppm | S<br>%    | Sb<br>ppm | Sc<br>ppm | Se<br>ppm | Sn<br>ppm | Sr<br>ppm | Ta<br>ppm | Te<br>ppm | Th<br>ppm |
|                            |                                   | 0.0005            | 0.005     | 0.001     | 0.001     | 0.005     | 0.0002    | 0.002     | 0.002     | 0.005     | 0.002     | 0.01      | 0.01      | 0.005     | 0.001     | 0.0005    |
|                            |                                   | <b>DUPLICATES</b> |           |           |           |           |           |           |           |           |           |           |           |           |           |           |
| GD 100                     |                                   | 0.0802            | 5.21      | 0.006     | 0.001     | 3.88      | <0.0002   | 0.072     | 0.394     | 6.82      | 0.851     | 0.60      | 9.41      | <0.005    | 0.054     | 1.760     |
| DUP                        |                                   | 0.0774            | 5.03      | 0.006     | 0.001     | 3.47      | 0.0003    | 0.070     | 0.393     | 6.37      | 0.763     | 0.55      | 7.72      | <0.005    | 0.052     | 1.635     |
| Target Range - Lower Bound |                                   | 0.0744            | 4.86      | 0.005     | <0.001    | 3.49      | <0.0002   | 0.065     | 0.362     | 6.26      | 0.765     | 0.54      | 8.13      | <0.005    | 0.049     | 1.610     |
| Upper Bound                |                                   | 0.0832            | 5.38      | 0.007     | 0.002     | 3.86      | 0.0004    | 0.077     | 0.425     | 6.93      | 0.849     | 0.61      | 9.00      | 0.010     | 0.057     | 1.785     |
| GD 130                     |                                   | 0.0283            | 3.58      | <0.001    | 0.003     | 7.39      | 0.0002    | 0.005     | 0.306     | 2.38      | 0.126     | 0.47      | 8.93      | <0.005    | 0.011     | 0.695     |
| DUP                        |                                   | 0.0280            | 3.52      | 0.001     | 0.001     | 6.93      | <0.0002   | 0.005     | 0.339     | 2.16      | 0.096     | 0.45      | 7.17      | <0.005    | 0.010     | 0.668     |
| Target Range - Lower Bound |                                   | 0.0262            | 3.37      | <0.001    | <0.001    | 6.80      | <0.0002   | 0.003     | 0.296     | 2.15      | 0.103     | 0.43      | 7.64      | <0.005    | 0.009     | 0.647     |
| Upper Bound                |                                   | 0.0301            | 3.73      | 0.002     | 0.003     | 7.52      | 0.0004    | 0.007     | 0.349     | 2.39      | 0.119     | 0.49      | 8.46      | 0.010     | 0.012     | 0.716     |
| GD 166                     |                                   | 0.0359            | 5.39      | 0.002     | 0.001     | 4.72      | <0.0002   | 0.010     | 0.302     | 2.84      | 0.254     | 0.65      | 10.75     | <0.005    | 0.043     | 0.732     |
| DUP                        |                                   | 0.0347            | 5.33      | 0.001     | 0.001     | 4.59      | <0.0002   | 0.009     | 0.282     | 2.77      | 0.213     | 0.66      | 10.65     | <0.005    | 0.041     | 0.731     |
| Target Range - Lower Bound |                                   | 0.0330            | 5.09      | <0.001    | <0.001    | 4.42      | <0.0002   | 0.007     | 0.268     | 2.66      | 0.220     | 0.61      | 10.15     | <0.005    | 0.039     | 0.694     |
| Upper Bound                |                                   | 0.0376            | 5.63      | 0.002     | 0.002     | 4.89      | 0.0004    | 0.012     | 0.316     | 2.95      | 0.247     | 0.70      | 11.25     | 0.010     | 0.045     | 0.769     |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 604 984 0221 Fax: +1 604 984 0218  
 www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
 2489 BELLEVUE AVENUE  
 WEST VANCOUVER BC V7V 1E1

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 24-JUN-2022  
 Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

| Sample Description         | Method<br>Analyte<br>Units<br>LOD | AuME-ST43         | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 | AuME-ST43 |
|----------------------------|-----------------------------------|-------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
|                            |                                   | Ti<br>%           | Tl<br>ppm | U<br>ppm  | V<br>ppm  | W<br>ppm  | Y<br>ppm  | Zn<br>ppm | Zr<br>ppm |
|                            |                                   | 0.0001            | 0.0005    | 0.0005    | 0.05      | 0.001     | 0.001     | 0.1       | 0.01      |
|                            |                                   | <b>DUPLICATES</b> |           |           |           |           |           |           |           |
| GD 100                     |                                   | 0.1780            | 0.0434    | 0.451     | 108.5     | 0.090     | 3.81      | 32.9      | 13.95     |
| DUP                        |                                   | 0.1725            | 0.0410    | 0.431     | 103.0     | 0.123     | 3.44      | 30.9      | 12.35     |
| Target Range - Lower Bound |                                   | 0.1665            | 0.0385    | 0.418     | 100.5     | 0.098     | 3.44      | 30.2      | 12.15     |
| Upper Bound                |                                   | 0.1840            | 0.0459    | 0.464     | 111.0     | 0.115     | 3.81      | 33.6      | 14.15     |
| GD 130                     |                                   | 0.1140            | 0.0817    | 0.1485    | 65.8      | 0.007     | 1.490     | 45.9      | 2.13      |
| DUP                        |                                   | 0.1095            | 0.0762    | 0.1375    | 67.1      | 0.013     | 1.290     | 42.4      | 2.18      |
| Target Range - Lower Bound |                                   | 0.1060            | 0.0725    | 0.1355    | 63.1      | 0.008     | 1.320     | 41.8      | 1.98      |
| Upper Bound                |                                   | 0.1175            | 0.0854    | 0.1505    | 69.8      | 0.012     | 1.460     | 46.5      | 2.33      |
| GD 166                     |                                   | 0.1270            | 0.0505    | 0.203     | 90.0      | 0.026     | 1.520     | 36.7      | 3.63      |
| DUP                        |                                   | 0.1260            | 0.0493    | 0.1965    | 90.6      | 0.034     | 1.520     | 36.6      | 3.57      |
| Target Range - Lower Bound |                                   | 0.1200            | 0.0457    | 0.1895    | 85.7      | 0.027     | 1.445     | 34.7      | 3.32      |
| Upper Bound                |                                   | 0.1330            | 0.0541    | 0.210     | 94.9      | 0.033     | 1.595     | 38.6      | 3.88      |

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 604 984 0221 Fax: +1 604 984 0218  
www.alsglobal.com/geochemistry

To: QUADRA COASTAL RESOURCES  
2489 BELLEVUE AVENUE  
WEST VANCOUVER BC V7V 1E1

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 24-JUN-2022  
Account: QUCORE

Project: Texada

**QC CERTIFICATE OF ANALYSIS VA22145308**

### CERTIFICATE COMMENTS

#### LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  
AuME-ST43  
WEI-21  
DIS-PUL21  
LOG-22

SCR-41