


Ministry of Energy, Mines & Petroleum Resources
Mining & Minerals Division
BC Geological Survey

**Assessment Report
Title Page and Summary**

TYPE OF REPORT [type of survey(s)]: Drilling Assessment

TOTAL COST: \$ 285,000.00

AUTHOR(S): J. T. Shearer, M.Sc., P.Geo.

SIGNATURE(S): 

NOTICE OF WORK PERMIT NUMBER(S)/DATE(S):

YEAR OF WORK: 2023

STATEMENT OF WORK - CASH PAYMENTS EVENT NUMBER(S)/DATE(S): 6009103

PROPERTY NAME: Redonda

CLAIM NAME(S) (on which the work was done): 1080749 Red 1

COMMODITIES SOUGHT: Cu-Mo

MINERAL INVENTORY MINFILE NUMBER(S), IF KNOWN:

MINING DIVISION: Vancouver

NTS/BCGS: 92K/7W

LATITUDE: 50 ° 17 '00 " LONGITUDE: 124 ° 55 '20 " (at centre of work)

OWNER(S):

1) J. T. Shearer

2)

MAILING ADDRESS:

Unit 5 - 2330 Tyner Street

Port Coquitlam, BC V3B 2Z7

OPERATOR(S) [who paid for the work]:

1) Same

2)

MAILING ADDRESS:

Same

PROPERTY GEOLOGY KEYWORDS (lithology, age, stratigraphy, structure, alteration, mineralization, size and attitude):

Porphyry copper-moly zone drilled in 1979, probable Tertiary intrusion into Coast Range quartz diorite. Typical grades greater than 0.2% copper over 100m plus. Along suture zone between Wrangelia and Coast Plutonic Complex

REFERENCES TO PREVIOUS ASSESSMENT WORK AND ASSESSMENT REPORT NUMBERS:

Assessment Reports 0638, 28320, 0630, 8280, 29775, 33897

TYPE OF WORK IN THIS REPORT	EXTENT OF WORK (IN METRIC UNITS)	ON WHICH CLAIMS	PROJECT COSTS APPORTIONED (incl. support)
GEOLOGICAL (scale, area)			
Ground, mapping			
Photo interpretation			
GEOPHYSICAL (line-kilometres)			
Ground			
Magnetic			
Electromagnetic			
Induced Polarization			
Radiometric			
Seismic			
Other			
Airborne			
GEOCHEMICAL (number of samples analysed for...)			
Soil			
Silt			
Rock			
Other			
DRILLING (total metres; number of holes, size)			
Core	5 Holes NQ 799.81m	1080749	\$ 285,000.00
Non-core			
RELATED TECHNICAL			
Sampling/assaying			
Petrographic			
Mineralographic			
Metallurgic			
PROSPECTING (scale, area)			
PREPARATORY / PHYSICAL			
Line/grid (kilometres)			
Topographic/Photogrammetric (scale, area)			
Legal surveys (scale, area)			
Road, local access (kilometres)/trail			
Trench (metres)			
Underground dev. (metres)			
Other			
TOTAL COST:			\$ 285,000.00

Mineral Titles Online

Mineral Claim Exploration and Development Work/Expiry Date Change

Confirmation

Recorder: SHEARER, JOHAN THOM (124452)
Recorded: 2024/JAN/03
D/E Date: 2024/JAN/03

Submitter: SHEARER, JOHAN THOM (124452)
Effective: 2024/JAN/03

Confirmation

If you have not yet submitted your report for this work program, your technical work report is due in 90 days. The Exploration and Development Work/Expiry Date Change event number is required with your report submission. **Please attach a copy of this confirmation page to your report.** Contact Mineral Titles Branch for more information.

Event Number: 6009103

Work Type: Technical Work

Technical Items: Drilling, Geochemical, PAC Withdrawal (up to 30% of technical work required), Preparatory Surveys, Road and trail work

Work Start Date: 2023/SEP/01

Work Stop Date: 2024/JAN/03

Total Value of Work: \$ 285000.00

Mine Permit No: MX-100000277

Summary of the work value:

Title Number	Claim Name	Issue Date	Good To Date	New Good To Date	# of Days Forward	Area in Ha	Applied Work Value	Submission Fee
1071161	REDONDA	2019/SEP/19	2024/SEP/19	2029/SEP/19	1826	20.65	\$ 1858.16	\$ 0.00
1071184	REDONDA 2	2019/SEP/20	2024/SEP/20	2029/SEP/20	1826	206.45	\$ 18580.78	\$ 0.00
1071209	REDONDA 7	2019/SEP/21	2024/SEP/21	2029/SEP/21	1826	61.94	\$ 5574.47	\$ 0.00
1080749	RED 1	2021/JAN/25	2026/JAN/25	2031/JuN/25	1977	247.77	\$ 24348.88	\$ 0.00
1080750	RED 2	2021/JAN/25	2026/JAN/25	2031/JuN/25	1977	495.65	\$ 48709.89	\$ 0.00
1080751	RED 3	2021/JAN/25	2026/JAN/25	2031/JuN/25	1977	206.45	\$ 20288.97	\$ 0.00
1080981	RED 4	2021/FEB/04	2025/FEB/04	2031/jun/24	2331	309.82	\$ 33358.74	\$ 0.00
1080982	RED 5	2021/FEB/04	2025/FEB/04	2031/jun/24	2331	413.16	\$ 44485.10	\$ 0.00
1080983	RED 6	2021/FEB/04	2025/FEB/04	2031/jun/24	2331	516.29	\$ 55589.54	\$ 0.00
1080985	RED 7	2021/FEB/04	2025/FEB/04	2031/jun/24	2331	330.27	\$ 35560.36	\$ 0.00

1081320	RED 8	2021/FEB/21	2025/FEB/21	2031/jun/21	2311	165.11	\$ 17596.55	\$ 0.00
1081321	RED 9	2021/FEB/21	2025/FEB/21	2031/jun/21	2311	61.94	\$ 6600.95	\$ 0.00
1081461	GLOUCESTER 1	2021/MAR/02	2025/MAR/02	2029/sep/02	1645	20.65	\$ 1446.93	\$ 0.00
1081462	GLOUCESTER 2	2021/MAR/02	2025/MAR/02	2029/sep/02	1645	413.00	\$ 28944.13	\$ 0.00

Financial Summary:

Total applied work value: \$ 342943.45

PAC name: J Shearer
Debited PAC amount: \$ 57943.45
Credited PAC amount: \$ 0

Total Submission Fees: \$ 0.0

Total Paid: \$ 0.0

Please print this page for your records.

The event was successfully saved.

Click [here](#) to return to the Main Menu.

DRILLING ASSESSMENT REPORT
on the
REDONDA COPPER-MOLY-RHENIUM PROPERTY

West Redonda Island, B.C.
NTS 92K/7W BCGS 092K026
Location: 50° , 17' 00" N, 124° 55' 20"W
UTM Zone 10: 5,571,900N, 363,055 E (NAD83)
Vancouver Mining Division
Permit MX-100000277
Event #6009103

For


Stamper Oil & Gas Corp. (V.STMP)
310-221 W. Esplanade,
North Vancouver, BC V7M 3J3

By

J. T. Shearer, M.Sc., P.Geo. (BC & Ontario) FSEG
E-mail: jo@HomegoldResourcesLtd.com
Phone : 604-970-6402
Permit to Practice 1000611
Mine Supervisor 854449

January 3, 2024

Work Completed Between September 1, 2023 and January 3, 2024



Redonda Island 2021 – Redonda Bay on the left; Mineralized Zone in upper centre

TABLE of CONTENTS

	<u>Page</u>
LIST of FIGURES	ii
SUMMARY	iii
INTRODUCTION	1
PROPERTY DESCRIPTION, LOCATION and MINERAL TENURE.....	3
ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE and PHYSIOGRAPHY	6
HISTORY	10
GEOLOGY	29
EXPLORATION 2023 DRILLING.....	34
CONCLUSIONS	44
RECOMMENDATIONS	47
REFERENCES	49
APPENDICES	
APPENDIX I CERTIFICATE OF QUALIFICATIONS	51
APPENDIX II STATEMENT of COSTS	52
APPENDIX III DRILL LOGS	53
APPENDIX IV SAMPLE DESCRIPTIONS and LOCATION	54
APPENDIX V ASSAY RESULTS.....	57
APPENDIX VI FULL SIZE SCALE PLAN and CROSS-SECTION MAPS	58

LIST of FIGURES

		<u>page</u>
FIGURE 1	General Location Map	v
FIGURE 2	Regional Location Map	vi
FIGURE 3	Claim Map and Logging Road Access	5
FIGURE 4	Access Map to West Redonda Island by Boat from Campbell River	7
FIGURE 5	Copper in Soil Geochemistry	13
FIGURE 6	Molybdenum in Soil Geochemistry	14
FIGURE 7	Simplified Plan Map of 1966 Trench and 1979 Drill Hole Locations	17
FIGURE 8	Analytical Plan Map of 1966 Trench and 1979 Drill Hole Locations (UTM Grid)	18
FIGURE 9	Cross-Section 5571650N with Cu and MoS ₂ Results (UTM Grid)	19
FIGURE 10	Cross-Section 5571900N with Cu and MoS ₂ Results (UTM Grid)	19
FIGURE 11	Cross-Section 5572150N with Cu and MoS ₂ Results (UTM Grid)	20
FIGURE 12	Sample Locations and Results 2021	22
FIGURE 13	November 2021 Mapping.....	24
FIGURE 14	Phase One Induced Polarization Survey (IP) Grid & Proposed Phase 2 Drill Holes.....	26
FIGURE 15	November 2021 Magnetics	27
FIGURE 16	November 2021 Radiometrics.....	28
FIGURE 17	Regional Geology Map	30
FIGURE 17	Property Geology Map	32
FIGURE 19	Sample Locations and Results 2023	38
FIGURE 20	1979 and 2023 Drilling 1 to 5000 Scale Plan	39
FIGURE 21	2023 Drilling, Drilling 1 to 1000 Scale Plan.....	40
FIGURE 22	2023 Drilling, RED-23-01 Cross Section, Drilling 1 to 1000 Scale	41
FIGURE 23	2023 Drilling, RED-23-02 and RED-23-03 Cross Section, Drilling 1 to 1000 Scale	42
FIGURE 24	2023 Drilling, RED-23-04 and RED-23-05 Cross Section, Drilling 1 to 1000 Scale	43
FIGURE 25	Access Trail	46

LIST of TABLES

		<u>page</u>
TABLE 1	List of Claims.....	3
TABLE 2	List of Drill Hole Locations 1979	11
TABLE 3	1979 Drill Hole Mineralization.....	15
TABLE 4	1966 Trench Mineralization	16
TABLE 5	Drill Data.....	35
TABLE 6	2023 Exploration Program Combined with Historic 1979 Intercepts	35

LIST of PHOTOGRAPHS

		<u>page</u>
FRONTISPIECE Redonda Island 2021		
PHOTO 1	Boyles 25 Diamond Drill on Setup #1	2
PHOTO 2	Marine Link Barge Unloading 2023	8
PHOTO 3	Private Wharf Operations.....	8
PHOTO 4	Mineralized Zone Outcrop.....	9
PHOTO 5	Google Image April 26, 2021 Author’s Waypoint and Sample Location Map.....	33
PHOTO 6	Google Image Waypoint Map.....	33

SUMMARY

The Redonda Porphyry Prospect is an underexplored porphyry copper- molybdenum occurrence located in the northern Gulf Islands between the Wrangellia Terrain of Vancouver Island and the Coast Plutonic Belt of the mainland (Betmanis, 2013). The regional setting of the Redonda property is part of the Coast Suture Zone, as most of the known porphyry copper-molybdenum deposits in the Canadian Cordillera are situated in the Intermontane Superterrane east of the Coast Plutonic Complex and to a lesser degree in the Insular Superterrane to the west.

The Redonda claim group is comprised of 9 contiguous claims called Red 1 to 9 located on West Redonda Island east of Campbell River. The claims cover 2726.02 hectares of copper and molybdenum mineralization. The Redonda property is located on NTS map sheet 92 K/7W as well as BCGS maps sheet 092K026 in the Vancouver Mining Division in British Columbia, Canada. The approximate center of the property is at UTM co-ordinates 5,571,900N – 363,055E (NAD 83 Zone 10). All claims comprising the property are in good standing with current expiry dates of January 25, 2022 for Red 1-3 claims and February 4, 2022 for the Red 4 to 9 claims. The claims are accessed from Campbell River BC via helicopter or boat. A network of reclaimed logging roads criss-cross the property. The nearby OK Claims shown on Figures 2 and 3 are owned by other entities and provide perspective on proximity to Powell River. The OK Property is also a significant porphyry style showing owned by others located in plutonic rocks east of the Coast Suture Zone.

The 1979 the mineralized area was been tested for copper and molybdenite only. No analyses were been made for other base metals or any precious metals. This report compiles all of the previous data from exploration on the property done from 1965 to 1979 and 2024 and to create cross-sections and long-sections of the diamond drill holes, trenches and mineralized zone for interpretation of the zone. In 1966 Mastodon – Highland Bell Mines excavated 9 trenches across four zones of pyritized hornblende diorite and brecciated diorite. Chalcopyrite and pyrite mineralization is finely disseminated throughout the hornblende diorite and as fine coating on silicified fractures. In 1979 Teck Corporation drilled 9 drill holes (R79-1 to R79-9) into the four zones to test the mineralization at depth.

In the claims area, Early Cretaceous dioritic intrusive rocks of the Coast Plutonic Complex have been intruded by at least three later intrusive units, including a quartz porphyry plug, a 60 to 90 meter wide hornblende porphyry dike which is locally brecciated over its 650 meter exposed length and several smaller feldspar porphyry dikes which cut dioritic rocks near the southwest margin of the hornblende porphyry dike. Higher concentrations of copper-molybdenum mineralization are closely associated with the hornblende porphyry dike, particularly in areas where it has been brecciated. The geological setting of the mineralization on the Red mineral claims share a number of features similar to those observed at the OK over copper-molybdenum porphyry deposit located 34 km to the southeast, north of Powell River and the Gambier Copper deposit in Howe Sound.

Compilation of trench and diamond drill hole assay results has identified a porphyry-style, northerly to northeasterly trending zone of copper-molybdenum mineralization which has been traced in outcrop, trenches and diamond drill holes over a lateral north-south distance of about 600 m. It occurs across (trench) widths of about 45-90 m and its known vertical extent, indicated by drilling and mineralized surface exposures, exceeds 500 m. Mineralization remains open to the north and at depth.

Some of the elevated copper – molybdenum assays identified in the 1965-1966 trenches include 45 m grading 0.18% Cu and 0.130% MoS₂ and 64 m grading 0.33% Cu and 0.030% MoS₂. Mineralized core intercepts in the 1979 drill core include 149.1 m grading 0.21% Cu and 0.05 1% MoS₂, 207.3 m grading 0.21% Cu and 0.021% MoS₂ and 22.5 m grading 0.24% Cu and 0.068% MoS₂.

The work program in 2023 consisted of drilling 5 holes totalling 799.81m (2,624 ft.) plus quartering parts of Hole 79-2.

The current results allow a re-interpretation of the geology and mineralization. The entire mineralized area is a series of multi-phase magmatic-hydrothermal breccias.

The currently known highest grad copper-moly zone and associated breccias extend over a defined northerly horizontal length of over 600m, a width of at least 500m and a vertical extent of 300m. This is higher grade, potassic altered centre of mineralization is composed of variable density of dark mafic-rich fragments. Higher grades are clearly related to abundance of dark fragments in vugs and heavy chalcopyrite/molybdenite and pyrrhotite replacement. These hornblende phyruc rocks are extremely altered by biotite and magnetite forming a potassic core of alteration. The area of interest appears to be the top of the magma cupola or carapace. Large included blocks of older volcanics have been observed a short distance to the northeast.

However, some high-grade copper/MoS₂ is also associated with the density of quartz stockworks and fracture filling. The locus of magmatic-hydrothermal multi-phase intrusives and brecciation associated with mineralization is distinct from the surrounding Coast Plutonic Complex although current level of mapping has not well documented the contact relationships. The multi-phase system is clearly younger than the enclosing Coast Plutonic rocks. The presence of mineralized miarolitic cavities suggest a high level and very fluid-rich hydrothermal system.

The very large breccia-agmatite body to the northeast is sparsely mineralized on surface but has not been tested by drilling. Previous operators suggest that the focus of mineralization may occur at depth to the northeast as interpreted by the magnetic signature.

The company is considering an aggressive program in 2024 which may consist of:


- 1) Detailed geological mapping with particular emphasis on brecciation trends.
- 2) Airborne magnetics and radiometrics to define the potassic core zone to the north and south
- 3) Limited Induced Polarization to the northeast
- 4) Deeper drilling to below 500m within the known potassic core

A total cost of future work is in excess of 1 million dollars.

The mineralized zones are open to the north. A separate old road system 1.0km to the northwest will be investigated in 2024 for possible extensions of the mineralized zone.

The mineralized zone is open to the south and may plunge to the south (under the Coast Plutonic Complex). Future drilling is warranted along roads to the south after airborne geophysics is completed. Extensive iron skarns are known to the east on the east side of Redonda Island which could be part of a very large magmatic-hydrothermal system at depth.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "J. T. Shearer", is written over a light green rectangular background.

J. T. Shearer, M.Sc., P. Geo. (BC & Ontario) FSEG
Permit to Practice 1000611
Mine Supervisor 854449




Figure 1: General Location Map




Figure 2 Regional Location Map

INTRODUCTION

J. T. Shearer was engaged by Stamper Oil & Gas Corp. to provide a technical report that compiles all the known data on the Red Claims located on Redonda Island located approximately 50 km northeast of Campbell River, BC, documents and recommends an exploration program to advance the property.

In preparing this report, the author relied on geological reports, maps and various technical papers listed in the References Section of this.

The author has compiled this report with all due care and reviewed all available reports. It is believed that the information contained within this report is accurate and reliable. All previous work programs have been undertaken by experienced exploration personnel and the referenced reports cited were written by competent professionals. The author has assumed that all the information and technical documents listed in the References section are accurate and complete in all material aspects.

The Redonda Prospect was discovered in 1964 by prospectors from Mastodon Highland Bell Mines Ltd. Initial geological sampling work was done by Highland Bell. In the early 1970's Teck Corporation acquired the assets of Highland Bell, including the Redonda Property. Prospectors and geologists from Highland Bell retained a 15% carried interest in the property. Teck Corporation continued exploration on the property with various geochemical and limited geophysical programs as well as an exploratory diamond drilling campaign. Teck relinquished the property due to other commitments and the overbearing carried 15% Prospector's interest.

The Redonda Prospect is a typical porphyry copper-molybdenum showing located in the coastal district of British Columbia. The showing has been tested and assayed for copper and molybdenite only. No assays for gold or silver minerals were attempted in the past.

A 2021 program commenced in April 2021 with a program of clearing 2.2km overgrown roads and locating the 1979 Teck Corp. drill core. The phase one program was conducted by Stamper Oil & Gas Corp. will commence with the resplitting and re-assaying the drill core for gold, silver and rhenium and multi-element analysis and alteration mapping.

As part of the exploration permitting process, a support letter has been received from the Klahoose First Nation for a Notice of Work filed with MEMPR. An exemption for and Induced Polarization Survey (IP) was granted with the Letter of Support with the local First Nation



Photo 1 Boyles 25 Diamond Drill on Setup #1 November 2023

PROPERTY DESCRIPTION, LOCATION and MINERAL TENURE

The RED Property is held 100% by J. T. Shearer. It is comprised of 9 claims total 2,746.46 hectares plus the 5 claims to the northeast using PAC credits.. It is included in the Klahoose First Nation and Xwemalhkwa (Homalko) First Nation Traditional Territories. The Klahoose First Nation appear to have the strongest claim to title with a Reserve on Southern West Redonda Island. Details of the mineral claims are listed below:

Table 1 List of Mineral Claims

Tenure	Claim Name	Area ha	Date Acquired	Good to Date	Owner
1080749	Red 1	247.77	January 25, 2021	January 25, 2031	J. T. Shearer
1080750	Red 2	495.65	January 25, 2021	June 25, 2031	J. T. Shearer
1080751	Red 3	206.45	January 25, 2021	June 25, 2031	J. T. Shearer
1080981	Red 4	309.82	February 4, 2021	June 24, 2031	J. T. Shearer
1080982	Red 5	413.16	February 4, 2021	June 24, 2031	J. T. Shearer
1080983	Red 6	516.29	February 4, 2021	June 24, 2031	J. T. Shearer
1080985	Red 7	330.27	February 4, 2021	June 24, 2031	J. T. Shearer
1081320	Red 8	165.11	February 21, 2021	June 21, 2031	J. T. Shearer
1081321	Red 9	61.94	February 21, 2021	June 21, 2031	J. T. Shearer
1081461	Gloucester 1	20.65	March 2, 2021	September 2, 2029	J. T. Shearer
1081462	Gloucester 2	413.00	March 2, 2021	September 2, 2029	J. T. Shearer
1071161	Redonda	20.65	September 19, 2019	September 19, 2029	J. T. Shearer
1071184	Redonda 2	206.45	September 20, 2019	September 20, 2029	J. T. Shearer
1071209	Redonda 7	61.94	September 21, 2019	September 21, 2029	J. T. Shearer

Total ha 3,479.15

Following revisions to the Mineral Tenures Act on July 1, 2012, claims bear the burden of \$5 per hectare for the initial two years, \$10 per hectare for year three and four, \$15 per hectare for year five and six and \$20 per hectare each year thereafter.

The Redonda Property is located near the north-west corner of West Redonda Island, British Columbia, in the Vancouver Mining Division. It is about 40 kilometers north-east from Campbell River and about 55 kilometers north-west from Powell River. The geographic coordinates of the centre of the property are:

50° 17" 00" N· 124 ° 55'20" W or
UTM Zone 10, 5,571,900 N; 363,055 E, (NA083)

Access to the Red Claims can be gained also by boat, float plane or helicopter northeast to Redonda Bay from Campbell River BC, a distance of approximately 50 km northwest from Powell River BC followed by a short 30 minute walk on old logging roads to the recent clear-cuts. Suitable helicopter landing sites are located near the centre of deposit on the logging road. Flying time is 15-20 minutes from Campbell River and photos 3 to 5. Boat or barge access from Campbell River to Redonda Bay is shown on Figure 4.

Environmental Liabilities

There are no known environmental liabilities at this time. Environmental baseline studies may be required in the future if advanced development takes place on the property. Currently environmental

studies have not been conducted by Stamper Oil and Gas Corp. Being situated on the side of a steep terrain, extra work may be required to maintain the safety of trails, roads and planned mining facilities. There is no plant or equipment, inventory, mine or mill structures or camps structures of any value on these mineral tenures. The mineral tenures have been intensively logged over the last 60 years and currently logging may commence in 2021 on West Redonda Island.

Permits

The company and property will be subject to regulations of British Columbia Ministry of Energy, Mines and Petroleum Resources while exploration programs are conducted. The Optionor has secured the appropriate permits for clearing trails and a helicopter landing pad closer to the mineralized area of interest. Stamper Oil and Gas Corp. will be required to submit and application for a Notice of Work Exploration permit before any mechanical type work takes place on the property such as drilling and/or mechanical trenching. A reclamation bond has been posted for the drilling, trenching and/or bulk sampling programs be conducted in 2021 and 2023.

Should the property proceed to production in the future detailed environmental impact studies will be required by the Provincial Ministry of Environment and potentially the Federal Canadian Environmental Assessment Authority (CEAA).

First Nations and Community Consultations

As part of the Notice of Work permitting process, Stamper Oil and Gas will be required to consult First Nations that oversee their traditional territory that the West Redonda Island Red Claims property occupies. J. Shearer has commenced discussions with the local Klahoose First Nation and has established a relationship with them J. Shearer has also employed several Klahoose First Nations members to initiate the clearing of an access path to the mineralized area of the claims. As part of the exploration permitting process, a Letter of Support for the project has been received from the Klahoose First Nation for a Notice of Work filed with MEMPR. The Letter of Support has provided an exemption for a Notice of Work for the proposed Induced Potential Survey (IP).

Stamper Oil and Gas Corp. has commenced with initial applications to conduct the Phase One Exploration Program which lead to a permit being issued in 2022 for mechanical exploration work such as drilling and/or trenching takes place (Phase Two) (Section 4.3 of this report). Stamper Oil and Gas Corp. has also initiated contact with the local Klahoose First Nations Community to achieve support for the 2021 exploration projects as noted in Section 4.4 of this report. Environmental baseline studies may be required in the future if advanced development takes place on the property. Currently environmental studies have not been conducted by Stamper Oil and Gas Corp. Being situated on the side of steep terrain, extra work will be required to maintain the safety of trails, roads, planned mining facilities. There is no plant or equipment, inventory, mine or mill structures of any value on these mineral tenures. The mineral tenures have been intensively logged over the last 50 years and some logging on the island will take place in 2021.

Detailed environmental studies and broader permitting applications will be carried out once the exploration phase moves towards the development of mineral resource and mineral reserve estimates.




Figure 3: Claim Map and Logging Road Access to Red Claims Showing Area from Redonda Bay

ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE and PHYSIOGRAPHY

The property lies between sea level at its northwest corner and 725 metres a.s.l. towards the central southeast of the property. Most of the steep rise is just above sea level in the form of cliffs. Slopes near the centre of the deposit are moderate to locally steep. Running stream water is available at various locations on the property. Several improved and unimproved logging roads provide access to most areas of the property. Several camp sites exist close to the centre of the main property area.

Most of the area has been logged at various times in the past, and parts recently in the last few years. Vegetation varies from second or third growth to some old growth towards the northwest part of the property. Undergrowth is not a problem in most areas on the property. However, the BC Forest Service established a camp for low security convicts at Redonda Bay. Inmates were used to thin the second growth on parts of northwestern West Redonda Island. When Teck repaired and upgraded the old logging road for vehicle use for their exploration, the BC Forest Service concentrated on thinning second growth on the Redonda Property. They operated throughout the 1970's and were continuing into the 1980's when Teck last worked on the property in 1979. The logging roads were constantly clear and usable since the 1950's and continued as such for a few a years after 2003 when they were encouraged to become overgrown. The timber from second growth on that part of the property is now at a prime time for logging with most of the stands at or over 50 metres tall of good healthy timber ideal for harvesting. Two areas on the property near Redonda Ridge and within 200 metres from the main mineralized zone and just to the southwest were clear-cut logged in the very early 2000's.

The climate is moderate coastal typical of the northern Gulf Islands. Summers can be dry and warm to hot, with winters cool and wet with occasional snowfalls that stay on the ground for often no more than a few days. Exploration and development on the property can be carried out year-round.

Generally weather directions and inclement weather come from the north-northwest down Calm Channel and Lewis Channel. On a local scale the Redonda Property is well protected from salt water exposure and weather but the western edge and the lowermost parts of the property can receive occasional heavier gusts of wind that may cause occasional windfalls in late autumn and early winter.

Access can be gained also by boat or float plane northeast to Redonda Bay from Campbell River BC, a distance of approximately 50 km or 55 km northwest from Powell River BC followed by a short 30 minute walk to the recent clear-cuts (Figure 4). The mineralized zone is an additional 2 kilometres walk along an overgrown but good base logging road. Landing craft or barge access for transporting heavier equipment is available at Redonda Bay close to the current wharf (DL 6248). The route from Campbell River is shown on Figure 4. Limited facilities exist at Redonda Bay since logging equipment and heavy machinery are barged in as needed for each logging operation undertaken. A private oyster farm in Redonda Bay requires maintenance and harvesting. The farm's facilities are the main permanent facilities at Redonda Bay. Logging has been intermittently active on the northwest area of West Redonda Island with large tracts of forest being clear-cut every few years. The current forest tenure holders are A&A Trading who barge in equipment whenever needed. The next harvesting is scheduled for later in 2021.




Figure 4: Access Map to West Redonda Island via Boat from Campbell River



Photo 2: Marine Link Barge Unloading 2023



Photo 3: Private Wharf for Logging Operations



Photo 4: Mineralized Zone Outcrop. W.B. Lennan 2021 near drillhole R-23-02; Hornblende “Dyke”

As of the Effective Date of this report, other than the private structures and wharf located at Redonda Bay, there are no building structures or other infrastructure such as water supply piping and electrical power supply lines on the Red Claims. Off-property infrastructure that is able to source materials and labour are located in the City of Campbell River, BC some 50 km to the southwest of the West Redonda Island Red Claims.

HISTORY

Geologists and prospectors from Mastodon Highland Bell Mines Ltd. discovered the Redonda mineralization in the early 1963 while inspecting recent logging road cuts on the Gulf islands. Highland Bell staked the original claims on the property and three individuals from the exploration team were awarded jointly a 15% carried interest in the property. Between 1964 and 1965 the property was sampled, geologically mapped, geochemically soil sampled and trenched. Limited electromagnetic surveying was attempted. Four possible mineralized zones were interpreted at that time. The author has viewed copies of the trench plans complete with analytical results for copper and molybdenum (Table 4). In the early 1970's Teck Corporation (Teck) acquired the assets of Mastodon Highland Bell, including the Redonda Property. The property remained encumbered by the original 15% Prospector's Agreement, which was considered untenable by Teck for a marginal grade porphyry copper deposit. Teck initiated exploration work on the Redonda Property in 1972. Most of the work by Teck was done by or supervised by A.I. Betmanis as project geologist for Teck at that time. Exploration work by Teck continued until 1980 under the management of the A Betmanis.

The initial work done by Teck was limited to minor geophysical ground VLF-EM surveying and fluxgate magnetometer surveying. This was soon expanded to geochemical soil surveying and some soil test pit excavations for soil profiles. During the latter years of exploration by Teck the BC Forest Service managed a low security prison camp at Redonda Bay to use inmates for thinning logged areas of new growth in the property area. The thinning process did not attempt any slash clean-up and most of the old survey lines were obliterated and had to be re-cut and surveyed. The thinning followed by generous fertilization has produced a rapid and healthy growth which is now ready for harvesting. The logging companies have been very accommodating in the past.

All exploration work was based mainly on soil geochemistry by Mastodon Highland Bell, and as expanded by Teck Corporation (Teck). Teck dug several test pits in 1977 and sampled them to obtain a soil profile to check for surface contamination from logging operations and to investigate a dry swamp area to the north-east part way towards a small lake that had some anomalous copper and molybdenum values. It was concluded that the swamp area values were either possible hydromorphic or surface contamination from logging, but that no significant down-slope creep had occurred during logging.

The exploration work by Teck culminated in late 1979 with the drilling of nine exploratory NQ diamond drill core holes to test the main part of the showing. Drilling equipment and major camp equipment, including vehicle transportation, was barged in to Redonda Bay. Drill moves were performed by helicopter from Campbell River. During the drilling program a contract geologist was hired briefly to re-interpret the surface geology and relate it to drill hole results. Petrographic examination of a number drill core samples was made for lithology, alteration and mineralization. At no time has the property been tested for anything in addition to copper and molybdenum.

Unfortunately Teck permitted the property to expire at the end of its assessment credit years due to other major commitments, mainly internationally and development of the Shaft Creek deposit, plus Redonda's encumbrance of the 15% carried Prospector's Agreement, although exploration results were very encouraging. Teck currently retains no remaining interest in the property.

No on-site property exploration has been done since Teck relinquished the property. Recent intermittent but consistent logging operations have been performed on the property with operations

based out of Redonda Bay. These operations have been continuing until the present.

In 2005, B.K. Bowen, P. Eng. from Surrey, B.C. acquired the property. He reviewed most of the previous published exploration work by Teck on the property, performed a regional air photo interpretation of major lineaments indicated on 1996 black and white photos at a scale of 1:40,000, and compared the property in broad terms to the OK porphyry copper-molybdenum property located to the south. At no time did Bowen do an on-site examination or visit the property.

Since Bowen's original assessment expiry, small one to two cell nuisance key claims for speculative purposes were placed on the property for a number of years and expired due to no work being attempted, but were being replaced by adjacent cells on the due dates. These have only prevented any serious acquisition, exploration or development of the property and prevented serious property acquisition for exploration purposes. Bowen re-staked the Redonda property on July 10, 2012 but failed to record assessment work by the required due date and the claim lapsed.

A. Betmanis acquired the property in 2013 but failed to accomplish any meaningful work except for a compilation.

Summary of the 1979 Teck Corp. Drilling Program

A total of nine NQ core holes for a total of 1,681 metres were drilled on the property in 1979. These drill holes were exploratory holes to sample the mineralized zone as known at the time and to obtain an indication of grades. The drill holes and locations are tabulated in Table 2. Down-hole surveying was done by acid tube tests that provide no information of any change in direction and the measured data from the drill collar is the only indication of direction. The drill hole locations are based on an average of the old Mastodon Highland Bell grid lines and the Teck resurveyed grid lines. Elevations have been interpreted from topography as shown by BCGS on MapPlace. Since at that time no attempt was made to analyse for precious metals, partly due to metal prices at that time and also because no precious metals had been visually observed in outcrops or hand specimens during surface mapping, the drill core was assayed for copper and molybdenite only.

Geochemical soil samples had been analyzed for Cu and Mo, whereas the drill core was assayed for Cu and MoS₂. All drill core was assayed by Bondar-Clegg of North Vancouver for percent Cu and MoS₂.

The grade averages shown in the accompanying maps are % CuEq based on the metal prices in effect in 1979. A 0.25% CuEq has been used in most cases and includes short sections of <0.25% CuEq if the average is maintained above 0.25% CuEq. The interpretative mineral zones therefore are for illustration only, but should be of invaluable assistance for interpreting the mineralized trend and to help indicate in which directions the grid should be expanded for more complete geochemical and geophysical surveying. The mineralized zone interpretations depend largely on adjacent sections and would require additional in-fill drilling or step-out drilling to be verified.

The drillhole sections are based on an assumed grid with an origin located at the logging roads junction a short distance east from the main mineralized zone. By constructing drill sections an indication of possible three dimensional distribution of mineralization even though the drillholes were preliminary exploratory holes, was possible for the first time. The nine drill hole locations and data are summarized in Table 2 as follows:

Table 2 List of Drill Hole Locations 1979

DRILL HOLE	NORTHING	EASTING	ELEV (col.)	BEARING	DIP	DEPTH	ELEV (base)
R 79-1	5,572,017 N	363,462 E	505m	S 45° E	-70°	136.6 m	4 04 m
R 79 -2	5,572,142 N	363,000 E	407m	S 45° E	-70°	206.7 m	208 m
R 79-3	5,571,731 N	362,985 E	653m	S 45° E	-70°	200.5 m	458 m
R 79-4	5,572,107 N	362,897 E	416 m	S 45° E	-70°	156.4 m	265 m
R 79-5	5,571,830 N	363,107 E	620m	S 45° E	-70°	221.3 m	429 m
R 79-6	5,571,612 N	362,938 E	680m	S 45° E	-70°	154.8 m	541 m
R 79-7	5,571,663 N	363,100 E	695m	S 45° E	-70°	157.9 m	548 m
R 79-8	5,571,820 N	362,895 E	549m	S 45° E	-70°	215.8 m	385m
R 79-9	5,571,819 N	362,808 E	494 m	S 45° E	-70°	231.0 m	296 m

Notes

Drill hole locations are listed according to an E-W and N-S grid with origin at the main Redonda road and the spur road junction west of the DDH R79-1 collar, UTM location 5,571,975 N and 363,215 E. The base map was adjusted for best-fit of the Redonda road to government shown road locations. This results in an approximate 6 degree rotation counter-clockwise of the Mastodon Highland Bell base map relative to the government base maps, i.e. the north arrow is actually N08° W.

Drill hole locations and mapping originally were based on distances and compass directions relative to the Redonda road and grid lines. Although the drill hole locations probably are only approximate, they are believed to be the most accurate locations possible averaging all sources without resorting to UTM grid locations and proper surveying.

Drill hole collar elevations were obtained by interpolation from a contour base after the revised drill hole collars were plotted on the government shown base map. The historical assays of the drill core with the most significant mineralized intersections (Copper & Molybdenum) are shown in Table 3 in Section 6.3.1 of this report. The analytical work was performed by Bondar-Clegg & Company Ltd. of North Vancouver, BC. Bondar-Clegg & Company Ltd. was a highly regarded analytical company in 1979 and held the applicable assay certifications at the time. The company utilized the latest analytical instrumentation of the time. The company was acquired by ALS-Chemex Labs in 2001. The author has reviewed the Teck Corp. drill logs written by A.I. Betmanis, P.Eng., the company Geologist.

Soil Geochemistry

From the Property Geology map (Figure 6) the colour-contoured plots of the copper and molybdenum in soils values are shown in Figures 5 and 6 respectively. The soil samples were collected in 1966 by Mastodon Highland-Bell Mines Ltd. on their informally laid out grid. Both copper and molybdenum display large dispersion patterns in soils typical of a porphyry-style mineralized system. Strongly anomalous copper values range from >200 to 1,600 ppm over an area measuring about 800 by 800 meters. A coincident, but slightly smaller molybdenum anomaly, measuring about 500 by 500 meters, contains strongly anomalous values ranging from >50 to 2,000 ppm. Both the copper and molybdenum soil anomalies remain open to the west and north. Both the copper and molybdenum anomalies lie predominantly over the area of the Quartz Diorite Hornblende Porphyry outcrop area shown on Figure 6

above. Although identified in 1965-1966 by Mastodon Highland-Bell Mines Ltd. as a dyke like feature as shown on the above noted map, the soil anomalies indicate the Quartz Diorite Hornblende Porphyry map be a larger stock like body intruding the surrounding Quartz Diorite that has undergone alteration and some brecciation.




Figure 5 Copper in Soil Geochemistry




Figure 6 Molybdenum in Soil Geochemistry

MINERALIZATION

Trenching and Diamond Drilling

The main metallic mineralization observed on the property is pyrite, chalcopyrite, bornite and molybdenite deposited as disseminations and in fractures and small veinlets. Petrographic studies did not report on metallic minerals. No polished thin sections were made to interpret metallic minerals and their possible relative abundance and possibly genesis. Mineralization is located in and close to the hornblende porphyry dyke between the quartz porphyry and a distance of approximately 350 metres east of the dyke. From recent interpretations of drill hole sections the main mineralized zone forms a J-shaped with the limbs of the J open for additional exploration drill testing. Mineralization grades seem to increase in the northeastern part of the J. The southern and centre of the J becomes lower grade in copper and molybdenum and more pyritic. This could be due to mineral zoning as apparent from surface geology and topography. The limbs of the J are open to further exploration. The depth of mineralization is unknown. The zone appears to plunge steeply northwesterly, although step-out drilling, and possibly IP surveying would be required to verify this. The drill hole mineralized intersections are summarized in Table 3 as follows:

Table 3 1979 Drill Hole Mineralization

DRILL HOLE	FROM (m)	TO (m)	INTERCEPT	%Cu	% MO S 2	% CuE
DOH R79-2	110.0	200.0	90.0	0.21	0.019	0.44
DOH R79-3	3.4	27.5	24.1	0.42	0.075	0.88
	35.0	60.0	25.0	0.19	0.024	0.45
	67.5	97.5	30.0	0.17	0.120	1.52
	140.0	152.5	12.5	0.30	0.015	0.43
DOH R79-5	2.7	55.8	53.1	0.33	0.025	0.60
	92.5	135.0	42.5	0.20	0.038	0.63
	155.0	172.5	17.5	0.37	0.010	0.44
	182.5	210.0	27.5	0.22	0.021	0.45
DOH R79-6	2.5	30.0	27.5	0.23	0.058	0.88
	142.5	155.5	10.0	0.10	0.045	0.60
DOH R79-7	30.0	37.5	7.5	0.20	0.004	0.25
DOH R79-8	125.0	135.0	10.0	0.06	0.034	0.43
DOH R79-9	5.0	15.0	10.0	0.16	0.014	0.31
	97.5	110.0	12.5	0.19	0.011	0.31
	175.0	210.0	35.0	0.09	0.27	0.40

Note: These copper equivalent calculations were made in 2011 based on \$2.00/lb Cu and \$15.00/lb Mo and do not take into consideration possible extraction recovery losses or affects. These results have not been updated to current metal prices. Only the more significant mineralized intercepts are shown to indicate mineralization grades. Surface leaching and/or enrichment is negligible.

All exploration work was based on soil geochemistry by both Mastodon Highland Bell and Teck. No significant geophysical work has been done.

All mineralization is influenced by the extent of fracturing and is accompanied by various stages of alteration from partial to intense. Alteration on the property has been only partly mapped with surface geological mapping.

Trenches 66-1 to 66-3 and 66-5 did not carry significant copper and molybdenum mineralization. The mineralized intersections in the 1966 Trenches are summarized in Table 4 as follows:

Table 4 - 1966 Trench Mineralization

Trench No.	Sample Length (m)	% Copper	% MoS₂
66-4	45 m	0.18	0.13
66-6	52 m	0.19	0.02
66-7	49 m	0.22	0.02
66-8	88 m	0.24	0.01
66-9	64 m	0.33	0.03
66-10	24 m	0.20	0.02

A compilation of trench and diamond drill hole assay results is presented in Figures 9. Porphyry-style, northerly-trending copper-molybdenum mineralization (accented in red) has been traced in outcrop, trenches and diamond drill holes over a lateral north-south distance of about 500 m. It occurs across (trench) widths of about 45-90 m and its known vertical extent, indicated by drilling and mineralized surface exposures, exceeds 400 m. Mineralization remains open to the north and at depth.

A compilation and interpretation of drill hole sections and $\geq 0.25\%$ CuEq (1980 calculations) indicate that the main mineralized zone is an irregular body of at least approximately 600 by 600 metres, possibly steeply northwesterly plunging, and open to the north and at depth. The mineralized zone is located on the north facing slope of what here is referred to as the "Redonda Ridge or Rise".

The 1966 Trenches and 1979 Drill Holes and their mineralized intersections are summarized in Figure 7 and in detail on Figures

Detailed Plan and Cross-Sections with mineralized intersections summarized in Tables 3 and 4 are illustrated in Figures 7 to 11. Figure 7 is a generalized plan map based on the Mastodon-Highland Bell Grid. The locations of the trenches and drill hole locations were converted to UTM coordinates from which plan map Figure 8 and cross-section Figures 9 to 12 were produced.




Figure 7: 1966 Trench Locations and 1979 Drill Hole Locations with Mineralized Intersections




Figure 8: Plan Map of 1966 and 1979 Drill Hole Copper and Molybdenum Intersection Using UTM Grid




Figure 9: Cross Section 5571650N – 1966 Trenches and 1979 Drill Holes with Copper and Molybdenum Mineralized Intersections – UTM Grid




Figure 10: Cross-Section 5571900N – 1966 Trenches and 1979 Drill Holes with Copper and Molybdenum Mineralized Intersections – UTM Grid




Figure 11 – Cross-Section 5572150N - 1966 Trenches and 1979 Drill Holes with Copper and Molybdenum Mineralized Intersections – UTM Grid

Exploration 2021

The work program in 2021 focussed on trail building for access to the 1979 core and general prospecting.

A total of 17 of rock samples were assayed by ALS Labs and XRF methods. The results, locations and rock descriptions are contained in Appendix III and also plotted on Figure 14 and Photos 5 and 6 Google images.

Results range from 4461 ppm to 42ppm in copper. Distinct alteration types are evident in the variation of silica content and potassium.

Assays were conducted by using an XRF Unit factory calibrated (Cert No. 0154-0557-1) on October 30, 2013, Instrument #540557 Type Olympus DPO-2000 Delta Premium. The instrument was calibrated using Alloy Certified reference materials by ARM1 and NIS5 standards. Only certified operators were employed and that were experienced in XRF assay procedures. Read times were 120 seconds or greater.

Samples assayed by XRF are shown in Appendix III and illustrated on Figure 14. Samples sent to ALS Labs are also contained in Appendix IV and plotted on Photo 5 Google Image.

A significant observation made was related to structures referred to as “rusty shears” that may contain and/or control copper mineralization within the felsic intrusive (quartz diorite) host rocks. The importance of this observation was not apparent until the seven reference rock samples were saw cut

and observed macroscopically. All six quartz diorite rock samples displayed rust-rimmed, feathery and fine-grained chalcopyrite which had partially replaced mafic minerals, as well as rusty, weathered fractures. Sample 109684 taken from a road cut contained similar chalcopyrite mineralization but also contained a thin seam of massive chalcopyrite in a fracture within quartz diorite. This suggests that at least some of the rusty seams mapped in outcrops may have contained similar chalcopyrite seams prior to surface weathering.

Nineteen field measurements were made of rusty shears in outcrops mapped within a 400 m. x 400 m. area in the southwest quarter of the Redonda GPS grid, with the table of measurements attached. These were plotted using an online stereo-net program for which a plot is also attached. The plot suggests two dominant orientations of rusty shears: N-S striking and steeply-dipping; and E-NE striking and steeply-dipping. The N-S striking orientation is consistent with the interpretation of the overall trend of copper-molybdenum mineralization observed in mapping, trenching and drilling in previous field programs by Highland Mastodon and Teck. The E-NE striking orientation is consistent with the photo lineament study at Redonda by B. Bowen; as well as the NE Axis connecting Vancouver Island Eocene porphyry copper deposits projected by J. Houle from Catface through Mount Washington. These suggest that the preferred drilling orientation at Redonda should be designed to intersect these orientations at the greatest possible angles, with holes bearing 110-120 Az and with inclinations of 45-55.

The preliminary modeling by J. Houle of historic trenching and drilling assays suggests that intercepts of increased copper and molybdenum values occur within a 250 m. thick zone or series of sub-parallel sub-zones in a N-NW striking orientation, which dip steeply to the west, and plunge gently to the south.





Figure 12 Sample Location and Results 2021

This is consistent with elevated soil geochemistry values which appear to be open to the north and terminate to the south, as illustrated by B. Bowen. Bowen's contoured copper and molybdenum soil geochemistry data also appears to mimic the E-NE structural and lineament orientation. These suggest that the preferred drilling locations at Redonda should be designed using long holes (500 m.) to test the area immediately south and presumably down-plunge of the previous trenching and drilling.



Based on industry standard exploration techniques used on other porphyry copper-molybdenum deposits world-wide, the Redonda Project lacks 3-D geophysical data to guide future diamond drilling programs. It is strongly suggested that an airborne geophysical survey consisting of magnetics and radiometrics, including 3-D inversion modeling of the aeromagnetic data, be completed at Redonda prior to diamond drilling. If the Redonda porphyry copper-molybdenum has a potassic core, it should be discernable by a 3-D magnetic low due to destruction of primary magnetite and a 2-D potassium high due to addition of potassium feldspar and/or biotite alteration. In addition to the airborne geophysics, a ground I.P. survey including 3-D inversion modeling, may be useful to help refine drilling targets by discerning one or more 3-D high sulphide zones. It should be possible to reduce the area and cost of the I.P. survey if completed after modeling of the airborne magnetic and radiometric data. If the airborne and ground geophysics helps to save the cost of one wasted diamond drill hole, it will be cost effective. More importantly, following industry standard exploration methodology should improve the chance of yielding high grade Cu-Mo intercepts.




Figure 13 November 2021 Mapping

During April 2021, J. Shearer initiated contact with the Klahoose First Nations to obtain a Letter of Support for the proposed exploration project on West Redonda Island BC. The Letter of Support was obtained and Homegold Resources commenced a program of clearing a path to the mineralized area on the Red #1 to 9 claims along overgrown logging roads. Homegold Resources Ltd. reviewed available data from Mastodon-Highland Bell Mines Ltd. which covered their trenching and geological mapping work conducted in 1965 and 1966. In 1979 nine drill holes were drilled by Teck Corporation into four mineralized zones (A to D). A.I. Betmanis, P.Eng. of Teck Corp. supervised this work and logged drill core and updated the Mastodon-Highland Bell Mines Ltd. geology mapping. Further interpretation of the drilling and trenching results combined with an aerial lineament review has led to further interpretation of the mineralization controls. Of significant importance to the potential reinterpretation of the 1966 and 1979 exploration programs is the drill core that has been located at the site as shown on Photo 1. As part of the proposed Phase 1 exploration program, the 1979 drill core will be relogged and resampled. This will be done to confirm the analytical results from the original Bondar-Clegg & Company assay work and to confirm and/or modify the geological interpretation of the drill logs. Coincident with the drill core work will be an Induced Polarization Survey (IP) and further geological mapping and geochemical rock and soil sampling and a new survey grid which was partially flagged out during 2021. This will assist with the selection of future drill hole locations for a Phase 2 Exploration Program if warranted.

The drilling and logging of core was supervised by A.I. Betmanis, P.Eng., a geologist with Teck Corporation. It is assumed that Teck Corporation would have utilized standards that were established by the mining industry in 1979. The author examined some of the drill core and noted that the core was split using a conventional mechanical core splitter. The drill core samples were sent to the Bondar-Clegg and Company Ltd. Laboratory in North Vancouver. Bondar-Clegg and Company Ltd. was a major analytical company located in North Vancouver that was utilized by major mining companies for analytical work during the 1970s.

33 magnetic and radiometric station readings taken at 50m intervals along 1.5km of GPS grid-controlled lines, consisting of 3 partial lines each 200m apart. There appears to be an inverse correlation between magnetics and radiometrics. Radiometrics may correlate with copper mineralization.

The samples preparation commenced at the ALS Laboratory in 2021 as follows:

- 1 – Sample weight recorded
- 2 - Samples were logged in and assigned a bar code
- 3 – Fine crushing with 70% less than 2 mm
- 4 – Pulverizing up to 250 grams with 85% passing through 75 μ m
- 5 – Split sample with a riffle splitter
- 6 – Analyze trace level by ICP-MS analysis.
- 7 – Gold analysis using 50 grams of split material using Fire Assay and Atomic Absorption Finish

The analytical results were relatively consistent with those of the 1966 Mastodon- Highland Bell trenching assays as well as the Teck Corporation 1979 drill analytical results considering the random locations of the author's samples compared to the actual locations of the drill holes some of which could not be located due to dense second growth forest.

From the 1966 Trenching results Trench 66-4 yielded 0.18% copper across 45 m and Trench 66-9 yielded 0.33% copper across 64 m. From the 1979 Teck Corporation drilling copper values from the 9 drill holes

ranged from 0.09 to 0.42% copper and 0.004 to 0.12% molybdenum. These results are previously noted in Tables 3 and 4 respectively. The analytical results for the author's four samples are listed as follows:

- Sample WP846 -281 ppm copper and 24.2 ppm molybdenum
- Sample WP852 – 1.015% copper and 63.6 ppm molybdenum
- Sample WP857 – 0.462% copper and 48.2 ppm molybdenum
- Sample WP861 – 487 ppm copper and 7.65 molybdenum




Figure 14: Phase 1 Induced Polarization Grid and Proposed Phase 2 Drill Hole Locations




Figure 15 November 2021 Magnetics




Figure 16 November 2021 Radiometrics

GEOLOGY

Regional Geology

The West Redonda Island property is situated in the western part of the Coast Plutonic Complex which is coincident with the Coast tectonic belt extending along the western margin of mainland British Columbia. The complex consists mainly of a series of granitic plutons which intrude volcanic and sedimentary rocks along its eastern margin. Numerous pendants of metavolcanic and metasedimentary rocks plus orthogneisses are present within the granitic rocks which range in age from Jurassic to Tertiary.

The regional setting of the Redonda property is part of the Coast Suture Zone, as most of the known porphyry copper-molybdenum deposits in the Canadian Cordillera are situated in the Intermontane Superterrane east of the Coast Plutonic Complex and to a lesser degree in the Insular Superterrane to the west. Notable exceptions are some porphyry molybdenum deposits in British Columbia and the Alaskan panhandle which are related to younger granitic intrusions within the Coast Plutonic Complex. Examples include the large Quartz Hill molybdenum deposit east of Ketchikan in southeastern Alaska and the Salal Creek and Gem porphyry molybdenum prospects in southwestern British Columbia. Some previous investigators have remarked on the position of the Redonda intrusive complex north of two apparent subcircular structures including East Redonda Island and Powell Lake to the southeast. These features may represent collapsed caldera structures.

No geological map other than the old 1:250,000 scale GSC map of Butte Inlet exists from the property area. This map is very generalized and interpretive. The closest actual geological data are presented by the BCGS on their MapPlace display. MapPlace uses some of the GSC interpretations but it is far more detailed than the GSC map. The regional geology is broadly shown on the accompanying geological map (Figure 12).

The general area and the belt of a number of copper-molybdenum showings and prospects lies in a zone of predominantly diorite to quartz diorite to granodiorite. The predominant regional faults trend north-northwest. One of these major faults of the region follows Lewis Channel just to the west of the Redonda deposit. Secondary regional shorter faults trend northeasterly. This is the main direction of structures interpreted by A. Betmanis and B.K. Bowen in the Redonda property area.

The property is located within the suture zone between the Insular and Coast Plutonic Belt and the Wrangellia Terrain that underlies much of Vancouver Island. The main porphyry copper-molybdenum prospects within this zone are the Redonda Red Claims, OK and Gambier (Figures 2 and 12). They are known for their copper and molybdenum content with possible silver credits, but often are low gold.

The property is underlain mostly by Early to Middle Jurassic Island Plutonic Suite quartz diorite to diorite. Minor inliers of Upper Triassic Vancouver Island Karmutsen Volcanics occur in the northeast quadrant of the property. Several small later dykes and possible small siliceous intrusions intrude the diorites. The narrow dykes are often not mineralized with economic sulphides, but may contain minor pyrite. The small siliceous intrusive plug on Redonda contains sulphides that may be considered commercial. Regional and more local structures can be located near and on the property. Some of these structures affect and control the mineralization.

Regional Geology




Figure 17 Regional Geology

PROPERTY GEOLOGY

The best and most detailed property geology was mapped by Mastodon Highland Bell and remains the basic geology of the property. This geology was slightly modified by Teck during their drilling program and re-mapping on a re-surveyed grid. Some of the original geological terminology was slightly modified based on drilling results and petrographic examination of drill coresamples.

Very basically, the quartz diorites are cut by a north-northwest trending hornblende porphyry dyke. The dyke either fingers out to the south or continues buried under the quartz diorite to the south. The dyke continues to the north but is hidden by talus and overburden. To the west of the dyke a small quartz porphyry intrudes the quartz diorite. The outlines of this plug are poorly defined. Several small late aplitic dykes intrude the diorites.

The main mineralization, as currently known, is largely but not necessarily in and close to the hornblende porphyry dyke. It appears to be mostly contiguous rather than occurring in pods. It is still open in all directions. It may be plunging steeply northerly. The area to the north has not been prospected due to talus and overburden. The area to the south is anomalous but becomes more pyritic and the dyke may be buried.

Early geochemical area sampling by Teck did show some copper and molybdenum anomalous values at and close to the currently accessible logging road through the south part of the West Redonda Island RED 1 – 9 claims and on the general southerly projection of the main Redonda mineralized zone. These anomalous indications were not followed up due to a focus on the main mineralized zone. The property geology is illustrated on Figure 13.




Figure 18– Property Geology (1965)

QDP Diorite Porphyry
 QDHP Quartz Diorite Hornblende Porphyry
 (Modified by A.I. Betmanis 1979)
 QDBx Quartz Diorite Brecciated
 QDa Quartz Diorite Altered
 QDf Quartz Diorite Fres



Photo 5 Google Image of Author's Waypoint Map – Grab Rock Chip Samples Collected at WP846, WP852, WP857 & WP861. Waypoint WP843 is Helicopter Landing Area



Photo 6 Google Image of Waypoint Map

EXPLORATION 2023 DRILLING

The work program in 2023 consisted of drilling 5 holes totalling 799.81m (2,624 ft.) plus quartering parts of Hole 79-2.

The 2023 core was carefully split and sent to ALS Labs in North Vancouver (Appendix IV)

Assays on surface rock samples and selected core samples were conducted by using an XRF Unit factory calibrated (Cert No. 0154-0557-1) on October 30, 2013, Instrument #540557 Type Olympus DPO-2000 Delta Premium. The instrument was calibrated using Alloy Certified reference materials by ARM1 and NIS5 standards. Only certified operators were employed and that were experienced in XRF assay procedures. Read times were 120 seconds or greater.

The current results allow a re-interpretation of the geology and mineralization. The entire mineralized area is a series of multi-phase magmatic-hydrothermal breccias.

The currently known highest grad copper-moly zone and associated breccias extend over a defined northerly horizontal length of over 600m, a width of at least 500m and a vertical extent of 300m. This is higher grade, potassic altered centre of mineralization is composed of variable density of dark mafic-rich fragments. Higher grades are clearly related to abundance of dark fragments in vugs and heavy chalcopyrite/molybdenite and pyrrhotite replacement. These hornblende phyrlic rocks are extremely altered by biotite and magnetite forming a potassic core of alteration. The area of interest appears to be the top of the magma cupola or carapace. Large included blocks of older volcanics have been observed a short distance to the northeast.

However, some high-grade copper/MoS₂ is also associated with the density of quartz stockworks and fracture filling. The locus of magmatic-hydrothermal multi-phase intrusives and brecciation associated with mineralization is distinct from the surrounding Coast Plutonic Complex although current level of mapping has not well documented the contact relationships. The multi-phase system is clearly younger than the enclosing Coast Plutonic rocks. The presence of mineralized mirolitic cavities suggest a high level and very fluid-rich hydrothermal system.

The very large breccia-agmatite body to the northeast is sparsely mineralized on surface but has not been tested by drilling. Previous operators suggest that the focus of mineralization may occur at depth to the northeast as interpreted by the magnetic signature.

The company is considering an aggressive program in 2024 which may consist of:

- 1) Detailed geological mapping with particular emphasis on brecciation trends.
- 2) Airborne magnetics and radiometrics to define the potassic core zone to the north and south
- 3) Limited Induced Polarization to the northeast
- 4) Deeper drilling to below 500m within the known potassic core

This program is currently permitted. A new Notice of Work (NoW) has been filed in 2023 to expand the currently permitted program.

The mineralized zones are open to the north. A separate old road system 1.0km to the northwest will be investigated in 2024 for possible extensions of the mineralized zone.

The mineralized zone is open to the south and may plunge to the south (under the Coast Plutonic Complex). Future drilling is warranted along roads to the south after airborne geophysics is completed. Extensive iron skarns are known to the east on the east side of Redonda Island which could be part of a very large magmatic-hydrothermal system at depth.

Table 5 Drill Data

Hole_ID	DH_East	DH_North	DH_RL	DH_Dip	DH_Azimuth	Depth
R-79-1	363462	5572017	505	-70	135	136.6
R-79-2	363000	5572142	407	-69	135	206.7
R-79-3	362985	5571731	653	-70	135	200.5
R-79-4	362897	5572107	416	-70	135	156.4
R-79-5	363107	5571830	620	-70	135	221.3
R-79-6	362938	5571612	680	-70	135	154.8
R-79-7	363100	5571663	695	-70	135	157.9
R-79-8	362895	5571820	549	-47	135	215.8
R-79-9	362808	5571819	494	-60	225	231
RED-23-01	362971	5571990	526	-45	100	74.68
RED-23-02	363077	5572019	525	-45	110	169.17
RED-23-03	363077	5572019	525	-70	110	210.92
RED-23-04	363017	5572014	518	-44	110	163.07
RED-23-05	363017	5572014	518	-70	110	181.97

Table 6 2023 Exploration Program Combined with Historic 1979 Intercepts

Hole #	From/To	Core Length	Cu%	MoS ₂ %	Re (ppm)	CuEq%
Hole Red-23-04 Mineralization starts from surface	3.1-18.2m	15.2m	0.452	0.0265	0.1053	0.632
Hole Red-23-04	25.5-97.5m	72m	0.235	0.0228	0.1106	0.422
Hole Red-23-04 Hole bottoms in good grade	147.8-163.1m	30.3m	0.212	0.0154	0.0514	0.328
Hole Red-23-03 Mineralization starts from surface	3.1-48m	45.0m	0.329	0.0265	0.1111	0.529
Hole Red-23-03	68.8-141.0m	77.3m	0.323	0.0197	0.0791	0.477
Hole Red-23-03 Hole bottoms in good grade	199.5-210.0m	10.5m	0.174	0.0117	0.0563	0.270
Hole Red-23-05 Mineralization starts from surface	2.7-33m	30.3m	0.213	0.0192	0.0749	0.362
Hole Red-23-05 Hole bottoms in good grade	39.3-182.0m	142.6m	0.279	0.0281	0.0927	0.490
Hole Red 23-02 Mineralization starts from surface	3.1-111.0m	108m	0.251	0.025	0.1025	0.412
Hole Red-23-02 Hole bottoms in good grade	158.5-169.2m	10.7m	0.375	0.1377	0.5871	1.468

Hole Red-23-01 confirmation hole collared outside Potassic Zone	60-67m	7m	0.136	0.0023	0.0167	0.157
Historic Hole #	From/To	Core Length	Cu%	MoS ₂ %	Re (ppm)	CuEq%
DOH R79-2	110.0-200.0m	90.0m	0.21	0.019		
DOH R79-3 Mineralization starts from surface	3.4-27.5m	24.1m	0.42	0.075		
	35.0-60.0m	25.0m	0.19	0.024		
	67.5-97.5m	30.0m	0.17	0.120		
	140.0-152.5m	12.5m	0.30	0.015		
DOH R79-5 Mineralization starts from surface	2.7-55.8m	53.1m	0.33	0.025		
	92.5-135.0m	42.5m	0.20	0.038		
	155.0-172.5m	17.5m	0.37	0.010		
	182.5-210.0m	27.5m	0.22	0.021		
DOH R79-6 Mineralization starts from surface	2.5-30.0m	27.5m	0.23	0.058		
	142.5-155.5m	10.0m	0.10	0.045		
DOH R79-7	30.0-37.5m	7.5m	0.20	0.004		
DOH R79-8	125.0-135.0m	10.0m	0.06	0.034		
DOH R79-9 Mineralization starts from surface	5.0-15.0m	10.0m	0.16	0.014		
	97.5-110.0m	12.5m	0.19	0.011		
	175.0-210.0m	35.0m	0.09	0.27		

The copper equivalent calculation utilizes the standard equation and is based on current spot metal prices of copper at US\$3.40 per pound, Re at \$4,400 per ounce, and molybdenum at \$20.60 per pound. Recoveries are set at 100% for all metals for purposes of the copper equivalent calculation as no metallurgical test data is available. Cu Eq is used for illustrative purposes only and does not imply that the metals are economically recoverable.

2023 Drillholes

Drillhole RED-23-01 refer to cross section and plan Figures 21 and 22. Collared outside the potassic zone consisting of altered quartz diorite to fresh quartz diorite. Very low grade mineralization except for a short section from 43.50-51.50m and 60.0-67.0m with biotitic overprint on the hornblende porphyry from 60.30-73.95m. End of Hole at 74.86m (245 ft.).

Drillhole RED-23-02 cross section and plan are shown on Figure 21 and 23. Hole RED-23-02 was drilled at -45° and was collared in the mineralized zone of Hornblende Porphyry containing coarse pyrite lenses associated with chalcopyrite and pyrrhotite. The mineralized zone is highly silicified. The first 15 metres assayed 0.43% copper and 0.022% Mo. Copper equivalent calculations for each hole are shown on Table 6. Altered diorite occurs between 28.60 and 83.0m then chloritic diorite from 83.0-169.1m (E.O.H.). The bottom 10.7 metres of Hole RED-23-02 assayed 1.468% Copper equivalent (0.0375% Cu, 0.1377% MoS₂ and 0.587ppm Re).

RED-23-03

Drillhole RED-23-03 is plotted on Figure 23 Cross section and Figure 21 Plan. Drill at the same location as RED-23-02 but at a -70° angle.

Mineralized Hornblende Porphyry (Breccia) are encountered between surface and 16.80m.

Hole 3 intersected 45m grading 0.529% Copper Equivalent (0.329% Cu, 0.0197% MoS₂ and 0.0791ppm Re). The distinctive biotitic alteration zone (Breccia) in Hole 3 was encountered between 36.87m and 45.32m and again at 87.66m to 103.12m. This zone is relatively low grade. Drillhole RED-23-04 is plotted on Figure 24 Cross section and Figure 21 Plan.

Drillhole RED-23-04 was collared midway between hole RED-23-02 and hole RED-23-01. Hole 4 intersected 15.2 metres grading 0.632% Copper Equivalent (composed of 0.452% Cu, 0.0265% MoS₂ and 0.1053ppm Re) from surface as well as 72 metres averaging 0.422% Copper Equivalent (composed of 0.235% Cu, 0.0228% MoS₂ and 0.1106ppm Re).

The low grade biotitic alteration (breccia) in Hole RED-23-4 was encountered from 98.10m to 147.82m.

Drillhole RED-23-05 is plotted on Figure 24 Cross section and Figure 21 Plan. Hole 5 intersected 30.3 metres averaging 0.362% Copper Equivalent (0.32% Cu, 0.0192% MoS₂ and 0.0749ppm Re) over followed by 142.6 metres grading 0.49% Copper Equivalent (0.279% Cu, 0.0281% MoS₂ and 0.0927ppm Re). In addition, the hole ended in mineralization.

The lower grade biotitic alteration (breccia) in Hole RED-23-05 was only encountered from 31.05m to 39.34m which allowed a higher mineralized zone.

The core of Hole R-79-02 was quartered (see Assays in Appendix V). The 2023 assays correlate closely with the 1979 results.

The top of RED-23-02 was also assayed for gold (results in Appendix V). All gold results are low. More gold assays are planned for the future.

Following up on surface rock samples collected in 2021, a further 8 surface samples were assayed by XRF methods as plotted on Figure 19.




Figure 19 Sample Locations and Results 2023




Figure 20 1979 and 2023 Drilling




Figure 21 2023 Drilling – Drilling 1 to 1000 Scale Plan (see Appendix VI)




Figure 22 2023 Drilling RED-23-01 Cross Section (see Appendix VI)




Figure 23 2023 RED-23-02 and RED-23-03 Cross Section (see Appendix VI)




Figure 24 Drilling 2023 RED-23-04 and RED-23-05 Cross Section (see Appendix VI)

CONCLUSIONS

It is postulated that the mineralized hornblende porphyry dike at Red may be a high level expression of a mineralized stock at depth that has intruded the primary granodiorite pluton on Redonda Island.

For interpretation purposes only, Bowen observes: “the potential to delineate economic zones of mineralization at depth. These could be associated with breccia bodies with elevated copper and molybdenum mineralization that may be amenable to selective underground mining methods or they may be present as much larger zones of porphyry-style mineralization possibly mineable by bulk underground methods.” The vendor has viewed aerial photographs of the Red Claims (Pers Com, April 2021) and has identified prominent structural lineaments that indicate the potential mineralization controls are oriented and as such has recommended that a new grid be cut oriented in a direction to facilitate a new geophysical survey (Induced Polarization Survey), new geological mapping, geochemical soil and rock sampling and a potential second phase diamond drilling program.

The cross-sections also clearly indicate where the mineralized zone is open to depth and direction. This information was not apparent in the 1979 reporting of the drilling results, where the assays were just listed without any interpretation or evaluation.

The results to date have been generated by highly reliable individuals and senior companies. This program is at an early stage of exploration.

Based on industry standard exploration techniques used on other porphyry copper-molybdenum deposits world-wide, the Redonda Project lacks 3-D geophysical data to guide future diamond drilling programs. It is strongly suggested that an airborne geophysical survey consisting of magnetics and radiometrics, including 3-D inversion modeling of the aeromagnetic data, be completed at Redonda prior to diamond drilling. If the Redonda porphyry copper-molybdenum has a potassic core, it should be discernable by a 3-D magnetic low due to destruction of primary magnetite and a 2-D potassium high due to addition of potassium feldspar and/or biotite alteration. In addition to the airborne geophysics, a ground I.P. survey including 3-D inversion modeling, may be useful to help refine drilling targets by discerning one or more 3-D high sulphide zones. It should be possible to reduce the area and cost of the I.P. survey if completed after modeling of the airborne magnetic and radiometric data. If the airborne and ground geophysics helps to save the cost of one wasted diamond drill hole, it will be cost effective. More importantly, following industry standard exploration methodology should improve the chance of yielding high grade Cu-Mo intercepts.

The work program in 2023 consisted of drilling 5 holes totalling 799.81m (2,624 ft.) plus quartering parts of Hole 79-2.

The current results allow a re-interpretation of the geology and mineralization. The entire mineralized area is a series of multi-phase magmatic-hydrothermal breccias.

The currently known highest grade copper-moly zone and associated breccias extend over a defined northerly horizontal length of over 600m, a width of at least 500m and a vertical extent of 300m. This is higher grade, potassic altered centre of mineralization is composed of variable density of dark mafic-rich fragments. Higher grades are clearly related to abundance of dark fragments in vugs and heavy chalcopyrite/molybdenite and pyrrhotite replacement. These hornblende phyrhic rocks are extremely altered by biotite and magnetite forming a potassic core of alteration. The area of interest appears to

be the top of the magma cupola or carapace. Large included blocks of older volcanics have been observed a short distance to the northeast.

However, some high-grade copper/MoS₂ is also associated with the density of quartz stockworks and fracture filling. The locus of magmatic-hydrothermal multi-phase intrusives and brecciation associated with mineralization is distinct from the surrounding Coast Plutonic Complex although current level of mapping has not well documented the contact relationships. The multi-phase system is clearly younger than the enclosing Coast Plutonic rocks. The presence of mineralized miarolitic cavities suggest a high level and very fluid-rich hydrothermal system.

The very large breccia-agmatite body to the northeast is sparsely mineralized on surface but has not been tested by drilling. Previous operators suggest that the focus of mineralization may occur at depth to the northeast as interpreted by the magnetic signature.

The company is considering an aggressive program in 2024 which may consist of:

- 5) Detailed geological mapping with particular emphasis on brecciation trends.
- 6) Airborne magnetics and radiometrics to define the potassic core zone to the north and south
- 7) Limited Induced Polarization to the northeast
- 8) Deeper drilling to below 500m within the known potassic core

The mineralized zones are open to the north. A separate old road system 1.0km to the northwest will be investigated in 2024 for possible extensions of the mineralized zone.

The mineralized zone is open to the south and may plunge to the south (under the Coast Plutonic Complex. Future drilling is warranted along roads to the south after airborne geophysics is completed. Extensive iron skarns are known to the east on the east side of Redonda Island which could be part of a very large magmatic-hydrothermal system at depth.




Figure 25: Access Trail (Dark Red Line)


RECOMMENDATIONS:

Phase 1	Airborne Geophysics, Magnetics & Radiometrics	\$ 50,000.00
	- to more closely define the potassic core & Petrology	
	- Geological Mapping	\$ 20,000.00
	- Road Repairs	\$ 10,000.00
	- Report	\$ 5,000.00
	Phase 1 Total	\$ 85,000.00
Phase 2	Ground Geophysics & Induced Polarization	
	-	
	IP Survey – 5 line Km	\$ 40,000.00
	Mob/Demob	\$ 5,000.00
	Line cutting	\$ 20,000.00
	- Including Camp	
	Mob/Demob	\$ 10,000.00
	Reporting	\$ 5,000.00
	Phase 2 Total	\$ 86,000.00
Phase 3	Continued Drilling	
	-	
	1,000 metres of drilling (All in)	\$ 180,000.00
	Camp, including Cook	\$ 25,000.00
	Mob/Demob	\$ 16,000.00
	Core handling	\$ 9,000.00
	Supervision	\$ 20,000.00
	Phase 3 Total	\$ 250,000.00

A budget for Phase 1 is below:

	Without GST
Senior Geologist (J. Shearer, M.Sc., P.Geo.) – 11.75 days @ \$800/day	\$9,400
8 days Travel & Reporting @ \$800/day	\$6,400
Experienced Prospector – 7.5 days @ \$400/day	\$3,000
2 days Travel @ \$400/day	\$ 800
Helper for Core Cutting (Klahoose member) 3.3 days @ \$300/day	\$1,000
Subtotal	<u>\$20,600</u>
Transportation	
Truck to Campbell River – 20 days @ \$125/day	\$2,500
Fuel	\$ 500
Side-by-side & Trailer – 20 days @ \$150/day	\$3,000
Water Taxi & Klahoose boat – 12 hours @ \$141.67/hr.	\$1,700
Helicopter – 6 hours @ \$2,500/hr.	\$5,000
Food – 60-man days & meals @ \$50 per man day	\$3,000
Klahoose Brush-cutters	\$5,000
Camp & Limited Hotel	\$3,000
Generator and rock saw	\$1,500
XRF Analysis	\$2,000
ALS Lab – soils and core	\$8,000
Induced Polarization (IP) Survey	\$30,000
Subtotal	<u>\$65,200</u>
Total without GST	\$85,800
Plus GST	\$4,790
Total with GST	<u>\$89,590</u>

Respectfully Submitted



J. T. Shearer, M.Sc., P.Geo. (BC & Ontario) FSEG
Permit to Practice 1000611
Mine Supervisor 854449

REFERENCES

- BC Ministry of Energy and Mines website “The Map Place”: Regional geology, topographic data, claims data, satellite imagery and Minfile descriptions for portions of mapsheet 92K
- Betmanis, A.I.: Report on Geophysical Surveys, Red Claim Group; Assessment Report 4176, dated January 22, 1973.
- Betmanis, A.I.: Report in Drilling Program during April and May, 1979 on the Redonda Claim Group; Assessment Report 7346 dated July 23, 1979.
- Betmanis, A.I.: Report on Drilling Program, Geological and Geophysical Surveys on the Redonda Claim Group; Assessment Report 8085 dated May 09, 1980.
- Betmanis, A.I.: Regional Geological Setting of the Redonda Porphyry; Private internal study for the Redonda Claim, September 15, 2013.
- Bacon, W.R.: Geological, Geochemical and Geophysical Report on the Red Claim Group; Assessment Report 0638 dated June 08, 1965.
- Bowen, B.K.: Compilation of Historical Data and Air Photo Lineament Study on the Red Claims; Assessment Report 28320 dated April 20, 2006.
- Carr, J.M.: Geochemical and Physical Work on the Red Group; Assessment Report 6330 dated July 13, 1977.
- Cowan, M.F.: Red Claim Group Report on Trenching May 1966; private report for Mastodon Highland Bell dated October 1966.
- Davies, K.W.: Field Report on Geochemical Survey and Soil Profile Pits, Red Claim Group, private report for Teck Corporation dated May 06, 1977.
- Lennon, W. B.: Technical Report on the Redonda Property for Stamper Oil & Gas Corp. October 1, 2021, 46pp
- Lovang, G.: Prospector's Report on the Bay, Tom and Joe Mineral Claims; Assessment Report 8280, dated November 1980.
- Roddick, J. A., 1980: Geology of 92K Map Sheet (Bute Inlet) and Notes on the Stratified Rocks of Bute Inlet Map Area Geological Survey of Canada, Open File 480.
- Roddick, J. A. and Hutchison, W. W., 1972: Plutonic and Associated Rocks of the Coast Mountains of British Columbia. International Geological Congress, Twenty-fourth Session, Canada, Guidebook A04-C04, 71p.
- Roddick, J. A. and Hutchison, W. W., 1974: Setting of the Coast Plutonic Complex, British Columbia. Pacific Geology, 8, pp. 91-108.

Shearer, J.T.: Geochemical Assessment Report on the Redonda Property for Stamper Oil & Gas Corp., November 19, 2021

Shearer, J. T.: Summary Report on the Redonda Porphyry Cu-Mo±Au Project for Homegold Resources Ltd. February 21, 2021

Shearer, J. T.: Geochemical, Prospecting and Geological Assessment Report on the West Redonda Brucitic Property (Magnesium Hydroxide) for Redonda Environmental Services Ltd. Dated March 1, 2008; 18pp plus appendices; Assessment Report 29775 ARIS System

Shearer, J. T.: Geological Assessment Report on the West Redonda Brucitic Marble, for Redonda Environmental Services Ltd. Dated December 2, 2012; 32pp; Assessment Report 33897 ARIS System

Shearer, J. T.: Airphoto Interpretation Report on the West Redonda Brucitic Marble (Magnesium Hydroxide) for Redonda Environmental Services Ltd. Dated September 10, 2014

Verzosa, T.S.: Notes on the Geology of the Red Group and accompanying revised Surface Geology Map; Private report for Teck Corporation dated 1979.

Woodsworth, G. J. and Roddick, J. A., 1977: Mineralization in the Coast Plutonic Complex of British Columbia, South of Latitude 55°N. Geological Society of Malaysia, Bulletin 9, Nov. 1977 pg. 1-16.

APPENDIX I


STATEMENT of QUALIFICATIONS

JANUARY 3, 2024

I, Johan T. Shearer of Unit 5 – 2330 Tyner Street, in the City of Port Coquitlam, in the Province of British Columbia, do hereby certify:

1. I graduated in Honours Geology (B.Sc., 1973) from the University of British Columbia and the University of London, Imperial College, (M.Sc. 1977).
2. I have practiced my profession as an Exploration Geologist continuously since graduation and have been employed by such mining companies as McIntyre Mines Ltd., J.C. Stephen Explorations Ltd., Carolin Mines Ltd. and TRM Engineering Ltd. I am presently employed by Homegold Resources Ltd.
3. I am a fellow of the Geological Association of Canada (Fellow No. F439). I am also a member of the Canadian Institute of Mining and Metallurgy, the Geological Society of London and the Mineralogical Association of Canada. I am a member in good standing of the Association of Professional Engineers and Geoscientists of British Columbia (P.Geo., Member Number 19,279).
4. I am an independent consulting geologist employed since December 1986 by Homegold Resources Ltd. At Unit #5 2330 Tyner Street, Port Coquitlam, British Columbia.
5. I am the author of the report entitled “Drilling Assessment Report on the Redonda Copper-Moly-Rhenium Property, West Redonda Island” dated January 3, 2024.
6. I have worked on the West Redonda Copper property on November 1-30 and December 1-7, 2023 and also Mar 28-31, Apr. 1, 19-23, 26, June 17+19, Sept. 16-20, Oct. 19-21, 24, 26, 2021. I have worked extensively on the Redonda Brucite property and am familiar with the regional geology and geology of nearby properties. I have become familiar with the previous work conducted on the Redonda Property by examining in detail the available reports and maps and have discussed previous work with persons knowledgeable of the area.

Dated at Port Coquitlam, British Columbia, this 3rd day of January, 2024.



J.T. Shearer, M.Sc., P. Geo.
Permit to Practice 1000611
Mine Supervisor 854449

APPENDIX II

STATEMENT of COSTS

JANUARY 3, 2024

**STATEMENT of COSTS
REDONDA PROJECT 2024**

Wages & Benefits	Without GST
J. T. Shearer, M.Sc., P.Geo; 47 days @ \$850/day November 1-30, December 1-7 + 10-19, 2023	\$ 39,950.00
H.Dixon, Cook/Coresplitter, 24 days @ \$375/day November 1-26, 2023	9,000.00
G.Glowienka, Cook/Coresplitter, 13 days @ \$375/day November 27-30 + December 1-13, 2023	4,875.00
N.Johnson (Local Landowner), Excavator Work, Core Transport, 80 hrs@\$35/hr	2,800.00
Subtotal	\$ 56,625.00
Transportation	
Truck 1; Fully equipped 4x4 truck, 33 days @ \$125/day	4,125.00
Truck 2; Fully equipped 4x4 truck 31 days @ \$125/day	3,875.00
BC Ferries	599.10
Marine Link Barging, Inv. 07812A + Inv. 07898A	16,171.15
Way West Water Taxi, Inv. 44564, Inv. 44635, Inv. 44707	2,055.90
Klahoose First Nations Charters	900.00
Campbell River Barge Terminal, Inv. 53287, Inv. 52905	745.50
Culverts from A&A Trading	2,500.00
Fuel	621.43
Propane	399.09
Hotel, Mob & Demob	812.52
Camp, 37 days @ \$135/day	4,995.00
Analytical; ALS Labs; Inv. 6703928 (92 samples) + Inv. 6732832 (242 samples)	20,219.19
Paradigm Drilling; Inv. 2319-01, Inv. 2319-02, Inv. 2319-03	161,687.34
Food & Meals	3,494.19
Supplies	892.62
Core Splitter Rental	900.00
Sat Phone	600.00
Quartering 1979 Core	1,075.00
Rental of Warehouse for Core Quartering	1,000.00
XRF Rental and Certified Operator	400.00
Computer Data Plotting	2,600.00
Report Preparation	800.00
Word Processing	450.00
Expenses Subtotal	\$ 231,918.03
Grand total	\$ 288,543.03

Event #	6009103
Date Filed	January 3, 2024
Total Value of Work	\$ 285,000.00
PAC	\$ 57,943.45
Total Applied Work	\$ 342,943.45

APPENDIX III

DRILLLOGS

JANUARY 3, 2024

STAMPER OIL and GAS CORP.

REDONDA PROJECT

SECTION: 558200N

Diamond Drill Log

DDH#: RED-23-01

Northing: 5571990
 Easting: 0362971
 Elevation: 526m
 Azimuth: 100
 Inclination: -45
 Grid: UTM
 Length (m): 74.68m(245ft)
 Core size: NQ
 Contractor: Paradigm Drilling
 Drill Type: Boyles 25


Drill Hole survey
 Method: Compass

Azimuth	Dip	Depth
100°	-45	Collar
82.8	44.2	35m
77.7	43.3	70m
Not		
accurate		
magnetic		
Pull		

Property: Redonda Copper
 NTS: 92K.026
 Claim: 1080749
 Date Started: November 14, 2023
 Date Completed: November 17, 2023
 Logged by: J.T. Shearer,
M.Sc., P.Geo.

Samples Split:
 4.00-16.00 as per log

Purpose: Drill set-up just north of 66-8 trench and DDH-79-85
 207m@21% Cu + 0.021% MoS₂
 88m @ 0.24% Cu + 0.01% MoS₂


from (m)	to (m)	Description	Sample #	from/to (m)	width (m)	ppm Cu	ppm Mo
0.00	1.52	CASING – CORING QUARTZ DIORITE – Silicified and altered quartz veining, saussuritized at 30° to core axis, microlitic cavities with greenish calcite					
		XRF #5			K-0.4221	0.0239	0.0008
1.52	2.05	DARK VERY ALTERED QUARTZ DIORITE – hornblende sheared and broken at 30° to core axis, trace of disseminated pyrite					
2.95	64.90	FRESH QUARTZ DIORITE – equigranular, hypidiomorphic speckled hornblende – plagioclase-quartz, minor chlorite on fractures		EOB1 @ 5.45			
			080301	4.00-5.00	1.00	0.0146	0.00016
		Quartz veinlets at 30° to core axis at 5.23-5.45, 4 continuing diorite 6.25, 2-5mm wide	080302	5.00-6.00	1.00	0.0144	0.00012
		 Rusty Mineralized Fracture	080303	6.00-7.00	1.00	0.0247	0.00026
			080304	7.00-8.00	1.00	0.0393	0.00022
			080305	8.00-9.00	1.00	0.0370	0.00015
		Quartz vein 8.68-9.74 at 45° to core axis		EOB 2 @ 9.81			
			080306	9.00-10.00	1.00	0.0477	0.00027
			080307	10.00-11.00	1.00	0.0288	0.00020
		Sheared/greenish zone quartz vein parallel 15.53-15.81	080308	11.00-12.00	1.00	0.0190	0.00017
			080309	12.00-13.00	1.00	0.0213	0.00017
			080310	13.00-14.00	1.00	0.0097	0.00006

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 558200N

Page: 3

DDH#: RED-23-01

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
							
		Chalcopyrite on the edges of pyrite masses, also moly grains, traces of epidote, moly mostly in quartz, trace malachite					
		Quartz veining 42.20-43.45 broken core altered, minor epidote, magnetite after hornblende	080323	42.00-43.50	1.50	0.0237	0.00031
			080324	43.50-44.00	0.50	0.0613	0.00051
		Magnetic altered quartz diorite, epidote filling fractures 49.20m, 50° to core axis, crystalline magnetite in vugs along fractures, some bleaching	080325	47.00-48.50	1.50	0.0552	0.00123
			080326	48.5-50.00	1.50	0.0784	0.00056
		Epidote blotched, traces of chalcopyrite, trace malachite at 50.80m, magnetite, chalcopyrite in siliceous zone associated with magnetite	080327	50.00-51.50 EOB12 @ 51.0m	1.50	0.0962	0.00105
		XRF #2		@50.80m	K-0.0	0.1466	0.6355
		FRESH QUARTZ DIORITE – continued					
		Relatively fresh quartz diorite in boxes 13 & 14 with periodic quartz veinlets with epidote selvages, examples 53.75-53.99m, 54.11 to 54.14m, 54.32-54.39m					
		Hornblende destruction, to chlorite, magnetite and epidote					
		Minor chlorite clots with pyrite at 54.72		EOB13 @ 56.0m			
				EOB14 @ 59.05m			
		Biotite on fractures at 56.17m	080328	56.00-57.00	1.00	0.1185	0.00032
			080329	57.00-58.00	1.00	0.0547	0.00021
		Short gradational contact	080330	58.00-59.00	1.00	0.0580	0.00034
						0.0467	0.00038

STAMPER OIL and GAS CORP.
REDONDA PROJECT

SECTION: 558200N

Page: 4

DDH#: RED-23-01

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
60.37	64.90	HORNBLENDE PORPHYRY: high grade copper at contact 60.42, chalcopyrite disseminated throughout, sparse overall pyrrhotite associated with chalcopyrite	080331	59.00-60.00	1.00	0.3410	0.00066
			XRF #7		K-05184	2.1444	0.0017
			XRF #8		K-0.9522	0.185	0.0
			XRF #9		K-0.65	1.1142	0.0015
			080332	60.00-60.50	0.50	0.1810	0.00094
			080333	60.50-61.00	0.50	0.2070	0.00057
			080334	61.00-61.50	0.50	0.0365	0.00057
		Disseminated chalcopyrite at 61.05, quartz veinlets at 40° to core axis	080335	61.50-62.00	0.50	0.1115	0.00065
		Biotite occurring with alteration	080336	62.00-63.00	1.00	0.1720	0.00238
		Biotite increasing at 64.90 – hornblende porphyry grading into light grey biotitic ghost porphyry	080337	63.00-64.00	1.00	0.1185	0.00032
				EOB 15 62.89			
			080338	64.00-65.00	1.00	0.0169	0.00006
64.90	73.95	BIOTITIC OVERPRINT on PORPHYRY: traces of chalcopyrite, biotite small clusters with pyrite/chalcopyrite cores, short sections of dark hornblende porphyry, example 65.76-65.92m, disseminated chalcopyrite	080339	65.00-66.00	1.00	0.1090	0.00440
			XRF #8			0.0067%	0.0008%
			080340	66.00-67.00	1.00	0.1565	0.00073
			080341	67.00-68.00	1.00	0.0482	0.00077
		Brownish overall, Sparse chalcopyrite through 67.00m Buff calcite patch at 65.90m, very chloritic, dusting of epidote at 63.80m		EOB 16 67.35m			
			080342	68.00-69.00	1.00	0.0250	0.00022
			080343	69.00-70.00	1.00	0.0067	0.00013
		Light grey speckled appearance due to biotite masses starting at 64.90m	080344	70.00-71.00	1.00	0.0495	0.00025
			080345	71.00-72.00	1.00	0.0889	0.00055
			080346	72.00-73.00	1.00	0.0671	0.00025
		Magnetic throughout, highly altered, BLEACHED, ghost structures rounded to irregular	080347	73.00-74.68	1.68	0.0860	0.00043
			XRF#2	@68.10	K-0.1518	0.0046	0.0012
			XRF#3	@70.80	K-0.5862	0.0129	0.0006
			XRF#4	2@71.35	K-0.5414	0.0472	0.0006
				EOB 17 71.63m			

STAMPER OIL and GAS CORP.

REDONDA PROJECT

SECTION: 5572019N

Diamond Drill Log

DDH#: RED-23-02



Northing: 5572019
 Easting: 0363077
 Elevation: 525m GPS
 Azimuth: 115
 Inclination: -65
 Grid: UTM
 Length (m): 210.92m (692 ft.)
 Core size: NQ
 Contractor: Paradigm Drilling
 Drill Type: Boyles 25

Drill Hole survey		
Method: <u>Compass</u>		
Azimuth	Dip	Depth(m)
110	-45	collar
270.4	45.1	32
278.8	43.3	78
279.6	41.6	123
280.8	39.3	168

Property: Redonda Copper
 NTS: 92K.026
 Claim: 1080749
 Date Started: November 22, 2023
 Date Completed: November 26, 2023
 Logged by: J.T. Shearer,
M.Sc., P.Geo.

Samples Split:
As Shown in Log

Purpose: Move closer to main Hornblende Porphyry 106m east on Access Road from Hole #Red-23-01



from (m)	to (m)	Description	Sample #	from/to (m)	width (m)	ppm Cu	ppm Mo
0.00	3.05	CASING – NO CORE, ROAD FILL					
							
3.05	25.40	MINERALIZED HORNBLENDE PORPHYRY: abundant disseminated and fracture controlled pyrite, minor chalcopyrite	080349	3.05-4.00	0.95	0.2990	0.00548
			080350	4.00-5.00	1.00	0.3500	0.02350
			080351	5.00-6.00	1.00	0.4510	0.01990
				XRF @ 4.97m			
		Coarse pyrite lenses, very tiny chalcopyrite, pyrrhotite associated with pyrite	080352	6.00-7.00	1.00	0.4980	0.01115
		Core highly silicified in part	080353	7.00-8.00	1.00	0.1950	0.01695
		Vugs filled with magnetite and pyrite and pyrrhotite	080354	8.00-9.00	1.00	0.2880	0.01710
		-HIGHLY SILICIFIED-	080355	9.00-10.00	1.00	0.2610	0.00369
		Traces of molybdenite + quartz veinlets at 5.20	080356	10.00-11.00	1.00	0.3920	0.04500

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 2

DDH#: RED-23-02


from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
3.05	25.40	MINERALIZED HORNBLLENDE PORPHYRY cont.					
		 Hole RED-23-02 Box 2	080357	11.00-12.00	1.00	0.9840	0.08350
		Rusty fractures common	080358	12.00-13.00	1.00	0.5260	0.01050
		Fracture controlled pyrite		XRF @ 10.75			
		Irregular dark and light patches	080359	13.00-14.00	1.00	0.4630	0.011
		Extremely silicified 14.00m to 16.00m	080360	14.00-15.00	1.00	0.4550	0.01865
		 Hole RED-23-02		EOB 3 14.48			
		Molybdenite, pyrrhotite, chalcopyrite		XRF @ 14.20			
			080361	15.00-16.50	1.50	0.1890	0.00566
			080362	16.50-18.00	1.50	0.2610	0.00269
			080363	18.00-19.50	1.50	0.3720	0.18050
			080364	19.50-21.00	1.50	0.4990	0.02010
			080365	21.00-22.50	1.50	0.3970	0.03230
			080366	22.50-24.00	1.5	0.4120	0.02080
25.40	28.60	SILICEOUS ZONE: quartz-rich, highly silicified at 26.00m, coarse moly and chalcopyrite in quartz veinlet, veinlet at 10° to core axis, vugs filled with chalcopyrite and moly also crystalline euhedral epidote + pyrrhotite	080367	24.00-25.50	1.5	0.3430	0.02080

**STAMPER OIL and GAS CORP.
REDONDA PROJECT**

SECTION: 5572019N

Page: 3

DDH#: RED-23-02




from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
25.40	28.60	Siliceous Zone Cont.					
		 Hole RED-23-02 Well Mineralized	080368	25.50-27.00	1.5	0.3790	0.14200
			080369	27.00-28.50	1.5	0.1470	0.02530
			080370	28.50-30.00	1.5	0.0450	0.00087
		 Hole RED-23-02 27m	080371	30.00-31.50	1.5	0.2550	0.00377
28.60	83.00	ALTERED DIORITE: bleached, HBL destruction, large lenses of pyrrhotite and pyrite with lesser small chalcopyrite and MoS ₂	080372	31.50-33.00	1.5	0.1655	0.00807
		Still highly mineralized	080373	33.00-34.50	1.5	0.3470	0.00263
		Quartz veins throughout, fracture controlled sulphides	080374	34.50-36.00	1.5	0.1995	0.00640
		Vuggy along fractures and quartz veinlets at 10 to core axis	080375	36.00-37.50	1.5	0.0883	0.00176
		Vugs filled with pyrite/cpy/MoS ₂ /Po	080376	37.50-39.00	1.5	0.0442	0.00059
		 Hole RED-23-02 27.0m Vug with MoS₂	080377	39.00-40.50	1.5	0.0953	0.00053
			080378	40.50-42.00	1.5	0.3110	0.04260
			080379	42.00-43.50	1.5	0.2200	0.00909
			080380	43.50-45.00	1.5	0.0725	0.00087
		Fresher diorite below 44.00m, still fracture controlled sulphides	080381	45.00-46.50	1.5	0.0615	0.00068
		Broken core 46.50-48.00m, extra black 155	080382	46.50-48.00	1.5	0.0450	0.00074

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 4

DDH#: RED-23-02



from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
28.60	83.00	Altered Diorite Cont.					
			080383	48.00-49.50	1.5	0.1900	0.01970
		Fractures filled with cpy at 20° to core axis through, much sparser sulphides	080384	49.50-51.00	1.5	0.1895	0.01075
			080385	51.00-52.50	1.5	0.4570	0.00396
			080386	52.50-54.00	1.5	0.2910	0.00239
			080387	54.00-55.50	1.5	0.2460	0.02480
			080388	55.50-57.00	1.5	0.1865	0.00065
			080389	57.00-58.50	1.5	0.2420	0.01875
		Disseminated and fracture controlled cpy at 59.40m minor MoS ₂ , 5% fract, Po+biotite	080390	58.50-60.00 EOB15 @ 59.02	1.5	0.3400	0.00256
			080391	60.00-61.50	1.5	0.1130	0.00519
			080392	61.50-63.00 EOB16 63.01	1.5	0.2530	0.00437
		Breccia texture at 67.00m caused by quartz vein stockwork	080393	63.00-34.50	1.5	0.1715	0.02270
							
		Coarse fracture filling of cpy, Po + magnetite at 68.70m on 45° fracture associated with a cpy coated 20° fracture	080394	34.50-66.00	1.5	0.1535	0.00405

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 6

DDH#: RED-23-02




from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
							
		Fractures spaced about 20-30cm apart with cpy +Po + Py	080410	88.50-90.00	1.5	0.0757	0.00669
			080411	90.00-91.50	1.5	0.0587	0.00079
		Minor cpy + MoS ₂ on fractures at 10° to core axis	080412	91.50-93.00	1.5	0.0317	0.0039
			080413	Standard		0.0050	0.00164
			080414	93.00-94.50	1.5	0.3530	0.00059
			080415	94.50-96.00	1.5		
						0.1080	0.01735
			080416	96.00-97.50	1.5	0.2580	0.00166
		Coarse cpy + Po at 102.51m along 40° to 5° to core axis, chloritized, trace py, host rock ??? magnetic	080417	97.50-99.00	1.5	0.0941	0.00194
			080418	99.00-100.50	1.5	0.1000	0.00144
			080419	100.50-102.00	1.5	0.0732	0.00083
			080420	102.00-103.50	1.5	0.3280	0.021
		Rock still magnetic, Hbl chloritized	080421	103.50-105.00	1.5	0.3840	0.01995
		Coarse Po but lesser cpy, more pyritic, trace cpy	080422	105.00-108.00	3.0	0.1705	0.00438
		Still some <5° fractures with considerable cpy 107.25m					
		Barren quartz vein at 105.00 4cm wide 45° to core axis, trace epidote, trace MoS ₂ as selvage					
		Increase in chlorite content on fractures 110m and below	080423	108.00-111.00	3.0	0.1820	0.01455
		Still minor amount of cpy on 30° fractures	080424	111.00-114.00	3.0	0.0915	0.01260
		Chloritic, small amount of MoS ₂ + Po, some quartz veinlets at 10° to 30° to core axis	080425	114.00-117.00	3.0	0.0539	0.00033

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 7

DDH#: RED-23-02


from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
83.00	169.17 E.O.H	CHLORITIC DIORITE cont.	080426	117.00-120.00	3.0	0.1055	0.00528
		Medium xline altered Hornblende					
		Quartz diorite					
		Cpy on fractures, short intervals 5° to core axis veining	080427	158.50-159.50	1.0	0.5310	0.03070
		Short section	080514	160.00-162.00	2.0	0.2010	0.1505
		Quartz veining containing coarse cpy 10° to core axis	080428	162.00-162.60	0.6	1.1200	0.00325
			080515	162.60-164.00	1.4	0.1830	0.00079
			080516	164.00-165.50	1.5	0.7800	0.01105
		Coarse cpy at 164.35m – Photo-	080517	165.50-167.00	1.5	0.2310	0.0722
		45° to core axis associated with coarse biotite	080518	167.00-169.17	2.17	0.1650	0.00445
		Widely spaced cpy in quartz veinlets and on fractures					
		E.O.H. 169.17m (555 ft.)					
							
							
							

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 2

DDH#: RED-23-03



from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
			080451	30.00-31.50	1.5	0.3040	0.04860
			080452	31.50-33.00	1.5	0.2160	0.00084
			080453	33.00-34.50	1.5	0.0724	0.00040
			080454	34.50-36.00	1.5	0.1885	0.00058
36.87	45.32	BIOTITIC ALTERATION ZONE – DYKE: speckled by biotite clots	080455	36.00-37.50	1.5	0.4000	0.02220
		Some sections very bleached	080456	37.50-39.00	1.5	0.1565	0.02080
		Traces of Po in biotite clusters	080457	39.00-40.50	1.5	0.1250	0.00541
			080458	40.50-42.00	1.5	0.1180	0.00560
45.32	87.66	ALTERED QUARTZ DIORITE:	080459	42.00-43.50	1.5	0.2170	0.01465
		Coarse spy associated with patchy anhedral epidote at 47.20m and down	080460	43.50-45.00	1.5	0.0758	0.00452
			080461	45.00-46.50	1.5	0.1940	0.00149
		Hornblende destruction	080462	46.50-48.00	1.5	0.0010	0.00838
		Coarse cpy + coarse biotite 63.8m, 45° to core axis	080463	63.75-66.00	2.25	0.2670	0.0414
			080464	66.00-69.00	3.0	0.2430	0.0109
		Sparse mineralization throughout	080465	69.00-72.00	3.0	0.2230	0.0222
			080466	72.00-75.00	3.0	0.2420	0.0322
			080467	75.00-78.00	3.0	0.2090	0.00417
			080468	78.00-81.00	3.0	0.4700	0.00313
			080469	81.00-84.00	3.0	0.2650	0.01205
			080470	84.00-87.00	3.0	0.2230	0.00197
87.66	103.12	BIOTITIC ALTERED DYKE: whitish, ghost feldspars, healed breccia	080471	87.00-90.00	3.0	0.1975	0.004
			080472	Standard		0.0051	0.00165

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 3

DDH#: RED-23-03



from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
		BIOTITIC ALTERED DYKE cont.	080473	90.00-93.00	3.0	0.1210	0.00471
		Minor darker intervals, biotite clots + short chalky zone at 93.04m, epidote at 15° to core axis, friable	080474	93.00-96.00	3.0	0.1010	0.00622
		Traces of cpy at 93.91m, quartz veinlet at 45° to core axis					
		Short, less altered section					
			080475	96.00-99.00	3.0	0.1175	0.02240
		Short, less altered at 98.20, cpy, Po, MoS ₂ in 20° to core axis quartz veinlet, 100.05m – white quartz vein at 15° to core axis with large zone of cpy	080476	99.00-102.00	3.0	0.1600	0.00996
		Short section of diorite – 101.04-101.62m	080477	102.00-105.00	3.0	0.2190	0.00618
		Short silicified zone, quartz veinlets at mainly 45° to core axis at 102.75m	080478	105.00-108.00	3.0	0.1515	0.00146
		Minor cpy along veinlets, MoS ₂	080479	108.00-111.00	3.0	0.2670	0.00816
		Also veinlet with cpy sub-parallel to core axis	080480	111.00-114.00	3.0	0.6700	0.00518
			080481	114.00-117.00	3.0	0.2320	0.00420
			080482	117.00-120.00	3.0	0.2910	0.01585
				EOB30 121m			
		122.65-122.9m finely disseminated cpy	080483	120.00-123.00	3.0	0.6320	0.01475
			080484	123.00-126.00	3.0	0.0010	0.00424
			080485	126.00-129.00	3.0	0.2300	0.00659
		 Hole RED-23-03 Box 34 Altered Quartz Diorite	080486	129.00-132.00	3.0	0.4530	0.01075
103.12	135.5	DIORITE: contact zone from 102.1-103.12m	080487	132.00-135.00	3.0	0.5220	0.03800
		Mineralized with fracture controlled and disseminated cpy, Po + Py 105.35-105.76m, clots of Po	080488	135.00-138.00	3.0	0.3190	0.00661

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572019N

Page: 4

DDH#: RED-23-03

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
			080489	138.00-141.00	3.0	0.3180	0.01650
				Box 35			
		Chlorite/epidote + sulphides stockworks					
		108.9 – breccia textures					
		117-119m disseminated cpy, abundant chlorite and epidote, 45° to core axis					
		Quartz vein 120.01-120.31 MoS ₂ + cpy + epidote, 15° to core axis					
		121m dark alteration associated with Diorite, 60° veinlets		Box 31			
							
		Breccia zone 134..5-135.5m, well mineralized					
							
135.50	210.92	LESS ALTERED QUARTZ DIORITE: dark-coloured well mineralized disseminated + fracture controlled cpy + Po, wide spaced fractures E.O.H.					
				Box 35			
		Coarse cpy + magnetite at 141.40m					
		Large grains of pyrite					
		Relatively fresh quartz diorite below					

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572014N

Page: 3

DDH#: RED-23-04

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
			080212	30.00-31.50	1.5m	0.2100	0.00777
							
			080213	31.50-33.00	1.5m	0.4150	0.00261
		Disseminate cpy at 32.89m	080214	33.00-34.50	1.5m	0.3260	0.00326
			080215	34.50-36.00	1.5m	0.2050	0.00196
			080216	36.00-37.50	1.5m	0.1530	0.00223
			080217	37.50-39.00	1.5m	0.0571	0.00067
				EOB9 38.10m			
		Rusty broken contact	080218	39.00-40.50	1.5m	0.0317	0.01070
			080219	40.50-42.00	1.5m	0.2650	0.00439
40.26	98.10	QUARTZ DIORITE – MINERALIZED:	080220	42.00-43.50	1.5m	0.2350	0.00524
		Mainly finely disseminate cpy plus coarse cpy/Po/MoS ₂	080221	43.50-45.00	1.5m	0.2320	0.03970
			080222	45.00-46.50	1.5m	0.2220	0.00968
			080223	46.50-48.00	1.5m	0.2060	0.00344
		Highly siliceous in places	080224	48.00-49.50	1.5m	0.1110	0.00152
			080225	49.50-51.00	1.5m	0.3810	0.02560
		Disseminated and fracture controlled cpy	080226	51.00-52.50	1.5m	0.7740	0.02840
			080227	52.50-54.00	1.5m	0.4080	0.00914
			080228	54.00-55.50	1.5m	0.1705	0.01555
			080229	55.50-57.00	1.5m	0.2050	0.01100
			080230	57.00-58.50	1.5m	0.2900	0.00693


STAMPER OIL and GAS CORP.

REDONDA PROJECT

SECTION: 5572014N

Page: 4

DDH#: RED-23-04

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
40.26	98.10	Quartz Diorite – Mineralized Cont.	080231	58.50-60.00	1.5m	0.1275	0.00077
			080232	60.00-61.50	1.5m	0.1960	0.00633
			080233	61.50-63.00	1.5m	0.0582	0.00033
			080234	63.00-64.50	1.5m	0.1995	0.00924
			080235	64.50-66.00	1.5m	0.2480	0.06070
			080236	66.00-67.50	1.5m	0.2390	0.01000
			080237	67.50-69.00	1.5m	0.1995	0.03130
				EOB17 67.6m			
			080238	69.00-70.50	1.5m	0.1155	0.00266
			080239	70.50-72.00	1.5m	0.0985	0.00386
			080240	72.00-73.50	1.5m	0.3640	0.07910
			080241	73.50-75.00	1.5m	0.2660	0.00309
			080242	75.00-76.50	1.5m	0.0804	0.00060
			080243	76.50-78.00	1.5m	0.0910	0.00271
				EOB20 79.05m			
			080244	78.00-79.50	1.5m	0.3670	0.00355
			080245	79.50-81.00	1.5m	0.2360	0.01020
			080246	81.00-82.50	1.5m	0.2580	0.05270
			080247	82.50-84.00	1.5m	0.2320	0.01645
			080248	84.00-85.50	1.5m	0.1680	0.01645
		Short section in Diorite	080249	85.50-87.00	1.5m	0.1800	0.00712
		Intrusive breccia – very widely spaced fragments	080250	87.00-88.50	1.5m	0.2260	0.00672
		cpy in 5-15° to core axis veinlets	080251	88.50-90.00	1.5m	0.4740	0.01415
			080252	90.00-91.50	1.5m	0.1185	0.01370
			080253	91.50-93.00	1.5m	0.3920	0.01865
			080254	93.00-94.50	1.5m	0.1890	0.03510
			080255		94.50-96.00	1.5m	0.3230

STAMPER OIL and GAS CORP.

REDONDA PROJECT

SECTION: 5572014N

Diamond Drill Log

DDH#: RED-23-05

Northing: 5572014
 Easting: 0363017
 Elevation: 518m
 Azimuth: 110
 Inclination: -70
 Grid: UTM
 Length (m): 181.97m (597 ft.)
 Core size: NQ
 Contractor: Paradigm Drilling
 Drill Type: Boyles 25



Drill Hole survey
 Method: Compass

Azimuth	Dip	Depth
110	-45	collar
261.6	69.8	40
201.7	68.9	90
264.2	68.9	135
264.2	68.9	181

Property: Redonda Copper
 NTS: 92K.026
 Claim: 1080749
 Date Started: December 1, 2023
 Date Completed: December 4, 2023
 Logged by: J.T. Shearer,
M.Sc., P.Geo.

Samples Split:
 As per Log

Purpose: Halfway between Hole #1 and Hole #2




from (m)	to (m)	Description	Sample #	from/to (m)	width (m)	ppm Cu	ppm Mo
0.00	2.74	CASING – (9 feet) NO CORE road rubble					
			080274	2.74-6.00	3.26	0.2360	0.00805
2.74	31.05	QUARTZ DIORITE: hypidiomorphic granular quartz veinlets at 10°	080275	6.00-9.00	3.0	0.1245	0.00846
		to core axis + fractures at 45° to core axis carrying cpy+Py+Po	080276	9.00-12.00	3.0	0.1580	0.00857
				EOB3 14.33m			
			080277	12.00-15.00	3.0	0.1135	0.00171
			080278	15.00-18.00	3.0	0.2700	0.01905
		Minor breccia textures, layered fragments 8.60m	080279	18.00-21.00	3.0	0.1195	0.00612
		Vuggy quartz veins at 15.3m associated Po, cpy+Py, rusty	080280	21.00-24.00	3.0	0.2380	0.00515
							
		Epidote + sulphides at 9.41m in chloritic layer at 50° to core axis	080281	24.00-27.00	3.0	0.4530	0.03750
			080282	27.00-30.00	3.0	0.2410	0.00660

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572014N

Page: 3

DDH#: RED-23-05



from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
39.34	181.97 E.O.H	QUARTZ DIORITE-DIORITE:	080284	39.34-42.00	2.66	0.4430	0.06770
		Minor cpy+Po on fractures and quartz veinlets	080285	42.00-45.00	3.0	0.1610	0.01490
			080286	45.00-48.00	3.0	0.2360	0.00665
		Sparsely mineralized	080287	48.00-51.00	3.0	0.2050	0.01985
							
			080288	51.00-54.00	3.0	0.2560	0.08310
		Widespaced cpy on fractures/quartz veinlets and	080289	54.00-57.00	3.0	0.0835	0.00374
		dark zones + Po	080290	57.00-60.00	3.0	0.1290	0.00922
				EOB15 60.05m			
		Abundant disseminated cpy 63.0-64.20m	080291	60.00-63.00	3.0	0.0729	0.01870
			080292	63.00-66.00	3.0	0.2190	0.00799
				EOB16 64.20m			
			080293	66.00-69.00	3.0	0.2080	0.01245
			080294	69.00-72.00	3.0	0.3200	0.00492
		Dark fragments containing Po+Py+cpy	080295	72.00-75.00	3.0	0.2430	0.00635
		Sparse Agmatite	080296	75.00-78.00	3.0	0.5210	0.01345

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572014N

Page: 4

DDH#: RED-23-05

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
39.34	181.97 E.O.H	Quartz Diorite-Diorite Cont.					
							
		Coarse cpy at 83.10m in siliceous zone	080297	78.00-81.00	3.0	0.2170	0.0337
			080298	81.00-84.00	3.0	0.1900	0.0183
		Barren white quartz vein 89.64-90.14m	080299	84.00-87.00	3.0	0.2050	0.00078
			080300	87.00-90.00	3.0	0.3120	0.00241
		Thick chlorite on fractures 60° to core axis	080501	90.00-93.00	3.0	0.1590	0.00298
		Sulfides along 70° to fractures	080502	93.00-96.00	3.0	0.1855	0.012
			080503	96.00-99.00	3.0	0.1945	0.00194
		Intense epidote zone 97.04-97.27m, highly altered	080504	99.00-102.00	3.0	0.1495	0.00109
		Large patch of Po	080505	102.00-105.00	3.0	0.2650	0.00095
			080506	105.00-108.00	3.0	0.3930	0.00296
		Darker intrusive breccia/agmatite 97.50-105.0m	080507	108.00-111.00	3.0	0.4620	0.00773
			080508	111.00-114.00	3.0	0.4020	0.00491
		Very pink quartz vein-patch 125.80m associated with clear quartz	080509	114.00-117.00	3.0	0.3220	0.00521
		epidote	080510	117.00-120.00	3.0	0.1825	0.00142
		Sparse cpy throughout	080511	120.00-123.00	3.0	0.2080	0.01065
			080512	123.00-126.00	3.0	0.2190	0.01085
			080513	Standard		0.0051	0.00157
				EOB32 177.40m			
		Agmatitic	080519	126.00-129.00	3.0	0.2930	0.00657

STAMPER OIL and GAS CORP. REDONDA PROJECT

SECTION: 5572014N

Page: 7

DDH#: RED-23-05

from (m)	to (m)	Description	Sample #	from/to	width (m)	ppm Cu	ppm Mo
		 <p style="text-align: center;">Hole RED-23-05 153.0m Bleaching</p>					
		 <p style="text-align: center;">Hole RED-23-05 174.0m</p>					
		 <p style="text-align: center;">Hole RED-23-05 178.92m</p>					
							

APPENDIX IV

SAMPLE DESCRIPTIONS and LOCATIONS

JANUARY 3, 2024

Redonda 2023 Sample Descriptions and Results

Rock Samples

Sample	Al%	Si%	Ca%	Fe%	S%	K%	P%	Mg%	Cu%	Description
1	4.28	16.37	5.3864	6.44		1.2844	0.3517	1.61	0.0177	At drillsite RED-23-01, dark hornblende, hypidiomorphic crs xline
2	8.26	12.04	3.3471	6.01	0.0583	0.8594	1.0034	15.63	0.0776	North of drillsite RED-23-01, very dark, chloritic?, hornblendite?, some quartz veins
3	6.72	17.32	11.65	6.81		0.1751	0.2756		0.0144	Dark hornblende porphyry
3	4.65	14.15	4.79	6.68		1.9949	0.2963	1.85	0.0322	Northeast of drill
5	5.49	15.66	4.02	5.1089		0.4221	0.3766		0.0239	Drill Core from shoe casing, quartz rich shard, altered quartz diorite
6	5.16	9.07	6.84	10.74		0.2347	0.2031		0.0485	Drill Core from shoe casing, altered quartz diorite, quartz veining, miarolitic cavities with green calcite?
7	1.94	31.47	0.6023	0.3669	0.018	0.2079			0.003	On quartz veinlet, yellowish layer
8	5.31	12.11	1.69	5.99		0.3705	0.2995	1.3	0.0275	Between two quartz veinlets, altered quartz diorite

Drill Core Samples 1979

Sample	Al%	Si%	Ca%	Fe%	S%	K%	P%	Mg%	Cu%	Description
2 old core	4.92	19.19	5.6599	2.1503	0.0472	0.452	0.2008			Hornblende porphyry, some plagioclase phenos, no Cu
3 old core	4.55	21.5	4.7765	2.818	0.1656	0.7648	0.8159		0.0077	Hornblende porphyry, some plagioclase ghosts
4 old core	4.64	21.82	5.1725	2.3282	0.082	0.7686	0.4304		0.0031	Hornblende porphyry, some plagioclase ghosts
5 old core	4.74	18.71	3.7555	6.0498	0.0662	1.5778	0.4187		0.048	Quartz veinlet in quartz diorite
6 old core	4.35	13.05	3.9573	4.171	2.0989	0.9425	0.3519		0.0477	Dark hornblende porphyry
7 rock	5.43	17.85	6.1646	6.64	0.1102	1.9961	0.6244	1.17	0.0112	Black, hornblende porphyry
8 rock	5.17	15.74	5.5302	6.95	ND	1.3796	0.2414	1.11	0.1431	Black, hornblende porphyry

Drill Core Samples 2023 – See Drill Logs Appendix III for Descriptions

Sample	Al%	Si%	Ca%	Fe%	S%	K%	P%	Mg%	Cu%	Description
	3.98	18.12	7.81	2.3188	0.6624	0.1518	0.1214		0.0046	From 12 ft. from end of hole RED-23-01, light grey, sparse hornblende
	5.67	26.17	4.839	1.8935	0.3602	0.5862	0.1616		0.0129	From 12 ft. from end of hole RED-23-01, light grey, sparse hornblende
	3.18	17.35	4.6601	2.0921	0.5369	0.5414	0.2216		0.0472	From 12 ft. from end of hole RED-23-01, light grey, sparse hornblende
Box 6	5.4	12.06	6.78	2.397		0.1914			0.1285	Chloritic fractures, miarolitic
Box 5	4.92	20.31	4.8055	5.7723	1.7896	0.8515	0.0961		0.1236	Hornblende porphyry pyrite
Box 12	3.42	19.3	8.57	9.36	6.8932	0.0581	0.1026		0.0834	Pyritic on fractures
Box 12	1.51	10.36	0.2105	16.85	7.8		0.2835		14.66	Sulphides, rusty, Mo – 6355ppm
Box 6 25.91m	1.38	9.17	1.3941	9.84		0.8008	0.1142		0.3557	Magnetite, chlorite, epidote blocks
60.50m	2.80	12.00	7.79	5.2609	1.748	0.5184	0.1838		2.1444	Hornblende porphyry
60.50m	4.98	16.78	5.4045	5.8363	0.3288	0.9522	0.1004		0.1850	Length of core
Just before 60.50m	3.34	12.06	7.87	4.6716	0.918	0.650	0.2152		1.1142	See Drill Log
Hole 2 10.75m	3.92	15.04	3.1336	6.35	0.4727	1.2889	0.1782		0.2241	See Drill Log
2 nd 10.75	4.51	18.36	3.4664	4.4688	0.2537	1.6723	0.0787		0.1227	See Drill Log
Hole 2 4.75m	2.03	10.03	0.8226	14.78	7.59	0.3055	0.1976		0.7005	See Drill Log
2 nd 4.75	3.91	14.93	3.1368	9.86	3.277	0.4041	0.105		0.2134	See Drill Log
Box 3	2.12	7.11	1.4	13.78	8.47	0.6059	0.8191		0.7596	See Drill Log
	2.65	9.56	3.0719	5.37	0.5879	0.7956	0.6365		0.6614	See Drill Log
Box 14 Hole 1	4.19	12.78	5.5132	8.05	0.0265	0.41	0.8181	3.53	0.0067	Biotite See Drill Log
Hole 2 76.25m Box 22	2.94	6.81	2.4924	9.53	2.6962	0.3828	0.3358	1.87	0.0624	Green sooty chlorite? Moly 1.70%, Hg 0.0045%
	4.5	18.11	4.0279	3.2235	0.1869	3.0044	0.1764		0.0219	Host rock altered diorite, high K

Rock Sample Locations 2023

Sample	Zone	Easting	Northing
1	10U	362901	5571959
2	10U	362926	5571980
3	10U	363034	5572013
4	10U	363011	5572004
5	10U	362971	5571990
6	10U	362971	5571990
7	10U	363012	5571989
8	10U	363056	5572018

Drill Hole Locations 2023

Sample	Zone	Easting	Northing
1	10U	362971	5571990
2 + 3	10U	363077	5572019
4 + 5	10U	363017	5572014

APPENDIX V

ASSAY RESULTS

JANUARY 3, 2024



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 1
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

VA23342174

Project: Redonda Copper

This report is for 92 samples of Drill Core submitted to our lab in Vancouver, BC, Canada on 27-NOV-2023.

The following have access to data associated with this certificate:

JO SHEARER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080301		2.22	0.15	8.20	4.3	440	0.65	0.05	4.83	0.18	21.0	14.4	22	0.89	145.5	4.41
080302		2.28	0.08	8.06	1.2	460	0.65	0.04	4.63	0.14	21.3	14.2	23	0.78	143.5	4.57
080303		2.12	0.12	8.30	1.6	460	0.65	0.05	4.66	0.19	21.5	18.1	10	0.63	247	4.91
080304		2.18	0.19	8.35	0.7	490	0.72	0.03	4.37	0.16	22.1	14.5	8	0.95	393	4.74
080305		2.40	0.15	8.48	0.5	530	0.67	0.02	4.67	0.11	22.4	15.4	8	0.92	370	4.98
080306		2.50	0.29	7.99	1.3	450	0.64	0.04	4.11	0.13	21.7	14.0	11	0.81	477	4.36
080307		2.52	0.15	8.58	0.7	460	0.68	0.03	4.80	0.11	20.2	15.3	9	0.69	288	4.87
080308		2.72	0.09	8.44	1.5	450	0.68	0.03	4.97	0.11	22.0	16.6	9	0.66	189.5	5.03
080309		2.68	0.12	8.29	1.1	460	0.66	0.03	4.75	0.10	21.3	15.4	10	0.61	213	5.14
080310		2.52	0.05	8.22	1.4	490	0.63	0.06	5.07	0.09	19.70	15.5	8	0.73	96.8	4.92
080311		2.48	0.10	8.49	0.9	530	0.67	0.04	4.71	0.11	22.3	15.6	8	0.66	223	4.89
080312		2.16	0.13	7.91	1.0	650	0.61	0.07	4.63	0.22	20.0	17.6	10	0.70	385	4.80
080313		2.62	0.13	8.53	1.9	440	0.67	0.04	4.75	0.12	21.6	17.2	8	0.69	303	4.95
080314		2.46	0.13	8.16	3.0	640	0.76	0.03	3.92	0.11	19.85	14.0	9	0.83	315	4.46
080315		3.24	0.18	8.42	2.1	450	0.66	0.03	4.60	0.11	20.5	17.1	9	0.70	369	5.16
080316		3.54	0.42	8.51	1.5	460	0.66	0.03	4.64	0.13	21.7	17.6	6	1.22	580	5.06
080317		3.78	0.14	8.61	0.2	480	0.64	0.03	4.80	0.10	20.9	17.5	9	0.83	324	5.13
080318		0.06	6.46	2.77	461	540	0.80	0.08	0.14	0.07	15.95	12.8	418	4.40	52.3	3.57
080319		2.58	0.06	8.75	1.1	480	0.64	0.02	5.00	0.08	20.2	16.4	11	1.13	130.0	5.12
080320		2.52	0.09	8.69	1.4	430	0.71	0.02	4.78	0.10	20.0	14.6	9	1.38	231	5.33
080321		1.84	0.41	8.02	1.7	470	0.62	0.06	4.42	0.12	17.75	18.7	8	1.16	1000	5.06
080322		2.72	0.13	8.49	1.1	450	0.67	0.02	4.76	0.12	22.3	14.8	13	1.22	297	5.10
080323		1.52	0.22	8.56	1.4	510	0.63	0.06	4.33	0.16	20.0	17.9	7	1.26	237	5.07
080324		2.32	0.42	8.76	1.7	440	0.72	0.05	4.75	0.16	19.80	19.0	8	1.12	613	5.13
080325		3.94	0.23	8.32	1.5	460	0.79	0.04	4.17	0.11	24.7	16.3	12	1.78	552	5.17
080326		3.54	0.49	8.27	2.0	420	0.79	0.34	3.89	0.18	22.4	13.6	10	1.92	784	4.96
080327		4.16	0.60	8.06	2.1	440	0.81	0.22	3.95	0.17	19.45	15.9	10	1.76	962	4.89
080328		2.36	0.51	8.51	1.2	440	0.71	0.03	4.39	0.19	22.5	18.6	11	1.74	1185	5.36
080329		2.38	0.23	8.50	0.5	460	0.72	0.03	4.34	0.11	21.4	15.3	9	1.76	547	4.96
080330		2.24	0.37	8.38	0.9	440	0.70	0.04	4.42	0.14	25.1	14.8	8	1.62	580	5.03
080331		2.92	0.21	7.93	1.0	470	0.67	0.04	4.40	0.11	20.3	16.2	10	1.31	467	4.93
080332		1.48	1.31	7.99	2.3	340	0.71	0.10	4.00	0.61	20.9	24.4	9	1.64	3410	6.16
080333		1.40	0.74	6.99	0.9	370	0.60	0.06	3.31	0.29	21.6	17.9	13	1.68	1810	4.87
080334		1.36	0.76	8.35	1.2	400	0.72	0.07	4.26	0.27	23.2	19.6	12	1.86	2070	5.14
080335		1.18	0.17	7.84	1.3	410	0.75	0.02	3.98	0.09	21.1	13.2	10	1.56	365	4.17
080336		2.56	0.62	7.75	1.0	390	0.88	0.04	3.66	0.20	20.0	13.4	12	1.98	1115	5.00
080337		2.40	0.95	7.91	1.4	410	0.87	0.06	3.90	0.31	19.50	14.2	12	1.84	1720	4.95
080338		2.70	0.12	9.21	6.4	980	0.83	0.05	3.88	0.05	17.00	14.4	6	1.94	168.5	4.22
080339		2.38	0.43	7.80	1.1	380	0.78	0.07	3.46	0.12	20.2	12.6	7	1.27	1090	3.81
080340		2.24	0.43	7.92	1.4	370	0.67	0.07	3.54	0.23	22.2	14.2	9	0.93	1565	3.55



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 2 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080301		16.75	0.13	0.7	0.053	0.99	7.7	7.7	1.76	1145	1.60	2.35	3.9	13.4	660	10.4
080302		16.70	0.13	0.7	0.053	0.96	8.0	7.9	1.78	1195	1.23	2.40	3.8	14.7	650	9.1
080303		15.30	0.10	0.7	0.052	0.88	10.0	7.8	1.67	1140	2.64	2.42	3.6	5.9	650	15.2
080304		15.70	0.11	0.7	0.058	1.06	9.8	8.6	1.73	1140	2.23	2.43	3.8	4.6	670	9.6
080305		15.65	0.11	0.7	0.060	1.01	10.3	8.9	1.79	1180	1.45	2.47	3.8	4.4	690	6.5
080306		15.05	0.10	0.6	0.054	1.00	9.7	9.2	1.62	991	2.74	2.30	3.8	4.3	650	4.0
080307		16.35	0.12	0.7	0.058	1.02	9.1	8.3	1.76	1115	2.03	2.42	4.1	4.4	690	5.1
080308		15.90	0.11	0.8	0.057	1.02	9.5	7.8	1.84	1195	1.66	2.48	3.8	4.9	660	4.5
080309		15.85	0.11	0.7	0.053	0.89	9.5	7.3	1.69	1170	1.71	2.42	3.7	4.4	660	4.4
080310		16.05	0.10	0.6	0.064	0.82	8.7	7.1	1.68	1350	0.64	2.34	3.6	4.1	670	5.8
080311		15.20	0.12	0.7	0.060	1.09	10.2	10.8	1.72	1235	1.16	2.47	3.8	4.0	670	6.5
080312		15.45	0.12	0.6	0.059	1.50	9.0	13.4	1.56	1220	1.60	1.86	3.5	4.3	630	10.7
080313		15.50	0.11	0.8	0.057	0.88	10.2	12.0	1.78	1060	1.60	2.29	4.2	4.3	640	4.6
080314		16.30	0.11	0.6	0.043	1.40	8.7	12.8	1.81	932	2.01	2.33	4.7	4.0	720	3.5
080315		15.10	0.10	0.8	0.062	1.07	9.0	11.6	1.76	1020	2.02	2.26	4.0	4.2	630	4.1
080316		15.60	0.11	0.7	0.059	1.11	9.7	8.5	1.84	1070	2.52	2.23	3.9	4.2	620	3.7
080317		16.15	0.11	0.7	0.055	0.99	9.5	8.6	1.85	1080	1.69	2.37	3.8	4.3	680	3.5
080318		6.04	0.13	1.3	0.022	2.71	7.9	51.4	0.11	240	16.85	0.06	5.1	348	360	3.7
080319		17.05	0.11	0.7	0.055	1.05	9.1	8.2	1.90	1010	3.92	2.39	3.9	4.6	650	3.0
080320		17.25	0.11	0.6	0.046	1.08	9.3	8.6	1.83	1015	1.82	2.39	3.9	4.0	660	2.6
080321		16.20	0.11	0.6	0.053	1.25	7.7	9.5	1.78	943	283	2.17	3.8	4.0	620	2.8
080322		16.30	0.11	0.7	0.045	1.08	9.5	8.2	1.83	1030	4.55	2.33	3.8	3.7	630	2.8
080323		15.35	0.10	0.7	0.050	1.66	9.0	8.7	1.74	1075	3.07	2.22	3.5	3.7	630	3.5
080324		16.70	0.11	0.6	0.057	1.08	8.9	11.0	1.94	1175	5.14	2.35	4.2	4.3	660	3.0
080325		15.95	0.12	0.7	0.037	1.45	10.8	10.7	1.81	969	12.25	2.13	4.5	4.2	650	2.3
080326		16.10	0.12	0.5	0.102	1.51	10.0	12.4	1.69	837	5.57	2.03	4.8	3.8	630	2.5
080327		15.90	0.12	0.6	0.064	1.51	8.3	12.6	1.72	891	10.50	2.01	4.7	4.1	630	2.6
080328		15.70	0.12	0.6	0.056	1.16	10.5	9.6	1.82	998	3.22	2.26	4.4	4.3	650	2.4
080329		16.05	0.12	0.6	0.040	1.16	10.2	9.5	1.76	931	2.07	2.25	4.1	4.2	670	2.2
080330		16.20	0.12	0.7	0.044	1.11	11.5	9.0	1.81	982	3.36	2.26	4.0	4.0	560	2.3
080331		15.80	0.11	0.6	0.048	1.02	8.7	8.7	1.78	1040	3.82	2.28	3.7	4.1	530	2.8
080332		15.05	0.12	0.6	0.086	1.13	8.4	10.0	1.60	892	6.58	2.24	4.1	4.7	650	2.2
080333		12.05	0.11	0.4	0.044	1.15	10.2	9.8	1.31	680	9.39	1.81	3.7	3.0	550	1.7
080334		15.55	0.12	0.6	0.056	1.25	10.4	9.6	1.77	928	5.72	2.32	4.0	4.5	670	2.2
080335		14.80	0.11	0.5	0.028	1.17	9.6	10.2	1.46	787	5.65	2.12	4.0	3.8	560	2.3
080336		13.95	0.11	0.4	0.030	1.34	9.2	12.2	1.56	909	6.54	2.05	4.3	3.8	610	1.9
080337		15.05	0.10	0.5	0.041	1.62	8.8	11.0	1.56	933	23.8	2.16	4.5	4.2	640	2.2
080338		17.45	0.13	0.5	0.025	3.92	7.2	14.4	1.96	1040	0.62	1.73	5.8	4.0	920	4.0
080339		14.25	0.06	0.8	0.021	1.14	7.4	8.1	1.16	519	44.0	2.34	3.7	3.4	580	3.0
080340		13.50	0.07	0.8	0.032	0.85	8.8	7.1	0.94	365	7.30	2.28	3.2	2.6	560	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 2 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080301		16.8	<0.002	0.03	0.31	17.8	1	0.9	512	0.27	<0.05	2.02	0.385	0.16	0.6	153
080302		16.7	<0.002	0.01	0.24	17.4	1	0.8	500	0.27	<0.05	2.17	0.388	0.16	0.6	160
080303		16.0	<0.002	0.07	0.43	20.5	3	0.7	522	0.25	<0.05	2.25	0.384	0.14	0.6	167
080304		24.2	<0.002	0.04	0.21	21.1	2	0.8	507	0.26	<0.05	2.50	0.388	0.17	0.6	173
080305		21.9	<0.002	0.04	0.16	21.1	2	0.8	533	0.27	<0.05	2.41	0.400	0.16	0.6	166
080306		26.9	<0.002	0.03	0.22	20.1	2	0.8	478	0.24	<0.05	2.25	0.367	0.17	0.6	147
080307		18.0	<0.002	0.03	0.22	21.3	2	0.8	540	0.28	<0.05	2.02	0.402	0.15	0.7	166
080308		17.0	<0.002	0.02	0.31	22.7	3	0.7	534	0.28	<0.05	2.37	0.403	0.15	0.7	170
080309		15.6	<0.002	0.02	0.20	21.3	3	0.7	521	0.26	<0.05	2.15	0.387	0.13	0.5	174
080310		12.0	<0.002	0.01	0.39	21.4	3	0.7	576	0.26	<0.05	1.94	0.394	0.12	0.5	169
080311		21.5	<0.002	0.02	0.24	21.1	2	0.7	519	0.27	<0.05	2.41	0.390	0.16	0.7	160
080312		27.6	<0.002	0.02	0.40	20.1	1	0.7	457	0.23	<0.05	2.01	0.375	0.23	0.7	170
080313		16.8	<0.002	0.02	0.25	24.0	2	0.8	501	0.28	<0.05	2.78	0.408	0.12	0.7	180
080314		31.2	<0.002	0.02	0.65	24.3	2	1.0	465	0.32	<0.05	2.04	0.423	0.24	0.6	164
080315		19.8	<0.002	0.03	0.19	25.2	2	0.8	526	0.28	<0.05	2.21	0.424	0.15	0.7	191
080316		26.4	<0.002	0.03	0.15	24.3	2	0.8	542	0.25	<0.05	2.14	0.401	0.17	0.6	179
080317		20.1	<0.002	0.07	0.12	23.4	1	0.8	533	0.26	<0.05	2.18	0.412	0.15	0.6	180
080318		97.6	0.002	1.89	97.1	5.9	21	2.9	52.8	0.28	<0.05	0.96	0.222	10.90	0.4	46
080319		23.4	0.002	0.02	0.29	27.7	1	0.8	508	0.27	<0.05	2.12	0.428	0.19	0.6	193
080320		28.3	<0.002	0.01	0.25	27.3	2	1.0	484	0.27	<0.05	1.99	0.411	0.19	0.6	203
080321		25.6	0.086	0.41	0.34	26.9	3	1.0	451	0.25	<0.05	1.93	0.398	0.21	0.7	184
080322		26.6	0.002	0.03	0.18	27.5	2	0.9	472	0.24	<0.05	2.20	0.401	0.18	0.6	189
080323		41.1	<0.002	0.01	0.44	27.0	1	0.8	494	0.23	<0.05	2.07	0.399	0.27	0.6	194
080324		27.1	<0.002	0.07	0.28	27.3	2	0.9	487	0.28	<0.05	2.02	0.421	0.19	0.5	192
080325		46.4	0.006	0.07	0.33	21.3	2	1.0	420	0.29	<0.05	3.23	0.402	0.28	0.7	154
080326		54.5	0.003	0.09	4.19	23.7	2	1.2	420	0.26	<0.05	2.68	0.380	0.30	0.7	143
080327		42.8	0.009	0.13	2.81	18.3	2	1.1	423	0.28	<0.05	2.30	0.377	0.30	0.7	151
080328		40.0	0.003	0.14	0.19	26.5	2	0.9	439	0.31	<0.05	2.58	0.401	0.21	0.6	178
080329		39.2	0.002	0.08	0.17	25.2	2	0.8	442	0.31	<0.05	2.80	0.388	0.20	0.7	169
080330		35.9	0.002	0.07	0.17	28.4	2	0.9	447	0.26	<0.05	2.77	0.395	0.20	0.9	189
080331		23.7	0.002	0.07	0.16	26.3	3	0.8	471	0.24	<0.05	2.51	0.402	0.17	0.8	181
080332		35.5	0.004	0.68	0.31	22.7	4	1.0	418	0.27	<0.05	2.27	0.376	0.24	0.5	145
080333		44.4	0.004	0.34	0.32	18.4	2	0.8	351	0.23	<0.05	2.22	0.313	0.24	0.5	110
080334		36.4	0.005	0.45	0.30	22.8	3	1.0	447	0.26	<0.05	2.12	0.388	0.24	0.6	136
080335		33.6	0.003	0.05	0.23	21.3	2	0.8	476	0.28	<0.05	3.04	0.363	0.22	0.6	121
080336		42.2	0.004	0.12	0.24	23.8	2	0.9	464	0.27	<0.05	2.28	0.362	0.26	0.4	103
080337		44.4	0.014	0.20	0.47	22.8	3	0.9	416	0.27	<0.05	2.26	0.386	0.29	0.4	123
080338		106.5	<0.002	0.03	0.86	24.0	2	1.0	448	0.41	<0.05	2.20	0.437	0.67	0.7	123
080339		29.2	0.046	0.77	0.22	12.7	2	0.6	447	0.26	<0.05	2.15	0.262	0.21	0.7	102
080340		24.9	0.044	1.14	0.10	9.4	3	0.5	528	0.23	<0.05	1.76	0.210	0.15	0.7	97



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		W	Y	Zn	Zr
		ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5
080301		1.9	19.5	77	12.1
080302		1.3	16.5	81	10.9
080303		1.0	18.1	78	11.8
080304		0.8	18.6	75	11.7
080305		0.7	19.0	78	11.4
080306		4.3	17.4	68	10.9
080307		0.7	18.8	69	12.1
080308		0.5	18.2	66	13.5
080309		0.6	19.7	70	11.7
080310		0.6	18.6	89	10.5
080311		0.8	18.1	92	12.3
080312		1.4	17.2	105	11.1
080313		3.0	19.9	69	12.6
080314		1.9	17.9	59	11.0
080315		1.5	18.2	64	12.8
080316		3.5	18.8	62	11.9
080317		2.1	19.0	60	11.6
080318		9.5	9.0	37	52.1
080319		0.9	17.8	54	13.1
080320		11.4	17.3	55	10.8
080321		8.1	16.6	58	11.4
080322		3.2	19.3	55	12.2
080323		3.5	18.8	62	11.8
080324		5.0	18.0	71	11.5
080325		1.8	18.5	53	11.2
080326		5.7	18.7	55	9.7
080327		11.4	16.9	58	10.3
080328		0.8	17.2	58	10.2
080329		0.9	17.5	51	10.7
080330		1.4	18.7	52	12.0
080331		0.9	16.8	56	12.2
080332		1.0	17.2	63	10.6
080333		1.0	15.4	45	7.8
080334		2.9	18.5	59	10.4
080335		1.4	15.3	46	9.4
080336		3.8	13.4	60	7.8
080337		4.9	16.3	63	9.0
080338		3.4	14.4	81	9.2
080339		4.6	12.6	46	20.5
080340		0.7	11.0	37	21.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080341		2.34	0.12	7.87	0.4	450	0.78	0.02	3.31	0.04	21.4	7.8	6	0.69	482	2.95
080342		2.56	0.09	7.83	<0.2	560	0.79	0.01	3.15	0.06	22.9	6.8	6	0.62	250	2.96
080343		2.70	0.03	7.97	<0.2	530	0.81	0.01	3.15	0.02	22.3	5.7	8	0.60	66.9	3.01
080344		2.36	0.17	8.07	0.9	510	0.77	0.06	3.28	0.13	21.4	6.4	7	0.61	495	2.77
080345		1.68	0.17	7.87	0.6	480	0.80	0.02	3.19	0.19	21.8	4.5	9	0.56	889	2.82
080346		2.36	0.27	8.35	0.6	570	0.79	0.06	3.28	0.34	23.2	4.5	7	0.61	671	2.85
080347		4.08	0.69	7.55	19.9	400	0.65	0.40	3.17	1.95	21.4	7.0	8	0.63	860	2.73
080348		0.06	5.28	2.76	461	530	0.81	0.09	0.12	0.08	15.25	11.4	389	3.91	49.9	3.63
080349		1.88	0.83	8.06	1.7	460	0.54	0.29	3.14	0.14	16.35	26.8	12	1.71	2990	6.27
080350		2.36	0.63	8.14	1.0	280	0.57	0.24	2.73	0.08	15.55	25.8	11	1.34	3500	7.81
080351		2.40	1.72	7.75	1.3	390	0.51	0.30	3.16	0.25	14.30	21.6	9	1.69	4510	6.05
080352		2.82	1.70	7.98	0.9	400	0.57	0.22	3.47	0.21	18.10	38.1	14	2.12	4980	6.21
080353		1.94	0.66	8.20	1.0	490	0.70	0.10	3.35	0.20	27.9	17.6	10	2.27	1950	4.29
080354		2.08	0.74	8.12	1.1	350	0.63	0.21	3.17	0.25	16.95	15.2	10	2.12	2880	5.28
080355		3.06	0.57	9.12	1.7	510	0.63	0.21	4.12	0.29	17.50	18.8	9	1.98	2610	6.17
080356		1.70	1.93	8.72	1.7	480	0.69	0.39	3.76	0.54	15.90	18.9	8	1.64	3920	5.24
080357		2.52	5.68	7.48	2.5	470	0.54	3.86	2.27	22.6	21.2	29.1	8	2.15	9840	5.40
080358		2.10	1.48	8.11	1.1	350	0.57	0.45	3.33	4.36	19.10	20.9	10	1.48	5260	5.76
080359		2.38	0.89	7.85	0.8	390	0.51	0.22	3.16	0.28	19.95	24.4	14	2.10	4630	6.16
080360		2.38	0.40	7.61	1.1	250	0.60	0.11	2.60	0.22	18.40	32.0	10	1.25	4550	8.29
080361		3.90	0.18	8.33	0.9	430	0.64	0.05	4.12	0.20	20.8	20.2	12	1.02	1890	6.15
080362		3.70	0.61	8.59	0.2	490	0.60	0.08	4.62	0.36	21.3	19.1	10	1.18	2610	5.08
080363		3.86	1.11	8.30	1.2	470	0.65	0.20	3.96	0.64	26.3	17.9	11	1.86	3720	4.64
080364		3.60	1.17	8.28	1.3	310	0.70	0.34	3.62	0.44	20.1	30.4	10	2.79	4990	6.51
080365		3.46	1.07	8.02	1.1	330	0.78	0.29	3.67	0.46	19.55	28.3	10	2.51	3970	5.82
080366		3.40	1.29	8.05	1.4	360	0.80	0.44	3.63	0.66	20.6	34.0	10	2.70	4120	5.81
080367		3.56	1.07	8.18	2.3	400	0.83	0.26	3.55	0.61	21.3	22.4	10	2.23	3430	4.19
080368		3.88	1.20	7.02	6.5	360	0.71	0.13	3.11	0.45	15.35	31.5	15	1.28	3790	4.92
080369		3.74	0.44	8.23	0.8	460	0.63	0.05	4.41	0.18	17.70	18.2	9	1.21	1470	4.79
080370		3.28	0.06	8.65	0.8	450	0.58	0.03	5.41	0.10	19.05	18.4	14	0.72	450	5.48
080371		3.64	0.25	8.56	1.8	460	0.61	0.06	4.88	0.16	21.3	35.1	9	0.84	2550	7.58
080372		3.66	0.35	8.76	0.2	460	0.59	0.04	4.94	0.19	19.80	19.6	8	0.78	1655	5.55
080373		2.54	0.74	8.70	0.8	480	0.58	0.06	4.60	0.23	19.85	24.6	10	1.09	3470	5.80
080374		4.18	0.45	8.87	0.8	480	0.57	0.05	4.99	0.21	20.8	21.5	9	1.15	1995	5.53
080375		3.72	0.18	8.51	0.3	480	0.56	0.03	5.15	0.12	20.6	22.1	8	0.87	883	5.74
080376		2.96	0.14	8.42	0.5	450	0.55	0.02	5.20	0.08	19.50	19.0	9	0.76	442	5.53
080377		4.04	0.23	8.64	1.1	460	0.55	0.03	5.43	0.14	18.80	21.4	7	0.64	953	5.66
080378		3.38	0.76	8.56	0.8	460	0.55	0.06	4.84	0.27	18.40	19.1	9	1.20	3110	5.43
080379		3.68	0.59	8.05	0.7	400	0.57	0.06	4.59	0.21	18.10	19.4	13	1.03	2200	4.87
080380		3.64	0.13	8.84	0.7	470	0.59	0.03	5.35	0.11	20.5	22.9	8	0.77	725	5.58



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080341		14.15	0.06	0.8	0.011	0.86	8.8	6.4	0.83	314	7.67	2.63	4.2	1.5	550	2.8
080342		14.90	<0.05	0.7	0.015	0.84	10.0	9.0	0.74	338	2.23	2.69	4.4	1.1	550	3.1
080343		14.95	0.05	0.7	0.011	0.85	8.7	8.9	0.73	334	1.29	2.75	4.2	1.4	550	3.1
080344		14.85	<0.05	0.8	0.010	0.94	8.4	7.9	0.77	276	2.51	2.77	4.1	1.3	570	3.6
080345		13.00	0.06	0.7	0.005	0.77	9.9	6.9	0.74	220	5.46	2.72	4.1	2.2	540	2.9
080346		16.40	0.05	0.7	0.009	0.86	9.5	7.0	0.79	239	2.48	2.90	4.4	1.1	580	3.4
080347		12.30	0.05	0.7	0.012	0.99	8.4	9.0	0.74	378	4.29	2.40	3.5	2.3	500	8.3
080348		5.80	0.12	1.2	0.026	2.70	6.7	48.4	0.11	239	15.95	0.08	4.9	331	350	3.5
080349		13.75	0.06	0.4	0.028	1.27	6.4	12.2	1.83	565	54.8	1.84	2.1	5.1	550	2.8
080350		12.95	0.08	0.4	0.011	0.92	6.1	13.9	1.74	613	235	1.59	1.3	4.9	530	2.3
080351		13.85	0.07	0.5	0.058	1.38	5.1	13.6	1.90	798	199.0	1.55	2.8	4.4	600	2.9
080352		13.55	0.08	0.5	0.067	1.43	6.9	11.8	1.91	816	111.5	1.69	3.2	5.6	600	2.8
080353		14.60	0.08	0.5	0.049	2.16	12.7	13.0	1.97	928	169.5	1.57	3.8	3.4	530	3.6
080354		13.20	0.06	0.4	0.031	1.60	6.5	12.7	1.82	774	171.0	1.59	2.8	3.7	460	2.6
080355		17.30	0.08	0.6	0.039	1.90	6.1	11.8	1.88	742	36.9	2.00	3.4	4.4	640	3.6
080356		16.15	0.07	0.6	0.087	2.07	5.7	13.5	1.99	1070	450	1.88	4.7	5.6	620	4.9
080357		13.55	0.06	0.4	0.239	2.82	8.2	14.8	1.37	967	835	1.18	3.1	4.8	440	14.2
080358		14.05	0.08	0.5	0.079	1.32	7.2	16.8	1.88	724	105.0	1.74	2.7	4.7	550	3.9
080359		13.00	0.07	0.4	0.054	1.46	7.6	13.4	1.82	559	110.0	1.67	2.2	4.4	520	2.7
080360		13.20	0.09	0.4	0.011	0.90	6.9	14.1	1.76	613	186.5	1.46	1.2	4.8	510	2.2
080361		15.05	0.06	0.6	0.040	1.08	7.4	9.9	1.98	908	56.6	1.93	3.0	4.4	580	2.7
080362		15.90	0.06	0.6	0.081	1.17	8.0	6.9	1.83	960	26.9	2.11	3.5	4.3	580	3.0
080363		14.60	0.06	0.6	0.114	1.36	11.6	8.1	1.73	868	1805	1.89	3.7	3.9	530	5.3
080364		14.25	0.08	0.4	0.052	1.56	7.6	11.3	1.89	621	201	1.89	3.3	4.9	580	2.4
080365		14.65	0.07	0.6	0.093	1.62	7.0	11.3	1.83	737	323	1.86	3.6	4.5	540	2.5
080366		14.10	0.07	0.4	0.117	1.66	7.7	12.1	1.82	901	208	1.81	4.2	4.3	530	2.3
080367		13.80	0.07	0.7	0.091	1.44	8.0	9.8	1.42	653	208	2.19	3.7	3.5	590	2.8
080368		13.10	0.07	0.4	0.106	1.20	5.9	11.2	1.55	643	1420	1.58	4.6	4.8	490	2.5
080369		15.45	0.05	0.5	0.073	1.14	6.6	9.0	1.91	885	253	2.11	4.1	4.3	520	2.1
080370		16.65	<0.05	0.6	0.065	1.08	7.1	7.1	1.95	1125	8.67	1.92	3.3	5.1	540	6.4
080371		14.95	0.08	0.5	0.047	1.18	8.5	9.7	1.94	835	37.7	1.83	4.3	6.0	600	4.0
080372		15.10	0.06	0.6	0.076	1.12	7.7	8.3	2.03	1000	80.7	2.20	3.3	4.5	550	3.5
080373		15.65	0.07	0.5	0.053	1.28	7.4	10.0	2.02	847	26.3	2.08	3.4	5.1	550	2.5
080374		15.85	0.06	0.7	0.074	1.16	8.3	9.5	2.08	994	64.0	2.12	3.6	4.9	560	2.8
080375		15.20	0.13	0.7	0.055	1.14	8.9	8.8	1.95	1020	17.55	2.00	3.3	6.1	540	5.6
080376		15.05	0.14	0.7	0.055	1.10	8.6	8.5	2.04	1080	5.86	1.98	3.0	4.5	550	3.8
080377		15.70	0.11	0.8	0.068	1.09	8.5	7.3	2.09	1115	5.29	2.12	3.2	5.0	570	3.4
080378		14.85	0.10	0.7	0.110	1.19	8.2	9.9	1.99	960	426	2.03	3.3	3.9	520	2.8
080379		14.20	0.13	0.6	0.088	1.04	8.1	11.0	1.90	839	90.9	1.92	4.1	4.3	520	2.8
080380		16.20	0.14	0.7	0.060	1.11	8.7	8.1	2.05	1050	8.67	2.21	3.8	4.3	570	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080341		17.5	0.006	0.83	<0.05	7.5	2	0.6	483	0.29	<0.05	1.64	0.191	0.14	0.6	52
080342		16.8	0.005	0.33	<0.05	6.1	1	0.7	474	0.30	<0.05	1.64	0.169	0.14	0.6	39
080343		16.9	<0.002	0.16	<0.05	5.7	1	0.7	478	0.29	<0.05	1.56	0.167	0.13	0.6	39
080344		18.1	0.002	0.87	0.16	6.0	1	0.7	492	0.30	<0.05	1.62	0.175	0.14	0.5	46
080345		14.3	0.006	1.15	0.05	5.8	2	0.3	486	0.28	<0.05	1.63	0.167	0.11	0.5	44
080346		18.4	0.002	1.09	0.14	6.1	2	0.4	494	0.32	<0.05	1.76	0.176	0.13	0.6	42
080347		22.1	0.004	1.10	0.35	5.6	2	0.3	442	0.25	0.06	1.50	0.159	0.14	0.5	54
080348		92.5	0.002	1.90	103.5	5.1	22	2.5	53.9	0.26	<0.05	0.84	0.217	9.80	0.4	46
080349		26.1	0.030	3.19	0.34	24.8	5	0.6	404	0.16	0.06	1.72	0.312	0.26	0.5	221
080350		20.4	0.339	4.83	0.20	21.7	5	0.3	351	0.10	0.05	2.04	0.202	0.17	0.6	85
080351		27.2	0.137	2.70	0.27	21.5	5	0.8	376	0.18	0.05	1.64	0.345	0.29	0.5	174
080352		32.7	0.091	2.55	0.25	17.2	4	0.8	396	0.21	0.07	1.86	0.356	0.31	0.6	148
080353		53.7	0.114	0.58	0.33	18.8	3	1.1	384	0.22	<0.05	2.01	0.342	0.44	0.5	136
080354		40.9	0.087	2.06	0.21	22.9	5	0.9	384	0.18	0.06	1.92	0.333	0.35	0.5	108
080355		34.5	0.013	2.17	0.30	28.6	4	1.0	522	0.25	<0.05	2.13	0.421	0.41	0.6	190
080356		35.1	0.235	0.92	0.95	28.0	3	1.0	464	0.31	0.08	1.66	0.454	0.37	0.6	178
080357		68.3	0.504	3.10	0.88	21.2	6	1.1	312	0.21	0.20	1.88	0.329	0.48	0.6	131
080358		28.7	0.076	2.49	0.34	27.0	4	0.8	395	0.20	0.09	1.96	0.379	0.25	0.8	192
080359		37.2	0.109	3.05	0.21	25.7	4	0.7	370	0.17	<0.05	2.22	0.343	0.30	0.7	179
080360		14.2	0.230	5.27	0.14	18.8	6	0.4	294	0.11	<0.05	1.82	0.226	0.16	0.5	67
080361		15.1	0.053	1.92	0.10	20.1	2	0.6	426	0.20	<0.05	2.02	0.361	0.15	0.7	160
080362		18.2	0.020	0.47	0.10	23.7	1	0.7	481	0.25	<0.05	2.07	0.400	0.18	0.7	193
080363		40.9	1.495	0.79	0.40	23.6	3	0.8	428	0.25	0.10	2.51	0.370	0.30	0.8	160
080364		35.9	0.227	2.79	0.46	23.6	5	0.8	359	0.21	0.09	1.93	0.400	0.37	0.6	110
080365		37.7	0.285	2.18	0.65	25.0	4	0.9	374	0.22	0.08	1.97	0.394	0.36	0.6	129
080366		44.6	0.172	1.84	1.14	24.4	4	1.0	397	0.23	0.08	1.90	0.395	0.40	0.6	147
080367		40.1	0.203	1.43	0.78	15.3	4	0.9	458	0.26	0.07	1.76	0.313	0.37	0.6	107
080368		36.6	0.743	1.77	0.42	18.4	5	0.9	309	0.25	0.10	1.69	0.325	0.24	0.5	128
080369		18.0	0.142	0.57	0.19	25.2	1	0.7	459	0.27	<0.05	1.94	0.405	0.20	0.6	207
080370		13.7	0.008	0.51	0.25	26.0	1	0.7	523	0.24	<0.05	1.98	0.413	0.18	0.7	234
080371		25.1	0.031	2.85	0.64	25.6	3	0.6	485	0.28	<0.05	1.78	0.423	0.19	0.7	212
080372		17.4	0.053	0.57	0.13	26.0	1	0.7	487	0.23	<0.05	1.99	0.434	0.17	0.8	230
080373		23.3	0.025	1.40	0.18	26.8	2	0.7	464	0.23	<0.05	2.66	0.423	0.21	0.8	232
080374		25.4	0.050	0.59	0.17	27.4	2	0.7	496	0.25	<0.05	2.39	0.438	0.17	0.8	228
080375		18.7	0.015	0.72	0.69	24.6	1	0.6	485	0.26	<0.05	2.45	0.418	0.17	0.9	228
080376		17.1	0.005	0.34	0.15	24.9	1	0.6	487	0.25	<0.05	2.48	0.421	0.16	0.9	233
080377		16.4	0.002	0.41	0.14	26.1	1	0.7	495	0.23	<0.05	2.23	0.423	0.17	0.9	241
080378		24.2	0.200	0.61	0.17	24.7	2	0.8	463	0.23	<0.05	2.17	0.410	0.25	0.9	232
080379		21.6	0.047	0.62	0.20	23.5	1	0.8	431	0.28	<0.05	2.25	0.396	0.17	0.9	209
080380		18.4	0.006	0.64	0.21	25.8	1	0.8	504	0.29	<0.05	2.53	0.435	0.17	1.0	234



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 3 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		W	Y	Zn	Zr
		ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5
080341		0.3	9.2	27	23.8
080342		0.1	8.1	33	21.1
080343		0.1	8.2	35	21.6
080344		0.1	9.1	30	20.4
080345		0.1	8.9	28	22.3
080346		0.2	9.9	34	19.3
080347		4.3	10.2	102	20.6
080348		8.5	7.8	38	52.4
080349		3.4	11.6	44	7.7
080350		1.3	7.9	29	7.7
080351		1.7	11.2	69	8.7
080352		1.4	15.2	71	8.8
080353		1.7	14.6	92	8.9
080354		1.2	11.2	76	7.3
080355		0.9	14.4	61	10.9
080356		2.0	15.2	119	10.5
080357		3.5	13.6	1115	7.8
080358		1.3	16.0	276	9.4
080359		1.0	14.0	45	7.8
080360		1.0	8.2	29	8.1
080361		0.5	15.8	51	10.9
080362		0.4	18.2	74	11.6
080363		0.5	19.2	102	10.7
080364		1.1	18.2	64	8.5
080365		1.0	16.7	70	10.5
080366		0.9	16.5	106	8.1
080367		0.8	16.2	88	16.0
080368		0.7	13.0	73	6.9
080369		0.3	16.1	67	8.0
080370		0.4	17.0	71	10.4
080371		0.3	17.8	64	8.6
080372		0.4	17.2	72	11.0
080373		0.3	16.6	66	10.0
080374		0.6	17.6	70	12.3
080375		0.4	15.6	66	11.8
080376		0.4	15.6	65	12.0
080377		0.4	15.0	71	14.0
080378		0.4	14.6	75	12.6
080379		2.0	15.4	61	10.4
080380		0.3	16.4	64	12.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 4 - A
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080381		3.22	0.07	8.59	0.5	470	0.54	0.02	5.18	0.05	19.80	22.0	10	0.69	615	5.75
080382		4.36	0.05	8.69	0.7	460	0.56	0.02	5.06	0.05	19.60	19.4	7	0.87	450	5.37
080383		3.58	0.42	8.39	1.0	460	0.56	0.07	4.97	0.21	16.15	19.8	10	0.71	1900	5.43
080384		3.16	0.41	8.66	0.4	500	0.59	0.09	5.11	0.20	19.00	22.8	10	0.93	1895	5.78
080385		3.82	1.06	8.90	0.4	440	0.57	0.06	4.82	0.34	22.6	26.9	8	0.92	4570	5.78
080386		3.20	0.69	8.67	0.9	460	0.55	0.03	4.91	0.21	19.20	20.7	8	0.89	2910	5.57
080387		3.74	0.69	8.18	0.8	430	0.54	0.05	4.56	0.23	19.75	18.0	13	1.06	2460	4.80
080388		3.22	0.40	8.75	0.6	450	0.58	0.03	5.22	0.16	19.85	21.5	7	0.70	1865	5.47
080389		4.24	0.64	8.37	0.4	430	0.54	0.05	5.03	0.21	18.80	20.5	8	0.72	2420	5.26
080390		3.62	0.72	8.52	0.5	470	0.56	0.05	5.14	0.32	19.50	21.4	9	0.75	3400	5.42
080391		4.16	0.39	8.63	0.3	480	0.57	0.05	5.38	0.17	18.75	21.2	8	0.62	1130	5.48
080392		3.44	0.71	8.60	0.4	440	0.58	0.06	5.17	0.22	17.35	22.8	9	0.87	2530	5.58

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 4 - B
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080381		15.25	0.10	0.7	0.055	1.15	8.7	8.2	1.93	1040	6.75	2.05	3.1	4.6	520	2.9
080382		15.60	0.11	0.7	0.042	1.14	8.6	9.2	1.97	1005	7.44	1.98	3.2	4.1	550	2.8
080383		15.80	0.12	0.7	0.088	1.11	7.1	8.0	1.93	1020	197.0	2.09	3.3	4.1	540	3.4
080384		15.60	0.10	0.8	0.075	1.36	8.4	10.9	2.04	1050	107.5	2.10	3.2	4.6	570	3.3
080385		15.90	0.13	0.7	0.089	1.28	10.2	16.3	2.09	995	39.6	2.13	3.5	5.1	580	3.1
080386		15.70	0.10	0.7	0.078	1.18	8.5	12.1	2.00	971	23.9	2.06	3.4	4.6	580	3.0
080387		14.70	0.10	0.6	0.114	1.12	8.8	8.9	1.85	867	248	1.94	3.5	4.2	510	2.7
080388		16.20	0.14	0.7	0.063	1.09	8.7	8.5	2.02	1035	6.47	2.14	3.5	4.7	570	2.9
080389		15.75	0.13	0.7	0.079	1.08	8.2	8.7	1.91	986	187.5	2.07	3.3	4.1	530	3.0
080390		15.85	0.13	0.7	0.113	1.22	8.3	8.4	1.97	1020	25.6	2.12	3.3	4.1	560	3.7
080391		15.80	0.12	0.7	0.077	1.18	7.8	7.9	2.01	1070	51.9	2.15	3.4	4.5	550	3.4
080392		15.95	0.13	0.7	0.092	1.10	7.5	9.5	2.04	1050	43.7	2.08	3.3	4.6	540	2.9

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 4 - C
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080381		19.1	0.009	0.80	0.13	24.9	1	0.7	488	0.24	<0.05	2.49	0.419	0.15	1.0	224
080382		19.8	0.010	0.55	0.08	25.1	<1	0.7	497	0.25	<0.05	2.23	0.411	0.15	0.9	231
080383		12.9	0.084	0.47	0.15	24.4	3	0.8	475	0.24	<0.05	2.13	0.419	0.16	0.8	227
080384		24.5	0.054	0.81	0.29	25.0	1	0.7	518	0.25	<0.05	2.39	0.442	0.21	0.9	236
080385		27.9	0.023	1.08	0.15	26.9	2	0.8	492	0.26	0.05	2.62	0.440	0.22	1.1	225
080386		22.6	0.014	0.70	0.12	25.2	1	0.7	493	0.25	0.05	2.14	0.421	0.19	0.8	232
080387		28.8	0.106	0.39	0.16	24.3	1	0.8	443	0.25	<0.05	2.37	0.385	0.18	0.9	197
080388		19.0	0.006	0.67	0.10	25.9	1	0.8	494	0.26	<0.05	2.29	0.429	0.16	0.9	228
080389		19.1	0.113	0.48	0.17	25.1	1	0.7	470	0.25	<0.05	2.55	0.402	0.18	0.9	216
080390		19.3	0.012	0.51	0.12	25.7	2	0.8	487	0.26	0.05	2.64	0.421	0.21	1.0	221
080391		16.5	0.032	0.30	0.10	25.0	1	0.7	500	0.25	<0.05	2.19	0.434	0.17	0.9	234
080392		16.6	0.018	0.53	0.16	25.6	1	0.8	486	0.25	<0.05	2.07	0.441	0.18	0.9	239

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 4 - D
 Total # Pages: 4 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		W	Y	Zn	Zr
		ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5
080381	0.3	15.8	62	12.6	
080382	0.3	15.6	59	12.2	
080383	0.4	14.6	75	11.7	
080384	0.8	15.3	70	13.1	
080385	0.6	17.5	82	12.3	
080386	0.3	15.8	71	11.4	
080387	0.6	14.6	65	11.3	
080388	0.2	17.1	69	12.3	
080389	0.3	15.2	69	12.5	
080390	0.3	15.6	80	12.2	
080391	0.5	16.1	70	12.9	
080392	0.7	14.2	76	11.6	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 11-DEC-2023
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA23342174

	CERTIFICATE COMMENTS								
<p>Applies to Method:</p>	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>								
<p>Applies to Method:</p>	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 25%;">CRU-31</td> <td style="width: 25%;">CRU-QC</td> <td style="width: 25%;">LOG-21</td> <td style="width: 25%;">ME-MS61</td> </tr> <tr> <td>PUL-31</td> <td>PUL-QC</td> <td>SPL-21</td> <td>WEI-21</td> </tr> </table>	CRU-31	CRU-QC	LOG-21	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21
CRU-31	CRU-QC	LOG-21	ME-MS61						
PUL-31	PUL-QC	SPL-21	WEI-21						



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 1
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2024
 Account: MWE

VA24002847

Project: R-79-2 (REDONDA)

This report is for 38 samples of Drill Core submitted to our lab in Vancouver, BC, Canada on 3-JAN-2024.

The following have access to data associated with this certificate:

JO SHEARER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
DISP-01	Disposal of all sample fractions
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2024
 Account: MWE

Project: R-79-2 (REDONDA)

CERTIFICATE OF ANALYSIS VA24002847

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
2-1-1		1.04	2.03	8.00	2.0	380	0.64	0.92	3.89	0.82	17.70	17.4	7	3.42	2420	5.85
2-1-4		1.44	1.10	7.71	1.2	380	0.86	0.50	3.87	0.40	22.4	20.9	8	2.80	1940	5.52
2-2-1		1.34	2.79	7.83	1.7	390	0.80	1.80	3.79	0.96	17.90	21.8	10	2.72	3270	5.21
2-2-2		1.34	3.30	8.05	2.2	320	0.75	1.20	3.73	1.45	18.80	29.2	7	1.83	3700	5.49
2-2-3		1.42	1.86	8.14	1.2	300	0.66	0.55	3.95	0.75	22.7	17.4	8	3.60	2600	6.04
2-3-2		1.72	2.19	7.63	1.3	310	0.62	0.84	3.80	0.99	15.70	23.2	11	3.17	3100	6.69
2-3-3		1.88	3.31	8.22	1.9	390	0.74	0.93	3.93	1.95	20.9	22.5	9	2.30	4000	5.36
2-3-4		1.70	3.07	8.01	1.6	410	0.72	0.87	4.14	1.19	17.90	20.2	9	2.26	3170	5.27
2-4-1		1.94	0.14	8.44	0.7	590	0.65	0.08	4.91	0.11	20.8	15.8	11	0.88	273	4.80
2-4-2		1.76	0.25	7.92	1.1	540	0.56	0.18	4.92	0.27	20.1	14.8	9	1.10	416	4.86
2-4-3		1.94	0.74	8.31	2.1	520	0.61	0.36	4.52	0.54	19.30	18.6	9	1.50	1115	4.94
2-5-1		1.56	0.32	8.07	1.0	610	0.73	0.40	4.57	2.62	18.65	18.2	11	1.00	253	5.16
2-5-2		1.66	0.16	7.74	1.0	700	0.74	0.46	5.18	1.72	17.90	15.4	8	0.90	210	4.94
2-5-3		2.22	0.38	7.58	0.7	570	0.58	0.24	4.52	0.69	19.95	16.2	11	1.03	377	4.76
2-5-4		2.04	0.30	8.03	0.8	650	0.61	0.65	4.68	2.95	21.2	19.4	11	1.26	418	5.25
2-6-2		1.58	0.16	8.01	1.5	530	0.66	0.10	5.08	0.22	17.30	17.2	8	0.96	221	5.06
2-6-3		1.92	0.27	8.33	0.6	560	0.60	0.08	5.09	0.22	19.45	17.8	7	0.73	296	5.18
2-6-4		1.54	0.20	8.27	0.8	600	0.52	0.09	4.85	0.24	19.45	18.0	12	1.27	234	5.10
2-7-1		1.96	0.13	7.99	1.1	500	0.64	0.14	4.90	0.09	17.80	18.0	9	0.75	198.5	5.11
2-7-2		1.78	0.45	8.30	0.9	500	0.63	0.14	5.04	0.26	20.6	17.6	8	0.90	618	5.19
2-7-3		1.98	0.35	7.93	0.8	460	0.63	0.08	5.11	0.18	18.30	19.1	10	0.73	379	5.09
2-7-4		1.76	0.21	8.44	1.6	610	0.62	0.10	5.11	0.17	19.70	17.4	7	1.11	287	5.15
2-8-2		1.90	0.48	7.89	1.5	490	0.62	0.13	5.00	0.15	18.20	16.8	8	0.64	486	5.14
2-8-3		1.60	0.67	7.94	1.0	460	0.63	0.12	4.64	0.16	20.7	18.1	9	0.76	718	5.26
2-9-2		1.36	0.61	8.15	1.4	470	0.61	0.20	4.74	0.27	20.9	18.4	9	0.69	890	5.10
2-9-4		1.76	0.40	8.23	1.1	510	0.62	0.13	4.86	0.20	21.2	16.6	8	0.67	523	4.95
2-10-2		1.94	0.77	8.12	1.3	480	0.64	0.28	4.89	0.24	21.0	19.0	11	0.71	924	5.17
2-11-3		1.66	2.41	7.77	1.4	350	0.76	0.58	3.65	1.08	18.50	20.1	9	3.60	3140	5.59
2-11-4		2.02	0.76	8.01	1.6	480	0.61	0.28	4.77	0.28	19.60	18.0	8	0.68	969	5.16
2-12-1		1.76	1.50	8.23	1.2	480	0.61	0.35	4.85	0.58	21.8	20.2	12	0.86	1725	5.29
2-12-2		1.92	0.76	7.92	1.3	510	0.62	0.37	4.78	0.23	19.25	18.1	8	0.75	893	5.06
2-12-3		1.30	0.63	8.37	1.5	580	0.61	0.39	4.84	0.18	20.8	17.2	7	0.74	648	4.93
2-13-1		2.20	0.54	8.07	1.4	490	0.61	0.29	4.63	0.12	18.90	17.2	11	0.80	691	5.10
2-13-4		1.82	0.28	8.09	1.1	510	0.62	0.24	5.06	0.11	18.10	17.8	7	0.57	334	5.21
2-14-1		1.98	0.26	8.11	1.4	480	0.60	0.12	5.00	0.10	18.75	18.2	6	0.55	306	5.19
2-14-2		2.10	0.47	7.99	1.3	500	0.61	0.21	4.82	0.12	17.95	18.2	11	0.59	515	5.04
2-14-3		2.28	0.38	8.33	1.6	480	0.62	0.24	4.96	0.10	20.9	19.4	7	0.64	410	5.24
2-15-3		2.12	0.23	7.66	1.3	480	0.60	0.18	5.07	0.11	16.35	19.0	8	0.49	284	5.00



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2024
 Account: MWE

Project: R-79-2 (REDONDA)

CERTIFICATE OF ANALYSIS VA24002847

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
2-1-1		15.45	0.08	0.5	0.070	1.75	7.6	10.5	1.63	1170	9.29	1.70	2.6	4.2	610	3.1
2-1-4		15.45	0.09	0.6	0.149	1.64	9.5	10.9	1.74	1070	75.1	1.61	2.9	4.5	560	4.9
2-2-1		15.05	0.08	0.5	0.227	2.00	7.5	14.7	1.78	1655	32.8	1.54	3.2	3.9	580	5.3
2-2-2		15.40	0.09	0.6	0.228	1.35	7.9	15.0	1.54	1295	51.5	1.72	2.9	4.2	610	4.9
2-2-3		15.70	0.09	0.7	0.085	1.62	9.5	10.5	1.75	1100	14.95	1.76	2.6	4.3	630	4.1
2-3-2		15.75	0.08	0.6	0.112	1.59	6.3	11.9	1.66	1100	14.40	1.64	2.8	4.9	610	3.8
2-3-3		15.60	0.08	0.6	0.288	1.90	9.1	11.5	1.70	1390	19.35	1.68	3.6	3.8	650	3.3
2-3-4		16.50	0.09	0.6	0.196	1.63	7.5	12.1	1.70	1320	11.70	1.80	3.5	4.0	610	4.4
2-4-1		16.50	0.07	0.8	0.056	1.33	9.2	6.8	1.64	1100	10.35	2.38	4.0	3.8	600	5.0
2-4-2		17.20	0.07	0.8	0.071	1.26	8.6	7.0	1.54	1250	8.51	1.96	3.6	3.4	580	12.4
2-4-3		16.65	0.07	0.7	0.049	1.49	8.6	8.2	1.53	1070	7.98	2.06	3.5	3.8	580	5.3
2-5-1		16.00	0.07	0.6	0.058	1.53	7.8	8.2	1.84	1880	1.74	2.23	3.6	4.4	610	24.4
2-5-2		18.20	0.07	0.6	0.071	1.50	7.5	7.2	1.66	1980	1.09	1.75	3.6	3.8	580	36.3
2-5-3		15.70	0.07	0.6	0.070	1.32	8.7	7.0	1.61	1680	2.98	1.69	3.5	3.9	550	17.3
2-5-4		17.50	0.07	0.7	0.061	1.39	8.4	8.9	1.76	1665	3.96	2.05	4.3	4.3	600	9.4
2-6-2		16.95	0.08	0.7	0.069	1.24	7.2	7.4	1.74	1500	13.45	2.14	3.6	3.9	600	10.7
2-6-3		16.55	0.08	0.8	0.062	1.32	8.4	6.3	1.77	1370	22.7	2.31	3.5	4.2	600	10.5
2-6-4		16.90	0.06	0.7	0.061	1.43	8.4	8.9	1.69	1560	7.45	1.97	3.5	4.1	590	10.8
2-7-1		16.50	0.08	0.8	0.070	1.26	7.5	6.1	1.73	1115	7.38	2.27	3.7	4.4	630	3.9
2-7-2		17.10	0.06	0.9	0.092	1.26	8.7	6.4	1.80	1170	3.80	2.28	3.8	4.6	620	4.7
2-7-3		17.20	0.06	0.8	0.069	1.14	7.6	6.2	1.77	1225	34.1	2.28	3.7	5.0	610	12.2
2-7-4		17.05	0.07	0.7	0.077	1.64	8.7	7.5	1.81	1565	3.62	2.17	3.7	4.1	620	8.8
2-8-2		16.85	0.07	0.8	0.091	1.18	7.5	5.7	1.72	1220	3.29	2.27	3.7	9.7	620	9.8
2-8-3		16.80	0.07	0.9	0.097	1.27	8.2	8.2	1.81	1245	24.6	2.32	3.7	4.7	670	3.9
2-9-2		16.25	0.07	0.8	0.106	1.11	8.9	7.8	1.72	1290	4.10	2.11	3.8	4.6	600	7.3
2-9-4		16.30	0.07	0.8	0.076	1.25	9.0	7.0	1.74	1145	1.60	2.10	3.8	6.1	620	5.9
2-10-2		16.65	0.06	0.9	0.133	1.27	8.9	6.9	1.74	1160	2.76	2.19	3.8	4.7	560	4.0
2-11-3		15.05	0.08	0.6	0.130	1.84	7.8	11.3	1.77	1165	45.9	1.64	2.8	3.9	640	2.6
2-11-4		16.50	0.07	0.8	0.127	1.21	8.2	7.6	1.76	1220	61.3	2.14	3.7	4.5	620	4.3
2-12-1		16.40	0.06	0.8	0.193	1.24	9.5	6.9	1.79	1160	523	2.08	3.7	4.8	590	4.0
2-12-2		16.30	0.06	0.8	0.125	1.21	7.7	7.2	1.73	1195	37.7	2.14	3.7	4.5	530	3.9
2-12-3		16.80	0.06	0.8	0.114	1.26	9.2	6.4	1.75	1180	3.65	2.24	3.9	7.8	590	7.6
2-13-1		16.55	0.06	0.8	0.090	1.34	8.2	8.7	1.77	1255	82.3	2.06	3.8	5.1	610	5.0
2-13-4		16.65	0.05	0.7	0.083	1.12	7.7	6.2	1.81	1250	1.42	2.25	3.7	4.7	550	3.6
2-14-1		17.35	0.06	0.8	0.075	1.28	8.2	7.4	1.85	1235	3.32	2.28	3.7	4.7	550	4.3
2-14-2		17.05	0.06	0.8	0.088	1.29	7.7	7.3	1.73	1255	11.65	2.20	3.7	4.7	590	4.6
2-14-3		17.00	0.05	0.8	0.082	1.24	9.5	8.1	1.85	1295	3.11	2.23	3.8	4.7	610	3.9
2-15-3		17.35	0.06	0.8	0.078	1.17	6.9	5.7	1.77	1165	1.48	2.27	3.7	4.4	530	4.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2024
 Account: MWE

Project: R-79-2 (REDONDA)

CERTIFICATE OF ANALYSIS VA24002847

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
2-1-1		42.2	0.008	2.44	0.75	25.9	3	0.9	398	0.22	0.16	2.20	0.353	0.48	0.7	194
2-1-4		36.8	0.060	2.24	0.33	19.8	3	1.0	384	0.22	0.11	2.37	0.334	0.44	0.8	167
2-2-1		44.5	0.016	1.65	4.23	19.7	3	1.9	377	0.25	0.09	2.13	0.364	0.46	0.7	149
2-2-2		31.6	0.028	2.55	1.75	25.4	5	1.6	431	0.23	0.21	2.30	0.343	0.34	0.8	127
2-2-3		40.2	0.011	2.67	0.34	23.8	3	0.8	393	0.21	0.15	2.91	0.330	0.45	0.8	131
2-3-2		32.8	0.011	3.59	0.64	22.6	3	1.1	385	0.21	0.16	1.90	0.331	0.46	0.8	148
2-3-3		50.7	0.012	2.04	0.93	22.8	2	2.0	391	0.26	0.15	2.49	0.371	0.44	0.8	141
2-3-4		35.5	0.006	1.56	0.87	24.4	2	1.3	426	0.27	0.14	2.25	0.379	0.42	0.8	171
2-4-1		20.3	0.004	0.21	0.17	21.2	<1	0.7	517	0.30	<0.05	2.33	0.395	0.20	1.0	177
2-4-2		20.5	0.004	0.21	0.25	19.8	<1	0.7	499	0.31	<0.05	2.41	0.380	0.22	0.9	185
2-4-3		32.3	0.004	0.84	0.89	20.6	1	0.8	484	0.30	0.05	3.34	0.365	0.31	1.0	165
2-5-1		19.9	<0.002	0.11	0.28	23.7	1	0.7	484	0.28	<0.05	1.76	0.416	0.24	0.7	181
2-5-2		16.2	<0.002	0.10	0.50	23.1	1	0.8	513	0.27	<0.05	1.66	0.395	0.23	0.7	199
2-5-3		20.6	0.003	0.21	0.28	22.3	<1	0.7	453	0.27	<0.05	1.74	0.362	0.24	0.7	179
2-5-4		20.9	0.002	0.22	0.18	23.2	<1	0.9	482	0.29	<0.05	1.80	0.402	0.26	0.7	188
2-6-2		15.3	0.005	0.11	0.34	23.7	<1	0.8	506	0.28	<0.05	1.88	0.405	0.21	0.7	198
2-6-3		16.4	0.008	0.16	0.24	23.9	<1	0.7	506	0.27	<0.05	1.88	0.413	0.19	0.7	197
2-6-4		25.9	0.003	0.08	0.27	22.9	<1	0.7	499	0.27	<0.05	1.88	0.402	0.26	0.7	189
2-7-1		17.1	0.008	0.25	0.13	22.5	<1	0.8	485	0.29	<0.05	2.48	0.404	0.18	0.9	188
2-7-2		19.9	0.002	0.21	0.18	25.2	<1	0.8	496	0.29	<0.05	2.61	0.413	0.19	0.9	199
2-7-3		13.3	0.027	0.14	0.16	24.1	<1	0.8	501	0.25	<0.05	1.94	0.407	0.18	0.7	199
2-7-4		25.3	0.003	0.11	0.21	24.5	<1	0.8	518	0.26	<0.05	2.10	0.411	0.28	0.9	203
2-8-2		15.2	0.002	0.19	0.73	22.8	<1	1.0	496	0.27	<0.05	2.05	0.409	0.19	0.8	184
2-8-3		17.2	0.034	0.26	0.26	24.8	<1	1.1	469	0.28	<0.05	2.43	0.390	0.21	1.0	198
2-9-2		20.1	0.006	0.43	0.30	22.7	<1	1.0	483	0.29	<0.05	2.84	0.404	0.19	1.0	182
2-9-4		19.2	<0.002	0.21	0.23	23.3	<1	0.8	494	0.28	<0.05	2.74	0.402	0.19	1.0	185
2-10-2		20.5	<0.002	0.71	0.26	23.9	<1	1.1	473	0.31	0.06	2.88	0.398	0.18	1.1	202
2-11-3		46.5	0.029	2.29	0.41	20.8	3	1.1	362	0.23	0.13	2.54	0.346	0.50	0.8	141
2-11-4		18.2	0.017	0.57	0.40	23.7	1	1.1	486	0.28	0.06	2.55	0.403	0.19	0.9	191
2-12-1		24.7	0.234	0.74	0.28	24.7	1	1.2	475	0.26	0.07	2.61	0.404	0.20	0.8	189
2-12-2		18.7	0.028	0.51	0.35	23.2	1	1.0	473	0.27	0.08	2.03	0.393	0.19	0.7	190
2-12-3		24.7	0.003	0.58	0.64	22.7	<1	1.3	484	0.26	0.12	2.28	0.395	0.20	0.9	181
2-13-1		22.6	0.058	0.62	0.57	23.7	<1	0.9	476	0.28	0.07	2.25	0.405	0.22	0.8	188
2-13-4		15.2	<0.002	0.41	0.26	22.9	<1	0.9	492	0.25	0.09	1.78	0.414	0.16	0.6	200
2-14-1		17.0	0.002	0.18	0.47	25.7	<1	0.9	477	0.27	<0.05	2.11	0.419	0.17	0.8	214
2-14-2		16.8	0.013	0.48	0.54	23.5	<1	0.9	491	0.27	0.06	2.13	0.402	0.19	0.8	193
2-14-3		19.0	0.002	0.45	0.35	24.5	<1	1.0	490	0.27	0.09	2.26	0.424	0.18	0.7	197
2-15-3		12.4	<0.002	0.35	0.33	24.5	1	1.0	476	0.26	0.05	1.77	0.406	0.17	0.7	213



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 14-JAN-2024
 Account: MWE

Project: R-79-2 (REDONDA)

CERTIFICATE OF ANALYSIS VA24002847

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		W	Y	Zn	Zr
		ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5
2-1-1		12.6	16.6	147	10.6
2-1-4		3.2	16.0	116	11.0
2-2-1		16.7	14.2	210	9.7
2-2-2		25.8	15.8	199	11.1
2-2-3		8.7	16.0	139	12.3
2-3-2		1.8	13.4	143	10.6
2-3-3		8.8	16.2	216	10.2
2-3-4		6.0	15.3	178	11.0
2-4-1		0.4	17.7	77	13.4
2-4-2		1.7	16.3	114	14.9
2-4-3		1.5	15.9	118	13.6
2-5-1		0.6	17.5	388	10.1
2-5-2		0.8	16.8	266	10.3
2-5-3		5.1	16.7	192	10.5
2-5-4		0.5	19.2	467	12.5
2-6-2		1.0	16.8	110	12.9
2-6-3		0.7	18.0	106	14.1
2-6-4		0.4	17.2	173	11.5
2-7-1		2.0	18.5	70	16.3
2-7-2		0.8	18.6	84	16.8
2-7-3		0.8	17.6	87	14.4
2-7-4		0.6	18.1	119	13.2
2-8-2		3.1	18.3	88	13.9
2-8-3		8.7	20.7	92	15.4
2-9-2		1.3	19.8	105	14.8
2-9-4		2.6	19.6	86	14.5
2-10-2		10.9	19.6	88	15.4
2-11-3		23.9	15.4	161	11.3
2-11-4		5.2	19.4	97	14.8
2-12-1		25.0	20.4	103	14.0
2-12-2		4.6	17.5	90	13.7
2-12-3		5.1	18.4	86	14.1
2-13-1		3.4	18.1	90	14.2
2-13-4		2.9	17.2	81	13.7
2-14-1		14.6	19.7	79	16.1
2-14-2		18.4	18.3	86	15.0
2-14-3		1.1	18.6	83	14.4
2-15-3		2.2	17.6	77	15.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 14-JAN-2024
 Account: MWE

Project: R-79-2 (REDONDA)

CERTIFICATE OF ANALYSIS VA24002847

	CERTIFICATE COMMENTS												
<p>Applies to Method:</p>	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>REEs may not be totally soluble in this method. ME-MS61</p>												
<p>Applies to Method:</p>	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table border="0" style="width: 100%;"> <tr> <td>CRU-31</td> <td>CRU-QC</td> <td>DISP-01</td> <td>LOG-22</td> </tr> <tr> <td>ME-MS61</td> <td>PUL-31</td> <td>PUL-QC</td> <td>SPL-21</td> </tr> <tr> <td>WEI-21</td> <td></td> <td></td> <td></td> </tr> </table>	CRU-31	CRU-QC	DISP-01	LOG-22	ME-MS61	PUL-31	PUL-QC	SPL-21	WEI-21			
CRU-31	CRU-QC	DISP-01	LOG-22										
ME-MS61	PUL-31	PUL-QC	SPL-21										
WEI-21													



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 1
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

VA24012227

Project: Redonda Copper

This report is for 53 samples of Drill Core submitted to our lab in Vancouver, BC, Canada on 15-JAN-2024.

The following have access to data associated with this certificate:

JO SHEARER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA24012227

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005
080332		0.022
080333		0.009
080334		0.010
080335		<0.005
080336		0.006
080337		0.012
080338		<0.005
080339		<0.005
080340		0.006
080349		0.011
080350		0.010
080351		0.014
080352		0.027
080353		0.008
080354		0.012
080355		0.010
080356		0.015
080357		0.048
080358		0.027
080359		0.018
080360		0.007
080361		<0.005
080362		0.020
080363		0.021
080364		0.030
080365		0.021
080366		0.024
080367		0.017
080368		0.024
080369		0.009
080370		<0.005
080371		<0.005
080372		0.008
080373		0.011
080374		0.010
080375		<0.005
080376		<0.005
080377		<0.005
080378		0.010
080379		0.014



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 3 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA24012227

Sample Description	Method Analyte Units LOD	Au-AA23 Au ppm 0.005
080380 080381 080382 080383 080384		<0.005 <0.005 <0.005 0.006 0.007
080385 080386 080387 080388 080389		0.019 0.010 0.012 0.007 0.010
080390 080391 080392		0.012 0.006 0.015



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 604 984 0221 Fax: +1 604 984 0218
www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-JAN-2024
Account: MWE

Project: Redonda Copper

CERTIFICATE OF ANALYSIS VA24012227

	CERTIFICATE COMMENTS
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au-AA23 FND-02</p>



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 1
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

KL23364380

Project: Redonda Project

This report is for 247 samples of Drill Core submitted to our lab in Kamloops, BC, Canada on 18-DEC-2023.

The following have access to data associated with this certificate:

JO SHEARER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize up to 250g 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Saa Traxler, Director, North Vancouver Operations



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080393		3.12	0.53	8.20	0.8	430	0.53	0.04	5.14	0.14	16.35	20.6	10	0.69	1715	5.32
080394		3.32	0.30	8.19	0.8	460	0.57	0.06	5.07	0.19	17.00	21.6	10	0.66	1535	5.46
080395		2.94	0.12	8.17	1.2	440	0.59	0.23	4.81	0.27	17.60	20.0	14	0.71	610	5.36
080396		3.13	0.31	8.19	0.5	460	0.61	0.05	5.14	0.24	17.95	19.7	11	0.55	1215	5.53
080397		5.49	0.44	7.92	1.0	480	0.56	0.07	4.83	0.21	16.60	20.1	11	0.62	1875	5.51
080398		1.03	0.22	7.87	1.2	470	0.63	0.03	4.59	0.09	17.65	18.7	9	0.66	1310	6.10
080399		3.28	0.05	8.04	0.7	500	0.55	0.04	5.06	0.07	17.55	20.5	9	0.49	369	5.72
080400		3.09	0.11	7.97	0.8	460	0.55	0.04	4.74	0.06	16.40	18.2	11	0.72	714	5.29
080401		2.87	0.19	7.87	1.7	510	0.59	0.08	4.70	0.09	15.60	15.3	10	0.75	854	5.02
080402		3.14	0.29	8.45	0.8	470	0.57	0.04	5.17	0.09	18.60	19.5	13	0.80	1395	5.87
080403		3.68	0.05	8.11	0.7	470	0.64	0.03	5.34	0.04	16.60	21.7	9	0.67	376	5.59
080404		3.18	0.08	8.11	0.9	450	0.63	0.03	5.02	0.07	15.90	18.7	10	0.71	521	5.74
080405		2.91	0.83	8.70	0.9	420	0.64	0.13	4.97	0.39	15.40	18.7	9	1.49	3440	6.14
080406		4.23	0.28	8.37	1.1	440	0.63	0.08	5.02	0.15	14.50	20.1	10	1.10	1170	5.44
080407		3.51	0.12	8.13	0.9	460	0.58	0.03	5.17	0.07	17.45	20.0	9	0.68	763	5.68
080408		3.18	0.30	8.21	0.6	530	0.60	0.05	4.98	0.16	16.90	18.3	12	1.04	1595	5.62
080409		3.77	0.12	8.28	0.8	480	0.54	0.03	5.04	0.07	16.45	18.3	8	0.74	832	5.67
080410		2.89	0.07	8.07	1.2	430	0.55	0.04	4.91	0.06	15.55	17.5	11	0.89	757	5.36
080411		3.29	0.17	8.40	1.0	410	0.59	0.34	5.38	0.10	15.45	19.6	8	0.83	587	5.50
080412		4.01	0.07	7.98	0.7	490	0.57	0.05	5.40	0.06	16.00	19.7	9	0.64	317	5.62
080413		0.05	5.41	2.85	485	560	0.83	0.07	0.15	0.07	14.90	11.9	412	4.07	50.0	3.71
080414		3.51	0.93	8.57	1.3	490	0.63	0.17	5.23	0.44	18.00	43.9	9	1.23	3530	6.70
080415		3.55	0.29	7.99	0.8	480	0.59	0.06	5.22	0.15	15.85	20.1	10	0.79	1080	5.36
080416		1.21	0.52	8.41	0.5	470	0.56	0.06	5.11	0.20	18.10	21.7	8	1.05	2580	6.08
080417		4.07	0.22	8.03	0.9	480	0.56	0.10	5.11	0.15	15.85	22.2	11	0.93	941	5.80
080418		2.45	0.19	8.16	0.4	480	0.58	0.04	5.03	0.11	16.55	21.7	9	0.87	1000	5.75
080419		5.36	0.18	8.23	0.8	470	0.58	0.04	5.22	0.13	17.35	19.7	9	0.80	732	5.50
080420		3.28	0.85	7.89	1.0	480	0.55	0.07	4.74	0.40	17.45	21.0	13	1.03	3280	5.31
080421		2.30	1.14	7.92	1.1	470	0.62	0.14	4.62	0.45	16.85	26.2	13	1.28	3840	5.84
080422		6.19	0.37	8.28	1.0	500	0.57	0.07	4.81	0.17	18.15	23.2	12	0.95	1705	5.50
080423		5.65	0.75	8.64	1.3	510	0.67	0.22	4.98	0.24	18.50	19.8	11	1.01	1820	5.78
080424		5.78	0.40	8.33	0.7	460	0.61	0.94	4.91	0.11	17.40	20.4	11	0.69	915	5.64
080425		5.76	0.08	8.43	0.7	480	0.57	0.03	5.18	0.08	18.00	19.8	11	0.68	539	5.74
080426		6.74	0.22	8.36	0.4	490	0.62	0.04	5.29	0.12	16.85	20.7	9	0.66	1055	5.75
080427		2.60	1.22	8.40	0.8	470	0.55	0.14	5.19	0.81	21.8	23.0	11	1.10	5310	6.06
080428		1.75	3.68	7.79	1.2	440	0.54	0.55	4.75	1.60	17.05	26.3	12	1.74	>10000	6.17
080429		2.94	0.45	8.12	0.6	450	0.60	0.06	4.19	0.12	18.50	16.5	11	1.69	2310	5.47
080430		1.85	0.63	7.67	1.5	550	0.56	0.16	3.41	0.11	16.55	15.7	13	2.34	2830	5.08
080431		2.07	0.93	8.25	1.0	430	0.59	0.15	4.03	0.20	17.70	19.5	11	2.32	3950	5.15
080432		2.64	1.38	8.32	1.3	390	0.70	0.25	3.57	0.18	18.65	27.4	11	2.45	4100	6.71



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 2 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080393		15.20	0.06	0.6	0.069	1.03	6.5	9.2	1.96	1020	227	2.01	3.1	4.2	520	3.1
080394		15.55	0.07	0.6	0.065	1.09	6.4	9.5	1.94	1005	40.5	2.08	3.2	4.7	530	3.6
080395		14.85	0.05	0.6	0.053	1.21	6.8	10.0	2.02	1260	12.15	1.94	3.3	4.7	550	60.1
080396		16.00	0.05	0.7	0.080	1.07	7.0	7.6	1.99	1140	66.2	2.18	3.3	5.6	550	6.6
080397		14.50	0.06	0.6	0.073	1.23	6.4	9.6	1.91	1040	69.0	1.96	3.2	4.4	490	3.5
080398		15.35	0.07	0.6	0.059	1.16	7.0	9.7	1.89	912	32.2	1.89	3.5	4.5	490	2.6
080399		15.70	0.07	0.7	0.057	1.19	6.7	7.2	1.94	1050	1.87	2.13	3.4	4.9	530	3.3
080400		15.05	0.06	0.5	0.043	1.14	6.2	8.8	1.80	882	28.9	2.04	3.0	4.1	490	2.6
080401		14.40	0.06	0.6	0.056	1.56	5.9	9.4	1.90	988	517	2.07	3.1	4.1	520	2.6
080402		16.05	0.07	0.7	0.049	1.15	7.2	7.9	2.07	994	11.00	2.09	3.2	4.9	560	2.5
080403		16.30	0.06	0.7	0.057	1.04	6.2	6.5	2.02	1065	3.69	2.19	3.3	4.8	540	2.7
080404		14.75	0.06	0.6	0.053	1.13	5.9	7.7	2.00	995	8.72	2.09	3.3	4.2	560	2.4
080405		15.85	0.06	0.7	0.100	1.36	6.0	9.8	2.05	967	342	2.07	3.7	4.2	490	2.2
080406		15.95	0.05	0.6	0.055	1.17	5.5	8.8	2.00	956	24.2	2.21	3.8	4.3	560	3.3
080407		15.25	0.06	0.7	0.056	1.09	6.4	7.3	2.00	998	6.20	2.23	3.3	4.8	560	3.4
080408		15.50	0.07	0.6	0.080	1.21	6.4	8.3	2.01	1060	275	2.08	3.6	4.3	560	3.3
080409		15.00	0.07	0.6	0.049	1.19	6.3	7.6	2.00	1010	8.05	2.11	3.4	4.4	560	3.5
080410		14.30	0.05	0.6	0.039	1.04	5.8	7.8	1.90	874	66.9	2.07	3.1	4.4	520	2.5
080411		16.10	0.05	0.7	0.052	1.09	5.8	7.4	2.03	1060	7.89	2.27	3.6	4.6	560	2.8
080412		15.65	0.06	0.7	0.059	1.17	5.7	6.3	1.98	1095	39.0	2.32	3.3	4.5	560	2.9
080413		5.79	0.11	1.3	0.021	2.86	6.7	51.5	0.12	241	16.40	0.07	5.0	348	350	3.5
080414		15.75	0.08	0.7	0.073	1.24	6.8	8.2	2.05	1025	5.91	2.14	3.5	6.3	590	2.8
080415		15.95	0.06	0.7	0.073	1.19	6.0	7.1	1.98	1065	173.5	2.21	3.5	4.5	550	2.7
080416		15.85	0.06	0.6	0.072	1.25	6.8	8.4	2.03	1055	16.55	2.12	3.3	4.7	560	2.8
080417		15.25	0.05	0.6	0.066	1.18	6.0	8.4	1.99	1025	19.40	2.00	3.4	4.7	530	3.3
080418		16.05	0.06	0.6	0.049	1.14	6.3	8.4	1.99	1005	14.35	2.18	3.4	4.8	550	6.4
080419		15.95	0.06	0.7	0.052	1.15	6.6	7.2	2.00	1050	8.29	2.17	3.9	4.8	570	4.0
080420		15.25	0.06	0.6	0.109	1.27	6.7	8.2	1.88	952	210	1.98	3.3	4.7	530	5.3
080421		15.60	0.07	0.6	0.119	1.28	6.4	9.7	1.97	960	199.5	1.86	3.6	6.8	500	5.2
080422		14.80	0.05	0.6	0.059	1.38	7.3	8.9	1.96	960	43.8	1.92	3.4	4.3	510	3.6
080423		16.35	0.07	0.6	0.067	1.38	7.2	9.2	2.11	1080	145.5	1.96	3.6	4.9	570	4.1
080424		14.95	0.06	0.6	0.051	1.22	6.6	10.4	2.05	1140	126.0	1.96	3.2	4.3	550	5.3
080425		15.35	0.07	0.7	0.050	1.16	7.0	7.8	2.08	1035	3.25	2.15	3.0	4.3	570	3.9
080426		15.85	0.07	0.7	0.066	1.14	6.4	7.7	2.04	1070	52.8	2.22	3.2	4.5	570	2.9
080427		15.00	0.07	0.7	0.179	1.23	8.8	7.5	1.91	1015	307	2.10	3.3	5.0	520	3.1
080428		13.05	0.08	0.5	0.319	1.37	6.9	9.5	1.79	891	32.5	1.72	3.3	5.6	470	2.2
080429		15.05	0.06	0.6	0.066	1.22	6.9	8.2	1.84	903	68.4	2.08	3.4	4.4	610	3.4
080430		13.15	0.07	0.4	0.038	1.76	6.5	12.4	1.94	645	364	1.68	2.8	5.0	530	4.0
080431		14.15	0.06	0.4	0.065	1.52	7.0	10.6	1.86	801	275	1.84	3.2	4.4	540	3.0
080432		14.90	0.07	0.5	0.024	1.41	7.2	13.3	2.13	756	72.2	1.66	2.9	5.2	600	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080393		13.8	0.120	0.40	0.10	24.3	1	0.6	484	0.24	<0.05	1.94	0.418	0.17	0.7	219
080394		13.7	0.033	0.72	0.14	26.1	<1	0.6	480	0.21	<0.05	2.04	0.419	0.17	0.7	227
080395		14.6	0.010	0.81	0.06	25.8	1	0.7	472	0.25	0.26	2.47	0.427	0.21	0.9	215
080396		12.3	0.030	0.68	0.10	27.0	<1	0.7	490	0.24	<0.05	2.34	0.426	0.15	0.8	225
080397		14.6	0.050	0.73	0.20	24.4	<1	0.7	463	0.23	<0.05	2.03	0.409	0.18	0.8	218
080398		14.6	0.018	1.57	0.18	25.2	2	0.8	441	0.27	<0.05	2.58	0.405	0.18	1.1	223
080399		11.7	0.002	0.59	0.12	26.0	<1	0.6	477	0.24	<0.05	2.21	0.427	0.16	1.0	231
080400		15.2	0.069	0.75	0.10	23.4	<1	0.6	463	0.21	<0.05	1.91	0.393	0.18	0.7	204
080401		19.2	0.290	0.45	0.61	23.4	<1	0.8	458	0.22	<0.05	1.83	0.416	0.24	0.7	219
080402		17.1	0.013	0.98	0.13	27.6	<1	0.7	487	0.23	<0.05	2.83	0.429	0.17	0.9	240
080403		11.1	0.006	0.57	0.06	27.4	1	0.6	498	0.23	<0.05	1.92	0.425	0.15	0.7	234
080404		13.4	0.022	0.63	0.09	24.7	<1	0.7	485	0.22	<0.05	1.80	0.414	0.15	0.7	222
080405		28.2	0.204	1.08	0.28	25.1	1	1.0	467	0.26	<0.05	1.85	0.416	0.26	0.7	230
080406		15.8	0.022	0.72	0.22	24.1	<1	0.7	488	0.26	<0.05	2.29	0.423	0.20	0.7	221
080407		13.4	0.005	0.63	0.10	25.8	1	0.7	487	0.22	<0.05	2.00	0.421	0.14	0.7	231
080408		16.2	0.111	0.49	0.13	25.5	<1	0.8	495	0.23	<0.05	2.03	0.431	0.19	0.7	229
080409		14.9	0.005	0.80	0.12	25.1	<1	0.6	477	0.22	<0.05	2.07	0.429	0.16	0.7	227
080410		12.8	0.057	0.89	0.10	23.5	1	0.6	472	0.21	<0.05	2.10	0.405	0.16	0.6	217
080411		12.4	0.008	0.81	0.18	26.0	1	0.7	501	0.23	<0.05	1.57	0.441	0.18	0.6	232
080412		10.8	0.014	0.31	0.09	24.7	<1	0.6	498	0.24	<0.05	1.74	0.432	0.16	0.6	233
080413		90.1	0.002	1.94	100.5	5.3	21	2.9	55.5	0.26	0.05	0.98	0.225	10.65	0.5	48
080414		18.7	0.008	1.65	0.55	28.6	2	0.7	490	0.25	<0.05	2.11	0.438	0.19	0.7	224
080415		13.5	0.104	0.25	0.13	25.7	<1	0.7	484	0.23	<0.05	1.81	0.428	0.16	0.7	230
080416		15.4	0.008	0.61	0.09	26.5	<1	0.7	489	0.24	<0.05	1.85	0.435	0.19	0.8	235
080417		13.4	0.020	0.56	0.38	25.5	1	0.6	487	0.23	<0.05	1.77	0.428	0.18	0.7	230
080418		13.5	0.012	0.81	0.12	26.0	<1	0.6	488	0.23	<0.05	1.69	0.432	0.17	0.7	227
080419		14.1	0.005	0.33	0.10	25.7	<1	0.6	489	0.25	<0.05	1.81	0.434	0.17	0.7	230
080420		18.9	0.147	0.67	0.19	24.7	2	0.8	460	0.23	<0.05	1.77	0.403	0.22	0.7	215
080421		19.2	0.124	1.12	0.37	26.9	2	0.9	447	0.23	0.06	1.76	0.428	0.24	0.7	233
080422		26.6	0.040	0.92	0.31	25.7	1	0.7	469	0.21	<0.05	2.14	0.417	0.22	0.8	221
080423		22.8	0.103	0.89	0.25	28.8	1	0.7	490	0.24	<0.05	2.25	0.439	0.24	0.8	237
080424		14.6	0.085	0.90	0.30	26.1	1	0.7	497	0.23	0.09	2.09	0.427	0.17	0.8	227
080425		16.2	0.004	0.66	0.08	26.7	1	0.6	494	0.22	<0.05	1.99	0.429	0.17	0.7	234
080426		13.0	0.035	0.61	0.09	25.7	<1	0.6	514	0.22	<0.05	1.90	0.438	0.16	0.8	237
080427		28.6	0.284	1.41	0.32	25.3	2	0.8	476	0.23	0.05	2.39	0.412	0.20	1.0	211
080428		35.3	0.027	2.16	0.88	22.8	5	1.2	412	0.22	0.09	2.12	0.387	0.27	0.6	192
080429		21.7	0.025	0.85	0.12	26.2	1	0.8	458	0.24	<0.05	2.26	0.419	0.24	0.7	222
080430		36.8	0.209	1.66	0.63	20.6	2	0.8	392	0.19	<0.05	1.98	0.351	0.36	0.6	248
080431		35.9	0.202	1.06	0.29	26.3	2	0.8	427	0.23	0.08	2.08	0.410	0.31	0.7	195
080432		28.6	0.082	3.24	0.20	21.8	4	0.7	414	0.20	0.06	2.08	0.359	0.30	0.7	159



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080393		0.4	15.3	68	12.2	
080394		0.3	15.9	70	10.7	
080395		0.4	16.2	158	9.8	
080396		0.3	16.4	93	12.4	
080397		0.5	15.1	78	11.3	
080398		0.3	15.2	61	12.1	
080399		0.3	16.9	58	13.4	
080400		0.3	15.4	56	10.3	
080401		0.7	14.2	65	11.4	
080402		0.3	17.2	59	12.1	
080403		0.2	16.1	58	12.8	
080404		0.2	15.0	61	11.2	
080405		0.6	13.8	99	12.9	
080406		0.4	14.1	69	11.3	
080407		0.2	15.7	62	12.0	
080408		0.2	15.6	81	10.2	
080409		0.2	15.0	65	10.7	
080410		0.2	14.6	55	10.3	
080411		6.5	15.2	63	13.1	
080412		0.3	15.6	64	13.2	
080413		8.8	8.2	38	65.6	
080414		0.3	16.2	82	12.9	
080415		0.4	15.8	65	13.1	
080416		0.3	16.2	71	12.0	
080417		0.3	14.8	66	11.5	
080418		0.3	15.7	62	12.4	
080419		0.3	16.6	65	12.6	
080420		0.4	15.1	82	11.4	
080421		0.9	16.2	91	10.4	
080422		0.4	16.0	69	10.9	
080423		0.6	17.2	82	11.8	
080424		1.3	15.8	76	10.7	
080425		0.3	16.6	63	11.9	
080426		0.3	16.0	69	12.7	
080427		0.4	18.1	84	13.5	
080428		0.9	14.0	157	8.2	1.120
080429		0.9	15.9	63	10.8	
080430		3.7	13.2	65	7.9	
080431		2.0	14.9	67	8.6	
080432		2.1	14.4	56	10.2	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080433		2.17	0.28	7.93	1.0	430	0.56	0.14	3.41	0.13	16.35	17.9	14	2.00	2180	5.91
080434		2.36	0.25	8.03	0.6	520	0.53	0.12	3.45	0.12	17.00	17.0	13	1.62	2600	6.51
080435		2.50	0.25	7.74	1.0	420	0.54	0.06	3.28	0.08	14.75	16.3	12	1.29	2710	7.05
080436		1.57	0.37	8.04	1.2	560	0.51	0.17	3.58	0.14	18.05	16.9	12	2.27	2490	5.76
080437		2.38	0.29	7.65	0.8	560	0.51	0.07	3.27	0.12	16.85	19.4	11	1.26	2690	6.72
080438		2.51	0.57	7.81	1.1	410	0.57	0.20	3.88	0.19	15.10	22.0	12	1.21	2780	5.46
080439		2.32	1.57	7.67	1.1	450	0.60	0.28	3.90	0.30	18.45	18.5	12	1.82	3370	4.96
080440		2.01	0.94	7.84	4.0	500	0.55	0.58	3.44	0.60	19.65	12.0	9	1.31	1830	4.34
080441		3.13	0.60	7.62	7.0	370	0.64	0.23	3.21	0.65	20.1	9.8	10	0.63	1365	2.83
080442		3.38	1.63	8.01	1.5	500	0.56	0.44	3.76	0.77	19.50	17.8	12	2.10	4320	4.97
080443		2.86	1.52	7.99	1.3	430	0.77	0.39	3.67	0.63	19.85	20.9	14	2.31	5640	5.30
080444		2.36	0.57	8.12	1.8	390	0.80	0.17	3.84	0.27	20.7	17.8	12	1.67	2930	5.82
080445		2.38	4.53	8.09	1.9	470	0.78	0.76	3.66	1.19	22.7	27.2	7	1.58	9990	5.43
080446		3.58	7.41	7.74	2.6	460	0.67	7.08	2.84	4.54	22.6	34.4	11	1.42	9510	5.69
080447		2.67	1.34	6.69	1.1	360	0.57	0.34	3.16	0.32	16.45	18.8	20	0.87	2310	4.50
080448		3.91	0.66	7.72	2.2	430	0.77	0.57	4.25	0.42	20.1	27.8	12	1.30	2030	6.46
080449		3.89	0.87	7.76	1.5	420	0.79	0.28	3.96	0.51	18.80	31.1	11	1.68	3540	6.04
080450		2.76	0.55	8.20	1.1	410	0.83	0.15	4.36	0.27	18.40	23.3	11	1.71	2340	5.97
080451		2.91	0.85	7.56	1.1	400	0.73	0.34	3.54	0.42	17.65	27.5	14	1.91	3040	5.63
080452		3.75	0.52	8.40	1.6	490	0.66	0.19	4.40	0.30	18.20	19.8	11	1.43	2160	6.16
080453		3.27	0.10	8.20	0.8	450	0.56	0.05	4.73	0.08	16.55	15.5	10	1.17	724	5.24
080454		3.06	0.21	7.98	1.7	500	0.61	0.03	4.43	0.10	17.50	20.0	12	1.13	1885	5.89
080455		3.56	1.04	8.10	2.0	440	1.04	0.06	4.06	0.24	19.15	17.2	10	1.32	4000	4.66
080456		3.45	0.31	7.50	3.1	390	0.60	0.04	3.32	0.10	19.40	8.0	12	0.48	1565	3.09
080457		3.80	0.17	7.80	1.1	410	0.70	0.03	3.51	0.08	22.2	8.2	11	0.75	1250	3.29
080458		3.94	0.15	7.62	0.6	410	0.84	0.02	3.26	0.07	21.0	3.8	10	0.53	1180	3.14
080459		3.49	0.43	7.57	2.4	460	0.71	0.08	3.30	0.18	17.55	9.7	9	0.55	2170	3.21
080460		4.21	0.12	7.67	0.8	480	0.75	0.02	3.30	0.05	20.8	5.8	10	0.61	758	3.00
080461		3.00	0.34	8.28	1.5	480	0.63	0.04	4.24	0.12	18.65	17.1	12	1.11	1940	5.35
080462		3.04	2.53	8.00	1.9	480	0.75	0.26	4.24	1.72	16.70	22.2	11	1.36	>10000	5.60
080463		4.71	0.60	7.94	2.0	630	0.75	0.13	3.87	0.17	18.65	19.2	14	1.86	2670	5.05
080464		6.52	0.36	7.82	1.4	410	0.80	0.19	3.81	0.16	17.95	23.9	12	1.68	2430	5.94
080465		6.00	0.59	8.03	1.8	520	0.64	0.11	4.33	0.19	18.45	19.0	11	1.60	2230	5.19
080466		6.26	0.50	8.04	0.8	500	0.61	0.08	4.07	0.17	21.7	18.0	15	1.78	2420	5.03
080467		6.84	0.27	7.93	1.6	430	0.66	0.11	4.02	0.10	20.3	16.8	13	1.36	2090	5.47
080468		6.18	1.65	8.08	1.7	440	0.64	0.18	4.25	0.46	19.40	17.5	14	1.10	4700	5.43
080469		5.96	0.86	7.93	0.4	450	0.58	0.06	4.58	0.34	19.95	17.8	12	1.00	2650	5.31
080470		6.89	0.44	8.32	1.7	260	0.72	0.05	4.72	0.19	15.30	12.1	13	0.90	2230	4.68
080471		5.83	0.41	8.00	1.5	280	0.65	0.03	3.81	0.13	14.90	13.7	11	0.83	1975	3.50
080472		0.08	5.30	2.81	479	550	0.80	0.08	0.14	0.08	15.00	12.2	404	4.31	51.0	3.61



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 3 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080433		14.15	0.05	0.4	0.014	1.33	6.2	10.9	1.90	558	68.0	1.64	2.7	4.3	570	2.6
080434		13.05	0.07	0.4	0.014	1.36	6.6	10.6	1.87	608	66.9	1.72	2.4	4.3	580	2.9
080435		13.20	0.06	0.4	0.013	1.05	5.9	11.0	1.82	683	36.1	1.65	2.3	4.5	560	2.7
080436		14.10	0.07	0.5	0.020	1.67	7.3	11.0	1.94	595	101.0	1.81	3.1	4.1	580	2.6
080437		13.00	0.07	0.4	0.012	1.26	6.3	11.6	1.87	583	15.45	1.70	2.1	4.4	570	2.7
080438		12.80	0.06	0.5	0.045	1.18	6.0	9.6	1.54	737	19.85	1.93	2.5	3.8	490	2.7
080439		13.75	0.07	0.5	0.106	1.59	7.1	10.8	1.76	1035	901	1.87	3.6	4.2	540	3.0
080440		13.20	0.05	0.8	0.028	1.29	7.7	9.2	1.22	663	19.50	2.17	2.5	3.0	540	3.5
080441		12.15	0.06	0.8	0.028	0.99	8.1	7.0	0.74	347	33.4	2.49	3.1	1.4	520	3.7
080442		14.70	0.08	0.5	0.097	1.65	7.4	12.2	1.61	793	224	1.88	3.0	4.1	550	2.6
080443		13.65	0.06	0.4	0.105	1.80	7.6	13.5	1.82	897	527	1.70	3.4	4.4	550	2.5
080444		13.60	0.08	0.5	0.048	1.64	8.0	15.0	1.86	799	134.0	1.60	2.8	4.2	540	2.8
080445		14.10	0.07	0.5	0.194	2.04	8.8	18.7	1.93	1145	353	1.76	3.4	4.0	640	4.6
080446		13.25	0.09	0.4	0.279	2.80	9.2	18.0	1.78	1290	576	1.33	3.9	4.7	550	12.6
080447		11.10	0.06	0.4	0.065	1.35	6.7	14.4	1.53	841	67.7	1.53	2.8	4.3	420	3.2
080448		14.00	0.07	0.5	0.041	1.40	7.8	10.8	1.83	952	32.3	1.74	3.5	4.8	560	3.1
080449		13.35	0.07	0.5	0.071	1.54	7.5	10.1	1.89	748	111.5	1.82	3.8	4.2	540	2.4
080450		14.70	0.07	0.6	0.054	1.48	7.1	10.0	1.97	767	35.7	1.94	3.9	5.3	570	2.4
080451		13.15	0.06	0.4	0.065	1.53	6.9	12.4	1.82	666	486	1.72	4.0	4.4	550	2.2
080452		15.10	0.06	0.5	0.032	1.54	7.3	11.0	2.03	754	8.38	1.90	3.8	4.7	580	2.5
080453		15.50	0.06	0.6	0.039	1.26	6.3	10.8	1.99	831	4.01	1.98	3.2	7.1	550	2.5
080454		14.80	0.06	0.6	0.034	1.36	6.9	11.4	2.00	658	5.83	1.98	2.9	4.5	560	2.6
080455		13.65	0.07	0.6	0.090	1.31	7.5	10.8	1.59	538	222	2.29	4.0	3.5	670	2.4
080456		11.50	0.05	0.8	0.041	0.77	7.7	7.3	0.73	225	208	2.56	2.5	1.5	500	2.7
080457		12.55	0.06	0.8	0.026	0.87	9.2	7.5	0.85	261	54.1	2.60	3.2	2.5	540	3.0
080458		11.95	0.05	0.8	0.017	0.74	8.1	8.7	0.76	270	56.0	2.68	2.9	1.5	530	3.0
080459		12.90	0.05	0.7	0.057	0.79	6.7	7.9	0.75	267	146.5	2.74	3.4	1.7	580	3.3
080460		14.15	<0.05	0.7	0.010	0.84	9.0	7.4	0.76	254	45.2	2.76	3.5	1.4	550	3.1
080461		14.40	0.06	0.6	0.043	1.22	7.7	9.6	1.66	665	14.90	2.26	4.2	3.4	640	2.6
080462		14.60	0.06	0.5	0.212	1.80	6.2	16.2	2.05	755	83.8	1.92	5.0	3.8	770	2.9
080463		13.65	0.08	0.5	0.056	2.09	6.8	14.2	2.03	641	414	1.99	4.2	3.8	930	2.3
080464		13.10	0.06	0.5	0.036	1.47	6.8	13.5	1.78	604	109.0	1.95	3.8	4.2	560	2.4
080465		14.45	0.07	0.7	0.065	1.53	7.2	11.4	1.73	755	222	2.00	3.7	4.0	600	2.4
080466		13.80	0.05	0.6	0.050	1.35	9.1	11.5	1.61	569	322	1.94	3.4	4.5	590	3.2
080467		13.35	0.06	0.6	0.024	1.18	8.6	12.9	1.53	581	41.7	1.93	2.9	3.9	570	2.7
080468		14.45	0.06	0.6	0.161	1.36	7.9	10.4	1.72	769	31.3	1.94	4.2	4.5	590	4.2
080469		15.65	0.06	0.7	0.109	1.16	8.1	10.0	1.78	856	120.5	2.13	4.2	4.5	630	3.8
080470		15.40	0.06	0.7	0.079	0.96	5.5	10.1	1.64	655	19.70	2.24	5.5	3.6	740	2.5
080471		13.00	0.05	0.8	0.089	0.90	6.1	9.3	1.06	356	40.0	2.42	2.7	2.0	600	2.4
080472		5.74	0.10	1.2	0.025	2.83	7.3	50.8	0.12	246	16.50	0.05	4.8	345	350	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080433		24.3	0.064	2.29	0.19	23.5	3	0.6	452	0.20	0.07	2.07	0.368	0.24	0.7	193
080434		26.9	0.044	2.81	0.16	27.1	3	0.6	437	0.20	<0.05	2.37	0.370	0.25	0.6	237
080435		16.9	0.035	3.60	0.14	25.7	3	0.5	397	0.18	0.05	2.09	0.348	0.20	0.6	212
080436		33.5	0.056	2.11	0.28	27.9	2	0.7	424	0.22	0.08	2.26	0.399	0.34	0.7	213
080437		23.5	0.016	3.44	0.15	25.3	3	0.5	406	0.18	0.05	2.35	0.347	0.22	0.7	230
080438		17.0	0.009	1.81	0.33	19.0	2	0.5	447	0.21	0.08	2.19	0.361	0.20	0.8	167
080439		29.0	0.504	0.88	0.57	23.7	2	0.9	434	0.25	0.08	2.57	0.418	0.30	0.8	194
080440		28.2	0.060	2.05	0.61	13.5	2	0.4	481	0.23	0.14	1.84	0.259	0.23	0.8	178
080441		18.7	0.051	1.10	0.16	5.9	1	0.3	491	0.24	0.09	1.81	0.160	0.14	0.6	70
080442		40.5	0.141	1.65	0.82	21.9	2	0.8	452	0.24	0.09	2.08	0.365	0.36	0.8	184
080443		45.5	0.364	1.79	0.57	22.1	3	1.0	405	0.21	0.12	2.04	0.376	0.35	0.7	127
080444		37.2	0.122	2.31	0.36	23.6	1	0.7	423	0.20	0.06	2.18	0.367	0.32	0.8	146
080445		41.5	0.224	1.57	0.99	27.4	3	1.2	515	0.22	0.07	1.79	0.421	0.36	0.8	167
080446		64.6	0.375	2.29	0.93	20.1	4	1.2	280	0.20	0.28	1.79	0.386	0.42	0.7	146
080447		35.5	0.047	0.91	0.82	21.6	1	0.6	315	0.19	<0.05	1.98	0.335	0.23	0.6	150
080448		23.8	0.035	2.38	2.21	26.5	3	0.7	438	0.23	0.11	2.02	0.416	0.25	0.7	184
080449		34.2	0.111	1.90	1.33	22.7	3	0.8	394	0.23	0.07	1.90	0.400	0.27	0.6	170
080450		31.0	0.052	1.42	0.76	26.0	2	0.8	418	0.24	<0.05	2.24	0.430	0.27	0.7	187
080451		42.2	0.361	2.16	1.07	22.2	3	0.8	347	0.23	0.07	2.11	0.380	0.31	0.6	146
080452		34.6	0.015	1.73	0.92	26.4	2	0.6	429	0.23	0.08	2.35	0.420	0.26	0.7	210
080453		17.6	0.009	0.86	0.26	25.6	<1	0.7	479	0.25	0.05	1.89	0.436	0.20	0.7	226
080454		24.4	0.012	1.83	0.53	28.2	2	0.7	447	0.22	<0.05	2.13	0.418	0.22	0.6	204
080455		26.8	0.133	1.37	0.47	15.4	3	0.7	468	0.24	0.05	1.80	0.310	0.21	0.5	136
080456		13.4	0.115	1.21	0.27	5.3	1	0.3	509	0.19	0.05	1.53	0.161	0.11	0.6	84
080457		14.8	0.030	1.18	0.08	6.6	1	0.4	503	0.23	<0.05	1.82	0.179	0.14	0.6	67
080458		11.8	0.065	1.25	0.11	5.4	1	0.3	492	0.23	0.05	1.65	0.160	0.10	0.6	67
080459		12.5	0.101	1.21	0.27	6.3	1	0.4	489	0.28	<0.05	1.45	0.172	0.11	0.5	66
080460		14.0	0.038	1.01	0.11	5.8	1	0.5	494	0.27	<0.05	1.62	0.176	0.11	0.5	50
080461		23.5	0.011	1.36	0.31	19.5	1	0.6	482	0.27	0.05	1.91	0.372	0.18	0.6	180
080462		37.8	0.047	1.72	1.64	21.1	6	1.3	422	0.28	0.12	1.73	0.409	0.33	0.6	166
080463		43.7	0.253	1.08	0.46	25.4	2	0.9	409	0.27	0.05	1.64	0.430	0.38	0.5	172
080464		32.3	0.083	2.26	0.29	23.3	3	0.7	424	0.23	<0.05	2.16	0.390	0.25	0.6	136
080465		29.7	0.110	1.30	0.42	19.7	2	0.8	487	0.26	0.06	1.99	0.384	0.26	0.7	183
080466		27.4	0.251	1.80	0.29	19.4	3	0.7	443	0.27	<0.05	2.35	0.350	0.28	0.6	180
080467		21.0	0.039	2.06	0.33	20.5	4	0.5	461	0.24	<0.05	2.16	0.328	0.23	0.6	158
080468		28.3	0.015	1.31	0.33	23.3	4	0.9	435	0.28	<0.05	2.66	0.391	0.25	0.8	164
080469		18.9	0.048	0.75	0.22	24.2	2	1.0	451	0.28	<0.05	2.30	0.416	0.19	0.8	187
080470		15.4	0.010	1.19	0.25	17.6	2	1.0	491	0.34	<0.05	1.77	0.360	0.18	0.6	129
080471		18.8	0.025	1.03	0.23	11.8	3	0.7	486	0.27	<0.05	1.91	0.227	0.16	0.5	80
080472		86.7	0.002	1.91	101.5	5.3	22	3.0	52.1	0.28	<0.05	1.02	0.222	10.45	0.5	47



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080433		1.2	11.4	30	8.7	
080434		0.9	11.4	35	8.7	
080435		0.7	10.1	31	8.8	
080436		0.6	14.0	49	8.9	
080437		0.7	12.5	33	8.7	
080438		0.9	11.8	50	9.1	
080439		2.7	15.4	89	9.8	
080440		4.2	14.4	67	20.6	
080441		2.2	10.8	48	23.9	
080442		0.9	15.9	92	10.8	
080443		2.5	16.6	93	8.7	
080444		1.1	16.2	55	9.1	
080445		1.3	20.4	138	9.9	
080446		4.7	21.9	316	8.5	
080447		1.0	14.8	79	7.4	
080448		0.7	19.6	86	9.2	
080449		0.6	16.8	80	9.3	
080450		0.4	16.3	65	10.5	
080451		0.6	15.4	72	7.7	
080452		0.4	15.6	59	9.5	
080453		0.4	16.0	49	10.4	
080454		0.5	15.5	44	10.5	
080455		0.4	12.4	45	15.0	
080456		0.2	10.1	23	25.6	
080457		0.1	10.0	28	26.0	
080458		0.1	9.4	56	21.9	
080459		0.1	9.5	35	22.4	
080460		0.1	9.4	23	22.0	
080461		0.2	15.0	48	13.5	
080462		1.2	16.3	104	10.1	1.160
080463		1.9	18.4	56	9.5	
080464		0.5	15.2	45	9.7	
080465		1.5	16.0	63	14.9	
080466		0.8	14.3	49	13.7	
080467		0.4	13.3	37	13.6	
080468		0.4	16.8	81	11.5	
080469		0.3	17.4	73	13.1	
080470		0.4	17.0	48	16.8	
080471		0.4	11.9	36	20.0	
080472		9.2	8.4	38	50.4	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 4 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080473		7.70	0.30	7.97	1.4	400	0.77	0.08	3.35	0.11	20.6	8.4	10	0.74	1210	2.77
080474		6.39	0.29	8.80	1.1	440	0.86	0.02	3.59	0.07	25.5	7.5	10	0.89	1010	3.10
080475		7.04	0.54	8.25	0.6	460	0.81	0.03	3.46	0.05	26.4	9.3	8	0.79	1175	3.12
080476		6.70	0.39	8.22	1.5	450	0.85	0.02	3.77	0.16	19.50	9.0	10	0.77	1600	3.20
080477		6.20	0.48	8.27	1.3	430	0.65	0.06	4.44	0.15	20.9	19.1	12	0.97	2190	4.67
080478		7.39	0.26	8.15	1.1	480	0.55	0.04	4.84	0.10	21.9	25.2	13	1.00	1515	5.79
080479		6.93	0.74	7.95	2.2	400	0.62	0.09	4.45	0.20	20.7	24.9	12	1.21	2670	5.93
080480		7.71	1.80	8.04	1.8	460	0.65	0.13	4.76	0.56	18.15	26.2	12	1.10	6700	5.35
080481		6.75	0.57	7.95	1.9	610	0.68	0.06	4.72	0.26	19.20	19.0	13	1.04	2320	5.19
080482		6.81	1.02	7.53	2.4	460	0.67	0.09	4.21	0.23	18.10	23.4	13	1.22	2910	5.67
080483		7.15	2.04	7.32	1.2	410	0.61	0.11	4.30	0.43	19.50	22.3	16	1.54	6320	5.32
080484		6.34	4.62	8.05	2.1	500	0.78	0.18	4.38	0.99	16.00	27.0	11	1.65	>10000	5.33
080485		7.20	0.78	7.96	2.1	440	0.65	0.15	4.74	0.19	20.3	21.3	13	1.73	2300	5.40
080486		7.01	1.46	8.01	1.6	440	0.68	0.10	4.49	0.45	20.8	22.8	16	1.94	4530	5.47
080487		7.20	1.44	7.95	2.0	480	0.73	0.11	4.63	0.38	20.2	23.5	13	2.05	5220	5.22
080488		7.16	1.09	7.90	0.5	480	0.66	0.10	4.69	0.34	19.40	20.2	13	1.54	3190	5.31
080489		6.29	1.08	7.96	1.3	430	0.64	0.13	4.61	0.32	22.0	19.7	15	2.01	3180	5.30
080490		3.92	0.21	7.85	1.0	500	0.59	0.04	4.72	0.10	22.0	16.5	12	0.98	1430	5.25
080491		3.60	0.22	7.85	1.5	480	0.56	0.04	4.92	0.10	20.8	21.1	14	0.80	1315	5.75
080492		4.34	0.08	8.29	0.5	450	0.57	0.07	5.69	0.12	19.60	19.6	14	0.57	507	5.80
080493		2.76	0.10	7.78	0.8	480	0.51	0.01	5.20	0.06	19.50	22.6	11	0.63	1050	6.10
080494		3.94	0.06	8.02	0.7	440	0.52	0.02	5.30	0.07	18.40	20.3	13	0.54	638	5.78
080495		3.64	0.13	7.67	1.1	380	0.53	0.03	4.82	0.06	20.7	22.2	14	0.72	1265	6.15
080496		3.59	0.98	7.87	2.3	570	0.55	0.04	5.04	0.30	22.3	28.8	12	0.76	5970	6.75
080497		2.35	0.31	8.19	0.6	460	0.55	0.01	5.32	0.07	20.2	19.9	13	0.64	666	5.66
080498		4.92	0.33	8.17	1.2	480	0.60	0.07	4.24	0.23	24.4	20.8	12	1.43	1675	5.56
080499		3.09	1.84	7.78	1.0	480	0.77	0.24	3.49	0.68	23.2	25.9	15	2.77	7110	4.72
080500		3.02	0.48	8.34	1.2	430	0.70	0.15	3.99	0.28	20.4	24.2	14	2.31	2630	5.07
080201		3.21	0.42	8.00	1.2	410	0.57	0.23	4.10	0.31	21.4	20.3	12	2.28	1810	5.76
080202		3.04	1.10	7.61	1.3	450	0.53	0.37	3.30	0.72	19.25	23.8	15	2.74	4440	4.96
080203		2.51	1.12	8.26	1.4	510	0.64	0.19	3.65	0.50	19.30	26.0	13	3.16	3890	5.87
080204		2.45	0.77	8.37	1.4	490	0.57	0.19	4.23	0.38	17.95	23.7	13	2.77	3160	5.29
080205		3.18	2.59	7.94	3.4	480	0.58	0.33	3.57	1.14	16.70	32.4	16	3.41	7920	5.59
080206		2.86	3.22	7.79	0.4	450	0.74	0.45	3.31	1.29	17.35	28.9	13	2.73	8900	5.48
080207		3.60	1.12	8.28	2.0	430	0.57	0.55	4.05	0.49	18.70	27.0	12	2.54	3710	6.21
080208		4.12	0.13	7.89	0.3	480	0.79	0.04	3.32	0.07	21.2	7.7	7	0.85	424	3.05
080209		2.92	0.69	7.67	3.5	450	0.72	0.27	3.11	1.24	19.45	9.1	10	1.08	1255	2.64
080210		3.01	1.11	7.32	1.2	330	0.73	0.43	3.36	1.29	18.30	14.6	12	1.29	2110	2.31
080211		3.58	1.69	7.81	1.2	290	0.72	0.58	3.51	2.48	22.2	15.1	14	1.24	2860	2.82
080212		3.43	1.04	8.00	1.2	290	0.89	0.24	3.73	0.47	16.85	9.8	15	1.21	2100	1.97



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 4 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080473		13.60	<0.05	0.9	0.059	0.90	8.9	8.2	0.79	475	47.1	2.63	4.0	2.0	530	3.0
080474		15.60	0.06	0.9	0.034	0.96	11.6	9.1	0.84	504	62.2	3.01	4.6	1.6	610	3.7
080475		14.90	0.06	0.9	0.048	0.89	11.4	9.0	0.78	386	224	2.79	4.3	1.6	560	3.3
080476		14.90	<0.05	0.9	0.039	0.97	8.4	8.5	0.90	384	99.6	2.69	3.9	2.0	520	3.1
080477		14.60	0.05	0.7	0.052	1.04	8.8	11.0	1.51	602	61.8	2.12	3.5	3.6	610	2.5
080478		14.80	0.06	0.6	0.054	1.34	9.2	11.9	1.82	738	14.60	1.94	3.3	4.6	530	2.5
080479		14.90	0.07	0.5	0.056	1.12	9.1	14.4	1.77	539	81.6	1.92	4.0	4.5	570	2.7
080480		15.30	0.06	0.6	0.225	1.38	7.6	11.2	1.70	759	51.8	1.99	3.9	4.8	540	3.1
080481		15.25	0.06	0.6	0.063	2.59	7.9	11.7	1.75	805	42.0	2.07	4.4	4.4	570	4.1
080482		14.35	0.07	0.5	0.087	1.39	7.6	13.7	1.67	659	158.5	1.85	4.7	4.5	550	2.5
080483		13.15	0.06	0.4	0.120	1.30	8.5	11.1	1.61	579	147.5	1.61	3.8	4.9	510	2.2
080484		15.90	0.07	0.5	0.317	1.64	6.5	14.0	1.78	603	42.4	2.21	5.5	5.4	700	2.9
080485		15.25	0.07	0.6	0.073	1.56	8.1	12.1	1.70	690	65.9	1.91	4.2	4.2	590	2.9
080486		14.30	0.07	0.5	0.114	1.45	8.9	12.7	1.73	689	107.5	1.85	3.7	4.6	600	2.5
080487		14.30	0.06	0.5	0.123	1.66	8.4	13.7	1.73	702	380	1.91	3.8	4.4	640	2.7
080488		14.50	0.06	0.5	0.094	1.29	8.0	11.2	1.64	824	66.1	1.98	3.8	4.3	610	3.1
080489		13.90	0.06	0.5	0.089	1.39	9.4	11.5	1.70	667	165.0	1.81	3.6	4.2	550	2.5
080490		14.20	0.06	0.5	0.040	1.30	9.4	10.5	1.75	730	107.0	1.78	3.6	3.9	510	2.8
080491		14.75	0.05	0.5	0.048	1.27	8.5	8.7	1.83	867	178.5	1.98	3.6	4.5	560	4.5
080492		16.60	0.07	0.6	0.049	1.04	8.2	7.4	1.93	1185	3.10	2.00	3.5	4.4	580	9.1
080493		15.20	0.06	0.6	0.043	1.15	8.0	8.0	1.87	927	4.55	1.88	3.3	5.4	520	3.3
080494		14.80	0.06	0.6	0.045	0.98	7.8	6.6	1.90	959	4.61	2.01	3.1	4.6	530	3.5
080495		14.15	0.05	0.5	0.026	0.96	8.6	9.7	1.74	738	50.0	1.72	3.4	4.8	490	2.6
080496		14.60	0.07	0.6	0.133	1.60	9.8	8.6	1.78	781	141.5	1.53	3.8	4.5	490	4.2
080497		15.55	0.05	0.5	0.033	1.24	8.5	9.4	1.92	964	3.33	1.81	3.3	4.6	540	2.8
080498		14.85	0.05	0.6	0.053	1.24	10.1	9.2	1.76	803	200	2.02	3.5	4.4	580	3.0
080499		12.80	0.06	0.4	0.165	1.55	10.8	10.3	1.56	605	608	1.94	4.4	4.1	530	2.3
080500		14.40	0.05	0.5	0.051	1.43	8.9	10.7	1.80	617	87.0	2.00	3.5	4.2	590	2.4
080201		14.85	0.06	0.5	0.041	1.47	8.6	10.5	1.72	685	80.2	1.95	3.0	4.6	620	2.8
080202		13.90	0.12	0.4	0.087	1.53	8.4	11.0	1.67	676	98.4	1.90	3.1	4.8	560	2.7
080203		15.55	0.15	0.5	0.106	1.67	8.9	10.6	1.77	822	109.0	2.11	3.7	4.3	600	2.3
080204		17.80	0.14	0.6	0.073	1.56	7.7	10.6	1.85	832	82.8	2.12	3.7	4.8	630	2.5
080205		16.70	0.18	0.6	0.203	1.75	7.3	11.6	1.80	803	83.8	1.99	4.3	5.2	590	2.5
080206		15.90	0.16	0.5	0.220	1.76	7.7	13.5	1.80	952	198.5	1.87	4.5	5.6	670	2.3
080207		16.10	0.17	0.5	0.081	1.59	8.0	11.2	1.83	848	55.9	1.95	3.3	4.5	620	2.7
080208		16.10	0.14	1.2	0.018	0.91	9.2	7.7	0.79	631	5.19	2.71	4.3	1.6	600	3.1
080209		13.95	0.11	0.8	0.015	1.03	8.6	7.0	0.70	359	37.8	2.58	3.9	1.4	500	3.1
080210		12.85	0.13	0.7	0.053	1.02	7.9	7.2	0.69	485	56.9	2.34	4.0	1.5	460	2.8
080211		12.90	0.15	0.7	0.055	0.98	9.9	7.0	0.70	577	79.1	2.45	4.6	1.8	490	2.8
080212		14.10	0.13	0.7	0.057	1.27	6.9	9.4	0.87	535	77.7	2.46	3.6	1.9	730	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 4 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080473		20.5	0.018	0.59	0.61	7.1	2	0.8	473	0.31	<0.05	1.98	0.181	0.17	0.6	49
080474		21.3	0.024	0.40	0.38	7.0	2	0.7	526	0.35	<0.05	2.18	0.191	0.16	0.7	45
080475		18.0	0.152	0.44	0.16	6.5	2	0.7	505	0.33	<0.05	2.15	0.178	0.14	0.7	44
080476		19.6	0.061	0.79	0.30	8.6	2	0.6	474	0.30	<0.05	2.84	0.202	0.16	0.7	70
080477		20.9	0.057	1.32	0.40	18.2	3	0.7	477	0.27	<0.05	2.40	0.327	0.17	0.7	142
080478		31.1	0.007	1.75	0.28	24.5	3	0.7	447	0.26	<0.05	2.49	0.395	0.22	0.8	201
080479		26.9	0.050	2.46	1.05	26.7	4	0.8	490	0.29	<0.05	2.46	0.388	0.19	0.6	190
080480		29.4	0.017	1.53	1.03	22.8	3	1.4	462	0.30	0.08	2.27	0.393	0.26	0.9	180
080481		57.7	0.023	1.27	0.42	23.4	2	0.9	468	0.33	<0.05	2.86	0.401	0.28	0.8	178
080482		31.7	0.183	1.39	0.63	20.8	3	0.9	423	0.29	<0.05	2.64	0.381	0.26	0.7	158
080483		36.8	0.115	1.98	0.55	20.4	3	0.9	388	0.24	<0.05	2.23	0.356	0.24	0.6	152
080484		29.7	0.023	1.69	1.17	23.2	5	1.3	449	0.41	0.11	2.07	0.411	0.33	0.6	153
080485		31.3	0.057	1.45	2.40	23.8	3	0.9	463	0.28	<0.05	2.20	0.391	0.27	0.7	168
080486		38.3	0.062	1.39	1.10	21.7	3	1.0	424	0.24	<0.05	2.38	0.384	0.27	0.7	158
080487		36.9	0.303	1.59	0.91	19.8	4	1.0	441	0.25	<0.05	2.23	0.379	0.32	0.6	161
080488		24.2	0.030	1.29	0.37	18.8	2	0.8	482	0.27	<0.05	2.22	0.372	0.24	0.8	161
080489		35.4	0.085	1.67	0.58	24.1	3	0.8	429	0.24	<0.05	2.82	0.382	0.26	0.8	168
080490		26.5	0.077	1.72	0.25	23.3	2	0.7	437	0.26	<0.05	2.58	0.389	0.19	0.8	180
080491		21.0	0.115	1.62	0.19	24.5	2	0.8	473	0.26	<0.05	2.28	0.403	0.20	0.7	200
080492		13.2	0.003	0.92	0.22	25.9	1	0.7	531	0.27	<0.05	2.10	0.428	0.15	0.7	219
080493		15.2	0.006	1.74	0.10	25.0	2	0.7	470	0.24	<0.05	1.90	0.406	0.17	0.7	209
080494		12.1	0.005	1.32	0.13	24.5	2	0.6	487	0.23	0.06	2.49	0.404	0.15	0.8	213
080495		17.4	0.068	2.33	0.29	24.4	3	0.6	451	0.23	<0.05	2.37	0.378	0.14	0.7	181
080496		30.5	0.120	2.81	0.54	23.6	4	0.9	471	0.25	<0.05	2.34	0.390	0.23	0.8	196
080497		20.9	0.004	1.56	0.18	25.2	1	0.7	461	0.23	<0.05	2.06	0.404	0.17	0.8	208
080498		22.3	0.131	1.15	0.14	23.8	2	0.8	446	0.25	<0.05	2.77	0.394	0.20	0.9	185
080499		41.1	0.373	1.27	0.40	22.6	4	1.0	395	0.27	0.05	3.14	0.394	0.31	0.7	144
080500		30.6	0.049	1.48	0.48	22.6	3	0.7	421	0.24	<0.05	2.60	0.387	0.27	0.8	167
080201		27.9	0.062	1.67	0.55	22.5	3	0.7	438	0.24	<0.05	2.46	0.376	0.26	0.9	178
080202		46.0	0.068	1.37	0.77	20.7	4	0.8	387	0.22	0.05	2.53	0.364	0.34	0.7	178
080203		48.8	0.073	0.74	0.54	23.7	3	1.0	416	0.27	0.07	2.43	0.411	0.37	0.7	198
080204		35.3	0.086	0.97	0.47	25.1	2	0.8	461	0.26	0.05	2.16	0.421	0.32	0.7	211
080205		46.0	0.073	1.66	0.61	22.7	6	1.3	417	0.26	0.09	2.26	0.408	0.35	0.7	182
080206		51.4	0.116	1.37	1.15	20.0	6	1.3	356	0.26	0.17	2.39	0.390	0.40	0.6	118
080207		40.0	0.033	1.72	1.81	22.2	3	1.0	440	0.25	0.07	2.57	0.398	0.36	0.8	184
080208		17.5	0.003	0.57	0.07	6.7	<1	0.8	490	0.32	<0.05	1.92	0.181	0.15	0.8	47
080209		21.1	0.074	0.83	0.24	5.7	2	0.4	514	0.30	0.09	1.96	0.165	0.18	0.5	69
080210		21.4	0.029	0.73	0.69	5.6	4	0.5	475	0.30	0.10	1.85	0.145	0.18	0.5	23
080211		25.3	0.046	0.91	0.86	6.8	4	0.6	479	0.31	0.12	2.15	0.169	0.18	0.5	26
080212		26.7	0.054	0.45	0.84	6.6	3	0.6	484	0.30	0.10	1.92	0.165	0.22	0.5	33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080473		0.6	11.0	33	23.6	
080474		0.2	12.6	37	26.4	
080475		0.1	11.1	34	25.9	
080476		0.3	11.4	33	24.9	
080477		1.0	14.4	49	16.6	
080478		0.5	16.4	50	11.1	
080479		0.7	16.1	49	8.7	
080480		3.4	15.9	70	11.8	
080481		1.1	14.3	74	10.9	
080482		1.0	14.0	55	10.3	
080483		0.6	14.4	63	8.1	
080484		1.2	14.0	94	10.8	1.235
080485		660	18.4	53	10.7	
080486		1.5	15.3	72	9.9	
080487		2.3	15.4	73	9.6	
080488		0.5	15.6	73	10.0	
080489		0.8	15.4	63	8.9	
080490		0.3	16.2	52	9.6	
080491		0.4	17.7	67	9.3	
080492		0.4	17.3	84	10.8	
080493		0.3	15.7	58	11.0	
080494		0.2	15.1	57	11.7	
080495		0.4	15.9	48	9.6	
080496		0.4	16.6	60	10.7	
080497		1.4	15.9	61	9.8	
080498		0.7	17.8	54	11.4	
080499		1.3	13.3	79	9.0	
080500		0.7	16.1	50	9.9	
080201		1.0	18.1	53	10.7	
080202		1.2	15.6	80	8.8	
080203		0.8	14.5	96	9.8	
080204		0.4	14.9	82	11.6	
080205		1.3	13.4	112	11.4	
080206		13.8	13.4	130	9.3	
080207		1.3	15.5	85	10.6	
080208		0.1	10.4	51	31.9	
080209		0.9	10.8	81	20.0	
080210		4.1	11.1	97	19.1	
080211		5.3	11.5	154	17.6	
080212		3.2	13.0	54	17.4	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 5 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080213		3.08	1.92	7.47	1.8	280	0.78	0.50	3.22	2.76	19.65	14.0	15	0.96	4150	2.39
080214		3.28	0.94	7.68	5.7	310	0.83	0.37	3.41	0.96	20.8	18.4	12	1.05	3260	2.65
080215		3.15	1.00	7.86	9.0	340	0.83	0.24	3.25	1.16	23.7	16.4	13	0.89	2050	2.75
080216		2.79	4.03	8.05	5.0	560	0.77	0.95	2.68	3.14	20.3	8.3	9	1.00	1530	2.75
080217		3.49	0.66	7.91	2.5	520	0.81	0.09	3.35	0.19	19.05	7.4	20	0.88	571	2.87
080218		3.21	0.19	8.04	0.5	490	0.74	0.04	3.65	0.08	19.75	9.5	10	0.91	317	3.81
080219		2.38	0.55	8.02	1.0	480	0.68	0.09	4.08	0.24	16.50	18.4	11	1.62	2650	5.50
080220		3.16	0.63	8.26	3.0	450	0.60	0.10	4.28	0.23	17.30	27.4	12	1.80	2350	5.87
080221		3.18	0.58	7.87	2.9	480	0.69	0.18	4.19	0.24	19.05	27.6	13	1.50	2320	6.71
080222		2.87	0.54	8.04	1.4	460	0.72	0.13	3.75	0.21	20.1	23.1	15	1.72	2220	5.20
080223		3.56	0.51	8.57	2.2	430	0.70	0.11	4.49	0.19	19.05	21.6	12	1.86	2060	5.62
080224		3.27	0.28	8.00	0.4	430	0.60	0.05	4.34	0.12	19.50	19.2	14	1.35	1110	5.24
080225		3.08	1.28	8.22	1.8	410	0.66	0.12	3.94	0.39	19.00	25.9	14	2.27	3810	5.50
080226		3.25	2.84	8.00	2.1	400	0.66	0.21	3.93	0.74	19.95	31.0	15	2.17	7740	5.17
080227		2.95	1.24	8.02	1.8	460	0.65	0.11	3.90	0.40	17.85	22.4	11	2.01	4080	5.34
080228		3.24	0.38	8.47	2.1	500	0.61	0.06	4.62	0.21	21.6	20.3	11	1.17	1705	5.45
080229		2.89	0.37	8.42	1.8	490	0.70	0.07	4.20	0.19	21.8	17.4	12	1.40	2050	5.34
080230		3.23	1.22	7.68	1.5	440	0.65	0.05	3.91	0.21	18.15	19.2	14	1.29	2900	5.37
080231		2.68	0.41	8.56	1.7	500	0.58	0.05	5.00	0.19	22.8	20.6	10	0.76	1275	5.55
080232		3.01	0.42	8.18	1.4	480	0.58	0.06	4.28	0.14	18.65	19.6	14	1.34	1960	5.50
080233		2.81	0.08	8.24	2.1	490	0.61	0.02	4.50	0.11	19.35	16.2	13	1.06	582	5.10
080234		3.01	0.70	8.23	<0.2	440	0.57	0.05	4.24	0.18	20.3	19.9	14	1.40	1995	5.37
080235		2.58	0.45	7.68	2.5	490	0.57	0.06	4.01	0.26	17.80	21.5	16	1.19	2480	5.80
080236		3.38	0.79	7.98	1.4	510	0.58	0.12	4.32	0.33	19.10	22.0	13	1.58	2390	5.56
080237		3.14	0.22	7.99	2.3	520	0.55	0.03	4.04	0.04	20.5	18.4	15	1.14	1995	5.67
080238		3.08	0.16	8.15	0.9	490	0.60	0.02	4.46	0.08	19.00	19.6	11	1.16	1155	5.51
080239		2.92	0.14	8.16	<0.2	450	0.58	0.02	4.59	0.09	18.70	16.8	12	1.01	985	5.66
080240		2.98	0.75	8.15	1.1	500	0.59	0.05	4.30	0.12	21.5	25.5	12	1.09	3640	6.76
080241		3.47	0.54	8.29	0.8	530	0.59	0.07	4.04	0.22	19.35	19.3	12	1.39	2660	5.65
080242		2.97	0.16	7.69	1.5	490	0.56	0.03	4.49	0.11	16.75	16.5	9	0.66	804	4.86
080243		4.04	0.33	8.45	1.2	610	0.60	0.04	5.16	0.13	19.40	21.1	7	0.51	910	5.32
080244		3.44	1.08	8.16	1.0	470	0.60	0.08	4.46	0.39	18.35	22.1	10	1.20	3670	5.61
080245		3.55	0.42	7.91	1.2	510	0.66	0.05	4.20	0.12	17.30	19.5	12	1.17	2360	6.07
080246		3.12	0.52	7.75	1.9	480	0.75	0.05	3.99	0.11	20.4	20.7	12	1.19	2580	5.84
080247		3.56	0.54	7.48	2.6	510	0.56	0.04	3.62	0.15	24.2	16.0	11	0.97	2320	4.56
080248		3.53	0.25	7.81	0.4	440	0.63	0.03	3.77	0.07	19.20	15.6	12	0.71	1680	4.37
080249		3.54	0.36	7.99	1.4	380	0.67	0.02	3.78	0.11	21.1	12.4	8	0.68	1800	3.32
080250		2.93	0.48	8.04	0.9	340	0.77	0.03	4.47	0.24	23.4	12.6	9	0.85	2260	4.97
080251		3.31	1.22	8.04	1.5	460	0.63	0.05	4.06	0.22	22.2	15.1	12	1.12	4740	4.97
080252		3.28	0.20	7.91	1.3	480	0.55	0.02	3.85	0.03	22.8	11.2	10	0.63	1185	4.15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 5 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080213		12.65	0.11	0.6	0.066	1.18	8.7	9.2	0.75	554	26.1	2.32	3.4	2.0	520	3.8
080214		13.35	0.11	0.7	0.048	1.04	9.4	8.6	0.67	466	32.6	2.50	3.8	1.8	520	3.0
080215		13.90	0.08	0.8	0.035	0.95	10.8	8.7	0.74	349	19.55	2.62	3.9	1.5	520	6.3
080216		14.80	0.11	0.9	0.048	2.30	8.9	8.8	0.73	516	22.3	2.53	4.6	1.9	580	11.2
080217		16.25	0.11	1.0	0.025	1.15	8.1	7.9	0.79	698	6.69	2.77	4.5	1.6	610	3.4
080218		16.65	0.13	1.0	0.035	1.00	8.7	7.5	1.03	881	107.0	2.62	4.4	2.3	600	2.9
080219		16.40	0.17	0.6	0.053	1.55	7.0	12.8	1.86	648	43.9	2.14	5.2	4.1	830	2.7
080220		16.60	0.20	0.7	0.049	1.40	7.4	10.9	1.87	725	52.4	2.06	4.6	5.0	610	2.9
080221		15.95	0.19	0.6	0.058	1.54	8.2	12.0	1.77	760	397	1.85	4.5	5.7	610	3.4
080222		15.70	0.16	0.6	0.058	1.49	9.1	12.4	1.60	585	96.8	2.01	4.7	4.5	580	2.5
080223		17.20	0.17	0.7	0.066	1.35	8.0	13.6	1.86	762	34.4	2.30	4.4	4.9	700	2.8
080224		16.55	0.17	0.7	0.071	1.19	8.2	11.6	1.76	798	15.15	2.08	4.2	4.8	590	2.9
080225		15.85	0.20	0.5	0.118	1.45	8.4	12.7	1.72	684	256	2.07	4.2	4.7	520	2.1
080226		16.35	0.16	0.5	0.183	1.52	8.7	13.7	1.70	644	284	1.97	4.5	5.1	520	2.4
080227		16.25	0.18	0.6	0.109	1.53	7.5	14.3	1.81	717	91.4	2.05	4.0	4.7	630	2.6
080228		16.70	0.18	0.7	0.065	1.29	9.5	11.0	1.82	946	155.5	2.19	3.7	4.8	640	3.6
080229		16.75	0.20	0.7	0.047	1.44	9.1	14.3	1.89	740	110.0	2.22	4.9	4.6	670	3.1
080230		15.75	0.14	0.6	0.057	1.29	7.5	14.0	1.70	664	69.3	2.10	4.6	5.0	590	3.2
080231		17.30	0.16	0.9	0.064	1.30	10.2	9.9	1.91	1055	7.66	2.28	3.4	5.1	680	4.9
080232		16.05	0.15	0.7	0.046	1.39	8.1	11.9	1.79	726	63.3	2.15	3.6	5.0	620	3.6
080233		17.65	0.18	0.9	0.044	1.25	8.4	12.1	1.85	859	3.25	2.12	3.8	4.1	610	3.3
080234		16.30	0.19	0.6	0.068	1.21	9.0	12.4	1.80	775	92.4	2.03	3.6	4.5	580	2.9
080235		15.70	0.21	0.6	0.036	1.30	7.6	13.3	1.70	626	607	1.96	4.1	4.5	530	2.8
080236		17.70	0.20	0.6	0.077	1.41	7.9	11.6	1.78	833	100.0	1.91	4.1	4.8	610	3.5
080237		14.90	0.16	0.6	0.038	1.30	8.9	13.8	1.76	605	313	2.00	3.7	4.2	570	2.7
080238		15.75	0.19	0.6	0.039	1.26	8.5	15.4	1.77	711	26.6	1.86	3.5	4.4	570	2.8
080239		15.70	0.16	0.7	0.049	1.09	8.1	11.9	1.84	843	38.6	2.07	3.5	4.6	640	2.8
080240		15.25	0.19	0.6	0.079	1.31	9.7	14.6	1.73	660	791	1.94	3.7	4.9	600	2.9
080241		14.80	0.14	0.6	0.056	1.52	9.0	13.6	1.82	618	30.9	2.04	3.6	4.3	610	2.7
080242		14.55	0.16	0.7	0.053	1.20	7.4	12.5	1.77	918	6.03	2.13	3.2	4.2	510	3.9
080243		16.30	0.16	0.7	0.069	1.31	8.8	13.5	1.85	1095	27.1	2.21	3.4	4.4	540	5.4
080244		15.40	0.16	0.6	0.106	1.28	8.2	17.1	1.86	852	35.5	2.03	3.4	4.6	560	2.9
080245		14.90	0.17	0.6	0.045	1.34	7.6	18.4	1.77	651	102.0	2.01	3.4	4.7	590	2.4
080246		14.25	0.18	0.5	0.063	1.34	9.1	15.6	1.68	588	527	1.86	4.0	4.3	570	2.3
080247		13.25	0.19	0.6	0.047	1.32	11.3	15.0	1.34	439	164.5	1.93	3.0	3.3	540	2.3
080248		13.65	0.17	0.8	0.035	1.05	8.7	9.1	1.17	386	164.5	2.24	2.6	3.0	570	2.4
080249		13.50	0.17	0.8	0.078	0.87	9.6	8.4	0.99	334	71.2	2.53	3.3	2.1	580	2.5
080250		15.10	0.17	0.7	0.385	1.01	8.7	10.7	1.65	712	67.2	2.42	4.9	3.7	640	2.5
080251		14.35	0.18	0.7	0.092	1.11	10.3	11.6	1.44	523	141.5	2.17	3.5	3.5	620	2.6
080252		13.80	0.17	0.8	0.021	0.94	10.6	10.2	1.07	339	137.0	2.29	2.3	2.9	570	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 5 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080213		25.0	0.012	0.79	0.78	5.0	5	0.6	449	0.28	0.09	2.05	0.149	0.17	0.5	33
080214		22.0	0.017	0.87	1.08	4.6	4	0.6	484	0.33	0.12	2.02	0.155	0.18	0.5	34
080215		21.0	0.011	0.89	0.43	5.2	4	0.5	481	0.30	0.11	2.08	0.156	0.16	0.5	43
080216		45.8	0.021	0.88	1.38	6.8	3	0.7	429	0.38	0.10	2.04	0.189	0.32	0.7	48
080217		21.2	0.007	0.23	0.25	6.9	2	0.6	505	0.32	0.07	1.90	0.188	0.16	0.7	45
080218		16.9	0.047	0.22	0.34	10.6	2	0.7	493	0.30	<0.05	2.07	0.238	0.14	0.8	84
080219		30.4	0.020	1.83	0.52	25.1	4	1.0	439	0.38	<0.05	2.28	0.415	0.33	0.6	167
080220		31.2	0.036	1.57	0.76	28.0	4	0.9	458	0.32	0.06	2.43	0.413	0.23	0.7	184
080221		32.0	0.366	2.22	3.06	21.9	5	0.9	470	0.30	0.05	2.38	0.384	0.29	0.8	170
080222		39.7	0.077	1.67	1.54	22.1	4	0.8	421	0.34	0.05	3.28	0.376	0.29	0.9	143
080223		25.6	0.027	1.10	1.41	23.3	3	0.9	489	0.32	0.07	2.71	0.439	0.25	0.7	174
080224		22.6	0.018	0.77	0.24	20.8	3	0.9	474	0.30	0.06	2.66	0.395	0.22	0.8	165
080225		44.0	0.206	0.90	0.66	23.7	4	0.9	409	0.28	0.05	2.52	0.406	0.28	0.6	163
080226		39.5	0.218	1.35	1.54	22.3	5	1.2	432	0.32	0.09	2.86	0.397	0.33	0.7	148
080227		35.1	0.083	1.28	0.33	19.0	3	1.0	427	0.29	0.05	2.43	0.388	0.31	0.7	156
080228		26.9	0.142	0.78	0.33	20.2	1	0.8	512	0.27	<0.05	2.68	0.404	0.17	0.9	173
080229		34.6	0.123	1.23	0.56	22.0	3	0.9	462	0.34	0.09	3.15	0.417	0.26	0.8	157
080230		23.6	0.069	1.68	0.37	19.6	4	0.7	427	0.28	<0.05	2.34	0.382	0.22	0.8	150
080231		25.3	0.005	0.38	0.09	23.6	1	0.7	517	0.29	<0.05	3.36	0.420	0.17	1.2	202
080232		27.8	0.063	1.30	0.25	24.0	3	0.7	476	0.29	<0.05	2.91	0.415	0.25	1.0	192
080233		20.3	0.009	0.66	0.08	23.5	2	0.8	473	0.30	0.05	2.87	0.422	0.18	1.1	205
080234		30.2	0.056	0.94	0.20	23.4	3	0.9	461	0.24	0.05	2.55	0.406	0.18	0.8	191
080235		21.1	0.603	2.14	0.50	23.2	4	0.7	444	0.30	<0.05	2.22	0.400	0.23	0.7	184
080236		27.1	0.077	1.04	0.25	23.5	3	1.0	481	0.28	0.09	2.42	0.408	0.28	0.8	200
080237		25.2	0.311	1.99	0.14	23.1	3	0.7	492	0.28	<0.05	2.55	0.395	0.19	0.7	186
080238		21.5	0.033	1.31	0.15	22.2	3	0.7	475	0.27	<0.05	2.57	0.389	0.21	0.8	194
080239		17.6	0.031	0.90	0.11	21.8	2	0.8	480	0.29	<0.05	2.56	0.414	0.17	0.9	195
080240		26.8	0.615	2.13	0.26	21.9	5	0.8	461	0.25	0.05	2.60	0.400	0.23	0.8	209
080241		29.6	0.022	1.82	0.15	21.8	3	0.8	450	0.29	<0.05	2.82	0.412	0.27	0.8	205
080242		17.9	0.006	0.40	0.11	21.6	1	0.7	426	0.25	<0.05	2.33	0.385	0.17	0.8	193
080243		18.2	0.010	0.26	0.30	22.9	1	0.9	497	0.27	<0.05	2.75	0.404	0.14	1.0	213
080244		25.9	0.014	1.14	0.20	22.6	2	0.9	480	0.27	<0.05	2.67	0.400	0.22	0.8	200
080245		22.8	0.079	1.87	0.19	21.3	3	0.7	444	0.27	0.06	2.29	0.394	0.23	0.7	193
080246		26.0	0.401	2.03	0.32	20.9	4	0.7	444	0.24	<0.05	2.61	0.374	0.24	0.6	173
080247		32.6	0.119	1.64	0.34	14.8	3	0.6	428	0.29	<0.05	2.70	0.309	0.21	0.7	162
080248		17.8	0.126	1.53	0.12	12.3	3	0.5	479	0.28	<0.05	2.21	0.270	0.15	0.5	126
080249		16.8	0.050	0.84	0.07	8.9	2	0.5	503	0.32	<0.05	2.21	0.229	0.13	0.7	96
080250		15.9	0.048	0.77	0.13	16.3	2	2.5	434	0.32	<0.05	2.12	0.364	0.13	0.6	150
080251		23.7	0.105	1.23	0.22	17.3	3	0.8	583	0.33	<0.05	2.55	0.334	0.19	0.6	143
080252		19.9	0.112	1.49	0.14	11.3	3	0.4	503	0.29	<0.05	2.50	0.243	0.15	0.7	119



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080213		3.2	9.6	151	17.0	
080214		3.7	10.9	87	17.4	
080215		1.7	11.7	87	19.6	
080216		9.5	13.8	179	24.4	
080217		1.3	10.9	56	26.6	
080218		0.2	12.5	64	27.4	
080219		0.7	15.4	62	11.6	
080220		0.4	15.6	59	11.3	
080221		0.9	14.6	57	10.6	
080222		0.6	15.2	47	11.4	
080223		3.8	16.0	64	12.4	
080224		0.3	16.7	53	12.6	
080225		1.0	14.1	74	9.5	
080226		1.6	13.8	87	10.4	
080227		0.8	14.2	72	10.9	
080228		0.4	17.4	65	12.8	
080229		0.5	15.9	53	12.2	
080230		1.3	14.6	50	10.7	
080231		0.6	19.1	68	17.0	
080232		0.4	16.3	51	11.8	
080233		0.2	17.3	56	14.0	
080234		2.6	16.5	56	10.6	
080235		0.9	14.0	55	9.9	
080236		0.6	15.9	80	10.8	
080237		0.5	16.0	47	10.3	
080238		0.3	15.2	50	10.6	
080239		0.3	16.2	56	13.9	
080240		0.4	16.2	61	11.3	
080241		0.5	15.0	61	11.3	
080242		0.5	15.1	66	11.5	
080243		0.3	16.2	75	13.1	
080244		0.5	14.8	82	11.0	
080245		0.3	14.6	55	10.4	
080246		0.4	15.3	57	10.4	
080247		0.6	14.4	45	14.1	
080248		0.2	12.5	43	19.1	
080249		0.2	12.2	38	23.7	
080250		0.3	24.9	69	13.6	
080251		0.6	14.9	56	14.6	
080252		0.2	13.0	28	20.5	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 6 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080253		3.73	1.10	7.58	2.5	570	0.53	0.13	3.89	0.17	18.45	17.4	16	0.99	3920	5.34
080254		2.91	0.27	7.85	1.0	520	0.58	0.03	4.00	<0.02	20.9	19.8	15	1.05	1890	5.79
080255		2.64	0.94	7.81	2.9	460	0.73	0.05	4.10	0.15	18.05	16.7	14	1.03	3230	5.12
080256		3.28	1.07	8.01	3.2	600	0.67	0.19	4.30	0.21	26.6	15.5	12	1.30	3170	5.07
080257		3.84	0.14	7.72	1.7	490	0.67	0.05	4.03	0.11	20.8	12.2	9	0.63	865	4.13
080258		3.53	0.18	7.26	1.3	410	0.69	0.02	3.27	0.06	19.80	4.2	8	0.54	907	2.66
080259		2.41	2.03	7.64	2.7	350	0.78	0.08	3.50	0.53	17.05	15.5	9	0.70	6410	3.42
080260		2.27	0.11	7.39	0.8	460	0.73	0.01	3.17	<0.02	18.90	6.7	10	0.75	507	2.51
080261		2.09	0.12	6.80	1.2	390	0.68	0.03	3.25	<0.02	18.70	5.1	11	0.69	449	1.77
080262		1.09	1.03	7.31	3.3	340	0.88	0.06	3.24	<0.02	23.2	10.7	10	0.78	2790	2.64
080263		2.49	0.97	7.67	5.9	400	0.64	0.06	4.26	0.28	12.75	21.5	11	0.87	3520	5.02
080264		2.34	0.14	8.18	0.9	490	0.51	0.06	5.46	0.08	16.90	17.7	8	0.72	506	5.26
080265		3.80	0.96	8.15	1.1	400	0.53	0.08	5.25	0.26	16.05	22.6	10	0.74	2850	5.62
080266		3.74	0.89	8.41	1.5	440	0.53	0.15	5.42	0.34	20.1	24.8	11	0.89	3400	6.04
080267		3.42	0.38	8.16	0.6	450	0.52	0.07	5.35	0.11	16.65	20.8	10	0.69	1325	5.76
080268		3.95	0.95	8.55	1.4	460	0.56	0.08	5.46	0.36	17.80	23.0	10	0.86	3720	6.04
080269		3.31	0.23	8.45	0.8	450	0.54	0.04	5.67	0.13	17.50	20.8	8	0.55	949	5.73
080270		3.09	0.44	8.39	1.1	430	0.54	0.07	5.78	0.30	16.10	21.7	10	0.68	1735	5.96
080271		3.94	0.27	8.39	1.0	470	0.59	0.04	5.51	0.14	16.00	19.7	12	0.85	751	5.58
080272		0.05	6.01	2.87	493	560	0.82	0.06	0.14	0.09	14.60	12.4	396	4.39	51.9	3.68
080273		5.06	0.68	8.48	1.0	470	0.55	0.06	5.68	0.27	17.50	23.4	10	0.73	2260	5.97
080274		7.68	0.55	7.91	1.0	430	0.66	0.12	4.02	0.19	22.2	21.6	11	1.74	2360	5.44
080275		6.41	0.21	7.97	0.3	520	0.70	0.07	3.82	0.16	19.40	16.7	13	1.79	1245	4.96
080276		6.23	0.46	7.40	1.9	450	0.62	0.10	3.78	0.31	19.05	16.5	13	1.75	1580	4.41
080277		6.83	0.42	7.99	1.9	560	0.62	0.26	4.22	0.19	18.30	17.1	10	1.64	1135	4.71
080278		7.00	0.99	7.63	1.4	440	0.74	0.40	3.57	0.35	18.65	20.3	13	2.60	2700	4.67
080279		6.46	0.24	7.90	0.9	490	0.58	0.16	3.92	0.11	18.40	16.6	12	1.97	1195	5.37
080280		7.05	0.65	8.08	0.9	450	0.60	0.28	4.11	0.18	18.70	24.1	12	1.97	2380	5.67
080281		6.86	1.31	7.52	1.9	450	0.64	0.30	3.73	0.40	17.40	26.2	13	2.33	4530	5.08
080282		6.74	0.52	7.88	0.2	450	0.61	0.19	4.08	0.24	18.75	25.6	10	1.94	2410	5.27
080283		5.70	0.54	7.78	3.9	520	0.75	0.09	3.35	0.18	19.90	11.8	7	1.23	1725	3.83
080284		6.05	1.21	7.64	1.4	490	0.64	0.23	3.62	0.49	19.20	22.6	14	2.21	4430	4.84
080285		5.84	0.32	7.48	1.0	500	0.65	0.16	3.88	0.20	19.85	19.6	14	1.76	1610	4.79
080286		6.21	0.46	7.92	0.7	400	0.69	0.06	4.28	0.17	17.90	15.1	12	1.45	2360	4.64
080287		6.34	0.32	7.85	0.8	350	0.59	0.09	3.74	0.07	21.1	26.3	16	1.41	2050	6.08
080288		6.52	0.63	7.58	0.5	380	0.64	0.08	3.89	0.13	20.6	19.8	14	1.46	2560	5.30
080289		6.80	0.19	7.76	2.0	390	0.73	0.03	4.53	0.10	18.35	12.5	12	0.86	835	4.16
080290		7.13	0.22	8.09	1.8	400	0.66	0.04	4.18	0.09	23.0	18.1	14	1.24	1290	4.73
080291		7.56	0.18	7.79	1.8	330	0.74	0.04	4.85	0.13	18.30	11.7	11	0.84	729	3.94
080292		5.97	0.45	7.98	1.6	470	0.63	0.07	4.07	0.22	20.5	21.1	12	1.28	2190	5.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 6 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080253		13.95	0.16	0.5	0.095	1.38	8.4	15.5	1.65	448	186.5	1.83	3.7	4.5	480	2.5
080254		14.20	0.19	0.5	0.024	1.24	9.8	14.8	1.70	469	351	1.99	3.7	4.4	560	2.6
080255		14.20	0.15	0.5	0.070	1.24	8.0	13.8	1.58	587	242	1.92	4.4	4.3	550	2.4
080256		15.75	0.17	0.6	0.098	1.81	11.6	13.9	1.71	648	194.0	1.96	4.7	3.9	640	3.0
080257		14.15	0.16	0.8	0.031	1.13	9.3	9.4	1.18	543	36.0	2.31	3.3	2.6	570	3.3
080258		12.90	0.12	0.8	0.012	0.72	9.1	7.2	0.69	218	13.70	2.56	3.6	1.5	540	2.7
080259		14.05	0.13	0.9	0.167	0.77	8.0	7.4	0.66	245	114.0	2.56	3.8	2.2	490	2.8
080260		15.75	0.12	0.7	0.017	0.88	8.6	8.8	0.71	271	1180	2.62	4.0	1.6	540	3.1
080261		13.35	0.11	0.8	0.018	0.73	8.8	8.2	0.64	232	1110	2.47	3.3	1.5	470	2.6
080262		12.05	0.13	0.6	0.064	0.74	10.9	9.4	0.69	252	1395	2.41	3.0	1.8	490	4.0
080263		13.95	0.16	0.6	0.034	1.14	5.7	12.6	1.38	500	92.3	1.88	3.3	4.2	480	2.9
080264		15.95	0.16	0.7	0.057	1.56	7.7	9.1	1.96	1155	8.18	1.85	3.0	4.5	540	4.6
080265		15.80	0.13	0.6	0.101	0.97	7.3	8.3	1.94	938	152.0	2.01	3.5	5.1	570	4.4
080266		16.30	0.08	0.6	0.091	1.15	9.1	8.8	1.91	897	193.0	1.97	3.3	10.8	550	9.8
080267		16.60	0.06	0.7	0.056	1.11	7.2	8.6	1.97	1070	158.5	2.09	3.3	5.5	560	5.8
080268		17.30	0.06	0.7	0.102	1.14	7.9	9.8	2.02	1030	21.2	2.11	3.6	5.0	570	4.4
080269		16.90	0.07	0.8	0.054	1.05	7.7	8.0	2.04	1110	7.74	2.25	3.2	5.0	570	4.5
080270		17.45	0.05	0.8	0.092	1.08	7.0	8.8	2.17	1185	70.9	2.21	3.5	5.2	590	8.5
080271		17.65	0.07	0.7	0.067	1.16	7.0	9.1	2.07	1080	115.5	2.25	4.0	4.3	600	5.2
080272		6.45	0.11	1.4	0.021	2.88	7.2	51.9	0.11	250	17.95	0.06	5.3	346	370	3.9
080273		17.60	0.08	0.8	0.087	1.11	7.7	8.6	2.01	1080	101.5	2.15	3.7	4.8	580	4.0
080274		15.50	0.17	0.5	0.057	1.20	9.8	10.8	1.79	778	80.5	1.90	3.1	6.6	560	5.7
080275		14.70	0.18	0.6	0.029	1.49	8.4	11.7	1.83	803	84.6	1.80	3.3	4.1	610	5.3
080276		14.60	0.15	0.6	0.052	1.30	8.4	9.1	1.70	792	85.7	1.87	3.5	4.0	570	3.0
080277		15.95	0.14	0.8	0.059	1.88	8.1	8.8	1.78	992	17.10	1.92	3.7	3.9	630	3.3
080278		14.80	0.18	0.5	0.076	1.51	8.0	12.0	1.75	849	190.5	1.88	4.2	4.1	590	2.7
080279		15.80	0.18	0.6	0.024	1.32	7.8	10.7	1.79	664	61.2	1.94	3.2	4.3	610	2.8
080280		15.45	0.19	0.6	0.045	1.36	8.3	9.8	1.83	801	51.5	1.97	3.6	4.7	610	3.6
080281		15.45	0.16	0.6	0.113	1.45	7.5	10.4	1.67	759	375	1.96	4.0	5.6	550	2.7
080282		15.40	0.17	0.6	0.058	1.31	8.2	11.2	1.80	727	66.0	1.94	3.7	4.4	620	2.6
080283		15.35	0.14	0.8	0.047	1.06	8.8	8.6	1.03	552	141.5	2.45	3.8	2.2	580	3.2
080284		14.90	0.16	0.6	0.124	1.41	8.5	11.4	1.60	685	677	2.04	3.8	3.9	540	2.6
080285		15.40	0.22	0.6	0.037	1.45	8.5	11.6	1.74	614	149.0	1.96	4.3	4.7	630	2.5
080286		15.80	0.19	0.6	0.075	1.15	7.1	10.1	1.92	685	66.5	2.23	4.6	4.2	750	3.2
080287		14.85	0.19	0.6	0.040	0.97	9.5	15.5	1.78	638	198.5	1.84	3.1	4.7	560	2.8
080288		15.10	0.19	0.5	0.057	1.20	8.7	14.2	1.81	639	831	1.87	3.6	4.2	520	3.2
080289		15.65	0.15	0.6	0.064	1.14	6.6	9.9	1.75	828	37.4	2.34	4.3	3.8	620	3.7
080290		14.70	0.20	0.6	0.031	1.18	10.6	11.8	1.80	677	92.2	2.00	4.2	3.8	580	2.8
080291		15.65	0.18	0.6	0.044	0.93	6.2	8.1	1.88	869	187.0	2.45	4.6	3.9	640	3.0
080292		14.60	0.19	0.5	0.047	1.38	8.8	11.6	1.84	596	79.9	1.97	3.6	4.2	590	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 6 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080253		29.7	0.143	2.24	1.39	19.4	3	0.9	432	0.26	0.06	2.38	0.365	0.24	0.7	170
080254		21.7	0.271	2.43	0.50	20.5	3	0.7	443	0.27	<0.05	2.76	0.387	0.22	0.7	188
080255		26.6	0.195	1.27	0.49	17.4	3	0.8	434	0.29	<0.05	2.27	0.355	0.22	0.7	156
080256		36.6	0.104	0.97	2.12	18.9	3	1.3	476	0.29	<0.05	2.43	0.393	0.35	0.6	185
080257		19.1	0.026	0.98	0.25	12.0	2	0.6	487	0.29	<0.05	2.07	0.263	0.19	0.7	126
080258		14.0	0.014	0.85	0.30	5.3	2	0.3	465	0.29	<0.05	1.73	0.161	0.11	0.5	47
080259		15.8	0.050	1.45	0.21	6.4	4	0.7	511	0.32	0.05	1.83	0.163	0.12	0.6	66
080260		18.5	0.644	0.70	0.17	5.7	2	0.5	457	0.30	<0.05	1.88	0.170	0.15	0.5	38
080261		16.9	0.559	0.38	0.34	5.8	2	0.5	434	0.29	<0.05	1.93	0.157	0.13	0.5	36
080262		18.9	0.907	0.98	0.36	5.2	3	1.8	452	0.27	<0.05	1.99	0.154	0.13	0.5	42
080263		17.5	0.050	2.08	0.75	15.9	4	0.5	447	0.27	<0.05	1.94	0.315	0.20	0.5	146
080264		22.5	0.010	0.57	0.26	23.7	1	0.8	450	0.24	<0.05	2.21	0.415	0.22	0.8	216
080265		15.3	0.099	0.86	0.22	23.2	2	0.8	481	0.25	<0.05	2.06	0.410	0.17	0.7	211
080266		22.8	0.110	1.65	1.42	26.6	1	1.0	488	0.25	<0.05	2.30	0.413	0.18	0.8	217
080267		14.0	0.066	0.72	0.39	25.6	<1	0.7	500	0.25	<0.05	2.25	0.422	0.16	0.9	224
080268		18.3	0.015	0.97	0.25	27.2	1	0.8	503	0.25	<0.05	2.69	0.433	0.18	0.9	224
080269		13.5	0.004	0.43	0.17	26.2	<1	0.9	516	0.24	<0.05	2.11	0.432	0.12	0.8	234
080270		13.1	0.057	0.51	0.16	27.7	<1	0.8	522	0.25	<0.05	1.82	0.453	0.16	0.7	241
080271		14.1	0.065	0.40	0.19	27.7	<1	0.8	510	0.28	<0.05	1.90	0.452	0.17	0.7	227
080272		92.1	0.002	1.97	107.0	5.4	21	2.8	54.4	0.30	0.05	1.09	0.229	10.85	0.5	48
080273		14.8	0.039	0.70	0.23	27.0	1	0.7	523	0.24	<0.05	2.08	0.441	0.17	0.7	236
080274		24.5	0.050	1.50	0.70	22.9	3	0.8	430	0.24	0.06	2.29	0.377	0.24	0.8	160
080275		31.3	0.041	1.16	0.37	20.7	3	0.8	419	0.26	0.07	2.53	0.374	0.30	0.8	167
080276		27.6	0.055	0.62	0.36	22.2	2	0.8	401	0.28	0.10	2.45	0.387	0.27	0.9	166
080277		35.8	0.014	0.51	0.97	21.2	3	1.0	444	0.29	0.07	2.28	0.407	0.37	0.8	163
080278		34.1	0.116	1.26	0.44	19.7	3	1.0	414	0.30	0.13	2.27	0.369	0.31	0.8	144
080279		23.2	0.073	1.52	0.16	23.0	2	0.7	471	0.24	0.08	2.30	0.396	0.25	0.8	201
080280		29.5	0.068	1.84	0.42	22.6	3	0.7	433	0.27	0.05	2.53	0.399	0.23	0.8	170
080281		32.9	0.213	1.22	0.76	23.0	6	1.0	411	0.26	0.09	2.34	0.395	0.30	0.7	162
080282		28.1	0.038	1.28	0.56	22.4	3	0.7	502	0.28	0.08	2.19	0.408	0.23	0.8	176
080283		23.3	0.083	0.71	0.33	10.0	2	0.8	486	0.29	0.06	1.91	0.233	0.20	0.7	82
080284		34.6	0.483	0.89	0.54	20.7	4	1.0	410	0.27	0.11	2.35	0.374	0.27	0.6	152
080285		29.3	0.138	1.12	0.68	22.2	2	0.8	430	0.33	0.12	2.55	0.384	0.25	0.8	143
080286		21.2	0.071	1.08	0.22	21.8	2	1.5	438	0.32	<0.05	2.18	0.408	0.20	0.7	153
080287		24.0	0.187	2.40	0.50	20.9	4	0.7	405	0.24	0.07	2.79	0.354	0.18	0.8	135
080288		21.4	0.718	1.57	0.49	21.0	3	0.8	415	0.24	<0.05	2.22	0.374	0.25	0.7	139
080289		16.3	0.035	0.36	0.27	19.2	1	1.0	455	0.29	<0.05	1.98	0.404	0.22	0.9	157
080290		26.5	0.064	1.16	0.39	20.5	2	0.8	418	0.29	<0.05	2.75	0.392	0.20	0.7	136
080291		13.0	0.135	0.44	0.19	20.9	2	0.8	445	0.32	<0.05	2.19	0.429	0.15	0.6	151
080292		30.0	0.065	1.80	0.46	21.3	4	0.7	429	0.24	0.05	2.46	0.384	0.24	0.7	155



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 6 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080253		1.1	15.4	43	10.0	
080254		0.5	15.3	39	9.8	
080255		0.7	15.3	50	11.0	
080256		1.0	17.3	56	10.6	
080257		0.4	12.9	38	19.3	
080258		0.3	9.2	21	22.9	
080259		0.5	9.6	44	23.9	
080260		0.1	9.3	22	19.1	
080261		0.4	9.0	15	19.4	
080262		0.5	10.2	38	18.1	
080263		0.5	10.9	45	13.9	
080264		1.0	15.5	75	12.5	
080265		0.5	14.8	82	11.6	
080266		0.4	17.3	84	12.1	
080267		0.5	15.5	73	13.3	
080268		0.4	16.2	89	12.4	
080269		0.3	15.9	70	15.2	
080270		0.4	15.7	91	14.7	
080271		0.4	15.5	77	12.7	
080272		10.4	8.8	40	55.8	
080273		0.6	16.4	83	13.5	
080274		0.9	15.3	58	10.4	
080275		1.5	15.7	61	9.8	
080276		0.5	16.4	62	10.4	
080277		2.1	15.5	73	12.2	
080278		4.2	15.3	85	10.4	
080279		0.7	14.7	42	10.2	
080280		0.9	15.3	56	10.8	
080281		2.2	13.1	80	11.0	
080282		0.7	15.0	59	11.4	
080283		0.3	10.7	50	20.2	
080284		1.7	13.9	83	11.2	
080285		2.3	16.5	48	11.2	
080286		0.6	15.9	56	10.2	
080287		1.1	15.1	39	10.1	
080288		0.6	16.7	50	10.4	
080289		0.7	17.1	56	11.4	
080290		0.6	15.4	51	9.7	
080291		0.5	20.0	48	11.0	
080292		0.5	16.8	50	9.6	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 7 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080293		6.86	0.63	8.07	1.6	510	0.77	0.11	4.02	0.23	15.00	18.3	11	1.41	2080	5.09
080294		4.97	1.17	7.86	1.9	390	0.61	1.44	3.79	0.35	19.80	20.4	13	1.57	3200	5.27
080295		9.78	0.34	8.11	0.9	500	0.60	0.09	4.11	0.11	17.95	28.5	14	1.38	2430	6.36
080296		4.31	1.46	8.20	2.3	510	0.64	0.12	3.91	0.57	15.30	22.5	13	2.11	5210	5.65
080297		6.81	0.38	8.40	1.7	510	0.64	0.03	4.22	0.10	19.35	19.6	16	1.34	2170	6.10
080298		7.51	0.26	8.31	2.2	460	0.68	0.03	4.24	0.05	18.45	24.6	12	0.95	1900	6.36
080299		6.48	0.42	8.39	0.9	530	0.69	0.04	4.35	0.19	16.50	21.6	12	1.49	2050	5.95
080300		6.35	0.64	7.75	0.9	440	0.60	0.09	4.01	0.23	17.55	17.7	15	1.30	3120	5.21
080501		7.49	0.15	7.62	0.8	410	0.59	0.03	4.05	0.09	16.20	20.3	16	0.92	1590	5.63
080502		6.54	0.30	8.06	1.2	420	0.65	0.02	4.19	0.09	17.10	20.4	15	1.07	1855	5.93
080503		7.35	0.44	8.50	1.6	460	0.75	0.06	4.49	0.14	15.10	24.4	12	1.51	1945	6.49
080504		6.87	0.37	8.42	2.0	450	0.73	0.05	4.46	0.16	16.05	19.3	13	1.20	1495	5.76
080505		7.65	0.45	8.37	3.0	530	0.85	0.06	4.10	0.35	13.35	27.8	11	1.40	2650	5.83
080506		7.18	1.17	8.06	2.2	570	0.73	0.12	4.11	0.55	16.25	18.1	15	1.56	3930	5.15
080507		6.02	1.84	8.16	1.6	570	0.68	0.11	3.99	0.80	18.55	20.6	14	1.77	4620	4.99
080508		5.26	0.82	8.42	2.3	520	0.63	0.07	4.22	0.38	20.9	22.4	12	1.77	4020	6.02
080509		7.60	0.80	8.04	2.4	520	0.59	0.16	4.68	0.36	26.4	19.6	16	1.82	3220	5.20
080510		6.99	0.48	7.94	0.6	470	0.60	0.06	4.85	0.16	19.30	18.6	13	1.47	1825	5.31
080511		7.75	0.50	7.49	1.6	450	0.55	0.08	4.52	0.21	20.2	19.5	16	1.57	2080	5.12
080512		7.69	0.52	8.06	1.7	510	0.60	0.07	4.75	0.18	19.90	18.3	15	1.47	2190	5.22
080513		0.04	5.40	2.82	470	550	0.81	0.09	0.14	0.05	14.60	12.5	433	4.39	50.7	3.64
080514		5.75	0.87	7.93	1.2	470	0.54	0.15	5.16	0.15	18.35	21.8	13	1.12	2010	5.50
080515		3.73	0.61	8.09	0.4	470	0.55	0.11	5.50	0.34	17.55	22.0	10	0.80	1830	5.64
080516		3.99	1.59	7.87	0.7	470	0.54	0.25	5.07	1.08	17.45	25.8	11	1.04	7800	5.85
080517		4.70	0.76	7.89	0.9	450	0.61	0.12	5.00	0.28	20.2	18.7	13	1.16	2310	5.05
080518		4.00	0.49	7.74	0.6	480	0.53	0.09	4.99	0.29	17.55	18.9	14	0.74	1650	5.12
080519		7.31	1.10	7.80	1.4	510	0.57	0.08	4.87	0.27	19.15	20.5	15	1.95	2930	5.40
080520		6.91	0.20	7.75	1.1	480	0.54	0.03	4.88	0.10	17.45	17.0	13	1.39	1325	5.48
080521		7.25	1.02	7.81	1.7	430	0.63	0.08	4.54	0.28	18.70	22.3	14	1.77	2710	5.03
080522		7.77	0.93	7.42	1.6	420	0.54	0.12	4.62	0.33	19.50	23.1	15	2.22	4120	5.39
080523		7.21	2.03	8.29	1.0	420	0.63	0.10	4.96	0.22	19.25	22.5	17	2.15	4060	5.86
080524		7.54	0.54	7.82	1.1	450	0.59	0.06	4.59	0.18	19.10	20.1	17	1.94	2310	5.17
080525		0.73	<0.01	7.57	0.5	840	0.96	0.01	2.40	<0.02	23.1	4.8	14	1.01	10.4	2.37
080526		7.47	1.29	7.62	1.4	420	0.56	0.16	4.68	0.40	18.75	26.8	15	1.97	5500	5.94
080527		7.97	1.39	7.79	1.3	460	0.56	0.14	4.64	0.45	18.25	26.8	17	2.23	5370	5.64
080528		7.18	0.58	8.39	0.8	460	0.68	0.08	4.93	0.22	18.75	21.0	14	1.85	2360	5.19
080529		7.44	0.98	7.74	1.5	460	0.68	0.09	4.29	0.31	33.6	21.7	14	1.96	4280	5.30
080530		7.61	0.53	7.85	1.0	410	0.63	0.08	4.78	0.18	19.70	24.0	14	1.80	3080	5.38
080531		7.35	0.43	7.65	0.9	440	0.59	0.07	4.79	0.22	18.45	19.4	14	1.49	2050	5.07
080532		7.26	1.15	7.54	0.8	460	0.56	0.12	4.50	0.39	19.45	25.6	14	1.93	4190	5.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 7 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080293		16.15	0.16	0.5	0.073	1.60	6.1	11.0	1.74	725	124.5	2.23	4.9	4.6	580	3.0
080294		14.30	0.16	0.5	0.075	1.39	8.8	14.0	1.71	769	49.2	1.80	3.3	4.3	540	5.9
080295		15.65	0.17	0.5	0.052	1.24	7.8	13.6	1.87	634	63.5	2.11	3.5	4.8	620	3.0
080296		16.05	0.19	0.5	0.132	1.64	6.8	13.0	1.89	678	134.5	2.07	4.1	4.3	620	2.4
080297		15.40	0.16	0.6	0.048	1.14	8.5	17.4	1.90	795	337	2.03	3.4	4.4	630	2.9
080298		14.90	0.18	0.6	0.045	1.13	8.0	16.0	1.92	708	183.0	2.08	3.7	4.8	580	3.5
080299		17.80	0.20	0.7	0.066	1.38	7.3	12.6	1.93	712	7.80	2.36	5.1	5.2	690	2.9
080300		14.50	0.14	0.5	0.099	1.18	7.9	11.6	1.74	692	24.1	2.01	3.4	4.5	560	2.6
080501		14.30	0.18	0.4	0.028	1.01	7.1	15.9	1.79	675	29.8	1.98	2.8	4.8	580	2.8
080502		15.65	0.17	0.5	0.053	1.15	7.5	14.4	1.88	642	120.0	2.04	4.0	4.2	610	2.7
080503		16.95	0.21	0.6	0.070	1.27	6.5	11.2	1.90	737	19.40	2.10	6.9	4.2	760	2.8
080504		16.55	0.20	0.6	0.078	1.14	6.6	9.0	1.82	777	10.85	2.35	5.2	4.4	670	3.0
080505		16.45	0.18	0.6	0.063	1.40	5.7	13.0	2.04	671	9.47	2.22	7.5	6.3	730	3.0
080506		16.20	0.18	0.6	0.095	1.80	7.1	11.6	1.83	828	29.6	2.12	4.7	4.9	690	4.1
080507		15.80	0.19	0.5	0.114	1.64	8.0	12.7	1.83	771	77.3	2.19	4.0	4.6	630	3.0
080508		15.50	0.21	0.6	0.065	1.30	9.6	14.3	1.90	662	49.1	2.10	3.4	4.7	620	2.5
080509		15.60	0.20	0.6	0.074	1.66	11.3	14.5	1.81	649	52.1	2.01	3.6	4.7	600	2.6
080510		15.45	0.07	0.6	0.069	1.20	8.5	11.0	1.75	892	14.15	2.16	3.7	4.7	600	3.8
080511		14.95	0.06	0.6	0.055	1.32	8.8	11.9	1.67	678	106.5	1.93	3.5	3.9	540	2.6
080512		15.05	0.07	0.6	0.067	1.42	8.7	11.2	1.71	836	108.5	2.08	3.5	4.3	570	3.1
080513		6.06	0.10	1.3	0.020	2.79	7.1	51.3	0.12	241	15.70	0.06	5.1	344	350	3.8
080514		15.20	0.05	0.7	0.106	1.22	8.2	7.5	1.86	990	1505	1.98	3.4	4.6	520	3.3
080515		16.00	<0.05	0.7	0.097	1.20	7.6	6.6	1.95	1060	7.94	2.13	3.4	4.5	530	3.7
080516		15.10	0.08	0.7	0.299	1.24	7.7	7.8	1.83	955	110.5	1.94	3.3	4.5	490	3.1
080517		14.60	0.06	0.7	0.108	1.28	9.1	9.4	1.79	938	722	1.81	3.7	4.0	440	3.4
080518		15.00	0.05	0.7	0.093	1.27	7.5	7.1	1.76	932	44.5	2.04	3.5	4.5	490	3.4
080519		16.25	0.06	0.6	0.096	1.40	8.2	12.9	1.82	796	65.7	2.02	3.7	4.6	560	3.2
080520		15.35	0.06	0.6	0.037	1.15	7.4	12.7	1.78	713	17.75	2.04	3.4	4.1	600	2.8
080521		15.80	0.06	0.6	0.071	1.18	8.0	11.5	1.65	756	20.5	2.27	4.4	4.3	620	2.7
080522		14.25	0.07	0.4	0.111	1.37	8.3	13.0	1.61	570	178.0	1.95	3.3	4.3	530	2.5
080523		14.25	0.06	0.6	0.101	1.30	8.4	13.8	1.85	723	118.5	2.03	3.4	4.7	580	2.2
080524		13.55	0.05	0.5	0.067	1.48	8.3	13.6	1.82	778	46.3	1.84	3.4	4.1	530	2.7
080525		13.85	<0.05	0.5	0.016	1.75	11.6	5.8	0.56	667	1.34	2.99	5.5	1.9	420	5.6
080526		13.90	0.06	0.5	0.144	1.27	8.4	13.3	1.72	697	267	1.83	3.3	4.5	520	2.4
080527		14.55	0.05	0.5	0.146	1.44	8.1	12.9	1.76	713	199.0	1.95	3.6	4.2	560	2.2
080528		15.90	0.05	0.6	0.083	1.32	8.0	10.8	1.86	832	68.9	2.25	4.7	3.8	680	2.4
080529		14.85	0.09	0.5	0.093	1.31	15.8	11.9	1.75	690	115.0	2.16	4.6	4.3	640	2.2
080530		14.70	0.06	0.5	0.068	1.14	8.5	12.8	1.77	741	246	2.05	3.9	4.2	520	2.3
080531		15.15	0.05	0.6	0.078	1.17	7.9	11.0	1.74	800	45.5	2.09	3.9	4.0	520	2.6
080532		14.05	0.06	0.5	0.119	1.33	8.3	11.4	1.74	706	213	1.98	3.7	4.2	530	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 7 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080293		31.0	0.067	1.12	0.70	20.8	4	0.9	427	0.37	0.05	2.27	0.407	0.27	0.6	143
080294		35.3	0.039	1.76	0.91	22.0	5	0.7	394	0.24	0.08	2.84	0.371	0.28	0.8	140
080295		22.1	0.050	2.39	0.21	24.4	5	0.8	452	0.25	<0.05	2.53	0.404	0.21	0.7	184
080296		37.8	0.098	1.28	0.47	24.4	4	1.0	420	0.27	0.12	2.28	0.420	0.32	0.5	158
080297		19.6	0.258	1.86	0.18	21.5	2	0.7	480	0.27	<0.05	2.85	0.418	0.19	0.8	176
080298		20.4	0.146	2.26	0.25	21.0	5	0.7	448	0.28	0.07	2.53	0.402	0.16	0.6	158
080299		25.1	0.005	1.28	0.22	24.8	3	0.8	469	0.36	<0.05	2.31	0.450	0.23	0.7	187
080300		27.4	0.015	0.87	0.28	21.9	3	0.7	419	0.25	<0.05	2.45	0.390	0.21	0.7	169
080501		13.7	0.030	1.80	0.14	20.4	3	0.6	438	0.21	<0.05	2.07	0.359	0.15	0.6	155
080502		18.3	0.130	1.75	0.22	21.8	4	0.7	432	0.25	0.06	2.50	0.409	0.16	0.7	157
080503		28.2	0.011	1.56	0.41	22.2	5	0.9	491	0.45	0.05	2.43	0.416	0.21	0.7	153
080504		21.3	0.012	1.18	0.23	22.6	3	0.8	446	0.32	0.08	3.16	0.414	0.17	0.8	166
080505		26.0	0.004	1.81	0.33	22.0	5	0.9	410	0.49	0.06	2.63	0.428	0.22	0.7	141
080506		37.8	0.019	0.85	0.51	19.6	3	1.0	450	0.31	<0.05	2.07	0.418	0.30	0.7	156
080507		38.0	0.037	0.90	0.58	21.3	4	0.9	453	0.29	0.06	2.39	0.418	0.30	0.6	168
080508		33.4	0.038	2.12	0.35	21.5	4	0.7	476	0.23	0.06	2.42	0.404	0.21	0.7	171
080509		40.0	0.028	1.56	0.86	21.9	3	0.8	463	0.29	0.06	2.70	0.410	0.32	0.7	184
080510		26.6	0.007	0.66	0.15	22.6	3	0.8	503	0.27	<0.05	2.41	0.390	0.21	0.7	185
080511		30.6	0.070	1.42	0.41	23.3	5	0.8	430	0.27	<0.05	2.74	0.368	0.25	0.8	183
080512		32.5	0.050	1.09	0.30	21.2	4	0.8	477	0.26	<0.05	2.47	0.380	0.25	0.7	180
080513		89.9	0.003	1.92	102.5	5.5	21	3.2	53.0	0.29	<0.05	1.06	0.221	11.15	0.5	48
080514		21.8	2.20	0.87	0.45	25.9	2	0.9	454	0.27	<0.05	2.50	0.406	0.22	0.9	211
080515		16.0	0.011	0.54	0.24	26.4	1	0.7	479	0.25	<0.05	2.05	0.432	0.18	0.7	233
080516		21.6	0.148	1.35	0.49	25.3	4	1.0	447	0.26	<0.05	2.32	0.403	0.20	0.8	211
080517		25.8	0.755	0.80	0.27	23.2	2	0.8	424	0.26	<0.05	2.75	0.391	0.24	0.8	192
080518		17.7	0.024	0.47	0.19	23.9	1	0.7	443	0.30	<0.05	2.69	0.401	0.19	1.1	210
080519		31.3	0.040	1.22	0.39	26.0	4	0.9	458	0.26	<0.05	2.53	0.402	0.29	0.7	207
080520		17.0	0.010	1.56	0.16	24.4	3	0.7	472	0.26	<0.05	2.28	0.402	0.22	0.7	201
080521		25.3	0.012	1.05	0.30	22.9	4	0.8	513	0.32	<0.05	2.82	0.378	0.22	0.8	158
080522		30.7	0.129	2.12	0.72	21.0	4	1.0	436	0.25	<0.05	2.34	0.358	0.28	0.6	164
080523		30.7	0.074	1.73	0.40	22.9	3	0.9	463	0.26	<0.05	2.32	0.394	0.26	0.6	178
080524		35.0	0.034	1.41	0.28	20.7	2	0.9	426	0.25	<0.05	2.86	0.380	0.28	0.7	172
080525		33.9	<0.002	0.01	<0.05	4.7	1	0.6	350	0.43	<0.05	3.39	0.162	0.23	0.9	38
080526		26.9	0.173	2.07	0.80	22.2	4	0.9	440	0.25	0.06	2.38	0.369	0.26	0.6	172
080527		31.3	0.100	1.42	0.56	22.9	3	1.0	443	0.27	0.05	2.66	0.384	0.29	0.6	193
080528		26.1	0.030	0.91	0.38	23.8	2	0.9	455	0.33	<0.05	2.55	0.415	0.25	0.6	183
080529		30.1	0.066	1.59	0.44	24.2	4	0.9	456	0.34	<0.05	3.49	0.395	0.25	0.6	157
080530		24.7	0.188	1.56	0.25	25.6	3	0.8	445	0.27	<0.05	2.56	0.393	0.22	0.6	174
080531		25.5	0.027	1.05	0.31	22.8	2	0.9	440	0.27	<0.05	2.40	0.384	0.21	0.7	178
080532		31.2	0.116	1.69	0.48	23.2	4	0.9	439	0.25	0.05	2.32	0.384	0.26	0.5	172



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Cu-OG62
		W	Y	Zn	Zr	Cu
		ppm	ppm	ppm	ppm	%
		0.1	0.1	2	0.5	0.001
080293		0.5	13.2	65	9.6	
080294		1.4	14.5	71	9.2	
080295		0.6	14.6	50	9.0	
080296		0.8	13.0	86	9.0	
080297		0.7	14.0	52	10.4	
080298		0.4	15.1	53	10.3	
080299		0.3	15.5	58	12.1	
080300		0.3	14.6	63	9.3	
080501		0.5	12.8	43	8.6	
080502		0.5	14.2	48	9.9	
080503		0.4	14.3	59	9.5	
080504		0.4	14.1	58	10.1	
080505		0.5	13.1	65	10.1	
080506		0.8	13.6	87	9.7	
080507		0.5	13.1	91	10.3	
080508		0.7	15.8	62	9.5	
080509		0.7	17.2	58	10.0	
080510		0.4	17.5	63	11.1	
080511		0.5	16.3	52	13.8	
080512		0.5	17.1	61	10.6	
080513		9.6	8.7	38	61.3	
080514		0.7	16.7	79	12.1	
080515		0.3	17.0	82	13.2	
080516		0.4	16.6	98	11.8	
080517		0.6	16.1	79	11.9	
080518		0.4	16.7	68	13.5	
080519		1.5	17.1	65	10.3	
080520		0.3	16.8	50	11.1	
080521		0.6	16.7	64	12.1	
080522		0.8	15.7	57	8.2	
080523		1.4	16.9	56	10.6	
080524		0.7	16.6	63	8.7	
080525		0.1	8.6	35	12.9	
080526		0.8	16.0	64	8.6	
080527		0.7	15.9	72	9.1	
080528		0.4	16.5	65	9.9	
080529		0.6	18.0	67	8.5	
080530		0.5	17.1	55	9.4	
080531		0.5	16.9	64	10.6	
080532		0.5	17.3	71	9.6	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: **HOMEGOLD RESOURCES LTD.**
UNIT 5, 2330 TYNER ST.
PORT COQUITLAM BC V3C 2Z1

Page: 8 - A
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %
		0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
080533		7.68	1.15	7.46	1.1	440	0.54	0.12	4.54	0.32	21.3	24.3	16	2.10	4180	5.30
080534		7.91	0.57	7.86	0.7	470	0.57	0.06	4.81	0.16	18.80	22.7	15	1.73	2860	5.59
080535		8.02	0.26	8.34	1.1	470	0.57	0.05	4.98	0.08	22.6	19.7	16	1.53	1655	5.74
080536		7.16	0.53	7.98	1.3	470	0.65	0.06	4.82	0.15	20.5	18.2	17	1.57	1825	5.22
080537		7.10	1.05	7.83	1.2	510	0.70	0.08	4.37	0.27	16.20	18.9	16	1.96	4120	5.22
080538		5.01	1.12	7.71	0.9	470	0.58	0.11	4.54	0.26	16.95	18.5	15	1.90	3730	4.96
080539		0.05	5.40	2.84	471	550	0.82	0.08	0.14	0.07	14.50	12.0	436	4.43	52.3	3.67

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 8 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
080533		13.75	0.06	0.5	0.102	1.37	9.5	12.6	1.65	632	332	1.86	3.6	4.3	510	2.5
080534		15.20	0.08	0.5	0.075	1.23	8.0	13.0	1.77	703	130.5	2.06	3.5	4.3	570	2.3
080535		15.35	0.06	0.6	0.037	1.23	11.0	12.9	1.84	777	100.0	2.09	3.5	4.4	580	2.5
080536		15.05	0.06	0.6	0.086	1.44	9.1	12.7	1.84	855	36.9	2.02	3.9	4.3	570	2.4
080537		15.40	0.06	0.6	0.094	1.46	6.9	15.2	1.81	703	48.2	2.07	4.3	4.7	610	2.3
080538		14.45	0.05	0.5	0.111	1.35	7.2	13.7	1.79	767	34.4	2.02	3.7	4.3	560	2.4
080539		5.83	0.11	1.3	0.026	2.83	7.1	52.2	0.12	248	15.80	0.06	5.0	343	350	3.7

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
080533		36.4	0.196	2.03	0.55	22.5	4	1.0	414	0.25	<0.05	2.51	0.370	0.27	0.6	156
080534		23.0	0.094	1.84	0.16	25.1	3	0.8	470	0.26	<0.05	2.28	0.398	0.22	0.6	195
080535		28.6	0.081	1.75	0.16	24.5	3	0.7	470	0.27	<0.05	3.19	0.394	0.21	0.8	192
080536		35.1	0.029	0.79	0.27	20.7	2	1.0	431	0.26	<0.05	2.82	0.386	0.28	0.6	179
080537		31.5	0.039	1.10	0.27	22.4	3	1.0	421	0.28	<0.05	2.14	0.403	0.30	0.5	180
080538		29.5	0.019	0.85	0.43	22.2	3	1.0	424	0.26	<0.05	2.41	0.393	0.26	0.5	185
080539		89.0	0.002	1.92	103.0	5.3	21	3.0	52.8	0.29	<0.05	1.10	0.226	11.05	0.5	49

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001
080533		0.8	17.3	64	9.0	
080534		0.5	16.6	55	9.8	
080535		0.3	18.0	51	10.8	
080536		1.3	17.7	58	10.3	
080537		3.5	15.2	62	10.0	
080538		1.0	15.9	66	9.2	
080539		9.5	8.6	39	55.0	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 604 984 0221 Fax: +1 604 984 0218
 www.alsglobal.com/geochemistry

To: HOMEGOLD RESOURCES LTD.
 UNIT 5, 2330 TYNER ST.
 PORT COQUITLAM BC V3C 2Z1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 19-JAN-2024
 Account: MWE

Project: Redonda Project

CERTIFICATE OF ANALYSIS KL23364380

CERTIFICATE COMMENTS									
	ANALYTICAL COMMENTS								
Applies to Method:	REEs may not be totally soluble in this method. ME-MS61								
	LABORATORY ADDRESSES								
Applies to Method:	<p>Processed at ALS Kamloops located at 2953 Shuswap Drive, Kamloops, BC, Canada.</p> <table border="0"> <tr> <td>CRU-31</td> <td>CRU-QC</td> <td>LOG-21</td> <td>LOG-23</td> </tr> <tr> <td>PUL-31</td> <td>PUL-QC</td> <td>SPL-21</td> <td>WEI-21</td> </tr> </table>	CRU-31	CRU-QC	LOG-21	LOG-23	PUL-31	PUL-QC	SPL-21	WEI-21
CRU-31	CRU-QC	LOG-21	LOG-23						
PUL-31	PUL-QC	SPL-21	WEI-21						
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table border="0"> <tr> <td>Cu-OG62</td> <td>ME-MS61</td> <td>ME-OG62</td> </tr> </table>	Cu-OG62	ME-MS61	ME-OG62					
Cu-OG62	ME-MS61	ME-OG62							

Redonda 2023 XRF Results

All Results in %

Sample #	Reading	Mg	Mg +/-	Al	Al +/-	Si	Si +/-	P	P +/-	S	S +/-	Cl	Cl +/-	K	K +/-	Ca	Ca +/-
1	#2	ND		4.28	0.08	16.37	0.13	0.3517	0.0231	ND		ND		1.2844	0.0106	5.3864	0.0401
2	#3	1.61	0.38	8.26	0.11	12.04	0.11	1.0034	0.0274	0.0583	0.0033	ND		0.8594	0.0084	3.3471	0.0284
3	#3	ND		6.72	0.09	17.32	0.13	0.2756	0.0272	ND		ND		0.1751	0.0039	11.65	0.08
4	#4	1.85	0.39	4.65	0.09	14.15	0.13	0.2963	0.0229	ND		ND		1.9949	0.0182	4.79	0.0422
5	#5	ND		5.49	0.08	15.66	0.12	0.3766	0.0238	ND		ND		0.4221	0.0052	4.0194	0.0313
6	#6	ND		5.16	0.08	9.07	0.08	0.2031	0.0208	ND		ND		0.2347	0.0037	6.84	0.06
7	#7	ND		1.94	0.05	31.47	0.17	ND		0.018	0.0033	ND		0.2079	0.0041	0.6023	0.0063
8	#8	1.3	0.31	5.31	0.08	12.11	0.1	0.2995	0.0175	ND		ND		0.3705	0.0043	1.69	0.0141
2 old core	#2	ND		4.92	0.08	19.19	0.13	0.2008	0.0234	0.0472	0.0033	ND		0.452	0.005	5.6599	0.038
3 old core	#3	ND		4.55	0.07	21.5	0.14	0.8159	0.0265	0.1656	0.0038	ND		0.7648	0.0065	4.7765	0.0307
4 old core	#4	ND		4.64	0.08	21.82	0.15	0.4304	0.0263	0.082	0.0038	ND		0.7686	0.007	5.1725	0.0348
5 old core	#5	ND		4.74	0.08	18.71	0.13	0.4187	0.0225	0.0662	0.0032	ND		1.5778	0.0121	3.7555	0.027
6 old core	#6	ND		4.35	0.08	13.05	0.1	0.3519	0.0219	2.0989	0.0171	ND		0.9425	0.0083	3.9573	0.0299
7 old core	#7	1.17	0.31	5.43	0.08	17.85	0.13	0.6244	0.0242	0.1102	0.0033	ND		1.9961	0.0155	6.1646	0.0454
8 old core	#8	1.11	0.35	5.17	0.08	15.74	0.13	0.2414	0.0224	ND		ND		1.3796	0.0124	5.5302	0.0459
	#2	ND		3.98	0.08	18.12	0.14	0.1214	0.027	0.6624	0.0077	ND		0.1518	0.0041	7.81	0.06
	#3	ND		5.67	0.07	26.17	0.15	0.1616	0.0235	0.3602	0.005	ND		0.5862	0.0057	4.839	0.0292
	#4	ND		3.18	0.07	17.35	0.13	0.2216	0.0243	0.5369	0.0066	ND		0.5414	0.0059	4.6601	0.0349
Box 6	#2	ND		1.51	0.05	10.36	0.09	0.2835	0.0172	7.8	0.07	ND		ND		0.2105	0.004
Box 5	#3	ND		5.4	0.09	12.06	0.11	ND		ND		ND		0.1914	0.0045	6.78	0.06
Box 12	#4	ND		3.42	0.06	19.3	0.14	0.1026	0.0239	6.8932	0.0487	ND		0.0581	0.0039	8.57	0.06
Box 12	#5	ND		1.38	0.06	9.17	0.1	0.0961	0.017	ND		ND		0.8008	0.0089	1.3941	0.0146
Box 6 25.91m	#6	ND		4.92	0.07	20.31	0.13	0.1142	0.0199	1.7896	0.0133	ND		0.8515	0.0071	4.8055	0.0317
60.5m	#7	ND		2.8	0.06	12	0.1	0.1838	0.0215	1.748	0.0157	ND		0.5184	0.0057	7.79	0.06
60.5m	#8	ND		4.98	0.07	16.78	0.11	0.1004	0.0184	0.3288	0.0042	ND		0.9522	0.0075	5.4045	0.0358
Just before 60.5m	#9	ND		3.34	0.06	12.06	0.1	0.2152	0.0205	0.918	0.0086	ND		0.65	0.0062	7.87	0.06
Hole 2 10.75m	#2	ND		3.92	0.07	15.04	0.11	0.1782	0.0184	0.4727	0.0053	ND		1.2889	0.0101	3.1336	0.023
2nd 10.75m	#3	ND		4.51	0.07	18.36	0.12	0.0787	0.0185	0.2537	0.004	ND		1.6723	0.0119	3.4664	0.0234
Hole 2 4.75m	#4	ND		2.03	0.06	10.03	0.09	0.1976	0.0192	7.59	0.07	ND		0.3055	0.0046	0.8226	0.0088
2nd 4.75m	#5	ND		3.91	0.07	14.93	0.11	0.105	0.0175	3.277	0.0241	ND		0.4041	0.0044	3.1368	0.0228
Box 3	#6	ND		2.12	0.07	7.11	0.07	0.8191	0.0249	8.47	0.08	ND		0.6059	0.0072	1.4	0.0143
	#7	ND		2.65	0.08	9.56	0.1	0.6365	0.0284	0.5879	0.0082	ND		0.7956	0.0094	3.0719	0.0314
Box 14 Hole 1	#8	3.53	0.34	4.19	0.07	12.78	0.11	0.8181	0.0242	0.0265	0.0026	ND		0.41	0.0047	5.5132	0.0436
Hole 2 76.25m Box 22	#2	1.87	0.35	2.94	0.06	6.81	0.07	0.3358	0.0168	2.6962	0.0278	ND		0.3828	0.0049	2.4924	0.0256
	#3	ND		4.5	0.08	18.11	0.14	0.1764	0.023	0.1869	0.0043	ND		3.0044	0.0226	4.0279	0.0303

Ti	Ti +/-	V	V +/-	Cr	Cr +/-	Mn	Mn +/-	Fe	Fe +/-	Co	Co +/-	Ni	Ni +/-	Cu	Cu +/-	Zn	Zn +/-	As	As +/-
0.5114	0.0232	0.0318	0.0085	ND		0.1429	0.0061	6.44	0.05	ND		ND		0.0177	0.0013	0.0075	0.0007	ND	
0.1953	0.0171	ND		ND		0.1583	0.0061	6.01	0.06	ND		ND		0.0776	0.0023	0.007	0.0007	ND	
0.4355	0.0246	0.0386	0.0096	ND		0.1286	0.0064	6.81	0.06	ND		ND		0.0144	0.0013	0.0111	0.0009	ND	
0.5973	0.0257	ND		ND		0.1377	0.0063	6.68	0.07	ND		ND		0.0322	0.0017	0.0153	0.001	ND	
0.406	0.022	0.0296	0.0084	ND		0.1879	0.0069	5.1089	0.0468	ND		ND		0.0239	0.0014	0.01	0.0008	ND	
ND		ND		ND		0.299	0.0083	10.74	0.1	ND		ND		0.0485	0.0021	0.0324	0.0014	0.0026	0.0004
0.0956	0.0158	ND		ND		ND		0.3669	0.0077	ND		ND		0.003	0.0006	0.0015	0.0004	ND	
0.32	0.0169	0.0321	0.0066	ND		0.2266	0.0064	5.99	0.05	ND		ND		0.0275	0.0013	0.0249	0.001	ND	
0.1681	0.0178	ND		ND		0.044	0.0039	2.1503	0.0228	ND		ND		ND		0.0028	0.0005	ND	
0.1866	0.0177	0.0283	0.0079	ND		0.0716	0.0045	2.818	0.0263	ND		ND		0.0077	0.0009	0.0043	0.0005	ND	
0.1427	0.018	0.035	0.0086	ND		0.0621	0.0045	2.3282	0.0245	ND		ND		0.0031	0.0008	0.0047	0.0006	ND	
0.3442	0.0201	0.0374	0.0081	ND		0.1159	0.0054	6.0498	0.0498	ND		ND		0.048	0.0018	0.0112	0.0008	ND	
0.1872	0.0172	ND		ND		0.1293	0.0056	4.171	0.0383	ND		ND		0.0477	0.0018	0.0162	0.0009	ND	
0.5272	0.0232	0.0324	0.0084	ND		0.1625	0.0063	6.64	0.06	ND		ND		0.0112	0.0011	0.0156	0.0009	ND	
0.4406	0.0226	0.0269	0.0084	ND		0.136	0.0061	6.95	0.06	ND		ND		0.1431	0.0034	0.018	0.0011	ND	
0.1489	0.0197	ND		ND		0.0408	0.0043	2.3188	0.027	ND		ND		0.0046	0.0009	0.0037	0.0006	ND	
0.2785	0.0205	0.0261	0.0085	ND		0.0238	0.0034	1.8935	0.0202	ND		ND		0.0129	0.001	0.0015	0.0004	ND	
0.1371	0.0179	ND		ND		0.0214	0.0034	2.0921	0.0239	ND		ND		0.0472	0.0018	0.0021	0.0005	ND	
ND		ND		ND		0.0524	0.0042	16.85	0.14	ND		ND		14.66	0.13	ND		ND	
0.1828	0.0207	ND		ND		0.0403	0.0044	2.397	0.0296	ND		ND		0.1285	0.0032	0.0051	0.0008	ND	
0.1661	0.0196	ND		ND		0.0303	0.0042	9.36	0.07	ND		ND		0.0834	0.0028	0.0023	0.0007	ND	
0.4173	0.0199	0.0254	0.0071	ND		0.2935	0.0083	9.84	0.1	ND		ND		0.3557	0.0064	0.0182	0.0014	ND	
0.4959	0.0224	0.0393	0.0084	ND		0.0841	0.0048	5.7723	0.0454	ND		ND		0.1236	0.0028	0.0045	0.0007	ND	
0.1189	0.0157	ND		ND		0.0264	0.0034	5.2609	0.0498	ND		ND		2.1444	0.0205	0.0284	0.0021	ND	
0.1823	0.0159	ND		ND		0.0509	0.0038	5.8363	0.0454	ND		ND		0.185	0.0033	0.0053	0.0007	ND	
0.2214	0.0173	ND		ND		0.0448	0.0038	4.6716	0.0424	ND		ND		1.1142	0.0113	0.0159	0.0015	ND	
0.4389	0.0197	0.0272	0.0072	ND		0.1101	0.0049	6.35	0.05	ND		ND		0.2241	0.0038	0.0172	0.001	ND	
0.2934	0.0181	0.0371	0.0075	ND		0.0928	0.0046	4.4688	0.0364	ND		ND		0.1227	0.0026	0.0155	0.0009	ND	
ND		ND		ND		0.0443	0.0042	14.78	0.13	ND		ND		0.7005	0.0098	ND		ND	
0.0907	0.0137	ND		ND		0.0635	0.0041	9.86	0.07	ND		ND		0.2134	0.0039	0.0046	0.0008	ND	
0.2285	0.0181	ND		ND		0.0715	0.0049	13.78	0.13	ND		ND		0.7596	0.0108	0.0147	0.0017	ND	
0.4288	0.0244	ND		ND		0.1078	0.0061	5.37	0.06	ND		ND		0.6614	0.0098	0.0181	0.0016	ND	
0.5894	0.0222	0.0402	0.0079	ND		0.2909	0.0077	8.05	0.07	ND		ND		0.0067	0.0009	0.0132	0.0008	ND	
ND		ND		0	0.003	0.2616	0.0075	9.53	0.1	ND		ND		0.0624	0.0024	0.0287	0.0014	ND	
0.2668	0.0216	0.0517	0.0097	ND		0.084	0.0053	3.2235	0.0327	ND		ND		0.0219	0.0014	0.0048	0.0006	0.0009	0.0003


Se	Se +/-	Rb	Rb +/-	Sr	Sr +/-	Y	Y +/-	Zr	Zr +/-	Mo	Mo +/-	Ag	Ag +/-	Cd	Cd +/-	Sn	Sn +/-	Sb	Sb +/-	W
ND		0.0067	0.0003	0.0495	0.0007	0.0026	0.0002	0.0021	0.0003	0.0008	0.0002	ND		ND		ND		ND		ND
ND		0.0034	0.0002	0.0356	0.0006	0.0028	0.0002	0.0082	0.0003	0.0049	0.0002	ND		ND		ND		ND		ND
ND		0.0008	0.0002	0.0778	0.001	0.0035	0.0002	0.0088	0.0004	0.0011	0.0002	ND		ND		ND		ND		ND
ND		0.0042	0.0002	0.0523	0.0008	0.002	0.0002	0.0047	0.0004	0.0011	0.0002	ND		ND		ND		ND		ND
ND		0.0017	0.0002	0.0351	0.0006	0.0025	0.0002	0.0032	0.0003	0.0008	0.0002	ND		ND		ND		ND		ND
ND		ND		0.2315	0.0024	0.0019	0.0002	ND		0.0018	0.0002	ND		ND		ND		ND		ND
ND		0.0008	0.0001	0.007	0.0002	ND		0.0013	0.0002	ND		ND		ND		ND		ND		ND
ND		0.0045	0.0002	0.0132	0.0003	0.0026	0.0002	0.006	0.0003	0.0007	0.0002	ND		ND		ND		ND		ND
ND		0.0015	0.0002	0.0662	0.0007	0.0015	0.0002	0.0054	0.0003	0.001	0.0002	ND		ND		ND		ND		ND
ND		0.0018	0.0002	0.0406	0.0005	0.0012	0.0002	0.0049	0.0003	ND		ND		ND		ND		ND		ND
ND		0.0016	0.0002	0.0487	0.0006	0.001	0.0002	0.0049	0.0003	ND		ND		ND		ND		ND		ND
ND		0.008	0.0003	0.0401	0.0006	0.002	0.0002	0.008	0.0003	0.0012	0.0002	ND		ND		ND		ND		ND
ND		0.0081	0.0003	0.0297	0.0005	0.0009	0.0002	0.0024	0.0003	ND		ND		ND		ND		ND		ND
ND		0.0026	0.0002	0.056	0.0007	0.0027	0.0002	0.0043	0.0003	0.0008	0.0002	ND		ND		ND		ND		ND
ND		0.0036	0.0002	0.0627	0.0008	0.0019	0.0002	0.0019	0.0003	0.001	0.0002	ND		ND		ND		ND		ND
ND		0.0013	0.0002	0.0556	0.0007	0.0012	0.0002	0.0061	0.0003	0.0012	0.0002	ND		ND		ND		ND		ND
ND		0.0015	0.0002	0.0546	0.0006	0.0013	0.0002	0.0066	0.0003	0.0006	0.0002	ND		ND		ND		ND		ND
ND		0.0016	0.0002	0.0427	0.0006	0.0011	0.0002	0.0052	0.0003	0.0006	0.0002	ND		ND		ND		ND		ND
0.0022	0.0004	ND		0.0031	0.0003	0.0033	0.0003	ND		0.6355	0.0057	ND		ND		ND		ND		ND
ND		0.0007	0.0002	0.0466	0.0007	0.001	0.0002	0.0032	0.0003	0.001	0.0002	ND		ND		ND		ND		ND
0.0007	0.0002	0.0012	0.0002	0.0095	0.0003	0.0016	0.0002	0.0016	0.0003	0.0012	0.0002	ND		ND		ND		ND		ND
ND		0.0037	0.0003	0.0089	0.0003	0.0011	0.0002	0.0012	0.0003	0.0024	0.0003	ND		ND		ND		ND		ND
ND		0.0021	0.0002	0.0609	0.0007	0.0009	0.0002	0.003	0.0003	0.0006	0.0002	ND		ND		ND		ND		ND
ND		0.0023	0.0002	0.0364	0.0006	0.0023	0.0002	0.0048	0.0003	0.0017	0.0002	ND		ND		ND		ND		ND
ND		0.0047	0.0002	0.0452	0.0006	0.0008	0.0002	0.0011	0.0003	ND		ND		ND		ND		ND		ND
ND		0.0035	0.0002	0.0434	0.0006	0.0013	0.0002	0.0051	0.0003	0.0015	0.0002	ND		ND		ND		ND		ND
ND		0.0052	0.0002	0.0293	0.0005	0.0014	0.0002	0.0069	0.0003	0.0093	0.0003	ND		ND		ND		ND		ND
ND		0.0053	0.0002	0.027	0.0004	0.0007	0.0002	0.0027	0.0002	0.0086	0.0002	ND		ND		ND		ND		ND
0.0009	0.0002	0.0021	0.0002	0.013	0.0004	0.0027	0.0002	0.0021	0.0003	0.0037	0.0003	ND		ND		ND		ND		ND
ND		0.0014	0.0002	0.0398	0.0006	0.0018	0.0002	0.0023	0.0003	0.0019	0.0002	ND		ND		ND		ND		ND
0.0016	0.0003	0.0047	0.0003	0.0232	0.0005	0.002	0.0002	ND		0.0568	0.0008	ND		ND		ND		ND		ND
0.0007	0.0002	0.0041	0.0003	0.0334	0.0006	0.0025	0.0002	0.0053	0.0004	0.0673	0.0009	ND		ND		ND		ND		ND
ND		0.0054	0.0002	0.0515	0.0007	0.0045	0.0002	0.0023	0.0003	0.0008	0.0002	ND		ND		ND		ND		ND
0.0014	0.0003	0.0015	0.0002	0.0374	0.0006	0.0033	0.0002	ND		1.7035	0.0171	ND		ND		ND		ND		ND
ND		0.0111	0.0003	0.0374	0.0006	0.0009	0.0002	0.0018	0.0003	0.0012	0.0002	ND		ND		ND		ND		ND

W +/-	Hg	Hg +/-	Pb	Pb +/-	Bi	Bi +/-	Th	Th +/-	U	U +/-	LE	LE +/-	Unit
	ND		ND		ND		0.0027	0.0008	ND		65.11	0.25	%
	ND		ND		ND		0.003	0.0008	ND		66.32	0.36	%
	ND		0.0032	0.0005	ND		0.0036	0.0009	ND		56.31	0.29	%
	ND		0.0031	0.0005	ND		0.0025	0.0008	ND		64.73	0.37	%
	ND		0.0015	0.0004	ND		ND		ND		68.21	0.24	%
	ND		0.0027	0.0005	ND		ND		ND		67.13	0.27	%
	ND		ND		ND		ND		ND		65.29	0.19	%
	ND		0.0016	0.0003	ND		ND		ND		72.28	0.3	%
	ND		ND		ND		ND		ND		67.09	0.21	%
	ND		0.001	0.0003	ND		ND		ND		64.26	0.21	%
	ND		0.0013	0.0003	ND		ND		ND		64.45	0.22	%
	ND		ND		ND		0.0038	0.0008	ND		64.06	0.24	%
	ND		ND		ND		ND		ND		70.66	0.21	%
	ND		0.0043	0.0005	ND		ND		ND		59.2	0.32	%
	ND		0.0041	0.0005	ND		0.0029	0.0008	ND		63.04	0.35	%
	ND		ND		ND		ND		ND		66.56	0.24	%
	ND		0.0009	0.0003	ND		ND		ND		59.91	0.22	%
	ND		ND		ND		ND		ND		71.17	0.21	%
	ND		ND		ND		ND		0.0157	0.001	47.61	0.43	%
	ND		ND		ND		0.0027	0.0008	ND		72.75	0.22	%
	ND		ND		ND		ND		0.0014	0.0004	51.99	0.31	%
	ND		ND		ND		0.0039	0.0009	ND		76.19	0.23	%
	ND		0.0013	0.0003	ND		ND		ND		60.62	0.24	%
	ND		ND		ND		0.0029	0.0008	ND		67.33	0.25	%
	ND		0.0012	0.0003	ND		ND		ND		65.14	0.22	%
	ND		ND		ND		ND		ND		68.83	0.22	%
	ND		ND		ND		ND		0.0013	0.0004	68.74	0.22	%
	ND		ND		ND		ND		ND		66.59	0.21	%
	ND		ND		ND		0.0044	0.0009	ND		63.47	0.31	%
	ND		0.0012	0.0004	ND		0.0024	0.0007	ND		63.96	0.25	%
	ND		0.0018	0.0006	ND		0.004	0.0009	ND		64.52	0.32	%
	ND		ND		ND		ND		ND		75.99	0.24	%
	ND		ND		ND		ND		ND		63.68	0.33	%
	0.0045	0.0008	0.0036	0.0006	0	0	ND		0.0054	0.0006	70.82	0.37	%
	ND		ND		ND		ND		ND		66.29	0.24	%

APPENDIX VI

FULL SIZE SCALE PLAN and CROSS-SECTION MAPS

JANUARY 3, 2024



HOLES PLOTTED


TOTAL 5

RED-23-01 RED-23-02 RED-23-03 RED-23-04
 RED-23-05


BAR GRAPHS	L/R	COL
Cu_pc	R	Red
MoS2_pc	L	Cyan

PLAN SPECS:

REF. PT. E, N 363100 m 5572000 m
 EXTENTS 303.2 m 232.9 m



HomeGold Resources Ltd.
 Redonda
 Red Cu-Mo-Re-Ag-In
 2023 Drilling



HOLES PLOTTED

TOTAL 1


RED-23-01

BAR GRAPHS	L/R	COL
Cu_pc	R	Red
MoS2_pc	L	Cyan


ROCK CODES	PAT	LABEL	DESCRIPTION
Rock_Code	Grey	OB	Overburden
	Red	QD	Quartz Diorite (or QD Mineralized & Altered)
	Dark Red	HP	Hornblende Porphyry (or QD Mineralized & Altered)
	Yellow	BB	Biotite Breccia Dyke
	Light Yellow	BP	Bleached Porphyry

SECTION SPECS:

REF. PT. E, N	363100 m	5571960 m
EXTENTS	303.2 m	232.9 m
SECTION TOP, BOT	548.3 m	315.4 m
TOLERANCE +/-	15 m	



HomeGold Resources Ltd.
 Redonda
 Red Cu-Mo-Re-Ag-In
 2023 Drilling



HOLES PLOTTED

TOTAL 2


RED-23-04 RED-23-05

BAR GRAPHS		L/R	COL
Cu_pc		R	Red
MoS2_pc		L	Cyan

ROCK CODES	PAT	LABEL	DESCRIPTION
Rock_Code	Grey	OB	Overburden
	Red	QD	Quartz Diorite (or QD Mineralized & Altered)
	Dark Red	HP	Hornblende Porphyry (or QD Mineralized & Altered)
	Yellow	BB	Biotite Breccia Dyke
	Pink	MA	Quartz Diorite (Mineralized & Altered)
	Brown	IB	Intrusive Breccia

SECTION SPECS:

REF. PT. E, N	363100 m	5571970 m
EXTENTS	303.2 m	232.9 m
SECTION TOP, BOT	548.3 m	315.4 m
TOLERANCE +/-	15 m	



HomeGold Resources Ltd.
 Redonda
 Red Cu-Mo-Re-Ag-In
 2023 Drilling